
2224



## **ELECTRONICS & MUSIC MAKER**

THE MUSIC TECHNOLOGY MAGAZINE



## Play Dead! Alive and Kicking with Tim Lever

Police State
Sting in Paris, Copeland in Africa

Minimoog
Best Synth Ever Made?


Showtime Reports from APRS, NAMM

The Reviews That Matter
Roland TR727 Drums SIEL Graphics Software Simmons SDS9 Kit Yamaha DX21 Poly PolyMIDI 1 Sequencer Roland MIDI FX

World Radio History

## D**BOSS**

## MICRO RACK



**RDD-10** 

**Digital Delay** 

RPH-10

Phaser

**RBF-10** 

Flanger

**RGE-10** 

Graphic Equalizer

RCL-10

Compressor Limiter, Expander/

Noisegate

RAD-10

19" rack shelf (accommodates 2 units)

BMR-5

91/2" rack

Compact, efficient, hi-tech sound processors at prices you can afford. Perfect for home recording or live stage use.

Today's Buzz Word in Home Recording . .

## **BUSS MICRO RACK SERIES**

Send for leaflet quoting this publication to:

Roland (UK) Ltd.

Great West Trading Estate, 983 Great West Road, Brentford, Middx. TW8 9DN. Telephone: 01-568 4578 Telex: 934470 Fax: 01-847 1528

**World Radio History** 

# CHASE SETINGTHESTANDARD FOR THE MUSIC INDUSTRY TO FOLLOW Our reputation has been built on giving our customers the best possible service backed up by the best possible prices. It is a reputation of which we are justly proud. Intersonally quarantee the quality and value of the instruments we sell and to ensure your complete satisfaction offer you: 1 day no-quibble money back guarantee. Tryrour purchase at home. If you're not completely satisfied within 7 days, we'll refund your money. 12 months interest free credit. You can pay as you play with our free credit plan. No interest charges. In and the Chase reputation. HOW CAN OUR PRICES BE SO LOW? Our prices have always been low. This is not because we cut corners— It is because we are the main importer of some of the best instruments in the world—saving you up to 50% BUY BY PHONE SERVICE If you don't live near one of our showrooms, why don't you buy by phone. Schere, and you can use our Interest Free Credit. Schere, day and our? 1 day money back guarantee applies. Ring 081-236 6794—you can even reverse the charges! BUY FROM CHASE Chase is at the forefront of service and value, I look forward to welcoming you to our club. AMRIK SINGH-LUTHER Managing Director



## Complete range of Keyboards at lowest possible prices. RING FOR DETAILS

## CRUMAR SPIRIT SYNTHESIZER

here has never been a monophopic synthesizer quita like this before. It is the ultimate, the most versatile, the fattest solo sound around it's in a class of it's own sepecially when you see how little it costs. Just call in and riy it, you'll see what we mean 2 oscillators with independantly variable mayeforms. 3 arpegiator modes 50 fill filler system with 241048 selector 2 ADSR envelopes 2 VCA's MIDI digital interface. Octave selector (4 to 36)—and much, much more it can give you the sounds you've been looking for

**CHASE BIT ONE** 

RRP £399 **CHASE PRICE** £199

or in combination the TIMBRE lattack and

amount of VCA) PULSE

DCO1 & DCO2 and the MODULATION RATE OF LFO1 & LFO2 Packed with all the features you could want include

> R.R.P. £1599 R.R.P. £1599 CHASE PRICE **£799**



INTEREST FREE CREDIT £19.00 52 Widy Payments ... £3.47

The Chase Bit One is a 6 voice programmable, touch The Chase Bit One is a b voice programmable, four sensitive synthesizer with digital access control for total flexibility and ease of programming but developing its award winning sounds through analogue filtering. The touch sensitivity allows you to control alone

Doubling, Detune etc. etc It's the one for you

## CRUMAR COMPOSER



The Composer gives you that big fat Crumar sound by combining up to 4 different sounds from the same keyboard at the same time. Organ. Strings, Polyphonic Synth and Lead Line Solo Synth and breath control are all infinitely variable and mirable at the same time. Dynamic keyboard and many other features

R.R.P. £699 CHASE PRICE **£349** 

INTEREST FREE CREDIT £25.00 52 Widy Payments ... £6.23

## **CHASE SYNX 508**



Chase Synx 508 5 voice polyphonic synthesiser with full edit capabilities offering 64 voice programs and 8 sequencer programs features programmable phasing chorus ensemble mono poly modes, hold chorus controls and much more

H.R.P. £799 CHASE PRICE **£399** 

INTEREST FREE CREDIT 52 Wkly Payments ... £7.16

## **CHASE BIT 01 SYNTH MODULE**

The Chase Bit 01 is a 6 voice programmable, touch sensitive synthesizer designed to be controlled by any keyboard, computer guitar, etc. with MIDL Like the Chase to decontrolled by any teyrolard, computing guital, etc. whilm MUUL Lite time Land Bit Ohe list unique sounds derive from digital access control warmed up and fartened by the Chase analogue (filtering, Splits, Doubling, Detune, White Noise Volume are all programmable is swell as Sound and Touch Sensitivity, Will dramatically improve the sounds of DX's, POLY's, JUNO's setc, as well as adding many extra facilities. Part of the Chase Bit Total Performance System



R.R.P. £1399 CHASE PRICE

INTEREST FREE CREDIT Deposit £51.00 52 Whily Payments £12.46

## **CRUMAR ROADY PIANO**

The electric piano of the 80's. Five full octaves of Piano, Vibes and a punchy Bass provide the player with a pool of possibilities that include mellow Vibes with variable termino depth and rate. Percussion that can duplicate a mallet sound, produce the accentuation of popular electric pianos (those classic bell, ike tones), or add that biting edge for lazz solos. 3 distinctive piano sounds that can be mixed in any combinati and can be played on either the left side, the right or across the entire keyboard. Bass that can be played percussively or simultaneously sustained with the Vibes.



CHASE PRICE £199

INTEREST FREE CREDIT £19.00 €3.47 52 With Payments

## **CRUMAR DP80 PIANO**

PROFESSIONAL KEYBOARD

INTEREST FREE CREDIT

12 incredible Plano Voices, the ability to create your own and a keyboard response you can tailor to your touch.

THE VOICES, foil a van at the Cruman PP 90 and resil discover the word's most popular pamos are at your fingertips. Six presents functionin two modes, the first six being more traditional accusits and electric plans sounds, the second six offering more brilliantly defined sounds not normally associated with accussically oriented instruments. PRES SECTION The seventh preset enables, you to control the very social Fire Filter Section. This section lets you create your own pano sounds, plu many expressive synthesizer voices individually coloured by the energy you direct into the keyboard. THE FEEL The DP 90 has a true dynamic keyboard that you can apply to your synthesizer your synthesizer voices individually the to conting the job.

R.R.P. £899

£29.00 52 Widy Payments ... £8.08

INTEREST FREE CREDIT

## **CRUMAR BABY GRAND PIANO**

A buby Baby Grand Piano, 46° wide and only 35° front to back. The Crumar Baby Grand has 12 præsets pf Piano, Electronic Piano and Synthesiser sounds. The Filter control gives you a dozen variations to the præsets. And if you want to change any of the presets, a trapdoor on the from panel opens up to allow you to program your own bank of sounds. The keyboard touch response is adjustable to suit your hands. A built in Tremolo and Detune. feature let you make concert sounds from an elegant portable, it has a built-in amplifier (40 Watta R M S) which gives enough power to play the Bahy Grand on every occasion where outside amplification is not available, and it can

also accomodate an external instrumer and even a microphone. It weighs about with of the weight of a large plano.



INTEREST FREE CREDIT Deposit £35.00 52 Wkly Payments £10.85



**BUY BY PHONE** RING 061-236 6794

You can even reverse the charges

## BEST PRICES PAID REPAIRS

Second Hand Synths, Keyboards, Organs, Guitars, Amps, etc.

We repair all leading makes of musical instruments whether you bought from us originally or not.



GUITARS NOW AVAILABLE IN THE U.K. ANOTHER CHASE EXCLUSIVE

LONDON 22 Charton Street, off Euston Road, London NW1 Tel: 01-387 7626/7449 MANCHESTER 58 Oldham Street, off Piccadilly, Manchester M4 ILE. Tel: 061-236 6794/5 BIRMINGHAM 10 Priory Queensway, Birmingham, B4 6BS Tel: 021-236 8146 Opening Hours: Mon-Sat inc. 10.00am-5.30pm

APR 0% Written details on request

All goods subject



E&MM

August 1985

21 Today

Yamaha's DX21 polysynth offers FM sound quality at a low, low price, plus a few features even the DX7 doesn't have. Simon Trask investigates.



Sampling on the Cheap

A new British company, Logitech, have just announced the world's cheapest pitch-tracking sampler. If you've a CV synth you'll be quids in - or will you? Paul White reports,

Le Sequenceur Polyphonique

The French answer to the MSQ100? A polyphonic sequencer with comprehensive interfacing facilities, and a few tricks up its sleeve gets the treatment from 'le docteur' Simon Trask.

The Shortest Route

As MIDI's failings become all too apparent to thousands of musicians, Roland take the bull by the horns and come up with four processing units to make life easier. Simon Trask gives them a trial run.

Volume 5 Number 6

**Graphically Yours** 

It's now some 18 months since the company first produced MIDI software for home micros, and now SIEL have come up with two of their most attractive packages yet. Trish McGrath has the details.

**Power Down Below** 

Will foot-controlled music become popular now that Micro Musical have introduced a set of MIDI bass pedals for under £200? Malcolm Harrison has the answer.

Latin Lessons

In the wake of the successful TR707, Roland have produced a well-nigh identical machine, loaded with percussive gems of a less predictable nature. Dan Goldstein puts the TR727 through its paces, shortly before emigrating to South America.

Simmons' 9th

The people who invented the electronic drum introduce MIDI - and a decidedly acoustic sound - with the advent of a new kit, the SDS9. Nigel Lord gives his verdict.



Checklist

month's subject.

The buyer's guide with a difference, with listings, prices, specifications, and comments from E&MM's reviewing team. Polysynths, expanders and controlling keyboards are this

AUGUST 1985 E&MM

Comment

Editorial writes and wrongs.

## Newsdesk

More pages, more stories, more details. We put the spotlight on some new DX7 ROMs, a MIDI sequencer package for the Apple Macintosh, and the belated commercial appearance of the 4X digital processor - plus a good bit more besides.



## Communiqué

Readers' letters by any other name, with FM synthesis, E&MM's record reviews and the anti-sampling lobby all coming under fire.



## For the Record

By way of introduction to better coverage of recording studios and the technology within them, we look at the current state of the recording art and report from London's recent APRS studio show,

## **Double Dutch**


Paul Tingen takes a look behind the scenes with Mai Tai production duo Eric van Tijn and Jochum Fluitsma - and finds out about songwriting, recording and home-made samplers.

Music !

49

Sting in a Tale

Arrested whilst gigging with a bunch of jazz musicians in Paris. Sting talks to Paul Tingen about his new album, the inadequactes of high technology, and the future of The Police



36

Way Down Yonder...

...in New Orleans, Paul Wiffen takes time out to visit the NAMM show, and returns bearing news of the Series III Fairlight, the Emulator SP12 and the OSC Advanced Sound Generator, and more.

66

Uncle Bob's Baby

By rights, the last of the Minimoogs should have been forced into retirement long ago—yet the ancient monosynth continues to see use. Tim Goodyer, long-time Moog fan and owner, takes a retrospective look at the world's first practical synthesiser.

94

Sight Reading

Dan Goldstein and Simon Trask take a break from reading their own work and examine a selection of new hooks aimed at helping you get more out of music technology.

51

African Rhythms

Meanwhile, Tim Goodyer finds The Rhythmatist alias Police drummer Stewart Copeland, resting in his home studio after an African jaunt from which a single, an album and a video have resulted. All three come under discussion.

58


**Out-Takes** 

Another dose of E&MM's newly-contentious LP and singles reviews, in company with demo tapes from readers not yet lucky enough to have a record deal. Tim Goodyer is the man at the helm.

Alive and Kicking

Dead or Alive's Tim Lever surrounds himself with new technology as the band prepare for world domination. Tim Goodyer gets the word on writing, recording and performing.

**World Radio History** 



## Plus ça Change.

f you're lucky, you'll be reading this before the British Music Fair opens its doors to L the public on August 2. Because by an unfortunate positioning of schedules (it happens every year), this issue of E&MM isn't due to hit the streets until only a week or so before the BMF commences - which is why we've afforded it less prominence this month than you might otherwise have expected. It's a significant show, nevertheless, and personally, I hope it'll be a good one. I don't just mean good for us as a magazine (though obviously the more dazzling new items of technology there are on display, the more action-packed September's show report will be), but good for musicians in general and, naturally, the music industry as a whole.

We're lucky, of course, in that hi-tech is one area of the musical instrument business that's really going great guns – in spite of the odd pop music trend that might suggest otherwise. With more market areas vying for consumers' spare cash than ever, hi-tech music is weathering the storm particularly well, and it's my belief that it'll continue to do so. If there isn't much of interest at the BMF, we'll know it won't. But then, I'd be very surprised if that were to turn out to be the case.

Anyway, if you are going down to Olympia 2, be sure to drop by to the Music Maker Publications stand, where you may be

unfortunate enough to meet one of the staff, chat in a friendly and inspiring way with them, and then be assaulted by an overenthusiastic Director trying to get rid of the last of the old-style E&MM T-shirts.

Ah, yes. The new front cover style. Well, we did warn you last month that change was on its way, though if for some reason you were caught unawares by the switch from Crillee Bold Italic to Goudy Old Style Roman (nope, I never was all that good at Letrasetspeak), I apologise.

We also said there'd be changes inside the magazine, too, but I guess some of you might still be wondering what happened to all the 'Hardware' reviews, and why 'Computer Musician' appears to have sunk without trace. Fear not, for only the names have been changed to protect the innocent. Seriously though, when Mike Beecher (my predecessor in the E&MM hot seat) conceived of the idea of 'Computer Musician' alongside the supplement's erstwhile Consultant Editor, David Ellis, the idea was that it would one day get so big, it would have to have a magazine all to itself.

Two years on, the reverse has actually taken place. 'Computer Musician' has got so big, we've done away with it as a section altogether, since in our view, the distinction between it and the rest of E&MM was becoming something of a bogus one. After

all, you can't look inside a piece of review equipment these days without looking at a computer (albeit a dedicated one), and you can barely talk to a modern musician who hasn't got an opinion on what computers should and should not be used for. And as for the distinction between hardware and software...well, suffice to say it's now too grey an area for us to want to spend much time penetrating, at least for the time being. Thus, we've decided to drop the 'Hardware' tag and bring all reviews of new products under the umbrella title of 'Appraisal', which just about encompasses everything.

Actually, Clive Goodyer (brother of Music Editor Tim, though he himself denies any knowledge of the fact) had some difficulty spelling 'Appraisal' when he came to designing our new section artwork, so we nearly had second thoughts. Nonetheless, E&MM's beleaguered Art Department (which we share with four other rapidly expanding monthly magazines, remember) would like it known they're extremely grateful to Clive for getting them out of a sticky situation. They'd also like to make it clear there won't be any articles, pages, listings, paragraphs, sentences or words in the wrong order in this month's E&MM, so that nothing will stand in the way of your enjoying the world's most fearless musician's magazine.

Or says it so here.

Editor Dan Goldstein Production Editor Trish McGrath Reviews Editor Simon Trask Music Editor Tim Goodyer Technical Editor Paul White Consulting Editor David Ellis Art Editor Stuart Catterson Deputy Art Editor Eddie Allen Art Assistants Sam Masters, Lynn Cooper Photography Tim Goodyer, Matthew Vosburgh Technical Illustrator Len Huxter Consultants (Music) Warren Cann, Ian Boddy, Geolf Twigg, Paul Wilfen Consultants (Technology) Ken McAlpine, Jay Chapman, Steve Howell, Jim Grant, Paul Williams Advertisement Manager Tony Halliday Advertisement Production Shaun Barrett Advertisement Production Assistant Claire Wiles Accounts Manager Lester Johannes Accounts Secretary Sonja Betts Mail Order/Subscription Cheryl May Director Dennis Hill Publisher Terry Day

Electronics & Music Maker is published by Music Maker Publications, Alexander House, 1 Milton Road, Cambridge CB4 [UY. 28 (0223) 313722. Typeset by Goodfellow & Egan, Cambridge, Printed by Thomas Reed Printers, Sunderland. Distributed by Magnum Distribution, London. All material is subject to worldwide copyright protection, and reproduction or imitation in whole or part is expressly forbidden. All reasonable care is taken to ensure accuracy in the preparation of the magazine but Music Maker Publications cannot be legally responsible for its contents. The Publishers cannot assume responsibility for the return of unsolicited manuscripts, photographs, artwork, or projects. Permission to reproduce printed circuit board layouts

or to market kits commercially must be sought from the Publisher.

Subscriptions UK £15.50, Europe & Overseas (surface) £16.20, Europe (airmail) £23.50, Overseas (airmail) £37.50. Binders £3.95 (inc. postage).

© Copyright 1985 Music Maker Publications Limited.

## BRITAIN'S BEST CHOICE!

## **KEYBOARDS & EXPANDERS**

rrp ROLAND IX8P .. €1325 £1095





STILL THE BEST SELLING POLYSYNTH IN STOCK €880.00 LOW PRICE

ROLAND SH101 + MGS1 £220 ROLAND MKB 1000 RRF £1299 Mother Keyboard £1665.00 £1395.00



Roland MKB 300 Mother Keypoard £990.00 £849.00

Roland MK\$10 Piano Module Roland MKS30 Synth module

£950 00 £795.00 £875 00 £755 00



Roland MKS80 £1800.00 £1495,00 £1350.00 £1195.00 €895.00

Roland HP350 NEW Plano £1130.00 £625 00 Available Roland EP50 Midi Piano

NOW! £2999 00 Available NOW! Yamaha Dx7 £1449 00 £1299.00 £199.00 £935.00 £449.00 Yamaha KX5 yamaha PF15 £1099.00 Yamaha PF10 £849 00 £499.00 NEW Yamaha DX21 Stereo FM Synth

£699.00



New Midi Keyboard Yamaha TX7 Yamaha TX816

IN STOCK NOW! £4199.00

polyphonic full sized keyboard, b in B channel secures. th RAM cartridge or tape dump stion. IN STOCK NOW!

Casio CZ 5000 Casio CZ101 Midi Synth £395.00 £345.00 Casio CZ1000 Midi Synth £495.00 Casio CT6000 MICI £695.00 £645.00 £699.00 Siel Expander 80 NEW £399.00

Oscar Midi Synth Korg DW600 NEW £1095 00 Kara Poly 800 £625 00 £449 00 Korg PK100 €449.00

Korg EX800 £479.00 £299.00 Sequential Max

£499.00 Sequential Multi Tracs £1199.00

## HOME RECORDING AND **ACCESSORIES**

TASCAM "STUDIO 8"

Yamaha MT44D

NEW Tascam 388 8 track Portastudio

£2750 NEW Tascam 246 6 into 4 Portastudio Tascam Portastudio 244 in stock Tascam Portaone £449.00 Yamaha REV7 Reverb **LPOA** Yamaha GO1031 graphic Yamaha GO2031 stereo graphic Yamaha RM602 mixer £199.00 £249.00 Yamaha PB35B patchbay & rack Yamaha G2020 compressor £229.00 Yamaha R1000 digital reverb Yamaha D1500 digital delay £499,00 £599.00 Roland SDE1000 digital delay Roland SDE3000 digital delay £699.00 Roland SDE2500 digital delay (MIDI) £599.00 Roland SRV2000 digital reverb(MIDI) £1275.00 NEW BOSS DSD2 Boss DD2 digital delay SAMPLER IN ST Boss KM60 6 into 2 mixes £175.00 £86.00 Boss BX400 mixer Boss BX600 mixel £130.00 Boss Bx800 mixer £235.00

Fostex in Stock NOW!

Fostex X15 Plus all FOSTEX & ACCESSIT Accessories

The Mirage

£299

£699



Sound sampling synthesiser

- 5 octave touch sensitive
- 8 voice polyphonic
- 16 different samples across the keyboard
- Up to 8 second samples
- 4 user samples split across the keyboard
- Midi sequencer
- floppy disc drive

Up to 30% off Korg, Roland, Casio, Yamaha, Sequential Circuits, Boss, Tokai, Aria, Westone, Peavey, Carlsbro, Tascam etc. — send for one of our Free info packs with details of our prices and 7-day money back guarantee.

## **DRUM MACHINES & SEQUENCERS**





**ABC Price** rrp £525.00 Roland TR707 €465.00 BOSS DR110 £150.00 £125.00 £449.00 Yamaha RX15 £499 00 Yamaha RX11 £695 00 NEW Yamaha RX21 PCM Digital Drum Machine Korg DDM110 NEW LOW PRICE! Korg DDM220

**NEW LOW PRICE!** IN STOCK



Sequential Tom

## **ҮАМАНА СХ5** MUSIC COMPUTER

**AVAILABLE NOW!** 

CALL IN AND ASK ABOUT OUR AMAZING COMPUTER PACKAGE DEALS

Roland MSQ100 Roland MSO700 £950.00 £825.00 Roland JSQ60 Sequencer £299.00 £129.00 for Juno 106

## WE MATCH OR BEAT ANY GENUINE ADVERTISED PRICE -YOU CANT BUY BETTER!

Roland TB303 Bassline Roland TR606

£290 00 £149.00 £290.00 £189.00



Yamaha OX7 NEW!

€2250.00

## NEW ROLAND PRODUCTS

NEW 8055 MICRO RACK MIDI UNITS IN STOCK!

MI-40 MIDI Input Selector MI-50 Output Selector £85 MI-30 MIDI Channel Fifter/Converter MI-10 MIDI to CV Interface £199 £245

Boss Micro Rack Series RDD-10 Dig. Delay RCL 10 Compressor Limiter £110 PPH-16 Phaser £110 RBF-10 Flanger RGE-10 Graphic EQ £110



Roland Digital Drum System DDR30

Roland SRV2000 Stereo Dig Reverb £1275 Roland SDE2500 Midi Digital Delay

€599.00

TR707 Digital Midi Rhythm Composer > £499 TR727 Digital Midi Percuss. Composer Midi Electronic Pianos Available NOW!



14-16 High St. Addlestone

TEL: 0932 40139/54877

56 Surbiton Rd. Kingston TEL: 01-546 9877

324-326 Farnham Rd. Slough TEL: 0753 822754

If you are unable to visit one of our shops ask about our Instant Mail-Order Service. Phone your credit-card FOR SAME DAY DESPATCH

Please supply ..... Access or Barclaycard No Address.

Day-time/Works Tel. No .....

# Variations on a ROM Now that every home in Britain owns – or hopes to own – a Yamaha DX7 it stands to reason that an awful lot of people are going to want to know about what Newcastle's Rock

Now that every home in Britain owns — or hopes to own — a **Yamaha DX7** it stands to reason that an awful lot of people are going to want to know about what Newcastle's Rock City musicstore have been getting up to lately. They've just announced an interesting (and cheap) variation on the DX7 ROM pack. The new-style ROM cartridge has a ZIF (Zero Insertion Force) socket on the outside, together with a series of EPROMs to plug into the cartridge. Each EPROM contains 64 sounds, and retails at the modest price of

MMA, the policy for distribution of System Exclusive ID numbers, MIDI equipment compatibility testing, and the determination of a MIDI Standard File Format.

The detailed specification document was initially created by the Japanese MIDI Standards Committee to help clarify the 'grey areas' of

initially created by the Japanese MIDI Standards Committee to help clarify the 'grey areas' of the MIDI spec, and this has been translated by the MMA's Technical Standards Board. All this liaising between manufacturers can only be a good thing, though it's a shame it's taken them this long...

## IMA on the **M**ove

£45.50. More from Rock City, 23 (0632)

It's been some while since we last gave a mention to the International MIDI Association in Newsdesk, so this seemed an opportune moment to give you the latest on the world's largest MIDI enthusiasts' group. The first bit of news is that the IMA have moved - to the address at the bottom of this item. Membership for individuals is \$55 per year, and this brings you such goodies as a free MIDI 1.0 spec sheet and support materials, a monthly IMA bulletin with all the latest MIDI news and reviews Stateside, access to the IMA's technical support hotline and (if you're modem-equipped) access to the IMA database. More from 11857 Hartsook Street, North Hollywood, California 91607, USA. & (0101) 818-505-8964.

## MIDI's MMA

Meanwhile, if you're a manufacturer of MIDI hardware or a writer of matching software, you can join the newly-formed MIDI Manufacturers' Association, MMA for short. The body held its first meeting at the recent NAMM show in New Orleans, where topics scheduled for discussion included the new MIDI 1.0 detailed specification document, the functions of the IMA in working with the

## Totally Desirable?

Just once in a blue moon (with or without the turtles), along comes a product which looks so good on paper that before you realise it, a sigh


of desire and longing has escaped from the lips. OK, so a little fantasy goes a long way, but the Total Music MIDI sequencer package from American company **Southworth Music Systems** certainly looks to have more than its fair share of desirability.


the discrediting


For starters, Total Music is based around a micro that up till now has been notably absent from the MIDI scene - the Apple Macintosh. Well, given the £2000 price-tag of the 512K Mac, that's hardly surprising - especially when you consider it doesn't even come equipped with its own MIDI. So the first port of call for Total Music was to add the necessaries for getting the Mac to communicate with five-pin DIN sockets, in this case four parallel MIDI Outs and two non-parallel Ins. With luck, that'll mean four times the number of notes that can be sent before you come up against MIDI timing bottlenecks, though Southworth's idea of 'parallel' puts that interpretation in some doubt. On the input side, though, the 'non-parallel' inputs mean simultaneous recording of two keyboards, or one keyboard and drums. And that can be independent recording, too.

Not surprisingly, Total Music also takes full advantage of the Mac's legendary iconoclastic graphics, albeit in solitary monochrome. And then there's the mouse, the means of escaping from the tyranny of the QWERTY computer keyboard, and the answer for pen-pushers the world over. The togetherness of graphics and









mouse provide the means for interaction with 50,000 notes of MIDI data, on up to 99 tracks, in the 512K Mac's memory. Said tracks can each have 16 MIDI channels, with eight tracks simultaneously playable and chainable from the 99. For once, editing should be a pleasure rather than a pain, with three different modes on offer: tape-style punch in/out, word processor-style cut and paste, and event

reverberation and multiple time delays. Quelle modestie, as they say en Franglais.

And if all that leaves you wanting to come up for air, try these specs for *le dessert*: 24-bit internal arithmetic, 64 l6-bit l/O ports, a 96dB S/N ratio, and sampling frequencies up to 512kHz. Oh yes, almost forgot... To run the 4X, you'll also need a Unix host computer, a real-time control computer, a graphics display, a

sequencing software. The P-Drum is designed to work in conjunction with the same company's DXI, an Apple-based sound-sampling package that's most easily described as a Stateside alternative to the Greengate DS3. The disk-based P-Drum is menu-operated and includes digital delay and pitch transposition amongst its many facilities. The price? Just \$99, though you'll need a DXI first. More from Decillionix, PO Box 70985, Sunnyvale, CA 94086, USA. & 408-732-7758.



editing using stave or bar graph displays. Just as potentially pleasurable is the fact that whatever's edited is instantly playable. And then there's the three modes of time correction, live triggering of tracks from a MIDI keyboard with or without transposition, a live playback display showing activity on all 16 MIDI channels, plus SMPTE synchronisation to make the package truly professional, whatever that means.

And the price? Well, 'under \$550' is what's being quoted for the combined package of hardware and software. Not cheap, admittedly, but Total Music looks to be worth it. Let's hope Southworth implement Total Music on the Atari 520ST – that'd really put the cat amongst the pigeons. More from Paul D Lehrman, Southworth Music Systems, Box 275, RDI, Harvard, MA 01451, USA. \$\mathbb{C}\$ 617-497-7522.

## 4X-cellence?

Academic music buffs will no doubt take heart from the fact that the infamous 4X digital sound processor has finally made it onto the commercial musical instrument market. Developed at composer Pierre Boulez's hot-house of musical orchids, IRCAM, and licensed to aerospace firm Sogitec, it's now more widely available in the shape of the 4X Musical Workstation from Techniques Numeriques Avancées. According to Jean-Pierre Armand, spokesman for TNA, the 4X system will do all of the following if you speak to it nicely in the voluble Italian of its designer, Giuseppe DiGiugno: 1024 'realisable' digital oscillators, with additive and subtractive synthesis, nonlinear distortion (otherwise known as Casio-type waveshaping, though TNA'll probably shoot us for calling it that), FM, ring modulation, filtering (up to 450 simultaneous second-order filters in real time), direct and reverse linear prediction, Fast Fourier transforms, phasing by Hilbert transforms (whatever they are), harmonising, E&MM AUGUST 1985

musical keyboard, and multiple 16-bit DACs. And the dent to the wallet? Well, if there's anything left out of £50,000, we'd be *greatly* surprised. So who said that capitalism doesn't rule OK in Mitterand's France? **More from** Techniques Numeriques Avancées, BP14, F-30440, Sumene, France.

## München Memo

Seems high-flying academic music systems are the current flavour of the month. Now comes news of the Cadmus Computer Music System from a firm by the name of PCS in Munich. Starting-point of this system is the Cadmus 9000 series of computers, which are based on a combination of the 68010 processor, DEC Q-bus, and Unix operating system. The Cadmus has been bent in the direction of computer music by importing the Cmusic language from the University of California at San Diego, and a version of a 'soundfile' system developed at UCSD and the Salzburg Mozarteum. Sony 16-bit DACs are then attached to the Q-bus for the playback of sampled sounds et al. A typical set-up consists of the Cadmus 9230 computer with 2Mbytes RAM, an 80-Mbyte hard disk, a 140-Mbyte Maxtor soundfile disk, two bit-map controllers, two PCS bit-mapped terminals, two ASCII terminals, a streamer tape cassette, and Sony stereo DACs. All that will set you back by some \$35,000, but who knows? If Fleet Street is to be believed, the last man to win the pools didn't even know what the numbers meant... More from Stephen Pope, PCS, Pfalzer-Waldstrasse 36, D8000 Munich 90, West Germany.

## An Apple a Day...

Back to the States, where **Decillionix** have just put the finishing touches to their P-Drum

## Stop Press

If you're quick, you might just catch the Contemporary Music Open Day, which is being held at 10, Stratford Place, London WI on Saturday, July 27. The day's proceedings begin at 10.30am, and will include plenty of live music as well as various other related events, such as record and score sales, before winding down around 4.30pm. Participating in the festivities will be American composers Elliott Carter and Steve Reich, while David Bedford's musical board game will close the day. The game carries the ambitious title 'An Exciting New Game for Children of All Ages', and any number can play: please bring instruments and voices. If that isn't tempting enough in itself, admission is free. If only they'd told us sooner... More from the organisers on & 01-491 8111, 01-499 8567 or 01-499

If you're bemused at the sight of an AMPLE music program and unsure why so many people are talking for so long about the Music 500 BBC synth add-on, the machine's inventors, Hybrid Technology, have a new trick up their sleeve in the form of a 30-minute audio demo cassette. Enigmatically titled An Evening in the Company of the Music 500 Synthesiser, the tape features renditions of: 'Sexcrime 1984', the first of Satie's 'Gymnopedies', 'Bright Eyes', 'Wild Boys', 'Starflight 500', and many more... Cost is a mere £1.95 inclusive, payable to Hybrid Technology. Incidentally, the program for Starflight 500 was featured in last month's E&MM - in the wrong order. For those who've been losing hair or sleep trying to key it in as it was printed, the correct running order is column 2, column 1, column 3. Those responsible will be subjected to a continuous-loop video of The Thompson Twins' contribution to Live Aid. Lastly, on the Hybrid front, the company are due to launch several additional devices - called, logically enough, the Music 200, 300, 400 and so on - at the forthcoming Acorn User Show in London's Barbican, Initial details are sketchy, but the new introductions should include a MIDI interface, a custom-designed audio amplifier, and an AMPLE expander that'll let you use the language in everyday computer programs, not just music ones. More from Hybrid Technology, Unit 3, Robert Davies Court, Nuffield Road, Cambridge, CB4 ITP.

Last month's **British Music Fair** preview mentioned the possibility that John Chowning, inventor of FM synthesis, would be appearing on the **Yamaha** stand at some point during the proceedings. Well, we're happy to confirm this will indeed be the case. Chowning will make two appearances during the Fair's public days, the first being at an FM clinic at Yamaha's sound room on Saturday, August 3 at 4pm, and the second during a concert in the Apex Theatre Suite on Sunday, August 4, kick-off time 2.30pm. Get there early.



**Write to** E&MM, Alexander House, 1 Milton Road, Cambridge CB4 1UY.

## David Defended

Dear E&MM,

There is no doubt that your magazine is the leader in its field. However, I think that the more general sections in E&MM July raise some interesting points.

Quite rightly, you defend the right of David Ellis to write about a product in which he has had a creative hand. Apart from the points you make directly in defence of his preview, it is a personal insult to him to presume that through implication his objectivity will automatically be lost. Three cheers for your sense of purpose, on the letters page and in Out-Takes?

Your decision to devote so much of the letters page to 'Long' John Gadocha's shallow (or piss-taking) missive could be viewed as a bid to start a healthy debate on the musician's condition. But that won't wash, because the lack of editorial response surely reveals it to be nothing more than the promotion of reactionary junk, the like of which is available in large quantities among the pages of numerous other publications.

Sad to say, this same kind of reactionary view is reflected in your album reviews. Worst offender must surely be the Bryan Ferry review of the same issue. Frankly, I cannot believe that anyone could come to a purchasing decision after reading the so-called 'professional' opinion offered in the review. Not one of the points your reviewer raises in criticism is a musical one. We know Bryan Ferry fronted Roxy Music, we know he's rich and uses session musicians, and we now know your reviewer doesn't like the result. But we don't have any real idea why.

Surely E&MM doesn't expect us to accept the double standard of finely argued ethics on page 8, and thoughtless playing to the gallery on pages 6 and 43?

If we were fools, we'd be reading the competition.

Paul Bridge London

As a regular E&MM reader, you'll know that we place objectivity top of the list when it comes to analysing music technology. But the record reviews are not intended as a buyers' guide to music; they're merely a set of opinions printed for your information and entertainment.

We credit our readers with sufficient intelligence to make their own choice of listening, as well as reading, matter. As for 'Long' John – surely there's room for humour in any field, no matter how complex or controversial.




AUGUST 1985 E&MM

## Eurotec KEYBOARD STANDS

4 TIER
KEYBOARD STAND
A fully adjustable
heavy duty stand in a
durable black crackle
finish with chrome
cross pieces. Can be
used for performing or
display. Also available
in a 3 tier version.
3 tier \$103.38:
4 tier \$113.68.
RRP including VAT.





X TYPE STAND
A quick-fold stand finished in durable matt black. Spring loaded height adjustment.
Price \$24.86.
Also available with an extension unit for two keyboards at \$39.92.
RRP including VAT.

See these stands at your local Sola Sound dealer now, or send for free colour brochure to:

SOLA SOUND

18 Barton Way, Croxley Green, Rickmansworth, Herts.

## SUPERB EFFECTS



MONO-STEREO ECHO-REVERB (P.E. Sept. '84) 200ms echo (extendable). lengthy £56 66 as published. Set 226BK £39 13 RING MODULATOR (P.E. Nov. '84) Fabulous effects generation. With multiwaveform VCO, noise gate & ALC, Kit as published. Set 231BK 639 00 MONO-STEREO CHORUS-FLANGER (P.E. Jan. '84) Superb dual mode music nhancement, Kit as published. Set 235BK £56.66 CYBERVOX (E.E. Apr. '85) Amazing robot type voice unit, with ring modulator and reverb Kit as published. Set 228BK £37.40 STEREO NOISE GATE & VCA (P.E. May '85) Automatic noise reduction circuit for mono or stereo. Kit as published. Set 227BK. F26 61 SIGNAL GENERATOR & F-V (P.E. Jan '85) Audio test equipment. Multiwaveform VCO, & €46.96 £29.33 F22 99 ENVELOPE SHAPER. Note triggered ADSR with VCA. Set 174BK FREQUENCY DOUBLER. Guitar octave raiser & tone changer. Set 98BK FUZZ. Smooth distortion, retains attack & decay character. Set 209FBK... GUITAR SUSTAIN. Extends note decay time, with noise gate. Set 222BK £15.30 £25.31 GUITAR TO SYNTH INTERFACE. With voltage & trigger outputs. Set 173BK HAND CLAPPER. Auto & manual variable clap effects. Set 197BK...... £41.41 £26.69 £24.37 £23.56 RHYTHM GENERATOR. Computer driven, BBC, Apple, 64 & similar. Set 185BK STORM EFFECTS. Auto & manual wind, rain & surf effects. Set 154BK..... €34.64 £23.60 TOM-TOM SYNTH. Sound triggered, multivariable drum effects. Set 190BK TREMELO. Mono variable depth & rat modulation. Set 136BK ...... £19.37 £15.62 VOCODAVOX. Modular vocoder, 7 chans extendable. Set 152BK VODALEK. Simple robot type voice emulator. Set 155BK...... £79.95 £18.31 

Project texts & circuits can be bought separately at 50p each plus large SAE. Boxes are steel & aluminium with black finish. All kits include PCBs, parts, instructions, boxes, wire, solder.

SEE OTHER ADVERT FOR MORE AUDIO EFFECTS KITS FOR CATALOGUE OF OVER

SEE OTHER ADVERT FOR MORE AUDIO EFFECTS KITS FOR CATALOGUE OF OVER 70 KITS SEND 9 + 4 S.A.E. (FOR OVERSEAS CATALOGUE SEND C1 OR 5 IRC's). MAIL ORDER. PAYMENT TO PHONOSONICS, CWO, CHQ PO, ACCESS, VISA, INSURANCE COVER 50P PER C50 (OBLIGATORY ON CREDIT CARD ORDERS DETAILS CORRECT AT PRESS. E&OE.

BECKER-PHONOSONICS, MAIL ORDER DEPT MM58, 8 FINUCANE DRIVE, ORPINGTON, KENT BR5 4ED. TEL: 0689 37821



□ gimmick – and it does nothing to improve the

I've tried to answer the question: 'why have so many people bought FM synths?' The only reason I can come up with is the use of the technology employed in the Zlatna Panega TCS100, as featured in E&MM's April issue. This employs a phenomenon known as user thought control, where the synth is controlled by the thoughts of the musician. I think Yamaha have placed TCS100 circuitry inside their FM synths, and then wired it in reverse to produce inverse thought control. This is where the synth controls the mind of the user and compels him to buy an FM synth.

So long live the analogue synth - and I hope people who now use FM synths will someday 'see the light'.

I have been reading E&MM for about 12 months now, and on the whole I enjoy it. But I suggest you rename it 'Yamaha User', as your bias towards that company's equipment is so obvious. Even in reviews of other manufacturers' equipment, you make constant references to Yamaha. And I reckon if you abbreviated 'Yamaha' to 'Y', E&MM would be two pages shorter, and 20p cheaper each month!

Wayne Blackmore Manchester

## Sampling Concrete

Dear E&MM.

Judging by E&MM July, the sampling storm is still raging. So for what it's worth, I'll dip my oar into troubled waters. It's surely worth remembering that the use of natural sounds has been one of the mainstays of electronic music ever since the early days of Musique Concrète. The modern sampling keyboard is simply a more convenient way of using these techniques, replacing tape recorders and thousands of edits in the same way that the Moog synthesiser replaced racks of oscillators, filters and amplifiers.

Any new technique takes time to become properly assimilated into the music scene. Remember the trouble people had with phasing or the wah-wah pedal, to name but two? Once it's no longer a status symbol, a new toy is used only where it is musically useful, rather than splashed about all over the place in an attempt

to justify its purchase price.

Maybe this is one reason why people have accused Fairlight (or whatever) users of lack of imagination. The top-flight systems are so expensive that their use is often restricted to situations where time is money, and the temptation to forego experimentation in favour of what went down well last time must be difficult not to yield to. Maybe when these devices come down in price to the sort of level now associated with polysynths, or even electric guitars, musicians will be able to mess about at home in the time-honoured fashion, and some of that enormous sound potential will be realised. Already, the best music is coming from artists fortunate enough to have freedom of recording time, as well as recording equipment. Peter Gabriel is a prime example of that.

The last decade has seen a vast quantity of new technology arriving on the musician's palette; much of it is still waiting to be exploited fully. So put up with the orchestral samples, the motorbike noises and the stuttering for a bit longer - a new world of musical opportunity is on its way. And if you can't afford a Fairlight just yet, there's always the

tape recorder and the Night of a Thousand Edits ... Peter Maydew

Cambridge

## Dear E&MM.

I feel that all the correspondents in your Great Sampling Debate are somehow missing the point. Obviously it's great fun sampling a cello/sax/farting drummer. If nothing else, it makes for a great opening line at parties. But what makes sampling keyboards (and especially the affordable ones like the Ensonia Mirage and those that must follow it), is the fact that they allow you to create entirely new sounds.

Just imagine it. Instead of starting with a triangular, sine or whatever wave, and following religiously the pattern of filtering it, amplifying it and so on, you can start with anything - a road drill, a blown drainpipe, or whatever else may take your fancy. The possibilities for creating new timbres are infinite; the nature of sound dictates that they must be.

I appreciate that the cheaper samplers don't have the extensive modification facilities of the Ensonia and its ilk, but I've used the Powertran MCSI to great effect. Actually, you don't even need that much; a tape recorder will do fine, so long as it gets you thinking.

How about a wonderful lead sound comprising a struck milk bottle for the attack stage, and a blown bottle and tin lid scraped with a nail for the sustain part? Or a hammered water tank fading off into a choir? If you think sound-sampling is limiting, you shouldn't be involved in making music in the first place. For me, sampling is the most exciting addition to the musician's armoury since the analogue synthesiser. So stop worrying about the validity of recording cellos or the ethics of stealing from records. Get out Stephen Bennett

Norfolk

## Sampling Drainpipes

Just before my recent departure from the country's educational system, the head of my school's music department asked my advice on the choice of synthesiser for incorporation into the regular curriculum. He'd got the go-ahead to invest in some electronics, and knew I had an interest in things hi-tech. But he had little, if anything, in the way of electronic music knowledge himself – hence his request.

Back To School

Dear E&MM.

After some considerable thought (digital would be difficult to program, a Fairlight likely to incur the displeasure of Sir Keith Joseph), I suggested something along the lines of the Roland modular system, no longer in production but still available if you look hard enough. I reckoned it would be flexible, fairly graphic, and open to expansion at the financial convenience of the school.

To my dismay, I've just discovered that they invested in some cheap, abysmally unreliable (I name no names) and, to my mind, uneducational junk. Could it be that they had no faith in my advice? I think not. Rather, the staff involved had taken fright at the knowledge required to operate the modular equipment (and therefore teach with it effectively) and taken what they thought to be the easy way out. The instruments they eventually opted for all had factory presets, so I guess techno-fear has to be the answer.

My point is this. There is a valid and valuable place for the synthesiser in the music departments of today's schools, but not if the subject is going to be approached in this way. The money would be better invested in records or visits to concerts for the students concerned.

I'm not bemoaning the fact that the powers that be refused to listen to what I had to say. All I want is reassurance that this is an isolated incident, and not representative of the attitude of music teachers the length and breadth of the Dan Thomas country... Birmingham

## Sync or Swim

Dear E&MM,

For once, your letters page has put some ideas into my head. I was intrigued by 'Long' John Gadocha's reference (E&MM July) to what the magazine staff get up to out of office

Do you spend your spare time cocooned in home studios, putting together epics of systems music with the help of all that review gear? Or do you lig about the country, champagne glass in collective hand, stumbling from one press reception to another at other people's expense? Do you really play football?

I know it sounds frivolous, but I'm itching to discover what the music world's most investigative team of journalists do to while away the cold summer evenings (well, this is England, after all). Answers, please.

Anna Young Norwich

Football, ligging and (especially) music play no part whatsoever in keeping E&MM's staff out of mischief when they're not chained to a word processor. Instead, they occasionally indulge in the odd spot of boating on the Cam, as the accompanying photograph shows.





LEXICON, BEL, DRAWMER.

"At Chromatix we stock the full range of Drawmer dynamic effects, the superb Lexicon PCM60 digital reverb and the Bel BD80 digital delay with sampling and loop-edit system. Also in our private demonstration suite, are many other processing units, midi-devices, and the very latest synthesiser technology including the new Yamaha TX816 — QX1 Studio System. Chromatix is owned and run by Howard Brain and David Crombie, please call either of us for an appointment to view any of the above products."

World Radio History

E&MM AUGUST 1985



## Fender

FENDER Standard Strat, locking frem	€299
FENDER Gold Elite Tele inc case	€485
FENDER Master Series Espirit inc case	£399
FENDER '57 Vintage Precision Bass, inc case	€299
FENDER '62 Vintage Precision Bass, inc case	€299
FENDER Squier Popular Strat	£199
FENDER Squier Strat. Humbucker, Trem	£189
FENDER Squier '57 Vintage Strat	£199
FENDER Squier 62 Vintage Strat	£199
FENDER Squier 57 Vintage Straf	£199
FENDER Squier '62 Vintage Strat	£199
FENDER Squier 62 Vintage Jazz Bass	€199
FENDER Squier 57 Vintage Precision Bass	£149
FENDER Squier 62 Vintage Precision Bass	£149
FENDER Squier Bullet black	299
FENDER Squier Bullet S/burst	£99

## **EXAMANA**

YAMAHA \$G1300T, Ivory Tremeto	€425
YAMAHA SG1000S Jet Black	€299
YAMAHA SG500 Cherry Secondhand	£165
YAMAHA SG450T White, Tremelo	€299
YAMAHA SG200 Sunburst	£179
YAMAHA SJ550 new model, Cherry	€289
YAMAHA SE200 new model Black	£139
YAMAHA SE300 new model, Black	£169
YAMAHA SC600 3 pick-up model Brown	£199
YAMAHA SG35 Circa 1974 Brown	€85
YAMAHA BB3000 Bass Black	€499
YAMAHA BB1600 Bass Sunburst	£325
YAMAHA BB1100-S Active Natural	€299
YAMAHA BB1000 Red	€249
YAMAHA BB400S Fretless, Black	E225
YAMAHA BB400S Cherry	€199
YAMAHA BB300, Jet Black	£159
YAMAHA BB300, Red	£159

## Ibanez

BANEZ RS1300 Locking Trem Natural	€289
IBANEZ RS1100 All Black Model	€289
IBANEZ RS1010 "Steve Lukather", Blue	€275
IBANEZ RS135 Tremelo White or Yellow	£159
IBANEZ RS315 Tremelo Blue	£199
IBANEZ Cimar 3 pick up Trem White or Blue	£135
IBANEZ AM205, Medium size body. Tobacco	£325
IBANEZ AM100 Full size body Tobacco	1295
IBANEZ AM50 Small body Tobacco	€275
IBANEZ AS80 Full size Artist Series Natural	€295
IBANEZ AS80 Full size Artist Series, Cherry	€295
IBANEZ MC924 Active Bass Ivory	£395
IBANEZ MC824 Passive Walnut	£319
IBANEZ Road Star RB950 Blue	1265
IBANEZ Road Star RB850 Black	£265
IBANEZ Road Star RB750 Black	€245
BANEZ Road Star RB820, Silver	£219
IBANEZ Road Star RB650, Black	£175
IRANEZ Road Star RB630, Black	£155
IBANEZ Blazer BL800, Red	£165

## MASHBUM

WASHBURN A 20V Stage Series Trem	€245
.WASHBURN A-5V Stage Series Trem	£149
WASHBURN A 5 Stage Series Red or Black	£129
WASHBURN Falcon Last one left	£199
WASHBURN Force 3 Tremelo White	£149
WASHBURN Force 4 Bass Black	£145

## Roland GUITAR SYNTHESIZERS



ROLAND GR707 Synthesizer with Tremelo finished in Silver plus GR700 64 Memory Programmer You'll be amazed by the sound & our Price!

8

## Dria:

ARIA SB600 Bass, Black	£245
ARIA SB11 Special Fretiess, Sunburst	£249
ARIA RSB Special, Black	.£299
ARIA RSB Standard, Tobacco Sunburst	£149
ARIA RSB Deluxe	£275
ARIA CSB Black n' Gold	€249
ARIA SB Big1 Black 'n' Gold	£325
ARIA SB Elite-1 Opal Blue	E345
ARIA RS Wildcat, Black incidase	£199
ARIA RS Wildcat, Whiteinc case	£196
ARIA Cardenal Black 'n' Gold	£229
ARIA U60 T, Urchin, Black, inc case	.£145
ARIA Cardival CS Deluxe Black	£205
ARIA Pro Deluxe, Tobacco S/H	. £125
ARIA TA30 Jet Black, Semi acoustic	£185

## Tokai CLASSIC REJSSUES

TOKALTST 40 Hendrix Model	Best Price
TOKAITST 50, 58 Vintage Models	Best Price
TOKALTST 50 64 Vintage Models	Best Price
TOKALTST 40 Humbucking Pick-ups	Best Price
TOKALTST 55 L/hand Models	Best Price
TOKAI TST 70 Locking Trem models	. Best Price
TOKAI TTESD, Townsend model .	. Best Price
TOKALTTE6D Quilted Minhogany Top	Best Price
TOKAI TTE70 Edge Binding, Sunburst	. Best Price
TOKAI Talbo, Metal body, Models	Best Price
TOKAl Vintage Explorer, Natural	Best Price
TOKAI Flying V, inc case	. Best Price
TOKAI Les Paul 57 model, White	Best Price
TOKAI Les Paul 58 model, Black	Best Price
TOKAI SG Custom model, Cherry	Best Price
TOKAI 335 Semi Acoustic, Tobacco	Best Price
TOKAI TJB45 Vintage Jazz Basses	Best Price
TOKAI 'Jaco Pastorus' bass	Best Price

## Westone

	WESTONE Super Headless Basses	€445
	WESTONE Quantum Headless, Black	£209
	WESTONE 'The Rail' Headless Black	£219
	WESTONE Tounder III Jei Black	£295
	WESTONE Thunder II Metallic Silver	£195
	WESTONE Thunder I, Active Black	£159
	WESTONE Thunder I Active, Light Oak	£149
	WESTONE Thunder I, Standard Oak	£125
	WESTONE Thunder Jet All Black	£135
	WESTONE Spectrum II, Tremelo, Black .	£165
	WESTONE Thunder II Light Oak	£124
	WESTONE Thunder Jet, All Black	£125
	WESTONE Thunder I, Active, Oak	£149
ı	WESTONE Trunder I Active Black	£159
ı	WESTONE Thunder I, Tremelo, Black	£144
ı		

## Parling.

VANTAGE Quest Atak 1 Guitar Black	£139
VANTAGE Ourst Atak 2 Black	£149
VANTAGE Avenger, collians, Trem, Black	£179
VANTAGE Avenger coil taps, Trem, Black	£169
VANTAGE Avenger coil taps, Black	£155
VANTAGE X-77T, 3 pick-up, Trem, Black	. £215
VANTAGE X-38T, 3 pick up, Red	£215
VANTAGE X-35T 3 pick-up, Black	£189
VANTAGE Profile Vintage Series White	£149
VANTAGE Profile Bass White	. £129
VANTAGE Profile PB in Black M/N	£129
VANTAGE Quest Atak 1B Black M/N	£149
VANTAGE Qual Atak 1B, While M/N	£149
VANTAGE Quest Atak 11-B, Black	£175
VANTAGE Quest Atak 11-B. White	£175



VIGIER Arpege Bass Active para EQ one only flame red

## CARLSBRO

CARLSBRO Hornet 45, Keyboard Combo	£168
CARLSBRO Hornet 45, Lead Combo	£149
CARLSBRO Homet 45, Bass Combo	£130
CARLSBRC Cobra 90 Keyboard Combo	£249
CARLSBRG Cobra 90, Lead Combo	£199
CARLSBRO Cobra 90, Bass Combo	£199
CARLSBRO Sherwood 90, Solo Artist Combo	£259
CARLSBRO Stingray 150, Keyboard Combo	£385
CARLSBRO Stingray 150, Lead Combo	
CARLSBRO Stingray 150, Pro Lead Combo	£465
CARLSBRO Stingray 150, Bass Combo	£312
CARLSBRO Cobra 90, Keyboard Top	£159
CARLSBRO Cobra 90, Bass Top.	. £119
CARLSBRO Cobra 90 PA Top, Reverb	£169
CARLSBRO Stingray 150, Keyboard Top	£237
CARLSBRO Stingray 150, Lead Top	£217
CARLSBRO Stingray 150, Bass Top	£179
CARLSBRO Marlin 150, PA Top	. €247
CARLSBRO Marlin 300, PA Top	£329
CARLSBRO X-90 Slave or PA Top	£129
CARLSBRO X-150 Slave or PA Top	£159
CARLSBRO :3300 Stereo Slave	£289
CARLSBRO \$600 Stereo Slave	£445

## HUGE SELECTION at the BEST PRICES

## PHONE or GROAN!

ROLAND JC1;10, 120 watt, Jazz Chorus Combo	£445
ROLAND JC-50, 50 watt Jazz Chorus Combo	1245
ROLAND JC-77 80 watt Jazz Chorus Combo	Phone
ROLAND Spirit, 50B Bass Combo	£189
ROLAND Spirit, 15B Bass Combo	£115
ROLAND Cube 20, Lead Combo, Reverb	£119
ROLAND Cube 40, Lead Combo, Reverb	.£159
ROLAND Cube, 100, Lead Combo, Reverb,	£225
Fender	

FENDER Twin Reverb II Combo .	£449
FENDER Showman 2 x 10 Combo	£199
FENDER Concert 4 × 10 Combo	£:169
FENDER Montreaux 1 x 12 Combo	E:199
FENDER Delux# Reverb 1 x 12 Combo	£235
FENDER Harvard Reverb 1 x 10 Combo	£129
FENDER Lead 50 1×12 Combo	

## IONETTE 75 1 x 12 Combo

SESSIONETTE 75 2x 10 Combo	£275
SESSIONETTE 100 1 x 15 Bass Combo	£339
SESSIONETTE 100 4 x 10 Bass Combo	€349
MITOS	

## KUDOS:251, 100 watt PA Cabs/Monitors each KUDOS 251, 100 watt PA Cabs/Monitors pair £139 KUDOS 251, 100 watt PA Cabs/Monitors pair £139 KUDOS:351, 200 watt PA Speakers pair £425 KUDOS-665, 320 watt PA Speakers pair £425 KUDOS-666, 600 watt PA Speakers pair £325 KUDOS-666, 600 watt

## WEM Songbird 200 watt PA cabs Et WEM Songbird 300 watt PA cabs EXMEM Songbird 300 watt PA cabs Seaker Stands for above, pair ...C.

## Lraynor

TRAYNOR 12/201 12/2 Pro Mixer	£485
TRAYNOR 6400 40 watt Mixer amp .	 . £297
TRAYNOR 4200, 70 watt Mixer amp	 £159
TRAYNOR PS 600, 300 Stereo Slave	€399
TRAYNOR CS 115H, Cabs Pair	2369
TRAYNOR CS 1012H Cabs	€275
TRAYNOR CS 120H Cabs Pain	£318
TRAYNOR CS 112-H Cubs Par	£17

## **TASCAM**

TASCAM 38, 8 Track Reel to-Reel	£1,850
TASCAM 22-4, 4-Track Reel-to-Reel	£799
TASCAM 244, Portastudio, 4-Track Cas	£699
TASCAM 246 Portastudio, New Model .	£995
TASCAM 225 Syncset, Multi-Track Cassette	£199
TASCAM Porta-One, 4-Track Cassette	. £425
TASCAM 234, Syncset, 4-Track Cassette	€525
TASCAM MX-80 Syncset Stereo Mixer	£239
TASCAM PE-40 Syncset Stereo Pre-Amp	£199
TASCAM Flight Case for Syncset System	
TASCAM Complete Syncset Package, as above	e . £950
_	

## **C**larion

ARION XD-5, 4 Track Cassette Deck	€485
CLARION XA 5, Mastering Unit with Echo	£775
CLARION Trolley Console for above units	£125
CLARION Remote Controller	. £29
CLARION System as above inc. Speakers	1299

## Cutec

CUTEC MR808, 8 Track Video Cassete Multitrack	Phone
CUTEC MR402, MkII, 4 track cassette	£415
CUTEC MX1200, 12 into 2 stereo mixer	. £325
CUTEC GS2200, Stereo Graphic, Spectrum Analyse	# £199
CUTEC AE400, Reverb with Analog pre-delay	E129
CUTEC CD425 Digital Delay with Sub Delay	£325
CUTEC GE 2010 10-band Stereo Graphic	893
CUTEC TFE 1531 15-band Stereo/31 band mcno.	. 2249
CUTEC SL-200 Stereo Compressor/Limiter	£279

## Vria

ARIA R 504 4 Track Cassette	£399
ARIA SQ 520 Stereo Graphic/Spectrum Analysur	£189
ARIA SQ 522 Stereo Graphic	.\$149
ARIA AR-525 Stereo Reverb	£185
ARIA DEX 1000, Digital Delay, LED Time Readout	£265

## **AHAMAY**



YAMAHA NEW MODEL MT44 D, 4-Track Cassette	E399
YAMAHA NEW MODEL RM602, 6 Channel, Mixing	€249
YAMAHA NEW MODEL, R8-35B, Rack & Patch ay	£149
YAMAHA NEW MODEL, MT System as above	£750
YAMAHA M 10 20 watt Amp/Speaker Monitors	£99
YAMAHA GC2020 Stereo Compressor/Limiter.	1229
YAMAHA R1000, Digital Reverb, Rack Mounted	£399
YAMAHA D-1500, Digital Delay, 16 Memories, Midi-	£149

## **FOSTEX**

FOSTER A-13, 4-17aCk, Inc. Forest supply	- 12
FOSTEX 250 Multitracker, 4 Track Cass Ite	.26
Ibanez	

## 00, Digital Harmonizer & Echo

DANEE NO 1000, DIGITAL NATIONIZES A ELITO	2040
IBANEZ DM 2000 Digital Echo, LED Readout	 . €299
BANEZ DM-1100 3 6 second Digital Delay	 £285
4 4	

## Vesta FIRE

VESTA FIRE MR1, Rack Mounted 4 track ca	assette £499
VESTA FIRE VF -420 Digital Delay with sam	npling Phone
VESTA FIRE RV-3 New Model stereo reverb	2199
VESTA FIRE RV2 Stereo Reverb.	
VESTA FIRE SF 010 Dual Flanger/Chorus	.£225
VESTA FIRE SL020 Dura Compressor Limite	E259
VESTA FIRE TC-810 Two Channel Aural Ex	citer £1115

## NOLOG

## low pricer!

## 10130SS EFFECTS



## **BOSS MICRO RACK SERIES**

nuu-10 olgital belay	- 21/5
RCL-10 Compressor limiter	£110
RBF-10 Flanger	.2110
RPH-10 Phaser	2110
RGE-10 Graphic EQ	£11D
BOSS BX800 8 Channel Mixer inc. Headphones	. \$246
BOSS BK600 6 Channel Mixer inc. Headphones	£135
BOSS BK 400 4 Channel Mixer Inc. Headphones	683

## Accessit

:48
349
49
354
21
31

## SECK

SECK Model 62 mixer	€37
SECK Model 122 mixer	 . €53
SECK Modul 18-8-2 miler	 £149

## EVANS ECHOS

EVANS EP 250 Analog with Reverb	£199
EVANS AE 250R Arialog with Reverb.	£175
EVANS AE 250 Analog Delay .	£159
EVANS EP 100 Analog Delay	£110
RACK-MOUNTED ECHOS	
KORG SDD-3000 Programmable Digital Delay	2699
KORG SDE-100N 2 second Sound Sampling Digital	€325
ROLAND SDE-3000, Digital Delay 8 Mirmones	£799
	£585
ROLAND SDE 1200 Digital Delair, 4 Minnories	€399
ROLAND BOSS DE200, Digital Delay	.£279
WASHBURN WD 1400 Digital Delay, Modulation	£235
CUTEC CD425 Digital Delay with Sub Delay	£325
ARIA DEX "000 Denta Delay LED Time Readout.	£265
IEANEZ HD-1000, Oigital Harmonizer & Echo	£345
IBANEZ DM 2000 Degal Echo LED Readout	€299
IBANEZ DM-100 3 6 second Digital Delay .	€285
YAMAHA R1000, Digital Reverb Rack Mounted .	£399
YAMAHA D-15110 Digital Delay 16 Memories, MIDI	€449

## STEREO MIXERS

0. = 150 11.11(2:10	
STARSOUND Dynamax, 16 into 2, Studio	£359
STARSOUND Dynamic 12 into 3, Studio	€254
STARSOUND Dynamus, 6 into 2 Studio	.£175
MTR 12/8 2, Studio Mixer	£395
MTR 6/4/7, Studen Mixer	€225
CUTEC 1.9/12@X, 12 Channel, Graphic	.£335
CUTEC Mixer Case for above	£32
TRAYNOR 12/201, 12 Channel Graphic	£485
PRO-MARK MX 3, 8/4/2 Ideal for 8-Track use	.£445
SECK 6-2	.£375
SECK 12 2	£539
SECK 18-8-2	£1495
BCSS, New Model 10-8-2	.£399
BOSS BX 800, 8 Channel, inc. Set Headphones	.£246
SOSS BX 600 6 Channel inc. Set Headphone	£135

## MICROPHONES

Huge Selection always in stock: Shure, AKG, Sennheiser, Beyer, Audio-Technica, Fender, Evans, JVC, Etc. THE PRICE IS RIGHT! SO PHONE TODAY

## YAMAHA

WHAT'S BETTER THAN A DX7? WHAT'S BETTER THAN A DX7 and TX7? THE FABULOUS YAMAHA DX5 AVAILABLE NOW
BUT IF YOU CAN'T AFFORD A DX5
OR DX7 HOW ABOUT THE NEW DX21!!

	YAMAHA DX5 New Model	.Best Deal
	YAMAHA DX7	Best Deal!
	YAMAHA KX-84 Comprehensive M/Keyboard	Best Deal!
	YAMAHA QX-1 Suguence	Best Deal!
	YAMAHA TX2 6 Expander	Best Deall
	YAMAHA DABIS Expande	Best Deal!
	YAMAHA TX Midi DX7 FM Expander	Best Deal!
	MAMAHA Q., 7 Digital Multi track Sequencer	<b>Best Dealt</b>
	YAMAHA Kk-a Remote Mielt Keyboard	. Best Deal!
	YAMAHA TX 216 Rack Mounted FM Expor	Best Deal!
	VAMAHA TX 1 Single Expair der Modulies	Best Deal!
	YAMAHA PF15 & PF10 FM Digital Plane	Best Deal!
	YAMAHA CPIto Stage Planc.	Sest Deal!
	"AMAHA RX" 1 & RX15 Digital Drums	<b>Best Dealt</b>
	NEW Model - RX21	€Best Deal
	YAMAHA R1000 Digital Reverts Unit	Best Deal!
	YAMAHA D1:-00 16 Memory Midi Delay Unit.	<b>Best Dealt</b>
ı	YAMAHA New MT Home Recording System	Best Dealt



CX5 ME MUSIC COMPUTER

CXS ME MUSIC COMPUTER

XAMAHA CXS-ME Competer with YK01 Keyboard and

YRM 101 Missic Compose Programms

TOP SECRET PACKAGE DEALS NOW AVAILABLE!

YAMAHA YRM-10F GII size Xeyboard

"...IN STOCK

YAMAHA YRM-102, 103, 104 and accessories IN STOCK

YAMAHA Real Time, Sequencer ROM ARRIVING SOON

YAMAHA RIP Programma ROM

YAMAHA Sicund Sampling Package

SOON

## Roland WE DESIGN THE FUTURE

	ROLANDX-8F Synthesizer	. Best Deat!
	ROLAND PG-800 Programmer	Best Deals
ı	ROLAND .DI-3P Synthesizers	Best Dealf
	ROLAND Pti-200 Programmar	Best Deal!
	ROLAND Juno 10h Synthesizers	Best Deal!
	ROLAND MRB 300 Mother Keyboard	Best Deal!
	ROLAND MSk 10 Piano Expander	. Best Deal!
	ROLAND MEK 30 Poly Synta	Best Deall
	ROLAND AXIS Remote Milds Keyboard	. Best Deal!
	ROLAND ME-CI 700 Digital Recorder	Best Deal!
	ROLAND MSG 100 Digital Recorder	Best Deaft
	ROLAND TR707 (hgital Drums	. Best Deal
	ROLAND GR700 & 707 Guitar Synth	. Best Deal!
	ROLAND'SDE1000 Digital Echo's	Best De !
	ROLAND SH-101 Synth MC 202 M/comp	Best Deal!
	ROLAND TR6H6 TR3C3 & DR110, RVUnits	Best Deal!
	ROLAND LC Amplification	. Best Dead
	ROLAND Cube & Spirit Ampilication	Best Deal!

## KORG\*

150150	
KORG DW 6000 Fabricus New Mudel	£599
KORG MPK-130, New Midi Bass Pedals	.£299
KORG Poly 61, Midi Synthesizer	£599
KORG Poly 6 Synthesizer	£589
KORG Poty 800 Synthazer	
KORG EXEDO, Midi Expander Modules	£2149
KORG FX-1GD, Remote Midi Keyboard	2349
KORG EP5-1, Stage Pland with Strings	
KORG 80 S, Symphonic Plano with Strings	
KORG 80 Symphonic Pranto	Best Deal!
KORG SAS-20 Keyb- acd with Jazz Cartridge	£599
KORG SDD-1000, Digital Delay with Sampling	£299
KORG DEM: 110, Digital Grum Rhythm Units	£199
KORG DBM 220, Digital Latin Rhythm Units	£149
KORG PSS-50, Digital Super, Section	£299
MORNING OF THE STATE OF	

## ensonia

## THE SOUND SENSATION OF 85!!

- ★ Five octave velocity sensitive keyboard
- ★ 8 voice polyphonic
- ★ 16 different samples across the keyboard
- ★ Up to 8 second samples
- ★ 4 user samples split across keyboard
- ★ On board MIDI sequencer
- ★ On board 3.3" floppy disk drive
- \* 4 sounds per disk
- ★ MIDI in/out

THE FIRST AFFORDABLE PROFESSIONAL STAGE/STUDIO SAMPLING KEYBOARD PHONE FOR AMAZING PRICE.. NOW

## SEL

SIEL DK-8D, amazing new synth	.2699
SIEL Expander BD module, requencer	1:399
SIEL CANK 49 keyboard	.£125
SIEL MIDI Interface unit	E79

## (I commodore

POA

SIELSoftware for Commodure Disk or Cassette

## CASIO

## THE REAL PROPERTY.

CASIC CZ5080 amazing! .	BEST	DEAL
CASIO CZ101, 32 Memory Poly Synth Midi	BEST	DEAL
CASIO CZ10MO, Full Size Keyboard Version	BEST	DEAL
CASIO CT6000 Full Size Reyboard Midi	BEST	DEAL
CASIG CT41(IV, New Model Stereo	BEST	DEAL
CASIO CT310-S Full Size Keyboard	BEST	DEAL
CASID CT610 Stereo Model, Full Size K/b	BEST	DEAL
CASIO CK500, heytoard & Cassette Deck	BEST	DEAL
CASIO EK100 Programmable, plus AM/FM	BEST	DEAL
CASIO IX-101 Keyboard, Cas & Radio	BEST	DEAL
CASIO MT-10tt, 768 Variable Acc/ments	BEST	DEAL
CASIO MT-800 With Stereo Speakers	BEST	DEAL
CASIO MT-400V With Stereo Speakers	BEST	DEAL
CASIO SZ-1 4-truck sequencer 1800 notes		
4- 14/DI	DECT	DEAL



## CHASE BIT ONE .....£799

Polyphonic • 6 Voice • Touch Sensitive Digital and Analogue This fabulous keyboard is now available in Essex from Honky Tonk Music. Come & hear why it won the 1985 Professional Keyboard of the Year Award

## MAINFRAME

Professional keyboard stands. Hi-tech modular construction in aluminium tubing for strength and rigidity. towal for keyboards, sequencers expanders.

Cirarii - Ci	LHOVER	3 - A ELION	TILLE	
Swigle tier.				£79
Double tier				£99
Three tier .				£149
Four tier			-	£165

## RHYTHM UNITS

YAMAHA RX11 Digital 29 voices	Best Deal!
YAMAHA RX15, Digital 15 voices	Best Deal!
YAMAHA RX21 new model	Best Deal!
KORG/PSS-50 Digital Super Section	Best Deal
KORG DDM-110 Digital Drums .	Best Deal
KORG DDM : 20 Digital Latin Percussion	Best Deal
HAMMOND DPM 48 Digital inc 2 extra ROI	VIS £499
ROLAND TR909 Analog/Digital	€495
ROLAND TR707, All Digital	Best Deal
ROLAND TR727 Latin	Best Deal
ROLAND TRHOS Analog	6299
ROLAND TRI-06, Drumatix	€185
ROLAND TB303, Bassline/Sequencer	€185
ROLAND DR 110, Doctor Rhythm	€124



## New 'Electronic Drum Room' NOW OPEN

PEARL DRK 1,5-Drum Kit, Programmable stends	£895
SIMMONS SDS 8 5-Drum Outfit stands	£699
TAMA Techstar 5-Drum Outlit, No Stands	£775
TAMA Techstar 5-Drum Outfit, Inc. Stands	€875
ULTIMATE PERCUSSION UP-5 5-Drum Outrits	€499
MULTI-KLDNE 5-Drum Outlits, Black, Red or White	£399
KLONE-KIT II, 5-Drum Outfit Red or White	€285
KLONE DUAL PERCUSSION SYNTH Twin Pads	€199
PEARL Syncussion Synth Twin Pads Secondharid	€149
ATTENTION ALL DOUBLASEDS	

ATTENTION - ALL DRUMMERS
See our Full Page Advert in the New Rhythm Drum
agazine - OUT NOW. Sister Magazine to E&MM.

## ORDER FORM **ALL PRICES INCLUDE VAT** AND FREE DELIVERY (UK Mainland)

NAME	
ADDRESS	
PHONE NO	
ITEM(S) REQUIRED	

SAME DAY DESPATCH Southend (0702) 553647



The same of the sa	
ACCESS VISA No	
Cheque enclosed   MI	Form Required   Tick


everything for the modern musician

## For The Record

If APRS 85, this country's premier recording exhibition, proved anything, it was that the distinction between creating music and recording it is becoming increasingly blurred. Designers on both sides of the fence are contributing to the shift – but is it at the request of their customers? E&MM Staff

t's not often you'll find advertising hyperbole within E&MM's pages, but part of a recent Yamaha ad which appeared in the lead-up to London's APRS recording show provides a particularly apposite quotation for our current subject:

'As music and technology become synonymous with one another, the rôles of technology is breaking down barriers between various sorts of equipment, then that breakdown must be matched by a similar change in people's rôles. In 1985, we find that the traditional stereotype of the good-time muso who gave his all on stage (and a bit more off-stage when the occasion demanded), and left what little



artist and engineer become increasingly fused. The old idea of the recording studio gives way to the concept of the totally integrated production environment. Here the line between instrument and processor becomes indistinct, and to remain competitive, a studio needs to offer an array of musical instruments as standard equipment'.


This year's APRS, held on June 12-14 at the Kensington Exhibition Centre, has been the most successful to date, with the reported total of 4782 visitors being more than 1000 up on last year. And among the 120+ exhibitors were the likes of Roland, Syco, Turnkey and Yamaha, musical instrument purveyors all, and with the lastmentioned exhibiting under their own name for the first time.

Some of the reasons those companies chose to exhibit their musical wares at the recording show lie within that piece of advertising copy. For once, the marketing men are speaking more than the odd word or two of truth. So just why are the barriers between studio engineering and playing music narrowing? That, sadly, is a lot more difficult to answer than it is to ask. But a few clear trends are emerging from the technological revolution modern music is presently going through, and as the UK's leading music technology magazine, we feel they need pointing out and, to some extent, explaining.

It's fairly obvious that if the onrush of

technical decisions there were to be dealt with by a trusted roadie, studio engineer or PA hand, is now an almost extinct species. Nowadays, he's given way to a variety of alternative breeds.

First, there's the devout 'I'm a notes man, I worry about the sounds later' keyboardsman, whose first instrument is the piano, who probably had a classical upbringing, and who may well be prone to



Obviously, this blurring of what were once distinct areas of record sleeve credits means that it's no longer practical to consider a lot of modern-day musical equipment in any one light.



frequent self-justification at the cost of the other breeds. Secondly, there's the programmer, who will happily admit to his musical shortcomings in the security of his intimacy with the most outrageously technical equipment the industry can devise, and his ability to create music and sounds beyond the reach of others by virtue of that intimacy. Then there's the studio musician, who may have characteristics attributable to either of the previous categories but,

Is the Fairlight merely a complex studio computer instrument, or a professional gigging keyboard as well? Sure, its natural habitat was never intended to be anything other than a recording studio — but that hasn't stopped the likes of Thomas Dolby and Duran Duran packing theirs up in flightcases and hogging them halfway round the world on extensive, ambitious concert tours.

And the blurring of distinctions doesn't

stop at musical instruments. It now extends to machinery that was once thought to be the exclusive territory of the sound engineer, like outboard effects units. How? Well, principally through musicians, engineers and designers realising that if you have a network of bits of machinery that are designed to work together, that network will be more versatile, more useful, and less difficult to use than a similar system employing devices that have a decidedly antagonistic attitude towards each other.

Innovations in the field of communication between music machines have come and gone in the past, unnoticed either by the musicians' community, or by the (previously) equally inward-looking studio fraternity. Now, the wonderful world of MIDI has extended its sphere of influence beyond musical instruments, and gained a firm foothold in the recording studio.

That may sound simplistic, but by and large, it's been the Musical Instrument Digital Interface that's been responsible for uniting the musical and recording worlds. And although it may take a more advanced form of computer technology to unite the two professions utterly, MIDI is playing a vital-rôle today — as Yamaha's ad copywriters seem well aware.

Of course, it was the arrival of TEAC's prophetic Portastudio that first gave musicians the means to record their own music outside the confines of a commercial studio (they'd had the desire to do it for years), but since then, the main impetus behind home studio progress has been MIDI.

It's now common practice for an artist to do much of what was once considered to be studio work before he's even so much as set foot in a professional, multitrack studio. Working with a dedicated music system at home not only saves studio time on composition, it also saves it on performance. Nowadays, musicians can walk into a recording studio and dedicate perfect rhythm and melody tracks to tape, without having to worry about endless retakes due to inept musicianship on the part of drummer, bass or synth player.

But the story doesn't end there, either, because the musician isn't the only one in a position to benefit from MIDI. The studio engineer also stands to gain in terms of both time and convenience which, in turn, means that engineers as a breed are inevitably going to want a say in more musical, rather than technical, decisions.

Imagine the (very real) possibility of recording a sync track on tape — instead of the drums and sequences — which permits the alteration of any part at any time up until the quarter-inch master is made. This is a lot more straightforward — not to mention effective — than recording a whole load of instrumental parts for possible use 'if they work out'.

Using the MIDI bus to change patches on a suitably-equipped DDL or reverb unit in sympathy with changing patches on a polysynth can make for a much more economical use of tape tracks, and save literally hours of treating 'dry' sounds during the final mixing session. Or is that a live performance aid...?

Mind you, MIDI is by no means the only area of development that's changing previously existing studio practice. The SMPTE (Society of Motion Picture and Television Engineers) synchronisation code is justifiably gaining in popularity. It not only permits synchronisation of equipment to tape (and also to videotape, as that was its original purpose), but provides a clock that allows any point of a recording to be identified without further reference to the start, permitting simple, instant drop-ins. Admittedly, the advantages of such a comprehensive system are greater in the context of a film soundtrack three hours in length than in that of a three-minute single, but the code does offer a multitude of possibilities, both in the aural medium alone and in promo video work.

And so to product specifics, and the APRS show mentioned at the start. Roland and Yamaha, major forces as musical instrument manufacturers, have been increasing their strength in the recording field in recent months - and not just in the home recording sector. Yamaha were the first company to give a 19" rack-mounting unit MIDI compatibility, with the D1500 MIDI Digital Delay that arrived towards the end of last year, and this particular path is being taken up by other manufacturers; there seems little doubt it'll become a widespread development. The trailblazing D1500 allows any of its 16 delay programs to be selected over MIDI using MIDI patch changes. Other Yamaha products are less domestically-oriented, like the highlyrated (and highly-priced) REV1 digital reverb, and the matching YDD2600 digital delay. A budget version of the REV1, the REV7, made its debut at APRS. It includes 30 onboard ROM reverb effects, and a further 60 effects which can be userprogrammed. As with the D1500, any of these effects patches can be selected by MIDI patch-change commands, and in fact, the only disappointing thing about the REV7 is that it won't be available in the shops until September. Guess we'll just have to wait until then.

Roland, who first introduced programmable effects patches with their SDE1000 and SDE3000 digital delays, now have their own MIDI-compatible units in the shape of the SDE2500 digital delay and the SRV2000 digital reverb. The former implements a flexible patch assignment system whereby any onboard effects patch can be assigned to any incoming MIDI

patch number. Thus although the SDE2500 has 64 patches, these can be assigned to any of the possible 128 MIDI patch positions. The MIDI patch change system has traditionally been rather inflexible, but Roland's system frees you from the restrictions imposed by different manufacturers using different methods of counting patch numbers.


So the musical instrument designers are turning their hands to studio equipment, and doing so with some success. But what of the traditional studio hardware manufacturers? Are they doing their bit to merge the performing and recording functions into one?

Well, the answer is yes. Remember that the studio world had begun embracing computer technology (in the form of automated mixing consoles such as those made by SSL and Neve) long before anyone had even set eyes on a Fairlight in the UK, so it isn't exactly in the habit of shying away from new technology.

Nor does it seem to be afraid of letting musicians in on the act of recording and producing, as APRS proved. There was a wide range of 'musical' studio products on offer, from Rebis' RA226 digital sampler (maximum 32-second sampling time at 12kHz bandwidth) to AMS' sensational AudioFile, a Winchester disk-based multitrack sampling and playback system. It's still a prototype at the moment, but before long, AMS should be offering a unique 'hybrid' system that bridges the gap between traditional multitrack tape recording (analogue or digital) and multitrack sequencing offered by the likes of Fairlight and Synclavier.

But AudioFile or no AudioFile, there's still only one means of transferring digitallyencoded data from one technological marvel to another directly: good old analogue. MIDI can do it for all manner of programming data, and there's nothing stopping you using a high-density storage medium (like a floppy or hard disk) as an intermediate stage in the transfer. But so far, there's no communications system clever enough to transmit a digitallyencoded audio signal from one Fairlight to another with any accuracy, let alone from Fairlight to Emulator II or Synclavier. Which explains why many studios currently keep a library of sounds on quarter-inch tape for transfer to, and subsequent use in, devices such as the AMS delay. If an industry standard could be agreed - in the same way as the MIDI standard was (eventually) settled upon - it would be possible to transfer samples in their digitally-encoded state from one machine to another with no deterioration in quality other than that inherent in using machines of varying bit resolutions.

Such a system would also let you transmit this information down the telephone line — currently possible with the analogue transfer of information, but not without incurring the 300Hz-34kHz bandwidth restrictions of the network, not to mention the system's inherent noise. Those problems overcome, it would theoretically be possible to ring Fairlight Instruments in Australia, quote your American Express number, and receive their design team's latest sounds almost instantly. It could come true earlier than you think...





This is a Mirage.




This is not.

The Mirage Digital Sampling Keyboard.

Rush to your nearest oasis\*before it's gone!

**World Radio History** 







## 21 ----

## Just when the DX7 looked under threat from competing synths, Yamaha come up with a budget FM machine to consolidate their position. Value for money was never this good. $Simon\ Trask$

here can be no doubt, not even the faintest shadow of one, that the Yamaha DX7 has done enough to gain a permanent place in the history books of music technology. It's got there by virtue of offering - through the newly-harnessed principle of FM synthesis - an unparalleled range of uncannily realistic musical sounds, at a time when machines of comparable price have provided nothing of the sort. It isn't the easiest synth to program, with the result that a lot of owners have found themselves eagerly awaiting each new voicing ROM as it's been released, but in absolute terms, its sonic capability is still unequalied at its £1300 price level.

However, a good couple of years have passed since the DX7's introduction, and a lot of synths have passed under the bridge in that time. In particular, a number of companies have entered the fray with significant instruments in the sub-£1000 price bracket, and

Yamaha's own budget FM poly, the DX9, has been suffering too heavily in the shadow of its more expensive brother to make much of an impact. That, surprise surprise, is where the £699 DX21 comes in.

For those of you already au fait with the DX7, DX9 or CX5 computer (which is

Design The early
DX membrane
switches are
replaced by firm
buttons—you
actually feel
you've pressed
something.'

probably a fair number, all in all), the DX21 will be familiar ground in terms of both

appearance and programming. At half the price of a DX7 (that's even cheaper than the now obsolete DX9), there are obviously going to be a number of economies, but the end result is still impressive. It certainly outshines the DX9 and the sonic capability of the CX5, whilst even DX7 owners will find a number of features their instrument can't boast.

The DX21 is an eight-voice polysynth (the DX7 and DX9 both had 16) with a five-octave C-to-C keyboard. First reports a few months back suggested the DX21 would contain two DX9 FM sound chips, but a quick peek inside the new machine reveals just the one chip – of entirely new design – whose functions are multiplexed to provide a dual-output configuration, which is neat enough. Touch-sensitive the 21 is not, at least not from the keyboard, but attack velocity data can be read over MIDI from a touch-sensitive keyboard. What the DX21 won't respond to over MIDI



is aftertouch data, which is a shame.

Like the DX7, the DX21 has a 32-voice RAM that's directly accessible from the front panel via two rows of 16 selectors. But the new synth also has 128 voices stored internally on ROM, and you can call these up singly or in groups of eight into the RAM. More on this later.

Thankfully, the early DX membrane switches have been replaced by slim buttons that have a pleasingly firm response – you actually feel you've pressed something. The central display is the same 2×16-character LCD window present on the DX7/9, which means it's just as difficult to read in subdued lighting, but what's worse is that the DX21 hasn't been given the life-saving two-digit red LED display that accompanied the earlier DXs. This wouldn't be so bad if Yamaha had gone for a backlit display, but they haven't, and peering into the thing on a dimly-lit stage isn't going to be much fur as a result.

The familiar data entry slider and +/-buttons are also present, but a nice touch - new to the DX21 - is that once you've selected a parameter for editing, you can press that parameter's button to alter its value, rather than having to return to the data entry controls every time. If a parameter is a dual-state one, you can toggle between the two states in precisely this fashion. If it's multistate, repeated pressing of the associated

button increments the value — a nice touch that eases editing by no small degree. And another welcome change is that each stage (rate and level) of the amplitude and pitch envelopes has been given its own front panel selector.

But where the new synth really scores, even over the DX7, is in the inclusion of Split and Dual voice-assignment modes. These were once only to be found on the outrageously expensive DX1, but more recently they've appeared at the lower end of the market on rival machines (SIEL DK80, Casio CZ5000), which makes their inclusion on the DX21 rather opportune.

Splitpoint is user-definable as any note on the keyboard, and four voices are allocated to each side of the split. Similarly, Dual mode reduces the DX21 to a four-voice instrument. You can determine the volume balance between the two sounds by means of a slider between the familiar volume and data entry sliders on the left of the front panel. In both modes, one voice must always be chosen from the upper row of 16 selectors and the other from the lower row, so you're going to have to apply a bit of forethought when organising your patches.

Current memory buffers are maintained for both Split and Dual sounds, and these are accessed by pressing dedicated buttons. Once called up, the contents can be readily altered by selecting voices from the front panel in the normal manner.

Turning to the DX21's synthetic capabilities, we find to our enormous surprise that it reverts to the DX9's configuration of four operators and eight algorithms. The 21's algorithms are the same as the 9's, too.

Another plus point for the newcomer is that a number of Function parameters are now voice-specific, a feature first seen on the TX7 and TX816 modules. These are the 16 functions to be found along the lower row of patch/programming buttons, referred to collectively as Performance functions. Appropriately enough, most of these are concerned with the status of pedals and wheels. You can program sustain pedal on/off, pitchbend range, volume pedal amount, portamento, mod wheel range and breath control—all specific to each voice patch.

Yamaha's lovely breath control option has been greatly enhanced by the addition of a pitchbending facility, which allows the pitch of notes to be bent continuously by the controller up or down over an extremely wide pitch range.

And pitchbending in general has been enhanced by the inclusion of three extra modes on the DX21: one in which the lowest note only can be bent, another for the highest note only, or (particularly effective, this) a third in which notes played and then held by the sustain footswitch aren't affected, whilst notes played subsequently are. This isn't a voice-specific feature, though.

As I've said, the DX21 has 128 voices stored internally in ROM, or the equivalent of the DX7's two plug-in ROM cartridges, and follows the DX7 in having 32 voice positions in RAM for you to put your own sounds in.

The ROM voices are organised as 16 groups of eight voices each, and each group contains a particular family of sounds (see later for a full rundown of these). The 32-voice RAM is logically divided into four eight-voice banks, any group may be loaded into any bank, and

you can easily align voice combinations with suitable voices on other MIDI instruments for program change selection over MIDI, or have a single voice in more than one position without having to duplicate voice data — and lose a voice position.

Sadly, the strengths of the DX21's internal storage system are matched by the weaknesses of its external one. For whereas on the DX7 you could instantly store new voices on a plugin RAM cartridge, the DX21 has no ROM/RAM



single voices can be called up into any of the 32 positions.

As soon as you select a RAM voice for editing, it's read into an edit buffer, and as on the earlier DXs, there's a function for comparing your edited voice with the unedited version. Also carried over from the first-generation machines is the Edit Recall function, which allows you to return to an edited voice if you call up another patch in mid-flight by mistake (this is possible because the 21 keeps a backup edit buffer once changes have been made to a voice).

A new feature is the Performance memory. Not to be confused with Performance functions, it's a group of 32 patch memories that let you call up predetermined single, split and dual voicings at the touch of a button. They could come in particularly handy in a live situation, hence their name. Storable parameters are voicing mode, voice(s) selected, keysplit and voice detune data (the latter applies to Dual mode voicings), key shift data (a transposition value) and pitchbend mode.

To get the most out of this mode, it's important to realise that each performance memory contains no voice data as such, but pointers to voice positions in the single-voice RAM. Thus if you call up a new voice into a position accessed by a performance memory, that performance memory will effectively be changed as well. This obviously requires some

Facilities 'The DX21 has no plugin cartridge facility at all. Instead, it uses slow, unreliable cassette storage.'

careful planning, but the performance memory is still a useful addition that allows you to set up all the voices and voice combinations you need prior to a gig or a recording session. And

cartridge facility at all. Like the DX9, it uses slow, unreliable cassette storage instead. All 32 RAM voices can be saved to cassette as a bulk dump (this takes 40 seconds), and either bulk or single-voice loaded.

But I can't help feeling cassette storage is really a false economy – it's simply too fraught with problems to become useful in professional applications. If SIEL and Casio can build cartridge slots into similarly-priced (or cheaper) synths, why can't Yamaha? Well, maybe they want people to execute patch dumps over MIDI using the DX21's System Exclusive implementation. It's certainly quick (a 32-voice dump takes just a couple of seconds), but immediately introduces further hardware into the picture in the shape of computer, disk drive and MIDI interface. It also means that the whole process becomes computer/disk-specific, so swapping and selling sounds becomes a less universal process. Mind you, using a computer has its attractions (availability of the micro for non-musical purposes, price advantage of disks over cartridges) and doubtless software for both Yamaha's CX5 and other popular micros will be available soon. You could even try writing

To the sounds in detail. There's no doubt about it, a large number of the DX21's ROMbased sounds would give the DX7's factory presets a pretty good run for their money. Clearly, Yamaha's programmers (in this case Gary Leuenberger, who helped program the original DX7 sounds) are putting their two years' FM experience to good use. Because although its greater number of operators/algorithms means the DX7's ultimate potential must be greater, the DX21's factory sounds give you little clue as to the machine's electronic inferiority.

The ROM families are Piano, Electric Piano, Organ, Strings, Brass, Plucked, Comping, Percussion I and 2, Lead Synth, Other Keyboard, Wind Reed, Bass, and Sound Effect I, 2 and 3. It's not really possible to single out any particular group for praise (or for the thumbs down treatment), but the percussion

(both tuned and untuned) is as strong as it is on all DX synths, and there's a good selection of them, with tubular bell, gong, marimba, and glockenspiel sounds, among others. There's even the currently obligatory attempt at a Simmons tom sound, though this is only moderately successful. I was impressed, however, by the wonderfully delicate splash cymbal sound.

There are some very praiseworthy acoustic and electric piano sounds, though I still couldn't find an electric piano to match the DX7's best effort. And when it comes to harpsichord impressions, the DX7's increased number of operators gives it a noticeable edge in the complexity department; you can hear a lot more *going on* in the more expensive version. The 7's church organ sounds have an extra bit of 'oomph' over the 21's, too.

On the wind instrument front, flute and clarinet sounds come out very well, while the lower-register bassoon has a marvellously gruff tone to it.

Meanwhile, plucked sounds (especially guitar) show a great improvement on the

Sounds 'Plucked sounds show a great improvement on the DX7; cleaner, crisper and an excellent reproduction of the real thing.'

DX7's initial efforts; they're crisper, cleaner and reward sympathetic playing technique with an excellent reproduction of the real thing

String sounds are still an FM problem, though. Apart from lacking strength by comparison with good analogue synth versions, the 21's strings also omit the detail of the DX7's (still thin-ish) endeavours. They're OK so long as you play them staccato, but if you ask them to sustain, their lack of movement makes them appear all too synthetic.

The bass sounds still have that familiar FM noise component, which is a shame, but there's an excellent selection of them (mellow, punchy, or both at once) from which to start editing. They'd benefit further from being played from a velocity-sensitive keyboard, however.

The sound effects include racing car, helicopter, a rather nifty Doppler FX sound, and FM-derived square, pulse and sawtooth waves. Not particularly musical, but a lot of fun.

Turning to the actual voice parameters that make up the DX21's sounds, all the familiar DX elements are present, though some have been simplified or otherwise scaled down. As a general rule, the facilities fall somewhere between DX9 and DX7 in their completeness.

Gone are the separate frequency coarse and frequency fine parameters that graced both the 7 and the 9, these being replaced by a single 'frequency ratio' parameter that can be set to any of 64 different ratios; fractional ratios are thus preset instead of user-determined. The manual claims 'these frequency ratios have been carefully chosen as the most useful for voice programming', but



although I'd concede there is a certain virtue in restricting people's programming options this way, I'd much rather be given the choice.

The number of envelope and pitch envelope stages has been reduced by one in each case compared with the DX7 (though remember that the DX9 didn't even have pitch envelopes), while keyboard level scaling follows the DX9 pattern.

The DX21 has two audio outputs, Mix/A and B, with the former being capable of carrying a mono signal. There's also a stereo headphone output, so all in all, the 21 offers a worthwhile improvement over the single mono out of the DX7 and 9. The additions also mean you can make full use of the stereo chorus facility Yamaha have introduced on the new instrument.

Continuing our lurk round the back of the DX21, we find jack sockets for sustain, portamento and volume pedals—and discover that the DX7's useful modulation pedal facility is sadly absent. The good news is that Yamaha have standardised the FC7 footpedal and FC4/5 footswitches across their keyboard range, so they'll work with the DX7/9 as well as the 21. However, if you've got the old SC3A footpedal, which was around in the earlier days of the DX7, you're going to be out of luck in the compatibility stakes.

Other sockets are an eight-pin DIN cassette socket, a mini jack for the BCI breath controller, and MIDI In, Out and Thru. Yamaha have given their new synth the ability to transmit and receive on any of the 16 available MIDI channels (which is a very useful one-up on the DX7), with an additional Omni receive option. What's more, transmit and receive channels can be defined independently.

The 'Sys Info' MIDI function (familiar from the DX7/9) acts as a safeguard against accidental transmission or reception of System Exclusive data. When enabled, single voice or full 32-voice data can be transmitted from or received into the instrument's voice RAM. Single-voice data is received into the edit

buffer (whence it can be stored in any voice position), whilst 32-voice data is sent *via* the front panel Bulk Transmit function. In Edit mode, and with Sys Info available, any edit changes are transmitted over MIDI in real time, while any received changes act on the voice currently in the edit buffer.

The DX21 also has a 'Channel Info' function, which acts as a master on/off switch for transmission and/or reception of certain channel-based MIDI data. Thus attack velocity, mod wheel, breath controller, portamento footswitch, program change and the Data Entry slider and buttons can all be disabled by this function. Pitchbend, sustain pedal and 'all keys off' data are enabled regardless, though. Personally, I'd have found an individual on/off facility for patch change, pitchbend and mod wheel data a lot more useful, but that's life.

The above filtering options apply to selected MIDI data. However, Yamaha have also provided a MIDI on/off function which disables all MIDI transmission and reception. This is a lot handier than it sounds, as it enables you to switch out any slave instruments if you suddenly want to play the DX21 solo, for instance. It's so handy, in fact, that at first I couldn't understand why so few manufacturers haven't fitted something along similar lines. Then it occurred to me that if you can already buy a MIDI filtering unit to do the same job for several instruments, there isn't much point having duplicate switching facilities within the keyboards as well.

What really is a pity is that the DX21 has no provision for assigning separate MIDI channels to each side of a split. Not an awkward feature to implement, I'd have thought, and SIEL's DK80 has this ability, after all.

The review DX21 was part of an early shipment, and whilst the synth itself was in a finalised state, the accompanying documentation was not. So there was I prepared to lambast Yamaha for not including System Exclusive data in an otherwise excellent

manual, only to find out that a subsequent version will have all the data included.

I've been putting it off for a while, but now's the time to reach a solid conclusion about the DX21. It isn't difficult: there's no doubt Yamaha have themselves another winner here. Performing the balancing act between cost and quality is never an easy task, but the company have obviously put a lot of thought into what a budget FM synth should and should not have, and almost without exception, their decisions have been the right ones.

The two main disappointments are the non-touch-sensitive keyboard and the lack of cartridge storage. The first is easily remedied by playing the DX21 from a dynamic controller keyboard (which is simple enough), but solving the latter problem involves rather more in the way of additional hardware, which is a shame.

But credit where it's due. The addition of Split and Dual modes, the Performance memory, the more accessible editing facilities, and the simplified voicing structure should encourage a lot more people to get inside FM and start programming their own sounds. They're all worthwhile features, make no mistake.

Yet most important of all are the noises the DX21 makes. If you like what you've heard of FM in the past, now's your chance to grab hold of it at a reasonable price. And getting back to programming, the fact that there are so many ROM voices means you're bound to find a reasonable starting-point for editing, no matter what sound you're after.

It's funny, but some hi-tech music companies have an unpredictable output of new gear that's patchy in quality. On some occasions they come up with a real gem, other times they make the odd technical, operational or marketing blunder. But ever since they released the first DX, Yamaha haven't put a foot wrong.

## DATAFILE

## Yamaha DX21 FM Polysynth

**Keyboard** 61-note C-to-C; non-touch sensitive, attack velocity readable over MIDI

**Sound source** FM tone generator; 4 operators  $\times$  2; 8 algorithms

Voicing Single, Dual & Split modes; 8-note polyphonic (Single), 4-note polyphonic (Dual), 4+4-note polyphonic (Split); 1-note monophonic (Single, Dual), 1+1-note monophonic (Split)

Memory 128-voice onboard ROM, arranged in 16-8-voice groups housing factory preset sounds; 32-voice RAM for user-programmed sounds; 32 performance memories

Preset Voices 16 ROM families: Piano. Electric Piano. Organ, Strings, Brass, Plucked, Comping, Percussion 1, Percussion 2, Lead Synth, Other Keyboard, Wind Reed, Bass. Sound Effect 1, Sound Effect 2, Sound Effect 3

Display 16-character × 2-line 1.(1)

Interfacing Mix/A and B stereo outputs; stereo headphone output; breath controller input; volume, sustain & portamento pedal inputs; MIDIIn, Out & Thru; cassette (8-pin DIN)

Dimensions  $909(W) \times 83 (H) \times 270$ (D)mm

Weight 8kg (17.6lbs)

Price RRP £699 including VAT


More from Yamaha, Mount Avenue, Bletchley, Milton Keynes, Bucks MK1 IJE & (0908) 640202.


World Radio Histor

FIRST CAME THE REVOLUTIONARY CZ-101. THEN THE FULL-SIZE CZ-1000. NOW CASIO SYNTHESIZERS ACHIEVE NEW BRILLIANCE WITH THE CZ-5000 – A GIANT STEP FORWARD. 32 PRE-SET VOICES, 32 PROGRAMMABLE MEMORIES, 5 OCTAVES OF FULL-SIZE KEYS. BUILT-IN 8-TRACK DIGITAL SEQUENCER, REAL-TIME OR STEP-TIME INPUT STORING A MAXIMUM OF 6,800 EVENTS. CASIO CZ-5000'S STATE-OF-THE-ART DIGITAL/ANALOGUE TECHNOLOGY PROVIDES TOTAL FLEXIBILITY. DIGITAL PROCESSING OR

WIDEN YOUR HORIZONS WITH THE CZ-1000, THE FULL-SIZE SYNTHESIZER AT JUST £545 (RRP). ▶

◆ CZ-101, CASIO'S COMPACT SYNTHESIZER. FREEDOM UNLIMITED FOR ONLY £395 (RRP)







## SAMPLING ON THE CHEAP

Until something else comes along, sampling looks like being flavour of the month for some time to come. Which explains why British newcomers Logitech have decided to produce what must be the cheapest tracking sampler currently available. Paul White



ou might choose to take issue with me on this one, but it seems the Art of Sampling is now divided into three specific product areas. At the highest price level, we have the dedicated computer music systems, pioneers of sampling but now acquiring dinosaur status as lower-priced, better-specified systems evolve around common or garden computers. They still serve a vital rôle in today's contemporary music industry, but their heyday is coming to a close.

One rung down, we have the home computer-based systems just alluded to, and self-contained samplers such as the Ensoniq Mirage; it's the middle area, and the one most likely to expand rapidly over the coming months.

But under all that, there are the machines that give all musicians — even the most impoverished ones — a small insight into what sampling can do, and how it does it. The Logitech CSDDI, a monophonic sampling delay being produced by a small company new to the musical instrument world, falls into this third category. At the time of writing, it's available only direct from its manufacturers, so you won't find it at your High Street music store; that, in my view, is a pity.

It's a relatively unsophisticated device, of course, but it's still viable musically, and gives just about anybody a chance to get into sampling providing that they have access to a monosynth with a one-volt-per-octave CV output.

Housed in its conventional rack case with off-the-shelf colour-coded knobs, the sampler looks neat but hardly inspiring, though the designers would argue that it's there to be used, not looked at. Its input sensitivity can be switched to match 0dB or -20dB line levels, and a conventional gain control works in tandem with a four-section LED meter to

ensure optimum drive levels, an *important* consideration when a system relies on an eight-bit digital delay line, as this one does.

As this sampler is a dual-purpose device also capable of providing ordinary delay effects, there's a Feedback control which in essence varies the decay time of repeat echoes. A Balance control is used to regulate the ratio between delayed and direct signal levels, while the Delay time is divided into six steps ranging from 66mS to 2 seconds, with a continuous Delay Time control offering fine adjustment; a further control enables the maximum delay time to be doubled at the expense of reduced bandwidth - a not uncommon ploy used on delay lines of all prices. Normal bandwidth is 15kHz, but this is reduced to 8kHz when the double-time setting is in use.

The Logitech's operating mode section consists of two switches, the first of which selects Delay or Sample mode. Once a sample has been recorded, the next switch, Hold, is used to freeze the sound in memory, where it remains until either it is overwritten or the unit is switched off.

One of the major drawbacks of budget samplers, and one made more acute in this instance by the lack of editing facilities, is the difficulty of loading a sample so that it starts exactly on cue when retriggered. To do this, you have to push the Sample button (or whatever the machine in question uses) at the exact instant the sound being sampled starts, which isn't easy, even for an experienced pro like myself. But Logitech do at least give you a choice of three methods of loading sounds. These are Internal, Manual and External, a three-way rotary switch being used to select the desired option.

The first mode (Internal) is probably the most useful, as it enables the sampling process to be initiated by the start of the sound being

sampled. This method of sampling works extremely well in the context of percussive sounds, but is easily caught out by sounds with a soft attack, which it can miss entirely. In the event of this occurring, you can resort to Manual mode – but this means polishing up your reflexes in order to press the Trig button at exactly the right moment. If you miss-time your sample of a Rembrandt canvas being slowly ripped in two, you could have problems.

The final mode, External, allows the sampling process to be triggered by a positive-going trigger pulse such as those provided by most synths (except those with S-triggers). This way, you can use the synth output to operate a relay to switch a solenoid

Performance The Logitech suffers from reduced dynamic range – a side-effect of using eight-bit linear sampling.'

to drop the Ming vase onto the concrete block next to the mic and...well, it was just a thought.

The last control is the Single/repeat switch, which can be used to inhibit further triggering until the sample has finished; in its alternative state, retriggering occurs whenever a new trigger pulse is applied.

As a straightforward digital delay, the Logitech suffers from reduced dynamic range, an inevitable side-effect of using eight-bit linear sampling – though I reckon some form of pre/post emphasis is being used to get a

decent signal-to-noise ratio, given the sampling limitations. But compared with many budget DDLs that do nothing but act as DDLs, the Logitech's noise levels are still on the high side.

As a sampler, these shortcomings are less noticeable but a low-frequency pure tone quickly shows up the quantisation noise. Samples with lots of upper harmonics work best, as these tend to hide these noise effects. Noise levels are also very low when no sample is being played — but then, that in itself is nothing remarkable.

Pitch-tracking is reasonably accurate over an octave or so and is certainly good enough for most applications, but as the review sample was a prototype, production models might track even better. Outside that octave range, however, things go very wrong very quickly. Shame.

A year or two ago, I'd have hailed the Logitech as a major breakthrough. It's probably

the cheapest tracking sampler on the market, and used with care, it's capable of producing artistically pleasing results.

But there are omissions that limit its usefulness. For instance, the sample *always* plays to its end once triggered unless you play a new note, so you can't cut a note short by releasing a key early. The lack of editing facilities isn't surprising at this price, but the use of linear eight-bit encoding means that all-too-noticeable noise will form an inevitable part of each and every sample you make.

More positively, the existence of a machine such as this means you can create echoes, synchronised delays and tuned samples for little over  $\pounds 200$  — which has got to be good news for anybody unable to contemplate more upmarket devices — and the sound quality is fine for live use.

But if you have your own studio, you want a digital delay that isn't unacceptably noisy, and you want a decent amount of control over

your sample once you've recorded it, you're better off leaving your wallet where it is.

## DATAFILE

## Logitech CSDD1 Sampling Delay

Specification 8-bit resolution; maximum sampling time 2 seconds; normal bandwidth 15kHz; double-time bandwidth 8kHz

Controls Input level & Gain; Feedback, Mix & Output level; Delay Time range, scale & amount; Delay & Hold mode switches; Triggering switches

Interfacing Audio In & Out (direct, mix); CV & Trigger In; Footswitch jack; 25-way host interface connector for future expansion More from Logitech, 310 Finchley Road, London, NW3 6EH. & 01-794 5441.



'THE MIDI SHOP', London's new centre exclusively for MIDI. If you would like to sample tomorrow's music, come and see our West London showroom. Where else would you go for the best in MIDI?

## **Drum & Rhythm Machines**

MXR Digital Drum	£895
MPC Drum Computer	£299
Roland TR909 Rhythm Composer	£550
Roland Drumatix	£133
Oberheim DX	£1099
Sequential Circuits Drum Traks	£690



 Roland SDE1000
 £299

 Ibanez DM1000
 £235

 MXR175
 £199

 Vesta Fire Dig 410
 £140

 Cutec C425
 £275

 Korg SDD3000
 £575

 Deltalab Effectron
 £295

## Echo & Reverb

MXR 01A	Digital reverb	£1325
NSF Echo	plate	£450
E&MM	AUGUST 1985	

# SUMMER SALE OF NEW AND DEMO-EQUIPMENT KEYBOARDS AND STUDIO EQUIPMENT

## YOU CAN'T GET ANY LOWER THAN THE MIDI SHOP



1 Felgate Mews, London W6 9JT. Tel: 01-748 9009. Telex: 21897.

## Noise Reduction

Itam DB30 8 channel	£195
Tascam DX4D 4ch	£189

## Keyboards

Six Trak	£625
MAX	£535
Multitrak	£990
	£565
	£620
	£550
	MAX





## **Mixers**

Tascam Model 30	£649
Itam 12-4-8	£599
Itam Stereo 8	£335
Progressive Portamix	£295
Progressive Location Mixer	£550

ALL PRICES ARE EXCLUSIVE OF VAT

## ROCKCITY

10 MOSLEY ST., NEWCASTLE-UPON-TYNE NEI 1DE. 28 0632-324175

**★ YAMAHA ★ CX5 PACKAGE** (CX5-YK01 - PLUS 2 ROMS)

£499 (LIST £600)

**★ YAMAHA ★** 

D1500 DIG. DELAY 16 MEMORY + MIDI

£299 (LIST £639)

**★ YAMAHA ★ KX1 REMOTE KEYBOARD** £449 (LIST £999)

**★ YAMAHA ★ SG450 GUITAR** £238 (LIST £339)

**★ YAMAHA ★ SG1000S GUITAR** £279 (LIST £399)

**★ YAMAHA ★ SG1300T GUITAR** 

£378 (LIST £539)

**★ YAMAHA ★ SG3000 GUITAR** £599 (LIST £899)

YAMAHA DX21 KEYBOARD (NEW) .....£699
YAMAHA RX21 DIG DRUMS (NEW) ....£249 YAMAHA REV7 PROF DIG REVERB.....£1199 YAMAHA DX5 KEYBOARD (NEW).....BEST DEAL YAMAHA DX7 KEYBOARD ......BEST DEAL YAMAHA PF15 PIANO.....BEST DEAL YAMAHA TX216 RACK XPANDER .....BEST DEAL YAMAHA TX1 SINGLE XPANDER MODULE......BEST DEAL

YAMAHA QX7 DIG MULTI SEQ.....BEST DEAL YAMAHA KX88 MOTHER KEYBOARD.....BEST DEAL YAMAHA QX1 MEGA SEQ .....BEST DEAL YAMAHA TX816 EXPANDER .....BEST DEAL YAMAHA TX7 MIDI DX7 FM EXPANDER .....BEST DEAL YAMAHA STOCKS TO NUMEROUS TO LIST PHONE FOR BEST DEAL EVER



## AKAI

AKAI MG1212 12 CHANNEL MIXER RECORDER



**AKAI S612 MIDI DIGITAL SAMPLER** 



**AKAI AX80 8 VOICE TOUCH SENSITIVE POLYSYNTH** 

PHONE FOR BEST PRICES

THE MIRAGE DIGITAL SAMPLING KEYBOARD IS IN STOCK NOW ensonio



**MIRAGE** 

ONLY £1695

**IT SOUNDS SO** TRUE YOU'VE GOT TO **HEAR IT TO BELIEVE IT** 

## AMAZING NEW MODELS

SDS200	BEST DEAL
SDS400	BEST DEAL
SDS800	BEST DEAL
SDS9	BEST DEAL
SDS8	£649
SDS7	£1870
SDS5	£996
SDS1	BEST DEAL
SDS6	BEST DEAL

Main Dealer

**FULL RANGE OF THIS SUPERB AMPLIFICATION ALWAYS IN STOCK** 

## **CUSTOM SOUND**

THIS NEW RANGE OF **AMAZING BRITISH AMPLIFIERS SOUND** AND LOOK GREAT ALL AT AMAZINGLY LOW PRICES. **PHONE FOR DETAILS** 

Custom Cub 60w keyboard combo with reverb.....£219
Custom Cub 30w lead bass combo.....£139
Custom Cub 30w lead bass combo with chorus ............£219 Custom Cub 15w combo.....£85 CALL ROCK CITY **FOR BEST** PRICES ON AHAMAY 🚯 TASCAM



AUGUST 1985 E&MM

ALL SALE GOODS ARE BRAND NEW & UNDER FULL WARRANTY. THIS IS JUST A SMALL SELECTION OF THE MANY AMAZING OFFERS ON ALL BRANDS DON'T MISS OUT!!

- **★ YAMAHA ★ PF10 PIANO** £499 (LIST £849)
- **★ YAMAHA ★ R1000 DIGITAL REVERB** £399 (LIST £568)
- **★ YAMAHA ★ RX15 DIGITAL DRUMS** £419 (LIST £499)

- **★ YAMAHA ★ BBV1S BASSES** £119 (LIST £299)
- **★ YAMAHA ★ DRUM KITS -UP TO 50% OFF** PHONE FOR DETAILS
- **★ YAMAHA ★ RX11 DIGITAL DRUMS** £599 (LIST £799)

A NEW ROM DESIGNED FOR US BY MARTIN RUSS TO FUNCTION IN AN ENTIRELY NEW WAY FROM ALL CURRENT ROMS IS NOW AVAILABLE FROM ROCK CITY 64 NEW SOUNDS EXPANDABLE BY OF AN ADD ON EP TO 128 GIVING THE FACILITY TO BUILD BANKS OF SOUNDS AT ONLY £45.50. PLEASE SEND FOR LEAFLET ON THIS **UNIQUE NEW PRODUCT** 

ATTENTION YAMAHA OWNERS AS THE BIGGEST YAMAHA DEALER WE HAVE NOT ONLY THE BEST PRICING POLICY BUT THE BEST CUSTOMER BACK UP SERVICE. WE OFFER ALL OF OUR CUSTOMERS A FREE COPYING INFORMATION SERVICE ON ALL YAMAHA UPDATES THAT PLUS OUR PERSONAL SERVICE GUARANTEE SATIS-**FACTION** 

## ROLAND PRICE BUSTERS

**ROLAND JX8P** PLUS PG800 **PROGRAMMER** 



**ROLAND JUNO** 106



**ROLAND SDE2500** MIDI DIGITAL DELAY



**BEST DEAL** 

**ROLAND MKB1000** 



MKB300 AND **PLANET MODULES** BEST DEALS

**BEST DEAL** 

**ROLAND TR707** 





BEST DEAL

**ROLAND TR727** 



BEST DEAL

**BOSS MICRO RACK SERIES** 

**RDD10 DIGITAL DELAY** 

**RPH10 PHAZER** 

**RBF10 FLANGER** 

**RGE10 GRAPHIC** 

RCL10 COMPRESSOR


**BEST DEALS** 

## WEHAVEEVERYTHINGYOUNEED.,


TASCAM

YAMAHA

Come down, you won't believe your ears...



86–88 MITCHAM LANE, STREATHAM, SW16. 01-769 6496/5681 22 RUSHEY GREEN, CATFORD, SE6. 01-690 8621/2



Behind Dutch soul trio Mai Tai lie two men trying to revive their country's contemporary music fortunes. They're lucky in having a recording studio of their own from which to launch their attack.

Paul Tingen

ven in the context of mainland Europe, Holland is one of contemporary music's deepest backwaters. The nation's pop music trends follow those of the UK as religiously as any other, but, perhaps because the Dutch pride themselves in knowing English almost as well as the English do, they have little to say for themselves in the way of home-grown, domestically-oriented talent.

When the Dutch do get some studio time for themselves, the results are rarely heard outside the Land of the Windmills. But one record that has made it out is Mai Tai's 'History', an infectious dancefloor

concoction as melodically brilliant as it is lyrically inane. It's been a big hit, though, in almost every territory the band's record company have seen fit to release it in. And behind the trio of Dutch chanteuses that sing it (and the similarly-titled album from which it's taken) are a couple of production wizards who add writing and arranging credits to their mixing-desk achievements.

So here I am, cocooned in the comfort of Amsterdam's Art sound Studios, confronted by that duo. They're not exactly well-known even in their native Holland, and with names like Eric van Tijn and Jochum Fluitsma, they're unlikely to become any

more than half-famous elsewhere. The studio turns out to be the property of van Tijn's father, who encouraged his son to 'play around' there from an early age. From this he drew a mass of first-hand experience, and later spent four years at Music School in Rotterdam, studying jazz composition, arrangement and piano. It was a course he left prematurely for two reasons: his increasing involvement with composing music for TV commercials, and the intolerable snobbery of the School's governing body that gave pop a considerably lower status than anything and everything jazz.

Fluitsma became similarly disenchanted

> with academic attitudes during his own formative musical years. As a guitarist he played in various bands, but dropped out of his music school's classical guitar course when the pressures of session work became overpowering.

The two of them first joined forces professionally when they were invited to compose the music for a children's show on Dutch television, sometime in 1981. Word quickly spread that their talents were not to be taken lightly, and soon van Tijn and Fluitsma were being approached to do the recording honours for a whole host of Dutch artists. When nobody seemed to take exception to them taking on as many different recording functions as they could, they adopted the practice of composing, playing and producing music at the same

Then came the Mai Tai sessions, begun halfway through 1984 but not completed until the early months of this year. So how was the band formed? Van Tijn is the more relaxed of the two, speaking freely in an informal, drawling Amsterdam accent. 'About two years ago, Jochum and I needed three black female singers for a recording session. By sheer accident those three became Jetty, Mildred and Caroline. Together they sounded so incredibly good that we suggested they form a group and make a record with us. At first they didn't like the idea very much, mainly because they'd done so many things which hadn't worked out, and in which they'd found themselves being swindled. But we persuaded them to sign a contract for one single, with an option for a second.

> 'When we've recorded a basic version of a song, we get the girls inwe have to know which key is going to be convenient for them."

'The single, 'Keep on Dancing', became a reasonable success, and after a couple of other hits in Holland, including 'History' and 'Am I Losing You Forever?', the album was born. For us it was our first really big musical venture. Compared to what we had done before it was a giant step forward. Suddenly, we knew how to do it."

It sounds almost impossibly smooth. Surely there are bottlenecks somewhere along the music production line? Fluitsma is confident almost to the point of arrogance; as far as he's concerned, the duo have everything fully and properly sorted. 'We compose the songs together, mostly improvising with Eric on piano and me on guitar. Songs usually emerge from a catchy chorus, from which we work to add the verse and bridge. When we have the basic ideas for a song, we record a piano-andguitar version on a simple cassette recorder. Then we call the girls, because we have to know what key is most convenient for them.

And once that's done, it seems the instrumental parts go onto tape with a







World Radio History

speed that would frighten many a UK production team. Van Tijn: 'That usually takes a day. I suppose we work like anybody else, only quicker: first the drum machine or drums, then piano, bass, guitar and various synths. We tend to play basslines live on a synth - we only use a sequencer for parts that are too hard to play exactly in time. And we find that using a sequencer often makes the music too cold, too mechanical.

> In the USA, the budget for a single by a new band might be ten times that for a whole album in Holland. It's a matter of finance.

'Sometimes that's what you want, though. On 'History', for instance, we wanted a riff repeating itself throughout the song in a hypnotic, machine-like manner. For that, obviously, the sequencer is really useful."

Is there any aspect of instrumental recording the duo pay particular attention to? Van Tijn: 'The most important thing is getting the drums to sound good – though that's also the most difficult thing. A good drum sound is mainly a question of delay. A delay with a sharp cutoff gives the impression of a richer, fatter sound, and that goes for electronic sounds as well as acoustic ones. The space around acoustic drums is crucial, too - it's a good idea to place the mics as far away from the kit as you can. We place the mics at a distance of 30 feet, with an overall one high above the

In addition to the standard, massproduced keyboards (Prophet 5, Jupiter 6, PPG Wave 2.2) and drum machines (TR909, RX11, LinnDrum) that find use at Artisound, van Tijn and Fluitsma have pressed a home-built (by the in-house technician) sound-sampler into service for many of their most recent recording projects. Van Tijn: 'We used it on the Mai Tai album, mainly on 'The Rules of Love', where we sampled bits of breaking glass, shouting and talking, and put them next to Jocum's guitar, which we sampled heavily distorted and several times over, so as to get a very dense, concrete-like sound.'

The sampler also finds its way onto the fairly inconsequential boogie of 'The Rhythm of the Street' (where it's used for choral sounds) and the appealing 'What, Where, When, Who' (where it provides '19'-like vocal trickery). Which only goes to show you don't need a Fairlight - or even a Mirage - to make a mark with sampling.

So far so good. Van Tijn and Fluitsma are competent enough to take on a combined musicians/producers rôle, and unselfish enough to make it work, and work well. The fact that there are still two people involved in those processes is probably a help, though, as Fluitsma freely admits. 'You have to be able to distance yourself from your own playing. Sometimes I'll start a guitar solo and Eric will say: "That's

12A GROVE ROAD, EASTBOURNE, EAST SUSSEX 0323 639335 (6 lines - Telex)

Roland Main Dealer KORG\* Key Centre

YAMAHA HI-TECH DEALER FOR E. SUSSEX

**YAMAMA** Hi-Tec Dealer

## **KEYBOARDS IN STOCK**



**DIGITAL SAMPLER** KEYBOARD

## IN STOCK NOW

Ensoniq's new Mirage doesn't just sound great; it sounds real. You see, Mirage doesn't synthesize sounds... it reproduces them. Note for note; timbre for timbre; resonance for resonance. From a concert grand to a thunder clap.

The Mirage has a velocity-sensitive keyboard that lets you control dynamics and timbre, so you can put more expression into your performance. And its simple keypad lets you customize sounds at the push of a buttor.

The Mirage is an 8-note polyphonic keyboard, so you can play up to 8 notes simultaneously. With up to 16 different sounds across the keyboard. And you can split the keyboard: piano on the lower half, strings on the upper for example.

You control 77 different parameters of sound, including filtering, envelopes, and modulation. You can record musical phrases and overdub using Mirage's built-in sequencer.

But the ultimate in creativity, you can sample your own sounds with the Mirage and save them on a

YAMAHA DX5 New Model	In Stock
YAMAHA DX7 Not due for replacement 1987	£P.O.A.
YAMAHA KX-88 Comprehensive M/Keyboard	£P.O.A.
YAMAHA DX21	
YAMAHA TX-7 MIDI DX7 FM Expander	£P.O.A.
YAMAHA QX1 Digital Multi-track sequencer	
YAMAHA KX-5 Remote MIDI keyboard	£199
YAMAHA TX-816 Rack Mounted FM Expander	£P.O.A.
YAMAHA TX-1 Single Expander Modules	€P.O.A.
YAMAHA PF15 & PF10 FM Digital Pianos	
YAMAHA RX21 Drum Unit YAMAHA R1000 Digital Reverb Units	£P.O.A.
YAMAHA R1000 Digital Reverb Units	£P.O.A.
YAMAHA D1500 16 Memory MIDI Delay Unit	£395
CX5-ME MUSIC COMPUTER	
YAMAHA CX5-ME Computer with YK01 Keybo	ard and
YRM-101 Music Composer Programmer	£449
YAMAHA YK-10 Full size keyboard IN	STOCK
YAMAHA YRM 102, 103, 104 and accessories IN	STOCK
YAMAHA Real Time, Sequencer	
ROMSEPT YAMAHA RX Programmer ROMSEPT	<b>EMBER</b>
YAMAHA RX Programmer ROMSEPT	<b>EMBER</b>
ROLAND MAIN AGENTS FOR E. SUSSEX	
ROLAND JX-8P Synthesizer	£P.O.A.
ROLAND Super Jupiter	£P.O.A.
ROLAND PG-800 Programmer	
ROLAND Juno 106, Synthesizers	£P.O.A.
ROLAND MKB 1000 Mother Keyboard	P.O.A.
ROLAND MKS-10 Piano Expander	
ROLAND MSK-30 Poly Synth	£P.O.A.
ROLAND AXIS Remote Midi Keyboard	£P.O.A.
ROLAND MSQ 700 Digital Recorder	£P.O.A.
ROLAND MSQ 100 Digital Recorder	.A.O.43
ROLAND TR707 Digital Drums	EP.O.A.
ROLAND SDE 1000 Digital Echo's	EP.O.A.
ROLAND TR707 Digital Drums  ROLAND SDE 1000 Digital Echo's  ROLAND SDE2500 MIDI delay  IN	EP.O.A.

IN STOCK

IN STOCK IN STOCK

£225 £P.O.A. £P.O.A. £P.O.A.

£999

ROLAND SRV2000 MIDI reverb

ROLAND SKV2000 MID1 reverb.
ROLAND SK-101 Symh+ Hand grip.
ROLAND DR110, R/Units.
ROLAND JC Amplification.
ROLAND Cube & Spirit Amplification.
KORG KEY CENTRE FOR E. SUSSEX

KORG DW6000, New Model..... KORG MPK-130 New MIDI Bass Pedals

KORG MPK. 130 New MIDI Bass Pedals IN STOCK KORG Poly 800 Synthesizer IN STOCK KORG EX800, MIDI Expander Modules £299 KORG SDD-1000, Digital Delay with Sampling KORG DDM-110 Digital Drum Rhythm Units KORG DDM-220, Digital Latin Rhythm Units KORG FSS-50, Digital Super, Section IN STOCK KORG KMS-30 MIDI Syncronizer Box. IN STOCK KORG KMS-30 MIDI Syncronizer Box... CASIO MAIN DEALER CASIO CZ101, 32 Memory Poly Synth MIDI CASIO CZ1000, Full Size Keyboard Version. CASIO CZ5000 Synth CASIO CT6000 Full Size Keyboard MIDI £P.O.A. £P.O.A. £P.O.A. £P.O.A. £P.O.A. CASIO CT6000 Pull Size Keyboard MID1
CASIO S2-1 Sequencer
CASIO CT410V, New Model Stereo
CASIO CT310, Pull Size Keyboard.
CASIO CT610 Stereo Model, Full Size K/b
CASIO CK500, Keyboard & Cassette Deck
CASIO CK100, Programmable, plus AM/FM.
CASIO KX-101, Keyboard, Cas & Radio
CASIO KX-101, Keyboard, Cas & Radio
CASIO KX-107, 768 Variable Acc/ments EP.O.A

£P.O.A. £P.O.A. £P.O.A. £175 £P.O.A. £P.O.A. CASIO MT-100, 768 Variable Accoments
CASIO MT-800 with Stereo Speakers. £P.O.A.
CASIO MT-400V, With Stereo Speakers. £P.O.A.
TECHNICS DP50 digital drums £599
TECHNICS PV10 PCM MIDI digital keyboard. £499
(ERP £899)

## **DRUM MACHINES**

We carry a comprehensive range of Drum machines and Rhythm units incuding Yamaha RX15, RX11 and RX21 Roland TR707 and TR727, Boss DR110, Drumtraks, Korg DDM110 and DDM220



## D 13055

We carry the complete range of Boss pedals and our prices are the lowest

WE ALSO CARRY HUGE STOCKS OF ALL SESSION AND CARLSBRO EQUIPMENT AND CAN GUARANTEE
YOU THE BEST UK PRICE

IN STOCK

**Tascam Porta One** Ministudio



BEST **UK PRICE** 

- £200 to £1,000 No Deposit, Interest free instant credit 0% APR Subject to status on most equipment.
- FREE UK DELIVERY IMMEDIATE DESPATCH
- MAIL ORDER ACCESS BARCLAYCARD VISA AMEX DINERS sales can be conducted over the 'phone. Bank drafts, Building Society cheques and postal orders will take 5 working days to clear before goods can be sent.
- FULL 12 months parts and labour warranty
- All prices include VAT (overseas buyers exempt)

ADDITIONAL discounts for DX Owners Club members, please quote your membership number on all correspondence. Being a club member will automatically entitle you to many benefits.

bollocks, it doesn't fit at all".'

Van Tijn claims putting so many aspects of record production into the same hands is one of the elements that's contributed to the quality and clarity of the duo's production work. 'Any outside technician, be he a musician or a producer, is an extra link, and we think an unnecessary one. If we hear a snare sound we don't like, the empathy between us means we realise that fact at the same time, and we also know instantly what to change. The same applies to the instruments we play ourselves. We both know what kind of sounds we want, so we work much faster and more effectively together than apart.'

They tackle the risk of not being able to be objective about their work by producing a sub-mix for comment by various outsiders, notably the record company, CNR. It's at this stage that what Fluitsma terms 'the final 10%', the difference between an average recording and a really exceptional one, has to be introduced. And the duo are modest enough to realise that the extra ingredient isn't always one they're capable of supplying themselves. Van Tijn explains.

'Often we get suggestions from people which inspire us, and thus enable us to finish that last 10% satisfactorily. Another thing we do is leave the song altogether at that stage, just for a while. When you come back to it later on, it's much easier to decide what has to be done. We usually take two or three days for the final mix and adding the last 10%.'

Judged in the context of British or American recording practice, that isn't an inordinately long time to spend. But by Dutch standards, it's an eternity.

Fluitsma: 'Dutch productions are often inferior to English or American ones. The equipment we have in the best studios over here is the same as in any good foreign studio, so that's not the reason. It's a matter of finance more than anything else. When a Dutch band makes a single or an album, they usually have a very small budget compared to what, say, an American band might have. In Holland you're forced to record a single within two days. How it sounds isn't so important, just as long as it's nice and pleasant to listen to, and more or less appropriate to the Dutch market. In the USA the budget for a single by a group just starting out might be ten times higher than that for an album here. Here you have to be finished quickly - otherwise you run out of

So being on friendly terms with a studio owner – and having a two-thirds share of a production company whose third part is that studio – means van Tijn and Fluitsma aren't just rare in doing so much work in their own time; they're also extremely lucky.

They're acutely aware of their own position, and hope to put their good fortune to some use. For while so much of the Dutch music industry remains unambitious and introspective, hemmed in by the constrictions of inadequate finance and decades of deference to British achievement, van Tijn and Fluitsma harbour ideas well above their native station.

The former is particularly vociferous. 'What do they mean "Holland"? I want to be Number One all over the world! I want

to make the best records around. That may sound ambitious, but it is our goal. We want to measure our strength against that of people like Phil Collins or Nile Rodgers.

'I think that's why we listen to records in a very different way than the average Dutch producer. He only finds something interesting if it gets into the Dutch charts, but we listen for how something is made, whether it's commercial or not. You can learn a lot from, say, Quincy Jones. Listening to his productions, I hear things which make me think: "how on *Earth* did he do that?". Then I go into the studio and experiment until I find how to do something similar. It's not our aim to imitate gratuitously, but basically we're music freaks. Even when we're not working, we still play records and analyse them...'

Such attention to the work of others can bring about plagiarism, however. Halfway into the Mai Tai album's flip-side is 'You Control Me', about as obvious a Prince ripoff as you'll find this side of a Phil Collins single. Is it justifiable? Van Tijn has a go: 'Of course it sounds like Prince. But it was never commercially motivated. We just loved that song. And the melody and lyrics are quite different. It's just that Prince invented that chord-sequence, and we consider it an accepted musical form, just like rock 'n' roll and Chuck Berry's early guitar riffs. Prince plagiarises himself in 1999, and Phil Collins blatantly ripped him off with 'Sussudio'. Did you ever hear anyone complain about that?' Well, actually, I did – but let's not quibble.

Fluitsma is less outspoken, but just as determined. 'We have tried to add something to existing music styles. We wanted Mai Tai to become a new band with a face of their own. But you can't get away from the fact that people want to hear good rhythms and pleasing chord sequences—they probably always will. I think our records do have an identity of their own. They're certainly different from what anyone else is producing in Holland. And I think our records have variety, too.'

Agreed. In spite of a predictability caused by over-attention to commerciality (which the duo are only too willing to admit to), History is a colourful album with plenty of stylistic surprises in store for the unwary. That Caroline, Jetty and Mildred pack a vocal punch as big as any dancefloor group this side of the Atlantic is beyond question. But if the ambitious writing, arranging and producing duo of Van Tijn and Fluitsma hadn't intervened, they'd probably still be singing cabaret in a seedy Amsterdam nightclub...




## DATAFILE

## Artisound Studios, Amsterdam

Studio hardware Soundcraft 2400 mixing desk; Studer A80, A80 VU MkIV 24-track recorders; Revox A77 2-track

Outboards Lexicon 224, Quantec digital reverb; AMS digital delay/harmonizer

Music hardware Roland Jupiter 6, PPG Wave 2.2, SCI Prophet 5 polysynths; Roland TR909, Yamaha RXII, LinnDrum programmable drum machines; custom-built digital sound-sampler; grand piano



MARTIN RUSHENT FIRST MADE HIS NAME WITH THE STRANGLERS AND THE BUZZCOCKS. THEN WITH PETE SHELLEY ON HOMOSAPIAN – THE FIRST ALBUM TO USE COMPUTERS. THEN ON A RAFT OF HIGHLY ACCLAIMED PROJECTS THAT HAVE SPAWNED SO MUCH OF TODAY'S MUSIC. AND SO MANY OF TODAY'S PRODUCTION TECHNIQUES.

WE WENT TO GENETIC STUDIOS (MARTIN'S PLACE) TO ASK HIM ABOUT HIS CAREER, AND TO GET HIS QUALIFIED VIEW ON THE KORG PSS 50 – PROGRAMMABLE SUPER SECTION.

## MARTIN, WHAT HAVE YOU BEEN UP TO?

I PRODUCED THE LAST HAZEL O'CONNOR ALBUM WITH HER BROTHER NEAL. IT WAS REALLY EXCITING 'CAUSE THERE WERE ONLY THREE OF US INVOLVED, AND, APART FROM VOICE, IT WAS ALL WRITTEN AND PERFORMED ON ONE SYNTH.

## HOW DID YOU GET INTO PRODUCTION?

I FLUKED MY WAY INTO A JOB BACK IN '68.THEN, AFTER TOO MANY TWENTY HOUR DAYS, I WENT FREELANCE WORKING AS AN ENGINEER FOR MANY OF THE TOP RECORD PRODUCERS OF THE DAY INCLUDING GEORGE MARTIN.

## DO YOU WORK TO A SET OF RULES?

NOT REALLY. GEORGE MARTIN TAUGHT ME THE IMPORTANCE OF ORGANIZATION, OF STRUCTURES, PLANNING AND SO ON. BUT I BASE MY WORK ON THE FEEL OF THE DEMO. THE ONLY RULE I STICK TO IS: IT'LL BE FINISHED WHEN IT'S FINISHED. IE – WHEN IT'S THE VERY BEST

THAT CAN BE ACHIEVED.

WHAT ABOUT YOUR INVOLVEMENT WITH COMPUTERS?

THAT CAME ABOUT THROUGH AN AD I SAW IN STUDIO SOUND YEARS AGO. IT WAS FOR A MC8 - A PROGRAMMABLE BOX OF TRICKS. WE USED IT ON 'HOMOSAPIAN,' I THINK SYNTHS ARE DEFINITELY THE FOLK INSTRUMENTS OF TODAY, AND IF ANYTHING NEW COMES ALONG AND IT OFFERS ME A FINER DEGREE OF CONTROL, I'LL GET IT.

WHAT DO YOU THINK OF THE KORG PSS 50?

I LOVE IT! IT'S GOT DIGITAL PERCUSSION, PRE-SELECT BASS LINES, GUITAR, SYNTH, PIANO AND MANY MORE SOUNDS – WHICH YOU CAN ARRANGE YOURSELF. ALL AT THE TOUCH OF A BUTTON, AND ALL FOR JUST £429! I THINK IT SERVES TWO PURPOSES, ONE, IS YOU CAN HAVE YOUR OWN BAND TO PLAY ALONG WITH. OR, YOU CAN PROGRAM YOUR OWN SERIES OF CHORD CHANGES AND BACKING PATTERNS, AND WRITE WITH IT. RECORD IT WITH VOICE AND YOU'VE GOT A DEMO. AND ONE DAY, A COMPANY'LL RELEASE THAT DEMO AND IT'LL BE A HIT.

LEASE	SEND	ME	DETAILS	OF	THE	KORG	PSS	50

NAME\_\_\_\_\_\_ADDRES

EMM/8/85K

KORG

POSTCODE

KORG (UK), 32-34 GORDON HOUSE ROAD, LONDON NWS INE TELEPHONE 01 267 5151

# The Tools of



Never before has the musician had more creative power at his finger tips. And never before has Yamaha had so much to offer the creative musician in terms of complete MIDI musical systems:

Digital drum machines that capture the excitement and purity of live drums whilst offering the relative novice the technique and expressive power of an experienced drummer.

A beautifully weighted Master Keyboard that feels like a grand piano and controls sound like anything you can imagine; and some things you can't.

The extraordinary musical eloquence of digital FM synthesis available in modular form as the ultimate source for the creation of those sounds.



# Empression.




And sophisticated sequencers that allow complete dynamic scores to be written and executed by the composer with uncompromised artistic control and integrity.

Whether you're an experienced professional or just starting out, you can trust Yamaha to have the right system to suit your needs. Yamaha Musical Instruments: More Than Just An Expression

Come and see us at this years British Music Fair Olympia 2 London 1985

Trade Dates 30th July 31st July 1st Aug Public Dates 2nd Aug 3rd Aug 4tn Aug BRITISH MUSIC FAIR STAND 114 LEVEL 1





# WAY DOWN



...in New Orleans, America's music industry flocked to its exhibition showpiece, the NAMM Music Expo. As ever, the lights, the women and the hyperbole were out in force – but most of all, the halls shimmered to the glow of computer monitors. *Paul Wiffen* 

oftware support was the big news at the New Orleans show, the most important in the American music industry calendar. For there was innovation aplenty in both areas of software development, namely optional upgrades for specific instruments, and more general MIDI-based packages.

In fact, there were so many new music programs on demonstration (some fully debugged, others less so), it's difficult to know exactly where to begin. But begin I shall, with a new Apple Ile package for that most talked-about keyboard, the Ensoniq Mirage. The Mirage's incredibly low price-tag has already brought quality sampling within reach of hundreds of musicians, despite the fact that the months the machine has been in production can be counted on the fingers of one hand. The only problem is that if you're a newcomer to the world of sampling, the Mirage keyboard doesn't give you an awful lot of assistance to help you on your way. It's all very well if you've used something like an Emulator II before, but there must be a fair few Mirage owners who are still a bit baffled by the



way their new instrument goes about its business.

Well, a comprehensive new software package called the Visual Editing System should soon change all that. For under £200, you get access to a wide variety of manipulation techniques that are already available on the keyboard itself, but now have the all-important addition of the visual medium. Samples can be displayed in a condensed or magnified format, and edited down to each individual bit using a decimal system, rather than the confusing hexadecimal one used by the display on the keyboard. Using a joystick or Koala Pad, you can change, smooth out or redraw sample sections totally, thereby 'creatively modifying' your sample to your heart's content.

One problem remains, of course, in that the graphics themselves aren't really anything spectacular — useful without being particularly entertaining or innovative. But then, we're talking Apples here, not new-generation 16-bit computers, so that isn't really surprising. Maybe when the engineers at Ensoniq get their hands on an Apple Macintosh or

AUGUST 1985 E&MM

# YONDER...

Atari ST, we'll see something truly breathtaking...

Still, in the unlikely event of your falling of the system's operational procedures, the package comes complete not only with a user manual of its own, but also with the Mirage Advanced Sampler's Guide, a truly indispensable item in its own right. As if all this isn't enough, the hardware is Passport-Further upmarket, compatible, too. Kurzweil also showed a new software package - designed for them by Southworth Music Systems. With what amounts to a modification of their Total Music package (see this month's Newsdesk), Southworth have developed a MIDI sequencer that interacts at an unusually high level with the Kurzweil 250 digital keyboard, with customised facilities designed to complement the 250's onboard sequencer. Meanwhile, Kurzweil

their new Waveterm B, with 16-bit sampling now implemented (and sounding pretty good as well) whilst on the same Europa Technology stand, the newly-improved OSC Advanced Sound was making its appearance, with a 12" CRT monitor replacing the disappointing LCD screen present on the Frankfurt prototype. Now due this coming Autumn, the ASG boasts scrolling music displays for its built-in sequencer, as well as waveform display and harmonic analyses of sounds. The multitimbral nature of the machine means its 16 internal voices can be assigned to separate MIDI channels and gives you the option of spreading them selectively over different sections of the controlling keyboard, too. The sequencer will be able to control external synths on four MIDI busses, each with 16 channels.

Back on the software front, Italians



themselves have been busy sawing the 250 in half, with a new MIDI Controller incorporating the grand piano action keyboard and all the 250's MIDI functions, and the Kurzweil Expander housing the machine's sound-generation hardware and software.

Talking of big names and mega-bucks, the Series III Fairlight, a mere snip at £60,000, was on serious demonstration for the first time. And mighty impressive it sounds, too. It should do, of course, because it's 16-bit, but more than that, the Australians are promising a lot in the way of sequencing facilities. For instance, the new CAPS package, successor to the infamous Page R, will give 80 tracks of sequence recording (16 internally and 64 by four MIDI busses) when the software is up and running — but none of this was working at the show.

German hi-tech entrants PPG showed

LEMI were showing DX7 editor and Drumtraks dumper programs for their Apple II interface, but more interestingly, also have several hardware innovations up their sleeve. These include a MIDI FM transmitter. Nothing to do with Yamaha's tone-generation system, this allows keyboard players the same freedom most guitarists now have on stage, since alone among remote keyboards, it uses radio waves to carry note information, not electric cables. LEMI also have a clever little four-into-one MIDI mixer, which adds together incoming data on four MIDI lines intelligently, and puts it all out on one.

But if this summer's NAMM (there's one each winter as well, but its uncomfortable temporal proximity to Frankfurt lowers its status by comparison with the June affair) proved anything to non-American visitors, it was that the

European music software industry is as nought next to the Stateside one. There are thousands of software companies in the US, and a surprisingly large percentage of them now seem to be turning their attention to things musical. Picking your way through the software people at NAMM (and it was by no means a comprehensive turnout) wasn't exactly easy, as an awful lot of America's packages are aimed at doing broadly the same thing.

One exhibitor that did stand out was Syntech, though. As David Ellis mentioned in last month's E&MM, the company have 16-track, eight-note polyphonic sequencer for the Commodore 64, Apple II and IBM PC that stands out from the crowd by virtue of having more than a decent set of punch-in/punch-out and editing facilities. Let's hope we see it in the UK soon, a sentiment that's also worth feeling for the products of Hybrid Arts, who have a SMPTE recorder and synchroniser program (among many other things) which Jon Anderson is apparently raving about. It runs on Atari, Apple II and CBM64 micros.

Moving to the subject of MIDI controllers, the most inspiring new item was the Voyetra MIDI guitar controller, which plugs directly into any MIDI synth as well as giving a direct signal to a conventional amplifier. No price was available at the show for this country as a distributor has yet to be decided upon, but it should be around two grand.

But as far as this writer is concerned, the star exhibitor at the show can only have been one company — E-mu Systems. First, they had a new hard disk option for the Emulator II, which allows longer sampling times and instantaneous loading (if you remember, the 25-second load time was my principal criticism of the machine when it came under review back in November '84).

Better still is the Drumulator II, now heavily facelifted from the rough prototype we saw at Frankfurt, and given the new title of Emulator SP12 'to reflect its Emulator-like capabilities', according to E-mu. They aren't kidding. The finished machine features user sampling to disk as well as a host of impressive factory sounds (maximum length four seconds at 12-bit resolution), with full tuning, volume and filtering parameters for each sound and on each beat. Its tap buttons are velocity-sensitive, but if that isn't enough, you can program the voices dynamically from any suitably-equipped MIDI keyboard.

The SP12 can also generate and read SMPTE as well as the MIDI clock and Sony digital pointers, which should make it an excellent tool for studio use. UK price has yet to be fixed, but it should come in at well under the price of the Linn 9000. The SP12 is the one to watch.

# Wang

# NOISY SOUNDS

Sounds knows all about noises — guitar noises, synth noises, drum noises ... in fact every sort of musical noise. The weekly Band Aid feature reviews all the latest instruments and equipment, from heavy metal stacks to digital sampling keyboards.

Every month there's a special major feature: 'Rock Tech' in September and November concentrates on guitars, basses, drums, amps and effects pedals. In October and December, 'Digi Tech' concentrates on keyboards, electronic drums and computer music.

The weekly Band Aid Classified section is Britain's fastest growing music market; not only for musicians but also for dealers and studios.

If you want to see what makes Sounds the BIGGEST, NOISIEST, musicians' weekly, PICK UP YOUR FREE COPY OF THIS WEEK'S BMF SPECIAL FROM STAND 103, ON THE FIRST FLOOR.

There's an exclusive Sounds/Simmons electronic drums competition with a top prize of a Simmons SDS9 electronic drum kit and lots of other Simmons percussion prizes for runners-up. It's free to enter, so have a bash. Or a thump. Or even a boing.

# SOUNDS

STAND 103 FIRST FLOOR

OUT NOW AND EVERY WEDNESDAY

# Rod Argent's

20 Denmark Street London WC2

Telephone 01-379 6690 (sales) 01-240 0085 (service)



A full demo will convince you of the amazing capabilities of this sampling keyboard we are constantly excited by it!

And its only......£1695



# DX-5

DX5 Essentially a DX-1 for one third of the price! Split & layering of sounds with detune capabilities make this the centre of your keyboard set-up. The power of FM

# DX-21

FM synthesis for under £700? Plus split & layering of sounds and much easier editing of sounds. Very impressive and an ideal first synthesiser.



# **MULTITRAK**

The amazing multitrak recorder/ keyboard from SC with a whole host of features that make it unbeatable value at £999 while stocks last \*In stock PRÓ V with MIDI

# **Roland**



# **ROLAND JX-8P**


The most popular analogue alternative to FM. Excellent dynamic keyboard and warm rich sound.

# CASIO



# CZ1000/101

These amazing sounding digital keyboards have rocked the competition as nothing competes at these prices.



We are the largest outlet for Simmons in the country and can offer all models from stock and custom chips for the SDS7 and SDS9. In store demos on SDS9/SDS7/SDS200/400/800, SDS1 and EPB.

# Seouential inc



#### SC TOM

Following the amazing reviews from all sides, come and hear the aural evidence. Unique features include pitch & dynamics programming from MIDI keyboard and add on alternative sound cartridges with reverse sound option!

This months drum machine special Yamaha RX-11 £650 Also from stock RX-15, TR707, TR909, TR606, Korg DDM220, Drumulator, Drumtraks (including custom sound library chips) Ted Digisound modules and D-Drums with large library of add on sound cartridges.



A large selection of these exquisitely made basses is always in stock. Custom orders no problems. The best Bass.

# **HOME STUDIO**

We have a large selection of ancillary equipment including.



#### Roland SRV2000

SRE1000/2500/3000 Yamaha D1500 delay, graphics compressors/limiters & speakers. Plus the complete new range of Boss rack mount recording accessories flanger/delay/ compressor/limiter/phaser/ graphic eq.

# ROD ARGENTS Are Main Agents for the Following:

Wal Custom Basses
Oscar Mono Synths
CP & Packhorse Cases
Kawai Electric Pianos
MXR Professional Products

#### THE PRO ROOM


You may book a personal demonstration or take time to evaluate any product we stock, simply by booking an appointment 10.30am–6.00pm, Monday–Friday.

# REPAIR DEPT.

Our service dept. is one of the most professional in England. For all modifications and repairs call Tim on 01-240 0085

# Rod Argent's Musicstore

15 The Butts Worcester Telephone 611774



Music Maker Publications Simply more

to read



Serry Darby

Britain's only specialist guitar-playing magazine
– for electric and acoustic players, guitarists
and bassists

# RHYTHM

For the modern drummer and drum machine user. The perfect beat that completes an unbeatable music family

# ORGANIST TODAY

The home organ and keyboard player is exclusively catered for in this new monthly

# ON SALE AT ALL LEADING NEWSAGENTS

The magazine that takes the mystery out of recording at home – from 4 tracks to 24.

**ELECTRONICS &** 

**MUSIC MAKER** 

The world's biggest music technology magazine

 for the modern keyboard player and synth programmer.

**HOME STUDIO** 

RECORDING

For further details of direct subscriptions ring Cheryl on 0223 313722 or drop her a line at:

Music Maker Publications, 1 Milton Road, Cambridge CB4 1UY (Tel 0223 313722)

## **World Radio History**



-7 CHESTER ROAD, NORTHWICH, CHESHIRE

TELEPHONE 0606 782522

OPEN 10-6 (CLOSED WEDS - BOTH BRANCHES), LATE NIGHT THURSDAYS

# **BOOT OOT**

**CHEST LUKE AT THEMS PRICESES!** WHO CARES IF THEY'RE S/H MARKED OR WHATEVER! THEY'RE GUARANTEED . . .

ash stree ECTROMUSI (ABOVE JAMM STUDIOS) END OF GT. MOOR ST. BOLTON, LANCS. TELEPHONE -0204 397893

# **RECORDING/FX**

Accessit Patch Bay	£35
Accessit Sweep EQ & Compressor + Powe	r
Supply in 19" rack	99
Fostex MN15 (new)	£36
Fostex 3050 D/Delay (new)	
Korg SDD2000	. EPOA
Ibanez DM1100	£325
Ibanez GE1502	£299
Ibanez DM2000	. EPOA

# **KEYBOARDS**

Yamaha MP1 Music Printer         £99           Yamaha SK10 Strings/Brass         £150           Yamaha CS150 Preset Mono         £199           Yamaha SK20 Organ/P/Synth         £349           Yamaha SK50D Twin man         £699           Yamaha CP30 Piano         £399           Korg CX3 Organ         £299           Korg 700S M/Synth         £119           Korg EX800 Expander         £299	Moog Rogue (no manual)	£89
Yamaha CS150 Preset Mono.         £199           Yamaha SK20 Organ/P/Synth         £349           Yamaha SK50D Twin man         £699           Yamaha CP30 Piano.         £399           Korg CX3 Organ         £299           Korg 700S M/Synth         £119	Yamaha MP1 Music Printer	299
Yamaha SK20 Organ/P/Synth         £349           Yamaha SK50D Twin man         £699           Yamaha CP30 Piano         £399           Korg CX3 Organ         £299           Korg 700S M/Synth         £119	Yamaha SK10 Strings/Brass	£150
Yamaha SK50D Twin man       £699         Yamaha CP30 Piano       £399         Korg CX3 Organ       £299         Korg 700S M/Synth       £119	Yamaha CS150 Preset Mono	£199
Yamaha CP30 Piano.       £399         Korg CX3 Organ       £299         Korg 700S M/Synth       £119	Yamaha SK20 Organ/P/Synth	£349
Korg CX3 Organ	Yamaha SK50D Twin man	£699
Korg 700S M/Synth£119	Yamaha CP30 Piano	£399
	Korg CX3 Organ	£299
Korg EX800 Expander£299	Korg 700S M/Synth	£119
	Korg EX800 Expander	£299

Roland Juno 6 Roland Juno 60 Korg Polysix Korg Poly 61/800 Yamaha DX7/DX9 SC PRO I SC Prophet 600 SC PRO V SC Sixtraks Rhodes/Wurlitzer

# ELECT. PERCUSS

Claptrap		TOM
Korg KPR77		
Roland CR68	£150	£799
Roland TR606	<b>£9</b> 9	
Roland TR707	£POA	IN STOCK
The Kit + Syndrum + F.	/SW	£125
Yamaha RX11		£645
Korg DDM110		AOQ3
Korg DDM220		£169

# HOME K/BOARDS

Yamaha MK100/HCS500/PS35/PSG100/CS01 Roland HP300/HP400 Pianos JVC KB600/KB700 (450!) Korg SAS20 (299) Casio CT410V/MT800/CT6000/CK500

# **DRUMS**

Yamaha YD5222 4 drums in blue£299
No snare inc. stands
Tama Swingstar 5-drum kit, midnight blue£345
(inc. stands)
Paiste 505 cymbal from£45

# **GUITARS**

Yamaha	BB300	£149
Yamaha	SG200	£179
Yamaha	SG1300T	£379
Yamaha	SG2000	£479
Yamaha	SG3000S	£POA
Ibanez -	Aria – Gordon Smith – Westone –	- Kramer
Fender-	- BC Rich – Rickenbacker	

**ROLAND GUITAR SYNTH AT BOTH STORES** 

# **HOT STUFF**

WE GOT TOM, JX8P MULTITRACKER, MIRAGE, DW6000, ETC. ETC. AND MOST OF THE NEW HOT STUFF FRESH FROM THE BRITISH MUSIC FAIR **CHECK IT OUT AT DOUGIE'S OR FLASH ST!!** 

# 

RRP £199.00 INC. VAT

**AVAILABLE FROM ALL GOOD MUSIC STORES IN** CASE OF DIFFICULTY CONTACT US DIRECT



# **BASS PEDALS ML-50**

You can't put a foot wrong with this brand new design which utilises the MIDI facilities of todays popular keyboards. The high quality 13 note C to C instrument adds professional pedal power to the bottom octave of any MIDI keyboard, and can control auto chord and rhythm sections.

A rugged compact, lightweight attract ve design using the most advanced and reliable techniques and materials.

Built-in power supply for direct mains operation at 240V 50Hz.

OPTIONAL FOOT CONTROLLER RRP £99.00 INC VAT

This unit provides the following extra facilities:
(a) MIDI Channel Selection 1–15 (b) Octave Selection 1–6

(c) Added Fifth Selection (d) Mono/Poly Selection AVAILABLE FROM ALL LEADING MUSIC STORES



MICRO MUSICAL LTD., 37 WOOD LANE, SHILTON, COVENTRY CV7 9LA. U.K. Tel: 102031 616760

MICRO MUSICAL LTD., 37 WOOD LANE, SHILTON, COVENTRY CV7 9LA. UK. TEL: (0203) 616760

# From France, a country not noted for its contribution to the hi-tech music world, comes a dedicated MIDI sequencer with a difference.

Simon Trask

# le sequenceur polyphonique...



ven if you've cast only a cursory eye over E&MM's Checklist buyer's guide since we instigated it four months ago, you'll be aware that the dedicated MIDI sequencer is something of a rare beast. That rarity is surprising when you consider that the MIDI revolution has brought with it a whole mass of home computer software intended to do the same sequencing job, and whereas the software boom has introduced a load of new designers and manufacturers to the music industry, the companies involved in building dedicated sequencers are the same ones, by and large, that were involved in making them before MIDI came along.

So, if you're unsure of taking the plunge into the computer end of the pool or find currently-available programs unacceptable, there isn't much of a choice in the way of dedicated machines. Come August however.

dedicated machines. Come August, however, that choice will be widened by the addition of at least one machine. It's a surprise entry in every way, since not only does it come from a company with no hi-tech music pedigree whatsoever, it's also built in a country scarcely

known in this area: France.

The company in question is Micro Performance, and their machine is the PolyMIDI I, a dedicated polyphonic MIDI sequencer (hence the name) that's being brought across La Manche by that distinctively British organisation, the Oxford Synthesiser Company.

PolyMIDI I has a 6500-note capacity (with velocity), and can record five sequences and two chains. Now, whilst that note capacity is on a par with what's already offered by the machines of established makers, the newcomer is definitely ahead on the *number* of sequences and chains it can store. Not quite

enough to make it an all-purpose live tool, perhaps, but a step in the right direction nonetheless.

As well as being chained together individually, sequences can be played concurrently, and any such combination can be recorded as a link in the chain. Memory assignment is completely dynamic – there's no restriction on the length of either sequences or chains, other than that imposed by overall memory availability. There's a facility for you to 'mix down' any sequence onto any other sequence,



with the proviso that you don't try to trigger any more than 16 notes simultaneously on playback (this applies to concurrent running of sequences, too). The PolyMIDI I isn't alone in this, as the same restriction applies to the Yamaha QX7, but it's a bit of a disappointment when you consider that a good few micro software packages of similar or lesser price aren't limited in this way.

One thing is readily apparent the moment you get the PolyMIDI I out of its box. Its front panel isn't exactly your usual hi-tech facia. Notably absent is the LED/LCD window display that we've all come to know and (sometimes) love, and overall, the machine's exterior looks as though it might have been designed about three years ago. That isn't

necessarily a bad thing, though, as there are plenty of single-function controls on the PolyMIDI I, making day-to-day operation of the thing an easy and relatively trouble-free affair. Each vital selector button has its own red LED, so you can see at a glance which functions are active.

However, where extra functions are implemented 'implicitly' on top of the dedicated buttons (as is the case here with MIDI channel allocation, among other things) or by the adoption of complex sequences of button-pushing, things become less clear. It's also a pity that MIDI channel allocation from the front panel is limited to channels 1-5 (because they're chosen from the sequence buttons), though thankfully, you can record sequences and play them back on any of the usual 16 channels.

The lack of a window display doesn't seriously hamper your using the PolyMIDI, but it does reduce the amount of feedback you get as you go along. You've no way of knowing which MIDI channel is allocated to a particular sequence, what the current step in a chain is, or what the current tempo is. In the latter instance, all you get is a scale of I-IO set around the rotary controller, which can hardly be classed as detailed.

In an attempt to compensate for the lack of visual feedback, Micro Performance have opted to make full use of the sound generator used for the internal metronome, together with the LEDs associated with each button. What this means in practice is that using the PolyMIDI I can be a bit like playing a video game; beeps and flashes galore.

Recording in real time is a straightforward affair — at least from the operational point of view. Press the Real Time button, choose your quantisation value (if you need one) and the sequence number, and then press Record (or Load, as our review model had it). It's good to see the PolyMIDI I doesn't begin recording until you play a note, so there's no frantic rush to start playing the moment you select Record. However, the system does give you the option to start recording before you play a note, so you can have your cake and eat it.

You bring recording to a close by pressing either Stop, Repeat Play or Play (or the stop/play footswitch if you have one), but if you've opted to do without quantisation, you'll need to be pretty sharpish if you're not to destroy your masterpiece with a clumsy ending. Finish off by going into Play and you should be OK, though. Micro Performance have thoughtfully included an autocorrect function that acts only on the first and last notes played, leaving the rest of your endeavour to the plain truth of real-time

**PRICES** INCLUDE VAT

**EXPORT PRICES** ARE LESS VAT **AT 15%** 



INSTANT **CREDIT** 

NO **DEPOSIT** HP

104/6/88 Main Street, Bingley, West Yorkshire, BD16 2JH.

Telephone: Bradford (0274)568843/564389/561044.

# 🙉 YAMAHA HI TECH **AUTHORISED DEALER**



CX5M PACKAGES - SPECIAL PRICES		
	PHONE NOW	
NEW DX21	PHONE	
NEW RX21	COMING SOON	
DX5IN	STOCK PHONE	
DX7	BEST PRICE	
KX88 MIDI Master K/B	£1250	
FX15 Digital Drums	BEST PRICE	
RX11 Digital Drums		
TX7 DX Expander		
QX7 Sequencer	£449	
TX816 Modular DX System	£4239	
QX1 Sequencer		
PF15 Piano		
PF10 Piano	PHONE	
KX5 Remote	£199	
	0005	



PS6100.....£895

SDS9 kit SDS200 <b>NEW</b> SDS400 <b>NEW</b>	RING FOR PRICES AND OLOURS
SDS8 Kit CHOICE SDS7 Kit OF SDS5 Kit OF SDS1 COLOURS SDS6 SUITACASE Pads CLAPTRAP	PHONE PHONE £95
ALSO IN STOCK DYNACORD Kit DYNACORD DIGITAL Hits MPC Kit TAMA Kit CACTUS Kits	£95 £550 £795
OPENING TIMES	

11.00 am-9.00 pm

10.30 am-5.30 pm

11.00 am-9.00 pm

10.30 am-5.30 pm

10.00 am-5.30 pm

CLOSED

<b>ensonia</b> DIGITAL SAMPLING KEYE	MIRAGE
(EUNEURIUM)	AT THIS PRICE
£1695	IT SOUNDS TOO GOOD TO BE TRUE

# KORG

DW6000	£699
MIDI Pedals	£299
POLY 800	SPECIAL PRICE
RK100B Remote	£365
DDM-110 Drums	£199
DDM-220	£175
PSS50 Super Section	£275
EX800 - Poly 800 Expande	er£275
KMS MIDI Sync	



AND TITE AND	04450
MULTITRAK	
MAX	
SIXTRAK	
PRO600	
DRUMTRAKS	
TOM	£795
MODEL 64 Interface	£129



SZ1 SEQUENCER BI	
CZ1000BI	EST PRICE
CT6000 VERY SPEC	IAL PRICE
FULL BANGE IN STOC	K

KAWAI EP608 PIANO	£995
-------------------	------

<b>KEYBOARD AMPLIFICAT</b>	ION
PEAVEY KB100 Gombo	£229
PEAVEY KB300 Combo	£345
PEAVEY KB400 Top	£459
CARLSBRO K/B 150 Top	
CARLSBRO K/B 150 Combo	£385
CARLSBRO Cobra 90 Combo	£253
CARLSBRO Hornet 45 Combo	£169
McGREGOR 200 Combo	£420
McGREGOR 200 Top	£175
McGREGOR RAIDER 100 Combo	£285

VOX 100w K/B Combo ......£239

H/H K100 Top .....£195

# **Roland**


MAIN DEALER	
JUNO 106	£775
JX8P	
MKB 1000 Mother	
MKB 300 Mother	
MKS 10 Planet P	
MKS 30 Planet S	
MKS 80 Super Jupiter	
MPG 80 Programmer	
JSQ 60 Dig K/B Rec	£99
MSQ 100 Dig K/B Rec (MIDI)	£299
MSQ 700 Dig K/B (MIDI-DCB)	£499
SBX 80 Sync Box	
SVC 350 Vocoder	
M110 MIDI Interface	
MD8 MIDI-DCB	
MM4 MIDI Thro Box	
SH101 Synth	£199
AXIS Remote Keyboard	
HP 20 Piano	
HP 60 Piano	
HP 70 Piano	
HP 300 Piano	
EP 6060	
TR 808 Drums	
TR 909 Drums Special Price	
TR 707 Drums	
TR 727 Drums	
DR 110 Drums	
CR5000	
CR8000	£325

# **OBERHEIM**

XPANDER	
OB-8	£2595
DSX	£1149

36 Systems

SPECIAL PRICE £2500





DK80	£599
EX80 Expander	£345
MIDI Expander	£399
DK600	
MK900	£359
PIANO Quatro	£735
OPERA 6	£599
CRUISE	£399
PX PIANO	2399

ALL PRICE INCLUDE **VAT & FREE** SECURICOR DELIVERY (UK MAINLAND ONLY)

MON

TUE

WED

THUR

FRI

SAT

recording.

For those with confirmed autocorrect inclinations, the PolyMIDI I provides crotchet, quaver, semiquaver and demisemiquaver resolutions, together with triplet versions of the first three—a healthy range, all in all. Make sure you choose right first time, though, as you can't muck about with autocorrection values retrospectively.

Autocorrection is, of course, accomplished in relation to the current tempo value, so you'll need to make use of either the PolyMIDI's internal metronome or a connected drum machine. And believe me, the latter is by far the more sensible option, as the metronome is a piercing, high-pitched bleep that doesn't allow itself to be controlled by the user in any way, shape or form.

The PolyMIDI I happily records the usual array of velocity, aftertouch, patch change, pitchbend and modulation data, communicated to it over the good ol' MIDI bus. There's not much scope for MIDI filtering, however, as the only information you can choose to ignore at the sequencer end of things is velocity.

The five available sequences don't have to be used for recording separate pieces of music. Instead, they can be run concurrently to form one, extensive magnum opus, in which case it's more appropriate to consider them as tracks. Not surprisingly, you're limited to recording only one sequence at a time, but it is possible to record on one sequence and play back all the remaining sequences simultaneously, should you wish.

The Repeat Play function (which is what Micro Performance call looping) affects all the sequences currently stored within the Poly-MIDI, though the good news is that when sequences are playing concurrently, each sequence loops according to its own length, rather than the length of the longest sequence. Thus you can record a bass riff or chord pattern on one sequence, and then a solo line over it on another while the first plays back in Loop mode. And if you're into pattern phasing à la Steve Reich, now's your chance to have multiple sequences looping merrily away according to their own duration.

The items of MIDI data listed above are all independent for each sequence, but remember that if you transmit more than one sequence over the same MIDI channel (so that they're all picked up by the same instrument), pitchbends and patch changes on one sequence will affect the notes of all the other sequences, too. Chaos just isn't the word.

Anyway, when you're happy with the parts you've recorded, you can mix down any sequence onto any other sequence (providing

that they share either a complement or a dearth of velocity data), and continue this process to any number of generations. What you can't do is copy one sequence onto the end of another. By comparison, the QX7 allows you to do just that, while Roland's MSQ 100 adopts what's in some ways a more flexible measure-based system. But then, neither of those offer you independently-definable chains.

The mixdown process operates by altering pointers in memory rather than literally merging MIDI data. Each part thus retains all its own features (MIDI channel allocation, pitchbend and so on), though if you continue editing a sequence that contains more than one part, your edits affect that sequence as a whole. Another consequence of mixing down sequences is that the shorter of any two pieces you combine automatically assumes the length of the longer one — so, for instance, your repeating riff suddenly won't be.

One shortcoming of the current PolyMIDI software is that it doesn't allow editing of individual notes in real time. Step-time mode allows you to step forward and backward through the notes during Record — with

Layout 'The exterior looks as though it could have been designed three years ago...but that isn't necessarily a bad thing.'

backward movement automatically erasing notes along the way. This sorry situation is currently being rectified by Micro Performance, and I'm assured that any software updates in this direction will not invalidate data recorded using the current software. We shall see.

But the current version of PolyMIDI is far from being a lost cause in the editing department. For a start, it's possible to truncate a sequence that has been recorded in step-time mode or with autocorrection on. You can also alter a sequence's MIDI channel, subject to the front-panel limitations I touched on at the start. And you can add or alter pitchbend, modulation and patch-change data on a sequence, simply by recording these settings on an empty track while playing back the one you want to change, and then mixing down the new sequence onto the original. All very neat and logical.

In common with the Roland and Yamaha

offerings, but unlike so much Stateside produce, the PolyMIDI I has a step-time recording facility built in. Mind you, it's here that the lack of a display window really makes itself felt. That isn't surprising. Step-time input is all about throwing musical continuity out the window with the object of recording without performance limitations, so you're going to need all the visual help you can get if you aren't going to get lost by the lack of, er, music. This is where dedicated sequencers tend to be at a disadvantage by comparison with their computer-based brethren, and the PolyMIDI I is no exception.

One silly omission: you can't record velocity information in step time. I fail to see why this has to be the case. After all, if a £100 program for the humble Spectrum can manage it (complete with music score notation, no less), why can't a fully-fledged, considerably more expensive dedicated machine like the PolyMIDI 1? You can record legato and staccato notes, but it's shame they all have to have the same dynamics.

Step-time recording is pretty much as straightforward as it is in real time. A quantisation value must be selected as the minimum duration; this is referenced to the crotchet tempo value. Once you've selected a sequence and the appropriate mode, you can enter notes either singly or as chords from the attached synth, pressing the 's' button once for each step required. No prizes for guessing that you enter rests by pressing the same button whilst no notes are playing.

Undoubtedly of value is the way step- and real-time sequences can be played together, and even mixed down together, so long as you remember the velocity/no velocity limitation.

But where the PolyMIDI I really scores over its competitors is in its adoption of chaining. You can chain any number of sequences together, just as long as you stay within the confines of the available memory. Each link is a collection of sequences read concurrently, so you can specify sequences up to the maximum of five. It's also possible to specify multiple occurrences of a sequence or sequences within a link, and to make link-specific transpositions of any sequence.

Meanwhile, huge fun awaits you in the form of Micro Performance's Memory Chord facility. This is definitely peripheral to the main functions of the sequencer, and isn't in itself a recordable feature, but it has its uses.

Essentially, it allows you to build up a chord of up to 16 notes without having to hold down all the notes simultaneously. When these notes are locked in the machine's memory, you can play any root note and the whole chord is not only generated automatically, but also transposed according to your choice of root note in relation to the original.

So like the step-time facility, the PolyMIDI's Memory Chord feature is really intended for the non-player, and does its job well. The Americans would hate it, though.

It's not uncommon for the sequencer to end up playing a central rôle in a MIDI system, so any newcomer to the sequencing game needs to be well-endowed with communication facilities. Well, the PolyMIDI has plenty of them, selected from the front panel by twiddling the Clock selector knob.

MIDI is the prerequisite, of course, and is catered for by one each of MIDI In and Out sockets. The vexed question of just how many of these a sequencer should provide raises its





due to theire organisation

at Fender and the replacements for this

can only be regarded as a 'SNIP' £199

expensive. Again we have managed to secure the last of this superb range at prices

quality of guitar are now a lot more

Basses £159

OYAMAHA 30% OFF!

AKAI

We are offering 30% OFF stocks of current guitars and basses, eg SG 1300 T £379 (with case) BB 1600 £299 Plus Many Others

These amazing replicas have caused quite a stir, not surprisingly when you consider you get a mid fifties and early sixties replica for the price of a copy. We carry all the models that upset the Americans - come and see why

> Superb clarity and sustain. One piece ca graphite central neck Phenoli fil (harder than Ebony) Solid brass precision Phenolic finger bridge assembly Active EQ Heavy duty of SHOW

The Sound Beautiful British Basses JULY DOPP Mark King and Roadie Models in stock

Fretless and half fretted handmade British basses



MEN CUITAR BASSON

# AMPS & PA's

mazing deals on the last of the USA valve amps, eg Twin Reverb £449, Twin Reverb Top £299. Deluxe Reverb EV £315. Concert 4 × 10 £369. Concert 2 × 10 EV £399 plus others.

We stock the full range of this MAIN DEALER We stock the full range of this British made gear at discounted prices. The new Taurus Series of High Performance P.A Cabinets Systems NOW IN STOCK

e are the sole agents for the Cambs area for this superb. British Made product which has been called the 'Rolls Royce' of bass amplification. Please ring us for latest stock position and prices or call in for demo. The new AH500X + AH350X now in

**DRUM MACHINES** 

We carry a comprehensive range of Drum machines and Rhythm units including Yamaha RX15 and RX11, Roland

TR606, TR909, TR707 and TR727, Boss DR110, Korg KPR77, Soundmaster SR88, Soundmaster Stix. M.P.C. Kit II Boss Hand Clap, Boss Perc, Synth, Yamaha

MR10. Drumtracs, Drumulator, Korg DDM 110 and

SIMMONS

SESSIONETTE LEAD & BASS COMBOS

These incredible little British made amplifiers are always in stock at the best prices around

#### We can supply almost any product by efficient mail order service Barclaycard and Access sales can be conducted over the phone Bank drafts, Building Society cheques and Postal Orders have immediate clearance while personal cheques will take 5 working days to clear before goods

TELEPHONE SALES (0223) 316091





THE

**Burleigh Street** 

Cambridge

Tel:

ယ

1609

1/65093

Next to

the

new

Grafton Shopping Centre

ensonia

**NOW IN** 

STOCK

HI-TECH DEALER

THE DESIGNATION OF THE PARTY OF

The BIT ONE £799 Polyphonic ● 6 Voice ●

Touch Sensitive •

Digital and Analogue

NEW FROM YAMAHA

DX21 BUDGET SYNTH RX21 BUDGET DRUM MACHINE

# HOME RECORDING



NEW 246 Portastudio, now available

**FOSTEX** 80/450

8 TRACK PACKAGE

Fostex

YAMAHA NEW

DDM220.

The Yamaha Recording System £7,49

> he skilful packaging of the Fostex 250 Multitracker brings together a four track recorder and a frills free, four in, five birss mixer £699





This superb new budget range of pedals is now in stock. Come and



are most competitive

The **Boss** range of pedals is quite easily the fastest selling effects in the UK. We carry the complete range of Boss pedals and our prices

Always in stock is a superb range of quality microphones from the following companies, all at very good prices Shure, AKG, Audio Technica, Chaser, Beyer, etc.

STOP PRESS

JUST ARRIVED "MAINFRAME" the ultimate support system for your keyboards and PA



FOSTEX PACKAGE



ugly head once again. Ultimately, I'm inclined to think that the best solution is to go for one of the MIDI routing units that are starting to appear (the Sycologic MI4 or one of Quark's MIDILink offerings, for instance), in which case, single MIDI In and Out sockets are all that are required on your sequencer. These routing units offer the greatest flexibility in 'multi-configuring' a MIDI setup, though I guess anyone with a more modest system and no MIDI Thru would probably rather see an extra couple of MIDI Outs on their chosen sequencer. One man's meat, and all that.

Selecting MIDI on the clock selector dial locks the PolyMIDI I onto an incoming MIDI signal, so that drum machine triggers sequencer. However, I failed to get a MIDI drum machine to trigger from the sequencer (and I tried every option). Maybe I missed something...

# Interfacing 'Any

new sequencer
needs to be
well-endowed with
communication
facilities, and the
PolyMIDI has plenty
of them.'

Cassette Out and In allow you to save and retrieve all of the PolyMIDI's storage memory in one go, and a Verify function has been included as a safeguard measure. It's also

possible to use the PolyMIDI I as an intelligent buffer between synth and cassette recorder for saving and retrieving System Exclusive data — a helpful bonus feature.

More usefully still, the PolyMIDI's cassette ports also do the honours on the tape-sync on the I/O front. However, the manual does point out (with rare honesty) that the syncto-tape facility is sensitive to the return level, and only functions at specific levels depending on the tempo. Not a healthy situation, and unfortunately, lack of time (our review model was rudely whisked off to the NAMM show) prevented any testing of this facility.

Also present are Clock In/Out, Sync In/Out and Trigger In/Out – a highly commendable set of options. Default internal clock rate is 96ppqn, but this can be altered to 24 or 48ppqn – if you're going to use the Roland sync, you'll obviously need to select 24.

Trigger In/Out requires you to select an autocorrect value to dictate the system's response to an incoming pulse, or to let it know when to generate a pulse on Trigger Out. Consequently, there are a number of synchronising options available for triggering. Given the appropriate signal from specific options, it's even possible for the Trigger Out to be transformed into a Clock Out, with the clock setting fixed at the sequencer's default value of 96ppqn. Thus, if you really need them, you can have two different clock rates functioning at once.

And so to the conclusion. The PolyMIDI I is a well-conceived, versatile sequencer that stands up well to opposition from the established sources. I found it for the most part very easy to use, though thanks to the lack of feedback from the system and the

current paucity of editing facilities, the steptime side of things isn't currently as useful as it might be.

The number of sequences and chains available makes it an attractive proposition, not so much because they're plentiful (in relation to your typical drum machine sequencer, they aren't) but simply because they offer more than anything else does. There's also more in the way of non-MIDI interfacing facilities on the PolyMIDI than on any competing machine, and that's something that could tip the balance in its favour for a lot of people, I reckon.

So first impressions aren't always worth paying attention to. From the outside, the PolyMIDI I is an awkward, mis-shapen lump of a thing that looks as though it'd be better off in a Schreiber fitted kitchen brochure. But underneath, there's a bloody good sequencer waiting to get out.

# DATAFILE

Micro Performance PolyMIDI 1 Sequencer

Programming Real and step time
Memory 6500 notes, 5 sequences, 2 chains;
also stores velocity, pitch & mod wheel, patchchange, aftertouch, M1D1 channel data
Interfacing M1D1 In & Out; Sync In/Out
(24, 48 or 96ppqn); Tape SavelSync Out &
Load/Sync In; Trigger In & Out
Price RRP £549 including VAT
More from Oxford Synthesiser Company,
5 Gladstone Court, Gladstone Road, Headington, Oxford. & (0865) 67065.

# DON'T MISS OUT!

ig vast stocks of demonstration, s/h and new equipment at lower prices than ever before, erested in any of the items listed we strongly advise that you contact us now.

MKS10, MKS30, MKS80, TR707, TR727, TR909, SDE1000, SDE2500,

SDE3000, SRV2000, DDR30, HP100/50, MSQ100, MSQ700.

Yamaha \_\_\_\_\_ DX7, DX5, TX7, QX7, QX1, TX816, TX216, TF1, KX88, CX5M, RX11, RX15, RX21, PF10, PF15, MT440, R1000, REV-7, D1500.

Korg \_\_\_\_\_ DW6000, Poly 800, EX800, DDM110, DDM220, SDD1000, SDD2000,

MPK 130, KMS30.

Recording Equipment \_\_\_ Tascam—38-8, 80-8, M50, 388, 246, Porta One, 244, Fostex—X15, A8, 350, Soundtracks 16-8-16, Allen and Heath 16-8-2, Sech 18-8-2.

Electronic Drums Simmons—SDS7, SDS8, SDS9, SDS Series 1000, SDS1, SDS64, SDSEPB, Tama—Techstar 5 Drum, Techstar 2 Drum, Techstar Sequencer, Ultimate

Percussion—UP5, UPK2X.

Ensoniq \_\_\_\_\_ Mirage Sampling Keyboard.

Casio \_\_\_\_\_ C25000, C21000, C2101. S1.

# **Eddie Moors Music**

679 Christchurch Road, Boscombe, Bournemouth. Tel: 0202-35135



# Rack Shop Fishing for Vocals

It can get frustrating trying to fish the vocal from a mix, when the music is blasting away Push the fader nigher and you get distortion. Vocals contain peaks which register on me'ers, yet the average level remains low

A compressor limiter can solve all that. Strarting with the most basic Accessit Sound Vice 'hrough to the most advance Aphex Compellor, you will find products within every price category to control levels automatically.

The Rack Shop Computer lets you select a vocal track and compare the action of all

our different models.

During our MICATHON® there's even a live mike you

can try!. Equalisers and delays can also nelp give vocals a lift. Try them all using the most advanced effects

comparator in town



Turnkey by Mail Brent View Road London NW9 7EL

Telephone; 01-202 4366 Telex: 25769 A/B TKBAN G

# miking up all your instruments.

C-ducer is a very flexible quality contact microphone designed to overcome many of the traditional problems encoutered in conventional miking of acoustic instru-ments. C-ducer captures the real tonal character and dynamics of acoustic keyboards, stringed instruments and drums by direct contact Spillage from local sources and room acoustics are kept to a minimum. Add to this a spec of 10Hz to 100kHz bandwidth, custom pre amps and a list of enthusiastic users like Stevie Wonder, Tolo, Pink Floyd, BBC, LWT, and many top studios.

The Gigster is their basic model, (we stock the range) during our **MICATHON**<sup>©</sup> they are on demo and on offer.



# **Turnkey by Mail New Updates**

You can buy all the products featured in this advertisement directly by mail. Phone or send your order with Visa or Access number, or ask for a free

copy of our 72 page catalogue. It's an invaluable guide to recording products and techniques.

Also ask for our new effects catalogue

The Turnkey Shop, 14 Percy Street, LONDON W1P 9FA Instant Finance of up to £1000 is available to personal &

# MICATHON® SALES POLICY

During August, prices will be reduced on our microphone stocks.

There will also be sub-stantial reductions on selected cables, stands and accessories.

Sale prices will be advertised in the two weekly music papers Melody Maker and Sounds. These figures are not available at the time of going to press with this advertisement.

# Palm Readings

Perfect sound could lie within the palm of your hand affordable the new. AudioSource RTA-ONE real time analyser.

The easily read screen features LEDs which display each octave band. A built in electret mike, calibrated controlsand enclosed in metal. A full kit including pink noise generator and carrying is available

The RTA ONE is the perfect measurement device to help you achieve optimal sound



There are special offers during our **MICATHON**° this

Even our top ten best sellers are due for extra discount.

AKG C451 For over a decade, this is the studio condensor system to buy first. Interchangeable capsules for omni, cardioid, peaking and shotgun plus a wide range of mounting

Sennheiser MD421 Christened the black rogue. It breaks the rules with a plastic case, shotgun tests, internal stand clamp and built in tone control - yet it remains a firm favourite for both vocal and instrument applications

Fostex 505 Popular new mike from the personal multitrack people. Unidirectional and with mesh windshield. Surprising value in quality dynamics.

AKG D80 That shape again, yet a proven winner from AKC. Intended as a vocal mike for rock n roll, it has found its way into many budget set ups as a good all rounder.

Shure SM57 A classic, popular vocal microphoine that's rarely seen in its unbattered state.

AKG D190 General purpose, rugged microphone featuring

a sintered bronze windshield. Neuman U87 The microphone that all others are compared to.

AKG D222 Updated version of the D202, two way dynamic. As with loudspeaker crossovers. this ensures the highest quality dynamic possible. Capsules are acoustically suspended, there's a hum compensation coil and equalisation

AKG D12E Normally stuck inside a kick drum, another of AKC's classics. The integral 'bass compartment' boosts low frequencies around 100Hz. A large diaphragm accepts high levels.

Shure SM58 The most familiar shape Its performance refined over the years to the point where it is just as acceptable in the studio as it is on the road

All these microphones are subject to extra discount.



# New accessories now in stock

The accessory counter at the Turnkey Shop specialises in all the bits and pieces that add up to a smooth running setup.

There are all manner of ways to hold mikes up including stereo bars thread adaptors and long reach mike arm.



# Stop Press . . . New Fostex 80

Just launched at the APRS show, the long awaited new eight track system from Fostex. Two new recorders. a matching mixer, and the hint of music soon

By the time you read this, we should have our first units in stock Call in soon for a demonstration

4, Tottenham Court Road. or Credit Card.

During our MICATHON® we have several special offer



You are

welcome to visit the Turnkey Shop any weekday, from 9:30 till 5.30, till 4:30 Saturdays.

Our expert sales staff are musicians too, and will be pleased to advise you on the creative as well as technical aspects of recording.

You will discover the widest range of the latest in recordsynchronisation ing products, and all the help land friendly advice you need

Visit Britain's foremost showcase of Pro-Audio



# KEYFA

# Julian Colbeck's Guide to Electronic Keyboards

Foreword by Tony Mitchell

The most comprehensive quide ever written. A mine of information including:

- \* Reviews of all polyphonic/monophonic synths. electric pianos & organs, home keyboards, string machines and music computers
- ★ At-a-glance fact sheet with quality and value ratings
- \* Recommended retail and 'target' price
- ★ World-wide list of manufacturers and distributors
- ★ MIDI guide, glossary, hints on amplification, accessory quide
- ★ PLUS lots of sound advice!

For musicians, music stores, studios, producers and record companies

Available in bookshops or direct from Virgin Books, 328 Kensal Road, London W10. Price: £5.99, over 200pp, illustrated

Please send mecopy/ies of KEYFAX. Enclosed cheque/postal
order for £(to include 75p P&P)
NAME
ADDRESS

MORE THAN A MIDI SEQUENCER MORE THAN A MIDI CONTROLLER MORE THAN USER FRIENDLY MORE THAN YOU THOUGHT POSSIBLE

# RET

# MUSIC COMPOSER SYSTE

UNEQUALLED ADAPTABILITY & EXPANDABILITY **EASY OPERATION FOR THE BEGINNER** VERSATILE AND PROFESSIONAL FOR THE EXPERT

UNRIVALLED SOPHISTICATION IN MIDI BASED SOFTWARE FOR THE COMMODORE 64



# JORETH MUSIC

FOR MORE DETAILS PHONE

0386831615 PO BOX 20, EVESHAM, **WORCS. WR115EG** 

# OHO JOUDDHOU

# isonio MIRAGE

IN STOCK NOW £1695

# Roland Main Dealer

JX8P	AO43	TR 606
Juno 106		JC 120
TR707		MKS 30
MSQ 100 s/h	2319	SH 101 MGS 1
MSQ 700 s/h	£639	MC 202
JX 3P	£599	JSQ 60

# YAMAHA Hi-Tech



CX5 MSX system, NEW TX7+Expander DX21 **OX7 Sequencer** 816 FM modules, QX1 KX88 Mother keyboard DX5, DX7, R1000, RX15, D1500, RX11, PF10, PF15

U.K.'S largest sales

# KORG Key

SDD 200 Sampling Delay	EPOA
DW 6000 Polysynth	
DDM 110 Dig Drums	£POA
DDM 220 Dig Percussion	EPOA
Poly 800 Polysynth	EPOA
PS 550 Supersection	AO43
EX 800 MIDI Expander	
KMS 30 MIDI Sync Box	EPOA

# SCIRCUITS INC Dealer

Multitrak	£1075
	£POA
PROPHET T8	DRUMTRAKS
PROPHET V MIDI	SIX TRAKS
PROPHET ONE	64 SEQUENCER £79
NEW DRU	JMTRAKS CHIPS
40 Different so	unds including SNOWWIS
electronics and	Listins Send SAF for list

Finder & service centre

Strats with locking Trem, Maple & Rosewood

Strats with locking Trem. Maple & Rosewood Strats with locking Trem & Humbuckers Strats Van Halen style. Single PU Tele Vintage with binding Colours Tele Twin Humbuckers, Coll Tap, Locking Trem PJ Boss, Both Pickups THE SELECTION OF AMPS IS ENORMOUS

# TASCAM Main Dealer

# FREE CASSETTES Or 244 Portastudio. EPOA

234 Syncaser PPOA
Model 2A 6/4/2 Recording Mixer PPOA
All Teac punch-ins, cleaners, accessories etc
MULTITRACK Well written, extensive £4.99

# CASIO Main Dealer

0% Interest Free Credit on CZ-101/1000/5000 synths Call now with your personal details and collect one of these remarkable digital synths with as little as £40 per month to pay 101 £345 1000 £495

# FOSTEX Main Dealer

X-15 July Offer	£269
inc. FREE carry case worth £20 inc P&P	
MN-15 Compressor Mixer	£45
X1-5 Power Supply	£25
250 Portastudio	EPOA
'Cookbook' multitrack handbook	£1.99

## **ROLAND MC-202**



including FREE spool type data cassette and sync heads

# SYNTHESIZER: Same spec. as SH-101. Sub Osc. Pulse width

mod., etc., etc. SEQUENCER: 2729 notes. 2 channels, step, tab and real time, full edit. LCD display.

TAPE SYNC: Will put down and run from a sync code on tape. Separate sync will run, TR606, 707, 808, 909, KPR77, DDM 110, RX11 + RX15 RRP £399

£159

# HALF PRICE SUMMER SALE

Yamaha RX11 Drums £595 Roland MC202 £159
Roland Jupiter 8 £1395 Mattell Synsonics Drums inc sticks £59

NEW	
Yamaha R-1000 2EV	\$48
Yamaha D-1500 DEL	£298
Fostex X15 inc case	£269
Sequential Multitrak	£1075
Boss DE -200 Delay	£259
Yamaha DX-5	<b>EPOA</b>
Roland MP-400	£489
Rhodes Chroma,	EPOA2
Isopatch 64 Bay	£85
Koro EYBOO Evo	6300

S/H Strats from	£265
1982 Strats from	£475
Boss CE-2 or 3	£73
Boss DM-3	982
Boss TU-12	£43
Roland SH101/MGS-1	€209
SECONDHAND	
Korg Trident II	2899
Gibson Flying V	£495

Korg Poly Six	£430
Roland SX3P/PG300	2500
Gibson LP Del	£459
Rick 4001 Bass	2396
Wal Custom	£499
G & L Fretless	£425
Roland G300/505	£459
Memory Moog	£1195
Hohner Clay	£129
Kawai SX210	£489
Boss Pedal Board	£425

# RAM 10 & 16 Ch Mixers **GREAT PRICES**

MATTEL

SYNSONICS DRUMS Inc. FREE drumsticks & Amdek Tuning Amp Kit worth £40

£59

ACCESS, VISA, AMEX, HP, PHONE ORDERS WELCOME ALL PRICES IN THIS ADVERT INCLUDE P&P UK MAINLAND ONLY

CALLERS: 18A SOHO SQUARE, LONDON W1V 5FB 01-434 1365

To: Soho Soundhouse Mail Order Freepost 38 London W	/1E 6QZ
Name	
Address	
Please send me Model No(s) I enclose cheque/postal order/bankers draft/cash in reg.	envelope or debit
	•



# STING in a tale

Despite owning a Synclavier and having access to as much high technology as money can buy, the Police frontman has shyed away from electronics in an attempt to create music that has a natural, organic fusion. He's been successful. *Paul Tingen* 

he interview time is set. It's to be the Royal Manceau, one of the best-known luxury hotels in Paris. In a large, traditionally-decorated marble hall, journalists and photographers are sitting quietly, chatting amongst themselves, waiting their turn. Then it's up, up and away, via gold-painted pergola to a glorious, sun-kissed terrace on which Gordon Matthew Sumner is lurking between flower boxes. His handknitted sweater and wide, shapeless trousers look out of place in this scene of architectural extravagance and botanical over-statement. He sits with his hands clasped behind his head. He's relaxed, polite, occasionally a little distant, and incredibly ordinary-looking.

To look at him now, you'd never know his face (or haircut, or chest) had appeared on the bedroom walls of a million teenage girls the world over, that he'd fronted The Police, one of recent pop music's most successful acts, or that he'd starred in at least half a dozen general-release films. You certainly wouldn't think it possible he'd be releasing a new album with a title like *The Dream of the Blue Turdes*. But he is, Why?

It's about a dream of mine which came out of some Jungian analysis I had with a lady who's a Jungian disciple. She encouraged me to use my dreams creatively. This one was about four blue turtles entering my back garden, which is very neat, very ordered, and very English. These turtles were very athletic

and macho and drunk on their own virility—really amazing creatures. They started to do backflips and churned up my garden, thereby destroying its structure and discipline. And I wasn't annoyed with what they were doing, I was actually laughing at this destruction.

'If I had to interpret the dream, I'd say the four blue turtles are the four jazz players in my band. And they're destroying my formula, the easy-set back garden my life had become, creating something new by churning up the ground. So the dream is a very positive one. Although the title sounds frivolous, there is a logic in it.'

You probably know by now that Sting has a new band, a jazzy (though the man himself shys away from categorisation) combo of D

some pedigree that includes the likes of Weather Report's Omar Hakim on drums, Darryl Jones from the Miles Davis Group on bass, Branford Marsalis on horns, and Kenny Kirkland on keyboards. Dolette McDonald (ex-Talking Heads) and Janice Pendarvis add vocal support to the north-east superstar.

The band have backed him throughout the recording of the *Turtles* LP, and at the Paris concerts that have been the scene of the Sting-without-the-other-two live debut.

But the group's existence neither replaces Sting's involvement with The Police outright, nor dwells comfortably alongside it. The record company claims a new Police album will be released next year, but Sting's extracurricular plans (a world tour that won't bring him back to Europe until Christmas) would seem to be incompatible with all that. So what with Copeland and Summers going off on their own as well, rumours of a complete, irrevocable Police split have been rife. Sting himself is reserved and non-committal.

'To make a Police album at the moment would be boring. There were two conflicting

Opposing drum machines and sequencers is healthy, but repeating music that was made 20 years ago isn't particularly interesting.'

voices in me over this. One was my accountant's saying: "You have to make a new Police album, people will love it, it'll sell millions, it's what people want." But the other told me to take a risk, to do something new, something different and challenging that wasn't assured of success.

'I realised I desperately wanted to see how different musicians would interpret my material. I'd worked for seven years with The Police, so it seemed the right time to begin the experiment.

'But that's not to say we're finished as a group. There are no Police plans at the moment – all my options are open. When I talk about the band's present position, I like to speak of a hiatus. I'm not nostalgic about it. It's a very sentimental and old-fashioned idea that when you form a band you have to stay together forever. A band is only useful as long as it's coherent and interesting – it's not a way of life.

'Personal conflicts aren't the main reason for this present break away from The Police. We've always been well-publicised as being in constant conflict, which was true – but it came about more through our passion for music than anything else. We cared about every note that was played.

'There were three very strong egos involved in the group, but without that tension, without that dialectic, there'd be no group, no music. We reached the top, we couldn't get any bigger as a group. So why carry on unless you've got something new to say? That's how we all felt. It was a joint decision. And like me, the others are exploring different avenues at the moment.'

Now waiters are serving us a choice of wine and mineral water. Everything around Sting is still remarkably tranquil and not a little beautiful. I hazard that the placid, timeless

ambience isn't unlike that of Sting's own back garden – pre-turtle invasion, of course. How, precisely, did they get into the garden in the first place?

I was looking for new options. At first I thought of doing a synthesiser record, something with just me and a few machines. Then I thought: no, I'll make a record with a big producer, someone like Quincy Jones. Then I wanted to work with a well-known jazz producer like Gil Evans, for example. In the end, I decided I wanted to form a band and create music in a live, organic way.


'So in January I went to New York and organised a workshop to which I invited the whole jazz community. I was thrilled by the number of big names that came to play; I suppose it was really a credit to the reputation. The Police enjoyed in the jazz world. Most

pop groups are looked down upon by jazz musicians, but they knew me and appreciated the music I'd helped to produce, which was an enormous compliment.

I spent two weeks working with these people, and by then I'd decided on the present band members, because they were the best players, and they had a rapport both with each other and with me.'

But to what end? Well, aside from a newly-discovered (or at least, newly-highlighted) lyrical boldness, the music Sting's band plays has one outstanding characteristic: the fusion of black jazz and white pop that's inherent within its chosen line-up. According to Sting, it's all quite deliberate.

'The musicians in the band are from a black American culture, and my songs are white European. So for the two of them to



Sting on Stage photography by Rico D'Rozario

meet is to create something new.

The working processes in this band have been similar to the ones we went rhrough with The Police. I write my songs on guitar, Synclavier or piano, and arrange them on paper at home. Then I go to a studio and make a demo version on which I play all the

'I'm the sort of musician who plays nothing well, but everything OK, which is good for songwriting.'


instruments myself. I hate studios, though, I hate that prison environment so many of them have, and I don't believe in taking my work home, which is why I don't have a home studio. But the demo is the basis from which the band works. That's not to say I'm dogmatic about the arrangements. If the musicians can interpret or change and adapt my arrangements to make them better, that's fine. I merely set the parameters for exploration, though in fact, most of my arrangements for this band have stayed more or less intact.

'The result turned out to be better than I'd hoped or expected. The musicians responded very well — they've moved my music into a different area. Now it's neither jazz nor rock; it's something new.

'I think it's important to draw from the past and move on, which is why I don't feel any affinity with what they call the New Jazz movement. I quite like bands like Sade, but I don't think anything new is being said; it's more of a fashion. Opposing drum machines and sequencers is perfectly healthy, but going back and repeating music that was made 20 years ago isn't particularly interesting.

'There's no energy, no vision in pop music in general at the moment. People are looking for something new that's been lost. But it's still a useful time. It's a time for experimentation and exploration.'

His performing contribution to The Police was neither as forward as Andy Summers' guitar-playing nor as obviously dexterous as



Stewart Copeland's drumming, yet as the years have gone by, Sting's become well respected as a bass guitarist of considerable invention. In spite of that, the new band sees him discard his four-string in favour of a looser rôle involving singing and rhe odd bit of rhythm guitar-playing.

I regard myself as illustrious in my own field, which is writing and singing, and I want to concentrate on that. Having a bass-player playing my parts allows me more freedom on stage as well as in the studio, so in many ways, recording *Blue Turtles* was easier than making a Police record, because the tôle that each musician took on was well defined. In The Police it's vague: everybody writes, plays, and wants a say in everything, there's a kind of democracy. In this band, the bass-player plays the bass, the drummer the drums, and I write the songs and sing. So there are no clashes of ego or problems about rôle.

'My contribution to the band as a guitarist isn't particularly important. It fill in the odd gap, mainly playing rhythm. The band is good enough to stand up on its own without a guitarist—I just enjoy strumming along. And there's an interesting trade-off between

Darryl Jones and myself. I learn a lot from him, especially funk stuff. But he's also learned things from me: he'd never played reggae before now, for example.'

The topic of rôle-definition is clearly one close to Sting's heart. He pursues that area of our discussion, and in doing so, touches on what he considers to be his prime musical aim: to combine well-crafted, meaningful songs with excellent playing.

'Being a songwriter and a musician are two totally different things. Some of the greatest musicians can't write a melody – some of the greatest songwriters can hardly play a note. I think the two disciplines are linked to different parts of the brain, the left side as opposed to the right.

"I'm the sort of musician who plays nothing well, but everything OK, which is good for songwriting. What I'm trying to do with this band – and what we achieved to a certain extent with The Police – is to combine songs that say something with really great playing. That was one of the reasons I dropped the idea of a synthesiser record: I wanted a human sound, I wanted us to sound like musicians.

'In the seventies there was this thing called fusion rock. Some people thought I was doing something in that direction with this band, combining rock and jazz influences, but that's nonsense. I think fusion music lacks issues. It's an exercise in getting as many demisemiquavers into a bar as possible – which is meaningless, really. Fusion songs are never up to the mechanics of the band's playing.

'I feel very confident that my songs are of such a calibre as to make the playing and the writing almost equal, that the two elements can create something new together. And I do have some of the best musicians around playing my pop songs.'

Fair enough. A little bit of arrogance never did anybody any harm. And with the critics swarming around his new album with almost universal applause, there's every reason for Sting to feel confident that his abilities are being just as well served in the new context as they were in the old – perhaps more so.

Suddenly, the utopian calm and luxury of the hotel terrace are disturbed by the sound of a drill from the street below. Sting frowns, then concludes with some vehemence, though no malice, that it 'sounds just like a synthesiser'. Few Synclavier owners would be as honest—or as shrewd.

# AFRICAN rhythms


Stewart Copeland, the man behind the drums behind the Police, gets to his feet and finds a Fairlight, a video camera and Africa. The results are fascinating. *Tim Goodyer* 

s one of the few bands involved in the post-punk revolution to survive with their self-respect – not to mention the respect of their public – intact, it's an open secret The Police have been finding it progressively more difficult to live up to what's expected of them. They were doing a good job, make no mistake, with most recent recorded output equalling – if not exceeding – the standard of previous achievements with stupendous ease. But after seven years together, the mutually-agreed split that's seen the band remain quiet for the best part of 20 months has been a welcome relief for all three Policemen – singer Sting, guitarist




Andy Summers, and drummer Stewart Copeland.

It's given them a chance to live, play and record outside the restrictions imposed by a rigid band format. More crucially, it's afforded them the opportunity to work alongside other musicians, to absorb new influences, and to come up with music that's >



ikai (UK) Limited-Electronic Music Division, Haslemere Heathrow Estate, Silver Jubilee Way, Parkway, Hounslow, Middlesex TW4 6NF. Telephone: 01-897 6388 Telex: 892555 AKAIUK G. Stockists: ruce Miller 363 Union Street, Aberdeen, Scotland. Cambridge Rock 8 Burleigh St, Cambridge, Cambs. Music Land 148-152 North Road, Cardiff, S. Wales. Future Music 10 Baddow Road, Chelmsford, Essex. Peter onner Musical 12a Grove Road, Eastbourne, E. Sussex. Gordon Simpson Ltd 6 Stafford Street, Edinburgh Scotland. Kinglisher Music Co 20 Kings Road, Fleet Hampshire. McCormacks Music 29-33 Bath Street, Blasgow, Scotland. Hesseys Music Centre 62 Stanley Street, Liverpool.





entirely different in approach and colour to anything The Police have ever achieved.

Copeland does not appear to have considered his function within the band parricularly confining (most of us are well aware of the *true* identity of Klark Kent, even if the BBC aren't), but his excursion into the world of the filmscore was a big, bold step to take. He was frequently to be witnessed at the safe end of a Super 8 ciné camera in the numerous Police documentaries, and provided an excellent soundtrack for Francis Ford Coppola's *Rumblefish* in 1983.

That in itself is no big deal: plenty of other pop players have embraced the world of film music, and done so successfully. But what Copeland is attempting now, with the release of an album entitled *The Rhythmatist* that's taken from a video of the same name, is to create in the musical and visual media simultaneously. The video is around an hour in length, houses a single, somewhat arcane storyline, and falls into a previously uncharted area somewhere between the pop promo and the feature film.

It's an ambitious project, and a hazardous one – particularly when the location of the film (and the inspiration for its music) is black Africa. In Copeland's case, the interviewer's customary opening 'Why?' is a question that has wide, unpredictable implications. I asked it anyway.

'There were several different but converging factors. One was this idea of the video cassette as a medium for which there isn't really an art form at present. The video is either used in three-minute clips in its pop

video form, or else they put a feature film on it.

'The other thing is my interest in Africa as far as rhythm is concerned. It's a continent with a natural sense of rhythm – it's a social characteristic of the place. There's a lot of variety in the culture of Africa, but one thing all the cultures have in common is the prominence of music in their society, and the prominence of rhythm in their music. Black musicians tend to regard it as a weird sort of racism to refer to their "natural sense of riddum". It's almost like a put-down, and I can appreciate that.'

If Copeland saw the use of rhythms indigenous to Africa as the illicit theft of ethnic culture for improper Western gain, he wouldn't have ventured out into the Dark Continent in the first place. But there are those who'd accuse him of doing just that. What's his reply to the sceptics?

'Using the music of Africa is no more or less plagiaristic than being influenced by something closer to home. The Beatles used Chuck Berry, Bach used local melodies. Music reflects the world that you live in, and that's a kind of plagiarism in itself.

'But I have had some people be a lot more forceful about it, saying things like: "How do you feel about stealing African music?" But wait a minute. I didn't steal it; it's still there for Christ's sake. When I left the village, they didn't look round and say: "Where's our music gone? It must have been that white guy who took it from us!".

'Not only that, but when I was there,



nothing could have pleased the natives more than having their music recorded. The way of getting into them and turning them on was to say: "Look, we're going to record your music and take it to a far off land where people will be able to listen to it and appreciate it". And that's a big charge for them. This idea that

'I went back and forth between cutting the film and writing the music, composing and creating – that's why it took nine months to do!'

I'm stealing their music couldn't be further from the Africans' perspective: it's something invented by people in London bistros wearing pointed shoes and yellow socks.

'I don't want to make a big deal out of it, but I've apportioned the amount of music that is African in origin on the LP and video, and the royalties go to a fund that will either go to Band Aid or more specific relief organisations for the areas that I was in.'

It's one of contemporary music's strangest paradoxes that those who've sought to incorporate low-tech, ethnic elements into pop culture have turned to high-technology to help realise their aspirations. The gurus of cross-cultural experimentation (Gabriel, Byrne, Jarre et al) have all been seen, microphone in hand, in search of sounds that have remained unchanged for generations.

Then they record them, take them home, and send them into an obliging Fairlight.

As for Stewart Copeland, he's never been in danger of being accused of shying away from technological innovation ('Shit, it's like Cape Kennedy behind the drums at a Police gig'), so it comes as little surprise to see him seated alongside a CMI within the first few frames of Rhythmatist, the video...

'The Fairlight's a great machine with lousy hardware', he curses, trying to coax his model into accepting input from the alphanumeric keyboard. 'My favourite sounds on there at the moment are some of the string sounds. There are some really good ones that nobody's using.'

The primitive, occasionally eerie-sounding effects that populate the *Rhythmatist* album were captured on location with the assistance of a Sony PCM F1 digital recorder the Policeman carried around with him on his African beat. That was in addition to the equipment used by the sound crew recording the soundtrack for the video. 'I recorded samples of different sounds and whole songs on the F1, and transferred them to the Fairlight when I got back to the studio', the artist recalls.

The studio in question is Copeland's own. It's situated where any self-respecting, self-made rock star builds his private studio – in the back garden. And it's equipped with an enviable assortment of keyboards and outboard gear that includes the inevitable DX7, a conspicuous video monitor, and several video machines to keep the Fairlight company.

'I think the most valuable samples I made were the vocal samples. I mean, a drum sound

is just another drum sound. I've got a million different drums and I can make all those sounds here in the studio, but the vocal sounds were the ones I found most special  $^{\perp}$  and most useful.'

'Native African music has a cumulative effect. They don't have 15minute dance versions of songs, they have six-hour dance versions.'

Sure enough, the samples currently inhabiting the floppies at the Copeland studio aren't the sort of thing that's easy to even envisage, let alone construct, on your average Poly 800. But once you've collected countless unlikely-sounding samples and 12 hours of film, how do you go about turning them into a video and accompanying sound-track?

'Well, the film was cut in London and Los Angeles. The first rough cut of the video was done in LA, where it was cut down from 12 hours to three hours. After that we moved to London; I've got a place there and we set up a cutting room in the basement.

'When I'm scoring a Hollywood film, I stick it on and just score to the picture, but with *The Rhythmatist*, the concept was to approach the two elements – picture and >





music – simultaneously. That made it a lot more involved, and it also meant more work. It's easy enough to score to a picture that's already there, but to get more ambitious and say "What we could do here is this...", and then to have to go back into the cutting room and re-cut the picture and so on means a lot more work. I went back and forth between cutting the film and writing the music, composing and creating – that's why it took nine months to do!'

Recording technicalities. A project as complex and as potentially open-ended as Copeland's needs a lot of technology at each stage of its production, and the recording side of things is no exception.

'I'm a tech-head really. Both my colleagues in The Police bought recording studios around about the same time as I did – and both had sold them six months later. Andy because he couldn't get the hang of it and because it took up space and eventually cheesed him off; and Sting because he realised that if he wants to go and doodle in the studio he can afford to call up Utopia and book himself in there for six weeks and it's no big deal. Those of us without his songwriting publishing to pad the old bank account have to rough it!'

At the heart of Copeland's studio system are Q-Lock and SRC synchronising devices. These are run in conjunction with a Sony/HHB CLUE (Computer Logging Unit and Editor), a sophisticated autolocator that uses a QWERTY keyboard for input of information and floppy disk storage of cues. The results are mastered onto an Otari 24-track machine and a Fostex B16.

'The arrangement enables me to sit at the mixing desk and look up at the film onscreen', explains Copeland. 'For every inch of film there are two inches of the two-inch multitrack master, so I just lay the track down onto the picture. I set up a program on the Fairlight and I can speed it up, shorten it, edit it or whatever until the sound and picture match. Sometimes the music will want to do something that the picture's not doing, so then I go back into the cutting room and cut the picture until it *does* do what the music requires of it. It's a two-way process.'

And the result of all this well-planned medium-switching? A video with a rather

'The single didn't shoot up the charts because it's in a funny language, and because it has a very off-beat musical form.'

tongue-in-cheek plot that has the Rhythmatist (Copeland) racing around Africa – with fairly spectacular visual results – in pursuit of a fictitious rhythmic 'truth'. Watching the thing, it's not difficult to see where a large proportion of The Police's joint sense of humour originated.

The music, however, is a good bit less frivolous than the pictures, and it makes rewarding listening in their absence – something not many soundtrack LPs succeed in doing. And abundant though the African sampled-sounds may be, they're juxtaposed with a healthy dosage of Copeland's own instrumental handiwork.

'Native African music has a cumulative effect. They don't have 15-minute dance versions of songs, they have six-hour dance versions. Their songs last for literally hours, and they build up a momentum that you have to experience. The smells, the sounds and the atmosphere of the village contribute very much to the power of the music. When I was making the recordings, I thought: "This is incredible, it's fantastic. I can't wait until J get it back home".

'But when I played it back over the speakers here – without the smells and the sounds, the *ambience* of the village – and

listened to two hours with the knowledge that I had to make two minutes out of it, it just didn't have the power. A record is not the best medium for that kind of music, and that's why I swamped it with my own stuff.

'Another aspect was that my objective was not to provide a record of African music as such. Because I'm interested in those elements, I wanted to screw around with them myself. Mostly I've played with them and used them in the same way that I use electronic gadgets — I've used them for layering and things of that sort.'

On a more personal level, does Copeland feel he's gained anything from his experience in Africa that's since re-emerged in his music?

'I can't honestly say that I learned from my experience in that way. It would be much more romantic and poetic to be able to say that I did, but it's not as if I learned new forms of the paradiddle or anything like that. But the ambience does sink in, and it comes out in very nebulous ways. The atmosphere comes out as atmosphere, not as specific licks or sounds that you can put your finger on.'

But has the project been a success, and if so, in what terms? How do you judge an art form if, as Copeland claims, it has no precedent?

'I'm very pleased with the results, except that it took so long to finish that it doesn't have the same freshness as an LP that takes two months, and ends up being so fantastic that I play nothing else but that LP for six months afterwards.

'It's been successful as far as I'm concerned, in that I achieved what I wanted to achieve artistically. And in the marketplace it's successful, because it's sold at least one copy! It's not doing badly – better than I expected, in fact. I'had no hopes for it zooming up to the top of the charts. The album and single that have been released are just by-products of the video. The single didn't shoot up the charts because it's in a funny language, for a start, and because it has a very off-beat musical form. I had no expectations that Radio I would play it, but they did and it sold a few copies, so in a modest way I'm pleased with the commercial results, too.'

And in African quarters...

'Ray Lema (vocal participant in the soundtrack album's production) played it to all his Zairese friends and they all went apeshit over it. They think it's fantastic, and he says it's a big hit with all his chums there. He really loved it himself too!'

And what of the future? Copeland is non-committal about what The Police will or will not do in the coming months, or even years. Sensibly, he refrains from taking decisions that depend on the co-operation of others, but he's well aware of the direction his solo career is taking. Unusually in the field of megastardom, Copeland's right hand knows what his left is doing. Will they leave Africa alone now?

'I think *The Rhythmatist* is a one-off. I've done it and I don't feel that there are any more stones to turn. I'm quite an ethnic music buff—I like Indonesian music and some South African music as well, and there are a lot of other ethnic regions that I want to explore.'

So unless Copeland sees fit to resurrect him to help unravel further mysteries from other parts of the world, the Rhythmatist's race is run. Thankfully, the same can't be said of his creator.

# AFFORDABLE MCS

64K DIGITAL SAMPLER & DELAY LINE FOR SUPERB MUSICAL EFFECTS



Full 64K memory. Up to 67kHz sampling rate. Audio bandwidth over 15kHz. Features special wow-less circuit controlling musical delay range from 4mS to 8 seconds. Maximum special effects delay 65 seconds. Companding ADC 8 DAC converters with equivalent of 15 bit sampling. Infinite loop sample storage. Controlable sweep modulator. Internal and external digital and voltage control. Effects generation for chorus, double tracking, reverse tracking, echo, flanging, phasing, reverse tracking, reverse tracking, echo, flanging, phasing, reverse tracking, echo, flanging, phasing, reverse tracking, reverse tracking, echo, flanging, phasing, reverse tracking, reverse tracking, reverse tracking, reverse tracking, reverse tracking, reverse tracking, reverse tra

19" RACK MOUNTING UNIT KIT 234-R £295 + VAT & £3.50 P&P

# MINI MCS

MICRO CONTROLLED SAMPLER FOR ECHO. REVERB AND OTHER DDL MUSIC EFFECTS



Abridged version of the above sampler excluding on-board memory and timing. For direct control from a micro such as BBC, Apple, Commodore and similar, Includes companding ADC & DAC, computer interface, mix, feedback, filter, gain, level, PSU.

KIT 246-BK £95 + VAT & £1.50 P&P

Both above units also enable a computer to be used as an audio oscilloscope and frequency counter.

Computer program listings for audio sampling and control available

SEE OTHER ADVERT FOR MORE AUDIO EFFECTS KITS. FOR CATALOGUE OF OVER 70 KITS SEND 9+4 S.A.E. (FOR OVERSEAS CATALOGUE SEND £1 OR 5 IRC's). MAIL ORDER. PAYMENT TO PHONOSONICS, CWO, CHO. PO, ACCESS, VISA. INSURANCE COVER 50P PER £50 (OBLIGATORY ON CREDIT CARD ORDERS. DETAILS CORRECT AT PRESS. E&OE.

**BECKER-PHONOSONICS** MAIL ORDER DEPT MM58, 8 FINUCANE DRIVE, ORPINGTON, KENT BR5 4ED. TEL: 0689 37821

# XRI SYSTEMS-MICON

# MIDI SYSTEM CONTROLLER

FOR A 48K

# **ZX SPECTRUM**

Features include:

STEP SEQUENCER

with 24000 events • Music Score

• Full Edit Facilities • Input from Synth

REAL TIME SEQUENCER

with Correct • 10 Sequences • Patch Dump

- Recording with Metronome
- External Drum Machine
- SYNC

From MIDI Sync 24 or Internal Micon Clock

• PRICE – Interface and Software – cheques and

PO's payable to XRI Systems

£108

**CASIO EDITOR** 

£22.95

**DX7 EDITOR** 

£24.95 £19.95

**JUNO 106 TOOL KIT** SYNC CONVERSION KIT

£14.95

 ADDRESS – 10 Sunnybank Road, Sutton Coldfield, West Midlands. Tel: (021) 382 6048



SAMPLE IT NOW

CREATE A WHOLE NEW WORLD OF MUSICAL SOUNDS - ENJOY FREEDOM FROM MONOTONY BE YOURSELF BUT ABOVE ALL ... DO IT NOW!



Hi-TECH, MIDI AND SOFTWARE SUPPORT NEW STUDIO **EQUIPMENT GUITARS AND BASSES** 



BACK AT ESS NOW!

DIGITAL WAVE SYNTH **SUPER DRUMS POLY 800** 



DIGITAL

**ISIEMEISIS** 

**GUITARS & BASSES** 

SUPER VALUE

# IT COSTS NO MORE!

To buy from ESS We promise you service, support and DFAIS

230 High Street • Barnet • Herts • 01 440 3449

■ ACCESS ■ VISA ■ AMERICAN EXPRESS ■ DINERS ■ HFC ■ MAIL ORDER **■ TRANSCASH No. 3038556** OPEN 10am-7pm EVERY WEEKDAY 9.30-5.30 SATURDAYS



# OUTTAKES

Records from Talking Heads, Germany's IC label and Yukihiro Takahashi vie for critical attention with some of the latest readers' demos to find their way into E&MM's offices.  $Tim\ Goodyer$ 

# VINYLTAKES

We begin with the latest from David Byrne's enigmatic **Talking Heads**. The album is titled *Little Creatures*, and comes complete with addictive current single release 'The Lady Don't Mind' which, pleasingly, is more effective without the padding carried by its 12" version. The album finds the band on fine form, though they don't really get into their stride until you flip the record over. When you do, 'Walk It Down' is a deceptively simple

Talking Heads '...A commendably tasteful, though by previous Heads standards, unremarkable choice of sounds.'

song that lodges itself securely in the memory and threatens the unhindered playing of the rest of the side. But resisting the temptation to play it again is rewarded by more of the same, culminating in 'Road to Nowhere'. Unaccompanied vocal harmonies, in the finest gospel style, give way to accordion work that sounds like a Terry Dactyl out-take. Arrange-

ments throughout are predictably immaculate, ably assisted by a commendably tasteful, though by previous Heads standards, unremarkable choice of sounds.

Three albums from the German Innovative Communication label have recently reached our shores, and while last year's batch of IC releases offered little that deviated from the well-trodden TD/Schulze path, 1985 sees the company returning to the innovation that gave them their name. First disc is Yoshio Suzuki's Morning Picture. The sleeve notes furnish us with a brief history of this lapanese bass player, who's turned his hand to everything from synthesiser playing to Linn-Drum programming for this, his fourth album, and manages to drop the names of Stan Getz, Art Blakey and Sonny Rollins along the way. They're a little on the pastoral side, but most of the tracks are a happy marriage of downtempo jazz piano, tasteful synth arrangements, and a small helping of unmistakably Japanese phrasing for variety. Atmosphere music is what results, no question about it, but it's atmosphere with character, style and unpredictability. Worth searching out.

The second of the IC albums comes from Seigén Ono, and is titled simply Seigén. The artist is one of Japan's most sought-after producers in Japan, and he's also worked with the likes of David Sylvian. The album itself is a classically-based alternative to Morning Picture,

though unlike the Suzuki effort, Ono's is far from being a solo affair, as the recording is littered with the work of various Japanese session musicians. The end result is disappointingly directionless, though, and if it weren't



for the surprise elements provided by the creators' oriental origin, I suspect it would all fall rather flat. As it is, *Seigén* is pleasant enough without ever being as strikingly different as *Morning Picture*.

And so to the last of the IC albums, a release that sees a return to German synth artistry. The painfully-christened Software are the band responsible for Chip-Meditation, a record so swamped with sleeve notes that it takes a double gatefold sleeve to accommodate them. That in itself wouldn't be quite so bad if said notes didn't try to justify computer music (and the computer-derived graphics on the sleeve) in such a pretentious, generalising, and potentially harmful way. Still, the band are a two-piece comprising Peter Mergener and sociologist Michael Weisser, who've been directing their attentions toward synthesisers and computer music since 1983. It's back to atmosphere for the music, with any rhythmic content coming from sequencers or repeat echoes of synth sounds; there's not a drum machine to be found on Chip-Meditation. It's an album of subtlety, though. The stereo image is treated with respect (which makes a very welcome change), as are synth sounds in general: nothing is done to excess. Pleasant enough, then, though not really all that inspiring. If you want to get some recent IC output into your system, best stick to the Nips.

And so to **Sting**'s *The Dream of the Blue Turtles*, currently the most well-worn piece of vinyl in the E&MM office. Why? Well, it's > AUGUST 1985 E&MM



# **KEYBOARDS**

Holand main dealer – all the latest Holand equipment in stock.	
Piano Plus Series - MIDI modular System - Sequencers	
JX8P Synth+PG800 programmer	£1316
SPECIAL OFFER SH101 MONO SYNTH/SEQUENCER	£199
Roland MKB1000 Mother Keyboard	£1289
Roland MKS10 Piano Module	
Roland MKS30 Synth Module	
Yamaha PF10 - PF15 - DX7 - DX9 - CS01. Always in stock.	
Korg, all models in stock, best prices.	
The state of the s	

Home Keyboards - Full range of Casio & Yamaha

★New Casio CZ101 Amazing ......only £345.00 ★ ★New Casio CZ1000.....£495 ★Yamaha PS61000.....

DRUM MACHINES

Roland TR707£525	Roland TR727 Percussion £525
Korg Super Drums£239	Boss DR110£135
Yamaha MR10289	Korg Super Percussion £239

All Roland accessories in stock

AMDEK Percussion Synth Kit

AMDEK Electronic Metronome

£29.00

Reduced from £70.00. Post Free

£9.95

Mail Order post free

\*All Drum Machines Mail Order - Post Free\*

# **AMPLIFICATION**

Large choice of PA, Guitar, Keyboard & Bass Amps from Roland, Marshall, Peavey & Carlsbro - including:

CARLSB	RO	<b>GUITAR</b>	COMBOS	
Scorpion			3	1

Ŗ	Scorpion	£109
	Hornet 45	£162
è	New Cobra 90 Twin	£238
ĺ	Stingray 150 CARLSBRO BASS COMBOS	£353
8	CARLSBRO BASS COMBOS	
	Hornet 45	£151
	Cobra 90	£216
	Stingray 150	£339
	CARLSBRO KEYBOARD COM	BOS
	Hornet 45	£182
	Cobra 90	£275
	Keyboard 150	£418
	CARLSBRO PA AMPS	
	Cobra 90	£186
	Marlin 6 150	£268
	Marlin 6 300	
ė	S600 Power Amp	£486
삪		

#### CARLSBRO PA SPEAKERS 1×10 1 horn ...... Pair £192 1×12 1 horn ...... Pair £221

2×12 2 horns ...... Pair £328 1×15 1 horn ...... Pair £248 2×10 1 horn Procab ...... Pair £358

ROLAND

Cube 20 Cube 40 Chorus Cube 60 Chorus Cube 60 Bass Spirits - all models in stock JC50 JC120 New JC Head Now in

Available – all enquiries – Chatham Store

**ROCKMAN** 

Back in stock.....£275

## **PEAVEY GUITAR COMBOS**

Auditio11203
Backstage Plus£129
Studio Pro£175
Bandit£229
Special
Renoun£344
Encore 65£288
PEAVEY BASS COMBOS
Basic 40£153
TKO£206
TNT£283
Combo 300£429
PEAVEY KEYBOARD COMBOS
KB100£229
KB300£344
Also Peavey Stacks × PA in Stock
MARSHALL
New 100w Mosfet Compact
Stack£540
MARSHALL TRANSISTOR
COMBOS
12W Guitar£80
12w Keyboard or Bass£87
20w Guitar Bass or Keyboard £115
30w Guitar or Bass£155
50w Guitar or Keyboard£258
60w Bass £244
150w Split Channel Guitar £258
75w 1×12+rev Guitar£276
MARSHALL VALVE
LEAD COMBOS
50w from £258
100w from £276

**NEW** Marshall integrated bass

systems.....In Stock Now

# MAIL ORDER

We provide an efficient mail order service for our customers on all the items we sell Please phone for any equipment you don't see listed, or for Postal charges All pedals, Microphones & Drum Machines Post Free Visa/Access Holders Phone

01-624 3900 for immediate despatch or send a cheque or postal order & allow 14 days for delivery

### HIRE

Wide range of Keyboards, PA, Backline, Drums, Drum Machines, Simmons, Home Recording Equipment, Phone for details.

# **GUITARS**

Fender Squiers – lots in stock	from £199
Tokai Strats & Teles	from £219
Tokai Les Pauls	from £250

*New Aria Wildcats - only £199 including hard case *	
Washburn – Black & Red series	£295
Washburn - White & Black Series	£295
Washburn Electro Acoustics complete range in stock from	£299
Ibanez – solids & basses all the latest models in stock	£299
Westone Guitars & basses in stock lots to choose from starting at	£99
Yamaha SG1000+SG2000+SG3000 Great deals always available	

**BOSS PEDALS** WASHRURN PEDALS Chorus ......£74 £99 Delay..... Delay......£99 Phaser £45 Stack-in-a-box .....£49 Chorus ......£51 

Compressor .....£45

All other Boss+Washburn Pedals in stock - always

#### \*MAIL ORDER ALL PEDALS POST FREE \* **CUSTOMIZING AND ACCESSORIES**

All the top names in Guitar parts: Kahler, Fender, ESP, Seymour Duncan, Schecter, EMG etc

We also re-spray & refret, Pot Pick-ups etc etc We fit Kahler Trem systems, B Benders, Necks & Roland Guitar synth

# **DRUMS**

Everything in stock and available for demonstration in our special Simmons Studio

SDS 1£217	SDS 8£560	SDS 400£549
SDS 7 <b>£2156</b>	SDS 9£1200	SDS 800£629
SDS EPB£340	SDS 200	

Wide range of Drums, Latin Percussion & Cymbals. We stock: Ludwig,

Mirage, Trak, Natal, Pearl, L	P, Premier	, Zildjan, Paiste & Rogers
Mirage 5pc	£249	Natal Bongoes£89
Mirage Student 3pc	£175	MIRAGE PERCUSSION
Mirage Powerdrive 5	£375	Roto Toms 6+,8+,10+, std £99
Mirage Chrome 5pc	£425	Timbales std £79 pro £125
Ludwig Standard 5pc	£599	Bongoes std£26 pro £49
Ludwig Modular 5pc	£1225	Congas std£179 pro £199
Premier Kits fi	rom £349	Skulls set of 5 on std£95
Trak kitsfi	rom £395	Concert toms 8"+10"£54
Pearl kits fi	om £425	Power toms 8"+10"£77
Natal Congas	£299	

# MICS, MIXERS & OUTBOARDS Full range of Shure, Sennheiser & Audio Technica mics always in stock

\*Mail Order Post Free \*

Mixers by Boss, Tscam & the amazing value for money range from Dynamix. Rack effects by Roland, Boss, Peavey, Ibanez, Yamaha & Carlsbro - all at great prices.

#### **NEW TASCAM PORTA ONE - NOW IN STOCK ONLY £429**

We also stock an enormous selection of spares including cabinet fittings, handles, converters, DI Boxes, Mic Transformers, Cables & Connectors

TASCAM 244 Portastudio...... Dynamix 6>2 £185 \* 12>2 £278 \* 16>2 £388 \*

New SHURE Prologue series mics...... NOW IN STOCK RSD Studiomaster 8>4, 16>4>2..... **DIGITAL DELAYS** Roland SDE1000 ..... Peavey DEP1300......£498

BOSS MICRO RACK SERIES.....IN STOCK NOW!



213-215 Kilburn High Road, London NW6. Tel: 01-6243900 48 High Street, Chatham, Kent. Tel: Medway 44068

> certainly not for reasons of technological invention. There is a fair bit of Synclavier on the album, but it's gentle enough for you not to notice - and that's probably a good thing. But the bulk of the album's appeal lies in its combination of superb musicianship (courtesy of some of America's greatest black jazz players) with a renewed sense of purpose in Sting's songwriting. The prowess of said musicians is such that on all but one track, 'Moon Over Bourbon Street', Sting relinquishes command of his bass guitar and adopts the six-string instead. Darryl Jones has taken the bass spot, Omar Hakim the drums, and Kenny Kirkland the keyboards - though Sting contributes some of the Synclavier - and Branford Marsalis the sax. It seems rock is a dirty word in the Marsalis family, and Branford is consequently taking some stick for his trouble. Which is a shame, because contribution is splendidly sweet throughout, providing some of Blue Turtles' most memorable moments. On only one piece, the title-track, do the jazzers really let their hair down, so it isn't by any means a jazz album. But neither is it a pop one: the single, 'If You Love Somebody Set Them Free' is the only track burdened with commercial overtones. As for the rest, it's a collection of brilliant, moving songs, each

with enough musical interest, performing dexterity and lyrical bravery to leave a lot of The Police's best work in the shade. And that's saying something.

Onto this month's singles, and Yukihiro Takahashi who, with the assistance of Bill Nelson, Mick Karn, Iva Davies and fellow ex-YMO member Ryuichi Sakamoto, offers us 'Stranger Things Have Happened' on the Cocteau label. All the hoped-for delightful little percussion sounds are there for the enjoying, but the music itself is a little bit too conscious of the pop market for my peace of mind. If anything, it sounds a bit like Bryan Ferry singing 'When Doves Cry'; a pleasing enough combination, but hardly startling. In reassuring contrast, the two pieces on the flip side are more natural-sounding and, as a result, much more satisfying. Nelson provides not only guitar and keyboards but also takes some of the vocal credit. He also wrote one of the songs and co-wrote another. Is there no stopping this man?

Making its entrance amid an almost tribal pattern of Simmons toms and vocal interjection comes Animal Nightlife's 'Love is the Great Pretender 85', which has entered the lower reaches of the charts as I write this. Juxtaposing some extremely rich and tasteful

work from the brass section against delicate synthesiser lines, and laying all this over a solid jazz rhythm section, works better than you'd imagine. In fact, it's probably the band's best single to date. The original version of 'Mr Solitaire' is the first of the two tracks to be found on the other side and, while it's undeniably more lightweight than 'Pretender', it still boasts a terrific synth bass sound. An instrumental, 'Basic Ingredients', concludes proceedings with some more conventional jazz, but the one thing the time signature isn't is conventional. This is the sort of thing Sade have been avoiding in the interests of chartcompatibility, but with luck, Animal Nightlife will prove the two aren't mutually exclusive.

Finally, a record that fails to break any new ground, but which I fell in love with on first hearing. It's 'Love Situation' by Mark Fisher. He's managed to collect all the most predictable elements of a dance song – sequenced bass line, chaotic drum patterns, sparkling digital sounds, repeated vocal sampling – and make an enjoyable record out of them. The vocal comes courtesy of Dotty Green (Gartside?) and comes straight from the Madonna school of operatics, but for those with a weak heart, there's very little of it in the dub version on the B-side. Play it again.

# **DEMO**TAKES

From those who already have the wherewithal to dedicate their music to vinyl, to those that would very much like to. First come **Tour De Force**, a Nottingham band with clear *Top of the Pops* aspirations. A good deal of hi-tech equipment has been employed to this end — CX5M, TR707, Simmons kit, the works — and some correspondingly impressive sounds result. Although the recording is their first



'serious' demo and a home recording to boot, the results are quite presentable, and there's some nice, tight sequencer and bass conversation in there, as well as a smattering of creativity. The songs are just a mite too busy on first hearing for their own good, but the biggest problem facing the Notts lads is likely to be timing. Not of the musical variety, but simply from a marketing standpoint. To say that present competition in this area is tough would be to understate the case dramatically.

The declared aims of **Azimuth Daybreak** are rather different. Here we're talking adverts and filmscores, not Top 20 singles, yet the band insist on talking about live work. I

guess live music might be a novel idea, but live adverts? Ah, well. Recorded on a Fostex X15, with a JP6, JX3P and the Micon/Spectrum sequencer recently reviewed in E&MM, the quality of the tape is quite acceptable and, remarkably, the TR606 actually ends up sounding quite listenable. There's no denying the music is pitched right for its intended market, and it sounds pretty good to me. AD have been predictably heavy-handed on the sound effects - though unusually, these are well-implemented – but the pieces are nicely atmospheric, and stylistically not a million miles from the work of a certain Frenchman featured on the cover of E&MM earlier this year. Good sounds, and some good ideas as to how they should be put to use; but I still can't get over that TR606!

Returning to the Portastudio camp, we find a tape entitled Five From Ron Roo. Ron Roostan, the man behind said tape, has a rather chequered artistic history, having served his musical apprenticeship in a band

# **Ron Roostan**

'...Draws on
influences as diverse
as New Order and
Enid Blyton as
vehicles for his
ambitious
arrangements.'

called The Septic Snotrags, and then graduated to a middle-of-the-road combo by the name of White Lines Limited. Sounds ghastly. But no matter how unsavoury his past may have been, Ron has succeeded in amassing a fair amount of equipment that includes the much-fabled ARP Quadra, a Yamaha CS5, a Soundmaster 88

drum machine, and an acoustic guitar just for good measure. He describes himself as 'a natural pessimist' and says he draws on influences as diverse as New Order and Enid Blyton as vehicles for his commendably ambitious arrangements. The results are a little too hesitant (particularly in the vocal department) to inspire complete confidence in the listener, but the instrumental 'Corridors in Space' comes out well on top, utilising as it does some inventive sounds and an excellent melody. Nice.

At the tender age of 14, Peter Coates could be considered a little young to be subjected to the ordeal of an E&MM cassette review. However, armed only with a piano, SHIOI and a Casio MT41, he's produced a tape of original music - and I'm not saying that with my tongue in my cheek. Let's get one thing straight first of all, though: Peter's music is a lot better than his maths, the ineptitude of which has resulted in complete confusion as to which side of his demo tape is which. This resolved, the music varies greatly in both style and quality, encompassing what are obviously Peter's strong points (composition and pianoplaying), while at the same time venturing into electronics - with a little less confidence and a good deal less success. There's no overdubbing on the tape, everything being recorded live to cassette, which only goes to make the technical dexterity of the playing more impressive. The greatest problem is one of over-complexity - something that's far from confined to Peter, of course. The fact is, transferring classical piano techniques to synthesisers is not a task to be taken lightly, so a slight lowering of musical standards would probably yield better results, at least until the artist gains greater familiarity with the electronics and how they should be used. Even so, there are plenty of good ideas on this one: interesting accents within simple rhythms that really do work well. The sparkle of youth, perhaps.

AUGUST 1985 E&MM

**World Radio History** 

# THE KORG DW6000

A BREAKTHROUGH IN DIGITAL WAVEFORM TECHNOLOGY.



t was in April's What Keyboard magazine that the British music public heard about the Korg DW6000 for the first time.

"Korg have gone the whole hog and produced a best-of-both-worlds, have-your-cake-and-eat-it imstrument... all the sounds have that characteristic sparkle and clarity that we've come to associate with only one kind of instrument. And yet when you come to alter one of the sounds or even set up a new one from scratch, the control panel is cosily familiar."

So how does Korg manage to achieve the quality of digital sounds coupled with such ease of use? Quite simply, whereas on a traditional system the starting point is normally a couple of basic waveforms – for example saw tooth or square waves, Korg have replaced them with eight highly complex waveforms. As What Keyboard went on to state:

"If you listen to these 'raw' without any further processing they clearly bear no resemblance to conventional synthesizer oscillator sounds; they're much more suggestive of real naturally occuring sounds."

The DW6000 has two oscillators per note, so you can combine one waveform with another giving 64 possible waveform combinations just to start with. Apart from these, the control panel on the DW6000 is very understandable. It only takes a minute to understand, with familiar VCF, VCF EG and EG etc., together with programmable portamento, chorus and noise generator, plus two modes of poly and unison mode for some very powerful lead sounds.

Also familiar from the Poly 800 are the six stage envelope generators. As Electronic Sound Maker pointed out:

"This feature alone on the Poly 800 produces effects unobtainable on anybody else's instruments, and on the DW6000 in conjunction with the digital sounds it's a powerful combination indeed."

Sixty-four good programs should be more than enough for most needs and full Midi facilities mean you can link it to anything else you can beg or borrow.

Dominic Milano summed it up in Keyboard magazine\*:

"The digital waveforms set the DW apart from the other instruments in this price range ... it has a marked influence on the sound of the instrument giving it that combination of digital crispness and analog warmth that a lot of people are striving for."

And as Dave Foister said in Electronic Sound Maker:

"The DW6000, the first of a new hybrid of instruments; an instrument which brings controllable programmable digital sound within the reach of anyone who understands the basics of conventional synthesizers, and for that, the DW6000 has quite simply no competition."

Korg (UK) Limited. 32-34 Gordon House Road, LONDON NW5 1NE Tel. 01-267 5151

# FANTASTIC NEW Roland PRODUCTS NOW IN STOCK!

# **ROLAND SRV2000 STEREO** DIGITAL REVERB £1275



MIDI Controllable - Totally Programmable - 99s Delay! Rolands new SRV2000 Digital Reverb offers a unbeatable new market leader in digital verberation! With the worlds first MID! controllable unit. Look at these features and compare the competitions pricet 24 memoriest Parametric EQ control for room size PRG delay. Gate/Damping, Rev time MIDI + 6 integrated display, stereo otput of up to 99 seconds! Many other features!

# **IN STOCK NOW!!**

ATTITITATIT !

. . .. .... 8

D ogganopanyahrahra

# **TR727 DIGITAL MIDI PERCUSSION** COMPOSER

Rolands new TR727 continues their fantastic success in low price, a high quality rhythm unit featuring real and step time, 69 patterns, MIDI, graphic display, independent outputs, memory expansion cartridge. New TR727 percussion sounds include Bongos, Conga, Timbace, Agog, Cabasa, Maramba, Whistle, Quisada and Tubular Bell!!

IN STOCK NOW!!

# **ROLAND DIGITAL DRUM SYSTEM**

NOW WITH FANTASTIC NEW SOUNDS



State of the Art Sounds and performance DDR30 drum module has PCM sound, sophisticated editing + MIDI in and out. All pads natural feel and fully touch sensitive.

IN STOCK NOW!!



# **BOSS DSD2 DIGITAL** SAMPLER/DELAY



**ROLAND PIANO PLUS 50/100** 

Continuing BOSS's remarkable market domination. The new DSD2 offer the worlds first portable battery powered sampler delay in a compact pedal. Equally versatile as a sampler or delay featuring 200 to 800 milliseconds in sample MIDI with pitch variation and overdub facility! Incredible!!

IN STOCK NOW!



MKB1000 - MKB300 MIDI KEYBOARD CONTROLLER

MKB1000 & MKB3000 WITH FREE STANDS (AND **FLIGHT CASES WORTH** OVER £300

SPECIAL OFFER!!

MKS80 SUPER JUPITER MIDI 8 VOICE MODULE £1589



MKS20 PLANET POLYSYNTH MODULE £769



# **BOSS MICRORACK SERIES**

R ng. m. udes RDD-10 Digital Delay £175 RCL-10 Compressor limiter £110 RBF-10 Hanger £110 RPH-10 Phaser £110 RGE-10 Graphic £Q £110 IN STOCK NOW!!

MIDI ELECTRONIC PIANOS IN STOCK NOW

- stand		paralel management of the last				_
	All Keyboards include free s - stand + PG800 + stand - stand 0 + stand + stand 0 + stand - stand 0 to the stand	£1150 £1299 £599 £689 £1999 £225 £599 £998	JC120 jazz chorus JC50 jazz chorus JC77 jazz chorus CUBE60K keyboard SUPERCUBE 60 lead SUPERCUBE 60 lead SUPERCUBE 100 lead SPRIT 25A lead CUBE 40 Chorus	£299 £215 £199 £239 £329 £139 £199	D02 DR110 CE3 CE2 BF2 CE300 DM3 HM2 PC2 HM5	NS £135 £125 £75 £75 £89 £185 £99 £49 £49 £69 £175

JPB stand SH101 = GS1 JUN0 60 JP6 MKB 1000 master MIDI controller MKB300 master MIDI controller AX1S remole keyboard	£1999 £225 £599 £999! £599!! £599!!	SUPERCUBE 100 lead SPIRIT 25A lead CUBE 40 chorus CUBE 60 chorus	£329 £139 £199 £259	DM3 HM2 PC2 HA5 DS02 sampler delay	£9 £4 £4 £6 £17
SEQUENCERS  SOBO  SEQUENCERS  SEQUENCERS  MC48  CMU800  CMU800  T8303	£99!! £329!! £399 £399!! £99! £49!! £175	PA & EFFEC* SDE 1000 SDE 2000 DE 200 DE 2000 DE 2000 All athive available including Delta SST411 PA speakers SST810 PA speakers SST810 PA speakers SST810 PA speakers SST810 PA speakers	£325 £399 £799 £299	SUPERDEALS EX-DEMO OR JUNO 106 SEGUENCE EX GEN JUNO 106 SEGUENCE JUNO 106 SE	
DRUM MACHINE	S	GUITAR SYNT	rus 2H1		

NEW Electronic kit			£1699	
IIIMO 1	ne	DΩI	vev	MTL



£699!! MIDI - 128 MEMORIES

## **JX8P TOUCH** SENSITIVE POLYSYNTH

**CALL FOR** 

**EXTRA SPECIAL** 

**SUMMER PRICES** 



**AVAILABLE NOW JX8P £1165** 

# SPECIAL PACKAGE OFFER



ROLAND GUITAR SYNTHS - GR707 & G700

**LIMITED OFFER £1795** 

SPECIAL PACKAGE **OFFER** G303 + G505£595 ONLY A FEW LEFT

> **TR606** £99!

MSQ100 & MSQ700 POLYPHONIC SEQUENCER MIDI!



# **AHAMAY GRADE 1 HIGH TECH DEALER**

DX21 INSTOCK NOW £699!



## DX7

The worlds best selling synth now even more versatile with the new QX7, TX7 modules!

# PHONE

# **QX1 MEGA SEQUENCER**

£2499



# **QX7 DIGITAL SEQUENCE RECORDER**

amaha continues the labulous X7 range with an incredibly cheap poly, MiDI sequencer! 2 track, 16 MiDI channel encing in real or step time! MiDI in and out! Storage! Editing! Just like a multi track but with digital quality!

£499



# **TX7 FM TONE GENERATOR**

selling synth in a compact keyboard controlled through MIDI 6 Operators, 16 note polyphonic, 32 memories, LCD displayl Low Prizel

202 NEW KINGS ROAD

TEL: 01-731 5993 01-736 4771

DX5

FULHAM, LONDON SW6

OPP. PUTNEY BRIDGE TUBE

£699



10 BADDOW ROAD CHELMSFORD, ESSEX.

Instant Credit Available

HANTS. TEL: 0245-352490 TEL: 0705-820595



£2999

Digital programable synthesizer. State of the art performance yet affordable! 76 Key velocity sensitive with aftertouch 16 Note Polyphonic (dual) or 2 note Poly (single) 128 Memories, 6×2 operators 32 Algorythms! Split channels! MIDI 8 parameter digital EQ!

# **RX21 IN STOCK** NOW £299!



700000

# KX88 REMOTE MIDI KEYBOARD

£1399

# TX816/TX812 FM TONE GENERATOR SYSTEM

ture now! 8DX7s ma rack creating unbeatable versatility, 32 vol vidual MIDI channel assign. TXB 12 ideal starter with two morful and rack expandable with additional TF1 modules!

£4199

# MT44D 4 TRACK

£799

#### CX5M

Yamaha's affordable music computer now with new software! Realitime multifrack recorder 4 track controllable from MIDI keyboard (DX7 etc)<sup>11</sup> RX drum machine xogrammer! Program your RX1 or RX15 with fabulous graphics from a CX5 just like the DX7 cartridge!

**PHONE** 

104-106 ELM GROVE SOUTHSEA, PORTSMOUTH

TAN CONTROL (I)

REV-7 £1199 PROFESSIONAL DIGITAL REVERB WITH MIDI



Yamaha break the price performance barrier with thebrand new REV-7! 19" rack mount unit with remote, simulates any reverb characteristics! New LSI-chips give up to 15 early reflections and 99.9 milliseconds of initial delay. Parametric EQ. MIDI, 30 × presets, stereo, 60 user memories!!

# YAMAHA SPECIAL OFFERS

**RX11** 

**RX15** 



£599 SE200

£399 SG1300T



£345

85 ST. MARY S STREET, SOUTHAMPTON, HANTS

TEL: 0703-26798

KX5



£199 SG200





£499 SG1000



£289

# IN STOCK!! THE SOUND SENSATION OF 85!! **INCREDIBLE FEATURES! SUPER PRICE**

Ensoniq introduce the Mirage the first integral touch sensitive sound sampler at a realistic price! Look at these features:

★ Five octave velocity sensitive keyboard ★ 8 voice polyphonic ★ 16 different samples across the keyboard ★ Up to 8 second samples ★ 4 user samples split across the keyboard ★ Dn board MIDI sequencer ★ Dn board 3.3" floppy disk drive ★ 4 sounds per

# ENSONIQ MIRAGE DW6000 UNBELIEVABLE NEW LOW PRICE £69 **ALSO POLY**

806 £399



# KORG

#### DW6000 PROGRAMMABLE DIGITAL WAVEFORM SYNTHESIZER

A digital synthesizer that responds like a musical instrument! Korgs new Dith6000 offers advanced digital sound quality with easy to use analog processing and control!\* • MIDI interface Look at these features! 6 voice 65 memories complete sound generation through harmonics synthesizer ercoded in 2 x 256 ROM chips, 2 oscillators with 8 waveforms each.



reyboard<sup>†</sup> Sampling at last affordable

1368MSEC in both DECA. I sample made make sequencing as well as single note sampling and digital delay possible with 4 memories transposable through MIDI! A TANK THE PARTY OF THE PARTY O

£699



MR-16 MIDI RHYTHM UNIT

The answer! Digital drum sounds controllable through MIDI at n price! 19 high quality PCM recordings triggered by MIDI keyboa drum machine, sequencer etc!!

PHONE



**SUPER SUMMER SALE PRICES** DK80 £499!

**SIEL MIDI EXPANDER 80** 

£299

# Z5000 NOW IN STOCK £899 CZ101 AND CZ1000

Casio's world beating CZ1000 now available with full

size keys



CZ101 £345 \* CZ1000 £495 WITH FREE AS10 KEYBOARD AMP

£345



# SZ1 DIGITAL SEQUENCER

Real or step time MIDI, RAM cartridge 4 track 1800 notes

£1695

# SEQUENTIAL CIRCUITS £999!!

The powerful new MULTITRACK

fully touch sensitive polysynth

on board powerful sequencer



Introducing TOM The state-of-the-art Digital drum machine

£699

**INCREDIBLE FUTURE MUSIC** SUMMER SALE PRICE ON SEQUENTIAL MAX £395! SIXTRACKS £595 DRUMTRACKS £895 LIMITED OFFER!

**AKAI'S FANTASTIC RACK SOUND SAMPLER NOW IN STOCK!** 



- ★Up to 8 seconds sample time ★6 note velocity sensing
- thru MIDI
- **★**Quick disk storage system
- \*Pre recorded sound library

# **AKAI MG1212**

The incredible 12 channel integral reverb on 1/2" cassette tape SMPTE version soon

**NEW LOW PRICE** 



# (SIMMONS)

**FANTASTIC NEW PRODUCTS FROM THE WORLDS** LEADERS IN ELECTRONIC PERCUSSION!

SDS9

**COMPLETELY REDESIGNED 5 PIECE** KIT WITH MANY NEW FEATURES

Snare drum has two pick-ups gives time shot on cross stick as well as 3 digital snare sounds MIDI in and out

SDS series 1000



SDS64 All new software for programming Similar from Commodore 64 into trigger inputs terrific graphics

£59





SDS1 omplete with choice of PROM £249 Library sounds

SDS7 The worlds leading digital drum synth complete with stands with Iree RD

SDS8 **BARGAIN!** £549

SDSEPB

# **JUST IN!! THE FANTASTIC NEW FOSTEX A80 SYSTEM!**



#### **FOSTEX B16 16 TRACK SYSTEM** PACKAGE!! B16 + SECK 18/8/2



Join the personal multitrack revolution with Future Music 16 track package deals!! The worlds most successful 16 track recorder on 1/2" tape. Call for up to date current deals on the Seck package and 8 other B16 mixer packages!!!

# **FOSTEX X15 £279!**

202 NEW KINGS ROAD, FULHAM, LONDON SW6 OPP. PUTNEY BRIDGE TUBE TEL: 01-731 5993 01-736 4771

10 BADDOW ROAD, CHELMSFORD, ESSEX TEL: 0245-352490

104-106 ELM GROVE SOUTHSEA, PORTSMOUTH HANTS

TEL: 0705-820595

85 ST. MARY'S STREET.
SOUTHAMPTON, HANTS TEL: 0703-26798

4030 SYNCHRONISER



**HOME RECORDING & PERSONAL MULTITRACK**  $\star$  Fostex  $\star$  Revox  $\star$  akai  $\star$  Yamaha  $\star$  Seck  $\star$  Ram  $\star$  Soundtracs  $\star$  allen & Heath  $\star$ 





controller!! All new and unbeatable value!

**FOSTEX** 

COMPLETELY REDESIGNED COSMETICS AND ROUTING SYSTEM

4050 AUTOLOCTOR 4030 SYNCHRONISER

4035 SYNC

CONTROLLER

A80 8 TRACK ★ A20 2 TRACK ★ 450 MIXER LOOK AT THESE INCREDIBLE NEW FEATURES!! REDESIGNED COSMETICS WITH BARGRAPH METERS ★ SMPTE TIMECODE TRACK ★ DOLBY C ★ IMPROVED SIGNAL TO NOISE RATIO +20DB RECORD ON ALL 8 TRACKS LIVE
MIDI INTERFACE FOR CONTROLLING SYNTHS ON NEW 4050 AUTOLACTE AND SYNCHRONISER!

BAR GRAPH INTEGRAL METERS ★ PRE AND POST 3 BAND PARAMETRIC EQ ★ IN LINE MONITORING ★ INPUT SOLO ★ 2 AUX SENDS ★ PHANTOM POWERING

Fostex

For use with A80, A20 and B16 models!!! Incredible features!! ★ Autoloctor has digital LED display and is totally programmable (minutes, seconds, bars, notes!!) Tempo change in realtime

★ SMDTE time code ★ MIDI ★ Computer interface synchroniser will lock AVD10 to audio or audio to video! Optional 4035



		,
	RECORDERS	1 8
	FDSTEX X15 £299.00	
	FOSTEX 250 2720.00	Y
	FDSTEX A8 £1375.00	S
	FDSTEX i316 £4.000.00	ľ
	YAMAHA MT44D £399.00	A
	AKAI MG1212 £5399,00	T
	REVOX B77 \$899.00	T
١		١
	MIXERS	v
	TIYNAMIX 16:8 2 £995 00	Ý
	RAM RM10 £699 00	ľ
	LOSTEX ->/850 £535.00	Р
	ACES 10.8 2 £399,00	Ċ
	MULD TUDE LUTTON	ı v

ORDERO		SPILINUTHA
TEX X15	£299.00	
TEX 250	2720.00	YAMAHA RA
TEX A8	.£1375.00	SECH 18 8
TEX B16	€4,000.00	**********
IAHA MT44D.	6340 00	MONITORS
MG1212		TANNOY SE
OX B77		TANNOY OX
	£639.00	YAMAHA NE
ERS	1	YAMAHA SI
AMIX 16:8 2	£995 00	
RM10	2699.00	YAMAHA SZ
TEX ->/850	£535.00	POWER AM
S 10:82	£399:00	QUAD 303
16.8 2	£1595.00	CUAD 405_
CMC 24	£2750 00	DOLAMO CO

SHUNDTRACS 16 8 16	ROLAND SE
£2385.00	ROLAND SE
YAMAHA RM602 £Z49 00	
SECN 1482 £1493.00	DIGITAL RI
MONITORS	YAMAHA RI
	YAMAHA R
TANNOY Statfords . £145.00	ROLAND SE
TANNOY Oxfords £225.00	
YAMAHA Ns10 . £199.00	SPRING RE
YAMAHA S10X £69.00	Gt British \$
YAMAHA S20X £110.00	ACCESSIT S
mouse of a same	FCSTEX 31
POWER AMPS	BriSS RX10
00,9713 E179,00	

ROLAND SRA2400 ROLAND SRA4800	£725.00 £1450
DIGITAL REVERB YAMAHA Rev 1 YAMAHA R1000 ROLAND SRV2000	
SPRING REVERB GLBritish Spring ACCESSIT Stereo Re FOSTEX 3180 Stere BriSS RX100	v £132.00

		1
ACS 16 8 16 £2385.00	ROLAND SRA2400 £725.00 ROLAND SRA4800 £1450	DRAWMER Noise Gate £335.0
RM602 £249 00 8 2 £1493.00	DIGITAL REVERB	COMPRESSOR/LIMITERS DRAWMER Compressor
Statfords . £145.00	YAMAHA Rev 1 £POA YAMAHA R1000 £475.00 ROLAND SRV2000 £1425.00	Limiter
Oxfords £225.00   Ns10 £199.00 S10X £69.00	SPRING REVERB Gt British Spring £229.00	YAMAHA CG2020 £229.0 ACCESSIT Compressor £52.0
S20X £110.0C	ACCESSIT Stereo Rev £132.00 FCSTEX 3180 Stereo £340.00	DIGITAL DELAYS
MPS 5£179.00 £269.00	BHSS RX100 £125.00 NOISE GATES	ROLAND SDE3000 £795.0 ROLAND SDE1000 £395.0 ROLAND SDE25000 MIDI
RA1200 £399.00	ACCESSIT Noist Gate £52.00	£585.0

1	
YAMAHA D1500 MIDI £550.00 BOSS DE200 £275.00 BOSS CE300 CHORUS	
BANEZ HD1000. £325.00	
GRAPHIC EQ FOSTEX Dual 10 band	
£199.00 ROLAND SEQ331 31 band £345.00	
ROLAND SE0315 2×15 hand £395.00	)

YAMAHA D1500 MIDI £550.00 BOSS DE200 £275.00	YAMAHA CQ1031 31 band
BOSS CE300 CHORUS <b>£230.00</b> IBANEZ HD1000. <b>£325.00</b>	MICROPHONES AUDIO TECHNICA BEYER CALL
GRAPHIC EQ FOSTEX Dual 10 band £199.00	AKG FOR PRICES
ROLAND SEQ331 31 band £345.00	TAPE SYNC ROLAND CHU802 Tape
ROLAND SEQ315 2×15 band £395.00 YAMAHA 02031 2×31	Sync
band £399.00	SYNC 24, MIOI, SMPTE

\* TANNOY \* JBL \* QUAD \* ACCESSIT \* BOSS \* ROLAND \* DRAWMER \* BEYER \* AKG \*

# SUPERSALE!! ALL ITEMS EX-DEMO OR S/H


ELECTRIC GUITARS	
Gibson Vh Les Paul d/lux sAh.	£450 C
orbson Flying V silh	£499 C
Yamaha G-3000 Nawii	£595 A
hanez Nuscian Actives	£399 C
New Squire Strats N. nell	£215 C
New Squier Vintage Tele New!!	£225 C
Fender Bullets	.£149 A
Kramer DMZ-2000	£199 C
ibanez AS-50 s/h	£150 C
Ibanez AR-100 s/h	£199 C
Sourier 62 Precision Bass	£189 PS
Kramer Semi Frettesa Baus	£249 C
Aria SB Special II Bass	£245 C
Washburn Force II	£175 C
Washburn Vulture II Bass	£195 C
Fender Schecter Teles/h	£249 C
Lado Custom Electric s/h	£499 C
Ovation Steel Strung Acous	£275 C
Yamaha FG-340 Acous	£125 C
Fender Malibu Acous	£135 C
Fender Squier 52 Princision Biss	£185 PS
Fender El Rio Acous	£235 CP
Washbrn Spirit I El A-ous	£299, S
Fender Jazz Bass	£295 S
Ibanez 750 Bass	£210 S
Ibanez RB 924 Bass	£249 P
Aria Pro II	£115 PS
OUTBOARD EQUIPMENT	
Boss DM-300 Chorus/Drlay	£155 C
France D utai Delay Ex Dec	£130 F
Roland RE-201 Space E thi s/h	£195 C
Roland SDE-2000 Digital Celey + Roland Whoard	2130 8
+ Sampler	£495 C
Yamaha R-1000 Revertz	£499 A
Casio AS-10 Speak rs _	£58 F
DEGREE HO. 16 ORGANISTS -	

	Asniy Compressor New!!	1345 F
	Authly Name Gale Level	£29h }-
C	Washburn Shird Accus	
	all sha Montana Acous	£64 C
2	SEQUENCERS	
ř	Round MSC 100 Ex Demo	£349 A
8	Rotand JSO: 60 Ex Demo:	£125 A
-	Rorand CSG-600 New!	£149 C
ř	Rotand CSC-100 s/h	£75 C
ř	Rotand MC-202 s/h	£125 C
č	Simmons SDS 6 Ex Cerrip	£999 C
ř	Roland MC 4B	£395 A
ř	Oberheim BSX New!!	£599 F
Č	Roland Dig tal Sequencer PR 840	£149 F
č		
C	KEYBOARDS	
С	Juno 106 Ex Dem	£595 C
С	Oberheim Expander	€2999 €
С	Rhodes 88 s/h	£395 C
С	Rifland IIKB-100 Ex Dein	
S	King Micro Preset s/h	£98 CS
Р	AliP Omni s/h	£199 C
S	Casysnet Div s/h	£125 C
S	Cournar Piano s/h	£125 C
S	Cormar Piano s/h Mallotron	OFFERSU C
Р	Reland Juno 6 s/h	. E395 CPS
S	Roland Juno 60 s/h	£495 C
	Roland JX 3P + PG-200	£595 C
	Poland JP 8 + DP8	£1595 C
r	Siel DK-80	
E	Technics Highal Piano	£499 A
C	Siel Exparater	£249 A
	Varnaha FF-10	£475 A
С	Roland SH 2 s/h	£175 S
		£175 S
A F	Moog Producy	£175 S

WUIIIZEI FIANO	1299 F
Hammond X5 + Cab	£799 F
Casic MT-800	£149 F
Casio MT-45	£65 F
Sici DK 880 New	£599 F
COMPUTER MUSIC	
BBC + Opus Drive + EMR Software exidem	£499 A
Commodore 64 - Disk Drive + Music software	£395 C
Roland MC 48	£395 A
Yamuha CX 5 (Japanese version)	£299 A
Roland DG DXY-100 Plotters	£199 A
DRUM MACHINES	
MXR O outsi Drume HR2 £120011 ex demo	£395 C
Drumtrain N. w 1	£799 F
P. Lind T 1 019	£250 A
Roland CR 8000	£225 C
Roland TR 606	£165 C
Kars 00# 220 Percussion	£175 A
Syni onics	£75 A
Onucaulator	£499 CP
Kom 0DM 110 + DDM 220	F425 A
Yamaha RX 15	A 9983
18818/48 NA 13	1333 H
ELECTRONIC KITS	
Simmons SDS-5 New 11	£750 C
Simmons SDS-8	£545 A
Simmons SDS-6 Sequencer	£999 C
Cutumoste Cum Mad	2 8002

Fostex A2 Stereo New	1490 A
Fostex 250 Ex Dem	
Dynamix 16/8 Flight case Mixer	£999 C
Dynamis 24/8 Mixer	£1450 C & A
Fontex 350 Mixer New	CARO C CHO.
LUMBY 220 WINEL MEM	1430 [
RSD 8/4 Rackmixer	1099 F
Revax B77 s/h	E395 F F
Roland OMU-802 Tape Sync _	£49 C 10M
	ESSO E E1450 E F1450 E

PERSONAL MULTITRACK





Successful though today's technology may be, there'll always be a place for yesterday's — especially if nothing has come along since to replace it. What are the qualities that make Moog's synth for the masses irreplaceable? Tim Goodyer



he march of technology rarely admits defeat. Occasionally it has a pause for breath, consolidating its position before surging forward once again. But far less common are the moments at which progress is forced to take a backward step. When that happens, it happens because a giant leap forward has sapped so much strength from the march, that a small retrograde movement is the only way things can go - at least for the time being.

The recent march of musical instrument technology throws up a number of excellent examples of this. Hammond could only go backwards after the B3 and C3 organs, Hohner could only do likewise after the Clavinet. Then there was Yamaha, who experienced a mild hiccup after deleting the CS80 polysynth, only to bounce back with a vengeance at a later date; Roland did much the same after the demise of their TR808 drum machine.

Sadly, Moog never really recovered from discontinuing the Minimoog, the instrument that did so much not only to bolster the image of Moog as a company, but also to increase awareness of the music synthesiser as a whole.

Before the Minimoog's introduction, Bob Moog's company concerned itself with producing tailor-made, highly-complex modular synth systems like the Zoukra Moog and the System 55 - huge, unwieldy monsters that were never going to see use by anyone other than the lucky, pioneering few. They were essentially mid-60s designs, but they continued in sporadic production well into the 70s. By that time, however, Moog had turned his attention to producing a simpler, more usable, and more accessible synthesiser - the Minimoog.

Most sources agree the Minimoog was the work of in-house designer Jim Scott, but there's no real consensus on when, precisely, the instrument made its first public appearance. In The Synthesizer & Electronic Keyboard Handbook, Dave Crombie reckons it to have been the AES Convention in 1971. A N Other magazine put the year of release at 1970, but my money would go on Roy Goudie's recollection of it being the Chicago NAMM show of '69.

But regardless of the exact year of its birth, the Minimoog was a revolution, a synthesiser

for the masses. Now, it's an anachronism. It's monophonic, it has no sound memories, onboard sequencing or arreggiation facilities, and certainly nothing as comprehensive as MIDI with which to communicate with other music machines. And in the synthesis department, its range of facilities was surpassed by the SCI Pro One (itself now discontinued) and is now taken to the cleaners by the OSCar. But let's not dismiss its electronics out of hand; they're the main reason the Minimoog is still sought-after, why secondhand models are changing hands for surprisingly large sums, and why, as we said at the beginning, nothing is ever likely to replace it completely.

The first, and best-known, of the synth section's attributes is the presence of no less than three analogue oscillators, all of them simultaneously available for audio applications if you didn't mind losing the services of the modulation oscillator. In fact, the latter became sufficiently favoured for its fat sound for some models to be made with a fourth modulation oscillator built in. It was an elegant way to avoid compromise, but chances are you'll pay handsomely for a quadoscillator Minimoog now - if you can find one at all.

The oscillators were well-endowed with waveform options. Each has triangular, sawtooth, triangular-sawtooth, and three different square waveforms, with reverse sawtooth instead of triangular-sawtooth on Oscillator 3 in the interests of improving modulation. Only one waveform can be selected from each oscillator at any one time, but that choice can be made independently of the other two oscillators, as each is a law unto

The absence of a pulse width modulated waveform might appear at first to be a serious omission, but it isn't. Remember, PWM was a facility initally introduced as a soundfattening exercise on synths with only a single oscillator (a handicap the Minimoog obviously isn't encumbered with), and in any case, Moog had the situation well in hand by allowing you to mix the different widths of square waves together.

A rarity Minimoogs were available with remote

keyboards, but you had to order them direct from the

The filter is a 24dB/octave low-pass affair, with three different keyboard-tracking rates. Both the filter and amplifier transients are permanently assigned a separate transient generator laid-out in an attack, decay, sustain configuration. The sustain is the prevailing level whilst the key is held, with the decay taking effect again during the period after key release(!). It's certainly a little different to what you'll find on most other synthesisers, but it's easy to use, and gives excellent results.

Modulation effects may make use of Oscillator 3, which can be switched out of the mixer section and keyboard control and into its 'Lo' (sub-audio) state, for conventional vibrato effects and the like. The modulation waveforms cover most eventualities admirably, and some great effects are easily achieved.

Need some ring modulation effects? Easy, just use Oscillator 3 within the audio range, whilst arranging for the modulation rate to track the keyboard if the keyboard control is switched back in; thus the higher up the keyboard you play, the faster the modulation

Switching is provided to allow a choice of routing to either or both of the oscillator and filter sections, and both pink and white noise > modulation are provided; either one of these can be used on its own or mixed with any of the above effects to modulate the oscillators and/or filter.

The mixer section allows simultaneous mixing of the oscillators, the noise generator and an external sound source, all of which are provided with a mute switch in addition to a level control. There's also a master mute switch, which allows you to set up sounds on headphones without having to unplug the output to prevent your audience getting advance warning of what you are about to inflict upon them.

Now, that might be a long and impressive list of analogue synth features. It doesn't explain why the Minimoog can still be found on so many album credits, and in keyboard players' interviews. Surely anything that could be achieved 15 years ago can be easily recreated now?

It seems not. Even when Moog themselves analysed the sound of the Minimoog and attempted to incorporate its essence into the polyphonic Memorymoog, the results lacked the characteristic warmth of the earlier model. Impressive, perhaps, but cold, distant and featureless by comparison.

How come? Well, early Minimoogs (up to serial number 10175) had rather unstable oscillators, which some claimed added to the warmth and colour of the sound as well as being a sizeable pain in the bum. Personally, though, I'd attribute most of the credit to more general imperfections within the old analogue circuitry.

Then there's the patented Moog filter to consider. In use, it isn't capable of giving the very bright sound Pro One owners will be so familiar with, but instead, it provides an as yet unequalled richness of texture, even using the dual audio oscillator, single LFO arrangement. At its most leisurely, the filter can be made to decay over a ten-second period after key release - an arrangement that demonstrates that richness rather well. The filter also has a very sharp attack (it's stated as being 10mS but it sounds a lot shorter), and it's this coupled with a relatively short initial decay that helps to give the percussive funk or sequence-style bass sounds that ensure its popularity, even in today's much-changed musical climate.

The other significant factor in this area is the filter resonance – or Emphasis, as Moog would have it. With it, the filter can be driven into self-oscillation – a feature regrettably missing from many current synths. It's this, more than anything else, that's enabled Minimoog owners to generate sharp, aggressive dynamics – the sort of thing that'll still cut through a mix even when the lead guitarist is launching into his favourite solo. And with the filter on the edge of self-oscillation lies a family of sounds that sound exciting without appearing incongruous alongside today's sampled and digital sounds.

On the interfacing front, the Minimoog went out of production before MIDI was even thought about, so there's nothing too complex. Instead, the traditional control standard of one volt per octave applies, but with a negative trigger voltage requirement Moog term an S-trigger (switch trigger) that caused initial incompatibility problems as everybody else opted for the new industry-standard V-trigger. With a simple modification or pulse inverter, though, sequencer control is no problem, and the Minimoog

scores here because it permits voltage control over both filter cutoff frequency (1V/octave) and loudness (over a 5V range) via quarterinch jacks.

But Minimoog owners needn't forget about MIDI altogether. A recently-discovered delight in the E&MM office was the sound of a Minimoog under the control of a DX7 keyboard, complete with key velocity information, courtesy of the Jellinghaus CGX interface converting MIDI information into CV/Gate format for consumption by the Moog. Few instruments of the Minimoog's vintage are able to acquit themselves so well when surrounded by technology of an altogether different era...

The Minimoog, like all commercial success stories, proved to be an influential product. Its layout, and particularly the configuration and positioning of the pitchbend and modulation wheels, set standards that have been widely adopted by designers ever since. By contrast, the rotary and proportional pitch controls advocated by rival company ARP on their Odyssey have fallen into almost total disuse. The pitchbend is detented, but not sprung to return on its release like the one on the DX7, for instance. The resulting arrangement is both comfortable and musical, as many a soloist proved in the Minimoog's heyday. Of course, that form of synth soloing, so beloved of pioneers such as Keith Emerson and Ian Hammer, has fallen foul of pop fashion. Should it ever become popular again, few of today's synths will be capable of matching an old Minimoog.

But I'm leaping ahead of myself. As the Minimoog - and synthesisers in general grew in popularity, so Moog's designers carefully refined their product, various editions of the instrument being introduced before the final and best-known variant, the Series D, appeared in the late-seventies. There were also a number of custom-fitted. alternative features available, such as multiple - as opposed to single - note triggering, velocity sensitivity, ribbon pitchbend (not as used by Keith Emerson, but in place of the standard wheel) and a remote keyboard. Unfortunately, none of these innovations was available in the UK, except by special order from the States. Again, if you see something like this for sale now, it won't be cheap.

Eventually, though, the Minimoog fell victim to the arrival of cheaper competition (its price had fallen to under £1000, but Moog could not make it any cheaper), and production ceased in 1981, having just exceeded the 13,000 mark. The last 25 were all handbuilt, and finished in walnut with a brass plaque bearing the serial number on the front. The final one – serial number 13,252 – was presented to Bob Moog himself.

The demise of the Minimoog coincided with the introduction of the Moog Source, a monosynth of totally new design and of decidedly more modern configuration. Moog denied it was ever intended as a replacement for the Minimoog, but there are many who believe that was the original idea.

The Source was the first-ever synth to employ digital parameter access. It had programmability, it had sequencing and arpeggiation facilities, it had ultra-modern styling, and it was cheaper than the Minimoog. But it did not sound anything like as good, and consequently, it did not sell nearly as well. The rot had begun to set in.

# It's available from your local Softsel dealer.

ADELPHI BUSINESS COMPUTERS LTD. 25 TRINITY STREET, COVENTRY, WEST MIDLANDS CV1 1FJ. TEL: (0203) 553944.

ADVANCED MICRO PRODUCTS 200 COURT ROAD, ELTHAM, LONDON SE9 4EW. TEL: (01) 851 3311.

COLIN GRACE ASSOCIATES LTD. CLIFTON MEWS, 62 HIGH STREET, SAFFRON WALDEN, ESSEX CB10 1EE. TEL: (0799) 22532

COMPUTER CITY 78 VICTORIA ROAD, WIDNES, CHESHIRE WA8 7RA. TEL:((051) 420 3333.

DEVERILL COMPUTER SERVICES LTD. ITEC HOUSE, 34-40 WEST STREET, POOLE, DORSET BH15 1LÅ. TEL: (0202) 684441.

FAIRHURST INSTRUMENTS LTD. WOODFORD ROAD, WILMSLOW CHESHIRE SK9 2L. TEL: (062) 5533741.

GATE MICROSYSTEMS LTD. ABBEY HOUSE, 10 BOTHWELL STREET, GLASGOW, STRATHCLYDE G2 6NU. TEL: (041) 221 9372.

MBS DATA EFFICIENCY, MAXTED ROAD, HEMEL HEMPSTEAD, HERTS HP2 7EL. TEL: (0442) 60155.

PACE SOFTWARE SUPPLIES 92 NEW CROSS STREET, BRADFORD, W. YORKS. TEL: (0274) 729306.

PERSONAL COMPUTERS LTD. 220-226 BISHOPSGATE, LONDON EC2M 4JS. TEL: (01) 377 1200.

PROGRAMS UNLIMITED 19 IMPERIAL HOUSE, KINGSWAY, LONDON WC1. TEL: (01) 240 9006.

RAVEN COMPUTERS 28-32 CHEAPSIDE, BRADFORD, YORKS BD1 4JA. TEL: (0274) 309386.

STIRLING MICROSYSTEMS. 1 PARK ROAD, LONDON NW1 6XE. TEL: (01) 486 7671.

TASHA BUSINESS SYSTEMS 191 KENSINGTON HIGH STREET, LONDON W8. TEL: (01) 937 7896.

THAMES VALLEY SYSTEMS GREYS HOUSE, 7 GREYFRIARS ROAD, READING, BERKS RG1 1NU. TEL: (0734) 581829.

UNITED SUMLOCK LTD. 36 KING STREET, BRISTOL, AVON BS1 4DZ. TEL: (0272) 276685.





# Make it big with Musicworks.

They had everything going for them. Good looks, determination and a great image.

But one thing stood between the Sydney Saunders Skiffle Duo and success in the music business. Talent.

But blessed with a good ear for a winner, Sydney laid out a few notes for Musicworks. A major development from Hayden Software.

# FOR BUDDING HOLLIES EVERYWHERE

Even if you can't read a note, Musicworks enables

you to compose music directly on your Apple Macintosh, and hear the results instantly.

You compose on a seven-and-a-half octave grid. Just like the keys on a piano. As you put down your notes you hear them. All in the click of a mouse.

When you've got your latest masterpiece sounding just right, Musicworks transforms it into a musical staff, inserts the right notation and prints it in a

professional format which any musician

can follow. Even Sydney.

Now he can drum up any tune he likes. Change and edit notes. And then play back the whole melody whenever he wants.

#### THE FAB FOUR

Another feature that Sydney likes to harp on about is Musicworks' built-in instrument selection.

Use up to four at a time from a total of 10 or listen to each one selectively. Musicworks also comes complete with templates which guide you through playing classical and popular selections.

It's available from your local Softsel dealer. Along with over 2,600 other titles from over 250 publishers.

However there's still one slight hitch in Sydney's rise to stardom. He's been charged under the Trade Descriptions Act over the name of his latest album—"Sydney Saunders Entertains".

Musicworks - A sound investment.




The number one distributor of software. In the world.

Softsel Computer Products Ltd, Softsel House, Syon Gate Way, Great West Road, Brentford, Middlesex TW8 9DD.







When is an electronic kit much more than a match for an acoustic kil?
When it's the new

When it's the new Simmons SDS9.

When it's got a snare drum that sounds exactly the same as a real acoustic snare drum, because it's an interchangeable digital recording of a real acoustic snare drum.

A rim shot that sounds and feels exactly the same as an acoustic rim shot.

A bass drum that betters the best acoustic bass drum you've ever heard.

Toms that beat acoustic toms hands down for devastating flexibility and power

When its new drum pads

play and feel as good as any acoustic kit.

When its dynamics are sheer dynamite.
When it gives you 20 programmable drum kits

in one and a headphone output that lets you play in complete privacy.

When its on-board, programmable digital delay gives you a range of stunning rhythmic eff-eff-ects-ects-ects.

Or maybe when it's complete with a fully assignable MIDI interface.

So when are you going to your Simmons dealer to see and hear the SDS9 in action?

When are you going to give yourself

the edge?

SIMMONS ELECTRONICS LTD., ALBAN PARK, HATFIELD ROAD, ST ALBANS, HERTS AL4 0.1H TEL (0/27) 36191 (5 LINES) TELEX 291326 HEXDRM G

DEMONSTRATION TAPE AVAILABLE £2.90 INC. VAT

# SAMPLING & DELAY LINE

# THE INCREDIBLE MIDI CONTROLLED

The MCS-1 will take any sound, store it and play it back from a keyboard (either MIDI or 1V/octave). Pitch bend or vibrato can be added and infinite sustain is possible thanks to a sophisticated looping system.

All the usual delay line features (Vibrato, Phasing, Flanging, ADT, Echo) are available with delays of up to 32 secs. A special interface enables sampled sounds to be stored digitally on a floppy disc via a BBC microcomputer.

Thanks to bulk component purchases and increased production capacity the MCS-1 is now available ready built, complete at the incredible price of

£649.00 inc. VAT.

Kit Option available £499.00 inc. VAT



### Specification:

Memory Size: Variable from 8 bytes to 64K bytes. Storage time at 32 KHz sampling rate: 2 seconds. Storage time at 8 KHz sampling rate: 8 seconds. Longest replay time (for special effects): 32 seconds. Converters. ADC & DAC: 8-bit companding. Dynamic range: 72 dB.

Audio Bandwidth: Variable from 12 KHz to 300 Hz.
Internal 4 pole tracking filters for anti-aliasing and recovery.
Programmable wide range sinewave sweep generator.
MIDI control range: 5 octaves.

+1 V/octave control range: 2 octave with optional transpose of a further 5 octaves.

# POWERTRAN

CYBERNETICS LIMITED

POWERTRAN CYBERNETICS LIMITED
Portway Industrial Estate, Andover, Hants SP10 3EM, England
Telephone: Andover (0264) 64455
Access/Visa cardholders — save time — order by phone.

**World Radio History** 



HECKLIST comes full circle this month with the return of polysynths, voice expanders and controlling keyboards to the no-holds-barred buyer's guide. The formula is the same as it was the last time this product area graced the CHECKLIST pages: a make-by-make rundown of each individual instrument and its typical retail price, accompanied by shortform specification details and the comments – for, against, and summing-up – of E&MM's reviewing team where possible.

But even in the three months that have passed since our initial foray, the polysynth market has altered significantly in several

ways.

To begin with, a number of instruments (Sequential's MultiTrak is a prime example) have been the subject of price reductions to make them more competitive, while others (like the Roland JX3P and Yamaha's DX9) have more or less vacated dealers' shelves altogether now that the end of their production run is in the dim and distant past, and have therefore been removed from the listing.

Then there are the newcomers, surprisingly high in number. These can be divided into machines that have already been reviewed in the pages of E&MM (Casio CZ5000, Yamaha DX21) and those whose existence has been confirmed by manufacturers preparing to release them onto the market sometime over the coming months (these generally carry the comment 'To be reviewed').

Ideally, we'd have liked to have included more in the way of detail on these latter instruments, even if they've yet to come under review by the magazine – especially as some of them (like Roland's MKS7 voice module and Oberheim's Matrix 6 poly) look interesting even from the briefest specification outline. The reason we haven't been able to do so is simply that manufacturers are being a mite cautious about releasing too much product information in advance of the British Music Fair, which

takes place at the start of August. With luck, E&MM September will carry the new details this edition of CHECKLIST omits.

Until then, compare the prices, study the comments, and use them to help you make your purchasing decision. There's no better way.

POLYSYNTH Charblist

#### AKAI

AX80 — £999 Eight-voice, two-oscillator per voice analogue polysynth; 32 preset and 64 programmable onboard voice memories, five-octave velocity-sensitive keyboard. Three LFOs, chord memory, good keyboard, excellent bar graph system makes digital parameter access more user-friendly; Doesn't really possess any sonic character of its own; Recent price reduction makes Akai's first synth more attractive than it previously was. Yer pays yer money....

AX90 — £TBA Eight-voice polysynth, splittable keyboard. To be reviewed — further details unavailable at press-time.

### CASIO

CZ101 – £345 Four/eight-voice, two/one DCO per voice, Phase Distortion polysynth; 16 preset and 16 programmable voice memories, four-octave miniature keyboard. Excellent range of both 'analogue' and 'digital' synth sounds, five-octave MIDI-compatible octave range, voice layering, comparatively easy to program, built-in ring modulator, 16-voice RAM cartridge storage, eight-stage transient envelopes, fine MIDI implementation; small, short keyboard, awkward bend wheel; revolutionary Phase Distortion principle offers value for money without sonic compromise – if you can stand the mini-keyboard.

CZ1000 – £495 Spec as for CZ101, but with fullsize, four-octave keyboard. ☐ The professional's Casio: nothing around to beat it for versatility,



ease of programming and MIDI features at this price level.

CZ5000 – £975 Eight/16-voice, two/one oscillator per voice Phase Distortion polysynth; 32 preset and 32 programmable voice memories, five-octave keyboard, built-in eight-track stepand real-time sequencer. Twice the 101/1000's synth facilities means correspondingly greater sound potential, excellent multitrack sequencer is far more than just last-minute afterthought, useful multitimaral MIDI implementation; undynamic keyboard, no separate outputs for multitimbral voices; the last word in Phase Distortion synthesis, and it works a treat – so don't let the name put you off.

### CHASE

Bit One – £799 Six-voice, two-oscillator per voice analogue polysynth; 63 programmable voice memories, five-octave velocity-sensitive keyboard. Superb range of analogue sounds, both acoustic and electronic, plenty of keyboard performance options; no sequencing or arpeggiation features, suspect MIDI implementation; all in all, probably the best budget analogue poly, now available through wider range of retail outlets.

### CHROMA

POLARIS – £1699 Six-voice, two-oscillator per voice analogue polysynth; 132 programmable



voice memories, five-octave velocity-sensitive keyboard. • Good, rich analogue sound, neat onboard sequencer, extensive interfacing facilities include wide range of MIDI options;

complicated to use, overpriced, some design priorities now outdated; a synth with a lot of potential for those with enough patience to exploit it, but the competition is already too tough, and getting tougher all the time.

### ELKA

Synthex – £1399 Eight-voice, two-oscillator per voice analogue polysynth; 40 preset and 40 programmable voice memories, five-octave keyboard. 

■ Considerable (but largely ignored)



sonic versatility, split and layering facilities using two MIDI channels, onboard sequencer, digital ring mod; some may find sound dated, possible servicing difficulties now that synth is out of production in Italy; good facilities for its (recently reduced) asking price: if this is your sound, go for it.

### KORG

Poly 800 – £549 Six-voice, two-oscillator per voice analogue polysynth; 64 programmable voice memories, four-octave keyboard. 

Competitive price, three six-stage envelopes, onboard sequencer and chorus unit, portability;

only one filter for all six voices, short keyboard, 
the world's best-selling polysynth, in spite of its limitations: but there's competition looming.

DW6000 - £999 Six-voice, two-oscillator per

voice, digital waveform generation polysynth; 64 programmable onboard memories, five-octave keyboard. First synth to combine clarity of digital voicing with easy access of analogue synth configuration, six-stage VCA & VCF envelopes, built-in chorus; keyboard has no velocity or aftertouch sensitivity, poor feel of performance control joystick; the polysynth world's biggest technological compromise — but it works.

**DW8000** – £TBA Similar in spec to DW6000, but with pressure- and velocity-sensitive keyboard, built-in digital delay line. *To be reviewed*.


### OBERHEIM

Matrix 6 – £TBA 'Affordable' Oberheim poly to be unveiled at British Music Fair; no details available at press time. To be reviewed. Matrix 12 – £4599 Spec similar to that of two



Xpanders controlled by XK keyboard - see relevant sections for details.

## **OCTAVE PLATEAU**



### ROLAND

Synth Plus 60 - £899 Six-voice, one-oscillator per voice analogue polysynth; 128 programmable voice memories, five-octave keyboard, built-in amplification and twin speakers. ■ Ease of use, built-in chorus; ■ beginning to sound a little dated, lacks arpeggiator; ■ circuitry of deleted Juno 106 in a domestically acceptable format, unlikely to venture far outside the average living room.

JX8P - £1250 Six-voice, two-oscillator per voice



Only one musician's magazine has been looking at music technology thoroughly, accurately and objectively for over four years. Only one musician's magazine has the reputation for carrying the UK's most authoritative appraisals of new music hardware and software. And only one musician's magazine has consistently inquiring, informative interviews with the people that are applying new technology to today's music.

That magazine is the one you're holding in your hands now: E&MM. And it's for the above reasons that E&MM doesn't always stay for too long on newsagents' shelves when it appears each month. To avoid the disappointment of finding an issue is sold out, all you need do is this: fill in the coupon below, put it in an envelope, chuck in a cheque or bankers' draft for the appropriate amount, and send it to the Mail Order Department, Electronics & Music Maker, Alexander House, 1 Milton Road, Cambridge CB4 1UY. Simple, really.

Please send me the next 12 issues of E&MM, beginning with the
My name is
My address is
Postcode

### Subscription rates

UK & Éire £15.50; Europe & Overseas (surface mail) £16.20; Europe (airmail) £23.50; Overseas (airmail) £37.50. Payment from overseas subscribers (including Éire) should be covered by a bankers' draft in pounds sterling.

analogue polysynth; 64 preset and 32 programmable onboard voice memories, fiveoctave pressure- and velocity-sensitive keyboard. # Another example of Roland squeezing new sounds out of old design techniques (the 8P competes with the best of the analogues), voltage controlled mixer section, RAM cartridge voice storage, good MIDI implementation; only eight memories hold aftertouch and performance data, requires optional PG800 programmer for sound editing to become really straightforward; 🗏 lacks character, but ultimately a rewarding and versatile analogue poly that proves Roland aren't going to be left behind without a fight.

Jupiter 6 - £1299 Six-voice, two-oscillator per voice analogue polysynth; 48 programmable voice memories or 32 patch presets (for split programs), five-octave keyboard. # Inherently flexible and versatile programming system, excellent sonic potential, split-keyboard facilities, sophisticated – and syncable – arpeggiator; no velocity- or pressure-sensitivity, might just have too many facilities for its own good; excellent analogue synth that continues Jupiter tradition admirably, but complex control layout has meant shortage of takers, hence newly attractive price level.

### SEQUENTIAL

SixTrak - £595 Six-voice, one-oscillator per voice multi-timbral analogue polysynth; 100 programmable sound memories, four-octave keyboard. 🎛 Unique (in this price range) multitimbrality extends to built-in six-channel sequencer, 'stack' mode and MIDI implementation; awkward parameter adjustment, short keyboard, synth doesn't actually sound too impressive; a in the process of being displaced by newer MAX and MultiTrak, therefore very cheap.

MAX - £625 Six-voice, one-oscillator per voice,

multi-timbral analogue polysynth; 80 preset voice memories, four-octave keyboard. # As SixTrak; also as SixTrak, but not readily userprogrammable without CBM64 and software; tries to be computer peripheral and voice expander in one, succeeds in being neither. Split Eight - £TBA Eight-voice, one-oscillator per voice analogue polysynth; 64 preprogrammed sounds and user-programmable voice memories, five-octave keyboard, split/ layer and unison performance modes. To be

MultiTrak - £1199 Six-voice, one-oscillator per



voice analogue polysynth; 100 programmable voice memories, five-octave, velocity-sensitive keyboard. # Adds 'professional' facilities to SixTrak spec; doesn't add anything better in the sound department; new low price, and the only choice if you value sequencing and MIDI facilities above sheer sonic potential.

T8 – £4700 Eight-voice, two-oscillator per voice analogue polysynth; 128 programmable voice memories, six-and-a-half octave keyboard sensitive to pressure and velocity. **#** Excellent analogue sound capability, weighted-key action and individual aftertouch for each key, fine split and layering facilities, built-in sequencer; heavy on the hand and even heavier on the wallet; professional instrument at a professional price.

THE STREET, STREET, S.

DK80 - £699 Six-voice, two-oscillator per voice analogue polysynth; 10 programmable and 40 preset voice memories, velocity-sensitive fiveoctave keyboard. # More facilities for the

money than just about anything; 40 fixed memories, basic sound could be better; a really astonishing value for money, though first impressions might not be all that favourable. **DK600** – £999 Six-voice, two-oscillator per voice analogue polysynth; 100 programmable voice memories, five-octave velocity-sensitive keyboard. # Fine sound quality (especially brass and percussion presets), programmable dynamics, plenty of good software available; the odd operational idiosyncracy; a competent but underrated analogue poly, neatly styled and well constructed.

### WERSI

£TBA 16-voice polyphonic Fourier Synthesis polysynth; five-octave velocity- and pressure-sensitive keyboard. To be reviewed available September.

### YAMAHA

DX21 - £699 Eight-voice, fully programmable FM digital polysynth; 128 factory preset sounds, 32 programmable voice memories, 32 performance memories, five-octave keyboard. Broad selection of factory sounds that rival DX7's for quality, useful voice-specific performance memories, inclusion of split and dual modes, probably easier to program than first-generation DXs, almost laughably cheap; undynamic keyboard, no cartridge storage facilities, could still do with a better display; Yamaha's answer to the march of the budget polysynth, and a mightily impressive one at that, shows company haven't been resting on DX7 laurels.

DX7 - £1250 16-voice, fully programmable FM digital polysynth; 32 voice memories, fiveoctave velocity- and pressure-sensitive keyboard. H Immense sonic and programming versatility still unmatched by any competing

# Roland GET IT RIGHT!!

NEW SRV - 2000 MIDI DIGITAL REVERB Roland break the digital reverb price barrier! RRP £1450 MIDI - controllable the world's first! At last a realy versitile, professional 99 second reverb at a price to suit most 8 and 16 track studio owners. This will surely enhance your studio sound more than anything else - at a price that is affordable.

#### SBX-80 SYNC BOX SMPTE/MIDI

The SBX - 80 generates and reads SMPTE, syncing it to any other time base for locked control of MIDI sequencers and SMPTE compatible tape and video recorders. Essencial for the audio-visual music studio. RRP £950

TR - 707 & NEW TR - 727 DIGITAL DRUM & PERCUSSION UNITS

Fully MIDI compatible, cartridge RAM storage, individual outputs, LCD graphic display, powerful PCM

sounds.....unbeatable value!

TR - 707 RRP £525 TR - 727 RRP £525

BOSS EFFECTS PEDALS & RACK-MOUNTING UNITS Boss is now the world's largest manufacturer of effects pedals. They have the widest range and are certainly the most reliable - at The London Rock Shops we have the complete range on permament demo. These are the latest additions to the range: DSD-2 Digital Sampler pedal £245 DD-2 Digital delay pedal £195 CE-300 19" rack Chorus unit £230 de-200 Digital delay w/trig. £350

Please call in very special summer





SDE SERIES DIGITAL DELAYS SDE - 1000: 1.125 secs. (17kHz to 375ms) 4 memories £465 New SDE - 2500 MIDI: Multi memory for multi MIDI! £600 SDE - 3000: 4.5secs. (17kHz to 1.5secs) 8 memories £950 with full digital display and foot control for s-o-s

JX 8P POLYPHONIC MIDI SYNTH Velocity & pressure sensitive, 2 x DCO per note, 2 x envelopes, analog/digital sounds, 64 + 32 internal memories with 32 RAM pack option, patch chain function. illuminated alpha-numeric display, full MIDI spec.....RRP £1325 Optional PG 800 easy programmer with sliders RRP

MOTHER KEYBOARD MODULAR MIDISYSTEM MKB - 1000 £1665 7 octave weighted keys plus heavy duty KS - 1000 stand £150 MKB - 300 5990 6 octave touch sensitive \*\* Mother Keyboard\*\* MIDI controller Keyboard\*\* MIDI controller EP - 50 £625 6 octave MIDI electro EP - 30 £0.25 to octave milit electronic plano controller MKS - 800 £1800 "Super Jupiter" polysynth module RAM pack storage dynamic control MPG - 80 £395 Optional programmer for Super Jupite

MIDI polysynth rack module MKS - 10 £950" Planet P" 19" rack-mounting touchsensitive MIDI elec. piano MKS-30 £875 " Planet S " 19" rack-mounting touch-sensitive MIDI polysynth

NEW BOSS MICRO RACK RECORDING SYSTEM RDD-10 Digital delay £200 RAD-10 rack adaptor hole two Boss Micro Rack RCL-10 Compressor/Limiter £125 units in a conventi 19"1 unit high rack. RGE-10 Complete Equaliser £125 RBF-10 Ranger £125 These units are ideal for a modulome studio.

nome source RPH-10 Phaser £125 set up and can be joined tog

for stereo MI-10 MIDI to CV ("face £275 applications.

# The London Rock Shops

instrument, vast range of custom-designed hardware and software now available to accompany it from a variety of sources; a real pig to program, hence many preset sounds becoming clichéd, still niggling doubts about ability to recreate fat, traditional analogue synth sounds; an industry standard like no synth before it, and justifiably so - if only it was as easy to edit as it is to listen to ...



DX5 – £2999 FM digital polysynth, spec similar to two DX7s with additional performance memories; 76-note touch- and velocity-sensitive keyboard. # Excellent sound and facilities; beaten on price by Yamaha's own DX7/TX7 combination; now you've a choice between convenience and cost, though sizeable back orders for the DX5 indicate some people are wealthier than is good for them. (To be reviewed.)



DX1 – £8999 16-voice poly nonic, FM digital polysynth; 64 programmabl voice memories, six-octave velocity- and pressure-sensitive keyboard. # Easier editing than cheaper DXs thanks to comprehensive control and display layout, marvellous weighted-action keyboard has individual aftertouch for each key; 🖥 bulky, weighty and outrageously expensive; thoroughly desirable - the ultimate dedicated FM poly, but logic says it's outclassed by cheaper hardware from the same stable.

# EXPANDER



VX90 - £TBA Similar facilities to AX90 poly, but in 19" rack-mounting format. To be reviewed.

Bit 01 - £699 Similar in spec to Bit One poly, in rack-mounted casing and with improved MIDI implementation. H Puts excellent analogue sounds in a modular format well-suited to the needs of digital-polysynth owners, factory presets are sonically matched to corresponding Bit One voices, rack-mounting convenience; a a little pricey next to Bit One, still the odd MIDI hiccup; like Bit One, stands out as being the most cost-effective analogue unit in its price bracket - more MIDI modules promised by Italian factory for release in near future.

EX800 - £449 Identical in spec to Poly 800: 64 programmable voice memories, sequencer.

Xpander - £3945 12-voice polyphonic analogue/ FM digital hybrid synthesiser; 31 LFOs, 30 EGs, 12 oscillators, 90 VCAs, 100 programmable voice memories, recognises MIDI pressure and velocity information. H Vast range of sounds

both analogue and digital, easier to program than most digital access designs, matchless programming versatility; only the cost; brilliantly conceived and superbly built - if you can afford it, don't hesitate.

MKS7 - £TBA Rack-mounting MIDI voice module incorporating separate melody, chord, bass and rhythm units. To be reviewed. MKS30 - £875 Same overall spec as JX3P poly, but 64 programmable voice memories, and fully responsive to velocity and pressure information. It doesn't sound bad; requires optional PG200 programmer for conventional 'pot' control; module costs more than a JX3P!



MKS10 - £990 Sixteen-voice polyphonic pianofamily voice module, fully velocity- and pressureresponsive, 16 preset voice memories. H Neatly styled, built-in chorus/flanger helps strengthen sound output; eight voices only accessible through mother keyboard, expensive for what it is; only really of value if you've got a keyboard and a playing technique – that'll do it justice.
 MKS80 – £1800 Similar spec to now-discontinued Jupiter 8: eight-voice polyphony, two oscillators per voice, 64 voice memories and 64 patch preset memories onboard, fully responsive to velocity and aftertouch information. If Wonderful range of analogue-type sounds, optional RAM packs can hold 128 voices or patch presets; again, requires optional programmer (this time the MPG80) for editing not to be a chore; an excellent package that's notable good value next to the other Roland modules, but price still puts it firmly in the professional league.

# An Offer You Can't Refuse...

A change of image sometimes has the odd unpleasant side-effect. In E&MM's case, our new front cover logo means we've got a small quantity of oldstyle T-shirts, sweatshirts and binders piled up in our stock room, taking up precious space that could be occupied by something more useful. So, much to the chagrin of the accounts people, we're selling off that stock at hugely reduced prices. That means the finest quality, tremendously stylish promotional clothing and extremely useful (remember each one holds a year's worth of issues, both new- and old-style) magazine binders at never-to-be-repeated price levels.

This situation isn't going to last long, though, so you'll need to act quickly to stand a chance. Send the coupon below to the Mail Order Department, Electronics & Music Maker, Alexander House, 1 Milton Road, Cambridge CB4 1UY.

I	Please send me:			QUANTITY	PRICE	TOTAL
!	E&MM Binder (holds 12 issues)				£3.50	
1		Red/Black	S/M/L/XL			
1	Sweatshirt				£4,50	
ŀ	T-shirt				£2.50	
1					TOTAL	


My name is			••••
is			••••
••••••	•••••	••••••	••••
•••••	***********	•••••	••••
••••••	•••••		
	is	is	is

### SIEL

Expander 80 – £399 Similar in spec to DK80 poly, but only monotimbral. Incredibly cheap, so lots of features for your money, cartridge storage facility unexpected on a machine of this price level; presets are identical to DK80's, hence more than a few sonic disappointments; currently the cheapest way into analogue MIDI synthesis, and a godsend to the impoverished – it's not brilliant, though.

### YAMAHA

TX7 - £649 Identical in spec to DX7, with addition of performance memories for each



voice. A logical upgrade for all DX7 owners; but not so much fun if your controlling synth is analogue; Yamaha's most economical route to FM duplication.

TX216 – £1899 Two DX7s (or one DX5) in rackmounted format, with facility for adding TF1 modules (one DX7's worth) at £449 each. For comments see TX816.

TX816 – £4299 Essentially eight DX7 voicing modules in one rack, each with its own MIDI connection. ■ Who could say no to eight DX7s? ■ MIDI implementation could be better; ■ the ultimate FM music synthesiser – no self-respecting studio should be without one.

# Checklist

MX76 – £TBA Six-and-a-half octave, velocityand pressure-sensitive, weighted-action splittable keyboard; 96 voice selectors. *To be* reviewed.

### KORG

RK100—£475 Three-and-a-half octave portable keyboard with volume, pitchbend, modulation controllers, 64 voice selectors. Price, spec includes thoughtful touches like lockable MIDI connectors; contability, no dynamics; all things considered, the best-value 'poser's keyboard' currently available.

### OBERHEIM

XK Remote Keyboard – £TBA New pressure-and velocity-sensitive five-octave keyboard for connection to up to six MIDI synth modules, incorporates three-way split/layer facilities and other performance features. To be reviewed.

### ROLAND

Axis 1 – £999 Three-and-a-half octave portable keyboard with volume, pitchbend, modulation controllers, velocity- and pressure-sensitivity, 120 voice selectors. To be reviewed.

MKB200 - £TBA New 61-note version of MKB300. To be reviewed.



MKB300 – £999 76-note mother keyboard, velocity-sensitive, split and layering facilities, 128 voice selectors, volume, pitchbend, modulation controls. ■ Sturdy construction, looks; ■ not sensitive to pressure, price; ■ overshadowed, in most respects, by MKB1000.

MKB1000 – £1499 Velocity- and pressure-sensitive 88-note keyboard, overall volume, pitchbend, modulation controllers, 128 voice selectors, MIDI split and layering facilities. Excellent action from weighted wooden keys, superlative construction; and on individual level controls, lack of remote programming facilities, price; another professional people's product, though even they might find its acquisition hard to justify.


### YAMAHA

**KX5** – £199 Identical in spec to KX1, but miniature keys. *To be reviewed*.


**KX1** – £799 Three-and-a-half octave, velocityand pressure-sensitive keyboard, volume, pitchbend, modulation controllers, 32 voice selectors. *To be reviewed.* 

KX88 – £1399 88-note velocity- and pressuresensitive weighted keyboard, 17 user-assignable performance controllers, split and layering facilities. ■ Vast range of performance options, onboard programming facilities coupled with user-assignable parameter control area, keyboard adds new dimension to many DX voices; ■ keyboard has slightly spongey feel absent on DX1; ■ more of what a master keyboard should be, but is a piano-type keyboard the best medium for applying aftertouch?

77



**World Radio History** 



# THE SHORTEST ROUTE

There seems no end to the ingenuity of Roland's MIDI accessory department. If there's something your current synth system can't achieve, chances are they now have a box that'll let you do it. Simon Trask

iven the inherent flexibility and openended nature of MIDI (or as cynics might say, its lack of a rigorous, consistent specification), it's not surprising that a whole new industry is fast taking shape to cope with the wide variety of MIDI problems that need solving. These four Roland units under review are part of this trend, with three of them providing purely MIDI processing and the fourth allowing the CV/Gate and MIDI worlds to talk to each other — in one direction, at least.

First of all, let's clear up any confusion over the designation of these units. Originally intended to be part of the Boss range of products and labelled – in prototype form – as MIIO, MI3O, MI4O and MI5O, they've now been added to Roland's own MPU (MIDI Processing Unit) range, which up till now has consisted only of the low-profile (on this side of the Atlantic, anyway) MPU4OI intelligent MIDI interface unit. The new designations are MPUIOI, MPUIO3, MPUIO4 and MPUIO5.


Quite a number of people have already confused the MPUs with the new Boss Micro Rack signal processors, which provide more traditional studio fare in the same compact casings as MPU103-105, but are not MIDI-compatible. The fact that both types of processor will fit the same 9.5" Micro Rack (or, two-by-two, Roland's own 19" IU Rack Mount Adaptor) has probably contributed to the confusion.

Anyway, all four units are further evidence that more than any other synth manufacturer,

Roland are keen to develop peripheral devices to run alongside the instruments themselves. They've led the way in interfacing and processing boxes since MIDI arrived — probably before.


Let's take the simplest unit first. The MPU104 MIDI Input Selector allows you to select between any one of five inputs (synth, controller keyboard, sequencer or drum


Design 'What these units aren't is intelligent – they can't stop you altering their configuration whilst music is playing over MIDI.' machine) to act as a master unit. Another application would allow you to have up to five instruments (which could include expanders) connected to a computer with patch- and



sequence-dump software.

Technically, a MIDI receiver should not be driven by more than one transmitter at any one time, so quite correctly, it's only possible to select one MIDI In at a time on the MPUI04. You can press more than one input





selector at once, but the unit always defaults to the lower number. It's also possible to switch out all the selectors, so you can use the MPU104 as a MIDI master on-off switch – useful when you suddenly want to play your master keyboard by itself.

The MPU105 MIDI Output Selector is, not surprisingly, similar in design to the 104. As it's outputs you're selecting with the 105's buttons, you can of course have all five selected simultaneously. In fact, this new machine is to all intents and purposes an upgraded version of Roland's earlier MM4 MIDI Thru Box, adding one more Thru and the ability to select which Thrus are active over and above its forerunner's specification. Thus you can switch in or out any combination of connected MIDI instruments – at the touch of a button or two.

Taken separately, the 104 and 105 are useful enough, but taken together they would



allow you, for instance, to have a flexible five-instrument-plus-sequencer MIDI system, with any instrument able to be switched in as the recording instrument, and all for a fairly modest outlay. Alternatively, you could set things up to allow any one of five MIDI instruments to control up to another four, with the exact configuration alterable almost as quickly as it takes to figure out what's going where in the first place.

What these units aren't (and this also applies to the other two MPUs reviewed here) is 'intelligent'. Or to put it another way, they can't stop you from altering their configuration whilst music is actually being played over MIDI. This could actually be a bit more serious than it sounds: imagine a situation where you switch out an instrument, or switch to a new master keyboard, before releasing all the notes on your current master keyboard. The result would be the dreaded MIDI drone, as the wrong sound is left hanging on the other end of the line.

Sycologic have succeeded in getting round this problem with their MI4 MIDI matrix unit, and so have Yamaha on their new DX21



polysynth, which won't allow you to change MIDI channels till all MIDI note-on commands have been balanced by note-off ones.

Now to more complex connections. Whereas the above two processing units simply distribute incoming data without affecting it in any way, the MPU103 MIDI Channel Filter/Converter allows you to do rather more in the way of MIDI signal customising. You can switch it to read data only from a selected channel, to change channel numbers to a specified number, and to filter out the odd section of channel data, such as pitchbend info.

The 103's front panel looks similar to the 104's and 105's, but has the addition of two calibrated knobs for Filter and Converter MIDI channel selection (any one of channels 1-16 in each case). As with the Output Selector (but not, for some reason, the Input Selector), a small green LED flashes on whenever MIDI data is passing through the unit — a neat, informative touch that Roland first used on their MKS series of voice expanders.

The third processing option available on the 103 is Key Event Only, accessed via a simple on/off button. When the option is activated, the only data allowed to reach MIDI Out is note-on and note-off information, which allows for attack and release velocity values but not aftertouch – slightly self-defeating, if you ask me. What you get, then, is the ability to filter out pitchbend and patch changes, for instance, but not the ability to choose one without the other. And virtually everything else goes overboard as well, which seems a bit inflexible.

When Key Event Only is off, all System (ie. non-channel) messages other than active sensing are transmitted over MIDI Out as soon as they're received. Similarly, all channel data is supported – subject, of course, to the choices you make with the filtering and converting options.

The Filter control allows you to isolate a particular MIDI channel for processing, but remember that all MIDI data is passed through the unit unprocessed on MIDI Thru, so the

Filter will only block data on the MIDI Out path.

It might not sound that way, but the 103 is actually a very straightforward unit – it only deals with a single channel, and a single channel conversion, at any given time.

An obvious use for the 103 is to allow the omnipresent DX7, which as we all know can only transmit on MIDI channel I, to transmit on any channel – rather handy if you want to use a DX7 as a master keyboard for inputting multi-channel sequences for instance. Conversely, it could be used for reassigning a particular MIDI channel on playback of a multi-channel sequence, so that music recorded with one instrument can be played back over another with no tedious rewiring for anyone to have to worry about.

All in all, though, the 103 doesn't strike me as being a wonderfully useful unit. It's certainly not worth its asking price of £225. My feeling is Roland would have been better off leaving out the Key Event Only option, which isn't particularly versatile but which must have accounted for a big slice of the R&D budget cake. More useful would be a processor that allowed you to define a note-range to be passed through to slave instruments. Or better still, one which allowed you to allocate user-definable note-ranges to different MIDI channels; that way, you could effectively give multiple splitpoint abilities to MIDI keyboards that don't, ordinarily, possess them.

As for the MPU101 MIDI-CV interface, it's a different kettle of fish altogether. At £275,



it's not only the most expensive of the four Roland units, it's also some £75 more costly than its only competitor, the Jellinghaus CGX MIDI-CV interface. But as we shall see, it's received a very thorough implementation which, happily, puts it in a class of its own.

Like the Jellinghaus, the MPU101's main function in life is to give people with older, CV synthesisers the chance to connect them up with present-day MIDI ones. Seeing as Roland produced an awful lot of the former, as well as considerable numbers of the latter, it makes sense for them to unite the analogue and digital worlds with an interface of their own. However, the 101 can function within a broader MIDI system, in addition to tying-up your controlling MIDI synth or sequencer in a dedicated MIDI/CV rôle. Alternatively, if you're into driving multiple analogue synths in a big way, you can hang a second MPU101 off the MIDI Thru.

The MPUI01 has provision for connecting up to four 1V/octave monophonic synths, which can then be driven in a variety of ways from the data on, MIDI In. Each CV/Gate output on the 101 has an associated Dynamics output, which allows MIDI attack velocity

values to control volume and/or filter amount on your CV synth, depending on its internal patching facilities. Four other outputs are provided to control pitchbend, modulation (MIDI controller code I provides the mod value here), aftertouch and volume. These are recognised in the basic channel in Poly and Special modes, but not Mono mode (more on these modes later).

The 101 can also be set to recognise information from a sustain or hold pedal. This is assigned the value 64, which is the value Yamaha introduced with the DX7 and which, thankfully, seems to be gaining general acceptance among the various manufacturers.

The above four outputs are all assigned to the currently-selected MIDI channel, which can be any one of the 16.

> Facilities The 101's main function is to give people with CV synthesisers the chance to connect them up with presentday MIDI ones.'

At the heart of the MPUIOI lie five modes of voice assignment: mono, 2voice, 3voice, 4voice, and the enigmatically-named 'Special'. The first of these is basically MIDI Mode 4, namely Omni Off/Mono. Incidentally, the MPU101 won't respond to mode messages over MIDI; Omni is always off, while Mono or Poly modes are selected from the 101's front panel. This is a shame, even if the provision of Poly submodes (2voice, 3voice and 4voice) isn't catered for at all by MIDI.

In Mono mode, the MPUI01 responds to note data on the selected basic channel plus the next three consecutive channels, automatically allocating one channel to each of the four CV/Gate outputs. Obviously, selecting too high a base channel will result in no input on channels above 16. Each channel can handle just a single voice; play a chord and only the latest Note On is played.

Poly mode, as you may already know, allows data to be received on the assigned basic channel only, and allocated polyphonically according to the voice-assignment configuration of the receiving instrument. In the present context, you're able to select 2-, 3- or 4-voice reception, and one of these voices is then allocated to each of the CV/Gate outputs. Thus, if you've selected 4voice mode (and assuming you've got four monosynths hooked up to the 101) and you play a fournote chord over MIDI, each monosynth will be sent one of those notes,

Interestingly, if the number of simultaneously incoming note-ons exceeds the number of voices you've set, the extra notes are sent out over MIDI Out, which explains the presence of such a socket on a MIDI-CV interface. What this means is that you can link up two 101s so that the second handles the 'overflow' from the first, giving you up to eight notes sounding forth on your collection of CV synths, always assuming you've got enough of them.

Of course, two 101s tied together afford more flexibility than just that. For instance, one 101 could be put into Poly and one into

Mono mode (you'd need to use MIDI Thru for this), so that one could play up to four-note chords from one MIDI channel, whilst the other played up to four monophonic lines from four consecutive MIDI channels. Now that's what I call a thorough interchange between the CV/Gate and MIDI worlds. And what's more, you can invert the Gate logic from its default positive-going pulse, so that synths with negative Gates needn't be consigned to the scrap-heap of incompatibility.

It's worth noting, by the way, that all the output sockets on the MPU101 require minijacks - once part of common usage, but an unusual sight in these days of the mighty fivepin DIN. They're still easy enough to find, though, while Roland themselves market a selection of leads that includes the requisite mini-to-mini jacks.

Unfortunately, this review's word-count is getting a bit high (and the Editor shows no mercy in these matters), so I'll just briefly mention a few more features of what is, after

all, a rather impressive unit.

To put an end to the enigma, 'Special' mode assigns the highest, latest and lowest notes of a chord sent over the current MIDI basic channel to CV outputs 1, 2 and 3 respectively. The Assign Mode three-way switch allows any one of these notes to be assigned to CV output 4, and to MIDI Out, which means you can 'pull out' a particular musical line that you might wish to highlight in some way. Other useful assignment modes come into play in the Special option, but lack of space precludes their discussion here.

The Clear button turns off all Gate outputs and sets the pitchbend, mod, aftertouch and volume outputs to default values. The Tune control works on all four outputs simultaneously and is variable up or down a semitone, whilst the three-way Transpose switch allows all four outputs to be transposed up or down an octave simultaneously.

There's also a sub-function (Roland's word) which allows you to synchronise an old-style CV/Gate sequencer with a MIDI one. This is achieved by converting incoming System Real Time codes (ie. the codes that normally control stopping, starting and synchronisation within a MIDI system) to good old-fashioned trigger pulses. Four different trigger rates are available from the MPU101 via the four Gate outputs: semiquavers, quaver triplets, quavers and crotchets. Trigger pulses are sent from each Gate output when the MIDI Start or Continue message is received and carry on until the arrival of a MIDI Stop signal, while tempo is controlled by the master MIDI drum machine or sequencer.

And as if all that wasn't enough, the trigger pulse can be set to either positive or negative gate, so the MPU101 really should please everybody, though obviously, the unit won't function as a MIDI-CV interface when in MIDI-Trigger mode.

In the practical part of the exam, the office Roland SH101 received a thorough goingover sandwiched between a transmitting DX21 and a receiving DX7, hung off MIDI Out and MIDI Thru respectively. The MPU101 didn't really get the chance to shine forth in its full glory, but in every respect that I was able to test it, the interface performed admirably. I don't think you could ask for much more than the 101 gives you.

What the 100 series as a whole won't give you is programmability - the ability to store multiple configurations as patches for subsequent instant retrieval. I guess that'll be the next (and more expensive) step.

There's no doubt these units perform a very valuable function in a musical instrument world that's coming increasingly under the spell of MIDI. (The latest achievement is a MIDI accordion, incidentally.) The Output Selector in particular performs a fundamental function within just about any MIDI system, given that manufacturers are not yet generally disposed towards providing multiple MIDI Outs on their equipment.

I like the modular approach Roland have adopted, as it means you can buy, say, the Output Selector first (and I reckon it will be the obvious first choice for a lot of musicians) and the Input Selector at a later date when finances allow. Both units are sensibly priced and perform their simple functions well, and the Output Selector qualifies instantly for 'once you've got it, you'll wonder how you ever managed without it' status.

The compactness of the 103, 104 and 105, and their ability to fit into the 19" rackmounting format, only adds to their appeal. It's a pity that the 101 wasn't designed in the standard 19" width, as its present shape doesn't fit in with anything else, and is consequently something of a pain in the neck to house.

The thoroughness with which Roland have implemented the MIDI-to-CV idea on the 101 is impressive, though. To my mind, its way ahead of its present competition, will probably remain ahead of the field for some time to come, and comes with a realistic price-tag.

By contrast, the MPU103 Filter/Converter strikes me as being more than a mite overpriced. At this level, I'd have preferred to see a more carefully thought-out (and consequently more useful), data filtering facility than Key Event Only. Is it too much to hope that Roland may someday heed my advice and produce a cheaper, dedicated channelconverter unit?

# DATAFILE

## Roland MIDI Processing Units

MPU103 Channel Filter/Converter Interfacing MIDI In, Out, Thru Controls Filter, Converter, Converter onl off, Key Event Only on/off. Price RRP £225 including VAT

MPUI04 Input Selector Interfacing MIDI Thru,  $5 \times MIDI$  In Controls Input Select 1-5 Price RRP £75 including VAT

MPU105 Output Selector Interfacing MIDI In,  $5 \times MIDI$  Thru Controls Output Select 1-5 Price RRP £95 including VAT

MPUI0I MIDI-CV Interface

Interfacing MIDI In, Out, Thru;  $4 \times CV$ , Gate, Dynamics; Bender, Modulation, Aftertouch. Volume

Controls MIDI Channel Select, Assign Mode 1-3, Transpose, Hold, Clear, Tune, Mono. 2voice, 3voice, 4voice, Special Price RRP £275 including VAT

More from Roland UK, Great West Trading Estate, 983 Great West Road, Brentford, Middx TW8 9DN. 28 01-568 4578.



All Casio mini & orchestral keyboards, plus the CZ range of digital polysynths



sequencer at just £895 and £245

#### YAMAHA PS35 & PS55

Special package deal on these two popular keyboards. Please phone for details.



Few left at £699

ROLAND JX-8P - now rapidly becoming

### YAMAHA

The complete range of Yamaha Portasound mini & orchestral keyboards including our two firm favourites - the MK100 multi-programmable mini keyboard at £279 and the superb PS6100 orchestral keyboard

with MIDI at £949





#### **ELECTRIC** PIANOS

The full range of Roland contemporary keyboards including the new HP100 with MIDI Also, the fabulous Yamaha Clavinova range, the latest YPR6 & YPR8 portables & the Technics PV10 digital keyboard at £699 including case & stand



ROLAND TR707 In our apinion, this is the best value for money digital drum machine on the market. 64 rhythm patterns can be stored and rhythm chains of up to 999 measures (in 4 tracks) can be programmed. Simple to program in both step and real time, and features include MIDI, and 'shuffle' & 'flani' effects.



Special clearance offer on DX9's. A genuine chance to own an FM digital poly at half the price of a DX7! Limited quantities only at just £695.

Yamaha CS01 micro-mono synth, an ideal starter model running on both mains and battery. RRP £189 Now only \$115 including headphones. Always in stock – the ever popular DX7 Coming soon – the new DX21 poly please phone for details

3/5 KINGS RD SHALFORD Nr. GUILDFORD SURREY GU4 8JU Tel Guildford (0483) 570088





nsonia MIRAGE

jouthern Music

40-41 CASTLE ST., BRIGHTON, SUSSEX 0273-733387/770507

**CREDIT FACILITIES AVAILABLE** 



# 4) isher DERBY LTD.

SALE NOWIN FLIGHT

### but hurry - it won't last for ever

KORG POLY 800	special new low price £4*5
	to low to print the full price
KORG DW6000	special new low price £6*5
	to low to print the full price
KORG EX800	£299
KORG DDM110	
KORG DDM220	
KORG KPR77	
KORG MM25 monitor amp	
KORG EPS1 piano/strings	
YAMAHA CP25 piano	
YAMAHA KS50 powered monitor com	bo£175
YAMAHA KS100 powered monitor cor	mbo £275
STUDIOMASTER 8-4 mixer	£499
STUDIOMASTER 6-2-1 mixer	£299
CASIO CK500	
CASIO CT6000	
SEIL MK900	£299
SEIL DK80	£625
HOHNER PIANET T	£159
BOSS DR110 rhythm unit	
TAMA TECHSTAR ELECTRONIC KIT	
CACTUS ELECTRONIC KIT	
0,10,100 EEE011101110 1(11	

### KORG MIDLAND MAIN DEALER

now only do we offer the best known prices on all KORG products but we back it all up with professional demonstration, expert advice during purchase and after plus a full repair sevice - all the latest goodies now available for demonstrating and buying.

Almost the full range in stock at discounted prices



77-79 OSMASTON ROAD, DERBY TEL: 0332 48156 ACCESS - VISA - MAIL ORDER - INSTANT CREDIT **CLOSED WEDNESDAY** 

# ANDKICKING



Tim Lever is the man who's added a high technology ingredient to Dead Or Alive's pop-funk cocktail—and set them on the road to commercial success. *Tim Goodyer* 

fter five years, countless personnel changes and two albums on a major record label. Dead Or Alive have finally managed to establish themselves as an unignorable part of current pop. With singles 'You Spin Me Round (Like a Record)', itself a number one, and 'Lover Come Back To Me', they've achieved what their cover version of KC's 'That's The Way (I Like It)' only threatened to do last year. As I write this, the

third Youhquake song to be turned into a single, 'In Too Deep', seems set to repeat that success.

The band's only remaining founder member is singer Pete Burns, previously with Liverpool's Mystery Girls along with Julian Cope and Pete Wylie. However, the normally outspoken Burns is presently engaged in a period of complete media silence following some unfortunate misrepresentations in the

weekly music press, leaving the rest of the band to speak for themselves.

The keyboard side of the operation (and, judging by *Youthquake*, now the most significant instrumental one) is in the capable hands of one Tim Lever. He professes not to be a keyboard player at all, but rather a member of the growing breed of 'programmers' whose work is only made possible by the ever-increasing sophistication of sequencers and

AUGUST 1985 E&MM

their associated gadgetry.

'I'm definitely not a keyboard player. I thought everyone would know that I wasn't. I'm a programmer. It's only pieces of equipment that enable me to be a group member. In the set we're playing live now, there are only two songs where I'm playing keyboards all the way through — I'm doing quite a bit of guitar as well. On the last tour I had aspirations of being a keyboard player, but I feel I've come to terms with reality a bit now.'

He gestures towards a tired but nicely-intoned piano that happens to be sharing the interview room with musician, journalist and Walkman. 'If you opened that up and asked me to play two chords I *could* do it, but I'd take five minutes to change between them. I know what I want in my head but I'm not quick enough to do it with my hands. But I can do it with a sequencer – no trouble at all.'

Now, Lever isn't the first to admit to a lack of dexterity and proffer technical expertise and a musical ear as alternative justification for his endeavours. Vince Clarke's been doing it for years, after all. But how does he view the two vocations' relative merits?

'I think it's quite a skill being a programmer; you certainly need a lot of patience. I find quite a lot of the time that the better keyboard players are with their fingers, the less they work with sounds and effects. You can use your sequencer to do things that you couldn't play with your hands – and an awful lot of work went into programming the sequences before this tour.'

More history. Having evolved from hard, electronic funk, through Boystown to rest somewhere between the two, the current Dead Or Alive sound retains the hectic sequencer lines of yesteryear whilst embracing a far greater degree of popular accessibility than before.

The tour that accompanied the band's first album release, Sophisticated Boom Boom, in 1984, was heavily dependent on backing tapes – a situation that led to a row with Channel 4's The Tube. A year later, computer technology has relegated tape to the substitutes bench, yet the Tube controversy continues to rage...

'Before we were using an eight-track with the bass drum and a few "unplayable-by-human" sequences on it', recalls Lever. 'We've never hidden the fact that we used tapes on the first tour – we openly admitted it. But in the end I said to the band: "There are ways and means of doing this without using tapes." Now we're using the Yamaha QXI – which is an eight-track sequencer – linked to the TX816 rack and a couple of OSCars. On paper it's more or less the same system as before, but it means there's much more chance of things going wrong – and that makes me a lot more scared on stage.

'The people on *The Tube* were just being vindictive. They've had loads of bands on using tapes: Divine, the Frankies' stuff, even the first Go West one. The other day we were watching a *Tube* compilation on video and some of that stuff was *completely* mimed. Now they've even asked us to be on the *Midsummer Night*'s *Tube*. I don't know how anyone can have that much gall – having rung up the gutter press about something like that. It's a bit of a joke really, so we've turned it down. It wouldn't matter if the programme actually meant much, but it's nothing now.'

But all this surely raises the question: why bother to use tapes in the first place? By their very nature, they limit the arrangement and running order of a set, and they're notorious for changing speed (and consequently pitch) just when you don't want them to: halfway through a performance. They're also frighteningly susceptible to accidental damage.

'At the time of the first tour there wasn't any way we could have done it without tapes. Now we can do it with MIDI and the QX1. No keyboard player in the world could have played the fast sequences. It's a machine, it sounds like a machine, and it's meant to.

'There are also quite a few other advantages to using the QX1. If you're not happy with a particular sound you can just reprogram it and



change it, whereas once it's on tape it's not so easy — you have to go back and rerecord everything. You can change tempos without the pitch going up and down, and you can change the set round every night without too much trouble.'

Yet despite its considerable impact on the world of electronic musical instruments, the MIDI standard is not without its critics. It's frequently accused of being too slow – largely by the computer contingent – but Lever leaps to its defence with enthusiasm.

'For someone like me, MIDI is unbelievable. A lot of people have been moaning about it being slow, but it's a godsend to me. Its capabilities far outshine any problems it might have.

'The way I got into keyboards wasn't by being able to play, but by having the facility to mess around – having a drum machine and taking a trigger out, experimenting like that. For years I was buying synths like Oberheim OB8s. I had all these ideas that I wanted to try using the triggering facilities, but I had to keep getting everything updated. Now, with MIDI, everything's great.

'In fact, the first system I bought was the Oberheim system – OB8, DMX and DSX – which was great because you only had to use one lead to connect them together; before that it was Microcomposers and leads everywhere. The problem with the system approach was that you couldn't use the DSX with anything but the OB8, which was obviously limiting.

'I love the OSCars, especially for the money. We're in a position where we can go out and buy almost anything we want, but I like the idea that you're getting value for money, and that what you're using is accessible to most people. The sounds the OSCar gives are great and they particularly suit our sort of music; it's a very aggressive sound.

'The DXs are quite the opposite. They're great at imitating acoustic sounds. Play one through your hifi and it might not sound all that accurate, but put it through a 20K PA rig and it sounds mighty impressive. I think it would be a bit monotonous using just the DX7 sounds on the TX816, so that's why we use the OSCars for all the bass lines and sequenced stuff.'

And the future of Lever's keyboard setup? 'Our producer has an Emulator II and I was going to buy one of those; then I was tempted to go out and buy a Mirage, but it's all

changing so *fast* at the moment. I'll probably get the OSCar Advanced Sound Generator when it comes out. The idea of having a polyphonic OSCar really appeals to me – I'm well into that!'

Listen to a Dead Or Alive single over AM radio and you could be forgiven for thinking reproducing live would be a low-tech, unsophisticated affair. Nothing could be further from the truth, as your reporter discovered.

The QX1 forms the basis of all the live arrangements, being in control not only of a large part of the keyboard work but also of a Yamaha RX11, which provides the bass drum and one or two other percussive oddments. The rest of the drumming is taken care of by Steve Coy, who's recently taken to sitting, rather than standing, behind his Simmons kit.

'It's only really the bass drum that's off the RX11, the rest of it is Steve's SDS7 – which is really great. It makes sense to us to have the bass drum sequenced. We started off with the complete kit playing, but when a song has a solid, repeating sequence, it sounds a lot better to have the bass drum off the drum machine. Most of it's straight bass drum all the way through, but Steve's got the Simmons bass drum on a pad instead of on the floor – the bass drum pad is set up just for show – so it's there if he needs it. It works really well.

'He's doing all the hi-hat work now, which is more than he used to do. On the last tour he was just doing percussion with the Simmons toms, but he's gradually introducing more and more of the kit. And it does sound much better now, much more *alive*.'

Things haven't always been this easy, though. Dead Or Alive have travelled a long and at times troubled road to stardom, though strangely, the many line-up changes the band has experienced have seen Lever join twice. When Burns and the rest of the original group recorded their first demo, Lever was there, playing keyboards, even though he left soon afterwards. Joining him on the long list of departures is the name of Wayne Hussey, now with the Sisters of Mercy. Hussey was responsible for writing a fair proportion of the Sophisticated Boom Boom material – Lever was responsible for none. Now the writing is divided equally between the foursome.

'A lot of the material was kicking around for years and years. Then the deal arrived and we wanted to use the old material', Lever remembers.

'I'm much happier now, being involved right from the start. At first it was like being a session musician, especially as a lot of the early songs weren't dance songs at all. That was one of the problems with the first LP: trying to turn the songs into dance songs, which some of them weren't originally.

'When we write songs, we don't usually write from a tune – we write from an idea for the production and work the song around that. Right from the start it's very much a joint effort, and we write very quickly. We've got a little setup that's really easy to write with: we go into a little rehearsal studio and set the drum machine up to trigger the Wave or the OB8 so that if you hold a chord down it'll just play. Then anyone that's in the room can mess around and, although things might go a bit wayward on the notes, the rhythms are OK.

'We can write an LP in about two weeks; ⊳



> that's what we did with this one. Then we think about the production again and go away and do the programming in the eight-track studio we've got at home.'

Clearly, the band have formulated a writing system that's open and flexible without ever getting overcomplicated or difficult to work with. It's a success, and it also means songs can come about in the most unlikely ways...

'The idea for 'In Too Deep' came from starting another song's sequence from a point

Programming is quite a skill. The better keyboard players are at using their fingers, the less they experiment with sounds and effects.

other than the beginning, so it was going back to front. But that's the exception, not the rule.'

Still, after such an unpredictable start – and a chequered history that doesn't exactly brim with consistency – how stable is this particular incarnation of Dead Or Alive?

'Very stable. This line-up has been together for at least three years now. It works well and I don't really see any point in changing it.'

But change it they have - albeit only for

live work. The two-man brass section that accompanied the band on the '84 tour has been replaced by no fewer than seven additional musicians this time around. Between them, they not only manage to produce an excellent live sound – they also succeed in reproducing the elaborate vocal arrangements that grace *Youthquake* with such colour. This is due to five of the seven being backing vocalists: three men and two girls.

'We've also got Chris Payne on keyboards and Russell Bell on guitar – both from Gary Numan's band', Lever affirms. 'We used brass players before, but now I've programmed it because it's only on two songs and it isn't worth taking a brass section out just for that. It sounds OK.

'Chris is playing an awful lot of grand piano in the set using a Yamaha electric grand. He's also using our PPG Wave, which is an old one with hundreds of jack plugs on it from the updates we've had done, and a Juno 106 which is really good for live work because you can throw a sound together so quickly. And it's really good for the money!'

From concert stage to vinyl record. Sophisticated Boom Boom was an album with a decidedly hard edge to its production. The tracks were sparsely arranged, and designed to play almost as a single track across each side of the record. Come Youthquake, this aggression has been tempered with the softness of greater sensitivity as well as the cushion of commercial training.

Not surprisingly, the change in sound was accompanied by a change in production credits, Zeus B Held giving way to Mike Stock, Matt Aitken and Pete Waterman, the trio behind Divine. Was all this a deliberate move, or merely circumstantial?

'We realised we were going through a period of change so we didn't put anything out until we'd finished the LP. We also wanted a different sound and when we heard Divine's 'So You Think You're a Man' we thought: "We'll have them!" I think Divine had a lot to do with it.

'We've definitely achieved what we set out to, but it's difficult to explain just what that

'With Youthquake we've definitely set out to achieve what we wanted to, but it's difficult to say exactly what that is.'

is. We wanted to keep it hard and aggressive like the first LP, but that record didn't capture the nicer, smoother pop sound that we also wanted. We were very naïve when we did the first album; it came out sounding how we wanted it, but after a while we realised it could have done with something more.'

It's apparent from listening to the album that the Fairlight, once again, has managed to get in on the act. Just how extensive its participation has been isn't quite so readily apparent, however.

"We did a lot of preparation for the LP, writing programs for the sequencers and such, with the idea that we'd just go in, say "we want a sound like this", and we'd be away. But we also wanted to use a lot of Fairlight and the one we used, Pete Waterman's, didn't have MIDI, of course.

'What we ended up doing was converting all the programs we'd got for the MSQ700 to Page R on the Fairlight – which was surprisingly easy to do. Then, halfway through the recording, we heard the Emulator II. It had MIDI, which was great, and the sampling on it was actually better than the Fairlight. So we got one of those and the ADSR didn't work with our sequencer. It was murder.

'So in the end we did 90% on the Fairlight and used the Emulator for manual stuff.'

But long-players aren't the only item on the Dead Or Alive production agenda. Seeing as a large part of their public is to be found on the dancefloor every Friday and Saturday night, the band simply can't afford to ignore the 12" single.

'I have great fun doing twelve-inch mixes. One of my favourite instruments is reverb; when you do a seven-inch mix you've got to think about the radio, but when you do the twelve-inch you can go really over the top.

'I also like to have one or two OSCars lying around when we're doing a mix – to use for effects. You can trigger it straight off tape using the hi-hat or bass drum and get some really good effects.

'I think twelve-inchers are a good way of developing music. Often, they bring about new production ideas that appear three months later in the seven-inch charts, so for me they represent the front line of development, if you like. I don't know if they're a valid musical form, but they're good fun.'



# MICROSOUND DISITAL TUSIC SYSTEM

# THE FIRST PROFESSIONAL DIGITAL SAMPLING SYSTEM FOR THE COMMODORE 64

### SYSTEM SPECIFICATION

### Sample recording

User definable trigger level, trigger delay, input filter level (bandwidth 4–15KHz), and sample rate (4–33KHz).

Real time bar graph display of input level with clipping indicator.

#### Sample editing

Mix, reverse, loop or delete any part of the sampled sounds. The full 40K sample memory displayed on one screem, complete with two sets of start/finish pointers and the edit cursor.

Select any section of memory for the storage/playback of samples.  $% \label{eq:storage} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{$ 

### Sample playback

Via Microsound 64 keyboard. Envelope/LFO control of amplitude, LFO rate controlled in real time by the keyboards slider control.

Programmable output filter level and looping on/off function. Samples played back over the full 4 octave range with no distortion.

Split keyboard facility allows all the aformentioned functions to be programmed for EACH half of the split.

Via QWERTY keyboard. All the above except LFO modulation. Via MIDI. As QWERTY but with programmable MIDI channel allocation.

### Sample storage

The 40k sample area can be saved directly onto disk along with all the user defined variables set up in the program (eg. envelope levels, filter levels etc.) This allows the sounds to be loaded and played back exactly as they were set up originally. Files may be deleted if necessary.

A catalogue of the sound files on the current data disk is also displayed.

### Hardware

A robust, compact unit measuring just 230  $\times$  120  $\times$  35mm. Built in MIDI interface for the reception transmission of MIDI data.

Pre/de-emphasis circuits to eliminate quantitisation noise. Programmable 24dB anti-aliasing (distortion) low-pass filter, bandwidth variable between 4 and 15KHz.

Digitally controlled output amplifier for real time envelope/LFO modulation.

Input amplifier with adjustable input level, suitable for mic or line signals.

Output volume control and power on off switch.

Power supplied either by battery or optional AC adaptor. Connection via COMMODORE 64 cartridge port.

System described above (excluding keyboard) ONLY £299 inc. VAT and P & P

7 days money-back guarantee Dealer enquiries welcome Microsound 64 keyboard and SiD-based polysynth software (still the best available) NOW ONLY £149 inc. VAT and P & P

Microsound Ltd., PO Box 14, Petersfield Hants GILD THS Left U.S. 87403

At last, a professional amplifier at the right price. It could only be brought to you by Studiomaster. Renowned for cost conscious mixing desks, Studiomaster amplifiers are made to the same exacting standards.

Both the Mosfet 500 and 1000 are designed to work harder for longer. Delivering high powered sound, whilst eliminating distortion.

The compact 19" size, makes Studiomaster Mosfet amplifiers the practical choice, whether on the road, or in the studio.


You'd do well to make a detour to your favourite studio store, to check out the sound. Or get in touch with Studiomaster direct.


Chaul End Lane, Faircharm Trading Estate, Leagrave, Luton, Bedfordshire, Tel. (0525) 221331






# GRAPHICALLY Yours









The writers at SIEL's software lab have been working overtime to come up with two new MIDI packages. The first is a DK editing package with dramatic graphics, the second a complete patch memory database.

Trish McGrath

sing a home computer to edit parameters on a synth is an unexpected, but very welcome, spinoff of the MIDI revolution. At a time when every new polysynth is coming equipped with a digital parameter access system, any means of giving musicians more programming information is a real godsend.

SIEL were among the first to realise the potential of putting a synth's parameter system on a computer screen, and their Expander 6 editing package was impressive enough to give a good many doubting Thomases a nasty shock as to what MIDI was capable of achieving. A year later, they're offering the Graphic Editor as an almost irresistible temptation to Commodore 64 owners and their DK.80 polysynths. It's available on either disk or cassette, and has broadly the same hardware requirements as the Data Base package reviewed later on.

Once loaded, the program displays an Options Menu housing such goodies as Panel, Load, Save, Free, Play, Chord, Old

Setting, New Setting and End of Job. All selections are cursor-controlled by way of moving a curious representation of the SIEL logo around the screen and pressing Return (or 'fire' on a joystick, if you have one) when it's hovering over the required option; a highlight line confirms your selection. While this system worked well enough in practice, having to play *The Golden Shot* every time I attempted a selection wore on my patience eventually. I also can't help thinking that if SIEL's cursor was a little smaller and simpler in composition, it wouldn't take so long for the Commodore to tell it to move around—as things stand, it's a decidedly sluggish little beast.

Anyway, from the main menu you can Load one of the DK80's programs, while Panel displays the parameters of the chosen sound in glorious technicolor. Seeing as the DK80 is bitimbral, the two timbres are presented in different colours side by side, which is rather neat. And you have to commend SIEL on the way they've managed to cram all the

synth's parameters (it isn't the world's simplest polysynth, remember) onto one screen — even if they are a little difficult to read at times.

Options on the Panel menu comprise Menu, Help, Play, Chord, Graphic, Old Setting, and New Setting, apposite titles all.

Selecting Play instructs the program to play a monophonic sequence (entirely separate from the sequencer in the DK) when you hold the Return key down, while Chord triggers a chord sequence. Both these options are designed to let you hear the sound you're creating without having to play the keyboard, which is pretty smart.

To begin editing the sound you've loaded, you simply select a parameter with the wandering cursor and press Return. This displays the current value, which you can then alter using the  $\pm$ -keys. That's all utterly simple and logical, but SIEL have incorporated a few extra niceties to make life easier still.

Selecting Hellp and one of the eight parameter blocks, for example, presents you with an explanation of what each parameter does. Useful when you can't quite suss out the screen display, or you're suffering from mild amnesia.

More useful is the Graphic option, which allows you to zoom in on modules such as the VCA and VCF envelope sections, and the DCO rectangular waveform. The waveshape diagrams change in real time when parameters are edited, and you can also obtain a visual representation of the DK80's split points in Graphic mode, with two keyboard displays, and a white area that denotes the 'playing' section.

Editor 'You have to commend SIEL on the way they've managed to cram all the DK80's parameters onto one screen.'

Apparently, split points can also be edited from this screen by the usual system of cursor movements and Return key presses – but the review program thought otherwise.

And so to the Old Setting option — and a bit of a bug. As you've probably guessed, this option lets you compare your original sound with the edited version, and is selectable from any screen display. Once it's selected (and you've waited patiently for a few seconds), all the parameters change accordingly and the highlighted line swops to Old Setting. However, dare you lack patience and press the Return key twice, the parameters will change once - and then again a few seconds later. No harm in that, you might think, but the fact that the program doesn't return the highlighted line back to the New Setting means that the edited parameters on display end up being labelled 'Old Setting'. Unhelpful, confusing, and generally a bit of a mess. You can redraw the graph simply by reselecting the highlighted option (which shouldn't be allowed to happen either, to my mind), and could probably avoid the situation altogether by being reasonably alert in the first place, but I do hope Siel consider a bit of software rewriting in this area. At the moment, we're left with another example of human beings - and journalists in particular - not being competent enough to make proper use of a computer's supreme intelligence...

As for the remaining options, these include S a v e (for writing your fully edited sound to memory), Free (for creating a sound from scratch), and Endof Job (for returning the Commodore to power-up mode)

In essence, the Graphic Editor is a bold attempt at counteracting the ergonomic limitations inherent in digital access synths. It's questionable whether a system as slothful as this will ever make for *speedier* sound-changing, but one thing is certain: editing this way is a lot more rewarding than struggling blindly through the DK80, with just a two-digit LED window to guide you on your way. And with a number of excellent (just look at the pictures) array of graphic displays, using this package means you're a lot more likely to make the *right* changes first time, which makes things a lot less laborious. If you've ever felt frustrated at the hands of your digital access DK, you'll need some willpower to resist splashing out on the Editor.

ust as the programmable synth put an end to the arduous task of memorising patch changes for regurgitation during a live performance, so the home computer and the MIDI are conspiring to put an end to the task of filing heaps of patch chart information. First indication that this is taking place is SIEL's Data Base package, a computer-assisted filing system that allows storage and manipulation of a MIDI synth's program memory.

The idea behind the program is simple enough: given that just about



every MIDI synth is capable of sending patch-change data out of its DIN sockets, there's no reason why the information from several machines couldn't be pooled into some central reserve of synth voices. Once that's done, the lucky MIDI system owner can order the voices into 'families' for particular sets of applications.

The SIEL software should work with any MIDI synth with the exception of the Yamaha DX series, though Casio synths remain uncooperative until you give them the opportunity to have an initial conversation with the host computer before releasing data. If at all possible, assemble your own setup in the shop and rest easy.

In total, hardware requirements are a suitable MIDI synth, Commodore 64 and disk drive (or cassette machine), SIEL MIDI computer interface, TV or monitor, and the necessary leads for connecting them all together (that's when the fun starts). Preparation consists of enabling two-way MIDI communication and disabling the memory protect – if you have such a thing – on your synth.

Under test, the Data Base loaded from disk in a respectable 100 seconds, and offered a main menu of options comprising Family Operation, Sequence Operation, Disk Operation, Clear Data Base, and End of Job.

What do they all do? Well, Disk Operation is the menu whereby the database currently residing in the computer's memory can be saved to disk, and a previous database recalled for use or further editing. It also encompasses housekeeping functions such as erasing a stored database and displaying the disk directory. Clear Data Base simply clears the current data and presents you with a blank database from which to work, while End of Job clears the CBM64 of the Data Base program and returns it to basic power-up mode. Sensibly, these latter two options require you to confirm your intentions before you can wipe the boards clear.

As for the test synth, I played safe and opted to use the ultracompatible SIEL DK80 poly, which was immediately set to work on the Family Operation. This option allows you to store single

**Data Base** The Family option allows you to store single voices for filing into as many as 32 groups of sounds.'

voices for filing into up to 32 groups of sounds, or 'families'. Most obviously, these families can be piano sounds, brass sounds, or whatever sort of sound you're working on at the time. But as with all database programs, the choice is yours as to what a family should represent. So you could, for instance, file all the sounds needed for a particular song as one family.

The Family Directory lists the groups, and allows you to Edit, View or Exit to the main menu. Selecting either View or Edit for a particular family moves you into the Program Directory for that group of sounds. This is neatly headed up Name (eg. Hellish Row, YMO Ripoff), Keyboard (reminds you which synth the sound belongs to), and Family.

Select View and you can choose one of the sounds and download it from the database to a specific program number on your synth. Edit, meanwhile, gives you the freedom to Insert (or add) another sound program into the family, Delete a sound, or Rename it

(though you can't rename a sound if the new title already exists elsewhere). And when you've built up 16 sounds in a Program Directory, it simply starts another page for you to carry on up to an overall maximum of 250 sounds.

Thoughtfully, SIEL have provided the means to scroll page by page in View mode, though why it wasn't considered necessary in Edit mode is beyond me.

Using the Family part of the database is simplicity itself. Onecharacter key presses select a new option, a white highlight line homes in on a sound for deleting or renaming, and the f1 and f3 function keys serve to move this line up and down as required.

Niggles? None really, though I'd have found a search facility really useful in helping to locate a specific sound post haste, and a method of printing out program directories wouldn't have gone amiss, either.

That just about rounds up the filing of single voices within the database. But what if you need to download whole banks of voices in one swift swoop? Well, luckily for you, the Sequence Operation bit of the package is designed to do just that. So, make your way back to the main menu, enter the Sequence Directory, and...

This part of the Data Base is designed to combine files from the Program Directories in desired sequences, thus allowing your synth's memory to be reprogrammed at any time. You could be forgiven for thinking you can do this anyway, what with being able to store the memory's contents on cassette, RAM packs, or whatever your instrument can manage. The difference the Data Base makes is that it doesn't limit you to having to replace and overwrite the existing memory in its entirety. In fact, you can simply replace, say, all the oddnumbered programs in one go, leaving the even-numbered ones intact.

How does it work? Basically, you name a new sequence (with maybe your synth's name or a song's title), enter Edit mode, and get given the option to Insert, Hole, Delete or Exit. Insert presents you with the Family Directory for you to Choose from, which in turn asks you to specify a particular sound from the group for inserting into the sequence. This, in the meantime, is counting the sounds from zero upwards. However, Offset allows you to renumber sounds, so that if you want to, say, download eight sounds to a particular bank on a synth, you can offset the sequence to store from program number 09 onwards, for instance. And if you want to keep one

or more of the programs in that bank intact, Hole allows you to miss out that number when saving to the synth's memory.

Once your sequence compilation is underway, you can insert new sounds at any point (further sounds are renumbered automatically), and Delete a program by homing in on it and pressing the Big D on the

When it comes to storing the completed sequence in your synth, you've a choice of downloading manually or automatically. Some keyboards will only accept programs one at a time (in which case you press the space bar manually for each sound), while others can receive complete blocks of sounds.

One unexpected bonus is that, since all this option involves is manipulating patch numbers already held in a family memory, you can put patches into order without a MIDI keyboard in sight. If you've ever suffered an attack of just-before-gig change of heart, you'll know just how helpful such a provision can be.

Finally, the program's disk options let you save your various databases to disk for posterity.

So, a well-conceived and user-friendly software package that succeeds in relieving the software reviewer's boredom, as well as getting something really novel out of the MIDI standard. If you've got the hardware, you'll find it hard to resist.

#### E D Ι

### SIEL DK80 Graphic Editor; MIDI Data Base

Format 51/4" floppy disk or cassette

Hardware Requirements Commodore 64 or SX64 micro, disk drive or datasette, monitor or TV, SIEL MIDI Computer Interface, 2 MIDI cables Prices DK80 Graphic Editor £54; Data Base £39; MIDI Computer Interface £79. All prices inclusive of VAT.

More from SIEL UK, Ahed Depot, Reigate Road, Hookwood, Horley, Surrey, RH6 OAY. & (0293) 776153/4.


# Lost your voice...

...amongst all those similar mass produced synthesisers? Are your recordings and live performances suffering a lack of identity? Now there is an alternative.

The Polaris design brief was Sound, and guided by the likes of Herbie Hancock and Joe Zawinul the Polaris engineers have succeeded in creating a keyboard free from dull, muffled, hissing mediocrity. Sound explodes from Polaris. It's brighter, richer and more lifelike than instruments five times the price.

You might think that the sound has been achieved at the cost of specification. It hasn't! Polaris includes a velocity sensitive variable split keyboard, onboard performance data MIDI sequencing, layering, variable MIDI clock, 132 memories.... we won't bore you: the list is endless, largely because, at its heart Polaris has the 16 bit Intel® microprocessor, an intellectual giant which dwarfs its competitors.

But sound is the musician's first consideration and sound is Polaris' most important specification. The main effect will be on your music.



# Aural Excitement CHROMA Polaris



For details of your nearest Polaris sales centre, write to: Arbiter Musical Instruments Ltd., Unit 8, Eldonwall Trading Estate, Staples Corner, Preistley Way, London NW2 7A4, Tel: 01-208 0022.

Carry out a great idea

...and get 10 free TEAC HDX cassettes worth over £20\*



Buy a Tascam Porta One, 244 Portastudio or 234 Syncaset before the end of August and we will give you ten top grade TEAC HDX new technology C90s absolutely free!

Offer closes August 31st 1985



# Porta One

The smallest professional quality 4-track mixer/recorder available: 10 track capability, 4VU meters, trim and eq on each input, dbx noise reduction, internal battery or mains operation – a truly portable Ministudio.

# 244 Portastudio

The original 'One-Man-Band' for serious 4-track home recording: 10 track capability, 3 motor cassette deck, 2-band sweep eq, electronic punch in/out option, dbx noise reduction, universal inputs, 4-digit fluorescent tape counter, pan pots and much more.

# 234 Syncaset

A 4-track mixer/cassette recorder, rack styled: 4x2 mixer, easy record/sync assignment, 4 VUs with peak LEDs, 2 motor cassette deck, pan pots, touch controls, 4-digit fluorescent tape counter, overdub, mixdown.

Actual SRP £23.80. TEAC HDX cassette tapes are specially developed to give higher output with wider response than other



AVON Radford Hi Fi Bristol 0272 428247 The Guitar Workshop Bristol 0272 742675 Duck Son & Pinker Bath 0225 65975 London Rock Shop Bristol 0272 276944 BERKSHIRE Slough 0753 42720 ABC Music

Sleugh 0753 822754 BUCKINGHAMSHIRE

Stix Peterborough 9735 52357 Cambridge Rock Cambridge Audio Service Stockport 0663 24244 Warrington 0925 32591 Secondgear Music CLEVELAND

Middlesbrough 0642 248345 McKenna Brow 0872 79809 CUMBRIA Northern Soun Work Ington 0900 4797 DERBYSHIRE

Derby 0332 48156 DORSET Christchurch 0202 473901

Poole 0202 730865 ESSEX ESSEX Tim Gentle Music Leigh on Sea 0702 72926 The Music Village 01 599 4228 Axe Music

GREATER MANCHESTER 061 480 3781 Heald Green 061 437 4788 A1 Music Manchester 061 236 0340 H W Audio Rotton

Bolton 0204 385199 Audio Services 06632 2442 HAMPSHIRE

Winchester 0926 65353 ortsmouth 1705 660036 Southern Ltd 11-13 Church St Southampton 0703 774433 ISLE OF MAN

Audio Visual Imports Dublin 0001 782288

0266 49616
KENT
Michael Stevens & Partners
Bromley
01 464 4157
Music Unlimited Gravesend 0474 23470 Canterbury Hi Fi Canterbury O227 65315 ESE Audio

ESE AUGIO Gillingham 0634 375421 Wing Music Sideup 01 300 3838 LANCASHIRE Blackpool Sound Centre

Scenic Sounds 01 734 2812 Music Laboratories 01 388 5392 The Turnkey Shop 01 637 1701 OUTER LONDON

West Earing 01 567 0212 Gigsounds Cattord 01 690 8621/2 London Rock Shop NW1 01 267 7851 Ibum 328 8448

1 558 2666 MERSEYSIDE NORFOLK Carlsbro Sound Norwich 0603 666891

NORTHAMPTONSHIRE

NORTHUMBRIA

Manshe'd 0623 651633 Carlsbro Sound 0865 725221 722027 Oxford Lights

Sound Control Edinburgh 031 557 3986 Hamilton Music Centre namiliton 0698 283325

roydon 11 681 3022 Kingston 01 546 9877 SUSSEX The Tape Shop Bnghton 0273 672781 Peter Bonner

Peter Bonner Eastbourne 0323 639335 Jaysound Electrical Bogner Regis 0243 826355 TYNE & WEAR J G Windows

J & Windows Newcastle upon Tyn-0632 321356 Audio Visual Seen & Heard Netvoastle upon Tyne 0632 325726

WEST MIDLANDS Norman H Field Birmingham 021 622 2323 Coventry 0203 25983 Jones & Cross Birmingham

empsters swindon 1793 35523 NORTH YORKSHIBE Ground

0904 29192 SOUTH YORKSHIRE Music Ground
Doncaster
0302 20186
Carlsbro Sound
Sheffield
0742 640000
WEST YORKSHIRE

Bingley 0274 568843 Erricks Hi Fi Bradford 0274 309266 Music Ground Leeds 0532 438165

iyi 45.51436

John Ham Swansea 0792 50968 Sound Centre Cardiff 0222 34018 Movement Audio Visual Phondida Iloveita. Ihondda 1443 433695 GWENT

Soundwave Cwmbran 0833 32501 CHANNEL ISLANDS GUERNSEY Soundtrack
St Peters Port
0481 22178
JERSEY
Sound Engineering
St Helier

# **TEAC Professional Division**

Harman Audio (UK) Ltd, Mill Street, Slough, Berks. SL2 5DD

# POWER Appraisal DOWN BELOW



No matter how many MIDI keyboards you have, you've still only got two hands to play them with. But invest in a pedalboard, and you can bring your

feet into the action, too, Malcolm Harrison



hereas guitarists have been stamping on various floor-mounted devices for years (leaving their hands free to actually play guitar in the process), keyboard players seem to have shyed away from bringing their feet into live performance action. Which is odd, because unlike a guitar's players paws, those of the average pro keyboardist are occupied doing knob-twiddling when not called-upon to tinkle the ivories.

We've seen plenty of pedals aimed at activating various keyboard performance functions (sustain, portamento and so on), but aside from Korg's MPK I 30 MIDI pedalboard, few designers have tried to force the idea of playing tunes with feet down keyboard players' throats.

Well, Midlands company Micro Musical are giving it a bash, with their own MIDI pedalboard that retails at a significantly lower price than its Japanese rival, and has the added advantage of being upgradable to a more complete specification as and when finances

The ML50 (as the new board is called) to come under the Harrison gaze was a preproduction prototype (hence the lack of proper labels on the pictured model), but by the time you read this, production models should be available. Basically, what you get is a 13-note pedalboard, the like of which you're probably used to seeing on spinet organs. This particular one is of Italian origin and, although plastic, seems rugged enough to withstand quite a bit of foot-tapping and/or lager spillage.

The basic ML50 model has just one button -Mono/Poly - which (wait for it) allows you to play the pedals monophonically or polyphonically, with the board taking over the lowest 13 notes of the connected MIDI kevboard.

But that isn't the end of the story, because an additional foot controller incorporates several other features including a MIDI

channel selector, an octave selector, and an added fifth feature. In other words, the sort of extra facilities that are more or less mandatory for professional applications.

The octave selector frees you from the lowest-octave restriction of the basic ML50;

> Facilities 'You can choose one from a selection of six octaves, so long as your MIDÎ controlling keyboard can receive note information over that sort of range.

instead, you get a choice of six octaves, so long as your MIDI keyboard is capable of receiving note information over that sort of range. MIDI channel selection is possible only between channels I and 5, which seems a bit odd when you consider almost everything that offers selectable MIDI channel allows you to switch between all 16 of them. As for the added fifth facility, this is something of a hangover from the organ world (for which I suspect the ML50 was originally conceived), as it gives you an instant fifth every time you put your foot on a single note.

Will the Micro Musical board make pro keyboardists take notice? Time alone will tell, but with prices as low as these, a lot of people aren't going to lose an awful lot just to give the system a trial run. And once you plug a pedalboard in, it's amazing what you can do with a free pair of hands...

# Ι

# Micro Musical ML50

Keyboard 13-note foot-operated. C-to-C Interfacing MIDI Out; Audio Out

Modes Monophonic or polyphonic; optional add-on module offers MIDI channel selection (1-5), octave selection (1-6), automatic addedfifth feature

Prices ML50 £199, add-on module £99. both VAT inclusive

More from Micro Musical, 37 Wood Lane. Shilton, Coventry, CV7 9LA. & (0203) 616760.



# LATIN LESSONS



Roland's TR707 has been a big hit in the digital drum machine stakes. Now a sister instrument, the TR727, adds Latin Percussion sounds to the company's vocabulary. If anything, it raises the standard further. Dan Goldstein

n industry, you can't keep a good idea quiet for long enough. You can do what you can to protect it against industrial espionage while it's still in the development stage, and in that you might be extremely successful. But as soon as you launch an innovative product of mass appeal, it's an odds-on certainty that your competitors will have something similar on the stocks within a few months.

This is what Korg have found, anyway. A

year ago, they launched a digital drum machine – the DDM220 – that went beyond the confines of conventional "kit' drum sounds by offering a range of less common Latin ones instead. The ordinary rock drum kit is far from dead, of course, so the company released a 'traditional' model, the DDM110, at the same time. But it was the 220 that musicians really took to, not least because for the first time, they had a means of introducing sonic variety,

not just the rhythmic kind, into their programmed drum patterns.

Back in Japan, Korg's arch-rivals Roland looked on aghast at the success of the little box of Latin tricks, and promptly set about designing a competitor.

Well, that isn't strictly accurate, because the machine they came up with, the TR727, isn't a direct rival for the DDM220. What sets the two apart from the outset is price. Whereas the Korg costs only a little over the £200 mark, Roland's newcomer is an altogether more upmarket device, with an RRP of £550.

It has a complement of upmarket features, too, like separate audio outputs for each voice channel, MIDI In and Out sockets, a cartridge storage facility, and an excellent liquid crystal grid display that makes pattern programming and editing a lot easier.

Like a large part of the 727's specification, that display is identical to the one on the TR707, Roland's kit-drum digital percussion machine. So, the new addition comes replete with 15 digitally-sampled percussion sounds, sequencing software that allows programming in both step and real time, a rhythmic hierarchy that involves the user in Measures, Patterns and Tracks (in ascending order of length), and the useful niceties just mentioned.

I need hardly tell you that Roland have had more experience in producing programmable drum machines than just about anybody. Their first was the CR78 Compurhythm, a preset device that had pattern-programmability tacked on as something of an afterthought. But in spite of employing an incredibly unwieldy programming system, the machine was usable, and it offered a vast range of (analogue) drum voices, from standard snare drums to more unlikely things such as bongos and maracas - just the sort of voicing, in fact, that Roland are offering again with the advent of the TR727. In the intervening period, the company concentrated on 'ordinary' drums, and produced some machines (the TR606 and TR808) that were as musically influential as they were economically accessible.

Early last year, Roland announced a successor to the 808 in the shape of the TR909, but by that time, its analogue sounds were wearing a bit thin in the face of increasing digital competition. In the event, it turned out to be little more than a stop-gap model, now being sold at what can legitimately be described as bargain prices.

It was the TR707, unveiled towards the end of 1984 but already a huge success across the globe, that signalled Roland's return to the drum machine fore. The reason for its success? A combination of some excellent digital sounds, and a programming system derived from that used in the 808 and 909 – and which was therefore familiar territory for an awful lot of musicians.

So now that Roland have followed up the 707 with a Latin Percussion variant, is their drum machine range unbeatable? In the strictest terms, yes — they're the only company offering upper-range, professionally-specified machines of both rock and Latin varieties in self-contained packages. But getting your hands on the Roland pairing is an expensive business, largely because of the amount of hardware and software duplication that exists between the two.

Now, if Roland were to follow the lead taken by the Americans (notably Sequential,

E-mu Systems and so on), they'd be able to offer a standard, dedicated drum machine for which additional sounds could be purchased at a later date and added to the overall system—that's a much more cost-effective way of doing things. But that's something they seem reluctant to do at present, which leaves musicians with the unpleasant prospect of having to buy another load of knobs, switches, sockets, displays, and sequencing software when all they want is relief from standard bass-and-snare backbeats.

Sounds 'Best of the bunch are the congas: all three of them are deliciously realistic...a real earopener.'

But enough of this petty criticism. The TR727 sounds *brilliant*. Better than the DDM220 (which you'd expect, of course), and probably better than the TR707, seeing as its samples suffer less in the way of quantisation noise and cutoff problems than those on the earlier, rockier version.

The bongos are smooth but forceful, the timbales nicely low-tech and rootsy, and the agogos crisp and delicate, though curiously, they lack sparkle by comparison with those on the DDM220. As for the referee's whistles that seem to dominate most of Roland's demo patterns, they sound pretty good too — though I can't see you're ever going to need three of them, especially when two are identical.

Best of the bunch are the congas, though. The 727 gives you three – a low one and a higher-pitched one in both muted and open varieties – and they're all deliciously realistic. If you're used to the drifting, half-hearted analogue congas on the TR808, these'll be a real ear-opener.

Part of the reason for the 727's sonic success lies in the fact that a lot of LP sounds aren't all that demanding in terms of sample length and bandwidth. When it fails, it does so because one beat of the instrument being recorded either lasts too long or has too wide a frequency response for the 727's digital memory to accommodate. Biggest offender here is the star chime, a voice of novelty and appeal that cuts off very abruptly. You're probably more familiar with it in real life as a mark tree, and it isn't the only oddly-named voice on the Roland's front panel. The other is the quijada, which sounds to me like an excellent recording of a vibraslap. Still, the former word is probably the more historically

No problems with the last two voices, though. In most people's percussion language, cabasas and maracas are just that, and when they're recorded by Roland and stored digitally within the TR727, they sound uncomfortably close to the real thing, too.

Apart from the differences in voicing and a new colour scheme that sees the 707's trad orange replaced by a pleasant mid-blue, there's little difference between the two machines. Where the 707's spec lets it down, the 727's does likewise. And where the 707 is brilliant, the 727 is equally praiseworthy.

Briefly, the good points are the LCD

graphic (with the exception of Simmons with the SD\$6, Roland are the only company to have achieved something as detailed without resorting to an external computer), a wellspecified rear panel, and a versatile programming system that lets you combine real- and step-time recording within the same pattern. The sockets that really make the difference are MIDI In and Out, which receive and transmit the MIDI clock as well as allowing you to play/program the 727's voices from the keys of a MIDI keyboard; tape sockets that let you save patterns to cassette and sync the machine to a clicktrack on a multitrack tape recorder; the Roland-standard Sync 24 connector that lets you marry a 727 up to a more aged device like an 808 or 606; and the individual voice outputs already mentioned. There's a fair bit of debate currently circulating round the industry's system as to the value of separate outs for drum voices. Personally, I reckon they're priceless. If there's a couple of sounds that need a bit of tweaking, no amount of onboard facilities is going to give you the width of options provided by a well-loaded 19" rack. By comparison, a built-in overall stereo output (such as that provided by the 727 and a lot of other machines in the same price category) isn't nearly as worthwhile, since if you've got the facility to reproduce sounds in stereo, chances are you're able to route them individually through a mixer as well, panning them, EQing them, and putting them through outboard effects units as you go.

What does the new Roland do badly? Not much. Its main drawbacks lie not so much with what it does, but with what's been omitted from its specification. Certainly, its programming facilities lack the imagination of something like Sequential's TOM, and it doesn't offer anything like a reasonable amount of voice-adjustment features. You can't tune the pitch of individual voices, and neither can you apply voice-selective accenting — there is an accent facility of variable degree, but if you apply it to a certain beat, all the voices programmed on that beat are accented by that degree.

Opinions vary on the user-friendliness of Roland's programming system. If you're used to it, the LCD window of the 727 will make life easier still. If you aren't, you might find it takes a bit of time before you're really writing patterns freely.

# **Operation**

'Programming Latin rhythm patterns isn't nearly as straightforward as performing the same job on a rock machine.'

One related problem (and one that took me by surprise) is that programming Latin rhythm patterns isn't nearly as straightforward as performing the same job on a rock machine. Most people have some regular method they adopt when programming a rock drum pattern: either they start with the snare, the hi-hat, the bass

drum, or whatever. But such considerations are swept aside the first time you come up against a machine on which all the instruments are of a 'peripheral' nature. You can't exactly start building a rhythm pattern with a whistle — long, short, or otherwise.

Admittedly, the size of the problem is dependent on whether you've got a concrete idea in your head of what you're trying to achieve. It's also eased considerably if you're using the 727 in conjunction with a conventionally-voiced drum machine. But make no mistake, 'jamming' with a Latin box is a much riskier business than powering-up a bass-and-snare machine and inputting the first thing that comes into your head.

To conclude, I have to admit the TR727 is huge fun to use — even if Latin Percussion voices aren't 100% to your taste. Most of the sounds here are impeccably reproduced, and once you're over the 'where do I start?' programming dilemma, writing patterns is a real doddle. And that's true regardless of whether you're using the 727 to complement a traditional drum machine, or whether you're intending to use it solus.

I also have to admit that from an economic standpoint, the Stateside convention of letting the musician buy add-on voice cartridges is a good deal easier on the wallet. But it has its drawbacks. For one thing, it assumes that you want a conventional drum machine in the first place, and for another, it still precludes the simultaneous onboard programming of both internal and external voices. In a lot of cases, anyway.

It's to Roland's credit that their sloth in adopting ROM cartridges for additional voices hasn't been matched by a reluctance to offer storage of rhythm patterns on plug-in RAM. Because like its more conventional sister, the TR727 has a built-in slot that accepts MC64C RAM cartridges, which has to be good news for anybody fed up with dumping a whole gig's worth of rhythm patterns onto the far from dependable medium of cassette tape.

I doubt that the TR727 will sell in numbers that even approach the total achieved by the 707, but if it adds a bit of spice to what musicians can get out of today's rhythm technology, it'll justify Roland's decision to launch it in the first place.

## DATAFILE

## Roland TR727 Rhythm Composer

Programming Real and step time
Drum voices 16: Low & high bongos; low, high open & high muted congas; low & high timbales; low & high agogos; cabasa; maracas; short & long whistles; quijada; star chime Memory 64 patterns of 16 beats each, arranged in 4 banks A-D; 4 tracks (1-IV) of dynamically-assignable memory can hold chains of up to 999 measures; optional M64C RAM cartridge has 2 machine's worth of

memory arranged in 2 banks
Interfacing Right/mono & left master outputs;
headphone output; 10 individual voice outputs; 1 trigger output (agogo channel); MIDI
In & Out; Sync 24 In/Out; Tape Save/Sync
Out & Load/Sync In

Dimensions 380(W) x 75(H) x 250(D)mm Weight 1.5kg

Price RRP £550 including VAT

More from Roland UK, Great West Trading Estate, 983 Great West Road, Brentford, Middx TW8 9DN. 88 01-568 4578.


# SIGHT READING

Strange though it may seem, E&MM can't tell you all you want to know about music technology. Four new specialist books – of very different applications – have been published to fill in the gaps.

Dan Goldstein & Simon Trask

he four books under review here don't actually have much in common. Sure, they all set out to provide illumination on the subject of music technology beyond what the monthly magazines have the time, space or obligation to do. But during the course of this review spot, we'll be going from a general, academically-oriented history to a synth buyers' guide aimed very much at the consumer — with a couple of home computer tomes in between.

Books on the history of electronic music aren't exactly thick on the ground (Paul Griffiths' rather dry *Guide to Electronic Music* and Andy Mackay's glossy but thought-provoking *Electronic Music* are the only two that spring readily to mind), and books that combine this subject with a look at the development of computer music are an even rarer breed. Peter Manning's just-released epic, *Electronic & Computer Music*, published by Oxford



University Press at just under £20, is therefore in a category of its own – though as we'll see, that isn't necessarily a good thing.

The author has been Senior Experimental Officer in Music (where do they get these titles from?) at Durham University since 1973, where he's been responsible for the development of electronic and computer music facilities.

It comes as no surprise, then, that Manning's book is stuck firmly in the academic arena. From its contents list it looks impressive and all-encompassing, but more detailed examination shows it to provide an incredibly shallow and oblique perspective on what is now an extremely complex and wide-ranging subject. Its strongest feature lies in the historical background it gives to current events, though that in itself doesn't compensate for the inadequate coverage of those events.

What we get on the historical front are sections covering the background to 1945, developments in Europe and America from 1945 to 1960, the voltage-controlled synthesiser, the electronic repertory from 1960, and the digital revolution.

The author is at his best covering developments up to 1960. There's some excellent stuff on *Musique Concrète*, the Cologne and Milan electronic music studios, and parallel developments in America.

'New Horizons in Electronic Design' discusses the voltage-controlled synthesiser, but this isn't the popular history of analogue synthesisers most modern musicians and composers are interested in reading. Instead, we're treated(?) to an abstract technical discussion of analogue-based synthesis – the only practical passages concern themselves with what Manning deems to be the 'serious' applications of analogue sound components.

The brief seven-and-a-half pages devoted to 'Rock and Pop Electronic Music' provide an ill-informed, incoherent whirlwind tour of the subject (the Griffiths book is no better) that doesn't progress any further than the mid-70s, and therefore falls well short of the era in which real technological innovation took place in music-making as a whole - not just in pop. And what is there includes some glaring errors, like the references to Yes keyboardist Rick Waterman (brother of Dennis?) and the crediting of Six Wives of Henry VIII to Yes rather than the aforementioned Wakeman/ Waterman, presumably because extracts from it appeared on the Yessongs album. And how's this for a bit of meaningless, unabridged twaddle: 'Albums such as Atom Heart Mother, Meddle and The Dark Side of the Moon exhibit strong sociocultural characteristics in their integration of instrumental material with many environmental sounds such as the mooing of cows, footsteps, frying eggs and bacon...'. If he were dead, and there have been quite a few reports recently that he might be,

As for 'The Digital Revolution', it doesn't cover anything like the ground you might expect from such a grandiose title. Again, the emphasis is firmly on developments in the academic (or at least non-commercial) world. There's plenty of accurate, informative material here, particularly on the various MUSIC languages developed by Max Matthews and Barry Vercoe, and the

Roger Waters would turn in his grave.

Max Matthews and Barry Vercoe, and the digital synthesis systems that have developed from these. John Chowning's work in the development of FM synthesis is also covered, but there's no mention of Yamaha's rôle in making FM synthesis widely available to musicians of all styles

throughout the world (in fact, there's no mention of Yamaha at all).

And remarkably for a book with academic aspirations, there's barely adequate consideration of IRCAM's contribution to the field, coupled with a pitifully brief mention for Britain's own EMAS (Electro-Acoustic Music Association), which for a number of years has done sterling work in supporting and promoting computer-generated and computer/acoustic music. In fact, there's precious little space given to any British composers or electronic music studios, so that while Jonathan Harvey gets a mention for his already-classic 'Mortuos Plango, Vivos Voco' (all you FM bell-sound freaks should take note of that one, by the way), the equally inventive work of the likes of Denis Smalley doesn't get so much as a look-in.

Seminal computer musical instruments such as the Synclavier and Fairlight aren't exactly covered in depth, despite doing more to bring computer-generated music into the public eye than all the world's academic music studios put together. That's not to say Manning eschews highpriced hardware, though. The only instruments he describes that don't require you to take out a second mortgage are the now ageing Apple-based Syntauri and Soundchaser systems. You get the impression he's been locked in his digital music studio, PDP computer and all, for the past seven years. Either he isn't aware of what's happening in the world outside, or he doesn't consider it worth writing about. Whichever, he's making a big mistake.

For whilst it's true that a lot of the developments that made today's 'commercial' instruments possible occurred within an academic context, today's situation is the reverse: it's the commercial companies, whose R&D is funded from their own profits, who are making the great

# digimemory

DIGITAL EPROM-PLAYER FOR ALL TYPES OF EPROMS



MICROPROCESSOR CONTROLLED

the winner

A microprocessor-controlled digital sound sampler, Eprom programmer, Eprom blower, Eprom copier, MIDI and computer serial in-output. **FEATURES INCLUDE:** 

Dynamic control, pitch control 1 octave UP/1 octave DOWN; Eprom programmer works from RAM to ROM and/or ROM to RAM; Epromblower enables to load each Eprom as selected; Eprom copier enables to make a copy of each Eprom; MIDIinterface enables connection directly to each keyboard with MIDI/in; computer in/output enables connection with each home and/or personal computer; special effects - with a very high quality standard - are: digital delay, echo and reverb; triggering by means of keyboard, triggermike, triggerpulse as well as extern



CHIPS/Eproms 2732/2764/27128/27256 pitch control (1 octave UP - 1 octave DOWN) 12kHz-42kHz manual play knob external trigger input full dynamic (touch sensitivity) range 40dB output 10K ohm (line level)+10dB maximum external power supply 18:18 min/24:24 max+250mA/-25mA

**DISTRIBUTED FROM: CAPELLE MUSIC** 333 LONDON ROAD, HADLEIGH, ESSEX.

TEL: 0702-559 383



88 OXFORD ST., MANCHESTER l: 061-236 0340

All Prices INCLUDE VAT at current rate Phone with ACCESS/BARCLAYCARD No. for fast Mail Order. All sales carry the A1 Workshop Warranty

N BETTER FOR CASH - CASH TALKS AT A1

# £200,000 OF STOCK TO BE SOLD AT



THE PORTA-ONE MINI STUDIO 4 TRACK PORTABLE

INCLUDING POST & PACKING AND FREE TAPE. MA.NS ADAPTOR £20 EXTRA A MULTITRACK PROFESSIONAL QUALITY RECORDER, 4 VU METERS, DBX, PUNCH IN, PUNCH OUT

NEW & S/H GOODIES FOR SALE

EMOTE KEYBOARD E299 ● KORG POLY 6 E399 ● KORG POLY 30 C499

DYMOND E399 ● WEST GOVERNAMED E399 ● KORG POLY 30 C499

EMOTE KEYBOARD E399 ● KORG POLY 30 C499

ROBERT RODES

GOUTART TUNER E19 ● GORDON SMITH GIPSY ONE GUITARE E179

HA CX5 PLUS KEYBOARD (MINT) £499 ● FENDER MUSTANT GUITAR 1290

ECHO C599 ●

# YAMAHA HI-TECH DEALER

CX5ME MIDI Computer with "built in" DX9 DX5 Digital FM Synth (MIDI)

DX7 Digital FM Synth (MIDI) KX5 Remote Keyboard (MIDI) TX7 Expander (MIDI) QX7: Juencer (MIDI) QX1 Sequencer (MIDI)

TX8 16 Voice Generator (MIDI PF10 & PF15 FM Pianos D1500 MIDI Digital Delay R1000 MIDI Digital Reverb RX15 & RX11 Digital MIDI Drum Machines

£245.00

Great British Spring

ome Recording

The Best stereo reverb for

RSONAL MULTITRACK

THE FOSTEX RECORDS ANYWHERE, IT HAS SOFT TOUCH KEYS, A FOUR TRACK HEAD, BATTERY PACK, PITCH CONTROL, LED METERS, REMOTE PUNCH IN, DOLBY NOISE REDUCTION, HEADPHONE MONITORING AND MANY MORE FEATURES, ORDER ONE NOW AND GET A FREE CARRYING CASE

FREE CARRYING CASE

### DRUM MACHINES

WE CARRY A LARGE RANGE OF DRUM MACHINES IN STOCK. CALL IN FOR A DEMONSTRATION OR PHONE FOR PRICES. ROLAND TR707 STILL SOME TR909'S LEFT AT SPECIAL PRICES. BOSS DR110, KORG DDM110 & DDM220 (SPECIAL PRICE FOR 2) SOUNDMASTER SR88. DRUMULATOR, SEQUENTIAL CIRCUITS TOM. AND A SELECTION OF SECONDHAND DRUM MACHINES.

WE SELL A WIDE RANGE OF MICROPHONES ● EFFECTS ● PEDALS ● MIXERS ● PERCUSSION ● DRUM MACHINES ● S/H GOODIES













ALL PRICES SHOWN ARE OUR NORMAL SELLING PRICE LOWER PRICES ARE POSSIBLE ON CERTAIN LINES WE HAVE OVER 5000 SQ. FEET ON 4 FLOORS CRAMMED FULL WITH GEAR WE WILL GIVE YOU THE BEST DEALS THE BEST PRICES & THE BEST WARRANTY REPAIR SERVICE



INSTANT CREDIT

HIRE PURCHASE

PART EXCHANGE

# WHITE ELECTRIC

5 Stockton Road Sunderland Tyne & Wear SR1 3NR

MUSIC

Telephone 0783-78058/655168



MOTHER KEYBOARD SYSTEM	
ROLAND MKB300 MIDI KEYBOARD	LOW PRICE
ROLAND MKB1000 MIDI KEYBOARD	LOW PRICE
ROLAND MKS10 PLANET P. MIDI PIANO MODULE	LOW PRICE
ROLAND MKS30 PLANET S MIDI POLY SYNTH	
MODULE	LOW PRICE
ROLAND SH101 MONO SYNTHS ALL	
COLOURS VERY	LOW PRICE
ROLAND MC202 MICRO COMPOSERS	BEST DEAL
WE OFFER THE HIGHEST SERVICE WITH THE LO	WEST
PRICES ON ALL ROLAND PRODUCTS PLEASE PI	HONE.
ROLAND AMPLIFIERS, CUBES, SPIRITS, JAZZ CH	HORUS ETC.
ALL AT PRICES YOU'LL LOVE. PHONE.	

# **YAMAHA** RECORDING EQUIPMENT

### YAMAHA MT44-D PHONE FOR A ONCE ONLY BEST DEAL



ALLEN & HEATH SERIES 21 16-4-2 MIXER	BEST PRICE
ALLEN & HEATH SERIES 8 16-4-2 MIXER	BEST PRICE
ALLEN & HEATH SERIES 8 16-8-2 MIXER	BEST PRICE
ALLEN & HEATH SERIES 8 16-16-2 MIXER	
SECK 18-8-2 MIXER	BEST PRICE
SECK 12-2 MIXER	
MTR 12-4-2 MIXER	£395
MTR 4-4-2 MIXER	
STAR SOUND 16-8-2 MIXER	£1030
STUDIO MASTER 16-8-2 MIXER	
PROMARK 8-4-2 MIXER	Σ466
RAM 10-4-2	£550
STAR SOUND 16-8-2	£1032
STAR SOUND 6-2 MIXER	Σ175
MONITORS BY TANNOY/JBL/YAMAHA/EV ETC	

YAMAHA R1000 REV	£299
DYNACORD DRP-16.	£635
DYNACORD EXPANSION CHIP	
LEXICON PCM-60	£1880
MXR 01-A	£1960
GREAT BRITISH SPRING MK3	£210
ACCESSIT STEREO REVERB	£125
ACCESSIT NOISE GATE	£49
FOSTEX 3070 COMP/LIM	
YAMAHA GC2020 COMP/LIM	
ACCESSIT COMPRESSOR	
YAMAHA GQ1031 GRAPHIC	
YAMAHA GQ2031 GRAPHIC	
TEAC GE-20	
ROLAND SBX80 SYNC BOX	
BOSS DE200	
YAMAHA D1500	
KORG SDD 1000	
IBANEZ HD1000	
IBANEZ DM1100	
IBANEZ DM2000	
ROLAND SDE1000	
ROLAND SDE3000.	
ROLAND SRE555	
JHS DX777	Σ159

YAMAHA DX21 (NEW MODEL) EM POLY SYNTH ... ONLY £699
YAMAHA RX21 DIGITAL DRUM (NEW MODEL) ... £249
YAMAHA DX5 (NEW MODEL) ... BEST DEAL
YAMAHA KX88 MOTHER KEYBOARD ... BEST DEAL
YAMAHA TX7 MIDI DX7 EXPANDER ... BEST DEAL
YAMAHA QX7 DIGITAL MULTI TRACK ... BEST DEAL
YAMAHA TX1 SINGLE EXPANDER MODULE ... BEST DEAL
YAMAHA PF15 & PF10 PIANOS ... AMAZING PRICES
YAMAHA RX15 ... £419 YAMAHA RX11 ... £599
YAMAHA CX5M MUSIC COMPUTER WITH FREE
KEYBOARD ... £499
UNIQUE ROM FOR DX7 64 BRAND NEW SOUNDS & ADD
ON CHIP WHICH DOUBLES TO AN INCREDIBLE 128 NEW
SOUNDS ... PHONE FOR DETAILS

# YAMAHA SIGNAL PROCESSORS



YAMAHA DX21 £699





£1199

YAMAHA RX21 £249

# ORDER FORM

**ALL PRICES INCLUDE VAT & DELIVERY** 

NAME\_

ADDRESS

Tel\_\_\_\_

Item(s) Required

ACCESS/VISA NO

CHEQUE ENCLOSED THP FORM REQUIRED TO


# **MAIL ORDER**

We can supply any product quickly – over the telephone via our super efficient mail order department!

> strides forward, while funding for academic institutions is becoming ever less certain in the current political climate. At one point, the author notes wistfully that 'many leading rock and pop groups now have access to synthesis facilities of the utmost sophistication, far greater than the resources available to more serious electronic composers'. Yet he doesn't seem able to confront these facilities and consider their strengths and weaknesses.

Glib, inconsistent, and dismally frustrating, Electronic & Computer Music doesn't only fail to put recent huge technological developments into perspective; it doesn't even cover its home ground of academic study with anything greater than token thoroughness. The fine degree of research that's gone into the book's ineptly-scattered sections means it'll probably find its way onto the reading lists of a thousand electronic music students. But the ultimate work on this subject has yet to be written.

Luckily, the next three books are a lot further down to earth in subject matter. Creative Sound for the BBC Microcomputer



by David Ellis and Chris Jordan (and published by troubled Acornsoft) is one of several recently-published books aimed at giving home computer users the means of getting the best out of their machines' internal sound chips. Now, there aren't many of said sound chips that can stand up to even the simplest dedicated synthesiser, in terms of both sound quality and programming versatility, and the BBC's is by no means one of the most complex. Which makes it all the more remarkable that *Creative Sound*'s authors have managed to come up with such a detailed, resourceful book.


Essentially, Ellis and Jordan have opted to illustrate their case by giving micro users a selection of music programs, intended to act both as building blocks for further custom programming and as useful, educational pieces in their own right. Thus, depending on what storage system you've got hooked-up to your Beeb, you get a cassette or a floppy disk (40- or 80-track) as part of the *Creative Sound* package.

In keeping with the fairly basic level at which most of *Creative Sound's* readers will be entering the field of computer

music, the authors have pitched their style 2000 leagues away from Peter Manning's.

And there are a lot of subjects within the pages of Creative Sound, since Ellis and Jordan have resisted the temptation to confine their discussion specifically to home micros, and put each of their programs in technological context before describing them. Thus, we're treated to brief (though never oversimplified) dissertations on all manner of musical and technological subjects, from preset synthesisers to ADT, and from basic songwriting to the Fairlight CMI. Even if there weren't a load of well-written programs to illustrate these subjects on the BBC, Creative Sound would stand up as a worthwhile (and commendably friendly) educational text on its own.

Which is more than can be said for Gary Herman's *Micro Music for the Commodore* 64 and BBC Computer, published by the



Papermac Computer Library. Like the Ellis and Jordan work, this one is aimed primarily at micro users who 'never knew there was so much in' the computer they bought from Laskys six months ago - at least not from a musical point of view. But unlike Creative Sound, Herman's book is aimed more at the previously-uninterested layman than the musician who's invested in a computer initially for non-musical reasons. Consequently, it's basic almost to the point of inadequacy, and its programs (which you have to key in yourself, as there's no disk or tape supplied) never get more ambitious than a sound effects generator and a simple guitar tutor.

Which is a pity, because Herman's style is just as friendly and accessible as Ellis' and Jordan's, and his technical knowledge seems just as comprehensive – if a little less wide-ranging. Thus, a lot of synth players are going to be bored silly by a good 50% of what lies within the pages of *Micro Music*, though there's no denying it fills a large, significant gap in the market, and fills it well. It's expensive, though, at £8.50, especially when the Ellis and Jordan offering represents only a slightly bigger dent in the wallet at £9.95.

But if there's a bit of healthy competition

in the home micro book field, there's no rival whatsoever for *Keyfax*, a remarkable



new book that's subtitled 'Julian Colbeck's Guide to Electronic Keyboards'. Basically, Keyfax sets out to provide a comprehensive, model-by-model guide to all the electronic keyboards currently available, along with a fair number that are now out of production but could conceivably be picked up second-hand. It doesn't confine itself to synths, because there are also sections on samplers, sequencers, home keyboards, and electric pianos — though sadly, nothing on programmable drum machines.

Fortunately, Julian Colbeck has probably been reviewing instruments of this type for longer than he cares to remember, in the pages of *Sounds*, so he's in a pretty good position from which to start compiling a guide such as this.

So compile it he has, and rather well, too. There are omissions, naturally, but what's here (and there are quite a few instruments nobody on the E&MM staff could remember, so the listing must be reasonably complete) is described with accuracy, objectivity, and no small degree of wit. If anything, Colbeck's biggest achievement is the way he's treated just about every machine under consideration (no matter what its background, age or price) in the same way. No double standards here.

There are problems in laying out a buyers' guide in this format, though. The Quality and Value ratings (a hangover from the *Sounds* pages) are arbitrary and likely to cause overgeneralisation more than anything else; and clearly, you can't say everything about everything when you've only got 200 words to do it in. But the real problem is simply one of progress. Recent synth introductions by Korg, Oberheim and Sequential have *already* made *Keyfax* out of date, which is a bit of a nuisance when, at the time of writing, it still hadn't reached booksellers' shelves.

But by and large, *Keyfax* is an enormous success, and it seems likely the three copies publishers Virgin Books sent E&MM will find use for some time to come as valuable – nay, indispensable – sources of reference material. A snip at £5.99.

# Appraisal Simmons' 9th

Electronic drum technology is proceeding apace, as Simmons' new SDS9 kit aims to give drummers the hi-tech benefits keyboard players have been enjoying for years. It's guaranteed to succeed. Nigel Lord



he unfortunate, but economically necessary, system of planned obsolescence rarely gives designers the chance to build much in the way of real innovation into each season's new products. True, the hi-tech musical instrument market is one in which R&D departments are given a freer hand than most, but that's largely because modern musicians currently possess a seemingly unquenchable thirst for the new, the revamped,

Visuals 'I can think of only one kit — not yet available — that will rival the SDS9 for stage presence... a strikingly aggressive appearance.'

and the updated. All the manufacturers are doing is responding to that thirst.

In the short history of the electronic drum, Simmons Electronics (the people that started it all, remember) have been the company responsible for most of the really significant developments. But when you've succeeded in acquiring that sort of reputation, the last thing you can afford to do is sit back and relax.

Hence the SDS9, Simmons' most recent electronic kit, and a machine that fills the gap between the budget SDS8 (now SDS800) and the complex, upmarket SDS7. Because the 9's development team knew they had a hard act to follow, the new kit has more than its fair share of technical innovations, all of which have genuinely far-reaching implications for the future of electronic drums — and the percussion world in general, for that matter.

Strangely enough, when I first clapped eyes on the kit, I wasn't particularly impressed. OK, the pads looked a little sharper, but the control unit looked like nothing more than an updated SDS8, and there was nothing visible that suggested anything revolutionary. But when I sat down at it, all that changed – very quickly.

So what am I sitting behind? Well, basically a five-piece drum kit combining analogue, digital and software-generated percussion voices, that allows you to access the sounds of up to 40 different drum-kits at the touch of a button, features playing surfaces of quite remarkable responsiveness, with a degree of dynamic control previously unheard of on electronic kits. It has a snare pad featuring rimshot and cross-stick facilities — combining three separate voices. The tom-toms are switchable to sound like either single- or

double-headed drums, and the bass pad features a unique piston-loaded head assembly. The control unit is fully MIDI-compatible, and therefore allows you to transfer the sounds generated by a synthesiser to the kit, and play them as percussive instruments *via* the pads. Similarly, it can be connected to MIDI-equipped drum machines, rhythm programmers and sequencers acting as either the controlling or the controlled unit. It has a built-in programmable echo feature, and a headphone output for silent practice or setting-up. It even has an auto-demonstrate function to show you what it can do without anybody having to move a muscle.

Impressed? You ought to be — all I've done is scratch the surface. But a brilliantly long and useful specification isn't everything, so if the SDS9 is to impress me (and musicians in general) there's got to be some way of getting the best from all these wonderful facilities in practice. There is, and it starts where you'd expect drum innovation to start: with the pads.

Simmons have obviously gone out of their way to improve their pad design - and have gone to equal lengths letting us know how much it's all cost them. Apparently, the pads represent an investment of over £100,000, which was spent completely redesigning their pad structure, and the materials employed in their manufacture. The head playing surface has undergone a similarly radical rethink, and is now completely 'floating' as a result of the hard surface beneath the rubber sheet being fastened only to the rubber itself, not to the body of the pad. The entire head is able to move up and down a little due to the elasticity of the rubber; it's an apparently simple design concept that's proved remarkably effective in providing a drum-like playing feel.

The other major area of pad development lies in the design of the snare, or more specifically, in the inclusion of the rimshot and cross-stick facilities. This, too, has been partly responsible for the hundred-grand drain on Simmons' bank account, but the investment has been worthwhile: as far as I know, the 9's is the first electronic snare to incorporate these facilities. It's certainly the first to include a rim-derived trigger pulse, which fires a separate voice, as the snare combines three individual voices, triggered either by the pad itself, the rim (for cross-stick strokes), or the pad and the rim together (for rimshot strokes).

The tom-tom pads are identical in design to the snare pad, which is just as well, as in terms

of stick response, this design is quite simply excellent. They're as close in feel to an acoustic drum as they need to be - there's really nothing more to be said. The bass pad, meanwhile, is what Simmons describe as piston-loaded, and this too results in the feel of the pad being quite indistinguishable from that of its acoustic counterpart.

All this would be of no use if the pads weren't mounted on something capable of supporting them properly, but fear not: the associated hardware is of high quality, the Pearl stands being heavy duty and extremely rigid, as are the bass spurs, which look pretty formidable creatures.

Cosmetically, the sharper (than those of older Simmons kits) angles of the new pads gives the SDS9 a strikingly aggressive appearance. I can think of only one kit (and even that isn't yet available) that will rival this one for

stage presence..


Some people have taken to calling electronic percussion control units 'brains', something I refuse to do on the grounds that it implies the module is thinking for you - which plainly it is not. Instead, the job of the control unit is to house all the voicing electronics and give the user access to them in as friendly a way as possible. Which, in the majority of cases, means keeping things simple.

Thus, the SDS9's unit is a rather innocuouslooking steel box, with a few knobs, buttons and sockets, and an LED readout. But given the number of variable parameters the SDS9 has (and the fact that, trio of snare voices included, the kit has seven drum voices in all), there are surprisingly few controls on the unit's front panel. Inevitably, the reason for this doesn't lie only in a desire to keep things user-friendly; it's also been done this way for reasons of economy, as many of the knobs have shared functions, or can be used to control the same parameter on different instruments. This is now standard practice in synthesiser design, and if you can put up with it on an average polysynth, there's no reason

> Sounds 'Where the bass drum is softwaregenerated and the toms are analogue, the snare sounds employ digital sampling techniques.'

why it should cause you any more worries in a drum context, either.

Sound verdicts? Complex but conclusive, and starting with the bass drum. This is software-generated (Simmons are being cagey when it comes to releasing precise details of precisely how), and has two basic ingredients: Thump and Click. To get the most out of these, there are five variable parameters: Click Amount, Click & Thump Pitch, and Click & Thump Length. Those parameters might sound fairly arbitrary, but they've been well chosen. I can't recall an electronic bass drum that gave the user such a wide variety of useful sounds. Forget the old style of drum synthesiser, where a standard module is used for all the voices, tuned high for the toms, and low for the bass drum. Forget even the usual sampled bass drum sound, unvarying in character no matter which way you play it. >



This is the sort of bass drum most studio engineers or producers would give their right arm for — and it's playable. Use the five controls carefully, and the sound can be anything from impeccably tight to overpoweringly thunderous—and because you can program sounds and change them instantly, it can even be tight and thunderous within the same song

But as I've already implied, Simmons have done more than simply employ one design technique in the hope that it'll suit all applications. Experience and the passage of time has taught them that despite the benefits of digital electronics, the sound of tom-toms, and in particular the sound of Simmons toms, is still best generated using analogue circuitry, and as a result, this is precisely what we find onboard the SDS9. And for once in our increasingly dogmatic world, pragmatism has paid off.

With analogue voicing circuitry allowing a greater degree of control over sound parameters, you can get the SDS9 toms to sound not only like the punchy Simmons drums we all know, love and are exposed to every time we watch an American TV cop-show, but like acoustic toms as well. Programming care is essential, of course, but even among the factory voices, there are some deliciously natural tom sounds.

And as I mentioned earlier, these include either single- or double-headed drums, possible thanks to a rather nifty little bit of Simmons design work called a second-skir feature. Electronically speaking, this comprises modulating the tone of the drum with a second unrelated tone to produce a deeper sound, rich in harmonics. To all intents and purposes, this has the same aural effect as putting a bottom head on a tom-tom. And as with all the other effects and controls on the SDS9, this facility is programmable, so you can switch from single- to double-headed toms instantly - not exactly a feasible proposition on an acoustic kit, no matter how fast your roadie works

Another clever tom-tom feature, and one that can save an awful lot of setting-up/tuning time (and a corresponding amount of dosh in the studio), is the ability of the medium and low toms to reproduce the sound of the high tom at (obviously) lower pitches. In other words, after setting up the first tom for the sound you want, you press 'copy tom', and that sound is transferred to the second and third toms at descending pitches. And voilà, three instantly set-up and tuned toms.

Moving onto the snare, it's probably fair to say that this is where the bulk of the SDS9's innovative design work lays. Where the bass drum is software-generated and the toms are analogue, the snare makes use of digital sampling techniques, something that involves the use of EPROMs within the control unit.

The three voices that comprise the snare are all stored on EPROMs, and these are accessible via a small opening hatch in the top left-hand corner of the control unit. Theoretically, using sampling should enable you to record the perfect snare drum sound and store it in memory for instant recall, but life is rarely as Utopian as that. If anything, the basic snare sound is a little on the dry side, but given the wealth of control parameters on the SDS9 (not to mention the outboard equipment it's likely to encounter in a studio, for example), having an uneffected voice to start from might not be such a bad thing in any case. And dry or

not, it's still a real killer of a snare. The crossstick sample is also superb, with plenty of ambience and a sharply cutting edge, while the rimshot too is excellent. Sorry about the superlatives, but I was impressed.

The reason for the snare EPROMs being accessible is to provide a small-scale version of the facility found on the earlier and more costly SDS7, namely interchangeability of digitally-sampled sounds. Unlike the SDS7, which allows EPROM-changing across all its channels, the SDS9 restricts this to just the snare EPROMs, but it's still, obviously, a useful facility to have. You're not confined to replacing the existing chips with snare sounds,

Facilities 'Now that synths can produce realistic percussion sounds, it makes sense to have some means of triggering them by hitting something.'

of course. In fact, you can opt for any sound in Simmons' already extensive library of sounds, or go it alone and record your own samples with the Simmons EPROM Blower (see review, E&MM January '85). Imagine the hilarity as an unsuspecting friend strikes your SDS9 snare, only to be greeted with the sound of a timbale, or a broken bottle, or a gingerbread man being snapped in half, or whatever your imagination can convince your body into recording.

Are there any more significant innovations on the SDS9? Why, yes. There's the programmable echo, for a start. You can adjust the number of repeats this inbuilt device generates, from a single slapback echo to multiple and decaying repeats, and you can vary its speed, too. But what's really clever about it is the way echo only begins after the last beat on the drum being played, so it doesn't muddle up your drumming. And because it isn't actually real echo at all, merely the drum in question being retriggered at lower and lower levels, you never find yourself playing out of time with the repeats, as you could with an ordinary delay unit. It's fully programmable, can be switched in or out at any time, and can be applied to any or all of the drums; the choice is yours, and much praise is due to Simmons for giving it to you.

On the subject of programmability, the 40 drum-kits accessible from the SDS9 control unit are made up of 20 factory-programmed kits and 20 user-programmable kits, which is where your creative genius is allowed full flight. It's worth noting that among all the 20 factory presets, there's nothing really outlandish, unexpected or *risqué*. This I take as further evidence that Simmons are aiming this kit very much at unconverted acoustic drummers looking for improved, more consistent versions of their existing sounds. Suffice it to say this is exactly what they'll get, but to a degree most of them will scarcely be capable of anticipating.

But if the average drummer is going to get more out of the SDS9 than any previous electronic kit, the average synth player isn't going to be left out, either. We've already seen that the 9's control unit incorporates the familiar synth programming method of digital parameter access, but there's another —

equally familiar – synth feature on the back panel: MIDI.

Now that a good many contemporary (and reasonably-priced) synths are capable of generating astonishingly realistic percussive noises, it makes sense to have a facility for triggering those sounds by hitting something. And that's precisely what the SDS9's implementation of MIDI allows you to do, among other things.

The system works both ways, of course, so that in addition to being able to play synth voices from the drums, you can also play SDS9 sounds from a keyboard, or use a MIDI sequencer to trigger them automatically in your own rhythm patterns. Who needs a drum machine?

Well, the features on the SDS9 haven't been exhausted, but sadly my space has. All I can do is make brief mention of a few of the remaining ones. Like the separate output sockets for each instrument on the rear panel; the footswitch for stepping through the five kits in each bank; the Button Tap that allows you to trigger each voice from the control panel; the trigger inputs which let you use non-MIDI sequencers and programmers to play the SDS9; the tape-dump facilities; the choice of five pad colours... But like I say, space is running out, so I guess I'd better start wrapping things up.

The launch of the SDS9 sees Simmons gunning for the acoustic drum market in a big way, make no mistake. And if the SDS9 doesn't finally persuade drummers to regard electronics not only as an extremely useful tool, but as one that'll guarantee their future as creative musicians, nothing will.

Yet there's more to the new kit than a bold broadside at the traditional percussion market. There's plenty in it for non-drummers, too, as the inclusion of MIDI should show.

My only grievance with the SDS9 is that we should have had it, or something like it, 12 months ago. It's not taking anything away from Simmons to say there's nothing particularly revolutionary about the technology involved in the new kit's design; it's only the application of this technology that hasn't been seen before.

So full marks to Simmons for almost singlehandedly pushing back the boundaries of electronic percussion. There's still some way to go, I feel, before drums and drummers will be able to extract the same benefit from new technology that keyboardists can gain, but the SDS9 is evidence that one company, at least, is doing its darndest to ensure the balance is righted sooner rather than later.

# DATAFILE

### Simmons SDS9 Electronic Drums

Voicing Software-generated bass drum; digitally-sampled snare, cross-stick & rimshot (EPROMs freely interchangeable); analogue low, mid & high toms

Memory 20 factory preset kits; 20 userprogrammable kit memories; all useradjustable parameters programmable

Interfacing Individual Audio Outs for each voice; MIDI In & Out; Tape In & Out Price RRP £1199 including VAT

More from Simmons Electronics, Alban Park, Hatfield Road, St Albans, Herts AL4 0JH. 28 (0727) 36191.

# GREENGATE P productions



Please send me information on the DS:3 Digital Sound mpling Sequencer and its peripheral devices:

	Sampling Sequencer and its peripheral devices:
	Name
	Company
	Address
	Tel:
	Greengate Productions Ltd., 24 Missden Drive, Hemel Hempstead, Hertfordshire, England, HP3 8QR, Tel: (0442) 3496
	Greengate Productions, 2041 Pioneer Court, Suite 15, San Mateo, California 94403, U.S.A. Tel: (415) 345-3064
A .	
	(2)
46.7	
38	
30000	
300000	
23/1	
	lo
	0.0
15	
A	
8	

-2-

cont...

well, the outcome of all this was that we decided to go for a Keyboard Sampling System which would not go out of date like last year's cars! .... So one of the most important factors was that the system should have a REAL computer as an integral PART of the whole device - not just

After all, if one is spending around sixteen hundred quid on something stay - In Music! And computers ARE here to

Eddie, of course, is being a pain - HE wants to sell the Porsche and get a Fairlight but after all it IS only an 8-bit - same as the DS:3... listened to the new 'mainframe' single - "5 Minutes" - Virtually ALL DS:3 and it clinches it all for me...!

Tell you what, when we get into hextellistory week when and have a bite to eat with



# SELL IT FOR NOTHING With a Free Classified Ad in Electronics & Music Maker

Now sales and wants ads from private individuals can be placed free of charge in E&MM's classified section. Which means if you've got some gear you need to sell, or a particular item you want to track down, all you need do is fill in the coupon below, send it to us on or before the specified date, and your ad will appear in the following issue. Simplicity itself. So for the price of a postage stamp, you'll reach a bigger audience of electronic music players than any competing publication. If you'd like your ad to appear for a second month, simply send in the order form again – and we'll oblige. (Please, no phone calls or cryptic messages!) Note though that this service is available only to private individuals: companies must use the standard classified order form.

SYNTHESIZER plus stand, 2 vco's, 2 vca's, 2 envelopes, filters, random generator etc, £170 or swap for SH101 or similar value. Telford 898161.

CLEF Electronic piano £150. Siel CMK49 software £91. (MIDI computer interface £69). 16 track SEQ Commodore 64 (disc) £55. Ring 09252 7753.

HOME STUDIO GEAR DX9 Poly 800 RX15 MT44 system, Pro-One DE200 etc. All immac. boxed. Phone Newcastle 4102105 Paul

CRUMAR Trilogy home use only, pristine and carrier strings organ synth, nice machine £350 ono. Ian 906 2062 anytime. WANTED Jean Michel Jarre video of China concerts on VHS. Phone Camberley 22946.

YAMAHA CS15 monosynth good sound and variety of modulations, v.g.c., must sell. Phone 0970 84411.

YAMAHA CS15 2×CO 2×VCF 2×VCA 2×EQ very powerful cutting sound, quick sale at £210 ono. Call Eddie on 04215 2347

WANTED synthesiser for sound and video montage project, immagination, rather than technology maniacs required, London based, but Phone 0454 411266.

GREENGATE/APPLE sampler complete £999. Burns Flyte custom £120. Drumulator £501. Aggressive sounds/musicians wanted, Now Al 01-452 1916 evenings/weekends.

H/H K80 keyboard combo 6 months home use only, as new, £220 ono. Roland CR8000 rhythm machine, immaculate condition, £220 ono. Phone 061 320 9449.

CARLSBRO Stingray multichorus 150w keyboard combo, perfect condition, boxed, 1 year old, £275. Phone Dover 0304 212055.

ROLAND present monosynth SH2000 including case, excellent £175. Marshall 50 watt PA amplifier top £85 PWO. Lincoln 0522 742458.

SIEL MK900 MIDI keyboard only six months old, perfect condition, £300. Phone Simon evenings, 066 33 2827 Stockport area.

JEN SX1000 synth monaphonic bargain

at £80. Complete with manuals etc. v.g.c., delivery arranged 0304 823685.

BARGAIN Jen SX1000 monosynth v.g.c., ideal for a beginner or serious musician with program cards, instructions £90 ono. 0375 676294 (Essex).

MT44 and PB44, mint will swap for TR909 or RX15 or offers. Contact John, 4 Alma House, Ashton Road, Lancaster, Lancs.

CASIO CT403, 4 octave polyphonic keyboard, 25 presets, 16 rhythms, autochord, excellent condition, £150 ono. Also quickfold X-stand, Tel. 0528, 60548.

CRUMAR Stratus layered polysynth and organ, unlimited number of notes, carrying case, £280 ono. Leicester 0533 393808.

BOSS stereo reverb £85.Roland Drumatix TR606 £100. Phone 02406 2737 Bucks. BRASS GPO jack plugs, used good condition, £1 each. Randy Spence, 134 Saint Pauls Road, London N1 2LP. 01-359 6723

SUPERB professional keyboards at crazy low prices. Jupiter 6 2975. Yamaha DX7 + RAM £1075. both only £1950. Phone Kevin. Waltham Cross 0992 39775.

CASIO CZ101 polysynth £289. Roland MSQ100 MIDI sequencer £340. Both immaculate with leads etc. Phone Leeds 0532 638965 evenings.

WANTED octave multipler, micro-synth manuals for Wasp and Kawai 100F also details of plug-syn. Phone 0246 39310. ROLAND TR808 £200 plus MC202 micro-composer £115. Phone Coventry 0203

YAMAHA CX5M £499, with 3 cartridges and MSX software. Will exchange for Roland MSQ700. Paul Nagle 077478 3811 Lancs

MUSIC 500 polysynth unwanted gift £160 or swap for 808 or MT65, MT405, cash or Fairlight III etc. Nick 0253 404598.

YAMAHA DX9 v.g.c., boxed, data tapes, American manual, £540. Prophet five wanted for swap/PX MX, DX9. 04446 42881/6753

SIX TRACKS v.g.c., £400 or swap Bit One with cash adjustment. Phone 0233 812406 after 7.30.

YAMAHA DX9 polyphonic digital synth

Library amazing sounds, perfect condition, fantastic bargain at £500 ovno. Tel 0273 Brighton 671136 evenings.

WERSI Alpha DX300T two manual and pedals, totally digital, portable including rhythm, immaculate bargain, £2700 ono/PX. Rugby 77901.

SCI PRO 1 Roland SH09 with Firstman SQ-01 sequencer plus amp and leads, £380 the lot. Will split. romsley 710680 Roh

YAMAHA CS80 excellent condition, recently serviced, £670 ono. Can deliver in M/c area. Tel. 061-795 5769 4–8pm.

ELKA X605 portable organ, 2 manual, drawbars, strings, brass, piano, immaculate £750, or exchange for Yamaha PS6100. Tel. St Annes 0253 726905.

BBC B 1.20S and music 500 synth £425.
Roland bassline £115. All new. Tel.
Rotherham 817848.

DINOSAURS FOR SALE: VC53 and DK2 keyboard £350. VOX continental £150. ARP piano £400. Phone Nick, Poole 675100 ext. 2331.

KORG KPR77 still boxed £150, Korg M510 £85 and Firstman SQ-01 £55. All v.g.c., and ono. Romsley 710680 Rob. ROLAND TR808 16 channels, individual outputs, 24 sync in/out, 3 triggers, 32 patterns 12 songs, £200. (0702) 614719. ROLAND TR808 drum computer sync facilities mint, bargain £225. Premier Olympic five shell kit, plus accessories £100. Tel. 021-784 8268.

LANEY 5ch mixer amp 150w £150. Carlsbro 6ch mixer amp 150w £200. Both v.g.c. Dave, 0803 842440 evenings.

MOOG ROGUE beefy mono synth £125 and Lowrey micro genie v60 portable keyboard, great sound only £200. Cardiff 0222 750024.

ROLAND TR808 immculate still boxed £250. SH101 and MGS1 both still boxed £170. Ring Andy Spaxton Somerset 698 Anytime Anyday.

KORG POLY 61 immaculate with flight case and stand £450. Phone Maurice on Forfar 0307 63184 after 6pm.

PRO-ONE MONO SYNTH excellent condition with flight case, £190. PHone Carterton Nr Oxford, 0993 841586.

ROLAND SH101 with mains adaptor and Boss PR110 graphic drum machine, mint condition and boxed, £350. Phone Paul Dean 43319.

CASIO CZ101 polysynth only few months old, £275. Also Roland MC202 sequencer/synth. Ring Hemel Hempstead 0442 212300 after 6pm.

YAMAHA SY-2 mono synth. preset and full editing facilities, touch sensitive keyboard with stand. PHone Glyn, Brisham Devon 08045 7060.

MULTIMOOG £300. Micro Moog £150. Prodigy £150. Roland Bassline £100. Korg KPR77 £100. Ring Andy on Knowle (05645) 77274 after 6pm.

KORG mono poly for sale, slight dodgy pots. £200. Telephone Thetford 3839.

E&MM Spectrum synth, cased, hardly used. £165. Tel. Basildon 0268 418007.

ROLAND SH09 monosynth, custom aluminium flight case, excellent condition, £180. Phone Sedgley 09073 76997 evenings ask for Phil.

MUSIC 500 for BBC Micro £160. Korg DDM-110 drum machine £165. Phone Kevin, Wimbledon 01-946 2171.

YAMAHA PF15 piano, only one hours use. c/w original packing, plus new Yamaha flight case. £875. 01-440 7510 after 7pm. WANTED Photocopy of ARP OMNI MkII manual 0633 612315.

**WANTED** four synclocks will pay £10 each in working order. Phone Northill 557 and ask for Andrew.

CASIO 1000P polyphonic digital synthesizer, hard case and stand, £175, mint condition. Yamaha CS5 monophonic synthesizer £110, immaculate. 0902 894804.

TWO E&MM active speaker PCB's (unused), + original article photo-copy, £2. BBC micro magazines (Acorn/Micro user's) approx 60+ £10. 01-689 8372.

FENDER precision bass 1973, well loved and cared for, £250 ono. including hard case. (0242) 37267 evenings (0242) 533195 daytime.

**DIAMOND** 700 double keyboard portable electronic organ, many voices, ideal for beginner, £150. 0562 851295.

# E&MM FREE CLASSIFIED ORDER FORM

Fill in the form below to a maximum of 20 words (one in each box), and send it to: E&MM Free Ads, Alexander House, 1 Milton Road, Cambridge CB4 1UY. Please print clearly in BLOCK CAPITALS. The ad must reach us on or before Friday, August 9th, for inclusion in the September issue of E&MM.

1	2	3	
4	5	6	
7	8	9	
10	11	12	
13	14	15	
16	17	18	
19	20		

KORG Poly 61, £375, KPR 77 £125, MC202 £90. Phone Woking 69469 after 6pm.

SEQUENTIAL Circuits six tracks and model 64 sequencer, £495. SH101, grip, PSU £150. Please Phone 0903 754544 evenings/weekends.

MC202 micro-composer, boxed as new £160, Casiotone 401 keyboard with rhythms, excellent condition with case, £150. Gloucester 0452 22559.

KORG Poly 800 polyphonic synthesiser, as new and boxed, £350 or £380 with Marshall 12w amp. Steve 01-361 1884 daytime.

**E&MM SHAPER** plus twin power supply (needed to operate it) £20 ono. Stuart Cunliffe, 47A Wigan Road, Ashton-in-Makerfield, Wigan, WN4 9AR

PRIVATE studio clearance: Fostex 8 track, reverb, MPC drum computer, ETI vocoder, keyboards, effects. Amersham 02403 5165 for lists (ask for Chaz).

**OBERHEIM** OB4 programmable polysynth, includes four independent voices, eight VCO's, HP/LP/BP filters, slit keyboard, layered sound, v.g.c., £350 ono. 01-472 7788.

AKG D12E bass drum mic as new £100. PLus boom stand £20. Ring Tim 0203 448583 Coventry.

BOSE POWER MIXER PM2 built in Bose and paragraphic equalizers £685 also TR808 rhythm composer, excellent condition £250. Congleton 280032.

SIXTEEN TRACK two inch machine refurbished easily modified to 24T by experienced person. Drop-in/remote only £3200. Details 0223 249889.

COMMODORE VIC-20 colour computer, brand new, boxed, cassette unit, cassette, cartridge software, books, literature, £90 ono. Telephone Chris 0494 20575.

ROLAND TB303 basline £100. Phone Patrick 01-679 3180.

KORG KPR77 drum machine, as new £150. Jen SX1000 synth, £75. Both ono. Chris. Marlow 06284 73393.

YAMAHA DX9 synthesiser as new, £540. Tel. 0977 513382 or 0532 892253.

JX3P modified stereo chorus guitar input!
Drumatix separate outputs, bassline clap,
250 watt, 8 channel stereo mixer. Rok Star
Huddersfield 0484 46062.

ROLAND 707 £400. Korg 800 £400. MM mixer £220. Both with flight cases. MOog Prodig-1 £100. 0582 579533/0223 314806.

MOOG ROGUE synth, 2VCO's, fat sound, £120. Yamaha SG500 electric guitar, cherry, hard case, £180, never gigged. Phone 092572 6882.

DX7, DX9, PF10, mini amplifier monitors, four tier ultimate support stand, £1800 the lot. Offers individually. John, 01-638 8266 evenings.

FOR SALE collectors back issues E&MM 81- on (exc.) ETI 80- on (mostly exc.) sensible offers/details Nick 0873 4690

(Gwent).

CASIO PT80 keybard, six months guarantee, excellent condition, £50. JSH 10 watt practice amp, good condition, £25. Phone

Gareth 0283 820581.

FOR SALE Roland JP4 £650. Roland
System 100 £450. Roland MC202 £100

System 100 £450, Roland MC202 £100 ono, Tel. 607 9495 Jo Julian.

KORG POLY 6 32 memory, v.g.c., plus

case, £450. Hohner string, brass, piano keyboard, v.g.c. + case + pedals, £150. Liverpool 733750.

IBANEZ HD1000 harmonizer delay boxed as new, never gigged, £275 ono. Phone Scott Worplesdon (0483) 232651 evenings.

CRUMAR DS2, digital poly/mono sounds £220 ono. For quick sale, Tel, Farn-borough Hants 511365.

**GREAT BRITISH SPRING** reverb unit, with power unit. Superb reverb! amazing sounds for £100. Phone Bracknell 0344 423649.

OSCAR Programmable synynthesizer presets and memories v.g.c., 1340 ono. also Korg CX3 organ, v.g.c., £345 ono. Telephone Tim 0283 840382.

IBANEZ 19" rack multi-FX, compressor/ chorus/para-EQ/delay with master footswitch, v.g.c., £170 ono. Roland Bolt 60w amp v.g.c., £170 ono. Tel. 01-876 0599. SWAP Roland JX3P for Yamaha DX7 and/or Pro 1 for Oscar, home use only, both in mint condition. Phone 0533 531919.

WURLITZER EP200 electric piano, recently serviced, good condition, £300. Fareham 285198.

CASIO MT65 £75. Marshall top MV50 watt £125. Phone Tonbridge 366223.

WURLITZER 4037 plus Orbit 3 synth (mono) ideal for home or performance, fitted with Sharma output. Offers 0406 362264 South Lincs.

YAMAHA SK20 organ string polysynth, beautiful sounds, immaculate condition, carrying case, manuals £350 ono. Guildford 576680.

OSCAR nono MIDI Duo synth as new, £350 ono. Phone 01-699 4835 evenings. E&MM signal processing project, prof. built Digisound complete Spectrum interface, software cost £226. No reasonable offer refused, buyer collects. 01-6733491. WANTED Carlsbro Cobra 90 keyboard combo, Roland TR808. Distance no object. Tel. 0642 242615.

CÁSIO CT1000P programmable polyphonic keyboard, good condition, £140. Steve (0684) 295201 Gloucs. after 5.30. WANTED tone float by Kraftwerk/ Organisation plus any other material. A Slegt, 2 Spring Crescent, Widcombe, Bath, Avon BA2 4HZ.

**WANTED** ETI Vocoder or similar (will consider incomplete kit). Phone Nelson (Wales) 451770.

MFB 512 digital drums £275 also Korg EPS1, touch dynamic piano and strings, £500. Phone Yeovil 0935 76441.

ROLAND TR808 drumbox immaculate condition, £295. Phone Sheffield 0742 587515 after 5pm.

KORG TRIDENT MK2 programmable synthesizer, brass and strings, split keyboard, flanger, superb sound quality, hardcase, warranty, only £900. Bradford 0274 597788.

SWAP or part exchange Amstrad computer and software for TB303 TR606 MC202 Casio Microline interface. 021-788 1182.

SCI PRO ONE synth v.g.c., £260. Roland TR808 v.g.c., £270. Both home use only. Tel. Steve 0803 557702 Devon.

ROLAND JUNO 6 home use only, good as new, plus flight case, £380 ono. Phone Len Farnborough 0252 513943.

**E&MM/MAPLIN** Spectrum synth/cased, great sounds, £150. Cleff Bandbox MkII with master rhythm, factory built £200. 0242 Cheltenham 35328.

YAMAHA DX9 Roland Sh101 MGS1 PSU, sensible cash offers or exchange both for Siel DK600. Phone Jay 02357 65056 Oxon.

**CASIO** CT 6000, MIDI keyboard, hardly used £415, Tel, 021 705 9921.

MOOG SOURCE (Like a programmable Minimoog) £199. Absolutely no offers, Hatfield 68601 evenings.

**IBANEZ MC940** bass for sale inc. case £300 one or exchange for Grubby VCS3 etc. Jim 01-607 8070.

ACORN MUSIC 500 synth new, guaranteed + lead, software £175. TR606 Drumatix £105. Both boxed + manuals. Exchange for Teac A3340S. Ring 097081 541

CASIO MT-70 programmable poly keyboard with accessories, new at Christmas £110. Ring Anthony 0274 602304.

ROLAND TR606 Drumatix seven separate trigger outputs, mint, case,£110. Boss DE-200 digital delay, mint, £169. 01-674 1799.

**OBERHEIM OBSX** polysynth, excellent condition, £545 ono. Phone Burnmah Bucks 64880 evenings.

MOOG ROGUE lead synth +ZX81 1000 note sequencer, software, leads, manual, boxed, £155/Part exchange Teac A3340S Ring 097081 541.

YAMAHA PC1000 computerised keyboard inc case, adaptor and play cards, mint condition, still boxed, £165. Phone 0270 586442

TEISCO 100P organ top synth, transpose 5 octave, 32 voice, touch sensitive, immac. condition, cost £650, bargain £325. 061-437 1407.

WANTED your redundant sound chips for SCI Drumtraks. Tel. Chris – Marlow 06284 73393.

**KORG** MS20/SQ10 £350. TB303 £150. SH101 £150. Logan strings II £200. TR808 £300. Phone 0279 419480 Joe.

YAMAHA SK30 polysynth strings organ, home use only, £475 ono. Tel. Aylesbury 0296 31952.

ROLAND JUNO 60 good condition, exchange for SCI sixtraks and cassette deck or echo unit. John, 12 Greenend Avenue, Earby, Lancs.

TWELVE DIMENSIONAL WORLD melodic synth music on C60 cassette £2. From Tim Stebbing, White Gables, Manor Avenue, Scarborough YO12 5JR.

**WANTED** faulty, damaged synths, and vocoders. Tel. 021 523 6752 evenings. **CARLSBRO COBRA** 90 keyboard top plus 15×1H cab, £199. Juno 6 flight case, £35 all new and unused. 0308 25819 for details.

DIGISOUND modular synthesizer five modules and keyboard all built and tested, worth over £300, offers around £150. Tel. 0524 412197.

ACORN MUSIC 500 synth, mint condition, £165. Yamaha CP30 electronic piano, 6½ octaves, touch sensitive, £325. Ring 01-485 1394.

modules, Accessit noisegate, compressor, rack it, 4 way PSU, 19 inch rackmounting console around 10 units. Chris, Bolton 0204 35796.

ROLAND BASSLINE TB303 £99. Soundmaster SR88 drum machine £30. Pearl syncussion – two drums, console, stands, leads, £99. Mick, Brighton 696790.

SCI PRO ONE £230. Yamaha CS15 £150. Both synths in excellent condition. Phone Bloxwich (0922) 79414 anytime.

**HAMMOND B200** portable £950 ono. Phone Basildon Essex 287157 evenings/weekends.

CASIOTONE 405 4a large keyed polyphonic keyboard, 20 presets, 12 rhythms, auto accompaniment, bass appegio, £140. Phone Huddersfield 0484 29182.

CASIO 1000P programmable polyphonic 5 octave keyboard, mint condition, £180 ono. Bishops Waltham 3360.

SOUNDMASTER SR-88 rhytym unit, mint condition, £30. 72 Park road, Werrington, Stoke-on-Trent, Staffs, ST9 0EB.

PORTASTUDIO TEAC 144 little used, first class condition, £425 ono. Telephone 0502 741238.

ROLAND JUNO 60 all books and patch cassette, six note polyphonic, £500. Tel Rayleigh 747722 Essex.

POWERTRAN T2000 synth and 1024 composer/sequencer (with external sync), £150 ono. or swap for SH101. Phone Kevin 0353 87498 Cambs.

EMINENT SOLINA C117 as new roll top dual keyboard, auto rhythm voice, pedal-board, arpeggios, stool £375. Deepcut 0252 836150 Surrev.

ROLAND TR606 Drum machine, boxed, immaculate, home use only, £115 ono. 04023 42997 evenings.

2 ROLAND TR606 drum machines £120 each onc. Duncal Lloyd, 22 Brampton Court, Clover Hill, Norwich. Tel. Norwich 748525

748525.

YAMAHA DX7 excellent condition, £1095
ovno. Telephone Darren, 01-441 1722
work or 01-445 4429 home after 6pm,
FOR RECOVERY of Lindrum Rev.3 serial

no: 0092 01-771 2037.

ACORN MUSIC 500 £150, or swap for Roland SH-101. Sound Master SR-88 memory rhythm eight programs £20.

John, 058 285 2315 anytime.

MOOG PRODIGY still boxed, £125.
Wurlitzer ED-200 bit tatty built in graphic £185. Southport 63227.

CASIO 1000P Polyphonic keyboard, still boxed, £195 ono. West Yorkshire (0977) 82408.

YAMAHA CS40M 2500 or will swap for an Oscar. Phone David on Chester 0244 678458.

# **Advertisers Index**

A1 Music
A1 Music
ABC Music5
Akai UK
Arbiter Musical Inst
Argents Keyboards
Arthur Lord 81
Bonners
British Music FairIBC
Cambridge Rock
Capelle Music
Carlsbro Sound Centre
Casio
Chase Musicians
Chromatix
Dougies Music 41
E.S.S. 57
Eddie Moors Music
Ensoniq Mirage
Flash St, Electromusic
Freedmans
Future Music
Gigsounds
Greengate Productions
Haden/Soetsel 68
Harman UK
I.T.A
Jones & Crossland
Joreth Music
JSG Music
London Rock Shop
Micro Musical Ltd
Microsound Ltd
Phonosonics 9–57
Powertran 72
Quark
Rock City
Roland UK IFC
Rose Morris & Co
RSD Studiomaster 86
Simmons Elec 70–71
Soho Soundhouse
Solasound
Southerm Music 81
Summerfield OBC
Turnkey
Unisound 59
Virgin Books
Wishers 81
White Electronic Music
XRI Systems
Yamaha
Tamana

# **C**LASSIFIED

Rates for 1985: Lineage 35p per word (min 12 words); Box No. 80p extra. Semi-Display: £1.00 extra. Display: £12.00 per single cm. column

All lineage advertisements must be pre-paid. Closing date: 6 weeks preceding cover date. Advertisements are accepted subject to the terms and conditions printed on the advertisement rate card (available on request).

#### **FOR SALE**

JUNO 106 OWNERS!!! 250 fantastic new Juno sounds on cassette. Send £7 to: Smies, Doormanstraat 10, 4371BJ Koudekerke, Holland. Phone: 010-3111852005.

EXCITER D: TO MAKE THE SOUND COME ALIVE - to build up natural space dimensional transparency. The professional American Studio-Exciter D will help you to achieve the expert's uncomprising and top level sound quality. For musicians, sound engineers, sound studios, broadcast/television engineering - the best for dramatic improvement of recording-technology, touching up of tape copies, PA and monitoring, professional Hi-Fi domain. We offer you 2 years guarantee/right of returning the device within 14 days. Price? Special direct selling offer: £285. (Normal price £490). Free brochure: Blank Soundengineering, Bagelstr.139, D-400 Dusselforf/ Germany, 010 49 211 44 68 24.

YAMAHA CX5M, full size keyboard, music composer cartridge - Lots of software. As new. £550 ono. Telephone Basildon 23147.

# PHONE TONY **FOR CLASSIFIEDS** 0223 313722



## The Gateway School of **Recording and Music Technology**

Consultants in Studio Synthesiser and Computer Music applications

### **RECORDING &** SYNTHESISER COURSES

Call us at Gateway for details of our Primary and Advanced recording courses, Synthesiser courses and Specialist courses in Computer/ Synthesiser interfacing. We are at present planning short orientation courses for the Synclavier and other advanced keyboards, and we would like to hear from you about courses you would like to be involved in. Write to Gateway School of Recording and Music Technology, 1a Salcott Road, London SW11 5QD or call 01-350 0340. Our courses are arranged in cooperation with Bandive, The Fostex Corporation, Soundcraft, Teac and

These courses should not be confused with any others



YES, we've got the latest gear you want from YAMAHA, ROLAND, SCI, KORG etc. like DX-7's, PF-15's, JUNO 106, Six-trac, Drumtraks, Poly-800 all on demonstration and available at the right prices! Plus INTERFACES for BBC B and CBM 64 Computers, all MIDIed up and ready for you to try. Call 01-863 1841 for Catalogues, Prices, and Advice

# Phone 01-863 1841 for an invitation to

our next Mid: Synth Show

TH HARROW: Pinner Rd. 01-863 1841 TORQUAY: 65 Market St. 0803 25488 EXETER: Queen St. 0392 51846 PLYMOUTH: Drake Circus 0752 23011 TRURO: 16 Pydar St. 0872 71359 JERSEY: 8 Esplanade 0534 78901

# MUSICI LAB SERVICE

Officially appointed

# **REVOX** TEAC/TASCAM

Service Agents

A fast, efficient repair service with collection and delivery available

Contoct Nikki Antoniou on

01-388 5392

72 Eversholt Street, London NW1 1BY

# CLEF ELECTRONIC MUSIC

The NEW CLEF DIGITAL C.M.S. WHEN WE SAY 'PROGRAMMABLE' WE MEAN IT!

The new Clef Computer Music System is a FULLY programmable Digital Synthesizer. It's so programmable that you need a BBC Microcomputer to run it. Programmable waveforms on 32 independent oscillators. Programmable shape and keyboard touch response on 32 envelopes. Programmable stereo on each Osc/Env. Up to four different Osc/Env's per note. 5 Octave touch sensitive keyboard, real time polyphonic sequencing and massive potential for future software. In short, the Musical control you've always wanted at an affordable price.



HREE PIECE BACKING BAND e sounds of three talists to back DRUMS - BASS - KEYBOADS 3 000 chord changes (60 s) on 132 different chords

BAND-BOX

Phone or write for full details EXPERIMENTERS! PDSG, P.S.U. & Keyboard available separately as promised in E&MM. Demonstrations by appointment at:

RRP £499.00 **② ⊘** mi

CLEF PRODUCTS (ELECTRONICS) LIMITED Dept E&MM 8/85 67 Thornway, Bramhall, Stockport, Cheshire SK7 2AH. 061-485 4889

# Loudspeaker Cabinet **Fittings**

From Adam Hall Supplies: Coverings & frets . flight case parts Celestion power speakers Rean jacks & fittings • P&N stands Send 30p PO/cheque for Illustrated catalogue

**ADAM HALL** SUPPLIES LTD Unit M. Carlton Court. Grainger Road, Southend-on-Sea

Essex



MIDI for PF10/15 and YP40 keyboards

**DX7-TF1** internal memory expansion

**RX15 internal memory expansion** 

TF1 modules: fly-cases for 1,2,3 or 4 modules with power.

# POLYTRAK

Ph.(50)404816 29 RUE DE VERSDIX 01210 FERNEY, FRANCE

# PROMARK

8 INTO 4 MIXER AS NEW STILL BOXED

**Telelephone:** (0223) 323396

### PRACTICAL COURSES IN PROFESSIONAL SOUND PRODUCTION TECHNIQUES

inc. Multi-track Sound Production and Computer-assisted Mixing Consoles, Digital Sound, Analogue/Digital Sound Synthesisers & Drum Computers etc. Sound Post-production of TV/Video Programmes, Pop-music Video Production, Production Jingles, Commercials, Film Music and Song Arrangements.

Instruction by professionals working in the industry and practical experience on state-of-the-art equipment throughout the course.

Three-month and short-term courses in modern studio

For further information contact

**Media Production Services** 238-246 King Street, London W.6 Tel. 01-274 4000 Ex. 3.28



OLYMPIA 2 · LONDON : FRI · AUG 2 - SUN · AUG 4

✓ BRITAIN'S BIGGEST MUSIC FAIR FOR EVERYONE...
...COME AND PLAY.

◆ ALIVE WITH EVENTS, STARS, MUSICIANS AND MUSIC.

EVERY POPULAR INSTRUMENT ON DISPLAY...AND MORE.

TRY ANYTHING FROM A PENNY WHISTLE TO THE LATEST COMPUTERISED INSTRUMENTS AND EQUIPMENT.

ADMISSION £3.00 ADULTS : £1.50 CHILDREN UNDER 14 AUG 2 · 3 · 10AM · 7PM : AUG 4 · 10AM · 5PM

OLYMPIA 2 : AT THE OLYMPIA EXHIBITION CENTRE, KENSINGTON, LONDON.

# S GOES THE MUSIC...

Music is constantly moving, constantly changing. And so are the needs of today's musicians. They are looking for new avenues of expression, and they're not finding them in yesterday's effects. New music requires new sounds - enter Ibanez Master Series

I banez proudly presents nine all new pedal processors guaranteed to make you think twice about your

present effects system. Each Master Series processor expands the horizons of its predecessor with new features, new circuitry and a new chassis design. Each has been meticulously designed and built to deliver the most musically effective sounds available anywhere.

But to appreciate all of the Master Series innovations, we invite you to get on down to your Ibanez dealer and audition the Master Series for yourself. Your new sound is waiting for you!

SOUND INNOVATION For latest ful colour catalogue of Ibanez effects send 30p to Summerfield (Dept EMM), Saltmeadows Road, Gateshead NE8 3AJ.