



Friday, September 12th, 1924.

WIRELESS WEEKLY



Build your *Signal Set*  
to-night ———  
Listen-in tomorrow  
night ———

Put it together yourself  
with a  
screwdriver & a pair of pliers



There's fascination in building your own radio receiving set—and now **Signal Home Assembly Sets** have made it possible for anyone to do this, with the aid of only a screwdriver and pair of pliers, at a considerable saving on the cost of shop-assembled sets.

You need not have any technical knowledge to build a one, two, three or four valve Signal set successfully, for with every set is included a clear diagram and full instructions.

## Signal Home Assembly Sets

come complete to you with all parts (except Valves, Batteries, Head phones and Aerial Equipment). All parts are carefully standardised and tested, and give satisfactory results, provided instructions are followed.

Do not miss any longer the pleasures that radio can bring into your home for the whole family.

If you already have a small crystal receiver, the building of a Signal valve set will be still more interesting to you.

Model P. 1 Valve . . .	25 10 0
Model Q. 2 Valves . . .	35 0 0
Model R. 3 Valves (Audio Frequency)	511 11 0
Model S. 3 Valves (Radio Frequency)	511 11 0
Model T. 4 Valves (Radio Frequency)	513 13 0

**United Distributors Ltd.**

(Wholesale Only)

28 Clarence St.,  
SYDNEY

592 Bourke St.,  
MELBOURNE



# VOLMAX

—*Supreme!*

“VOLMAX” BROADCAST SETS have now proved themselves to be the ROLLS ROYCE of BROADCAST RECEIVERS.

They give a FAITHFUL PORTRAYAL of the music transmitted, and this is why their performance in reproducing

**THE GRAND OPERA**

was a huge success.


‘VOLMAX’ SETS REPRODUCE REAL MUSIC!

VOLMAX 3 VALVE OUTFIT, complete with Valves  
Batteries, Phones and Loud Speakers

Price **£45** Complete

**WIRELESS SUPPLIES LTD.**

21 ROYAL ARCADE & 329A GEORGE STREET, SYDNEY  
PHONE M3378



Page Two

WIRELESS WEEKLY Friday, September 12th, 1925.

## FAMOUS FROST PARTS

THE MOST COMPLETE LINE OF GUARANTEED QUALITY RADIO PARTS EVER OFFERED IN AUSTRALIA

ONE PRICE ALL DEALERS



**FROST RADIO**  
No. 419. Bakelite Spring Shock Absorber Socket. Standard base, perfect in fabric construction.



**FROST RADIO**  
No. 620.—Frost Radio Metal Frame Rheostat for Transmitters.

Page Three

WIRELESS WEEKLY Friday, September 12th, 1925.

## "LIKE POSTAGE STAMPS — USED EVERYWHERE"

OF GUARANTEED QUALITY OFFERED IN AUSTRALIA

ALL DEALERS



**FROST RADIO**



**FROST RADIO**



**FROST RADIO**

**FROST SOCKETS**

419 SINGLE SHOCK ABSORBER SOCKET, for Standard Valve .....

511 SINGLE SHOCK ABSORBER SOCKET, for UV199 and UV200 .....

512 BAKELITE SOCKET, for UV200 and UV199 Valves .....

513 BAKELITE SOCKET, for Standard Valve .....

514 GANG SHOCK ABSORBER SOCKET, for Standard Valve .....

515 GANG SHOCK ABSORBER SOCKET, for UV199 UV200 .....

**FROST RHEOSTATS & POTENTIOMETERS**

COMPLETE WITH TAPERED BLACK BAKELITE ENDS. METAL PARTS HEAVILY NICKELATED. IMPROVED TERMINALS. ALL TECHNICALLY PERFECT.

620 RHEOSTAT, 4 ohms (Maximum Resistance) .....

621 RHEOSTAT, 8 ohms Variable (Maximum Resistance) .....

622 RHEOSTAT, 16 ohms Variable (Maximum Resistance) .....

623 RHEOSTAT, 32 ohms Variable (Maximum Resistance) .....

624 RHEOSTAT, 6 ohms Metal Frame .....

625 RHEOSTAT, 12 ohms Variable, Metal Frame .....

626 RHEOSTAT, 24 ohms Variable, Metal Frame .....

627 POTENTIOMETER, 400 ohms (Maximum Resistance) .....

628 POTENTIOMETER, 800 ohms, Metal Frame .....

629 POTENTIOMETER, 1600 ohms, Metal Frame .....

**FROST MISCELLANEOUS**

401 EXTENSION CORD, complete with Adapter and Plug, 20ft. .....

402 COUPLER or Secondary Transformer .....

410 CRYSTAL TUNING COIL SLIDER (2500 turns) .....

501 RADIO JACK BOX (for 4 plugs) .....

502 ADAPTER, for UV200 or UV199 .....

**FROST JACKS AND PLUGS**

NICKEL PLATES FORMOSA INSULATION, NICKEL SILVER CONTACT SPRINGS, FINE SILVER CONTACT POINTS

101 OPEN CIRCUIT JACK .....

102 DOUBLE CIRCUIT JACK .....

103 CLOSED CIRCUIT JACK .....

104 FILAMENT SINGLE JACK .....

105 FILAMENT DOUBLE JACK .....

106 MULTIDIPPLE CIRCUIT JACK .....

107 PLUG, DOUBLE (3 connections) .....

108 PLUG, SINGLE .....

**FROST MISCELLANEOUS**

630 RESISTANCE UNIT, 35 ohms (to increase resistance) .....

631 INDUCTION UNIT (to increase wave length) .....

632 POTENTIOMETER SWITCH .....

633 PARALLEL SWITCH .....

634 PUSH-PULL BATTERY SWITCH .....

**FROST HEAD PHONES**

STANDARD THE WORLD OVER

101 FONES (Aluminium Head Plates) 1000 ohms .....

102 FONES (Aluminium Head Plates) 2000 ohms .....

103 FONES (Maximum Bakelite Head Plates) 2500 ohms .....

**THE MAGNETS IN FROST FONES ARE TREATED WITH COPPER TO PREVENT CORROSION BY MOISTURE AND SALT AIR.**

**THE MAGNETS IN FROST FONES ARE TREATED WITH COPPER TO PREVENT CORROSION BY MOISTURE AND SALT AIR.**

"Appliance" Cards Furnished Dealers and Clubs Without Charge

### United Distributors Ltd.

(WHOLESALE ONLY)

MANUFACTURERS OF RADIOVOX SETS  
A FEW TERRITORIES OPEN FOR AGENTS

28 Clarence St., Sydney      Hobart

"Appliance" Cards Furnished Dealers and Clubs Without Charge

### United Distributors Ltd.

(WHOLESALE ONLY)

MANUFACTURERS OF HOME ASSEMBLY SETS

Perth      Brisbane      Adelaide      Melbourne

# Slogan Competition

## Extended till September 30

**H**ARDLY necessary to dwell here upon the statements made by the Editor in the previous issue of the Wireless Weekly, in relation to the Slogan Competition.

Readers will know the reasons that necessitate the extension of the Competition.

But, let us repeat the gist of his remarks:

We want an original slogan: one that is essentially a wireless slogan; one that is expressive of the service of our store.

Some enterprising person is going to win that three valve Signal Set prize.

A little thought may win YOU this handsome prize.

Remember it is not necessary for customers to have purchased goods at the Store to be eligible.

Address all Entries to this Store. All Envelopes to be marked "COMPETITION."




Large stocks of REMLER goods have just arrived. Inspection with no obligation to purchase is invited.

Crystal Sets from . . . 30/-  
Frost Phones . . . 32/6  
Western Electric Phones 44/-

Brandes Phones . . . 40/-  
Murdoch's Phones . . 30/-  
New System's Phones, 35/-

Sterling Phones . . . 44/-



## E. R. CULLEN

96 BATHURST STREET

Telephones: City 869 & 2596

### Super Crystal Set

*Still on Show*

Insulator's Crystal Set is still on show in our windows. See it! Parts, of Grodan manufacture, as used by Insulator procurable here from . . .

# 9/-

<p><b>WALNART</b> Variable Grid Resistance VARIES ZERO TO SIX MEGOHMS</p>  <p>Fixed Condenser extra</p> <p>To get the best results from your radio set you must be able to vary the grid resistance of the tubes. Walnart Variable Grid Resistance makes possible a variance from zero to six megohms making it easy to bring in those distant stations clear and loud, eliminating tube howls.</p>	<p><b>WALNART</b> TUBE SOCKETS Standard or UV199 Base</p>  <p>Adopted by leading radio set manufacturers. Dependable in all circuits. Can be mounted on panel or base board (packed complete with mounting screws). <b>Electrically Right</b> <b>Strongly Constructed</b> (Non-breakable) <b>Fits Into Small Spaces</b> <b>Perfectly Insulated Throat</b></p> 	<p><b>WALNART</b> INDUCTANCE SWITCH WITH NUMBERED DIAL</p>  <p>1 to 10 Contacts</p> <p>One hole is all you have to drill to mount this one to ten positive contact switch, instead of twelve where switch points are used. It can be soldered to instrument before mounting. Dial shows position of contact. Ask to see it.</p>
--	--	---

WALNART TROUBLE - PROOF APPARATUS  
AND  
**ACME**  
APPARATUS IS HERE

Your Antenna receives only a little energy. Don't waste it. Use the ACME "LOWEST LOSS" CONDENSER with the following features:

Silver-plated decimeter brass plates, brass bearings with steel cones and lock nuts, rotary plates integral with metal heads, therefore no capacity effects, dust-proof covering, friction vernier, noiseless, giving 10 to 1 reduction, balanced plates, pig-tailed connection on rotary plates, plates spot-welded, brass separators to prevent twisting, bearings can be oiled without loss, range from .000016 m.f. to .0005 m.f.

*Inspect it at' your Dealers*  
**Price - - - 48/6**

Dealers: Write for Price List.

**P. H. CLARK LTD.**

38-44 CARRINGTON ST., SYDNEY.

Wholesale Only.

Phone City 8469.  
Box 914, G.P.O.

# Have you Heard the News?

## O'SULLIVAN IS KNOCKING 'EM ALL STIFF!

The Talk of the Town.

English 3 Valve Sets Complete with Loud Speaker, Batteries, Aerial Wire, Earthing Connection and Ready for Use. PRICE . . . . . £26/0/-

Call in and have a demonstration of its wonderful tone. Other goods just as sensational in Prices and Values.

# O'Sullivan's Electrical Shop

296 PITT ST., SYDNEY.

Opposite Water and Sewerage Board.



503 GEORGE ST.

Opp. Crystal Palace Theatre

PHONE .

*Fans* KEEP YOUR EYES ON THIS SHOP *Service* IS OUR WATCHWORD

Don't fail to obtain the benefit of Mr. Keogh's AMERICAN Experience

THE HOUSE OF RADIO

503 George Street

Opposite Crystal Palace Theatre




# THE MILES BETWEEN

The Broadcasting Stations and your Receiver  
are as nothing if you use

## GILFILLAN PARTS

You cannot appreciate the joy of perfect Radio Reception until you instal GILFILLAN PARTS, known for years as the World's finest Radio Products. Their rich appearance and high efficiency have firmly established them as favorites among discriminating buyers.




R 350

These condensers are of new design, are equipped with heavy moulded bakelite end plates, are rigidly braced and will not warp out of shape. The metal plates are of scientific design and occupy centre of space at all positions.

AUSTRALIAN  
DISTRIBUTORS:

*Harringtons Ltd.*

Our Demonstration Hall open  
every afternoon.



R 125

VARIOCOUPLER

The finest that can be produced. Moulded brown bakelite, split bronze bearings; winding tapped at 15 points for very close tuning. Obtainable in two sizes.

## MARCO PRODUCTS

ANNOUNCEMENT  
TO INTERSTATE TRADE.

HARRINGTONS LTD. have taken over the sales and distribution of MARCO Products throughout Victoria, Queensland, Tasmania, South Australia, and Western Australia.

Write for Price List.

*Harringtons* LTD

386 George Street,  
Sydney

MELBOURNE: 266 Collins Street.  
KATOOMBA: Katoomba Street.  
BRISBANE: 93 Queen Street.  
ADELAIDE: 10 Rundle Street.  
WELLINGTON, N.Z.: 42 Willis St.  
AUCKLAND, N.Z.: 140 Queen St.

## Geo. Field's Wireless Supplies

While thanking our Patrons for their favours during our first year of service, we desire to state that we are now installed in more commodious and up-to-date premises at 83 Beaumont St., Hamilton.

Field for your Radio Requirements.

The Country Clients' Radio Rendezvous.

Extensive stocks of Ediswan, Western Electric, British General Electric and United Radio Products.

Don't forget our Signal Set Service.

### GEO. FIELD

83 Beaumont St., Hamilton.

c/r. Hunter and Darby Sts. Newcastle.


343 High St., Maitland.

J. Krohn, Agent, Raymond Terrace.

## LEFAX Radio Handbook

LEFAX Radio Handbook is the one Book on Radio that keeps abreast of developments. As quickly as the authors learn new facts about the subject, the information is passed on to you. It comes all printed in loose-leaf form, all pages numbered and properly classified. Lefax is the only Book on Radio that doesn't, cannot grow old.

Note the little rings in the



centre of the book. Those rings are hinged. They are instantly opened—by a slight finger pressure—to receive the perforated pages. Once an ordinary book is bound, it cannot be changed—but Lefax can. You buy Radio information *complete* when you buy Lefax. You are furnished, free for a year, pages containing additional information. You need Lefax Radio Handbook.

### Welby Radio Company

Wholesale Only

13 ROYAL ARCADE, 1st Floor (North Side), SYDNEY.

# RADIOELECTRIC

WIRELESS  
SUPPLIERS

WIRELESS  
ENGINEERS

Announce the Opening of their New Wireless Store

AT

## 10 MARTIN PLACE

(Right Opp, G.P.O., SYDNEY)

OUR RADIO STOCKS are complete and include every accessory needed for Valve or Crystal Sets. Every article we sell is of absolutely reliable quality and can be depended upon to give reliable service. Our prices are distinctly reasonable.

OUR RADIO SERVICE. We are experts on Wireless, and cheerfully give advice to anyone on this subject. Call and talk over your wireless problems with us.

Country Residents can avail themselves of this service by mail.

Write or call for Catalogue

# RADIOELECTRIC

Wireless  
Suppliers

10 MARTIN PLACE  
(right opp. G.P.O.)  
SYDNEY

Wireless  
Engineers

## Radio without an Aerial!



If you are unable to erect an aerial, that doesn't stop you from enjoying the pleasure of the local broadcast programme.

### *The Ducon Attachment for Radio Receivers —*

enables you to make use of the electric lighting circuit as an aerial, picking up broadcast concerts perfectly.

Your receiver must not be connected directly to the lamp socket, or damage to both your receiver and the lighting circuit will result.

The Ducon forms a safe and efficient attachment between your receiver and the lamp socket—it uses no current and is tested to 2,500 volts.

PRICE: 12s. 6d.

*Obtainable from all Radio Dealers.*

**Amalgamated**  **Wireless**  
*(Australasia) Ltd.*

97 Clarence St., Sydney.

Collins St., Melbourne.





Phones, Redfern 964 and 950.

Official Organ of the New South Wales Division of the Wireless Institute of Australia, with which is incorporated the Affiliated Radio Societies and the Australian Radio Relay League.

Vol. 4. No. 22.

SEPTEMBER 12th, 1924.

CONTENTS:		Page
EDITORIAL .....		12
THE WIRELESS INSTITUTE .....		14
RANGE OF RECEIVERS .....		16
CONSTRUCTION OF WIRELESS PARTS .....		18
HISTORY OF WIRELESS .....		20
ANOTHER SINGLE VALVE RECEIVER .....		28
THE RADIO BEGINNER .....		46

**EDITOR:** A. W. WATT The Editor will be glad to consider Technical and Topical Articles of interest to Australian Experimenters. All Manuscripts and Illustrations are sent at the Author's risk, and although the greatest care will be taken to return unsuitable matter (if accompanied by stamps), the Editor cannot accept responsibility for its safe return. Contributions should be addressed to the Editor, "Wireless Weekly," 33/37 Regent Street, Sydney, N.S.W.

**SUBSCRIPTION RATES** Twelve months (52 issues), 13/-. post free. Six months (26 issues), 6/6, post free. Single Copies, 3d. each, or post free, 4d.

**QUESTIONS and ANSWERS DEPT.** Except in the case of subscribers, all Technical Questions, or those entailing research work or drawings, must be accompanied by a postal note or stamps to the value of 1/-.

**ADVERTISING** Advertising Rates may be had on application to the Advertising Manager. Copy must be in the hands of the Editor by the Friday preceding each issue. If copy is not received in time, the previous week's advertisement will be repeated.

All accounts should be made payable to Publicity Press Ltd., 33/37 Regent St., Sydney  
Agents in Great Britain: The Colonial Technical Press Ltd., Dudley House, Southampton Street, Strand, W.C. 2.

## EDITORIAL

IN another portion of this issue appears a copy of a circular letter from Mr. Malone, Chief Manager of Telegraphs and Wireless, in which he draws attention to the lamentable fact that many operators of receivers are not in possession of a license. Quite naively, the Postmaster-General's Department expresses surprise that this could be so, and the circular goes on to say that great efforts were made in drawing up the recent Wireless Regulations to facilitate the development of broadcasting and to bring within the range of the whole community, at low cost, the benefits to be derived from high-grade broadcasting stations.

Nobody will quarrel with this last statement, just as most of us are prepared to admit that great efforts were also made at one time to make broadcasting as expensive a hobby as possible. It is beyond all question that there are large numbers of receivers in the possession of people who are operating them without a license, but it must be remembered that the main contributing cause of this sorry state of affairs may be summed up in two words—"Sealed Receivers."

As was pointed out in this journal, and in perhaps one or two others, the late lamented Regulations, in making wireless for the masses quite out of reach, simply made pouchers of thousands who were determined to enjoy the privileges of wireless in the only way that could appeal to Australians—with the use of open receivers. Since an experimental license was beyond the scope of most enthusiasts, there swiftly came into vogue the moonlight aerial, the hall-room aerial, the rafter aerial, the clothes-line aerial, and, for those with the necessary cash, the indoor loop. From a private source the information was given to us that in one large town alone there were 60 license-holders, and something like 600 receivers.

The position was inevitable, like sly-grog and other things, and was foretold again and again by men who had the vision to see where we were heading. The precedent having been established, it is only natural to suppose that it would be followed by large numbers who, knowing the circumstances, were bitten by the wireless bug when the open set Regulations came into force.

The damage, however, was done, and the Postmaster General, having sanctioned the Regulations which brought the pirate into being is now placed in the unfortunate position of having to find ways and means of blotting him out of existence. Truly a sorry position, and one that merits our heartfelt sympathy. How the blotting will be done it will be interesting to observe. Perhaps by a special Police Force, or by the establishment of gangs of Roughnecks, empowered to search the premises of suspects. If the lumpy course of Wireless in Australia may be regarded as an indication, then the remedy will prove a greater farce than the crime itself.

However, with the last paragraph of Mr. Malone's circular, we are in entire accord; in fact, we have been preaching the doctrine of co-operation so long that it is almost unnecessary to comment upon it here. Broadcasting must be regarded, not from the stand point of a passing hobby, the fruits of which may be lightly filched from the ether, but as a blessing which will carry in its train benefits that may scarcely be imagined. Broadcasting companies must at least be recompensed for the expense they are put to in presenting programmes which are frankly admitted to be among the best in the world. They bring pleasure to thousands and joy to many homes and institutions where the glorious sunlight seldom penetrates. As time goes on, the benefits of broadcasting will be brought to the sufferers in the hospitals, to the unfortunates in gaols, and to the many others whose lives are filled with anything but the joy of living. But, the services rendered by the broadcasting companies — services, the value of which will probably never be realised—cannot be conducted free. They must be paid for, and there are very few who cannot afford to pay the modest fee asked.

The average Australian is a fair-minded citizen, and, so to all those enjoying the privileges of broadcasting, we want to put this question: "Have you taken out a license?" If not, then do your part in the enlarging and improvement of the present high grade broadcasting services; pay in your fee to-day. Be fair!

WHAT ARE FROST LINES? SEE PAGES 2 and 3.

Are you joining in? The Wireless Weekly Transmitting Test Week, which it is proposed to hold from October 1st to October 7th still calls for supporters.

It needs every transmitter and every receiver to make it a howling success. So far a considerable number of city and country enthusiasts have assured us of support, and we hope that Interstates will co-operate. Notifications should reach us as soon as possible so that we can finalise arrangements.



177 Annandale Street,  
Annandale.

29/8/24.

The Editor,

Wireless Weekly, Sydney

Dear Sir,

I note in a recent issue the proposal to carry out transmitting tests. While wishing success to all concerned, I humbly desire to make myself heard on behalf of all crystal D.X. hounds.

After having logged KGO, we young sprites naturally turn to the amateur wave-band. Our one limitation lies in our inability to read C.W.; consequently, one feels it would not be asking too much of the A.R.R.L. if local transmitters were requested to CQ in I.C.W. once or twice.

Yours faithfully

HAROLD J. HAMNET, 4240.

"Brooks Cottage,"

Ellendon St.,

BUNGENDORE, N.S.W.

28/8/24.

To the Editor

Dear Sir,

I have read a lot in your valuable paper concerning the reception of 2FC in the country.

I have had the pleasure of picking up 2FC's broadcasting since the beginning of this month and on my double slider crystal set, using Q.S.A. and galena crystals. The distance from Sydney is

WHAT ARE FROST LINES?

182 miles, and the volume at which items are heard is quite comfortable and they are very distinct. Last night the reception was so plain that one could imagine the artists were in the next room. From 6.30 p.m. until 7.15 p.m. I heard children's stories, then musical items from a little after 8, until the National Anthem at 10 o'clock. I have found dull and rainy nights to be the most suitable for 2FC.

My aerial is a twin wire, about 100ft. long (east and west). The lead-in comes in from the Eastern end, and the height both ends, is 45ft. The earth comprises a sheet of galvanised iron (4ft. x 3ft.) dug into the earth about 3 feet odd deep. My set is home-made, double slider type, and the phones are Sullivan's 2000 ohms. Should there be expressed doubt about this reception, I would be pleased to furnish you with witnesses to some of the receptions.

Yours etc.,

(Mr.) E. W. C. MATTHEWS,  
Licensed Experimenter.

"In the Wayback."

To the Editor

Dear Sir,

The question I would like to ask you is this—can you explain a raspy-like noise, heard on almost any wave-length, very loudly, and of about 2 minutes' duration, on Saturday evening, 23rd August, at between 9.30 and 10 p.m.? If you cannot, would you be so kind as to publish this? One of your many readers might be able to explain.

Yours etc.,

"WAYBACK."

9 Cremorne Rd.,

Cremorne,

31/8/24

To the Editor

Dear Sir,

I wish to inform you of my reception of K.G.O. last night on a single valve receiver using a C-299 valve.

I am a fourteen-year old experimenter, and my set, which is home-made, is of the three-coil regenerative type with untuned primary. The coils I used on this occasion, were special low loss ones wound somewhat the same way as was described in the article on efficient short wave receivers in the issue of "Wireless Weekly" for August 22nd. The circuit is also the same.

(Continued on Page 24)

SEE PAGES 2 and 3.

HEADQUARTERS  
Room 24 2<sup>nd</sup> Floor  
82 Pitt St.  
SYDNEY N.S.W.



Phil Renshaw Hon. Sec.  
Box 3120 G.P.O. Sydney  
Phone B 2235  
A.H. Perrett Publicity Officer

#### Monthly General Meeting.

THE next general meeting of this Division of the Institute will be held at the Royal Society's Rooms, 5 Elizabeth Street, Sydney, on Tuesday, 16th September, 1924, at 7.45 p.m. On this occasion the evening will be spent in an exhibition and explanation of apparatus. The new testing sets of the Institute which have now arrived from America, will be on view and their operation will be explained. These pieces of apparatus in themselves will form a very interesting subject for discussion, the wave meter alone being an excellent piece of workmanship of which the Institute may well be proud. The degree of accuracy obtainable with this instrument is very high and the many uses to which it can be put will be a revelation to those who have never seen an instrument of this nature before. The other pieces of apparatus will also prove of interest and the detailed explanation of their working which will be given should form a very attractive evening. At the same time it is proposed to hold an exhibition of members' apparatus, and all members are hereby invited to bring along to the meeting any piece of apparatus which they may consider worthy of exhibition. Members will be invited to give a short account of the apparatus and its application to radio usage and it is hoped that a representative collection will be seen. Such evenings as these should prove of great benefit to members as the interchange of ideas and discussion which will no doubt be provoked will be fruitful in producing much interesting experimentation in the application of new ideas to existing circuits, and the adoption of other apparatus to the experimenter's own set. Members should therefore make a careful search of their laboratories and select anything that may be of interest and bring it along to the meeting.

#### Library.

Members of this Division are advised that there are a number of radio books and magazines on hand at Institute headquarters, 82 Pitt St., Syd-

ney, which may be availed of by members between the hours of 10 to 12 a.m. and 1 to 4 p.m. Mondays to Fridays, and 10 to 12 Saturdays. Arrangements will shortly be made to issue the books from the Institute library at a small charge. Any suggestions as to further suitable books to be obtained for the library will be welcomed. Communications should be addressed to the Library Committee, Box 3120, G.P.O., Sydney.

#### Australian Radio Relay League.

The organisation of the Australian Radio Relay League has now reached that stage when matters can be finalised and the working schedule finally brought into operation. The results so far have been highly satisfactory as far as they go, and considering the difficulties which have presented themselves, the officials of the League have to be congratulated upon the good work which they have done. It is very necessary that every experimental transmitter who can take part in the League's activities should do so, and to this end a special meeting has been called for Tuesday, 23rd September, 1924 at 7.30 p.m. sharp, to which all those holding transmitting licenses who are ready and prepared to whole-heartedly support this movement, are invited. The meeting will be held at the Institute headquarters, 82 Pitt Street, second floor, and it is anticipated that the result of this meeting will be an active programme in which there will be work for every member. It has been emphasised in these columns, not once, but many times, that the membership of the League does not entail any hardship, but will prove a matter of absorbing interest to those who participate in its activities. At the same time, it has also been pointed out that regularity in the performance of the duties undertaken is of paramount importance. There will be a job for every member, which will be of service to Australia, and the scheme to be outlined at the meeting will be one which it is confidently anticipated will prove attractive from

ARE YOU USING FROST PARTS? SEE PAGES 2 and 3.



every point of view. The officials of the League have done much spade work, and it is to be hoped that their efforts will be crowned with that success which can only be assured by the active and hearty co-operation of every transmitter.

#### Transmission of Music

The transmission of music from experimental stations has on occasions proved so strong as to entirely block out long distance working and this is a matter which is certainly disheartening to experimenters who have perhaps spent many hours in patiently tuning some long distance station. The suggestion has been made, that before transmitting music, the station operating should send out a signal on the lines of the high power signal sent out by stations before going on to high power. Before the station switches on to high power, the signal "MIM" is transmitted and it is suggested that the signal "MOM" should be sent out before music is turned on. This suggestion is made with the hearty approval of many experimenters and it is made here so that any criticism which may be desirable may be offered before it is adopted. After sending out this signal, the station desiring to transmit music should listen in and it would give a chance for anyone who was working a long distance station to finish the message, or alternatively to ask the station about to transmit music, to stand by for a few minutes as important tests may be in progress. This suggestion is not made in any way to limit the liberties of experimental transmitting stations but with a view to facilitating the working of all stations and it is only by the active and sympathetic co-operation of all experimenters that any real experimental work can be accomplished.

#### Notes.

Recently tests of a military character were carried out between stations 2ED and 2KC, and the operators of these stations have requested that readers should note this fact; if on that occasion they were heard working, and were called by any experimenters, they were unable to answer, but this must not be implied as any discourtesy on their part, as under the circumstances they were unable to reply. It is hoped that these tests will be repeated later on, so that if on any occasion these stations fail to reply when they have been heard working, it may be assumed that tests of this nature are in progress.

A. H. PERRETT,  
Publicity Officer

## A Gentle Hint

WE have received a circular from Mr. J. Malone, Chief Manager, Telegraphs and Wireless, which reads as follows:—

"The Postmaster-General's Department expresses surprise that a number of users of wireless receiving apparatus have so far failed to obtain broadcast listeners' licenses, and are continuing to make use of their sets illegally.

"Great efforts were made in drawing up the recent Wireless Regulations to facilitate the development of broadcasting, and to bring within the range of the whole community, at a very low cost, the benefits to be derived from high-grade broadcasting stations.

"It will be realised that the merits of a broadcasting programme are directly influenced by the income of the company licensed to undertake the work, and those users of wireless receiving apparatus who are operating illicitly are not only pirating on the companies concerned, but are preventing those who are honorably fulfilling their obligations from reaping the benefits which should accrue were all listeners paying their just contribution.

"It is believed that in the great bulk of cases where persons are operating receiving instruments without being in possession of a license, they have no intention either of breaking the law or defrauding the Broadcasting Company of its legitimate clients, and the Postal Department feels that it is only necessary to bring the matter to the notice of unintentional offenders in order to ensure their early compliance with the Regulations. The position is obviously one which cannot be permitted to drift indefinitely before having recourse to legal action.

"It is only by the constant and hearty co-operation of all concerned that real success can be achieved, and an earnest appeal is made to everyone interested in wireless broadcasting to loyally co-operate with the Department in order to ensure that the full benefits arising from the service may be secured for the community at large."

The teacher, prompted by superior authority, had asked permission by letter, of a girl's parents to have her take the Schick mentality test. The permission was refused by the child's mother in a letter which ran as follow:

"I received your letter asking to have my girl take the Scheek test. I will not have my girl take no Sheek test. I have seen that Sheek at the theatre, and I will have nothing to do with no test of his."—Boston Transcript.

## RANGE OF RECEIVING SETS

AMONG the numerous questions to-day asked by the prospective purchaser of a radio receiving outfit are, "How far will it receive? What is the range?" etc. Not only in this instance, but in the case of the editor of the question column of the different radio publications, whose duty it is to solve problems relating to radio reception. People who are supposed to have a high degree of intelligence and common sense often write in to ask why they cannot pick up a certain distant station, giving the construction of their equipment to the smallest detail. Others say, "I have a honey-comb coil set and galena detector; how can I receive?" It is quite evident that inquirers of this nature have not stopped to analyse the situation, or else have no conception of the number of factors which govern the propagation of electromagnetic waves.

Before we proceed any further, let it be understood that no receiving set has any definite range. This is mostly due to the numerous variable factors upon which the receiving range depends, and these being very rarely the same for any two outfits regardless of their similarity in design and construction.

Some of the most important of these variable factors will be made clear by the following simple analogy: Suppose a steam whistle of given intensity be used to represent the transmitting station and the ear on a human being the receiving set. If the person moves away from the whistle it is obvious that the intensity of the sound will decrease directly with the distance, until he reaches a point where it will be just audible. This distance will designate the maximum range of reception for the given intensity or power of the transmitter.

Now, suppose the intensity of the whistle is increased. It will be clear that it would be possible for the person to hear it at a greater distance. Hence we are able to say that the power of the transmitting station is one of the variable factors which govern the range of reception.

Assuming that the intensity of the whistle remains constant, but that certain obstacles are placed in the path of the sound waves. Now, the

person would have to move closer to the transmitter in order to hear it. Here we have another variable factor governing the distance at which a transmitter can be heard—obstacles in the path of the propagated waves.

Again, take an instance where there are several whistles blowing. It is evident that these will tend to drown out the one which the person is endeavoring to hear, and so decrease the maximum distance which he would ordinarily be able to hear it. This cause for decreasing the range of reception is termed "interference." These facts when explained in this way are familiar to most people, and can be applied directly to wireless.

It is evident that the factor which is a measure of distance range of a receiver is the current in the receiving aerial—the greater this current the greater the range. The amount of current in the aerial receiver is dependent upon a number of different variable factors. In addition to the ones explained in the above analogy, we have height of transmitting and receiving aerials, amount of current in each, length of transmitted wave, distance and decrease of energy due to absorption.

The received current depends upon the height of the receiving and transmitting aerials, and the higher these are the greater will be the range of reception. This is true theoretically only, and there are several other factors influencing this, among which is "static" interference, which will be discussed later.

As the distance between transmitter and receiver increases it is obvious that there will be a decrease of receiving current. Furthermore, there will be a decrease owing to the imperfect state of the medium in which the transmitted waves travel. Steel buildings, vegetation, mountains, etc., all have considerable effect upon the signal strength. Another point which comes in here is the relative conductivity of the ground. It is a known fact that reception over salt water is better than over land. This is due to two reasons: first, there are no obstacles to interfere with the propagated waves, and, second, salt water has a higher relative conductivity than the earth.

Let us consider interference. If there are a number of other stations operating in close prox-

PAGES 2 and 3 TELL YOU ALL ABOUT THE FROST LINES.

WIRELESS WEEKLY Friday, September 12th, 1924.

*Do you know that*

## KILBOURNE & CLARK

make high-class Rheostats of 6 ohms resistance?  
Both Vernier and Plain, for use with the new  
Cossor Valves? K. & C. quality parts are ob-  
tainable from all leading dealers. Insist on them.

## PACIFIC ELECTRIC CO.

87 CLARENCE STREET,  
SYDNEY.

SOLE AUSTRALIAN DISTRIBUTORS

### THE BEST IN WIRELESS SUPPLIES

can be secured at

**J. Tunney**

39 Victoria Avenue  
Concord West

Try our Loose  
Coupled Crystal Set  
Broadcast Reception  
Guaranteed  
ONLY 65/-

Phones of all kinds  
at the Best Prices



### Country Readers Note

AMERICAN BROADCASTING CLEARLY  
HEARD ——— HEAR IT FOR YOUR-  
SELF

#### Finch's Wireless Store

are sending their country traveller to you.  
Dates of Towns will appear in next issue.

## FINCH'S Wireless Store

471 Pitt-street :: SYDNEY

A Vacancy occurs for an Energetic Partner. Must  
have general business knowledge.

**The Electron Wireless Co.**  
**365 PITT STREET**  
(opposite Danks)

We are the latest and most up-to-date firm dealing in  
Wireless goods. We are

**Manufacturers' Merchants &  
Agents of**

**RADIO  
REQUIREMENTS**

Wholesale and Retail

Just out, and our own manufacture: 1 Valve Sets as  
well as 2, 3, 4 and 5 Valve Sets, now on hand.

We sell Crystal Sets, 25/-; Complete with Headphones,  
55/-; Coupler Sets, 55/-.

Why not make your own Crystal Set or Valve Set?  
We supply all the parts and will give you all the infor-  
mation required.

VALVES, HEADPHONES, D.C.C. WIRE TERMINALS, AND  
SWITCH ARMS IN STOCK.

Don't feed the big, fat pig when you can get all your  
requirements at cheap prices from.

**The ELECTRON WIRELESS Co.**  
**365 PITT STREET . . . . . SYDNEY**

Correspondence invited. Let our experts advise you.

imity to the receiver, they will tend to drown out the distant one, in spite of the fact that the desired signal is quite clear when the interference is gone. In addition to this kind of interference we have static."

The range of a receiving outfit is determined not so much by the actual value of received current, but more by the ratio of signal strength to the interference. Hence, at certain times when static is strong, a receiver may have a very small range, while at other times when static is comparatively small, it may have a very great range.

Referring again to the height of the receiving antenna; it will now be understood that although increasing the height would increase the value of received current, it would also increase the static interference. As a result the ratio of static-to-signal strength is not really increased, thus the range is not increased. This is one of the chief oppositions to large aerials. Static has a small effect on small aerials and by using a proper amplifier, the signal strength may be increased without increasing the amount of static.

Then again, there are the daily and seasonal variations in the strength of received current to be considered. At night the range of reception on any set is decidedly improved. This is due to the ionising effect of sunlight on the atmosphere. Atmospheric conditions also tend to make the autumn and winter months better for reception than the spring and summer. This is not so much true in warm climates as it is where cold winters prevail.

In addition to these principal factors which govern and influence the signal strength and consequently range, there are other conditions such as changes in cloud stratas, variations in atmospheric pressure and sun spots. These all tend to have some effect on the efficiency of the receiving set.

Those who live in the vicinity of a large broadcasting station should consider themselves indeed fortunate. Instead of weeping at their inability to listen to stations hundreds or thousands of miles distant, it would be well for them to arrange their equipment so as to obtain maximum results on reception from their local station.



Harringtons Ltd. Exhibit at the Brisbane Show.

## CONSTRUCTING WIRELESS COMPONENTS

Concerning rheostats, aerial to earth change-over switches, plug switches, inductance slider, and valve and crystal circuits.


**I**N the rheostat to be described the resistance element consists of about eight feet of No. 18 Eureka resistance wire wound in the form of a helix and attached round a groove in a circular former. When a lathe is not available it will be necessary to build up the former as shown in Fig. 1.

A piece of hard and perfectly dry wood  $\frac{3}{8}$  in. in thickness is cut by means of a fretsaw to a diameter of 2 inches as shown at A. From a piece of three-ply wood two discs B are cut out, each  $2\frac{3}{8}$  ins. in diameter. A small hole is drilled through the true centre of each, and the two discs or flanges are drilled and countersunk in the position shown for the purpose of attaching them to the main former by small screws. This will be understood by referring to the diagram C, which shows the completed former. A large hole is drilled through the centre to accommodate a brass bush X, and at the same time two small holes are drilled through the former, in any convenient position, for the purpose of attaching the instrument to a panel by means of screws or bolts. The wire is wound round a rod about  $\frac{1}{4}$  inch in diameter and the turns are kept closely together so that when the rod is drawn out the helix will spring out to a diameter of about  $\frac{3}{8}$  inch.

A loop is made at each end of the helix as shown at E. The spindle consists of a short length of 2 B.A. screwed rod which should fit nicely into a brass bush. The contact arm is cut out from a strip of spring brass and bent to the shape indicated in the sectional diagram D.


Assembling the rheostat is simplicity itself. First place the bush through the centre of the former and see that it is a good "friction tight" fit in same. Gently pull out the helix until the turns just separate, place it in position round the former and fasten down the loops with small screws, placing a washer under the head of each. There should be a clear space of  $\frac{1}{4}$  inch between the loops on the end of the helix.

The general arrangement of the rheostat is shown in section at D. The arm is preferably soldered to the lower end of the spindle. Failing this it should be clamped on firmly by means of two lock-nuts. A spring washer Y is placed between the lock nuts and the flange of the brass bush. Two other nuts are locked to the spindle at the other



end of the bush allowing only sufficient thrust for the spindle and arm to revolve freely. An ebonite knob and other manipulating device is fitted to the top of the spindle. Rheostats are always connected in series with one of the accumulator leads for the purpose of controlling the temperature of the valve, the wire from one of the L.T. terminals usually terminating at one of the screws holding the helix in position and continued to

SEE THE FROST LINES ON PAGES 2 and 3.



the valve from off the arm. By means of the spring washer the arm is in good electrical contact with the brass bush, and a wire soldered to the bush or secured under the flange will be found quite satisfactory.

An alternative method for making this connection is to solder a short length of soft flexible wire or a small spiral of copper foil to the bottom of the spindle. Another simple form of rheostat may be built up in similar lines to the flat type of potentiometer previously described. The former should be of slate, fibro, or good hard wood about 3/8 inch in thickness and 4 inches long by 1 inch wide. The same gauge of resistance wire may be used for the winding. One end of this is connected in the circuit, and the other circuit connection is made to one end of the slider rod or contact arm. A springy brass radius arm would be more satisfactory than a slider with a spring plunger, since the turns of wire on the former must be just separated.

**An Aerial to Earth Change-over Switch.**

The materials and parts required to construct a simple but efficient switch for "earthing the aerial" comprise a few odd pieces of brass and a few screws usually to be found lying about the workshop. The switch to be described is known as a single pole double throw or "two way" switch, often indicated in a diagram or text by the initial letters S.P.D.T. It consists of three essential parts, the blade or arm, the clips, and the base. The base should be of 3/8 inch sheet ebonite or fibre, but a piece of good hard wood will make an excellent substitute. If the switch is to be mounted on the panel of the receiver the clips may be attached direct to same and no base will be required. The blade consists of a piece of 1/16 inch sheet

brass or copper 3 inch long and about 1/2 inch wide. A hole is drilled in one end to take a small bolt and the other in one end is filed down as shown at F (Fig. 2) to fit into a hole in a wooden or ebonite handle G. From a piece of the same material cut out six pieces, each about 1/2 inch wide and 1 inch long and drill them as shown at J. The two lower holes should be large enough to take small wood screws and the hole in the centre should be 1/8 inch in diameter. By means of a hacksaw cut a slot in four of the pieces as shown at H and bend each piece at right angles at the dotted lines as shown at I. The top portion of each should be slightly bent over as shown.

Bend the other two pieces at the dotted lines, but do not cut slots in these. These two clips form the main support for the blade, which can now be bolted between them. Secure them in the centre of a base of any convenient size and screw down the other four clips in the position shown at L (Fig. 3). See that the blade makes a good rubbing contact with all the clips and connect it up to the receiver as follows: The aerial lead-in wire is attached to one of the screws holding down one of the centre clips which support the hinged end of the blade. This wire is shown at the top in diagram L. The lower wire on the right connects one of the clips to the aerial terminal of the receiver, and the wire shown on the left connects the other side of the switch to the earth lead.

When the blade is in the position shown the aerial lead-in is in direct contact with the aerial terminal on the receiver, and when it is thrown over to the other pair of clips it is entirely disconnected from the receiver and connected direct to earth. A side view of the switch is shown at K. If desired, one pair of clips may be omitted

(Continued on page 22)

SEE THE FROST LINES ON PAGES 2 and 3.

## THE HISTORY OF WIRELESS

SINCE remotest antiquity man has stood in fear and awe of lightning and thunder. The brilliant displays in the heavens and reverberations in the atmosphere stirred him to the depths of his soul and made him ask, "What is it?" As it was beyond the powers of his intellect to explain the phenomenon, the superstitions of his day and the evidence of great force caused him to ascribe these things to the hand of an angry God. Though thousands of years have passed, the inborn fear of those manifestations is still present.

What would one of these ancients have thought if he could but have been told that the day was coming when those terrific forces that shook the ground and sent shivers down his spine would be harnessed in different ways and put to doing more remarkable things than his imagination could picture? He would most likely have turned and fled from you, thinking you were a mad man possessed of an evil spirit. If you escaped from his friends without being burned alive, you could feel lucky.

But how was man going to reach up into the clouds and harness that dreadful power that lurked there? If the ancients ever thought such a thing could be done, they would most likely have pictured the scientist climbing a ladder into the clouds with some kind of weapon to tame the beast and make him fast. But, no, that is not the way the scientist works. He often does not look at the thing he wants to solve, but apparently starts to do something with no seeming connection, and, behold! he has accomplished the desired results.

And thus it was with electricity. The first record we have of a scientific man starting on this problem is in the year 600 B.C. He observed, when rubbing amber to attract small particles of straw, the amber would not only attract short distances, but lift them. This man may not have known it, but these gentle small forces were of the same character as those terrific ones which we know as lightning to-day.

Assistance was given this in the year 1600 by a man named Gilbert, belonging to Queen Elizabeth's Court. He gathered together all available

knowledge on the subject, duplicated the experiments, and compiled the results into a book. This was the first step. During the next century numerous additional phenomena were observed. Scientist after scientist contributed his mite. Looked at in the light of present-day knowledge, these mites were small. But in the light of the times, it meant an immense stretching of the imagination. However, these mites, when added together, amounted to much. It was found that there was not only one kind of electricity, but two; that there were two kinds of substances associated with it—conductors and non-conductors—and that it was possible to build simple machines which would give sparks and shocks. The Leyden jar or condenser was invented and electricity was stored in it, allowing of more remarkable experiments.

Then Benjamin Franklin came along and showed that the electricity generated by these machines was the same as lightning, and from then on the world has known that those inexplicable forces in the heavens would some time be known and their brothers put to work for the benefit of mankind.

In an epoch-making revolution, either in science or politics, it is usually impossible to say that any one man was responsible for it all. As a rule the ideas dribble in, coming from innumerable sources and building a structure that commands the attention of everybody. But the building or altering reaches a stopping point, due to ignorance or difference of opinion. Then if there happens to be the opportune man on the scene, a man of extraordinary vision, judgment and ability, he sees the state of affairs, the possibilities, and very often a method of solution, and, seizing hold of the project, turns it in the right direction and puts it upon a path leading towards completion, which it follows with ever-increasing speed.

Innumerable examples of this kind can be pointed out in the political world, and one or two in the electrical world. When the development of electrical science had progressed a remarkable degree in the early nineteenth century, there came

ARE YOU USING FROST PARTS? SEE PAGES 2 and 3.



upon the scene a man named Faraday. His extraordinary imagination and ability were turned towards this growing science and applied to it with wonderful results. His contributions and work in this line caused electrical science to take an enormous step forward and enter upon the most wonderful period of growth in history. His ideas and theories were so well formed and advanced that many of them are held to this day, and his manner of viewing electrical phenomena continues to be the most logical and simplest. It seemed that his work was the turning point in electrical history; that he opened up a new path along which electrical science has since been travelling with ever-increasing speed, and that he was the marvellous kind that touched the hidden button that opened up the unlimited possibilities before the view of the electrical world.

But what has this to do with wireless waves? The connection of this brief history with the discovery of electro-magnetic waves are not things which are new. They have existed since the beginning of time. They have been used by man since his origin, but their nature was not recognised.

The most common form of electro-magnetic waves is light. All light waves are electro-magnetic waves, and different colors of light waves are merely different sizes of electro-magnetic waves. Conjectures were made during several centuries previous as to the nature of light. Some maintained it was a wave motion, while others maintained it was a stream of particles. The idea occurred to Faraday that possibly light waves could be an electro-magnetic phenomenon, because they could not be waves in any medium known to the scientific world previously. Accordingly he sought for years for a connection between light and electricity or magnetism, and finally found it. He found that the polarized light could be affected by a magnetic field, and no other explanation was possible than there was a common connection between them.

But though Faraday showed there was a connection, it remained for James Clerk Maxwell to prove it. Maxwell took the experimental results of Faraday and put them in mathematical form. By mathematical transformations and solutions, or what to the layman looks like a plain juggling of symbols, Maxwell arrived at some extraordinary conclusions. His conclusions were chiefly that if Faraday's experiments were properly performed and interpreted, that electro-magnetic phenomena

could be produced in space detached from the circuits producing them, and they would travel outward with a velocity of light. Maxwell's results were published in 1865, and though of extraordinary value, they were to a certain extent ignored for many years.

Maxwell was primarily a mathematician, so he never investigated his results experimentally. That was left to others. His theories of electro-magnetic phenomena were not readily accepted by the scientific world, and it was not until fifteen years later that a study of the real fundamental part of it was started. In the meantime, many minor prophesies of his had been verified in one way or another and forced the attention of many scientific men to his work. It was, therefore, about 1880 that one of these men, who realised its value, started work. The credit for making this step goes to Henrich Hertz. Hertz built an oscillator to produce these electro-magnetic waves that Maxwell predicted. By a series of experiments, crude, though conclusive, he showed that these waves actually existed. He also showed that they not only moved with the speed of light, but they could be reflected from mirrors, focussed or refracted by lens-shaped masses of proper substance, and that they could be polarized, or, in a word, that they behaved exactly like waves in every way, except that they did not effect the retina of the eye. Since Hertz's time, his experiments have been repeated thousands of times exactly as he performed them, and also in more elaborate and refined form. The results only went to strengthen the conclusions of Faraday and Maxwell that light is an electro-magnetic phenomenon and that electro-magnetic waves may be produced in space.

#### CENTRAL QUEENSLAND GETS THE PROGRAMME.

Mr. Wm. E. Hagarty, Longreach, C.Q., has put up some good results in the reception of K.G.O. Here is the programme received by him on Saturday, August, 30th.


6.52 p.m.: 1. Jazz orchestra; 2 and 3, violin solos (opera selection); 4, 5 and 6, soprano solo; 7 and 8, recitation; 9, song ("Meeting of the Waters"); 10, song by the same person; 11 and 12, Duet (Man and Woman). The rest of the items were orchestral and songs. Altogether 25 items were heard; several sounded familiar, but there was no static, and a 3 valve non-regenerative circuit was used. Several business men have heard K.G.O. at Mr. Hagarty's station.

SEE THE FROST LINES ON PAGES 2 and 3.

(Continued from page 19)  
and the switch is used as a simple cut-out for the high or low-tension battery current.

**A Simple Plug Switch.**

An extremely simple form of plug switch, consisting of nothing more than a piece of round metal rod, two spring brass strips, and four small bolts, is shown in Fig. 4. The clips are bent as shown, and bolted or screwed to the inside of the panel so as to allow a clear space of  $\frac{1}{4}$ -inch between their extreme ends. They are inserted in series with one of the battery leads, the joints being preferably soldered to any convenient part of the strips. The plug is simply a piece of  $\frac{3}{8}$ -inch round brass rod about 2 $\frac{1}{2}$  ins. long, slightly tapered at one end and provided with a small wooden knob at the other end, this, of course, being optional. If the panel should be rather thin the hole through



which the plug slides may be bushed with a piece of brass tubing  $\frac{1}{4}$ -inch long and large enough in internal diameter to slide freely over the plug. When the plug is pushed in it engages both clips and so closes the circuit.

The idea may be somewhat modified by bringing the clips close together, so that they touch each other when the plug is out, and by using a piece of best quality matted ebonite, glass rod or slate pencil for the plug. Thus, instead of pushing the plug in to close the circuit, it will now be necessary to draw it out.

WHAT ARE FROST LINES?

**An Improved Inductance Slider.**

By this time, no doubt, many readers have come to the conclusion that the ordinary inductance slider with spring plunger is altogether not a nice thing to know, and if I say that in a very short time the pressure exerted by the spring ruins the coil, I shall probably be informed that Queen Anne is dead. It seems rather a pity that this important little fitment should be so sadly neglected as far as improvements are concerned. Having become tired of waiting for some enterprising manufacturer to launch one out on the market, I take a walk down to the workshop, and, after more or less violent rake round the scrap-box, I soon discover that I can manufacture my own sliders—sliders de luxe—at a cost that is almost negligible.

A mere strip of spring brass, two screws, and yet another slice off the broom handle, and we have the complete set of parts required to construct a very simple and efficient slider which is in every way far more satisfactory than the usual type. The piece of broom handle, which should be cut  $1\frac{1}{4}$ -inch long, is shown at M (Fig. 5).

A square groove is cut across the base and made to slide comfortably over the usual  $\frac{1}{4}$ -inch square brass rod. The groove should be about  $\frac{3}{16}$  inch deep, so that the base is not quite flush with the lower edge of the rod. The contact arm consists of a piece of spring brass shaped as shown at N, and drilled to take two small wood screws.

A smaller strip O is sweated or riveted to this, and both strips are then bent as shown in the diagram PP, which is an impression of the complete slider attached to the coil. The turned up ends of the small strip engage the underneath side of the square rod, and the end of the large strip makes contact with the bared portion of the coil winding in the usual way.


The result is a perfectly silent and smooth variable contact with an entire absence of the usual tearing and scraping effects. The only drawback is that, by fitting this slider to an existing coil, it will fall short by a few inches of embracing the whole winding. This difficulty however, is easily overcome by removing a portion of the winding at one end of the coil or by constructing a new coil and terminating the winding at 2 inches from the edge of the former. This only applies to one end of the coil, as the contact strip will reach the first turn of the winding. This will be easily understood by referring to the diagram P, where the winding terminates at about 2 inches from the end of the former.

SEE PAGES 2 and 3.

**A Single Valve Low-frequency Amplifier.**

It is now proposed to describe the construction of a single valve low-frequency amplifier note magnifier suitable for use in conjunction with a crystal receiver. It is only natural that a beginner having become a fully fledged crystal set operator should desire to try his hand with a valve set, and the single valve L.F. amplifier is usually the next progressive stage.

It should be clearly understood that a low fre-



quency amplifier is purely a note magnifier, and with a 5 to 1 ratio step-up transformer the volume of sound should be increased from one to five, i.e., the telephony and music from the broadcasting station will be approximately five times louder than previously when using the crystal set alone. Low, or audio frequency amplification, as it is known in conventional circles, means increasing the volume of sound after rectification has taken place. It has nothing to do with distance. The range of the receiver will remain the same, or perhaps it may be increased very slightly, but it is only intended for note magnifications, and therefore it is a mistaken idea to imagine

that, by coupling a L.F. unit to a crystal or valve receiver, it will add another fifty miles or so to the receiving range. Increased range is accomplished by the use of high-frequency amplification.

The reader is given the choice of making either one of the two L.F. amplifiers described. Fig. 6 shows a very simple unit, which will doubtless appeal to those readers whose patience or pockets have failed them in the matter concerning the interval transformer described in an earlier issue.

Naturally this will not be so efficient and satisfactory as the unit shown in Fig. 7, where the transformer is included, but it will usually give an appreciable increase in volume, providing the correct amount of high-tension and filament current is applied to the valve and the receiver is as efficient as possible. Both panels are cut square from 1/4-inch (or nearest) sheet ebonite, and are large enough to accommodate the terminals and components comfortably. The surface film on the ebonite should be removed by rubbing it with water.

The terminals, rheostat, and valve holder are in each instance identically situated, so that if it was decided to build the unit shown in Fig. 6 with a view to adding a transformer at some later period, the conversion would be a very simple matter. Small holes are drilled round the edges of the panels as shown for the purpose of attaching same to the top of a cabinet. In both cases the diagrams show the under side of the panels. If desired four valve legs may be attached to the panel in place of the valve holder. With a scriber or other pointed instrument make a thin line from one corner of the panel to the other. Never use a lead pencil for marking off ebonite, as the graphite becomes embedded in the surface and forms a leak between terminals. If a mere pencil line is sufficient for a practical grid leak, as pointed out previously, then it will also act as a leak in any other part of the circuit.

Mark off the position of the valve holder, rheostat, and terminals, in the approximate positions shown, making impressions by means of a sharp bradawl. Apply a little oil to the tip of each valve leg, carefully press it down on the panel, and mark off the four holes quickly in the centre of each oil spot. If separate valve legs are used in place of the holder, take an impression from the valve on a piece of blotting paper and use this as a pattern. This method may also apply to the valve holder. (Continued on page 26)

WHAT ARE FROST LINES? SEE PAGES 2 and 3.

(Continued from Page 13.)

I saw in the paper that there was a special test, so I decided to have a shot at it. Several times I got on to what seemed to be the carrier, but could not distinguish the music and speech through slight Q.R.M. from Broadcasters and V.L.S. 300 metre harmonics which were quite sufficient to drown it out. However, I heard at times what sounded like a piano or pianola, and later on, I heard very faintly, "This is K.G.O."—and then something, which I could not catch. I hung on to the music until at about ten to 9, when Broadcasters had stopped for their interval. I heard the music come to an end, and a clear announcement, K.G.O. The General Electric Company's." I did not wait for any more, but rushed down to tell the family the glad news. Of course, they all wanted to listen-in, and while they were, K.G.O. evidently closed down, because although I tuned around about 300 metres for awhile afterwards, their carrier was gone.

I am quite certain it was K.G.O., the words "General Electric" being very distinct, and I intend to have another shot to-night.

Wishing your valuable journal "every success."

Yours etc.,

P. ADAM

Garfield Street,  
Wentworthville,  
To the Editor 2/9/24.

Dear Sir,

On Saturday night, August 30th, on a single valve, I received K.G.O. The jazz orchestra came in very clear, the bones being pronounced. I am using a U.V.-201A valve. My wife and mother were present at the reception of the above station.

In conclusion I wish to say that I am prepared to listen-in for the amateur transmission tests next month.

Yours etc.,

HAROLD E. ORMEROD.

Farrell's Flat,  
South Australia,  
August 27th, 1924.

To the Editor

Dear Sir,

On Sunday last, using 4 valves (201 A's) a single wire aerial, 18ft. high, a single circuit tuner (1 coil, 1 condenser—it is an Arcoflex broadcast receiver supplied by Adelaide Radio Co.), I heard K.G.O. at 5.30, and held him until he closed down at 6.30. Most of the transmission was jazz music,

and the announcer spoke two or three times. Fading was very bad at times, but when at loudest he could be heard all over the room.

Yours etc.,

J. O. DENTON.

D. X.

E. W. Valentine, Marrickville, sends his list:  
Victoria: 3JP, 3B2.

New Zealand: 3AM, 1AK, 2AC, 4AA, 4AG,  
4AK, 3AL, 3AD.

REVIEW

LEFAX RADIO HANDBOOK.

We have received a copy of Radiofax, the March supplement of the loose leaf 26 page pamphlet which is issued every month to holders of the Lefax Radio Handbook.

It contains a full list of U.S. and Canadian broadcasting stations, showing their power and wave lengths and gives among other valuable and authoritative information, details of push pull amplifiers and tables outlining the inductance of two wire aerials, and constructional hints on popular circuits.

Dr. J. H. Dellinger and Mr. L. E. Whittemore, the authors of the Lefax Radio Handbook, are excellently qualified to interpret the developments of the times in wireless. They rank high in the scientific world as wireless engineers and are in intimate touch with the fundamental advances in the science of wireless communication.

On purchasing a 30/- copy of the Lefax Radio Handbook, the holder is entitled free to a copy of Radiofax (which fits into the book on the loose leaf system) for twelve months. After that a nominal annual fee is charged which ensures that the purchaser is kept up to date on the progress of wireless.

Our copy from the wholesale agents, Welby Radio Co., Royal Arcade, Sydney.

Patient—You are quite sure that one of my legs is not longer than the other?

Doctor—Positive.

Patient—And you know that I have nothing the matter with my eyes?

Doctor: Yes.

Patient—And you are sure my heart, stomach and lungs are in good condition?

Doctor—Yes, I'm sure of that.

Patient—Well, then, that professional must have sold me a rotten driver.—Harvard Lampon.

ARE YOU USING FROST PARTS? SEE PAGES 2 and 3.

## INTERSTATE NOTES

### SOUTH AUSTRALIA.

**T**HE last two weeks have been memorable ones for wireless enthusiasts in South Australia.

Two new stations have been opened up in Adelaide; these are—5 D.N., the station of Mr. E. J. Hume, of Park Terrace, Parkside, and 5 A.B., the station of the South Australian Broadcasting Company at the Grosvenor. 5 D.N.'S transmissions have been remarkably good, coming in very strong and clear.

On Thursday, 21st August, Professor R. W. Chapman, of the Adelaide University, gave a lecture on "The Wonders of Electricity and the Romance of Civilised Progress." Professor Chapman has a voice very suitable for broadcasting, every word of his speech being clearly heard by all listeners-in. A delightful programme of musical and elocutionary items followed, including three very fine recitations by Mrs. Hume, these being entitled "The Green Eye of the Yellow God," "Tired Mothers," and "Butterflies."

5 A.B. has opened up with a 100 watt transmitter, but his transmissions leave much to be desired, both in strength and clarity; although using more than twice the power of 5 D.N., his transmission is very weak compared with that station.

#### "Pirates of Penzance."

Listeners-in last Sunday week were given a treat, when Mr. J. T. Fitzmaurice, 5 F.T., of Walkerville, broadcasted the score of the "Pirates of Penzance." The transmission began about 7 p.m., and lasted for two hours. Although the strength was not up to the usual standard, the quality was good. Mr. Fitzmaurice, however, deserves the best thanks of all who listened-in to his music.

#### Set presented to the Y.M.C.A.

The Adelaide Radio Company have generously presented to the Y.M.C.A., in Adelaide, a radio receiving set. The set is one of the now famous 5 B.G. Circuits designed by Mr. Harry Kauper, comprising two valves and a crystal, one valve acting in a dual capacity. Surprisingly good results are being obtained with this circuit, and the great volume of sound it produces should make it eminently suitable for such an institution as the Y.M.C.A., where a roomful of men can easily hear all that is going on. The set is made up into a highly-polished cabinet, and, although very small,

gives a marvellous volume of sound with wonderful clarity.

#### K.G.O. heard in South Australia.

Everybody seems to be talking of K.G.O. here now; this station comes in very clearly and at times very strongly. Mr. Harry Kauper states that on Wednesday evening he picked up at faint loud speaker strength this station, using his new circuit (two valves and crystal). Mr. Kauper states that little difficulty would be experienced in picking them up on small sets if there were no interference from howling valves in the vicinity.

Mr. Jack Jellett, of Berri, River Murray, states that he picked up K.G.O. on his home-made two-valve set, consisting of detector and one stage of audio frequency amplification, both his valves being W.D.12's (dull emitters), his aerial being 130 ft. long and 25 ft. high, single wire. The set is a three coil regenerative, using 19, 40, and 49 turns.

Quite a number of other experimenters here have logged this station.

#### Mr. Fisk's Lecture in Adelaide.


The feature of the week here was the lecture on "Recent Developments in Wireless Communication" given by Mr. E. T. Fisk, of Amalgamated Wireless (Australasia) Ltd., in connection with the Science Congress held in Adelaide during the week. The lecture was given in the Adelaide Town Hall on Wednesday last. The chair was taken by Sir John Monash, who introduced Mr. Fisk.

Mr. Fisk's lecture was given with the aid of lantern slides, and a film showing the action of currents flowing in the different transmitting and receiving circuits made the working of the wireless system clear to many present; the film also showed many interesting features of broadcasting, as exterior and interior views of several broadcasting stations were shown. An attempt to demonstrate music from 2 F.C. was not altogether successful; although music was heard from the loud speaker, the volume was not at all satisfactory, although a six-valve set was in use. Several high-power transmitting stations (telegraph) were tuned in, among these being New York.

Mr. Fisk's lecture was given in very simple language, so that the most uninitiated could follow

(Continued on Page 36.)

**WHAT ARE FROST LINES? SEE PAGES 2 and 3.**




6 A. A. Input from 'phone terminals of crystal receiver.

(Continued from page 23)

The plate socket should be nearest the centre of panel. This and the grid socket, which is always directly opposite the plate socket, should be parallel to the line marked across from corner to corner. Single 18 wire should be used for making connections, each piece being covered with insulating sleeving. All wires must be kept as far apart as possible.

The connections for the unit shown in Fig. 6 are as follow: From one input terminal to grid socket, and from the other input terminal to the low tension negative terminal and on to the helix of the rheostat, from the L.T. positive terminal to the H.T. negative terminal and on to one of the filament sockets, from the H.T. positive terminal to the nearest phone terminal, from the other phone terminal to the plate socket, and from the rheostat bush or spindle to the other filament socket. If the crystal receiver is not provided with a telephone condenser, it will be necessary to connect one across the telephone terminals of the amplifier. This is a matter of experimenting for maximum results. Sometimes it will function better when left on the receiver.

The unit shown in Fig. 7 is a decided improvement on the one just described. The wiring is essentially different, since we have to provide for the four transformer connections, but the arrangement is extremely simple and will be easily under-




7 A. A. Input from 'phone terminals of crystal receiver.

stood by referring to the diagram. A small fixed condenser having a capacity of .001 or .002 mfd. is connected in shunt with the primary winding of the transformer. Assuming that the transformer has been provided with two small angle pieces for the purpose of bolting or screwing it to the panel, and that the fixed condenser has been similarly attached, we will proceed with connecting up the unit.

The in primary and out primary leads from transformer are first connected to the input terminals. The leads from the condenser may either be soldered to these wires near the transformer or connected one to each input terminal, which perhaps is the most convenient method. The in secondary is connected to the grid and the out secondary to the helix of the rheostat and on to the L.T. negative terminal. The L.T. positive terminal is connected to the left-hand telephone terminal and on to one of the filament sockets. Then from H.T. negative to the other phone terminal, H.T. positive to the plate, and the rheostat bush or spindle to the other filament socket.

The amount of L.T. and H.T. current will, of course, depend upon the type of valve used. Each terminal should be carefully marked, and, when finally connecting up, great care should be taken not to allow the high-tension battery leads to come into contact with the low-tension terminals, otherwise the high voltage of the battery will burn out the valve filament. A 2 or 3 mfd. Mansbridge

SEE PAGES 2 and 3 FOR FROST LINES.



A. Aerial, B. Insulator, C. Aerial terminal, D. Tuning inductance, E. Earth Terminal, F. Wave-pipe earth, G. Crystal detector, H. Phone terminals of crystal circuit, I. Phone condenser, J. L.F. Interstage transformer, K. Fixed condenser shunting primary winding, L. Valve, M. Filament rheostat, N. accumulator, O. High-tension battery, P. Output to H. K. telephones.

type fixed condenser connected in shunt with the high-tension battery will be an all-round improvement. It is sometimes necessary to earth the

negative side of the L.T. battery. The pictorial circuit diagram Fig. 8 represents a crystal receiver coupled to the amplifier just described.

U.V. 216 KENOTRON.

A 2-electrode rectifying valve for use with 5-watt power tubes. The output energy is at a maximum for these tubes when the load is such that the D.C. voltage is between 350 and 400 volts. Using two valves in a full wave rectification circuit the D.C. current and watts output will be doubled.

The U.V. 216 may be used in the Standard Radiotron Socket.

Voltage of Filament source . . . . .	10
Filament Terminal voltage . . . . .	7.5
Filament amps. . . . .	2.35
AD input voltage . . . . .	550
DC output . . . . .	20 watts at 350 volts.
Overall dimensions . . . . .	.2½ x 5 in.
Socket Type . . . . .	U.R. 542



The U.V. 216 Valve

ARE YOU USING FROST PARTS? SEE PAGES 2 and 3.

## Another Single Valve Regenerative Receiver

By "Insulator"


THIS particular single valve set is one which has yielded splendid results, so much so that I have decided to give the usual details. The valve employed is a Marconi D.E. 3, which requires only three dry cells to light up the filament. This will appeal to those who do not wish to purchase an accumulator which is rather expensive in comparison to the dry cells which, in turn, should last about 800 hours with this valve.

While on the subject of accumulators, may I advise those who intend purchasing such an article, to always buy one of 6 volts and not 4 volts. Some people who intend using an English 4 volt

valve, seem satisfied to purchase a 4 volt accumulator. This suffices while a single valve set only is used, but immediately two or more valves are used, the 4 volt accumulator hasn't the pressure to give the proper illumination to the filaments. The rheostats and the internal resistances of the valves, create this effect.

The receiver employs the P.I circuit, so care in handling should be exerted, otherwise interference will be caused to other listeners-in. Don't forget this now.

The following parts are required:—  
1 Bakelite Panel. 13in x 9in x 3/16 in.  
1 Piece of Bakelite 3 1/4 x 1 1/4 x 3/16in.



Front View of Panel.


SEE THE FROST LINES ON PAGES 2 and 3.



- 1 .001 Variable Condenser.
- 1 30 Ohm Rheostat Frost.
- 1 Series parallel switch Frost.
- 1 Grodan Variocoupler Set.
- 1 Wetless Grid Condenser .0003.
- 1 1½in Switch Arm.
- 7 Contact Studs.
- 1 Electrad Grid Leak and Clips.
- 1 English Valve Socket.
- 8 Terminals.
- 2 3 inch Dials.

- 12 ft. 16 Gauge Tinned Copper Wire.
- 1 Yd. Bell Flex.
- 8 ozs. No. 20 D.C.C. Wire.
- 2 ozs. No. 24 D.C.C. Wire.
- Screws, etc.

Quite a lengthy lot, but really not too expensive after all, considering the results achieved. The first job is to wind the stator of the variocoupler. Pierce two holes 1/8th of an inch from the top; through these thread the No. 20 gauge D.C.C., leaving about 9 inches for connections, and proceed to wind the stator full. About 77 turns, you will find is the maximum which can



Back View of Panel.

PAGES 2 and 3 TELL YOU ALL ABOUT THE FROST LINES.

be wound on the stator. Take a tapping at the 10th, 20th, 30th, 40th, 50th, 60th and last turn. Don't shellac this.


On the rotor has to be wound 40 turns of 24 gauge D.C.C. wire. Pierce three holes on the outer edge, and winding towards the middle, wind on 20 turns. Break here and thread 1 inch through a hole to the inside. Repeat this operation with the other side and solder the ends inside. The rotor when wound, should have the wire running in the same direction as one continuous coil. This is important. Go ahead and assemble the variocoupler, using the shaft assembly for the purpose.

Turn now to the bakelite panel. Trim up the edges, using a plane or a scraper for the purpose. Mark it out as shown by Fig. 4 (I usually space the contact studs 3/8 in. apart). Drill all the holes now. Polish the panel, using good old Brasso for this purpose. Look now at Fig. 3 where you will see the method employed to attach the valve holder to the panel. The bakelite used, is the small strip you have left, and the small bracket is fashioned out of brass strip, 1/2 in. wide and 1 1/2 in. long.

At 1/2 in. from each end, drill two holes 1/2 in. apart and sufficiently big enough to allow the screws to pass through. Bend this into the form of a bracket. At the other end of the bakelite strip, mount your valve holder. This operation is perfectly simple.

Assemble all the components on the panel now, terminals first, series-parallel switch next, rheostat, valve-holder, etc. I have allowed for a 3/8 in. baseboard. This fact will be noted when you insert the shaft of the variocoupler through the panel. A glance at the front view of the panel will show how I have transferred the knob and pointer of the rheostat to the variocoupler and attached a dial to the rheostat. This presents quite a nice appearance to the front of the panel. Don't you think so yourself?

Fig. 5 gives the circuit which will also serve for a wiring diagram. Start off wiring by connecting the tapings of the variocoupler to the studs. White silk covered bell flex is what I used for this purpose. Tackle the series-parallel switch now.



Panel Layout Fig 4




Fig 3

It looks more difficult that it really is, so don't worry.

Looking at the back of the panel view, you will perceive how I have connected the Wetless Grid Condenser. It is really suspended by the heavy wire used in wiring. I soldered the clips for the grid leak to the condenser, but be careful not to melt the tinfoil in the condenser by leaving your soldering iron too long on the condenser terminals. These Wetless condensers are very good indeed;

I can certainly recommend them for all purposes. Now, the grid leak used, depends on the actual valve used. With the valve I have, I find 2½ megohms to be just ideal. You, of course, may find your own valve requires a different value.

I take it by this time you have everything wired up. Connect your aerial, earth, A and B batteries and phones, light up your valve, and listen in. Slowly turn your condensers until you hear the broadcasting station. Turn the knob of the variocoupler. When the turns on the rotor are running in the same direction as the stator, you have the maximum regeneration. Be careful not to have this regeneration too full in, as you will certainly cause interference by allowing your valve to oscillate. To tell if you are oscillating, tip the aerial terminal with a wet finger. If oscillation is taking place, you will hear a click in your phones when you touch and also when you lift your finger off the terminal. The presence of this double click is a sure indication that you are causing annoyance to many listeners-in around you. This circuit is particularly good if handled correctly. It is just as easy to handle it correctly as otherwise. Experience alone will teach you more than I could tell you were I to write the whole 64 pages of Wireless Weekly.

It is now quite late—it seems ages since Uncle George said "G—o—o—d night," so I'll leave you to it.





Fig 5



The Name to Know in Radio

# Wiles' Wonderful Wireless

60-62 GOULBURN ST. (1 door from Pitt Street)  
384 PITT ST. (Near Goulburn Street)  
28 PITT STREET - CIRCULAR QUAY

and Electrical Stores

SAME QUALITY  
SAME PRICES  
SAME SERVICE

**COMPLETE PARTS OF THE FAMOUS ST. 100 DESIGN SET FOR HOME CONSTRUCTION.**

1 2 x 2 x 5/16 Electro	20 5 0
1 Grid Masking	0 15 0
1 500 Ohm Variable Condenser	1 17 0
1 Neosax Audio Transformer	5 10 0
4 Terminals	0 8 8
1 500 Ohm Lead and Clips	0 8 0
1 Hot Plate (Acoustical)	0 1 0
1 500 Ohm Condenser	0 1 0
2 Valve Holders	0 8 0
2 Silicon Valves	1 18 0
2 W. H. Rolling	2 0 0
1 Crystal Receiver Tray	1 2 0
1 Tapped Crystal	0 1 0
2 Sockets (Hollow)	0 7 8
1 Condenser Dial	0 4 0
1 Machine H.D. Tube, including 1/2" to 3/16" nut and head. Phono and Loud Speakers as selected—see Price List.	1 18 0

EST. 11 0

**LOUD SPEAKERS**

Grosbeak Horn Wood Unit	1 10 0
Woods Electric Baby	1 10 0
Sterling Type Baby	1 15 0
Budy Buds	5 0 0
Amplifier Gramophone attachment	4 8 0
Amplifier Junior De Luxe	0 0 0

**LARGE STOCK OF SERIAL WIRE.**  
5000 Bare Copper, per 100 Ft. 5/-  
1/8" 4/-

**A SPECIAL FEATURE  
IN OUR ORGANISATION  
IS OUR  
MAIL ORDER SERVICE**

We employ a technical staff to assist our customers.  
Please write us for any technical information—our services are free.



Complete Stocks of all the Best Makes of Head 'Phonos.

**LOUD SPEAKERS**

Amplifier Senior De Luxe	8 12 8
Amplifier Dragon	8 0 0
Amplifier Master Music	8 0 0
Markham Adjustable	4 0 0

**OUR GUARANTEE**

**COMPLETE PARTS OF THE SINGLE VALVE SET FOR HOME CONSTRUCTION.**

1 1 1/2 x 2 x 5/16 Electro	20 5 0
1 501 Variable Condenser, with Verrier	1 10 0
1 501 Variable Plate Condenser	1 8 0
1 500 Ohm Rheostat	0 8 0
1 Stereo Parabolic Switch Unit	0 8 0
1 500 Ohm Variable	0 7 0
2 500 Ohm D.C.R. Wire	0 2 1
2 500 Ohm D.C.R. Wire	0 2 0
1 500 Ohm Lead, Transformer, and Leads	0 1 0
1 Valve Holder	0 8 0
1 Silicon Valve	1 18 0
1 Switch ARM	0 8 0
10 Terminal Plate	0 1 0
1 Hot Plate	1 6 4
1 W. H. Rolling	2 0 0
1 Crystal Receiver	0 8 0
1 Tapped Crystal	0 1 0
1 Machine H.D. Tube, including 1/2" to 3/16" nut and head. Phono and Loud Speakers as selected—see Price List.	1 18 0

EST. 14 6

**LOUD SPEAKERS**

Phono	4 10 0
T.M.C. Adjustable	9 0 0
Magnavox type 30	18 50 0
Magnavox type 34	3 0 0
Sterling Audionax, black enamel	9 0 0
Sterling Audionax, Pearl	10 0 0

It is our intention that every article in this list shall be truthfully described. Therefore, guarantee everything you buy from us to be satisfactory to you in every detail. You take no risk whatever in sending us your orders, for unless you are completely satisfied with the goods and your saving, you may send back everything you buy from us and we will promptly return your money and all transportation charges you have paid.

# W. Harry Wiles

Radio and Electrical Supplies, 60-62 Goulburn-st., Sydney

ESTAB. 20 YEARS. Please address all communications to our Head Office, 60-62 Goulburn Street.

## A TRIP TO THE COUNTRY WITH ST. 100

By "Scenturyt."

(This breezy little narrative will afford some interest to country readers.—Ed.)

Pronounce it "sent-you-right." Thanks!

Convalescing after influenzal bronchitis, under doctor's orders to get away from the coastal air for a bit, and with eight weeks' accumulated leave; a visit to son, daughter-in-law and grandson in the wheat country around Ariah Park was the prescription, and one not hard to take, though the usual 'flue depression urged a single to Rookwood. Better counsels prevailing, the set and suitcase were made ready. The former, not being a De Luxe Cabinet, presented transport problems. A couple of kerosene cases and some roofing screws furnishing materials—a near enough cabin resulted. For safe portorage, B batteries, etc., went in the suit case, while undies and other delicatessen were woven among the wires. Accumulator being out of the question, Cunningham's had to be left home, and adaptors, UV-199's and 3.1½ v. Columbia dry cells substituted.

For the benefit of the uninitiated, let it be mentioned that Ariah Park is on the Temora-Griffiths (Yanco) railway, 225 miles air line from Sydney, and about the same from Melbourne.

Sleeper ticket secured, good-bye Strathfield about 8.30 p.m. Early tea at "Coota" West; breakfast Temora, Ariah Park silos 10 o'clock; friendly Lizzie for 10 miles into the pine forest, and there we were.

Only one tree offering for an aerial mast, 85 ft. from the corner of verandah, bit of climbing—clothes prop and line with half a wick on the end—and halliards are rove 35ft. to the truck. Three strand single wire to slip rail lashed to verandah post (making the other mast 22ft. high), halliards running through clothes line pulley, with 3lb. weight at bottom end to allow the tree to bow to the wind without damage. Ground bone dry, except for drain at back of cottage. Iron pin driven in, bell wire lead under the house, 2 auger holes through boards—lead in tubes nothing—and the aerial is rigged. Set on table, hook up, and da-de-da-de-da K. Quite O.K.

Next 2BL, not loud, but quite readable. Then 2FC strong in phones. Same old phones, 3 Brown's

150 singles in series. Anything the matter with crystal and 2 U.V.-199's?

Tried a counterpoise, single bell wire. Reception clearer, but volume weaker. Tried both counterpoise and earth together—no gain; dropped a wire from centre of counterpoise to rabbit netting round the cottage—Oh! Yes, no netting, no nothing up there—cut out original earth and got 25 per cent. improvement in both tone and volume. Got too popular then, so had no opportunity for more experiments.

Neighbours—anyone resident within 25 miles is in this class—no one nearer than 2 miles—called, listened, and called again. See us from that on doing every town every evening, studios, theatres, town hall, lectures, etc., till it became the daily question: "Where are you going to take us this evening, Grandfer?"

Is it worth while? I ask you! Try it!! Drill, dairy, chocks, chaff, no domestic help, sun-up till dusk; then a bit of ethereal recreation. I do think! When parting came, Granfer got an affectionate farewell, but more than a regretful glance was bestowed on the departing kerosene boxes. However, quien Sabe?

As to those crystals. All the pets went in first, of course, pericon, zincite-bornite, ditto pyrites, etc., but with the close tuning necessary, they mainly functioned in the direction of rousing the spirits of departed dingoes and awaking answering yelps from foxes wandering on their legitimate occasions. Fortunately, the gadget box had been thrown into the suit case, and a remnant of Du Tee was dug out. This proved to be the main stand by, alternating with Q.S.A., and an ancient bit of N.H.M. Galena.

All the familiar Morse was recognisable, but V.I.S. gave place in prominence to V.I.A. Sunday evenings 2CM was heard, not strong, but clear. Riverina wireless at Wagga, 60 miles, held interesting conversations with Kyalram and other Victorian stations, also with Hobart. No replies heard from these, but music and speech were picked up on a couple of occasions from a transmitter not identified beyond that his station was in Flinders St., Melbourne. On one occasion an announcement

was heard—of Armidale. Daylight reception was little inferior to night work. Clocks were set on Saturday by 2F.C. telling off half minutes at mid-day. Weather data and market reports, wool, wheat and stock sales roused great interest. Weather conditions were variable, from keen frosts with bright days, to blustering winds and rain squalls for two solid weeks, the aerial balance weight ranging up and down as much as 4 feet as the tree whipped. A few bad patches of static, but not many; when bad, reception was hopeless. On two occasions music from 2 F.C. was audible across the room using a loud speaker rolled up out of a piece of sheet zinc.

Comparisons between U.V.199 and Cunningham's since return home, encourage the idea that the latter would have given satisfactory Loud Speaker results. However, distance might have killed, though the ones at home bring in distance stuff stronger than the dull ones. Anyhow, S.T.100 captured music, anywhere between 10 miles and 225.

Q.E.D. (Euclid—not Morse).

**A**L BURY is amongst the number of country towns logging KGO, and P. Boulton, of Griffith Street, gets this station every Wednesday and Sunday night without exception and has been doing so since June 22nd last. The special concert broadcasted from KGO on Saturday, the 30th August, was worked on the loud speaker for the full duration of the concert. KGO was "loud speakered" the previous Wednesday and also on the following Sunday. Another station brought in regularly is Westralian Farmers (6WF) Perth, Western Australia. This station comes in very well and on September 1st worked the loud speaker.

The Choral numbers broadcasted on Sunday nights are a feature of 6WF. This station is heard at Albury from about 9.30 until 11.30. Many amateur stations are picked up nightly, Sydney amateurs coming in better than Melbourne. Melbourne Radio (3AR) is almost unknown in Albury, although Mr. Boulton has picked them up at different times. The receiver used is a one stage radio detector, and two audio, which works 2FC at splendid volume, and 2BL at fair volume. On one occasion (the only test) 2FC was audible with no aerial connection whatever.

The well-known firm of Mick Simmons Limited, for many years engaged in the sporting goods and tobacco trade, have recently installed an up-to-date wireless department, which is being conducted on very modern lines, by the manager of the department, Mr. L. O. Kerlin, lately of Brisbane.

Mr. Kerlin's wireless experience is well known to many, and extends over 14 years. For a considerable time, Mr. Kerlin was Secretary of the Wireless Institute of Australia (Queensland Division), and his articles in the wireless section of the "Queenslander" are familiar to thousands. The first transmitter in Queensland was erected and operated by Mr. Kerlin, and many experimenters will remember the first broadcasting of Commonwealth Electoral Returns from his station at Brisbane. The speech was clearly heard at a distance of over 800 miles.

Complete sets, which are to be known as the "Simolian," are now being manufactured by Mick Simmons Limited, and all sets are personally designed by Mr. Kerlin.

**WHY ?**

risk missing your regular copy of Wireless Weekly, when you can have it delivered by the postman at your own home? Just fill in this form and mail it to us with remittance. We will do the rest.

**SUBSCRIPTION FORM**

To the Editor,

Wireless Weekly,  
33/37 Regent St., Sydney.

Please forward me for ..... months "Wireless Weekly for which I enclose ..... plus exchange of country cheque.  
..... 192....

Signed ..... Address .....

Annual Subscription, 13/-, post free.

(Continued from Page 25.)

him in his explanations of the working of the wireless telegraph and telephone.

A demonstration of the beam system of transmission was given at the close of his lecture. A beam transmitter of a very short wave length was erected on the platform, and two receivers with loud speakers were placed at the back of the hall (one on each side). The transmitter was switched on, and the beam directed towards one of the receivers which responded, the beam being then directed towards the receiver on the other side, that receiver sending out its response and the first one becoming inoperative.

**A Message from Mars.**

Professor Kerr Grant caused a good deal of merriment when proposing a vote of thanks to Mr. Fisk. He said the lecturer had not in one respect, perhaps, satisfied some members of his audience, who, not satisfied with the successes achieved on earth, looked out into space seeking for other worlds to conquer. Only a few nights ago he was disturbed from his slumbers by the ringing of the telephone bell, and on going to answer it was met by the enquiry from an arch-enthusiast what wave length should he use to listen to Mars. (Laughter.) Professor Grant said he would not repeat what he said in reply, but he forgave the enthusiast the slight inconvenience he caused, for he had in his hand a message the same person had just received. Professor Kerr Grant then, amid great merriment, read from a tape, with simulated seriousness, the following message:—"Mars, August 27th, 10.21 p.m.—earth time. To Fisk, Town Hall, Adelaide,—Your signals of short wave length received here. Strength fine. Inhabitants of Mars delighted to have their doubts concerning existence of intelligent beings on earth removed. Hope soon to establish permanent service. Please approach Commonwealth Government. — (Signed) Chief Martian."

In replying to the vote of thanks, Mr. Fisk said:—"I would like to ask Professor Kerr Grant to send a message back telling the Martians that we have so many problems on earth in wireless that we cannot take much interest in them at this time. We must wait until they come around again, which, I believe, will be in 120 years' time." (Loud laughter.)

Tell Your Friends about

**Wireless Weekly**

**HONEYCOMB COILS**

**KEEP THIS BY YOU.**

The following table shows the sizes of honeycomb coils required for various wave-lengths:—

Metres.	(turns). Primary coil	(turns). Secondary coil	(turns). Tickler coil
Wave Length.			
120-240	25	25	35
210-550	35	35	50
550-700	75	100	50 or 70
900-1400	100	150	75 to 200
1650-2750	300	300	100 to 200
8000-15000	600	750	300 to 500
10000-20000	1000	1250	300 to 500
18000-25000	1250	1500	400 to 600

**AUSTRALIAN RADIO RELAY LEAGUE.**

Read the particulars of the Special Meeting Notice called in connection with the above in this week's notes of the Wireless Institute of Australia, N. S. W. Division.

Dr. W. G. Woolnough, call sign, 2GW., is at present on an exploring expedition in the heart of South Australia. He has taken with him a receiving set, and will be listening-in every evening for signals from Sydney, from 7 to 10 p.m., Sydney time. We hope that some of our transmitters will try and get in touch with him on Morse, but please send slowly.

**BEST BRITISH** — Polished Ebonite Sheets and Panels; also Rods and Tubes. Especially suitable for wireless work. Trade only supplied. A. S. HARRISON & CO., 5-7 Barrack St., SYDNEY. Phone B 4574. G.P.O. Box, 2591.

**FOR SALE**—Heterodyne Wave Meter, 90 to 300 Metres, accurately calibrated, complete with Valve A and B batteries, £6. C. MacLurcan, Agnes St., Strathfield.



## GIGANTIC WIRELESS NET

SHOWING HOW THE AMATEURS ARE HELPING.

A GIGANTIC radio net of transmitting stations is being developed throughout the United States, which will eventually connect every city and town, and practically every household, as far as reception alone is concerned. Under the supervision of the Department of Commerce, this means of disseminating important information, especially in times of emergency, would reach more individuals than there are telephone subscribers, and a larger number than the combined newspaper readers of the nation. For transmission alone it would link up more radio stations than there are telegraph stations, and, considering that they would broadcast, the distribution would be available to all owners of radio sets—almost to every citizen. The operation of this net would be instantaneous and direct to all parts of the country. Secretary Hoover's administration of matters radio would be broadened to the Republic at large in any hour of need.

This proposed radio net is partially in operation to-day, of course, with the number of broadcasting stations now in every state increasing every week, and fans estimated anywhere between 5 and 20 millions, but despite its growth, the present system only transmits news and entertainment at scheduled intervals. What the Government wants ultimately is a system that in emergencies, such as the declaration of war, the call to arms of the nation's man power, or the disruption of continental communications and traffic lines, could call upon all transmitting stations to take the air either locally—by district groups or throughout the country simultaneously, and handle urgent traffic.

Details of such a gigantic scheme, the like of which has never been attempted anywhere, are already being worked out by the Department of Commerce, with the close co-operation of all radio interests. The germ of the idea was started at the Amateurs' Convention in Chicago recently, when representatives of their organisations offered to co-operate with railroads when regular communication systems failed. This work has already gone into the test stage. In several instances operating amateurs have aided in the transmission of railway messages successfully. The American Radio Relay League has appointed a committee to work out details. The League co-operated with the

Pennsylvania System between the Atlantic seaboard and the Mississippi River recently in an emergency test, to the gratification of the General Superintendent of Telegraphs. Other railway systems have declared their desire to establish such an amateur radio auxiliary system in anticipation of a failure of their wire communications or the need for additional terminal and receiving stations along their rights of way.

The activities of between seventeen and eighteen thousand licensed amateurs, all owning listed transmission stations, and all code operators, is only one phase of the general scheme of linking radio nationally. Most of the telegraph and telephone systems of the country are willing to co-operate, if the need arises, but some of them declare that interruptions in their established lines of communication are so infrequent that the necessity of using radio as an auxiliary is not needed. Army Officers in charge of the military radio net, which handles governmental radio traffic throughout the country, say that they could tie in with the amateurs in a very short time to aid in reaching small communities lying outside their main radio traffic lines and beyond the smaller nets in their corps areas. The Naval Communication Service is in close touch with amateur activities; the Research Section is working with amateurs on short wave transmission with remarkable results.

The Radio Section of the Department of Commerce, and its nine district supervisors, stationed in Boston, New York, Baltimore, Atlanta, New Orleans, San Francisco, Seattle, Detroit, and Chicago, is attempting to co-ordinate the various elements of the proposed national radio net. The Post Office, Agricultural Department, and the Army and Navy are also interested. Not long ago, the Chief Supervisor of Radio sent communications to all field supervisors directing them to make a survey of radio facilities in their districts, ascertaining the possibilities of hooking up all stations in an emergency, and the attitude of the business, railway, communication and other interests. Replies received from practically every district show that the amateurs, manufacturers, broadcasters, railways, newspapers, civic interests, and even the telegraph and telephone companies are ready to co-op-

(Continued on Page 40.)

## COUNTERPOISES

By Catwhisker.

It is common knowledge that the ordinary receiving set needs two things before it can be put into commission, and these are—the aerial and the “earth.”

I am not going to deal with the aerial, as everyone knows its importance. With the ordinary receiver an “earth” is just as important as the aerial, but its use is not so well understood by the person who is just purchasing a wireless receiver, so perhaps a few remarks would not be out of place.

A German scientist named H. Hertz, was one of the first to experiment with electro-magnetic or wireless waves. He used two plates, one suspended above the other for his aerial and earth respectively. The lower plates were not connected to the ground at all, but the two plates formed the two plates of a condenser, with the air as the dielectric or insulating substance.

When he sets his spark in operation, the dielectric between these plates become strained, and wireless waves were caused to radiate from his aerial earth system. Later, the bottom plate was dispensed with and the earth's surface used instead; then a wire took the place of the top plate. So we have our modern aerial and earth. Now, the usual form of “earth” is not always satisfactory for many reasons, such as lack of moisture in the earth, bad connection with the earth's surface, etc. If it is not possible to have a good earth, rig up a counterpoise.

Now, a counterpoise is merely a second aerial underneath the main aerial, and care must be taken to have it insulated just as well as the aerial is insulated. It is a good plan to have a number of wires in the counterpoise extending from a point under the aerial. The writer has obtained much better results using no earth for reception, but a good counterpoise instead. An improvement will be noticed if counterpoise is tuned. Now, the most satisfactory way to do this is to place a small variometer in series with the counterpoise and the “earth” terminal of the set. If a variometer is unobtainable, use a variable condenser, but I much prefer a variometer. One can be made easily and very cheaply, using a large cotton reel for the rotor and a cardboard tube from a cocoa tin for the stator or outside former. Wind a few turns of thick insulated (cotton, silk or enamelled) wire

round the cardboard and wind the cotton reel the same way. Now, connect one end of the wire on the cylinder to one end of the wire on the cotton reel; that leaves one end free to each. One of these ends goes to our counterpoise and the other to the earth terminal of the set. Of course, our cotton reel is placed so that it rotates inside the cylinder and so that the wire on each is parallel. This little home-made variometer will be useful for many experiments. I must say here, that the counterpoise is generally about 7 feet from the ground, so that friends will not run into it, but if you can, put it a few feet from the ground.

It can be fastened to the aerial masts but it is a good plan to have the counterpoise longer than our main aerial and as I mentioned before, don't forget to insulate it properly, including its lead-in. By using this method of “Earth” connection, earth noises and A.C. hum are reduced greatly.

If you use the usual type of earth and intend to give the counterpoise a trial, don't think it is a failure if you connect up and don't hear 2 F.C., or 2 H.L. when you turn the dial to its usual position. By using a counterpoise, I find my natural wave length is slightly lowered, and remember the variometer will also alter the tuning every time it is turned. When the stator and rotor are placed by movement of the rotor so that the turns on each run the same way, the wave length is increased; and when the rotor windings are turned so that they run in the opposite direction, the wave length is decreased. The heading of this article is not variometers, but some may find this little instrument useful, as it is easily constructed and can be used in conjunction with the counterpoise. Counterpoises are much better than the ordinary earth in dry districts and I think surprising results will be got by users. I have found that when the “Earth” is joined with the counterpoise for reception nothing at all is gained.

This article is short this week, but I think enough has been said on the subject to give you a start. You will find out a great deal more when you experiment in this direction.

Next week I hope to write on some other subject which will help you to get the best out of your set.

Friday, September 12th, 1924.

WIRELESS WEEKLY

Page Thirty-nine

## The Fallacy of the Experimental Station

AND THE DIFFERENCE BETWEEN EXPERIMENTERS AND AMATEURS.

By A. Burrows.

IT can safely be said the ultimate aim of every scientist and experimenter is to produce something which will be of commercial use. The old cry about the cause of science and advancement of experiment is becoming rather worn out, if for that matter, it carried much weight in the eyes of those who were a little discerning. Even the hoary old astronomer would scarcely bury himself (metaphorically speaking, of course) in the stars and planets if it were not for the hope that some day he might be able to commercialise a new chart of the universe, or a street directory for Mars, or something similar, which would be likely to yield him a worthy return for his labour.

There is no reason to think that wireless men there any freer than their brother scientists from this kink of commercialism; and it might often be a debatable point if the alleged "love of the science" proves stronger than the love of what might be gained therefrom. What actually moved those in the long list of inventors and discoverers to the effort which at last won them their fame will, of course, never be known; but remembering the strenuous fights, De Forest and others have made to hold or regain their rights and patents, it would appear that in their case the threadbare slogan, "in the cause of science" was worn a little thinner than usual.

These men—Armstrong, De Forest, and a number of others—are admittedly due for all that they fought for; but they fought, as the protracted legal battles amply show, with a bitterness and rancor which demonstrated that the "honor and glory" of the game were secondary considerations in comparison with its monetary rewards. Marconi, too, made the most of his genius sometimes in a manner not altogether for the furtherance of the science for which he so vigorously professed a deep loyalty—yet of his co-experimenters, who could honestly criticise him?

Amongst the lesser lights of radio the same feeling could be detected, nor were a few stages of high-frequency always necessary to do this. When the experimenter-broadcast-listener controversy was at its maximum, so-called amateurs with one hand (so to speak) denounced the broadcast movement, cursing it heartily, and with the other made P1 sets for the chaps who possibly in the

future were going to "howl" them out of existence. And the experimenters who failed, or didn't want to make money in this way, raised their voice against the broadcast-listener more loudly than before, and said behind their hand that you couldn't blame those who were making their fortunes out of the broadcast boom, and they wished they were in their shoes, anyway.

### The Commercial Side.

It is interesting to note in this connection that the American Radio Relay League allows membership to none in any way connected commercially with wireless—which seems to at last get nearer a definition of the "experimental status," for in all the argument concerning this much-debated question this viewpoint has never been taken.

If a wireless enthusiast doesn't gain financially, he presumably comes nearer to being a "genuine experimenter" than the man to whom wireless is merely a business. Which is not to say that the commercial man does not do as much—or probably more—as the amateur; but he has no moral right to a distinction which is really intended for the man to whom radio is a hobby with no financial gain attached to it. A man who earns his living by wireless has no more reason to call himself an amateur than a footballer who shares in the gate takings for every match in which he plays. Both are there—to put it coarsely—for what they can get out of it; and if they weren't getting enough out of it they would, perhaps, be somewhere else—not necessarily, of course, but the possibility exists. Is it fair to class those in such circumstances with others to whom the game is purely an interest and a hobby? Which class is more entitled to be called "genuine"?

This, perhaps, gets nearer to a solution of the ancient question of the definition of an experimenter, for to attempt to do it on the old basis of his experimental work seems worse than useless. But if it can be laid down strictly that a genuine experimenter is one who dabbles (regardless of whether he listens to broadcasting or not) in wireless purely for a hobby, then a decided line can be drawn between the two.

(Continued on page 42)

(Continued from Page 37.)

rate. Many of them are anxious to test our proposed plant in an effort to establish a reliable secondary or emergency communication system.

The Commerce Department has authorised both amateurs and broadcasters to transmit on assigned wave lengths in emergencies under the direction of their district supervisors. It is even suggested that licenses of stations where operators are on duty specify that the transmitter must be held in readiness to serve the community or other interests in the event of public need.

Probably Supervisor Beane, of the 9th District, with offices in Chicago, has gotten further along in his district than in any other section of the country. He has not only secured the co-operation of practically all radio stations throughout the middle west, but has had several practical demonstrations, indicating the aid of such a voluntary radio service. Recently he called a conference on the subject, at which representatives of all branches of the art and industry were present. He reports that amateurs stand ready to handle two-way communication for railways; broadcasters volunteered to serve as point-to-point stations using C.W., co-operating with amateurs for delivery of messages. It was suggested that press dispatches be handled by voice for localities not lined up for code point-to-point transmission. Many broadcast stations, which found their receiving equipment unsuitable, have since installed better receivers and means for using C.W. on emergency code work. Authority has been granted, and plans for intercommunication tests of high-powered broadcasters of the 9th District are being formulated, to study their reliability in both night and day transmission.

Co-operation of all interests is reported from Seattle, New York, Atlanta and Baltimore supervisors, where district emergency organisations are being formed. The Associated Press and the United Press have expressed considerable interest through the desires to supply newspaper clients with current news when regular lines of distribution fail. Details of a general national plan, with special local provisions, are being developed by the radio section of the Commerce Department at Washington.

Florist—There's a young man who has bought flowers here every week for the past year. He is going to be married in a few days.

"Kind o' tough on you—losing such a good customer."—Life.

RADIO 4AD.  
HAVE YOU HEARD HIM?

Below is a photograph of Arthur E. Jordan, owner and operator of Radio 4AD, Invercargill, N.Z. He may be heard on the air nightly.



A man walked into a shoe store, accompanied by his wife and ten children, and said to the clerk, "I want to git the hull lot of 'em fitted up in shoes."

After two hours of hard work, the clerk succeeded in getting each one fitted, and was beginning to make out the bill.

"Oh! Don't bother about that," said the man. "I don't want to buy the shoes. I just want to get the size so's I can order 'em through the mail." —Disaton Crucible.

"Didn't you just love the scenery after leaving Banff?"

"I never saw such wonderful freight cars."—Life.


FROST LINES ARE SHOWN ON PAGES 2 and 3.

OUR SPECIAL  
LINE

# Peerless Head Phones

2000 Ohms.

32/6



"REFLEX" Loose Coupler  
Receiver, £3/15/0.

Complete Set of Parts to make the above Set, 36/6.

Postage 1/6.

## The Vital Parts of your Set are Valves and Headphones

WE SPECIALISE IN THESE TWO LINES.

FOR INSTANCE:

We make a Special Carton for sending Valves to the country. It is almost impossible for the postal people to break a valve packed in this carton.




### THE NEW PRICES OF VALVES.

PHILLIPS, D1, D2 and E. . . . .	18/6
MARCONI, R . . . . .	19/-
MULLARD . . . . .	19/-
DE FOREST RADIOTRON . . . . .	35/-

### HEADPHONES OF HIGH QUALITY THAT WE STOCK.

PEERLESS, 2000 ohm . . . . .	32/6
TRIMM, 2000 ohm . . . . .	32/6
TRIMM, 3000 ohm . . . . .	45/-
RED SEAL—the Aristocrat of all Head- phones . . . . .	50/-



WE HAVE ALL OTHER BRANDS.

SEND FOR OUR PRICE LIST.

# RADIO HOUSE, 619 GEORGE STREET, SYDNEY

THE QUALITY RADIO STORE.

(Continued from Page 39.)

It would appear, then, that few alleged experimenters are entitled to be enrolled amongst the honored number who can honestly say they are genuine. This certainly seems a sweeping statement, but it stands the test of investigation. It can safely be said that the percentage of amateurs is microscopic of those who, if they were offered a financial return, would not willingly forsake their standing amongst the "genuine experimenters"—that is, those who experiment purely for the love of the game, consenting to be numbered with those who regard radio (very often unwillingly, it is true) as merely a business.

**The Genuine Amateur.**

There is the argument, of course, that the wireless profession is necessary—that if it were left to only amateur research it would, perhaps, make little progress. And it can also be advanced that there is no reason at all why the professional experimenter should not be as thoroughly absorbed in his work as the keenest amateur—probably more. Both of these arguments are quite true so far as they go, but they don't go far enough.

The fact remains that there is more merit attached to research which is carried out voluntarily than that which may be simply a matter of routine. And for this reason the chances are that the home-experimenter is more sincere in his work; that he does not always achieve the same results (although his record is, nevertheless, a worthy one) is due to his lack of equipment and money. But what he loses in facilities he generally gains in enthusiasm.

This article is not by any means an attack upon the thousands of experimenters who have turned their hobby to some account. That this should happen, of course, was unavoidable in the progress of wireless; the experts had to be drawn from somewhere, and what was more natural that they should come from the ranks of the amateurs? No words, however, can be too strong in emphasizing the abuse of the terms "amateur" and "genuine experimenter." If a "genuine experimenter" is an "amateur," then no man is due for this name after he has discarded his amateur's status. On the other hand, if there is a distinct difference between an "amateur" and a "genuine experimenter" (and it has been amply shown that there is), that difference should be more clearly outlined, in justice to the amateurs. And in time to come the highest compliment that will be possible may be to say that a man is a "genuine amateur."

**QUEENSLAND NOTES.**

**T**HE Baby Club of Brisbane—the Woolloowin Radio Club—made its first public appearance on Saturday, the 23rd. of August. This was at the Windsor District Show, where the Club made a very creditable display of members' work. The room allotted them was draped in purple and gold on which various diagrams of circuits were displayed. Two members displayed a very elaborate 3 valve and crystal set. By a system of switches, they can operate various circuits on any number of valves or crystal alone. Another set shown was mounted on an old gramophone record suitably cased. Among the crystal sets shown, was one mounted in an ordinary box, the owner of which claims to have received 2FC, using an ordinary clothes line as an aerial. One of the members also showed a complete crystal set built in an ordinary cigarette case, while a match box crystal set was also displayed. Messrs. Harringtons Ltd., also assisted the club by a display of Gilfillan radio parts and Imperia listening-in sets, which was much admired. A twin wire aerial was erected above the roof of the building and Sydney broadcasting was received during the evening.

The Mayor, Alderman Bond, in opening the show, drew attention to the Radio Club's display, and hoped all would take the opportunity of visiting this section of the Show. Club members had an exceedingly busy time explaining the various sets and parts on show.



Mr. G. F. Mingay, Manager Radio Department, Burgin Electric Co.

# "BURGINPHONE"

## *The Receiver with a Reputation*

Absolutely without equal for selectivity, long range, and simplicity of operation. One of the only three receivers permitted by the Minister for Education to be installed in schools.

- Model 1.—**CRYSTAL RECEIVER**, in beautifully finished maple cabinet, complete with all aerial equipment, headphones, etc., . . . . . £10 10 0
- Model 5.—**SINGLE VALVE REGENERATIVE RECEIVER**, finished in double decker polished mahogany cabinet, complete with headphones and all accessories £27 10 0
- Model 6.—**TWO VALVE REGENERATIVE RECEIVER**, in double decker polished mahogany cabinet, complete with headphones and all accessoriesd . . . . . £42 10 0
- Model 7.—**THREE VALVE REGENERATIVE RECEIVER**, in double decker polished mahogany cabinet, complete with headphones and all accessories . . . . . £57 10 0
- Model 8.—**FOUR VALVE RECEIVER**, in double decker polished cabinet, complete with headphones and all accessories . . . . . £72 0 0
- Model 9.—**FIVE VALVE RECEIVER**, in double decker polished mahogany cabinet, complete with headphones and all accessories . . . . . £85 0 0

Single Slide Crystal Sets, 32/6      Double Slide, 35/-  
Loose Coupler, 65/-.

### COMPLETE STOCKS OF ALL ACCESSORIES

Write or call for Illustrated Catalogue, Price Lists, etc.

## BURGIN ELECTRIC CO., LTD.

WIRELESS ENGINEERS AND SUPPLIERS

Showrooms and Sales Dept.

FIRST FLOOR CALLAGHAN HOUSE, 391 GEORGE STREET, SYDNEY

# Can You Find THE SPOT?

It is *Easy* if you use  
**RADIO-W'LESS GALENA**

**1/3 and 2/-**

**RADIO-W'LESS MFG. CO.**

307 George Street Sydney.  
Phone: Y 2175.

494 Military Road, Mosman.  
Phone: B 5747.



Masts, wood and steel, any size from 20 ft. to 200 ft.; Aerial Wire; Insulators; Spreaders; Ash and Metal Hoops, all sizes; Rigging Wire; Screws; Halyards; Anchor Pegs; Trucks, etc.; Wireless Cabinets, any design; Portable Poles and Aerials, a speciality. Flags of all Nations and designs.  
Prices on Application.

**E. H. BRETT & SONS LTD.**  
LITTLE AVENUE. BALMAIN EAST  
Phone W 1205  
W1005





## THE RADIO BEGINNER

By W. A. Stewart.

**T**HIS week I intend to divert from short wave work pending the arrival of some more information concerning radio frequency amplification on one hundred metres and under, and will discuss instead some points for the radio beginner.

On picking up any of the radio publications, the average person is confronted with a maze of -dynes, -plexes, supers and other fierce sounding names, and often wonders just where to begin. I don't think a little explanation concerning circuits and sets in general, will be amiss.

Sets may be divided into two classes, crystal and valve; and valve sets may be divided into two classes, single or multi-valve.

If you live within twenty-five miles of a broadcast station, a crystal set will give good music and speech in the headphone. A crystal set will give very clear reproduction but will not operate a loud speaker under any conditions.

Of course, an amplifier may be added to make the music louder. An amplifier usually and almost invariably employs valves to do the amplifying. Microphone amplifiers are often spoken about, but are of very little practical use—they were used by the Navy many years ago, but were discarded on account of their inconsistency. They require special, and very delicate handling, and have to be well constructed. They are extremely subject to vibration and a large burst of static will often throw them out. Taken all round, they are impracticable for the average broadcast listener and if louder reproduction is required, valves will have to be used. The average crystal receiver obtained these days, usually has either one or two circuits, the single circuit variety being known as "single, or double slide tuners," while the two circuit job is referred to as a "Loose Coupler."

In operating the former, one or both sliders are adjusted until the loudest reproduction results. The crystal must be first adjusted until a sensitive spot on the surface of the crystal is

found. This is usually accomplished by means of a buzzer and dry cell, one terminal of the buzzer being connected to the earth lead of the set. When the crystal is properly adjusted the note of the buzzer will be clearly audible in the phones.

The loose coupler is rather more difficult to handle. In this case, the aerial or primary circuit must first be adjusted to the approximate wave length, after having first adjusted the crystal to sensitivity. The secondary circuit is then varied by means of the switch on the end of the coil until the music is loudest. Lastly, adjust the coupling until best reproduction results. Detailed instructions are usually furnished by the suppliers of sets, and half an hour's juggling with the gear at hand, will do more to familiarise yourself than all the reading in the world.

If you live more than twenty-five miles from a broadcast station, a valve set will have to be employed. Although we hear reports of reception on crystal receivers at far greater distance than this, the results can usually be classed as "Freak Reception," and, if investigated, will usually be found to result from re-radiation from a near by valve receiver of the regenerative type.

A good regenerative single valve receiver will give excellent results up to about fifty or seventy-five miles, and even greater distances may be covered under favourable conditions. In a receiver employing valves, batteries are necessary to operate the valve or valves, and the purchaser is given the choice of dry cell or accumulator valves. If the former are chosen, the only trouble attached to the upkeep of the set, is the renewal of dry cells. If a set requiring an accumulator is chosen, the accumulator will have to be charged every three weeks or even more frequently, depending on the number of valves. Battery valves, i.e., those using an accumulator, seem to give more volume, but if portability and less worry is aimed at, the dry cells are ideal. Care must be taken in connecting up a set to see that the batteries are connected to the correct terminals. If the high tension of B

SEE PAGES 2 and 3 FOR FROST LINES.

battery gets across the filament lighting, low tension, or A battery terminals, the valves will be seriously damaged, if not burnt out, and new valves will be required, which means a few pounds at least. Instructions are usually furnished with sets and the terminals are usually clearly marked, and if the instructions are followed, little trouble will result. As the sets differ, no definite instructions can be set down for the operation of the set, and the best plan is to follow the instructions given with the set. If the volume is not all that is required, an audio or low frequency amplifier may be added to amplify the output of the set. A two valve amplifier will successfully operate a loud speaker, while in some cases, one valve will suffice.

This amplifier can take the form of a separate unit or can be included in the same cabinet. An amplifier makes the set no harder to handle and adds only one control or at the most two, to the present set. Plugs and jacks are usually provided so that one, two, or three valves may be used at will. Audio amplification is only used for obtaining loud results, while if distance is aimed at, radio frequency will have to be used. Briefly explained radio frequency amplification means amplifying the music or signals before they are detected and, if you are far from a broadcast station, this means of amplification will have to be resorted to.

A radio frequency amplifier usually consists of an aperiodic air, or iron core transformer, and a valve coupled so as to amplify the signals before detection. Another way of doing this is by means of a coil tuned by a variable condenser. This is known as a tuned plate, and is extremely effective, but is a trifle more difficult to handle. After the signals have been detected, they can be amplified at audio frequency to operate the speaker. With two stages of radio frequency, a detector and two stages of audio frequency amplification — five valves in all — loud speaker results may be obtained up to about thirty miles from a broadcast station, with a very short aerial or in a lot of cases, none at all. Using a good aerial and earthing system, loud speaker results should be obtained up to three hundred miles from both broadcast services at present in operation, while with phones, little trouble should be experienced in bringing in New Zealand broadcast stations, and possibly American stations, although nothing definite can be guaranteed concerning the latter.

A set employing a stage or two of radio frequency, can be used on a loop or frame aerial; this usually consists of a pancake-shaped coil of wire wound on a frame, stood on the table near the set, and on being turned to the direction of a station, the music from that station will come in loudest. Interference from another station on a set of this type, is reduced to a minimum, and in a circuit such as this, the loop usually constitute the total inductance in the receiver. In many cases a well designed set employing a loop will bring in the distant stations quite well, and at the same time can be made quite portable.

If you live in the country, and do not think you are getting the results you ought, see if anyone else with a set close at hand is also getting poor results, as some localities are what is known as "dead spots," and reception is very difficult. Do not expect too much from a set at first, but as you familiarise yourself with your set, the results will be better. Don't expect loud speaker results from a crystal set, or from a single valve set using a straight out circuit. Don't expect a crystal set to give very good results from an indoor aerial, or any at all from a loop aerial. Don't expect accumulators to last for ever, but see that they are charged at least once a month and more frequently if possible. Look to the B batteries occasionally, as a weak B battery will cause noise like static. With reference to static, this is something that will have to be put up with, but I don't think that the static will cause much interference with high powered broadcasting, especially on the lower wave lengths.

For the person who is desirous of building his own set, the best plan is to go to any of the radio shops, and explain your location and what sort of results you want, and the gear required will be readily forthcoming. It is not a sufficient matter to build your own receiver, and a few hours pleasant work can be put in, in the construction of the set.

Then, there is the pleasure of knowing that you built it yourself. On the other hand, a ready made set is usually constructed by an expert, and results can usually be assured right away.

In conclusion, let me say that if these few simple rules are followed, very little trouble will be experienced by those starting in wireless.

ARE YOU USING FROST PARTS? SEE PAGES 2 and 3.

## £30 Wireless Set or Parts for 7d

### INKONTAINA COMPETITION OPEN TO ALL

The Best Ink  
in the Best  
Bottle.

To obtain last  
drop, tilt the  
bottle.



Secure your  
bottle at once,  
study its good  
points, and as-  
sist the Com-  
pany by sug-  
gesting a sui-  
table advertis-  
ing slogan or  
sketch

To obtain an entry form, buy one bottle of Inkontaina Ink from any stationer or radio dealer. If unable to procure locally, send 1/- in postal note to the Secretary, Inkontaina Ltd., at the undermentioned address, and a bottle will be posted. Each bottle has enclosed with it a numbered entry form. Any number of entry forms may be sent by one competitor. Full details of conditions are contained in entry form.

Competitors should carefully study and discover the merits of the Inkontaina bottle. There is no better bottle than this one and no better ink. The combination is unique. We want competitors to tell us the best way to advertise its qualities either by slogan or by sketch.

All entries must be in the hands of the Secretary by 15th December, 1924. The winner will be notified by telegraph on Monday, 22nd December, 1924. GET YOUR BOTTLE EARLY.

A prize of £5 will be awarded to the dealer from whom the successful competitor purchases his bottle.

Complete your entry form and send it with your suggestion to the  
**SECRETARY, INKONTAINA LIMITED, OCEAN HOUSE, 34 MARTIN PLACE, SYDNEY.**

Friday, September 12th, 1924.

WIRELESS WEEKLY

## "Wetless" Mica Condenser

The Highly Efficient Condenser at the Popular Price

All  
Capacities



Indestructible  
and  
Moisture-Proof

MADE IN AUSTRALIA

Ask your Radio Dealer for "Wetless"

J. Wetless, (TRADE ONLY) 31 Connemarra-st., Bexley, N.S.W.

## Headphones! Headphones!



**Sterling Headphones, 44s. each**

WE HAVE ALL THE HEADPHONES THAT YOU  
REQUIRE.

Having placed large orders, our establishment is replete with the makes of Headphones that are necessary to secure the best results from your wireless sets. Further extensive orders will ensure a continuity of stocks.

STERLING HEADPHONES ARE IN LARGE  
QUANTITIES.

All wireless parts, even to the smallest needs, are largely stocked.

We specially desire to assist the amateur.

## Hamilton and Baker


Paramount House, 302 Pitt-st. - - Sydney

TELEPHONE 2064

G.P.O. BOX 2346

Friday, September 12th, 1924.

WIRELESS WEEKLY



**ABROAD AT HOME with a TUNAFONE MODEL X4**

The Tunafone Model X4 consists of one stage of Radio Frequency amplification Detector and two stages of Audio Frequency amplification, a combination that will bring in far away broadcasting stations with great volume, and is the ideal receiver.

This model is supplied as illustrated above, with Battery Cabinet. No provision as a rule has been made to house batteries. The A and B Batteries are usually strewn about the table with their miscellaneous assortment of wires, making an unsightly affair suitable for a radio workshop, but not pleasant for a living room or other place in the house.

The Tunafone Model X4 is supplied with a battery cabinet with ample room for A and B batteries and head phones, and also conceals all wiring.

The Tunafone Model X4 is supplied as above with four tubes, B Batteries and Head Phones, and carries with it a **GUARANTEE OF SERVICE**. Price of Set and Battery Cabinet, £36.

**DEALERS**, write for the exclusive Tunafone Agency proposition to Sole Distributors for N. S. W.:-

**THE CONTINENTAL RADIO & ELECTRIC CO., INC. (Wholesale Only)**  
GLADSTONE CHAMBERS, 90 PITT STREET, SYDNEY.

**CHAS. R. GABB & CO.**  
14 Chessal St., Adelaide.


**WILLS & CO., PTY., LTD.**  
7 Quadrant, Launceston.

**Corbett, Derham & Co. Pty. Ltd. (Wholesale Only), Manufacturers, 573-85 Lonsdale-st., Melbourne**

Special Importation from Fiat works, Italy, 6 volt. 80 amp. Accumulators in box, with strap handle, £4, F.O.R. Sydney. Just arrived, 4 cwt. Genuine GALENA, large pieces, 1/3 each.

TRU-TONE

We will instal  
your Aerial  
We will instal  
your complete set



We will give you  
a demonstration  
in your  
Own Home  
any evening be-  
fore you purchase  
Our Experts are  
at your service for  
any information

The complete set, as shown (to reach  
Broadcasters and Farmers) . . . 15/-

Postage 1/-.


All parts for you to assemble, 10/-.

Aerial 1/16  
gauge coppered  
wire, 2/- 100ft.  
Phones now in  
stock:

Trimm's Pro-  
fessional, 32/6

Trimm's De-  
pendable, 44/4

Western Electric, 44/-.



THE TRU-TONE

combine handsome appearance with  
maximum efficiency. Low losses and  
super sensitivity are features of the  
CRYSTAL SET. COMPLETE WITH  
CRYSTAL AND DETECTOR, 30/-;  
postage 1/6.

1 Valve Sets from . . . . . £10  
4 Valve Sets from . . . . . £25

LEVENSON'S WIRELESS

244 PITT STREET, SYDNEY

We make anything you want.

A Lay-bye for Xmas.

Tel. City 4480

## Send No Money

**FOR GOODS—PAY POST—  
MAN ON DELIVERY.**

COMPLETE SET OF  
LOOSE COUPLER PARTS,  
21/-

COMPLETE SET  
L.C. WOOD PARTS,  
Beautifully Polished,  
4/-

SWITCH CONTACTS, N.P.,  
10d. Doz.

SEND FOR

## BARGAIN RADIO CATALOG

TO-DAY.

COMPLETE SET OF  
PARTS SINGLE SLIDE SET,  
10/-

N.P. Detectors ..... 2/-  
N.P. Sliders & Bar ..... 1/9  
Cardboard Tubes ..... 4d.  
Crystals, Mounted ..... 1/-  
Crystals, Unmounted ... 4d.  
1½in. Moulded Knob .... 9d.

ORDER DIRECT TO-DAY.

## RADIO

MAIL ORDERS,  
No. 7 RAWSON PLACE,  
SYDNEY.

## MICK SIMMONS LTD.

*Licensed Radio Dealers*

### "SIMOLIAN" RADIO EQUIPMENT

#### "SIMOLIAN" CRYSTAL SETS.

Complete in every particular, including head 'phones—  
from £3/3/- to £6/-/-.

The above Sets have a guaranteed reception range of  
20 miles, and are supplied with a high-grade set of  
head receivers.

#### "SIMOLIAN" VALVE RECEIVING SETS.

Complete with aerial equipment, head 'phones, A. & B.  
batteries and valves.

One Valve Receiver Set... £14/10/-  
(100 miles range when using  
head 'phones.)

Two Valve Receiver Set... £19/10/-  
(250 miles range when using  
head 'phones.)

Three Valve Receiver Set, in-  
cluding Amplion loud  
speaker ..... £38/-/-  
(500 miles range when using  
head 'phones, or 250 miles  
with loud speaker.)

Four Valve Receiver Set, in  
cabinet, including Am-  
plion or Magnavox loud  
speaker ..... £55/-/-  
(600 miles range when using  
head 'phones, or 300 miles  
with loud speaker.)

Five Valve Receiver Set, in-  
cluding Amplion or Mag-  
navox loud speaker, in  
cabinet ..... £70/-/-  
(1000 miles range when using  
head 'phones, or 400 to 500  
miles with loud speaker.)

Five Valve Receiver Set, including Magnavox loud speaker, en-  
closed in handsome cabinet. Price ..... £75/-/-

CARRIAGE EXTRA ON ABOVE SETS.

Call and consult our expert who is only too pleased  
to give any assistance on construction matters.

Remember our motto: "Quality consistent with reasonable prices"

## Mick Simmons Ltd.

Headquarters: HAYMARKET, SYDNEY  
THE WORLD'S GREATEST SPORTS STORE



**WIRELESS**  
**RADIO SETS AND REQUISITES**  
 ARE OBTAINABLE AT LOWEST PRICES FROM  
**SWAINS' 119.-123 PITT STREET, SYDNEY**  
A FEW DOORS FROM THE G.P.O.

CRYSTAL OUTFITS.. From 30/- Operative within a radius of 25 miles.  
 ONE VALVE SETS .. From £5/10/- " " " up to 100 miles.  
 TWO to SIX VALVE SETS From £28/0/0 " " " 5000 miles.

IMPROVE YOUR CRYSTAL SET BY ADDING  
 OUR ONE VALVE AMPLIFIER—COSTING ONLY £7/7/—READY FOR CONNECTING UP—  
 WILL INCREASE THE VOLUME TREMENDOUSLY—AND THE RANGE UP TO 100 MILES.  
 OUR TWO VALVE AMPLIFIER—COSTING ONLY £10/10/- COMPLETE—OPERATES A LOUD  
 SPEAKER.

—WE SELL—

The Famous FROST Parts and Fittings—All Makes of Phones and Loud Speakers—  
 The **Sterling** Sets—Valves—Loud Speakers—and Phones—All Crystals—Books and Magazines on  
 Wireless.

To arrive shortly, and Loud Speakers.

The United Distributors Co's. Home Assembly Sets—and Spare Parts—

Wireless Concerts and News, daily from 12 till 5.30 p.m.

ILLUSTRATED CATALOGUE AND PRICE LIST FREE.

**K.G.O. on a Crystal**

(in Frisco)

**Wireless Parts Cheap**

(in Woollahra)

RENT LOW SERVICE GREAT  
 PRICES RIGHT


Polar Blok Cam-Vernier 3 coil holder .. 2S/-	Bradleystats .. . . . . 11/6
17-Point Inductance Switch .. . . . 6/3	0-30 Volt Meters, Panel Mounting .. . 9/-
Freshman Variable Leak and Condenser .. 5/9	0-10 Volt Meters, Panel Mounting .. . 9/-
Ebonite, 3/16 Panels, 7 x 18 .. . . . 8/9	0-3 Ampmeters, Panel Mounting .. . 10/6
7 x 12 .. . . . 6/-	Magnus 3in. Dials .. . . . 2/3
6 x 18 .. . . . 6/9	Fortevox Complete Crystal Detectors .. 2/4
Magnus Aluminium Standard Sockets	Complete Crystal Sets (Phones and
201A .. . . . 3/6	Aerial) .. . . . 53/6

**Price's Radio Den**

Wav. 451

220 Oxford-st., Woollahra

170a New South Hd. Rd., Double Bay



Page Fifty three WIRELESS WEEKLY Friday, September 14th, 1924

Page Fifty three WIRELESS WEEKLY Friday, September 17th, 1924

"One Price for all Stores"

**THE RADIOCOMPANY LTD.**

*ANNOUNCE THE OPENING OF  
New Premises at 66 King Street (between George  
and York Sts.) also at Bondi Junction next Olympic Pictures*

*Satisfied customers—due to our ability to give competent advice &  
Every senior employee holding a Government Transmitting License  
has enabled us to do this.*

We take the liberty of thanking our old and valued customers who have made this  
extension possible, and we issue a cordial invitation to inspect our new premises and stocks.

**2 LL**

**THE RADIO COMPANY LTD.**  
9-15 LOFTUS STREET, CIRCULAR QUAY, SYDNEY.

# RADIO DEALERS--

Before placing your orders, get in touch with us.

WE SUPPLY ALL PARTS FOR

## CRYSTAL SETS

SLIDERS, DETECTORS, CRYSTALS, WIRE, WOOD-WORK (Highly Finished), RODS, etc., H. T. BATTERIES, ACCUMULATORS, CONDENSERS.

OUR PRICES ARE COMPETITIVE

### Geo. Matthews & Emery

TRADING HOUSE,

PITT ST. (opposite Railway Station),

SYDNEY.



## Grodan Radio Goods


Satisfaction and Results



### Features:

Strength with lightness. Plain, not spiral wound. Sufficient rigidity. Absolutely leak-proof. Symmetrical lines.

This is the Brand — look inside. —



The thousands of radio enthusiasts who are Grodan patrons can always depend on our best efforts to continue to supply only first-class accessories for their requirements.

In spite of competition, Grodan Brand paper tubes and stators still remain supreme.

Don't be misled by a low-priced article. It pays to buy the best.



## GROSE and DANIELL

185a George Street West

SYDNEY



Wholesale Only

Telephone MW 1508



Contemplation


# THE HOME OF RADIO



Desperation

**HOMOTONE  
CRYSTAL SET**  
Complete with Aerial  
Material and 1 Pair  
Gecophone Head  
Phones

**60/-**



**HOMOTONE VALVE SETS**—————that give Satisfaction !

- One Valve—Complete . . . . . £13/10/-
- Two Valve—Complete . . . . . £26
- Three Valve—Complete . . . . . £35
- Four Valve—Complete . . . . . £43/15/-

**VALVES, HEAD PHONES, CRYSTAL PARTS, LOUD  
SPEAKERS, Etc.**



Anticipation

## The Home Electric

*Radio and Electrical Supplies*

**106a. KING STREET,  
SYDNEY.**

Phone B 5565



Realization  
"with a Homotone Set"

## Those Distant Stations! DO YOU GET THEM IN? ARE THEY GOOD TO LISTEN TO?



"No. 41" JEFFERSON  
Amplifying Transformers

**What is the use**  
of adding amplification if you have not the correct parts for assuring you of the very best results possible?

**RECOLLECT THIS!**  
"JEFFERSON" Transformers are made by the world's greatest transformer manufacturers. For years JEFFERSON'S have specialised exclusively in the design, improvement, and manufacture of transformers. The finest engineering brains, the best workmanship, and the highest quality materials go into the "JEFFERSON" Transformers. They are made to one standard only—100 per cent. efficiency.



"No. 45" JEFFERSON  
Amplifying Transformer

Is their reception accompanied by squawks and howls? Are you not getting proper volume? Are there strange, unaccountable noises that spoil the programme?

If so, look to your Transformers! They can't be "JEFFERSON'S," because "JEFFERSON'S" are designed to incorporate two big features—first, absolute freedom from distortion; second, high amplification.

When you buy a "JEFFERSON" you ensure that your set embodies 100 per cent. efficiency of amplification.

Ask for "JEFFERSON"!



### What's Inside

The most important thing to know about an amplifier is "What's Inside." Outwardly there is little real difference. Inwardly there's all the difference in the world—the difference between clear, mellow reception and poor reception full of squawks and squeaks. Many radiomaniacs unconsciously put the "squawks and squeaks" into their set through the use of improper transformers. They have yet to learn that "RADIO" means a transformer nothing short of 10 to 1, or 1, etc. do not spell maximum amplification.



Introducing Jefferson "STAR"  
Amplifying Transformer

### Mileage

The problem of the Motor Owner is Mileage. Equally so is the problem of the Set-Owner. Mileage is what is wanted—distance coupled with purity of reception. Those are the two main features that have made "JEFFERSON" Transformers supreme.

"JEFFERSON'S" are the best that money can buy—and their price is reasonable. Ask for them.



JEFFERSON RADIO  
Frequency Transformers

## Fox & MacGillycuddy Ltd.

SOLE AGENTS FOR AUSTRALIA [WHOLESALE ONLY]  
Daily Telegraph Buildings KING ST., SYDNEY  
Phone: CITY 3062.

World's Leading Transformers stocked by Colville-Moore, Radio House, Radio Co., A. Hordern and Sons, Ramsay Sharp, Universal Electric, Wireless Supplies Ltd., Harry Wiles, David Jones Ltd., Mark Foy's Ltd., Homecrafts, Melbourne; J. C. Price, Brisbane; Adelaide Radio Co.; Burgin Electric Co., Harringtons Ltd., Norris and Skelby, Melbourne; and all Leading Wireless Stores throughout Australia.

# THESE PRODUCTS

Mean Added Efficiency and Better Appearance.

- - Ask Your Dealer to Show You - -



Framingham Potentiometer.



Framingham "All Tube" Universal Rheostats.




Framingham Vernier Rheostats.




Framingham Inductance Switch.



Framingham Series Parallel Switch.



DeVeau Gold Seal Radio Head Set Cat. No. 843.



DeVeau Two-Circuit Radio Jack Cat. No. 25.

## WHOLESALE ONLY ANNOUNCEMENT.

AGENTS FOR—

- Jefferson Elec. Mfg. Coy.
- Framingham Products.
- Premier Electric Coy.
- Molesworth Crystals.
- Deveau Goods.
- Russell Fraser Wire Coy.
- D.A. and Dutilh—Paris.
- Electrad Grid Leaks.

SOLE N.S.W. SALESMEN FOR—

- Baldwin 'Phones, Loud Speakers and Units.
- New York Coil Coy.—Condensers.
- Complete Stocks of all Radio Goods.

**FOX & MacGILLYCUDDY LTD.**  
 DAILY TELEGRAPH BUILDINGS, SYDNEY.  
 BRISBANE AGENTS: WIRELESS HOUSE, ADELAIDE STREET, BRISBANE.

# Amplion Loud Speakers

The whole family can sit down and enjoy the evening when you have your set equipped with an Amplion Loud Speaker. The Colville-Moore Showrooms, in Rowe Street, are now showing a large variety of types and various designs in Loud Speakers

Here are a few of the many Loud Speakers just opened:—

Amplion Baby . . . .	£4	Dragon . . . . .	£8
Junior De Luxe . . .	£5	Music Master . . . . .	£9

### VALUE IN VALVES

201A Valves, 35/- each; 301A Valves, 35/- each.  
All Valves supplied by Colville Moore are thoroughly tested.  
Ample stocks of N.H.M. GALENA are now to hand... Supersensitive, guaranteed, 2/-; No. 2, 1/-.

**A BETTER CRYSTAL SET**

The Col-Mo Crystal Receiver, built of the same high quality material and workmanship that made COL-MO Sets famous.

Only

**35/-**

**COL-MO SINGLE VALVE RECEIVING SET**

The complete Set, with valve, batteries, phones, aerial wire, insulators, etc.

**£13/13/-**

Guaranteed to receive all Sydney broadcasting programs up to 500 miles—or—

**MONEY REFUNDED**

**COLVILLE - MOORE**  
WIRELESS SUPPLIES LIMITED  
10 ROWE STREET (HOTEL AUSTRALIA) SYDNEY



**Before you  
Expend  
Money on  
Radio  
Equipment  
Consult  
Anthony  
Horderns'  
Wireless  
Experts.**

**Your inspec-  
tion of the  
big display  
of  
everything  
that is new  
in the world  
of Wireless,  
is invited.**

**(Wireless -- Second  
Floor)**

**Anthony Hordern & Sons  
Limited,**

Brickfield Hill, Sydney

Phone City 9440. Box 2712 G.P.O.

## A New Valve *that saves you money*



Numerous Radio enthusiasts in Australia have for some time heard of the wonderful results and economy of the

### WECOVALVE

Western Electric Co. (Aust.) Ltd., having completed their arrangements for the supply of these valves throughout Australia desire to inform the public that Wecovalues are obtainable from their regular radio dealer.

The Weco valve stands in a class by itself  
*It is entirely free from Microphonic Noises*

The world renowned oxide coated filament as used in the manufacture of the most expensive Western Electric valves is also employed in the construction of the Weco valve thereby ensuring a phenomenally long life and an efficiency equal to the very best of high temperature valves.

It is essentially an all-purpose valve and can be used

either as a detector or amplifier. A single dry cell only is required for filament heating.

Suitable sockets to mount Wecovalues are available, or adapters can be supplied which enables you to fit them to any standard British socket.

Further particulars from your regular radio dealer or direct from

**Western Electric Company**  
*(Australia) Ltd.*

192-194 Castlereagh Street, Sydney

Phones: City 356 and 366

**Have you sent your Subscription  
to Wireless Weekly yet?**

# BRANCH SHOP

right at the RAILWAY STATION—in the Colonnade  
under the Railway Clock Tower.

PITT STREET

Our Prices are Right ———— Get our Price List

## Slingsby & Coles

Licensed Radio Dealers

1 YORK STREET, SYDNEY.      Opposite the Wentworth Hotel.

Telephone B 4194.



Brandes  
Phones,  
40/- Pair  
Imperia  
Phones  
35/-

## Large Stocks Just to Hand

Gilfillan Parts  
Radiotron Valves

IMPERIA RECEIVING SETS.  
One to Six Valves.

Call and witness demonstrations

*Our Demonstration Hall open every  
afternoon*



LOUD SPEAKERS  
All Types

*Harringtons* LTD

386 George Street, Sydney

MELBOURNE: 266 Collins Street.  
KATOOMBA: Katoomba Street.  
BRISBANE: 93 Queen Street.  
ADELAIDE: 10 Rundle Street.  
WELLINGTON, N.Z.: 42 Willis Street.  
AUCKLAND, N.Z.: 140 Queen Street.

# RIDGWAY'S RADIO STORE

JUST BELOW HORDERN'S.

COUNTRY READERS NOTE :  
A 4-VALVE SET, complete with  
everything, including Loud Speaker

## £38/10/-

Let us know your requirements and our demonstrating car will call on you.  
DEMONSTRATIONS DAILY. CALL AND SEE US.

## RIDGWAYS

(New York Novelty Co.).

708 GEORGE ST., HAYMARKET (JUST BELOW HORDERNS)

### Wireless Weekly

#### SUBSCRIPTION RATES.

Single Copies . . . . 3d. net  
12 months (52 issues), 13/- post free.  
6 months (26 issues), 6/6, post free.

All communications to be addressed to the Editor, "Wireless Weekly," 33 Regent St., Sydney.

Telephone: Redfern 964.

All advertising and other matter for insertion should be in the hands of the Editor by Friday.

All copy must be written in ink or typed, and on one side of paper only.

Advertising Rates on application.

### THE BOY'S Wireless Book

A concise and reliable guide for the wireless amateur in the construction of his apparatus, and to the better understanding of his hobby. Splendidly illustrated. It explains the theory of wireless in simple language and teaches boys and old boys how to make, or extend, their set. Price 4/6. Postage 4d. extra.

N.S.W. Bookstall Co. Ltd  
476 GEORGE STREET,  
SYDNEY.

Tell Your Friends about  
"Wireless Weekly"

### Wireless Apparatus

New or Second-hand,  
Bought, Sold or Exchanged

### HOWELL'S

19 Barlow Street  
SYDNEY

PHONE : M A 1133  
OPEN TILL 9.30 FRIDAY NIGHT

# "RAMSAY" RADIO SUPPLIES

You cannot buy better :: Everything for the Amateur

Maple Base Boards . . . . .	3/3	Valve Sockets, Radiotron Type, . . . . .	4/-
Maple Loose Coupler Ends, Set of 4, . . . . .	2/6	Dry Cell Valves, 1½ volt . . . . .	27/6
Contact Stops, N.P., per doz. . . . .	1/-	Jefferson Transformers, No. 41 . . . . .	30/-
Contact Studs, N.P., per doz. . . . .	1/-	Jefferson Transformers, Star . . . . .	25/-
Runner Rods . . . . .	10d.	Murdoch 3,000 Head Phones . . . . .	30/-
Sliding Contacts, brass . . . . .	1/6	Murdoch, 2,000 Head Phones . . . . .	25/-
Sliding Contacts, N.P., . . . . .	2/3	Winding Wires, all sizes in stock.	
Crystal Detectors, Mounted . . . . .	3/3	Aerial Wire, 3/20 . . . . .	2/9 per 100ft.
Crystal Detectors, N.P., unassembled . . . . .	3/-	43 Variable Condensers . . . . .	18/6
Crystal Detectors, glass enclosed, mounted, 5/6		Primary Tubes Wound . . . . .	3/6
Crystal Detectors, glass enclosed, unmounted, 4/2.		Secondary Tubes, Wound and Tapped . . . . .	6/-
SPDT Knife Switches on Porcelain Base, 2/9		Crystal Receivers, Panel Mounted . . . . .	£2/5/-
DPDT Knife Switches, on Porcelain Base, 4/6		Single Valve . . . . .	27
Valve Sockets, R Type . . . . .	2/6		

Write for Catalogue, W 16.

**RAMSAY SHARP & COMPANY, LIMITED**  
RADIO ENGINEERS 217 GEORGE STREET, SYDNEY.

## SPECIALIZE!

*That is The Slogan*

Having printed "Wireless Weekly," and much other Wireless literature over a very long period, we are specialists in the printing of anything descriptive of wireless apparatus.

In the preparation of wireless catalogues or booklets, we can supply everything; the paper, printing, technical drawings and blocks. From cover to cover you may safely leave everything to us.

Q.S.L. Cards a specialty.

**PUBLICITY PRESS LTD.,**  
33/37 REGENT ST.,  
SYDNEY.

## Hello! Hello!

We have the very thing you've been waiting for. Throw that old-fashioned crystal cup in your scrap box and get a

## "REVOLVO" CRYSTAL GRIP

PATENTED

Well Finished and Nickel Plated.  
You'll be delighted.

PRICE 1/9

Obtainable only from

## CHAS. E. KIRKBY

240 PITT STREET,  
opp. School of Arts,  
SYDNEY.

Phone: M.3943.

Try us for those odd jobs—  
—We are INSTRUMENT MAKERS.

Let Us Demonstrate  
 In our Showrooms Daily. In your Home by Ap-  
 pointment. (This applies to 3 and 4 Valve Sets.)  
 Satisfaction Guaranteed  
 We stock : Crystal Sets, Valve Sets, Head Phones,  
 Loud Speakers, and all parts by reputable makers.

*Call in and Consult US before Purchasing Elsewhere*

## PITT, VICKERY LTD.

335, 337 PITT STREET, SYDNEY.

Telephone: City 6053.  
8073.

# Listen in on a Radio Music Set

## VALVE OR CRYSTAL

Radio Music	Radio Music	Radio Music
Slide Tuner, complete with	Loose Coupler, complete	Valve Sets
Phones, Aerials, Insulators	with Phones, Aerials and	Single Valve . . . . . £10
55/-.	Insulators.	Two Valves . . . . . £20
	90/-	Three Valves . . . . . £30
		Four Valves . . . . . £40
Valve Amplifier for use with Crystal Sets, include Valve, Socket, Transformer, Rheostat, Ter- minals, Panels. Ready to Assemble . . . . . 65/-		

Peerless 'Phones arriving at 30/-.

## ELECTRICITY HOUSE

387 GEORGE STREET

J. S. MARKS, 2G.R., in Charge.



*David Jones' have complete stocks of*  
**RELIABLE LOUD SPEAKERS**  
in the Latest Designs

All reliable makes of Wireless Sets and Accessories are featured in David Jones' Radio Department. Demonstrations will be given freely by the Wireless Experts in attendance.

**Western Electric.**  
Western Electric Baby Loud Speakers. Price . . . . . 59/6

**Amplion**  
Amplion Baby Loud Speakers. Price . . . . . £4

**Magnavox**  
Magnavox Loud Speaker, M4., Price . . . . . £8  
Magnavox, M1. Price . £10/10/-

**Music Master**  
Music Master Loud Speaker. Price . . . . . £12/12/-

**RADIO ACCESSORIES**

Head-phones, priced from 30/- to 77/6.

Battery Clips. Price . . 1/3

Bradleystats. Price . . . 13/9

Super Hetrodyne Transformers. Price . . . . . 30/-

Super Hetrodyne Oscillators. Price . . . . . 16/-


"Sterling" Pocket Volt Meters, with 50 volt reading. Price, each . . . . . 15/-

**DAVID JONES'**

*For Radio Service*

252 YORK STREET . SYDNEY

## That Sensitive Point!



A sensitive point on your crystal is easily found when you use an A.W.A. Crystal Detector. No joyous minutes of entertainment are lost in futile search for the "Magic Spot." By means of the universal ball joint the spiral contact wire is quickly adjusted, and when in position is not easily dislodged.

Another notable feature is the improved crystal holder, which consists of three spring prongs, ensuring perfect electrical contact with any form of crystal. Both the spiral contact wire and the crystal are enclosed in a glass tube which protects them from dust and dampness.

The A.W.A. Crystal Detector is highly nickelled; by mounting one on your set you will make it a possession envied by all beholders. It is sold unassembled.

Procurable from all  
Radio Dealers.



**Amalgamated Wireless**  
*(Australasia) Ltd.*

97 Clarence Street, Sydney  
Collins Street, Melbourne

Radio Dealers kindly write for Trade Price List.



Friday, September 12th, 1924.

WIRELESS WEEKLY

# “STERLING”

(BRITISH MAKE)



## AUDIVOX

ALL PURPOSE

### LOUD SPEAKER

1. In Radio there is no greater goodwill than that possessed by “STERLING” Loud Speakers. Quality created it and quality will keep it.

2. The “AUDIVOX” is faithful to an echo in reproduction—clear, melodious and perfect in tone—ample in volume, with never a sign of distortion. A true “STERLING” production.

3. It is the all-purpose Loud Speaker—equally suitable for home and public use; indoors or outdoors.

AUDIVOX is supplied in the following finishes:—  
Black Enamel . . . . . £9 0 0  
Brown, Floral . . . . . 9 10 0  
Black and Gold . . . . . 9 15 0

STERLING LIGHTWEIGHT HEADPHONES, 4000 ohms . . . . . 44s.  
“STERLING” Radio Goods, obtainable from all Radio Dealers.  
Large Stocks — Immediate Delivery

STERLING TELEPHONE & ELECTRIC CO. LTD., LONDON  
Sole Agents for N.S.W. and Queensland:

**The LAWRENCE & HANSON ELECTRICAL Co. Ltd**

33 York Street, Wynyard Square, Sydney.  
and Charlotte St., Brisbane

Telephone City 6016 (3 Lines)

Published by A. W. Watt, "Keira," Alfred St., North Sydney, for the proprietors and printers, Publicity Press Ltd., 33/37 Regent St., Sydney.