rorac Year 20, Issue 2 August 1990

A bolt out of the blue (part one)

JERRY KEISLER, KB7IMX

There's a phrase in Amateur Radio that I'm sure you've all heard at one time or another, "Real radios glow in the dark!'' I won't say that I've been in Amateur Radio long enough to qualify as a "real operator," but I did glow in the dark recently! That's right, I got tangled up with a lightning strike.

Luckily, I'm still here to tell you about it, the good and bad sides of the experience. So, if you'll bear with me, I'll tell you how it happened and all

that resulted from it.

It was late on Jan. 28, 1990, and you can well imagine that I'll never forget that date. I was home watching the late show on TV and heard the wind start to pick up. Before long, hail was coming down hard, but I just ignored the storm and continued watching TV.

At about 12:05 a.m. there was a loud clap of thunder and it must have been pretty close, as I recall seeing a flash of light through the window. That got me to thinking about the safety of all my radio gear, both Amateur and enter-

tainment.

So I turned off the TV and got up, thinking that I'd go around to remove power from the various apparatus and disconnect the coax antenna cables. That idea occurred to me, as I had just moved into this location recently and had no lightning protection devices installed.

I began with my 2M rig, a handytalkie and a docking amplifier that was connected to an isopole. Well, I got as far as disconnecting the coax from the amplifier when it happened! ZAP! POW! A loud report and a flash of light at essentially the same time. And there I was, standing by the 2M rig and holding the PL-259 connector in one hand. Luckily, my other hand was free, no longer holding the docking amplifier while I took off the PL-259 connector.


What happened then is still something of a blur in my memory, lights going out as the breakers were tripped, burning smells in the room and the feeling of electricity on the surface of my skin. But I can't forget the amazing,

vivid recollection of seeing long sparks or streamers going off the tips of the fingers of my free hand. Maybe it wasn't a glow, but those sparks were giving off light and it was coming from me! Yes, ME!

It seemed to be over in a flash (no joke intended); the next thing I knew was that I felt like I had been hit by a ten-ton brick, flying backward and ramming into the wall of my shack. That was a real collision, stunning me and breaking the plaster board. I rolled onto the floor and lay there in something of a disoriented daze for about a half hour or so.


I never lost consciousness in that time, nor did I have the sensation of an electrical shock, the sort of thing I'd experienced several times in my career as a TV service man. Finally, I staggered up, found my flashlight, groped my way to the breaker panel and tried to survey the damage. However, still feeling quite groggy and hurting all over, I decided the better thing to do would be to get some immediate medical attention. So I decided to check into the local hospital.

With that, I got in my car and drove slowly, carefully the short distance to (please turn to page 18)



Steve Fletcher, NOJGN (1), and Mahlon Burson, NOJJG, operated at the command center that was set up at the Hesston City Hall following the twister that struck the town earlier this year. For the story turn to page 3. (NOJWV photo)

At Henry Radio,



should be our middle name

We're aiming this message at the thousands of amateurs who are also electronics engineers. . . . because we may have just what you are looking for.

We started building amplifiers for amateur use more than 25 years ago. We know that we build the broadest line in the world and we also believe they're the best. A lot of people must agree with us because 40,000 of our amplifiers are in use throughout the world. And because we are so versatile and quality conscious, hundreds of our amplifiers, both stock and custom designed, are being used by commercial, industrial and military users worldwide. They are key components in scores of high tech systems used in a broad range of applications.

Thousands of Henry amplifiers are still used for communications. . . amateur, commercial, MARS, military, short wave broadcast, FM broadcast, VHF link, domestic, foreign. . . Henry amplifiers go everywhere for diverse services. HF

point -to-point, VHF, UHF, SSB, AM, FM. RTTY, packet, meteor burst, digital, marine shore station. Are you beginning to get the idea? If you need a special purpose vacuum tube amplifier for a specific frequency from 2 MHz to 500 MHz at power levels up to 10,000 watts, we invite your inquiry.

But communications is only the beginning. Think about plasma generation, sputtering and etching, thin film deposition, laser excitation, nuclear magnetic resonance (NMR), photo-emissions and mass spectrometry, scientific research, industrial production. . . Henry equipment is used in all of these applications. We have always been customer driven and still are.

Recent projects include:

10,000 watt 41 MHz Meteor Burst U.S Air Force

10,000 watts 70 MHz Cyclotron

2,000 watts 45 MHz numerous customers including SHAPE Headquarters, U.S. Dept. of Interior. The Mitre Company, M-A Com, Etc.

2,000 watts 13.5 MHz Plasma generator for vacuum etching, many customers

1,000 watts 13.5 MHz Same application as previous listing

5,000 watts 13.5 MHz Same application as previous listing 5,000 watts various Marine HF frequencies Shore stations

10,000 watts 90 MHz Laser Excitation

2,000 watts 110 to 150 MHz United Technology

3,000 watts 300 MHz NMR

4,000 watts 145 MHz VHF Point-to-Point - Indonesia

1,000 watts 300 MHz Cancer Hyperthermia

20,000 watts 100 MHz Pulse for Laser Excitation

2,500 watts 27.12 MHz to ignite Argon Torch Photo-Emissions Spectrometry - Switzerland

2,000 watts 27.12 MHz Mass Spectrometry

1,000 watts 400-450 MHz NASA

2,000 watts 13.56 MHz Sputtering - Munich, Germany

3,000 watts 6 MHz Shortwave AM - Broadcast

10,000 watts 90 MHz FM Broadcast

5K Classic Amplifiers HF Communications...export

If you have a requirement for high power RF, please call Ted Shannon, Meredith Henry or Ted Henry And don't forget, Henry Radio still produces the world's broadest line of fine Amateur amplifiers.



2050 S. BUNDY DR. LOS ANGELES, CA 90025 Toll free order number: (800) 877-7979 TELEX: 67-3625 (Henradio) FAX (213) 826-7790

Amateurs provide communications in tornado aftermath

BILL KIRTON, WOMLR

Radio Amateurs in south central Kansas were praised for the help they gave when a tornado struck the town of Hesston, KS (pop. 3,500), about 30 miles north of Wichita, on the afternoon of March 13, 1990. More than \$22 million dollars damage was done by the tornado, but fortunately there were no fatalities and only a few injuries in Hesston.

Residents were alerted by civil defense sirens about five minutes before the tornado hit and were able to take cover.

Harvey County Civil Preparedness Director Lon Buller told the county Commission afterwards that Amateurs were "one of our biggest assets," and that they did a "tremendous job." Hesston City Administrator, Jay Wieland, said that "ham operators became our emergency link with the outside world. Without their assistance and continued support ... we would not have been able to manage the many crises situations that we faced.'

Garry Boldenow, KØSFU; Mahlon Burson, NØJJG; Dave Anderson, NOALN; Charlie Dix, KAORCK; Marion Ford, KOYWT; and Bob and Lorna Harder, WA7KSL and KA0-KSL, were among the first to arrive on the scene. Joe Palmer, NOLQT, an offduty Newton, KS, police officer, went to the Harvey County communications center in Newton to provide a link to

there, and I went to the Newton hospital.

Carol Boldenow, WA0FYG, of Newton, provided a telephone link from her home to get assistance, and when the Associated Press and United Press International provided the telephone number in wire articles, she started receiving health and welfare queries. She and a neighbor, who volunteered to answer the telephone, handled about 250 of these.

For two days after the tornado hit, the Amateurs remained at the command center in Hesston, and helped organizations who were working to clean up the debris. KOSFU and NØLQT walked through the damaged area in order to make a map that was used for health and welfare information, by the cleanup crews in their work and by insurance adjusters.

For the most part, communications were carried on by using hand-held transceivers, the Newton repeater and the repeater of the Air Capital Amateur Repeater Association, located about 30 miles to the southwest.

The response to the disaster was spontaneous. The club had no disaster plan, but on the preceding Saturday they had conferred with Buller on the possibility of giving aid following such an occurance.

In all, about 35 Amateurs from the Hesston, Newton and Wichita areas took part in the effort.

Goodwill Games station

CPT ROBERT T. GODLEWSKI. KA4SBE

The Fort Lewis Amateur Radio Activity, W2USA, has received permission from Turner Broadcasting to be the sanctioned special event Amateur Radio station for the Goodwill Games. to be held in Seattle. The games will begin in mid-July and continue into early August. The operators for the station will be soldiers from Fort Lewis and McChord Air Force Base, as well as local US Army MARS members.

The station has recently upgraded facilities and support has been solicited from Icom America, which will provide two complete stations for the operation.

Lt. Andrew Morkunas and I are coordinating for sites in close proximity to the Games, to obtain more public awareness of Amateur Radio's international capabilities during the games. A guest operator position will be available, as well as a mobile van to operate from remote sites in the greater Seattle/Tacoma area.

- Assembled & Ready to Use
- Full Legal Power
- No Traps
- Matches 52 Ohm Coax
- Space Limited (AP Models)
 - Use as Inverted "V"Use in "U" Shape

MULTIBAND ANTENNAS

Model AP-1.....\$48.00 ppd.

- Covers 80, 40, 20, 15 & 10
- Meters
- 102 feet long
- . **\$43.00 ppd.** 5 & 10 Meters Model AP-2 \$43.00 ppd.
 • Covers 40, 20, 15 & 10 Meters

 - 51 feet long
- Model AP-3. .\$38.00 ppd. • Covers 20, 15 & 10 Meters

 - 26 feet long
- Model AP-4. . .\$58.00 ppd.
 - Covers 160, 80 & 40 Meters

 - 204 feet long

LOOP, TRIANGLE OR QUAD LOOP Built to frequency of your choice

Model TP-1 80 or 75 Meters \$58.00 Model TP-2 40 Meters \$44.00 Model TP-6 30 Meters \$42.00 Model TP-3 20 Meters \$40.00 Model TP-4 15 Meters \$36.00 Model TP-5 10 Meters \$33.00

SHIPPED POSTPAID USA
SEND FOR FREE BROCHURE

RUDY PLAK — W6TIK
PO Box 966 • San Marcos, CA 92069

- FEATURES

A bolt out of the blue - 1 A wooden mast - 15 Amateurs provide communications in tornado aftermath - 3 Finally an eyeball QSO - 6

Net controversy response — 18 Parasitic HF verticals: A poor man's beam - 11 Perils of mobiling (conclusion) - 14

Walk for a cure - 19

Mock disaster drill - 27 We are the OTs - 10

COLUMNS -

Advertisers' Index - 66

Aerials - 54

Amateur HI - 30 Amateur Radio Call Signs - 8

Contests - 57

Digital Bus - 50

DX Prediction - 33

DX World - 32

FCC Highlights - 8 Ham-TV - 38

Hamlests - 56 MART Classifieds - 64

Mobile - 46 New Products - 59

Off the Air - 20 Product Review - 24 Propagation - 41 Publisher's Microphone - 4 QCWA - 31 SAR Communications — 52

Silent Keys - 19 Six Shots! - 48 Special Events - 28

Station Appearance — 29 Subscription, Worldradio - 9, 66

VE Exams - 62 When will AMSAT OSCAR-13

be in range? - 63 10-10 International News — 45



Worldradi

August 1990 Vol. 20, No. 2

is published monthly by Worldradio, Inc. 2120 28th Street Sacramento, CA 95818 (916) 457-3655

Subscription Dept. Worldradio 201 Lathrop Wy., Ste. D Sacramento, CA 95815 1-800-365-SUBS

Second class postage paid at Sacramento, CA & additional offices. POSTMASTER: Send address changes to Worldradio Inc., P.O. Box 189490, Sacramento, CA 95818.

Worldradio (USPS 947000) is an international conversation. You are invited to participate.

Our goal is to be a valuable resource of ideas and experiences beneficial to the Amateur Radio Community. We publicize and support the efforts of those who bring the flame of vitality to this avocation.

You readers are participants — an alliance of active radio amateurs concerned with reality, using radio as a communications tool to develop the skill, quality and full potential of Amateur Radio.

We emphasize the positive aspects of this great activity, and desire your contribu-tions dealing with dramatic, personal and humanitarian uses of Amateur Radio.

Worldradio is an independent newspaper not affiliated with any other firm, group or

organization. Its pages are open to all. Permission is hereby automatically granted to reprint from this publication with appropriate source credit. If there is something useful, we wish to share it.

Subscription rates: \$13 per year, \$25 for two years, \$36 for three years and \$130 for life; \$10 extra per year for surface mail delivery outside the U.S. Please remit international postal money order. IRCs will be accepted.

STAFF

Editor and Publisher	Armond Noble, N6WR
Managing Editor	. Marra McElroy, N6WLM
Associate Editor	Norm Brooks, K6FO
Assistant Editor	Kaye Schwartz
Consulting Editor	. Lou Ann Keogh, KB6HP
Advertising Director	Helen Noble
Advertising Mgr	Rosalie Hernandez
Graphics Director	Dianne Dunning
	Tamara Roseberry

PUBLISHER'S MICROPHONE

Portent? At Dayton, during an industry meeting, a well-known figure in AR stood up and stated that while the no-code test was a good thing, we would now have people kept out of AR because the theory test was so difficult.

How far can we take this? Should we just drag everything down to a level at which everybody can pass every test in everything? People who keep flunking the bar exam would probably be in favor of that, but would you want to hire one of them when you needed a lawyer?

And a grand time was had by all. Worldradio was at the ARRL National Convention in Kansas City, MO, from June 8 to 10. There is indeed a great AR spirit in mid-America.

We now recognize the exceedingly bright, who have just joined the Worldradio Super-Boosters (Lifetime Subscribers): William Downes. N2KHP, Roosevelt, NY; Thomas Verachtert, WD9IWP, Wheeling, IL; Paul Dean, WB9HGZ, Loves Park, IL; John Wilder, Jr., WA5PFJ, Carthage, TX; George Csahanin, WB2DYB, Cedar Park, TX; Gary Gabbard, KA7-BCP, Las Vegas, NV; Karl Fielder, KB6OZE, Hemet, CA; Thomas Diskin, N7TD, San Mateo, CA; Tom Galbreath, Yuba City, CA.

This month's issue marks the 19th anniversary of Worldradio. Hard to believe that it's been so long, but as they say, time passes quickly when you're having fun!

Among the very first subscribers were Dave Bell, W6AQ, who delivered the banquet speech at Kansas City; noted DXer Jules Wenglare, W6YO; Fr. Leonard Bose, W6BSO, who was also at Kansas City, and others who have since become good friends.

Patty Smith, WB6DRG, Torrance, CA, said, "Worldradio's appeal is human interest." Right again!

David Boyd, K9MX, Stafford, VA, who is Dave on the air but Colonel to the people who work for him, sent me the petition to the FCC of the Pentagon Amateur Radio Club. In part it reads: "We are unconvinced that Morse code is, or ever was, a barrier to entry into the hobby. We challenge the assumption of many that removing the code requirement will result in a huge increase in numbers in the hobby. We believe this assumption is much akin to a similar feeling among avid skydivers; if only the public would try it once, they would discover they all enjoy falling freely through space. The reality is that, in any hobby, only a limited number of people will be interested; that is particularly true in a highly technically-oriented hobby. Even if licenses were simply handed out with radios, we do not believe greatly increased numbers would be interested.

Finally, we do not believe growth alone is a valid, or even appropriate, measure of the success of a hobby.'

To Col. Boyd: Should the Signal Corps decide they need 55-year-old E-4s and you'll be the unit commander. you can call on me.

Ethel Smith, K4LMB, McLean, VA. says: "5 wpm of code IS no-code."

Bruce Pfeiffer, N7CPP, Carson City, NV, relates that he's found a source for fiberglass poles 14 ft. long. Quad builders and others may wish to contact him for prices, shipping, etc.

Since the first 312 people whom they asked wouldn't get up that early, they got down to me and I consented to be the breakfast speaker at the ARRL Southwestern Division Convention on Saturday, Aug. 24, in San Diego. If anybody else but Sybil Allbright had asked, I wouldn't have done it.

The Denver Radio Club (CO) sent in the results of a member's survey of onthe-air activities and opinions on current issues facing Amateur Radio. It was most interesting.

This would be a good time and place to sincerely thank all who send in items of interest. Sadly, not all can be acknowledged due to limitations of space in the magazine and time.

We do get many deep and thoughtful letters. They deserve to be printed. If we could get a few more pages of advertising, we could afford to run more pages of text.

So next time you are at a convention at an exhibitor's booth, if you don't see their ads here in Worldradio, ask them, "How come? Maybe you don't like the people who read it, eh?"

-Armond, N6WR **Contact Worldradio for hamfest** prizes.



Remotely L



control panel all-mode HF radio.

FT-747GX: Good things come in small packages

The Yaesu FT-747GX packs more features you want into a size you can handle - on the road or at home.

When interior space in your vehicle is at a premium or security is a concern, the optional remote kit (RMK 747) allows you to mount the FT-747GX control panel on the dashboard, center console or any convenient area.

While the detached transceiver can be installed anywhere—in the trunk or under the seat.

Trust Yaesu to give you the best powerful transceivers delivering clear communications and trouble-free operation for years to come.

The FT-747GX was made for you. Check these features:

- General coverage: continuous reception from 100 kHz to 30 MHz.
- Ergonomic design includes front panel mounted loudspeaker and unobstructed display/control layout.
- Easy one-touch dual VFO control to select a favorite frequency or operate split with minimum effort.
- 20 memory channels store mode and skip-scan status for auto

resume scanning of selectable memories. (Up to 18 memories can store independent TX and RX frequencies—great for split frequency combinations!

- · 100 watts of PEP output on all HF amateur bands.
- Compact and lightweight SSB, CW, AM and FM (optional) transceiver.



Yaesu has a little something for you

If the FT-747GX or FT-757GX II sounds like the transceiver you've been looking for, contact the Yaesu dealer nearest you.

FT-757GX II: All mode transceiver

The remarkable heat ink design of the FT-757GX II

includes a quiet cooling fan, with a duct flow cooling system incorporated



into the body of the transceiver.

The FT-757GX II offers a full array of features as standard items, such as: built-in USB, LSB, AM, CW and FM. 600 Hz CW filter, iambic keyer. Full break CW. 25 kHz marker generator. IF shift and notch filters, effective noise blanker and AF speech

- processor.
 10 memory channels which store both frequency and mode for tranceiver or general coverage reception - without band switching
 - 100 watts of PEP output on all HF amateur bands.
 - General coverage: continuous reception from 150 kHz to 30 MHz

Performance without compromise. 5M

© 1990 Yaesu USA, 17210 Edwards Road Cerritos, CA 90701

Amateur Radio 'animals'

The San Benito Amateur Radio Club of San Benito, TX, operated a special event station from Feb. 9 to 18 at the Cameron County Fair and Livestock Show. Those Amateurs taking part were WA2VJL, N5LNS, N5NYK and K5RAV. Brenda V. Rvan, a non-Amateur, also lent a hand.

Operations were on 21.350, 28.328 and 146.060. The club members had received permission to use the call signs N5COW (SSB) and N5HOG (RT-TY) to celebtate the 10th annual show.



The special event stations received



Loads of information on the hobby was offered for the perusal of passersby.



A display was set up at the show from Feb. 15 to 18, with ARRL materials readily available, as well as a station to allow fair-goers to talk on 10M. There was a lot of interest in the straight key and the keyer set up, and those who stopped by were able to send their name in code.

The club is quite active in the community, and this event received radio and newspaper coverage. The club was also noted in the San Benito News as offering a scholarship for a graduating senior of San Benito High School. Information submitted by WA2VJL

Nostalgia and the challenge

BRIAN O. KASSEL, W5VBO

Since my Amateur career began in 1961, an amazingly brief 28 years ago, it might be fun to compare a typical station then to one now. The newcomer might be surprised and enlightened; the more experienced might just feel a

twinge of nostalgia.

AM was still king and SSB experimentation was relegated to the very top 10 to 20 kHz of each band. Probably half of the rigs were still proudly homebrewed. The airwaves reverberated with such now defunct terms as "Heising modulation," "pair of 813s modulated by a pair of 811As," "Windom" and "end fed Zepp." A few rugged individuals even utilized crystal control exclusively, bellowing at any unsuspecting frequency agile newcomer that this was HIS frequency, and the upstart was somehow violating an unwritten FCC edict.

My meticulously assembled Heathkit DX-40 75W crystal controlled

Novice transmitter and National NC-60 five tube receiver, which was my combination Christmas and birthday gift for that year, were all set for another 40M adventure. That was my favorite of the three Novice bands. I never was able to hear any signals on 15 and couldn't possibly fit an 80M antenna onto the urban eastern Pennsylvania rowhouse lot of my parents.

The choice was easy. Audio filters were virtually nonexistent, IF filtering was only available on the very expensive Collins radios. Twenty to 30 kHz of signals mixed together all at once. Since the 40M Novice band was only 50 kHz wide, it wasn't difficult to hear any other crystal controlled station who might be calling, and visa versa. This was very fortunate, as the Novice ticket only allowed crystal control with a maximum of 75W input.

I was running a Novice "kW." Most others ran considerably less. CW, the only mode allowed, was sent with a hand key; bugs were too expensive and electronic keyers were yet to be developed for a year or two. Too futuristic for me as the ticket was only valid for one year and then was NOT renewable.

QST illustrated a transistorized rig that actually ran almost a watt. The





YOU CAN'T SAY "QUAD"BETTER THAN "CUBEX"

minimum wage was \$.75/hour; the transistor cost \$8.30. A 6146 went for \$2.50. WW II surplus still abounded, and more than one fellow Novice could be worked in an afternoon using an ARC-5, BC-348 or the surplus, top of the line, luxurious Collins ART-13.

Today's scanning, memories, digital readout and 12-volt operating were only dreams that manifested themselves as so many doodles on a scrap

piece of paper during a boring history or English lesson.

So how did we get from there to here? We met the challenge of developing, building, testing and buying each new generation of radio until yesterday's dream rigs became today's norm. Each of us is responsible for furthering the Amateur Radio tradition of pushing technology onward through utilizing any or all of these four stages in our day to day operating.

Just compare your present radio system with the 1961 version. The economic advantage of buying versus building has changed, so it may not be quite as obvious as in years past, but the challenge is still being met.

> - Originally printed in Arizona Desert Airwaves

Course for developing nations

A course in Amateur Radio administration for telecommunications officials from developing nations was held at ARRL HQ on June 2-9. This year's students were Vincent Nathaniel Cumberbatch, 8P6AG, of Barbados; Mourad Ben Mehdi Chafiq, of Morocco; Edgar B. Usher, ZP5EU, of Paraguay; Auraphan Suwanratna, HS1BJ, of Thailand; Balchan Gunness, 9Y4BG, of Trinidad and Tobago; Pamphilius Elukut Amaitum, of Uganda; and Lotty Chitimbo Kakubo, of Zam-

The primary objective of the course was to provide the participants with a greater understanding of how Amateur Radio can be used to further technical and scientific pursuits in their nations. International Amateur Radio Union President Richard L. Baldwin. W1RU, served as principal instructor with support from other IARU officials and ARRL staff.

ARRL has hosted the course, which is held under the auspices of the US Telecommunications Training Institute, since 1985.

On June 12-16 the participants continued their training, attending the course Disaster Communications Management, in Washington, DC. It was sponsored jointly by the Office of Foreign Disaster Assistance, US Agency for International Development, the Pan American Health Organization

and the League.

Since 1983, when it began sponsoring tuition free courses for telecommunications and broadcast professionals from the developing world, USTTI has graduated more than 1,400 participants from 108 nations. -The ARRL Letter



If you have something important to say, and the spouse is getting tired of hearing it - tell us! We always lend an ear, plus we'll tell 27,000 people who want to hear what you have to say!!

PACIFICON '90 THE ARRL PACIFICON DIVISION CONVENTION

OCTOBER 12, 13, 14 1990 LE BARON HOTEL, 1350 N. FIRST, SAN JOSE, CA

HOTEL RATES: 57.00/NIGHT PLUS TAX -- SINGLE OR DOUBLE OPCY-\$10.00 EA FOR UP TO 2 EXTRA OCCUPANTS PER ROOM IN CA -- CALL 800-662-9896 --- OUTSIDE CA --- CALL 800-538-6818 **ASK FOR CONVENTION SPECIAL**

PACIFICON '90

ANT FENT EV AVE CAN LOCE CA OF 117

461 FEINLET AVE, SAIN JUSE, CA 95117 TEL 408-24	3-8349
NAME	
CALL(S)	
ADDRESS	
CIITY/STATE/ZIP ea PRE- REGISTRATIONS @ \$12.00/ea until 10/8/90	
(NOTE: \$15.00 AT DOOR)	00
ea FISH BANQUETS @ \$22.00/ea\$.00
ea BEEF BANQUETS @ \$22.00/ea \$.00
ea SPOUSE SHOPPING TRIP @ \$19.00/ea\$.00
ea NASA TOUR @ \$9.00/ea limit 40 persons\$.00
ea GASLIGHTER THEATER @\$10.00/ea\$.00
TOTAL ENCLOSED\$.00

FOR THE SPOUSE AND/OR HAM

SEE LEFT FOR AT COST PRICES FRIDAY 1230 Bus to NASA for tour of wind

tunnel, hangar and museum.

FRIDAY 2000 Gaslighter Theater show. Old-time vaudeville and melodrama. All new show repeat of very popular feature of PACIFICON '89. SATURDAY 0900 Bargain Hunter Express, For the ladies: a bus trip to the South of Market area of San Francisco for a wild bargain hunt. Repeat of popular feature of PACIFICON '89.

SATURDAY 2000 Convention Grand Banquet. Entree choices: London Broil or Filet of Sole. Entertainment and prize to be determined. WOUFF HONG Ceremony immediately after.


FOR THE HAM

SILENT AUCTION, FOX HUNT, YOUTH FORUM, YL FORUM, LICENSE TESTS, DX FORUM, PAC-KET SESSIONS, OSCAR, ARRL FORUM, AND OTHERS THAT YOU WILL FIND OF INTEREST FRIDAY EVENING WILL HAVE OPENING REMARKS BY THE DIRECTOR AND AN EMERGENCY SESSION.

SATURDAY WILL HAVE 2 SESSIONS PER-HOUR 0900 - 1700 WITH MANUFACTRUER EXHIBIT AREA OPEN AT THE SAME TIME.

SUNDAY WILL HAVE 2 SESS IONS PER HOUR AND MANUFACTURER EXHIBITS 0900 - 1300 FOLLOWED BY THE GRAND PRIZE DRAWINGS.

FOR ADDITIONAL INFORMATION WRITE (SASE PLEASE) OR CALL 408-243-8349



The FCC's John Johnston has advised all VECs that 49,992 new and upgraded Amateur Radio (Form 610) applications were processed by the FCC in fiscal year 1989. While VECs reported examining 51,992 persons, the number of persons examined under the Novice program is unknown.

Had the 20,047 passed Novice examinations been administered under the VEC system, the workload to the VEC system would have increased more than 67 percent. The 36,579 Novice and Technician license applications processed by Gettysburg represents 73.4 percent of the Gettysburg new/upgrade workload. (W5YI Report, 05/15/90)

In responding to his inquiry, FCC Private Radio Bureau Chief Ralph Haller wrote Senator Ted Stevens that the Commission has taken no action that would affect the ability of mariners or anyone else to use Amateur stations interconnected with the public telephone system (phone patching) to make telephone calls. In fact, he said, the rules concerning international

third party traffic have recently been relaxed to permit messages to Amateurs in countries where third party traffic is normally not allowed. (W5YI Report, 05/15/90)

Robert Fizzell, W6UCB, of Beaty, OR, and Richard Young, W6UGH, of Los Angeles, were each fined \$1,000 for willful interference with Amateur communications. The investigation was prompted by complaints about repeated jamming on 40M.

FCC monitors observed that Fizzell and Young "consistently operated adjacent to the operations of other Amateurs and within the bandpass of state-of-the-art receivers." Apparently, when the affected Amateurs changed frequency, Fizzell and Young followed to operate adjacent to them again. (W5YI Report, 05/15/90)

While noting that "various governmental agencies" still have fixed services in the 902 MHz band, the FCC polled those agencies and found that Amateur operations in certain portions of the band would not be detrimental. Thus, effective July 1, the FCC has waived Section 2.106 Footnote US267 and Section 97.303(g)(1) of its Rules, to permit Amateurs in the restricted area to transmit in the following segments: 902.0-902.4, 902.6-904.3, 904.7-925.3, 925.7-927.3 and 927.7-928.0 MHz. The order stipulates that Amateurs "must not cause harmful interference to, and will receive no protection from, any interference due to the operation of industrial, scientific and medical devices (ISM), automatic vehicle monitoring systems or government stations authorized to operate in this band."

Government users of 902-928 MHz will, according to the FCC Order, eventually move to new fixed service bands, at which time the Commission will "consider removing the area restriction on Amateur stations entirely."

There is some good news to report in the ARRL's effort to get the FCC to pre-empt local and state laws that prevent Amateurs from having radio receivers.

Harassment and arrest of Amateurs and confiscation of Amateur equipment in some states prompted the ARRL to file a Request for Declaratory Ruling. If granted, the ruling would likely declare that the FCC overrides any local laws that prohibit licensed Amateurs from having equipment capable of receiving some public safety frequencies (police, fire). The situation is similar to the 1985 PRB-1 case, in which the FCC granted an ARRL request for federal pre-emption of local and state regulation of Amateur antennas.

In a nutshell, local and state authorities may still enact some health, safety or aesthetic regulations on antennas, but they must not have the effect of prohibiting normal Amateur operation. They must also represent the "minimum" regulation necessary to achieve the local authority's purpose (See FCC's Amateur Rule Section 97.15[e]). (W5YI Report, 06/01/90)

Amateur Radio call signs

Amateur Radio operators often ask the FCC what call signs have been assigned lately. This list shows the last call sign in each group to be assigned for each district, as of June 1, 1990.

For more information about the call sign assignment in the Amateur Radio Service, see Section 97.51 of the FCC Rules, or write to the FCC, Consumer Assistance Branch, Gettysburg, PA 17326.

Radio District	Group A	Group B	Group C	Group D
	Am. Extra	Advanced	Tech./Gen.	Novice
0	AA0BH	KFØLA	NøLZV	KB0HBC
1	WG10	KC1VN	N1HRS	KA1WAI
2	WY2V	KE2UC	N2KTU	KB2KLJ
3	NZ3Y	KD3SQ	N3IFB	KA3WMT
4	AB4VZ	KN4JT	N4ZGN	KC4RIB
5	AA5SK	KI5GD	N5QPZ	KB5MZT
6	AA6WG	KK6LH	N6ZFD	KC6LUX
7	AA7EX	KG7FA	N7OYM	KB7LAQ
8	AA8BO	KF8HD	N8MLH	KB8KGG
9	WS9Q	KE9XG	N9JSZ	KB9FBL
North Mariana Is.	AH0H	AHØAG	KHØAM	WHOAAL
Guam	KH2N	AH2CG	KH2EJ	WH2AMM
Johnston Is.	AH3C	AH3AD	KH3AC	WH3AAG
Midway Is.		AH4AA	KH4AD	WH4AAH
Hawaii		AH6KL	NH6WU	WH6CIE
Kure Is.			KH7AA	
American Samoa	AH8D	AH8AD	KH8AI	WH8AAZ
Wake Wilkes Peale	AH9A	AH9AD	KH9AE	WH9AAH
Alaska		AL7MB	NL7TZ	WL7BYQ
Virgin Is.	NP2F	KP2BU	NP2DU	WP2AHC
Puerto Rico		KP4QS	WP4XV	WP4JBG
1 401 00 10100		40	***	

Subscription form

If you received this copy of Worldradio and you aren't yet a subscriber . . . this was your sample copy.

We sent it to you to acquaint you with our reporting on this great activity. Amateur Radio is exciting, challenging, stimulating, satisfying and very rewarding.

You are cordially invited to subscribe to, and be a part of Worldradio.

Yes. I want to know even more about the wonderful world of Amateur Radio.

TO FACILITATE FASTER	HANDLING OF YOUR SUBSCRIPTION, PL	EASE USE THIS BLANK (SOURCE)
	The state of the s	
		(59-60)
		No Orthograms of the Control of the
Name		
Call		and I want
Call		
Address		The second second
1 1000 3		The miles of the second
City	- A Charles of the Charles of	A STATE OF THE STA
Canal	the state of the s	71
State		Zip
□ NEW	Renewal	
12 issues	(\$1.08 per issue)	\$13.00
24 issues	(\$1.04 per issue • save \$1)	\$25.00
36 issues	(\$1.00 per issue • save \$3)	\$36.00
Lifetime	(Be a WR super booster)	\$130.00
Overseas Readers! Prices q	uoted are U.S. funds. Please include	\$10 extra/year for surface
mail delivery outside the U.S. International Money Order, V	Subscriptions may be paid in U.S. for ISA or MasterCard. Canadian Postal	Inds drawn on U.S. banks, by
are also acceptable.	ion of Musici Cara. Canadian i Ostar	Money Orders (in O.S. lunds)
Check enclosed	□ MasterCard	□ AmEx □ VISA
Check enclosed	Mastercard	Amex
Card #	The state of the s	Exp. date
Signature		
Please all and well to		
Please clip and mail to	Worldradio*	
For Subscriptions	201 Lathrop Way, Suite D	
(charge cards only)	Sacramento, CA 95815	Thank you!
TOLL FREE 1-800-365-SUB	S 8 a.m. to 5 p.m. Pacific Time	

Subscriptions received by the 20th of the month will begin with the issue dated two months from the month of receipt, i.e., if we receive the subscription by April 20, your first issue will be June, and will be mailed to you in early May.

Worldradio is a two-way communication. Send in Amateur Radio information and news. Share your knowledge with your fellow amateur and Worldradio reader. We are most interested in your comments and suggestions. We would appreciate being placed on the mailing lists of amateur club bulletins.

We are the OTs

CLIFF HENDERSON, KB6MAA

We were here before SSB, FM, RT-TY, packet, AMTOR or computers and moonbounce was what happened to us and our YLs in the rumble seat.

We were around before transistors, toroids and phase locked loops and a chip was something we used in a poker game.

Digital was a mathematical term and solid state was the condition of the "engineers" head.

Our "keyer" was a hand pump, sidewinder or bug and a filter was the two appendages on either side of our heads.

Our CQ was an invitation to a ragchew and we had never heard of the term "KN."

Our signals were not often stable or T9, but we managed many a QSO with one hand on the tuning knob following those self excited oscillators.

A coil was something we wound on a form or made with copper tubing and we left ample room to work on the rig.

We didn't need a monitor, as the 866s flashing in the corner and the transformer groaning did the job.

We were here before the bands were chopped up into little pieces, CB and TVI didn't exist and a woodpecker was a bird.



H.F. SPECTRUM DISPLAY RECEIVER FOR THE RADIO AMATEUR

Open a window on your Amateur radio operations with this computer accessory for the IBM-PC or Commodore C64/128 computers. The AMSPEC-3 displays up to a 500 kHz segment of a pre-programmed 160-10 meter Ham band or general coverage segment in the 18-30 MHz range on your computer screen. The broad-banded input allows connection to suitable antennas or, through an appropriate adapter, to the station transceiver for common antenna use. Use the AMSPEC-3 to enhance station operations such as finding holes in DX pile ups, looking for open frequencies during net operations and CO's, and checking for propagation on other frequencies

FEATURES AND SPECIFICATIONS:

1.8-30 MHz input range.

70 db dynamic range (\$9+25db)

- -/u do dynamic range (59-25dd).
 -/u do dynamic range (59-25dd).
 -/soo hz filler for useable display width of 125-500 kHz.
 -Digital signal processing (DSP) for signal enhancement
 -Moving pointer that can show station operating frequency.

- •Computer keyboard control of all functions including: Band select -Signal processing mode select -Scale expansion
- Pointer lock and scroll.
- -C64/128 model plugs into user port.
 -IBM-P.C. model plugs into parallel printer port and auto-installs for CGA, VGA, or EGA.

Send SASE for additional details

Prices: \$209.00 for C64/128 model and \$279.00 for P.C. model. Power transformer \$10.00 additional California residents add sales tax.

Mauro Engineering P.O. Box 1450, Mt. Shasta, CA 9606

A repeater was a Winchester rifle, the term "hand-held" referred to a lover's tryst and a mixer was used to make malted milks.

We used wire antennas and a tribander was something our YLs wore around their heads.

A microwave was a ripple in the pond and 2M was 78.74 inches.

We were before VHF, UHF and SHF and a waveguide was a breakwater.

QRP was a condition forced on us by

our meager pocket books and a hundred watter was a "big gun."

QST was a magazine for Amateurs, filled with useful information instead of full page ads and it would respond to your needs.

We were here before rice boxes, circuit boards, LEDs, S-meters, factory service, bells and whistles and appliance operators.

We are proud to be the OTs!

Media covers club involvement

The San Benito (TX) Amateur Radio Club provided emergency communications after the California earthquake on Oct. 17, 1989, via the Texas Traffic Net, the 7290 net and 20M traffic nets. Three Amateurs took part -WA2VJL, KE5ZV and N5LNS.

The local media - radio, TV and newspapers - publicized the club member's efforts. The newspapers published information on the ARRL and the traffic system. The ARRL's phone number was listed for those who wished to seek further information.

The Valley Morning Star, in Harlingen; The Brownsville Herald and the San Benito News all printed the club phone number so people interested in contacting someone in the affected areas could get in touch with club members. - Information submitted by Fred Wasielewski, WA2VJL

A new generation

A group of students at J. O. Johnson High School in Huntsville, AL, are being introduced to a world they will likely enjoy for the rest of their lives: Amateur Radio. Members of the Huntsville ARC's Elmers Committee have donated equipment and time to help introduce students to ham radio.

The Johnson ARC was put on the air for the first time in March by Walt Wilson, KJ4VQ, and Ed Stluka, W4QAU, on 10M with a HW 101 and a Cushcraft AV5 Vertical antenna. Training materials and course details were provided by Bud Zimmerman, KJ4BH. Carol Peters, KC4FVT, the school's Social Science teacher, is teaching her second class of students. — ARRL Alabama Section News

ESTABLISH A HAM TESTING CENTER IN YOUR AREA

As of 1984, all ham radio license testing is handled by the amateur radio community itself. Teams of three Extra Class volunteer examiners (VE's) can now conduct all ham license upgrade examinations.

W5YI-VEC, the initial national VE Coordinator approved by the FCC, oversees the largest alternative (to the ARRL) testing program in the U.S. You can be a part of it by following the simple testing instructions provided.

Administering Technician through Extra Class examinations is no harder than administering Novice examinations - which VE's have done for decades. We offer ... fastest VE accreditation, complete instructions, immediate testing ... with testing fees (expense reimbursement) shared with the VE team

Send an SASE today for a VE application if you are an Extra Class amateur and serious about conducting periodic amateur radio examination sessions in your area so that others may upgrade.



W5YI-VEC P.O. Box #10101 Dallas, TX 75207 (817) 461-6443

Let's get Amateur Radio growing again!



I FINALLY SOLVED THE PROBLEM OF RAPID MOBILE FLUTTER ON 2 METERS!

CW Lite

is the easiest Morse code training method in the world, bar none! And it is the fastest, too. Just close your eyes and relax. This powerful hypnosis cassette tape does the rest. Subliminals speed you along! Only \$14.95 ppd in US (NY residents add \$1.12 tax). Order today!

PASS Publishing, Box 570, Stony Brook, NY 11790

Parasitic HF verticals: A poor man's beam?

DR. RICHARD C. NIEMTZOW, N5EV

During my last military move, the HF rig was dropped and the boards cracked. My tower was bent and several antennas twisted in a way never intended by the manufacturer.

Oh well. I was sure my insurance would pay, or would it? Nevertheless, I would straighten the ol' tower and have a new beam up in a few weeks. Hope the neighbors won't mind the antenna farm.

Yep. I'm sure it won't be too conspicuous. That's right, I'll place it there! I can keep an eye on it from next door. That's where the outdoor community swimming pool is.

"Hi new neighbor! Oh that? It's a ham radio antenna. No, it won't electrocute anybody if it falls into the

pool!

There must be another way to have a rock buster signal up to the east coast, without the beam. How am I going to keep my skeds with the ol'boys from South France? Have to talk to the family. Taught the kids myself and they passed their Extra class before they turned 12. The XYL never got the code. Hmmm . . . maybe that no-code entry will be the solution.

That new Cushcraft R-4 vertical doesn't need any radials on the ground and it's only 18 ft. tall. What? Me use a

vertical? Imagine this . . .

"You say you can't hear me? But I'm running 1500W and if I scream any louder into the microphone, you'll hear me without the rig!'

Maybe I could get two of 'em and phase them for 10M. I could set up some pipes in the ground and just put

'em right in.

Sure miss not having a beam with those nice parasitic elements. PARA-SITIC ELEMENTS! Why not parasitic verticals? Let's see . . . low angle take-off and gain! That spells DX!

"Hey OM, got a book on parasitic verticals? No! Not phased verticals!

Parasitic verticals!"

"What about modeling?" ("Got some of 'em strolling around

DIPOLE ANTENNA CONNECTOR AND INSULATORS

Legal power capacity.
Compact. lightweight, weatherproof molded plastic connection
accept PL-259 plug. Rain drip
shield protects coax littings \$6.50
Ribbed insulators reduce leakage 2/\$1.50
Al your dealer or lactory direct. CA add 6% tax
Under \$6 add \$2 shipping. Over \$6 shipping is paid.

Budwig Manufacturing Co. (619) 789-8440

over at the swimmin' pool.") "No, you don't understand."

Can't find much on parasitic verticals. But what about that new vertical modeling program by Epsilon Company (POB 715, Trumbull, CT 06611: 203/261-7694) called "Vertical Pro?'

"Hello OM! Does our program model parasitic verticals? Super! WOW! Can

I have it by tomorrow?'

OK, let's see what happens with this program. I'll simulate two R-4 verticals for 10M. I'll place 'em about 12 ft. apart and connect one of them to the rig with coax. Computer calculating ... NEAT! Lots of gain going in one direction! Look at that low 10 degree takeoff angle! Super!

"Hello? Send me a couple of R-4s red label. What! You don't ship plumbing pipe to hold 'em in the ground?!"

You know what I am thinking? What every good DX man thinks. If two are good, then three must be better. You automatically think of three of them lined up in a straight line, but guess what? Put 'em in a triangle pattern. You pick up a few dBs.

Go ahead, use the computer and do it yourself! Beats diggin' up the backyard until you know what you're

That was easy. Put three of them

R-4s together.

"Sorry I'm holding up the 2M repeater. Didn't know we had rock two feet under the ground here. Yeah . . . gotta put them into the ground tonight. Should take some effort to get those pipes into the ground. Break! Try softening up the ground with water. Break! You must be kiddin'? Dynamite? Sorry neighbor, didn't mean to keep you up last night. What are those pipes doing in the ground? There're only 10 of 'em!'

Let's see . . . Got one reference R-4 vertical over at this end of the yard. I can compare it with the other two "parasitic" verticals when the time



HV Variable Capacitors


for Antenna Tuners/ **RF** Amplifiers

•Roller inductors •Counter dials •Antenna tuners & Kits. Reasonable prices!

KILO-TEC

P.O. Box 10 • Oakview, CA 93022 To order call: (805) 646-9645

PREAMPLIFIER



Can't hear the weak ones when conditions are bad? Receiver lacks sensitivity on 20, 15 or 10? Get the world famous Palomar preamplifier. Tunes from 160 to 6 meters. Gives 20 db extra gain and a low noise figure to bring out those weak signals. Reduces image and spurious responses too.

An RF sensing circuit bypasses the preamplifier during transmit. The bypass handles 350 watts.

Model P-410X (for 115-v AC) or Model P-412-X (for 12-v DC) \$164.95. Model P-408 (SWL receive only for 115-v AC) \$139.95. Add \$4 shipping/handling in U.S. & Canada, California residents add sales tax

LOOP ANTENNA



Loops pick up far less noise than other antennas. And they can null out interference. Palomar brings you these features and more in a compact desktop package. The wideband amplifier with tuning control gives 20 db gain. Plug-in loops have exclusive tilt feature for deep nulls. Loops are available for 10-40 KHz, 40-150 KHz, 150-550 KHz, 550-1600 KHz and 1600-5000 KHz.

Model LA-1 Loop Amplifier \$84.95, Plug-in Loops (specify range) \$69.95 each. Add \$4 shipping/handling in U.S. and Canada, California residents add sales tax





Send for FREE catalog that shows our complete line of noise bridges, SWR meters, preamplifiers, loop antennas, VLF converters, baluns, toroids and more.

ALOM

Box 455, Escondido, CA 92033 Phone: (619) 747-3343

comes. You know antenna number 1 (parasitic system) and antenna number 2 (single vertical). And goin' to put the other two verticals over at the other end of the yard. Don't want 'em to interact too much. The two of them are about 12 ft. apart in line pointing to the northeast.

"Sorry neighbor, didn't realize that one of my radials went through the fence onto your property. Yeah, I'm sorry ya tripped over it. Yeah! I see your knee, but you bent my radial. What's a radial?"

I'll feed one of them R-4s to the rig. Which one? The one closest to the direction you want to work.

"Yes dear, I know that Mike has to go to school today. But if he could just listen for me on 10M, I'll have it adjusted in a few minutes. Sorry to have gotten you up. Was it really 3 a.m.? How does it sound Mike? Antenna #1? Antenna #2, the reference? NM3T from N5EV."

I couldn't believe it! The parasitic system was working beautifully.

"Gee Dad, that parasitic array takes you right out of the noise level. Your booming in here! Break N5EV! Been listening to your experiment. Saw a big deflection on the S meter. By golly that's a vertical? What's a parasite? Break N5EV! Same thing here. Break N5EV. This is W6... in California.

You went down here when you switched to the parasitic and up on the reference. That's right OM, you're right behind the parasitic!"

I couldn't believe it. It actually worked! Not only was it working well, but the SWR was below 2:1. It seems to go up if ya bring 'em too close together.

"Hello. Send me another R-4 vertical. Red label! No! I'll drive right over

to pick it up now!

"Hello Mike? I know you're at school . . . but can you leave early? OK Mike. Let's compare two parasitic verticals with three of 'em in a triangle configuration . . . Sorry for the delay Mike. I tripped over one of the poles. Yeah! You like the triangle combination better? It's a little stronger and has less QSB. Break N5EV! I'll roger that. Been listening to you for the last two hours! What's a parasite vertical? What're ya goin do with all them parasites in the back yard? How do ya feed them?

"Say Dad! Will it work on 20M? You know Mike, I tried it, but just wasn't as good as 10. That's right Mike! If you want to change direction on 10M, all you have to do is switch feedlines to the other parasitic. It is easier using two parasitic verticals and then adding another pipe 12 ft. away from one of the other pipes. You can steer the triangle by having three feedlines connected to

each vertical to a relay box to select one vertical at a time. You don't want to ground 'em. but float them.'

But what are you going to do for 20M? It's easy to phase them about a halfwave length apart. The computer program suggests about 40 ft. I've connected two equal length feed lines about 30 ft. long to a T-connector, and then a coax to the rig. Works like gang-busters broad-side.

I've got it pointing right toward Europe. If you arrange your pipes right, you can set them down either as parasitics for 10M at 12 ft. apart or as a 20M broad side-phased array in a matter of minutes. It's a poor man's beam!

That Epsilon computer program sure helped a lot, and provided a lot of insight to the parasitic design. It saved a lot of time and energy moving the verticals around the screen instead of doing it in the steaming hot back yard.

I know you are wondering about the other bands. Well, I've left that for you to figure out. I didn't want to hog all the DX.

Does it work almost as well as a beam? That's what you want to know. What about the low-angle of radiation? You know you can get into a lot of trouble when you're talking about beams, and even worse when you compare

beams and quads.

Let me put it this way. The other day I was at the swimming pool relaxing after working two new countries through a massive pileup on 10 and 20M. Didn't even need the linear! I was right on their backs! As I looked over at my yard, the verticals seemed almost invisible. No TVI complaints! What a good life! And besides, the crowd wasn't interested in my back yard. Or were they? I overheard someone saying, "Gosh, look at all those poles in his back yard. Wonder what they're for?"

I couldn't help but answer with a slight smile, "Oh, I think they're called DX PARASITES."

SPACE STATION

Work Satellites. Moonbounce. Troposphere. Aurora. Meteor Scatter.



FT-736R. The most complete VHF/UHF base station anywhere. SSB, CW, FM operation on 2 meters and 70 cm (430-450 MHz!) standard. Additional slots for optional 50-MHz, 220-MHz, or 1.2 GHz n.odules. Crossband full duplex capability for satellite work. Satellite tracking function (normal and reverse modes),

25 watts on 2 meters, 220 MHz, and 70 cm (10 watts on 6 meters and 1.2 GHz). 100 memories store frequency, mode, PL frequency, and repeater shift. RF speech processor. IF shift. IF notch filter. CW and FM wide/narrow IF filters. VOX. Noise blanker. Three-position AGC selection. Preamp switch for activating tower-mount amplifier. Offset display for measuring observed Doppler shift on DX links. Much, much more.

YAESU

The Radio Place

2964 Freeport Blvd., Sacramento, CA 95818 (916) 441-7388

MosterCard

VISA



MFJ's Deluxe 300 Watt Tuners

... gives you ham radio's most popular tuner with built-in dummy load, a peak reading (and average) Cross-Needle meter, full 1.8-30 MHz coverage, antenna switch, balun and a full one-year unconditional guarantee for only . . . \$149.95

- Peak reading meter
- Built-in dummy load
- Covers 1.8 to 30 MHz
- 1 year guarantee



You won't find all the MFJ-949D features in any other 300 watt tuner, not even at twice the price - or twice the size.

Put the most power into your antenna

The MFJ-949D Deluxe 300 watt tuner matches your rig to virtually any antenna from 1.8-30 MHz so you get maximum power out.

It tunes out SWR on verticals, dipoles, inverted vees, random wires, beams and mobile whips fed by coax, balanced lines and wire.

NEW SHAWA

MFJ-948

made in the USA.

Lighted peak reading meter

MFJ's peak (and average) reading Cross-Needle meter shows you SWR. forward and reflected power - all in a glance. Shows peak SSB power.

The meter is illuminated for easy reading in dim light. Has light switch. Lamp requires 12 V

Built-in dummy load

A built-in 300 watt 50 ohm dummy load makes tuning up your rig soooo easy. It reduces needless QRM and saves your finals.

You'll find it handy for testing and repairing your rig, setting power level and reliability from the most trusted name in antenna tuners. adjusting your mike gain and more.

An external dummy load can cost you another \$30 — plus it takes up valuable space at your operating position and requires another cable.

Full 1.8 to 30 MHz coverage

Make sure the tuner you're considering covers all the HF bands . . . the MFJ-949D does.

Plus more . . .

You get an antenna switch that lets you select 2 coax lines (direct or thru tuner), random wire

MFJ's 1500 Watt Tuner



For a few extra dollars the MFJ-962C lets you use your barefoot rig now and have the capacity to add a 1.5 KW PEP linear amplifier later. It covers 1.8 to 30 MHz.

You get MFJ's new peak and average reading Cross-Needle SWR/Wattmeter.

You also get a 6-position antenna switch and a teflon wound 4:1 balun with ceramic feed-thru insulators for balanced lines. Measures just 10 1/4 x 4 1/2 x 14 7/8 inches.

© 1990 MFJ Enterprises, Inc.

or balanced lines and built-in dummy load. You get a 4:1 balun for balanced lines

Unconditional Guarantee

You get a full one year unconditional guarantee. We will repair or replace your MFJ-949D (at our option) no matter what for a full year.

Others may give you a 90 day limited warranty. What do you do after 90 days? Or before 90 days if they say. "Sorry, it's your fault"?

New MF.I Deluxe 300 Watt Tuner

If you don't need a dummy load but want all the other features

of the MFJ-949D choose the new MFJ-948 for only \$129.95.

The MFJ-948 features a peak reading lighted meter with a

Remember, with MFJ you're getting proven performance

built-in lamp switch, a one year unconditional guarantee and is

SWR and maximum power into your antenna. After all, isn't that why you use a tuner?

High efficiency and a compact size

The MFJ-949D uses a single high-Q airwound coil that takes up a minimum of space without mutual coupling problems

You get a highly efficient tuner that puts maximum power into your antenna and a compact 10x3x7inch size that fits right into your station.

Competing tuners using two tapped coils require a large cabinet - not just to house the coils but also to help reduce detrimental coupling between the inductors. The result? A nuner that's bigger than your radio.

Easy to tune

With the MFJ-949D once you select the correct inductance, you can turn on your transmitter and tune both capacitors for minimum SWR.

Tuners with two tapped coils make tuning clumsy, slow and tedious.

You have to turn off your transmitter each time you adjust either of the two inductors. Then turn it back on to readjust the capacitor and to check for acceptable SWR

MFJ tuners — Made in the USA

You get the most tuner for your money because MFJ tuners go directly from our factory to your dealer. We're not just an importer adding profits, tariffs and import charges.

Get yours today!

Why settle for an imitation when you can own This gives you precise control to get minimum an MFJ original? Get your MFJ-949D today!

Precise control for minimum SWR

The MFJ-949D gives you more precise control for minimum SWR than any tuner that uses two tapped inductors.

Why? Because the two continuously variable capacitors in the MFJ-949D give you infinitely more positions than the limited number on two

Why Choose an MFJ Tuner?

Hard-earned Reputation: There's just no shortcut. MFJ is a name you can trust -- more hams trust MFJ tuners throughout the world than all other tuners combined.

Proven Reliablity: MFJ has made more tuners for more years than anyone else -- with MFJ tuners you get a highly-developed product with proven reliability.

First Rate Performance: MFJ tuners have earned their reputation for being able to match just about anything -- anywhere.

One year unconditional guarantee: That means we will repair or replace your MFJ tuner (at our option) no matter what happens to it for a year.

Continuing Service: MFJ Customer Service Technicians are available to help you keep your MFJ tuner performing flawlessly -- no matter

how long you have it -- just call 601-323-5869.

Your very best value: MFJ tuners give you the most for your money. Not only do you get a proven tuner at the lowest cost -- you also get a one year unconditional guarantee and continuing service. That's how MFJ became the world's leading tuner manufacturer -- by giving you your very best value.

Choose your MFJ tuner with confidence! You're getting proven performance and reliability from the most trusted name in antenna tuners. Don't settle for less. Get yours today!

Nearest Dealer/Orders: 800-647-1800



MFJ . . . making quality affordable

Perils of mobiling (conclusion)

C.K. "Skip" WALTER, ADOH

Part I appeared in last month's issue. As the title indicates, Skip related some problems he's had with mobile operation, including a small blunder in which he failed to notice a sign indicating a decrease in the speed limit. We all know how a police officer looks on that, and this one looked on ADOH \$41 worth. He also told us of the difficulty one might encounter in attempting to remove antennas and cables from the car, that is if the garage door doesn't do it for you!

When we left Skip last month he had found out about the County Hunter's net on 14.336. While on a trip to Nebraska, he waited for a pause in the net and jumped in from Dawes County, assuming everyone needed it. No pileup, but net control asked if he wanted on the list. He said yes and still no one called. So he turned off the rig. A similar incident occurred the next day.

Impatience won out and again I didn't stick around. Months later I finally learned the net's system of making a list of mobile operators (the "huntees," not the hunters) and following that list is a precise and fair manner, allowing a 10 minute operating period to each, when his or her turn comes.

I'm sure they called me those two days when it was my turn; my only hope was that net control changed from one day to the next, or that he assumed the changing band conditions, rather than sheer stupidity, kept me from responding when called. Since I learned their system, I have given out midwest counties in thousands of QSOs; I bought a 20M resonator, too (actually more than one of them — the garage door has been hungry).

Another peril of mobiling is trying to write while driving. Even on a clear road this is a chore and I have felt the car headed for the shoulder or yellow line as I tried to move pen to paper in some discernable pattern. I transcribe my scribbles soon after arriving because there is still a slight chance that I will remember information that is illegible or completely unrecorded. My log book contains several QSOs with no times, QTH, signal reports, names, and even incomplete calls, but the percentages of these omissions are reasonably low.

Having a passenger to log is a real help, especially on the County Hunters net, as these QSOs are call sign and signal report only, like a contest or DX-er, and they can be handled about as fast as you can talk. My YL, Janet, quickly developed into a first-rate logger and I didn't have to repeat many calls or reports; she learned, too, that we don't all use the same phonetics (and wished that we would).

Janet still reminds me that comfort is necessary for loggers, if not operators, an amenity severely lacking one June day when a W2 county hunter asked if we were going to be near Ida

County. A quick check of the map showed that Ida was only a few miles away, and that it bordered Sac County, another low ham population center. Off we set to find the elusive county line.

You should first be aware that Iowa farm land is divided, where the topography permits, into square sections. Like many rural county lines, the Sac and Ida joining is perfectly straight and marked by a road, unpaved and dusty. We found the stretch of dirt road and sat back to wait our turn in the net. And waited, and waited. With the outside termperature in the 90s, the inside of the non-airconditioned Chevy surpassed the century mark, not a comfortable level for anyone, including a dedicated ham.

When our turn came it seemed that the W2 wasn't the only one who wanted to work Sac and Ida; 19 other hunters were logged in quick order. Janet felt like she was working in a sauna and I have promised to inflict no more high temperature waiting on dusty roads again.

ty roads again.

Then one day I had a passenger who needed a ride to Iowa City. Here was a potential logger, and I could simply drive and talk, without the awkward scribbling on the pad of paper that won't stay put; or so I thought.

I instructed her to write down the calls as I repeated them in one column, the two-digit signal report I gave in the next column and the signal report I received (and repeated aloud) in the third. When my turn came up, we started out with a clear signal from a W5, whose call she could copy from the speaker. No problem so far. I said "five by nine," into the mike. She wrote that down. The W5 game me a 5 by 7. I said, "Thank you for the 5 by 7; QSL, QRZ." She wrote down "57" in the third column, "qslqr" back in the call sign column, and stopped.

"What is 'zed'?" she asked. Whoops
— I forgot this isn't everyday English,
and most people never heard of Qsignals to begin with. They do sound

somewhat like call signs.

To make life simple for her, I immediately started giving everyone 5 by 9 reports, even if I had to ask for many repeats. The log for that day is still kept in pencil. When I receive QSL cards from anyone with even a remote combination of the same letters on my list, I reply.





Occasionally you find a credibility gap, in which someone at a distant microphone thinks they know where you are even better than you do. Like the day I was driving easy through Burlington, IA (in Des Moines County), and it was my turn on the net. I kept passing out the county even as I paid the bridge toll.

At the halfway point on the bridge, I said, "Net control, I've just left Des Moines County, IA, and have entered Henderson County, IL." Someone else broke in (no call — they never have a call sign) and said, "That's impos-

sible.'

Time for a geography lesson; I replied, "Point of information: The city of Des Moines is in the center of the state but Des Moines County is on the Mississippi River. I didn't draw the map; I just read it.'' I thought I heard roadmaps being unfolded throughout the net.

Maybe it was the skeptical geographer who taught me the lesson of always knowing the county whose roads you're occupying. One day during another mobile's run, I gave him a report and he asked, "What is your county?" I didn't know. I was near the junction of four counties and not watching the borders (obviously, I wasn't on the list this time).

I replied, "I'm not sure." The other mobile didn't hear me and asked for a relay from net control. "He doesn't know where he is!", came the reply.

While I did know where I was going, I had to admit he was right, but from then on I watched the county markers even when the rig wasn't in the car.

Keep on mobiling

There are other perils, like watching passengers trip over the disconnected cables when you're not operating and having to explain what they are for ("Yes, it's something like a CB, only much, much better!"). Or having a school bus full of students looking out the back to see what the problem is -

YOU'RE COVERED-

We carry a full line of COVER CRAFT anti-static dust covers, STAT-PRUF computer static control mats, REGATTA washable cloth dust covers and FIELD-PRO computer cases. Don't put off the protection of your equipment until it's too late! We also carry Universal Electronics, COAX-SEAL

Prices starting at \$8.95 For more information on our competitive pricing and selection.

Gauthier's Covers Plus P.O. Box 495, Prescott, AZ 86302 (602) 776-9711

*Cover Craft is guaranteed for the life of your equipment.

there is a guy following us and he's talking on a microphone - must be a plainclothes cop. I'll bet the school bus driver wanted to thank me for giving him a few minutes peace and quiet. Or having other drivers slow to exactly your speed because they also assume you just might have a radar unit tracking them.

But there are the thousands of miles that have been made easier for having someone to talk to, the many good restaurant recommendations (more

welcome to a stranger than you could imagine), the sense of accomplishment of handing out a new county to 30 hams in 10 minutes and the security that comes from keeping in contact with the rest of the world while driving through threatening weather. I only wish I'd started mobiling years earlier.

About the author: ADOH is Associate Professor of Transportation and Logistics at Iowa State University. He has logged over 10,000 mobile contacts.

wooden mast

NORMAN M. WEED, W6CE

I have long been an advocate of wire antennas. A number of attractive choices are described in the older handbooks, but more recently the Full-wave Loops have been described in this publication.

A common deterrent for experimenting with wire antennas is the lack of support for the ends or corners. I claim no credit for the design of the wooden mast to be described herein. I have constructed a number of them since I made my first one in 1947, and the original article is long gone.

Your local lumber yard is the source of the materials. It is important to use good grained, properly cured, wood. Next, you have only to determine the

desired size. Let's assume your choice is a square mast, approximately four inches on a side. For a mast 24 ft. high. you will need eight 12 ft. lengths of 1 x 4. Douglas Fir is fine - pick out the best ones you can find. Grab a pound of 3 inch galvanized nails.

Cut one 1 x 4 exactly in the middle. Cut two others into two pieces, 3 ft. and 9 ft. Set one of the 12 ft. pieces on edge, and nail to it the 9 ft. piece, making the two ends on the left side even.

Roll this assembly toward you so the 9 ft. piece is on edge. Nail a 6 ft. piece to it, after making the left ends equal. Roll the assembly toward you, so the 6 ft. piece is on edge, and nail the 3 ft. piece to it. Roll the assembly one more



R-X Noise Bridge



- Learn the truth about your antenna.
- · Find its resonant frequen-
- Adjust it to your operating frequency quickly and easi-

If there is one place in your station where you cannot risk uncertain results it is in vour antenna.

The Palomar Engineers R-X Noise Bridge tells you if your antenna is resonant or not and, if it is not, whether it is too long or too short. All this in one measurement reading. And it works just as well with ham-band-only receivers as with general coverage equipment because it gives perfect null readings even when the antenna is not resonant. It gives resistance and reactance readings on dipoles, inverted Vees, quads, beams, multiband trap dipoles and verticals. No station is complete without this up-todate instrument.

Why work in the dark? Your SWR meter or your resistance noise bridge tells only half the story. Get the instrument that really works, the Palomar Engineers R-X Noise Bridge. Use it to check your antennas from 1 to 100 MHz. And use it in your shack to adjust resonant frequencies of both series and parallel tuned circuits. Works better than a dip meter and costs a lot less

The price is \$69.95 in the U.S. and Canada. Add \$4.00 shipping/handling. California residents add sales tax.






Send for FREE catalog describing the R-X Noise Bridge and our complete line of SWR Meters, Preampliflers, Toroids, Baluns, VLF Converters, and Loop Antennas.

Palomar

Box 455, Escondido, CA 92033 Phone: (619) 747-3343

time and drive a couple of nails through the 12 ft. piece into the 3 footer. Your base section is now complete.

Butt a 12 ft. length against the 3 ft. piece in the base and nail in place. Butt another 12 ft. length against the 6, and another against the 9, nailing as you go. When you butt a 12 ft. length against the original 12 footer, you will have one side of your 24 ft. mast. Nail the remaining 9, 6 and 3 ft. pieces in their proper order, rotating as you go. All sides should come out even, and your mast is complete.



A better job will result from a coat of "water seal" before assembly, a bead of glue along the mating surfaces, and a couple of coats of paint. The finished product will be lighter, stronger and less expensive than the same length of

It should be obvious how to make it 36 ft. long. The combinations are unlimited. One made from "economy" 2 x 4 studs supported a two element beam with a prop pitch motor for years. It was attached to the peak of my garage roof - no guys.

One of my favorites was made from 1 x 4s as described, with a telescoped section made from 1 x 3s obtained by ripping 1 x 6s. I rounded off the corners of the 4 inch section for a couple of feet where the 3 inch section would be telescoped, added strength at the junction with 4 inch hose clamps at the top and bottom of the overlap and fashioned a "water shed" at the top of the junction with a pair of tin snips.

I never cared much for guy wires. Whenever possible I would pull the insulator attached to the antenna tight against the pulley and run the rope from the pulley 180 degrees from the pull of the antenna. I'd tie this to anything convenient. Leave some slack in your antenna - the fellow you are working will never know. If a guy is necessary, a single wire in the proper direction will do the job.

Who needs "copper-weld"? Catch 250 ft. of #14 house wire and two conductor with ground, on sale. You'll have 750 ft. of wire for all kinds of antennas and open wire feeders. Plastic clothes hangers cut into proper lengths make ideal spreaders for your open wire feed lines. Will the soft copper stretch? Not enough that you will ever

notice it!

A full-wave 40M loop takes less space than a dipole. It need not be very high. It is a quiet receiving antenna that works well on 20 and 10M. My 160M loop worked well on 80, 40, 20 and 10!

Editor's note: If you plan to implement the ideas put forth here, remember to put great emphasis on good wood selection and proper gluing and nailing.

Stolen radio recovery

In January John Burnson of Ramer, AL, received quite a surprise when a mobile transceiver that had been stolen five years ago unexpectedly reappeared. John, the chief engineer of WTSU Radio at Troy State University, had the long lost Icom IC-27A returned after it was turned into the campus motor pool by a campus janitor.

The radio was mud filled, but after washing it in alcohol and drying it under studio lights, he powered it and it came to life. To his amazement and to the surprise of the engineers at Icom who related the story, all were equally taken by the operational condition of the weather-ravaged piece of gear.

By the way, the only reason the stolen radio was found was because a new building was being constructed on the site. - Westlink Report

Long forgotten item

In the 1930s the RME 69 was a first class receiver. An ad in a 1938 QST says RME will completely overhaul your RME 69 for \$2! -SK Skoop

A smile is conlagious



Checks Payable To: TODD SKOGEN P.O. BOX 3025 FOX VALLEY STATION AURORA, IL 60504

Please Specify: 13 oz. Glass Mug or 10 oz. Blue or Black Coffee Cup Add \$2.50 for A.R.R.L. Logo Add \$3.50 for A.R.E.S. Logo

(312) 805-5972

Write for quote on custom orders or company logos Illinois residents add 6.75% tax. Allow 2-4 weeks delivery




P.C. ELECTRONICS 2522 PAXSON LANE ARCADIA CA 91007-8537 USA

TOM (W6ORG) & MARYANN (WB6YSS) O'HARA

(818) 447-4565

24 hr FAX order line (818) 447-0489







Value plus quality from over 25 years in ATV

TC70-1 TRANSCEIVER

AMATFUR TELEVISION

WITH OUR TC70-1 ALL-IN-ONE BOX ATV TRANSCEIVER, YOU TOO CAN EASILY TRANSMIT LIVE ACTION COLOR VIDEO & SOUND JUST LIKE BROADCAST TV TO OTHER AMATEURS, SO SMILE FOR THE CAMERA!

TC70-1 SPECIAL FEATURES:

- * Sensitive GaAsfet converter tunes 420-450 MHz with 25 dB gain
- * Two frequency >1 watt p.e.p. transmitter properly matches linear amps with adjustable internal sync stretcher & blanking level set
- * Full 25 kHz dev. broadcast standard 4.5 MHz sound subcarrier * 10 pin VHS color camera and RCA phono jack camcorder or
- VCR inputs, type N antenna input, and F TV output connectors
- * Transmit video monitor outputs to camera and phono jack
- *Small attractive shielded cabinet 7 x 7 x 2.5", 1lb 10oz.

Just plug in your camera, VCR, camcorder, etc. composite video and audio (10 pin jack on front or phono jacks on back), 70cm antenna, 12 to 14 Vdc @ .5A, and you are ready to transmit live action color or black and white pictures and sound to other amateurs. Sensitive downconverter tunes the whole 420-450 MHz band down to input to your TV set on channel 3. Specify 439.25, 434.0, 427.25 or 426.25 MHz transmit frequency. 1 crystal included, second crystal add \$15.

*Transmitting equipment sold only to licensed radio amateurs verified in the Callbook for legal purposes. If newly licensed or upgraded, send copy of license. Receiving downconv. available to all starting @\$49 (TVC-2G).

WHAT ELSE DOES IT TAKE TO GET ON ATV?

Any Tech class or higher amateur can get on 70cm, novices now on 23cm ATV. Any video camera, camcorder, VCR or computer with a composite video output can be plugged into the front panel 10 pin VHS jack or rear panel phono jacks for both audio & video.

DX with TC70-1s and KLM 440-16X antennas line of sight and snow free is about 22 miles, 7 miles with the 440-6X normally used for portable uses like parades, races, search & rescue, damage accessment, etc. For greater DX or punching thru obstacles add either of the ATV compatible 15, 50 or 70 watt amplifiers listed below.

The TC70-1 has full bandwidth for color & sound, like broadcast. You can show the shack, home video tapes, computer programs, repeat SSTV, weather radar, or even Space Shuttle video if you have a home satellite receiver. See the ARRL Handbook chapt. 20 & 7 for more info & Repeater Directory for local ATV repeaters.

PURCHASE AN AMP WITH THE TC70-1 & SAVE!

50 WATT with D26N-ATV....\$529 70 WATT WITH D100ATVN....\$629

COMPLETE 70CM ATV STATION




YOUR TV SET

YOUR HOME TV CAMERA OR CAMCORDER



TC70-1...\$329 **ATV** Transceiver >1 WATT P.E.P.

13.8Vdc Pwr. Sup.



Mirage D15N.... \$159 (optional) 15 watts RF out. Mirage D26N \$219 (optional) 50 watts RF out. Mirage D100TVN.. \$319 (optinal) 70 watts RF out.



KLM 440-16X 14dBd \$119 KLM 440-10X 11dBd \$68 KLM 440-6X 8.9dBd \$57

10/89

CALL (818) 447-4565 NOW AND ORDER YOURS! MOST ITEMS SHIPPED WITHIN 24 HOURS

Shocking experience

(continued from page 1)

United General Hospital. There, I first called a relative in Tacoma, saying what had happened and that I was going to check into the local hospital. Then, I went in and told the doctor in the Emergency Room just what had occurred and hearing that, they got me right into the Intensive Care Unit, put me on a heart monitor and kept a very watchful eye on me for about six hours. I lay there, tired and hurting, and I had plenty of time to think about how lucky I'd been to go through such an experience and still able to function at all.

When everything looked okay, at least from a medical standpoint, I was released from the hospital and at about 6:30 a.m. I went home, still a bit dazed and certainly aching.

Not really having rested much while on the heart monitor. I went to bed and slept until about 1 p.m. Then, after a bite of lunch. I got down to the painful process of assessing the damage that had been done and not done.

While it took me several days to feel that I had recovered physically from the experience, the important damage was not done to me; I survived. Electrically, that means I didn't take the

full brunt of that lightning strike, thanks to having a free hand in the air and being well insulated by my shoes. But there's no doubt about it, I was charged up to a very high voltage when all that was taking place. Thus, charge spread all over my body and clothes, making them something like a conducting or equipotential surface, and electrical discharges took place at the end of my fingertips.

Be sure to catch the conclusion next month, when Jerry will explain more about the dynamics of what happened and discuss the extent of the damage done to his equipment.

Net controversy response

This is the letter sent to Mr. McNamara, Chief of Special Services of the FCC, in response to his request. We of the Intercontinental Traffic Net feel that all Amateurs should be aware of

our response.

Dear Mr. McNamara: Thank you for your letter of Dec. 21, 1989. Your suggestion that the various nets involved meet and formulate a resolution in an effort to conclude this anarchy on the ham bands has merit. It appears, however, that this is not practical.

The fact is, this problem stems from misinterpretation by our accusers of the rules and regulations as set forth in Part 97. They insist theirs alone is the correct interpretation, although we

RUTH HOFFMAN, N4LMC, Asst. Mgr. Intercontinent Traffic Net have correspondence from the FCC to the contrary.

> We are under constant interruption and beset by deliberate, critical attacks and interference from KV4FZ, KA4MUJ, N5FX, WB4GDP, K3QAM, WA2EXQ and W4TAH, along with a few others of their group.

> The enviable record of performance by the Intercon Net throughout these past 30 years will verify how a group of volunteer Amateurs can aid in the enhancement and value of beneficence, not only to his fellow Amateur, but to the public interest as well. In addition, we are often reminded of how important a part we play with the promotion of international good will.

Try as I might, I cannot think of any

plan or of anything we can do to effectively bring these people to a correct interpretation of the applicable rules. This can only be done by the FCC.

As volunteers, the manager, directors and net controls who guide the policy of the Net are well aware of their responsibility, and remain accountable for their actions in such capacity. We fail to recognize, and find it extremely difficult to understand, why our service should present any problem among the Amateur fraternity.

We will continue our policy of keeping our net controls informed as to illegal call signs and update them regarding the rules. We will continue to move frequency rather than engage in confrontation.

In light of the above, we wish to disassociate ourselves from this problem, as we do not feel it is ours.

Respectfully. Ed Ricca, K4PT Intercon. Net Mgr.

The holocaust on 20M needs to be dealt with, and I rather imagine this will happen soon.



Commodore C-64/128

OL **IBM-Compatible Owners**

Complete Study Guide Code Program

Includes: Updated FCC questions · Multiple choice answers · Formulas

· Schematic symbols

· Simulated (VE) sample test

Available on VCR/VHS tapes (no code) add \$5

 Set (all classes) 5 ¼ " disk
 \$75.00

 Set (all classes) 3 ½ " disk
 \$85.00

Personal cks., M.O., C.O.D. KY res. add 5% tax. (ppd.)

Dealers invited. Write or call for info.

(available on 5¼" disk) Novice (new pool) \$14.95 Tech (new pool) \$14.95 General \$14.95 Advance \$19.95 Extra \$19.95 (add \$2 for 31/2" disk)

. \$85.00 The Lanz Company

3523 Dayton Ave. Louisville, KY 40207 (502) 895-1377



Walk for a cure

JEAN PRIESTLEY, KA2YKN

After 21/2 years of rehearsal, the Camden County ARES finally worked with a live audience. Although not really a production, it was our first event when we proudly presented "Walk for A Cure.

On October 22, 1989, at the Cooper River Park in Pennsauken, NJ, five public-spirited Amateur Radio operators walked onto the stage and gave a superb performance to the Juvenile Diabetes Foundation. Our purpose was to assure the health and welfare of the walkers.

These dedicated Amateurs were N2HQL, N2HQX, KB2FIX, KD3LA and myself. This was the fruit of a patient and diligent search for an event for which we could volunteer our services, and the organizers of the walk were quite elated when we did so.

The original script for "Walk for A Cure" was written 18 years ago by parents, family and friends of children who are diabetic, to raise money for the work done by the foundation. The course was three full loops around a section of the river, a distance of 12 miles.

For our roles we met briefly with the chairmen of the walk and then stationed ourselves at the intersections and checkpoints. KD3LA stayed at the start/finish line.

The walkers started at 9:15, and by 10:30 the walk was fully underway. There were about 200 walkers, including many children.

Other members of the cast were fraternity members from Trenton State College. One fellow was very impressed with the operation and many other aspects of radio.

With the morning session a success, hot dogs and sodas were delivered and we relaxed for a while. When everyone got back, we proceeded with the afternoon session.

There were fewer participants for the afternoon, and those who remained appeared to be walking a little slower. Finally, with everyone back to the tent. we relaxed and had a chance to talk to our new-found friends. They were very impressed with our capabilities and thanked us for our time.

I was recently talking to the cochairman of the event, and he commented to me tha they can't imagine how they functioned without our services in past years. Well, as you guessed, we are already booked for next year. Just another success story for Amateur Radio.

Canadian link

A group of British Columbia Amateurs are working to expand IPARN the Inter-Provincial Amateur Radio Network - into a full time. Canadawide hobby communications network.

IPARN is not a traffic net, but rather a trans-Canadian network of interlinked repeaters using traditional linking along with dedicated earth stations and commercial geosynchronous satellite changes. When completed IPARN will permit Amateurs in any major city in Canada to communicate with Amateurs in other such population centers using only a VHF handheld transceiver.

Currently IPARN is conducting a Canada wide membership campaign to garner funds with which to establish its first city to city link. Canadian hams wishing more information are invited to contact William Blake. VE7CQ, P.O. Box 3156, Langley, British Columbia V3A-4R5.

If a foreign amateur visits your area, do a picture story for WORLDRADIO.





Attention VEs

Dear Volunteer Examiner.

We hope that when you and your group conduct test sessions you will use the Devry VE testing system.

You might be asking yourself, "Why use Devry?" That's a good question, considering that we are among seven active VECS throughout the country. Following, I have outlined several advantages of the Devry system, in respect to the others:

1.Less paper work. We at the Devry VEC office do all the paper work, leaving the teams free to make sure the examinations are administered properly. The main responsibility of the VE is to administer the examination, making sure that the applicant's form 610 is filled out properly. Mistakes on the 610, even minor, may delay the applicant's Amateur Radio license from the FCC.

The team leader's responsibility is to send the applicant's license, written test answer sheet, Morse code test results, hard copy and the answer sheet. Some VECs require team reports and other unnecessary paper work. Our staff is trained to do this type of tedious work.

2. Help when you need it. We currently have 30 groups working with us throughout the United States and in Europe. Other VEC groups may be too large and can't give their teams the individual support that may be required in a given situation. We have an 800 number for those of you who may be in the Midwest. For those who live elsewhere, you may call collect regarding testing difficulties.

3. Test generation software. We supply our VE teams with software which will generate both the written and Morse code examinations for all elements. Devry teams can generate random written examinations or they can hand-pick questions from each of the question pools using an IBM or compatible computer. The software is supplied to Devry VE teams at no charge.

We will be happy to answer any questions which you may have with respect to our program. Please call me at 800/327-2444, ext. 2221; 800/383-3879, ext. 2221; or 312/929-8500, ext. 2221.

JIM GEORGIAS, W9JUG Chicago, IL

One picture worth 1,000 words

Although I have enjoyed the privileges of Amateur Radio for only a few years, I have already received what I believe to be the most unique QSL card ever sent.

It was about twice the size of an average post card, but at least 200 times as thick. It took a couple of hours to "read," but it was so descriptive and informative that I could actually "see" the other party's rig, antenna, power supply, you name it.

Have you guessed it?

That's right. James "Murph" Murphy, WV4R, and his XYL Patty Lou, KC4HBV, of Rivo Alto, FL, sent me a videotape to confirm our 10M QSO of Nov. 10, 1988. And it was terrific!

After a great opening accompanied by "Don't Worry, Be Happy" playing in the background, Murph narrated a guided tour around his radio shack, which, by the way, would relegate most of us to the minor leagues of Ham Radio. During the tour, several on-theair activities were demonstrated.

Then Murph took the tour outside his beautifully landscaped home to give a closeup view of his antenna "farm" - a dipole strung between two palm trees; a Mini Quad II, which he used for our QSO and a multitude of others, too numerous to mention here.

On to the homes of several local ham friends as the video continued. These hospitable Floridians were more than gracious to Murph and his roving camera.

George Kerley, WT4X: For me, his repeater station was the highlight of the visit. His guard dogs were impressive too.

Harold Altman, N4KWD: He explained the Dade County emergency net operations and demonstrated lots of other interesting systems as well.

Bill Sampson, N4SWN: only an Amateur for nine months, was doing some computer interfacing with his radio. During the taping, his XYL Charlotte and son Adam visited the shack. Was that nice red MARY-LAND tee shirt for me, Adam? My QTH is Maryland.

Also visiting Bill's shack was another Bill (Roig), WB4ZZI, of Data Communications International. He was there to install a serial card and a level translator for N4SWN's Yaesu 767 for computer interface. Later, he demonstrated how it worked.

Then Murph's QSL video treated me to some excellent coverage of several hamfests. They were all packed with Amateur Radio enthusiasts!


Patty Lou did the finals with her own QSL, which included a tour of her own shack, and to the outside again to see her antenna array and an added treat of some gorgeous shots of her Asparagus Ferns and Ming Aurelia.

As you can see, a QSL like WV4R and KC4HBV sent is a real treasure, and I truly feel it may very well become

a collector's item.

I would love to know if anyone else has ever received such an informative and interesting QSL?

BOB SMITH, KA3PEI Lusby, MD



VHF listening peace of mind with ...

SkwokBox

This new "Ham's best friend" works with your radio to monitor your favorite frequency and call you when you're needed. Allows you to stay in touch without listening to hours of unrelated traffic. Enjoy the quiet at home or mobile knowing you'll be "beeped" when friends you're given your personal 4 digit DTMF code call you.


NO Radio Modification Required 10,000 User Selectable Codes 5 Second Beep Paging **Auto Bypass On Power Loss** 9-18 Vdc Operation/65ma Typ. 2" Full Range PM Speaker

To order or for info write to: Price ... only \$149.95
Zero J Concepts \$3.00 Ship/Handling
PO. Box 334 FL res. add 6% tax
Chuluota, FL 32766 Allow 4-6 wks delivery

The West Texas Connection

Most Amateurs know how the "ZIA" link helps to shorten the miles across the lonely stretches of highways across Arizona and New Mexico. I have found that very few know about the "West Texas Connection!"

By the time the east bound traveler (please turn to page 22)



THE REMOTABLE

TWIN BANDER

The ALINCO Model DR-590T is a full featured / dual band tranceiver that is user friendly, and puts the fun back in Radio.

The DR-590T is packed with more features than most hams will ever use. But it is engineered so that you don't have to be an engineer to understand and use the various functions. The easy LCD display lets the operator know, at a glance, which functions are in operation.

ALINCO has listened to you, the Ham, and incorporated many of the features you told us you wanted in a Dual Band (VHF/UHF) radio. And we did it while keeping the operations

truly user friendly.



· Ultra-Compact Body 5-7/8" (W) x 2" (H) x 7" (D)

· High Power (Selectable)

High: 45W at VHF Middle: 10W Low: 5W

High: 35W at UHF Middle: 8W Low: 4W

Extended Receiver Range

144.00 - 147.995 Mhz (TX), 130 - 173.995 Mhz (RX), 440.00 - 449.995 Mhz (TX), 410 -470 Mhz (RX)

(Specification guaranteed on amateur bandsonly. Modifiable for MARS/CAP permits required)

FEATURES

Simultaneous

Receiving on both bands at the same time Scanning intermix scan model on both bands at the same time.

- Independent VHF & UHF Controls
- Detachable

With the optional remoting kit, the front panel can be seperated from the main unit.

- DSQ (DTMF Squelch) Function
- Code Squelch Function

You can program a 3 digit code that will open the squelch only when the same code signal is receive from another transceiver. This allows for selective receiving. Additionally, with the optional tone squelch unit, the

code squelch and tone squelch work together as a powerful calling function.

- · Various Useful Paging Functions for Grouping Calling and Individual Calling
- · Remote Control Microphone With this microphone there are several functions that can be controlled remotely:
 - 1. Direct setting of frequencies in VFO mode
 - 2. Up/Down of memory channels in memory mode
 - 3. Shifting to call mode
 - 4. ARM (Automatic Repeater Mode)
 - 5. VHF/UHF Switching
 - 6. Up/Down by 1 Mhz steps
 - 7. Setting and Selecting DSQ codes
 - 8. Setting and Automatic Dialer
- · Scanning Features

Memory Scan, Program Scan, ARM Scan, Band Scan, and more Scan.

Memory Channels

The unit has 28 memory channels, one independent "Call" channel, and 10 ARM memory channels (40 channels in total). You can program set tones, shift frequences, shift directions, and channel steps in each of the 28 memory channels.

 ARM (Automatic Repeater Memory) **Function**

10 repeater channels can be memorized

automatically. While ARM mode is active, scanning stops at vacant channels and pauses, then starts again automatically. This function is useful to find vacant repeaters.

DR-590T

- · ABX (Automatic Band Exchange) **Function**
- · Bell Function
- · Dimmer Function Selectable 2 different brightness of LCD
- Three Priority Functions VFO Priority, Memory Priority and Call Priority.
- · Repeater Operation The DR-590T can be used as a cross band repeater.
- Full Duplex Cross band Operation
- · Others
 - 1. Auto Dialer Function
 - 2. 6 Channel Steps (5/10/12.5/15/20/25 Khz)
 - 3. DTMF Monitor Function
 - 4. 38 Sub-Audible Tones built-in
- 5. And Many Other Features



ALINCO ELECTRONICS INC.

20705 S. WESTERN AVE., SUITE 104 TORRANCE, CALIFORNIA 90501 Tel: (213) 618-8616 Fax: (213) 618-8758

Off The Air

(continued from page 20)

out of El Paso, TX, clears Van Horn, TX, he can key up the West Texas Connection on 145.43. This will bring up a total of 18 repeaters covering the area down I-10 to Ft. Stockton, Balmorhea, Alpine, most of the Big Bend National Park, and on past Ozona. It will also put him down I-20 with coverage of the entire area into Abilene, along with north and south coverage from Lubbock to San Antonio!

This system was the brainchild of Jim Jeffrey, WA5QMJ, of Odessa, TX. He was later joined by B.J. McDaniel, KE5PL, and Aubrey Price, WB5RXA, both of Midland. Needless to say, MANY Amateurs all across this area contributed time and money.

The system was utilized during the Saragosa tornado as part of the Skywarn system and gave advance warning of the tornado along with the first communication after the disaster from that area.

Several new repeaters are in the planning stage.

We are very proud of our system because we enjoy it and we welcome any Amateur to its use. For a FREE copy of a map of coverage and all repeater frequencies send a SASE to: Aubrey Price, WB5RXA, 4900 Foxboro, Midland, TX 79705.

GIL BROXSON Midland, TX

Keep the code!

No-code again! Amateur Radio has experienced some rough spots in its past. Some of these include the incentive licensing fiasco of the sixties, forcing upgrade testing down our throats; the previous no-code debates; and, most recently, the loss of a portion of the 220 MHz band.

We have been told that we need to increase our numbers. The reason is said to be that the average Amateur is too old and that the number of technical-minded individuals is dwindling. Several strategies have been tried to attract new Amateurs into the ranks, all of which have amounted to making it easier to obtain a license.

The first attempt involved throwing away the theory manuals in favor of a question pool. We not only gave the exact question which could be expected, we also gave the exact wording of all detractors for the answers, thus reducing the theory portion of the examination to nothing more than basic memorization.

It was at about this time that the grand idea of establishing a no-code license was presented. This created a great uproar within the Amateur community. When it failed, the present VEC testing system was instituted to make it easier for the individual to get to an examining point, as well as take a great load off of the FCC.

Through the Novice Enhancement program many Amateurs have been added. Unfortunately for the commercial interest the number has not been great enough. The logical choice was to resurrect the no-code licensing question. This time with a real push.

You see, it's the numbers that are the most important, not technical expertise or any other facade. The number of Amateurs equates directly to dollars and nothing else.

Could it be that the loss of part of the 220 MHz band was carefully timed and orchestrated? Take part of the 220 MHz band to demonstrate the possibility of future losses, then push for a no-code license as a hedge against those losses.

What is needed is quality, not quantity. The proof of quantity already exists. For a sample, tune into the bedlam which is found daily on the 10M Novice phone band. The foul language and unfriendly operating styles run rampant.

These standards can only be expected to be exported to the other bands. A person tends not to really appreciate something which is obtained too easily. The proof of this lies in the citizen's band.

Rubber stamping licenses is not the answer, as the only result will be chaos. Keep the Code!

PHIL HUNSBERGER, K9PNT Altus, OK

•••Catch us every month•••
for all your Amateur Radio news

Macintosh

Software

We have the largest collection of commercial (non PD) ham radio software in the world. Luckily, it is for the friendliest computer in the world: MACINTOSH.

Programs for packet, RTTY, fax, satellite, Morse, theory training, gray-line, MUF maps, logging, contest, cw keyer, etc. Check us out, before you buy your next computer. Simply the best!

-ZCo Corporation-

P. O. Box 3720, Nashua, NH 03061 (603) 888-7200 Fax (603) 888-8452

Enjoy this Martin TOWER and HAZER

Equipment Support

- Use with CCTV, sound, lights, antennas, & scientific equip.
- Strong, light, aluminum
- num
 13 or 18 inch tower
- face 7½, 8¾, & 10 ft. lengths
- Stackable to all heights
- Factory assembled or in knocked down kit
- UPS, USPS, exportable
- Hinged base for simple erection, service, or repair
- Elevator tram system eliminates climbing
- Photo shows speaker system on elevator tram 20 ft. high
- Call today for information

Radio Antennas

Never climb again with this tower and elevator system MARTIN TOWERS are made of aluminum and specifically engineered for use with THE HAZER. All bolted construction, no welds Easy to install hinge base, walk up erection, next plumb with leveling bolts in base. Mount antennas and rotor on HAZER in vertical upright position, then winch to top of tower for normal operating position. Guy wires fasten to HAZER or above HAZER at top of tower Safety lock system operates while raising or lowering. Never can fall. Photo shows HAZER and antenna at top.

SPECIAL TOWER PACKAGE prices include everything but rotor and antenna: 50° M-18 alum, tower kit form, hinged base, concrete footing section, HAZER kit, Phillystran guy wires, turnbuckles, earth screw anchors, 10° mast, thrust bearing, tool kit, rated at 15 sq. ft antenna load @ 70 MPH, \$1925.95 FOB Recovalies


50' M-13 alum tower, same pkg as above \$1637.65
40' M-13 alum tower, same pkg as above 1463.40
30' M-13 alum tower, same pkg as above 1463.40
30' M-13 alum tower, same pkg as above 1463.40
4AZER 2 for Rohn 25' - Ny duly alum 12 sg ft wind id 11.65
4AZER 3 for Rohn 25' - St dalum 8 sg ft wind id 223.95
4AZER 4 for Rohn 25' - Hyy galv sil 16 sg ft wind id 231.85

Satisfaction guaranteed. Call today and charge to Visa, MasterCard or mall check or money order. Immediate delivery.

816-882-2734

FAX: 816-882-7200

Glen Martin Engineering
Route 3, Box 322, Boonville, MO 65233



Code is outdated

From what I'm reading about nocode, it seems that the only people who want to keep the Morse already have their General or Extra class license. They don't want to give up what we all know they have sweat blood to learn.

No problem, you do deserve accolades for this mental/digital accomplishment. However, the writing is already on the wall. What are we trying to accomplish for our future? Is code of any real use, or is it just being used as a filter?

Before radio we had smoke signals. Do you see a need to continue using these just because that is the way it used to be done?

I hope we can resolve this within a few months time and end all of the discussion. We know there has to be a filter, and CW worked well for as long as there was a need for CW operators. But what do we need now? What else can we pursue that will advance our country into the future?

Let's not make it easy to be an Amateur. Let's make it harder, only in an area that will have more use in to-

day's world.

Japan is beating us in electronics, math and science. Why are we being forced to do Morse code to the point of being an expert when Samuel Morse has been dead for some time now. I thought technology was moving faster than that.

Can you hear the Japanese laughing at us right now? By golly I do!

So let's not carry this any further...no more talk. We could drag this out for years, until there are only a few thousand brass pounders left on the HF band. Let's push for more electronics, math and science.

Novices do not need to be on HF just to sell more HF rigs. Let's have a nocode Novice with a strong electronics base and allow them above 50 MHz in the Novice segment of each band with all modes. Imagine how many civil air people we'd get the first month.

The Technician test would also have more electronics and math, with some science. Also throw in some interpersonal relations, too. These licensees would be allowed above 50 MHz.

Advance would have to pass a 5 wpm code, again with more electronics, physics, math and interpersonal rela-

I read somewhere that someone had suggested changing Extra to "Master of Communications." That sure sounds good to me. Let the Extra be grandfathered unless he can pass the new Master of Communications written exam

With this system everyone who likes to do code can still do it -30, 40, 50wpm. The sky's the limit. But one thing is for sure: We won't be holding other people back from trying to learn more electronics like we are now.

Solet's ALL put it to a vote. I feel the FCC will approve something that is constructive and educational.

CHARLES BELL, KB4SBQ Wheeling, WV

Ham plates

If you have Amateur Radio call sign license plates and you plan to transfer them to a new vehicle, request a new registration "month" sticker for your rear plate, unless you happen to purchase the vehicle during the month in which the license plates were originally issued. If you have already transferred your plates to a new vehicle, check to see if the month sticker is correct. If you are stopped because you have the wrong month, there is no fine and no charge by the DMV for a new sticker, but who likes a red light in the rear view mirror?

PETER HATTON, N6JBV Point Reves Station, CA

Emergency idea

Sometimes when I'm mobile outside our club's repeater area, I often wonder, "What if there were a sudden emergency? How could I quickly report it?"

If I had a cellular phone, I would just pick it up and dial 911. Why couldn't an Amateur use his expertise to do it just as quickly through any repeater in the United States he happened to be

monitoring?

Why couldn't all repeaters in the United States be programmed so we could simply key up the repeater and dial 911? The repeater controller could switch the timer from its normal time to emergency time and dial 911 automatically. One button to clear would be desirable.

Normal non-emergency calls could be routed to the cognizant agencies through each repeater's normal operating procedure.

TED RAST, W6SMU Citrus Heights, CA





Alinco 2M HT

RICH ARLAND, K7YHA

What started out as a request to review the latest Alinco 2M hand-held transceiver (the DJ-100T) ended up in a love-hate relationship with an HT. Love: I absolutely love this little 2M HT. Hate: I absolutely hate to give it back to Alinco!

Earlier this year, I had a chance to become involved with the local Red Cross chapter and US Army MARS members who run the emergency communications system for them. It seemed that EVERYONE had an HT capable of receiving the Penna Emergency Management Agency (PEMA) frequencies, except me. Since I had the DJ-100T already in hand for a product review, a quick call to Mark Murasato of Alinco, in Torrance, CA, brought the necessary modification paperwork to make the 100T talk and listen from 130 to 169.995 MHz!

First, let's take a quick look at the HT itself. The DJ-100T is a very compact synthesized 2M HT, which normally covers 144.00 to 147.995 MHz in 5 kHz steps. It's dual-conversion receiver is capable of .25uV sensitivity across the 2M band. There is not squelch control, as such. However, there is a squelch button that, when pushed, will un-squelch the receiver instantly.

I do not find the absence of a squelch control a threat to the free world. It makes for an uncluttered control panel.

With the supplied battery, EBP-7NAZ, the rig will put out 2.5W in the high power setting and 450mW in the low power setting. A MONSTER 12-volt 700mA/hr NiCad pack allows

up to 7W of RF power output. Now that's some kinda power for an HT!

Size of the DJ-100T is $6\% \times 2\% \times 1\%$ inches and (with the standard 7.2 volt 700mA/hr NiCad pack) weighs about .5 pounds. Using the battery save function extends battery life by seven to eight times, ideal for emergency communicators.

The HT has 10 memory channels which not only store the frequency and split, but also CTCSS tone encoding, if required. Odd splits are possible using the "call" channel as a transmit frequency coupled with one of the other memories. This enables MARS and CAP activity to be performed.

Three of the four battery packs have a DC-to-DC converter built in, so no more fiddling with DC adaptors for mobile use. Just run a line right from your car battery to the HT and stick it into the jack on the battery pack.

Optional accessories include an earphone/mic, speaker/mic, several cigarette lighter plug mobile adaptors and D-Cell battery case for extended

operations.

The multi-function LCD display is a busy little bugger: Showing TX/RX frequencies, S/RF indicator, memory channel, function display, freq lock and memory lock. The display is backlit using two bright green LEDs and is VERY effective at night. The CTCSS tone encoding is performed by switches located on the back of the HT case. Also the HI/lo power switch is located on the back of the case.

Programming the 10 memories is a bit tedious, but once a little practice is gained, the chore goes quickly. Unfortunately, the 16 button DTMF pad does not function as a keypad for enter-

ing the frequencies.

One feature that I REALLY like (next to the 7W output) is the shift button located just below the F. Lock switch on the front of the HT. This button, when pushed, instantly lets you listen to the reverse of whatever split you have programmed into the mem-



The DJ-100T is an excellent value for the money.

ory channel. This is great for tracking repeater interference or comparing signal strengths and moving off to a simplex channel to free up a repeater.

One little snip of a wire on the main PC board and a reset of the synthesizer chip and my DJ-100T transmits and receives from 130 to 169.995 MHz in 5 kHz steps. There does not seem to be any detectable degradation of performance across the spread of frequencies, either.

Now, why would anyone want to transmit outside the Amateur bands? (please turn to page 26)



- Radio
- Awards & recognition for members Over 160 local chapters
- CW and SSB nets . QSO parties Over \$5,000.00 awarded annually in youth scholarships

You owe yourself the privilege of QCWA affiliation

Membership applications and information available from:

Quarter Century Wireless Assoc. 1409 Cooper Dr. • Irving, TX 75061



450 MHz SPECTRUM ANALYZER

Adapted from Nov. 85 QST article by Al Helfrick K2BLA

Complete Kit Only.... **\$459.95** Assembled & Tested. . \$799.95

FEATURES: Three digit LED center frequency digital readout. 12 position calibrated scan width 1KHz to 50MHz, switchable bandwidth; wide = 300KHz, narrow = 10KHz. Use your low frequency scope for the display portion. Switchable 10KHz video filter: Variable IF attenuator, LOG output calibrated in 10 db steps. CA residents add 6% sales tax. S&H: \$4.50 (insured), Foreign orders add 15%. For more info or price list, send SASE (45¢) to:

A&A Engineering

2521 W. LaPalma #K • Anaheim, CA 92801 • 714-952-2114

ÆA'S ISOLOOP™ HF ANTENNA

REVOLUTIONARY COMPACT DESIGN




nce again AEA has achieved a significant engineering breakthrough with its high-performance, low profile HF IsoLoop antenna. Performance isn't compromised by its small size. Operate your favorite HF band (14 to 30 MHz frequency coverage) from areas with restrictive zoning ordinances or apartments and condos. Or take it with you on vacation... it's the ideal go-anywhere portable antenna. And it's the only antenna you need to cover 14 to 30 MHz. ONE antenna instead of numerous dipoles and without any traps!

150 Watts. Rated up to 150 watts, the IsoLoop transmits and receives on any frequency between 14 to 30 MHz. When mounted with the loop in the horizontal plane, the radiation pattern is omni-directional and horizontally polarized, with about the gain of a dipole. Maximum radiation is at low angles which is ideal for DX operation. The IsoLoop may also be mounted with the loop in the vertical plane to provide a null in a desired direction. Tuning is provided by a precision stepper-motor and a small remote control box, the LC-1.

The IsoLoop does not need ground radials and its balanced, shielded feed-loop isolates the feedline from the antenna. The IsoLoop is well-isolated from the feedline. Like AEA's Isopole antennas, your signal is radiated by the antenna and not the feedline. With end-fed antennas, the outside of the coax becomes part of the antenna, resulting in noise and computer hash pickup and increased TVI problems.

High-Q Design. One of the unique features of the IsoLoop is its inherent High-Q. The IsoLoop can be considered a very sharp tunable filter that radiates. The narrow bandwidth suppresses harmonics from your transmitter reducing TVI problems. It also attenuates out-of-band signals from nearby transmitters that could overload your receiver.

Compact. The IsoLoop is square, with rounded corners, and measures 32 inches on a side and weighs only 12 pounds. Because of the IsoLoop's small size, it makes a perfect attic or balcony antenna. It's also excellent for portable operation, recreational vehicles or camp-site use. A rotator is not necessary when used in the



IsoLoop precision stepper motor provides accurate tuning.



IsoLoop LC-1 control box with variable speed tuning.

horizontally polarized mode.

omni-directional,

Revolutionary. The AEA IsoLoop antenna represents years of research and development. Others may try to imitate the IsoLoop, but none can match the patent-pending design.

AEA also provides technical support from the factory or through your personal computer and modem on CompuServe's HamNet. If you are already a CompuServe member, just type GO

HAMNET at any CompuServe prompt. For a free introductory CompuServe membership, call 1-800-848-8199 and ask for representative #48.

AEA Brings You A Better Experience

Advanced Electronic Applications, Inc.

2006-196th St. SW/P.O. Box 2160 Lynnwood, WA 98036 206-775-7373

Specifications subject to change without notice or obligation. Dealer Inquiries Invited, Copyright 1990, Stand optional.

Product Review

(continued from page 24)

Well, outside of the obvious MARS and CAP operation, it is nice to be able to listen in on the NOAA weather radio transmissions on 162 MHz. In addition, PEMA freqs were calling me, and this was a very simple solution to the problem. Also, I have the local police and fire freqs loaded into a couple of the memories and the DJ-100T now functions as a hand-held scanner, eliminating the need to pack another radio when going on emergency calls.

There are two things about the 100T

that I would change: 1. Provide a way to move both up and down the stored memories, instead of having to cycle completely through them to go from channel 8 to channel 7 and 2. Improve the receive audio, it sounds very tinny. (Mark Murasato told me that this problem is being corrected in later models.) Although the DTMF pad is a bit small for those of us with regulation-size fingers, I have used it many times without problems. It would be nice to see the pad spread out a bit, though

This radio can be easily placed into packet operation. The 7W output and versatility of the 100T lend it quite well to the emergency communicator's bag

of tricks. With a pocket full of spare NiCad packs and a solar panel, you could conceivably be on the air indefinitely using this little HT in an emergency.

Bottom line on the Alinco DJ-100T 2M HT: Outstanding unit, good value for the money and easy to use and ex-

tremely versatile.

My thanks to Mark Murasato of Alinco Electronics, 20705 S. Western Ave., Suite 104, Torrance, CA 90501, for providing the review radio. For more info write Alinco or call 213/618-8616 and ask for the full line of Amateur equipment.

800-942-8873

Amateur Radio
And Computer
Equipment and
Accessories



1057 East 2100 South Salt Lake City, UT 84106 801-467-8873

KENWOOD

YAESU

& BENCHER, INC

ICON

#COncept

A ASTRON

AADIO AMATEUR II book inc

Larsen Antennas

Wilson

DIAMOND

AEA:

cushcraft

uniden

7 7

HUSTLER

HAM 10 =

Call for your \$pecial Price

It's a small world

Thirty years ago Jim Ayres, KØ-UWH, and Cecil Johnson, W5SRQ, were in the US Air Force. Jim was stationed at SAC HQ in Omaha, NE, and Cecil was at Cannon AFB in New Mexico, living in Portales.

On Sept. 9, 1959, 10M was open for a 50 minute ragchew, signals were 59 both ways on 28.950 MHz. Jim was using a DX40 and Cecil had a LYSCO transmitter. Both were on AM. Cecil already had his WAS, but Jim was still

trying to complete his from his Omaha QTH, so they exchanged QSL cards—the postage being 3¢!

Both operators are today members of the Garland ARC. Jim is now better known as W5NHP and they have lived about five blocks apart for the last 20 years! They only discovered they had worked all those years ago quite recently, when Jim was convalescing and started digging around in some old QSLs.—Garland ARC, Garland, TX

A radio first (and last)

Back in the pioneering days of radio broadcasting, programming was not so easy to come by.

In 1929 I was with a 100 watter in Central Indiana. The studios were located on the top floor (eighth) of a mid-town hotel. Next door was the most prodigious motion picture theater in town.

This was in the days of the movie musicals with the new sound tracks. The projectionist and I were good friends and one day I proposed that we broadcast the sound track direct from the projection room.

He thought it was a good idea but didn't think the theater manager would. But he agreed to let me try it anyway.

We ran a pair out the window from the studio floor and down into the production room and connected it directly to the sound amplifier. We were an instant success — until the theater owner learned about it.

Why we ever thought he wouldn't is a mystery. I guess I never thought he listened to radio. — Excerpted from A Radio Journal, by Russ Rennaker, W9CRC. The entire book is contained in a publication entitled Those Golden Years of Radio, available from And Books 702 S. Michigan, South Bend, IN 46618.

If you're not subscribing to Worldradio, you're missing a lot of Amateur Radio news.

CALLSIGN DISPLAY



RF ACTIVATED ON-THE-AIR

A UNIQUE & ATTRACTIVE ADDITION TO ANY SHACK!

• RF activated—lights up automatically • Delay circuit keeps display on continuously until transmission is over. No "flicker." • Guaranteed operation with any rig. 160-2 meters, 50 watts output or greater. • Translucent red lettering with black background front panel—interchangeable for callsign changes • U.L. listed AC wall adapter included • 1 year warranty, 10 day money back guarantee Model CSD-1: \$39.95 Model CSD-2 ("ON THE AIR" Only): \$34.95 CA add 65% sales tax. Shippling/Handling: \$3.00 Allow 3-4 weeks.

Signalcraft Co. 1555 14th St. Santa Monica, CA 90404

Quick Interconnect



Fool-Proof Fast · Genderless · Color coded · 30A Silver · Reliable · Switch from mobile to shack in seconds. Interchange power supplies and rigs in moments. Interconnect battery, charger, controller, solar panel, generator, backup / conventional power instantly in any combination. Create custom multi-pole connectors in seconds w/ lego-like stacking. Easy crimp/solder, assembly. No special tools required. Sold in Sets of 2. 10 \$ 1985 | \$20 \$ 3685 | \$3645 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655 | \$3655

Mock disaster drill

DAVE SCHNEIDER, WDØENR

The Mt. Pleasant (Iowa) Amateur Radio Club used a mock disaster drill and a public demonstration at a shopping area on Sept. 16, to show the public and local government officials what Amateur Radio can do.

The scenario of the drill involved a tornado striking the nearby community of Salem, hitting a church during a

congregation event.

When the severe weather alert was announced, Henry County Amateur Radio Emergency Coordinator Bill Barber, NOØJ, activated a net on Mt. Pleasant's 147.39 and 444.95 repeaters. Those responding were Gary Mc-Meins, NØFIB; Ben Johnson, NYØO; Dave Ruby, KAØFBL; Don Campbell, W0SWY; Manford Therme, N0EFE; Dick Ward, KAONSW; and myself.

Ten minutes later it was announced that a twister was on the ground southwest of Salem, and then moments later we learned that it had struck the town. Immediately Bill dispatched me and Ben to the Emergency Operations Center in Mt. Pleasant and KAØFBL and himself to Salem, while Gary and Don set up the public display at the shopping center. There, the public could hear the mock drill going on, plus see other facets of the hobby throughout the rest of the day.

After Bill and KAØFBL arrived in Salem, they set up a field communications station at the site command post, while I was directed to serve as net control at the EOC in Mt. Pleasant.

A total of 10 pieces of traffic were sent on 2M packet and the two repeaters. Test messages were sent to state agencies in Des Moines via packet.

Among the situations the 16 participating agencies had to face were missing persons, power and phone service disruptions and the usual storm damage. In one particular situation a volunteer victim was discovered after a special two-block search in a weedy brush area away from the tornado strike scene. Once discovered, law enforcement representatives uncovered the fact the victim had been "killed" after suffering a blow to the head during a robbery. The responders were faced with the criminal scene without having been informed they would be challenged by anything more than the tornado damage.

Ed Farley, Henry County director of the Office of Emergency Management, was pleased with the efforts of all involved, especially the response by the Amateur Radio community.

TVRO ordinance thrown out

A US district court in New Jersey has overturned a restrictive home satellite dish zoning ordinance by the town of Maplewood that would have unreasonably impaired the installation and use of home TVRO systems.

In its decision the court cited the 1986 FCC preemption that prohibits municipalities from unfairly restricting home dish installation and use. The Maplewood ordinance restricted antenna height to six feet and placed landscaping, setback and other restrictions on the homeowner as well.

The case, known as Van Meter vs. the Township of Maplewood, marks the first time that a federal court has used the FCC preemption to overturn a TVRO ordinance. - Westlink Report

THERE'S A WHOLE NEW WORLD OUT THERE WAITING FOR YOU — JOIN IN.



SPECIAL EVENTS

Nice weather we're having

The San Benito Amateur Radio Club will operate special event station WA2VJL, to celebrate the 2nd annual "Dog Days of Summer," from Aug. 1 through 6. Exchange local weather conditions and general weather facts about your QTH!

Suggested frequencies are: SSB - 21.350 and 28.325; CW - 14.030 (CQ DOG), with operation from 1900 to 0300 UTC.

For a special certificate send an SASE (9½ x 11 unfolded, business size folded) and QSL card to: San Benito ARC, Attn: Brenda V. Ryan-QSL Mgr., POB 1382, San Benito, TX 78586.

Maritime Week

The Mancorad Radio Club, of Manitowoc, WI, will operate special event station W9DK from 1400Z to 2400Z Aug. 3 through 5, from the WW II submarine *USS Cobia*, in celebration of Maritime Week. Suggested frequencies are 7.250, 14.250, 21.350 and 28.450.

For a certificate send a QSL and SASE to Mancorad RC, P.O. Box 204, Manitowoc, WI 54221-0204.

Coast Guard celebration

The US Coast Guard Electronics Engineering Center, Wildwood, NJ, in cooperation with the Cape May County ARC, will operate special event station K2CGD to celebrate the 200th anniversary of the Coast Guard's found-

CUSTOM EMBROIDERED QUALITY HAM HAT

SUMMER \$7.95 ea.

CORDUROY \$9.25 ea.



Display your NAME, CALL and HOMETOWN on a RED or ROYAL BLUE summer mesh back cap with matching bill and white foam front. Emb. matches cap color.

FULL CORDUROY available in RED or NAVY with GOLD embroidery.

Note — NAME (max. 14 ltrs.); CALL (max. 6 ltrs.); HOMETOWN (max. 14 ltrs). Send CK or M.O., plus \$2.50 S&H; add 25¢ ea. add'l cap. MD residents add 5% tax. Del. 3-5 wks.

EMBROIDERY WAREHOUSE P.O. BOX 1476 SEVERNA PARK, MD 21146 ing. Times of operation will be 2000Z to 2359Z on Aug. 4.

Suggested frequencies are: Phone = 28.375, 21.375, 14.300, 7.235 and 3.875; CW = 21.175, 14.100, 7.110 and 3.710.

For a QSL and certificate send a 9 X 12 SASE and QSL to K2CGD, USCG EECEN, P.O. Box 60, Wildwood, NJ 08260.

Lighthouse celebration

In commemoration of National Lighthouse Day, on Aug. 4 and 5 the Old Barney Amateur Radio Club will operate special event station W2OB from the Barnegat Lighthouse, otherwise known as Old Barney, located at Barnegat Inlet in Barnegat Light, NJ.

The original lighthouse was built in 1834, but was destroyed by a storm in 1855. The present day lighthouse, which stands 163 ft. above sea level and has 217 steps to the light, was built in 1858 by the Army Corps of Engineers, under the guidance of George Meade, who later became a famous general in the Civil War.

Special event station frequencies will be: CW-3.540, 7.040, 14.040, 21.040 and 28.040; SSB-3.900, 7.275, 14.290, 21.390 and 28.390; FM-146.835 repeater and 146.52.

For a special QSL send an SASE to NU2F.

Train station

From the "birthplace of the Oil Industry," Titusville, PA, a special event station will be operated again this year. Sponsored by the Oil Creek Valley Radio Society, this event commemorates the fifth year of operation of the Oil Creek & Titusville Railroad.

Station N3GBH will be on the air Aug. 4 and 5, on site at the historic Perry Street railroad station, from 1300 UTC Saturday through 1900 UTC Sunday. Suggested modes and bands are: CW — Novice portion of 80, 40 and 15M; SSB — Novice portion of 10 and General portion of 15, 20, 40 and 80M.

For a special photo QSL cancelled from the only operating railway post office car in the country, send your QSL and a #10 SASE to Bill Lyons, Sr., N3GBH, 427 South Drake St., Titusville, PA 16354.

Island station

For only the seventh time in history, Amateur Radio is going to Flat Hammock Island (Fishers Island Sound, NY). The Tri-City ARC will mount its sixth annual expedition on Sunday, Aug. 5, and will operate from this unique, uninhabited island from 1300Z to 2000Z.

Look for KA1BB in the lower 20 kHz of the General class phone and CW bands — 10, 15, 20 and 40M, the center of 10M Novice band and the 2M SSB band.

VHF/UHF Products

. . . imported from Wood & Douglas, England. Professional quality items for voice, data, AM-TV, FM-TV. 50 MHz to 1.3 GHz. Catalog. Contact: Tactical Electronics Corp. P.O. Box 1743 • Melbourne, FL 32902 (407) 676-6907 QSL with a letter sized SASE via Tri-City ARC, Box 686, Groton, CT 06340. □

Maccabi Youth Games

The Jewish Community Center Radio Club will operate special event station K8PBQ in Detroit, MI, during the 1990 North American Maccabi Youth Games, from Aug. 19 to 26. Times of operation will be from 1400 to 0100 UTC.

Suggested frequencies are: CW - +45 kHz from the bottom end of all bands; Novices - 3725, 7125 and 21.125 MHz; Phone - 3910, 7280, 14.335, 21.380 and 28.580 MHz.

Special QSLs and certificates will be available; certificates will be given for contacts on both CW and phone. Send a regular SASE for a QSL or a 9 X 12 SASE for a certificate to: JCCRC - K8PBQ, 6600 West Maple Rd., West Bloomfield, MI 48322.

Convention station

San Diego County ARC and Inland Empire ARC Inc., of San Bernardino (CA) County, will be operating a jointly sponsored special event station from the floor of the 1990 ARRL SW Division Convention at the Towne & Country Convention Center in San Diego.

Operations will start Friday, Aug. 24, and run through Sunday, Aug. 26. Operating times will be 1600Z through 0400Z Friday and Saturday. Sunday operations will be 1700Z through 2100Z.

Suggested fequencies on the lower half of the General phone bands. CW operations will be on 28.200, 21.115 and 7.125 during operating times.

A multi-colored certificate will be offered for all contacts. For QSL info in the United States, send an SASE (#10 envelope), and for DX send an SAE (#10 envelope) plus two IRCs to WA6ZEF at P.O. Box 1433, Ontario, CA 91762.

Hoover days

The Laurel Maryland ARC will operate special event station WA4AVU from the top of Skyline Drive in the Shenandoah National Park, in Virginia, from 1600Z Aug. 25 until 1600Z Aug. 26, to celebrate "Hoover Days" at the National Park established by President Hoover.

The main focus of the event will be on VHF/UHF. Frequencies include 50.125, 144.2, 146.52, .55 and 432.1 SSB. HF frequencies will be 3.940, 7.240 and 28.340.

For a special photo certificate, send a QSL and no. 10 SASE to Laurel ARC, Box 3039, Laurel, MD 20709.

Old Threshers Reunion

The Mt. Pleasant, IA, Amateur Radio Club will operate special event station W0MME from 1200Z, Aug. 27, through 2000Z, Sept. 3, in conjunction with the 41st Midwest Old Threshers Reunion. Operation will be SSB, CW, packet and AMTOR in the lower portions of the General bands.

For those attending in person, talk-in and information will be provided on the club's 444.950 and 147.39 MHz repeaters. For a QSL card, send an SASE to Dave Schneider, WDØENR, 507 Vine, Mt. Pleasant, IA 52641.

STATION APPEARANCE

Win a one-year Worldradio subscription! Submit photos and description of your shack to "Station Appearance." Entries are judged on neatness and accessibility, not monetary

Millard D. George K6ZRY

This month's winner is Millard C. George, K6ZRY, of El Cerrito, CA. Read on as he describes his shack and Amateur career.

I have been an Amateur for 34 years, working mostly SSB during that time. However, in mid 1989, I lost most of my hearing and can no longer work voice, so I cleaned out my station and purchased all new modern RTTY gear and revamped my entire shack.

The photo shows my new complete station. Starting from left to right it includes the following: A Robot 800 Keyboard, directly above is an NEC 13 inch green screen monitor and directly above that is a new 13 inch Toshiba color TV, which I can watch and enjoy my ball games and favorite programs as I work RTTY. To the right of the monitor is a Heathkit tuning scope, a most valuable addition to my station. Next is an Icom 735 transceiver, which is doing a remarkable job barefoot running 100W out to a roof-mounted dipole. Right next to the Icom is my control panel. This panel includes a volt meter; coax switch for three roofmounted dipoles; switch control for an electric room heater and control switch for a room fan in hot weather: a transmitter control switch for the Icom and a Swan 300 transceiver not shown: power switch for the Swan 300 and last, at the bottom, an SWR meter. All wiring and Icom power supply is enclosed and out of sight in the cabinet, of which the control panel is a part.

The cabinet has a "grand piano" type hinged lid for easy access to all wiring if necessary. I operate from a most comfortable upholstered arm chair and all equipment, including the control panel switches, can be reached without moving in my chair.

I have a low-pass filter attached snug to the Icom and almost a flat line on all three dipoles, eliminating the necessity

Instant Solar Power The \$319.95 Bullet-Tested QRV Solar Power Supply keeps your tepeater on the air round the clock or powers your 100w HF station 60 hrs a month. Control circuit speeds charge, protects gel cells & sealed batteries. Fully assembled, QRV, portable. Easily expanded.

Add \$10.58H Into \$1 Antennas West

(801) 373-8425 Box \$5062-W Provo UT 8-1605)





of a tuner and I have no RF floating around in or out of the shack - not even a flicker on my TV set, sitting almost on top of the Icom. The world map is over my desk.

While I have made no particular effort for DX, I have, nevertheless, had a few choice contacts, such as Denmark, Japan, Chile, Argentina, Guatemala, etc. I am 86-years-old and spend hours daily at my station, listening and calling - always glad for any new contacts or long chats with old friends.


I founded the SIRARC Radio Club,

The Pouch Tough..... resilient..... black neoprene Protection for your For Every Portable **Every Battery** "S" "Short" - 6" "SS" New Super-Slim-7" "G" "Generic" - 8" "L" "Long" - 9" A sturdy web belt-loop sewn on the back extends over the top and is secured on the front with a velcro tab. The Pouch 1-800-72-Pouch (Dealer Information) an activity of Sons In Retirement of California, which has 156 branches and a membership of about 35,000 in central and northern California. SIRARC was founded in 1974 and now has an active membership of about 240. I am also a past president of the State Organization of Sons in Retirement.

AA1A SIDEKICK **ANTENNAS**

- 144 220 440 Mhz. Models
- Dual Extended Collinear Elements
- Stainless Elements and Hardware
- Side/Top Mount Tower or Mast
- · Excellent Gain and Quality
- Easily Stacked
- · Broadband Tunable
- SO-239 Feed
- New Design and High Efficiency

\$79.95



· With 'N' Connector and Silver Plated Feed Probe

\$89.95

Broadcast Tech. Services 11 Walnut St. Marshfield, Mass, 02050

> 617-837-2880 800-874-2880 Order

No Extra Charge for VISA-MC Shipping Handling add \$4.00 Mass. Residents add 5%

Amateur "Hi"



Ever had a funny or strange experience with Amateur Radio, either on or off the air? If so, type it up (or print neatly) and send it to us for consideration in our monthly AMATEUR "HI" contest. You could win a free year's subscription to Worldradio!

This month's winner is John E. Gercken, KA9EPO, of Bellflower, IL. If all else fails go to the "man" in charge.

If you have ever ordered something from a company and they keep sending you catalogs and flyers forever after, try this method . . . it worked for

Until two weeks ago I belonged to a book club which specialized in books on electronics. When I first started my membership, I ordered a few books that looked interesting, but found no time to look at the pictures let alone read them, so I decided to inform the company that I wished to terminate my membership.

I wrote them a nice letter explaining why I would like to quit, and they kept right on sending flyers every month. I decided that if they could afford to send flyers every month, I could afford to send another computer copy of my original letter along with my response card, which I was required to mail in regardless, whether I ordered books or not. I even wrote on the response card "cancel membership" in big letters.

This cycle went on for four months, until I got an idea. If no one there can read, perhaps their computer can ... so, I WROTE TO THE COMPUTER! It reads as follows:

"Dear Computer,

I wish to terminate my membership in the book club. My account number is 123456789-abc. Please delete my name from your files. I have neither the time to read, nor the desire to purchase anymore books. I have asked the humans to cancel my membership, but they keep ignoring my repeated requests. Perhaps you can help me."

I am happy to report that within 10 days of mailing that letter, I received a form letter from the office of the president of the company asking if I wished to continue on an "order only" basis, or quit altogether. I checked the "QUIT" box and mailed it back and have not heard from them again.



- BEATS THE HECK OUT OF A MAGMOUNT, AND IT ALSO HAS ANOTHER USE!

JGE 88 PAGE CATALOG

- Communications Receivers
- Portable Receivers
- **Amateur Transceivers**
- HT's & Mobile Transceivers
- Amateur & SWL Antennas
- Scanners
- ➤ RTTY and FAX Equipment
- Books, Manuals & Accessories

Send \$1 to

Universal Radio 1280 Alda Dr. Dept. WR Reynoldsburg, OH 43068 Tel. 614 866-4267

What is a radio Amateur?

The next time a person asks you, "What is a radio Amateur?", you tell them:

A radio Amateur is a person who passes an exacting exam as an exacting expert on the strength of being able to turn out, with prolific aptitude, strings of incomprehensible devices built with micrometric precision, from extremely vague assumptions, based on debatable figures acquired from inconclusive tests and quite incomplete experiments performed with instrumentation accuracy by a person of doubtful reliability and rather dubious mentality with the particular anticipation of disconcerting and annoying everyone outside of his own fraternity. The Ham Radio Guide, Portsmouth,

Letter from a troop...

In the last year I have become a "computer buff." I purchased a Commodore C64, as it has many programs for ham radio.

I fired up the computer and I discovered a rainbow of colors on the TV on Channels 2, 4 and 5. These are used in the Los Angeles area.

I tried an extension cord to get away from the common outlet for the TV, but I still had the rainbow on the channels.

In my junkbox I found a toroid from an old 16 inch B/W TV. The toroid is about 3 inches in diameter on the large end and about 2 inches on the small end, thus being a cone shape. I glued the two pieces with Super Glue and let it dry. I took the AC cord from the transformer to the computer and wrapped seven turns of cord in the core, close to the computer.

The seven turns was all the length I had to play with, as the transformer is on the floor and the computer is on the


desk.

Bingo! No more rainbow in the TV. I can now work the computer in the early evening when the XYL is looking at the Boob Tube. I am sure a larger toroid from a color TV would work as well.

K.C. Jones, W60B — Lee DeForest Radio Club, Hemet/San Jacinto, CA







FAR (Foundation for Amateur Radio) is made up of 56 Amateur Radio clubs, including four QCWA chapters, in the greater DC area and boasts many QCWA members. QCWA's president, Harry Dannals, W3HD, was kept busy all evening presenting awards, the major one of which was QCWA's Distinguished Service Award, sanctioned by its Board of Directors to be conferred upon Hugh Turnbull, W3ABC, for his outstanding



Hugh Turnbull, W3ABC, receives the Distinguished Service Award from QCWA president Harry Dannals, W3HD.

work with FAR's scholarship program. Under Hugh's able chairmanship, FAR handles the processing and granting of more than 30 Amateur scholarships each year for various donors, including the seven awarded by QCWA.

The 1990 event also honored sixteen QCWA members with longevity endorsements for their Golden Anniversary certificates. Recipients, whose combined time as Amateur Radio operators totaled 930 years, were: Tom McNulty, W3ZG, 70 years; two 65ers, Emerson Mehrling, W4NH, and Lee Dorsey, N3BHC; three 60 year holders, Bill Grenfell, W4GF, Armin Meyer, W3ACE, and Ed Speakman, W3AUR; 1055 year licensees included Jack Bobbitt, W4HV, John Bennett, W4ZEI, Bruce Green, W3IR, Henry Herman, W3UJ, Elmer Jones, K4EUX, Stuart Meyer, W2GHK, Ed Morrison, W3RY, Camille Marie, W3EPR, Tom Smith, W3LOV, and Joe Ziglinski, W4DIN.

Results of QCWA's 1990 QSO Parties, held in the spring, have been announced by Onie Woodward, W1ZEN,



Sixteen recipients of QCWA's Golden Anniversary Award represent 930 years of Amateur Radio.

Activities Manager. US winners of the CW section held in February are respectively Dave Fischer, WØMHS, who receives the 1990 plaque; Jim Villasana, K6NQ/7; W.H. Branche, K9CLO; Gary McClellan, KD7E; and John Zwaska, W4WKQ. Top CW scorers outside the United States were Tom Cunningham, VO1CA, North America; and Hans-Werner Liebig, DL6NB, Europe. The phone section, occuring a month later in March, found winners in W.P. Van Horn, K3CP:

Hans-Werner Liebig, DL6NB; John Zwaska, W4WKQ; Ralph Cabanillas, Jr., W6IL; and Bill Nagel, K6FE, By global regions outside the United States, top competitors were John Weber, VP2VD, North America; Dick Dorrance, PP2ZDD, South America; and DL6NB. The Quarter Century Wireless Asso-


ciation is a unique organization. A prospective member, in addition to holding a current Amateur Radio operator's license, must have originally passed the test and been issued his/her first license 25 or more years ago. In many cases the license period has been continuous, but sometimes a license has been allowed to lapse, maybe for a long time.

QCWA's stipulation recognizes that important qualification of an applicant's having had the initial interest and achievement a quarter century ago. Many current Amateurs acquired their first licenses when they were teenagers, then let it lapse, in later years resumed interest, passed the test afresh and received a new ticket and rejoined the ranks of licensed Amateurs. Anyone who fits this category is eligible for QCWA membership.

One need not wait for the actual anniversary date. Any currently licensed Amateur first licensed anytime in 1965 became eligible for QCWA on Jan. 1, 1990, and is invited to write to QCWA, 1409 Cooper Dr., Irving, TX 75061, for an application.

One of the prestigious and well attended Amateur celebrations is the FAR/QCWA Annual Spring Banquet, which recognizes achievements of Amateur Radio operators in the proximity of our national Capitol.

Net controls please copy: One has never been hurt by anything he didn't say.



SUPER VR-85 A Satellite Tracking Program

For the Commodore 64 VR85 is the most popular software tracking aid in use for the C-64, and now SUPER VR-85 continues the tradition of bug-free operation, strong user support, and ongoing development. New features include graphical and labular representation of the mutual acquisition zone, and user port output for automatic antenna steering when using an AUTO-TRAK™ board. Much of the program is now in machine code and operates with a more professional fee.

FEATURES: · Map oriented color graphics Include moving satellite and footprint sprites and sub-orbital trace — looks great in mono-


chrome too.
Room for 20 satellite element sets.
Orbit no., date, time, AZ, EL, range, phase and mode display.

User friendly data entry

Extensive, readable instructions. But if you have a problem just give us a call.

For more details send an SASE.

Super VR-85; \$35 ppd. Send ck. or M.O. to: RLD Research, McCloud, CA 96057 California residents add 6% sales tax.
AUTOTRACK® is a trademark of N H Enterprises



John F.W. Minke III, N6IM 6230 Rio Bonito Drive Carmichael, CA 95608

Activities Calendar

04-05 Aug. FRR Romanian DX Contest 11-12 Aug. DARC European DX Contest (CW)

11-12 Aug. WIA Remembrance Day

18-19 Aug. MARTS SEANet Contest

25-26 Aug. JARL All Asia DX Contest

For details on contest activity, consult your favorite contest column. The rules for the World Radiosport Team Championship are listed elsewhere in this issue.

W-100-N

The following DXers recently completed the requirements for Worldradio's Worked 100 Nations Award:

376. IK4MFP Gilberto Gradari 377. OE6CLD Claus Stehlik

378. N6SYP Ken Swanson

379. W3FDU James R. Fournier

Armond's DXathon

We all hope you are busy with the 1990 DXathon. The rules this year have been simplified. Perhaps this will generate additional interest in this annual affair.

Incidentally, we did receive a couple of entries that claimed Lithuania as a separate nation — and they were from Soviet stations. Very interesting!

Solomon Islands (H44)

Very active from the Solomon Islands is H44AP. Check 20M SSB between 14.165 and 14.200 MHz from

MAKE LEARNING FUN with the CODEKEY 1000 **Code Practice Oscillator**



-Compact and Easy to carry -- Operates on 9V battery included

-Adjustable Volume

-Durable Metal Case -Variable Sidetone

19.95 redia 1entors

TO ORDER -CALL-(718) 983-1416

P.O. Box 131646 Dept. W Staten Island, NY 10313-0006 1000 and 1200 UTC. You gotta get up early for this one.

Also active recently has been H44MB, who has been between 14,160 and 14.253 MHz around the same time.

Those of you who may have worked H44RW during the month of June had the privilege of meeting Ron Wright, ZL1AMO. Ron often gets the urge to mount a new DX pedition to help the deserving DXer. He works them contest style.

Jan Mayen (JX)

Inside DX reports that JX7DFA has been very active on 20M, both CW and SSB. He hopes to be able to make it to the west side of the island this summer, and if he does he will concentrate on 10M.

He plans 80M activity in October, prior to leaving the island. A later report has him leaving the island in July, which would obviously kill the chances for an 80M contact. Check 14.004 to 14.020 MHz around 2345 UTC for this one. Also check the 14.256 DX Net for SSB activity.

On 15M JX7DFA has been reported near 21.010 MHz around 2330 UTC.

Jordan (JY)

Several stations have been reported from Jordan recently. JY9SR has been reported several times, operating RTTY. Look for this one near 14.089 MHz around 0230 UTC. He was also reported on CW on 14.031 MHz at 0200 UTC in early May.

Ten meter activity, according to Long Skip, lists the following with good signals into eastern Canada:

28.520 MHz 1400 UTC JY5DK 1530 UTC 28.024 MHz JY5DL JY5FA 28.459 MHz 1530 UTC

Also reported on this band was JY9VC, with a signal into Europe on 28.495 MHz around 1530 UTC.

On 15M SSB JY5IN was reported often near 21.315 MHz between 2300 and 0330 UTC. And on 20M SSB JY5RBM was found between 14.227 and 14.263 MHz from 0100 UTC.

Papua New Guinea (P29)

To work this one requires spending some time in the early hours of the morning. With toothpicks popping your eyes open, look for P29BT, who

MULTI-BAND SLOPERS

Outstanding performance of Willink animate is well known. Now enloy multiband BIC-SIGNAL reports! Automatic bandswitching. Very
will be a server of the se

has been very active on 20M. A good portion of his time has been in one of the nets on 14.227 MHz from around 1200 UTC.

Other stations reported on this band include the following:

P29CG	14.255 MHz	1345 UTC
P29JP	14.192 MHz	1200 UTC
P29LB	14.246 MHz	1130 UTC
P29MM	14.207 MHz	1330 UTC
P29MR	14.251 MHz	1145 UTC
P29PT	14.226 MHz	1130 UTC
P29RB	14.200 MHz	1830 UTC
P29SC	14.181 MHz	0930 UTC

Inside DX reports that P29LB runs 150W into a TH7DXX. He must shut down by 1145 UTC, as the local power is shut off. Also check the low end of 10M for a CW contact between 2130 and 2300 UTC.

Seychelles (S79)

During the early part of May, DL7FT put on a major effort, signing S79FT, to give many a deserving DXer a new one. Almost all of the activity reported was on CW.

Then in June, according to The DX Bulletin, Veikko Komppa, OH5VD, was to sign S79VD. He was to have been on through June 17th.

The only other report we have for the Seychelles is S79SC, on 14.171 MHz around 1200 UTC on June 3.

Egypt (SU)

The only call we have seen recently for this one is SU1HN. He seems to enjoy RTTY, as he has been reported many times. Look for him between 14.080 and 14.087 MHz from 2300 and as late as 0230 UTC. As for SSB, he seems to prefer the net that meets on 14.226 MHz after 0200 UTC.

Malawi (707)

Inside DX reports that 7Q7JM is now active and has been reporting into the 14.256 DX Net around 2100 UTC. His operating time is limited, due to a heavy work schedule. He has also been reported on 21.333 MHz at 1600 UTC.

Also active is a Japanese operator signing 7Q7JA on 10M. However, he has a weak signal, as he is running only 2W into a dipole. He should be there for more than a year. Check 28.500 to 28.550 MHz around 1700 UTC.

The DX newsletters also report activity by 7Q7LA, operated by Les Antrobus, G3JCJ. He operates both SSB

CW RTTY CW RTTY CW RTTY CW

APPLE II USERS

TRANSMIT/RECEIVE SOFTWARE FOR THE APPLE II

CODE MACHINE corec

\$29.95

13462 HAMMONS AVE - SARATOGA, CA 95070

and CW. Try 14.010 MHz around 2130 UTC or 14.175 MHz at 1800 UTC.

The DX Bulletin reports activity of another station recently, signing 7Q7RM. He was reported on 14.187 MHz at 1230 on May 29 and again on 28.036 MHz at 1500 UTC on June 2.

Kuwait (9K2)

At least two calls from Kuwait have been reported on 17M. Check the band for 9K2EC, who has been reported between 18.140 and 18.46 MHz around 2300 UTC, and 9K2KS on 18.153

MHz at 1500 UTC.

On 20M 9K2YA has been reported often between 14.243 and 14.256 MHz. The times vary between 2230 and 0600 UTC. Other calls reported on this band include 9K2CS on the E.T. Net at 14.160 MHz around 2200 UTC. 9K2HA on 14.290 MHz at 1600 UTC, 9K2JM on 14.256 MHz at 2145 UTC 9K2JS on 14.160 MHz at 2345 UTC 9K2KD on 14.208 MHz at 0130 UTC and 9K2KS between 14.160 and 14.252 MHz around 0200 UTC. The sole CW report was by 9K2JW on 14.057 MHz at 1430 UTC.

Fifteen meters SSB is another band to check out. Between 21.312 and 21.324 MHz, 9K2HA has been worked from 2145 to 2300 UTC. Sharing the band was 9K2IC on 21.298 MHz around 0130 UTC on May 24, 9K2KS on 21.299 MHz around 1400 UTC in early May and 9K2RA on 21.333 MHz

at 1830 UTC on May 13.

Soviet Activity

Alex Abramov, UA1NDR, of the Karelian DX Club, reports that there is a USSR Awards Directory available for a fee of \$6 (or 12 IRCs). The volume contains over 50 awards and can be ordered from him at P.O. Box 225, Petrozavodsk 180 034, Karelia, USSR.

Alex also informs us that the Karelian DX Club will be using several special event calls, such as EV1AN in early May to commemorate the victory of WWII. Then in June the call RN7N was used to commemorate the 70th Anniversary of the Soviet Karelia. EK1NWB was used the latter part of July, when the club sponsored the First International DXpedition to the Isle of Kizhi. During the IARU HF Championship they will use the call US1N.

Mental-Block BUSTER

Explode mental blocks about CW. Increase your speed. Based on 40 yrs, of research. Results Guaranteed. Not a CW practice tape. \$24.95 ppd (NY residents add \$1.87 sales tax.) PASS Publishing, Box 570, Stony Brook, NY 11790

DX Prediction - August 1990

UTC

8

10

12

14

16

18

20

22

24

2

4

6

AFRI

23

27

35

40

41

41

33

28

24

21

22

27

Maximum Usable Frequency from West Coast, Central U.S., and East Coast (courtesy of Engineering Systems Incorporated, Box 939. Vienna, VA 22180).

The numbers listed in each section are the average Maximum Usable Frequencies (MUF) in MHz for contacting five major areas of the world centered on Africa-Kenya/Nairobi, Asia-Japan/Tokyo, Oceania-Australia/Melbourne, Europe-Germany/ Frankfurt, and South America-Brazil/Rio De Janeiro. Chance of contact as determined by path loss is indicated as bold MUF for good, plain MUF for fair, and in parentheses for poor. UTC in hours.

AUGUST 1990 WEST COAST

	•				SO						SO
UTC	AFRI	ASIA	OCEA	EURO	AM	UTC	AFRI	ASIA	OCEA	EURO	AM
10	(18)	22	26	16	23	7	23	17	27	15	21
12	(23)	19	23	(16)	(20)	9	25	15	24	19	22
14	(29)	22	20	23	30	11	33	20	22	24	24
16	33	21	(19)	26	35	13	39	21	(20)	27	32
18	35	(17)	(18)	25	39	15	41	17	(18)	28	37
20	34	25	26	23	42	17	40	(15)	(18)	27	40
22	28	31	38	19	41	19	37	(19)	(27)	25	42
24	24	34	42	15	38	21	30	24	38	21	41
2	(21)	36	43	(18)	31	23	26	27	42	18	39
4	22	34	42	22	26	1	22	26	42	15	32
6	24	32	40	22	23	3	18	24	40	17	27
8	(21)	26	32	18	21	5	26	20	33	17	23

The QSL manager for these calls is Victor V. Sinhavin, UA1NEJ, P.O. Box 520, Petrozavodsk 26, 185 026 Karelia, USSR.

Ralph Bates, K1ZZI, informs us of a joint Soviet/American DXpedition to the Black Sea and Causasus Mountains (Oblast 013). The operation was organized by RW6AC and they signed UF7V the first 15 days in July. Operation was to be on both CW and SSB, 10 through 80M. Operators included K1ZZI, KP4DQ, WF2S, AA6PY and 12 Soviet operators.

Yemen merger

The DX Bulletin reported that on May 22 The People's Republic of Yemen (South Yemen) and the Yemen Arab Republic (North Yemen) merged to form the Republic of Yemen. The newsletter further stated that according to Point 1 of the DXCC rules, this will result in the deletion of the former two Yemens and the formation of a

C.A.T.S. Rotor Parts and Repair Service R P Reconditioning Large or Small American Made Rotors 0 A Repairs - \$15.00° Rebuilds - \$35.00° R All parts in stock for immediate delivery 0 Reconditioned units for sale. C.A.T.S. 7368 S.R. 105 Pemberville, OH 43450 R S Call N8DJB at (419) 352-4465

LABOR ONLY - PARTS & SHIPPING ADDITIONAL

brand new DXCC country. The recent 701AA operation should count as the new country.

CENTRAL USA

17

15

19

24

20

(17)

26

30

28

26 25

20

EAST COAST

ASIA OCEA EURO

27

24

21

(19)

(18)

(17)

34

40

43

42

40

33

SO

AM

16

(16)

23

26

27

26

23

18

16

15

22

18

20

22

25

32

37

40

42

43

35

29

25

22

Feedback

Dick Farber, W2KXB, commented on the figures on the licensing status in the June column. After just returning from Indonesia and not seeing much of Amateur Radio activity there. Dick found it hard to believe that there were some 60,000 licensed Amateurs in that country.

Our figures come from the IARU. In turn, this information came from the country itself, a member of the IARU. This data was as of 1988, so there are probably more now.

(please turn to page 36)



Antique Radio's Largest-Circulation

Monthly Magazine Articles - Classifieds - Ads for Parts & Services

Also: Early TV, Ham Equip., Books, Telegraph, 40's & 50's Radios & more... Free 20-word ad each month. Don't miss out!

Free Sample. 6-Month Trial - \$13. 1-Year: \$24 (\$36 by 1st Class). Foreign - Write. A.R.C., P.O. Box 802-N6, Carlisle, MA 01741



STORE **BUYING POWER**



Advanced Electronic **Applications**

PK-232 Multi-mode **Data Controller** Now with PakMail function



- NEW IBM Fax Screen Display Program Available
- Transmit/Receive on Six Modes
- CW/RTTY/ASCII/ AMTOR/Packet/FAX
- IBM and Commodore terminal programs available
- Radio Ports for HF and VHF

In Stock for Quick Delivery **Free Shipment**

Kantronics/KAM



True dual port simultaneous HF/VHF packet operation

- · Personal Bulletin Board
- RTTY/ASCII/AMTOR/CW/Weather Fax
- Programmable MARK and SPACE tones
- Terminal programs for PC compatibles and Commodore
- · WEFAX programs for PC, Commodore, and Macintosh

One-year Warranty CALL FOR LOW. LOWPRICE



MA-40 40' TUBULAR TOWER

\$ 809 SALE! \$629

MA-550**→** 55' TUBULAR TOWER

\$1369 SALE! \$999

- Handles 10 sq. ft. at 50 mph
 - · Pleases neighbors with tubular streamlined look

■TX-455 SALE! \$1389

55' FREESTANDING

- Handles 18 sq. ft. at 50 mph
- No guying required
 Extra-strength Construction
- Can add raising and motor drive accessories

TOWERS BATED TO EIA SPECIFICATIONS OTHER MODELS AT GREAT PRICES

Call any of our 9 Stores nationwide for low low outlet prices



Contemporary design, quality and a 5 year warranty on parts and labor. 6 months on the RF Final transistors.

All amplifiers have GaAsFET receive pre-amps and high SWR shutdown protection

Full MFJ line stocked in depth!

MFJ ... making quality affordable All MFJ Tuners Stocked!



MFJ-949D 300 Watt Tuner

- Built-in dummy load
- New peak and Average Lighted 2color Cross-Needle SWR/Wattmeter
- Bullt-in antenna switch, balun
- · Covers 1.8-30 MHz

All MFJ Packets Stocked!



MFJ-1278 Multi-mode

- All 9 digital modes
- Easy Mail™ Personal Mailbox
- 20 LED Precision Tuning Indicator
- Includes free power supply
- Includes free eprom upgrade

Call now for all MFJ products ... wattmeters, dummy loads, coax switches, keyers, clocks, speaker/ mics, software, books and more! One year unconditional guarantee.



GEOUHRON GLOBAL TIME INDICATOR

Detailed illuminated map shows time, time zone, sun pos tion and day of the week at a glance for any place in the world. • Continuously moving - areas of day and night change as you watch. • Mounts easily on a wall. Size: 34½" x22½".

\$1295 **\$1159.95 DELIVERED IN U.S**

All Major Brands in Stock Now

IN CALIFORNIA CALL STORE NEAREST YOU

Call any time zone 800 number during business hours from coast to coast.

MID-WEST/WEST SOUTHEAST ATLANTA, 9 to 5:30 EST MID-ATLANTIC

VISA



Toll free including Hawaii. Phone Hrs: 7:00 am to 5:30 p.m. Pacilic Time, California, Arizona and Georgia customers call or visit nearest store



STORE BUYING POWER

ICOM IC-781

0000

ICOM IC-765



100W GENERAL COVERAGE RECEIVER HF ALL BAND TRANSCEIVER Maximum Operation Flexibility

SALE! CALL FOR PRICE

ICOM H Models 100 WATTS

A Models 25 WATTS

IC-275A/275H, 138-174 MHz IC-475A/475H, 430-450 MHz



LOW PRICE!

ICOM IC-2400A

150 W, ALL BAND HF TRANSCEIVER

GREAT PRICE!

THE ULTIMATE

HAM RADIO OUTLET NATIONWIDE TEAM



RAPID DELIVERIES FROM STORE NEAREST YOU

IC-228A/H METER MOBILES



FM TRANSCEIVER 20 Memories with Memory Channel Lock-Out

ICOM IC-901



2 METER AND 440 MHz EXTRA-LARGE MULTI COLOR LCD HM14 TOUCH TONE MICROPHONE

CALL FOR PRICE



IC-32AT IC-2GAT 2 Meter HT **Dual Band** Hand Held 7 WATT

IC-2SAT, 2MTR IC-3SAT, 220 MHz IC-4SAT, 440 MHz

ICOM IC-725



100W GENERAL COVERAGE RECEIVER HF ALL BAND COMPACT TRANSCEIVER

GREAT PRICE

VHF/UHF DUAL BAND FM TRANSCEIVER

2m, 440 MHz

All Major Brands in Stock Now!



Bob Ferrero W6RJ President/Owner Jim Rafferty N6RJ VP-National Sales Manager

ANAHEIM, CA 92801 BURLINGAME, CA 94010 PHOENIX, AZ 8: 2620 W. La Palma 999 Howard Ave 1702 W. Camelback (714) 761-3033. (213) 860-2040 (415) 342-5757 George, Mgr WB6DSV George, Mgr WB6DSV 5 miles south on 101 from SF0 East of Hwy. 17

ATLANTA, GA 30340 6071 Butord Hwy. (404) 263-0700 Larry, Mgr. WD4AGW Doraville, 1 min, and 61-286

OAKLAND, CA 94606 2210 Livingston St. (415) 534-5757 Rich, Mgr. WA9WYB IS-880 at 23rd Ave. Ramp

BURLINGAME, CA 94010 PHOENIX, AZ 85015

SALEM. NH 03079

SAN DIEGO, CA 92123 5375 Kearny Villa Rd. (619) 550-4900 Tom. Mor. KM6K Hwy. 163 & Claremont Mesa Blvd.

WOODBRIDGE, VA 22191 224 N. Broadway 14803 Build America Driva 1-603-898-3755 (703) 643-1063 1-800-444-4799 Paul. Mgr. NW1U (703) 643-1063 1-800-444-4799 Curtis. Mgr. W84KZL 28 miles north of Boston exit 1 1-93 Exit 54, 1-95 South to US RT 1 WALK IN STORE HOURS 10 AM-5:30 PM CLOSED SUNDAYS

VAN NUYS, CA 91411 6265 Sepulveda Blvd. (818) 988-2212 Al, Mgr K6YRA San Diego Fwy. at Victory Blvd

TOL

(FROM MOST AREA'S)
INSIDE CALIFORNIA CALL STORE NEAREST YOU

Call any of our 800 numbers coast to coast from most parts of the country...

MID-WEST/WEST 1-800-854-6046 1-800-444-7927 1-800-444-4799

SOUTHEAST

MID-ATLANTIC WOODBRIDGE, 9 to 5:30

NEW ENGLAND 1-800-444-0047



Toll tree including Hawaii. Local phone hours: 9:30 AM to 5:30 PM, Arizona, California, and Georgia customers call or visit nearest store. Arizona, California, Georgia and Virginia residents please add sales tax. Prices, specifications, descriptions subject to change without notice.

DX World

(continued from page 33)

Most likely the licensing structure is somewhat similar to Japan, with those no-code tickets restricted to VHF only. That's why you didn't see big beams.

Antique QSL department

Here is Pierre again! Only this is 55 years earlier back in 1935. Pierre Wilson, FR7BX, came on the air from Madagascar that year as FB8AD. Cam Marie, W3EPR, provided us with his old card from Pierre for a 1936 con-



tact, when he worked him signing W3ERJ.

Cam also sent us a photo sent to him by FR7BX of the locals in Tananarive



on Madagascar in 1935. From left to right we have FB8AA, FB8AB, FB8AE, FB8AF, FB8AG, and our boy Pierre, FB8AD. Tune in next month for another episode of Madagascar.

QSL routes

A35KY	-WA3HUP	CR2UW	-CT4UW
A43KM/0	-A47RS	CT0B	-CT1CWT
AM500A	-EA5BCX	DA1MF	-NW4Y
CN8GH	-K1SE	EA500A	-EA5BCX
CO2RX	-I2YAE	ED5IEE	-EA5DLD

Personalized Skywave Propagation Programs

• Skywave Hourly Predicts SKYCOM 1.1 . . . \$39.95 Apple Macintosh or IBM-PC's and compatibles

 World dayInight Maps DX WINDOW . . \$39.95 Apple Macintosh For more info call (703) 255-6600 or SASE to:

ENGINEERING SYSTEMS INC. P.O. Box 939 Vienna, VA 22183 AIRFRANCE

Here is one old-timer many of you have probably worked. From Reunion Island we have Pierre Wilson, FR7BX. He has been active for 55 years, although not from Reunion Island. Be sure to check out the Antique QSL department in this issue for more on Pierre (Photo courtesy of W3EPR).

ED9FAS	-EA9KQ	ES4RZ	-UR2RZ
EH91CH	-EA9KO	EU5O	-UO5ON
EI4VKH	-WB1EAZ	EU9A	-UC2ADX
EI5EIS/HS	-K6FO	EUØCCB	-UC1CWB
EK1NWB	-UAINEJ	EUØYL	-UC2ABC
EL2CX	-N2AU	EVIAN	-UAINEJ
EL2WK	-G3OCA	EV4AU	-UA4UBC
EM2C	-RC2AZ	EV4AW	-EA4WE
EM3AYV	-UZ3YWH	EV9AW	-RW9WJ
EM6AAK	-RW6AA	EV9AX	-UZ9XWV
EM7BKR	-UB5KW	EW5T	-UT4UWV
EM7BRN	-UB4RWW	EW6AA	-UV6AA
EN1AA	-UZ1AWA	EW6AAK	-RW6AA
EN1AM	-UA1ZX	EW8A	-UC2AHZ
EN3AP	-UA3PPF	FG5BL	-F6AJA
EN4AA	-UZ4AWB	FO5BI/P	-F6HSY
EN8TJ	-UT5CF	FT5XA	-F6ITD
EOIAAK	-UZIAXN	FT5XH	-F6GYV
EO1AOA	-UZ1OWA	FV6PAX	-F8BO
E01AZM	-UA1ZZ	GB2CCE	-GM0EFH
EO2CWO	-UC2WO	GB2IMD	-GI4WRI
E03ADS	-UZ3DXH	GB2RBC	-GM3MTH
E03ADW	-UZ3DWA	GB2STB	-СМЗМТН
EO3AEO	-RA3EK	GUØLYQ	-AA6MV
EO3AIR	-UA3IIA	H44AP	-WA2NHA
EO3AVK	-UZ3VXV		(See Note 1)
E03AWK	-UZ3WWF	H44RW	-ZLIAMO
EO4AHK	-UZ4HWA	H73A	-SMØKCR
EO5BCK	-UB4CWK	HH2PK	-N1DRS
EO5BGH	-UB4GWG	HI8LMO	-IK7AYE
EO5BIM	-UB5IJG	HS0AC	-WA4BCQ
EO5BLH	-UB4LWB	IIA	-IIRBJ
EO5O	-U050Q	I3THJ/IK3	-IK3ABY
EO6AAS	-UZ6AZR	IG9W	-IT9JKY
EO6AHG	-UA6HSN	IHSITU	-IK8DOI
EO6AHS	-UA6HRZ	IJ5ONU	-I5KKW
E09AAM	-UA9AQN	IK2GWY/IA5	
E09ACS	-UZ9CWW	IK3ABY/IL3	-IK3ABY
EO9AMO	-UA9NN	IK3HAQ/IL3	-IK3ABY
E09AQK	-UA9QCQ	IR9ITU	-IT9TQH
EOØAAK	-UZ0AWB	IX8A	-IK8HVJ
E00BK	-UB5KF	IY4FGM	-I4IKW
ER2O	-U01G00	IY8ITU	-IK8BYM
ER3W	-UA3ACF	J49BDX	-DL7MAT
ER4L	-UA4LCO	JT9C	-JT1CE
ER4LYL	-UA4LYL	JW9VDA	-LA5M
ER7L	-UL7GX	JW9ZV	-LA5M
ER9J	UJ8JCQ	JX9CAA	-LA5NM
ER0G	-UG6GAW	KA2IJ	-WB2EXR
ES2RR	-UR2RRR	KG4GD	-WD4GDQ

HI-PERFORMANCE DIPOLES
Antennas that work! Custom assembled to your center freq. ea. band * Advise ht. of center and each end * Hang as inverted "V" * Morizontal, vert dipole, stoping dipole * Commercial quality * Steinless hardware * Legal power * Notrap, high-efficiency design. Personal chack, MO, or C.O.D. (\$3)
MPD5: 80-40-2015:10M max performance dipole 97 long \$105ppp d PD5: 80-40-2015:10M max performance dipole 107 long \$105ppp d PD5: 91-90-90 max performance dipole 113 long \$125pp d PD5-11-100-80-40M PD5-10-100-80-100-100-100-100-100-100-100-1
SASE for catalogue of 30 dipoles, alopers, & space-saving, unique antennas WSINN ANTENNAS 708-394-3414
BOX 393 MT. PROSPECT, IL 60036 708-384-3414

OK8AID	-YU3AI	VP8CDK	-G3VHE
OM7JW	-OK3JW	VP8CDR	-G6ZAK
OM7LO	-OK3LO	VQ9AN	-K1VJD
OM7RM	-OK3RM	XX9KA	-JA2MNB
OM0TMO/		Y90AHC	-Y24AO
MM	-K6FO	YM5KA	-HAONNN
OX3EW	-KB5LRO	YUØSRJ	-YU1FW
P29MM	-WB1GWB	ZC4CZ	-G4SSH
P29VMS	-DL2GAC	ZD7KM	-G3JKB
P48A	-P43GR	ZD7VJ	-G4ZVJ
PJ4CR	-WB2LCH	ZD8VJ	-G4ZVJ
PQ2DX	-PY5TT	ZD8Z	-W6CF
RIATM	-UZITWW	ZKITB	-W7TB
RF6FO	-WA2NHA	ZB2/DK6AS	-DJ8MT
RK3CH	-RW3AH	ZLOAIC	-HB9AAA
RK3Y	-RA3YF	ZV7AZ	-PT7AZ
RK5CH	-RASIF -UY5XE	ZW7AB	-PS7KM
RN7N	-UAINEJ	ZW7BX	-PS7KM
RU3Y/UJ8JW		ZY2IM	-PY2IM
S79FT	-DL7FT	1A0KM	-101J
		3A3DL	
S79VD	-OH2MCN		-DL7TA
T5RR	-12JSB	3D2XV	-VK2BCH
TA5KA	-HA0NNN	3W1PZ	-RL8PZ
TA5KB	-HAONNN	3ZØA	-SP5PWK
TJ1BJ	-K4UTE	4K2YJ	-UW3TW
TJIPD	-N5DRV	4K4IA	-UA0IA
TK/DL7HZ	-DL7HZ	4N0JRT	-YU4ERT
TNIAT	-F6FNU	4U1ITU	-IIHAG
TU2UI	-WA8ZWR		(See Note 2)
TW2C	-F2CW	4U5ITU	(See Note 3)
TZ0M AR	-DJ5RT	5W1KY	-WA3HUP
TZ6BHV	-IK3GES	7J1AGW	-DL7LL
USIA	-W1AF	701AA	-9K2CS
USIN	-UAINEJ	7Q7JA	-JL11HE
V44KW	-WB2LCH	8Q7DL	-DL9BAF
V51SW	-G1IOV	9K2IC	-9K2YA
V63AY	-N0JBQ	9K2YA	-OE6EEG
VP2EOH	-K8BL	9Q5EE	-K1RH
VP2VCW	-N6CW	9Q5PL	-OE7MCJ
VP2VDX	-KT6V	9T5E	-K1RH
VP2VE	-WA2NHA	9V1YB	-OHINYP
VP5VKS	-WM2C	9Y4DG	-WA2NHA
JY5FA	-P.O. Box 24	3, Amman, JOR	DAN
T30KY		Tokaimura, JAP	
V51.P		3, Windhoek, NA	
XF3R	-P.O. Box 5-	1, 77505 Cancun	Island.
	MEXICO		
ZK2JD	-P.O. Box 37	NIUE ISLAND)
THOUSE	DO DO	m 1 ' 7 A D	4 31 01011

Notes
1. Applies for contacts made on or after May 12,

M'Beya, TANZANIA

MEXICO

4G3CI

5H3RJ

5W1KY

- 7Q7JM

7Q7LA

9K2KS

9X5NTF

6DAPAX

P.O. Box 3, Tokaimura, JAPAN 31911
P.O. Box SM217, Manilla,
PHILIPPINES

Rod, Project Kimani, P.O. Box 1751,

P.O. Box 104-016, 04300 Mexico City,

P.O. Box 30135, Lilongwe 3, MALAWI

-P.O. Box 59, Mangochi, MALAWI -P.O. Box 3181, Safat, KUWAIT

-P.O. Box 698, Butare, RWANDA

P.O. Box 3, Tokaimura, JAPAN

2. This route applies for the period June 9 and 10 only.

3. Three different routes for this one, depending upon the date in May 1990. For May 1 QSL via DK7UY, May 7 via HB9IIH and May 13 via K4IKM.

Many thanks to the following contributors: K1ZZI, W2KXB, W3EPR, W5CJZ, W6CF, N6WR, WA0GUD, UA1NDR, VK6NE, Salt City DX Association (KB6G), Western New York DX Association (KD2YP), Kansas City DX Club (AB0X), Northern California DX Club (K6ZX), Southern California DX Club (WB6PSY), The DX Magazine (VP2ML), Long Skip (VE3IPR), DX News Sheet (G4DYO), The Long Island DX Bulletin (W2IYX), Inside DX (N2AU), QRZ DX (W5KNE) and The DX Bulletin (VP2ML).

Mike Crabtree, ABØX, of the Kansas City DX Club, suggests good reading material in a book titled Advice to New DXers, by Les N. Moore. Too bad many of the multitude calling 3Y5X on Bouvet didn't read it.

Off to the races



Over 60 Amateurs participated in operations at the Vintage Grand Prix Auto Races in Pittsburgh, PA, on July 22 and 23, 1989. Under the supervision of corner captains and the chief steward, the Amateurs were stationed at various corners to report via 2M simplex on wrecks, leaking oil, etc.

Pictured here is Communications Center W3YDF. (Photo and information courtesy of W3YDF)



BOY, I DON'T KNOW WHERE THEY GET SUCH ROOR COUNTER HELP---THAT GUY DOESN'T EVEN KNOW WHICH WAY IS UP!

Amateurs assist FCC field ops

In early June the FCC Field Operations Bureau needed some known "targets" to test new direction finding gear, they called the ARRL for help. The ARRL then provided a list of Amateurs living near selected major cities.

Ultimately, the FCC was able to pinpoint target stations quite accurately. Assisting were W6BF (Los Angeles), W5OVH (El Paso), W4MI (Memphis), KAØCDN and WØIJR (Denver), KOPCK (St. Louis) and KOGA (Minneapolis).

The tests were run on June 13, using state-of-the-art gear by Zeta, using correlative interferometry techniques. The equipment, which is transportable, is able, with options, to DF anywhere between 1.5 and 1000 MHz. A bearing taken by just one unit can give an indication of location. Previous direction finding apparatus usually requires at least two cross bearings.

—The ARRL Letter



IAM-T



Mike Stone, WBQCD

Greetings fellow Worldradio subscribing ATVers, soon to be ATVers or hobby TV SWL (watcher) enthusiasts. Great News! Worldradio has added a new "HAM-TV" technical information, operating and reporting column! Thanks Armond!

Hi, I am Mike Stone, WBOOCD from Clarence, IA. First, some background about myself as column editor: I still have my Popular Electronics WPE-9HIT Shortwave Listener's license certificate (how many know what I am talking about?), proudly hanging on the shack wall since 1964. I have been a licensed Amateur Radio operator for the past 15 years, now a General class; was the last in a line of editor/owners of A5 ATV Magazine (1967-1983) and am currently co-editor and co-publisher of The SPEC-COM Journal (the official publication for the United States ATV Society). I have spent the last 12 years operating primarily in specialized communication modes, such as RTTY, FAX, Slow-Scan and Fast Scan TV and packet radio.

Computers and the Amateur UHF television "image communications" modes intrigue my interest the most these days. Fast Scan TV in particular is presently expanding, with a lot of new interest and commercial manufac-

GO MOBILE WITH YOUR H.T.! * A unique battery eliminator * HANDI—TEK Regulator allows constant hand held operation from auto DC or base supply with no NiCd drain and WITHOUT RADIO MODIFICATION! FULLY GUARANTEED. \$24.95 PPD in USA. Calif. add \$1.50 Tax. BATTERY PACK CONVERSIONS - Regulator installed in your old, dead battery pack case: \$19.95 PPD (CA add \$1.20 Tax). add \$1.20 La2.

KENWOOD - Order Model L for TH-21/31/41AT. Model KI for TR-2500,3500,2800 series. Slides on bottom of radio. Model K for TR-2400 Thru battery plug YAESU - Order Model Y for FT-207R, Wilson Fits In battery compartment. Model N for FT-203R, 208R, 2009, 730. Powered thrushes on radio battery.

209R, 727. Powered thru plug on radio bottom.

ICOM - Order Model I for all Icom (2AT/02AT). Slides on bottom of radio.

TEMPO, SANTEC - Order Model T (Simple mod). Write

HANDI-TEK

P.O. BOX 357 • PINON HILLS, CA 92372

turers entering the marketplace. HAM-TV is one of the last "pioneering" modes for most of us to conquer.

It's a real challenge to build up an Amateur TV studio and to get it going. ATV is FUN, educational and very rewarding! I like it most I guess because not everyone is doing it.

Over the next few months, I shall be giving you the basics of HAM-TV (both Fast and Slow-Scan), how to get started, what gear to build or buy, how to organize an ATV club, how to build an ATV remote transmitter or repeater system, operating tips and techniques, etc. To make this column popular and successful, Worldradio and I need to hear from you! Please feel free to write and ask your questions, send in your ATV activity reports, projects, ATV studio photos and special events. I may not be able to answer each and every letter, but if I can't, I'll route it to someone who can, that's a promise!

What is ATV? ATV is a general term used to fit both Amateur Fast and Slow Scan Television. The FCC now prefers the terminology Image Communications as mode designators.

Fast Scan TV is "live" NTSC format, 525 line black/white and color television pictures with audio sound subcarrier,* just like your favorite local VHF and UHF TV channels. FSTV signals require a much wider bandwidth than normally heard VOICE or RTTY signals (usually 6-7 MHz), unless vestigial sideband filtering is used and it operates across the country, beginning with the UHF 420-440 MHz segment of the 70 cm band and above. The average distance of a local contact is 15 to 20 miles, according to USATVS data base records. When the band is enhanced or open, distances of several hundred miles are possible, dependent upon terrain, equipment, antennas, preamps and power used. My personal best FSTV-DX is 478 miles, from Iowa to Findlay, OH.

Slow Scan-TV is rewarding also. Unlike FSTV, slow scanned still-frame images can travel the world at about 1100 Hz bandwidth (less than SSB). I was very active on SSTV in the mid-70s, before the days of color and all the confusing multi-formatted screen displays. I started the original 10M SSTV NET at 28.680 MHz, worked many overseas stations on the last

YAGIOPTIMIZER \$65

YOIr has everything you need to design and optimize HF or VHF
Yagis with up to 10 elements. YOIr automatically maximizes
forward gain and F/B, and minimizes SWR. You may choose the
tradeolf among these 3 factors. YOIr models tapered elements,
optimizes simultaneously at 3 frequencies across a band for
broadband desligns, and can scale any design to a new band.
Polar patterns are displayed and printed. YOIr is extremely fast,
and can compute several trial designs per second. YOIr is
intultive, graphical, and interactive, 8087 and extra-tast no-8087
versions both included. YOIr 1.0. \$65. Full credit toward YO 3.0,
with much more, \$130. Add 6.25% CA, \$5 oversass, U.S. check,
cash, or money order. For IBM PC, 5.25" or 3.5" disk
Brian Beezley, K6STI, 507-1/2 Taylor, Vista, CA 92084

sunspot cycle and initiated the first idea of sending SSTV from a NASA Space Shuttle (verified by Westlink/WA6ITF). We use to hand-draw our cartoonish images before transmitting them in 128 dot pixel by 128 line, eight detectable shades of gray.

Today, SSTV is much more sophisticated, with beautiful, rich color and much higher resolution! The mode has made significant advancements and technological breakthroughs. We will cover all these changes in future columns.

HAM-TV publications and equipment suppliers

The best way to get started on FSTV is to get some on-hand, available

material to read and study.

Amateur TV has only one specialty national organization looking out for its best interests. The United States ATV Society was founded in 1983. There are 74 State Section Manager and six Regional Director appointed positions. Support memberships are available without necessarily subscribing to the bi-monthly publication for just \$1 (contact Mike Donovan, KAØJAW, at 319/557-8791 for details).

The USATVS' regular publication is The SPEC-COM Journal, published and distributed by The SPEC-COM Communications and Publishing Group LTD. (P.O. Box 1002) in Dubuque, IA 52004. Each issue is usually 48-56 pages loaded with the latest in Fast and Slow Scan TV, FAX, RTTY, OSCAR, packet and computer news, projects and activity reports. You can obtain a sample issue for just \$3.50.

SPEC-COM printed over 200 specialized articles last year and looks to top that figure this year. It is judged by many in the ATV community to be the number one HAM-TV magazine here in the United States. It features a number of active and respected regular column writers/authors; KA0JAW, WB5KTL, NØIVN, W1BHD, WB7PVO, G3BVU, W9NTP, W9DNT, W8ASF, N5ITU, KAØZRO, WBOCMC, K6RFK, NOIVN, N2WT, WA4UMU, K4NHN and others. Annual subscriptions are just \$20 for six issues.

SPEC-COM also covers SSTV, FAX, RTTY and packet. Please mention that you heard about the magazine here.

Bill Fay, KAODFI, sponsors a special 24-hour national ATV Electronic Cottage computer BBS for those

Join other Amateurs - helpthe physically handicapped be Licensed Amateurs



Courage HANDI-HAM System Courage Center 3915 Golden Valley Road Golden Valley, Minnesota 55422

of you with computers and telephone modems. The number in Iowa is 319/582-3235. The board accepts 300, 1200 and 2400 baud rates at 8-N-1.

Part of the board requires paid membership. The other part having to do with Amateur Radio and ATV information is free to callers. Messages can be left, files uploaded and downloaded. There are bulletins, hundreds of programs and other goodies. Dial up and check in.

Henry B. Ruhweidel, KB9FO, of Des Plaines, IL, prints a quarterly periodical that is limited to Fast Scan TV only. In it, he republishes a lot of foreign ATV and commercial broadcast media video technical articles, some of which may be of interest to US ATV Amateurs.

Tom, W6ORG, and Mary Ann, WB6YSS, O'Hara have been making and distributing Fast Scan TV gear and equipment for many years. Their company is P.C. Electronics (see his regular ad elsewhere in this issue). His latest catalog of goodies can be obtained by writing to: 2522 Paxson Lane, Arcadia, CA 91007. He is reachable by phone during normal business hours at 818/447-4565.

Don, W9NTP, and Sue, W9YL, Miller, of Wyman Research Inc., also make some sophisticated Fast Scan TV equipment with features not found on other similar products. Send an SASE for their latest catalog: RR #1 Box 95, Waldron, IN 46182. They can be reached at 317/525-6452.

Advanced Electronic Applications recently came out with some FSTV gear featuring much needed, vestigial sideband filtering. Their new FSTV-430 transceiver is the latest in high-tech state-of-art and at Dayton this year, they introduced a new line of amplifiers and antennas. AEA has unfortunately been getting some badmouth publicity from one of its chief competitors, which has hurt initial sales. The popular Seattle-based com-



Out of State 1-800-882-1343

(213)390-8003 FAX 213-390-4393

HOURS M-F 9:00 - 5:30 SAT 9:00 - 5:00 SE HABLA ESPANOL QUICK SERVICE CENTER FOR REPAIR NEEDS

3919 SEPULVEDA BOULEVARD, CULVER CITY, CALIFORNIA 90230



HF Equipment	List	Jun's
IC-781 Super Deluxe HF Rig	\$5995.00	Call \$
IC-765 New, Loaded with Features	3149.00	Call \$
IC-735 Gen. Cvg. Xcvr	1099.00	Call \$
IC-751A Gen. Cvg. Xcvr	1699.00	Call \$
IC-725 New Ultra-Compact Xcvr	949.00	Call \$
IC-726 HF/50 MHz All Mode	1299.00	Call \$
Receivers		
IC-R9000 100 kHz to 1999.8 MHz	5459.00	Call \$
IC-R7000 25-1300 + MHz Rcvr	1199.00	Call \$
IC-R71A 100 kHz - 30 MHz Rcvr	999.00	Call \$
VHE		
IC-228A/H New 25/45w Mobiles	509./539.	Call \$
IC-275A/H 50/100w All Mode Base	1299/1399	Call \$
IC-28A/H 25/45w, FM Mobiles	469./499.	
IC-2GAT, New 7w HT	429.95	Call \$
IC-2SAT Micro Sized HT	439.00	Call \$
IC-901 New Remote Mount Mobile	1199.00	Call \$
UHF		
IC-475A/H 25/75w All Modes	1399./1599.	Call \$
IC-48A FM Mobile 25w	509.00	Call \$
IC-4SAT Micro Sized HT	449.00	Call \$
IC-4GAT, New 6w HT	449.95	Call \$
IC-04AT FM HT	449.00	Call \$
IC-32AT Dual Band Handheld	629.95	Call \$
IC-3210 Dual Band Mobile	739.00	
IC-2500A FM, 440/1.2 GHz Mobile	999.00	Call \$
IC-24AT New 2m/440 mini HT	629.95	Call \$
IC-2400 144/440 FM	899.00	Call \$
220 MHz		
IC-3SAT Micro Sized HT	449.99	Call \$
IC-375A All-Mode, 25w, Base Sta.	1399.00	Call \$

KENWOOD TS-950SD



HF Equipment	List	Jun's
TS-950SD New Digital Processor HF	\$4399.95	Call \$
TS-940S/AT Gen. Cvg. Xcvr	2499 95	Call \$
TS-440S/AT Gen. Cvg. Xcvr	1449.95	Call \$
TS-140S Compact, Gen. Cvg. Xcvr	949 95	Call \$
TS-680S HF Plus 6m Xcvr	1149.95	Call \$
TL-922A HF Amp	1982.95	Call \$
Receivers		
R-5000 100 kHz - 30 MHz	1049.95	Call \$
R-2000 150 kHz - 30 MHz	799 95	Call \$
RZ-1 Compact Scanning Recv.	599.95	Call \$
VHF		
TS-711A All Mode Base 25w	1050.05	0-110
TR-751A All Mode Mobile 25w	1059 95	Call \$
TM-231A Mobile 50w FM (459.95) Call	669.95	Call \$
TH-225A New 2m HT		price!
TH-26AT Compact 2m HT	399.95	Call \$
TM-731A 2m/70cm, FM, Mobile	369.95	Call \$
==.=	749.95	Call \$
TM-701A 25w, 2m/440 Mobile	599.95	Call \$
TH-75A 2m/70cm HT	TBA	Call \$
UHF		
TS-811A All Mode Base 25w	1265 95	Call \$
TR-851A 25w SSB/FM	771.95	Call \$
TM-431A Compact FM 35w Mobile	469.95	Call \$
TH-46AT Compact 440 FM, HT	399.95	Call \$
TH-45AT 5w Pocket HT NEW	389.95	Call \$
TH-55 AT 12 GHz HT	524.95	Call \$
TM-531A Compact 1.2 GHz Mobile	569.95	Call \$
220 MHz		
TM-3530A FM 220 MHz 25w	519 95	Call \$
TM.331A Compact Mobile	460 05	Calls

YAESU FT-1000D



HF Equipment	List	Jun's
FT-1000D Top Performer	\$4399.00	Call \$
FT-747 GX Economical Performer	889.00	Call \$
FT-757 GX II Gen. Cvg. Xcvr	1280.00	Call \$
FT-767 4 Band New	2299.00	CallS
FL-7000 15m-160m Solid State Amp	2279.00	Call \$
Receivers		
FRG-8800 150 kHz - 30 MHz	784.00	Call \$
FRG-9600 60-905 MHz	808.00	Call \$
VHF		
FT-411 New 2m "Loaded" HT	406.00	Call \$
FT-212RH New 2m, 45w Mobile	499 00	Call \$
FT-290R All Mode Portable	610.00	Call \$
FT-23 R/TT Mini HT (351.00) Call	for specia	price!
UHF		
FT-712RH, 70cm, 35w Mobile	536 00	Call \$
FT-811 70cm built-in DTMF HT	410.00	Call \$
FT-790 R/II 70cm/25w Mobile	681.00	Call \$
VHF/UHF Full Duplex		
FT-736R, New All Mode, 2m/70cm	2025 00	Call \$
FEX-736-50 6m, 10w Module	294.00	Call \$
FEX-736-220 220 MHz, 25w Module	322.00	Call \$
FEX-736-1.2 1.2 GHz, 10w Module FT-690R MKII, 6m, All Mode, port	589.00	Call \$
	752 00	Call \$
Dual Bander	000.00	
FT-4700RH, 2m/440 Mobile FT-470 Compact 2m/70cm HT	996 00	Call \$
F1-470 Compact 2m/70cm H1	576.00	Call \$
Repeaters		
FTR-2410 2m Repeaters	1154 00	Call \$
FTR-5410 70cm Repeaters	1154.00	Call \$
Rotators		
G-400RC light/med duty 11 sq ft	242 00	Call S
G-800SDX med /hvy, duty 20 sq. ft.	390.00	Call \$
G-800S same/G-800SDX w/o presets	322 00	Call \$



529.95 Call \$

IC-12GAT Super HT

Heath

TH-315A Full Featured 2.5w HT

HW2P 2m/440 MICRO-DELUXE HANDHELD Call for Special Price! Call About The Complete Line Of Pre-assembled And Kit Form Amateur Equipment



419.95 Call \$

AUGUST SPECIALS

IC 228H \$539 \$399.95
IC 448A \$599 \$489.95
IC 2SA \$419 \$289.95

pany has been attacked and criticized (mainly by one individual) about the questionable need for VSB filtering (a highly recommended suggestion from the FCC and ARRL) and some other features which admittedly adds cost to each unit, but offers some very attractive features as well.

I have been asked by publisher Armond Noble to give my personal comments on this situation. In my opinion, it is very unprofessional to criticize others' obvious accomplishments with off the cuff comments against those who design and engineer proven, improved and proper TV transmit circuits. AEA has taken bold leadership in helping to clean up and protect the wideband video mode on an already very crowded 70 cm band. It is interesting to note that the chief complainer does not offer such circuitry in his own units. It is important that we do not lose AEA as a major manufacturer of HAM-TV gear. We need to support them more by buying and recommending their products. I am afraid a jealous few just might be selfishly blowing some pretty exciting future growth in new ATV interest.

Get AEA's latest brochure catalog by writing to corporate headquarters at 2006-196th Street S.W., Lynnwood, WA 98036; or call 206/775-7373.

Steve Franklin, WB5KTL, is raising a few eyebrows in the ATV community with a vastly superior new Fast Scan TV system called the CU-125. A product review of this system was published in the May/June 1990 issue of SPEC-COM (by W9DNT) and in the September/October 1990 issue by NØUVB. Contact Steve at T.D. Systems, 2420 Superior Dr., Suite B, Tantego, TX 76013.

Henry Radio outlet locations handle



Harry Tootle, WB7PVO, at TV33 LPTV station in Tulsa, OK

a very good working high-gain, lownoise, mast-mounted preamp (Landwerr from Germany) used by many ATVers on 430 MHz. Contact them at 2050 South Bundy Dr., Los Angeles, CA 90025; 800/421-6631.

Don Fuller, W2WHK, at Pauldon Associates, 210 Utica St., Tonawanda, NY 14150, has a fine line of 900 MHz and above microwave circuits for preamps, amplifiers, switches, etc. Send two 25¢ stamps or 50¢ for their

latest catalog sheets.

Mike Donovan, KAØJAW, at SPEC-COM, contacted me just before this column went to press and he has made a "special offer" to those Worldradio subscribers who have not yet been on ATV. He says he has a limited quantity of their 1988/89 North American ATV Directories left. I have one of these books and it is quite informative. It has 64 pages all about FSTV, including an ATV/Repeater and Club Directory. This would be great for you newcomers to find out who in your area is actually

They sold for \$5.95 each. Orders

'on-the-air" on UHF FSTV.

received for the next month wi "WR" printed boldly on the outside the envelope will get these books for discounted \$3.95 each (please add for postage)! YOU MUST HAY "WR" PRINTED ON THE OU SIDE OF YOUR ENVELOPE to this special reduced price. That Mike.

There are hundreds of ATV repe ers and remote transmitters now operation around the country. Ma feature direct NWS color radar vic input feeds. Quite a few are expendenting with FM higher contrast' signals. This August is yet another nual USA FSTV Contest sponsored the USATVS (details available — se an SASE to SPEC-COM).

Does all this HAM-TV stuff sou interesting? All you need is an inexp sive down-converter to watch and a started (a built-up unit can be obtain for under \$100, kits for under \$5 Some cable ready and low end tuni (UHF) TV sets already have t capability of viewing local near FSTV signals without a down-conveer.


Send me a legal sized SASE and send you more information on just h to get started on Fast Scan TV! Let hear from you and what is going on not going on) in your area. If you'll seeme ATV club membership lists (name call signs and addresses) and information about your ATV group, cland/or repeater, I'll get KAØJAW bulk-mail some FREE sample issues The USATVS Journal publication More specifics about HAM-TV to coin your next issue of Worldradio, don't touch that dial and "stay tuned de WBØQCD 73s.



Call Sign Jewelry Shows Your Prid



14 Karat Gold jewelry with yo Call Sign. Collar pins, neckle tie pins, levalieres, charms. Amateur Radio Operator Ring too. Look great! High Qualit Send for free Information: KB2MB, H&M Jewelry Co., 26 Edgecomb Road, Blinghamton New York 13905.



You have to admit there is a lot of discussion in the media these days concerning "conventional wisdom." The only trouble is that it seems to be in a state of continual flux, varying about as fast as the pace of political events.

For HF propagation, however, things are more settled, the word "conventional" being replaced by "common." Thus, WWV broadcasts frequently alert us about the possible effects of geomagnetic storms, satellite proton or polar cap absorption events which are in progress, and we just nod our heads in a knowing, even understanding way.

But there was a time, not too far back, when today's "common wisdom" was little known nor even understood. Polar cap absorption events are a case in point, so let's focus on them for a while.

PCAs, as they're called, make themselves known to us by the fact that DX signals coming over the polar caps, say from the Orient to the East Coast or from Europe to the West Coast, drop out for a period of time, say hours or days, due to large increases in D-region absorption at high latitudes. In the early days of HF radio, those events were termed "polar radio blackouts" and about all the operators could do at the time was just "sit them out," sometimes waiting days for the bands to recover.

When it comes to HF radio nowadays, we're in about the same condition; however, we can tolerate the inconvenience a bit better, as we have some understanding of the situation. In this case, I'm not saying that knowledge is power, but at least at the present time it provides some degree of comfort.

But going back to earlier times, say on occasions when life and limb were in peril at high latitudes or military fortunes depended on HF communication, it would have been an entirely different story.

So when did all this fall into place? When did polar radio blackouts become upgraded to present-day PCAs and take a place of their own in our "common wisdom"? To answer those questions, let me tell you something of the history of PCAs.

As we know now, polar cap absorption events result from the bombardment of the polar caps by solar protons, which are energized during a flare. Before I go any further, however, let me digress to clarify one important point: With PCAs we're talking about the GEOMAGNETIC polar regions, physically different and displaced from the polar caps defined by geographic coordinates. I say that as the arrival of solar protons and other charged particles at the Earth's ionosphere is governed by the Earth's field.

So moving ahead, not all solar flares produce proton events which are large enough in energy or numbers of particles to disrupt HF propagation, but it is not uncommon for that to happen

with the larger flares.

Historically, to pull the pieces together and solve the puzzle, it was necessary to draw on several sources of information: Solar astronomy, HF propagation studies and cosmic ray physics. Now, as you know from the fact that we're into Solar Cycle 22, some aspects of solar physics, like sunspot counts, go back as far as the year 1750; however, systematic reporting or surveys of solar flares didn't get underway until about 1936. And, having just gone through the Golden Jubilee Year of DXCC, you know that radio Amateurs have been serious DXers for quite a while, certainly aware of changes or disruptions in propagation for more than 50 years. Others, working in one profession or another, have followed HF propagation as well.

While observational material has been available on a reasonably continuous basis in recent times from both astronomical and radio sources, the crucial factor in untangling the mystery of polar blackouts came from the field of cosmic ray physics. There, the problem was technological in nature, early cosmic ray observations being restricted to the earth's surface, under an absorbing layer equivalent in thickness to about 10M of water. Thus,



the search for cosmic rays coming from the sun was limited to events where the radiation would be extremely energetic

or penetrating.

The presence of cosmic rays of solar origin was not established until two such events were found in 1942, on Feb. 28 and March 7, in the records of sea-level instruments located in Maryland. Oddly enough, the observation of those two events, just seven days apart, was fortuitous in the extreme, as further studies over several decades have shown that the average time between events at sea level is more like seven years rather than seven days! Amazing!

As luck would have it, however, the solar flares at the times of those two cosmic ray events were clearly recorded, the first flare being observed by optical means. The second flare was noted through the magnetic "crochet," or signature, it placed on magnetograms on the sunlit side of the earth, the UV light and x-rays emitted at the time of the flare serving to enhance ionospheric currents and putting a "glitch" on the traces of magnetograms at the time of the flare.

As you can tell from the dates involved, the two solar flare events occurred during WW II, indeed at a time when the military fortunes of the Allies were near an all-time low. It's not clear at this point just how much effort the United States was putting into HF propagation at that time, having its hands full with matters of recovery from the Pearl Harbor attack and entry into the larger conflict.

In Britain, there were problems too, the British experiencing a strange new jamming of VHF fire-control radars for their anti-aircraft batteries, and that probably claimed more of their atten-



Box 6159 • Portsmouth, VA 23703

tion than HF propagation problems. It's interesting to note, however, that the VHF problem proved to be of solar, not enemy, origin, with solar radio noise bursts being the cause of the

"jamming."

But the Germans had an ionospheric and communication service at the time and after their occupation of Norway in 1940, it included radio links northward from Oslo (60 deg geomag lat). Anyway, on those paths, a long duration radio blackout was noted during the period of the flare events in 1942, the D-region ionization from the solar protons absorbing the radio wave going northward from Oslo.

After the end of WW II, those and similar observations started to appear in the scientific literature, first about long-duration ionosonde blackouts and then a few additional cosmic ray intensity increases associated with large solar flares. But the event that captured everyone's attention was the HUGE solar flare of Feb. 23, 1956 - in that event, solar proton energies were almost 10 times greater than ever recorded before and anomalous propagation conditions were observed all the way from the equator to the poles, from the VLF to the VHF ends of the spectrum.

Thus, with those observations in the literature, all the pieces were in place and the present-day interpretation emerged very quickly from the subsequent discussion. Indeed, as further investigations would show, solar proton events are found to be present more often than previously suspected, observations at high altitudes from balloons, rockets and satellites showing the frequent presence of solar protons during times of high solar activity; that solved the problem of long blackouts of ionosondes and communication paths which were noted earlier.

So where are we at this point in time? As I indicated earlier, we now hear about presence of solar protons as a matter of routine from WWV broadcasts. But the folks at NOAA distinguish between two distinct categories - solar proton events and polar cap absorption events. The difference is largely one of degree, the term "satellite proton event" really meaning that solar protons have been observed by particle detectors at satellite altitudes after a

solar flare; when the energy and flux of the protons are great enough to penetrate to and increase the ionization of the D-region of the polar ionosphere, NOAA then reports it as a "polar cap absorption event," using observations of galactic radio noise on 30 MHz from Thule, Greenland (89 deg geomag lat). Typical figures for polar cap absorption at Thule are in the range of 1-10dB; note, however that's for a vertical path through the

monly used for DXing.

thing to which you can relate with your experience on the low bands. In short, D-region absorption really takes place only in the presence of sunlight, just like on 3.5 MHz. At night, in the polar regions or elsewhere, chemistry dictates that the offending electrons which give rise to the additional absorptions during the daytime hours will attach themselves to heavier molecules, say oxygen, and then be rendered harmless to passing RF signals.

So, if the sunspot number is great enough, your MUF program showing that DX propagation would be supported during hours of polar darkness, you might just get to hear signals on those paths across the polar cap, PCA event or otherwise. Indeed, if you can hear them, you should be able to work

Oh yes, one last thing that I forgot to mention: Solar flares that give rise to

ionosphere. I don't like being the bearer of bad news, but the circumstances of what I've just put before you could prove to be even worse, perhaps by a factor of three or so, for signals going across the polar cap at the low radiation angles of a typical DX path. Now add to that the fact that absorption goes as the inverse-square of the operating frequency, about four times greater on 14 MHz than on 28 MHz, and you can see something of the adverse effect of such events on the bands which are com-

But I do have some good news, some-

WD4BUM'S 1/4 WAVE 2 METER MAG. MOUNT CAT# **ANTENNA** M-300 ONLY \$15.00 Complete with strong black powder coated magnet & 15' RG58 coax. A PL259 is installed. FREE interchangeable whips for 220 and 440 MHz are included. SEND CHECK, M.O., VISA OR MC TO: LAKEVIEW COMPANY, INC. Route 7, Box 258 Anderson, SC 29624

1-803-226-6990 Add \$4.00 for shipping & handling

South Carolina residents add sales tax

Catalog available · Dealers welcome

PCA events are quite likely to produce magnetic storms as well, the typical delay time between a flare and the onset of a storm being roughly 20 to 40 hours. So you will have some time to work DX on the bands after a flare is reported on WWV, but you may have to "sit it out" once again when the magnetic storm sets in, just like they had to do in the early days.

You didn't want to hear that, but in our roles, writer to reader, I have to tell it to you just like it is, almost nothing held back. Well, actually, there are more details on PCAs and magnetic storms, but we'll have to get to them

another time.

Amateur honored

The Satellite Broadcasting Communication Association, of Alexandria, VA, has announced that the recipient of the Satellite Dealer Of The Year Award will be Bob Heil, K9EID, of Heil Sound in Marissa, IL.


The award states, "For your outstanding and personal efforts toward the continued growth of the satellite television industry therefore providing for all to see that you are truly a Dealer For A New Decade."

Dave was nominated by the Superstar Connection, a leading programmer for the home satellite industry. The award was given at the recent SBCA convention of 6,000 home TVRO dealers.

Bob is the founder and president of Heil Sound Ltd., manufacturers of specialty audio products for the entertainment and Amateur Radio industries, as well as TVRO dishes and SCPC receivers.



THE HAT BELONGS TO THE XYL -- I FOUND THAT THE PHONY FLOWERS MAKE A NICELY PHASED ARRAY ON 220!





Lustre white one color lnk 1,000 — \$32.95 7 N3AHA Lustre white two ink colors 1,000 — \$32.95 Lustre white two ink colors 1,000 — \$39.95 Add \$3.50 shipping U.S., \$7 DX inks - Black, red, green or blue. DX Style, State Map & County, Photo & Custom QSLs. Send your art for free quote.

Mobile Bureau Press, P.O. Box 6436-W, Florence, SC 29502

Visit Your Local RADIO CLUB

For information on how to get your club listed in "Visit Your Radio Club," plus receive many other benefits, write to Club Liaison, Worldradio. 2120-28th Street, Sacramento. CA 95818.

ALABAMA

Montgomery Amateur Radio Club (W4AP). Alabama State Trooper Dist. Office. Intersection of Coliseum Blvd. & Federal Dr. Fred Springall, KB4EGH, (205) 288-5831. Meets 3rd Mon./monthly, 7:00 p.m.

ALASKA

Arctic Amateur Radio Club. Geophysical Institute West Ridge U of A, P.O. Box 81389, College, AK 99708. 1st Fri./monthly, 7:30

ARIZONA

Cochise Amateur Radio Assn. Meets 1st Mon./monthly, 7:30 p.m. Located 3 mi. East of Sierra Vista and 3 mi. South of HWY 90 on Moson Rd., Sierra Vista, AZ. Net each Thur, at 7 p.m. on 146,16/76, Further info call Rich (602) 458-3928.

Tucson Repeater Assoc., P.O. Box 40371, Tucson, AZ 85717-0371. 2nd Sat./monthly, 7:30 p.m., Pima Co. Communications Bldg., 2545 E. Ajo. Net Thurs. 7:30 p.m. 146.22/82 (146.88-, 147.08+, 145.01s & 15-PKT), 448 550-

Western Arizona Radio Club. Meets 2nd & 4th Thurs./monthly, 7:30 p.m., First Baptist Church, 1700 Palma Rd., Bullhead City, AZ. Net Tues. 7 p.m. on 147.12 + 600. Info call Dave Adams, W6DRM, (602) 758-5171.

CALIFORNIA

Amador County Amateur Radio Club. P.O. Box 1094, Pine Grove, CA 95665. Senior Box 1094, Pine Grove, CA 95665. Senior Citizens Center, Jackson, CA. Meets: first Thur./monthly, 7:30 p.m. WA6WIY Rptr., 146.835, 146.235. Net Tues. 7:30 p.m. Amateur Radio Club of El Cajon, (WA6BGS). P.O. Box 50, El Cajon, CA 92022. Meets 2nd Thur./monthly, 7:30 p.m. at Buck Knives, 1900 Weld Ave., El Cajon, CA. Club Rptr. 147.675 (;); Nets Sat. & Wed. 7 p.m. on 147.570 simplex. Info (619) 698-6644.

Associated Radio Amateurs of Long Beach, W6RO. P.O. Box 7493, Long Beach, CA 90807. Meets: 1st Fri./monthly, 7:30 p.m. Signal Hill Recreation Hall, 1708 E. Hill St., Signal Hill, CA.

Butte Amateur Radio Club. Meets 1st Fri./monthly, Loma Vista School, 8:00 p.m. Marigold and East Avenue, Chico, CA. For

Manigoti and East Avenue, Chico, CA. For info KE6EP or KB6COH, 893-5208.

Contra Costa Communications Club WD6EZC/R. P.O. Box 661, San Pablo, CA 94806. Meets 2nd Sun. at 9:00 a.m. Hickory Pool Pool Pool Pool Pool Pool Pool Post Restaurant/Lucky Lanes. For info call Don K6DPQ, (415) 222-2449.

Downey Amateur Radio Club. 12708 Glynn Ave., Downey, CA 90242. Meets 1st Thur./monthly, 7:30 p.m., South Middle School, 12500 S. Birchdale, Downey, CA. Weekly nets Thurs. - except 1st, 7:30 p.m. 144.930 (S) Voice - Tues., 8:00 p.m. 145.700 (S) RTTY.

East Bay Amateur Radio Club. P.O. Box 1393, El Cerrito, CA 94530. Meets: 2nd Fri./monthly 8 p.m., Salvation Army, 4600 Appian Way, El Sobrante. Nets: Slow CW, Wed., 8 p.m. & SSB Net, Wed., 9 p.m., 21.395. Info, Bob Fields, KC6AOH.

The Electronic Museum ARC. Meets 1st Fri./monthly, 7:30 p.m., Electronic Museum at Foothill College, Los Altos, CA 94022. Call-in 145.27/145.67.

Escondido Amateur Radio Society (E.A.R.S.). Meets 4th Thurs./monthly, 7:30 p.m., New Life in Christ Church, 300 N. Broadway, Escondido, CA 92025, Info Net Sundays, 8:00 p.m., 146.88 (-) or 743-4212. Fresno Amateur Radio Club, Inc. P.O. Box 783, Fresno, CA 93712. Meets 2nd Fri./ monthly, 8:00 p.m., Manchester School, 2307 E. Dakota, Fresno, CA. W6TO/R 146.34/94.

Fullerton Radio Club, Inc. W6ULI. P.O. Box 545, Fullerton, CA 92632. Meets: 3rd Wed./monthly, 7:30 p.m., Sr. Citizens Center, 340 W. Common Wealth, Fullerton.

Center, 340 W. Common Wealth, Fullerton. Net: ea. Tue., 8 p.m. 147.495 simplex. Info, Gracie Hastings, N6FSL (714) 990-9203. Gabilan Amateur Radio Club GARC. P.O. Box 2178, Gilroy, CA 95020-2178. Meets: South Valley Jr. High School, 385 I.O.O.F. Ave., Gilroy. 2nd Thur./monthly. 7:30 p.m. Talk-in 145.47/144.87.

Golden Empire Amateur Radio Society (VEC). P.O. Box 508, Chico, CA 95927. Club call W6RHC, Repeater 146.25/85. Meets: 3rd Fri./monthly, 8 p.m. at 1528 Esplanade, Room 110B, Chico.

Hilltop Amateur Mastertie System (HAMS). Informal mtgs. weekly/Mon. 5 p.m. at Shakey's Pizza, 12924 Washington Blvd., Mar Vista, CA, except 3rd Mon. Call for location. Info, N6FD 213/823-0767.

Kern River Valley Amateur Radio Club. P.O. Box 2611, Lake Isabella, CA 93240. Meets 4th Sat./monthly at 4 p.m. (Pot Luck). Veteran's Hall, Lake Isabella WB60DZ Rptr. 224.50 down 1.6 low-level, 144.50 simplex Livermore Amateur Radio Klub, (LARK). Meets 3rd Sat./monthly, 9:30 a.m., City Council Chamber, 3575 Pacific Ave., Liver-more, CA. Net Mon. 1900 on 147.12+. Elizabeth Zalaznik, KB6DLT, (415) 455-0361. Marin Amateur Radio Club (MARC) W6SG. Box 1231, San Rafael, CA 94901. Meets 1st Fri./8 p.m.; MARC Clubhouse Bldg. 549, HAFB, Novato, CA (415) 883-9789 (Summer exceptions; contact Pete N6IYU, 924-1578). Sun. AM Club at Red Cross, San Rafael. Moreno Valley Amateur Radio Assoc. P.O.

Box 7642 Moreno Valley, CA 92303. Meets 4th Mon./monthly 7 p.m., Park & Rec. Bldg., 13671 Frederick Ave. Net: Tues. 8 p.m. 146.655- (PL 1A) & 224.460- Info: Larry KA6GND (714) 656-1643.

Mount Diablo Amateur Radio Club. P.O Box 23222, Pleasant Hill, CA 94523. Meets: 3rd Fri./monthly, 8 p.m., Grace Presbyterian Church, 2100 Tice Valley Blvd., Walnut Creek, CA. Net Thur., 7:30 p.m. 147.06 + . Info, Vicki, (415) 458-4527.

North Hills Radio Club. P.O. Box 41635, Sacramento, CA 95841. 3rd Tue./monthly, 7:30 p.m., Carmichael Elks Lodge, 5631 Cypress Ave., Carmichael, CA. Net 145.19

Thur. at 8:00 p.m.

North Shores ARC. (619) 272-1409 So. Clairemont Recreation Center, 3605 Claire mont Dr., San Diego, CA. 1st Tue./monthly, 7:30 p.m.

Radio Amateur Mobile Society. P.O. Box 214091, Sacramento, CA 95821-10091. Meets 2nd Tue./monthly, 7:30 p.m., Carmichael Elks Lodge, 5631 Cypress Ave., Carmichael, CA. Net Saturday a.m., 224.84 at 8:30 & 146.79 at 9:00.

River City A.R.C.S. Meets: 1st Tue./monthly, 7 p.m. SMUD Bldg., Room B & C, Elkhorn & Don Julio, Sacramento, CA. For info: (916)

Riverside County Amateur Radio Assoc. c/o Hiverside County Amateur Radio Assoc. C/o County Emergency Services Div., 4080 Lemon St., Ste. 8, Riverside, CA 92501. Meets: 2nd Thur./monthly, 7:30 p.m., Riverside County Office of Ed., 3958 12th St. Nets: Mon., 7:15 p.m., 222.860/224.46 and 7:30 p.m., 146.28/88. Info, call Mike Burton, N6KZB, (714) 682-6212. Sacramento Amateur Radio Club. Contact: Gary Bryant, KB6KZZ, (916) 646-1171. Meets Sacramento Blood Bank, 32nd St. & Stockton Blvd., Sacramento, CA, 2nd Wednesday/monthly, 7 p.m.

Sacramento "Old Timers" Ham Radio Brkfst. Club and Sacramento Valley Chapter #169 QCWA (Quarter Century Wireless Assn.). Meets 2nd Wed/monthly, 8 a.m., Lyon's Restaurant, 1000 Howe Ave. For info contact Paul Wolf, W6RLP (916) 331-1830.

San Gabriel Valley ARC. P.O. Box 88, Monrovia, CA 91017-0088. Meets 1st Tues./monthly, 7:30 p.m. (except Dec.) at Bowling Green Clubhouse, 405 S. Santa Anita Ave., Arcadia, CA 91006. W6QFK, Rptr. 147.165/765.

Santa Clara County Amateur Radio Assoc. (SCCARA) W6UW & W6UU. P.O. Box 6, San Jose, CA 95103-0006. (408) 249-6909. Meets: 2nd Mon/monthly, 7:30 p.m. at Agnews Developmental Center Aud., corner of Circle Dr. & Palm Dr., Santa Clara. Net all other Mon., 7:30 p.m. W6UU/R 146.385 + PL 100.0 / 442.425 + PL 107.2

Santa Clara Valley Rptr. Society (SCVRS) P.O. Box 2085, Sunnyvale, CA 94087. (408) 247-2877. 146.76 (–600 kHz), 224.26 (–1.6 MHz), 444.60 (+5 MHz). 2 meter/220 net Mon. 9 p.m. Mtgs.-3rd Fri.

Shasta Cascade Amateur Radio Society (SCARS) P.O. Box 664, Anderson, CA 96007 Meets: 3rd Wed./monthly, 7 p.m. at the C.D.F. Conf. Rm., Grape St., near Parkview Ave., Redding, CA. Net 146.64, Wed., 8 p.m.

Sierra Foothills Amateur Radio Club. P.O. Box 3262, Auburn, CA 95604. Meets: 2nd Fri./monthly at Auburn Fire Station, 226 Sacramento St., Auburn, CA. Nets 7:30 p.m. Tue. 28.443 MHz, Thur. 145.43 MHz link with 223.86 MHz.

Simi Settlers Amateur Radio Club. P.O. Box 3035, Simi Valley, CA 93063. Meets: 2nd Thur./monthly, 7:30 p.m., at Seventh-Day Adventist Church, 1636 Sinaloa, Simi Valley. Rptr. 147.93/33.

Solano County Amateur Radio Society. P.O. Box 457, Fairfield, CA 94533. Meets: 3rd Wed. 7:30 p.m., Vanden High School. 441.150+5 (Remote 145.69 simplex) PL 77Hz, (707) 448-1461.

Southern California Amateur Transmitting Society, SCATS, WB6LRU. P.O. Box 1770, Covina, CA 91722. Meets 1st Mon./monthly, Community Presbyterian Church, 540 E. Vine St., West Covina, CA. Net, Sun., 7 p.m. 147.765 – , W6QFK/R. Classes. Contact: Pat McNulty, N6GXZ (714) 622-8315.

Southern California Six Meter Club. P.O. Box 10441, Fullerton, CA 92635, USB Net Tue., 8 p.m., 50.150 and 8:30 p.m., 28.400. FM Rpt. Net Wed., 7 p.m., 52.18/98 and Thur., 8 p.m., 52.28/88. FM Smplx call freq.

Southern Humboldt Amateur Radio Club. (SHARC). P.O. Box 701, Redway, CA 95560-0701. Meets 4th Mon./monthly. 8 p.m. SHARC Clubhouse, Garberville. Rptr. 146.19/79. Info (707) 923-2373.

Stanislaus Amateur Radio Assoc. (SARA). P.O. Box 4601, Modesto, CA 95352. Stanislaus Co. Administration Bldg., 12th & H Streets, 3rd Tues./monthly, 7:30 p.m. 145.39 MHz WD6EJF, 223.68 MHz.

The Trinity County ARC. P.O. Box 228, Weaverville, CA 96093. Meets 2nd Wed./monthly, at the CD Hall in Weaverville, 7:30 p.m. WA6BXN Rptr. 146.13/73.

Tri-County Amateur Radio Assoc. P.O. Box 142, Pomona, CA 91769, Meets: 2nd Mon./monthly, 7:30 p.m., 703 N. College Way, "The Faculty House," (lower level), Claremont, CA.

United Radio Amateur Club K6AA, L.A. Maritime Museum, Berth 84, Foot of 6th St. San Pedro, CA 90731. Meets 3rd Fri./monthly except Dec., 8:00 p.m. Talk-in 145.58 Simplex.

Vaca Valley Radio Club Inc. Meets 2nd Wed./monthly, 7 p.m. at Vacaville Fire Dist. Station, 420 Vine St., Vacaville, CA. Net: WX6F club net every Tues., 7:30 p.m. 147.475/146.475 rptr. (1MHz split) PL removed during nets.

West Coast Amateur Radio Club. Fountain Valley School. Talbert/Bushard. Fountain Valley, CA. Meets 3rd Thur./monthly. 145.44-42.

Western Amateur Radio Assoc. Meets 1st Tues./monthly, 7:00 p.m., Cerritos Park East, 166th St. and Carmenita Ave., Cerritos, CA. Rptr., N6ME 145.400-/224.180MHz.

Westside Amateur Radio Club, Meets 3rd Thurs./monthly, 7:30 p.m., Santa Monica Red Cross, 1450 11th St., Santa Monica, CA. Info Net every Tues., 8 p.m., 146.670, -600.

West Valley Amateur Radio Assoc. 18011 Saratoga — Los Gatos Road, Los Gatos, CA 95030. Meets: 3rd Wed./monthly, 7:30 p.m. W6PIY/R. Net Tue., 8:30 p.m., 147.39 + , 223.96 -

Yucaipa Valley Amateur Radio Club (YVARC). Meets 3rd Mon./monthly, 7:30 p.m. Far West Savings & Loan Community Rm., 1195 Calimesa Blvd., Calimesa, CA 92320. Pres: Don Ames W6RTM, (714) 795-5743.

CONNECTICUT

Tri-City ARC. Groton Public Library. Route 117, P.O. Box 686, Groton, CT 06340. Meets: 2nd Tue./monthly. 7:30 p.m.

FLORIDA

Gulf Coast ARC, Inc. P.O. Box 595, New Port Richey, FL 34656. Meets 4th Mon./monthly, 7:30 p.m., Colonial Hills Civic Ctr., 87 Peacock Dr., New Port Richey. WA4GDN Rptr. 146.67/.07.

Indian River ARC, Inc. (IRARC). 597 Capri Rd., Cocoa Beach, FL 32931. Martin Andersen Senior Center, 1025 S. Florida Ave., Rockledge, FL. Meets: 1st Thur./ monthly, 7:30 p.m.

South Brevard Amateur Radio Club. P.O. Box 2205, Melbourne, FL 32902. Meets 1st Tue./monthly, 7 p.m., Melbourne Public Library, 540 Fee Ave., Melbourne, FL.

West Palm Beach Amateur Radio Club, Inc. P.O. Box 6834, Southboro Station, W. Palm Beach, FL 33405. Meets: 2nd Tue./monthly, 7:30 p.m., Palm Beach Emergency Op. Cntr., 3723 Belevedere Rd., W. Palm Beach. Info: Jeff, WB2OUK, 586-5120, Henry, WA4HXZ, 655-4632 or Hyacinth, N4QWN, 848-0513.

GEORGIA

Dalton Amateur Radio Club (DARC). P.O. Box 143, Dalton, GA 30722-0143. Meets 4 Mon./monthly, 7:30 p.m., Dalton College Voc. Tech. Bidg., Dalton, GA. Info net: Sun. 9:30 p.m., 145.230 MHz; Wed. 9 p.m., 147.135

HAWAII

Big Island Amateur Radio Club. P.O. Box 1938, Hilo, HI 96721-1938. Meets: 2nd Tue./monthly, 7:00 p.m., Helco Auditorium, 1200 Kilauea, Hilo. Talk-in on 146.76(-).

ILLINOIS

Amateur Cross Link Repeater. 10, 6, 2 mtrs., 220, 440, 900, 1.2 MHz, ATV. Meets: 1st Sat./monthly, 7:30 p.m. Info: net Sun., 8 p.m., 147.225 MHz. KD9FA Rptr./Chicago.

Bolingbrook Amateur Radio Club, Meets Bollingbrook Almateur Haulo Club, Meets 3rd Mon./monthly, 7:30 p.m., Bollingbrook Pk, Dist. Rec. Ctr., Briarcliff Rd., Bollingbrook, IL. Info net Thursdays, 8 p.m., WD9AKO/R 147.33 MHz + .600 and WA9DIP/R 224.54 MHz - 1.6. Info hotline (708) 759-7005. ARRL affiliated club.

Central Illinois Radio Club, W9AML. Meets 4th Wed./monthly, 7:30 p.m. (from Sept. to May), McLean Co. Law & Justice Center, ESDA Rm., Bloomington, IL. Club Rptr. 146.94 - 600kHz.

Chicago Amateur Radio Club. Founded 1926. Meets 1st and 3rd Wed./monthly on Northside of *Chicago*, 7:30 p.m. Info call (708) 869-HAMS or (312) 545-3622.

Dupage Amateur Radio Club W9DUP. Mid-America Savings & Loan, 55th & Holmes (55th St. near RT 83), Clarendon Hill, IL. 4th Mon./monthly, 7:30 p.m. Club rptr. 145.250 - 600 kHz.

Elgin Amateur Radio Society. P.O. Box 1351, Elgin, IL 60120. Meets in EOC Rm. of Elgin Municipal Bldg. 2nd Fri./monthly, 8:00

Fox River Radio League. Valley National Bank, Lower Level, Northgate Shopping Ctr. & RT. 31, Aurora, IL (312) 584-4925 for more info. Meets: 2nd Tue./monthly, 7:30 p.m.

Hamfesters Radio Club, W9AA. P.O. Box 42792, Chicago, IL 60642. Meets 1st Fri./monthly, 8 p.m., Crestwood Civic Center, 139th & Kostner Ave., Crestwood, IL. Nets: Sun. 8 p.m., 28410 MHz and Mon. 9 p.m., 146.43 MHz.

Metro DX Club, Meets 3rd Fri./monthly (excpt. Dec.), at Oak Forest Hospital, (employee quarters), 159th St. and Cicero, Oak Forest, IL, at 8 p.m. Christmas party in Dec. Net: DX/Club info, every Tues., 8 p.m., 146.46 Simplex.

Northwest ARC/W9LM. Meets: 2nd and 4th Tue./monthly, 7:00 p.m., Oehler Funeral Home downstairs community room, Lee & Perry Street, Des Plaines, Illinois.

Peoria Area Amateur Radio Club. Meets 2nd Fri./monthly, 7 p.m., Red Cross Bldg., corner of Knoxville & Armstrong, Peoria, IL. Info on W9UVI rptr. 146.250/146.850.

Schaumburg ARC (SARC). Meets: Schaumburg Park District Community Rec. Cntr. at Bode and Springinsguth Roads, Schaumburg, Illinois. Third Thur./monthly, 7:30 p.m. Net 28.350, 8:00 p.m. Thur.

Six Meter Club of Chicago K9ONA. Bank of Lyons, Lower Level, 8601 West Ogden Ave., Lyons, IL. 2nd Fri./monthly, 7:30 p.m. Club Rptrs: 146.37/97, 448.30/443.30.

Wheaton Community Radio Amateurs, (WCRA), P.O. Box QSL, Wheaton, IL 60189. Meets 7:30 p.m., 1st Fri./monthly, College of DuPage, Glen Ellyn, IL. Nets Sun. & Tue. 8:00 p.m., 145.39 MHz.

York Radio Club. Meets: 3rd Fri./monthly, 8 p.m., Elmhurst College (Science Bldg.) Elmhurst, IL. Net Mon., 8 p.m. W9PCS/ 147.42 simplex.

LOUISIANA

Baton Rouge Amateur Radio Club W5GIX. P.O. Box 4004 Baton Rouge, LA 70821. Meets last Tue./monthly, 7 p.m., Catholic High School cafeteria, 855 Hearthstone Dr., Baton Rouge, LA. Net 8:30 p.m. each Sun. on 146.79.

MARYLAND

The Peninsula Radio Operators Society (PROS). Family oriented activities, training and exams held throughout the year. PROS Rptrs. 146.925 and 146.625. PROS, P.O. Box 2315, Salisbury, MD 21801.

MASSACHUSETTS

Mohawk Amateur Radio Club. Meets: 4 Wed./monthly, 7:30 p.m., American Legion Hall, 325 Pequoig Ave., Athol, MA. (One block north of downtown traffic lights, past the bridge.)

MICHIGAN

Black River A.R.C. Meets 2nd Sat./monthly, 7 p.m., Chicken Chalet, Hwy 43 East, Bangor, Ml. Contact Wm. Lee, KB8DWQ (616) 764-8480. Rptr. 147.360 +

(616) 764-8480. Rptr. 147.380 + . Farmington Amateur Radio Club. Meets 2nd Wed./monthly, 7:30 p.m., Wheeler Street Fire Station, Farmington Hills, MI. Contact: Jim, WA8SEL, 474-8765. Talkin: 146 49MHz

Hazel Park Amateur Radio Club. Hoover Elementary School-Hazel Park, P.O. Box 368, Hazel Park, MI 48030. 2nd Wed./ monthly, 7:30 p.m. Sept. thru May. 147.51 Simplex Call-In.

Oak Park Amateur Radio Club. Oak Park Community Center, 14300 Oak Park Blvd. (same as 9½ Mile Rd., west of Coolidge). Oak Park, MI 48237. 2nd Mon./monthly, 7:45 p.m. Talk-in on our 224.36 MHz or 146.64 MHz

Top-Of-Michigan A.R.C. Meets 2nd Tues./monthly, 7 p.m. at the State Police Pst., Gaylord, Ml. Net Tue., 9 p.m. EDT 146.82/22.

MINNESOTA

Minneapolis Radio Club. P.O. Box 25167, Minneapolis, MN 55458. Meets 3rd Fri. (exc. June, July, Aug.), Mpls. Red Cross, 11 Dell Place, Mpls, 7:30 p.m. Making waves since 1916.

MISSOURI

PHD Amateur Radio Assn. Inc. P.O. Box 11, Liberty, MO 64068. Meets last Tue./monthly, 7 p.m. Red Cross Bldg. (816) 781-7313, Volunteer Examiner Coordinator.

NEVADA

Frontier Amateur Radio Society, (FARS). Meets: 3rd Mon./monthly, 7 p.m. Denny's Restaurant across from Nevada Palace, 5318 Boulder Hwy, Las Vegas, NV. Net Mon. 7:30 p.m., 145.39 Rptr. on Black Mountain. Club info. Tom Bull, NW7S, 642-5033.

Las Vegas Radio Amateur Club (LVRAC). Meets: 2nd Tue./monthly at 7 p.m., Nevada Power Bldg. Wengert Rm., 6226 W. Sahara Ave. (Near Jones). Net Tue. 8:00 p.m. on 146.94 MHz. info: Call George at 459-2586.

Sierra Intermountain Emergency Radio Sterra Intermountain Emergency Radio Assoc. (SIERA), P.O. Box 2348, Minden, NV 89423. (702) 782-8266. Meets: 2nd Tue./monthly, 7:30 p.m., Douglas County Lib., Minden, NV. Talk-in: 147.330.

NEW HAMPSHIRE Great Bay Radio Assn., WB1CAG. P.O. Box 911, Dover NH 03820. (603) 742-0130/ 742-1374. 2nd Sun./monthly, 7:00 p.m. Dover City Hall. Talk-in 147.57.

NEW JERSEY

Delaware Valley Radio Assoc. (DVRA). Our Lady of Good Counsel Church. 137 W. Upper Ferry Rd., West Trenton, NJ 08628. Meets: 2nd Wed./monthly, 8:00 p.m.

Jersey Shore Chaverim. Meets 1st Sun./monthly, 9:30 a.m., JCC, 100 Grant Ave., Deal, NJ, Sept. thru June. Net 1st Thurs./monthly, 9 p.m. local on 145.110, KC2Q. For info call (201) 222:3009.

NEW YORK

Communications Club of New Rochelle NY. Harrison Street Firehouse. Richard Sandell, WK6R, (914) 834-2322. Meets: 1st Mon./monthly, 8 p.m.

Genesee Radio Amateurs (GRAM). N.Y.S Civil Defense Center, State St., Batavia, NY 14020. Meets: 3rd Fri./monthly, 7:30 p.m. 147.285 + W2RCX.

Hall of Science Amateur Radio Club. P.O. Box 131, Jamaica, NY 11415. HOSARC, 2nd Box 13, 34mated, NY 11415. Rosand, 2nd Tue./monthly, Hall of Science Bldg., 47-01 111 St., Flushing Meadow Park at 7:30 p.m. The tristates' only 3-band linked rptr. system 144.300 S/223.600 – /445.225 – . Lancaster Amateur Radio Club (LARC). Meets 1st Tues./monthly, 7:30 p.m., Aurora Middle School, 147 Aurora St., Lancaster, NY. Net: W2UJR every Monday, 7:30 p.m. 146.55. Contact Luke Calianno, N2GDU, (716) 683-8880.

Orleans County Amateur Radio Club (WA2DQL). Meets: Office of Disaster Preparedness (CD), West County House Rd., Albion, NY 14411, 4th Wed./monthly, 7:30 p.m., 145.270 - WA2DQL.

PROS, Pioneer Radio Operators Society. Meets: 1st Wed./monthly (except July/Aug.) 7 p.m., Masonic Temple, Rt. 78, Java Village, NY. Other Wed., 8 p.m. 145.170/ 144.57- Repeater KC2JY.

The Radio Club of J.H.S. 22, N.Y.C., Inc. WB2JKJ, P.O. Box 1052, New York, NY 10002. 24-hr. hotline, (516) 674-4072. Nonprofit org. uses Amateur Radio to enhance education of young people, nationwide. Join us — "Classroom Net", 7.238 MHz, 7 a.m. E.S.T. PSE QSL!

Suffolk County Radio Club. 3rd Tue./ monthly, 8 p.m. Bohemia Rec. Ctr., Ruzicka Wy. W2DQ/R 144.610/145.210, 223.080/ 224.680 rptr. Info call Jim Heacock (516) 473-7529.

Westchester Amateur Radio Assoc. (WARA). Scarsdale Village Hall, Scarsdale, New York. Meets: 1st Wed./monthly, 8:00 p.m. For info call Dan Grabel, N2FLR, Pres. (914) 723-8625.

NORTH CAROLINA

North Carolina Chapter TSRAC. Meets: Mondays, 28.350 on the air, 8:30 p.m. local time. "The Alligators" - all mouth, no ears.

Raleigh Amateur Radio Society, Inc. P.O. Box 17124, Raleigh, NC 27619. Clubs net nightly, 8 p.m., W4DW, 04/64. Meets: 1st Wed./monthly, 7:30 p.m., YMCA. 18th Annual Hamfest, April 8, 1990.

Amateur Radio Fellowship (ARF). Greg Ash, KA8TOA, Sec. 423 Pioneer Ave., Kent, OH 44240. Meets: 1st Sat./monthly at Kent Wally Waffle. KA8YKT rptr. 147.075.

Ashtabula County ARC. Ken Stenback, AI8S (964-7316). County Justice Center, Jefferson, OH. 3rd Tue./monthly. 7:30 p.m. County Rptr., 146.715.

Clyde Amateur Radio Society (C.A.R.S.) Meets: 2nd Tue./monthly, 7:30 p.m. Municipal Bldg., Clyde, OH 44811. NF8E Repeater 144.75/145.35. Net Sun. 9 p.m.

Dayton Amateur Radio Assoc. P.O. Box 44, Dayton, OH 45401. Meets 1st & 3rd Fri./ monthly (Sept. thru June) 8 p.m., Career Academy on River Corridor Dr. Info on W8BI 146.34/94 & 222.34/223.94.

Lancaster & Fairfield County A.R.C. Meets 1st Thur./monthly, 7:30 p.m., City Hall, Basement Club Rm., Broad & Main. Info Net every Mon., 8 p.m. K8QIK/R 147.63/03 Rptr.

North Coast Amateur Radio Club. P.O. Box 30529, Cleveland, OH 44130. Meets 2nd Thurs./monthly at the Old North Olmsted Town Hall, at Dover Center and Lorain Roads, between City Hall and the Police Station. Repeaters - (all K8SCI/R) 145.29, 224.76, & 443.15.

Silvercreek Amateur Radio Assn. (SARA) Meets 3rd Thur./monthly, 7:30 p.m., Doylestown Village Hall, Doylestown OH. WD8PNF/R 147.99/39 rptr. For info call 216-925-2363.

Triple States Radio Amateur Club. Meets Wed./weekly on 28.480 at 9 p.m. Rptrs. 146.31/91 and 146.115/715. P.O. Box 240, Rd. #1, Adena, OH 43901. (614) 546-3930.

OREGON

Keno Amateur Radio Club. P.O. Box 678, Keno, OR 97627. Meets 3rd Thur./monthly, 7 p.m., Keno Fire Station. Rptr. 147.32 + W7UFM. Info: Tom Hamilton, WD6EAW, (503) 883-2736.

PENNSYLVANIA

Butler County Amateur Radio Club. P.O. Box 1787, Butler, PA 16003-1787. Meets 1st Tue./monthly, 7:30 p.m. at Red Cross Bidg., 312 Mercer St., Butler PA 16001. Call-in: W3UDX 147.96/36. Net 10:10 p.m. nightly.

Mercer County Amateur Radio Club W3LIF.
P.O. Box 996, Sharon, PA 16146. Meets: 4th
Tue./monthly at 7:30 p.m. at Shenango
Valley Medical Center, Farrell, PA. Net,
Thur. 9 p.m. on 147.75/15 W3LIF/R.

Warminister Amateur Radio Club, WA3DFU. P.O. Box 113, Warminister, PA 18754. (215) St. John's Evangelical Lutheran Church, Hatboro, PA. Net on 147.690/147.090 Wed., 8:30 p.m.

TENNESSEE

Nashville Amateur Radio Club. Meets 3rd Thurs./monthly at Lock 2 Metro Park off Pennington Bend Rd. Grilled hamburgers at 6 p.m., mtg. at 7 p.m. Call Jerry, KK4TV, at 754-2326 for info.

TEXAS

Beaumont Amateur Radio Club, Meets last Tues. of each month at the GSU Aud., South and Oxford Streets, Beaumont, TX, 7:30 p.m., Talkin on 146.16/76 or 146.10/70. Join the fun!

Sun City Amateur Radio Club. Meets 1st and 3rd Fri./monthly, 7:30 p.m., 3709 Wickham Ave., El Paso, TX. K5WPH 147.240/147.840 Rptr. with remote operation on 220, 440, 6M, and 10M.

VIRGINIA

Southern Peninsula Amateur Radio Klub (SPARK). Meets: 1st and 3rd Tue., Salvation Army Community Bldg., Hampton, VA. Operates 146.13/73 Rptr., VEC Information (804) 898-8031.

Virginia Beach Amateur Radio Club (VBARC). Open Door Chapel, 3177 Virginia Beach Blvd., Va. Beach, VA. Meets First Thur/monthly, 7:30 p.m. For info (804) 497-1235

WEST VIRGINIA

Jackson County Amateur Radio Club.
Robert D. Morris, WA8CTO, Sec.-Treas. 308
Edgewood Circle, Ripley, WV 25271. Meets
1st Thur./monthly, 7:30 p.m., United National Bank of Ripley. Net Mon. 9 p.m. on
146.67/.07 WD8JNU/R.

Tri-state Amateur Radio Assn. Meets: 3rd Tue./monthly, 7 p.m., Green Valley Vol. Fire Dept., Norwood Rd. & 16th Street Rd., Huntington, WV. ARES net Thur. 9 p.m. on 146.76(-) W8VA/R. Info KB8EHJ (304) 824-5958.

WASHINGTON

Mike & Key Amateur Radio Club. 3rd Sat./monthly, 10 a.m. Tukwila Com. Ctr., 4101 So. 131st St., Seattle, WA. Net. Wed. eve., 7:30 p.m. 146.22/146.82 rptr.

North Seattle Amateur Radio Club NSARC). Meets: 3rd Tue., 7:30 p.m., (except Jul. & Aug.) at the First Interstate Bank, 30th Ave. NE and NE 125th St. (Lake City) in basement. Info: Mike Jr., W7WHT, (206) 282-1438 or P.O. Box 20279, Seattle, WA 98102.

WYOMING

University ARC. 146.01/61 Meets: 1st Tue., 7:30 p.m. Sept.-May U.W. Physical Plant Bldg., 15th & Lewis St., P.O. Box 3625, Laramie, WY 82070. June-Aug: Bernie Club picnics Wed.

-10-10-INTERNATIONAL News

huck Imsande, W6YLJ

vice and Technician privileges the entire 10M band?

ast month I reported on a Petition Rule Making that was submitted to

FCC on April 13. In case you sed it, here's a brief recap: There a request for changing the rules for I in that the frequency range of 300 to 29.300 kHz be made ilable to all licensed Amateurs, ardless of license class. This means t the Novice and Technician 10M vileges would be expanded to cover frequency range noted.

is a follow-up to the story, I have in contact with the petitioner, let V. Whitney, of Alexandria, VA. net tells me that she is not an lateur, but an SWL, with many lateur friends. She is a paralegal and lifted and filed the petition herself.

To date, I have heard nothing further carding the status of the petition at FCC. Proceedings at the FCC are a g and drawn out affair, and notice of s request for Rule Making should be de public sometime soon, if not by time you read this.

oenix newsletter

The "Ten Meters Is Alive Net" in oenix, AZ, is doing their share to mote 10M activity. They have a 2M

A ssociation of

S hareware
P rofessionals

Member

DON'T BUY ANYMORE
C SOFTWARE FOR AMATEUR RADIO

until you've evaluated Shareware!

LAN-LINK

mart multi mode automated packet operation in TNC2, PK232, MFJ1278 and KAM.

WHATS-UP

Know what's up with the Microsats

LOGBOOK

Dbase 3 Logbook Package

CONTEST

Contest Operation

coss

Sweepstakes simulation (game).

WHATSON
Propagation Predictions

end \$5.00 for any evaluation copy (\$10.00 for all) o G3ZCZ, P.O. Box 3419, Silver Spring, MD 20918

repeater on 156.25/.85 tied into a 10M base station on 28.405 MHz. They are also publishing a newsletter every other month.

The net meets each Thursday at 5:30 p.m. MST and on Saturday at 1 p.m. MST. Frequency is 28.405. If conditions favor Phoenix from your area, why not check in? Dan Meredith, N7MRP, 10-10 # 53174, is net manager.

10-10 election

Ballots have been mailed and hopefully by now you will not only have received yours, but have marked it and sent it back to the Republic of Texas Chapter for counting. Remember, ballots received after Aug. 31 will not be counted. Postmarks do not count. Biographical outlines of each candidate were printed in the 10-10 International News Spring 1990 issue.

This is the first international election held by 10-10 and the results are important for its continued growth and advancement. Please take a minute and send in your ballot if you have not done

The daily 10-10 net

Did you know that 10-10 has a daily net? It operates every day except Sunday at 1800 UTC on 28.800 and is checking in about 250 stations each week, and the numbers are climbing.

It is realized that the net is located outside the Novice and Tech frequency allocation, but all others are welcome to check in. The net control stations for each day are:

Monday W6ANK
Tuesday KD6JC
Wednesday N6ILK
Thursday W86OKH
Friday K6PTF
Saturday 8P6SA


New DX column

Mike Davidson, KC5CP, 10-10 #24949, 10-10's DX champ, will be writing a DX column in each issue of the 10-10 International News. If you have 10-10 DX information, please send it to Mike at 3518 Bellefontaine, Houston, TX 77025. Don't sit back and let someone else do it or assume that Mike already knows about the station.

Briefly

If you have any info about your chapter, your own 10M activities, or just an interesting bit about yourself or an Amateur friend, drop me a note and I will pass it along, either through this column or the *News*.

73, es cu next month.





Ireland helical-foil fiberglass antennas

High gain, low angle radiation, VHF and UHF fiberglass antennas, are just emerging on the Amateur Radio scene.

You may have seen some fiberglass antennas come in from overseas under the Comet and Diamond label. These imports are good for the multi-bands to which they are tuned, but none may match the performance of some fiberglass sticks manufactured by an Amateur named Frank Ireland, K4UUO (Ireland Tune-Tenna Systems, 5101BNW 36th Ave., Miami, FL 33142; 305/633-8185).

The Ireland antenna design has been around for more than 20 years, and Frank holds three patents on its unique helical-foil winding system, which offers gain, reactance cancellation, incredible broad-banding and low angle of radiation for extended VHF and UHF circuits, with no additional ground plane necessary.

VHF antenna manufacturers for marine antennas are all over the place. Their designs are straightforward for 156 MHz marine antennas - pull as many collinear matched sections of coaxial cable up a tube, add a decoupling network at the base and sell the 3dB gain antenna for about \$50, the 6dB gain antenna for about \$100 and the 9dB gain sticks for about \$200. Collinear stacking of coax networks is a tried and proven way of getting a good VHF signal out on the air, and a reasonable bandwidth for the marine VHF 156 MHz service.

But Ireland does something different - instead of coax up the tube, the Ireland antenna features a patented stacking of halfwave helical-foil elements fiberglassed into their factory-produced molds, that end up as a gleaming white, lightweight, hollow VHF antenna - incredibly broad-



The "inside" secret to broadbanded antennas helical foil windings.

banded to cover 140 MHz through 165 MHz. This allows one antenna to work on both Amateur, as well as marine, and offers up to 9dB of gain.

The key to Ireland's success is within the helical-foil matching networks that create a 180 degree phased shift within each halfwave series stacked element. This voltage-fed system allows a relatively short series halfwave ground to series feed an efficient 18 inch wide copper foil radiator.

Ireland claims that he can match the equivalent coax cable collinear elements inside a tube with about half the overall length with equal signal output

with his patented antenna.

I too was skeptical of an 11 ft. antenna that claimed the same gain as a conventional 19 ft. fiberglass whip — but after I tried it on both the water, as well as over land. I was convinced that this helical-foil technique really has signal capture and signal radiating capabil-

Replacements (All New — Made in the U.S.A.)

CAMCORDER

(batteries)

JVC GR-C series	. \$35.95
PANASONIC PVBP80 (12V @ 2.3amps) LCS2012-VBNC	\$35.95
RCA/HITACHI Full size VHSVHS-C	
SONY NP22 NP55	

COMMUNICATIONS

(complete battery packs and inserts)

(500mah @ 7.2V).

PB-2 (500mah @ 7.2V) \$33.00

*7(S) (1200mah @ 13.2V) *8(S) (1200mah @ 9.6V). *base charge only, one inch lon	\$59.00
KENWOOD KNB-1 (500mah @ 10.8V) KNB-4 (2200mah @ 7.2V) PB-1 (1100mah @ 12V)	.\$65.00
YAESU FNB-2 (500mah @ 11V). **FNB-10 (600mah @ 7.2V). **FNB-10(S) (1000mah @ 7.2V).	.\$30.00 .\$45.95

same size case as FNB-12

**FNB-12(S) (600mah @ 12V)

SPECIALS!!!

ICOM **Battery types** 7(S) or 8(S) plus ICOM equivalent BC-35 charger for

\$119.00

CORDLESS PHONE (batteries)

ATT 4110, 4310, 5210, 5310\$ Freedom 400\$	9.00 8.00
Nomad 200, 250, 400\$	
CP-464S to CP-475S series \$	
PANASONIC KX-T3805, PQP-25F301A	
SONY SSP-80S	9.00
UNIDEN EX-series most models\$ XF-series	

Prices subject to change without notice.

DEALERS WANTED (QUANTITY DISCOUNTS)

00) 442-4275

MasterCard

MasterCard and Visa

cards accepted. NYS

for postage/handling

residents add 8 1/4 % sales tax. Add \$3.50

> 28-25 215th PLACE, BAYSIDE, NEW YORK 11360 IN NEW YORK (718) 631-4275

FAX: (718) 461-1978

If you don't see it ask for it

- Custom battery packs
- High capacity packs
 Nickel Cadmium cells
- Alkaline

VISA

Gel-Cells (Lead Acid)

TELEX: 51060 16795

The most popular Ireland VHF antenna is the Model #912 two piece antenna. "9" for 9dB gain, and "12" for 12 ft. tall, this antenna breaks down in the center by simply pulling apart the six foot tip from the six foot base. It's broadbanded from 140 through 165 MHz, and comes with double foil and braid shielded low loss coaxial cable and a PL-259 connector.

It is expensive, selling for about \$189.95. You can save about \$30 by ordering the single piece 9dB, 12 ft. antenna, for \$159.95. Both antennas are incredible performers on marine VHF and 2M VHF frequencies, plus

everything in between!

The antennas mount to a standard marine one inch thread. For home use, forget the thread arrangement and simply hose-clamp it to a standing vent pipe. For marine use, inexpensive Lexan lay-down mounts are available that the antenna simply screws into. Same thing for motorhomes — use the marine lay-down mount when you are underway, and then ratchet the antenna to vertical when you are at your campsite.

This 9dB gain antenna will punch out a signal six times stronger than most mobile whips on 2M, and dramatically outperform conventional aluminum, omni-directional base antennas by at least two times or 3dB better. Plus, this antenna doesn't corrode in the salt air like aluminum antennas do on the water or near the

This same helical-foil winding concept is used on Frank's 12dB, 11 ft. tall, single-section 440 to 450 MHz white fiberglass antenna. This antenna is so broad-banded because of the foil windings that it's presently under consideration for ATV enthusiasts, too, at the bottom of the band.

Frank will tune it anywhere you want it — it sells for about \$180. Yes, expensive, but specifically tailored for high gain, low height, all fiberglass, broadbanded applications. Great for mobile marine or mobile home use.

K4UUO also offers other antennas, like cellular, AM/FM, HT voltage-fed antennas and some other strange resonators for the Amateur and marine market. He is truly an antenna tinkerer who lives and breathes new concepts.

In fact, when I visited his plant in Miami, FL, I knew I was in for something when I spotted antennas sticking out of several potted plants in front of his manufacturing facility. "Universion cosmic and magnetic energy reception for the roots of the plant," pointed out Frank, motioning to little fiberglass whips standing at attention in the flower pots. Admittedly, those plants with the antennas were growing



K4UUO's plants seem to grow better with an antenna "feed" system.

like mamas and those without were just about dead.

"In Pennsylvania, I have this system 'growing' in a dairy farmland, and every cow is giving out 275 additional gallons of milk with ½ less feed," added Frank.

I suppose it could make sense — energy from around us channeling into the soil and then feeding the plants, which in turn feeds the cows. Anyway, when I got into his office and saw all his credentials hanging on the wall, plus all his patents and letters of commendation from groups using his antennas, I could believe just about anything!

"Down in the Everglades, nobody uses anything but Ireland antennas," said Frank, as he pointed out his public service work. He and vice-president Tom Glaze regularly fly their airboats on the Everglades, tracking down stranded or lost hikers and beaming their signals back to base camps on the VHF and UHF bands.

The competitor antenna critics may claim that Frank Ireland is just a bit ambitious on his dB claims; but when you sit down with this very talented and unique individual, who has been designing antennas for giants like King, SMR and US Fiberglass for over a decade, you know that he's onto something when his crew laboriously winds helical-foil matched networks onto his factory-produced shafts and then seals them up with a tough outer fiberglass shell.

I have tried his antennas personally and have matched them up against aluminum Amateur antennas and similar sized marine VHF antennas

••• TALK TO THE WORLD! •••

that use simple coax cable series collinear elements on the inside. On every single test the results prove conclusively that the bizarre Frank Ireland helical-foil design punches out and captures signals better than comparison antennas of the same approximate size.

Find out what Frank is doing by writing him a letter and asking for his catalog on Amateur Radio and marine radio VHF and UHF products. They are a unique design for the mobile operator or for the discriminating base station user whose time to rise to the top has come!



Four amateur bands (10, 15, 20, and 40 meters) at your command without having to change resonators or retune — just band switch your rig. Also available are the 75, 12, 17 and 30 meter bands. Needs no antenna tuner. Custom made with highest quality workmanship and materials.

Wherever you roam, on Land or Sea . . . or even at Home




On Land



Suitable for use on any motor vehicle from a compact automobile to a motor home or trailer. Work four bands without stopping to change resonators.

Or Sea



The SpiderTM Maritimer is for use on or near the ocean. Highly polished stainless steel and nickel-chrome plated brass. Commercial marine frequencies (8, 12, 16 and 22 MHz) are also available.



If you live in an apartment, condominium or restricted area, the SpiderTM may well be the answer to your antenna problems.

MULTI-BAND ANTENNAS
7131 OWENSMOUTH AVENUE, SUITE 163C
CANOGA PARK, CALIFORNIA 91303
TELEPHONE: (818) 341-5460



The DX window revisited

I have been listening to the sporadic E activity being heard and worked here and have been impressed numerous times by how many of you are staying out of the window. I am even hearing you working well above 50.2.

On other days or nights, I have been chagrined by the number of you who are working cross country Es in the window, often at times when other parts of the country are working DX



into Central America or the Caribbean. I have come to three conclusions: 1. Overseas operators are correct. American operators think they own the band and are the only ones on it! If I had a \$100 for every comment from DX stations complaining about the stupidity of American operators ragchewing in the DX window and not paying attention, I could have retired years ago! A lot of great DX contacts have been lost because of this. 2. American operators are uninformed as to the international agreement regarding the cessation of national activity within the DX window of 50.1 to 50.125. (Tell your fellow operators in your area about it.) 3. American operators don't care and are not about to let someone or something don't move your SSB activity higher in the band, you won't have any place to move it in a few more years! We have just seen California FM interests push legislation, WHICH WAS PASSED, giving all 6M FMers from 51 MHz up. There is even an FM group in that state that operates on 50.3 FM on a daily basis.

How long will it be before you will hear widespread use of FM at 50.1? Do you remember how much of 2M used to be set aside for non-FM use? It is almost all gone now.

We have all that spectrum from 50.2 to 51 MHz to use. Let the DXers have that little slice of a window and move much further up the band. Remember, one of these days we may HAVE to

SMIRK/Worldradio subscription combo

The Six Meter International Radio Klub members whose dues are current (check your address label) are eligible for a combined SMIRK membership and subscription to Worldradio magazine.

Send SMIRK \$16 (make the \$16 check out to SMIRK and send it to SMIRK, 7158 Stone Fence, San Antonio, TX 78227 to cover both your SMIRK dues and a one-year Worldradio subscription - ONLY SINGLE YEAR SUBSCRIPTIONS, PLEASE.

Current Worldradio subscribers RENEW THROUGH SMIRK. Although your combination renewal notice will come from Worldradio, your \$16 check should be made out to SMIRK and sent in the envelope provided to the SMIRK address. Be sure your name, callsign, SMIRK number, current address, and Worldradio subscriber number are included with your renewal.

Put the \$3 savings in your piggy bank for that new rig!

dictate where they can work unless it is the FCC. Why would you want to kill someone's chances of working that long sought after DX contact by sitting on top of it and ragchewing?

All I am saying is that we should have a gentleman's agreement that we will not clutter up the DX window with non-DX activity. If you hear a national station in the window, either don't answer him or take him above 50.125 to work him. Then explain why he should not be working non-DX activity in the window.

I am going to tell you something that you had better take to heart. If you

move up, only to find another mode using it. Grab it now while the getting is good!

The DX report

Most of what Pacific DX there was in May was into the southwest, south central and southeastern part of the country. New Zealand, Australia, Eastern Kiribati and Conway Reef contacts have been made here, with the New Zealand operators getting into the southeastern W4s and Australian operators getting into Virginia, North/South Carolina and Georgia.

Australian contacts were also made

GEM QUAD PRODUCTS (1987) LTD.

Fiber Glass Quad Antenna For 10, 15, and 20 Meters

Gem Quad Products, Ltd. • P.O. Box 291, Dept. W Boissevain, Manitoba, Canada ROK 0E0 • (204) 534-6184



in much of W5 land. This activity occurred while we were experiencing outstanding sporadic E conditions over the Memorial Day weekend.

With the advent of sporadic Es season, we have experienced, in this part of the world, an increase in activity to Mexico, Costa Rica, Belize, Puerto Rico, the Virgin Islands, Cuba, the Dominican Republic and, in general, the northern area of the Caribbean. This has caused a lot of excitement across the country, as it has meant a chance to work new countries for the newer operators. For us old-timers it was a chance to talk with old friends we have not heard for awhile.

After a slow start the first part of May, the band opened big time over the aforementioned weekend. It has been open nearly everyday or evening since. On May 29 during the SMIRK Net (Tuesdays at 9 p.m. CDST, 50.2), we had 100 stations check in from New England to Washington, and most points in between! About the only ones missing were the W6s.

I do not know what has been occurring in Europe and Africa, since the 28.885 coordination frequency is devoid of activity these days. From what little I have heard, there is the usual South African to Mediterranean/Southern Europe activity happening. In the Pacific there is still the Japanese to South Pacific activity.

DXpeditions and results

The JG3KUT/CEØ Easter Island DXpedition netted 403 contacts (295 on SSB, 108 on CW) with 305 different stations (seems like a lot of duplicate contacts being made), for 33 countries on all continents from March 8 to 18. QSL to Kenzo Nose, JA3EGE, 2-5, 2-1001, Mikuni, Toyonaka, Osaka, 561, JAPAN.

The DXpeditions of Joel Paladino, N6AMG, netted him the following:

As N6AMG/KH8, March 23 to 29, 450 QSOs in 3D2, ZC, 5W, LU, P2, KH8 and JD1; 320 JAs; 106 VKs; six Ws and two ZLs. As 5W1JP, March 31 to April 5, 550 QSOs in V6, V7, 5H, YB, XX9, ZP, V3, P2, T2, TI, KH6, KH7, KH2, HH, HK, FO, FW, CEO, CE, four

ATTENTION **AMATEURS!**

Here they are, stainless steel call letter I.D. "Dog Tags," the most useful and practical I.D. tags you can get! The same as used by the military (neck chain included), customized with your Call Letters, Name, Qth, etc. Up to the 17 same librory. five 17-space lines.

> \$4.29 pp. Special price on quantity orders for clubs, fundraising, etc. Write for details.

, | I'l | Enterprises PO Box 353 Logan, UT 84321 ZLs. 63 VKs. 17 Ws and 393 JAs. From VK9LG April 7 to 16, 820 QSOs to T2, V6, V3, 8P, ZK2, KH7, KH0, KH6, KH2, KH5, HH, JD1, FW, FM and FK; 97 VKs; 10 Ws and 680 JAs.

Just prior to his departure from Marion Island, ZS5E had his biggest 6M openings. April 23 brought him a big JA opening from 0653 to 0830Z. He worked about 110 stations in all of the JA call districts except JA0 and JD1!

Signals pinned the S-meter on his IC-551D. From then until the next Sunday, he worked 500 JAs!

Gerhard Everett, ZS5AEN, will take over as Marion Island operator, but I do not know if the 6M gear stays or not. Gerhard is not experienced in DX pileup or 6M operation, that I know of.

3D2SM, Conway Reef, had 11 US contacts, nine W6s and Fred and Lee Fish, W5FF/K5FF. He had about 1.550 contacts in Japan, mostly KH6s. 5W1KT, KG6DX, VK4s, 3D2PO, T30KY, ZK1WL and FK8EB, using a 7-element Yagi and 300W. QSL to Kan Mizoguchi, JA1BK, 4-5-3, Sakuraganoka, Tama-city, Tokyo 206, JAPAN.

There was a planned operation from the Balearic Islands by ON1AOI and ON1CDQ for July 15 to 30. The only thing I can say about that is what the Spanish Ministry had to say to the ARRL. Six meter operations is NOT allowed.

Technical info

I am told that some of you would like to see more technical information in the column. The fact is I seldom get any in my correspondence from you. If you want to see more if it, you are going to have to provide it to me.

See you on the Magic Band all of a sudden!

THE BEST PLACE TO FIND A HELPING HAND IS AT THE END OF YOUR ARM.

Amador County ARC, Pine Grove, CA

INCLUDES THE SONG "BRASS POUNDER"




... A balance and understanding . bluegrass . . . rare in . (Bluegrass Unlimited)

To order your LP or cassette of "All 'Round Fiddle" by Jim Queen, KB3Y, send \$9.95 + \$1.00 shipping to Round Fiddle Records, Box 274, Oxon Hill, MD 20750. MD residents add 50¢ tax. Allow 6 weeks for delivery

SWR & POWER METERS

- The only meters that show PEP output directly, accurately, instantly.
- No SWR "cal" control. It's automatic.
- Read SWR while transmitting—even on SSB!
- Exclusive patented circuit.
- 1-30 MHz.



M-835. The deluxe version. Two 30 element light bars give 3% resolution. The 6" scales with bright red indicators can be seen clear across the room. Has four power ranges 2, 20, 200, 2000

Model M-835 \$189.95 + \$4 shipping/ handling U.S. and Canada. For 12-v DC. 115vAC adapter Model PS-95 \$15. California residents add sales tax.



M-827. The original light bar meter. Two 10 element light bars. Three power ranges 20, 200, 2000 watts. Instantaneous power readings. "Hands off" SWR reading. Built-in 115vAC power supply. 12vDC model also available.

Model M-827 \$139.95 + \$4 shipping/ handling U.S. and Canada. California residents add sales tax.






Send for FREE catalog that shows our complete line of noise bridges, SWR meters, preamplifiers, loop antennas, VLF converters, baluns, toroids and more.

PALOMAR ENGINEERS

Box 455, Escondido, CA 92033 Phone: (619) 747-3343



I'm still reeling from my trip to the Dayton Hamvention. No, I didn't win the grand prize, or any small ones for that matter. It's because I had an impulse to buy a CD-ROM (compact disk—read only memory) player to hook on my "writing" computer.

I have three active computers in my shack, plus the AT clone (VGA) that I use for writing, desk-top publishing and AMSAT's super "Instant Track" program for satellite tracking. I also have two working 1976 model SOL computers with North Star disks and software in my antique collection.

I've wanted a CD-ROM reader for some time, so when the urge came over me while standing at the Buckmaster booth in Dayton, it was hard to resist. They were offering a player, plus the disk containing a list of all the Amateurs in the United States for an attractive price, so, without thinking too long, I popped.

The machine arrived a couple weeks after the hamfest. I pulled the lid off the AT clone and stuffed the controller card into a slot. Then the fun began.

I had to unravel three instruction books and sheets trying to figure out the sequence of installation moves. I will say Buck didn't really simplify the procedure with his sheet of instructions. He gave you an idea of what to do, but nothing specific. Anyway, I puzzled it all out and it finally worked.

The CD-ROM with the Amateur calls on it contains about a half million US call signs and addresses that are reachable with the search program included. There is also a huge pile — maybe a couple thousand or better, I didn't try to count them — of shareware programs for the Amateur. I found the same software that I am running for my WØRLI BBS, along with the WA7MBL stuff for the same purpose, in the program files. I've been too busy to dig deeper into the program stack, but believe me, there is a heap of

stuff along with the call sign file.

The call sign file contains all the call signs from the FCC files, and when I say "all" I mean ALL. If someone has died in the last few years, their call is in there, so I guess that if a call sign has expired, it's in there also. I went to the funeral of W0MZE five years ago, his license expired two years ago, but Mart is still in the list.

Now that we have licenses with 10 years life, I wonder how many Amateurs have given up the hobby, moved to a new address and are still on the role. Maybe there is something good about having to renew a license in just a few years after all.

Buckmaster has rigged the software so you can only take 50 calls at a time from the master file. They're in the mailing list business, so they can sell you passwords that will allow you to take either 500 or an unlimited number of addresses off the CD-ROM. I fooled around exporting some of the calls to a word processing list, but in my first attempt I discovered that I will have to work at it to make a decent mailing list, should I try.

The CD ROM works great for finding anyone by call sign, address or zip code. The list also includes birth year and expiration of license date, so you can shuffle them that way too.

I really like the idea of having the Call Book on computer. I wish the publishers of the Amateur Radio Call Books I have been buying for years would release their books on a CD-ROM. The type in the printed books is getting so small I've been known to take a Call Book to my workbench, where I have a magnifying lamp, in order to decipher a DX address. I'd pay the same as for the books, if I could get them on CD-ROM now that I have broken the ice and installed the player.

One of my biggest reasons to get the CD-ROM unit was so I could get Microsoft's program "Bookshelf." As an erstwhile writer and desktop publisher, I have been intrigued by the idea of having a dictionary, Thesaurus, Bartlett's Quotations, The World Almanac and a zip code directory, plus a bunch of other stuff, right in my computer when I am writing my columns, etc. I've had the Thesaurus and spelling checker for years, but the addition of the dictionary and the quotation file is what I really wanted. Now I have it.

Set of (4) black plastic feet and (1) 2-1/2 inch tall black epoxy finished steel tilt leg. Leg folds against cabinet. Select feet mounting center: 5-1/2, 7, 10, 12 or 15-1/2 in \$5.50 + \$2 shipping, Orders for (2) or more shipping is paid.

Budwig Manufacturing Co. (619) 789-8440
P.O. Box 829W • Ramona CA 92065-0829

Well, almost.

When I purchased the Bookshelf program from my usual supplier of software and plugged it in, I was taken by the date on the software: 1987. I called Microsoft and asked if there was a later version. The answer, after I went through two people who admitted they didn't know much about the Bookshelf program, was "NO." So the World Almanac, which is published every year, is about three years old. I'm not given too often to looking up obscure statistics like the current population of Zambia or who had the best batting average last year, but I would like to know I have the latest edition when I do.

I also discovered that Microsoft does not support my favorite word processing software, although Bookshelf works fairly well with it. They do support some of the more popular programs, but they have only issued updates for two of them in recent times. I gathered from talking to the nice lady (#3) at Microsoft that "Bookshelf" is a down-the-list product in their multimillion dollar software business.

As a result of the call, I received the update fix program. Now I'll have to buy another word processing system to get the full benefit of the update. In the meantime I've learned to get along with the less than 100 percent operation of the CD-ROM, and I think it's a great addition to my computer.

I find I spend a lot of time exploring the cracks and crannies in the megabytes of information at my fingertips. There certainly is a pile of stuff on those two little CD disks — it's

amazing.

Here in Fargo we have a local phoneline bulletin board that has a CD-ROM hooked into it. The system operator tells me there are 8,000 shareware and public domain programs on it and that I can buy the CD disk for \$149. The system is growing so fast that the next edition will have an estimated 12,000 programs. Wow!

Ham stuff

Ray Donald, N6VQX, of Oceano, CA, and I have been friends for 55 years. Ray is a relative newcomer to Amateur Radio, although he and I spent a lot of happy hours back in the 1930s experimenting with five meters on the mountaintops in Southern California.

Ray wondered where the designation of "ham" originated, so he asked questions of many people. Rosalie White, WA1STO, of the ARRL told him: "No one knows the answer. Popular stories are that the word 'amateur' was pronounced 'hamateur' by British Amateurs with Cockney accents, thus shortened to 'ham.' Or, there was a

magazine called Home Amateur Magazine that became known as HAM.

I punched the button on my new CD-ROM American Heritage Dictionary section of Microsoft's Bookshelf program and I found these two definitions: 'ham n. ... 6. Slang. An actor who overacts or a performer who exaggerates excessively. 7. Informal. A licensed Amateur Radio operator . . . "

Could it be that "Ham" refers to a licensed Amateur Radio operator who "exaggerates excessively?"

If you have any other explanations of the term, drop Ray a note at 601 Pershing Dr., Oceano, CA 93445.

My printed copy of the Dictionary of American Slang really goes into detail, saying that in the early days it was a term of reproach.

Eavesdroppings

"I WON A BENCHER PADDLE KEY AT THE HAMFEST SO NOW I SUPPOSE I'LL HAVE TO LEARN THE CODE... IT CAME DOWN TO A CHOOSING BETWEEN A NEW RIDING LAWN MOWER FOR THE WIFE OR A NEW TRANSCEIVER FOR ME... THE BABY SITTER HAS JUST ARRIVED SO I WILL TURN OVER THE KEYS TO HER AND HEAD OUT THE DOOR. . . I'M IN TROUBLE BECAUSE MY WIFE



Ray Shankweiler, JY9SR, at his operating position in Jordan. Ray, whose stateside call is NY3N, made a long list of DX chasing RTTY fans happy with an appearance in the BARTG contest this spring.

GOT A HOLD OF THE VISA BILL WHICH HAD THE DAYTON HAM-FEST EXPENSES ON IT... I USED MY LINEAR ONLY EIGHT TIMES IN TEN YEARS SO GOT RID OF IT... YOUR 400 WATTS IS SO GOOD FOR TO TYE THE RIB-BONS ON WITH... THE SCHED-ULED HOT AIR BALLOON SHOW WAS SHOT DOWN BY VERY HIGH WINDS... ABOUT 10,000 STA-TIONS CAME BACK TO ME IN THE WORLD'S LARGEST HETRO-DYNE...I'M UP TO 4 COUNTRIES ON RTTY NOW SO GUESS I HAVE THE RTTY DX FEVER... I LIKE RTTY BETTER THAN SSB BE- CAUSE THERE ARE LESS IDIOTS HERE... YOUR RST WOULD BE 579 IF I COULD MEASURE IT... RAINED ALL DAY AND WATER IS STILL DRIPPING OFF THE FEED-LINES... YOUR SHIFT IS ABOUT 50 CYCLES SHORT AND IT IS HARD TO READ A SHORT SHIFT SHRIFT... DID YOU SAY YOUR XYL IS DRIVING THE FINAL OR THE MOTORHOME? ... WE HAD A RADIO BLACKOUT TWO HOURS AGO, I THINK IT WAS A POWER BLACKOUT... I'LL BE PLEASED TO SEND YOU A QSL TO CONFIRM THE CONTRACT... YOUR SIGNAL IS DROPPING UP QUITE OFTEN...I'M ONLY A QUARTER MILE FROM HAR-VARD BUT I DIDN'T GO THERE... I TYPED THIS VERY CAREFULLY BUT YOU MIGHT FIND SOME MISTRAKES... THE SUN HERE IS JUST SETTING IN THE RAIN.

Thanks to WOHAH, W8PHG, N6VQX, W7VFR, W7HSU and a bunch of others whom we eavesdropped upon for help with the column. Write me: Bill Snyder, WØLHS, 1514 South 12th St., Fargo, ND 59103, or drop a packet message on your local BBS to WOLHS @ WOLHS .-ND.USA.NA. 73. DIT DIT.





Jerry Wellman, WB7ULH P.O. Box 11445 Salt Lake City, UT 84147

A large proportion of the letters I've gotten over the past several months start, "I'm new to Amateur Radio (or search and rescue). Any help you can offer . . ." One reader asked simply, "How do search missions start?" Good question.

There are two major categories of search and rescue missions. The first is a missing person — lost hiker, lost caver, lost child, you get the idea. The second is a missing vehicle containing one or more persons — this vehicle can be a boat, aircraft or even a car. (Once in a while, the latter type becomes a

missing person search when, for example, survivors walk away from the crash site.)

Missing person searches start when the person is overdue at a destination or rendezvous point. (We're talking SEARCH, not RESCUE. A hiker who falls off a cliff and is injured is the object of a RESCUE. Search missions start when you don't know where the missing person[s] is!)

The search effort gets underway when the local constabulary get a call from mom, dad, relative or friend saying that their loved one went hiking (camping, walking, biking), and it is now midnight and they're not home. The reporting party often includes the typical comment: "I'm not sure where he (she) went, but he should have been back by now." The local police, sheriff or state police will gather as much information as possible and alert their ground search teams.

In any search mission TIME is always the searchers enemy. Hours or days could have elapsed since the person became "missing." If you ever get the chance, pass the word (especially to parents) — when your kids or friends tell you they're going hiking, biking or camping, have them let someone know exactly where they'll be (leave you a map!) and when they will return. Let the party know if they don't check in,

you'll assume they are in trouble. There is nothing worse in my book of bad times than reaching someone 30 minutes or an hour after they died, knowing they lived for a day or so and no one knew where they were (beyond 100 square miles or so) or when they were expected back, delaying a search long enough to make the ending a body recovery rather than a happy family reunion.

Missing or overdue vehicle searches get underway in various scenarios. I'll concentrate on planes and boats. Boats and planes carrying large numbers of people are generally on a tight schedule and have required check points, either with a government agency or with the home office. When overdue, the alert usually comes through the check point. Most of these boats and planes are also on a scheduled route and when overdue the search area is defined as between the last known point (LKP) and the next check point.

If you're involved in a search for an airliner or cruise ship, be prepared for a large number of victims with varying injuries. These types don't happen very often.

Most common is the small plane or pleasure boat search. A common search beginning for either is the reception of an emergency signal on 121.5 MHz — the international distress fre-



quency. Small boats and planes carry transmitters designed to trigger in an

emergency.

On a boat, the device is an EPIRB or Emergency Position Indicating Radio Beacon. These are manually triggered or begin transmitting when submerged in water. On an aircraft the device is an ELT or Emergency Locator Transmitter, which can be manually activated or turned on via crash impact

The signal's audio sounds like a whoop-whoop siren. Signals are picked up by other planes/boats in the area, via mountaintop monitors linked to an Amateur Radio/Civil Air Patrol repeater or via several orbiting satellites. When the signal is reported, the Coast Guard, Civil Air Patrol or appropriate agency is notified and searchers with direction finders track the signal.

Another way searches start is when the plane or boat is overdue on a flight/boat plan. These plans have an automatic mechanism built into the system that triggers a search response when a boat or plane fails to check in.

For aircraft the two most common types are the VFR or IFR flight plan. The VFR (visual flight rules) is less restrictive and is basically a start to stop plan. The pilot reports on the VFR flight plan the time of takeoff, general route and destination airport and time. On takeoff, the pilot activates the flight plan with the Federal Aviation Adminstration. Upon landing, the flight plan is closed.

Typically, when the pilot is two hours past landing time, the FAA starts the search process. Often the pilot forgot to close the flight plan and the plane is located by airport person-

nel at the destination.

An IFR (instrument flight rules) plan is different, because the pilot is flying on instruments. There are check points along the route for IFR planes, in addition to departure and destination. The time is a little more critical, and only 15 minutes can elapse before the FAA starts the search process. Planes on an IFR plan are also given a radar identifier and tracked via ART-CCs (air route traffic control center).

In a nutshell (for aircraft) IFR searches begin within minutes, VFR searches begin within hours and searches for planes on no flight plan begin within days. If you fly (or fly with a friend), FILE A FLIGHT PLAN!

When boats are overdue, the controlling agency is the US Coast Guard. Working with them is often the Coast Guard Auxiliary and local agencies. The Coast Guard Auxiliary is made up of volunteers and there is a special slot for Amateur Radio operators.

When planes are overdue, the controlling agency is the Air Force Rescue Coordination Center (AFRCC), at Scott AFB, IL. The AFRCC maintains agreements with each state and will alert SAR groups based on the agree-

In some states the designated agency is the state police. In other states it is the state aeronautics department or office of emergency services. The Civil Air Patrol is often the SAR workhorse for aircraft searches (and often for missing person searches too). CAP is a civilian auxiliary of the US Air Force and all participants are volunteers. In some states the CAP may do air search and ground rescue. Sometimes the CAP does the air search and leaves the ground rescue to the sheriff or state police.

In future columns I'll explore search mission mechanics and how communicators (especially Amateur Radio operators) play a big part! Be thinking along the lines of mission staff. Wellman's first theory of SAR says missions need six staff functions: coordinator, operations, communications, public information, administration and data collection.

Next month

When I began this column for Worldradio, publisher Armond Noble thought a column on Civil Air Patrol would be good. Next month I'll cover the CAP basics, how to join, what CAP does and why it exists.


I've appreciated your kind comments and encourage you to voice your concerns, desires and opinions. Drop me a line if you feel so inclined, P.O. Box 11445, Salt Lake City, UT 84147.

Thought for Today!!

A philosopher once wrote that, "Delay is always dangerous, and circumstances never entirely favorable for any undertaking. If we wait for the perfect time, we shall never undertake anything."



CALLBOOK SPECIAL **LISTINGS**



BE OUTSTANDING!

Do you have special requirements for your Callbook listing? Would you like to include your nickname, the clubs you've joined, or the former calls you've held? Do you have more than one postal address. say one in the summer and a different address in the winter? Would you like to add a slogan to your listing, or include the many awards you've won? All these, and more, can be accommodated in a Callbook Special Listing.

Just let us know what you'd like to have included in the 1991 Callbook. Special Listings are printed in bold type in the big winter Callbook, so they really stand out on a page. In designing your Special Listing, please note the limit of 44 characters and spaces per line. Of course, the publisher reserves the right to refuse any copy not in keeping with the Callbook's standards. Please type or print your order to prevent errors.

The basic 3-line Special Listing in the 1991 Callbook is \$10.00. You may have additional lines, up to a total of nine, for \$3.00 each.


Please note: The deadline for this service in the 1991 Callbook is October 1, 1990. Your order and payment in U.S. funds must be in our hands by that date. Mail early to avoid disappointment.







Lake Bluff, IL 60044, USA



Let us move to the controversy surrounding my recent remarks about a loop antenna advertised by a large Amateur equipment firm. I've been asked (through a relay from the Worldradio offices), "How could Kurt trash an antenna he has never tried?" The answer is an easy one. I've got a

slide rule.

My statement about "the laws of physics" was mocked. There are indeed formulas for GAIN and there are formulas for aperture GAIN and EFFI-CIENCY. And there is the real key to this loop controversy, CAPTURE AREA. Size in wavelengths is highly

WD4BUM'S

HAM STICKS ANTENNAS

for H. F. MOBILE OPERATION

ONLY \$16.00 each

- Monobanders for 75 to 6 meters Very rugged fiberglass and stainless steel
- Telescopes for easy adjustment 3/8 x 24 TPI base fits most
- Low profile & low wind load
- Needs no springs or guys
- Complete tuning & matching instructions included
- Approximately 7 ft. tall

Cat. # Band Cat. # Band 9175 75 meters 9115 15 meters 9140 40 meters 9112 12 meters 9130 30 meters 9110 10 meters 9120 20 meters 9106 6 meters 9117 17 meters

MANY MOUNTS AVAILABLE!

LAKEVIEW COMPANY, INC. Route 7, Box 258 Anderson, SC 29624 (803) 226-6990 Or at Your Dealers

Add \$4.00 for shipping & handling South Carolina residents add sales tax Catalog available • Dealers welcome

important to antenna gain. No one yet (in the real world) can make anything better (within the specific parameters) than the formulas would indicate, darn

It has been stated that this small loop antenna "exceeds everyone's intuitive expectations." Heck, they didn't ask me for my gut feeling. But the manufacturer keeps saving it exceeds intuitive expectations!

Intuition has nothing to do with antenna facts. There is no such thing as the "100 mile-per-gallon carburetor" in

antennas, unfortunately.

The offered proof that we had truly stepped into a new dimension of antennas were the "war stories" of working Bulgaria from a Bermuda veranda using this loop, with 100W on 20M! I believe every word of it. I really do believe in good propagation conditions and QRP operators working 100 coun-

tries. Nothing to it!

There have been QRPers with but 1W and a Yagi on a tower who have worked DXCC. So, let's lower the tower and yank off the reflector and the director on this QRPer's Yagi. Let's say this reduces his signal by 10dB. OK, if he now increases power from 1 to 10W, he's back up to the original radiated signal he had with the complete antenna. We have made up 10dB antenna loss with a 10dB transmitter power increase.

Now, if the transmitter power is raised to 100W from 10W, we've picked up another 10dB. So, going from 1W with a 10dB gain Yagi, our QRP guy has now increased his radiated power by 10dB. We have made up for antenna loss with power increase. And, boys and girls, this can also be done with a small loop antenna and your 100W rice box!

Over the years this column has recounted DX worked by loading up ladders, shopping carts, automobiles, small umbrellas, metal eaves around the house, high chairs, patio furniture

and the like (not at the peak of the sunspot cycle), without claiming breakthrough antenna performance. Amateurs have worked 30 countries on three continents running 1/10 of a watt into a dipole at 25 ft. above ground!

It's been said that the loop in question was sent to the big guns and they worked DX with it. Yes, but what was never reported was: Did they ever switch back and forth between the loop at its narrow resonated frequency and a dipole? How far down in level was the loop from whatever they used as a reference?

A recent letter sent to Worldradio about me said, "It bothers me that some people say things they know nothing about . . ." That letter writer, whom I will not identify because it would surely embarrass him, wrote to defend the advertised loop antenna. A letter writer who claims to be an antenna wizard said, and I quote verbatim: "Where else can you get an antenna that covers all of the ham bands between 14 and 30 MHz? There isn't a beam, a vertical or a dipole that will do that (except a very expensive Log Periodic structure)." That's exactly what he wrote, boys and girls!

Now just a cotton-picking minute here. Let me break into this QSO. Doesn't the letter writer know that six firms make good trapped-verticals and more than a dozen others make and sell trapped-dipoles? Why shucks, my nephew's G5RV performs better than this 32-inch square loop from 10M all the way up to 80M! I'd like to see the advertised loop in action on 40 and

80M!

Those are my critics, folks, You know, just last month I got another letter asking that I do an antenna book. I've always told people to go buy Doug DeMaw's books. However, since I've just been called a dolt by people uttering silly stuff, I feel, with a sense of responsibility to my readers, that I should now do a book.

But first comes a booklet. The title is: "How you can build an antenna that covers all of the Amateur bands between 14 and 30 MHz, not for \$319, not for \$31.90, but for \$3.19." I'll charge three dollars for the booklet, postage and taxes included. I'll let you know when it's ready.

I'll donate some of the money to the QCWA Scholarship fund. Maybe they



Field Day All-Band Antenna

Fastest Install Flexible Kink-Proof

Full Legal Power No Lossy Traps Low Noise Never Corrodes

QRV-50-10 \$49.95 51 ft. long Includes 40-page Tech Manual Infopack \$1 50062-W, Provo, UT 84605

Ready to Use

Coax Feed

3000 V Insul

QRV- \$59.95 Add S5 Post & Handling AntennasWest R801) 373-8425

can send some kids to school who will come out brighter than those we're hearing from these days. It shouldn't cost me much to do that booklet. Could do it on the back of a postcard, if I write small!

Now, I happen to know that some real heavy antenna dudes read my column. We'll invite their comments. We'll also invite reactions from others interested in antennas.

Graduates from Urbana, where are you? That University of Illinois, which has perhaps the best antenna school going, has graduated some notable people like Issbell, Carrel, Rumsey, Mayes, Dyson and Ray DuHamel. All these gentlemen helped create the Log Periodic antenna, perhaps the most novel and needed antenna during the past 35 years.

I absolutely believe that a British station did bend 10 ft. of one-inch copper tube into a circle, gamma matched it, and worked the US with only 5W. However, I never heard him say it had

the gain of a dipole!

The manufacturer of the loop in question has since changed his advertising claims, so I no longer have any real rub with that company anymore, except for the financial comparison made in the loop's defense and rebuttal.

Words were put into my mouth that I used a tuner to resonate the little vertical rods. No, I measured the power with the power meter. The little verticals resonate themselves by running the rod up and down for proper resonant length. So, knock off the \$150! Also, I don't need all those coax cables attributed to me, because I can (for a couple of hundred dollars difference) walk a few feet and change the little antennas for different bands. And, don't forget the \$30 for the loop's control cable, the cost of a mast and the tripod you see in their photo, of which the least expensive one I could find was

And what's all this talk about the advertised loop being excellent for campsite use? You need 110-volts of raw power to twist that capacitor between the ends of the loop. My 12-volt car battery just won't hack it. And besides, when I get within 15 ft. of that loop, I detune it, so how can I adjust

the capacitor by hand?

Since everything is relative in antennas, let's look at the MFJ-1621 portable antenna. This is a 54 inch whip in a box with a tuner and a meter. Using this unit indoors, an Amateur worked 100 countries. Pretty good, wouldn't you say? But the MFJ literature says, "Keep in mind that this antenna is not intended to permanently replace or outperform a regular full size antenna." Now that's clean, clear advertising!

Long time readers may remember when I took a three foot long piece of wood, wrapped some wire around it, topped it with a pie-tin and worked most of the sections in Sweepstakes. Maybe I should have said that it worked better than my premonition!

None of this loop stuff is new. It harks back to the 20s. I can, even in my dotage, remember a 1952 article in QST. Three feet on a side and you were on 40M. Seems strange that all the wizards at RCA, ATT, Cable and Wireless, Hughes, TRW and others all stuck with dipoles, two masts and a wire antenna, instead of adopting the loop for HF communications.

The advertised loop also claims a new class of radiation pattern never before realized, folks. It claims to radiate more energy toward the horizon, regardless of height, than any other antenna. Its pattern is said to be independent of ground reflection,

phase and amplitude!

Wonder why they have not run to the Patent Office with this novel idea? Well, we know why - it's simply not true, boys and girls. And what proof do I have? Well, none other than Newington, which says on pages 5 to 17 under "Additional Comments" referring to loop antennas: "The loop antenna should not be mounted horizontally except at great heights. The effect of the earth would be the same as on the pattern of a horizontal dipole at the same height." (ARRL Antenna Handbook 15th Edition)

Amateurs who now work or have worked at radio broadcasting stations know that the FCC wisely thinks that the vertically polarized antenna working against a ground counterpoiseradial system is the world's best low angle radiator — not a loop!

You know, all this "Such and such was worked with it, so it must be great," stuff reminds me of those Gotham ads of 30 years ago. Lists of DX were trotted out to show that this short piece of tubing and a coil and a

Use ferrite beads to keep RF out of your TV, stereo, telephone, etc. Kit includes one dozen beads, one dozen toroids 1/2" to 11/4" diameter, three "split beads" and our helpful RFI tip sheet. Everything needed to fix most RFI problems. \$15 + \$4 S&H U.S. and Canada. 71/4 % tax in CA.

Free catalog and RFI tip sheet on request.

Box 455, Escondido, CA 92033 Phone: (619) 747-3343

couple of alligator clips was great. And it was, for what it was. No more and no less. It was a short piece of tubing that was matched to the feedline and it radiated as much as a short piece of aluminum could radiate.

The antenna book that made the most sense was by the late John Haerle, WB5IIR. John said, "You don't get something for nothing. Hams are always looking for a panacea, so far as antennas are concerned, but those things are hard to find.'

I don't have anything against those boys at the loop factory. I did wonder about the originality of their idea when there is one very much like it being sold in the UK. But the US version is much less expensive and UPS shippable.

Next month I'll talk about some ridiculous claims found in the Amateur magazines and some awful things in the catalogs. I'm also working on something that, if you follow suit, you'll know more about antennas than anybody. P.S. I'm serious about the booklet. I'll put it on my "to do" list.

(Kurt N. Sterba goes by his monicker so he can avoid listening to kids talking about the merits of loop antennas and how they re-invented the wheel.)

-Life is uncertain ... eat your dessert first! —

DYMEK DR333 COMPUTER CONTROLLED RECEIVER

10kHz-29.999995MHz Gen. Cov. 12 VDC powered for Fixed Base, Portable/Mobile Applications. PC or PC Clone Compatible and supplied with operating program on 51/4" or 31/2" floppy disk.

As many as 9,999 channels and 999 band scans with scans of bands or channels automatic or manual. Operator controls all parameters of channels and scans including comment I.D. Logging of scans on demand.

May be used with color or monochrome computers, single disk and 256KRAM, even portables.

Microvolt sensitivity and 1PPM stability. AM, FM, SSB, CW, RTTY.

Manufactured in the U.S.A. by the makers of Dymek radios antennas and related products.

Limited supply available from:

INLINE COMPONENTS, INC.

4521 Campus Drive #113 Irvine, CA 92715 Mastercard (714) 720 8159

GORDON WEST RADIO SCHOOL

#04 21-DAY NOVICE \$22.95



- 112-page textbook two stereo code learning tapes sample 5 wpm Novice code test over \$50 in radio manufacturers' discount coupons.
- #01 COMPLETE NOVICE . . . \$62.95 2 theory tapes, 2 textbooks, FCC Rule Book, 4 code tapes, code oscillator set, examiner test packet, and over \$50 in radio discount coupons
- #02 NOVICE CODE COURSE \$32.95 6 cassette tapes make it easy to learn the code from scratch.
- #07A 2-WEEK TECH \$22.95
 This Technician course includes 2 theory tapes and 1 illustrated textbook.
- #05 COMPLETE GENERAL. . \$62.95 6 code tapes, 4 theory tapes, and 2 textbooks. Ideal for upgrade from Novice to General.
- #06 GEN. CODE COURSE . . \$32.95 This General course includes 6 tapes for speed building from 5 to 13 wpm.
- **#08B COMPLETE ADVANCED \$62.95** This Advanced course includes 4 theory tapes, 1 textbook, and 6 code tapes (13 to 22 wpm).
- #09 ADV. THEORY COURSE \$32.95 4 tapes and 1 illustrated textbook
- #10 COMPLETE EXTRA. . . 4 theory tapes, 1 textbook, and 6 code tapes (13 to 22 wpm).
- #12 EXTRA THEORY COURSE \$32.95 4 theory tapes and 1 illustrated textbook for Extra class theory.
- #11 EXTRA CODE COURSE \$32.95 6 tapes for speed building from 13 to 22 wpm for the Extra code exam.
- #13 BRASS KEY & OSC.... \$25.95 #15 PLASTIC KEY & OSC. . . \$21.95

SINGLE CODE TAPES \$10.95 each including shipping

- #19 5 wpm Novice QSO tests
- # 20 5 wpm Random Code
- #21 5-7 wpm Speed Builder
- # 22 7-10 wpm Speed Builder
- #23 10 wpm Plateau Breaker
- # 24 10-12 wpm Speed Builder
- #25 12-15 wpm Calls & Numbers
- # 26 13 wpm Random Code #27 1.3 wpm Test Preparation
- # 28 13 wpm Car Code
- #29 13-15 wpm Speed Builder
- #30 15-17 wpm Speed Builder
- #31 17-19 wpm Speed Builder
- #32 20 wpm Random Code
- #33 20 wpm Test Preparation
- #34 20 wpm Car Code #43 3-15 wpm Code Review
- #40 12-21 wpm Code Review

Prices include shipping & handling





RADIO AMATEUR CALLBOOK INC. 925 Sherwood Dr., Lake Bluff, IL 60044 Mon.-Fri. 8-4pm (708) 234-6600



Florida

The Greater Jacksonville Amateur Radio & Computer Show will be held on Aug. 4 and 5 at the Prime Osborn Convention Center in downtown Jacksonville from 9 a.m. to 5 p.m. Saturday and 9 a.m. to 3 p.m. Sunday. Registration is \$5 at the door.

A huge indoor swap area and 50 exhibitor booths will be in operation, along with forums and meetings. Tables are \$12 for Saturday, \$6 for Sunday or \$15 for the weekend. Power is available at extra charge. Exhibitor set up is 2 to 6 p.m. on Friday.

Major exhibitors will include ICOM and IBM. The featured speaker will be Dr. Larry Price, W4RA, ARRL President. Exams for all grades of license will be conducted Sunday at 9 a.m. A "boat-anchor" auction is set for noon on Sunday.

For information on swap tables, contact Wade Rhyne, AJ4J, at Box 11882, Jacksonville, FL 32239. For other hamfest information write Greater Jacksonville Hamfest Association, Box 10623, Jacksonville, FL 32207; 904/350-9193.

Illinois

The Tri-State Swapfest '90, sponsored by the WESTERN ILLINOIS ARC, is being held from 8 a.m. to 2 p.m. on Aug. 19 at the Eagle's Alps Lodge in Quincy. Admission in advance is \$2.50, at the door \$3.

Features will include an outdoor tailgate area, indoor vendor tables, ARRL VE testing, an ARRL table, forums and XYL activities. Talk-in on 147.63/.03 and 146.34/94 MHz.

For information or reservations contact Michael Nowack, NA9Q, c/o WIARC, P.O. Box 3132, Quincy, IL 62305-3132; 217/224-8526.

Indiana

The PORTER COUNTY AMATEUR RADIO CLUB is sponsoring the annual Northwest Indiana Hamfest and Computer Fair, beginning at 7 a.m. Sunday, Aug. 12, at the Porter County Fairgrounds in Valparaiso. Adult admission is \$5, children under 12 enter free. Overnight camping space is available.
Features will include VE exams, Amateur

electronic equipment and components, computer hobbyists and experimenters, dealers and commercial exhibitors and hourly prizes. Indoor and outdoor space is available. Tables, chairs and electricity are available for indoor spaces only.

The XYL answered the telephone and said: "I'm sorry, LeRoy cannot come to the phone right now. He is up on the roof adjusting the antenna. Why don't you call the hospital in about half an hour." -Fulton AAC, Fulton, NY

There is air conditioning in the Main Exposition Center only.

Advance tickets are available. For tickets, reservations or additional information, contact KA9TAD at 219/759-4224, or send an SASE to PCARC, P.O. Box 1782, Valparaiso, IN 46384.

Talk-in on 146.775/-6 or 52.

New Jersey

The GLOUCESTER COUNTY ARC is sponsoring a hamfest from 8 a.m. to 4 p.m. Aug. 26 at the Gloucester County 4-H fairgrounds in Mullica Hill. Admission is \$3.50 in advance, \$4 at the gate.

Dealer set up begins at 6 a.m. Tailgate space is \$6 with electricity, \$5 without. A ticket is needed with tailgate space.

VE exams will be offered at 9 a.m. Talk-in on 147.18/78 and 223.06/224.66 repeaters or 146.52 simplex.

For advance spaces or tickets, send an SASE and check to GCARC Hamfest, P.O. Box 370, Pitman, NJ 08071. For information call KE2NY at 609/933-1213 or leave a message at the club phone at 609/478-4738.

Ohio

The WARREN AMATEUR RADIO ASSOCIATION, W8VTD, is sponsoring a hamfest from 6 a.m. to 4 p.m. Sunday, Aug. 19, at the Trumbull Branch Campus of Kent State University, in Warren. Features will include an air conditioned indoor exhibit area, a five acre flea market on campus grounds and license exams. There will be meeting rooms and free parking available on site and refreshments will be offered.

Talk-in on 146.37/97.

Admission is \$4; children under 12 enter free. Exhibitor prices are \$6 per eight foot table and flea market spaces are \$2 per 10 ft.

For more information contact: Frank Fitzhugh, KD8KJ, WARA Hamfest, P.O. Box 809, Warren, OH 44482; 216/652-0452.

Pennsylvania

MID-ATLANTIC ARC's Hamfest '90 will take place at the Bucks County Drive-In Theatre on Aug. 12 in Willow Grove. Buyers will be admitted at 8 a.m., tailgate set-up will be at 7 a.m.

General admission is \$3, each tailgate space is \$2. Talk-in on 147.06/R and 146.52 simplex.

For additional information contact Al Maslin, W3DZI, at 215/446-4936.

South Dakota

The South Dakota ARRL Convention, sponsored by the HOT SPRINGS AMATEUR RADIO CLUB, will be held at the Mueller Convention Center in Hot Springs Saturday, Aug. 18, from 8 to 5, and Sunday, Aug. 19, from 8 to 2. (Open Friday evening for setup.)

Features include VE exams Friday evening and Sunday morning, forums, exhibits, a QCWA luncheon, a flea market and an auction. Admission is \$5.50 in advance, \$7.50 at the gate. Tables are \$1.

For tickets or reservations send an SASE to Carl Anderson, KAOPXB, 2145 Washington, Hot Springs, SD 57747. For information call Barbara Dunmeyer, KB7ADK, Executive Secretary, Hot Springs Area Chamber of Commerce, 800/325-6991.



Maryland-DC QSO **Party**

The Antietam Radio Association, of Hagerstown, MD, is sponsoring this event from 1600Z Aug. 18, to 2359Z Aug. 19.

Rules: Stations may be worked once per band using each mode. CW QSOs in the CW band only. Non-Maryland stations must work Maryland stations; Maryland stations may work anyone. Portables and Mobiles that change Maryland counties during the contest count as a separate station in each new county of contact. No repeater QSOs count. Other HF and VHF contacts do.

Exchange: Signal Report and QTH (county for Maryland stations; state or province or, if DX, country as QTH for others.

Suggested frequencies: SSB - 1.86, 3.92,7.28, 14.28, 21.37, 28.37, 50.15 and 146.55 MHz; CW - 3.643, 7.130, 14.04, 21.115, 28.115, 50.05 and 144.15 MHz.

Scoring: Each Maryland county, Baltimore city and DC are multipliers. QSO points - five points for contact with any club station; three points for contact with any mobile station; two points for CW contact with a Maryland station; one point for any other valid contacts.

Special note: Points are cumulative. Example: A CW mobile contact is worth five points (three for mobile + two for CW).

Final score: Add up all QSO points and multiply by the sum of the multipliers (maximum of 25 multipliers possible, each multiplier may be claimed once only and do not repeat on different bands).

Awards: Certificates will be awarded to the high score verified from each US state and Canadian province. In addition, there will be awards to the high score from a Maryland club station, a Maryland mobile, the three best Maryland logs, a Novice licensee, Technician licensee and a DX station.

Logs should be mailed to the contest chairman by Sept. 10. Indicate on your entry if you are competing in a special operating class (Mobile, Club, Novice, Technician).

Mail Logs to: Antietam Radio Association, P.O. Box 52, Hagerstown, MD 21741. Please include an SASE if you wish a copy of the contest results.

Direct any questions to WA3EOP, Contest Chairman.

Work Rare CW DX - CW Contests

"CONTEST CODE" is the answer. This powerful hypnosis cassette tape teaches you to copy High Speed (30/40 wpm) or Ultra High Speed (50/60 wpm). Subliminals speed you along! Only 20 min./ day for 30 consecutive days yields results. Each tape \$14.95 (Specify which program you want) or both for \$27.95 ppd in US (NY residents add 7.5% tax).

PASS Publishing, Box 570, Stony Brook, NY 11790

New Jersey QSO Party

The Englewood Amateur Radio Association Inc. invites all Amateurs the world over to take part in this 31st annual event from 2000 UTC Saturday, Aug. 18, to 0700 UTC Sunday, Aug. 19, and from 1300 UTC Sunday, Aug. 19, to 0200 UTC Monday, Aug. 20.

Rules: Phone and CW are considered the same contest. A station may be contacted once on each band, phone and CW are considered separate bands. CW contacts may not be made in phone band segments. New Jersey stations may work other New Jersey stations. General call is "CQ New Jersey" or "CQ NJ." New Jersey stations are requested to identify themselves by signing "DE NJ" on CW and "New Jersey calling" on phone.

Suggested frequencies: 1810, 3535, 3950, 7035, 7135, 7235, 14035, 14285, 21100, 21355, 28100, 28400, 50-50.5 and 144-146. Suggest phone activity on the even hours: 15/10M on the odd hours (1500 to 2100 UTC); 160M at 0500 UTC.

Exchange: QSO number, RST and QTH (ARRL section or country). New Jersey stations will send county for their QTH.

Scoring: Out-of-state stations multiply number of complete contacts with New Jersey stations times the number of New Jersey counties worked (maximum of 21). New Jersey stations - W-K-VE-VO QSOs count as one point; DX stations count as three points. Multiply total number of points times the number of ARRL sections (including NNJ and SNJ). KP4, KH6, KL7, etc. count as three point DX contacts, as well as section multipliers

CMOS KEYER KIT

ONLY \$9.95



- MEASURES ONLY 2.3 x 3.5 INCHES
- SPEED RANGE FROM 5-50 WPM **VOLUME AND SPEED CONTROLS**
- COMPATIBLE WITH GRID BLOCK, CATHODE
- KEYED, AND SOLID STATE TRANSMITTERS COMES WITH PCB AND ALL PARTS NEEDED TO COMPLETE THE BOARD.

MEMORY KIT FOR CMOS KEYER

ONLY \$14.95



- STORE TWO MESSAGES OF UP TO 50 CHARACTERS EACH
- MESSAGES CAN BE PROGRAMMED AND
- PLAYED BACK AT ANY SPEED
- POWERED BY THE SAME BATTERY AS THE
- **CMOS KEYER**
- COMES WITH PCB, WIRE, SWITCHES, AND ALL PARTS NEEDED TO COMPLETE THE BOARD
- MEASURES ONLY 2.5 x 3.5 INCHES PLEASE ADD \$3.00 SHIPPING AND HANDLING

TO YOUR ORDER WISCONSIN RESIDENTS ADD 5% SALES TAX SEND FOR FREE INFORMATION

BEL-TEK P.O. BOX 125 **BELOIT, WI 53511**

R-X NOISE BRIDGE



Learn the truth about your antenna.

The Palomar R-X Noise Bridge tells you if your antenna is resonant or not and, if it is not, whether it is too long or too short. It gives resistance and reactance readings on dipoles, inverted Vees, quads, beams, multiband trap dipoles and verticals from 1 to 100 MHz

Why work in the dark? Get the instrument that really works, the Palomar R-X Noise Bridge, Model RX-100 \$69.95 + \$4 shipping/ handling in U.S. and Canada. California residents add sales tax.

TUNER-TUNER™



- Tune your tuner without transmitting!
- Save that rig!

Do you use an antenna tuner? Then you need the new Palomar Tuner-Tuner to tune it to your operating frequency without trans-mitting. Just listen to the Tuner-Tuner's noise with your receiver. Adjust your tuner for a null and presto! You have 1:1 SWR. It's as simple as that.

Easy to install. Works with all rigs. Eliminates tuneup damage. Your rig will love it!

Model PT-340 \$99.95 + \$4 shipping/handling in U.S. & Canada. California residents add sales tax.





Send for FREE catalog that shows our complete line of noise bridges, SWR meters, preamplifiers, loop antennas, VLF converters, baluns, SWL equipment, toroids and more.

PALOMAR ENGINEERS

Box 455, Escondido, CA 92033 Phone: (619) 747-3343

Awards: Certificates will be awarded to the first place station in each New Jersey county, ARRL section and country. In addition, a second place certificate will be awarded when four or more logs are received. Novice, Technician and mobile operator certificates will also be given. A total of four plaques have been donated by the ARRL Section Managers for NNJ and SNJ to the highest scoring single operator station residing in each of their sections (separate for Novice/Technician and all other classes).


Logs: Must also show the UTC date and time, band and emission and be received not later than Sept. 15. The first contact for each claimed multiplier must be indicated and numbered and a check list of contacts and multipliers should be included. Multi-operator stations should be noted and calls of participating operators listed.

Logs and comments should be sent to: Englewood Amateur Radio Association Inc., P.O. Box 528, Englewood, NJ 07631-0528. A #10 SASE should be included for results.

Stations planning active participation in New Jersey are requested to advise EARA by Aug. 1 of your intentions so they may plan for full coverage from all counties. Portable and mobile operation is encouraged.

All Asian DX Contest

Supported by the Ministry of Posts and Telecommunications of Japan, the purpose of this contest is to enhance the activity of radio Amateurs in Asia and to establish as many contacts as possible during the contest periods between Asian and non-Asian sta-



Contest period: CW - 48 hours from 0000 UTC Aug. 25 to 2400 UTC Aug. 26.

Bands: Amateur bands under 30 MHz (except 10, 18 and 24 MHz).

Entry classifications: (1) Single operator, 1.9 MHz band (CW only) (2) Single operator, 3.5 MHz band (including 3.8 MHz band) (3) Single operator, 7 MHz band (4) Single operator, 14 MHz band (5) Single operator, 21 MHz band (6) Single operator, 28 MHz band (7) Single operator, Multi band (8) Multioperator, Multi band.

Contest call: For Asian stations - "CQ test"; For non-Asian stations - "CQ AA."

Exchange: For OM stations - RS(T) report plus two figures denoting operator's age; For YL stations — RS(T) report plus two figures "00 (zero zero)."

Restrictions: (1) No contact on cross band (2) For participants of single operator's entry transmitting two signals or more at the same time including cases of different bands is not permitted. (3) For participants of multioperator's entry - transmitting two signals or more at the same time within the same band is not permitted, except in case of different bands.

Points and multipliers: (1) Contacts among Asian stations and among non-Asian stations will neither count as a point nor a multiplier. (2) For Asian stations (a) Points . . . Perfect contact with non-Asian stations will be scored as follows $-1.9 \,\mathrm{MHz}$ band . . . three points, 3.5 MHz band . . . two points, other bands . . . one point. (b) Multipliers . . . The number of different countries in the world worked on each band, according to the DXCC countries list. (3) For non-Asian stations (a) Points . . . Perfect contact with Asian stations (excluding US auxiliary military radio stations in the Far East, Japan) will be counted as follows - 1.9 MHz band . . . three points, 3.5 MHz band . two points, Other bands . . . one point. (b) Multipliers . . . The number of different Asian prefixes worked on each band, according to the WPX Contest rules. Example: JSØABC/7 will count for prefix JS7. (4) JD1 stations (a) JD1 stations on Ogasawara (Bonin and Volcano) Islands belong to Asia. (b) JD1 stations

MORSE CODE

Morse Tutor (c) will take you from beginner through Extra Class in easy self-paced lessons

Incomparable computer-based code course a very well thought out program. Morse Tutor is, quite simply, a superb value." Bryan Hastings, Editor, 73 Amateur Radio

Features of this unique package include:

- code speeds from 1 to over 100 wpm
 Standard or Farnsworth mode
 Code conforms to international standards
 Adjustable tone frequency
 Over 1 billion random QSOs possible

- QSOs similar to license tests Covers letters, numbers and punctuation marks
- Covers special characters, required by FCC Random characters specifically for each lesson Random characters review for all previous lessons Random words for each lesson

Display text while listening or after copying
All parameters are remembered from one lesson
to the next and may be changed as desired

For IBM, PC, XT, AT, PS/2 or compatibles. Available at your dealer, through QST, or send \$19.95 for 5.25" or \$21.95 for 3.5" (CA residents add 6% tax) plus \$2.00 S&H to:

GGTE, P.O. Box 3405, Dept. MW. Newport Beach, CA 92659

on Minamitori Shima (Marcus) Island belong

Scoring: The total of the contact points on each band multiplied by the total of the multipliers on each band.

Summary and log sheet: It is recommended to use JARL AA contest logs and summaries, which are available from HQ for one IRC and SAE. (1) Each summary sheet must include your DXCC country, call used, entry class, multipliers by band, points by band and total score. It should also include a signed declaration indicating that you have observed the rules and regulations of the contest. (2) Log sheet must contain band, date, time in UTC, call of station worked, exchange sent, exchange received, multipliers and QSO points. Use a separate sheet for each band. Multipliers should be clearly marked by countries or Asian prefixes, first time worked on each band.

Awards: (1) Certificates will be awarded to those having the highest score in each entry in proportion to the number of participants from each country, and also those from each call area in the United States. (a) The number of participants under 10 . . . award only to the highest scorer (b) From 11 to 20 ... award up to the runner-up (c) From 21 to 30 . . . award to the top three (d) From 31 or more . . . award to the top five. (2) The highest scorer in each continent of the single operator multi-band entry will receive a medal from JARL and certificate from the Minister of Posts and Telecommunications of Japan. (3) The highest scorer of the multi-operator multi-band entry in each continent will receive a medal from JARL.

Reporting: (1) Submit a summary sheet and logs of only one classification. (2) The log and summary should be postmarked by Sept. 30, addressed to JARL, All Asia DX Contest, P.O. Box 377, Tokyo Central, JAPAN. Indicate CW on the envelope.

Soccer, anyone!

CHUCK EARLY, K8RSH

North Olmsted, OH, is a western suburb of Cleveland, and for the past several years has been the host of the North Olmsted Soccer Organization invitational meet. On July 1, 2 and 3, 1989, the meet was attended by teams representing cities in the United States, Canada and Scotland.

The North Coast Amateur Radio Club has traditionally furnished the communications for the event, so as to allow the officials to keep in constant touch with each other during the games. At this particular meet some 24 teams played 80 matches at 10 different fields, and according to Dave Kersten, N8AUH, meet coordinator, 26 Amateurs provided over 225 hours of service throughout the three day

The North Olmsted Soccer Organization commended the club for its continued commitment to the invitational, and said that without the participation of the Amateurs, they never could have run the event so efficiently.

> For the gift that keeps __ on giving, see p.9.



Information in "New Products" is supplied by the manufacturers to acquaint Worldradio readers with new products on the market.

Variable capacitors

Kilo-Tec has available three Nevada High Power Variable Capacitors.

These capacitors use high quality NS4 aluminum, brass and military quality moldings in their construction. Models include the TC-150, a 150pF 9.8kV breakdown voltage; TC-250, a 250pF 14.7kV breakdown voltage; and the TC-750, which is rated at 750pF with 7.8kV voltage breakdown. These high quality capacitors are suited for construction of RF amplifiers, RF tuning units and RF transmitters.

To order or receive additional information call or FAX Kilo-Tec at 805/646-9645, or write to P.O. Box 10, Oakview, CA 93022.

AEA antenna line

Advanced Electronic Applications has an agreement with M2 Enterprises President Mike Staal, K6MYC, based in Pinedale, CA, for exclusive rights to its antenna line. Mike is the founder and antenna designer of KLM antennas.

The diverse M2 product line features computer-optimized antennas with the highest gain available. Other features of the antenna line include:

- · Electronically tuned balun and driver element design for symmetrical patterns
- "O"-rings on all connectors
- · Stainless hardware in critical areas, including element keepers
- · Machined aluminum driven element housing with "O"-ring sealed access cover
- · Ideal for use in multiple antenna arrays
- · Built-in "N" connector
- · Driven element housing cavities filled with silicone dielectric material for weather resistancy
- · Swaged boom sections for better structural strength
- Tapered booms and solid rod elements to reduce windload



· Adheres to glass (interior) or metal

•Instant transfer car to car 2½ "x8" flexible plastic sign for cars, trucks or RVs. "Amateur Radio" + your call in white let-tering. Order Magnetic or Suction mounted version. Choose black, blue or red back-ground. \$8.50 ea.; 2/\$15 ppd. Quick delivery.—

 Low windload overhead dacron boom support lines for strength and flexibility

For information on the antennas available and their prices, contact AEA, P.O. Box C2160, Building O&P - 2006 196th SW, Lynnwood, WA 98036-0918; 206/775-7373; Telex: 6972496 AEA INTL UW; FAX: 206/775-2340.

Lap-top protectors

Electronic Specialists announces introduction of the lap-top and portable computer pro-tection series dubbed "Pocket Protectors." An ultra-compact AC power protector, com-

bining filtering and hi-capacity spike/surge suppression, offers 39,000 surge amp suppression to handle the wildest AC power encountered on the road. All this in a unit that



neatly fits the pocket.

Modem protection is also available in the Pocket Protector configuration. Multi-element spoke suppression is combined with RF filtering and balun noise filtering.

Available from stock, the AC power Pocket Protector (LTP-101) is priced at \$64.95 and the Modem Pocket Protector (LTP-201) is priced at \$45.95.

For information contact Electronic Specialists Inc., 171 S. Main St., Natick, MA 01760; 800/225-4878.

Wideband communications receiver

ICOM is offering the IC-R100 wideband communications receiver, which provides tremendous listening versatility in a variety of locations, including air band, marine band and emergency service frequencies, as well as Amateur bands.

Identify yourself with our custom engraved call pins

1 line 1"x3" ...\$1.00 2 lines 1"x3" ...\$1.25 3 lines 1'/2"x3" ..\$1.75

Any color • (Add 25¢ per tag for postage.)

Logos for MARS, ARRL, CD, most Lodges, OH, IN, IL, MI, PA, SMIRK, can be engraved on badges for \$.75 extra per badge. Special logos can be made at a reasonable cost; write for quotations.


27 Verlynn Ave. • Hamilton, OH 45013

The compact IC-R100 is designed for flexible installation at home or in your car. Some features include:

- · Super wideband receive capability. The IC-R100 continuously covers a wide frequency range within 100 kHz to 1856 MHz, in AM, FM and wide FM modes at home or in your vehicle.
- Easy-to-operate keyboard and tuning control. The IC-R100 has complete programming versatility. You can use either the keyboard or tuning control to access frequencies and memory channels.
- 121 memory channels. A total of 121 memory channels are available on the IC-R100. 100 memory channels store operating frequencies, modes, RF attenuator and preamplifier settings. Twenty scan edge memory channels are used for specifying 10 pairs of frequency ranges required for programmed scan. Plus, the receiver has one independent memory channel used for priority
- Built-in 24 hour clock. The IC-R100 includes a 24 hour clock and a variety of timer functions. Even if the receiver's external power supply is disconnected, the clock continues to run because of the built-in lithium battery. The different timer functions are convenient for scheduled programs, the receiver just turns itself on and off.

The versatile IC-R100 also includes three separate antenna connectors, a built-in preamplifier and attenuator, plus a complete variety of scan functions.

A smile is contagious



QSO more for greater distance with higher gain and less interference with AAE Bandmaster Quads

- · All-fiberglass construction
- · Rugged engineering/all weather
- · Highly directional/excellent F/B
- · Full-band performance · Unique tool-free assembly
- Boom length 5 feet, 4 lbs. (Q-144-6)
- · One year full-replacement warranty

Model	Description	\$ Price
Q-144-2	2 Meter 2 Element DF Quad	\$ 29.95
0-144-3	2 Meter 3 Element Quad	\$ 39.95
Q-144-4	2 Meter 4 Element Quad	\$ 49.95
Q-144-6	2 Meter 6 Element Quad	\$ 69.95
0-440-6	440 MHz 6 Element Quad	\$ 44.95
0-220-6	220 MHz 6 Element Quad	\$ 59.95
Q-50-4	6 Meter 4 Element Quad	\$149.95
Q-28-2	10 Meter 2 Element Quad	\$179.95
Q-28-3	10 Meter 3 Element Quad	\$229.95
Q-28-4	10 Meter 4 Element Quad	\$279.95
O-FM-DX	FM Broadcast Antenna	\$ 49.95

Alabama Amateur Electronics

Call today for your high performance all-fiberglass BandmasterQuadbyAAE. Shipping not included. Visa and Mastercard welcome.

3164 Cahaba Heights Road Birmingham, AL 35243



(205) 967-6122



Contact NCG for info.



SWR/Power Meter

The CM-1200 Ultra-compact SWR/Power Meter is available from NCG

For information contact the NCG Co., 1275 N. Grove St., Anaheim, CA 92806; 714/630-4541; or selected dealers.

Computer help

RTTY-PC is an easy-to-use, multi-featured communications program for either receiveonly or two-way RTTY/ASCII communications via Amateur Radio. It will send and receive RTTY (Baudot) at 60, 66, 75 and 100 wpm, or ASCII at most standard (and some non-standard) speeds between 110 and 9600 baud. By means of a suitable computer, interface and radio transmitting and receiving equipment, you can communicate with other Amateurs operating RTTY or ASCII. You can also use the program just to receive other stations. This can include Amateur and non-Amateur stations.

The program "comes up" receiving RTTY on the band to which your receiver is tuned. It is not necessary to go through a lot of menus or answer a lot of questions each time you run RTTY-PC, like some programs require. But, with a touch of a key, you can exit the main receive/transmit screen and get into the menus.

The main screen you'll see is "split" into two windows: The upper window shows actual received and transmitted text (in two different colors or intensities) and the lower window "stores" the text to be transmitted as you type and can be used to view and change messages. The two windows are separated by the Divider line, which displays the mode, speed, date, time and other information.

RTTY-PC has a Type-ahead buffer: You can type your reply to the other station even while receiving him, interspersed with messages and disk files if desired.

The program features 12 1024 character message buffers. You can send one of these 12 messages, each one up to 1024 characters in length, with the touch of a function key. These messages could include CQ, a description of your station equipment, your name and QTH. the other station's call or anything else you can think of that you might send a lot (examples are in the manual). These messages that you create can be easily changed and saved to disk and are automatically loaded each time you use RTTY-PC. They can also be quickly viewed and/or changed in the lower window while simultaneously receiving in the upper window. Or, if you like, you can use the "full screen" message changing method where you have the entire screen to view and/or change a message.

Even if your keyboard only has 10 function keys, the RTTY-PC diskette includes software to re-define two other unused keys of your choice as F11 and F12. Or, if F11 and F12 on your "compatible" are not strictly IBM PC-AT or PS/2 compatible (fairly common), you can show RTTY-PC how to recognize your F11 and F12 keys. Separate software is provided on the diskette, so you can do this if necessary; it is easy to do and only needs to be done once.

While using RTTY-PC, you can also:

Transmit disk files

·Save everything that you receive and transmit to disk. You can either name the file yourself or have RTTY-PC automatically name it for you.

· Print everything that you receive or transmit to a printer. You can save to a disk file and print to a printer simultaneously if desired. Files and printouts are marked showing mode and receive/transmit.

For pricing or other information, contact Comtech Research, 5220 Milton Rd., Custar, OH 43511; 419/278-6790.

Multiple DC outlet

MFJ Enterprises Inc. is offering the MFJ-1112 Multiple DC Power Outlet for \$24.95. It saves you space and money by giving you six pairs of heavy duty binding posts for connecting your accessories.

The MFJ-1112 connects directly to your 12VDC power supply. RF bypassing keeps RF




out of the power supply from the DC line

The attractive black aluminum cabinet measures a sleek $13\frac{1}{2} \times 2\frac{3}{4} \times 2\frac{1}{2}$ inches. You also get MFJ's one year guarantee.

For more information contact any MFJ dealer or MFJ Enterprises Inc., P.O. Box 494, Mississippi State, MS 39762; 601/323-5869; Telex: 53 4590 MFJSTKV: FAX: 601/323-6551; or order toll free at 800/647-1800.

Crimping tool

Nemal Electronics International of North Miami, FL, has introduced a new ratchet crimping tool for use in the communications and computer fields. The tool offers full cycle ratchet operation with machined dies for precision crimping and long service life and features a pin holder and wire locator for ease of operation.



Part number CT2320 accommodates wire sizes from 20 to 30 gauge.

For additional information contact Nemal Electronics International Inc. at 12240 NE 14th Ave., North Miami, FL 33161; 305/899-0900; FAX: 305/895-8178.

ARIZONA **Ham Radio Outlet** 1702 W. Camelback Phoenix, AZ 85015 (602) 242-3515

CALIFORNIA A-Tech Electronics 1033 Hollywood Way Burbank, CA 91505 (818) 845-9203

Ham Radio Outlet 2620 W. La Palma Anaheim, CA 92801 (714) 762-3033 (213) 860-2040

Ham Radio Outlet 999 Howard Ave. Burlingame, CA 94010 (415) 342-5757

Ham Radio Outlet 2210 Livingston St. Oakland, CA 94606 (415) 534-5757

Ham Radio Outlet 5375 Kearny Villa Rd. San Diego, CA 92123 (619) 560-4900

Ham Radio Outlet 6265 Sepulveda Blvd. Van Nuys, CA 91411 (818) 988-2212

Henry Radio 2050 S. Bundy Dr. Los Angeles, CA 90025 (213) 820-1234

Jun's Electronics 3919 Sepulveda Blvd. Culver City, CA 90230 (213) 390-8003

The Radio Place 2964 Freeport Blvd. Sacramento, CA 95818 (916) 441-7388

CONNECTICUT Rogus Electronics Inc. 250 Meriden-Waterbury TPK. Southington, CT 06489 (203) 621-2252

FLORIDA McClaran Sales/Aluma Towers P.O. Box 2513 Vero Beach, FL 32961 (407) 567-8224

Mike's Electronics 1001 N.W. 52nd St Fort Lauderdale, FL 33309 (305) 491-7110

GEORGIA Doc's Communication & Electronics, Inc. 702 Chickamauga Ave. Rossville, GA 30741 (404) 866-2302 or 861-5610

Ham Radio Outlet 6071 Buford Hwy. Atlanta, GA 30340 (404) 263-0700

IDAHO Ross Distributing Co. 78 South State St. P.O. Box 234 Preston, ID 83263 (208) 852-0830

......

MICHIGAN H.R. Electronics 722/24 Evanston Ave. Muskegon, MI 49442 (616) 722-2246

MISSOURI Henry Radio 211 N. Main Street Butler, MO 64730

NEVADA Radio World 1656 Nevada Hwy. Boulder City, NV 89005 (702) 294-2666

NEW HAMPSHIRE Ham Radio Outlet 224 N. Broadway Salem, NH 03079 (603) 898-3750

Rivendell Electronics 8 Londonderry Road Derry, NH 03038 (603) 434-5371


NEW JERSEY Gilter Associates P.O. Box 239 52 Park Ave. Park Ridge, NJ 07656 (201) 391-7887

NEW YORK Hirsch Sales Co. 219 California Dr. Williamsville, (Buffalo) NY 14221 (716) 632-1189

OHIO Universal Radio, Inc. 1280 Aida Dr. Reynoldsburg (Columbus), OH 43068 (614) 866-4268 • (800) 431-3939

VIRGINIA Ham Radio Outlet 14608 Build America Dr. Woodbridge, VA 22191 (703) 643-1063

ISIT YOUR LOCAL



Extending a 69 year tradition, we bring you three new Callbooks for 1990, bigger and better than ever! The North American Callbook, the International Callbook, and the new Callbook Supplement bring you accurate up-to-date QSL information on over 1,000,000 amateurs throughout the world.

The North American Callbook lists the calls. names, and address information for over 500,000 licensed radio amateurs in all countries of North America from Canada to Panama, including Greenland, Bermuda, and the Caribbean islands plus Hawaii and the U.S. possessions.

The International Callbook lists over 500,000 licensed radio amateurs in countries outside North America. Its coverage includes South America, Europe, Africa, Asia, and the Pacific area (exclusive of Hawaii and the U.S. possessions).

The 1990 Callbook Supplement is a new idea in Callbook updates, listing the activity in both the North American and International Callbooks, Published June 1, 1990, this combined Supplement will include thousands of new licenses, address changes, and call sign changes for the preceding 6

Every active amateur needs the Callbook! The 1990 Callbooks will be published December 1, 1989. Order now for early delivery as soon as the new books are available. See your dealer now or order directly from the publisher.

- Over 1,000,000 current amateur listings in all countries of the world
 Telegraph Codes
- Then & Now call changes Silent Keys Census of Amateur Licenses in all countries
- Standard Time Charts International Postal Information World-wide QSL Bureaus
- Table of Amateur Prefix Allocations
 Prefixes of the World
 Plus many other features.

Publication: Callbooks - December 1, 1989 Supplement - June 1, 1990 Including shipment Illinois residents, Including shipment to U.S.A. points incl. tax & shipping to foreign countries ☐ Single 1990 North American Callbook \$31.00 \$32.80 \$37.00 ☐ Single 1990 International Callbook 33.00 34.95 39.00 ☐ Single 1990 Callbook Supplement 13.00 13.65 14.00 ☐ SPECIAL OFFER: Order both 1990 Callbooks at the same time for shipment to one address. 61.00 64.80 71 00 Name Amount enclosed Address

radio amateur

925 Sherwood Dr., Box 247, Lake Bluff, IL 60044, USA

Mon.-Frl. 8-4 Central Tel: (708) 234-6600





As a service to our readers, Worldradio presents a feature listing those VE exams, times and locations which are sent to us. Please remember that our deadline for publication is two months in advance. For example, if your VE group is scheduling an exam for September, please have the information to us by mid July.

Please mark the envelope "VE Exams."

San Antonio

List the location, and information examinees should have (advance registration, etc.) and the name and telephone number of a person to contact for further information.

Wor	ldradio, 2120 28	th St., Sacramento, CA	95818.	p/r = pre-register	w/i = wi	alk-in
Date	City	Contact	Notes	Date City	Contact	Notes
Arkansa	ıs			Indiana		
	Russellville	Ben Hillis (501) 964-6885	w/i	August 4 South Bend	NI9Y (219) 255-4455	w/i OK
		2011 (1111112) (1011)		August 5 Terre Haute		w/i
Californ	nia				1102221 (012) 100 1111	****
lugust 4	Burbank	KE6AR (818) 349-0927	w/i OK	Kansas		
	Stockton	AA6NO (916) 662-0810	w/i	August 11 Olathe	WK0G (913) 764-2822	p/r pref
ugust 5	Chico	W6YKU (916) 342-1180	p/r pref			
ugust 11	Camarillo	N6SR (805) 484-4461	p/r pref;	Maryland		
			ltd w/i	August 25 Laurel	(301) 572-5124	ltd w/i
	Concord	WW6H (415) 254-5090;		Mounda		
		WA6AEO (415) 676-8239	w/i	Nevada		
	San Pedro	N6DYZ (213) 325-2965	ltd w/i	August 4 Las Vegas	(408) 255-9000	w/i only
ugust 15	Eureka	KB6FIW (707) 442-9245	p/r pref by	New Jersey		
	Fountain Valley	KI6WK (714) 846-6984	8/13	August 8 Fort Monmo		
ugust 16 ugust 18	Downey	KA3DSE (213) 923-5598	w/i	August 8 Fort Wonm	outh KZ2P (201) 905-3146 or (201) 370-8055	!:
ugust 30	Long Beach	KA6HOQ (714) 897-6331;	W/I	August 11 Cranford	N2XJ (201) 635-7686	w/i
ugust 50	Long Death	NF6X (213) 434-8278	w/i	August 16 Bellmawr	WA2VQG (609) 546-7710	no p/r
ept 1	Riverside	(714) 780-2680	p/r 7 days	August 18 Bayonne	WA2QYX (201) 451-9471	w/i OK
pt I	TELVEL BILDE	(111) 100 2000	prior;		**************************************	W/I OIL
			ltd w/i	New York		
				August 17 Verona	KA2NIL (315) 363-4297	w/i
olorad	ob			August 20 Ithaca	NK2V (607) 255-5274	w/i only
ugust 11	Denver	WØIJR (303) 366-9689	w/i OK	August 26 North Baby		w/i OK
ugust 18	Pueblo	(719) 948-2291	w/i	N d C II		
	Westminster	NØHNR (303) 451-1231;		North Carolina		
		(303) 278-4280	p/r or w/i	August 11 Yadkinville	N4AAD (919) 679-8059;	
	42 4				N4UAN (919) 679-8954	p/r; w/i
connec				Ohio		
	Gales Ferry	KY1F (203) 536-0187	w/i		T. W. (01.1) 000	
ugust 26	Millord	NB1M (203) 933-5125;	/2	August 4 Columbus	Jim Kerr (614) 866-5531	w/i
		WA1YQE (203) 874-1014	w/i	Mentor	KO8O (216) 256-0320	p/r; w/i
lorida				Pennsylvania		
ugust 18	Melbourne	WB9IVR (407) 724-6183	w/i OK	August 4 Erie	W3CG (814) 665-9124	w/i OK
ugust 10	W. Palm Beach	W4SS (407) 967-1477;	W/I OIL	August 20 Perkasie	Warren Erdman	WILOK
	.vv. I ailli Deach	KG4U (407) 582-7617	w/i	August 20 Terkasie	(215) 679-5764	p/r; w/i
		11010 (1017 002 1011	****		(210) 013-0104	p/1, w/1
daho				Tennessee		
ugust 11	Boise	W7JMH (208) 343-9153		August 4 Memphis	W4MI (901) 357-8148	p/r by 8/
						, , ,
llinois				Texas		
ugust 11	Oak Forest	KA9HDN (312) 247-0650	w/i	August 11 Eddy	N5KZD (817) 859-5374	w/i
ugust 18	Loves Park	W9SS (815) 877-6768	p/r; w/i	Midland	KT5G (915) 694-9450	
				C A . A		1*

Antenna? What antenna?!

DAVE CAMMACK, N6NMH

I moved into a trailer park that does not allow "any" outdoor antennas. So there went the thought of being able to get back on the air.

Well, I was wrong. I now work 160 to 10M and you can't even see the antenna, which is over 208 ft. long!

It started in April 1985. While on vacation I was in an automobile accident. After receiving the settlement, I went to Ham Radio Outlet and bought my present station, which consists of an FT757GX and TH21AT. Then came the problem! What was I going to do with this station and no antenna.

Well, I got this suggestion from AC7A, which produced a low cost, low time installation antenna. And most of it was already installed!

The trailer is of wood construction,

not the normal metal type. On some of the sides, the manufacturer had installed rain gutters. The drain spouts reached the ground, but did not touch the ground: PVC piping was used to drain the water to the street. So there I already had half the antenna.

Now all I had to do was connect the rain gutters together. So off to the store I went to get the needed materials.

I used #22 wire coated yellow, as that was the color of the trim around the house. With the wire, sheet metal screws, lugs, solder, soldering iron, sandpaper, weather caulking and, oh yes, don't forget the drill, I went to work putting up my antenna.

I drilled a hole in every corner of the rain gutters, sanding the area around

the hole to provide a good connection, then installed the lugs with wire attached to the screws. To prevent corrosion, I covered the connections with the caulking and then used a staple gun to secure the wire on the trim.

AA5HG (512) 680-2371

w/i

To feed the antenna I used TV type 300 ohm twin lead, which also fit through the drain hole in the frame around the window, coupled to an MFJ transmatch, to match the load to the rig and get that great SWR down.

If you're wondering, I've worked the world already, all continents except Africa, using barefoot power of 100W on the HF bands. I'm happy with the way it works and there still isn't "any" outdoor antenna! -Santa Barbara ARC. CA

When will AMSAT-OSCAR-13 be in range?

ROSS FORBES, WB6GFJ

Those just starting out in the world of OSCAR communications would like to know when they can hear a satellite. The following charts are produced to give you a rough idea as to when OSCAR-13 will be within range of your location. The three charts as printed are centered on the following geographic locations: East = New York City; Mid = St. Louis, MO; West = Reno, NV.

As you read the chart nearest your location.


keep in mind the following details - all dates and times are given in UTC. The date is printed on the left hand column and the UTC hour along the top.


A dash mark indicates the satellite is out of range and therefore not able to be heard. The letter "B" indicates OSCAR-13 is audible at that location and signals should be heard between 145.810 and 145.880 MHz (SSB and CW). A letter "O" indicates the satellite is audible, but the only signal you will hear is the

telemetry beacon on 145,810 MHz. The letter "L" indicates the satellite is audible but you will hear signals between 435.650 and 436.000 MHz (SSB and CW).

Remember, if a letter is printed on the chart, you should be able to hear OSCAR-13.

For more information about OSCAR, please send a SASE to either of the following: Project OSCAR, P.O. Box 1136, Los Altos, CA 94023-1136; AMSAT-NA, P.O. Box 27, Washington, D.C. 20044.





MINI DELTA

Short 1/4 wave 2-meter mobile ant. Total height 121/2". Also available 220 MHz, height 10½". No more hitting your garage door. Ideal for repeater and simplex use. Has worked 45 mi. simplex.

NEW PRICE:

NOW! \$39.95 We ship.

Includes mag. mt. base and 12 ft. coax and plug.

Make check or M.O. to: **DELTA ANT PRODUCTS** P.O. Box 716 Tehachapi, CA 93581*

(805) 822-5609 • Designed by "Mac" K6RL-

MININEC \$35

MNjr 1.5 offers fast, powerful, inexpensive antenna analysis. MNjr models antennas in free space or over ground, uses 3-times faster FSS analysis, has automatic frequency sweep, simple definition of feeds and loads, and displays & prints standard ARRL polar plots. MNjr has executions our nord for most active. MNjr has everything you need for most antennas 8087 and extra-fast no-8087 versions both included. MNjr 1.5, \$35 Full credit towards MN 3.5.

MN 3.5 is the fastest, most powerful, and most advanced MiNINEC program available MN 3.5 displays 3.D views of antenna geometry & phasor wire currents, does sophisticated polar & rectangular plots of H, V, RCirc, LCirc, MaxLin, MinLin, & Max polarization components, uses up to 254 pulses for complex antennas, calculates near-fields for TVI & RF-hazard analysis. computes far-fields for repeater coverage, does current feed for phased arrays, has automatic frequency sweep, and simple definition of feeds & loads. 8087 or extra-fast no-8087 version. MN 3.5, \$85. 500-pulse option, \$25

MN & MNjr are up to 10 times faster than standard MININEC implementations. Comprehensive antenna design library, easy-to-use full-screen reditor, and extensive documentation included. Add 6.25% CA, \$5 overseas. U.S. check

Brian Beezley, K6STI, 507-1/2 Taylor, Vista, CA 92084

BLACK DACRON® POLYESTER ANTENNA ROPE

- UV-PROTECTED
- HIGH ABRASION RESISTANCE
- REQUIRES NO EXPENSIVE POTTING HEADS
- EASY TO TIE & UNTIE KNOTS
- . EASY TO CUT WITH OUR HOT KNIFE
- SIZES: 3/32" 3/16" 5/16"
- SATISFIED CUSTOMERS DECLARE EXCEL-LENCE THROUGHOUT U.S.A.


LET US INTRODUCE OUR DACRON® ROPE TO YOU . SEND YOUR NAME AND ADDRESS AND WE'LL SEND YOU FREE SAMPLES OF EACH SIZE AND COMPLETE ORDERING INFORMATION.

> In Australia contact ATN Antennas, Birchip, Victoria



synthetic textiles.inc.

MANUFACTURED BY 2472 Eastman Ave. Bld. 21 Ventura, CA 93003 (805) 658-7903 DACRONO IS A DUPONT REGISTERED TRADEMARK



WORLDRADIO ON CASSETTES for the blind. For information, contact TOM CARTEN, K1PZU, 1602-Y King's College, Wilkes-Barre, PA 18711.

QSL SAMPLES — 25¢. SAMCARDS, 48 Monte Carlo Dr., Pittsburgh, PA 15239.

THE DX MAGAZINE is your monthly ticket to the DX game: DXpedition reports, QSL managers, propagation, equipment reviews, more. Only \$15/year. Box 50-W, Fulton, CA 95439. (707) 523-1001.

RTTY JOURNAL published 10 times per year for those interested in digital communications. Read about RTTY, AMTOR, MSO'S, PACKET, RTTY DX and Contesting. Plus technical articles concerning the digital modes. \$12.50 per year (foreign higher). RTTY JOURNAL, 9085 La Casita Ave, Fountain Valley, CA 92708.

CERTIFICATE FOR PROVEN TWO-WAY RADIO CONTACTS with amateurs in all 10 USA call area. Award suitable to frame and proven achievements added on request. Send \$2 (USA) or \$3 (DX) to cover certificate cost. W6LS, 2814 Empire Ave., Burbank, CA 91504.

SUBSCRIBE TO THE DXers Magazine. Gus Browning, W4BPD, editor. Only \$15.00 per year. The DXers Magazine, Drawer DX, Cordova, SC 29039.

AMATEUR RADIO TRANSMITTERS, receivers, etc., that you can build dirt cheap. Write for list — WA4DSO, 3037 Audrey Drive, Gastonia, NC 28054.

QUADS

Includes all necessary parts.
(Balun optional)
Many models to choose from, including W.A.R.C. models.

For more information contact:

Lightning Bolt Antennas R.D. #2, Rt. 19 Volant, PA 16156 (412) 530-7396 CHASSIS & CABINET KITS, SASE, K31WK, 5120 Harmony Grove Rd. Dover, PA 17315.

POST CARD QSL KIT — Converts post cards, photos to QSLs! Stamp brings circular. K-K LABELS, P.O. Box 412, Troy, NY 12181-0412.

LET THE GOVERNMENT FINANCE your Amateur Radio-related small business. Grants/loans to \$500,000. Free recorded message: 707/449-8600. (LH3)

PERSONALIZED HOURLY HF SKYWAVE PREDICTIONS from your city or town: SKYCOM 1.1 floppy disk for Apple Macintosh or IBM PC and compatible personal computers. Includes complete mathematical description of theory (\$39.95). DX WINDOW floppy disk circular projection world radio map centered on your QTH shows sunrise-sunset gray line for any time of interest. Includes feature which displays any of 400 prefixes on world map instantly. For all Apple Macintosh machines (\$39.95). SASE for more info: ATTN: DX; ENGINEERING SYSTEMS INC., P.O. Box 939, Vienna, VA 22183. Ph 703/255-6600.

AUTO-CALL MAGAZINE, official journal of the Foundation For Amateur Radio, a federation of over 50 clubs in the greater Washington, D.C. area. Great coverage of FCC, ARRL, VEC, Public Service and club activities in the area. A must for those even passing through the area. For sample copy write FOUNDATION FOR AMATEUR RADIO, P.O. Box 7612, Falls Church, VA 22046-1452.

AMATEUR RADIO REPAIR — experienced licensed, reasonable. ROBERT HALL ELECTRONICS, W6BSH, P.O. Box 280363, San Francisco, CA 94128-0363. 408/729-8200.

WANTED REPLY COUPONS of all types, IRCs & others. Buy, sell, trade. JIM NOLL, P.O. Box 3410, Escondido, CA 92025.

EDITING A CLUB PAPER? Need one for your club? Interested in Amateur Radio public relations? Need some help? Amateur Radio News Service would like to hear from you. For info write PAM MYERS, N8IAK, 510 W. Harrison, Alliance, OH 44601.

MACINTOSH SOFTWARE: Logging, contest, Morse and theory training. Free info. ZCO CORPORATION, P.O. Box 3720, Nashua, NH 03061, 603/888-7200 Fax 603/888-8452.

QSLs. QUALITY AND FAST SERVICE FOR 30 YEARS. Include call for free decal. Samples 50°C. RAY, K7HLR, Box 331, Clearfield, UT 84015.

ALL ABOUT CRYSTAL SETS. Theory and construction of crystal set radios, \$7.95, ppd USA. ALLABOUT BOOKS, Dept. W., Box 14155, Fremont, CA 94539.

FREE Ham Gospel Tracts, SASE, N3FTT, 5133 Gramercy, Clifton Heights, PA 19018.

LEARN THE CODE — A course for family members and friends who don't know the difference between a dot or a dash. Monday through Friday, 0630-0700 California local time, 3760 KHz ± A2/A3/LSB, March, April, May, September, October, November, K6RAU. Starts first Monday of each month.

RADIO SHACK COLOR COMPUTER Ham software and hardware. Free catalog. DYNAMIC ELECTRONICS, POB 896, Hartselle, AL 35640, 205/773-2758.

WILL BUY your clean non-working ham gear. Details to: WESTWORD COMMUNICATIONS, 2638 Giannini Rd., Atwater, CA 95301 or call BOB, AA6UP, 209/358-2760.

WANTED: BUY & SELL all types of electron tubes. Harold Bramstedt, C&N ELECTRONICS, 6104 Egg Lake Rd., Hugo, MN 55038, 1/800/421-9397 or 612/429-9397.

RUSPRINT QSL. ARRL, cartoon, patriotic, mike & key, telegraph keys, economy. Prices start at .0275 cents each! Quantities start at 100. Plastic card holders. Display 20 cards. Three—\$4.50. Four & up \$1.30 each. More information? Business SASE with 45¢ postage. RUSPRINT, Rt 1, Box 363WR, Spring Hill, KS 66083

QSL's — A whole new look in QSL cards. Send \$1.00 for samples (refundable with order) to: LAKESIDE QSL, Dept. W, P.O. Box 43043, Seven Points, TX 75143.

\$2.50 WORLD BEAM HEADINGS, 150 US cities selection with \$6.95 handbook purchase listing 330 countries, prefix, zones, time, DXCC, QTH/QSL info, world grid maps, 300 Pacific islands, grid maps. DX BLUE BOOK, Dept.W, 4920 Mayflower St., Cocoa, FL 32927. 407/632-6809.

FANTASTIC DX LOCATION sixteen miles W. of Hot Springs National Park, AR. Eight-acre estate; (3) 100-ft. steel towers, (1) 40 ft., (1) 50 ft. 100' steel tower with 10 & 20m beam, 4 sides, 15" wide rotator; 100' with 20m beam; 100' supporting W8JK, approx. 1000' open wire feedline. Beautiful cedar home built for retirement. Guest house, shop, lots of decking, beautiful view near lake and beaches. Contact: MARVIN POE, Century 21, 4915 Central Ave., Hot Springs, AR 71913. 501/525-3256.

BROWNIE'S QSLs since 1939. Catalog & Samples \$1.00. 3035 Lehigh St. (REAR), Allentown, PA 18103.

G5RV ANTENNA KIT only \$29.95 + s/h. High voltage variable capacitors & roller inductors. SASE for catalog. KILO-TEC, P.O. Box 10, Oakview, CA 93022. To order call or FAX 805/646-9645.

WEEKLY HAM TRADER. Mailed first class each and every Friday. First issue July 20th. Subscriptions \$10.00 for six months (26 issues). Ad rates 20 cents per word non-commercial. 40 cents commercial. Prepaid ads and subscriptions to: WEEKLY HAM TRADER, P.O. Box 1159, Arnold, MO 63010.

QSL'S TWO-COLOR — \$26.95 per thousand. Samples, brochure \$1.00. DON ELLIS, K3LQQ, 84D Chapel Drive, Zephyrhills, FL 33544.

GET SMART POWER when you need it! Universal regulated multi-voltage DC for Experimenters! Laboratories! Industry! Send for facts! PEPPERKIT, 527-10th Street, Sparks, NV 89431-0811 USA.

CUSTOMIZED BEAM HEADINGS! Worldwide headings from your QTH. Only \$7.00! Unfolded NLQ printout. FUNDSERV, 1546B Peaceful Lane, Clearwater, FL 34616.

CODE PROFICIENCY DRILLS are transmitted from WB3IVO Brass Pounders ARC, each Saturday, Sunday, Monday and Thursday on 7060 kHz, starting 2000Z. Each Tuesday and Friday on 14060 kHz, starting 2000Z. Speeds range from 20 to 60 wpm.

OWL DECOY keeps birds off your antenna \$19.95. N6RJ 2nd OP DX Wheel \$8.95. N6RJ 2nd OP for IBM \$59.95. TS-COMM to control Kenwood from your IBM \$69.95. Add \$3 UPS. HAM RADIO OUTLET, 1-800-854-6046.

PAKRATT-PK-64 Multimode Data Controller with HFM-64 HF Modem and factory installed long cable. \$95.00. MONTY, W6NJW, 818/767-3499.

IBM P.C. AND COMPATIBLE VIDEO DIGITIZER. Use TV camera, VCR or camcorder to capture 256 gray level 640 by 480 pictures on your computer, save to disk and paint programs. Card and software \$85, demo disk \$3. CODEWARE, Box 3091, Nashua, NM 03061.

THE SPEC-COM JOURNAL is published bimonthly, 6 times per year. Dedicated to Fast Scan Television but committed to covering slow scan television, facsimile, RTTY, ASCII, AM-TOR, packet radio, satellites, TVRO and all other specialized modes of communication. Now with thicker, color enhanced issues. Back issues and sample copies \$3.50 ppd. Annual subscriptions: USA \$20, Canada/Mexico \$25, foreign surface \$30. MC/VISA add 5% and lowa residents add 4% for tax. KAØJAW has now joined WB0QCD to co-publish the SPEC-COM Journal for specialized amateur enthusiasts. Contact: MEMBERSHIP SERVICES, P.O. Box 1002, Dubuque, IA 52004-1002 or call 319/557-8791.

SONNY IRONS, INVENTOR OF MAXCOM, EXPOSED! 91 pages, bound with 42 pictures and a 3-page govt. report. Send \$15.00 cash, check or money order to: SONNY IRONS EXPOSED, 1309 S.W. Fifth Court, Ft. Lauderdale, FL 33312. Postage paid.

QSL CARDS—Look good with top quality printing. Choose standard designs or fully customized cards. Request free brochure, samples, (stamps appreciated) from CHESTER QSL's, 310 Commercial, Dept. D, Emporia, KS 66801. FAX 316/342-4705.

PACIFICON 90 OCTOBER 10-12 — Save the weekend for the ARRL Pacific Division Convention at the LE BARON HOTEL IN SAN JOSE. SCCARA promises more Amateur Radio fun, entertainment, and training than ever. Registration material at radio stores; SEPT and OCT issues of WR; or send SASE to 481 Fenley Ave., San Jose, CA 95117

ICOM, KENWOOD, YAESU, Drake, Collins & Heath Owners: International Radio & Computers Inc. & Fox Tango 8 Pole & 10 Pole Crystal Filters. Ask yourself these questions! Are you continually being interfered with during QSO? You can't seem to pull out a weak signal in the QRM? Yes, to either, purchase our SSB or CW Gliters! Monthly ICOM, Kenwood & Yaesu separate newsletters, 10 to 13 years of back issues. Send \$.65 SASE for free 16 page catalog to INTERNATIONAL RADIO & COMPUTERS INC., 751 S. Macedo Blvd., Port St. Lucie, FL 34983, 1-407/879-6868.

SUPERFAST MORSE CODE SUPEREASY. Subliminal cassette. \$10. Learn Morse code in I hour. Amazing new supereasy technique. \$10. Both \$17. Money back guarantee. Free catalog: SASE. BAHR, 1196-F2 Citrus, Palmbay, FL 32905.

R390, R390(A) SSB ADAPTER, excellent SSB RTTY, solid-state, \$29.95. Ballast tube replacement, solid-state, \$22.50. No receiver modifications needed. G.B. COMMUNICATIONS, INC., 963 Birch Bay Lynden Road, Lynden, WA 98264.

REPAIR SERVICE: ICOM, Kenwood, Yaesu, Ten-Tec, Azden & Atlas repaired at reasonable cost, producing quality performance, in our own electronically sophisticated lab. Ship equipment with letter stating problems & your preferred method of payment to: INTERNATIONAL RADIO & COMPUTERS, INC., 751 S. Macedo Blvd., Port St. Lucie, FL 34983. 1-407/879-6868.

AMP REPAIR CENTER — 35 years experience. Former Service Manager with amplifier manufacturer. 90 day warranty OMEGA ELECTRONICS, 4209 Live Oak Road, Raleigh, NC 27604. 919/231-7373. 73, Bill K4BWC.

DIGICOM/64 Master Command Guide. Keyboard Overlay. \$5. ppd. FULLER, RD#2, Box 122, Saegertown, PA 16433.

NCL-2000 BAND SWITCH New, \$30 p.p. MAXIMILAIN FUCHS, 11 Plymouth Lane, Swampscott, MA 01907.

DOES YOUR CLUB NEED A NEWSLETTER? Is your club having trouble finding-keeping an editor? Maybe we have the answer! Tell us the problem and size of the club. Write TSRAC, Box 240, RD 1, Adena, OH 43901.

SLACK 80- THRU 10-METER WIRE ANT. fits 25' lot. SASE. SLACK ENTERPRISES, 101 Royal Park Drive, Apt. 2H, Oakland Park, FL 33300

MOTOROLA MICOR 100 watt 2 meter repeater with ACC model 96 controller and Wacom 641 duplexers. Will sell as complete system only. WX4C, 703/434-1280.

WANTED: Ham equipment and other property. The Radio Club of Junior High School 22 NYC, Inc. is a nonprofit organization, granted 501(C)(3) status by the IRS, incorporated with the goal of using the theme of ham radio to further and enhance the education of young people nationwide. Your property donation or financial support would be greatly appreciated and acknowledged with a receipt for your tax deductible contribution. Meet WB2JKJ at the ARRL Southwestern Division convention, August 24-26. Joe Fairclough will be moderator for the youth forum and speak at the educational forum. Contact the "22 crew" on 7.238/21.395 MHz. Classroom nets for convention updates. Write us at: P.O. Box 1052, New York, NY 10002. Round-the-clock-hotlines: voice 516/674-4072, fax 516/674-9600.

ELECTRON TUBES! Transmitting, receiving, military obsolete. . . all types. Large inventory. Fast delivery. DAILY ELECTRONICS, P.O. Box 5029, Compton, CA 90224. 213/774-1255, outside CA 800-346-6667.

WRITTEN EXAMS SUPEREASY. Memory aids from psychologist/engineer cut study time 50%. Novice, Tech, Gen: \$7 each. Advanced, Extra: \$12 each. Money back guarantee. BAHR, 1196-F2 Citrus, Palmbay, FL 32905.

HOMEBREW PROJECTS LISTS. SASE, WB2EUF, P.O. Box 708, East Hampton, NY 11937.

HAM RADIO COOKBOOK — Celebrating the 20th Anniversary of the Notorious DRØNK Radio Network: 1990 Edition. 147 recipes by DRN members, some using ham equipment as cooking utensils. \$6.00 US postpaid. WK CHEVERTON, P.O. Box 85234, San Diego, CA 92186-5234. Checks payable to WK Cheverton.

FOR SALE, beautiful mountaintop home in Calavaras County, the Mother Lode. 1800 sq. feet, new redwood deck, new steel roof, a view forever, 2850 ft. altitude, snow at Christmas, no smog or fog, own well, no water problems. Ham shack included, with view. KEN BRUMAGE N6HWZ N6MJX, 18117 Vista Way, Mokelumne Hill, CA 95245, 209/754-4661.

COMMODORE 64 HAM PROGRAMS—8 disk sides—over 200 Ham programs \$16.95. 25¢ stamp gets unusual software catalog of utilities, games, adult and British disks. HOME-SPUN SOFTWARE, Box 1064-W, Estero, FL 33928.

CLEANING SHACK LIST. Send SASE. LEWALSKI, 3512 Moraga Blvd., Lafayette, CA 94549.

COLLECT KEYS? You'll enjoy WIIMQ's illustrated references. "Introduction to Key Collecting," 64 pages, \$9.95. "Vibroplex Collector's Guide," 87 pages, \$14.95. Add \$2.00 s/h to total. ARTIFAX BOOKS, Box 88-W, Maynard, MA 01754.

ROSS' \$\$\$\$ USED AUGUST (ONLY) SPECIALS: Kenwood TS-930S/WAT \$1349.90, TS-940S/WAT — \$1695.90, VFO-230 - \$309.90, TS-180S - \$499.90, SM-220/WBS8 — \$429.90, KPS-7A — \$49.90; ICOM IC-251A \$395.90, 900 — \$299.90, IC-730 — \$539.90, PS-15 — \$122.90, SM-8 — \$49.90, 761 -\$1799.90; HAL CRI-200 - \$149.90, RDV-1002 \$59.90; YAESU FT-225RD -\$589.90, FC-700 — \$69.90, FRA-7700 — \$39.90, S-72 — \$39.90. Looking for something not listed? Call or write, we have over 220 used items in stock. Mention ad. Prices cash, FOB Preston. Hours Tuesday-Friday 9:00 to 6:00, 9:00 - 2:00 P.M. Mondays. Closed Saturday & Sunday. ROSS DISTRIBUTING COMPANY, 78 South State. Preston, ID 83263, 208/852-0830.

GIANT 17X22 AMATEUR FREQUENCY CHART showing privileges 1.8-1300 MHz, \$5.00. Latest FCC rules on disk (Commodore, MS-DOS), \$6.00. Wisconsin add 5% tax. WEEDEN RADIO, 6802 Putnam Road, Madison, WI 53711.



Wanted: TUBES

I pay cash or trade for all types of transmitting or special purpose Tubes.

MIKE FORMAN 1472 MacArthur Blvd. Oakland, CA 94602 (415) 530-8840

More MART


QSL TEE SHIRTS. Your QSL card, photo, logo, drawing, etc. enlarged to 8x10 and transferred to white cotton tee or 50/50 sweat. Excellent color and resolution. T's—\$16.00, sweats—\$20.00, + \$3.00 postage. Specify size (S M L XL). Satisfaction guaranteed. LAUREL-WOOD DESIGNS, 2728 SE Laurelwood Dr., Milwaukie, OR 97267.

2-METER "J" ANT. SYSTEMS, for emergency simplex operation. Ideal for civil defense, adapts for mobile or boat use. Rugged construction, extra gain over rubber ducks. SASE to SLACK ENTERPRISES, 101 Royal Park Drive, Apt. 2H. Oakland Park, FL 33309.

"BEAM HEADINGS — YOUR QTH." Unfolded laser printouts. \$14.95. W8JBU, Box 397W, Hinckley, OH 44233.

INSULATORS HD Lapp rhombic, 20 length bell cap ends 7 ea \$10.00. Also 12 ea Lapp $8\frac{1}{2}$ " Hd rectangular @ \$5.00. TONY, K6DR, 916/482-8147.







ADVERTISER'S INDEX

A & A Engineering — 24
Ace Communications — 30
AEA — 25
Alabama Amateur Electronics
— 59
Alinco — 21
Antennas West — 6, 14, 26, 29, 31, 54
Antennas, Rudy Plak — 3
Antique Radio Classified — 33
Association of Shareware
Professionals — 45
AXM Inc. — 18
Azimuth — 23
Battery Tech — 46
Bel-Tek — 46, 57
Brian Beezley, K6STI — 38, 63
Broadcast Tech. Services — 29
Budwig Mfg. — 11, 50
Butternut Electronics — 19
C.A.T.S. — 33
Callbook — 53, 56, 61
Comm-Pute Inc. — 26
Cotec — 32
Courage Center — 38
Cubex Co. — 6
Delta Ant Products — 63
Embroidery Warehouse — 28
Engineering Systems — 36
EPO Software — 8
Fallert's Engraving — 59
First Call Communications, Inc.

GAP Antenna Products — 15
Gauthier's Covers Plus — 15
Gem Quad Products Ltd. — 48
Gene Hansen Co. — 54
GGTE Morse Code — 58
Glen Martin Engineering — 22
H & M Jewelry Co. — 40
Ham Radio Outlet — 34, 35
Handi-Tek — 38
Henry Radio — 2, 37
ICOM — 68
IIX Equipment, Ltd. — 12
IMRA — 23
Inline Components, Inc. — 55
International Crystal Mfg. Co, Inc. — 51
JPW Enterprises — 49
Jun's Electronics — 39
Kilo-Tec — 11
Lakeview Co. — 42, 54
Lanz Company — 18
Lightning Bolt Antennas — 64
M. Bohnhoff — 6
Mauro Engineering — 10
Maxcom — 41
Media Mentors — 32
MFJ — 13
Mike Forman — 65
Mobile Bureau Press — 42
Outbacker Antennas — 45

P.C. Electronics — 17
Pacificon 90 — 7
Palomar Engineers — 11, 16, 49, 55, 57
Pass Publishing — 10, 33, 57
Personal Database — 14
QCWA — 24
Radio Engineers — 20, 58
Radio Place — 12
Radio Works — 12, 41
rf concepts — 52
RLD Research — 31
SGC — 67
Sign-On — 59
Signalcraft Co. — 26
Southern Patuxent Group — 53
Spider Antennas — 47
Synthetic Textiles, Inc. — 63
Tactical Electronics Corp. — 28
The Pouch — 29
Todd Skogen — 16
Universal Radio — 30
Van Gorden Engineering — 4
Visit Your Local Radio Club — 43, 44
Visit Your Local Radio Store — 60
W5YI-VEC — 10
W9INN Antennas — 32, 36
Williams Radio Sales — 27
Yaesu — 5
ZCo Corp. — 22
Zero J Concepts — 20



SMILE!

You could have **Worldradio** delivered to your doorstep each month. No longer will you have to worry about missing the latest issue — or the latest in Amateur Radio news.

Simply fill out the form below and mail it. Despite inflation. **Worldradio** is still one of the best bargains around.

NAME CALL ADDRESS CITY ZIP STATE ☐ Renewal ☐ Gift □ NEW \$13.00 12 issues \$25.00 24 issues \$36.00 36 issues \$130.00 Lifetime

□ Check enclosed□ MasterCard□ VISA

Card # _____Exp. date_

Signature _____

Worldradio^{*}

1779 Tribute Road, Suite L Sacramento, CA 95815


For Subscriptions (charge cards only) TOLL FREE 1-800-365-SUBS 8 a.m. to 5 p.m. Pacific Time

SG-230

SMARTUNER

HF ANTENNA COUPLER
SSB, AM, CW & DATA
FAST - INTELLIGENT - ACCURATE
OPERATES WITH ANY HF TRANSCEIVER

The Smartuner high technology coupler intelligently tunes any length antenna (8 to 80 ft) in the HF band. The unit will operate with any HF transceiver within its' specifications. The Smartuner switches 64 input and 32 output capacitance combinations plus 256 inductance combinations in a "pi" network resulting in over a half-million different ways to ensure a perfect match for the transceiver. And, it remembers the frequency and the tuning values and will re-select these values in less than 10 ms next time you transmit on that frequency.



SPECIAL HAM PRICE: \$555.00

- MICROPROCESSOR CONTROLLED
- NON-VOLATILE MEMORY
- WATERPROOF
- B.I.T.E. INDICATOR

- 1.8 TO 30 MHZ RANGE
- 10 TO 150 WATTS INPUT POWER
- 10 mS RETUNING TIME
- •8 TO 80 FT. ANTENNA (All Types)
- FOR MARINE, AVIATION, HAM AND PARA-MILITARY APPLICATIONS

The SG-230 Smartuner is available from:

Eli's Amateur Radio, FL - 305-525-0103

Texas Towers, TX - 800-272-3467

Henry Radio, CA - 213-820-1234 Gordon West Radio, CA - 714-549-5000

SGC Inc. SGC Building,13737 S.E. 26th St. Bellevue, WA. 98005 USA P.O.Box 3526, 98009. Telex: 328834.Fax: 206-746-6384 Tel: (206) 746-6310



ROCKSOL

"The seven IC-735's used at P4OV performed well. Their excellent dynamic range contributed to our victory at P4OV. The IC-735 is a true champion!" Dale Green, VE7SV.

ICOM's IC-735 is the world's most popular HF transceiver for three simple reasons: Performance, Size and Reliability. With the highest performance, smallest size, and best customer satisfaction of any HF transceiver, the IC-735 is the undisputed champion for fixed, portable or mobile operations.

- Field Proven 100W Transmitter with 100% duty cycle. Proudly backed with ICOM's full one-year warranty.
- 105dB Dynamic Range Receiver includes passband tuning, IF notch, adjustable noise blanker, and semi or full CW QSK



- **Conveniently Designed.** Measures only 3.7"H by 9.5"W by 9"D. Great for mobiling or portable operation!
- Optional AH-2 Automatic Tuning **Mobile Antenna System covers** 3.5MHz-30MHz.
- All HF Amateur Bands and Modes transmits all U.S. HF amateur bands. General coverage receiver.
- 12 Tunable Memories operate and reprogram like 12 separate VFO's. Supreme flexibility!

Additional Options: SM-8 or SM-6 desk mic, PS-55 AC power supply, AT-150 automatic antenna tuner for base operation.

ICOM's IC-735... the radio with the rock solid reputation! See it today at your local ICOM dealer.

ICOM America, Inc., 2380 116th Avenue N.E., Bellevue, WA 98004 Customer Service Hotlline (206) 454-7619 3150 Premier Drive, Surfe 126, Irving, TX 75063 1777 Phoenix Parkway, Surfe 201, Alfanta, GA 30349 ICOM CANADA, A Division of ICOM America, Inc. 3071 - #5 Road, Unit 9, Richmond, B.C. V6X 2T4 All stated specifications subject to change without notice or obligation. All ICOM radios significantly exceed FCC regulations limiting spurious emissions. 735989

First in Communications