

DENON DCD-3520 CD PLAYER THE BENEFITS OF 20-BIT DIGITAL PERFORMANCE

INTERVIEW **BRUCE LUNDVALL TRADITIONAL TRACKS**

TESTED **FUSELIER 3.8D SPEAKER HIGH-END QUALITY**

HARRIS XD-001UH DAT RECORDER FULL-FEATURED BARGAIN

06030





DAUSE

DCE-3520

00.00.

<u>n</u>1)





The company responsible for hi-fidelity sound for your home now offers the premier in car stereo performance

AR for your car



TIMELESSINNOVATION

THE NEXT PLATEAU

Kinergetics KCD-40

You Can Hear The Beauty Of The Music Free From Hysteresis Distortion.

In all audio equipment, each transistor, wire and connector adds its own minute bit of distortion. The sum total of this is *hysteresis distortion*. It dulls the clarity and obscures the realism of the music.

Only Kinergetics' patented hysteresis canceling circuitry gives you the true quality of the music free from this distortion. We have invented a creative merger of art and technology in music reproduction.

Our reputation is built on our obsession to reproduce music with perfect realism.

S Kinergetics Research 1989

Our reputation... "Kinergetics' KCD-20 ... "the first CD player to crack the Class I Sound barrier" J. Peter Montcrieff "International Audio Revlew". Hotline #43-45 **CES Winter '87** Their KCD-20A puts other CD players in the shade musically ... it is a clear first-choice recommendation among CD players Neil Levenson "Fanfare", Vol.10, No.4 CES - Summer '87 "Pure musicality is the only way I can adequately describe what I heard: no sensation of electronics or speakers, with believable sound staging and tonal accuracy ... I think it would be safe to say that this represented the most 'music for dollar' at the show. Lewis Lipnick "Stereophile" Vol.10, No.5 Aug. 1987 CES - Winter '88 'The Death of Mid-Fi: The Big Chill in Vegas" Michael Fremer "The Absolute Sound" Vol.13, Issue 52, page 250 CES - Summer '88 We weren't there. CES - Winter '89 .I am pleased to note that the sound in the Kinergetics room was stunningly true to the sound of the original Steinway. Nice one, Ken and Tony!" John Atkinson "Stereophile" Vol.12, No.3, Mar. 1989

Kinergetics Research -- "constantly reaching for the final plateau -- perfection."

KCD-20 Compact Disc Player • KCD-40 Compact Disc Player • KBA-75 Class A Power Amplifier • KBA-202 Mono Power Amplifier • KBT-1 FM Tuner • KPC-1 Passive Control Center • BSC Compusound Systems: SW-200 Sub-Woofer Amplifier • SW-100 Sub-Woofer • SW-1005 Sub-Woofer • Music Mate Speaker/Sub-Woofer Stands



6029 Reseda Boulevard • Tarzana, California 91356 • Phone (818) 345-5339 • Fax (818) 609-8576 Enter No. 51 on Reader Service Card

Auto

JUNE 1989

VOL. 73, NO. 6



Denon CD player, page 82

DENON DCD-3520

HARRIS XD-001UH

TOO MANY SIGNAL SOURCES THE AUDIO INTERVIEW: BRUCE LUNDVALL

COMPACT DISC PLAYER

DIGITAL AUDIO TAPE RECORDER FUSELIER 3.8D LOUDSPEAKER AURICLE: VMPS SUPER TOWER/R AND TOWER II SPEAKERS AURICLE: PHANTOM ACOUSTICS SHADOW ACOUSTIC CONTROLLER

FEAT	URES	
	Herman Burstein	62
	Ted Fox	68
PMENT	PROFILES	
	Leonard Feldman	82
DER	Leonard Feldman David L. Clark	98 110
R/R	Anthony H. Cordesman	118
S LLER	Almon H. Clegg	126

MUSIC REVIEWS

ROCK/POP RECORDINGS CLASSICAL RECORDINGS JAZZ & BLUES

SIGNALS & NOISE AUDIOCLINIC TAPE GUIDE THE BOOKSHELF AUDIO ETC BEHIND THE SCENES SPECTRUM ROADSIGNS

DEPARTMENTS

Joseph Giovanelli Herman Burstein

Edward Tatnall Canby Bert Whyte I Berger and K. Clark Ivan Berger

The Cover Equipment: Denon DCD-3520 Compact Disc player. The Cover Photographer: © 1989, Mark Hill. 1939 World's Fair banner courtesy of Lost City Arts. New York. N.Y.

EQUIPMEN'

Audio Publishing, Editorial. and Advertising Offices. 1515 Broadway, New York, N.Y. 10036.

Subscription Inquiries, (800) 525-0643; in Colorado, (303) 447-9330.



Elvis Costello, page 134

134 142

148

8

12

18

22

28

38

50

54

A Ine Audit Bureau

MPA



VMPS Speakers. page 118




Nº 27

The music begins and a window opens. The boundaries of time and place fade as a unique musical experience is recreated in your home.

Our quest for this ideal has produced the new Mark Levinson No. 27 Dual Monaural Power Amplifier. We believe it is destined to bring more music lovers closer to their ideal than ever before.

To learn why, you are invited to share the experience at your nearest Mark Levinson dealer.



Transport Yourself.

The IRS 690 cordless headphone system.

Escape to a deeply personal world of sonic pleasure. The Beverdynamic IRS 690 system. With the warmth and intimacy that is distinctively Beyer. Advanced infrared technology for cordless, 360-degree movement without static or interference. And the same diffuse-field design as the DT 990'sthe world's most critically-acclaimed dynamic headphones-for superior imaging and startling accuracy.

Let the IRS 690 system transport you. Experience them at your local Beyer headphone dealer.

Ecstacy in Audio

beyerdynamic

Beyerdynamic 5-05 Burns Avenue, Hicksville, NY 11801 Tel. (516) 935-8000, Fax (516) 935-8018

Enter No. 15 on Reader Service Card

CD-BOX, TAPE-BOX & VHS-BOX

Introducing Maple \$49.95 & \$59.95



The CD-BOX, TAPE-BOX, and VHS-BOX are stand alone units. They fit in the space intended for LPs in audio-video furniture and shelves. The solid hardwood drawer faces suit any decor. Maple units offer the quality and efficiency of our original BOXES at a lower price. CD-BOX stores 60 discs in two drawers. with dividers. Holds multi-CD albums. TAPE-BOX, four drawers, hold 64 audio and 8mm cassettes or 48 VHS-Cs CD & TAPE : w 6 3/8", h 12 3/4", d 14 3/4" VHS-BOX holds 24 VHS or Beta cassettes in two drawers. w 9", h 12 3/4", d 14 3/4"

Designed and manufactured in the USA By Hills Products Inc. 603-464-3999 PO Box 1015, Hillsboro, NH 03244

To order call 800-247-202	18.
CD-BOX & TAPE-BOX	
Maple	\$49.95
Light & Dark Oak	64.95
Black Lacquer & Walnut	69.95
Teak	79.95
VHS-BOX	
Maple	\$59.95
Light & Dark Oak	74.95
Black Lacquer & Walnut	79.95
Teak	89.95
Ship UPS per unit, in cont. US.	\$5.00
30 day money-back satisfaction quar	antee.



Editor: Eugene Pitts III

Art Director: Cathy Cacchione

Technical Editor: Ivan Berger Managing Editor: Kay Blumenthal Copy Chief: Marita Begley Associate Art Director: Linda Zerella Assistant Editor: Karen Clark Editorial Assistant: Michael Bieber

Associate Editors:

Edward Tatnall Canby, Bert Whyte, B. V. Pisha Senior Editors: Leonard Feldman, Howard A. Roberson Senior Editor/Music Features: Ted Fox Editor-At-Large: David Lander

Contributing Editors/Artist:

Michael Aldred, Susan Borey, Herman Burstein, David L. Clark, Anthony H. Cordesman, Ted Costa, John Diliberto, Frank Driggs, John M. Eargle, Joseph Giovanelli, Bascom H. King, Gary Krakow, Hector G. La Torre, Edward M. Long, Frank Lovece, Jon W. Poses, Jon R. Sank, Donald Spoto, Michael Tearson, Jon & Sally Tiven, Paulette Welss, Michael Wright

Business Services Director: Greg Roperti Circulation Director: Leon Rosentield Production Director: Patti Burns Production Manager: Nancy Potts Research Director: Neil Karlin Special Projects Coordinator: Phyllis K. Brady Ad Coordinator: Sylvia Correa

V.P./Publisher: Stephen Goldberg

ADVERTISING

Associate Publisher Stephen W. Witthoft (212) 719-6335 Account Managers: R. Scott Constantine (212) 719-6346 Barry Singer (212) 719-6291 Carol A. Berman (212) 719-6338

Western Manager: Bob Meth Regional Manager: Paula Borgida Mayeri (213) 739-5130

Automotive Manager: James Main (313) 643-8800

DCI EXECUTIVE STAFF

President and CEO: Peter G. Diamandis Executive V.P.: Robert F. Spillane Sr. V.P., Finance, and CFO: Arthur Sukel Sr. V.P., Mfg. & Distribution: Murray M. Romer Sr. V.P., Operations: Robert J. Granata V.P., Controller: David Pecker V.P., General Counsel: Catherine Flickinger

AUDIO, June 1989, Volume 73, Number 6. AUDIO (ISSN 0004-752X, Dewey Decimal Number 621.381 or 778.5) is published monthly by DCI, a wholly owned subsidiary of Hachette Publications, Inc. at 1515 Broadway, New York, N.Y. 10036. Printed in U.S.A. at Dyersburg, Tenn, Distributed by Warner Publisher Services Inc. Second class postage paid at New York, N.Y. 10001 and additional mailing offices Subscriptions In the U.S \$21.94 for one year, \$39.94 for two years, \$53.94 for three years; other countries. add \$6.00 per year AUDIO* is a registered trademark of DCI. @1989, Diamaridis Communications Inc. All rights reserved Editorial contributions should include return postage Submissions will be handled with reasonable care, but the Editor assumes no responsibility for safety or return of manuscripts, photographs, or artwork. The Publisher, in his sole discretion, reserves the right to reject any ad copy he deems inappropriate. Subscription Service: Forms 3579 and all subscription correspondence must be addressed to AUDIO, P.O. Box 52548, Boulder, Colo. 80321-2548. Please allow at least eight weeks for the change of address to become elfective. Include both your old and your new address and enclose, if possible, an address label from a recent issue. If you have a subscription problem, please write to the above address or call (800) 525-0643; in Colorado, (303) 447-9330

If there is a cutting edge in Audio, This is what it looks like.

The sculptural form of the world's only full range ribbon loudspeaker, by Apogee. Its exceptional richness and unmatched clarity may take your breath away. With an eye towards design and an ear on perfection, Apogee has developed what audio critics hail as one of the finest speakers that money can buy.

- APOGEE ACOUSTICS

Call or write for more information: (617) 963-0124

APOGEE ACOUSTICS, INC., 35 YORK INDUSTRIAL PARK, RANDOLPH, MA 02368 U.S.A.

Enter No. 7 on Reader Service Card





Quoted with permission from Stereophile, Volume 11, Number 12, December, 1988. Sony and The Leader in Digital Audio are trademarks of Sony. © 1989, Sony Corporation of America.

The unchallenged leadership of our reference standard CD player brings extraordinary technological advantages to the entire ES line.

Start with the world's most accomplished digital audio engineers—the ones who invented the Compact Disc format itself. Free them from the usual budgetary constraints. And challenge them to surpass their best efforts in transport design, servo circuitry, digital filtering, and system architecture.

The result is the Sony CDP-R1/DAS-R1Compact Disc Reference System. This remarkable component compelled *Stereophile's* J.Gordon Holt to hail it as "...the best CD player I have heard at the time of writing."* Digital Sync for jitter-free performance. In designing the CDP-R1, Sony ES engineers recognized a critical obstacle to improving CD playback quality: time-base errors known as "jitter." When jitter is present at the input to the D/A converter, these errors cause modulation in the analog signal, veiling the music and deforming the soundstage.

Our investigations led to the development of the Sony CXD-8003 Digital Sync IC. Incorporated into three new ES Series players, it maintains time-base



And in Japan and Europe, the R1 has likewise driven the leading audiophile critics to unstinting admiration. But at a suggested retail price of \$8,000, it has been an experience reserved for the uncompromising few. Until now.

Now the Sony ES engineers have applied the invaluable lessons learned in the CDP-R1 to our other ES Series Compact Disc players. Which means now you can enjoy many of the benefits of an \$8,000 masterpiece without spending \$8,000.

Noise Shaping with 45-bit Processing.

The accumulation of fractional errors in conventional digital filters can result in less than full 16-bit decoding accuracy. That's why the Sony CXD-1144 digital filter IC of the CDP-R1 calculates to an unprecedented precision of 45 bits, while operating at an 8X oversampling rate. And it's this advanced technology that has been incorporated in our new CDP-508ESD, 608ESD, and X7ESD players.

To convey this superlative accuracy to the digitalto-analog converter, these players also incorporate Sony Noise Shaping technology. Noise Shaping reduces requantization noise and allows the 18-bit linear converters to extract more musical detail than ever before. In particular, bass fundamentals are reproduced with a strength and clarity that leaves conventional CD players far behind. accuracy within millionths of a second, correcting errors long before they can affect the music.

Low-Noise Servo Stabilizer Circuit

For the CDP-R1, Sony ES engineers even examined the conventional assumptions about the most basic of CD functions disc tracking. The result is Sony's Servo Stabilizer Circuit, a trailblazing design we've carried over to our other models. This stabilizer not only improves tracking on badly scratched discs, but reduces radiated servo noise by as much as 10 dB.

A performance sustained.

With a technical heritage such as this, it's no wonder the new ES Series CD players and CD changers perform so much better than so many others. But then, it's a superiority we really shouldn't flaunt. After all, we did start with an unfair advantage.

The excellence of Sony's ES Series is also reflected in the three-year limited parts and labor warranty (see your authorized Sony ES dealer for details). For more information on where you can audition the full line of Sony ES components, call 201-930-7156 (Monday-Friday, 9:00am-5:00pm EST).



The Cost of Music

Dear Editor:

In the October 1988 "Signals & Noise" column, David A. Morton of Greenville, S.C. stated that record and CD clubs offer the most cost-effective opportunity for purchasing recorded material. He went on to say that the average cost of these purchases demonstrates overcharging by record labels at the retail level. This is not the case, and Mr. Morton obviously does not have sufficient information on which to base his opinion.

The fact of the matter is that the reproduction costs of recorded material are subsidized by the artist. It is universally accepted in the recording industry, pursuant to contracts, that the artist shall reimburse the label for all mechanical costs of reproduction including recording, engineering, marketing, production of the sound-source medium (such as CDs and LPs), jacket costs, and sometimes promotional materials (such as videos and advertising). In regard to record clubs, the artist receives no royalties for sales at reduced prices or for giveaway items. Furthermore, the artist's royalties are limited to 50% of the customary rate for sales at the regular club prices.

As you can see, the giveaways and the reduced prices available through record clubs are not a result of reduced profiteering but subsidies at the expense of the artist. The artist generally makes 65¢ on every recording (regardless of the format) sold at retail prices. In fact, a major recording artist (highest paid in terms of market sales) may make as much as \$1.00 to \$1.20 per record. Major expenditures are necessary for unknown talent, and the likelihood of success is poor. A general exception exists in the classical and jazz idioms, but this market comprises less than 10% of total sales and combined market share. Also, artists who are fortunate enough to obtain a recording contract generally receive a sizable initial bonus, but all reproduction and marketing costs are credited against this amount before the royalties are paid.

Finally, this is not to say that the recording industry is not profitable, as the opposite is true. Whether recording artists are treated unfairly has and will be an ongoing dispute. The purpose of

this correspondence is only to clarify the profit and loss structure of record clubs.

> J. Michael Gatien, Esq. North Canton, Ohio

Lookin' Good

Dear Editor:

I have been a reader of your magazine off and on since the '50s. I was in on the do-it-yourself period of the late '40s through the '50s and into the '60s

I would like to say that I enjoy Edward Tatnall Canby's articles on the early days of hi-fi, and that I am glad Joseph Giovanelli has been able to continue his work with audio equipment. I've known of Mr. Giovanelli since the beginning. I still have an article from an *Audio* of long ago, entitled "Our Mr. Giovanelli Decides To Go Stereo," which described his design for an audio amplifier.

What prompted this letter was my appreciation of an area not usually mentioned. I think the "make up" of your magazine—especially the stunning covers, which show great character and what I would term "masculine beauty"—is probably one the most outstanding among today's periodicals. The staff of *Audio* is to be commended. You are obviously devoted to the pursuit of excellence. Allow an old man to salute you.

> William C. Poole Albuquerque, N.M.

Silencing a Musical Voice Dear Editor:

I read with great interest Michael Wright's article, "Putting the Byte on Noise: NoNoise from Sonic Solutions," in the March issue. I have a large collection of older LPs and 78s containing both jazz and classical selections, and I am quite familiar with the noise problems on these earlier discs.

I purchased the Jelly Roll Morton disc on vinyl, and I thought you would be interested to know that, at least on the vinyl version of this recording, the NoNoise process seems to have thrown the baby out with the bath water. While there is indeed a significant reduction in surface noise from the older Morton records (and I have them in various incarnations and reissues from over the years), the music has been robbed of most of its vitality and life.

The entire record sounds as if the music is coming from deep inside some artesian well with a tarpaulin thrown over it. Orrin Keepnews' liner notes to the contrary, in my opinion this disc will not introduce new generations to the Morton repertoire because the pieces sound very much like old and dusty museum objects, robbed of all of the vitality of the originals. This is evident to my audiophile and nonaudiophile friends. I have directly compared the music on this disc with earlier French RCA and American Bluebird material. Everyone on my informal listening panel agrees that the older discs, while perhaps a bit noisier, are much more lifelike and emotionally rewarding as a musical experience.

True, I have not heard the CD of the music, and perhaps the Morton material is not representative of what the NoNoise process can attain. I am by no means a romantic about old vinyl noise, but I do assure you that I will be very cautious in purchasing material which has been subjected to this amusical process.


On another subject, I want to point out that a continuing highlight of your magazine is the various contributions by Edward Tatnall Canby. Whatever the subject, his knowledge, enthusiasm, and sheer enjoyment of recorded music come shining through.

Thanks very much for an enjoyable read each month.

Richard P. Clancy Ashland, Mass.

The MIDI Is the Message Dear Editor:

I have been a subscriber to Audio for 10 years, and I am finally writing to tell you how much I enjoy your magazine. I have always found Audio to be one of the best sources of theory, new developments, excellent do-it-yourself projects, product information, and reviews. Your magazine is an important part of my monthly reading. As a recording engineer, I subscribe to Mix, Recording Engineer/Producer, Studio Sound, dB, Electronic Musician, and Audio. Of all these, yours is by far the most well rounded. The theory and construction articles are interesting and informative to pros as well as consumers, while the product reviews are beautifully balanced between objec-



'We can't break the laws of physics, only bend them. — Mike Gough, KEF CHEF DE /2.0PMENTENGINEER


ONE STEP IN THE MAKING OF A KEF

'You can have deep bass (from a sealed box). You can have efficient bass (from a reflex enclosure). But the laws of physics say you can't have both. At KEF, we're as law-abiding as anyone. But nine years of KEF research have shown us a way around the dilemma.

'We use two separate chambers Until someone does it.'

for bass loading: one damps back radiation, while the other forms an efficient resonant cavity with a tuned port. This "coupled-cavity" is the first reasonably-sized enclosure to combine outstanding bass extension with high efficiency.

'They always say it can't be done.






REFERENCE MODEL 104/2

I see the use of MIDI and samplers as a great leap forward in the art of making music, but there is plenty of room for debate.

tive measurements and subjective listening. I think you do a fine job of presenting the pro's perspective to the consumer, and vice versa. No other journal does it so well.

May I offer a suggestion? There are some amazing developments going on right now in the music world. MIDI (Musical Instrument Digital Interface) and the development of the sampler (shortterm, solid-state digital recording) are revolutionizing the way music is made. New sounds are being made by digitally splicing acoustic sounds onto synthesized sounds. A composer using a sequencer and multi-voice MIDI



HPC and CPC cables are designed by, and manufactured exclusively for Madrigal Audio Laboratories, PO. Box 781, Middletown, CT 06457 ITT TLX 4942158 instruments can hear how a piece will sound with an almost unlimited variety of sounds, not just the sounds of a few available instruments. On the other hand, some people argue that MIDI is replacing live musicians with robots, and the music sounds like it. I see it as a great leap forward for the tools available for making music, but there is plenty of room for debate here. I think readers would find this subject fascinating, and the ensuing letters will add plenty of spice.

Again, thank you for such a fine magazine. I look forward to each issue. John McCortney Los Angeles, Cal.

Editor's Note: Although we editors are staying on top of MIDI and sampling technologies, we have yet to include a feature on either area. Such articles would probably get into the ethical and aesthetic questions you raise. Any questions, comments, or concerns about articles on these topics?—*E.P.*

PS Equals Public Service Dear Editor:

I recently had something go wrong with my five-year-old PS Audio preamp—one of the phono channels was getting noisy. I called PS Audio, and they said to send it to them for repair. Two weeks later, I received my repaired preamp, and the company had also replaced a few noisy transistors in the line-level stage. Although my preamp was years out of warranty, there was no charge for the repairs.

As a subscriber to Audio, I believe that manufacturers who value their customers as much as PS Audio need to be publically recognized. Consumers of audio equipment need more than good sound to get their money's worth. PS Audio is setting standards few companies will match in service or good sound.

> Roger Sherman Seattle, Wash.

Editor's Note: We agree with Mr. Sherman's opinion—such equipment makers ought to be publicly applauded. If you feel you have received service above and beyond the normal call of duty, either from a manufacturer or from a dealer, let us know, so that we can let the rest of our readers know.—*E.P.*

10



'Driver for driver, panel for panel, each speaker is half of an exact pair.' — Frank Adams, KEF OLIALITY ASSURANCE INSPECTOR

ONE STEP IN THE MAKING OF A KEF

'Every pair of KEF Reference Series speakers is computermatched to better than half a dB. This prevents the sound stage from "wandering." In fact, it's one of the secrets behind our reputation for stereo imaging.

'But frequency response is not photo that d the only thing we match. Take a careful wood grain.'

look at the grain on these cabinets. Panel for panel, the real wood veneers on the left speaker perfectly match the right. And no two pairs are exactly the same.

'By the way, it's no use your snapping a picture. You'll never get a photo that does full justice to my wood grain.'





REFERENCE MODEL 103/3

Softened Water and Room Humidifiers

In the September 1988 issue, a suggestion was made in "More About Humidifiers" to use hot, softened water in ultrasonic room humidifiers to eliminate calcium-carbonate dust problems common to these units. This is a dangerous suggestion.

JDIOCLINIC

The manual which accompanied my humidifier warns in bold print not to use softened water. Because there was no explanation in the manual as to why this caution need be taken, I called a local plumber who told me that, because salt is used in the regeneration cycle of all water softeners, sodium molecules replace calcium molecules in the process. The net result is that your readers will be depositing a much more corrosive dust of salt on their electronics if they use softened water in humidifiers.—Bill Caucutt, Madison, Wisc.

Loss of Bass

Q. I have a problem with two separate systems, and wonder if you've ever heard of this problem. I have a receiver and the usual assortment of accessories. I also have a good boombox. I have used these very satisfactorily over a period of a year or so, and loved both systems. Now, both have much less bass than they did when I first purchased them!

Could the power line be responsible for this lack of bass? It's about the only item common to both systems. I often use the boombox connected via the power line, rather than operating it from batteries.—Jimmy Edwards, Greenville, N.C.

A. I have not run into a situation like yours. There are situations in which bass has been lost, but I can't recall a time when two independent sound systems suffered from the same condition at the same time!

My first thought is that the loss of bass could stem from an increasing familiarity with the sound of your components. On top of that, you may be more critical of sound than you were at the time you purchased your two systems. You may, therefore, expect more than what can be obtained from the equipment you now own.

I really don't think the power line could be responsible. If it were, rather

than producing a diminished bass output, it would probably have caused your equipment to fail completely. This would have occurred because of surges on the power lines which happened often enough and which were severe enough to produce damage to the power supplies in the two systems you own—or perhaps to produce damage to other components fed by those power supplies.

In the case of the portable equipment, could it be that you often stored it in your auto for long periods while the car stood in the hot sun? This could gradually result in deterioration of electrolytic capacitors. If these are in tonecontrol circuits, emitter bypasses, or perhaps interstage-coupling circuits, bass could be reduced with decreasing capacitance.

Assuming that this theory is right, it could be that you have two different reasons why bass was lost. In the case of the boombox, it may have been due to excessive heat. In the case of the main receiver, the loss of bass could be due to any number of causes not related to the portable's problems. The most logical reason has to do with decreased capacitance values. However, it could also be nothing more than that you have relocated your loudspeakers, and that the room acoustics don't support good bass in these new locations.

Amplifier Channel Imbalance

Q. I've read much in your column about channel imbalance. My system appears to suffer from this condition. At low volume levels, the left channel of my power amplifier shows higher power output than the right channel (on its LED display). As I increase the setting of the volume control on my preamplifier, however, the balance between the left- and right-channel displays evens out. I can't hear any imbalance, despite the discrepancy between the two displays. Do I have a problem?—Matt Farley, Shreveport, La.

A. Since the balance you hear does not change when you change volume settings, the cause may be differences in the linearity of the two power-level indicator circuits; I have heard of such a circumstance occurring. One quick way to check for this is to bridge your amplifier's two inputs with a Y-connector, so that you can feed both with one

input signal. Then, using either output from your preamp, raise and lower volume and see if the indicated channel balance still shifts. This will be easier to observe if you use a steady signal such as a test tone from a CD, test record, or audio generator, or interstation noise from an FM tuner with its muting off. Be careful not to overdrive either your amp or your speakers. Loud test signals can be annoying, so it's best to substitute a dummy load for your speakers, if you can find a suitable one.

You can also check the difference in amplifier output levels by connecting an a.c. voltmeter between the amp's two "hot" output leads. When the same signal is fed to both channels, the meter should indicate 0 V.

If you heard the balance changing as you raised the volume, then it would seem probable that the two channels of your preamp's volume control did not track together at low volume settings. To double-check, interchange the right and left cables from your preamp to your amp at *one* end; if the trouble was in the preamp, the amp channel which formerly read low would now read high, and vice versa.

Piezoelectric Tweeters

Q. What are piezoelectric speakers (tweeters), and what are their advantages and disadvantages? Why are these tweeters not used by most loudspeaker makers?—Roosevelt A. Anderson, Jr., Las Vegas, Nev.

A. Rather than using a magnet and a voice-coil, a piezoelectric speaker employs a special ceramic material which is used to drive its cone or other diaphragm.

You doubtless have heard of ceramic phonograph pickups. These work by virtue of a thin slab of a special ceramic fitted to the stylus. When the stylus moves, this motion twists the slab. When this kind of ceramic is twisted, an electrical voltage appears between its two faces, and this voltage will be in proportion to the modulation on the record grooves.

If you have a problem or question about audio, write to Mr. Joseph Giovanelli at AUDIO Magazine, 1515 Broadway, New York, N.Y. 10036. All letters are answered. Please enclose a stamped, self-addressed envelope. If, on the other hand, voltage is fed into such a pickup, the ceramic will twist in proportion to the strength and polarity of the voltage, and the stylus will move. This system was used as the driver for some recording heads many years ago.

The ceramic could be attached to a diaphragm or cone rather than to a stylus. If sound waves strike the diaphragm, it will move, twisting the ceramic. As you can guess, a voltage will appear across the ceramic slab. (Many microphones have been constructed using this principle.)

Now, put voltage across the ceramic, and it will again twist, causing the diaphragm to vibrate in accordance with that voltage. This is your piezoelectric tweeter.

Because these elements cannot be twisted very much without breaking, they do not lend themselves for use as drivers for woofers or even midrange speakers. But the system works well for tweeters, as you know. The advantages are that, because of mechanical and electrical considerations, piezo tweeters usually can be operated without need for a crossover network. They are voltage-operated devices and thus consume virtually no power from the amp. These tweeters produce a surprising amount of acoustical output and so can be matched with almost any woofer/midrange system.

The disadvantages have to do with a lack of smoothness in their frequency response. To date, I have not heard one which is smooth enough for me to choose as my tweeter. Perhaps this is why most manufacturers don't use these tweeters for true high-fidelity applications. They are very common in inexpensive equipment and in speaker systems which were designed for sound-reinforcement applications.

Crossover Networks and Bass

Q. I bought a rack system a while ago and was not satisfied with the speakers. I bought new drivers. I noticed that the stock speakers did not employ crossover networks—just capacitors for the midrange and tweeters. The new drivers were supplied with capacitors, except for the woofer_still no crossover networks!

I connected the drivers, and the overall sound of my system improved,

except for bass response. I bought a crossover network and added it to my setup, and the bass response was just as poor as before.


Could the lack of bass have to do with the enclosures rather than the drivers or crossover networks? I would like to know of a solution because I'm left with a handful of expensive drivers which are now useless!—Jeff Nachshon, Brooklyn, N.Y.

A. A crossover network won't result in increased bass output from a loudspeaker system. It may smooth out peaks in the region of the crossover frequency, but this is another subject. Its use also assures that low-frequency energy does not enter mid- and highfrequency drivers. Removing these frequencies is essential in many instances because drivers can be ruined by excessive lows.

It is very likely that the enclosure plays a part in the lack of bass response. You can't just "marry" a woofer to an enclosure and get the bass response you expect. You might be lucky, but most of the time, luck will evade you. The enclosure's internal volume, amount of sound-absorbing material, and other critical items will be determined by various parameters of the woofer—such as cone area, cone resonance, and cone compliance. If you are to rescue your woofers, check with their manufacturer for suggestions as to woofer parameters.

If you are unwilling to experiment or to take risks when working with loudspeakers, you should consider purchasing ready-made loudspeaker systems. Of course, even commercially made loudspeaker systems vary considerably in sonic quality from one make and model to the next. It is therefore important to listen to any loudspeaker system *before* buying it.

Listen only to loudspeakers which fit your budget or other requirements, and listen to them using your own music sources. You will be familiar with this music, which will aid you in selecting a "good" loudspeaker. If a pair sounds good, purchase that make and model. They may sound somewhat different in your home than they did in the dealer's showroom; still, you have a better chance of liking the speakers than you would if you walked in and bought them without an audition.



Use AudioQuest Blue speaker cable — it will make you think you are hearing your favorite music for the first time.

AudioQuest Blue uses surface-only conductors. This technology was previously available in only our most expensive cables. A surface-only conductor has a single layer spiral of strands around a non-conductive core. Every strand is always on the surface and every strand has the same electrical values. Skin-effect induced distortion is eliminated. current does not cross between strands and magnetic interaction is greatly reduced.

The result is a cable that sounds much more dynamic, dimensional and focused than the competition's. The mid-



range and highs are sweeter, more extended and less "confused" sounding, while the

bass is tighter and better defined.

So, replace your current cables with AudioQuest cables and rediscover your entire music collection. Call today for the AudioQuest dealer near you.



Tel: 714/498-2770 Fax: 498-5112 PO. Box 3060 San Clemente, CA 92672 USA

Advertisement

A REPRINT FROM STEREOPHILE, VOL.10, NO.9 (DEC. 1987)

Sceophile

America's oldest and largest subjective-review audio magazine. Subscription rates: \$35 (U.S. and Canada), \$75 (foreign). To Subscribe: remit all funds in U.S. dollars to **Stereophile**, PO Box 364. Mount Morris. IL 61054, or call toll-free to charge subscription to your credit card: 800-435-0715.

B&W 801 MATRIX SERIES 2 PROFESSIONAL MONITOR LOUDSPEAKER

Three-way loudspeaker system. Drive units: one 26mm metal-dome tweeter, one 126mm Kevlarcone midrange, one 300mm high-power polymer-cone woofer. Crossover frequencies: 380Hz and 3kHz. Frequency response: 20Hz-20kHz ± 2dB free-field. Sensitivity: 87dB/W/m. Nominal Impedance: 8 ohms (not falling below 4 ohms). Amplifier requirements: 50-600W. Dimensions: 3911/16" H by 17" W by 22" D. Weight: 110 lbs. Price \$5,000/pair in black ash or walnut, \$6,000/ pair in rosewood. Including external bass-alignment filter. Speaker stands optional, \$200/pair. Approximate number of dealers: 100. Manufacturer: B&W Loudspeakers, Ltd., Meadow Road, Worthing, BN11 2RX, England. U.S. Distributor: B&W Loudspeakers of America, P.O. Box 653, Buffalo, NY 14240. Tel: (416) 751-4520.

speaker terminal connectors on the bottom rear of the bass cabinet, in order to allow the listener to bi-wire the speakers (these connectors are normally internally bridged, so in order to bi-wire, the bottom cover under the bass cabinet must be removed, and two very short jumpers removed. . . a less-than-ideal setup). The cabinet construction is excellent. showing a great deal of attention to assembly and aesthetic detail, except for the quality of the speaker terminal connectors. Rather than utilizing standard five-way binding posts (as B&W does with their less expensive 802 speakers), they have opted for some rather poor-quality, screw-type terminals that just don't belong on a product of this quality. Except for the round port vented on the front of the bass cabinet directly below the woofer, the new 801 Matrix is visibly similar to its predecessor. The casters mounted on the bottom are nice to have when moving these behemoths around the house or studio. But since the speakers really need to be placed on stands in order to operate at full potential, this otherwise practical addition is somewhat useless.

The internal design and components represent a clear departure from the carlier 801. By using their effective Matrix technology of incorporating an internal system of honeycombs within the bass cabinet, the engineers at B&W claim to have reduced low-frequency enclosure resonances and colorations to a significant degree (Lagree). Additionally, but using a sixth-order Butterworth alignment through the addition of an outboard equalizer, they have been able to achieve extraordinary lowfrequency response (-odB at 17 5Hz) without compromising bass attack and clarity. Although the speaker can operate without this optional equalizer (thereby effectively representing a fourth-order Bessel filter with a -9dB point at 19Hz), the addition of this device clearly enhances its overall musical accuracy. The midrange fibercrete head assembly and Keylar-coned driver remain basically unchanged from the earlier 801. The highfrequency driver (the TS26 tweeter), on the other hand, represents an entirely new design, incorporating a metal-domed diaphragm. This design was arrived at partially through B&W's computer-aided design (CAD), and is a modified version of the metal-dome tweeter used in the less costly Concept 90 series of loudspeakers. B&W claims that this new tweeter "exhibits perfect piston-like behaviorto frequencies well beyond audibility." The newly redesigned bass driver has a cone of specially formulated plastic compound, is heavily damped to remove sonic colorations, and employs a 13lb, 13,000 Gauss magnet.

In order to protect the drivers from overload, B&W has upgraded the already existing Audio-Powered Overload Circuit (APOC) by incorporating two such units: one operates on the bass section, the other on the midrange/tweeter, allowing complete protection even when the system is bi-wired.

Design of a True Monitor: Not Just Another Loudspeaker

While attending last summer's CES in Chicago, I had the pleasure of a lengthy discussion with John Bowers, the driving force behind B&W



Lewis Lipnick

Since the introduction of the original B&W 801 monitor loudspeaker in 1980, it has been adopted as a reference by several recording studios around the world. Over the past five years. I have seen 801s present in just about every recording session with which I have been artistically involved. While the original 801 monitor had its strong points. I was never satisfied with the detached and muddysounding bass, discontinuous driver balance. and low sensitivity. Unless this speaker was driven by an enormous solid-state power amplifier, with an elevated high-frequency response, the tubby and slow bass response often obliterated any detail in the two bottom octaves of musical material.

Well, all this has changed... for the better. The new 801 Matrix Series 2 is as different from the original 801 as apples are from oranges. For me to say that this is just another excellent loudspeaker would make me guilty of gross understatement. In short, this is the most musically complete and revealing fullrange dynamic loudspeaker that I have heard to date, effectively redefining such terms as coherent, dynamic, open, and involving.

Technical Highlights

The Matrix 801 Monitor is a large loudspeaker, employing a massive, front-vented cabinet housing the low-frequency driver and crossover network, with a separate fibercrete head housing the midrange driver (the tweeter is mounted in free field above) placed directly atop the bass cabinet. The midrange/tweeter head is electrically connected with the lower cabinet via a short umbilical and an XLR connector, and is secured by a very long bolt that runs completely through the head, down into the bass enclosure. There are two sets of

loudspeaker design. His musically intuitive design approach and clearly defined product goals (something too often lacking in high-end audio) gave me the impression that he knew exactly what he wanted to achieve, and how best to do so. When I asked him about the role of monitor speakers vs those without such designation, he stated that a true monitor should reproduce exactly what is contained in the recorded material, good or bad, rather than presenting an editorialized picture of what one might want to hear. His point is well taken, since many audiophiles choose their loudspeakers for various sonic attributes that add colorations to effectively create a predetermined spectral balance or acoustic environment. Of course, we all know that such a thing as an accurate loudspeaker does not exist, and even if it did, we would have no way of ascertaining its accuracy unless the recordings were identical to live music. How, then, can anyone claim that they are able to design an accurate loudspeaker? Realizing this problem. Bowers uses panels of musicians who have performed in specific recordings to ascertain musical integrity between originals and facsimiles. If they and the recording engineers involved are satisfied that what they hear through the speakers accurately reproduces what occurred in the sessions, he feels that some of the subjectivity connected with loudspeaker design has been eliminated.

Which brings us back to the 801 Matrix. This is not a speaker for those with preconceived notions of what should be, but for those who wish to hear what is. I have vet to hear another speaker that gives me as much musical information as this one, without any of the usual sonic intrusions that remind me that I am listening to music through a mechanical device. The 801 Matrix is a true musician's reference transducer, a point made by several of my colleagues in the National Symphony who have had the opportunity to hear it. Unfortunately, many of the musical attributes that distinguish the new 801 from other products will probably be lost on those audiophiles looking for the latest trends in loudspeaker design, rather than recreation of recorded artistic events

Sonic Qualities

Being a musician first, and audiophile second, I subscribe to the thesis that musical validity and accuracy is of foremost importance, and that sonics should be viewed as only one component within the overall musical picture. There are, however, those few products that utilize their sonic strengths as a means to musical integrity, rather than the more common "let's see how we can make our speakers sound different from anyone else's." The 801 Matrix is one such product; here are some of the purely sonic attributes that set it apart from so many other also-rans.

First of all, I don't feel that this speaker has

Advertisement

any significant sonic weaknesses. It is ruthlessly revealing of everything up front (source material, electronics, interconnects, line-cord polarity, etc.), and this is what might ultimately get it into trouble. Many US dealers who will be selling this product are not members of the high-end community, and will probably mate the 801 with greatly inferior electronics. I can tell you that, after living with these speakers for the past two weeks, anything less than the finest electronics and source material can cause serious listening trauma. As an experiment. I connected a representative Japanese receiver (name not important, since they all basically sound alike) to the 801s, and the results were devastating. The sound was thin, grainy, and white, with no depth or bass extension. And although readers might find this amusing, it really is not-many potential buyers will audition this product with similarly mismatched ancillary equipment, and will very likely blame the speaker for the sonic shortcomings. The people at B&W figuratively "shot themselves in the foot" when pricing this speaker. . . it is simply too inexpensive for what it does. While it outperforms other products costing at least twice as much, its requirements for the finest electronics will place B&W dealers in a difficult situation.

While the 80I Matrix works well with both solid-state and tube amplifiers. I definitely prefer the results when using solid-state. Although the manufacturer claims that one can use as little as 50Wpc with the new 80E1 would think that at least 100Wpc should be the minimum (especially if you are going to play full orchestral material). Of the three amplifiers that I have tried on these speakers (conradjohnson Premier Five, Mirror Image 1.18, and Rowland Research Model 5), the Rowland Research came out the clear winner. I still think that, overall, the Model 5 is the most neutral and musically revealing amplifier I've had the opportunity to hear, and the 801 Matrix speaker once more confirmed my findings. While the Premier Five presented itself very well, with beautifully defined midrange and silky high frequencies, low frequencies were slightly muddy and indistinct. The Mirror Image was not even in the running, sounding unrefined, raw, and congested. Although I heard all of the above before through my Martin-Logan Monoliths, the differences between these three amplifiers became much more pronounced with the 801s.

The "optional" 11" stands are quite necessary. With the assistance of two professional musical colleagues (Robert Kraft, bass trombonist with the National Symphony, and Joseph Kainz, visiting flutist from Chicago), the 801s were auditioned on the floor, sitting on the attached casters, on the floor with the supplied spikes, and on the dedicated stands. Both floor-mounted positions resulted in loss of ambience and musical information, along with noticeably slowed low- and midbass response. When we placed the speakers on the stands, the sound magically blossomed, and the spectral balance became neutral and even. Additionally, the contra octave of bass became tighter, deeper, and noticeably faster.

This all happened before the optional outboard bass-alignment filter (aka equalizer) arrived, or the speakers had been bi-wired. Again, B&W's "option" is a necessity. While E liked the speakers before, the addition of this little black box between preamp and power amp made an enormous difference... for the better. This is the first such device I've heard that doesn't adversely affect the midrange and high frequencies. B&W has wisely not included hard-wired interconnects, so the audiophile can still use his favorite brand of wiring. What amazed me was how this gizmo improved the entire sonic picture, not just the very deep bass, as we had expected. The sound became more clear and extended (in both directions), and the soundstage opened up, portraying hall ambience and dimension more effectively. E could more clearly define individual musicians in space, as well as the degree of natural hall resonance vs artificially induced reverberation in recordings. Not being an engineer, I won't attempt to speculate on exactly what this "optional' filter does, but one thing is for sure; if you're thinking of auditioning a pair of Matrix 801s, be sure the dealer uses the bassalignment filter and the stands.

The Matrix 801s should be bi-wired. Although they work quite well in the conventional setup, the balance between the midrange/tweeter and woofer sections is tipped upward toward the former, thereby presenting a slightly lean, hollow quality to the mid-bass that might cause the listener to think these speakers unnaturally bright and aggressive in the upper midrange. When bi-wired (be sure to use the same speaker cable on top and bottom; these speakers are too coherent to tolerate mix and match), everything came into alignment, with all three drivers becoming more transparent and coherent, and any hint of over-brightness completely vanishing. (As an aside, I would like to mention that Straight Wire Music Conductor Speaker Cable appears to sound the best with the 801s in my system.) All of my subsequent critical observations concerning the sonic and musical qualities of the Matrix 80Is were made with the inclusion of bass-alignment filter, speaker stands, and biwired installation.

The 801 Matrix is spectrally seamless from top to bottom, dynamic, refined, harmonically accurate, open, and, last but certainly not least, revealing. The only other speaker that I have had the opportunity to live with that successfully competes (and I have owned several large speaker systems) is the Martin-Logan Monolith. Whereas the 801 does not always present as large a soundstage as the Monolith, it does appear to present soundstage more accurately. Ensemble and stage size are more clearly defined, and what sometimes appears as spatial information through the Monolith is obviously artificially induced reverberation and multi-miked bleed-through with the 801. Perspective is more obvious with the 801: forward, aggressively recorded material can really "come out and grab you by the throat." while the opposite perspective places the musicians well behind the speakers. The 801 is more coherent from top to bottom, more open, more revealing of recording techniques, and much more dynamic. The only area in which the Monolith is the clear winner is transparency: electrostatics just simply do better with dynamic speakers in this category. They are both great loudspeakers (musically exceeding everything else that I've heard, except perhaps for the new Apogee Diva, which I have not yet had the opportunity to extensively audition), each presenting musical information in a valid, but totally different perspective. The Monolith might ultimately be the better speaker for long-term listening, being less analytical, while the 801 gives more of what is really there, albeit possibly a bit intimidating. The 801 is a monitor, and some listeners just might not want to hear everything the 801s will tell them, musical and not.

Musical Attributes

Pwas not prepared for what I heard the first ume I played the 801s. After finally getting these monsters set up and wired, my colleagues and I sat down to listen to a new compact disc of Vaughan-Williams's *Job* (Vernon Handley, London Philharmonic, EMI Eminence CD; superb performance and recording), having just heard it recently on the Monoliths. We sat silent throughout the entire performance (something that has never happened before), and after it was over, we looked at one another without a word. Finally collecting ourselves, recovering from the initial shock of what we had just heard, someone quietly said, "I've got to have those speakers."

When it comes to audio, musicians are hard to please. Perhaps that's why so many of them have such poor audio systems; if you can't have it all, why even try? The new 801 is a musician's reference; it simply reproduces music with more immediacy and honesty than anything I (or any of my colleagues) have previously heard. It is quite unlike any other speaker, inasmuch as it goes far beyond any previous design in drawing the listener into the performance, almost as if the listener's ears and microphones were one and the same. My first impression of the sound was one of unrestrained openness, along with the sensation that the music was expanding out into the hall acoustic, not being stopped by an artificial barrier such as a loudspeaker. This is something previously experienced by this musician only at live performances, and is one of the things that separates the "life" in live music from the constriction of electronic reproduction. Whereas

Advertisement

many other speakers have given me the impression of seeing the music through a very clean window, the 801 Matrix not only opens this window, but places me outside, actually becoming involved with the musical picture

The 801 Matrix outperforms every other loudspeaker I've heard in its ability to recreate the wall-bending visceral weight produced by full symphony orchestra, chorus, and organ Until I heard the 801s, I was convinced that no loudspeaker could credibly reproduce the dynamic impact that I feel during live performances. For the first time, I can sense the massive wavefronts of sound created by full orchestral climaxes, without amountment change, constriction, or hardness. And at the same time, this speaker recaptures the fines low-level musical details, allowing the listener to see into, rather than just look at, the perfor mance. All other speakers that I've heard to date (except for the Monoliths and Divas) create a "haze" over the music, effectively separating the listener from the performance. This typically causes loss of clarity and immediacy in quiet passages, as well as constriction and "sonic backup" at higher volume evels.

The 801 Matrix does not discriminate between good and bad... it bares all. The nonmusical aspects of performance (background noise, instrumental key noise, turning pages. etc.) can really place the listener into the recording session, something made all too clear to us during a playback of Andrew Litton's recent recording of Mahler's First Symphony. We were listening to Andrew's audition copy of the master tape, when a couple of my colleagues detected a bass-drum roll not in the score. When we ran the tape back, and listened again, that bass-drum roll was clearly a rather loud truck outside the hall ... something that infuriated Andrew, especially since the sessions had been monitored with a pair of older B&W 801s. According to him, this was not at all audible during session playbacks (and we were only listening to a cassette dub of the master!).

I am also now discovering new tidbits of musical information in many of my recordings that shed new light on the quality of performance. Several recordings, that I had previously thought were musically flawless, have now become less than perfect. In Frederick Fennell's performance of Holst's First Suite in E flat for Military Band, with the Cleveland Symphonic Winds, I have discovered a very soft but magically effective suspended cymbal roll during the first movement, used by the composer as a precursor to the following snare drum roll. Having not heard this through previous speakers, and thinking that the 801s were producing some aberration, I checked the score, and sure enough, there was the cymbal roll. Another interesting but heretofore unidentified aspect of Fennell's performance came to light with the euphonium solo (introduction of the second theme), also in the

first movement. Before the 801 Matrix, 1 thought that I heard a tonally vague, not very well played euphonium. But now, 1 could detect two euphoniums (the score calls for only one... for some reason Fennell opted to double the solo part), which were neither together nor in tune. While this might not be very important, nor of any interest to the average listener, it serves as an example of the low-level musical detail retrieval capabilities of the 801 Matrix.

This speaker's low- and midbass reproduction are the most accurate I've heard so far. While some other products (such as the Infinity IRS. RS-1b, and KEF R10") probably supply. more quantities of bass, the harmonic integrity texture, and overall quality of low-frequency reproduction is considerably more realistic with the 801 Matrix. Edward Skidmore, another National Symphony colleague (double bass) and member of our musicians' audio listening group, flatly stated that the 801 Matrix was the finest speaker he had heard that reproduces the double bass accurately. He went on to point out that the bass does not sound like a low cello, or any other stringed instrument for that matter. According to Ed. each particular bass has its own unique sonic qualities that, until the new 801, had been lost.

The same must also be said for my instruments, the bassoon and contrabassoon. With this speaker. I can not only determine what manufacture of instrument the musician is playing, but the vintage as well (ie, the darker, more open and focused 7000 series vs the duller, fatter-sounding 10,000-series Heckel bassoons; the lighter, clearer, but less impactful-sounding prewar Heckel contrabassoons vs the fatter-sounding, more resonant postwar models). While many other speakers provide the listener with accurate bass attack, no others, that I have heard, reproduce the decay of low frequencies as well as the 801 Matrix. This important information supplies the listener with the harmonic and textural components of low instrumental tonal propagation. Additionally, this helps to define the space in which the performance is taking place, since decay time of omnidirectional low frequencies is one of the key elements in determining the spatial dimensions of the recording venue

Transient attack of the 801 Matrix, throughout the entire frequency spectrum, is the most musically accurate and coherent of any speaker 1 have heard (except for full-range elecupstatics). Deep-bass transients are remarkably clear (but not artificially dry), an attribute made evident through the reproduction of the bass drum in the third movement of Frederick Fennell's First Holst Suite (same as above). While many other full-range speakers have provided me with lots of window-rattling bass response, the 801 Matrix was the first to delineate the type of beater the bass-drum player was using. Whereas I had previously been aware of unusually sharp bass-drum attacks in this recording, I could now definitely determine that the instrument was being struck with a wooden bass-drum stick wrapped with chamois (a trick sometimes used in order to get more immediate attack), rather than the more usual felt beater.

The qualitative differences in attack speed between cello and double bass, bassoon and contrabassoon, bass and tenor tuba, bass drum and tympani, trumpet and flugelhorn, oboe and English horn, flute and piccolo, and violin and viola, are clearly delineated. I can also detect the amount of energy (weight of bow on the string, and amount of air support behind the tonal attack in woodwinds and brass) being expended by individual musicians within an ensemble. This effectively gives the listener a more immediate, rather than vicarious view of the performance (as one of my colleagues so colorfully stated, "this is like having sex, rather than watching it").

The 801 Matrix also sets new standards for instrumental and vocal harmonic integrity. Difterences between American- and Germanmanufactured Steinway pianos are clearly discernible: the former are more immediate and bright at the two frequency extremes, with a slight suckout in the middle registers; the latter have a more even, resonant, but less brilliant and forward quality. The slight harmonic differences between the bright, forward-sounding trumpets *vs* the darker, more covered cornets in Berlioz's *Sympbonie Fantastique* are clearly evident through the 801 Matrix—the first speaker I've heard to successfully make this distinction.

And while I'm on the subject of brass: these instruments played at high volume levels create sonic distortions, caused principally by nonlinear ringing of the actual brass material (especially in the flared bells). Played en masse, combinations of french horns, trumpets, trombones, and tubas create "difference tones" and beat frequencies that add brilliance and character to the overall orchestral sound. The same holds true for large pipe organs-beat frequencies created by slight harmonic and atonal discrepancies between the various ranks add interesting coloristic effects to the overall presentation. The 801 Matrix is the first speaker that I've heard that can actually reproduce these harmonic phenomenon, effectively contributing to the overall sensation of reality.

Vocal reproduction, both solo and ensemble, is superb, This speaker will, however, accurately portray voices too closely miked; the excessive sibilance in hotly EQ'd pop selections can drive you out of the room. But when the source material is more neutral, the intensity and hard kernel of vocal resonance is remarkably well reproduced. The specific characteristics of different vocal *tessituras* are, for the first time, as apparent as in live performance. The nasal, forced quality of sound indigenous to the tenor sections of many choral groups, as well as the usual flat-scunding, unsupported sopranos, are clearly evident. Text in all vocal music is well delineated, without any unnatural sibilant emphasis. The 801 Matrix can even unravel the most complex voice leadings found in multipart contemporary choral works.

String instruments produce very different harmonic tonal structures when played with and without mutes. In live performance, muted massed strings produce a covered but resonant carpet of sound (*ie*, the opening of *Symphonie Fantastique*), and until the 801 Matrix came along, I had not heard this accurately reproduced. Most speakers represent this effect as a hushed "buzz" lacking pitch center and tonal focus. But the 801 Matrix lets all the resonance, tonal warmth, and pitch definition come through.

And speaking of pitch definition, this is where most speakers fail miserably. Instruments and voices have (or should have) tonal centers that are clearly heard in live performance. But so many speakers scramble this, representing tonal pitch centers on either the high or low side of the sound, producing overly bright or dull sonic distortions (overly sharp pitch appears to the ear as brighter; low pitch as duller). And with most speakers, this pitch distortion is not consistent: characteristics change with each separate driver, causing frequency-related colorations (this is one advantage of full-range electrostatics). The 801 Matrix is dead on, giving the listener a completely undistorted view of pitch focus and intonation, regardless of instrumental range or vocal tessitura

The new 801 also allows the listener to follow individual instrumental and vocal lines into and through complex passages. This is not achieved by artificially boosting the upper midrange or high frequencies (as some other products do), since it remains consistent for instruments through the contra octave of bass. Compared with the 801 Matrix in this area of musical reproduction, most other dynamic loudspeakers sound unclear, congested, and amorphous.

Everyone who has heard the 801 Matrix Monitors has unconditionally stated that they hear more music than ever before. Some have felt that they hear too much, and would rather be left a little more in the dark. I don't. But it's interesting to note that, ever since my musical colleagues f rst heard the 801s, the topic of discussion during rehearsal breaks and congert intermissions at the National Symphony has revolved around "those fantastic new speakers that Lipnick has." I even overheard a few of them muttering something about how they could try to justify buying a \$4500 pair of loudspeakers.

Shortcomings

As I mentioned earlier, this speaker has no major shortcomings *per se*. However, since it is

so revealing of source material and ancillary electronic weaknesses, the upper midrange and lower high frequencies can become a bit much. Compact discs that suffer from excessive digititis, as well as those electronics that contain enough grain to build a beach, will be unlistenable on these speakers. For those reasons alone, I cannot understand why the B&W engineers have deleted the environmental balance control on the rear of the midrange/tweeter head assembly that was standard with both the earlier 801 and 802 speakers. This control effectively allowed the listener to attenuate or boost the mids and highs according to personal taste, room acoustics, and associated equipment. Although it might be cheating, in some cases a slight degree of lost clarity may be preferable to an ear bleed, and might also make this product more saleable to people with less than perfect ancillary equipment.

My other reservations are strictly practical. The very awkward procedure required to disconnect the bridge inputs for bi-wiring is unnecessary. There must be a better way. And those horrible input connectors really should be replaced with something more consistent with a product of this caliber.

Conclusion

In my opinion, the B&W 801 Matrix Monitor represents the pinnacle of current full-range dynamic loudspeaker design. It does not have the "see-through" transparency of the best electrestatics, and can sound forward and hard. Because it is so ruthlessly revealing, it may not be the speaker for everyone. But it is the first such product to convince me that it might eventually be possible to accurately reproduce live music. Do not audition this speaker with anything less than the finest source material and electronics-you will be wasting your time. And as good as this speaker is, I an sure that there are plenty of lunatic fringe audiophiles who will find it unexciting and boring. So be it. But if you are searching for the emotional involvement only live performar ce can provide, and are willing to live with al solute sonic honesty, then the B&W 801 Series 2 Matrix Monitor is, musically, the end of the road.



B&W Loudspeakers of America P.O. Box 653 Buffalo, NY 14240 Tel: 416/751-4520

B&W Loudspeakers Meadow Road Worthing, England BN 11 2RX TAPE GUIDE

Suitable Tapes for Hi-Fi VCRs

Q. I recently purchased a Hi-Fi VCR which will be used for audio as well as TV recording. Is it necessary to use tapes designated "Hi-Fi" for high-fidelity audio recording?—Bill Dormer, Brooklyn, N.Y.

A. It is not necessary to buy VCR tapes labelled "Hi-Fi" for the purpose of high-fidelity audio recording. However, you should buy tapes of good to excellent quality in order to minimize dropouts and the consequent deleterious effect on the audio signal. Stay with the name brands for this reason and to avoid possible malfunctions.

Pause Mode

Q. Is there any harm in leaving a cassette deck in pause mode for a long period, such as one-half or even one hour? What is happening in the pause mode? Are any parts moving? Is the tape in contact with any moving parts? Is anything, including the tape, wearing out?—Edward J. Gardyan. Melville, N.Y.

A. Leaving a tape deck in pause mode for about one-half to one hour is unlikely to do any harm. Usually, the capstan keeps turning in this mode. but the pressure roller and heads are moved away from the tape. On the other hand, it is probably inadvisable to leave a deck in pause mode for extremely prolonged periods of time because this contributes to the aging and eventual failure of electronic and mechanical components that remain switched on unnecessarily.

Mysterious Erasure

Q. In 1987, I purchased a new cassette deck and made about 150 recordings from phono discs, using high-quality tape. They sounded beautiful. Being aware of magnetism as an enemy of tapes. I stored them in a wooden wall rack-safely away, I thought, from metal, speakers, etc. But over the next couple of months, the tapes were all ruined because most of the sound was erased. I looked in the attic to see if anything of a magnetic nature was behind the wall. There was nothing of the sort. While a light switch is about 31/2 feet away, there are no electrical conduits behind the wall rack. A hot-water heater is behind the wall, several feet to one side of the

rack. Could this, or a water pipe several feet away, affect the tapes? What about a hair dryer used in the next room and 4 to 5 feet away? What about the air-conditioning unit 10 feet away? A motorized wheel chair is never closer than 5 feet. What do you think could have erased my tapes? How far from a speaker, a TV, or a receiver should tapes be kept?—Wally Dutko. Rolling Meadows, III.

A. From my own experience and from everything I have learned from authorities on the subject, about 3 inches is sufficient to protect tapes from all but the very most powerful magnetic fields, such as those produced by industrial lifting magnets. A distance of 1 foot provides ample margin of safety. Therefore, I am very puzzled by your experience. If you had a magnetometer (such as Model 20/B5. made by R. B. Annis Co., 1101 North Delaware St., Indianapolis, Ind. 46202), you could check for the presence of an unsuspected strong magnetic field where you store your tapes.

Does anyone besides yourself have access to your tapes? Has anyone been cleaning in close proximity with a hand-held vacuum? I don't seem to be able to come up with other possible explanations. Perhaps some Audio readers can suggest something.

Head Demise

Q. How can I tell when the heads in my tape deck are shot?—Gary Salituri. Plattsburgh, N.Y.

A. Head failure is usually a matter of gradual deterioration, rather than sudden demise, and sound quality is the most common telltale for head wear. It is also likely that, if your deck has separate record and playback heads, the playback head will be the first to go. The sign is a drop in treble response. caused by widening of the gaps. However, poor treble in playback may be due to factors other than a wide gap. The head may just need cleaning and/ or demagnetization, or it may only require azimuth adjustment. If heads appear substantially grooved by the tape. this may suggest the need for replacement, but performance is the true test. If you can see the gaps of the playback or record/playback head with the naked eye, replacement time is here. The sure way to check is with instru-

ments that allow you to measure frequency response and distortion, provided the heads have first been cleaned, demagnetized, and azimuthaligned. In general, if your deck still appears capable of as faithful reproduction as ever, head replacement is not indicated.

Tape Deck Durability

Q. I am trying to choose among several tape decks—in good part, on the basis of which one will give me lasting good performance.—Walter Tchuk, New York, N.Y.

A. One clue to durability is price; another is reputation. Perhaps the best clue may be obtained from service shops. They know which decks, relative to the number sold, come in most frequently for repair. Possibly you can contact an audio service technician and ask him to "open up."

Too Much Treble

Q. When comparing recorded material with the original, I notice a slight emphasis of the high frequencies, which leads me to believe that the bias is not correctly adjusted for the Type II tape I am using. The schematic diagram in the owner's manual shows a variable resistor in the bias circuit. Can this resistor be adjusted to obtain proper bias for my tape? Are any other changes necessary?—Peter Smith, New Hope, Minn.

A. Yes, insufficient bias could be responsible for your excessive treble, and if you have correctly located the bias resistor, you can turn it slightly in the direction that increases bias. If the manual doesn't clearly indicate the proper direction, you will have to use trial and error. Carefully note the original setting of the resistor before adjusting it, so you can always get back to where you started, if necessary.

Factors other than bias could be responsible for your problem, though, including improper equalization in recording and/or playback. You may have chosen a tape which requires more bias than other Type II tapes. *A*

If you have a problem or question on tape recording, write to Mr. Herman Burstein at AU-DIO, 1515 Broadway, New York, N.Y. 10036. All letters are answered. Please enclose a stamped, self-addressed envelope.

New. More amazing than ever.

Introducing the new Silver Edition Amazing Loudspeaker with Sonic Holography® Generator and Electronic Control System.



By looks alone you know this is no ordinary speaker. The Silver Edition trades a bulky, boxy cabinet for unfettered musical freedom. Its fullrange ribbon transducer is open to the room, projecting seamless 25 Hz to 40,000 Hz sound both forward and back, creating near-photographic imaging and realistic spatial ambience. Its three enclosureless, twelve-inch subwoofers deliver bass that's tactilely tight and deep.

And each fifty-four-inch, piano-lacquered panel looks as good as it sounds. While occupying less than two square feet of floor space.

Up to this point we've described a brilliant, unconventional and yet proven dipole speaker design. One which offers openness, detail and sonic impact far in excess of its modest price. And which solves inherent problems plaguing far more expensive ribbon transducer designs.

But in order to fully earn the title "Amazing Loudspeaker," Bob Carver has endowed the new Silver Edition with even more technology.

At its heart is an Electronic Control System. Not an "equalizer" to compensate for shortcomings, but three dramatic sound enhancement ci -cuits, plus bass "Q" and high frequency trim adjustments in a single compact component.

Select Sonic Holography® for the spectacular, 3-dimensional imaging

High Fidelity described as seeming to "open a curtain and reveal musical forces extending behind, between and beyond the speakers." With any CD, record, tape or video sound source.

Add ultra-low fundamentals below 20 Hz with a Sub Bass generator that detects and enhances existing low level information. On bass-shy recordings, it takes advantage of the Silver Edition's long-throw freeair subwoofer system to restore bone-shaking musical reality. There's even a unique circuit

that psychoacoustically "zooms" you back from the speakers. Called the Gundry Perspective, this effect creates the illusion of concert hall depth ahead of you without disturbing overall frequency balance. Combine it with Sonic Holography,® Sub Bass generation and the Silver Edition's own innate ability to create a vast, open listening space, and you have a truly amazing aural phenomenon.

More than just a reproducer of music, the Amazing Loudspeaker Silver Edition becomes a restorer of sonic reality. In its most minute, organic detail.

Finally, there is one more very realistic thing about this new Amazing Loudspeaker model. Its price. Far less than you might pay for conventional loudspeaker designs which can't begin to match the Silver Edition's warmth, vitality and spaciousness. Reawaken your sense of amazement with an audition at





ACCURATE

Carver Corporation, P.O. Box 1237, Lynnwood, WA 98046 For more information or the dealer nearest you, call 1-800-443-CAVR

A SOUND INVESTMENT! ANY 8



Debbie Gibson-Electric Youth (Atlantic) 377275



Elvis Costello-Spike (Warner Bros.) 378190

Charlie Sexton (MCA) 379230

Valdimir Feltsman-Prokofiev: Piano Concerto 1 & 2 (CBS Masterworks) 377390

Eighth Wonder—Fearless (WIG) 376988 376988 Boys Club (MCA) 376970 Murray Perahia – Mozart: Piano Concertos Nos. 9 & 21 (CBS Masterworks) 376822

Michael Tilson Thomas-Revel: Bolero (CBS Masterworks) 376772 Rome-When In Rome 376749 (Virgin) Neil Diamond-The Best Years Of Our Lives 376541 Will To Power (Epic) 376483

Julian Cope—My Nation Underground (Island) 376475

The Boys-Messages From The Boys (Motown) 376368

Lee Ritenour—Festival (GRP) 376301



Kenny G-Silhouette 371559 Hiroshima—East (Epic) 379321 The Replacements-

Don't Tell A Soul (Sire/Reprise) 378927 Portrait Of Vladimir Horowitz,—Music Of Beethoven; Chopin; etc. (CBS Masterworks) 378604 Duran Duran—Big Thing (Capitol) 378521 Lou Reed—New York (Sire) 378216 Jessye Norman Sings Wagner—Triston Und

Isolde; Tannhauser; etc. (Angel) 378075 The Pursuit Of Happiness—Love Junk (Chrysalis) 377994

(Chrysalis) **The Fantasy Strings**— The Greatest Love Of All Conducted By Ettore Stratta (Realm) 377978 Gerald Albright— Bermuda Nights (Atlant 37

377903 37790 Fine Young Cannibals— The Raw & The Cooked 379214 (IRS)

Lyle Lovett-Lyle Lovett and His Large Band (MCA) 378935

Fattburger—Living In Paradise (Intima) 376277 Tiffany—Hold An Old Tiffany—Hold An Cic Friend's Hand. (MCA) 376236 Dokken—Beast From The East (Elektra) 376228 The Best Of Earth, Wind & Fire-Vol.2 376160 (Columbia) Sheena Easton-The

Lover In Me (MCA) 376095 Andre Watts At Carnegle Hall (Angel) 376053 Hall (Angel) Andres Segovia-The Baroque Guitar Segovia Collection; Vol. 4 375998 (MCA Classics) Fishbone-Truth And Soul 375865 (Columbia) Was (Not Was)-What's Up Dog? (Chrysalis) 375857 Kim Wilde-Close (MCA)

375816 Chaka Khan—C.K. Bros) 375774 Jane's Addiction Nothing's Shocking Bros 1 375741 Samantha Fox-I Wanna Have Some Fun (Jive/RCA) 375725

John Hiatt—Slow Turning (A&M) 375717 The Human League – Greatest Hits (A&M) 375709 The Human League's

Weird Al" Yankovic-Greatest Hits (Rock N' Roll) 375642

Pet Shop Boys Introspective (EMI) 375592 Karyn White 375394 (Warner Bros) .38 Special—Rock & Roll Strategy (A&M) 37513 375139 Levert-Just Coolin' (Atlantic) 375105 Ratt—Reach For The Sky (Atlantic) 375071 (Atlantic) Barbra Streisand-Till Loved You (Columbia) 374884 R.E.M.—Eponymous (IRS) 374777 Blues For Coltrane-Various Artists 374744 (MCA/Impulse) Bulletboys (Warner Bros.) 374702 Winger (Atlantic) 374652 Canadian Brass-The Mozart Album (CBS Master.) 374561

The Smiths—Rank (Sire) 374397 Robbie Nevil—A Place Like This (EMI) 374348

New Order-Technique 378760 (Owest)

The Mantovani Orchestra A Night In Vienna 378737 (Bainbridge) Diane Schuur—Talkin' 'Bout You (GRP) 374298 Buckwheat ZyDeco-Taking It Home (Island) 374256

Ready For The World— Ruff 'N' Ready (MCA) 374124

374108 Vixen (EMI) Johnny Clegg & Savuka —Shadow Man (Capitol) 374025

Kronos Quartet-Winter Was Hard (Nonesuch) 373993

London Classical Players Stanley Jordon—Flying Home (EMI) 373860 Joan Armatrading—The Shouting Stage (A&M) 373837 Randy Travis—Old 8 x 10 (Warner Bros.) 370643

Elton John-Reg Strikes Back (MCA) 370536 Back (MCA) Bangles—Everything 373829 Bob Dylan & Grateful 378117 Dead (Coumbia) Cocktall-Original Sound Track. (Elektra) 373779 Track. (Elektraj Little Feat—Let It Roll Misson Bros.) 373720 Jean-Pierre Rampal-Mozart: Symphonie Concertante/Concerto For Flute And Harp 373530 (CBS Master.) 373415 Guy (MCA) Luther Vandross—Any Love (Epic) 373399 Love (Epic) Bird—Original Motion Picture Soundtrack (Columbia) 373332 Ozzy Osbourne-No Rest For The Wicked (Epic) 373308 A Tribute To Woody Guthrle And Leadbelly Various Artists (Columbia

372995 Sugar Cubes—Life's Too Good (Elektra) 372896 Metallica-And Justice For All (Elektra) 372805 Jean-Plerre Rampal-Portrait Of Rampal 372383 (CBS Master.) (CBS Masier.) Najee—Day By Day 371856

COMPACT plus shipping and handling with membership

Gipsy Kings (Elektra) 377812

Melissa Etherldge (Island) 371468

Ramones-Ramones 371450 Mania (Sire) Breathe-All That Jazz 371427 (A&M) Huey Lewis And The

News—Small World (Chrysalis) 371419 Toni Childs—Union (A&M) 371351

Bruce Cockburn-Waiting For A Miracle (Gold Castle) 371278

Steve Winwood-Roll With It (Virgin) 371211 New Edition-Heart Break (MCA) 370882 Spyro Gyra—Rites of Summer (MCA) 370767

Freddie Jackson-Don't Let Love Slip Away (Capitol) 370734 The Bernstein Songbook -selection from West Side Story, On The Town, etc. Bernstein cond. (CBS)

371088 Escape Club-Wild Wild 373787 West (Atlantic)



The Traveling Wilburys 375089



U2—Rattle And Hum (Island) 374017

Tracy Chapman. (Elektra) 369892

Kiri Te Kanawa--Verdi & Puccini Arlas (CBS Master 343269

Classics from the 50s, 60s, 70s

Roy Orbison-The All-Time Hits, Vols, 1 & 2 (Columbia Special Pro 377945

Rockpile-Seconds Of Pleasure (Columbia) 377846 Jerry Lee Lewis—18 Original Sun Greatest Hits (Bhino) (Rhino) Joni Mitchell—Blue 365411 369108 The Who-Greatest Hits 365361 (MCA) Traffic—John Barleycorn Must Die (Island) 364935 Little Feat-Dixie Chicken (Warner Bros) 363515 Grand Funk Raliroad-Grand Funk Hits (Capitol) 359828 Grateful Dead—American Grateful Deau-Beauty (Warner Bros.) 358895 Best Of The Doors (Elektra) 357616-397612

U2—The Unforgettable Fire (Island) 337659 (Island) Dire Straits-Brothers In Arms (Warner Bros.) 336222 Dave Grusin Collection (GRP) 378398 Jimi Hendrix—Are You Experienced? (Reprise) 353102



Crosby, Stills, Nash and Young-So Far (Atlant 378745

Harry Chapin—Greatest Stories: Live (Elektra) 296939 James Taylor—Sweet Baby James (Warner Bros) 292284 Simon & Garfunkel-

Greatest Hits (Columbia) 219477

The Cars—Greatest Hits (Elektra) 339903 Best Of J. Geils Band-Flashback (EMI) 339424 Tesla—The Great Radio Controversy (Getten)377986

Rolling Stones-Exile On Main Street (Rolling Stones Rec.) 350652 SECTORE DELEVENT BEACH



Creedence Clearwater Revival-20 Greatest Hits 308049 (Fantasy)

Cat Stevens—Greatest Hits (A&M) 256 256560 Yes—Fragile (Atlantic) 351957

Bob Dylan-Greatest Hits (Columbia) 138586

The Band—Music From Big Pink (Capitol) 254540 Big Pink (Capitol)

Squeeze—Singles—45's And Under (A&M) 317974 Barry Manilow-Greatest 288670 Hits (Ansta) Tom Scott—Flashpoint (GRP) 377044 Buddy Holly—From The Orig. Master Tapes (MCA) 348110 The Beach Boys—Made In The U.S.A. (Capitol) 346445

Chuck Berry—The Great Twenty-Eight (Chess) 343657 The Byrds-Greatest Hits

(Columbia) 342501 A Decade Of Steely Dan (MCA) 341073 Jethro Tull-Orig. Masters (Chrysaks) 340315

Jackle Wilson Story (Epic) 319798-399790 Motown's 25 #1 Hits-

Various Artists (Motown) 319996-399998 Eagles-Greatest Hits Vol. 2 (Asylum) 317768

Led Zeppelin (Allantic) 299966

Bruce Springsteen—Born In The U.S.A. (Columbia) 326629

Tone-Loc—Loc Dark (Delicious Vinyi) 379875 Tone-Loc-Loc'ed After





Luciano Pavarotti—In Concert (CBS Master) 373548

Nadia Salerno

Sonnenberg / Cecile Licad Frank—Sonala In A

Brahms Sonata No 2 In A

Ziggy Marley & The

Fleetwood Mac's

Greatest Hits

Sonatensatz In C Minor (Angel) 376038

Melody Makers— Conscious Party (Virgin) 369512

Wynton Marsalis Quartet

-Live At Blues Alley (Columbia) 370080-390088

375782

Crosby, Stills, Nash and Young—American Dream (Atlanic) 376533 Al B. Sure—In Effect Mode (Warner Bros) 369637 Pattl Smith Group— Dream Of Life (Arista) 370478 Robert Palmer—Heavy

Robert Palmer Nova (EMI/Manhattan) 370395 David Sanborn – Close Up (Warner Bros.) 370304

(Warner Bros.) 370304 Al Jarreau—Heart's Horizon (Reprise) 376186

A sound investment, indeed! You can get EIGHT brand-new, high-quality Compact Discs for 1¢—that's a good deal! And that's exactly whot you get as a new member of the CBS Compact Disc Club. Just fill in and mail the opplication—we'll send your 8 CDs and bill you 1¢, plus shipping and handling. You simply agree to buy six more CDs (at regular club prices) in the next three years—and you may then cancel your membership any time after doing so.

How the Club works: Abaut every four weeks (13 times a year) yau'll receive the Club's music magazine, which describes the Selection of the Month...plus many exciting alternates; new hits and old favorites fram every field of music. In addition, up to six times a year, you may receive offers of Special Selections, usually at a discount off regular Club prices, for a total of up ta 19 buying apportunities.

If you wish to receive the Selection of the Month, you need do nothing—it will be shipped automatically. If you prefer an alternate selection, ar none at all, fill in the response card always provided and mail it by the date specified. You will always have Selections with two numbers contain 2CDs and count as 2-sp w



The Movies Go To The Opera—Various Artists (Angel Studio) 372342

> John Adams—"Nixon In China" (Nonesuch) 375345

Joe Jackson—Live 1980/ 1986 (A&M) 369504·399501 Van Haten—OU812 (Warner Bros.) 369371

DJ Jazzy Jeff & Fresh Prince—He's the D.J., I'm The Rapper (Jive/RCA) 369264

Poison—Open Up And Say...Ahh! (Capitol/Enigma) 368688

Journey—Greatest Hits (Columbia) 375279

return it of our expense.

regular Club prices.

at a super low price!

1¢ right now?

rite in both numbers

at least 10 days in which to moke your

The CDs you arder during your

prices, which currently are \$12.98 to

\$15.98—plus shipping and handling

(Multiple-unit sets may be somewhat

higher.) After completing your enrollment

any time; if you decide to continue os a

member, you'll be eligible for our money

at half price for each CD you buy at

saving bonus plan. It lets you buy one CD

10-Day Free Trial: We'll send details of

shipment. If you are not satisfied for any

obligation. So why nat choose 8 CDs for

ADVANCE BONUS OFFER: As a special

Compact Disc right now and pay only \$6.95. It's a chance to get a ninth selection

offer to new members, take one additional

© 1989 CBS Records Inc.

reason whatsoever, just return everything

within 10 days and you will have no further

the Club's operation with your introductory

agreement you may cancel membership at

decision. If you ever receive ony Selection without having 10 days to decide, you may

membership will be billed at regular Club

R.E.M.—Green (Warner Bros.) 375162 Bruce Springsteen— Tunnel Of Love (Columbia)

360115 Bitly Idot—Vital Idol (Chrysals) 360107 Jethro Tull—Crest Of A Knave (Chrysalis) 360040 Guns N' Roses—Appetite For Destruction (Geffen) For Destruction (Geffen)

White Lion—Pride (Atlantic) 359471 Aerosmith—Permanent Vacation (Geffen) 359075 Duke Ellington Orch.— Digital Duke (GRP) 357350 The Police—Every Breath You Take... The Singles (A&M) 348318

Best Of The Kinks—1977-1986 (Arista) 345314 Michael Brecker—Don't Try This At Home

Try This At Home (MCA/Impulse) 374769 The Best That I Got (Elektra) 374058 Steve Winwood— Chronicles (Island) 362525 Robbie Robertson (Geffer) 362152

Anita Baker-Giving You

DIGITAL

REMOTI

 (Geffer)
 362152

 Michaet Jackson—Bad
 (Epc)

 (Epc)
 362079

 Sting-...Nothing Like The Sun (A&M)
 361675

 Introducing The Hardline According to Terence Trent D'Arby (Columbia)
 361618

Yes—Big Generator (ATCO) 361170 The Manhattan Transfer —Brasit (Atlantic) 363648

Linda Ronstadt— Canciones De Mi Padre (Asylum) 362640 Pretenders—The Singles (Sire) 362541

Portrait of Wynton Marsatis(CBS Master) 373555

Bobby Brown-Don'l Be Cruel (MCA) 372045 The Clash-The Story Of The Clash Vol. I (Ep) 368597-398594 Michael Feinstein-Isn't It Romantic (Elektra) 368399 Basia—Time And Tide (Epic) 368043 Sade-Stronger Than 368027 Pride (Epic) Orchestral Manoeuvres In The Dark—Best Of O.M.D. (A&M) 36775 367755 Sinead O'Connor—The Lion and The Cobra (Chrysalis) 367086 Tina Turner—Live In Europe (Capitol) 366898-396895 Robert Plant-Now and Zen (Es Paranza) 366716 Carly Simon—Greatest Hits Live (Arista) 365874 Living Color-Vivid (Epic) 370833

MINUTE

 SEC

time äfter doing so. Sond me these B CDs for 1c			
My main musical Inter	estistcheck one): ButImay	always choose from any cirtega	
Hard Rock Van Halen, U2 Fop/E Barbia Si Ray Conn	Soft Rock Fleetwood Mac Debbie Gibson asy Listening restand Johnny Mathis, iff	☐ Jazz Kenny G. Al Jarreau ☐ Classicat [*] Vladimir Harowitz, Luciano Pavarotti	
Mr. Mrs., Miss Prinsbust Norme	testo	Lust Neuron	
Address		Apt	
City			
State Do you have a VER? 104 Do you have a credit ca	II. [] Yes [] Na rd? [03] [] Yes [] No	_ZipCQD/F6CQE/	
ADVANCE BONUS O	FFER: Also send me wat the super low price	CQD/F6 CQE/	

Note: we reserve the right to reject any right-claren is cored any membruship. These offers are available in APO FPO Alaski, than an function are ordered and and international offer counding insidents serviced from foranto Applicable sales to added to all articles. "Classical members service-table mcGBSC(assical Cub.

CBS COMPACT DISC CLUB: Terre Haute, IN 47811

THE BOOKSHELF

THE BARON FROM KANSAS

Buck Clayton's Jazz World by Buck Clayton, assisted by Nancy Miller Elliott, Oxford University Press, 256 pp., hardback, \$19.95.


Although trumpeter Buck Clayton was born and raised in Parsons, Kansas and first heard some of the fabled Kansas City bands in the late 1920s, it was in Los Angeles that his musical career blossomed, and he would go all the way to Shanghai before settling in as one of the stars of the Count Basie band.

As recounted in this autobiography. Clayton slowly worked his way up from small to big bands in the burgeoning Los Angeles music scene of the early '30s. He thought he had arrived when handsome, urbane impresario Earl Dancer, one-time husband of Ethel Waters, maneuvered his way into ownership of a lavish new nightclub and hired Clayton to be in his big band. With Dancer, Clayton and the other bandsmen appeared in movies with Ginger Rogers, Jack Oakie, and other stars, but Dancer was a gambler and eventually lost the club.

Stranded without work or any visible future in the Depression. Clayton and the others knew their band was just too good to dissolve. Clayton was elected leader, and under the auspices of a wealthy radio chain owner, the band was booked for lengthy tours up and down the West Coast. This led to a chance opportunity to audition for the veteran jazz planist Teddy Weatherford, who had come over from Shanghai to find a band to play on location at a fancy nightclub and dog track owned by Chinese interests. Weatherford chose the Clayton group, billed as The 14 Gentlemen of Harlem, and they went to work on a two-year contract at the Canidrome. The band was highly successful there, but the job was brought to an end over a racial incident which cost the band its exclusive contract. Six months later, they were back in Los Angeles, reorganized with players like Herschel Evans and Red Callendar and working at Frank Sebastian's Cotton Club. Stories are told here. about the fabled Sebastian, who kept Lionel Hampton on standby as house drummer no matter whose band was on the stand, of an early marriage which should not have taken place.

and of an offer from Willie Bryant in New York to join his band in 1936. Clayton wanted to take his own band to New York but the musicians resisted, so he elected to come East with Herschel Evans. First, however, he decided to see what was happening in Kansas City, and the rest is history.

After jamming at the Reno Club, he realized how great the differences were between what he had been used to and this high-powered, ultra-rhythmic brand of jazz. Quickly he forgot about California, forgot about Willie Bryant in New York, and squeezed himself onto the postage stamp-sized bandstand at the Reno with Count Basie's Barons of Rhythm.



Buck Clayton's Jazz World gives us many early details of the Basie band, the difficulties they had to overcome when expanding to play Chicago's Grand Terrace Cafe, and how, man by man, the unit came together until they caught fire on New York's 52nd Street in 1938 Clayton played a major role as soloist and, increasingly, as one of the band's key arrangers, until he went into the Army in 1942 Serving nearby in New Jersey or out on Long Island, he was frequently able to come in to record or to sit in at various clubs.

After the war. Clayton led groups of his own, toured with Jazz at the Philharmonic, went to Europe regularly, and in general seemed to lead a charmed life—almost always working and often recording. Unfortunately, he suffered irreversible damage to the

nerves inside his lip and was forced to stop playing, about 10 years ago. Undaunted, he has maintained his career, teaching and working on this essential autobiography. Highly recommended. *Frank Driggs*

Dick Todd: King of the Juke Box by Sheldon O'Connell. OLB Jazz Books and Records. 155 pp. (illustrated); paperback. \$7.95 plus \$1 postage. (Available from OLB, Box 2663, Providence, R.I. 02907.)

The result of several years of hard research, this privately published book by veteran writer Sheldon O'Connell examines the life and times of one of Canada's biggest singing stars. It is a sound study of an artist who succeeded perhaps too easily—and later disappeared off the face of the earth.

Author O'Connell, who has written extensively on entertainment, delves deeply into the beginning of Dick Todd's career. It began casually in Montreal in 1931, when 17-year-old Todd convinced the manager of Ogilvy's Department Store that his customers might enjoy hearing Todd sing Christmas carols. A year later, he was singing with George Sims' band at Belmont Park, and by 1933, he was broadcasting with Canada's leading orchestras over the network station CFCF.

Over the next few years Todd's career took off to such an extent that, in 1938, he was offered a contract with RCA Victor's 35-cent Bluebird label. Many of the more than 200 sides he cut in the next four years were "cover" records of Bing Crosby, Decca's major star Todd, without any conscious effort to imitate, sounded remarkably like Crosby

With "Gaucho Serenade." his hit record of 1940. Dick Todd was dubbed King of the Juke Box. He was signed to make movie shorts in New York and in Hollywood, where directors told him to lose weight. Even after he dropped more than 30 pounds. Todd was told he still looked like a wrestler. It didn't matter, because by this time he was broadcasting with Larry Clinton. Glenn Miller and Artie Shaw on network radio programs and earning big money. An established star, he volunteered for the armed forces in 1942 and spent the

When we play the numbers game, we play for keeps.

CVRVER

0 10 1852:5 1⊳

Frankly, a lot of stereo specs are more confusing than informative. But the benefits of increased digital oversampling rates are tangible and audible.

Introducing the TL-3300 At least when they're incorporated in a player as advanced as the TL-3300. It literally extracts *eight times* more information from a CD than conventional players can. Combined with its ability to resolve amplitude information 400% *better* than a 16-bit player, the TL-3300 dramatically reduces noise levels and distortion while enhancing musical detail and faithfully reproducing CDs' full dynamic range. Add dual D/A converters for improved phase linearity, meticulously

designed analog output circuitry and Carver's unique Digital Time Lens feature you have a player that can re-define the Compact Disc experience. High-end harshness melts away to reveal the intimate details of the performance and the space in which it was recorded.

Naturally, the TL-3300 is as easy to use as it is easy to listen to. All major transport and programming functions (plus the Digital Time Lens) are at your fingertips on the 33-key wireless remote control. Program up to 22 random tracks, repeat any segment, individual song or programmed sequence, or access selections backwards or forwards by track or in real time with audible cueing.

Whether you're looking for a CD player with leading edge technology or simply desire the finest overall quality component possible, you owe it to yourself to discover just how much more the TL-3300 can offer.

Hear it at your Carver Dealer today.




POWERFUL

MUSICAL

ACCURATE

CARVER CORPORATION, P.O. Box 1237, Lynnwood, WA 98046 For more information or the dealer nearest you, call 1-800-443-CAVR





For most people, buying a CD player is a lot like taking a short stroll along the Amazon. And forgetting your map.

Sooner or later, you're going to get lost.

That's because the "jungle of misinformation" about CD players makes it difficult to know what's really important. And what isn't.

Take a quick look at some of the claims-digital bit structures (what are they, anyway?) ranging from 1 to 45. Oversampling rates from 2x to (quick, who's got the latest?) 16x. All this for the sake of a numbers race. And not necessarily for the sake of the music.


Well, Onkyo offers you a real way through this undergrowth.

Of course, we have an impressive variety of both singleand multiple-disc players. With extraordinary levels of technology in even our most affordable models.

For example, we individually calibrate the critical Digital-to-Analog Converters in our DX-1700 and DX-2700 players to fine-tune their linearity and minimize distortions peculiar to the digital process.



Most of our models also benefit from Opto-Coupling, an Onkyo-developed technology that transmits data optically rather than through conventional wiring for more accurate CD sound.



But for Onkyo, outstanding products are just the beginning. We'll make your journey through the CD jungle even easier with two indispensable guides.

The first is an in-depth explanation of digital bit structures and how they affect musical performance. The second is

a down-to-earth journey through all the claims you're likely to run into. as well as the hard facts you'll need to master the CD jungle. And they're available at your Onkyo dealer now



Onkyo. We'll give you more than just superb CD players. We'll also give you the knowledge you need.

Because it is a jungle out there. And only the fittest survive.



For your nearest dealer, call 1-800-553-4355 and enter code 41244 when asked.



Author Sheldon O'Connell has shed much light on the life and times of Canada's brightest pop star of days gone by—Dick Todd.

next three years touring service camps in the U.S. and abroad.

When he returned to New York in 1945, he did not renew his contract with RCA Victor but began freelancing for a number of independent companies. He also signed an unprecedented five-year contract to replace Lawrence Tibbett on the *Lucky Strike Hit Parade*. When the show's format changed in 1946, his contract was bought out. He continued to appear on radio and early TV programs, and in 1949 signed with Rainbow Records. which released his best-selling record, "Daddy's Little Girl."

IT'S TIME YOU EXPERIENCED

SSI SURROUND SOUND[™] WITH DYNAMIC LOGIC

What is SSI's Dynamic Logic?

Dynamic Logic, available only in surround sound decoders from SSI Products, Inc., is a proprietary logic steering system designed and perfected by our engineering staff.

Like other logic circuits, Dynamic Logic provides accurate sound placement within the designated soundfield using center channel for dialog as a reference point.

What Makes Dynamic Logic Unique?

We have designed our steering circuit to handle the special parameters and listening habits normally found in a home... not a movie theater. In a small listening environment like the average living room or den, special attention must be paid to the room's dimensions and the available seating arrangements.

What Does Dynamic Logic Accomplish?

Dynamic Logic faithfully reproduces the dynamic levels of the original soundtrack. Dynamic Logic provides improved imaging with life-like movement and depth, expanding the soundfield to create the ultimate HOME THEATER experience.



SSI'S SYSTEM 4000 WITH DYNAMIC LOGIC



SSI Products, Inc. 400 South Date Avenue, Alhambra, California 91803 Tel: (818) 282-9419

** SURROUND SOUND is a trademark of SSI Products, Inc.

Dolby[®] is a registered trademark of Dolby Laboratories, Inc.

Just when he should have enjoyed his biggest success, Dick Todd began to miss engagements and occasionally conducted himself in a less than professional manner. A long-time heavy drinker, he had managed, until the early '50s, to handle his problem better than most.

Decca recorded Todd from 1952 through 1954, but a year later, his singing career was over. He hired on with the Barnum & Bailey Circus as a performer and roustabout, then drifted to smaller circuses and carnivals, working as a barker, roustabout, and occasional horseback rider. In 1958, he attempted, unsuccessfully, to revive his singing career, and then managed to get into the stagehands' union.

In 1969, there were two more Decca recordings. One, "Pennsylvania Turnpike I Love You," was very popular with the trucking industry and showed that, even then, Todd still had a robust voice. But no further work resulted. After a short while, he even left the stagehands' union.

In 1972. I met Dick Todd by chance, in a hospital where I'd gone to interview another singer. Todd's once muscular body was now terribly disfigured from arthritis, but despite his condition, he proved to be the soul of courtesy and granted me a wonderful interview. It was the last one he ever gave; a week or so later, he disappeared, and to this day, no one knows whether Dick Todd is dead or alive.

Todd had the talent and appearance to become a major star, but RCA had not served him well by giving him a great many poor songs to record and weak arrangements-even on the good songs. Author O'Connell thinks Allan McIver. Todd's arranger in Montreal, may have been responsible. since he did many of the dates. Also, RCA's Leonard Joy, who supervised most of the sessions, was nearly deaf at the end of a lengthy career in the music business. And perhaps Todd himself lacked that basic competitive drive to be successful in such an extremely tough business.


Whatever the ultimate reasons for Dick Todd's professional demise, Sheldon O'Connell has shed much light on the life and times of the brightest pop star of Canada's yesteryear.

Frank Driggs

Thank you for 20 years of "sound" ideas

Happy 20th Anniversary to Jim Winey and the entire staff of Magnepan, Inc.

Congratulations and Best Wishes from:



The original Magneplanar' prototype in foreground (utilizing aluminum foil strips on a mylar diaphragm).

NEW MEXICO Sound Ideas, Albuquerque NEW YORK Speaker Shop, Amherst Audio Den, Lake Grove Lyric Hi Fi, New York & White Plains Sound Concept, Rochester Clark Music, Syracuse & Latham NORTH CAROLINA Audio Advice, Raleigh OHIO Golden Gramophone Akron Audio Encounters, Columbus Paragon Sound, Toledo OKLAHOMA Audio Dimensions, Oklahoma City Phonograph, Ltd., Tulsa OREGON Bradford's Hi Fi, Eugene Hawthorne Stereo, Portland PENNSYLVANIA Hi Fi House, Harrisburg & Camp Hill Sassafras Audio, Jenkintown, Bryn Mawr, Whitehall, Montgomeryville, Feasterville & Philadelphia RHODE ISLAND Soundings. Middletown TENNESSEE Opus 2. Memphis Nicholson s Stereo, Nashville TEXAS Audio Systems, Austin Beaumont Sound, Beaumont Dallas Audio Concepts, Dallas Sound Quest, El Paso Audio Concepts, Houston Concert Sound, San Antonio UTAH Audition, Salt Lake City VIRGINIA Myer Emco. Falls Church Audio Systems, Richmond WASHINGTON Tin Ear, Richland Definitive Audio, Seattle Halls Stereo, Spokane WASHINGTON, D.C. Myer Emco WISCONSIN Audio Emporium, Milwaukee CANADA K & W Audio Ltd., Calgary, Alberta Glube's Sound Studio, Dartmouth & Halifax, Nova Scotia Audio Ark, Edmonton, Alberta Opus Audio, Montreal, Quebec C O.R A. Acoustique, Quebec, C.P. Stereo Factory, Thornhill, Ontario Sound Plus, Vancouver, B.C. Whitby Audio, Whitby, Ontario Advance Audio & Video, Winnepeg, Manitoba

Studio 1006, Montreal, Quebec

ARIZONA Hi Fi Sales, Mesa CALIFORNIA Shelley's Stereo, Canoga Park C & M'S Stereo, Fairfield Christopher Hansen, Los Angeles Absolute Audio, Orange Audible Difference, Palo Alto Stereo Design, San Diego California Audio Video, Santa Barbara COLORADO Listen Up, Denver, Boulder & Colorado Sprinos CONNECTICUT Take 5 Audio, New Haven FLORIDA Electronics Creations, Altamonte Springs SOUND Components. Coral Gables House of Stereo, Jacksonville Audio Visions, Tampa GEORGIA Sounds of Distinction, Atlanta HAWAII 20 20 Inc., Honolulu IDAHO Stereo Shoppe, Boise & Moseou **ILLINOIS** Glenn Poor's Audio, Champaign & Normal Paul Heath Audio, Chicago Audio Consultants, Evanston, Hinsdale & Libertyville INDIANA Sound Pro, Indianapolis IOWA Audio Labs, Des Moines Audio Room Ltd., Marion KANSAS Audio Port, Overland Park KENTUCKY South Gallery, Louisville MAINE HI FI Exchange, Falmouth MARYLAND Myer Ernco, Rockville MASSACHUSETTS Goodwin's Audio, Boston MICHIGAN Classic Stereo, Grand Rapids & Kalamazoo Audio Dimensions, Royal Oak **MINNESOTA** Audio Perfection, Minneapolis MISSOURI Flip's Stereo Place, Crestwood MONTANA New Horizons Hi Fi, Billings Rocky Mountain Hi Fi, Great Falls NEBRASKA Custom Electronics, Omaha NEW JERSEY Sounding Board, Ridgewood Woodbridge Stereo, Woodbridge, Princeton & West Long Beach

ALABAMA

Audition, Homewood

EDWARD TATNALL CANBY

TROUBLE FORTE



ere's the latest bit on my current favorite theme, audible (audio) history in microcosm. On the macro scale, audio history (historical sound) is more and more obviously the biggest revolution ever in historical civilization since, maybe, the invention of printing or, earlier on, the written document. In micro, audio history is mostly fun and games but always with what we must call a Larger Significance.

Just recently, I was approached-if that is the word for a loud and commanding phone call-by the local First Lady of Do Good in our small Connecticut town. She is famous for grabbing everybody within reach for every imaginable sort of public-spirited projectall of them extremely useful and none of them popular because, of course, they take time and effort. Here, like everywhere else, we are mostly miserable skunks when it comes to performing public works. All but a handful of us will do our best to keep from getting involved. We need a gadfly, then, and we have one.

It's her *métier* and always has been. Her husband's family is one of the oldest and always dominant; they practically ran the town and indeed once owned large parts of its land. They still are active in everything and benevolently feel that, along with two or three other old families, they are the town and, accordingly, must assume many of its responsibilities. Nobody disagrees. Highly educated people but also plain New England dirt farmers, all at the same time. An admirable breed! A phone call from that source is a royal command.

When she called me and I answered, the phone jumped. She is loud. "Ed Canby!" she proclaimed. "The Cornwall Historical Society needs help, and I know that you are the ideal man for it." ("No—No!" I screamed internally.) "Could you do some work for them?"

Now, this organization is no Smithsonian. We are a really small town, even if 100 miles from The Big City, whose wealthy have already invaded us with local extensions of their New York apartments for weekends. The Historical Society once occupied the tiny balcony of the auditorium in our town hall, for lack of any other space to house its several yards of exhibits, more or less. (This, alas, ruined the acoustics of

what had been an excellent small concert hall, though never so intended.) Then one of the old town residents left a house on the quiet main street, once farm, to the Society. Last time I was there, guite some time back, the house was scarcely changed from ancient farm days, with a redolent 19th-century smell of old guilts, wood stoves, and kerosene (coal oil to you) and with nearby barns for horses and cows and chickens. Inside was a collection of odds and ends, flea-market stylefarm tools, railroad parts, old faded signs, handmade nails, ancient clothing, and so on-also lots of faded photos. No doubt in the closets there were fat manila files of letters and documents, assorted and probably uncataloqued. Work in progress. A real rural museum. What in heaven's name could I do in such a place? All this went through my head in seconds. Good Lord, I've only been around here some 65 years-an out-of-towner, even a New Yorker-and how could I cope with such a mustiness of strictly local lore?

"Oh," said the loud voice, "we have some recordings, some *tapes*. And we knew you were just the person to help us! Aren't you a—what is that thing, an audition engineer? No, I don't mean that, do I? Audibility? Well, some word like that. Anyhow, I know you are an expert on hi-fi."

That was a term she knew. Her children's and grandchildren's houses are full of it, not to mention their pickup trucks and off-road vehicles. Plus a Walkman for every pair of ears. Okay then, if not audio, hi-fi.

A very tiny gleam began to show in the far corner of one of my eyes, the one just operated on for cataracts. *Tapes*? What tapes?

She really didn't know what tapes. (Not for her to fuss over petty details.) But these were tapes of old Cornwall residents—all about what they remembered. And nobody could play them anymore. What they needed were cassettes, so they could use them like a library for anybody in town. Everybody knows about cassettes. Could I make cassettes?

Well, I *could* make cassettes, after a fashion—depending, of course, on the source, unidentified. Yes, she knew they were on flat reels. Size? Speed?

OMETHING CONSTRUCTIVE THIS WEEKEND.

Build a skill in the Army Reserve.

You can get valuable training in any one of hundreds of occupational fields. From heavy equipment to electronics.

Whether you're building a bridge, operating a 20-ton "earth mover" or repairing communications equipment, the Army Reserve gives you a chance to spend a weekend doing something out of the ordinary.

You'll usually serve one weekend a month and two weeks a year at a Reserve unit close to home. You'll earn good pay and benefits. While you're getting the experience that can pay off in a full-time job.

If you're in high school, college or ready to start work, the Army Reserve has educational and financial assistance programs you may qualify for. With benefits that can provide a firm foundation to build your future on.

Interested? Talk to your local Army Reserve recruiter today. Or call, toll-free, 1-800-USA-ARMY.



Local historical societies are often just a collection of musty odds and ends, but old recordings can be a lot of fun.

Tracks? These matters were blanks. At this point, I do have two elderly cassette machines, neither working properly. One was the very first high-level "hi-fi" cassette machine ever put on the market, if I am right-the Advent. It lacked all sorts of now-needed features, like a 'phone output to hear what is going on and a pair of meters for its two channels (it has that higher-of-twosignals single meter, a system I have always disliked for any recording purpose whatever, cheap or expensive). The Advent motor runs continuously and noisily on a.c., which shows how old it is, and all its controls are nonstandard, as per today. No fault for the original! And both its recording channels still work. But the sound quality is really not up to what I needed, as it happened. The other machine was an excellent JVC battery/a.c. pro portable, later vintage. But one recording channel was dead or, rather, kept dying and reviving. Two-head, so when it died, you never knew.

So, I was intrigued but, with another operation looming uncertainly (surgical again), I had to refuse and managed to tell the lady so. She thanked me ever so much, and loudly—the phone positively jangled. She is not accustomed to being turned down.

Next day, I began to feel a creeping bit of conscience. This was, after all, right in my own interest. And it was a thing I just might be able to do, and perhaps nobody else around. Oughtn't I at least to give it a brief try-just a sample? When I called, the lady almost jumped out of the phone at me, and in minutes her car drove up my driveway and there was a tape in hand. Triumph! (For her.) In response, I grinned with a sickly pallor. No doubt there were 259 other tapes piled up in a closet in that old farmhouse. But at least I would see what I could do with one of them.

Two whole days later. I delivered not one, but two cassette copies of that tape, as a sample for the Historical

Society. One was on two tracks, out of the Advent in mono mode. Not very good: It couldn't take the enormous peaks, but more of this in a moment. The other was only one track, and thus one ear via headphones. Much better sound, but I could not get onto the second track. I understand they were delighted, but I surely wasn't. I may not be an audio engineer, but I tend to get thoroughly involved and do my best, at any length, when I use what equipment I have on hand. The JVC pro portable is going to have to be fixed-but I do not trust the nearest local repair shops, a dozen miles away in a small city. This isn't the kind of equipment they normally see, after all. So it's back to New York and an authorized shop. I knew I had let myself in for trouble.

But also, I'll have to admit, for a lot of fun. I enjoyed every moment of this crazy, zany tape, amateurish to the point of the preposterous. I roared with laughter at numerous incredible places, and I got to love the old people



The search for the ultimate sound system inevitably leads to speaker systems employing electronic crossovers ahead of the amplifiers, since this places the individual drivers under much more direct control than is otherwise possible.

The only difficulty, in the past, has been the task of obtaining a crossover unit with sufficient flexibility to control these speakers correctly.

Bryston's Model 10B Electronic Crossover com-

bines ideal signal-handling with an enormously flexible control function. Simple, direct front-panel switches allow any crossover curve to be set instantly, and listening quality is vastly improved over passive, in-speaker networks.

The Model 10B features independently selectable crossover points for high-pass and low-pass. You can also independently select crossover slope, from 6, 12, or 18 dB/Oct., where one driver requires a different cutoff from another in the same system. who tried so hard to express themselves for undying (audio) history. But first I had to find how to play it. No information whatsoever—just tape, on a 7-inch reel. I doubt if the interviewer, way back in 1969, even knew what a "track" was or what speed she used. She pushed "On" and stuck the mike out in the direction (generally speaking) of the old people who, I suspect, had never seen a mike before nor knew what it was.

Have you ever tried to identify the track and speed info on an unknown tape? It can be surprisingly difficult if you must be sure. I put this tape on my big reel-to-reel Teac and found, at least, that it ran 7½ ips, which was rather surprising, much common reel-to-reel being at 3¾. So I could at least play it. But was it full-track, two-track, four-track, recorded one way, both ways, on one or both stereo channels—mono or stereo? On an amateur tape, this is often very unclear, what with wildly jumping levels, long si-



lences, differing segments on different parts of the tape, and so on. Suffice it to say that, with two-track and fourtrack playback choice, I finally deduced that the good lady interviewer had a real oldie machine-two-track mono at 71/2 ips, the format pioneered by the very earliest portable, the Ampex 600. The lady evidently didn't know about the second track, the other way back. She used only one track. That had to be split to feed the two cassette tracks, and do I hate making up cables for that! My Advent had a mono switch, to combine two incoming channels, but the later JVC portable did not. By the time it was designed, there was no longer any interest in

As in my own earlier people recordings, the folks in those days kept making asides, as if the mike didn't hear.

mono recording via a two-channel machine Why bother? So in the end, I'm going to have to get out the soldering iron and make up an improvised twoinput "Y" from one source track on the Teac to two on the cassette. I knew I'd get myself tangled up in this project.

We'l, in conclusion, you must accept my written description of some really spicy audio history. Just shows what unexpected things can turn up in any sort of historical document.

This tape was marked "Mr. and Mrs. Charles Parent, Torrington, Connecticut, 1966." Nothing more. You start it from the beginning—right speed, track, volume (more or less)—and you hear about five minutes of vague clunks and rumbles, nothing more then a loud bang (some switch?), and a stentorian voice, peaking horrendously (I grabbed the Teac volume control), announces an interview with Mr. and Mrs. Charles P., who will now announce their names. Then the same voice, at a lower level, says, "Go

Introducing: Bryston's Model 10B Electronic Crossover



All crossover selections are extremely accurate and repeatable, being implemented with 1% selected metal-film resistors and polystyrene capacitors. All switches are heavily gold-plated, for lifetime protection from corrosion. The level-controls are in precise 1dB increments, also derived from goldplated switches and 1% metal-film resistors. All internal buffer and amplification stages are Bryston's exceedingly linear and superbly quiet discrete op-amp circuitry. This means the signal is always maintained with stability and freedom from noise and distortion unapproached in normal equipment.

From the point of view of adaptability, flexibility and signal integrity, the Bryston 10B Electronic Crossover system is the ideal choice for the widest possible range of multi-amplified speakers.

In the United States:

ССССОСО VERMONT LTD RFD 4, Вок 2255 Montpelier, VT 05602 802-223-6159

In Canada:

SCONTON MARKETING LTD. 57 Westmore Drive Rexdale, Ontario, Canada M9V 3Y6 416-746-0300 At Altec Lansing, we think it's time you had a hand in what you hear. That's the idea behind the new Altec 511 Tower, the first loudspeaker that gives you total control of amplification, tonal balance and imaging for each midrange, tweeter, upper bass and woofer. The result is a sound system that lets you mold the music Λ UNHEARD OF precisely to your taste, so everything from Mozart to ADVANCE IN Motown will sound exactly O TECHNOLOGY. the way you want it.

Five years in the **TACIDIC TECHNOL** making, this towering achievement lets the discriminating audiophile choose between single, bi, tri or quad amplification and an impressive range of tonal balance levels, all through a simple control panel. So now, you can tell



the philharmonic how to conduct itself. The remarkable 511 Tower is one of twelve new Altec Lansing

speakers, all designed to reproduce sound with unheard-of accuracy.

If the new 511 sounds good, call 1-800-Altec 88 for the dealer nearest you. Then take a pair home and tell them what you want to hear.

LOUDSPEAKERS FOR THE WELL TRAINED EAR.



I learned from the tapes that in the late-19th century, the local accent here was utterly unlike today's. Is *that* history?

ahead, Mr. Parent." Silence. Finally, a very faint male voice in the background says doubtfully, "What'll I do now? Whatchou want me to do?" "Just tell them your name," says Ms. Interviewer at enormous volume. "Wha....Wazzat?" says the faint voice. "Just say your name for the people." (What people??) "You want my name?" even more faintly. Then suddenly, "CHARLES PARENT," practically bursting my eardrums—an overload blast such as you cannot imagine! Then, again very faint, "Wuz zat all right? Did I do it right?" All oblivious to the mike and proper mike distance.



As in my own earlier "people" recordings, folks in those days simply had no idea of a microphone's workings, to the point where they kept making asides and side comments directly into the mike, as though it didn't hear. Then they would make a set speech as though turning it on—and another side comment like, "Was that all right?" before you had a chance to touch your controls.

These two old people, the Charles Parents, were in their 90s and, it quickly became apparent, almost totally deaf. This meant that the interviewer, after her stentorian questions, would have to lean over and repeat them in the old folks' ears, which she did, followed mostly by non sequiturs. Mr. Parent just couldn't hear, or maybe the mind didn't connect.

Now, Mr. Parent, how about that sawmill up in the pines-did you work there?" "Yeah, heh-heh [he had a charming chuckle], them cheeses went into a lot of boxes...." "But Mr. Parent, the sawmill in the pines ...?" "Oh, the Corn'll poines? I think there was a sawmill up thar. Yeah, old man Marsh and John C'houn [Calhoun] build it." "Did you help?" "Yeah, them cheeses—pineapples, I think they wuz. Dunno who made 'em " Then. five minutes later, suddenly the old guy would speak right out: "Sure, I helped build that sawmill (this being around 1870), lumber at one end, gristmill in the middle, and a cider mill out back." His brain sort of caught up slowly. I found him really delightful and learned that, in the 19th century, the local accent here was utterly unlike that of today, and very much like those of farnorthern Vermont, as of a later date. Is that history?

His wife, Mrs. Parent, was clearer in mind and, it seemed, better educated. In her half, she came forward to the mike resolutely and stated, ever so clearly, "My name is Sophie Liner, and I am 95 years old. I was born in Cornwall Bridge, Connecticut, in 1871. I had three sisters [names given] and three brothers, and I went to the Puffington School." Wow-imagine it! This lady was born six years before the tinfoil phonograph was invented, and here she was talking straight to me in my own house. Don't tell me audio history isn't important. А



34

AUDIO/JUNE 1989



MONDIAL DESIGNS LTD.

Welcomes

THETA DIGITAL CORP.

to the

ARAGON PROJECT TEAM

With the Introduction of

THE ARAGON D2A

D/A Converter Preview: June CES Avai:ability: Late Summer '89 Introductory Price: Under \$1,000

Due to the expected demand we suggest orders be placed as soon as possible

Call for further information

MONDIAL DESIGNS LIMITED Two Elm Street, Ardsley, New York 10502 • (914) 693-8008

the Soundcraftsmen STORY



SECTION OF PRODUCTION AREA IN MAIN PLANT



One hundred percent quality control is seen on EVERY unit manufactured. EVERY completed unit is electronically tested for specification accuracy and then EVERY unit is connected to a high fidelity system and listened to—just like you would at home. If your unit meets or exceeds the critical standards set forth on these tests, it is then packaged for shipment.

INDIVIDUAL CERTIFICATE OF PERFORMANCE WITH EVERY AMPLIFIER











Soundcraftsmen celebrates its 20th year of manufacturing audio components for the discriminating audiophile.

Soundcraftsmen engineers are highly respected in audio design circles as being very forward thinking, yet practical, when engineering new products, by using proven design principles from the past with tomorrow's technology.







From the finest equalizers, the most accurate analyzers, to the unique preamps, to the revolutionary Class H and Power MOSFET amplifiers, you cannot purchase finer audio components.

The next few pages will answer many of your questions. If you have more, our customer service department will be pleased to assist you by telephone or letter. We invite your questions and appreciate your interest.

"... it brought out the best in all of the loudspeaker systems with which I tried it..."

Pro-Power Four

DESCRIPTION: The New PRO-POWER ampliflers are especially designed for the extended Dynamic Range requirements of today's Compact Disc players and Hi Fi VCRs. The ULTRA HIGH CURRENT design offers you incredibly hlgh power without sacrificing distortion-free performance, superb reliability, and the utmost in sonic purity. These new amplifiers operate flawlessly under all operating conditions. It is well known that most of today's highly regarded loudspeakers exhibit impedance curves which drop to 1 or 2 ohms at some frequencies, and in conventional amplifiers this results in severe clipping and the triggering of protective circuitry. However, our new PRO-POWER Phase Control amplifiers continue to operate even under those extremely low impedance conditions. Current limiting had been el minated entirely by the use of the latest POWER MOSFET technology, thus avoiding the sonic degradation typically found when limiting circuitry is employed.

Says Leonard Feldman in his Test Report in AUDIO Magazine, Vol. 71, No.9:

"...it brought out the best in all of the loud speaker systems with which I tried it. I sensed an effortlessness about the musical crescendos reproduced from some of my CD spectaculars..."

"In my view, you can spend five times as much as what this amp costs, but you won't get a better, more reliable, or more musical unit."

FEATURES: MOSFET amplification stages provide the utmost in sonic purity, rivaling that of vacuum tube amplifiers...Precision-Calibrated LED power meters ()-400 watts at 8 ohms)...Speaker switching for two pair of stereo speakers...

SPECIFICATIONS: CONTINUOUS RMS POWER: 205 watts per channel @ 8 ohms, 20Hz-20kHz, 300 watts per channel @ 4 ohms, 20Hz-20kHz, 450 watts per channel @ 2 ohms, 1kHz...THD—less than 0.05%. 19"Wx5¼"Hx12"D, 30 pounds.

Pro-Power Three

DESCRIPTION: Same as Pro-Power Four, except without the LED power meters.

Pro-Power One

PRO-POWER ONE: The NEW PRO-POWER ONE amplifier provides all of the performance features of the PRO-POWER FOUR in a smaller, non-rack-mountable chassis. PHYSICAL:8½" Wx5¼"Hx12"D. \$579,00



Pro-Power Ten 2/3/4 Channel 600-watt Mosfet Amplifier

The PRO-POWER TEN, used in this mode, is the ultimate in high current, high power amplifiers, and provides a massive 500 w/p/c @ 8 chms.

This mode provides 205 w/p/c for a stereo pair of satellite speakers for mids and highs, plus 600 watts to guarantee optimum sub-woofer bass performance.

FOUR-CHANNEL MODE The ultimate in audio/video systems is the Surround Sound system, where the Theatre environment is recreated by

stereo front and stereo rear speakers.





\$19.95 SYSTEM EVALUATION KIT, includes 1-12' LF Frequency Spectrum Analysis test record, 2-sets of Computone Charts; 1-Connector Cable for comparison test, 1-instruction folder. WRITE TO US FOR FAST ACTION, OR CIRCLE READER CARD, and we'll send you FREE SPECIAL OFFER DETAILS, and 16-page CCLOR BROCHURE.



2200 So. Ritchey, Santa Ana, California 92705, U.S.A./ Telephone (714) 556-6191 FAX: (714) 662-0750 • International Telex: 910 595 2524 Enter No. 30 on Reader Service Card

BEHIND THE SCENES

BERT WHYTE

HALL MARKS II



he U.S. is not overly endowed with good concert halls, nor are many of them suitable for making good recordings. Our two most famous halls are Carnegie Hall in New York City and Symphony Hall in Boston. Unfortunately, because of the noise from the subways that regularly run beneath Carnegie Hall, among other reasons, very little recording takes place there. On the other hand, over more than 60 years many recordings have been made in Boston Symphony Hall.

The famed acoustics of Carnegie Hall, built a few years before Boston Symphony Hall, were a matter of happenstance. Boston Symphony Hall, opened in 1900, was the first concert hall in the world whose design relied on the use of scientific acoustic principles. Those principles were formulated by Dr. Wallace Clement Sabine of Harvard University.

In December 1987, well-known acoustician Leo L. Beranek, who has had a very close association with the Boston Symphony Orchestra, including service as Chairman of the Board, took the Boston Section of the Audio Engineering Society on a tour of Boston Symphony Hall. Dr. Beranek covered many of the historical aspects of the hall, explaining construction details and what effect they had on its acoustic properties. The November 1988 issue of the Journal of the Audio Engineering Society presented a transcript of Dr. Beranek's remarks on this tour. This detailed account and its accompanying photographs make fascinating reading. Much of what follows is derived from that article, including direct quotes from Dr. Beranek. Without in any way denigrating his presentation. I have taken the liberty of commenting on some of his remarks, which other acousticians may find controversial in nature.

By way of background, Leo L. Beranek was one of the founders of Bolt Beranek and Newman, well-known Boston acoustical consultants. During the years he was active with BBN. Beranek regularly attended AES Conventions, where it was my pleasure to chat with him about acoustics and recording. I would gently "needle" him for the ongoing acoustic problems of New York Philharmonic Hall (which he had designed). As many know, Philharmonic Hall was stripped down to the bare walls and, with the generous gifts of Avery Fisher (for whom it was then renamed), reconstructed according to a design by eminent acoustician Cyril

Harris. Avery Fisher was kind enough to invite me to inspect and observe the hall when it was under construction, so I am quite familiar with the materials and procedures which contributed to the acoustics of this hall.

Founded in 1881, the Boston Symphony Orchestra played the first 19 years of its concerts in what was known as the Music Hall, which had been modelled after the famous Gewandhaus in Leipzig (in what is now East Germany). When the City of Boston decided to tear down the Music Hall (though as it turned out, they never did), the orchestra's founder and patron, Henry Lee Higginson, resolved to build a new and larger hall.

At Harvard, where, a few years earlier, the Fogg Art Museum had been built, the museum's original building had an auditorium in the form of a cylinder. It had such bad acoustics that lectures given there were largely unintelligible. Harvard's president, Charles William Eliot, went to the Physics Department for help, and the assignment was given to an obscure assistant professor, Wallace Sabine. By dint of some original thinking in respect to room volume, absorbent materials, and reverberation time. Sabine worked out his classic equations for calculating reverberation and absorption coefficients. Sabine succeeded in making the offending auditorium useful, and a grateful Eliot recommended to Henry Higginson that Sabine be commissioned to undertake the acoustic desion of the new concert hall.

Higginson had earlier hired the architects McKim, Mead and White. After a year's effort, they came up with a design that looked like a Greek amphitheater with a stage and a roof. Higginson took the design to Europe, where he consulted various conductors and musicians. They had never seen anything like it and unanimously condemned the concept.

Sabine had accepted the commission for the acoustic design of the proposed hall and learned that Higginson, after returning from Europe, told the architects to copy the Gewandhaus in Leipzig. The Gewandhaus had only one balcony and seated 1.560. In order to meet the 2.600-seat capacity proposed for the new hall, architect Charles McKim merely increased all

California Audio Labs introduces the new ICON CD Player

From the company that builds the worldwide reference standard in CD Players.

California Audio Labs has set the standard in CD player performance for years. Now, at an affordable \$695 the new ICON joins the most successful family of high end CD players made. Featuring 8 times oversampling and 18 bit D/A converters, the-ICON is made in America to exacting standards. Our new linear drive laser and 24 bit digital filter add quality and performance far beyond expectations.

California Audio Labs

teop

At California Audio Labs, exceptional sound quality is a tradition. The ICON brings CAL performance to a new level of affordability

California Audio Labs

7231 Garden Grove Blvd. Suites E&F Garden Grove, CA 92641 (714) 894-9747 Fax (714) 894-6706

An earful of n

Looking at them, you'd never suspect that graphite, kapton, polypropylene and neodymium are all that musical.

But polypropylene, when it's injection-molded and reinforced with radially-aligned graphite fibers in our IMG woofer, becomes Stanley Clarke's battering ram bass.

Graphite, in the form of thousands of tiny, hollow spheres in our Polyspherite[™] dome midrange, sounds exactly like Kenny G's alto sax on fire.

And kapton, stretched into a micro-thin diaphragm and suspended between powerful neodymium magnets in our EMIT *k* tweeter, is the steam rising from Jeff Hamilton's cymbals.

All these disparate materials, in the hands of our speaker designers, are transformed into the most positive proof that the State of the Art has taken a significant step forward.

Introducing the new RS Series.

These six speakers embody everything we know about the physics of transforming exotic plastics and rare-earth metals into music.



Their drivers are unlike any you've seen or heard before. Drivers we had to invent because there were none this musically accurate before.

Their very cabinet profiles are shaped by our understanding of the behavior of soundwaves.

And their grilles display the mobius emblem that has adorned the most critically acclaimed speakers in the world.

For the audiophile in all of us.

Yet, for all its state-of-theart engineering, exotic, spaceage speaker materials, and extreme sonic accuracy, the RS Series wasn't created for the money-is-no-object audiophile.

Its price range of only \$85 to \$530 per speaker puts the RS Series well within the reach of most people who,

ew technology.



frankly, don't even care about our use of photo-etched aluminum voice coils and Monster Cable® internal wiring. Because it's only the music that really matters.

For all these reasons musical, technical and economic — we invite you to bring a favorite record or CD to your Infinity dealer and hear it as you've never heard it. Through the new Infinity RS speakers.

We promise you all the passion and excitement you can handle.

Which, since you're as hooked on music as we are, is exactly what you deserve.

Infinity

We get you back to what it's all about. Music.



Enter No. 25 on Reader Service Card

Symphony Hall's niches, the statues filling them, and the coffered ceilings all help provide good sound diffusion.

the dimensions of the Gewandhaus by a factor of 1.3.

Fortunately, Sabine had his formulas and equations for reverberation time, and he had measured the absorption coefficients for upholstered seats and for an audience. He used this knowledge to calculate the reverberation

time for the Gewandhaus and for Mc-Kim's expanded version of it. Sabine determined that the reverberation time for McKim's proposed hall would be over 3 seconds. Because the new hall was intended to be much wider, the resulting sound would be very cavernous, like a gymnasium's. Therefore, he

Ine Next Generation The DQ-20

Imagine a speaker system that delivers transparent imaging, accurate dimensionality in width, height and depth, combined with harmonic integrity and dynamic power.

The Dahlquist DQ-10, the original Phased Array dynamic speaker system, became a legend in its own time. This seminal design employed many of the concepts which are still at the leading edge of loudspeaker design. The importance of low diffraction distortion and correct inter-driver time delay were certainly popularized by the DQ-10.

The DQ-10 has been replaced by the DQ-20 Three extraordinary drivers have been combined with advanced enclosure technology to cover a wider range with greater efficiency than was possible with the DQ-10. The same attention to diffraction control and time delay distortion allows the DQ-20 to provide the expanded open window on the soundstage for which Dahlquist is famous

> Clearly supertor, the DO-20 stands as the

vehicle that will transport you into the realm of pure sound. This incredible achievement lets you surround yourself with the captivating reality of brilliant musical performances and listening pleasure.

DAHLLOG VILLE VI VILLE V



No. 20 on Reader Service

told McKim and Higginson that they shouldn't proceed with their plans. Sabine pointed out that the old Music Hall was built on the same concept as the Gewandhaus. In his AES tour lecture, Beranek quotes Sabine as saying, " 'It is rectangular, has many irregularities on its walls and ceiling, and people like its sound. Let us simply copy it and lengthen it a little by adding a stage house.' "

The old Music Hall had balconies extending over the sides of the stage, so members of the audience could actually look down on the musicians. Because Sabine didn't think that this was a very good idea, he suggested eliminating the end wall of the Music Hall. In his view, adding the stage house would give the new hall the extra capacity to accommodate 2,600 people and would eliminate the overhanging balconies. Higginson and the architects agreed, and that is how Boston Symphony Hall was built.

Sabine and the architects incorporated several features which greatly contribute to Symphony Hall's good acoustics. For example, built-in along the walls are niches which contain classical statuary. This provides good diffusion of the sound in the hall. Sabine had the fronts of the balconies perforated, which provides diffusion and avoids echoes. The ceiling is coffered, with about a half-dozen different sizes and shapes of coffers affording even more diffusion of the sound. Sabine was farsighted enough to provide "quiet" ventilation. By 1887, electric motors and large fans were available. Sabine recommended that one-fifth of the ceiling be perforated to allow fresh air to drop down into the hall. The exhaust air goes out through grilles on the lower side walls. Sabine's design also included corridors and offices surrounding the hall. These act as "air buffers" to isolate the hall from street noises. In the early days, horse-drawn wagons on the cobblestone-paved streets made a lot of noise, but the corridors still do a good job of noise suppression. However, sometimes noises do creep in during recording sessions. During a quiet passage of an RCA Red Seal recording of "Scheherazade" (I believe Erich Leinsdorf was conducting), you can hear a bus accelerating outside!

AUDIO/JUNE 1989

Boston Symphony Hall is considered a treasure now. but its initial reviewers criticized its sound in no uncertain terms.

Boston Symphony Hall opened in October of 1900. It didn't receive very good reviews, but this was mainly due to complaints by visiting European orchestras and conductors. In those days, the orchestras had about 90 players, and the Europeans were used to performing in smaller concert halls which seated 1,400 to 1,600 people. In the larger volume of Boston Symphony Hall, with its 2,600 seats, they felt that their music didn't sound loud enough and that it was weak and thin. In his wonderful book, Music Acoustics and Architecture, Dr. Beranek points out that the median size of most halls in England, Canada, the U.S., South America, and Israel is about 3,000 seats. The present-day orchestral strength of 107 to 110 players provides much louder sound, although Beranek says that in Boston Symphony Hall, an orchestra of 120 players would be needed to approximate the loudness levels of the 90-piece orchestras in the small European halls.

Boston Symphony Hall has a foundation of poured concrete, and its walls are constructed of hard plaster over concrete blocks. The upper part of the hall is the same except that the concrete blocks are hollow. There are no rugs, except in the aisles, and they are quite thin. There is also no wood except around the stage. The architects designed the stage's side walls to make a pleasing appearance. These walls are of 1-inch-thick wood with many irregularities, which provides good diffusion and good sound. Sabine designed the stage enclosure partly to accommodate the pipe organ, making sure the bottoms of the pipes were over the musicians' heads.

Dr. Beranek has strong feelings about the use of wood in a concert hall, Although most musicians believe strongly that the best sounding concert halls have interiors entirely made of wood, Beranek counters by saying that few of the best halls in the world are actually made of wood. In his opinion, wood tends to weaken and attenuate bass response. Dr. Beranek says hard interiors with plenty of diffusion will provide the most favorable mixing of sounds and a good feeling from the reverberation.

Now, it is important to understand that acousticians today are not bashful about criticizing each other's designs. For example, a number of acousticians feel that rectangular halls-like the Gewandhaus, Boston Symphony Hall, Orchestra Hall in Minneapolis, and now Avery Fisher Hall-are all "wrong" and derisively label them "shoe boxes." They espouse the wider, fan-

shaped halls. (It must be noted that most fan-shaped or "wedge" halls are multi-purpose halls, while rectangular halls are used mainly for classical corcerts.) Dr. Beranek's feelings about wood are strongly challenged by Cyril Harris' design for Avery Fisher Hall, in which the stage enclosure is wood and

Flux Tube * with a special termination to create a "balanced

The World's Reference Standard Cable Termination.

termination technology. Using a massive ground contact

copper-to-copper, cold-welding process using no solder

MESigma's sonic improvements require a new approach to

crimped with over 20 tons of pressure, we feature a special

or other extraneous metal that can cause sonic degradation

all the subtle nuances and power of your music are trans-

ferred to the speakers through an uncompromising connect

With signal phase integrity now maintained, all the depth,

unequaled accuracy You'll hear singers and soloists pro-

jected to a pinpoint spot in front of your speakers Instru-

that breat itakingly captures the essence of the original

sent the highest level of sonic performance money can

a Monster M+Series" dealer. And prepare yourself for a

thoroughly enjoyable musical experience

ments and vocals that seem to "float" space. With a realism

Although not inexpensive, the MSSigma Series repre-

buy. We invite you to audition These extraordinary cables at


tion that ensures absolute accuracy and signal integrity

Sonic rewards worth the price of admission.

range and power of your music are reproduced with

With a more direct hook-up of MSSigma's conductors.

impedance" throughout the entire audio range



Good things come to those who wait.

These days, serious audiophiles searching for the right highperformance cable face a long, difficult road. Each manu facturer has their own story. And it takes time to sort out all the different designs before deciding which cable to buy

When Monster Cable decided to enter this market, we took the opportunity to examine the various technologies Pick out their strengths Identify their weaknesses And design an extraordinary series of cables that deliver unprecedented performance for the senious audiophile

Introducing the MSSigma Series".

The MSSigma Series is Monster's latest musical revelation Representing the ultimate extension of Monster's Bandwidth Balanced * technology, the MSSigma Series delivers the highest level of audio interconnect and speaker cable performance

In every area of cable performance, we designed for one key objective a balance of sound. To that end, the MSSigma achieves a balance of such sonic qualities as precise imaging, overall naturalness, three-dimensionality, and a sense of space withoot sacrificing any key sound parameters. Our goals were met. And surpassed

New Monster "Balanced Impedance" technology. Both the MS2000 Audio Interconnect and the MS2 Speaker Cable incorporate several innovative new technologies

Consisting of separate multi-gauge wire networks featuring Monster's advanced "time-compensated" windings

Absolute Audio Orange CA GNP Pasadena CA Paris Audio Wriodiand Hills CA West Los Angeles CA Upscale Audio Canoga Park CA Wilson Audio Video Entertainment Woodland WHIGO Audio Video Entertainment Woodland HHIS CA The Vereak Shog Santa Rosa CA World of Sound San Francisco CA Narmony Audio Video San Francisco CA Audio Excellence San Francisco CA Listening Room Scarsdale NY Sound Concept Rochester NY Longplayer Stereo Goshen NY Audio Visions W Babylon NY Lyric HiFi New York NY White Plans NY Sound by

43

Singer New York, NY Hal's Stereo Trenton, NJ Sight and Sound Morristown, NJ, Fernington, NJ Woodbridge Stereo Woodbridge, NJ, West Long Woodinage Stereo Woodonage No West Long Branch NJ Princeton NJ Soundex Willow Grove PA Berwyn PA Better Sound Concepts Pritsburgh PA Sounds of Distinction Atlanta GA Hirk Meavem Green Bay Will Sound If No Oartmouth MA Natural Sound Franingham MA Abenetiche Found Deduction 400 Jenuer Absolutely Sound¹ Rockville MO Jamieson Stereo Toledo OH Paul Heath Audio Chicago II. Quintessence Audio Naperville II, Audiovisions

performance

111 MONSTER CABLE Technology You Can Hear.

Tampa FL Sound Gallery Melbourne FL Cooper for Stirreo ST Petersburgh FL Sound Components Coral Gables FL Don's HI Fidelity Amarilio TX 20 20, Inc. Honolulu HI Audia Advice Ratejon NC Music For Pleasaure Webster Groves MD Audio Video Den Ltd. Lake Grove NJ Bewerft Sterreo Bervier Hills: CA Specialized Sound Madison WI CAM Sterreo Limitited Comprod: CA Sound Gallawo Droad Shores CA Concord CA Sound Gallery Oxnard Shores CA Hi Fi Sales Mesa. AZ Sound Ideas Albuquerque. NM Catania Sound Santa Rosa. CA

Card Service Reader 5 37 Ň Enter



"NEVER IN THE HISTORY OF HIGH FIDELITY SOUND HAS ONE COMPANY OFFERED SO MANY FEATURES COMBINED WITH SUCH PERFORMANCE AND ELEGANCE."

WHO MADE THIS STATEMENT?

Discriminating listeners as they discover the new Revox B200-S Series may indeed confirm this statement with their own words of praise and feelings of pleasure. No other hifi line is in its class. Revox is at the Peak of the Pyramid.

MULTIROOM SOPHISTICATION.

The Revox Multiroom option can transform your Revox B200-S into a master control center for your mansion, townhouse or apartment allowing independent selection of music sources in any room with our IR remote control unit. The Revox Multiroom system is fast and simple to install, and provides the highest quality sound throughout your home.

BEAUTIFUL COMPONENTS.

Rich, elegant and beautiful appearance, like nothing else on the market. Highly polished black piano finish sides and gold and black faces tell you these are the most eye-pleasing hifi components available—graciously adaptable to any decor, any living space.

EXPENSIVE, YET GREAT VALUE.

The B200-S Series looks expensive and *is* expensive. But Swiss precision design and

STUDER REVOX

Studer Revox America, Inc. 1425 Elm Hill Pike Nashville, TN 37210 (615) 254-5651

engineering excellence, faultless audio performance, and numerous features not found on other brands—at *any* price—make these components worth the investment. At over \$10,000 for a complete B200-S system, the Revox choice is only for the few who can appreciate and afford the finest.

AT THE PEAK OF THE PYRAMID.

Include the new Revox Duetto speaker system with the B200-S Series for matching style and elegance. This remarkable new compact speaker is designed to blend easily into your living environment, yet it offers sound quality that will astonish you with its size, depth and clarity.

Move up to Revox and experience home audio electronics at its best, in the Swiss tradition of the highest quality and precision engineering. The Peak of the Pyramid is for

the very few. Start your journey to the pinnacle of audio perfection by asking your hifi dealer for a demonstration.

> See page 46 for the Revox dealer nearest you.

REVOX SELECT DEALER DIRECTORY

SEE AND HEAR THE INCOMPARABLE 100/2005 SERIES ATTHE FOLLOWING SELECT DEALERS

CALIFORNIA

Beverly Stereo, Los Angeles (213) 651-3523 Harmony Audio Video, San Francisco (415) 661-2525 Paris Audio, Los Angeles (213) 820-2578 Woodland Hills (818) 704-7677

CONNECTICUT Audiocom, Old Greenwich (203) 637-3621

FLORIDA Audio 2000, Hollywood (305) 962-5300 Boss Audio & Video, Altamonte Springs (305) 332-9043 Dalton Audio, Clearwater (813) 447-0987 Sound Components, Coral Gables (305) 284-9360

Sound Performance, Coral Gables (305) 446-8055 Sound Plus Wood, Boca Raton (407) 391-1843 GEORGIA

Stereo Shop, Smyrna (404) 438-2423

HAWAII 20/20 Audio Video, Honolulu (808) 523-2020

Audio Consultants, Evanston (312) 864-9565, Hinsdale (312) 789-1990, Libertyville (312) 362-5594

Audio Enterprises, Chicago (312) 527-2252, Chicago Heights (312) 754-6056 Paul Heath Audio, Chicago (312) 549-8100 Victor's Stereo, Chicago (312) 787-0750

KANSAS

Kief's Records and Stereo, Lawrence (913) 842-1811

MASSACHUSETTS Audio Studio Stereo, Brookline (617) 227-0111 Music Box, Wellesley (617) 235-5100 Natural Sound, Framingham (617) 879-3556

MICHIGAN

Hi Fi Buys, Ann Arbor (313) 769-4700 East Lansing (517) 337-1767 Lansing (517) 321-2373 Midland (517) 839-0972

NEW JERSEY

Sight and Sound, Morristown (201) 267-6700

Gala Sound, Rochester (716) 248-8430 Innovative Audio, Brooklyn (718) 596-0888 Rosner Custom Sound,

Long Island City (718) 726-5600 Sound by Singer, New York (212) 683-0925 Thalia HiFi, New York (212) 371-2111

NORTH CAROLINA Dacia Audio Video, Hickory (704) 324-5054 Stereo Showcase, Charlotte (704) 334-0744

PENNSYLVANIA

Audio Insight, Wexford (412) 935-8663 Canlen Audio, Bethlehem (215) 866-0728 David Mann Audio, Philadelphia (215) 922-3007 Stereo Outlet, Washington (412) 225-1292

TENNESSEE Tenzel Audio, Nashville (615) 297-7400

TEXAS La Frontera, Brownsville (512) 544-2554

UTAH Audition Music, Salt Lake City (801) 467-5918

WISCONSIN Salon One, Wisconsin Rapids (715) 421-5910 Specialized Sound, Madison (608) 271-7744

STUDER REVOX

Studer Revox America, Inc. 1425 Elm Hill Pike Nashville, TN 37210 (615) 254-5651



the walls of the hall are of heavy, overlapping, 1-inch-thick, random-size wood panels. Harris is also a strong believer in the value of diffusion, as evidenced by his controversial use of "cuboid" reflectors behind the stage (and partially on the ceiling over the stage) in his design of Orchestra Hall in Minneapolis. A slight "slap echo" at about 100 Hz has been attributed to these reflectors.

According to Dr. Beranek, a stage floor should be made of wood but need only be strong enough to support the orchestra-"it doesn't need to support a truck." With the kind of floor construction in Boston Symphony Hall, he states that the energy transmitted by the pins of the cellos and contrabasses to the floor cause it to resonate and provide a richer sound. In contrast, the stage floor in Avery Fisher Hall is made of heavy oak planking, laid edge-wise. It has great strength but is less resonant. General opinion seems to be that bass sound in Avery Fisher Hall is not as full but is extremely clean.

Sometimes, instruments rest not on the stage floor but on risers, which elevate certain sections of the orchestra, usually the brass and some woodwinds, above the strings. Dr. Beranek noted that conductor Charles Munch didn't use them, while the first thing Erich Leinsdorf wanted was the risers replaced. Stokowski believed in them and taught me to use them. I used risers when I recorded Arthur Fiedler and the Boston Pops in Symphony Hall. String players tell me they feel better and have better concentration when trumpets and trombones are not "blowing off the back of their heads." However, risers should be sturdy, and neither percussion nor string bass should be on risers, which would resonate too much and muddy the sound.

The reverberation period of Symphony Hall is about 1.8 seconds at midfrequencies, rising to about 2.1 seconds at lower frequencies when all

2,600 seats are occupied. When the hall is empty (as it obviously is during recording), the reverberation time rises to 2.7 seconds at the lower frequencies, which can be quite a problem in recording. Over the years, various measures have been undertaken to compensate for this longer reverberation time. RCA engineer Lew Layton built a 25-foot "lip," or extension, to the stage to bring the orchestra further out into the hall; I used this extension when I recorded Arthur Fiedler. Since Jack Renner of Telarc (who recorded the Beethoven Piano Concertos with Rudolf Serkin) and I both used spacedarray omnidirectional mikes in Symphony Hall, we had to be extremely careful in balancing our ratio of directto-reflected sound pickup. Some European record companies used 25 to 35 microphones in a very close-up manner in order to "swamp" the hall acoustics; later on, they ran the tapes through a spring-reverb unit to provide ambience. (Nowadays, they use digital reverb units.)

If I were going to record now in Boston Symphony Hall, I would insist on seating some 2,600 pieces of polyurethane foam "instant people" to give me the same lovely 1.8 seconds of reverberation as when the hall has a live audience. John Newton, an engineer friend of mine who does a lot of work for Philips, made a wonderful recording of the Mahler Second Symphony with the Boston Symphony, and he used extensive amounts of absorbent material to dampen the hall. The result is a highly detailed recording enrobed in a lovely, warm ambience.

Boston Symphony Hall is indeed an acoustic marvel. Considering that it is a modified copy of the Gewandhaus in Leipzig, have there been any other copies made? The answer is that the concert hall at Kennedy Center in Washington, D.C. is pretty much of a direct clone, as is the concert hall in Salt Lake City, Utah. Perhaps we'll do a story on them one day.

Ultimate Upgrade. Simply the best receiver in the world.



The Luxman R-117 combines the state-of-the-art technology of separate components into one affordable receiver.

TOTAL SONIC INTEGRITY

All Luxman receivers incorporate massive power supplies to deliver high dynamic power. The R-117 measures over 700 watts of dynamic power per channel (2 ohms) to ensure distortion-free transients.

The pre-amplifier section combines several Luxman exclusive circuit designs to optimize sonic accuracy, and the AM/FM stereo tuner is sonically competitive with the finest separate curers in the world.

In all, the R-117 receiver provides the purity and musical warmth of the original source, *plus* the high dynamic power output necessary to ensure total sonic integrity at all volume levels.

AUDIO/VIDEO REMOTE CAPABILITY

The R-117 includes a hand-held remote to control the major functions of each Luxman audio

component. In addition, the R-117 handpiece can select up to three video sources, and professional-grade video amplifiers are incorporated to maintain a high-quality picture.

This single component will function as a *complete* audio and video control center with total remote capability.

LUXMAN 5 YEAR WARRANTY

Enter No. 28 on Reader Service Card

MULTI-ROOM EXPANDABILITY

The R-117 also interconnects with an external remote eye to allow complete system operation from any room in your house. With a simple installation of cables and accessories, virtually all functions of the master system can be controlled at each remote location. This multi-room concept can be expanded at anytime in the future to include additional rooms.

LONG-TERM DURABILITY

A previous advantage of separate components over receivers has been in the area of durability. The R-117 is designed with a no-compromise approach to longterm reliability and is backed by a 5 Year Parts and Labor Warranty — the best in the industry.

The Luxman R-117 Receiver is simply the finest

sounding, most versatile, most reliable receiver in the world... the ultimate component to upgrade your audio/video system.





"Polk's RTA Tower Loudspeakers Combine Legendary Polk Performance with Contemporary Style."

Big speaker performance with an efficient use of space.

RTA 11t - \$449.95 ea.

The RTA 11t is the finest conventional (non-SDA) speaker that Polk Audio manufacturers. Its extremely high power handling (250 watts) and high efficiency (90dB) provide remarkable dynamic range from both large and small amplifiers. The RTA 11t utilizes the same technologically advanced fluid-coupled subwoofer design found in Polk's flagship model. Dual 8" sub-bass radiators are coupled to wo 6½" mid/bass drivers, resulting in a fast, powerful, deep, and ultra-accurate bass response, without the boomy, undetailed sound of large woofer systems.

RTA 8t - \$289.95 ea.


In a slightly smaller package, the RTA 8t offers the same driver complement as the larger, more expensive RTA 11t, and thus shares its benefits of superior imaging, musicality, and detail. Both Polk RTA series loudspeakers achieve the extremely rare combination of good looks and stateof-the-art performance. The tall, elegantly slender, and deep "tower" design cabinets allow for substantial internal volume for high efficiency and powerful bass, while requiring less than one square foot of floor space. The small baffle surface area around each driver minimizes diffraction (sonic reflections), thereby insuring outstanding imaging and low coloration.

Positioning the 1" silver-coil dome tweeter between the two $6\frac{1}{2}$ " trilaminate polymer bass/midrange drivers achieves what is called "coincident radiation." This means that both the mid- and high-frequencies appear to radiate from the same place on the baffle resulting in perfect blending at the critical crossover point. (See illustration, below).

Polk RTA speakers have an uncanny ability to perfectly reproduce the human voice, pianos, guitars, and every other instrument whose faithful reproduction demands superlative midrange and high-frequency performance. Bass and percussion instruments are accurately reproduced with full visceral power and realism, without the heaviness, boominess, or lack of detail that plague lesser designs.

The discriminating listener who seeks stateof-the-art performance and design will find the quintessential combination of both in Polk's RTA series loudspeakers.








Polk Audio's ETA 8t and RTA 11t High Performance Tower Speakers

The perceived source of sound of two identical drivers is centered in the area between them.

> In the Polk RDA loudspeaker, the tweeter is positioned at the acoustic center of the drivers.





Where to buy Polk Speakers? For your nearest dealer, see page 152.

AN BERGER

TAPE IT EASY



Copy Cats

You can't record on CDs yet, but you can record from them, with far greater convenience than when transferring from LP. Even the simplest CD player makes it easy to tape deck, and lets you automatically record only the tracks you want from the original disc (or discs, if you have a CD changer). Most players also let you program those tracks in any order vou like. Further, if your recorder's counter reads in elapsed or remaining time, you can compare that to the timings on your CD player's display to see if the next cut will fit on the remaining tape

These conveniences were built into the CD system for general use, not just for taping. In the past year or two, however, two features designed specifically as taping aids have been added to CD players. One is a timestart and stop the unit in sync with the addition system that shows you which cuts on the disc will fit onto a tape of given length. The other scans the signal levels on the disc and finds the highest recorded peak. If you then use the peak to set your tape deck's recording level, you'll be safe against signal overload when you transfer from the CD. And one new CD player changes the order of the cuts to make them fit more neatly onto the two sides of a tape

Limited Monopoly

New, high-tech features which appear on one company's products have always appeared soon thereafter on several other brands. But if it seems to you that the pace of such copying is speeding up, you're right-and the reason is ICs. In order to keep the cost of specialized new ICs down, the companies which develop them often have to accept only a limited-time exclusivity on new chips, and then must allow their sale to other companies

This speeds the dissemination of new features and technology, which in one way is good. But it may also slow the development and improvement of that new technology


by prematurely freezing designs. The difference between the cost of buying an existing IC and producing an improved version is far greater than the difference between continuing a discrete-component design and improving it.

In the days before ICs, new challenges (such as the onset of stereo FM) would be met by about as many circuit designs as there were companies in the field. Similarly, if one company was first to introduce a new and useful circuit, its competitors promptly would seek new (and better) ways to do the same thing. Only after one or two of those designs proved themselves superior would standardization set in

Tera's Revenge

Audio equipment has been picking up video-oriented features lately, such as Dolby Surround decoding and combined video/audio signal switching. Now video is striking back: Tera's new 31-inch TV set (ahem er ... ah ... "monitor/receiver") boasts not only MTS stereo reception but FM stereo as well, thanks to a built-in frequency-synthesis tuner with six AM and 18 FM presets. (Yeah, I know-grandma's old DuMont had a built-in FM tuner, too, but this is fancier.) The infrared link between the set and its remote controller is bidirectional, so the remote can double as a wireless headphone receiver. The amplifiers are more typical of audio than video systems, too: They deliver 35 watts into each stereo speaker, plus another 35 watts into an optional subwoofer

Kowitt



Back from the Cutting-Room Floor A lot of Broadway show tunes have been waiting in the wings as far as recordings are concerned. Many shows had more music in them than an LP could hold, which meant some songs didn't make it into the album. Most shows' music should fit onto one CD, however. Already, some recordings (such as the CBS albums of Stephen Sondheim's Anyone Can Whistle and Leonard Bernstein's On the Town) are being reissued on CD, with songs that were crowded off the LP originals.



On a Blue Note

Billed as a special afternoon to celebrate "the boogle-woogle dream that lasted 50 years." Blue Note Records marked its golden anniversary on January 6, 1989, with a party/jam session at New York City's Birdland that featured performances by many of the label's most well-known musicians. The Blue Note dream began simply enough in 1939, when Alfred Lion brought Meade Lux Lewis and Albert Ammons into a studio to make some private recordings. These sides would set the standard for the label for the next half century. Four months later, the corporation's statement of purpose was published in the label's first brochure. In it, Alfred Lion wrote, "Blue Note records are designed simply to serve the uncompromising expressions of hot jazz or swing, in general. Any particular style of playing which represents an authentic way of musical feeling is genuine expression. . . . Hot jazz, therefore. is expression and communication, a musical and social manifestation. and Blue Note records are concerned with identifying its impulse, not its sensational and commercial adornments.

Over the years. Lion and his childhood friend/business partner. Francis Wolff, helped to bring about and highlight many of the innovations which would occur in this music format. From the early days with Lewis and Ammons through the swingtet sessions with artists such as lke Quebec. Jimmy Hamilton, and Benny Morton, and well beyond the be-bop era of Thelonious Monk, Bud Powell, and Tadd Dameron, Blue Note encouraged creative freedom in its musicians. The Jazz Messengers were originally formed as a cooperative of Blue Note personnel featuring Horace Silver. Kenny Dorham Hank Mobley, Doug Watkins, and Art Blakey.

Blue Note was sold to Liberty Records in 1966. During the late '60s and '70s, reissue releases were sporadic although the label did maintain a roster of many fine artists In 1985. B ue Note underwent a massive revitalization effort as part of Capitol EMI. The label now releases between 50 and 75 reissues a year and includes a roster of artists such as Stanley Jordan, Bireli Lagrene. Michel Petrucciani, Lou Rawls McCoy Tyner Art Blakey, Dianne Reeves. Gil Melle Bobby Watson, and a host of others

In 1987. Blue Note Records—and the jazz world in general—suffered a great loss when founder and guiding spirit Alfred Lion, died at the age of 78 He. Bruce Lundvall, and Michael Cuscuna were honored at the label's Birdland celebration for their dedication to jazz and their efforts to bring this uniquely American music form to a greater audience. *Audio* echoes this salute, and wishes all at Blue Note a happy anniversary

Karen Clark



Rogers products have earned a worldwide reputation for fine sound quality and high construction standards. Primary design goals at Rogers have always been tonal neutrality, low colouration, transparency and wide bandwith. The result is a smooth, effortless sound that makes Rogers "the natural choice."

Roger

Be as selective in where you buy as you are in what you buy.

rite or call for dealer information

Enter No 8 on Reader Service Card

We know they re hard to resist Guaranteed lowest prices in the universe. Every days a sale day Big. bigger, biggest

But, buying a serious audio or video component isn't the same as buying a dishwasher or microwave. And thats why AUDIO recommends you visit an independent A-V specialty retailer when shopping for equipment.

A V product is the heart of his business, not a profitable or trendy sideline. That means the independent dealer will always be more concerned in helping you select the proper equipment than he will be in helping him self to a commission.

So, be as selective in where you buy as you are in what you buy Support your independent speciality dealer



ANDROMEDA II. With a staggering 200 amperes of peak available current, Andromeda II is SUMO's newest and most powerful amplifier. It is the culmination of over a decade of work done on amplifier design and sits at the end of an impressive path that includes such products as Ampzilla, the GAS 500, the SUMO Half Power, and Andromeda. Andromeda II is the latest expression of a consistent attitude about music reproduction.

Andromeda II is also the beneficiary of a purist design philosophy. Characterized by symmetry and balance, this philosophy is evidenced by the exclusive use of discrete push-pull circuitry throughout. Andromeda II is also fully balanced, input to output. Signals are actively amplified from both sides of the amplifier, positive and negative – as opposed to normal practice where one side is referenced to ground. Since both sides of the loudspeaker are then driven symmetrically by matched, but separate sources, greater control over piston (or diaphragm) motion is achieved. The result is more precise imaging, a better, more stable soundstage, and enhanced spatiality.

Balanced amplifiers also offer high common mode rejection and lower attendant noise. Much has been written lately about the superiority of this approach; and recently a number of other high end companies have joined SUMO in the manufacture and marketing of balanced designs – at an average retail price of over \$5,000!

Andromeda II benefits from the most recent advances in semiconductor technology. Its output stage, for example, utilizes 16 individually measured and matched mosfets in a symmetrical push-pull arrangement. These devices, only recently introduced, are stunningly fast and stable. Their performance is further enhanced by a proprietary output linearizing circuit that reduces crossover notch distortion to levels more typical of Class A amplifiers. As a result, air is reproduced around acoustic instruments with a naturalness that must be heard to be appreciated. Massed strings are warm and vibrant; and their overtones luminous – all without a hint of hardness or strain.

Andromeda II is also a low negative feedback amplifier. Its rated power is 200 Watts per channel into 8 Ohms. And there is no protection circuitry or intrusive current limiting to constrict sound quality. All told, Andromeda II is a remarkably natural and faithful reproducer of music, and an amplifier that should be considered for any application where smoothness and power are the prime requisites. As with all SUMO electronics, Andromeda II is designed and manufactured in the United States.

Among those select dealers stocking our products are:

ABSOLUTE AUDIO 1232 N. Tustin Ave. Orange, CA 92667 714 538-4434

STANSBURY STEREO 6471 Baltimore Natl. Pike Baltimore, MD 21228 301 788-7600

SYMMETRY AND BALANCE







Call 1-800-553-4355

ROADSIGNS

IVAN BERGER

WOOFING IT UP



Back-Seat Boogie

"While you're waiting," I said to my wife as I got out of our car, "please readjust the back seat for optimum bass." I meant it. The angle of the Scorpio's back seats is adjustable. and the last passenger we'd carried back there had adjusted them so that there was a big gap between the seat back and the removable parcel tray that rests above the trunk. Our subwoofers use the trunk as their enclosure, and are mounted right behind the seats, so the gap caused drastic bass loss due to cancellation. Resetting the seats to minimize the gap raises the bass output

noticeably. Eventually, when we get around to adding flexible seals at all possible points, the bass will improve even more.

Admittedly, I'd get even better bass by enclosing my woofers, but the box would get in the way: I bought the Scorpio as much for its load-carrying capacity as its slick handling. (With the parcel shelf off and the back seats folded, I just hauled two Infinity RS 9 Kappa speakers.) Even a removable box would pose problems—limited load space when it's in, and no place to stash it when I take it out. (I park in a public garage a mile from my home, so I can't just pop the box into my garage when I remove it.)

Because I was using the trunk as my enclosure. I installed Linear Power's 1752S subwoofer system, which includes four 8-inch woofers with dual voice-coils, plus a servo amplifier. In this system, only one voice-coil of each woofer is driven by the amp; the other acts as a generator, producing a signal that mimics the speaker's motions. Servo circuits in the amp compare this signal with the audio signal going to the speakers. Then the servos modify the audio to compensate for any differences between it and the speakers' actual motions.

Motional servos like this easily adapt to any enclosure, even to the point of keeping my bass constant whether my trunk is full or empty. They also adapt to reasonable degrees of enclosure leakiness. What they cannot adapt to is a leak problem like mine, where the paths between the woofers' front and back waves are both open enough and short enough to cause outright cancellations. I've always felt that it pays to get the basics right before you add fancy technology (such as servos). I guess it's time to find a way to plug that leak.

Relay Report

When I first discussed my stereo installation plans for the Scorpio, J said that I would like to find a heavyduty relay which could withstand the rigors of the underhood environment. I wanted to use it to switch my stereo off entirely during those periods when my car would sit idle for a few weeks. Reader Jack Copeland, who's been in audio since 1942 ("Retired and turned into an ETC type," Copeland says), came up with the solution:

"Use a headlight dimmer switch. It requires no voltage to operate, is ever ready to go from on to off, or vice versa, and is highly reliable. 'Infant mortality' is rare, and wear-out is probably beyond the life of either the car or the radio. There is always a place where an extra one can be mounted."

Now why didn't I think of that?



Stealthy Stereo

I didn't expect to see a Toyota stereo in my friend Gordon's car—even though the car is a Toyota—but there it was. Gordon, you see, handles public relations for Blaupunkt, and several people from Blaupunkt were in the car with us. "It's an intelligent head unit," Gordon said defensively. "All I have to say is 'Volume up!' and it gets louder. Or I can tell it: 'Find me some classical music,' and it will." As he spoke, the radio obeyed him—but I noticed that his left arm twitched (I couldn't see his hand) whenever he talked to his radio. Sure enough, he was using a remote control... for a hidden Blaupunkt Houston head unit. Normally, the Houston hides behind a blank panel at the bottom of the center console, while the remote is attached to the steering wheel with Velcro. A remote sensor at the side of the car completes the command link. I really don't know how intelligent either the Toyota or the Blaupunkt head unit is, but the installation is intelligent. indeed.

11 181

100

11

from FONICS

ALL ALLA

NION BANK

From 40 to 1200 watts (RMS power into 4 ohms) in 1, 2, 4 and 6 channel automotive amplifiers.

HIFONICS also manufactures signal processors, parametric equalizers and electronic crossovers.

All amplifiers and components are DESIGNED AND MANUFACTURED IN THE U.S.A.

HIFONICS **ORPORATION®**

11 Victor errace, Ridgefield, NJ 07657 • 201/945-8880 • Fax: 201/945-1218 FONICS WEST® 725 B Industrial Road, San Carlos, CA 94070 • 415/595-0600 • Fax: 415/595-2620 **HIFONICS**

CANADA . 416/427-9314

For More Information



Call 1-802-553-4355

a 11

Enter No. 52 on Reader Service Card

The Monitor Series Designed not to a price, but to a standard.

5300 CD Player 5100 CD Player 5170 Multi-CD Player

4300 Tuner

6100 Cassette Deck 6300 Cassette Deck

1300 Preamplifier 1700 Preamplifier/Tuner

3400 Integrated Amplifier

7100 Receiver 7400 Receiver 7600 Receiver

2100 Power Amplifier 2400 Power Amplifier 2600 Power Amplifier

Please send Monitor Series literature and dealer locations to:

Name		
Address		
City		
State	Zip	
		A 5



Your last audio system?

The sole point of audio is to fully enjoy music. Alone, or with friends and family. At a party, dinner, or with video and popcorn. It should be easy to do.

The NAD Monitor Series is designed to provide this enjoyment, flexibility, and ease of use. To unobtrusively provide music in all its richness and variety. Selection after selection. Day after day. Year after year.

The result of an international three-year development program, the Monitor Series has, since its introduction, garnered accolades from the audio press, customers, and dealers worldwide. Each component establishes new standards in its category.

And, as a true component system, The Monitor Series is designed for change and growth. Yours.

Play as you go

The standard route to improving your hi-fi system has been the replacement of components. Rather than designing in this fashion, we chose to create a system that would make "planned obsolescence" itself obsolete. We call our approach The NAD Building Blocks Design Philosophy. You can start with an amp and preamp. Or one of our outstanding receivers. Add components, as usual, say a second tape deck, or our superb multi-CD player. But there's more.


Don't junk the receiver, add an amplifier

When the time is right (you move your system to a larger room, or new living quarters, or acquire new speakers, for instance) add a second amplifier.

Why a second amplifier? Because every Monitor Series power amp (or receiver, or integrated amp) can be bridged into mono, with an impressive increase in power and dynamic range.

Our 100 watt amplifier alone, for example, provides up to 300 watts of precisely controlled dynamic power, due to our exclusive Power Envelope circuitry. Bridge it with another 100 watt amplifier and you'll have up to *500 watts* of clean dynamic power for musical peaks.

The NAD Monitor Series is the only audio component system which provides this option *across the board*.



The Monitor Series provides numerous paths for enhanced listening. You start with a superb remote control audio system. You don't have to overbuy. And you can upgrade your system repeatedly, without ever trading in. Your investment will never become obsolete.

Unified remote control

And all the while, no matter what size system you choose, you will be using our Unified Remote Control. This advanced design remote drives the entire Monitor Series," and is a pleasure to hold in your hand and use.

Only at selected knowledgeable dealers

We invite you to visit one of our carefully selected dealers for a complete listening session. Call us at (617) 762-0202 for the name of your nearest dealer, or send the coupon for detailed literature, to: NAD(USA), Inc., 575 University Avenue, Norwood, Massachusetts 02062.



For the music, pure and simple.

 The 5170 Multi-CD Player, due to its remote programming capabilities, has its own full-function remote control. Even moderately priced car speakers sound better today, thanks to the use of high-end home technology and materials.

Come Again?

When you're driving, some distraction—noise, tricky traffic, tollbooths—always comes up just at the point where there's something on the radio that you really want to hear. Mitsubishi has a solution to this problem, a digital memory that holds the last five seconds of signal and plays it back on demand.

Thanks to digital trickery, you won't miss the next five seconds of program during the replay, either. During playback, the memory keeps absorbing the broadcast and plays it back when the repeat is over. The memory's clock rate gradually speeds up so that it catches up with the realtime broadcast about two minutes later, and the memory will then be ready for another replay the next time you miss a vital message.

This memory feature will show up first on radios made for Mitsubishi's Mirage cars sold in Japan; no word yet on whether it will also be in Mirages sold in the U.S.





Better Car Speakers?

I'd noted that today's moderatepriced car speakers sound better than yesterday's. David Monoson, a marketing and public relations consultant, recently gave me some insight into why this is the case. According to Monoson, high-end speaker technology is creeping into low-end car speakers: "For example, new cone and surround materials have a lot more resistance to changes in ambient temperature. weather, and humidity. Speaker alignment is better than it ever was: The centering of the voice-coil assembly in the magnet structure is verv accurate. It's no longer just a manual shim or a quick assembly routine. Now, they have very precise tooling to do it. Voice-coil construction is very good-close to state of the art in terms of using forms with high thermal conductivity, so that heat is dissipated rapidly. Coil windings are done with high precision, using edgewound wire. There has always been a demand for high power-handling capacity, and now there's a

reasonable engineering response to this demand in small speakers.

"The value for the dollar today is very high." Monoson continued. "Someone who goes out and spends \$50 or \$60 for a loudspeaker gets quite a lot of value in any one of the maior brands. One of the problems that hasn't really been solved is highfrequency dispersion-where do you put your tweeters and aim them for best imaging and response? Conventional installations don't always do it. A lot rests on the installer. Using dispersive devices in front of the tweeter, though frowned on in the home, works nicely in cars. We've found in our tests that multi-layer dispersion screens seem to work. (I use a piece of perforated plastic, semi-soft like polypropylene, 1/8-inch thick, with holes spaced fairly closely.) The thinner the screen, the less effect you're going to get. The second screen can be a thin screen. maybe metal like the grilles on a/d/s/ speakers. Adjusting the spacing between screens (about 1/8 to 3/8 inch) affects the dispersion."

C-Qualms

The march of AM stereo is inexorable—or is it? Factory sound systems with C-QUAM AM stereo are available from at least 10 overseas car manufacturers and from all car manufacturers in the U.S.; Chrysler now offers only AM stereo in all its U.S.-built cars and trucks. As of last fall, at least 500 stations were broadcasting AM stereo in the U.S., as were at least 150 more in other countries. Nevertheless, AM stereo does not seem to be overwhelmingly popular among independent stereo manufacturers. More than 15 such companies do offer C-QUAM, but not on all models. In fact, while the most expensive factory sound systems are most likely to have C-QUAM. aftermarket producers tend to put it in their medium-priced systems. At the unveiling of one flagship tuner/CD unit, I asked its manufacturer why it did not include AM stereo, when several of the company's earlier models (including a former flagship) did. "We found that customers were not as interested in AM stereo as we'd hoped." he said. "so we felt it

made more sense to put that money into features they really cared about."

To me, this made sense. I find that stereo definitely makes AM more worth listening to, especially on radios like Delco's, which broaden their bandwidths when in stereo mode. Given a choice between a system with AM stereo and an otherwise identical system without. I'd go for C-QUAM every time. But since I'm never given such a clear-cut choice. I'd base my choice on other factors rather than be swayed by the presence or absence of AM stereo.

....remarkable!



par.a.digm (par'adim) noun: serving as an example or model of how something should be done.

Every once in a great while a product comes along that offers performance which rises above the current variety of clever designs and marketing hype. When this occurs the new level of performance achieved can be readily heard by both the ardent audiophile and the novice listener. Paradigm is a breakthrough loudspeaker that provides a level of musical truth that simply must be heard.

Oh yes, the price for such glorious performance? Well . . . that's even more remarkable.



In the U.S.: AudioStream, MPO Box 2410, Niagara Falls, NY 14302 In Canada: Paradigm Electronics Inc., 457 Fenmar Dr., Weston, ON M9L2R6 Enter No. 10 on Reader Service Card

Make room for...

ASER

MeInlosh

CD

TV

VCR/T COPY

TUNER

			No				
CO	LASER	τv	TUNER	PHONO	AUX 1	AUX 2	
VCF/-1	VCR/T2	1►2	2►1	MONO	SPKR 1	SPKR 2	

PHONO

MONO

AUX 1

AUX 2

MUTE

POWER

McIntosh

SPEAKER

To maintain and advance its worldwide leadership in innovations and technology is the ongoing challenge for McIntosh engineering. The McIntosh C35 SYSTEM CONTROL CENTER responds to that challenge. Among the innovative improvements in the C35 are:

The challenge for remote control. The C35 provides complete remote control from the main area and two remote areas. In addition it can interface with the McIntosh Remote Control System for independent control in 5 additional areas!

The Challenge to design a preamplifier that would equal the CD in performance. The C35 has normal unbalanced outputs and balanced outputs to prevent deterioration of the excellent signal to noise ratio and low distortion which provide full CD dynamics.

The challenge for more inputs. The C35 has nine inputs.

Handcrafted with pride in the United States



The challenge to maintain the McIntosh reputation for versatility with distortion free performance. The C35 has a motor driven, precision volume control with channel to channel accuracy with IdB. Its position is indicated by LEDs as a percentage of rotation; a continuously variable loudness control accurately modeled after the family of "equal loudness" curves developed by Drs. Fletcher and Munson; five separate tone shaping controls which provide musically based spectra adjustments, a legion of input, output and interconnects, and more - more.




The photograph of the McIntosh C35 SYSTEM CONTROL CENTER is 92% life size...

CAN YOU MAKE ROOM FOR McINTOSH QUALITY?

For information on McIntosh products, please send your name, address and phone number to: McIntosh Laboratory Inc. Department 118A PO Box 96 East Side Station Binghamton, NY 13904-0096

by dedicated, highly trained craftspeople.



TOO MANY SIGNAL SOURCES

ne frequent problem today is that there aren't enough high-level inputs in receivers, preamps, and integrated amps because of the abundance of high-level signal sources for home audio systems: CD players, tape decks, tuners, laser videodisc players, stereo TVs, VCRs, electronic organs, synthesizers, et al. In the case of tape decks, it is not unusual for an audiophile to have two or more decks of several kinds: Cassette, DAT, open reel, and VCR—either hi-fi analog or digital via an outboard processor.

To solve the problem of insufficient inputs and outputs raised by multiple tape decks, several manufacturers offer tape switchboxes at retail prices varying from about \$25 to \$200. The ones to which I refer are all passive devices (no electronics). Accounting for the price differences, in addition to pricing policy. are such factors as quality of construction, number of decks that can be accommodated (ranging from three to 10), and refinements such as control of signal level, bridging facilities for adding another switchbox in tandem, and insertion facilities for noise-reduction devices, equalizers, and other signal processors.

The basic and most popular tape switchbox accommodates three decks. It feeds the audio signal from a receiver, preamp, or integrated amp to the decks—singly or in any desired combination—for recording. At the same time, it feeds the outputs of the decks, singly or in combination, to the receiver for playback. In addition, it permits dubbing from any deck to any other deck, singly or in combination; a monitor switch enables one to listen to the signal being dubbed.

A tape switchbox can also be used to increase the number of high-level inputs for sources other than tape decks. A switchbox intended for three decks can provide as many as six inputs (for a net gain of five inputs, after deducting the system input jack receiving the input from the switchbox), well within the needs of most audiophiles. This is achieved by using both the tape input and tape output jacks of the switchbox as inputs, connecting each of them to the dubbing bus, and putting the "Monitor" switch in its "Copy" position to feed signals from this bus to the receiver. (For those who only need additional highlevel inputs, simpler switchboxes, such as DB Systems' DBP-2J/5, are intended for just such a use.)

My experience has been with two tape switchboxes, each intended for three decks: Russound/FMP's Model TMS-3 (selling in one New York store for under

A tape switchbox can handle those extra ins and outs.

HERMAN BURSTEIN

\$60) and Radio Shack's Tape Control Center (selling for about \$25). Their circuits are fairly similar. Presumably, the circuits of other switchboxes mainly differ in the number of inputs and outputs they offer (i.e., the number of decks accommodated).

w

To realize the potential of a tape switchbox, it is advisable to fully understand the circuitry of a typical unit; Fig. 1 shows the circuit employed by Russound. For simplicity, it shows only one channel, and for clarity it is a revision switch is in the "Play" position. If, however, the "Monitor" switch is set to "Copy," the signal at the dubbing bus goes instead to the "To Input" jack and then to the receiver. Each playback switch also has an "Off" position as well as a "Copy" position for dubbing.

C

н

B

When any deck's playback switch is set to "Copy," the deck's output signal goes to the dubbing bus. Setting the recording switches to "Copy" feeds the to-be-dubbed signals at the bus to the decks' inputs for recording. To lis-

Switchboxes designed for recording can be used for several other functions, so your system is much more flexible.

of the schematic presented in the TMS-3's owner's manual.

The output signal from the receiver's (or preamp's or integrated amp's) tape output jack is fed to the "To Output" jack of the Russound switchbox; it then goes to what we may call a recording bus. From this bus, the incoming signal is fed by recording switches, singly or in combination, to the jacks labelled "Inputs," which feed the signal to the tape decks' inputs. Each recording switch feeds the bus signal to its associated deck when in the "Record" position. The recording switches also have an "Off" position and a "Copy" position for dubbing, which connects the "Inputs" jack to a dubbing bus instead of to the receiver signal. (More about dubbing soon.)

he outputs of the decks go, naturally, to the switchbox jacks labelled "Outputs," and via isolating resistors to the playback switches, which feed the outputs singly or in combination to a playback bus. Each playback switch feeds its deck's output to that bus when in the "Play" position. From the playback bus, the signal goes via a "Monitor" switch to the "To Input" jack and then to the tape input of the receiver. This happens provided that the "Monitor"

ten to the signal(s) being dubbed, the "Monitor" switch must be turned to "Copy."

The values of the resistors shown are apparently not critical. Russound uses 2.2 kilohms in the TMS-3. An older, almost identical Radio Shack switcher used 3.3 kilohms and added a 2.2kilohm resistor in the "To Output" line; Radio Shack's current switcher has no resistors at all.

I have found two different styles of nomenclature in switchers of this type. The jacks marked "To Output" and "To Input" on the TMS-3 are, on some units, called "In" and "Out" respectively. This does not imply that either nomenclature is necessarily preferable. The differences stem from two approaches that seem equally legitimate: Russound views the signal as coming from and going to the receiver and the tape decks, while other companies view the signal as going to and coming from the switchbox.

Another possible source of confusion in the Russound and other switchboxes I've seen is that the signal from the receiver enters the switchbox via jacks located in the bottom row but goes to the tape decks via jacks in the top row. Likewise, the signals from the decks enter the switchbox via jacks in the top row but go from the switchbox to the receiver via jacks in the bottom row. (It may be noted that this anomaly doesn't exist in Russound's Models TMS-5 and TMS-10.)

None of this is meant to discourage the reader from using these or other tape switchboxes. It is simply meant to alert you that the user's manual, its schematic, and its hookup diagram should be studied very carefully to discern what goes to what. (If you have a multi-tester, you can use its resistance measuring range if you wish to trace connections.)

To illustrate and flesh out the usefulness of the tape switchbox, I can draw on experience. Some years ago, before receivers (and preamps and integrated amps) began providing accommodations for two decks, I acquired a Russound TMS-3 to connect my Nakamichi cassette and Tandberg openreel decks to my Lafayette KT600 tube preamp. Later, I acquired an NAD 7155 receiver and-temporarily, as it turned out-relegated the preamp and switchbox to the attic because the NAD accommodated two decks and provided bidirectional dubbing. A few years ago, after adding a CD player and stereo TV, I found myself one short of enough high-level inputs. Back down from the attic came the switchbox. The outputs of the CD player and stereo TV were connected to two of the Russound's jacks marked "Outputs," the "Monitor" switch was set to "Play," and the "To Input" jack was connected to the receiver's "CD/AUX" jack.

This was not all. I also replaced my old and ailing Thorens TD124 turntable with a Dual CS 5000. I am slowly transferring my 78-rpm phono discs to cassette, and the Dual is one of the extremely small number of turntables today that offers the 78-rpm speed. (I swap my usual cartridge for one with a 78-rpm stylus when doing this.) This project led me to bring the Lafayette preamp back down from the attic. Unlike modern records, with standard RIAA equalization, 78s were made with a variety of equalization characteristics, usually not specified. Happily, the Lafayette has switch-selectable phono equalization, with a choice of four bass-boost and six treble-cut settings for a total of 24 different curves. Moreover, it provides a rumble filter, scratch (treble) filter, and presence control (boost around 3 kHz) that all operate *ahead* of the preamp's tape output jack. With all these facilities. I can adjust playback equalization by ear to get the best sound from my old discs.

or a dubbing session of 78s, I interchange the tonearm headshells containing my two cartridges and transfer the turntable cables from the NAD's phono input to the Lafayette's. The tape output jack of the Lafayette is permanently connected to the third "Outputs" jack of the Russound switchbox.

I leave all three of the switchbox's playback switches in the "Play" position so that the CD player, stereo TV, and Lafayette outputs are always simultaneously connected to the "CD/ AUX" input of the NAD. This is for convenience, to minimize switching. True, the three signal sources mutually load each other and the NAD, but with only a slight and very acceptable reduction in gain and without audible adverse effects with respect to frequency response and distortion. If there were undesirable loading effects, all I'd have to do is set the playback switches for the unused sources to "Off."

Figure 2 shows the switchbox connections and settings I now use but omits switchbox wiring to elements not in use, so that the signal path can more easily be followed. To listen to CD, stereo TV, or 78s via the Lafayette preamp, the NAD's selector switch is turned to "CD/AUX." Similarly, to record from any of these, its record switch is turned to "CD/AUX."

You may be wondering why I don't use the recording section of the Russound to switch my turntable between the NAD and Lafavette phono inputs. I tried this but encountered excessive hum. I connected the turntable cables to the switchbox via the "To Output" jack and, via the recording switches and "Outputs" jacks, fed the phono signal alternatively to the NAD and the Lafavette. I tried various connecting cables and grounding points for the turntable's ground wire, but hum could not be reduced to my satisfaction. I tried the Radio Shack switchbox but without obtaining noticeably different results. Therefore, the turntable was reconnected directly to the NAD. It should be recognized that the shield-




Fig. 1-Circuit of the Russound TMS-3 tape switchbox.




Fig. 2—The switchbox connections and settings now used by the author. (Wiring paths to switchbox elements not in use have been emitted for clarity.) No significant loading effects have been observed from this arrangement. To add still more inputs, signals could be fed to the jacks at the top of the diagram; all switches would then be set to "Copy." See text.




Fig. 3—Connections and settings used to compare two tuners or other high-level sources.




Fig. 4—Connections and settings used for comparison of two preamps. Note that the recording bus is serving as a Y-connector.




Fig. 5—Connections and settings for obtaining reverb effects from a three-head tape deck; note the external jumper cable required.




Fig. 6—Using this setup, a signal processor can be used to modify the signal going to a tape deck in recording (solid arrows) and to modify the signal coming from the deck in playback (dashed arrows).

SWITCHER SOURCES

- Canton North America (915 Washington Ave. South, Minneapolis, Minn. 55415). Connect 20 switcher, \$80, has facilities for two record/play decks and one high-level source via five-pin DIN jacks; allows dubbing from any source to any deck, with volume control for playback.
- **DB Systems** (Box 460, Rindge Center, N.H. 03461). DBP-2J/5 switchbox, \$69.95 with nickel-plated jacks or \$84.95 with gold-plated jacks, can be used for five sources.
- Niles Audio Corp. (P.O. Box 160818, Miami, Fla. 33116). TSB-3, \$79.95, is for three record/play decks, with dubbing between all decks. CPM-31, \$179.95, has facilities for five record/play decks, with matrix switching permitting copying between all decks. PS-1 phono/AUX A/B switcher, \$49.95. AXP-1, \$59.95, for five high-level inputs.
- QED (c/o May Audio Marketing, P.O. Box 1048, Champlain, N.Y. 12919). TSU2P, \$90, for two decks. TSU3P, \$110, for three decks; \$140 with gold-plated jacks and nonmagnetic casing. IX4, \$125, for two tape decks and two line-level inputs; \$155 with gold-plated sockets and nonmagnetic casing. PSU, \$50, for two turntables.
- Radio Shack. Stereo Tape Control Center/Catalog No. 42-2115, \$24.95, has facilities for three record/play decks.
- Russound/FMP (10 Forbes Rd., Newmarket, N.H. 03857). TMS-3, \$70, for three record/play decks. TMS-5, \$99, for five record/play decks, TMS-10, \$179, for 10 recorders and two processors. SP-1. \$199. for four record/play decks, plus signal processors and encode/decode noise reducers via built-in patchbay. MA-5, \$90, for four record/play decks and/or processors, plus three high-level sources, with provisions for daisychaining recorders and devices in any order. AX-6 input selector, \$49, for six high-level sources.
- Vanco (970 North Shore Dr., Lake Bluff, III. 60044). Information not available at press time.

ing of these two switchboxes is designed only for high-level signals. A low-level signal, such as is produced by a magnetic phono cartridge, requires something like 40 to 60 dB of amplification before matching a highlevel signal, so the former is far more susceptible to audible hum pickup. (In voltage terms, the amplification is roughly between 100 and 1,000 times; in power terms, between 10,000 and 1,000,000 times.) On the other hand, there are switchboxes on the market that are designed to accommodate low-level sources, such as Niles Audio's PS-1 and QED's PSU. (Editor's Note: I've found that DB Systems' DBP-2J/5 works fine, even with MC cartridges, as long as you keep it clear of strong hum fields.—*I.B.*)

w

S

I wasn't too unhappy that I couldn't use my switcher for phono cartridges, because I soon needed another highlevel input, this time for an HQ Hi-Fi VCR. Its audio output was fed to one of the Russound's "Inputs" jacks (see Fig. 1). Switches for all jacks in use were turned to "Copy," putting their signals on the dubbing bus; the "Monitor" switch was set to "Copy," feeding the signal on the dubbing bus via the "To Input" jack to the NAD.

Additional non-tape roles for the tape switchbox may well be found by the creative audiophile actively involved with audio equipment. To illustrate, Fig. 3 shows the connections one could make to compare two tuners by moving a single switch. Tuner 1 goes to one "Outputs" jack, tuner 2 to another, and the "To Input" jack to the amp (preamp, power amp, or receiver). The "Monitor" switch is moved to "Play" to listen to tuner 1 and to "Copy" to listen to tuner 2.

As a more complex example, Fig. 4 shows how a comparison could be made between two preamps by moving a single switch. The audio signal from a tuner, CD player, turntable, etc.—is fed to the "To Output" jack, recording switches 1 and 2 are set to "Record," and the corresponding "Inputs" jacks are connected to the inputs of preamps 1 and 2. In brief, this section of the switchbox serves as a Yconnector between the source and the two preamps. The preamps' outputs go to the 1 and 2 "Outputs" jacks, playback switch 1 is set to "Copy," playback switch 2 is set to "Play," and the "To Input" jack is connected to the amp. The "Monitor" switch is turned to "Copy" to listen to preamp 1 and to "Play" to listen to preamp 2.

н

or another example of the versatility of the tape switchbox, we return to tape recording. If you have a three-head deck that permits simultaneous recording and playback—as is often the case today—and if you wish to achieve an effect akin to reverberation, Fig. 5 One final example, Fig. 6, shows how a tape switchbox could provide flexibility in coupling a tape deck with a signal processor (equalizer, imager, compander, single-ended noise reducer, reverb unit, etc.). The switch positions designated by the solid arrows cause the processor to precede the deck's input; those designated by the dashed arrows cause the processor to follow the deck's output.

Thought and experimentation will reveal applications other than those de-

squarely in the best-buy category.

shows the appropriate connections for one deck. The receiver's tape output and input are connected to the switchbox's "To Output" and "To Input" jacks, respectively. The deck's input and output jacks are connected to the switchbox's "Inputs" and "Outputs" jacks, respectively, for deck 1. The record and playback switches for decks 1 and 2 are set to "Record" and "Play." The "Monitor" switch is set to "Play." A jumper cable is connected between the "Inputs" and "Outputs" jacks intended for deck 2. The jumper causes the slightly delayed playback signal to be fed back to the input for repeated but steadily diminished recording, resulting in a simulation of reverb. To turn off the reverb, the record switch intended for deck 2 is moved to "Off," My cassette deck is connected as in Fig. 5, using my old Radio Shack switchbox.

The amount of reverb depends on the deck's playback volume. Too little volume produces no audible result, while too much can lead to unpleasant results, including oscillation. Therefore. it is best that the deck have a playback volume control to regulate the reverb. Further, I find that the reverb can often be pleasant on music but usually is undesirable on speech. picted in Fig. 6. To illustrate, assume one employs pre-deck processing and wishes to compare the deck's output with its input signal. Setting the "Monitor" switch to "Copy" will feed the signal processor's output (which is also the deck's input) to the receiver. Moving the switch to "Play" will feed the deck's output to the receiver.

> he pair of three-deck, passive tape switchboxes we've discussed are relatively sim-

ple: models with much more elaborate facilities are available. Some permit the use of more tape decks and the insertion into the recording chain of encode/decode noise-reduction devices (such as outboard dbx NR units) and of signal processors such as equalizers, imagers, subharmonic synthesizers, reverb devices, single-ended noise reducers, and companders. The Russound/FMP TMS-10 and the recently discontinued dbx 200XG are examples. Still more elaborate passive switchboxes, such as Russound's SP-1, include patchbays for complex audio nookups.

Considering its usefulness and versatility, and a price well below \$100 (unless you opt for an elaborate unit), the tape switchbox belongs in the best-buy category.

THE AUDIO INTERVIEW

Bruce Lundvall Traditional Tracks







Bruce Lundvall is a record man with a connoisseur's sense of taste. He has left his mark on a number of important record companies and musical fields, including pop and country, but especially jazz. A jazz fan ever since his teen years as a music-obsessed New Jersey kid with a fake ID, Lundvall began hanging around the be-bop clubs on 52nd Street. His long career at CBS began as a trainee in 1960, and he went on to become general manager and president of


Columbia Records. There, he signed top artists like Willie Nelson, Phoebe Snow, and Herbie Hancock. He may be best remembered for his jazz signings there: Tony Williams, Woody Shaw, Return to Forever, and especially Dexter Gordon, whom Lundvall brought back from exile in Copenhagen. Tiring of the grind of running a huge company, he left in 1981 to run the Elektra/Asylum label, where he signed Steel Pulse and Rubén Blades, and started the Elektra/Musician label. Lundvall moved again when presented with the opportunity to head a major new pop label, EMI-Manhattan, along with every jazz fan's dream label, Blue Note, which had come under EMI's

umbrella. Lundvall, along with Michael Cuscuna, reissued much of the fabled company's great jazz catalog and developed new artists such as Stanley Jordan. In yet another permutation, Manhattan merged with EMI-America to become EMI Records, and Lundvall became president. In April 1988, he left EMI for Capitol Records and took the Blue Note label with him. He continues as president of Blue Note and general manager of Capitol/East Coast. T.F.





PHOTOGRAPH: ELENA SEIBERT



You spent a lot of time on 52nd Street when you were young. What about that time and place influenced you later on in jazz?

Well, I saw all of the legendary modern jazz players when I was between 15 and 18 years old. I became very involved with jazz as a listener when I was about 13 or 14, and I began to come into New York City. I lived in Cliffside Park, across the river, and I would come into the city with my friends. I had a borrowed motorcycle license from a friend who was older so I could get into Birdland, the Down Beat Club, etc. I got to see Charlie Parker, Art Tatum, Lester Young, Bud Powell, and Monk-all the great players of that period, and a lot of the swing players, too. New York also had certain jazz programs that were on the air in the late '40s, and I used to listen to them as a kid. Every evening on WNEW-AM, I believe, there was an

I saw all the modern jazz legends when I was between 15 and 18. I used a borrowed motorcycle license to get into the clubs. hour program from the Embers or the Hickory House. Another of those programs had piano trios. So you might have Teddy Wilson one night and Art Tatum the next. My greatest hero was Bud Powell. From the time I was around 12, I was buying every Lionel Hampton record-78s, you know-

and Benny Goodman records and all the swing bands. But I began to hear be-bop and read about it, and I was a kid. I was very impressionable, and it just hit me. Musically, it captured my imagination. I used to trade in soda bottles for the 5¢ deposits and buy 78s that were on sale at a record store that sold used jukebox records.

Were you one of those guys who got hip to be-bop right away?

Real fast. When I was about 15, a friend of mine in high school was studying with Bill Triglia, who was and still is a very fine planist. He played with Lester Young, Stan Getz, and Mingus, and he worshipped Bud Powell. So this friend of mine was playing all this modern piano as a kid, and he gave me an early Bud Powell 10-inch LP. I couldn't listen to it at first. I didn't quite understand what was going on because I was just, at that point, listening to Erroll Garner, Teddy Wilson, some Art Tatum. I lived with this album for a week, and then I never gave it back. We had this big fight. I eventual-

ly gave it back, of course, but then I became completely, totally inundated with the whole idea of modern jazz, and it suddenly became totally accessible. It was like a door opening, you know?

When you headed up CBS Records, in the '70s, it became known as the big label that was friendly to jazz. What do you think happened between that time in the '40s when it looked like jazz was really going to be the next big music, and the time when you took over at CBS—when jazz was really relegated to the bottom of the barrel in most record companies?

CBS had always been a jazz-friendly label, frankly—some periods more sc than others. When I was a kid buying LP records in the '50s, the only major label that was attractive to me as a jazz listener was Columbia. They had Miles. Ellington, The Jazz Messengers, Mingus—they had, well, they didn't have Monk yet, but they had Miles and some other artists that were interesting. There were a number of things that were really much more adventurous for a large label to be doing.

Are you saying they were up there with Blue Note or Prestige?

No, not at all. But the label had always maintained a certain involvement in jazz over many, many years. I think that was because of people like George Avakian, John Hammond, Ken Glancy, Teo Macero, and Irv Townsend. Goddard Lieberson was the one who set the standard for everything I've ever tried to be or do in this business. He had a wonderful motto: "To be more, you must do more." He set a standard of excellence that hasn't been matched to this day, in my opinion. It started with the quality of the artist roster and extended to graphic excellence and the most exceptional sales and marketing in the businessunder Bill Gallagher's direction. He's one of the greatest marketing and sales executives of all time in our business. He really established branch distribution in our industry. When I first went to Columbia Records in 1960, the A&R staff was essentially peopled with musicians, important ones. Teo Macero, Frank DeVol, Mitch Miller, Bobby Scott, Schuvler Chapin, Mike Berniker, John McClure, David Rubinson, Tom Wilson, Jim Foglesong, and John Hammond were there. I remember the day Hammond brought in Bob Dylan's first record. I remember when he signed Aretha Franklin.

Were you in A&R at that point?

No, I was in marketing. Bill Gallagher hired me, and I first worked for an

extraordinary man named Joe Norton. who passed away a few years ago but who was a great teacher and friend. He dedicated his entire life to Columbia Records. All these guys were there in this small building over at 799 Seventh Avenue. (Today, it's the site of a branch of the Whitney Museum of Art.) It was like a family, although it was a big company. Still, in 1960, the record business was much smaller than it is today. We were in a five-story building with a studio on the top floor. You would run from your office up to the studio several times a day, and it was a great environment to work in.

It really was the dominant company.

Yes. Goddard Lieberson set the tone. It was a company that would support every area of music with hopefully the most *important* artists in classical music, country, jazz, pop, and so on. It had a dedication to the arts as well as to commerce. It made it possible to say, "Even though this guy doesn't sound like he's going to sell a lot of records, we'll sign him because he's special and he has something *musical* to say." Underline that word, *musical*.

Who did they sign who was along those lines?

Bob Dylan is a great example. No one thought, at that time, that he'd be a rock star. Monk, Miles, Mahalia Jackson, Pete Seeger, many others. Streisand, in the beginning, was perceived as a "Broadway" artist who probably wouldn't sell in the pop market. In fact, my friend Mike Berniker first recorded her because no one else in A&R would. Mike was the most junior member of the staff, so he volunteered! Goddard did the first serious recordings of electronic music. He did Broadway shows (both musical and dramatic shows). The American Literary Series and spoken-word recordings, The Legacy Series (albums documenting history-the Union, the Confederacy, the Kennedy years)

I've talked to a number of the important people behind the scenes at Columbia—John Hammond, Mitch Miller, Clive Davis. How do you see yourself fitting into Columbia's history?

It's a tough question to answer because I can't really compare myself to those people; they had extraordinary track records. But they each had a great influence on me, and I believe I provided a continuity for the company that followed in their footsteps. Above all, to keep *music* and *A&R* at the forefront of the company, and then back it with the most creative marketing department possible and the strongest promotion and sales organizations. **Herbie Hancock**

When I first started as a trainee in 1960, they wouldn't let me into A&R. The head of personnel at that time asked if I could sit down with Leonard Bernstein and read a score, and I said I really didn't think so. He said, therefore, that I should be in marketing. And that's exactly what happened. I have no regrets about that because I think I'm a very good marketing man, but my passion is music. I believe we did some very innovative marketing in those days; we created the first product management system in the record industry. We started the first college rep program also-actually hiring students on campus to market and promote our records. We created the first midpriced line for catalog album releases as well.

But do you feel you've left your imprint on the company, like Mitch or Clive or John?

Not to that degree by any means, but I believe I made some important contributions. And why should I be totally modest about it? My inspirations were Goddard, John Hammond, and Ken Glancy-people with real musical sophistication. Fortunately, Clive wanted the company to be musically ahead of the competition, and let's face it, Columbia was a little late in getting into rock 'n' roll-except for Dylan, The Byrds, Chad & Jeremy, and Simon & Garfunkel-so Goddard and Clive really escalated our involvement in rock, and Clive was the front-runner. Clive made some great signings— Janis Joplin, Electric Flag, Laura Nyro, Chicago, Boz Scaggs, Blood, Sweat & Tears, and more. He actually did carry out a tradition of excellence in a very effective way. I was first able to sign artists around 1974, when I was the general manager of the Columbia label. I began to fulfill my own dream, What I always wanted to do was actually sign artists, not go into the studio to produce them because that was not my background. Some of the things that I did there in terms of the signings hopefully perpetuated a Columbia tradition of seeking out unique artists of real quality and musicality. The more confidence I began to have as a signer, the more active I became in that area

Let's talk about some of the people you've signed.

The first artist I signed, unofficially, was Herbie Hancock. He was still on Warner Bros., and I brought him to Clive, who was still running the company. Herbie had one more album to go on Warners He was not selling any records with that particular band, but I



Lundvall and Stan Getz


Goddard Lieberson set a tone for CBS Records We would sign an artist if he were special and said something musically. A great example is Bob Dylan. No one thought he would be a big rock star. Streisand was felt to be a ''Broadway'' artist, not a pop-market seller.





0.000

Dexter Gordon



David Gahr

21981, David Gahr

Paquito D'Rivera

Dexter Gordon had come back from Copenhagen and he was playing in a club. I knew before his first set was over that I had to sign him. Now, Willie Nelson had been passed on by everyone. I signed him because of his writing and because of his signature voice.



Willie Nelson



felt that he could go very, very farboth as a legitimately brilliant musician and in the commercial world. Clive signed him, but I felt very strongly it was my signing because I brought him to Clive. So in a way he was my first signing there. Officially, the first artist I actually signed was Phoebe Snow, when I became the general manager of the Columbia label. It was before her first album on Shelter came out. I was sent the album by her attorney. I was totally stunned by her voice, and I said, "I want this to be the first artist I sign." There was an enormous lawsuit because she was signed to Shelter. But something had happened at Shelter that I don't want to go into-they had breached her contract. We won the lawsuit. I still think she's one of the best singers in America today

What happened to Phoebe Snow?

She was very hot for a while. Unfortunately, her new baby daughter, Valerie, was quite ill. Phoebe devoted her energies to trying to pull that child's life together, and she did a miraculous job. It was a very difficult time for her. Nonetheless, she had three very successful records on Columbia, and the Shelter album was very big; it continues to sell. And then she kind of disappeared. Well, she's ready to come back now, and she's signed to Elektra. I haven't heard a note yet, but I know she's a great singer-all she has to do is have the right songs. Anyway, she was the first artist I officially signed. Before that, I had convinced Clive to sign Bill Evans, which he did. To my great horror, after Bill won a Grammy, he was dropped.

Why?

I guess lack of sales. They couldn't push him with a Grammy win under his belt?

That year, he was about the only Columbia artist to win a Grammy, and I was so proud of him. I sat at his table, and other people never even came by to shake his hand, you know? Very sad. But then after Phoebe, I got very, very lucky. I signed Willie Nelson, who had tremendous success at CBS.

And how did that happen?

A lot of people had passed on him. In Nashville, we had an interesting situation. Billy Sherrill was the head of A&R then and still is. But he's a very shy man. He likes to spend his time in the studio, and he likes to write songs. He doesn't like to go out and romance artists. So it was up to me to go down to Nashville and, with Billy, talk to different artists and try to sign them. *Now, where was Willie in his career at this point*?

AUDIO/JUNE 1989

Well, nowhere. He was on Atlantic Records, and they dropped their entire country roster. It was after he was dropped, and I was listening to those things. I'd been a fan of country music for a long time anyway. I started listening to country when I was a little kidbefore I got into jazz. I collected country records, and religiously listened to Dave Miller's Hometown Frolic from Newark. So anyway, I liked Willie's writing very much, and I loved his voice, but I didn't think he'd sell many records. Epic Records had passed on him-everyone had passed on him. I said, "This guy is a wonderful writer and he has a signature voice. He may not sell, but we should have him." So I signed him. We had this little tiny reception for Willie, and about 20 people showed up. People in the company actually didn't know who he was. And lo and behold, of course, his first record, Red-Headed Stranger, was an enormous success. What happened with that record is really wild. About a month after he signed with us, his manager, Neil Reshin, called me and said, "I want to play his first album for you." I said, "Come on. We just signed a contract. He can't have an album finished yet." He said, "Oh yeah? It's all finished." I said, "What do you mean, it's all finished? You're not bringing something out of a closet that's old?" "No, no, no." So I said, "Okay, bring it in, but this doesn't sound right to me." Neil came in with Waylon Jennings, and I said, "Why is Waylon Jennings here?" And he said, "Well, here's the album, and it's called Red-Headed Stranger. It's a story-song record and so on." I started to play it and I sawwell, this was not a produced record, you know. It sort of sounded like it was done in a living room or in someone's garage, but it was really special and quite wonderful. Waylon just sort of jumped on my desk and said, "Look, this is the way Willie Nelson should be recorded. The problem is he's had producers and that's not what he's about." I was very suspicious. I felt, "Oh, come on. I'm being double-teamed here." I said, "Let's listen to more of it." I listened to the rest of it, and I said, "This is something for collectors. I mean, this is really a beautiful record. I love it, but it's not at all commercial. I'll send it down to Billy Sherrill in Nashville." I was trying to be cool about it. I brought the record home, and I really fell in love with it. Meanwhile, Billy Sherrill heard it, and two days later, he called and said, "Man, this is terrible. This is like a demo." I said, "Yeah, but it's very special at the same time." Then I got a call

from Willie saying, "This is what I've wanted to do all my life." So I called a meeting with the whole company. This wasn't more than my third or fourth signing, you know. We got through all this, and no one was really commenting very much. Of course, it became an enormous success. It sold about 21/2 million records or more. The next record he came in with was a tribute to Lefty Frizzell, which was another one where I was tearing my hair out saying, "You're going from one obscure project that was enormously successful to something even more obscure, and who's going to buy this?" I'll tell you exactly what happened. After Red-Headed Stranger became a very big success, we had a convention up in Toronto, and Willie performed. He was wonderful. So I got back from the convention, and Neil Reshin called again and said, "I have Willie's new album." I said. "This is impossible. You just left Toronto. What do you mean, a new album?" He said, "No, it's all done." I said. "When did he record this record?" Neil said, "On the way back from Toronto, there was a layover in Houston of about five hours before he went to Austin. They went in the studio and made the album."

You're kidding.

No. Absolutely serious. To Lefty from Willie, it was called. I said, "Neil, listen. How much did it actually cost to make this record?" He said, "Something like \$3.000." I said, "Well, look, maybe they could have spent another \$2 for a can of oil because the bass drum pedal is squeaking all the way through this record." So they had to remix the entire album. Then, not long after that, Willie came out with the Stardust record, and everyone in the company went crazy saying, "How can you do this? These are old pop standards from the '30s and '40s. How is this going to sell?" Of course, it turned out to be the biggest album Willie ever had-5 or 6 million copies!

What does it take to get people to trust an artist?

Well, after that, I learned a great lesson that was obvious to me when I was a fan buying records—the artist is usually either ahead of the public or knows what his public will accept. It takes more than one 2-million-selling record, though. Sometimes. Because you go from a 2-million seller to a Lefty Frizzell record, which was not a comparatively big seller at 3 or 4 hundred thousand. These things happen in the business all the time. You're hoping to be able to guide the artist. But you can't do that with real artists, you know. With real artists, you have to let them go the way they feel they have to go.

Who was your biggest disappointment?

There were several. I signed Bill Withers, who is a kind of genius and a true original. While he sold well, his biggest hit was "Just the Two of Us," a single I let him do for Grover Washington, Jr. on Elektra while he was signed to CBS! I also signed Stephen Stills, who had a big first album on Columbia, Turn Back the Pages, and then two or three albums that died. There was a girl who I had heard on a record that I thought had a wonderful voice. Al DiMeola came in-he was another artist whose first record I had made-and he brought in a tape by a girl. It turned out to be the same artist I'd heard. It was a girl named Googie Capolla. Only musicians know about her. She has a wonderful, wonderful voice and I was wildly excited about her. Young, very shy girl who had a very soulful voice. She had been singing back-up for a lot of people. She had done a lot of gospel things and was very religious. Her husband did a lot of writing and was a keyboard player. It never happened. It was a real disappointment because I thought she was so special. I also felt. at the time, that Jon Lucien had something very special, but his star never materialized as it should have.

Shall we move into the jazz area? I remember all the fanfare when Dexter Gordon came back in '76. How did that all come about?

I was always a great, great fan of An artist is usually Dexter's, but I had never seen him play. At the time, ahead of his public or he was not playing publicly, and then knows what they will he went to Copenhagen. I went to accept. A real artist John McLaughlin's wedding at the Hilton Hotel, and my Will have to go his friend Stan Snyder, who was in the OWN Way. sales department at Columbia, said,

"I just found out that Dexter Gordon is playing tonight for the first time in the city. He just came over from Copenhagen." So I went to John's wedding, and I dashed over to the club. Dexter was just playing his ass off. Before the end of the first set, I said to Snyder, "We have to sign him." I went up to Dexter after the second set, and I said, "I'd love to sign you to Columbia Records." Well, he couldn't really believe it. The next day, he came to the office with his

lawyer and we made a deal. The nicest thing that happened was that I got a call about a week later from Ahmet Ertegun at Atlantic, and he said, "This is one of the best signings. I wish we had done it. For Columbia to sign Dexter Gordon is just brilliant." I said, "He's obviously not someone who is likely to have a gold or platinum al-bum." Ahmet said, "But he's one of the great ones, and you signed him!'

Well, how big of a risk was that financially?

It was not a big financial risk, but that's

I left CBS because I was not as involved with the artists as wanted to be; having to let people go in the 1979 crunch hurt.

not the point. The fact that Ahmet said this is a great musical decision ... here's a legend, a great player, and Columbia Records, this great big monolithic company, has signed a guy that normally would record for a small company. As a footnote. Dex has become a lifelong friend, and he's

one of the wisest, most literate, and original human beings I've ever known. Were you thinking about signing more jazz artists at that point?

Oh, sure. I had signed a few of them, but Dexter may have been one of the first straight-ahead jazz artists I signed. There were fusion artists-I had signed Return to Forever, Al Di-Meola as a solo artist, Bob James, Billy Cobham, Hubert Laws, George Duke. That whole movement in music was happening and selling records, also. But I wanted very badly to sign some straight-ahead jazz artists and some avant-garde artists who were not necessarily in the commercial mainstream of the fusion movement.

Would you consider Arthur Blythe in that group?

Sure, yeah. He came afterward, but I signed him. I signed Tony Williams, who at the time was doing kind of a fusion thing and had done Tony Williams' Lifetime before that. The first record he made for us was with a small electric kind of group. It did very well. I signed Woody Shaw after Dexter-James "Blood" Ulmer, Max Roach, Freddie Hubbard, McCoy Tyner-and from Cuba, I signed Irakere, the first band to have an album come out in America since Castro came to power, and Paquito D'Rivera as a solo artist. What was the concept behind signing

these more avant-garde, not mainstream, jazz players? Did you really

think you would have a shot with any of them?

I didn't concern myself with that. We developed a very strong jazz roster at Columbia Records-one that was also commercially strong. The idea, essentially, was that if you had people like Bob James, The Mahavishnu Orchestra, Weather Report, Return to Forever, Maynard Ferguson, those artists were selling records almost as well as pop artists were during that period. I felt that if we could make the right kind of deal for some really wonderful mainstream and avant-garde artists, it'd be terrific for the company. And the fact that they would be under this umbrella of commercial success would help them to sell more records, which indeed it did. I could showcase them in front of the sales force at a convention because here was Al DiMeola, who was like a pop star, and here was Dexter Gordon. It was more acceptable to the people who sold and promoted the records because they were dealing in a more commercial context. I believe I helped to develop the strongest jazz roster of any major record label during that time, and this certainly was part of whatever legacy | left there. I also greatly strengthened the country roster, expanded the company on the West Coast, and we started a new label, Portrait, which I played a big role in launching. I kept the original cast album area very active with Annie, Barnum, On the Twentieth Century, and others. I also wanted the company to be involved in contemporary Latin music, which I dearly love, so in addition to Irakere and Paquito, I signed Eddie Palmieri and The Fania All Stars.

Why did you leave CBS in '81 for Elektra/Asvlum?

Only because I was becoming bored, and I wanted to get much closer to the music and the creative process

You were bored with signing artists?

No, no, no. CBS had become extremely large, and my responsibilities included manufacturing both the Columbia and Epic labels, the Associated labels, Portrait Records, the publishing company, and Masterworks. I mean, I had the entire thing-the distribution company, all of this essentially came under me. It was wonderful, but my thrill in the business came from two areas: The creative side-signing artists and working with artists-and the marketing side. I didn't get a tremendous charge out of dealing with manufacturing, endless budget meetings, trips to the 35th floor to make presentations, or making speeches 10 times a year at conventions. I was in my early 40s, and

division when Irwin Segelstein left, and for five years, I was the president of C.R.U., the U.S. division of Columbia. It was exciting. It was wonderful. It was prestigious-all of those things. But after a while, it became-well, I shouldn't say boring, but you were inundated by the size of the operation, the amount of responsibility you had, and the fact that the things you loved most about the business you were not able to be involved in as much as you'd like to be. It was tearing me apart, but we were doing amazingly well: 1978 was the biggest profit year in the history of the company. Then in 1979, the company completely collapsed-the whole industry did. The numbers kept getting worse, and I had already fired 300 people, which was horrifying. I couldn't stand it. It was horrible-closing factories, all that stuff. At the time, John Backe was president of CBS. We'd have these planning meetings, and he'd come running in, panicking because the television network wasn't doing that well either. Looking straight in my eyes, he said, "You have lost control of your company." I looked at him and said. "I can't believe this. Have you looked around the rest of the record industry? Every other record company is on their ass and losing money-we're still making a profit!" I said it nicely because I didn't want to say anything more than that. I felt I was about one day away from being fired. Then he had me out for lunch about a week after that because I was panicky, I was totally panicky, and he said, "Look, you're really one of the best record executives. I know the industry is not doing well, and we're not doing well, but I have a responsibility to the stockholders and you've got to pull this thing together." I said, "I'll do every-thing within my power." So I spent the next year just doing the most simplistic of cost-cutting exercises. The following year, our profits more than doubled, and Backe, while we were reviewing the numbers, was absolutely stunned. He said, "This is the best management job I've seen in my entire career in business." So we did an amazing job. but we did the most simplistic things. They were not easy; we had to let lots more people go, you know. But we basically took all of our budgets for the year and said, "We're going to spend very little on advertising. We'll just do promotion." Fortunately, we had a good release flow.

I wanted a new adventure. Walter Yet-

nikoff appointed me president of the

How did the artists feel about this? They were surprisingly supportive. They knew what the industry was going through. It was not just CBS. If it was only CBS, they would have been killing us. Anyway, the following years were very good, but I became less and less happy.

How was Elektra different?


I felt everything that CBS represented when I walked in the door in 1960. Warner Communications really represented with their three separate entrepreneurial labels: Warner Bros.. Atlantic, and Elektra. Those labels were run by creative people who had a feeling for music. All the things that made CBS Records important to me when I was young ... so much of it was gone. When my contract was just about over. I went into Yetnikoff's office and said, "I'm leaving to work for Joe Smith [at Warner Communications]." Yetnikoff thought I was crazy.

Let's talk about some of the people you signed at Elektra/Musician.

It was a very broad-based roster for a jazz label-everything from historic records by Bird, Dizzy, and Lennie Tristano, to commercial jazz by Lee Ritenour, Eric Gale, and Tom Scott, to straight-ahead jazz from Dexter and Woody Shaw, and the avant-garde group Material (which included Bill Laswell) and Chico Freeman. Lalso made first albums by Bobby McFerrin. Kevin Eubanks, Sphere, Steps Ahead, and Bill Laswell. Elektra/Musician was my first opportunity to conceptualize a label that totally had my imprint. It was obviously a jazz label. I said, "What is this label really going to be about? If it's about my own personal tastes, totally, then it will be very narrow. It has to be commercially successful. It can't lose money: otherwise, it won't live very long." So I came up with the ideawhich I happen to think was a very good idea-that the label should be not my concept but the musicians' concept, because a lot of artists have different points of view musically. I said the label should be essentially what I did at CBS, which worked. We had commercial artists-like Return to Forever, Bob James, and all of that---and we had pure jazz artists. They coexisted because they were not put on a jazz label, they were on Columbia Records. Every musician has his own concept. so why not build a label around the artistic vision of each artist-not narrow-cast it, but position it so it can encompass anything we want to do so long as it's basically jazz? I allowed only the musicians to write their liner notes. I did things like, on the very last cut of an album, I would have an artist talking about his music. This was a

Steel Pulse





The Elektra/Musician label was one where the musicians' concepts and artistic visions built up the label, so that we could encompass anything as long as it was jazz. Artists did liner notes or talked about the music at the end of an album. **Miles** Davis



Woody Shaw



P1981, David Gahr

ames "Blood" Ulmer

always wanted to be in the pop music business. I never wanted to just do jazz. I'll do jazz when I'm 65 and they don't want me to do pop music anymore. It's exciting to me to try to find unique artists in all areas of music, except for classical, where I am not qualified.



<section-header><section-header>

little naive, but I did it. I thought it was a nice idea because I thought real serious fans would like to hear these comments. Then I had an inner sleeve with my own little editorial. I'm a little embarrassed about that now, but I said, "I'm going to put myself behind this, speak directly to the consumer, and stand behind my releases."

Did you feel you were putting your ass on the line with this?

Yeah. I wanted to. And then I asked everyone who was buying our records to send in letters and notes. I responded to every one of them. I would sit up on Sunday nights until about two o'clock in the morning answering these letters. We had a lot of records that were very highly critically acclaimed. We had others that were demolished by the critics because they were Lee Ritenour or Eric Gale or whoever. The critics don't like these people, you know. They're too commercial. The proudest moment I had was when a year after we were in business, the label was voted the No. 1 jazz label by Down Beat. The Critics' Poll!

You then headed up Elektra/Asylum? Yeah, I was the president and Bob

Krasnow was the chairman, so we worked in tandem. I reported to Bob. How was that different from once

again being with a big company in the pop mainstream?

Well, because Elektra/Asylum was basically a small label compared to CBS Records. I would say, at the time, maybe Elektra/Asylum was doing I don't know \$100 million a year. CBS Records, domestically, did about \$500 million in our best year.

At Elektra/Asylum, you signed the likes of Howard Jones, Steel Pulse, Rubén Blades, and so forth. Was it difficult for you, making the transition into the pop field from the jazz you were doing at the Musician label?

No, because I always wanted to be in the pop music business as well. I never wanted to do just jazz. I want to do just jazz when I'm 65 years old and they don't want me to do pop anymore. I mean, I happen to love jazz, but I don't want to do just that. To me, it's not that exciting in terms of the kind of fulfillment I get from the businesstrying to find unique artists within all areas of music except classical, which I'm not qualified for. You know, by the way, at CBS I signed a lot of the country artists on the roster. I signed Janie Frickie, Larry Gatlin, Moe Bandy, Johnny Rodriguez, and Willie Nelson, as I mentioned. Rosanne Cash was actually signed by Rick Blackburn, but I sort of did that with him. Still, I would give

76

Artist

him credit for that. I was always involved with other areas of music. The exciting part about pop music is to see the kind of success that you can really have, to see the public really take to someone, like a Howard Jones, You don't find that easily within jazz.

How did the Howard Jones thing come about?

Howard Jones was signed to our English company by a guy who had just started with the company in England. I went over there, and we convinced Howard to be on Elektra in America. So I didn't really sign him for the world, but I saw him first. Everyone else from Warners, Atlantic, and Geffen flew over. We got very lucky. I guess I was a little more convincing than the other people.

Well, let's go now to your latest big transition into your association with EMI and Manhattan/Blue Note.

Well, it happened totally by accident. At Elektra, essentially, this is what happened. My boss, Joe Smith, left to start a new Sports Division at Warners. Bob Krasnow and I moved the company back to New York, and we cut the roster down. I went through the same painful exercise I'd gone through at CBS in 1979—you know, firing people who had become friends, dropping artists, all this kind of stuff. Bob and I worked together in New York for about a year and a half, and it was fine. We had a good working relationship and were doing fine, but it was too small a company to have a chairman and a president. Totally by coincidenceand I consider it a kind of miracle in my life—I got a phone call from a California attorney named David Braun, whom I had known for years. He used to represent Neil Diamond and lots of other people-Bob Dylan. He called me at home and said, "Off the record, my friend, Bhaskar Menon [chairman of EMI Music and Capitol Industries], would like to know if you're interested in running Blue Note Records." I met with Menon in New York, and he started with this whole thing about Blue Note. I said, "Look, I love Blue Note Records. It's my favorite jazz label. I have almost every album that's ever been out on Blue Note through the 10inch days-actually, from the 78 days-but I really don't want to devote the rest of my life to jazz, and frankly, you can't pay me what I'm being paid just to do Blue Note." He said, "Well, now we are really at the root of what I want to talk to you about. I've had on the drawing board for a number of years starting an East Coast pop company. We have Capitol in California, an

historically great company since the '40s, and EMI-America was started about eight years ago, but we do not have an East Coast base. A lot of the talent is in New York, and we're not really competitive." Menon said, "I don't mean a boutique label. I mean a company that can grow into a large one over time-maybe not a huge company, but certainly one that can compete in the New York market. I would also like you to run Blue Note." I said, "I'm your man."

Why would they put two different types of record companies together? I mean, what does the one really have to do with the other?

Nothing, except that he knew my passion for jazz. But the most important thing was starting a new pop label from scratch. That's the greatest challenge you could possibly have, and something I had had actual dreams about every night of my life for 10 years prior to this. I would go to sleep at night thinking, "If only I could do it the way I want to do it, imagine how great it would be." So within a month's time. I think, it was all done. I left within the week.

Were there two totally separate operations with Manhattan and Blue Note? No. There were two separate labels and a very small nucleus of people who worked on both.

How do you decide which of the classic Blue Notes to reissue?

Michael Cuscuna and I do all of those. Michael knows the catalog better than anyone. I hired Michael immediately as a consultant. Basically, he picks the stuff, but we talk every five minutes.

What is the commercial and artistic reason for the reissues that have been picked?

That's hard to answer. We made some mistakes. The first thing we did was put together an initial list of about 24 titles, the very first series of reissues. We decided that we wanted to keep the original cover art. We wanted to press everything in virgin vinyl and digitally remaster. What we tried to do was mix both the classic records on Blue Note-you know, Art Blakey's One Night in Birdland, Bud Powell-with a broad spread of artists. So we had McCoy Tyner as well as Jimmy Smith, Horace Silver, Bud Powell, Fats Navarro, etc. I guess we felt that our first obligation was to get a lot of the classic, early records out as well as represent kind of an even spread of what the label is about. I think we did that okay in the first year. I think we made a mistake by coming out with too many reissues in the first year and a half.

Really?

Yeah, it was more than the marketplace could really absorb. The first release [series] did great; the second did okay, the third did less well. I think we did it basically right, but the new philosophy for this year is that every month, when we put out a release of one or two new albums, we'll put out one or two reissues. When you go into the retail stores, they can't absorb 10 albums at a time because, after all, Prestige and all these other labels are out with their own reissue lines as well. You can't focus that much on each reissue if you just release a batch, you know?

Don't they stay out there in the marketplace, though?

They stay out there, but now you're deal ng with Compact Discs, and most retai ers are cutting down their inventory on slower moving vinyl discs. When you put them out one or two at a time and you focus your advertising on those records, the consumer then says, "I've got to have this." But if you have an ad that has 10 or 12 albums in it, they can't afford them all.

I'm still not totally clear on how you decide which albums to reissue.

Well, some of it's based on nostalgia: some is based on actual past-sales history, most of it's based on artistry.

Michael and I will over different releases: Should we one? There are certain records that I thought should be out that weren'tthe only Milt Jackson record, stuff from J. J. Johnson. the Herbie Nichols and Elmo Hope sides, and so on. They're out now, of

kind of squabble With the Blue Note do this one or that reissues, we thought our first obligation was to get as many early, classic discs out as possible.

course. Ornette Coleman's At the "Golden Circle" is out. That should have been out before, but there's so much to draw from. There are 700 titles. I wanted the Larry Young Unity record out, so we released it-sold nothing. No one remembers it except the critics. It's kind of trying things and seeing if they work, you know?

I'm not convinced that you couldn't just say, "Hey, we'll release 100 a year, and just have them all out there for people to pick and choose from."

No. The problem is this: The marketplace is changing rapidly because of Compact Discs, and what's happened is that retailers are making more room in their stores for CDs and pushing slower moving vinyl out. This means that with classical music, Broadway

The profit margins are much better on Compact Discs, and the market is going over rapidly, with an older audience.

shows, jazz, and the special interest areas of music, they're not going to order as many records per title of anything on vinyl or cassette. Because EMI was a little bit late in the CD market-not having the manufacturing capacity-we had no CDs to speak of initially. We had five titles out. Now that

we have two plants, everything is coming out simultaneously on LP and CD. Why have you decided to do all the reissues on CD?

We may not do them all, but it looks like we will. First of all, the profit margins are much better on CDs. I mean, they're commanding a higher wholesale price. The market is changing rapidly to CD, very rapidly. It's more of an upscale audience, so the classical buyer and the jazz buyer is more sophisticated. A slightly older audience is buying CD equipment and starting to buy a lot of CDs. Within a year, I'm sure the prices will come down, but still, there's a much better profit margin.

Do you think that people are more likely to buy a reissue if it's on a CD and they can get that step-up from an LP? It's happening. There's still a lot of people who have to be convinced to change over from vinyl and cassettes. People who do get that first CD player suddenly become quick converts and they start buying everything. I did it myself. I find that I go back and buy things which are reissued on CD-records that I bought when I was a teenager. I'm buying my whole Clifford Brown collection over again, every Charlie Parker, Bud Powell thing that comes out, Tatum, and all the rest. Whenever it's available on CD, I'm buying it.

Let's talk about Stanley Jordan. How much of a surprise was it that he ended up selling half a million records with Magic Touch?

Well, it was a surprise but not a great surprise. Bill Milkowsky at *Down Beat* told me about Stanley Jordan, and I had heard about him from other musicians. I called Stanley and said, "How can I hear you play?" He said, "I'm playing tonight, but I go on about two o'clock in the morning." It was at the 52 Grand Club or something, down in

Soho, and I said, "That's okay, I'll come down." He said, "No, why don't I come up and play for you in your office?" So he came up the next day with two little amplifiers and his guitar on one of those baggage carts that they have at railroad stations. He sat in front of me and played one tune. I stopped him and said, "You have a record deal now. I want to sign you to the Elektra/ Musician label. Get an attorney and let's go make a record deal." Then he played about four more things. I was stunned. I said, "I've never heard anyone playing with this technique-you sound like three people playing at once. You're wonderful," He said, "I know nothing about the record business. I'm a little distrustful of it. I'm living in Milwaukee, just visiting New York and gigging and playing on the street. I'm just not ready yet." I said, "Okay, let me give you my phone number, and give me yours, please. Let's just keep in touch. When you're ready, I want to be your first record label." A couple months later, he called me at home, and I said, "I'm now at Blue Note Records, and I want to sign you. You'll be the first artist to sign with Blue Note." He said, "I'm coming to New York, and I'm ready. I would love to be on Blue Note." We almost lost him, though. Christine Martin, who had managed Steps Ahead and Mike Brecker and other very good people, was managing him. She brought him over to George Wein and said, "I want to put him on the Kool Festival." Now, I didn't have a record deal yet; we were just starting Blue Note. She got Stanley an opening gig for Wynton Marsalis and Maynard Ferguson at an Avery Fisher Hall concert. George said, "You got 10 minutes, kid. I can't advertise you. You'll come on stage, and I'll introduce you. You'll play for 10 minutes, and then you're off the stage." Because it was Wynton and Maynardthey were both signed to CBS Records, and Wynton, of course, was signed not only to the pop label but also to the Masterworks label-not only was George Butler there, but Joe Dash from the classical department [at CBS]. Stanley got an amazing standing ovation. In fact, he had to tell the audience not to applaud any more because he wouldn't have time to finish his set. I went backstage and, of course, there was Joe Dash and George Butler, and they were romancing Stanley. I said, "Oh!" So the next morning, Stanley called and said, "I know you're nervous, but you were with me from the very beginning, and we have a record deal." I said, "Thank

God. Great!" Then, at the end of the day, he called again and said, "George Butler has postponed his vacation because he wants to meet with me at Columbia Records. I really owe it to my family to meet with him." I said, "Stanley, you can't do this. This morning you said we had a deal, and in this business, a handshake is really as good as a contract. Please don't do this." I was really crazed. He said, "Don't worry, I just owe it to my family." The next day, I met Stanley for dinner, and I said, "Stanley, you can't do this to me." He said "Look, they offered me a pop deal, a classical deal, and a jazz deal-everything. But I don't want to do it because you were there and you were loyal to me." I said, "What do you want me to do?" He said, "I'd like to make a classical record." So I called Brown Meggs at Angel Records, and I said, "Look, you won't understand this, but you've got to give me a yes. I've got this problem" I explained it to him, and I read the reviews over the phone. He said, "The reviews sound wonderful, and I'll do it, but it'll have to be like a solo guitar record. I can't do an orchestral thing until I hear him." So I said to Stanley, "You've got your classical deal." He said, "Gee, that's great." So we made our deal, and he was our first successful artist.

He was very, very successful, as you say. The flip side of that is you've taken a lot of heat from some who've said the best thing that Lundvall has ever done with Blue Note is reissue the old stuff that the new stuff has been disappointing, that it has not been in the character of the old Blue Note, which was so adventuresome. How do you respond to that?

By totally disagreeing, obviously. And I'm not being defensive. My feeling is that some of the best-reviewed albums in the last couple of years have been George Russell's *The African Game* on Blue Note, James Newton's *The African Flower* and *Romance and Revolution* on Blue Note (which won Down Beat record of the year), the Don Pullen/George Adams record, Bobby McFerrin's *Spontaneous Inventions*, Joe Henderson's *State of the Tenor*, the Freddie Hubbard/Woody Shaw records, and James "Blood" Ulmer's record.

None of those, though, are new artists. They're all artists who were avantgarde 20 years ago.

Do artists lose the right to be called avant-garde when they're over 30? Pullen/Adams ... I don't sense that they're old artists. They've been around, but they're not old men. They're not, but it's not like signing Don Pullen in 1970.

Well, you know, I think we will obviously get to that.

Will you get to that?

Oh, absolutely, absolutely.

What about someone like, say, David Murray?

Yeah. I tried to sign David Murray, but he had three albums left on his deal. You see, the problem is that, first of all, I'm not an enormous fan of David Murray's, but that's neither here nor there. I tried to sign him, but I mean, what's the point of putting out an album and having another album come out on top of it? That really happened with Pullen and Adams as well. When my album came out, there was that Village Vanguard record that came out right on top of it, you know. James Newton was a young, adventurous artist. He's had albums out on Gramavision and other labels, but I don't consider him an old man. We're looking for the most exciting young talent. I started with Bobby McFerrin at the very beginning, and I'm still with him. Michel Petrucciani is another major young talent on the roster. So are Eliane Elias, Bireli Lagrene, and Dianne Reeves. Dianne is the best new jazz singer to emerge in years!

How are you looking for that exciting new talent?

By listening all the time. I go out at least one night a week, on average, to listen to talent. I'm listening to everything that comes in. I mean, the idea behind Out of the Blue, which was not necessarily adventuresome, was to find the best young players and put together O.T.B., a rotating house band of young kids in their early 20s. These are totally unknown kids. We auditioned about 40 players to come up with the best. Actually, they picked themselves. We started with a couple of guys that we felt were great for the band, and they picked the other players. I mean, they may not be all that avant-garde

Once again, it's not the real adventuresome music that's always been associated with Blue Note.

Well, I think Blue Note has had a variety of if you really look at the label in retrospect, yeah, they had the most important, new, innovative artists in music during the time of the label. There were also a lot of mainstream artists that were brought back to the label, like Dexter and Ike Quebec and people like that. There were funk and commercial artists like Turrentine, Lou Donaldson, and so on. So it was a variety of things.

Here is such a great opportunity to

Dianne Reeves







Stanley Jordan came to my office with his guitar and two little amps on a baggage cart. He played one tune and I stopped him and told him he had a record deal. I'd never heard any guitarist use that technique, and I was just stunned. I wanted to sign him immediately.

Tony Williams



\$1987. David Gah

the next . . .

If we find him, we'll sign him.

Even if he's not able to do what a Bobby McFerrin or a Stanley Jordan can do, commercially?

Oh. absolutely . . .

Do you think there are more Miles Davises and Coltranes out there?

I think there are original artists out there. I don't know that there's anyone out there making a statement that unique today, in contrast to what was being played or what has happened in the past. If there's someone out there doing something totally fresh and new and exciting, I want to sign them, but I don't know if the music is going to be that much further advanced than what

I think that we are in a retrenchment period in jazz, but there is a lot of exploration of bop, and of hard bop, in new ways.

we hear today. I Lagrene, and I healthy too. He's 21 years old a gypsy guitarist. He is wonderful and brilliant, but he's not playing new music. He's made records before. He made his first record when he was 13, playing like Django Reinhardt. Right now

he's playing very contemporary stuff. We signed the most original tenor saxophone stylist I've heard in a long time-Rick Margitza. He's going to be a giant, in my opinion. And Tony Williams has an exciting group of young players in his band-Wallace Roney, Billy Pierce, Mulgrew Miller, and Charnett Moffett, who's also signed as a leader on Blue Note.

But as a jazz fan, as someone who had all the Blue Notes, do you feel comfortable that you're in the tradition?

I think I'm very much in the tradition. I'm obviously looking for the next exciting thing, so I'm trying to venture into as many areas of the music as the musicians are making statements about. My criteria is not just to do really traditional or commercial records. In fact, I need a balance. I have a couple of commercial artists on the label, but I think they're valid artists. Bobby McFerrin, to me, is a very unique individual, a virtuoso artist. I'm not telling him what to record, he's doing whatever he feels he must do musically. Dianne Reeves had a major commercial success with her first Blue Note album, but she has great artistic integrity and refuses to record "pop" material just to sell records.

come up with the next John Coltrane, Do you think times have changed in iazz?

I think so. I think we're in a kind of retrenchment period. I think there are obviously a lot of experimenters out there, like Geri Allen, Greg Osby, Bill Frisell, Steve Coleman, etc., and we've got to sign a few of these so-called M-Base people, too. In fact, Geri Allen just did a very adventurous trio album with Ralph Peterson for us. Also, Osby is playing on a wonderful new Andrew Hill album we made. Andrew was the one artist Alfred Lion asked us to sign. He felt that Andrew was a complete original-like Monk, Bud, and Herbie Nichols-and he was right! A lot of the young players like Mulgrew Miller, Terence Blanchard, Wynton Marsalis, etc. are exploring the bop and hard-bop just signed Bireli tradition in new ways, and that's

think he's a genius. How successful do you feel the Manhattan label was before it merged with EMI-America to become EMI Records?

In all objectivity I would say that in the years that Manhattan existed, few other new labels even came close. We broke Richard Marx to multiple platinum, Robbie Nevil, Phyllis Hyman, and The O'Jays on Philadelphia International, Glass Tiger, R.J.'s Latest Arrival, Sun City, the School Daze soundtrack, and relaunched Natalie Cole's career to very close to platinum. Also, Bobby McFerrin's Simple Pleasures album was on Manhattan, and if you add the commercial success of Dianne Reeves and Stanley Jordan, who were on Blue Note but part of the Manhattan roster, we had a hell of a run in a very short time. A few new artists who are breaking right now on EMI were originally Manhattan signings, like Christopher Max and Vixen.

Apart from your Blue Note responsibilities, you're also the general manager of Capitol Records in New York. What does this mean?

Well, apart from running the East Coast office and trying to create a higher level of visibility for the company on the East Coast, I'm mainly involved in signing pop artists.

Who have you signed so far on the Capitol side?

I'm wildly excited about a young singer named D'Atra Hicks. She starred in "Mama I Want to Sing" and has a simply extraordinary voice and vocal range. Her album is coming out in June. I also co-signed with Jim Foglesong one of the most original singer/ songwriters I've heard in years, John Andrew Parks III. He's got one foot in country music and the other in the contemporary pop world. He's simply a true original. I also signed Dave Koz from Richard Marx's band. He's a wonderful pop saxophonist and composer, and he's got great charisma and stage presence-a star. There's a very exotic young singer/composer in New York, Bemshi, whom Steve Thornton is producing. I think she's another true original and a very sophisticated artist. We also moved Tania Maria over from Manhattan, and her new album on Capitol has been doing very well.

What about major artists-are you going after them for Capitol?

Very much so. For one thing, we transferred Grace Jones from EMI to Capitol, and I'm working closely with her on a very strong new album. I also helped to close the Cover Girls deal. Their album on Sutra was just shy of gold, and the new Capitol album is even stronger. I've also done production/ songwriting deals for Capitol with Michael Masser and Frank Wildhorn, one of the hottest new composers on the New York scene. He had the No. 1 hit for Whitney Houston, "Where Do Broken Hearts Go.'

Who are your latest "finds"?

Phil Perry is like a "secret weapon"maybe the best male voice out there. He's sung on everyone's records from Quincy Jones to Lee Ritenour to Robert Irving's new album. We're making his first solo album, and all I can say is "watch out"! Finally, I just signed Gary Brown, a brilliant young singer/songwriter from New York who recently was with Kool & The Gang. He looks like a movie star and walks in the door once a week, it seems, with another hit song!

You also have responsibility for world music with Intuition.

Right. Vera Brandes is truly a wizard in this field and conceived the Intuition label at exactly the right time. Aside from brilliant artists like Hermeto Pasqual and Jon Hassell, she's signed Steps Ahead, who recently had a No. 1 album, and my old friend Eddie Palmieri. We also have an exciting Brazilian discovery, Gonzaga, who's like a new Milton Nasciemento.

So with all the changes that have gone down at EMI and Capitol, you seem very happy.

It's practically all music, all adventure. and all of the areas of the business and the music that I'm most at home with. Frankly, I've never worked harder or spent as many nights out looking at talent, but this is what I love best, and thanks to David Berman and Joe Smith, I'm doing what I guess I was always meant to do. А

fundamentally extraordinary.

Acclaimed by the leading high end publication, the Precise Monitor 10 has built an enviable reputation for its honesty, clarity and extraordinary orchestral fundamentals.

There's an entire family of Precise Ducspeakers that embodies these same qualities. Designed by noted engineer Keith Johnson with the express purpose of bringing the high end experience to a greater number of enthusiasts.

Audition Frecise speakers, the affordable reference systems, today. For the name of your nearest Precise dealer, call 1-800-553-4355, and enter code 41228 when asked.


Acoustic Laboratories Suite B 200 Williams Drive Ramsey NJ 07446 Enter No. 41 on Reader Service Card

EQUIPMENT PROFILE

DENON DCD-3520 COMPACT DISC PLAYER

Manufacturer's Specifications Frequency Response: 2 Hz to 20 kHz, ±0.2 dB. THD: 0.0015% at 1 kHz. Dynamic Range: 100 dB or greater. S/N Ratio: 118 dB at 1 kHz. Separation: 110 dB at 1 kHz Wow and Flutter: Below measurable limits (±0.001% wtd. peak). Analog Output Levels: Fixed, 2.0 V rms balanced and unbalanced; variable, 2.0 V rms maximum. Digital Output Format: AES/EBU digital audio interface. Digital Output Levels: Coaxial, 0.5 V peak to peak, 75 ohms; optical, - 12 dBm at a wavelength of 650 nm. Number of Programmable Selections: 20. Power Requirements: 120 V, 50/ 60 Hz, 32 watts. Dimensions: $17^{1}/_{16}$ in. W × $5^{5}/_{16}$ in. H × 15% in. D (43.4 cm × 13.5 cm × 39 cm). Weight: 41.8 lbs. (19 kg). Price: \$1,500. Company Address: 222 New Rd., Parsippany, N.J. 07054. For literature, circle No. 90





This top-of-the-line CD player incorporates several of Denon's technological advances, not the least of which is 20-bit, digital-to-analog conversion. Why, you might ask, wou d anyone employ 20-bit D/A conversion in a CD player when Compact Discs themselves contain data in 16-bit format? Denon provides some of the answers in one of their technical tutorials.

"If it were possible to make a perfect 16-bit D/A converter, 20-bit converters would have essentially no benefit. But realworld considerations limit the performance of D/A converters. The additional precision offered by additional bits means that we can more closely approximate the work of a perfect 16-bit D/A. Considered in the abstract, 20-bit conversion can discriminate levels 16 times smaller than 16-bit conversion."

The chief benefit of 20-bit conversion, if properly executed, is to reduce the player's contribution to quantization noise, which is the difference between the original analog values and their digital approximations. To fully realize the benefits of D/A conversion, Denon also uses a 20-bit digital filter. This filter features 110-dB rejection of out-of-band noise and, according to Denon, pass-band ripple held to ± 0.00005 dB.

As was true of some previous Denon players, the output for the most significant bit (MSB) is hand-trimmed for more accurate D/A conversion. In the DCD-3520, they've gone farther and have adjusted the second-, third-, and fourthmost significant bits. This accounts, in part, for the extremely high signal-to-noise ratio achieved by this model. Denon's unique approach to D/A conversion has been dubbed "Delta" by the manufacturer. Other notable refinements of the DCD-3520 include separate power transformers for the digital and analog sections and a double-isolated laser pickup transport. The unit has a copper-plated chassis with a fourlayer bottom plate, glass-epoxy p.c. boards, a second coaxial digital output, and balanced XLR-connector analog outputs.

As for operational features, specific tracks can be accessed directly, as can specific time into a given track. The usual search modes are available, including audible fast search in either direction. Up to 20 selections can be programmed in any order for playback, and programming will be retained in memory for about two days, even if power to the player is turned off after programming. A "Call" button on the supplied remote control will bring up track numbers in the order in which they are programmed. It is possible to have play begin at a specified index number within a given track. Repeat play of a single track, an entire program, or the entire disc is possible. A particular section of a track can be played by specifying start and stop times. The use of an external timer to start and stop playback is also feasible.

Control Layout

Only a few major controls and a large digital display area are visible when the hinged panel along the lower part of the front panel is in its closed position. The major controls include a power switch, the disc drawer open/close button, buttons for manual forward and reverse search, automatic forward and reverse skip, "Play," "Pause," and "Stop," and a button that opens the lower hinged panel. The remote control has two functions aimed at tape recording, "Auto Edit" and "Auto Space," which are not on the unit's front panel.


Amplitude (dB) versus Frequency (Hz) 2.0040	Denon DCD-3520 CD	2.000
1,5000		1.500
1.0%		1.000
. 50000		. 5000
9,9		0.0
-1.800		-1.80
-1.599		-1.59
-2.666 10 100	18	18k 29k ^{-2.000}
Fig. 1—Frequency		
response; note that trace begins at 7 Hz. Lower trace is right-channel output.		
Amplitude (dB) and interchannel phase (deg.) 3.00000	vs. Frequency (Hz);	Denon DCD-3520 98.00
2.0000		67 50
		45.44
1.0000		22.50
U. U		9.9
-1.839		-22.5
-2.990		- 45.0
		- 67.3
-3. www.20 100	1 h	isk 20% -90.0
Fig. 2—Interchannel phase difference (dashed curve) and amplitude response (solid curve). Phase difference, in degrees, can be read from right-hand scale.		
Spectrum Analysis of Residual Noise (dB) versu -60.00	s Energiency (Hz); De	non DCD-3523
-7è.iia		- 7 <i>W</i> , Ø
- 5 (A. 1968		~ S.W., @
-96.40		- 90.0
- 1 040 . 04		-199
- L10.0		~110
-120.0		129
-130.0	interest - server	130
-140.0		-146
	2.k	10k 235 -150
Fig. 3—Residual noise vs. frequency of left channel (solid curve) and right channel (dashed curve) fo "quiet" track of CD-1 test		

Behind the panel are an "Index" button and a "Time" button. The latter changes the time display from the current track's elapsed time, to the time remaining on that track, to the total time remaining on the disc. Also behind the panel are a programming button, number buttons for specifying tracks—including a "+10" button for selecting track numbers higher than 10—and a "Display" button that enables you to turn off some or all indicators in the display area. A headphone jack, line-output level control, and a digital-output selection/defeat switch complete the panel layout.

The supplied remote control duplicates most of the front panel's functions and adds a couple novel features of its own. One of these is called "Auto Edit." Press the button so labelled, and the player automatically divides the CD into two time periods, each approximately half the playing time of the disc. The preliminary owner's manual offered no practical reason for this feature, but I suspect that the thinking had to do with dubbing from a CD to a cassette, when there is more than 45 minutes on a CD (as is true of the majority of CDs released). Volume up and down buttons, when pressed, cause a motor to turn the front-panel volume control. Another button, labelled "Auto Space," inserts 4-S blank spaces between tracks, which is useful for dubbing to cassettes if your tape deck features automatic seeking of subsequent tracks. A "Time Search" button can be used to locate and play a passage by track number and time within



AUDIO/JUNE 1989











The Dual Source Concept






American Acoustics is proud to introduce the DS Formal Laud speakers Bold. Aggressive, Representing the successful attainment of extremely sophisticated design demands and the highest level of sonic perform-

ance. Meeting the challenge of digital's increased dynamics with outstanding bass response, greater clarity and detail, stereo imaging and transparency.

American engineered. American manufactured. American craftsmanship. You'll hear the difference.



5

DS 1212 dual 12" bass reflex system

> DS 66 6 1/2" bass / reflex system

DS 1010 dual 10" bass relex system

> DS 88 8" bass reflex system



old in design. Aggressive in performance. Each DS model gives you unique features not found in conventional sys-

tems. Ibust Source Hand, Each DS model uses two low frequency transducers to reproduce the lowest bass frequencies. This means each model out-performs its competitors in the area of both low and high level bass clarity. Improved bass accuracy and greater clarity at all volume levels


Dynamic Symmetric Ports, All DS models use two bass reflex ports at the rear of their enclosures. Each port has a symmetric aperture at both ends. This allows high velocity bass power to be delivered into the listening room with near zero noise and distortion.

Direct Sound Lable. The grille frame for each DS model incorporates a complex geometry on its frontal surface which nearly eliminates sound diffraction and provides improved treble. The sound leaving the DS treble driver is broadly dispersed into the listoning room for uniform sound distribution. Treble is crisp and clear with virtually no listener fatigue.

The midrange driver is above the tweeter in all DS models to optimize the time domain response in the critical midrange frequencies. This inverted positioning provides remarkable improvements in sound imaging and clarity keeping the arrival times synchronized.

Material, All DS models feature a new hybrid diaphragm material available exclusively from American Acous tics. This density stabilized composite material combines organic and polvpropylene fibers to form a transducer diaphragm with unique properties. The diaphragms are further stabilized with a fluid polymer treatment which assures long-term performance uniformity.

Discrete Spectrum Crossovers. The crossovers in all DS models provide several unique performance benefits. The DS 66 and DS 88 use a combination of a progressive midrange crossover and a high-slope treble crossover to achieve distinct and clear spectral separation between transducers: The DS 1010 and DS 1212 employ high-slope bass to midrange crossovers which allow the use of dual bass transducers and ear level midrange transducers. This provides a distortion-free frequency transition which results in impressive bass performance and extremely clear midrange reproduction.





The superior sonic reproduction of today's recorded music required a 'nocompromise" approach by American Acoustics' development engineers. It meant new thinking ... new technology.

The result is an astoundingly brilliant series of loudspeakers. Hear and feel all the power of rock and roll the clarity and precision of classical orchestration ... the many colors of jazz. Once you hear DS, you'll understand why we didn't compromise.

You won't want to, either.





Dual Source

Model	DS 66	DS 88	DS 1010	DS 1212 bass reflex	
System Type	bass reflex	bass reflex	bass reflex		
Woofer	(2) 6 1/2", 1" voice coil	(2) 8", 1 1/2" voice coil	(2) 10", 1 1/2" voice coil	(2) 12", 2" voice coil	
Midrange			5" sealed w/ferrofluid, 1" voice coil	6 1/2" sealed w/ferrofluid, 1 1/2" voice coil	
Tweeter 1" soft dome		1" soft dome	1" soft dome	1" soft dome	
Crossover	woofer to woofer/mid; 550Hz: woofer/mid to tweeter, 3500Hz	woofer to woofer/mid, 400Hz: woofer/mid to tweeter, 1.8kHz woofer to mid, 650Hz mid to tweeter, 3.7kHz		woofer to mid, 350Hz mid to tweeter, 2.8kHz	
Freq. Response	42Hz - 22kHz	42Hz - 22kHz 38Hz - 22kHz 34Hz - 22kHz		23Hz · 22kHz	
Sensitivity 93dB		93dB	94dB	95dB	
Nom. Impedance	4 ohms	4 ohms	4 ohms	4 ohms	
Power Handling 85 watts RMS/170 W peak		125 watts RMS/ 250 W peak	200 watts RMS/ 400 W peak	275 watts RMS/ 550 W peak	
Height Width Depth	21 1/2" 10 1/2" 10 7/8"	26 1/4" 12" 12 7/8"	37 1/4" 14" 14 7/8"	44" 15 1/2" 17 7/8"	

Specifications and product subject to change without notice.

At American Acoustics, we're proud of our products. Nestled in the gently rolling hills of northern Illinois, with a heritage of over a hundred years, we've grown to become a totally vertically integrated manufacturer. We build products with American pride and no-compromise, labor. We convert raw materials such as copper, aluminum, steel, and wood to a finished handcrafted product. Then stand behind it with an industry-leading ten-year limited warranty.

American Acoustics. An American-owned and operated company that believes in hard work, honesty, and quality service after the sale. We're confident you will see these values reflected in our products.

> One Mitek Plaza, Winslow, IL. 61089 Phone: 815-367-3000 • Fax: 815-367-3851

I can't recall any player as well shielded against hum and other analog noise as this one. Power-line noise was below 120 dB.

a track (both start and end points can be set) or to set the start and end points for a repeated passage. There is also a "Clear" button that can be used to correct a programmed track setting if you make an error.

Measurements


Other than a very slight dip in response of no more than 0.18 dB at around 13 or 14 kHz, frequency response (Fig. 1) was extremely flat from below 10 Hz to 20 kHz. The output level difference between channels was negligble. In a second sweep of frequency versus amplitude, I compared the phase of the left channel with that of the right channel at every audio frequency and observed no significant phase difference. Results are shown by the dashed curve of Fig. 2. (The solid curve is simply a repeat of frequency response of the left channel, for reference purposes.)

At the analog outputs, A-weighted S/N ratio measured 117.3 dB for the left channel and 118.2 dB for the r ght when playing the "silent" band of my CD-1 test disc. I can't recall any CD player that was as well shielded against hum or other forms of induced analog noise as this unit. Figure 3 is a spectrum analysis plot of residual noise as a function of frequency. During this test, of course, no weighting of any kind is used. Nevertheless, even at the critical power-supply frequency of 60 Hz and at its harmonics, the noise level was more than 120 dB below the reference output level of around 2.0 V.

Figure 4 shows how THD + N varied as a function of output level, with respect to maximum (0-dB) recorded level. Here, THD + N is expressed in dB below maximum output level rather than as a percentage. Notice that there is practically no rise in THD + N at the 0-dB level, where analog stages of many other CD players often add their own distortion to the THD figure obtained. Even at maximum output level, THD + N remained around -97 dB, which corresponds to a percentage of 0.0014%. These results were confirmed almost exactly when, a bit later, I measured THD + N versus frequency at maximum recorded level. As Fig. 5 shows, I obtained a reading at 1 kHz of about 0.0015%. Again, I can't remember any CD player that yielded lower distortion figures, though a couple have come close. Further, whereas most players tend to show higher levels of distortion at high frequencies because of out-ofband, nonharmonically related "beats," the THD + N of this Denon CD player never exceeded 0.0055% at any frequency. Although I passed a 20-kHz test signal-recorded on the test CD at 0-dB level-through my spectrum analyzer. the dynamic range of the analyzer precluded my seeing spurious "beats" at any frequency from 0 Hz to 50 kHz, so I saw no point in including a 'scope photo of the results here.

The CD-1 test disc has a track consisting of 60-Hz and 7-kHz signals in the 4:1 ratio used for measuring SMPTE-IM distortion. I don't usually test this parameter because I have found that a unit's SMPTE IM is usually of the same order of magnitude as its THD. In this instance, however. because THD + N was so very low, I decided to take a spot measurement of SMPTE IM. It turned out to be 0.0045% on the left channel and 0.0040% on the right.

Right-to-left channel separation at 1 kHz was 117 dB, while left-to-right channel separation at the same frequency



© 1988 Philips Consumer Electronics Company A Division of North American Philips Corporation



Motorized main analog volume control. Digitally synthesized AM/FM stereo tuner with 19 presets. 7-band graphic equalizer with Acoustic Memory feature. Record out selector allows separate recording and listening. Video and audio dubbing capability. Cable FM/TV ready. Pre-out and main-in connections.

 Dolby is a registered trademark of Dolby Laboratories, Inc.
 *125 watts RMS per channel, at 8 Ohms, 20-20,000 Hz, .01 % THD.



PHILIPS FR980 Advanced Feature For The Discerning A AND VIDEOPHILE.

The engineers at Philips of the Netherlands steadfastly refuse to accept the commonly accepted. The result: The Philips FR980.

Arguably the most sophisticated A/V receiver available today.

Not only does the FR980 provide the world's most advanced technology, it also offers an extraordinary array of options to mix and match audio and video signals. The possibilities are virtually limitless.

Philips has designed and crafted an advanced receiver that keeps you abreast of emerging technologies like CD-V. Further, the FR980 incorporates three audiophile-quality listening modes to pamper you with impeccable sonic authenticity.

Beyond the experience of true Dolby® Surround Sound, the FR980 features two custom equalization modes: Movie mode to make special audio effects come alive. And Music mode with a more gentle equalization to bring out the best in the newest music videos already encoded with Dolby Surround Sound.

With 125 watts^{*} per channel to drive the main speakers, and 30 watts for both rear surround sound speakers, the FR980 recreates the true theatrical experience.

The world's most sophisticated A/V receiver demands the most sophisticated remote control: a full "learning" type user-programmable remote. It features an alphanumeric LCD screen, and system memory to handle more than 740 different functions from virtually any infrared controlled component, audio or video.

Audition the new FR980 at your Philips audio/video specialist. Call 1-800-223-7772 for the one nearest you.

PHILIPS


WORLD-CLASS TECHNOLOGY. EUROPEAN EXCELLENCE.



The CD Standard calls for a player to read dropouts up to 0.2 mm in length; the Denon handled dropouts five times that size.

to vale 0 i (t	liona in chi	tury odda	ward stanals,	Denon DCD 3526	.6	det
0000					8.6	999
6 9999					6 6	1949
4 99999					4.6	199
. 0000					2.0	199
0.0						a
2 1/1/1/					-2.	99
4 399					-4.	ыB
€.000					- 0	90
9.099					8	99
10 NG 10	99.0 89.0	78.6 68.8	59.0 40.0	38.0 20.0	10 0 0.0 ¹⁰	1.18

Fig. 7—Deviation from perfect linearity for undithered. 1-kHz signal was virtually nonexistent in the left channel (solid curve) and only 1.7 dB at -90 dB signal level for the right channel (dashed curve).



JEVIATI 10 40 8 898 4 0.00 . . -4.006 6.986 68.018.8 18.99 85.9 -88.9 -78.8 65.9

un from perfect linearity, dithered iow level signals; Denon DCD 3520

Fig. 8—Deviation from perfect linearity for dithered signal was only about 2 dB at - 100 dB signal level for the left channel (solid curve) and only slightly greater for the right channel (dashed curve).




Fig. 10—Monotonicity test shows an almost perfect, symmetrical "staircase" display.

was 113.5 dB. Separation at this and other frequencies is shown in Fig. 6. Even at 16 kHz, separation remained noticeably greater than 90 dB.

You can take issue with Denon's approach to D/A conversion if you wish. Other manufacturers may, in fact, be able to achieve equally superb linearity in their various approaches to "perfect" D/A conversion. This much, however, must be said about Denon's Delta technology: It sure produces linear output at every level! Consider Fig. 7, which shows deviation from perfect linearity for both channels, using undithered signals from 0 to -90 dB. There was virtually no deviation for the left channel (solid curve), even at -90 dB. and about 1.8 dB of deviation for the right (dashed curve). These are truly excellent results. Further confirmation of the superb linearity exhibited by the DCD-3520 was obtained when I ran my low-level linearity tests, using dithered signals from -70 to -100 dB (Fig. 8). Under these conditions, even at 100 dB below maximum output level, linearity was

off by only 2 dB for the left channel (solid curve) and a bit over 2 dB for the right (dashed curve).

Dynamic range is defined differently by the EIAJ than by the new EIA interim CD Measurement Standard. Using the EIAJ Standard, I obtained a dynamic range figure of 98.2 dB for either channel. Using the EIA method, which involves running the fade-to-noise test available on the CD-1 test disc (Fig. 9), I calculated a dynamic range of just over 105 dB. The dynamic range is determined as the point at which the signal is overwhelmed by noise that is at least 3 dB greater in amplitude than the test signal itself.

Having obtained such outstanding linearity results and such high dynamic range and S/N ratios, it came as no surprise that the monotonicity test track on the CD-1 disc produced the near-perfect and symmetrical "staircase" display shown in Fig. 10. Notice how the magnitude of all steps-in the positive- as well as the negative-going direction-is identical, and how there is never a reversal in the

"They Were Designed To Play Music And Make It Sound Like Music...

This They Do Very Well, In A Most Unobtrusive Way, At A Bargain Price... It's Hard To Imagine Going Wrong With Ensemble:" Julian Hirsch Stero Record Sept. '88

Cambridge SoundWorks has created Ensemble,[™] a speaker system that can provide the sound once reserved for the best speakers under laboratory conditions. It virtually disappears in your room. And because we market it directly, Ensemble costs hundreds less than it would in stores.



Henry Kloss, creator of the dominant speaker models of the '50s (Acoustic Research), '60s (ALH), and '70s (Advent), brings you Ensemble, a genuinely new kind of speaker system for the '90s, available only factory direct from Cambridge SoundWorks.

The best sound comes in four small packages.

Ensemble consists of four speaker units. Two compact low-frequency speakers reproduce the deep bass, while two small satellite units reproduce the rest of the music, making it possible to reproduce just the right amount of energy in each part of the musical range without turning your listening room into a stereo showroom.

Your listening room works with Ensemble, not against it.

No matter how well a speaker performs, at home the listening room takes over. If you put a conventional speaker where the room can help the low bass, it may hinder the upper ranges, or vice-versa.

What Henry Kloss tells his friends

Every time I came out with a new speaker at AR, KLH, or Advent, my friends would ask me, "Henry, is it worth the extra money for me to trade up?" And every time I would answer, "No, what you've already got is still good enough."

But today, with the introduction of Ensemble, I tell them, "Perhaps now is the time to give your old speakers to the children."



You can put Ensemble's low-frequency units exactly where they should ge for superb bass. You can't do this with conventional speakers because you have to be concerned about the upper frequencies coming from the same enclosures as the low ones.

CONTRACTOR OF

Ensemble, on the other hand, *takes advantage* of your room's acoustics. The ear can't tell where bass comes from, which is why Ensemble's bass units can be tucked out of the way—on the floor, atop bookshelves, or under furniture. The satellites can be hung directly on the wall, or placed on windowsills or shelves. No bulky speakers dominate your living space, yet Ensemble reproduces the deep bass that *no* mini speakers can.

Not all the differences are as obvious as our *two* subwoofers.

Unlike seemingly similar threepiece systems, Ensemble uses premium quality components for maximum power handling, individual crossovers that allow several wiring options and cabinets At only \$499*—complete with all hardware and 100′ of speaker cable—Ensemble is *the* value on today's speaker market.

Call 1-800-AKA-HIFI⁺ (1-800-252-4434)

Our toll-free number will connect you to a Cambridge SoundWorks audio expert. He or she will arswer all your questions, take your order and arrange surface shipment via UPS. Your Cambridge SoundWorks audio expert will continue as your personal contact with us. We think you'll like this new way of doing business.

tln Canada, call 1-800-525-4434. Audio experts are on duty Mon.-Sat., 9AM-10PM, Sun., 9AM-6PM Eastern Time. Fax #: 617-332-9229.

Unlike seemingly similar satellite systems which use a single large subwoofer. Ensemble uses two separate, compact bass units. They fit more gracefully into your living environment, and help minimize the effects of the listening room's standing waves.

nuggedly constructed for proper acoustical performance. We even gold-plate all connectors to prevent corrosion. An even bigger difference is how we se'll it...

Thousands agree: the best showroom is your living room.

We make it possible to audition Ensemble the *right* way—in your own home. In fact, Ensemble is sold *only* by Cambridge Sound-Works directly from the factory. Listen for hours without a salesman hovering nearby. If after 30 days you're not happy, return Ensemble for a full refund.

Enter No. 17 on Reader Service Card

CAMBRIDGE SOUNDWORKS

Suite 104JN, 154 California St., Newton, MA 02158

□ Send more information and test reports.
 □ Send Ensemble risk free for 30 days, for \$499.*
 □ Send an Ensemble Gift Certificate for \$499.*
 1'm paying by □ Check □ MC □ Visa □ AmEx

Acct. Number		Exp
Signature		
Name		
Address		
City	_State_	Zip
Phone (Area Code)		Number
FOR IMMEDIATE SER We ship worldwide, in		

MA residents add 5% sales tax. *Plus treight (\$7-\$25). Delivery time usually 2-7 days. There are more expensive CD players available these days, but you'd have a hard time finding one that can outperform the DCD-3520.

direction of any adjacent steps. The frequency of the internal master "clock" of the player was accurate to -0.0364%.

Once I completed these bench tests, I turned my attention to this remarkable player's tracking and error-correction capabilities. For this purpose, I used the test tracks on one of two special discs entitled Digital Test, produced by Disques Pierre Verany and distributed in this country by Harmonia Mundi. For tracks having linear dropouts, the DCD-3520 successfully handled dropout lengths up to 1.25 mm without any audible artifacts. When playing tracks only 1.5 micrometers apart (the minimum pitch allowed in the CD Standard), dropouts up to 1 mm in length were successfully ignored. Finally, I played test tracks in which two successive dropouts were deliberately encoded. In this case, track pitch was increased to its nominal value. Again, the DCD-3520 was able to handle two successive dropouts of up to 1 mm in length. The CD Standard calls for a player to be able to read dropouts of up to 0.2 mm in length under these conditions, so you might say that this Denon unit did five times as well as the Standard calls for.

The Denon's rugged construction also protected its laser pickup against any mistracking caused by external vibration. I really had to give the player a solid whack on its side before I could induce any sort of muting or mistracking. The intensity of that whack was beyond anything a right-minded owner would ever apply to his player!

Use and Listening Tests

I deliberately sought CDs which included solo instruments or at least moments of very quiet musical passages, hoping that during very low-level passages. I would be able to hear improvements when comparing the sound quality of this Denon player versus my reference unit. A recently released Delos disc (Love Songs, D/CD-3029), featuring soprano Arleen Auger accompanied on a Baldwin piano, suited my purposes very nicely. I must confess that I could not detect any difference in sound quality between the Denon DCD-3520 and my reference player. However, when I substituted a low-cost portable player and a mid-priced unit that happened to be in my lab, the differences were immediately apparent. The DCD-3520-and, for that matter, my reference player-produced silky-smooth vocals that were closer to reality (I have heard Auger singing "live") than the sounds produced by the low-cost competition. The tests were repeated with fuller, orchestral recordings, and once I knew what to listen for, I was even able to detect cleaner sounds from the Denon when using material that I thought would mask any such subtle differences. Clearly, the differences weren't all that subtle after all.

Denon has brought to bear all its digital know-how in the creation of this, their flagship CD player. More expensive units are available today, but you'd have a hard time finding one that performs better than this. Leonard Feldman



Care Created a Classic:



Energy 22 Reference Connoisseur.

What started one day as a passionate desire to produce the world's best loudspeaker ended four years later when Energy passed its final gruelling test.

The rest is history.

The success attained by Energy was driven by care. By never accepting very good, but holding out for *perfect*.

For the last six years, Energy has complemented the sound systems of thousands of very particular audiophiles throughout the world. We'd like to thank them for their confidence.

We also extend our thanks to the professional studios, musicians and audio reviewers in North America and other countries around the world who now use Energy exclusively as their reference monitors.

Energy's brilliance of sound is matched only by the brilliance of the cabinets which contain it. Furniture so rich and so varied it challenges the master craftsman – custom matched hand laid hardwood veneers in lustrous oak, American black walnut, rich rosewood, natural teak, red high gloss mahogany and high gloss black grand piano.

When you choose your next speaker system, may we suggest you take the same care. Broaden your musical horizon with Energy 22 Reference Connoisseur. Also available at more modest prices the Energy 22 Pro Monitors and Energy ESM models.



3641 McNicoll Ave., Scarborough, Ontario. Canada. M1X 1G5 (416) 321-1800 Enter No. 21 on Reader Service Card

Fax (416) 321-1500



END OF CONVERSATION.

Close your eyes, put on your favorite CD and listen. That's the best way to appreciate the natural, accurate musical reproduction of the new Elite TZ Series reference

loudspeakers from Pioneer.

Designed by the same engineering team that developed Pioneer's renowned TAD studio monitors, the TZ Series speakers are designed to accommodate the extended dynamic range, superb clarity and depth of digital source mater

depth of digital source materials.

Pioneer began by developing two entirely new diaphragm materials—ceramic graphite and ceramic carbon. These unique low-mass materials are used to construct midrange and high-frequency dome-type diaphragms that virtually eliminate spurious resonance while providing lightness, stiffness and excellent signal propagation speed. Now critical midrange frequencies and delicate highs will sound clearer and more natural than ever before.

To reproduce the extended low frequencies found on digital recordings, Pioneer developed a twin woofer system that packs a punch you'll feel as well as hear Opposite-mounted barjointed woofers placed in the center of the TZ's cabinet minimize standing waves while providing accurate lowfrequency response to 20 Hz.

The cabinet of the 143-lb. TZ-9



is specially corstructed, using 1"thick highdensity board and a separate inner baffle that isolates the negative influence of low-frequency

L nique bar-jointed twin-wooler system.

vibration. Corners are specially rounded to eliminate diffraction and drivers are arranged for optimum sound-field intensity. The result is imaging and clarity that bring performances alive with smooth, true-to-life sound.

But enough conversation. If you're interested in hearing more about Pioneer's new TZ Series speakers, call 1-800-421-1404 for a technical white paper and the Elite dealer nearest you.

And let the speakers do the talking.



© 1989 Pioneer Electronics (USA) Inc., Long Beach, CA Model shown: TZ-9. Also available: TZ-7.

EQUIPMENT PROFILE

HARRIS XD-001UH DIGITAL AUDIO TAPE RECORDER

Manufacturer's Specifications

Frequency Response: 2 Hz to 22 kHz, ±0.5 dB. Dynamic Range: 90 dB or greater.

S/N Ratio: 92 dB or greater. THD: 0.005% or less at 1 kHz.

- Sampling Frequencies: 44.1, 48, and 32 kHz for playback; 48 kHz for recording via all inputs, 32 kHz for recording via digital inputs only.
- Input Levels and Impedances: Line in, 0.25 V, 50 kilohms; digital in, 0.5 V peak to peak, 75 ohms.
- Output Levels and Impedances: Line out, 0.25 V, 470 ohms (into 10 kilohms or more); digital out, 0.5 V peak to peak, 75 ohms; headphone out, 32 to 150 ohms.
- Power Requirements: 120 V a.c., 50/60 Hz, 35 watts.
- **Dimensions:** 17 in. W × 45% in H × 169/₁₆ in. D (43.1 cm × 11.75 cm × 42.1 cm).

Weight: 25% lbs. (11.7 kg). Price: \$1,550 with infrared remote; wired remote, \$160.

Company Address: Harris Corp., Broadcast Div., P.O. Box 4290, Quincy, III. 62305. For literature, circle No. 91



AUDIO/JUNE 1989

Major record companies continue to intimidate and threaten manufacturers of DAT recorders with all sorts of dire consequences if they dare to bring consumer DAT recorders to this country. Still, one way or another, DAT recorders are becoming available here for those who really need or want them. Some are classified as "professional" models and are sold only through distributors of professional recording equipment. Often, these pro mode s are essentially no different from the consumer models sold by the same companies in countries where such threats have not been made. For example, I own a little portable DAT recorder that I purchased in Japan. At a recent AES Convention, I saw the "professional" version of the same machine. About the only difference I could detect between my "consumer" portable and the "pro" model was that the latter was equipped with balanced XLR three-pin connectors, whereas my machine had unbalanced phono-type input and output jacks.

There's even less difference between the DAT recorder l've just tested, sold here by Harris (a well-known supplier of communications equipment to the broadcast industry) and the model sold by Harris' supplier in Japan. One small difference between the tested unit and its consumer equivalent is a tiny receptacle on the rear of the tested unit which accepts a cable from an optional *wired* remote control. (A wireless remote is included in the price of the machine.) The wired remote and provisions for 120-V power are Harris' manufacturing contributions to this DAT recorder.

Although the unit will recognize and play DATs recorded at either 44.1 or 48 kHz, it will not permit digital dubbing of 44.1-kHz prerecorded DATs. Furthermore, it will not permit digital dubbing of any software that has been recorded with the "copy inhibit" flag. In other words, it is configured exactly like all other *consumer* DAT machines available in other countries.

Having said all that, I hasten to add that the XD-001UH is a full-featured DAT recorder. The optional wired remote, which I used, allows you to easily select any track on a DAT. "Start ID" subcodes and program numbers can be automatically recorded or can be added in post-production work. When these identifying data are used to locate desired tracks, the deck can be made to start play immediately or to go into standby, ready to play the track when commanded. Other features include high-speed music search, tape scan (which allows you to preview the first 8 S of each track), a multi-function counter (which displays elapsed time, remaining play time, or playing time of the current selection), highspeed audible cue and review, timer recording and playback, and optional remote start/stop capability from a suitably equipped console. The unit I reviewed was also packed with the wireless remote control normally supplied with this machine.

Control Layout

A power switch, "Phones Level" control, timer switch, and stereo headphone jack are all mounted at the left end of the panel near the cassette drawer. Major transport controls are found beneath the drawer, and an elaborate display area is to the drawer's right. This display has a pair of bar-graph level meters plus indicators for time, sampling frequency, program number, program cueing, start and skip ID, search. "Caution." and "Copy Prohibit." A "Memory" indicator shows up in the display when the "Memory" button has been pressed to allow rewinding to the 0 minutes and 0 seconds point on the counter.

Numbered buttons, beneath and to the right of the display, are used in conjunction with a "Start" button for direct access to any program number. Program-number "Clear" and "Start" buttons are a little further to the right. Beneath the program-number keys are buttons for "Display," "Counter" ("Reset" and "Memory"), "Start ID" ("Auto," "Manual," and "Erase"), and program-number "Mark," plus two buttons and a switch for "Skip ID." Also found here are an input selector (for digital and the two analog inputs) and the sensor for the wireless remote. Above the sensor is a concentrically mounted pair of record-level controls.

The rear panel of the Harris XD-001UH is equipped with unbalanced analog input and output jacks as well as a digital input and a digital output jack.

The optional wired remote duplicates the number keys found on the front panel, in addition to "Stop," "Play," and "Pause" buttons for the tape transport, and cueing "Clear" and "Start" buttons. "Start" allows you to initiate play of any selection after it has been cued up by the other controls; it also allows you to pause at any time during playback. "Local" and "Remote" buttons on the current version of the remote (not shown) determine whether the XD-001UH will be primarily controlled from its front panel or from this remote; most functions, however, can be used from either the front panel or the remote, regardless of this switch's position.

Measurements

Having now had an opportunity to test several DAT components, both players and recorder/players, I am gradually formulating what I hope is a reasonable and comprehensive set of tests with which to define the performance of these amazing machines. In this respect, I am in what amounts to uncharted territory. An EIA committee is only now being formed to develop standards for measuring DAT recorders, and the IEC (International Electrotechnical Commission), on which I serve as a U.S. delegate, is also still in the early stages of developing a standard. So, I am pretty much on my own, and if any of you have any suggestions, I would welcome them.

It seems to me that in measuring a DAT recorder that has both record and playback capability, it would be interesting to cetermine how closely an analog recording (made at 48 kHz) approximates recordings that are digitally generated. As readers who have been following my DAT adventures know, I now have a DAT test tape (at 44.1 kHz) that is the digitally generated equivalent of the CD-1 disc I have been using to test CD players. Thus, I am able to compare playback results of this tape with playback of the same tracks recorded and played back via the analog inputs and outputs of a DAT machine. The latter recordings are, of course, made at 48 kHz. As you will see shortly, the differences in final performance between recordings made with these two techniques, while not great, are nevertheless guite measurable.

At heart, Harris' DAT deck is a consumer model but a full-featured one, with time displays and full control of subcodes.

800111.dc 2.8000	(18) versus Frequency (Hz), play 44.1 kHz, Hamis XD abl		2.060	Amplitude (dB) and interchannel phase (deg.) vs. Frequency (Nz); Harris XD-001 3.00000 90.000
1.5000			1 500	2,0000 67.50
1.4000			606 1	45.00
. 58688			.5008	1.0000 22.50
e.a	LEFT RIGHT		8.0	0,0 0,0
. 5949	P PEGNT		- , 540	1.060 -22.5
-1.080			- 1.99	1 - verol - 45 - 8
-1.500			1.50	-2.000 -67.5
2.8095	100 1000 1k	Liek	201-2 00	-3.040020 100 11k 10k 20k ^{-90.0}
Α				Α
в				В
Amplitude 2.0009	idbi v., Frequincy (Hz), Rec/Play; Harris XD-001		2.040	Amplitude (dB) & Phase (Degrees) vs. Frequency (Mg) Harris XD-001 3.00000
1 5000			1.500	2. мени 67.50
1.0000			1.000	45.00
. 28988	RIGHT		. 5000	1.0000 22.50
8.0	LEFT	<u>.</u>	8.0	e,e
~ , 5989			-,589	-1.999
1.000			~1.90	- 45 . @
1.500		1	-1.50	-2.988 -67.5
2.00020	160 11 101	k.	50k ^{-2.09}	-3.000 ₂₀ 100 1k 10k 20k ^{-90.0}
Fig. 1—FrequencyFig. 2—Interchannelresponse for playback ofphase difference (dashedtest tape prerecorded atcurve) and frequency44.1 kHz (A) and forresponse (solid curve) forplayback of same signalsplayback of prerecordedrecorded via analogtest tape (A) and forinputs at 48-kHz samplingplayback of same signalsrate (B).inputs at 48-kHz sampling			curve) and frequency response (solid curve) for playback of prerecorded test tape (A) and for playback of same signals recorded via analog inputs at 48-kHz sampling	

Figure 1A shows the frequency response of the XD-001UH when it simply played back my prerecorded CD-1 test tape. A slight rise in response, amounting to no more than +0.23 dB, is evident at 20 kHz, as is a slight amount of ripple—no doubt caused by the anti-aliasing filters ahead of the outputs. By contrast, when a recording of the same frequency sweep was made through the analog inputs of the DAT recorder, response differed somewhat at the high end, exhibiting a slight rise in the region from 5 to 10 kHz and a very slight attenuation of around -0.15 dB at 20 kHz (Fig. 1B). In this plot, I extended the horizontal axis to 50 kHz in order to observe how steeply response drops off above 22 kHz. (The response for the right channel, virtually identical with that of the left, has been deliberately shifted from the 0-dB axis for the sake of clarity.) Playback of the same frequency sweeps from the prerecorded test tape yielded no measurable phase shift between channels, as indicated by the dashed curve in Fig. 2A. (The solid curve is simply a repeat of the frequency response data shown in Fig. 1A.) Again, confirmation of the slightly altered response obtained by first recording the sweep through the analog inputs is evident in Fig. 2B, as is the introduction of a very slight amount of phase shift (no more than about 2°) between channels at 20 kHz. This slight phase shift must have been caused by the analog input stages that were not involved in the playback-only tests in Fig. 2A.

A much more substantial difference was noted between the two modes of operation when S/N ratios were measured. During playback of the "silent" track of my prerecorded

Are you hearing only 4/5ths of Beethoven's Fifth?

Visual dramatization of the vibrations and speed fluctuations that can prevent full digital reproduction

On data pits one millionth of an inch wide, a compact disc stores all the music information that's vital for accurate reproduction of a recording. Due to disc speed fluctuations, and internal and external vibrations, however, a CD player's laser is not able to read every pit.

Which means you're prevented from experiencing all the power, impact, and dynamics of the original performance.



Take the "Tap Test". Hold a CD with your

finger through the center hole up to your ear and tap it. You'll feel and hear the vibrations that can interfere with laser-to-disc tracking. Attach a SoundRing and tap the disc again.

The vibrations will be gone-allowing the laser to read musical data with greater accuracy.

CD SoundRings[™] solve CD problems.

Mounted on the outer edge of a compact disc, CD SoundRings by Monster Cable® provide rotational stability and reduced disc vibration while it is playing.

Based on a simple "gyro-stablilizer" principle (much like twirling a rock at the end of a string), CD SoundRings' carefully measured weight reduces laser to disc mistracking caused by disc rotation speed irregularities and vibrations from the player's motor, a poorly aligned spindle--even your speakers.

With the laser now able to read audio bits more accurately, digital data acquisition reaches full potential.

The CD improvement anyone can hear.

With a damped and precisely spinning disc, you'll discover new depth and presence in a recording. With greater overall clarity. Extended frequency response. Smoother highs and deeper lows.

Best of all, you'll experience more natural and realistic music production. The gentle plucking of violin strings. A rock solid bass. A feeling of airiness in the vocals. And because there's greater soundstage and imaging, you'll be able to pick out individual instruments-- bringing you closer than ever to the original performance.



Attaches in seconds.

Manufactured from a specially impregnated, high density material, CD SoundRings are designed to fit all home, car, and portable CD players, including multi-play changers.

Simply use the built in centering device to quickly and easily attach each ring onto the outer edge of a disc's label side. CD SoundRings' blue, green, red and yellow colors add an attractive touch, and let you color code your compact disc collection for easy identification.

For dealer inquiries, please call (415) 548-0602

Enter No. 14 on Reader Service Card

Now attach a CD SoundRing[™] to the disc and you'll experience greater clarity, depth and presence-bringing you closer than ever to Beethoven's Fifth

L. Allegro con brio [7:14]
 IL. Andante con moto [10:18]

BEETHOVEN

Discover how good your discs can sound.

It's a fact. Compact disc performance at its height is unprecedented in its power, range and impact.

Now with CD SoundRings, you can fully achieve that potential. Order the extraordinary CD SoundRings today.

Call Toll-Free to order, or for more information

1-800-228-3868

Monday - Friday 7:00 am - 5:00 pm. Pacific Time

Our Policy:

- We accept VISA, MASTERCARD, and AMERICAN EXPRESS.
- Your credit card is not billed until we ship your order.
- Your order will be shipped within 48 hours.
- Your purchase is risk-free. If for any reason you are not delighted with the order you receive, just return it within 30 days for a prompt and courteous refund.

Send CD SoundRings risk-free for 30 days

□ Package of 24 for \$29.95 (\$3.75 for Shipping)* □ Package of 50 for \$49.95 (\$3.75 for Shipping) I'm paying by: Check MC VISA AmEx

Acct. No.	Exp.	xp.		
Signature				
Name				
Address				
City	State	Zip		
Phone (Area Code)	Phone	-		
*CA & WA add appro	oriate sales	tax.	A-6	

Berkeley SoundLab

2515 Benvenue Suite 402, Berkeley, CA 94704

Expensive Car Stereo.

ANION

Introducing the Canton Mainframe system, the most extraordinary amplifier in autosound history.

The Mainframe System. With a Mainframe Base Unit and plug-in Module Amplifiers anyone can configure a sophisticated, actively-driven autosound system. Easily, quickly. Mainframe's unique modularity allows for limitless future expansion possibilities, with a minimum of installation fuss and muss.

Emitter-Follower Circuit

Design. This design—common to home power amps—allows minimal negative feedback, a high level of thermal stability and superior musicality.

Fast, Accurate Thermal

Tracking. Each Module Amp cools down as soon as the music does. An important plus in cramped, hot car trunks.



Triple Fuse Protection.

The Mainframe guards your autosound system with fuses at the battery, at each amp input and electronically within each amp.

ANTO

Active Electronic Crossovers. Mainframe

Module Amps contain no passive circuitry to rob amplifier power.

Balanced Transformerless Output Topology.

This provides high immunity to electrical vehicle noise, both on ground and on battery.

Multiple Crossover

Modes. With each Module Amp choose the crossover characteristic you need for that channel-midrange, woofer, subwoofer, full-range, tweeter, mid + high, mid/high or center channel {S 30 only}.






Amplittlers. The plug-in M St and S 30 Module Power Amps are exceptionally compact. Thanks to advanced SMD technology, they're packed with variable active electronic crossovers, fully regulated power supplies and an audiophile sound quality that belies their diminutive size.



Two Base Unit Sizes, Unlimited Configurations.

The MF 3 accommodates three Module Amps, the MF 5 five Module Amps. Multiple Base Units can be daisy-chained to accommodate any number of actively-driven speakers. Bi- or tri-amplify. An unlimited variety of configurations is possible.



Exceptional Auto Sound.

CANTON

Sophisticated Electronic Monitoring Circuits. Each

Module Amp monitors its operating temperature and current consumption, and intervenes to prevent anomalous conditions.

Ultra-Secure Speaker Connections. PL 2 plug-in speaker connectors eliminate any chance of intermittent amp/speaker connections.

Ten Mounting Points on Base Units. With this feature you have the option of extra flexibility in installation placement.

True Plug-In Modularity. Module Amps snap firmly into place, but are easily removed when you need to make changes. The only tool required is your hand.


ANTONS

Mainframe Cable Posts and Ties. For the neatest speaker cable layout possible.

Adjustable Amp Level Controls. Achieve precise dynamic command of each driver, for perfect level balancina.



Classic Canton Fit and Finish. The Mainframe System features award-winning good looks and construction quality built to withstand years of rugged use.



See our dealer list on page 136 Enter No. 18 on Reader Service Card

Simplified Installation. The sophistical of straightforwardness of the Mainframe System makes complex installations easy.

LELLILLE.

The Canton Mainframe System is built to the same exacting standards of performance, manufacture and appearance as our critically acclaimed home and automotive loudspeakers.

Canton Automotive Speaker Systems are available in a variety of preconfigured sets to match any budget, and as individual drivers for unique custom applications.

Compatibility with All Future Canton Modules.

You'll be assured of perfect fit and function, whether it's the M 50 or the new S 30 Stereo Module Amp.


To audition the Canton Mainframe System and Automotive Speakers, visit your nearest Canton dealer today.

Canton®North America, Inc. 915 Washington Avenue South Minneapolis, Minnesota 55415-1245

Telephone 612/333-1150



Distortion is reasonably low until 'the meters reach +4 dB. Only then does the signal hit digital's brick wall of distortion.



(44.1-kHz) CD-1 equivalent test tape, S/N was an impressively high 110.5 dB on the left channel and 109.8 dB on the right. When I recorded the same "silent" track onto a DAT via the analog inputs of the XD-001UH, using the actual CD-1 Compact Disc as my source, that section of the tape had an S/N ratio of 92.5 dB on the left channel and 86.6 dB on the right in playback. So much for the recording industry's argument that analog recordings made on DAT recorders. would be "clones" of the digital originals! (All S/N measurements were referred to the 0-dB reference output level of 2.09 V and were made using an A-weighting filter.) It is not possible to say with certainty how much of the decrease in S/N was caused by the input stages of the DAT recorder and how much was attributable to the residual noise emanating from the CD player I used to play the silent track of the CD-1. However, since the S/N of my reference CD player is greater than 100 dB. I would guess that much of the difference must be attributed to the DAT recorder's analog input circuitry.

To further analyze the residual noise characteristics of the XD-001UH under both playback-only and record/play conditions, I used my Audio Precision test system to do an unweighted spectral analysis of the residual noise. Results, for playback of the prerecorded test tape and for a complete record/play cycle, are shown in Fig. 3. In the playback-only test, the noise did not rise above -117 dB in any third-octave frequency band. By contrast, when analyzing the complete record/play cycle (again using the analog inputs of the DAT machine), a 60-Hz noise component attributable to the power supply became evident; its amplitude reached a peak of -102.5 dB for the left channel and -100 dB for the right.

Figure 4A shows how THD + N varied with frequency when I played back a 0-dB frequency sweep from the prerecorded digital test tape. At 1 kHz, THD + N measured 0.0045%; even lower values were recorded at lower frequencies, and a THD figure of 0.2% was noted at 20 kHz. When I recorded the same sweep via the analog inputs of the XD-001UH and played back the tape, a higher overall level of THD + N was noted as well as a significant rise in THD at the extreme bass end of the spectrum (Fig. 4B). Under these conditions, THD + N at 1 kHz was 0.007% on one channel and 0.006% on the other. Like me, you may be wondering why THD + N at 20 kHz turned out to be less this time than when the digitally recorded test tape was played back. The answer must be that some of the distortion components generated during recording were out of phase with similar components generated during playback, so that some cancellation took place. I often encounter this same sort of thing when I measure stereo FM tuners and find that stereo THD is actually lower than mono THD in many cases.

I wanted to determine how critical recording levels are for this DAT recorder. To do this, I established a 0-dB reference recording level based on the record-level meters. I then made a recording of a 1-kHz test tone, via the analog inputs, in which the level varied continuously from -90 to +10 dB. Resulting THD + N is plotted in dB below reference level rather than as a percentage (Fig. 5). The designers of this DAT recorder have obviously calibrated the record-level meters so as to allow us a bit of overrecording. I didn't run

Adcom announces the cure for the common receiver.



T oday, there is no reason to compromise your favorite music by listening to a common receiver. Because the Adcom GTP-400 tuner/ preamplifier with GFA-535 (60 watts per channel)* amplifier gives you all the benefits of Adcom's legendary clear, dynamic sound for a price close to that of an ordinary receiver.

Why Separates?

The limited space in receivers prevents the use of heavy duty, high-current, high-voltage power supplies found in the best separate components. Consequently, the performance of receivers is compromised for their questionable advantage of all-in-one convenience.

By dividing the tuner/preamplifier from the power amplifier, Adcom isolates low-current, low-voltage circuits from high-current, high-voltage elements ensuring sonic purity and demonstrably superior performance.

More Sound-Less Money

Many of Adcom's components have been favorably compared to other components costing two and three times more. The GTP-400 with GFA-535 is a combination that promises to keep faith with this tradition of offering superb performance at a reasonable cost.

The price of these Adcom separates is close to that of an ordinary receiver. But no receiver will deliver the wide dynamic range and musical satisfaction of an Adcom system.


Ask your Adcom dealer for a demonstration of these affordable separates. You'll never listen to a common receiver again.

*Power output, watts/channel, continuous both channels driven into 8 ohms, 20 Hz - 20 kHz < 0.09% THD.



11 Elkins Road, East Brunswick, NJ 08816 U.S.A. (201) 390-1130 Distributed in Canada by PRO ACOUSTICS INC. Pointe Claire, Quebec H9R 4X5

Copying a CD does not make a clone of it, but I can't hear the differences at any volume levels I'd use for pleasurable listening.



into the digital "brick wall" of distortion until the level was actually around 4 dB above the arbitrary zero point shown on the level meters. The results in Fig. 5, however, should serve as a warning for anyone intending to switch from analog to digital recording. With most analog cassette decks, and certainly with open-reel machines, driving the input to a +5 dB or even a +8 dB reading would, at worst, result in barely audible overload distortion during playback. Using such recording levels with a digital tape deck, however, will result in distortion levels that run right off the top of the graph!

Figure 6A shows stereo separation during playback of my prerecorded CD-1 equivalent test tape. The track used for these tests contains frequencies ranging from 125 Hz to 16 kHz. Separation at 1 kHz was between 108 and 109.5 dB, depending on which channel I measured. When I repeated separation measurements for a complete record/play cycle. using a recording of a frequency sweep made on one channel via the recorder's analog inputs, separation at 1 kHz dropped to 80 dB (Fig. 6B). Now, 80 dB of separation is certainly more than even the most astute listener needs for a good stereo presentation, but it is nevertheless interesting to note how much less separation was obtained when going through the complete record/play cycle. To find the source of this crosstalk. I ran a spectrum analysis of a 1-kHz signal recorded and played back on the XD-001UH. The solid curve in Fig. 7 shows the desired peak at 1 kHz as well as some out-of-band components at the sampling frequency (48 kHz) and at its harmonics (96 kHz, etc.). The dashed curve represents output from the opposite channel. Actual separation at 1 kHz was 90 dB, so other crosstalk components must account for the lower 80-dB reading observed in Fig. 6B. Such components might include the peak at 120 Hz as well as those beyond the audible range.

I measured the playback linearity of the XD-001UH, using the CD-1 equivalent tracks available on my digitally recorded test tape. These measurements were only made for the playback function of the recorder. If I were to record the same test signals, using my CD-1 test disc, via the analog inputs and then try to judge linearity. I would be judging the combined linearity of my CD player and the Harris DAT recorder, which would not be a valid test. In any case, Fig. 8 is a plot of playback linearity, using undithered signals from 0 to -90 dB. Linearity was pretty good down to -80 dB. but at -90 dB. it was off by nearly 5 dB on the left channel and 10 dB on the right. The test was repeated, using dithered signals at low levels from -70 to -100 dB; results were about the same, as shown in Fig. 9. Notice that the test equipment was unable to pick up the -100 dB signals altogether

Figure 10 is the familiar "fade-to-noise" test results, again using the equivalent track of my digitally recorded test tape. The signal was easily distinguished from the residual noise down to around – 105 dB, so this would represent the unit's dynamic range, at east for playback, based on the new EIA CD Measurement Standards. I also evaluated dynamic range using the method proposed by the EIAJ. For this method. I was able to make measurements for both play only and the complete record/play cycle. For play only, the EIAJ dynamic range was 96.3 dB for the left channel and

There. In the grillcloth.

That 11/2" diameter hole is actually the woofer in our full-range, bookshelf-sized AST-1 speakers. Really. A clean 20,000Hz all the way down to a window-rattling 28Hz, without an oversized bass



behind a curtain. Made possible speakers, an AST amplifier an AST cartridge and an additional cartridge that allows the use of conventional speakers. by yet another Yamaha exclusive.

subwoofer to stash

under a couch or

Active Servo Technology.

Our patented AST combines the superior imaging and point source characteristics of smallenclosure speakers with the superb bass response of large-enclosure speakers.

Giving you the largest possible sound in the smallest possible space.

provides negative impedance drive to help overcome inherent voice coil resistance, thereby mechanically damping the cone, so that even a slight vibration will excite the air in the enclosure, in essence creating an air-woofer, and ...

Explained quite simply, we created a speaker,

On second thought, this is perhaps not the time or place for a full explanation.

amplifier and processing cartridge system that

The proper time and place is, however, as soon as you can get to your authorized Yamaha audio component dealer.

He'll give you a full explanation of the technology behind our remarkable new AST-1 full-range bookshelf speakers.

And if you're not sure you'll understand, you can always rely on two other remarkable pieces of technology. YAMAHA Your ears.

6 1989, Yamaha Electronics Corporation, USA. P.O. Box 6660, Buena Park, CA 90622. For the dealer nearest you, call 1-840-662-6800

11¾" high.7½" wide. 28Hz deep.



At \$2,400, the Harris was a bargain. Now they have dropped its price to only \$1,550. If I didn't have two DAT decks already....

Spectrum Analysis of a 1 kHz signal recorded on one channel; Marris XD-001 0.0	Deviation from perfect linearity, undithered signals, 44.1 kHz; Harris XD-001 10.000
	8,999
-28.0028.0	6.0000
	1.000
-49.99	4. 9 90
-48.00 -69.0	
-\$9.96	-2.000 -2.00
	-4.0004.00
-199.9	-6.600
	-3.8998.00
-120.0 ₂₀ 100 1k 10k 100k 200k -120	-10.00-100-90.0 -90.0 -70.0 -60.0 -50.0 -40.0 -30.0 -20.0 -10.0 0.0 ^{-10.0}
Fig. 7—Spectral analysis	Fig. 8—Deviation from
of 1-kHz signal (solid	perfect linearity during
curve) and crosstalk (dashed curve); see text.	playback of prerecorded, undithered signals.
(dashed curve), see text.	unumereu signais.
Deviation from Linearity (dB), low level dithered signals; Harris XD-001	Fadu-to-Noise Jest, Plauback Only (44.1 kHz); Happis XD-001
Deviation from Linearity (dB), low level attrered signals, marris x0-0001 18.000	Fade to-Noise lest, Playback Only (44.1 kHz); Harris XD-001 10.000
	8.0000
5.0000 5.000	6.0000
9.9	4.0000
U.U	2.0094
-5,000 -5,00	0.0
	2,909
-18.86	-4.200
	- 6.000 MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
-15.00 -15.0	
-28.0	-8.000
-29.69-199 -55.8 -99.6 -85.9 -80.9 -75.8 -70.8 -65.8 -69.6 ^{29.9}	-19.00-129 -119 -169 -99.0 -89.0 70.9 -69.9
Fig. 9—Deviation from of - 100 dB signal could perfect linearity during not be picked up by the	Fig. 10—Fade-to-noise test, for playback of
playback of prerecorded, test equipment; see text.	prerecorded test tape.
dithered signal. Playback	P
04.0 dB for the right When I many und the complete second	then professional little miles mices the had any set (
94.9 dB for the right. When I measured the complete record/ play cycle, dynamic range decreased to 86.8 dB for the left	than-professional little mike mixer I've had around for some years, the results were astounding—far better than I have
channel and 87.7 dB for the right.	ever been able to achieve with my half-track analog open-
	reel mastering tape deck and certainly better than anything
Use and Listening Tests	I've ever been able to do with my own reference cassette
Frankly, I haven't tested enough DAT machines to be able to precisely rank this one in terms of its sound quality	deck. Both of those recorders, by the way, had each cost me more than this lightweight, compact DAT recorder
relative to other DAT recorders. I recorded several tracks	would.
from some of my favorite CDs via the analog inputs of the	Speaking of costs, I thought the Harris XD-001UH was a
XD-001UH. I then attempted to make some non-double-	bargain even at the \$2,400 price it bore when it first arrived
blind (not even single-blind) A/B comparisons between the original CD and the recorded version. Certainly, when I	for review. I paid nearly this much for my own portable DAT
turned up the volume on my reference amplifier to louder	recorder when I was in Japan, and it has neither remote- control capabilities nor all of the features of the Harris. But
levels than I would use for pleasurable listening, I could	then I learned that Harris has dropped the price of the XD-
easily detect the higher noise floor of the DAT recording. On	001UH to an amazingly low \$1,550. If I didn't already own
the other hand, when I recorded some of my own material using a moderately priced stereo microphone and a less-	both a home-based DAT recorder and a portable, I would gladly spring for this Harris model. Leonard Feldman

Music made Beautiful



32992 CALLE PERFECTO, SAN JUAN CAPISTRANO CALIFORNIA 92675 (714) 66^{--755E} Outside CA (800) 582-7777 FAX (714) 24C-4995



Sonarice makes music more beautiful with "Architectural Audio" Custom in-wall stereo speakers and controls that blend unobtrusively into your home's most discriminating decor.

All Sonance speakers and controls can be painted or cloth covered to aesthetically match any room's delicate design. Precision flush mounting insures excellent high fidelity response and consistent decorative perfection.

To experience "Architectural Audio" we invite you to call your local Custom Audio/Video Specialist.

EQUIPMENT PROFILE

FUSELIER 3.8D LOUDSPEAKER

Manufacturer's Specifications

- System Type: Three-way; vented woofer.
- **Drivers:** 8½-inch woofer, 2-inch dome midrange, and 1½-inch dome tweeter.
- Crossover Frequencies: 700 Hz and 6.5 kHz.
- Frequency Response: Within ±1.5 dB of designed spectral balance.
- Sensitivity: 88 dB SPL at 1 meter for 2.8 V input.
- Impedance: 5 ohms at 350 Hz, 2.2 ohms at 9 kHz.
- Recommended Amplifier Power: 20 to 160 watts.
- Dimensions: 23½ in. H × 10¾ in. W × 17¾ in. D (59.7 cm × 27.3 cm × 45.1 cm). Weight: 39 lbs. (17.7 kg).
- Price: \$2,100 per pair.

Company Address: c/o Audio Products, Inc., 3 Cleveland St., Headland, Ala. 36345. For literature, circle No. 92



All four of John Fuselier's loudspeaker designs are highend audiophile systems. High end, however, does not automatically mean high price. Rather, it is a priority which places quality of sound before quantity of sound. The smallest Fuselier, the 2.5, at \$775 per pair, is admitted to have low acoustic output, while its sound quality from midbass up is claimed to be excellent. The \$2,100 per pair Model 3.8D, reviewed here, is poised at the top of the line, where sonic excellence, wide frequency range, and adequate acoustic output can coexist.

In his quest for quality, John Fuselier's first priority is achieving a very smooth frequency response over a practical range of off-axis listening positions. This requires the best available drivers, precision crossovers, and control of resonance, reflection, and diffraction.

The drivers in the 3.8D are all standard products from the highly respected Danish manufacturer, Dynaudio. The woofer, midrange, and tweeter are Models 21W54, D-52AF, and D-28AF, respectively. Fuselier prefers selected off-the-shelf components because they will be available in the future should repair be necessary. The retail price of these basic components is a hefty \$250, and I don't suggest trying to "roll your own," because there is a lot more here than three speakers in a box.

A complex crossover network is used in the three-way Fuselier 3.8D. Next to driver selection, this circuitry is the most important factor in achieving smooth frequency response. There are three main design considerations. The first of these is selecting a circuit configuration and component values which will complement each driver to achieve the best acoustic bandpass responses. This can be considered a form of fixed equalization. Second, the acoustic phase shifts of adjacent high- and low-pass filters should be made to track each other, preventing polar-pattern shifts through the crossover range. Finally, when all filters are combined, the input impedance must present a reasonable load to the power amplifier.

Crossover components in the 3.8D are mounted to a p.c. board inside the cabinet. I counted eight film-type capacitors, two nonpolar electrolytics, and four air-core inductors. I believe there are more components under the board. All connections are soldered, which, in my experience, results in greater reliability than push-on connectors crimped to the wire. The tight-tolerance components help match the two loudspeakers of the pair for best imaging.

A stepped-front cabinet design is used to correct for the different acoustic centers of the drivers. The depth of the woofer cone places the voice-coil and the acoustic center of the woofer well behind its mounting flange. With a conventional flat-baffle mounting, the woofer's acoustic center would be behind that of the midrange dome. This is avoided by a 49-mm step in the front panel, which moves the woofer forward. The midrange flange overlaps that of the tweeter, moving the midrange slightly forward as well. This overlap also serves to position the domes as closely together as possible, keeping them in phase over a greater vertical radiation angle. Fuselier claims smooth response over a $\pm 10^{\circ}$ angle, which is quite good. A 45° bevel board is used to smooth out the step between woofer and midrange. I would expect this to cause an interfering reflection in mid-




Fig. 1—Magnitude of impedance. Note the dips at the vent tuning frequency (27 Hz), the woofer/midrange crossover frequency (700 Hz), and where the tweeter comes in (10 kHz).




Fig. 2—Complex impedance, showing reactance and resistance vs. frequency.

range radiation, but leaving the discontinuity presumably would cause even more problems.

Mechanical and acoustic cabinet resonances are controlled by two angled, internal, cross-bracing baffles. These plates acoustically separate the parallel surfaces of the enclosure, reducing simple resonant modes. One-inch foam Positioning is not very critical, which means that suboptimal placement does not greatly degrade the 3.8D's sound reproduction.

Fig. 3—One-meter on-axis

response, with an input of

anechoic frequency

1.0 watt into 4 ohms

(2.0 V).

Fig. 4—One-meter on-axis anechoic phase response. The large amount of phase shift shown is not unusual in three-way systems. blankets line most of the interior, to absorb the woofer's rear radiation. This absorption also reduces low bass output. Fuselier's priorities show here: Bass quantity is sacrificed for improved resonance control.

Other Fuselier loudspeakers use circuit breakers for protection, but the 3.8D is unprotected. Fuselier is justifiably concerned with the breaker's contact integrity after it has cycled a few times. The 3.8D is no more prone to burnout than any other unprotected speaker, and the manual states that distortion will be heard before the system is damaged.

The cabinet finish of the 3.8D is superb. The wood veneer on top, bottom, and sides is sealed, stained, and handrubbed with tung oil, giving a deep, glossy finish. The front and rear are painted black, and an elaborate wood grille frame allows brown stretch fabric to cover the protruding drivers without restricting side radiation. Nevertheless, Fuselier claims the speakers are calibrated with the grilles off, implying that this is how the serious listener will use them.

There are no controls on the 3.8D, just two input terminals flush-mounted on the rear. Either double-banana or specialty connectors can be used to connect heavy speaker cable.


Measurements

All measurements were made with the grille removed and, as with the listening tests, were conducted using a solidstate amplifier of low output impedance, as recommended, to achieve the designed spectral balance.

The magnitude of input impedance versus frequency is shown in Fig. 1. At low frequencies, dual peaks straddle the vent tuning frequency of 27 Hz. This vent frequency is one of the more useful pieces of information on this plot, because it is an indicator of the lowest usable frequency of a vented system. At this frequency, the required cone excursion is very low, but it must increase slightly at frequencies above and a great deal below this point. Crossover-related impedance bumps occur around the 700-Hz crossover frequency, and a low of 2.2 ohms is reached at about 10 kHz, where the tweeter comes in.

It is because of this dip to 2.2 ohms that Fuselier recommends a low output-impedance solid-state amp. Tube amps are usually higher in output impedance and could be pulled down 1 dB around 10 kHz, relative to the midrange. You might prefer this reduction, but it is just an expensive way to equalize. Speaker-wire resistance will cause a similar problem; a 15-foot length of 18-gauge zip cord will also drop the highs 1 dB or so. The low impedance will not cause a modern, 4-ohm-rated amplifier to lose output or distort audibly, but the amp will be working hard in this frequency range. Amplifier overheating won't be a problem because high-level 10-kHz signals are infrequent in music. Needless to say, use heavy wire and don't parallel another set of 3.8Ds for music on the patio.


Reactive and resistive components of the input impedance are plotted in Fig. 2, with frequencies and phase angles of interest called out. At frequencies where there is a large reactive component and a small resistive component, the amplifier has to absorb electrical energy from the loudspeaker over part of the cycle. This condition, also indicated by a large phase angle, is more difficult than delivering energy to the speaker over the entire cycle. The 3.8D is a



ENGRAVING - January 1989

In the three years since the It enables you to achieve introduction of the Mark Levinson emotionally complete musical No. 20 Monaural Reference reproduction in your home. Amplifier, advances in circuit Owners of the No. 20 may topologies and incorporate these components advancements available to the through an Madrigal design exchange of staff have made modules. it possible to Mark Levinson produce a new products are reference. The handcrafted in limited No. 20.5 Monaural quantities to ensure their Reference Amplifier is an high standards. Visit your Mark ultimate statement of our craft Levinson dealer to hear how good and a benchmark for future designs. music can sound in your home.

The spectral uniformity of the 3.8D was outstanding, with low coloration and good overall balance.



response plots taken from the front, around the side, and to the rear; see text.

fairly difficult load, but it will not activate the protection circuitry of common, modern "mid-fi" or better amplifiers.

The 1-meter on-axis frequency response curve of Fig. 3 correlates strongly with what I heard. The 3.8D has a generally smooth response that rises gently with increasing frequency. Bass response rises slightly from its 30-Hz cutoff to 100 Hz. Midrange and high-frequency smoothness is marred only by the slight dips at 4 and around 9 kHz. Experimentation confirmed that the 4-kHz dip is due to a reflection from the angled filler panel: the 9-kHz dip is caused by interference between midrange and tweeter radi-

ation. Both of these micro-sized problems go away when the response is measured slightly above the front-panel axis, where Fuselier might reasonably expect the listener to be.

The phase shift accompanying the amplitude response of Fig. 3 is shown in Fig. 4. This large amount is not unusual in a well-designed three-way system. It is more important that the phase shifts of the individual drivers track each other and, of course, that the stereo pair is matched. The 3.8Ds are very well behaved in these ways.

The test for 3-meter room response measures frequency response as affected by the early reflections found in a typical room. For these measurements, the speakers were placed in positions previously used in the listening evaluation, with the front of the cabinet 3 feet from the wall behind the speaker and 4 feet from the side wall. The speakers were angled 30° inward and mounted 24 inches off the floor, on stands. The on-axis plot (Fig. 5A) represents what a listener near the center of the room would hear. Its average is smooth but even brighter than shown in the anechoic curves. At 30° off-axis (Fig. 5B), the still-smooth average indicates wide directivity and good room interaction. The usual floor-bounce interference of raised speakers notches the range around 300 Hz.

Amplitude response off-axis is measured every 6° over a 180° degree range and is plotted in a "3-D" format. This is shown in Fig. 6 for the horizontal plane, starting in front and going around the side to the rear. None of the midrange narrowing found in most two-way speakers is evident because the woofer is used only up to 700 Hz, where it is still nondirectional. Wide midrange directivity takes over and blends with the tweeter's output.

Figure 7 is the vertical off-axis plot—from below, to the front, to directly above the speaker. Since different angles in this plane produce different distances from the drivers to the microphone (or ears). I expect to see angles where the drivers interfere at the crossover frequencies. There are virtually none near either 700 Hz or 6.5 kHz. This excellent performance is due to good choice of frequencies and the high slope of the crossovers.

Figures 8, 9, and 10 indicate nonlinearity by plotting harmonics generated in the loudspeaker when reproducing a pure tone. There are 3-D plots, with the front-to-back axis indicating power input from 0.1 to 125 watts; the second through the fifth harmonics are shown. The 3.8D is excellent at the test frequencies of 41.2, 110, and 440 Hz (the musical notes E_1 , A_2 , and A_4 , respectively). With 440-Hz input (Fig. 10), the fourth harmonic is almost entirely produced by the midrange, which receives some 440 Hz despite the cross-over's 700-Hz high-pass filter.

Figure 11 plots the modulation of 440 Hz by 41.2 Hz when both are fed to the speaker in equal amounts. This is essentially another linearity test at 41.2 Hz, but other factors—such as frequency modulation—are introduced. The 3.8D does well, but it has its power limits. Distortion climbs rapidly above 20 watts and is an annoying 10% at 70 watts.

Power linearity is a full-range linearity test. Starting with 1.0 watt, power is increased in steps to 256 watts. Figure 12 shows the power input and the frequency where the acoustic output fails to track the input increase by 1 dB. Amplifier power greater than this amount will be of little benefit.

A speaker with this smooth response does not grab you with specific attributes. It may take time to fully appreciate the 3.8D.

box. (Grilles are shipped separately.) I was impressed and

stands away from walls. Fuselier provides simple room-

ratio formulas to suggest a starting position. Obviously, the manufacturer expects that the user is an audiophile willing

to meet the demands of best sound reproduction. I found

positioning to be relatively noncritical, meaning that subopt -

mal positions did not degrade the sound greatly. Best posi-

tioning proved to be 3 feet out from an 18-foot wall and 4


feet away from the side walls. The Fuselier 3.8Ds were

placed on stands and rolated inward to minimize the side-

The manual recommends placing the 3.8Ds on short

ready for great sound.

wall reflections.




The energy versus time response is shown in Fig. 13. In this test, energy is at its maximum in the upper part of the test range of 20 Hz to 20 kHz. The plot shows the strong tweeter output and shows that later arrivals, from diffraction and reflection, are more than 24 dB down.

Use and Listening Tests

The most exciting part of a loudspeaker review is the listening evaluation, but preceding this are the mundane tasks of unpacking the speakers and reading the manual. I mention this because the 3.8Ds had the most elaborate and protective packing I have seen for a loudspeaker. A beautifully made wooden frame snaps onto the front of the speak-

AUDIO/JUNE 1989

I recommend the Fuselier 3.8D as a refined loudspeaker for the musically mature audio enthusiast.



I listened to the 3.8Ds using a variety of familiar recordings, mainly jazz and classical. (I avoid pop and synthesizer music when evaluating naturalness and fidelity.) Spectral uniformity of the 3.8Ds was outstanding, with low coloration and good overall balance. Octave-to-octave balance was only slightly upset by excessive high-frequency content and lack of the lower part of the octave from 16 to 32 Hz. Bass power, extension, and freedom from distortion were up to the highest standards for listening to natural music at reasonable levels, the one minor exception being the lowest organ pedal tones. In other words, the bass is better than that of most add-on subwoofers.

The measured high-frequency rise was a surprise to me when I first saw it, because excessive highs had bothered me only slightly in the listening evaluation. My conclusion, therefore, is that the extreme smoothness of the response makes this rise acceptable. Loudspeakers with a rougher response and boosted highs are always irritating to me.

Proper spatial rendition requires that the speakers "disappear" as perceived sources of sound. The listener should be able to visualize a wide, but not too wide, soundstage containing stable instrument images and a sense of correct ambience. The system should correctly render *differences* in perceived depth of images in the soundstage, not just a limited perspective that is always close or always distant. Success in creating these perceptions depends heavily on the recording, the listening room, and speaker/listener placement. I use proven good recordings, an excellent room, and optimal positioning to get the most from the loudspeaker systems.

The 3.8Ds excel again in spatial rendition: They are as good as, and perhaps better than, any system I have had in my listening room. They were particularly impressive playing the Arrigo Boito Prologue to *Mefistofele* (Telarc CD-80109-2). The orchestral, choral, and organ sections of this thickly textured piece were separated and arrayed evenly across, and deeply into, the soundstage. Ambience reproduction was perhaps just short of the best I have heard. Dipole speakers and simple ambience extraction schemes have given me the best results so far.

Loudspeakers with a "presence peak" could have more definition and clarity than the 3.8Ds, but this would obviously be wrong. Also, elevated upper bass could give more "punch." Again, wrong. A loudspeaker with a smooth response, like the 3.8D, does not grab you with one of these focused attributes, and so it may take time to fully appreciate this speaker. If you want punch or presence from these systems, use an equalizer, or better yet, just turn up the volume. The 3.8Ds will play quite loudly with no sign of distortion.

John Fuselier told me that the sample units sent to Audio for review do not reflect a slight reduction in high-frequency energy that has been applied in production for some months now. In any case, elevated highs might be just right for more distant listening in an absorptive room. My treble nit-picking—dare I admit that I have a treble control and occasionally use it?—is a very minor issue. I enjoyed my music through these speakers and recommend the Fuselier 3.8D as a refined loudspeaker for the musically mature audio enthusiast. David L. Clark

WHEN YOU NEED TO GET IT OUT OF YOUR SYSTEM.

Every now and then you've got to put some distance between you and the rest of the world. And nothing helps you do that like your music and components from Sherwood.

Sherwood audio components combine the right balance of legendary engineering with advanced electronics for superior music reproduction.

And if the Sherwood name isn't enough of a guarantee, there's our *CERTIFIED PERFORMANCE*. You'll see it right on the carton. Not a recap of the specs, but the actual measurements of the unit inside.

No one else takes that extra step. So look for Sherwood components and create a system that's good for your system.



RV-1340R



13845 Artesia Blvd. Cerritos, CA 90701 ©1988 Inkel Corporation

Enter No. 43 on Reader Service Card

AN MA

AURICLE

VMPS SUPER TOWER/R AND TOWER II SPEAKERS

Company Address: c/o Itone Audio, 3412 Eric Ct., El Sobrante, Cal. 94803.

For literature, circle No. 93

Every loudspeaker system involves some important compromises with musical realism. If there is some way to get superior performance in every area from a single speaker system, no manufacturer has yet found it, and the laws of physics indicate that it is likely no manufacturer ever will. One has to be careful in making such statements, though. I was attending a Summer CES with a professor of physics from the University of Chicago. He listened very patiently to a speaker manufacturer tout his product, then identified himself and explained why the concept couldn't work. Without pausing for a moment, the manufacturer replied, "This speaker is so good, it can defy the laws of physics!

The laws of physics, however, are gentler than the laws of economics, which normally impose very severe limits on cabinet and driver size in all but the most expensive speaker systems. These, in turn, normally impose yet more severe limits on power-handling capability and deep bass response.

VMPS is a small speaker company which seems determined to prove that, while no speaker designer can break the laws of physics, a really dedicated designer can break the laws of economics. Their Super Tower/R and Tower II loudspeakers cost from \$878 to \$2,058 per pair, depending on your choice of the smaller or larger model, your choice of tweeter, and whether you buy a kit or an assembled unit. Even the top of this price range is far lower than what a pair of most good subwoofers costs, and the VMPS Towers prove that a good, high-end speaker can be affordable and still deliver both wide dynamic range and all the deep bass power any audiophile could desire



Right at the outset, I should note that most speakers under \$2,000 a pair simply don't provide any real deep bass response. They usually start to cut out at frequencies from 80 Hz down to 40 Hz. While this may lead to good frequency response claims in brochures, real bass power is not being delivered to the listening room, and what bass power there is comes at the cost of serious distortion and impedance problems.

Size alone is not the only problem, although larger enclosures and drivers present manufacturers with major cost, transport, and room decor-compatibility difficulties. Most full-range systems with crossovers are lossy in the deep bass, while too many others exhibit serious phase shift and driver polarity inversion. Small woofers require long excursions to move a lot of air and rarely achieve any savings in mass because about 75% of the system mass consists of the voice-coil and former assembly, rather than cone area.

It is difficult for a designer to match the driver's impedance to the air in a room without the use of some sort of loading, either with a slot or duct or a large folded horn. The only practical alternative to a large enclosure size is equalization, and active equalization has usually led to serious increases in

ABDIO EXPERIS SING ITS PRAISES.

The SA-12 Power Amplifier

"Our first piece of consumer advice is directed to those of you who are considering a budget-level solid state power amp, perhaps in the \$500 price range. The SA-12 gives so much, so very much more overall sonic quality for your money, that we ask you, we beg you, to try to stretch your budget to include the SA-12. There are so many areas in which the SA-12 excels... that the SA-12 easily wins first place in this survey, and earns its place alongside the very best power amps in overall sonics... An IAR BEST BUY." —International Audio Review

The SA-20 Power Amplifier

"The vastness and delicacy of the SA-20's sound were breathtaking...the Counterpoint reached beyond to something like reality." —High Performance Review

"While there are literally dozens of amplifiers around which can match the SA-20 in terms of sheer muscle, I've not heard one which can deliver this much wallop with such finesse. Listening to music seems as natural and effortless as—well, listening to music."

—Hi Fi Answers

The SA-11 Line Control Amplifier

"Wow! So this is what musical heaven is like! The Counterpoint SA-11 is not only the most beautiful sounding line section extant, but is also the most accurate and the most musically truthful." —International Audio Review

Call 800-247-6468 (in California 800-266-9090) to find the Counterpoint dealer nearest you. Then go in and listen. After all, you're the one critic we're really trying to please.



2610 Commerce Drive • Vista, CA 92083 •

Enter No. 19 on Reader Service Card

The VMPS Towers prove that speakers can be affordable and still deliver wide dynamic range and all the bass anyone could desire.

distortion and to overdriving the woofer at peak power. For a good readable summary of the engineering issues involved, see *Handbook for Sound Engineers*—*The New Audio Cyclopedia*, Glen Ballou, editor (Howard W. Sams & Co., Indianapolis, Ind.).

Most manufacturers, usually for economic reasons, use drivers with limited bandwidth and limited power-handling capability within that bandwidth. Such speakers tend to overload. This is particularly true in the bass. While cost considerations limit most systems to just two or three drivers, it becomes extremely difficult for a single driver to handle both the deep and middle bass, and even more difficult to find a single driver that can handle the entire bass. Crossover design presents equal challenges, with some designs having control problems such that the resulting system is extremely sensitive to amplifier damping

The solution most high-end speaker manufacturers use is either to deliberately sacrifice low- and mid-bass response for superior upper bass and midrange response. The other common solution is to raise the price of the loudspeaker and reach a reasonable compromise between bass power and extension and what is practical to mass-produce. VMPS, in contrast, has accepted the cost of making relatively small numbers of large enclosures with proprietary 12- and 15-inch woofers and built-in subwoofers.

Even the smaller system in the VMPS Tower line, the Tower II, uses a 12inch, mass- and slot-loaded passive radiator as a subwoofer; a 12-inch, high-compliance, low-mass woofer; a 12-inch mid-bass coupler; a 5-inch midrange: a dome tweeter, and a topfiring tweeter to improve dispersion. All of this is housed in a cabinet which measures 43 \times 15 \times 16 inches and weighs 95 pounds. The version of the Tower II under review also had the optional ribbon tweeter and higher performance dome tweeter and costs \$1,328 per pair, assembled. This is not cheap, but the Tower II provides at least three times the cabinet volume of virtually all the speakers in its price range, not to mention the presence of several more drivers.

VMPS specifies that the Tower II has a -3 dB point of 22 Hz, a bandwidth

up to 30 kHz, and harmonic distortion of only 0.7% at 1 watt in a free-field or anechoic environment. The Tower II is relatively efficient and produces 95 dB SPL at 1 meter for 1 watt, but it can take power up to 300 watts. The manufacturer claims it can deliver 126 dB SPL with 5% harmonic distortion, and I found it could deliver well over 110 dB SPL without any audible sign of breakup. (Audio does not pay me enough to audition speakers at higher SPLs!) A quasi-second-order filter is used to preserve good phase response, and the drivers are compensated for time delay.

The Super Tower/R is a larger version of the Tower II, offering even more deep bass and power-handling capability. The larger array of midrange and high-frequency drivers expands the apparent image and soundstage. A pair costs \$2,058 assembled, with the ribbon tweeter and high-performance dome tweeter, and uses a 15-inch mass- and slot-loaded passive radiator firing down toward the base of the cabinet. It uses a 15-inch low-bass driver, a 12-inch mid-bass driver, two 5-inch cones, two 1-inch soft dome tweeters. a ribbon supertweeter, and a top-firing tweeter. Its cabinet is 49 \times 17 \times 21¹/₂ inches and weighs 166 pounds.

VMPS specifies that the Super Tower/R has a – 3 dB point of 20 Hz and a bandwidth up to 40 kHz, with harmonic distortion of less than 0.5% at 1 watt from 22 Hz to 40 kHz in a free-field or anechoic environment. The speaker is relatively efficient, producing 96 dB SPL at 1 meter for 1 watt, and it can take power up to 350 watts. Once again, a quasi-second-order filter is used to preserve good phase response, and the drivers are compensated for time delay.

In both models, the low-frequency and midrange speakers use polypropylene cones. The cabinets are very heavy and are solidly reinforced and damped. Mirror-imaged, the drivers are placed to produce an apparent point source. Both models provide a full range of treble and midrange adjustments, which, for once, seemed to produce best performance at the nominal flat setting. The bass can be tuned to produce the best response for a given room and system by mass-loading the passive radiator to trim its Q. Experimentation in this area is absolutely essential. A Tower that has been carelessly set up, without the proper loading, will either lose deep bass power or will sound far too boomy. The overall construction is very good, although there are some obvious handbuilt touches. Good-quality components are used throughout the crossovers.

I have gone into unusual length in describing the VMPS Tower II and Super Tower/R because they are so radically different from most speakers in their price range and are much closer to the large high-end monitors in terms of size and complexity. Quite frankly, the economics of these speakers amazes me; I really don't see how VMPS can deliver so much for the price.

Once again, however, it is the sound that counts, and the VMPS Towers seem to live up to their specifications. I used third-octave pink-noise and warble-tone generators, and despite the fact that no one can make truly accurate real-room measurements of lowend response with such techniques, the bass I did measure was extraordinarily extended and flat. Subjectively, it is possible to get a very good idea of bass quality by listening to bass and baritone voice, complex and full organ music, a grand piano like the Bösendorfer, and bass viol, cello, and percussion. In each case, both VMPS speakers had extraordinarily good resolution of both the deep bass and the mid- and upper bass.

I should hasten to add that good bass does not mean a steady diet of cannons and bass drums. It also does not mean boom or exaggeration. It means being able to hear the full impact of the organ, without any smear of its lower tones, and being able to feel the lowest notes while understanding the mid- and upper bass as music. Virtually all speakers either give up a great deal of detail. emphasizing part of the bass register at the expense of other notes, or fail to deliver the notes you feel more than hear. This tends to make organ music seem dull and lacking in variety and has similar effects with virtually all bass instruments. The Towers-along with a few much more expensive speakers and subwoofers like the Infinity IRS, larger Duntechs,

BASS — that deep, rich, thunderous sound that moves your body as it excites your ear — M&K brings it alive in a unique sculptural form that will delight and astound you: The MX-1000. A powered pedestal subwoofer.

Integrating a magnetically shielded subwoofer into a pedestal for your large-screen television or monitor, the MX-1000 becomes an industry first in high-performance speakers. Plus, it scores a dramatic achievement in audio/video product design.

М

POW

E

D

P

DES

E

RE

And with the technically ingenious Back-to-Back, Horizontal, Dual Driver System, the MX-1000 achieves a son c



breakthrough, setting new standards for smooth and deep bass; superb transient response; wide dynamic range; and low distortion.

Furthermore, maximum flexibility is built in, making it easy to connect and balance it to your system. And it can be driven by virtually any source — even your television's built-in amplifier.

The MX-1000 redefines the subwoofer standard! Virtually no other upgrade to your system will enhance your audio and video experience

0

so dramatically — capturing the magic of a live perfcrmance with a level of realism that will astound you!

E



T

A

U

BWOOFE

The Super Towers do have a more open soundstage and a notably smoother midrange, and are slightly more dynamic than the Tower IIs.

and ENTECs-really do give you all the music

Equally important, the Tower speakers achieve a flat transition of energy from the deep bass into the upper midrange. They demonstrate that the real advantage of deep bass power lies in its ability to communicate all the natural warmth of ordinary music, not in its ability to reproduce sound spectaculars. If you like solo piano music, string quintets, small modern-jazz groups, and some of the older music for oboe and woodwinds, you will be just as impressed with the Towers' bass as will someone who is into power rock. It

Precision made connectors for the distinguished

WBT-0108 coaxial RCA the solderless crimping plug

cutaway view of WBT-0200 coaxial jack, RCA with active spring adaption

WBT - the crucial soundlink for all good equipment

. or would you buy a Mercedes with bicycle wheels?

For more information contact:

may audio marketing inc.

11.

P.O. Box 1048, Champlain, N.Y. 12919 · Tel.: 518-298-4434

is amazing to hear how important realistic bass extension and power are for enjoying the midrange in very ordinary music, and how much of the impact and warmth of music most small speakers give up.

The Towers offer special advantages in reproducing the power of music such as 19th-century symphonic spectaculars and grand opera. Most speakers condition us into listening to such music at far lower volumes than are heard in a live performance. The Towers have the combination of power-handling capability and low distortion that encourages live listening levels. These are also the levels that expand and open up the soundstage and allow you to hear all the music. Lower levels distinctly alter the apparent tonal balance and dynamics of instruments because of the ear's lower sensitivity to bass and treble (the Fletcher-Munson effect). It was a real pleasure to find affordable speakers that provide this gain without pain.

I do have to say that it was my daughter who really put the Towers through their paces in terms of sheer power and bass energy. She ran through her collection of British rock records at normal volume and then sank into the depths of heavy metal at volumes I regard as being as unpleasant as the music. She even hooked her bass guitar up to my stereo system, and the Towers survived at least as well as the house did. The end result was that her friends who play rock came to hear the Towers and then their friends came. The general reaction was that the Towers were the first realistic rock speakers they had ever heard. I, thank the muses, will never know, from my own live concert experience, if they are realistic. I will, however, certify that these VMPS speakers provide very realistic reproduction of big band iazz-which is as close to live heavy metal as I ever intend to get.

As for the upper octaves and the soundstage, both Towers provided very good performance, although several high-end speakers with similar price tags are superior. The soundstage was wide and open, and imaging was good. Depth was also good, although not truly outstanding. The overall coherence of the upper octaves was good, and the treble was sweet

TOUCH-TONE ACCESS. The direct connection to the equipment you want to buy.



CALL 1-800-553-4355


Audio Magazine is proud to offer the Touch Tone Access service for a select group of advertisers showcasing their products in this issue.

Touch Tone Access lets you instantly act upon your equipment interests. All you do is call the Touch Tone toll free number, then enter the appropriate advertisers code. You'll be told facts about the equipment, the name and address of the dealer nearest you by entering your zip code, how to get additional information, and more.

You can recognize our Touch Tone Access advertisers by checking for the symbol above which appears in the ads, or by locating them on the list below.

TOUCH TONE ADVERTISERS

CALL 1-800-553-4355 and enter the code number for the advertiser you wish information about when asked.











If you're looking for answers, visit a dealer who welcomes your questions. A PARA dealer.

Anyone who's ever shopped for equipment has probably experienced it. The salesperson's blank stare, followed by a mumbled "I don't know". Then, of course, the inevitable fumbling through product literature.

Sometimes, it can be worse. You're given an obviously rehearsed sales pitch. Or shown product you don't want. Or even made to feel foolish.

Well, we promise that none of the above will happen when you visit a PARA dealer. The Professional Audio/Video Retailers Association is comprised of the industry's most experienced independent dealers, representing the industry's finest product lines. Audio and video experts who welcome your interest—and your inquiries.

That's because to be members of PARA, dealers must possess a high level of technical understanding as well as the ability to communicate this knowledge so it's easily understood. Even by a first time hifi buyer.

But, there's more to PARA than just exceptional customer care and superior components. PARA now offers extended warranty plans on all equipment, plus the ability to easily obtain service from all PARA dealerships nationwide. That means we not only sell you the best, we stand behind it as well.

So, the next time you have an equipment question or problem, visit a dealer who specializes in answers and solutions. Your local PARA dealer.



Professional AudioVideo Retailers Association For more information call (816) 444-3500 9140 Ward Pkwy. Kansas City, MO 64114

FOR DEALER LISTING SEE NEXT PAGE

The Tower II is a "best buy" for lovers of deep bass and sheer power, while the larger Super Tower has no rival at anything near its price.

and extended, balancing the extension and power of the bass. With proper adjustment and attention to the mass damping of the passive radiator, both Towers were very coherent speakers.

Anyone who has heard the Quad ESL-63s, Thiels, and Vandersteen speakers at their best would probably agree that it is possible to provide a still more open and coherent sound-stage, slight improvements in the realism of timbre, and more sweetness and apparent air. There is a trade-off between the bass and power of the VMPS and the upper-octave and soundstage performance of some other top high-end speakers.

As for the differences between the Tower II and the Super Tower/R, I lacked the courage to explore their relative dynamic limits. The larger Super Tower/Rs do produce a more open soundstage and a notably smoother midrange and upper midrange. They also sound slightly more dynamic, even at humane listening levels, and there is more "feel" and emotional impact from the deep bass. The two are, however, very similar in overall sound character and performance.

To sum up, the VMPS Tower II is worth a trip to a dealer simply to rediscover bass and to hear what you will be missing in most other speakers in its price range. It is the only speaker even close to its cost that is capable of true deep and powerful bass response down to 25 Hz. Overall, these systems may not produce quite the air, detail, and smoothness of the very best competition in the same price range, but such compromises are limited. I feel that the Tower II is an unquestionable "best buy" for lovers of deep bass and sheer power. It will be of particular interest to fans of organ, rock, big band, and full orchestral music, as well as grand opera.

The Super Tower/R is a bigger, smoother, and better integrated version of the Tower II, with a larger array of drivers, and it offers a more open soundstage and more depth. While it lacks the openness and air of some competitors in its price range, the overall integration is excellent. I know of no rival, in terms of the ability to offer deep bass and sheer musical power, at anything like the price.

Anthony H. Cordesman

ALABAMA-Birmingham AUDITION ALASKA-Anchorage PYRAMID AUDIO ARIZONA-Mesa HI FI SALES, INC •Pheonix BUZZ JENSEN'S SOUND ADVICE, JERRY'S AUDIO VIDEO & MORE-Tucson JERRY'S AUDIO VIDEO & MORE, WILSON AUDIO LTD.-CALIFORNIA-Berkeley DB AUDIO, THE SOUNDING BOARD-Citrus Height PARADYME-Claremont OMEGA HIGH FIDELITY MUSIC SYSTEMS. Concord SOUNDING BOARD-Corona Del Ma PACIFIC COAST AUDIO VIDEO-Dublin STEREO PLUS-Encinitas STEREOVISION-Lajolia STEREOVISION-Lon Beach AUDIO CONCEPTS - Los Angeles CHRISTOPHER HANSEN LTD. - MIII Valley WORLD OF SOUND-Newport Beac AUDIO BY DESIGN-Palo Auto THE AUDIBLE DIFFERENCE-Pleasent Hill STEREO STORE-Sacramento PARADYMI KEITH YATES-San Carlos HERMARY'S INC.-San Diego BREIER SOUND CENTER, STEREOVISION-San Francisc STEREO PLUS, STEREO STORE INC., WORLD SOUND-San Gabriel AUDIO CONCEPTS-San Jose CENTUR' STEREO-San Matco-Solana Beach STEREOVISION-Walnut Creek STEREO STORE-West Los Angeles PARI AUDIO-Woodiand Hills PARIS AUDIO, SOUND CENTER COLORADO-Boulder LISTEN UP INC.-Denver LISTEN U INC.-CONNECTICUT.Danbury CARSTON STEREO & VIDEO, TWEETER, ETC..New Haven TAKE 5 AUDO.Net London ROBERTS AUDIO VIDEO-Waterford TWEETER, ETC.-DELAWARE Wilmington BRYN MAWI STEREO-FLORIDA Baco Raton SOUND PLUS WOOD, INC.-Clearwater RISING SOUND-Jacksonville AUDIO TECI INC.·Miami STEREO BY DESIGN-Pinelias Park COOPER FOR STEREO-Tampa AUDIO VISIONS, INC.·Winter Par ABSOLUTE SOUND, INC. HAWAII Honolulu HONOLULU AUDIO & VIDEO IDAHO Nampa JAMISON'S MUSI WEST-ILLINOIS Aurora STEREO SYSTEMS, INC., UNITED AUDIO CENTER-Chicago HI FI HUTCH, UNITED AUDIO CENTER-Evanston AUDIO CONSULTANTS, INC.+Highland Park COLUMBIA AUDIO/VIDEO+Hinsdale AUDIO CON SULTANTS, INC.-Jollet STEREO SYSTEMS-Kankakee THE SHOPPE-Libertyville AUDIO CONSULTANTS INC. Naperville HI FI HUTCH, STEREO SYSTEMS-Niles UNITED AUDIO CENTER-North Brook UNITED AUDIO CENTERS-Rockford COLUMBIA AUDIOVIDEO-Schaumberg HI FI HUTCH INC., UNITED AUDIO CENTER-Verno Hills HI FI HUTCH INC. VIIIa Park HI FI HUTCH INC. INDIANA Carmel SOUND PRO-Indianapolis SOUND PRO SOUTH-IOWA Des Moines AUDIO LABS INC.-Dubuque THE AUDIO ROOM-Marion AUDIO ROOM LTD.-Sioux Cit PFLANZ ELECTRONICS-KANSAS Lawrence THE GRAMOPHONE SHOP-Leawood AUDIO MART-Wichita AUDIO VISION, INC-LOUISIANA New Orleans ALTERMAN AUDIO, INC.-Maine Camden HARBOR AUDIO INC.-Sout Portland COOKIN' MARYLAND Langley AUDIO ASSOCIATES • Laurel AUDIO ASSOCIATES • Rockville ABSOLUTEL SOUND, AUDIO ASSOCIATES, AUDIOKRAFTERS MASSACHUSETTS Boston TWEETER ETC. Braintree NANTUCKE SOUND, TWEETER ETC..Burlington TWEETER ETC..Cambridge TWEETER ETC..Dedman TWEETER ETC.+Framingham TWEETER ETC.+Hanover TWEETER ETC.+Hyannis NANTUCKET SOUND, TWEETER ETC.+Nort Hampton TRIPOD AUDIO-Rockland NANTUCKET SOUND-Seekonk TWEETER ETC.-MICHIGAN Ann Arbor HI F BUYS-Birmingham ALMAS HI FI STEREO, GRAMAPHONE CO,. INC.-Dearborn ALMAS HI FI STEREO, INC.-Eas Lansing HI FI BUYS-Farmington Hills ALMAS HI FI STEREO, INC-Filnt STEREO CENTER, INC. Grand Rapids AUDI CONCEPTS, CLASSIC STEREO-Lansing HI FI BUYS-Midland HI FI BUYS-Rochester A LMAS HI FI STEREO-Royal Oa AUDIO DIMENSIONS INC. West Bloomfield THE GRAMAPHONE CO., INC. MINNESOTA Brooklyn Center AUDIO KING BROOKDALE-Burnsville AUDIO KING BROOKDALE-Burnsville AUDIO KING BURNSVILLE-Golden Valle AUDIO KING GOLDEN VALLEY.Mankato AUDIO KING MANKATO-Maplewood AUDIO KING MAPLEWOOD-Minneapolis AUDIO KING-Minnetonka AUDIO KING RIDGEDALE-Rochester AUDIO KIN(ROCHESTER-Roseville AUDIO KING ROSEDALE-St. Cloud AUDIO KING-St. Louis Park AUDIO KING ELECTRONI OUTLET-SL. Paul AUDIO KING GRAND & SNELLING-MISSOURI Ballwin FLIP'S STEREO PLACE-Chesterfield TH SOUND ROOM INC.-Crestwood FLIP'S STEREO PLACE-Creve Coeur THE SOUND ROOM-St. Louis ANTECH LABS BEST SOUND CO. • NEBRASKA Lincoln STEREO WEST INC. • Omaha STEREO WEST • NEVADA Las Vegas THE UPPE EAR-NEW HAMPSHIRE Manchester COOKIN'+Nashua COOKIN'+Newington COOKIN'+Salem COOKIN'+NEW JERSE' Lawrenceville HAL'S STEREO & VIDEO CENTER Mapleshade BRYN MAWR STEREO Morristown SIGHT ANI SOUND-Paramus HARVEY ELECTRONICS-NEW MEXICO Albuquerque HUDSON'S AUDIO, SOUND IDEAS INC.•NEW YORK Huntington PERFORMANCE AUDIO-Mamaroneck AUDIO EXPERTS-Manhattan Merrick PER FORMANCE AUDIO-New York City HARVEY ELECTRONICS, LYRIC HI FI INC.-Orchard Park STERE CHAMBER-Westbury-White Plains HARVEY ELECTRONICS LYRIC HI FI INC. NORTH CAROLINA Carrbor STEREO SOUND-Chapel Hill STEREO SOUND-Charlotte AUDIO VIDEO SYSTEMS-Durham STERE SOUND-Greensboro STEREO SOUND-Raleigh STEREO SOUND-Winston-Salem STEREO SOUND-OHIO Akron AUDIO CRAFT CO., INC-Cincinnati STEREO LAB-Cleveland AUDIO CRAFT CO., INC-Columbus STEREO LAB-Dayto CARLIN AUDIO-Findiay AUDIO CRAFT CO., INC.-Mayfeld Heights AUDIO CRAFT CO., INC.-Springdale STERE LAB-Toledo AUDIO CRAFT CO., INC.-Westlake AUDIO CRAFT CO., INC.-OREGON Beaverton CHELSE. AUDIOVIDEO-Bend AUDIO VIDEO LAB-Eugene BRADFORD'S HIGH FIDELITY-Gresham FRED'S SOUND O MUSIC-Gresham FRED'S SOUND OF MUSIC-Portland CHELSEA AUDIOVIDEO, FRED'S SOUND O MUSIC-PENNSYLVANIA Bryn Mawr BRYN MAWR STEREO-Camp HIIBRYN MAWR STEREO-Frazer BRYN MAW STEREO-Harrisburg BRYN MAWR STEREO-Jenkintown BRYN MAWR STEREO-King of Prussia BRYN MAW STEREO-Langhorne BRYN MAWR STEREO-Langhorne BRYN MAWR STEREO-Montgomeryville BRYN MAW STEREO-Philadelphia BRYN MAWR STEREO-Quakertown BRYN MAWR STEREO-White Hall BRYN MAWR STEREO-RHODE IS LAND Middletown SOUNDINGS • Warwick TWEETER ETC. • SOUTH DA KOTA Sloux Falls AUDI(KING.TENNESSEE Cookville LINDSEY WARD.Johnson City THE SOUNDROOM.Knozville LINDSE WARD-McMinnville LINDSEY WARD-Memphis MODERN MUSIC AUDIO-Nashville CUMBERLAND AUDIO, LINI SEY WARD, NICHOLSON'S STEREO-TEXAS Amarillo DON'S HI-FIDELITY Austin HIGH FIDELITY INC. Beaumot BROCK AUDIO INC. «Corpus Christi TAPE TOWN» Dallas HILLCREST HIGH FIDELITY, HOME ENTERTAINMENT PRESTON TRAIL AUDIO Fort Worth MARVIN ELECTRONICS HOUSTON HOME ENTERTAINMENT, SHEFFIEL AUDIO-Lubbock HI FIDELITY OF LUBBOCK, INC. San Aztonio BJORN'S STEREO DESIGNS, INC. Texarkana SOUN TOWNE, INC. VIRGINIA Arlington AUDIO ASSOCIATES-Fairfax AUDIO ASSOCIATES, AUDIO KRAFTERS-Fai Church AUDIO ASSOCIATES-CAR STEREO-Newport News SOUND APPROACH-Roanoke AUDIOTRONICS -Springfiel AUDIO ASSOCIATES • Virgina Beach AUDIO CONNECTION, THE SOUND SHOP • WASHINGTON Bellevue MAGNOLL HI FI INC. • Lynwood MAGNOLLAHI FI INC. • Seattle DEFINITIVE AUDIO, MAGNOLLA HI FI, INC. • Tacoma MAGNOLL HIFIMINC. •WASHINGTON D.C. AUDIO KRAFTERS •WEST VIRGINIA Wheeling STEREO LAB •WISCONSINB rookfiel FLANNER & HAFSOOS-CAR STEREO PLUS-Eauclaire EME AUDIO SYSTEMS-MEQUON FLANNER & HAFSOO MUSIC HOUSE-MIlwaukee FLANNER & HAFSOOS MUSIC HOUSE LTD.-CANADA Edmonton, Alberta STERE SOUND SHOP-Vancouver, British Columbia COMMERCIAL ELECTRONICS-Victoria, British Columbia SOUND HOUND & SOUND PLUS+Cambridge, Ontario WESSELING ADVANCED AUDIO+Kitchener, Ontario WESSELING ADVANCE AUDIO-Ottawa, Ontario AŬDIO CENTER, AUDIO SHOP-Toronto, Ontarlo BAY BLOOR RADIO, GREAT METROPOL TAN SOUND CO.+Laval, Quebec AUDIO CENTRE 2-Montreal, Quebec AUDIO CENTRE, AUDIO SHOP

AUDIO/JUNE 1989

AURICLE

PHANTOM ACOUSTICS SHADOW ACTIVE L.F. ACOUSTIC CONTROLLER

Company Address: 12919 Earhart Ave., Auburn, Cal. 95603. For literature, circle No. 94

The Shadow is one of the most unusual and interesting products in the world of audio today. Nothing on the market does what this unique system purports to do, which is to actively control low-frequency room resonances. The Shadow, says the manufacturer (Phantom Acoustics, a division of Threshold Corp.), performs "much as though the room boundaries had been physically removed. ... Use of a Shadow will 'clean up' room effects that would otherwise mar bass reproduction and will increase the perceived clarity in a music system's low-frequency performance.

Therefore, let us take a close look at the construction and theory of operation to give a clear idea of what makes this device tick. Externally, the Shadow appears to be a cloth-covered linoleum tube, 91/2 inches in diameter, on a black, round, 15-inch supporting base. The Shadow is 831/2 inches tall, and its center of gravity is about 40 inches from the floor. This makes it relatively unstable if it is not vertically aligned. (However, it comes with carefully written instructions on safety and on how to adjust the mounting-base feet for perfect vertical alignment.) Inside each unit are two amplifiers, two condenser microphones and two loudspeakers, with a microphone and speaker mounted at each end of the tube. A power supply is connected to each tower via a detachable cable. The Shadow is available only in pairs, for \$1,790.

Since each column weighs only about 45 pounds, the Shadows are not very difficult to move around. They do, however, have to be tilted or turned horizontally to get through doorways of normal height, should it be necessary to move them from room to room. As



will be discussed later, some experimentation is necessary to find the optimum location for the Shadows in each acoustical environment.

Schlesingei

Ś

James


Photographs:

These acoustical controllers stand alone, independent of the playback system in the room; there is no connection between the Shadow and the reproducing system. Rather, the condenser microphone senses the pressure field and feeds a signal to the inverting power amplifier, which drives the loudspeaker to produce a pressure wave in opposite polarity to the room pressure. Therein lies the Shadow's fundamental principle of operationpressure cancellation. The effective frequency range over which the Shadows operate is specified as 30 to 200 Hz. This is the range where standing waves will establish themselves in a typical room.

Digressing for a moment to recall the physics of wave propagation will help understand why it is necessary to control the pressure waves. The velocity of sound is about 1,130 feet per second, which means that sound wavelengths from 20 Hz to 20 kHz range from about 56 feet to under an nch! For wavelengths much smaller than the dimensions of the room, reflections can be controlled by the type of material on the surfaces. But for wavelengths that are larger than the room dimensions, the only passive control of the pressure buildup is by changing the dimensions of the space and the mechanical rigidity of the wall structure. Indeed. sophisticated acoustic laboratories and some recording studios have motorized walls that can be moved back and forth to change their low-frequency characteristics and reverberation times. Now

mirage





The Mirage M-1 loudspeaker system is being praised by the leading audio critics as one of the biggest breakthroughs in speaker technology available today.

This full range Bi-Polar loudspeaker has set new standards for musicality and home stereo reproduction. Experience electrostatic transparency, thundering dynamic range and possibly the best sound staging of any speaker system.

Audition the Mirage M-1 and the Mirage 60 series speakers at selected audio specialist stores.

This speaker may change forever the way you think about music.

Mirage - 3641 McNicoll Ave. Scarborough, Ontario, Canada. MIX 1G5 (416) 321-1800 Enter No. 34 on Reader Sarvice Card



The Shadow can help with narrow-band problems, such as standing waves set up by room boundaries, that no equalizer can touch.

comes the Shadow, an active pressure-controlling device.

Electronic equalizers can be utilized where loudspeakers have a response deficiency over a bandwidth of a quarter octave or more; they can be used to control high-frequency response if the room is too bright or dull as a result of the surface materials employed, and they are also useful in compensating where frequency response changes are known to be needed (for example, when a microphone in a recording session has a certain frequency characteristic that needs correction). However, equalizers are of no help in com-

"... one of the most musical power amps on the market."

STEREOPHILE - VOL. 8, NO. 8, JAN '86

"Every so often, a product comes along that is so well suited for its niche in the marketplace that it seems odd no one thought of it before. In my mind, the B&K PRO-5 is such a product." THE SENSIBLE SOUND, Summer '87 #1A

"The B & K equipment offered a fine combination of tonal smoothness and clarity."

HI-FI HERETIC, Summer 1988

"All told, I see the B&K gear as fine value (particularly for those who need an extremely powerful amplifier), and strongly advise you take the time to hear it."

HI-FI HERETIC, Summer 1988

"B&K products are among the finest values on the market today."

STEREOPHILE - VOL. 8, NO. 8, JAN '86

"A runaway bargain and a stellar performer." HI FI HERETIC, FALL '86

PRE-AMPLIFIER

- RIAA accuracy within ±.2 dB, through the use of polypropylene film capacitors. This produces a transparent sound with a highly accurate musical timbre.
- FET loading to maximize linearity and minimize noise.
- Wide band width to assure extraordinarily clear reproduction of all styles of music.

POWER AMPLIFIER

- Class A pre-driver circuitry driving class AB Mosfet output stage.
- Toroidal transformers for highly efficient power supply operation.
- Differential input stage with an active current source load, assuring DC stability and extremely wide band width linerarity.





 B&K COMPONENTS, LTD. 1971 Abbott Road, Lackawanna, New York 14218 USA

 1-800-543-5252
 NY: 716-822-8488
 Fax: 716-822-8306
 Made in the U.S.A.

batting very narrow-band aberrations, such as standing waves established by room boundaries.

Harry F. Olson, in his legendary text on acoustical engineering, describes the theory of this concept, diagramming how such a system could be designed and implemented. Nelson Pass of Phantom Acoustics is the inventor and designer of the Shadow. He followed the technical outline given by Olson and has applied for patents on the specific implementation of the Shadow. This is the first product of this type on the market for use with home high-fidelity playback systems. However, similar devices have been employed for low-frequency noise control and to enhance the acoustics of large concert halls

I thought of several names that might imply the nature of what the Shadows are supposed to do: Pressure gobbler, room-resonance killer, anti-resonance generator, reverse acoustic-field generator, wall destroyer, room magnifier, and so on. In any event, if the Shadows were perfect in accomplishing their task, they would be able to do away with the standing waves created by the presence of room boundaries and produce a totally open space for the loudspeakers to propagate into. In essence, then, the ideal device could simulate the condition which results when listening in open space-at least up to about 200 Hz.

Okay! Have you got the picture of what this is all about? Sounds pretty exciting so far, doesn't it? Well, as one might rightfully imagine, particularly in the difficult area of acoustics, the realworld execution is sometimes far from the theoretically postulated. In order to verify the basic working principles, I conducted a couple of simple tests. By feeling around the units. I located the condenser microphones. The one for the top speaker driver is mounted right at the center of the upward-firing driver-where the tweeter would be if the speaker were coaxial. A gentle finger tap on this microphone produced a low-frequency "thump" from the speaker that was not evident when the Shadow was switched off

Secondly, I wanted to get an idea of how much acoustic energy the Shadow could put out. With a top-grade audio system, one must be deeply

128

---Leonard Feather, Celebrated Jazz Critic for the L.A. Times, Washington Post News Service and Author of many books including "The Jazz Years-Earwitness to an Era."

"BBE made my audio system sound better than I ever dreamed possible!"

"Listening to music has been my vocation and avocation for a lifetime. I've spent countless hours sitting in front of bandstands while some of the world's greatest musicians mesmerized me with their artistry.

"Listening to recorded music, of course, falls short of the delights of listening to a live performance. I was therefore skeptical when told that BBE could make a dramatic improvement to virtually all audio systems and I had to hear for myself.

"I was amazed at how much better the BBE 1002 made my music system sound! There was a presence, a *being there* sense of excitement. The rich textures of the instrumental sounds, the subtle nuances and details in the music come through with clarity and authenticity.

"BBE is clearly one of the most important advances in the electronic reproduction of music to come along in my lifetime. Bravo, BBE! Encore!"

The Great Professional Music Magazines Love BBE

"The difference in processed audio and non-processed audio is like the difference between high-fidelity speakers with and without pillows placed in front of them."

-Radio World

"There was no doubt the BBE processor added more spatial quality, more transients and more clean highs. This is the first black box that actually helped make my music sound the way that I *knew* it should. The effect is shattering!" —*Music Technology*

BBE Really Fits In

Measuring 161/2" x 9" x 134," BBE fits perfectly into your audio rack. Then just plug it into your wall socket and standard tape loop.

Full Money-Back Guarantee

If you're not completely satisfied with the BBE 1002, return it within 30 days. We'll refund your money. No guestions asked.

Full Warranty

All BBE products are backed by a full year's warranty on all parts and labor—and by our reputation for innovation and leadership in the audio and electronics industries.

Easy to Order

It's as easy as one, two, or three.

- 1. Call us. Toll free. 1-800-233-8346.
- In California, 1-800-558-3963. 2. Or, complete and send us the coupon at right.
- 3. Or, if you're in New York or New Jersey, pick up your BBE 1002 in any *MACY's* audio department.





BBE 1002 unit(s) at \$189 each.

5500 Bolsa Ave., Suite 245, Huntington Beach, CA 92649, (714) 897-6766. (800) 233-8346. In California, (800) 558-3963. In Canada, contact Daymen Audio, 3241 Kennedy Road. #22, Scarborough, Dintario MIV2J9 or call (416) 298-9644. BBE is a trademark of BBE Sound, Inc.

Send me

Or please		e to m						_
U Visa	D Ma	asterCa	ard					
C Ameri	can Ex	press						
Card #								
Exc. Date	2							
Signature	_			-				
Name (print)		_	-	-			
Address				-		_	_	
			_				-	
City/State/	Zip							

A-6

With proper placement, the Shadows even opened up my smallest room enough to make it sound like a large concert hall.

concerned about how much power the Shadow can handle before distortion sets in. To check for relative power handling, a Shadow was turned on its side and the top microphone/driver located within 4 inches of the 15-inch woofer in a Duntech loudspeaker system. Using tones of 40 to 80 Hz, I could not drive the Shadows to audible distortion until about 100 watts of continuous power was applied to the speaker. With music signals, no distortion was audible at maximum power levels.

I wanted to get an idea of the bandwidth of the active transducer. Since the driver is clearly working in the low-

Natural ingredients. The components of a great audio product are like the ingredients of a great recipe. With the help of skilled hands they can become a work of art. Your nearest Accuphase dealer invites you to a feast for your ears. DP-80L CD Transport DC-81L Discrete 20-Bit Digital Processor

Accuphase

Exclusive U.S. Distributor MADRIGAL AUDIO LABORATORIES PO. Box 781, Middletown, CT 06457 ITT TLX 4942158 frequency, direct-radiating region of the piston, it can be safely assumed that the pressure response is quite uniform. Furthermore, the designer, Nelson Pass, may have found in his extensive development and listening tests that a particular response was most suited to produce the desired results. So, I merely wanted to get an idea of the bandwidth of the active system. To do this. I set the Shadow on its side, facing it directly into a loudspeaker. and then switched it on and off and observed the reduction in output from the source speakers as the frequency was swept from 5 Hz upward. (Remember, the output of the active element is in opposite polarity to the applied signal.) Doing this a few times and averaging my subjective reactions, I gathered that the bandwidth of the overall suppression region was from about 25 to 200 Hz. The actual measurement of a system such as this could be very difficult and costly-bevond the scope of this report and the budget of this reviewer.

Another interesting experiment I conducted was to place a free-air lowfrequency driver (no enclosure) near the Shadow to see if it could simulate an enclosure. As you recall, the purpose of a loudspeaker enclosure, in the most basic sense, is to keep the back wave from scooting around the driver and cancelling the pressure from the front of the driver. If the Shadow can gobble up the pressure from one side of the driver, then the opposite side would radiate as if it were in some type of box. This experiment was less conclusive, probably because of the poor coupling, but there was audible evidence that at least some of the back wave was being eaten up. This phenomenon might be an idea for a future inventor or loudspeaker tinkerer.

For sonic evaluation, a pair of Shadows was evaluated in three rooms: A very small one, about 6×7 feet, with most surfaces in glass and tile (okay, it was the bathroom); a medium-sized space, about 10×10 feet, with a large window in one wall, and a still larger room of 14×20 feet.

In each case, it was found that selecting the best location for the Shadows could produce the effect of moving the walls back or opening up the room. The effect was much more

ORIGINAL MASTER RECORDINGS

UNEARTH THE TREASURES OF GOLD WITH THE LIMITED EDITION COLLECTOR'S SERIES. The most advanced compact disc in the music industry today! The 24K Gold **ULCRAD!SC**[™] is a dramatic breakthrough in the consumer music market. Capable of generating music for above current audio standards, it is setting new highs in listening pleasure. **Current releases on ULCRAD!SC**[™] Moody Blues, Steely Dan, The Allman Bros., Pink Floyd & more. **Upcoming on ULCRAD!SC**:[™] Jethro Tull, Jefferson Airplane, Elton John & more.

151





Enter No. 35 on Reader Service Card

For a complete free Original Master Recordings catalog, call toll free: **800-423-5759**, or write: Mobile Fidelity Sound Lab, 1260 Holm Road, Petaluma, CA 94952.

Some listeners could hear no effect, but others got it right away. Said one: "Wow! It sounds like you kicked the walls down!"

quickly noticed in the smallest of the three rooms, where it was possible to find locations that produced a very authentic sound impression of a large concert hall. By moving the Shadows to a different place within the room, it was then possible to give the acoustic space an "out of doors" quality. Very interesting, indeed! In the largest of the three rooms, the overall change in the sound was subtle but nonetheless everpresent. In each situation, switching on the Shadow made the room sound bigger or, if you prefer to think of it another way, made the sound more open. As one would expect, the



location of the units in the room have a great deal to do with the audible effect.

As it should be, the effect is sensitive to program content. It was more audible when an ample portion of the signal was in the region between about 50 and 200 Hz. The effect would be more noticeable in rooms with very rigid walls. In a typical home, construction materials being what they are, the very lowest frequencies (below, say, 50 Hz) are not strongly reflected but are absorbed by flexing of the walls, floors, and ceiling. (By the way, a 200-Hz tone has a wavelength of about 6 feet. Thus, it is likely that nasty standing waves will exist throughout a typical room at about this frequency.)

By inviting a few visitors into the test room and asking their opinions about the differences heard with the Shadows off and on, it was quickly learned that some could hear no differences at all while others picked it up right away. The least experienced audiophiles were the quickest to pick up on it. One reaction was, "Wow! It sounds like you kicked the walls down!"

The Shadow is a product that will push the advanced playback system along the asymptotic line to perfection. It is an incremental improvement in playback spatiality that is well worth the price for those who are in search of excellence or just want to have a lot of fun with a great and theoretically valid idea. Those who live in small apartments or have their playback systems in very small rooms would benefit most dramatically. For those whose playback rooms, of any size, have odd configurations that cause acoustic anomalies, it may be worth trying the Shadows before making architectural modifications. Since the dealers for this product are very high-end, customer-oriented businesses, it may be possible-and is certainly advisableto request a trial in your listening room before deciding whether the Shadow is the best solution to improve your system.

Finally, what a conversation piece! I had more fun talking to visitors about these units than about any other equipment in a long time. You need not worry that visitors won't ask about the Shadows; though elegant and gracefully designed, these acoustic controllers will be noticed by anyone entering the room. Almon H. Clegg

N E W P E C R N G Δ 0

The New York Voices Go On Record As Ambassadors Of Vocal Jazz

America's musical fast track, the five young vocalists who compose the New York Voices seem to have picked an appropriate name. For the most part still in their twenties, and a performing entity for less than two years, their live performances have snapped audiences to attention. And now they've been recorded by GRP

Records, a successful label closely in tune with today's adult taste.

The GRP CD that carries their name is a fine showcase for these multi-talented performers. whose roots reach from jazz and classical music to the theatre. It combines such jazz standards as Duke Ellington's Caravan and the Thelonius Monk tune, 'Round Midnight

Ithacans Kim Nazarian and Caprice Fox, both sopranos, numbered four. After deciding to fill out the ensemble with a fifth member and spreading word that they were holding auditions, Sara Krieger was signed on. Meader, who does much of the group's writing and arranging, explains that Krieger's alto voice results

Given the Big Apple's status as sextet, Meader, Eldridge and fellow short a time. Another may be, as Peter Eldridge puts it, that "people love vocal music, they love singing."

"Particularly within the perspective of the jazz idiom," interjects Meader, completing the thought. "I was an instrumental jazz musician before I got into vocals, and the response to this project has been much quicker." Purists might argue that what the

New York Voices do falls outside the jazz framework in that it is more blueprinted than improvisational. Meader admits that "the music is on the page for the most part," but is quick to add that the arrangements leave "a lot of space for improvising." He likens the ensemble to a small version of one of the jazz world's big bands rather than to a



The New York Voices are il. to r.) Sara Krieger, Peter Eldridge, Kim Nazarian, Darmon Meader and Caprice Fox

with numbers that will appeal to popular music fans. While they generally use instrumental backing, their album contains blocks of a cappella singing as well.

Four of the five New York Voices studied at Ithaca College, though not necessarily at the same time. They were first brought together as part of a six-person alumni group, formed specifically to sing at European jazz festivals during the summer of 1986.

About a year later, two of that ensemble's members, tenor Darmon Meader and baritone Peter Eldridge, began talking about getting their own group together. "The obvious choice was to continue where we left off.' comments Meader, who now leads the New York Voices.

Well, almost where they left off. While the alumni group had been a in "a little fuller sound. A fifth note adds yet another color," he remarks.

Just a few months after their formation, the New York Voices made a New York debut, not at an obscure club but at the city's prestigious Town Hall. An annual Manhattan concert is an Ithaca College tradition, notes Meader. As luck would have it, the February, '88 event's focus was on jazz, and the fledgling group was asked to participate.

Music making of this sort has few and obvious precedents. Lambert, Hendricks and Ross and, later, Manhattan Transfer are probably the two most notable groups who broke ground for the New York Voices. The fact that they're working within a narrowly-populated niche could well be one reason these young performers have attracted so much notice in so classic instrumental combo.

A more important issue may be the group's relation to those vocal assemblies that polish anything resembling a sharp edge off their music and lack both the energy and honesty for which jazz is known. While conceding that the very nature of blending voices can result in an "incredibly lush" sound, Meader contends that the New York Voices transcend such sweetness with what he terms "a more aggressive approach" to their arrangements. And even as they cross over from their jazz origins into music of a more commercial nature. they're hell bent on preserving artistic integrity.

"We want to sell records," Sara Krieger asserts, "but we certainly don't intend to lose sight of why we're doing this in the first place."

PAYING OFF THE PIPER

Spike: Elvis Costello

Warner Bros. 25848-1, LP Sound: B Perf

Sound: B Performance: A There's a whole crowd who can draw from Elvis Costello's 12-year survey of romance like it's a dictionary of quotes; he's put out reams of acrimonious sentiment, enough to animate the


poison-pen letters of any love life. But bitter lovers will have to turn elsewhere for acerbic puns. since, with Spike, Costello has largely left their ranks to investigate, with more sensitivity and skill than ever before, different territory. Perhaps it's knowing that he may very well be discomfiting some segment of his audience that Costello offers, on the album cover, his own fatuously grinning head mounted on a plaque that bears the inscription "The Beloved Entertainer." as if to beat to the punch those who will consign him to obsolescence

We no longer have an angry young man eloquently ranting in front of a bare-bones backup band, pumping out top-of-theform pop tunes easy to bang out on your roommate's guitar. On *Spike*, glockenspiel, Uileann pipes, tympani, Irish harp, and snazzy horn arrangements create complex, evocative backdrops for Costello's observations about capital punishment, imperialism, and the dark side of organized religion.

Of course, Costello has issued social commentary before, but what he delivers here is consistently concerned with this dark underbelly, and he undresses it with unblinking candor. It's all drawn from a fresh palette of stark settings-an airport departure lounge, a middle-class den bathed in TV light, death row-peopled by a set of characters whose actions reveal more about themselves than they ever proclaim. There's a hapless fellow hanged for inciting a murder, a lecherous and drunken priest who frets about the afterlife, a crafty politician capitalizing on sentimental photo opportunities, easily programmable soldiers, and a voodoo mistress in the guise of a schoolmarm. They all drift around in various states of

delusion, rushing away from truth to whatever tune Costello sets down.

From an eerie waltz to frenetic jazz stomps, Costello directs several dozen musicians on *Spike*, including Paul McCartney on bass, Chrissie Hynde on vocals, and co-producer T Bone Burnett on guitars. McCartney and Costello add each other to short lists of col-



laborators on two songs, "Veronica" and "Pads, Paws and Claws," which clearly show the sappy pop influence of the former overshadowed by the sobering cast of the latter. Susan Borey

Radio One	: Jimi I	Hendrix		
Rykodisc 59:37.	RCD	20078,	CD;	AAD;
39.37				

Sound: A Performance: A

Beatification of Jimi Hendrix continues nearly 20 years after his death, as these rare early Experience sessions, recorded for the BBC's *Radio One*, see the light for the first time since their original broadcast in 1967. (Well, technically for the second time, since about eight of these songs were released on a posthumous early-'70s bootleg called *Goodbye*, *Jimi.*)

Legal issues aside, you'll be a lot happier listening to the new version, which has the advantage of using original tapes and the latest digital technology. Not that the masters were in great shape, according to Joe Gastwirt, who did the mastering and points out that

> they were recorded two-track. directly off the broadcast mixing board-some during live broadcast and some in separate sessions. It's not clear if all the songs here were actually broadcast, but patter with the audience on tunes like "Hear My Train a Comin' " suggests possibly not. The master tapes were cleaned up with as light a treatment as possible (to preserve the music) using Sonic Solutions' NoNoise de-noising system. Gastwirt also credits the quality of the final product to having used a brand-new Neve DTC console. This allowed EQ, expansion, and fading to be done digitally, without requiring interim analog steps which would have added noise. Also, Gastwirt was careful to set tape machines to the European standard CCIR curve as opposed to the American NAB curve, which would have added brightness to the already bright material.

The sonic results are excellent, given the less than ideal sources. Some minimal hiss is audible at high volumes, but this

is not disturbing. The music is still noticeably compressed and favors higher frequencies—the inevitable effect of the recording circumstances. Occasionally, there are some startling shifts in audio reference perspective, as if the mikes or mix were dramatically changed between cuts.

The performances here are priceless glimpses of early Experience, just before the assault on the U.S., and they're full of Jimi's characteristic raw energy and bravado. Most notable are "Day Tripper" with (come on, let's say it because your ears will confirm it) a guest vocal by John Lennon, a sacrilegious rendition of "Hound Dog," Muddy Waters' "Catfish Blues," a rare instrumental "Drivin' South," and such certifiable classics as "Purple Haze," "Hey Joe," "Foxy Lady," and the sumptuous "Burning of the Midnight Lamp." Also check out "Hoochie Koochie Man," which was broadcast on the BBC World Service's Alex Korner's Rhythm & Blues Show and features that seminal British blues interpreter backing Jimi on slide guitar.

There's an entire organization—Are You Experienced? Ltd.—supervised by Alan Douglas and devoted to bringing us more high-quality Hendrix like this icon. Listen to *Radio One* and you'll hear further evidence of why Jimi Hendrix could inspire such devotion.

Michael Wright


Drums of Passion—The Invocation: Babatunde Olatunji Rykodisc RCD 10102, CD; ADD; 39:25.

Sound: B Performance: B

It takes a little time and patience to appreciate the dense framework of percussion that is both the backbone and heartbeat of this energetic music, and to correctly place things in perspective. With at least a dozen drummers engaged most of the time and no melody instruments. except for voices. *Drums of Passion* can be overwhelming at first. We're used to mentally placing percussion in the background. hearing it as accompaniment to whatever is up front. But here, percussion serves as both lead and rhythm; any instrument can subtly shift roles alone or in concert with others many times within a song.

Olatunji's 21-member ensemble includes Airto Moreira and The Grateful Dead's Mickey Hart, who produced the disc. Hart thought a "live" sound was necessary to authentically represent the band. He accomplished this by recording them together in a single room, capturing individual instruments with condenser microphones and blending the signals with those obtained from an overview concert miking setup that caught the collective sound of the percussion and their intermodulations.

Drums of Passion is a cycle of songs addressed to the Orisas, some of the most colorful figures in the spiritual cosmology of Nigeria's Yoruba people. Once humans who, by living memorable lives, have been relegated to something like sainthood, the Orisas are thought to serve as mediators between a supreme being and the people who worship the Orisas by chanting, dancing, and singing songs of commemorative praise. Of the innumerable Orisas, those attended to here are: Kori, a fertility goddess invoked through sacrifice and ritual to bring off-



spring to childless couples "to dance with"; Sango, a tyrannical yet generous fellow who has the ability to make thunder, and Ogun, the spirit believed to control all wars. Preceding the tributes is an introductory invocation to Ajaja, who unifies those who call upon the *Orisas* in hopes of reaching higher spiritual levels.

With hypnotic call-and-response charting interwoven with drumming that keeps a furious pace throughout, Olatunji and company passionately whip through six songs that demonstrate how it's possible to merge art and worship. Even after repeated listening and reflection, it seems that we can only scratch the surface of meaning in this rich, complex cultural phenomenon. Susan Borey

Stay Awake—Various Interpretations of Music from Vintage Disney Films: Various Artists A&M Records SP 3918, CD: AAD; 66.14.

Sound:	B+	Performance:	B

Stay Awake is the fourth album Hal Willner has produced as an artist tribute. Following, as it does, his testimonials to Nino Rota, Thelonious Monk, and Kurt Weill, this panegyric to Walt Disney and his movie music is quite a change of pace. But there is good reason behind this project. These songs





AZ PhoenIx: Audio Video Specialists, Bruce Wardin & Associates -Tempe: Precision Audio Specialists

CA Corona del Mar: Padific Coast Audio Video · Glendale: Crystal Sonics, Marconi Radio - La Crescenta: Chalham-Becker Corp. Long Beach: Audio Concepts . Los Angeles: Henry Radio, Paris Audio, Audio Command Systems, Supervision, Robert's Home Audio & Video, Western & Olypic A/V Center · Mission Viejo: Video Laser . Newhall: Chalham-Becker Corp. . Oakland: Pro Audio Electronics · Palm Desert: Desert Stereo · San Francisco: Custom Car Alarms, Harmony A/V of Filmore, House of Music, Peter's Auto Radio · San Gabriel: Audio Concepts · San Jose: Paradise Sound . San Leandro: Mad Audio Systems . San Mateo: Mateo High Fidelity - Santa Ana: Solid State TV-Audio - Santa Monica: R Squared Installers . South Lake Tahoe: Accurate TV . Torrance: Dimensions in Stereo . Woodland Hills: Paris Audio CO Aspen: Aspen Audio · Boulder: Listen Up · Colorado Springa: Listen Up . Denver: Listen Up CT Greenwich: F. Steyer Design . Hartford: The Stereo Shop .

Old Greenwich: C.A.R.S.

DC Washington: Myer-Emco Provideo Inc.

DE Dover: Sound Studio . Newark: Sound Studio . Witmington: Sound Studio

FL Boca Raton: Sound Plus Wood + Brandon: The Car Stereo Shoppe- Coral Gables: Sound Performance - Daytona Beach: Audio Video Analyst . Dunedin: All States Radio . Hollywood: Audio 2000 - FL Lauderdale: Sound Design & Engineering - FL Myers: Car Tunes . Jacksonville: Behrens Audio Lab, Crusing Tunes- Miami: Las Fabricas - Naples: Stereo Garage - New Port Richey: Stereo Specialtes .Patm Harbor: Auto Audio . Tampa: Monte's Rolling Sound . Tequesta: TV/Audio Ctr . Winter Haven: Audio Equalizers

HI Honolulu: Custom Car Stereo, Hakko Camera & Electronics IA: Cedar Rapids: H-S Industries

IL Aurora: United Audio Centers - Chicago: United Audio Centers, Hi Fi Hutch . Northbrook: United Audio Centers . Naperville: Hi Fi Hutch . Niles: United Audio Centers . Northlake: Guy's Auto Sound . Schaumburg: Hi Fi Hutch, United Audio Centers . Vernon Hills: United Audio Centers - Villa Park: Hi Fi Hutch- Downe Grove: Safecar Autosound Engineering- Witmette: Village TV A/V IN Carmel: Tom Doherty's Custom Audio . Ft Wayne: Classic Stereo · Michigan City: Audio Connection

KS Overland Park: Brands Mart . Wichita: Custom Sound MA Cambridge: Audio Video Environments, New England Audio/ Media Systems · Medford: Boston Media Design MI Mount Pleasant: Dr. Goodears Audio Palor

MD Gaithersburg: Myer-Emco, East Coast Auto Sound-Owings Mills: Lighting Experience ·Rockville: Myer-Emco Provideo-Salisbury: Sound Studio

MN Brooklyn Center: Audio King .Burnsville: Audio King . Edina: Audio King . Mankato: Audio King Minneapolis: Audio King, Audio Systems & Design, Audio Video Environments, Blumberg Communications, . Minnetonka: Audio King . Rochester: Audio King . St Cloud: Audio King- St Paul: Audio King . St Louis Park: Audio by Design

MO Kansas City: Brands Mart Midwest -St Louis: T. Melodious, NC Charlotte: Stereo Showcase •Winston-Salem: Audio Video Concepts/Ed Kelly's, Inc.

NE Lincoln: Sound Environment - Omaha: Sound Environment NJ Cliffeide Park: Entertainment Environments · Deptford: Hi-Fi Connection - Livingston: Electromedia Design, Inc. - Mariton: Hi-Fi Connection · Millburn: Professional Audio Consultants •Northfield: Sound, Inc. • Ocean side: Ocean Cellular • Paramus: Stereo Video Warehouse · Springfield: Kartunes Mobile Electronics - Wayside: Studio Standards Inc. - West Caldwell: Comtel, Samm Sound - West Long Branch: Woodbridge Stereo Center · Woodbridge: Woodbridge Stereo Center NV Las Vegas: Elite Systems

NY Brooklyn: Rabson's Stereo Warehouse - Coram: Sound Images - Garden City: Rabson's- Hauppauge: Audio Interiors -Huntington: AB Car Stereo, Total Media Systems- Manhasset: Autospec . New York: Cosmophonic Sound, Harmony House, Mobile Audio Specialists, Rabson's . Oceanside: Absolute Auto Sound, Sound Insights . Port Jefferson Stn: Designation . Rego Park: Continental Sound . Rockville Centre: Audio Command Systems · Syosset: American Soundcraft · Southampton: Charos Custom Sound . Staten Island: Clone Audio- Valley Stream: Stereo Video Warehouse . West Nyack: Audio Video Systems, Inc. · While Plains: Audio Design Associates, Stereo Video Warehouse OK Tulsa: Imperial Sound

OR Eugene: Bradford's High Fidelity

PA Ardmore: All That Jazz · Bethlehem: Canlen Audio · Ephrata: Stereo Bam · Lancaster: Stereo Barn- Philadelphia: David-Mann Ltd., Teppers Autosound

RI Middletown: Soundings

SD Souix Falls: Audio King

TX Austin: Audio Dimensions - Houston: Groove Audio Video -Laredo: Jett Sales - San Antonio: Bjom's Stereo Designs VA Charlottesville: Preferred Sound . Falls Church: Myer-Emco . Fredericksburg: Contemporary Sounds - Roanoke: Custom Auto Sound · Virginia Beach: Videorama

WA Bellevue: Home Entertainment by Design WI Mitwaukee: Flanner & Hafsoos - Meguon: Flanner & Hafsoos WV Princeton: The Sound Post

See out ad in this issue for more information Canton N. America (612) 333-1150

The new Barbra Streisand CD shows off this singer's voice—an instrument she plays with mind-boggling control-to perfection.

are genuinely universal. All of us have either seen, or been touched by the music, of Disney's films. Thus, there is more than mere nostalgia behind this album: There is the adventure of encountering old friends in bizarre new clothes.

This is not an album for children. In fact, the young ones will be put off by these arrangements, which aren't the ones they know. Willner elicits magic from these tunes by using unusual artist/song pairings. They are often daring and sublime, sometimes startling, and sometimes downright brilliant. But one thing rapidly becomes apparent: Despite what we might think we remember, these songs are not all visions of sweetness and light. Some of these new versions are very dark-none more so than Tom Waits' black-lung tale of "Heigh Ho" from Snow White.

For startling, try Sinead O'Connor murmuring "Someday My Prince Will Come," Betty Carter doing "I'm Wishing" from Snow White, or the finale of "When You Wish Upon a Star" sung, perhaps inevitably, by Ringo Starr with Herb Alpert adding a trumpet solo.

Nothing here is more sublime than Aaron Neville's version of the Mickey Mouse Club theme, while the Ken Nordine narration bits and Buster Poindexter doing "Castle in Spain" from Babes in Toyland are pretty strange. But nothing is weirder or more brilliant than Sun Ra & His Arkestra doing "Pink Elephants on Parade" from Dumbo.

And there's a whole lot more! This album is beautifully recorded to let the arrangements and the subtleties built into the backgrounds-which are as much fun to listen to as the foregrounds-be easily heard. The wild variety of musical styles makes room for all sorts of sounds.





One thing I cannot understand is why no indexing marks were included to make it easier to cue up individual songs which appear in the middle of the medleys that make up the album. It is simple to do, and it should have been done.

Stay Awake is a unique and lovely album of old favorites. And these new arrangements only serve to highlight the fact that the Disney movie songs included here really have stood the test of time. Michael Tearson

Till I Loved You: Barbra Streisand Columbia CK 40880, CD: DDD: 47:02.

Barbra Streisand has one of the most glorious voices on record. It is an instrument she plays with mind-boggling control and finesse, alternately soaring with it into the outer reaches of the stratosphere and taking it down into whisper-soft shadows. Her newest album, Till I Loved You, shows off that voice to perfection and exhibits her characteristic masterful craftsmanship in its every detail, from production to the limpid, lovely sound quality of this digitally recorded Compact Disc.

Barbra's duet with ex-paramour Don Johnson on the title number has become somewhat controversial. She is reported to have demanded the cut be excised from the album after they broke up, but it had already become a hit single. Nevertheless, the contrast of their talents here serves to highlight Barbra's significant abilities. Johnson, an adequate singer, sails along in a straight line while Barbra swoops and dives around his vocal in dizzying, dazzling arabesques. Eagles should fly with eagles, I say.

The flaw of this album is in its relentless focus on that glorious voice and what it can do. You hear Barbra and not the songs, and after the full 11-cut distance, everything sounds the same. Paulette Weiss

STREETWIRES®—THE ONLY CHOICE WHEN PERFORMANCE MATTERS

Whether you are building a car audio system for competition or just want to get the most out of the system in your everyday car, StreetWires" is a must. Only StreetWires" gives you the performance, fit and finish you need for a competition quality installation. Only StreetWires" has the unique advantage of in house product research, innovative design and engineering. And only StreetWires" guarantees superior material selection, 100% quality control and "state of the art" manufacturing. StreetWires" is more than just wires. StreetWires" provides you with all the innovative accessories you need to create a system that will nterface better, perform better, look better, and last longer. That's why virtually all competition show cars and car audio manufacturers use StreetWires" in their demonstration vehicles. They know StreetWires" are the best money can buy. Visit your local StreetWires" dealer and make the "StreetWires" Connection"... and let your system be the best it can be!

Distributed in Canada by: LINGAR MARKETING CORP. 2197 Dunwine Drive Mississauga, Ont. L5L 1X2



RR3 Box 262, Winder, Georgia 30680. Dealer Inquiries Invited. Enter No. 22 on Reader Service Card The new Scruffy the Cat release is like a crazy quilt of all the upbeat stuff ever heard enroute from Mersey to Memphis.

The First of a Million Kisses: Fairground Attraction RCA 8596-2-R, CD: 48:01

Sound: C+

Fairground Attraction has a light, almost fey touch to their music. The 14 songs on this CD, including two bonus

Performance: C

tracks, come from a place very near Tin Pan Alley. These Britishers display an old-fashioned sentimentality again and again in their songs. They even sound American.

Their low-keyed approach features Eddi Reader's appealing voice and mostly acoustic instrumentation. They



Music Is an art that meets its match in the JAMO ART© loudspeaker. For hi-fi that makes its statement in sight as well as sound, hang it up: JAMO ART. Audio from Denmark.

Jamo -

312-498-4648

JAMO HI-FI, USA Inc 425 Huehl Rd Bidg 3A Northbrook, IL 60062



appear so casual that they hardly seem to be trying very hard, yet Fairground Attraction emerges a very likable bunch with likable songs in folky, airily jazzy modes.

Maybe a punchier, slightly more aggressive sound would have rendered the group more imposing.

Michael Tearson

Moons of Jupiter: Scruffy the Cat Relativity 88561-8237-1, LP

Sound: B

Performance: B -

We take you now to a land of diners. burgers, and girls in summer haltersand of wallboxes, not boomboxes. With their second LP, college-radio fave Scruffy the Cat conjures a world of turquoise and Coca-Cola cherry red. Why they didn't release this in the summer, I'll never know, but get your beach towel ready anyway.

What with all the retro-'50s and retro-60s stuff out there, it was only a matter of time before something like Moons of Jupiter would come along and put retro-'50s, retro-'60s, and retro-rockers all on the same vinyl. The five-man, Boston-based Scruffy announces its intentions right away with the wacky "Kissing Galaxy"-a garage-band song, if your garage happens to hold a two-seater flying saucer. And the rest of the album is a crazy quilt of all the upbeat melodic stuff you've ever heard on the road from Mersey to Memphis.

The result is a lot of fun, though not quite a total party-even the cheeriest chirping can get on your nerves after awhile. Scruffy the Cat's preponderance of obvious instrumental swipes (er, homages) makes you wonder if the most original thing about the band isn't the name. Tell you the truth, I was flashing back to the retro-'60s sound of The Hoodoo Gurus on Mars Needs Guitars! on more than one occasionespecially when I noticed how Scruffy also likes to thank pop-culture icons in their liner notes (although the '50s EC

THE AUDIO COLLECTION





18" x 13" x 5" and features 1/4" foom podding for player protection, three pockets, shoulder and hand grip straps and fastex hardware. Whether you use it to transport your player and discs or for business trips, this bag is the best. #65DISCB \$59.95 (\$3.00)

CD PLAYER BAG

AUDIO TECH WATCH

Sleek, exotic and accurate, this elegant solid black chrome bracelet watch has a round black dial with gold-tone hands, sweeping second hand and precision quartz movement. It comes beautifully giftboxed and warranted by Gruen Men's style #65WATTM Ladies style #65WATTL \$89.95 (\$3.00)

POLO SHIRT



TIMELESS HITS

Now you can personalize your own CD with this unique timepiece. These clocks are the result of extensive design engineering. Each clock is individually handcrafted in the U.S., using only premium quality enamels and beveled glass. The fully electronic quartz movement is warranted for life. Just give us the name you would like to appear on the clock and we'll give you your greatest hits of all time. #65CLOCD \$36.00 (\$3.00)

POLO SHIRT

100% pique knit cotton shirt with twobutton front, knit collar and cuffs and hemmed back make this the standard. Available in black #65S01B, white #65S01W and red #65S01R \$26.95 (\$3.00)



CLASSICAL MUGS CLASSICAL MUGS These distinctive 12-ounce English Ironstone mugs with large grip handles boast the logo of your favorite magazine. Ava lable in set of two (black and gray) #65MUGS2 \$16.95 (\$3.00)

To order, call our TOLL FREE lines. We accept Visa, MasterCard and American Express, or send a check plus shipping and handling to AUDIO, P.O. Box #765, Holmes, PA 19043

ORDER TOLL FREE 800-345-8112



HUNGRY META

TDK's new MA cassettes have a voracious appetite for musical energy. Thanks to the awesome magnetic properties of their ultra-fine, ultra-dense Finavinx metal particles, they can consume (and store) massive quantities of the most powerful digital sources.

Considering the high frequency MOL'S (Maximum Output Levels) inherent in today's digital music, a tape must have extremely high


coercivity and remanence to perfectly reproduce it. And MA's ultra-refined Finawinx, which contains nearly twice the magnetizable ions of normal and high position tapes, provides these two characteristics in a major way.

Compared to TDK's previous MA, an exceptional tape in its own right, new MA achieves a high frequency MOL (10 kHz) of 0 dB - an improvement of + 3 dB! Combine this with an exceptional low b as noise of -58.0 dB, and you get a high frequency dynamic range improvement of 4.5 dB!

New MA's revolutionary particles also assure enduring storage and stable performance, thanks to TDK's special surface treatment. And to enhance these superb characteristics, the anti-resonance SP-AR mechanism drastically reduces modulation noise.

So, it's no wonder why audio perfectionists who demand perfect reproduction select MA. It's even available in 110 minute lengths, which will accommodate two CDs. Due to TDK's unique combination of smooth, durable base film and special coating technology, long term reliability is finally possible in this length.

Of course, new MA is also available in 46 and 90 minute lengths. Now, exactly how hungry are you for metal?



Gipsy Kings' debut album is as unforgettable and striking as anything you are likely to encounter for a long time.

Comics artist is named Basil Wolverton, guys-not "Basal"). But if Scruffy falls into a niche, at least it's a rollick, not a relic.

There is, for instance, the bouncy "Bus Named Desire." It opens with a rapid-fire '60s dance-song opening lifted straight from a half-dozen Hullabaloo hits, and then progresses into slyly ironic vocals that keep the cut from getting too cute. The surf instrumental "Nova SS 1968" comes complete with handclaps, yet somehow it doesn't get too goofy. And in "Everything," you get the best examples of the sweetly silly lyrics found throughout this album: "In every yard in my hometown/small animals are underground/In the sewers and in the trees/even in their own documentaries.

For all good children who grew up on Captain Kangaroo, this album is respectfully submitted. Frank Lovece

Gipsy Kings Elektra/Musician 60845-2, CD: AAD: 43:30

Sound: A Performance: A

The Gipsy Kings make a thrilling sound that, from the album's opening all the way to the end, is very hard to ignore. Here, flashing guitars, ever the staple of the traditional Gypsy form, meet synthesizers, bass guitar, and occasional drums and percussion to bring the traditional to modern ears without really watering down the style or the impact one iota. The vivid and vibrant sound of the recording is a crucial ingredient in this album's glory.

The melodies the Kings play are pungent-plenty strong enough to rapidly work an inescapable path into the nervous system. "Bamboleo" and "Djobi Djoba," both of which have been hits in Europe, are the strongest pieces here. Their only cover is "A Mi Manera," which we know as "My Way," and it's wild to hear the song in this context

Gipsy Kings has the potential to be a huge left-field hit in America. The band has it "in the grooves" in a big way. By reports, the Gipsy Kings' live show is a stunner. But for now, their debut album, recorded in France, is as striking and unforgettable as anything you are likely to encounter for a long time. Michael Tearson

140

AUDIO/JUNE 1989

ZACCHORD From MIT


The Fruit Doesn't Fall Far From The Tree

HOME AUDITION PIAN


After nearly a decade of groundbreaking research and development, Music Interface Technologies now has neutral, noise-free audio cable that is easy for the picking.

Within reach of any audio Eudget, MIT's new ZAPchord Speaker Cable and Interconrect "ZAP" the noise and leave the music with special "ZAPline" networks and patented termination techniques Because ZAPchord cab es remove the noise, audio components sound more powerful, dynamic, cefined, and deta led than ever before. Jnlock the vibrancy of the music on your


favorite records, tapes, and CDs with ZAPchord from Music Interface Technologies.



Constant Velocity Transmission™ Series • Selected from the top of the tree, CVT * is MIT's "cost-no-object" and newest technology. The CVT Coupler™ r every cable is calibrated to eliminate delay distortion and phase no ≤e.



MIT and Shotgur Series - Plucked from the upper branches, these established m cable products are the audic industry's standard for neutrality, clarity, and precise focus because of their minimal delay distortion and phase holse



PC Squared • Ripe and ready to implove your system. MIT's new nuid-priced line uses UNIFIELD ^M and VARI-LAY^M construction our patented computer modeled techniques that insure tonal neutral ty and phase correctness



Distributed by Transparent Audio Marketing - Rt 202, Box 117 - Hollis, ME 04042 - (207) 929-4553 Enter No. 38 on Reader Service Card

CLASSICAL RECORDINGS

BRASH BRASS BASH



The Chestnut Brass Company: Renaissance, Baroque, and 19th-Century Music Performed on Authentic Instruments of the Period.

Crystal CD-562; CD; DDD; 47:47.

Jonathan Haas, Virtuoso Timpanist: 18th-Century Concertos for Timpani and Orchestra.

CRD-3449, CD; DDD. (Available from Kettles & Co., 142 West End Ave., #17N, New York, N.Y. 10023.)

"Lead reviews," the featured items of the month, tend toward the highminded or the celebrity item, hopefully for listening joy. But the range of classical recording these days is so wide that we really have to spotlight the zany once in a while, just to keep things in perspective.

Take these two CDs. Thanks to gross oversupply, I have lately put aside piles of brass recordings, but one caught my eye. *Chestnut?* What do they mean? Somehow that doesn't seem to relate to the solemn subtitle. So I tried it.

Wham—out comes, of all things, the Khatchaturian "Sabre Dance," for brass, double speed. Definitely a chestnut, the piece drove us all crazy in every demo room during the earliest hi-fi shows! Did I have the wrong CD? Not at all. With barely a pause for breath, the players move into three ohso-classical 16th-century composers, played on old instruments, including that jolly old head-chopper, King Henry the VIII of England. No sooner did I adjust to this ancient music than there followed, just as incongruously, a brace of succulent mid-19th-century tidbits, on authentic brass of *that* time, followed, absolutely deadpan, by Cole Porter!

And so it went, leaving me musically gasping. Back to a sort of fantasy on music by one Arban, a late-19th-century brass pedagog-and, no doubt, local hero among brass players. Nice, if you could forget Cole Porter, not to mention Henry VIII. And finally, two big extras, strictly "classical" contemporary-or, rather, post-neoclassical in the manner of academic new music these days-which is neither Cole Porter nor Henry VIII, decidedly, First, a quite severe French lady (born 1924) named Denise Roger, and then a more gentle American, John Da Hey, I used to know this John Davison as a 20 year old-he is now nearly 60-and his music sounds just like him.

So, you see, it's a "Department of Utter (Brass) Confusion," this CD, to borrow a famous phrase from *The New* Yorker. Did the young players know it? After all, the music is indeed all brass, which is their world. Maybe they are dead serious. But that name—Chestnut? I enjoyed the whole of it.

As for the second CD, featuring a young genius of the timpani (plural), Jonathan Haas, it is infectiously absurd—no better description. Three little concerto-type works out of the elegant late-18th century, Mozartish. One composer, Johann Fischer, is pleasant but wholly insipid; the other, Georg Druschetsky, is a noticeably more able composer and quite easily listenable, especially his two-movement Concerto with a lovely Mozart-like orchestra for oboe and Believe it or not, oboe and *eight timpani!* One man. of course, playing all eight.


Thus, behind all of this gentle, elegant, bland Mozartish music, you will hear what seems to be distant heavy thunder outside or, at times, a much louder effect, as of several bulldozers dropping huge boulders hither and yon, with bangs and thumps. Jonathan is terrific, but, at least on CD, that's how he sounds. Can't watch him.

If you listen *hard*, you'll even hear the drums playing tunes along with the orchestra. Singing bulldozers?

But the humorous payoff comes with the obligatory cadenzas for the "soloist." in all the right places—just as, say, in a flute or violin concerto. Can you imagine it? Here, the effect is as of an approaching tornado, dropping autos, lumber, oil drums, maybe a washing



AUDIO/JUNE 1989



machine, down from the heavens. I couldn't believe it.

In Haas' defense, you must understand that these works are authentic and were actually played (visibly) back in the 18th century. A new slant on the Age of Mozart. Edward Tatnall Canby

Haydn: Symphony No. 96 in D ("Miracle"), Symphony No. 102 in B Flat. Austro-Hungarian Haydn Orchestra, Adam Fischer.

Nimbus NI-5135 CS, CD; DDD; 54:15.

Here's another evidence of the part the arts play in international relations, as well as an expert and musical rendition of two late Haydn symphonies plus a short opera overture. The orchestra actually spans the border between East (Hungary) and West (Austria). playing in both countries on a permanent and equal basis. The musicians belong to both nations and have free access either way; the conductor is a dual citizen. The recordings were made in one of the grand palaces where these works were heard in Haydn's time. All this, of course, merely restores what once existed, when both these geographical areas were a part of the larger Austrian Empire that included most of the "East bloc" countries as well as parts of present Italy. Havdn himself moved back and forth from Hungary to Austria as part of the musical establishment of his prince.

These are pretty much standard concert performances for symphony orchestra. European division, as now practiced by most of the well-known orchestras, including our own in America. That is, the works are played on modern instruments, not the old "authentic" type, but on a small scale approximating the size and instrumental roster that Haydn would have expected. The playing is good because the players are from the Vienna and Budapest Philharmonics and other top-rank ensembles of the region. Equally important, of course, is the unified homeland musical tradition that still exists there, never seriously broken by even the great wars and political disasters. For us who love music, this is a good thing to know—and to listen to.

Edward Tatnall Canby

Tchaikovsky, Dvořák: Serenades for Strings. Bavarian Radio Symphony Orchestra, Sir Colin Davis. Philips 422031-2 PH, CD; DDD.

The Tchaikovsky and Dvořák Serenades for strings have always been among the most popular works for string orchestra. They are beautifully crafted, tuneful, and not incidentally. wonderful vehicles to "show off" an orchestra's string section.

The Bavarian Radio Symphony Orchestra of Munich is not a major orchestra in the sense of the Berlin or Vienna Philharmonic, but under the masterful baton of Sir Colin Davis, they play in world-class form. In terms of ensemble, intonation, and responsiveness, the string playing is splendid. The performances are difficult to fault and do full justice to this music.

Recorded in the lovely, warm acoustics of the Herkulessaal in Munich, this is a big, powerful, high-level sound, with great presence and definition. There is a broad stereo soundstage, precise instrumental localization, and a good perception of depth. Yes, it is multi-mixed, but done with taste and a light hand. Bert Whyte

Bartok: Concerto for Orchestra; Janáček: Sinfonietta. Los Angeles Philharmonic, André Previn. Telarc CD-80174, CD.

A good juxtaposition here, even though the two composers were a quarter-century apart and the two works are separated by some 20 years-1926 for Janáček, 1944 for Bartók. Listening, one feels that they definitely are out of a similar background and manner, and this is sensible: Both came from the large middle-European region of small nationalities which were within the Austrian empire until WWI, a region that was the cradle of the Western musical art (with Italy, Spain, France, England, etc. around the fringes). Politics tend not to change these similarities, even though they may try.

Beyond the interesting similarity, we have good performances here. André Previn, who once was a bit of a flashy *Wunderkind*, has gone on to become a persuasive interpreter of numerous



Roy Goodman conducts the orchestra in a revealing and astonishing read of the great final movement of Beethoven's Ninth.

standard works all the way through what we might call the historical modern, like these pieces. The Los Angeles orchestra is always lively and perceptive; it *sounds* interested, given half a chance. (It liked this music, all right.)

In the dozens of recordings of the Bartók Concerto, I wait for some telltale moments. One is the incredible batch of parallel duets for two solo instruments of the same kind-two trumpets, two oboes, two clarinets-each at a different interval, ever so sagely chosen. The trumpets play in acid seconds, the clarinets in even more acid sevenths, the oboes in fifths. It can be stupid. Here, it is full of life! The other passage is the take-off of the heavyweight Shostakovich Seventh, which Bartók detested-a silly little bit of a dance, followed by a huge orchestral guffaw. They get it here! Perfect. And so with the rest. I'd call this the recording of choice today among many that are less communicative.

Janáček is less forceful, but good listening. His strong point was opera, and he found a way to write for those very special big voices, which was modern but not impossible nor deliberately freakish, as was so much 1926 music. This piece, all instruments, fits into the picture with such as earlier Stravinsky, Prokofiev, and Hindemith. Temperately modern, you might say.

Edward Tatnall Canby

Beethoven: Symphonies Nos. 1 to 9. The Hanover Band on original instruments; Roy Goodman and Monica Huggett; Oslo Cathedral Choir. Nimbus NI 5144-48, five CDs; DDD.

All nine! And the good old Ninth, the bane of record producers throughout the LP era-it would not fit, whether on two sides or three—is ever so easily put on a single, not-too-long CD face. But this isn't the half, or the quarter, of it. The recording goes far beyond just the splendid feat of all-original instruments, played with the finesse of the modern types and not a sour note or a blooper to be heard in hours of music. The whole project, built up in the playing from 1982 to 1988 and in the preparation of newly scholarly special editions of each work for "decades," is a monumental undertaking and huge labor of love. These are not "midnight to



5 a.m." pickup sessions with a conductor jetting in and out to another continent! That obvious, earnest intensity of purpose reeks throughout and guarantees your closest attention.

It is hard, therefore, to have to put forth even petty criticisms, which take too much toll by far. All but one of the Symphonies are recorded in a Gothic (mod) church-stone, two tiers of tall arches minus decoration (to smooth the sound)-called, in typical British, "All Saints Tooting." It is an unfortunate venue for this music, not really at all like the surely warmer acoustics of the medium-sized aristocratic halls (holding 400 or so, as the notes point out) in which the works were originally heard and for which they were intended. This is a big, blurred Gothic sound, a long, confusing reverb, and my ear says it is also bumpy, with unpleasant overlapping waves and peaks further contributing to the confusion. In this cold sound, much of the Beethoven detail is smeared, and a fairly close miking of some of the elements still does not achieve a balance. It is a sort of toothpaste or gummy surround acoustic which blurs one, two, three chords into each other. I found it increasingly distressing as I went on. Even the rhythms are disturbed-those sharp, short Beethoven bursts (which do need some reverb, of course). And many a dramatic change of key becomes an undramatic smear

By further misfortune, the two conductors include one who simply does not quit, who seems to ignore the acoustics, never allowing a musical breathing place, driving stonily forward (if in undoubtedly legitimate fast tempi, according to the best musicology). Does he hear, as we do? If not, he should have objected to the sound as heard in playback. This is Roy Good-

man, who conducts most of the works. His colleague, Monica Huggett—who leads the First, Second, and Fifth—has a clearly better ear for musical breathing in a difficult acoustic situation.

I must hastily add that there are many segments which rise, sometimes unexpectedly, to splendid heights of expression, and this from both Goodman and Huggett. The Fifth strikes me as the most impressive (Huggett), but the great final movement of the Ninth (Goodman) is astonishing, a really revealing performance of this oftenheard and often-debased masterpiece. (In this case, oddly, it is because of slower, more sensibly paced tempi, so that the voices, both solo and chorus, do not scream and yell.)

To go into the fascinating details would take an entire issue of this magazine: The steely, scratchy sound of the strings; the smoothly played wind band (*Harmonie*); the startling, shallow bang of the timpani, and the complete "optional" repeats, rarely heard in toto even today. They make the Fifth into a really sizable work, instead of a shortie.

But the most powerful impression of all is the fact that this orchestra sounds big and massive, purely Beethoven, though it is much smaller than the conventional modern symphony orchestra. That is stunning proof that original instruments are *right*, given the heroic work of restoration and fully professional performance. This is indeed the sound that Beethoven heard, or should have heard, and it is awesomely impressive, acoustics or no.

The Ninth Symphony is already separately available on one CD, and I assume that others, probably in pairs, will soon be around to choice.

Edward Tatnall Canby

Phases of the Moon: Traditional Chinese Music. Central Broadcasting Traditional Instruments Orchestra. CBS MK 36705, CD; ADD; 58:48.

After Nixon's famous visit to China, the doors to Chinese art and culture gradually began to open. *Phases of the Moon*, originally released on LP in 1981, was one of the first musical examples, and its rerelease on CD is long overdue. Because I avoid playing LPs (unless absolutely necessary), I haven't heard this recording for several



HUGE NEW STEREO EXCHANGE 30,000 SQ. FT. ON 3 LEVELS

- Nine Sound Rooms
- Components, Systems, Multi-Room Installations, Entertainment Centers
- From \$100 \$100,000
- Custom Installation
- Audio/Video Consultants
- In-House Repair
- Pick-up & Delivery Service



Authorized Dealerships:

Apogee, Arcam, Ariston, ASC Tube Traps, Audioquest, Boston Acoustics, B&K (#1 N.Y.C. Dealer), B&W. California Audio Labs, Camoridge (#1 E. Coast Dealer), Celestion SL. Cello, Chicago Stands, Classe, Clements (#1 U.S. Dealer), conrad-johnson, Convergent Audio Technology, Counterpoint (#1 U.S. Dealer), CWD, Duntech, Eminent Technology, Grado, Janis, Kimber Kable, Klyne, Luxman, Magnum Dynalab (#1 E. Coast Dealer), Mod Squad (#1 E. Coast Dealer), MIT, Museatex, NAD, Nitty-Gritty, Precise, ProAc (#1 U.S. Dealer), PS Audio, Rogers, Jeff Rowland (#1 N.Y.C. Dealer), Song FS, Sonographe,Soundlab (#1 U.S. Dealer), Spica (#1 E. Coast Dealer), Stak, Straightwire, Sumiko, Sumo, Target, Threshold—Forte (#1 N.Y.C. Dealer), Tice (#1 U.S. Dealer), Van Den Hul (#1 U.S. Dealer), VPI (#1 U.S. Dealer), VeIodyne (#1 N.Y.C. Dealer), Versa Dynamics (#1 N.Y.C. Dealer), Vendetta, VTL (#1 E. Coast Dealer), Wadia, Well Tempered (#1 E. Coast Dealer), etc.

Stereo Exchange 627 Broadway, The NoHo Building, New York, NY 10012 Our other location, 687-A Broadway, New York, NY 10012

212 505-1111

800 833•0071 outside NYC Enter No. 46 on Reader Service Card Most major credit cards

Maestro AUDIO CABLES

by Straight Wire

Maestro - The most revered title among music conductors. The elite conductors - Toscanini.. Reiner.. Munch... Performing in concert, MAESTRO Cables achieve such stature by conducting music signals with unprecedented refinement.

The MAESTRO's performance eclipses trendy interpretations to attain absolute fidelity to the composers' intentions. With MAESTRO Cables, music sounds enchantingly beautiful. Suddenly you can hear everything.

* For a thorough analysis of cable performance and interconnect speaker cable compatability request THE WHITE PAPER ON AUDIO CABLES

1909 Harrison St., #208, Hollywood, Florida 33020 / (305) 925-2470

Enter No. 47 on Reader Service Card

BOUND VOLUMES BACK ISSUES BINDERS/SLIPCASES



BOUND VOLUMES Great Reading, Great Price!

A ready reference for audiophiles! A full year of AUDIO is carefully hard-bound for easy reference. Complete volumes for the years 1979 through 1984 are available. Only \$24.95 including shipping and handling.

TO ORDER:

Indicate year(s) requested and send check or money order, NO CREDIT CARDS, to: AUDIO Magazine, 1515 Broadway, New York, NY 10036, Attn: Bound Volume Dept. Allow 4 weeks for delivery.

BACK ISSUES

Single-copy back issues of AUDIO from 1983 through current issue are available. (Note: April, August, and October 1983 are unavailable.) \$5.00 per issue postpaid.



BINDERS/SLIPCASES



Maintain your AUDIO collection in these topquality binders or slipcases. Binders, \$9.00 each; 3/\$26.00; 6/\$50.00. Slipcases, \$7.65 each; 3/\$22.00; 6/\$40.00. Include \$2.50 per order for postage and handling.

TO ORDER: Indicate issue/binder/slipcase. Include proper amount for postage and handling. Please add your applicable sales tax. Allow 6-8 weeks for delivery. Make check/money orders payable to: Audio Magazine, P.O. Box 765, Holmes, PA 19043. DIRECT TOLL-FREE ORDER NUMBER: 1-800-345-8112. Use your Visa, Mastercard or American Express card. \$10.00 MINIMUM CREDIT CARD ORDER. Though *Phases of the Moon* is a compilation of folk music from China, its moods and feelings speak readily across cultures.

years. so I listened to the CD with fresh ears, and it was a treat to hear this music refurbished for the format.

How does traditional Chinese music sound to Western ears? Fear not-vou won't be confronted with inscrutable sounds too bizarre to comprehend. The music on this disc is quite melodious and easily accessible, even if you don't know anything about Chinese music. You might just find yourself singing or humming melodies, as I did. McLuhan's concept of the "global village" has become a reality since he wrote about it in the '60s. Technology, from satellites to CDs, has played a major role in acquainting us with the art and culture of people all over the world. Two recent examples of this "small world" effect come to mind. The ceremonies at the Seoul Olympics gave us an opportunity to hear exotic Eastern musical sounds on TV. The current Broadway show, M. Butterfly, which features Chinese music performed live on-stage, is a smash hit. Twenty years ago, it might have been an obscure Off-Broadway production. But today, the music carries its meaning to Western listeners and is an essential ingredient of the show.

Because *Phases of the Moon* is a compilation of folk music, the moods and feelings expressed communicate across the cultures quite readily. Some pieces are joyous dances: others are quiet and introspective. "Dance of the Yao People" alternates between delicate, serene passages and excited, agitated segments. The 20-page booklet is quite helpful, covering the background of Chinese culture and commenting on each piece.

Although the audio quality is acceptable, the recordings, made by the China Record Company, date from 1980. What equipment they may have been able to acquire before China opened its doors to the West is difficult to guess. Most of the time, the music is fairly quiet, and the sound quality is fine. At high overall levels or when high frequencies dominate, however, you'll hear exactly the kind of analog distortion you'd expect, and two of the tracks are in mono. But don't let any of this bother you. Relax and enjoy the music-and hope for new digital recordings of this exquisitely charming music in the future. Steve Birchall

146



JAZZ & BLUES

LIFE CYCLES



Dial & Oatts: Garry Dial and Dick Oatts

dmp CD-465, CD; DDD; 62:13.

Right from the opening seconds of solo sax and strings, the immediacy and liveness of the sound on this CD captured my attention. Some recent developments in recording technology have raised the level of quality, and this disc is one of the first examples. The process that engineer Tom Jung used is fascinating. With outboard analog-to-digital converters, he was able to digitize the signals immediately after the microphones, send those signals through a digital mixer, and then on to a digital tape recorder---without ever reentering the analog domain!

Jung recorded the jazz quartet alone on a DAT deck through a digital mixer, then transferred the signal to an openreel digital recorder for editing. Later, he copied the edited stereo quartet tracks to a digital multi-track recorder and added the string tracks. Using the digital mixer, he combined the quartet and string tracks and recorded the final mixdown on a DAT. That mix went back to the stereo open-reel machine for final editing and then to a DAT cassette, which he sent to the CD pressing plant. Now, that's a lot of signal manipulation, and on analog equipment, the signal loss would be unacceptable. However, by using the new digital hardware, Jung retained the clean sound of a direct-to-stereo recording while gaining the flexibility of multitracking. The result is a breathtaking recording that sets a new standard for clarity.

Sonic details leap out everywhere. From the pure, sweet sounds of the sax to the satisfying, full-bodied sound of the bass, the music seems to jump out of the speakers. Even the tiniest details are audible without being obtrusive. In "The Perfect Pill," listen to the clean, crisp sound of the drum stick on the hi-hat cymbal. It's buried far down in the musical texture, but it's still clearly audible. The string sound is crisp and clean, without a trace of harshness and with just enough reverb to make it come to life.

Dick Oatts is the sax player for dmp's award-winning group, Flim & The BBs, and Gary Dial is pianist for the Red Rodney Quintet. So the style is exactly what fans of Flim & The BBs would expect, but this is the most ambitious project to date, since Dial and Oatts regard the entire disc as a single composition. It encompasses a wide variety of moods and styles, with a kind of *thirtysomething* story line linking all the songs together. Things start out relaxed and laid-back, but dramatic conflicts soon arise as the themes and characters interact. At the end of "Kept Woman," chaos enters, and the quartet members go off in their own directions, forgetting the common beat and tempo-a neat musical effect that makes the mellow ending more effective. The free-spirited sax solo in "The Firing" seems to be going in the same direction but dissolves when the strings enter to cool the excitement. Film composer Carlos Franzetti wrote the string arrangements and conducted the orchestra. If you want a taste of recording techniques of the future, combined with well-played, imaginative music, listen to Dial & Oatts.

Steve Birchall

Design: Interior Windham Hill WD 1087, CD; 34:25.

New Age music with strong overtones of Liszt and Bach make *Design* a strange, but strikingly beautiful, recording. In concept, the six tracks are all derived from the same source material (the opening of the first track, "Gaia"). That's the Liszt influence, because the overall structure of *Design* is similar to the movements of a 19thcentury tone poem. More than simply a set of variations, the individual movements have distinctive themes developed in their own way. But the themes all come from the original source.


"Gaia" actually provides two main musical ideas: A melodic line and a motoric accompaniment figure. That's the Bach influence, because it is similar to the technique he used in many of the preludes in the unaccompanied cello and violin suites. It plays an important role in all six tracks of *Design*—



Photograph: Dave King







JOHN PATITUCCI, virtuoso bass player, delivers ON THE CORNER featuring allstar soloists Michael Brecker and Kirk Whalum.

CHICK COREA, piano; John Patitucci, bass and Dave Weckl, drums. The ultimate rhythm section roams at will with the spirit of improvisation and interplay delivering new interpretations of classic standards and originals.



DIGITAL

On GRP Compact Discs, HQ Cassettes and Records.

MASTER

Chick Corea

Akoustic Band





and if you doubt the Bach influence. then just give a listen to "N.Y. 1908." The solo piano line sounds like a Bach cello suite transcribed for piano, complete with accented notes to make secondary melodies and harmonies pop out and to suggest the implied counterpoint.

Interior has paid attention to the problems of creating appropriate acoustical spaces for their music. Instead of finding one good imaginary environment for the entire disc, they vary the ambient quality to achieve greater expression. The first track begins boldly and energetically with a big, orchestral, concert hall sound. In "N.Y. 1908," the solo piano exists in a much smaller, more intimate space. with some subtle left-to-right shifting of the sonic focus. Interior continues to alternate spacious and intimate environments for the remaining tracks, but the spatial effect is different each time, and is beautifully matched to the musical ideas

This is one of the first examples of the new guitar-style synthesizer controllers to filter through the pipeline. In the future, we can expect to hear much more synthesizer music created by both guitar and woodwind controllers. After all, a keyboard is only one way of playing an electronic instrument. Alternative controllers offer the advantage of playing techniques unique to strings and woodwinds. An easy-to-hear example of the guitar controller is in "River." The musical gestures would be impractical and difficult on a keyboard.

The only complaint I have is that the disc is short (34:25), even by LP standards. I understand the artistic reasons behind this: Interior considers Design a complete, self-sufficient work, and they didn't want to dilute its effect by putting extraneous filler on the disc. I oppose the notion of buying CDs on a price-per-minute basis, or rejecting those with less than 60 minutes on them. If you love music, that's just plain foolish. Nevertheless, this is a skimpy disc, and Windham Hill is a pricey label. Interior's music is interesting, and I'd like to hear some shorter pieces to put Design into a better perspective. Steve Birchall

Latir	cord F	ble	zz: Tito Pu			
	nd: B+		Pe	rform	anc	e: A
lt	should	be	obvious	that,	at	this

stage in his career, bandleader/percussionist Ernest "Tito" Puente is *el rey de los musicos Latinos*—the king of Latin musicians. Perhaps not so obvious to many listeners is Puente's longtime involvement with. and extensive contribution to, jazz. Since Dizzy GilStylistically, Tito Puente has been playing this type of music for years, but he continues to make it sound fresh and new.

lespie's historic collaboration with legendary Cuban conga player Chano Pozo in the '40s, many jazz greats, including John Coltrane, Charlie Parker, and Miles Davis, have taken the opportunity to blend Latin and jazz into one music form. Puente has always been on that musical front line, melding salsa's rhythmic exuberance with jazz's melodic introspection.

Tito Puente's latest recording is on the Concord Picante label (*picante* means "spicy hot" in Spanish), part of the well-known California-based Concord Jazz label. Perhaps as important as the release itself is the fact that there is a label waving the flag for such music.

This CD features Puente on vibes and, of course, on timbales. Although Puente is, in fact, credited with introducing the vibes into Latin music, his skill on the timbales generally overshadows his reputation as a vibraphonist.

Tito Puente has always played with and led big bands. He likes the harmonic possibilities available with large groups. Here, though, the group is somewhat smaller—up to 10 musicians play behind him, including the excellent pianist Sonny Bravo. Joining in on three tracks—George Shearing's "Consternation," Thelonious Monk's "Pannonica," and Neal Hefti's "Repetition"—is alto saxophonist Phil Woods.

While the music on Salsa Meets Jazz is newly released, it is certainly not new to Puente and his fans. Stylistically, he has been playing and writing similar music for years. Some readers may even remember hearing these types of melodies at New York's Palladium ballroom in the '40s and '50s. What is remarkable is how fresh and innovative these stylings remain. Puente is playing as creatively as ever, and his arrangements continue to be innovative. Latin music tends to be composed of a wall of brass, with punctuating horns acting as another rhythm section. This style can either be highly sympathetic to jazz soloists, or it can overwhelm them. Here, it supports the solos, helping to highlight the strong sounds brought forth by Woods, Bravo. and Puente.

If properly promoted, Salsa Meets Jazz could help to bring Puente additional well-deserved attention. The

PARTICIPATING LOCATIONS

ARIZONA HI FI SALES, MESA ARKANSAS

AUDIO WORLD, LITTLE ROCK NO LITTLE ROCK

CALIFORNIA BOOTS CAMERA, FRESNO CREATIVE STEREO, SANTA BOOTS CAMERA, FRESNO CREATIVE STEREO, SANTA BARBARA SANTA MARIA THOUSAND CARATIVE STEREO, SANTA dB AUDIO, 3E FREE LY DOW STEREO, SAN DIE GD EBEL ELECTRONICS, MENLO PARK SAN FRANCISCO EUREKA AUDIO, EUREKA THE GOLDEN EAR, CHICO MARCONI RADIO, GLOREKA THE GOLDEN EAR, CHICO MARCONI RADIO, GLOREKA THE GOLDEN EAR, CHICO MARCONI EL TORO PASADENA SANTA MONICA TORRANCE EL TORO PASADENA SANTA MONICA TORRANCE EBER TODODIAND JILES INOGENSUMO LABS, CANUGA PAH LE TORO PASADENA SANIA MONICA TORRANCE WESTMINISTER VAN NUYS SHERMAN OAKS CAMERA & STEREO, SHERMAN OAKS SOUNO GOODS, CAMPRELI MOUNTAIN VIEW TURNTABLES UNLIMITEO, SACRAMENTO WATER STREET STEREO, SANIA CRUZ- WILSHIRE TV, LOS ANGELES

COLORADO LISTEN UP, BOULDER, DENVER SOUND SHOP, COLORADO

CONNECTICUT

AUDIO ETC, NEW HAVEN

DELAWARE HI FI HOUSE OF DELAWARE, WILMINGTON

HEFIHOUSE OF DELAMARE, MARA ELECTRONIC FLORIDA THE CONSUMER CENTER, TAMPA ELECTRONIC CREATIONS, ALTAMONTE SPRINGS MOYT HIFT, JACKSONVILLE SALON OF MUSIC, WEST PAIL BIACH-SOUND AOVICE, ALTAMONTE SPRINGS ROCA RATON CLEARMATER CORAL GARLES FT LAUDERDALE HIALEAH HOLLYWOOD MIAMI NO. MIAMI BEACH ORLANDO SARASOTA ST PETERSBURG SUNRISE TAMPA ORLANDO SARASOTA ST PETERSBURG SUNRISE TAMPA WEST PALM BEACH TVC, TEQUESTA TV & MUSIC CENTER, ST PETERSBURG

GEORGIA AUDIO WAREHOUSE, SAVANNAH HI FI BUYS, ATHENS ATLANTA DULUTH KENNESHAW MORROW NORCROSS RIVERDALE TUCKER

ILLINOIS GOOO VIBES, CHAMPAIGN MILLS RECORDING, CHICAGO STEREO SYSTEMS, AURORA JOLIET NAPERVILLE UNITEO AUOIO CENTERS, AURORA CHICAGO DEEREIELD NILES SCHAMBURG VERNI VERNON HILLS

INDIANA OD VIBES, LAFAYETTE HUS SOUND, NEW HAVEN

KANSAS RED BARON, WICHITA

LOUISIANA ALTERMAN AUDIO, METAIRIE NEW ORLEANS

MAINE NEW ENGLAND MUSIC, SCARBOROUGH

MARYLAND AUDIO BUYS, GAITHERSBURG THE GRAMOPHONE LTD.,

MASSACHUSETTS MUSIC BOX, WELLESLEY O AUDIO, CAMBRIDGE SOUND & MUSIC, NORTHAMPTON MICHIGAN

AUDIOVISION, WEST BLOOMFELD - POINTE ELECTRONICS, GROSSF POINTE WOODS THE STEREO SHOPPE, ANN ARBOR LANSING OKEMUS SAGINAW TRAVERSE CITY

TRAVENSE CHT AUDIO KING, BROOKLYN CENTER BURNSVILLE EDINA AUDIO KING, BROOKLYN CENTER BURNSVILLE EDINA MANKATO MINNEAPOLIS MINNETONKA ROCHESTER ROSEVILLE ST CLOUD ST PAUL

MISSISSIPPI MCLELLAND TV, HATTISBURG MISSOURI

SOUND ENTERPRISES, KANSAS CITY STERED ONE, CAPE

NEBRASKA STEREO WEST, LINCOLN. OMAHA

STEREO WEBT, ENGOLIS OWNERS NEW JERSEY HARVEY ELECTRONICS, PARAMUS MONMOUTH STEREO, SIMEWSBURNY RECORD SMOP, CHERN HILL ROUTE ELECTRONICS, PARAMUS TOTOWA NEW MEXICO HUDSON'S AUDIO CENTER, ALBUQUERQUE

NOUSON'S ADDID CENTER, ALBOUDEROUF GRAND CENTRAL RADIO, MANHATIAN HARVEY ELECTRONICS, MANHATIAN WHITE PLAINS LISTENING ROOM, SCARSDAIF LYRICHIFI, MANHATIAN WHITE PLAINS RABSONS AUDIO/VIDEO, MANHATIAN GRIDEN OTY SOUARE DEAL, PATCHOGUE STEREO CHAMBER, ORCHARD PARK THE NEW STEREO EXCHANGE, MANHATIAN

NORTH CAROLINA AUDIO BUYS, RALEIGH SOUNOHAUS, DURHAM

CHIO ALAMO ELECTRONICS, CINCINNATI B&B.EUCLIO MIDDLEBURGHEIGHTS GOLDEN GRAMAPHONE, AKRON JAMIESON'S, TOLEDO STEREOLAB, CINCINNATI COLUMBUS

OREGON OF MUSIC, GRESHAM, PORTLAND PENNSYLVANIA AUDIO INSIGHT, WEXFORD STEREO BARN, EPHRATA

RHODE ISLAND STEREO DISCOUNT CENTER, PROVIDENCE SOUTH CAROLINA READ BROTHERS, CHARLESTON STEREO VIDEO.

SOUTH DAKOTA AUDIO KING, SIQUX FALLS TENNESSEE HI FI BUYS, MURFHEESBORO NASHVILLE

HI FI BUTS, MUTCHER LAUGHER TEXAS BJORN'S AUDIO/VIDEO, SAN ANIONIO DIGITAL CENTER, DALIAS GROOVE AUDIO VIDEO, HOUSTON HAROLD'S ELECTRONICS, MICHANIO DESSA WETEX INTERNATIONAL, LAREDO MAALIEN SOUTHWEST RECORD & TAPE, HOUSTON STEREO VIDEO CENTER, TYPED

UTAN STANDARD AUDIO, SALT LAKE CITY

VIRGINIA AUOIO ART, RICHMOND AUDIO BUYS, BAILEY S CROSSROADS MANASSAS THE AUDIO CENTER, ROANOKE DIGITAL SOUND, VIRGINIA BEACH WASHINGTON DEFINITIVE AUDIO, SEATTLE HUPPINS HI FI, SPOKANE MAGNOLIA HI FI & VIDEO, BELLEV LYNWOOD SEATTLE TACOMA


WISCONSIN HIFI HEAVEN, GREEN BAY SOUND STAGE, MILWAUKEE



ANYTHING NEW IN CD? YOU BET THERE IS!

Audio Magazine and Sony Combine to Reveal the Latest CD Research and Development

There are significant new CD player technologies that make CD performance better than ever.



Block Diagram of Digital Sync System

Right now, new Audio Information Magazine (AIM) displays describing these developments are at select audio specialty dealers (see list on left). Free literature explaining these developments, including an explanation of the diagram (above), is yours for the asking.

> It all adds up to what you should know before you invest in your next player.

You owe it to yourself to see this joint effort of Audio Magazine and Sony ES.

> **UPDATE: CD TECHNOLOGY**

- Getting all the music from your CDs with new Noise-Shaping circuitry
- Eliminating digital jitter with new ICs
- How advanced control circuits track those hard-to-read discs



FREE!

New

Brochure on

CD Technology

is yours free!

Audiol

NORMATIC INFORMATIC

NEW TICHNO



1389 Sony Corporation of America Sony and The leader in Dirg's All to are trademark in Sony

Albert King's vocals are bold and expressive, and Blues at Sunrise captures him in tip-top form.

public will get to hear his music in CD quality, well recorded and produced. The music is powerful, vibrant, and historically significant. Tito Puente probably has over 100 records to his credit. If you don't have even one, Salsa Meets Jazz would be a good place to Hector G. La Torre start



Where to buy Polk Speakers **AUTHORIZED HOME DEALERS**

CANADA Call tology Toronto los AK Anchorage: Magnum Electronics - Fairbanks:

Hottl: AL Birmingham: Auditon - Dothan: International Audie - Huntsville; Sound Distributors - Mobile: H F Zom - Montgomery: The Record Shop -Tuscaloosa: K na al Shem & TV AR Fayetieville Ft. Smith; Stereo One - Little Reckel Levene & Concern One - Little

A reverse and the series of th

CA Bakerstield: Casa Moore - Campbell: Sound Ca Bakerstield: Casa Moore - Campbell: Sound Card - Canoga Park: Sheling - Carpinteria: - Chico: Sounds B, Dave: Corona Del Mart - L. Casa Aug o Video - Davis: Worker ter: Call on + Orange: Aud - Penn-Californ a trans - Redondo: Si tems • Riverside: All + Sacramento: ry, • San Diego: d L mpany - San grove:

Francisco & Suburbs: Con Gui, Stere Stor-Francisco & Suburbs: Con Gui, Stere Stor-Francisco & Suburbs: Con Gui, San Jose: Good Hanni & Santa - Santa Francisco a desta San Gabriel Auto Comento - San Jave San Barbara - Inale Ster - Santa Cruz Viene - Santa Maria: - Sherman Daks: - Thousant Manica: Sharia Maria: - Sherman Daki: Sys ems Design - Stockton: - - Thousand Daks: Creative Ski - - Ukiah: Mini - Up-Land: Audo Hawn - Ventura: Creative Stereo -Victorvillie: Increative Sounds - Westminster:

Victorville: Indedue Sounds - Westminster; Voar 14 Stere CD Boulder: Soundtrack - Colorado Springs: Grand Junction: Soundtrack - Grand Junction: - Public: Instructure: CT Avon: 15 Stere - Bantury: Carston s - Farrifield: Audo Des gn - Greenwich: Al Frank-- Hartlord: Al Frankins - New Haven: Audo - Newington: Hi-Stere - New Lon-don: Hourd: - Norwalk. Audotr. - Water-bury: Zor Wusc

don: Robert s - Norwalk: Audiotrants - Water-bury: Zant Music DE Wilmington: Bryn Mawr Stereo FL Daytona Beach: Stereotype - Ft. Myers: FL Daytona Beach: Stereolype - FL Myers: FL Daytona Beach: Stereolype - FL Myers: FL Pierce: Sound Smar - FL Walton Beach: Au Jacksonville: Aud. Heart - Key West Audo Inte-Jacksonville: Aud. Heart - Key West Audo Inte-Island: Inter Audo - Miami: Entonic Buo-ment - Audo - Miami: Entonic Buo-Panama City: Watsound Sterm - Pensacola: Inter - Sunrise: Sound Autor - SL Pe-tersburg: Tampa: Sound Autor - Talla-hassee: Buot - Tampa: Sound Autor - Talla-hassee: Buot - Tampa: Sound Autor - SL Pe-tersburg: Buotsa: Sound - Buotswick: HB H Serv. Stermer - Buotswick: HB H Serv. Stermer - Serv. - Buotswick: HB H Serv. Stermer - Sound Stermer - Buotswick: HB H Serv. Stermer - Server - Buotswick: HB H Serv. Stermer - Server - Buotswick: HB H Serv. Stermer - Server - S Augusta: Sime C + Brunswick: H&H Sime + Columbus + Ment Tv Macon: Geor-ic + Savannah: Audio Warehouse + Val-Sieren Connection

desta: Sieve Connection Hi Honolulu: Heine und Audio Video IA Davenport Cings, Marc Des Molnes: Au Litt - Oodge City: Sang Wind, Dubugue: Sang Avad City: Bavege Aud - Mason City: Sang Avad - Sloux City: Audo Visions- Water-hein Lowa Avad - Sloux City: Audo Visions- Water-

ID Boise: Stereo Shoppe • Moscow: Stereo Shoppe • Sandpoint: Electracraft • Twin Falls:

Muter - Sampjorne - Aurora: Stereo Systems La Nor - Chicago & Suburtos: United Autora Carbondale: untern Stereo - Champaign: Decatur: Inter Ferronces - Dekalb: Anto Plus -Highland Park: Columba - Joliet: Stereo System - Kankake: Ameri Stereo Systems - Normal: Sandan Ora - Peoria: Tern Bechnics - Rock-tore: Janto - Springfield: Stereo Index po C. Gen - Naperville: Stereo Synamics - Rock-Synamics Unit - Peoria: Team Electronics - Rock-tord: Jauma - Springtield: Synamics One -Spring Valley: Audio Luti - Waukegan, Alans IM Bloomington: Campus Audio - Bluttion: Eey Lista Audio and - Evansville: Ring - FL Wayne: Used Stereo - Indianapolis: Ovation - Latayette: Good Vibes • Marion: Classic Stereo • Michigan City: Audio Connection • Muncie: Classic Stereo • South Bend: Classic Stereo • Terre Haute: Stereo

Crafter KS Junction City: Audio Junction - Kansas City: Brandi Mart - Overland Park: Audio Electronics Brands Mart - Wichita: Audio Visions - Topeka:

KY Bowling Green: Audio Center • Lexington: Oval on Audio + Louisville: Audio V and Boy De sign + Owensboro, Paducah: R sley - Pikeville: Maxo Inc

Nayo Inc. LA Lafayette: Sound Electronics - Metairie & New Orleans: Alterman Audio - Opelousas:

New Orteans: Hierman House Steem - Effch-board Electronics MA Boston: Waltham Camea & Steem - Effch-burg: Frichourg Music + N. Oartmouth: Sound II-Pfitsfield: H 8 S. Steine - Worcester: O Clinis ME Bangor: Siund Silurde - Camden, Harbor Au-dio - Portland: Nea England Music MD Baltimore: Saundscape - College Park: Spaceway - Calibersburg: Adult Buys MI Ann Arbor: Absolute Sinung Mi-F Buss -Destance: Almas Mi

Stateways * united about 1 Anno H Fr Buys * Birmingham; Almas H F * Dearborn: Almas H F* Farmington Hills; Almas H F * Finit: Armo Center & Grand Rapids; Char Ster * Kala Center - Grand Raplds: Classic - Print, and mazoo: Classic Stere - Lansing Midland: H. Fi Buys - Petoskey: Kurtz Music - Royal Dak: Abso

Buys - Petosker: Kurz Miss - Royal Dak; Auso Jule Saund Court St. Listening Room - Traverse City: Kurt Miss IV & Audio - Mankato: Autoo MN Duluht: Miss IV & Audio - Mankato: Autoo MN Cape Girardeau: Sereo Om - Columbla: Junksin Audio - Rolla: End of the Bandow - St. Louis: Saund Central MS - Nattisburg: Multi-Iand TV - Jackson: Hosme - Pascagoula: Empress MT Billings - Vender al. Sound Bozeman: Thristy Ear - Great Falls: Rocky Mountain Hi Fir -Kallspell: Audio Visions - Missoula: Aspen Sound

NC Boone: Holtons - Chapet Hill: Stereo Sound -NC Boone: Horrors - Chapet Hill: Steres Sound -Charlotte: A vers Systems Conver - Tr-City - Greensboro: Stereo Contexto-Woorehaed City - Stereo Contexto-Moorehaed City - Stereo Contexto-Sound - Rocky Mount: M rowae Audio - Wil-mington: A star - A do - Wilson: Modern Stereo -Winston-Stere: Stereo Sound ND Bismarck: Pacific Sound - Fargo: Today

NE Kearney: Midwest Audio - Lincoln: Stereo West - Omaha: Stereo West - York: M dwest Audio MH Concord: Audio of New England + Laconia: Lakes de Stereo - North Hampton: The New Audio on the - New London: North Star - Salem:

NJ East Brunswick: Atlantic Ste eo • Maple NJ East Brunswick: Altantic Steepe - Maple Shade: Brun Mark Steepe - Montclair: Instde Ra-duo - Paramus: Harvig Electimus - Hartlan: AC Audo - Ridgewood: Sound roman - Rartlan: AC Dury: Munano Steepe - Toms River: Rands Camer, - Walt Twp:: Monmourd Steepe - West Caldwett: Prode Rado NM Alamogordo: D&K Electronics - Albuquer-que: West Coast Sound - Carlsbad: Beams -Clovis: Tome Creer - Santa Fe; West Cuart Sound NV Las Vegas: Upper Ear - South Shore Lake Tahoe: Audo Video Den NY Albany: Clark Musc - Batavia; Uncorn Audo - Buffalo: Soazer Shore - Corning: Cheming -

 Butfalo: Speaker Shot - Corning: Chemung +
Elmira: Chemung - Fredonia: Stud One - Glens
Falls: Audio Gen - Goshen: Longplan - meo
- (thaca: Chemung - und mage - Jamestown: Falls, Huse Ithaca: Chemury, Human Study, One • Manhasset: A Net

Issena: H F Newburgh: Audio Breasthronighs -ssena: H F Newburgh: Audio Espres Massena: H F

The Speaker Specialists

York City: Audio Breakthroughs Electronic Work-ship Harvey Electronics - Rochester: JB Sound -Scarsdale: Listening Room - Syracuse: Clark Music - Veslat: Hart Electronics - White Plains: Music Vestal Hort Bectrons - While Plans: Harvey Rectonics - Woodbury: Aud Shear Houdbar Cleveland & Suburbs: Auto Crait - Clucinalit Stereo Lab - Columbus: Short Lab - Oayton. Stereo Shawara - Findlay: Audo Crait - Lima: Cleveland & Suburbs: - Auto Crait - Lima: Cleveland & Suburbs: - Auto Crait - Lima: Cleveland - Tolday: Audo Crait - Lima: Catures - Tolsa: Audo Advice OR Beaverion: Stereo Specificas - Eugene: University H F - Grants Pass: Sheek II, - Medford: Packing: Pindland: Sterey - Blakely: Ha Petronics: Proy Mayer, Bay Mark Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mark Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mark Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mark Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mark Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mark Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mayer, Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mayer, Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mayer, Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mayer, Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mayer, Sterey - Blakely: Hat Petronics: Ping Mayer, Bay Mayer, Sterey - Blakely: Hat Petronics: Ping Mayer, Bayer, Bay Mayer, Sterey - Blakely: Hat Petronics: Ping Mayer, Bayer, Bayer

PA Allentown: Brin Max Stere - Blakely: Anter Fectorics: Stroy Maxr: Stere - Blakely: Anter Camp Hill: Bry Maxr Stere - Chambersburg: Sinner Eerone - Erre: Stuno Die Har-risburg: Bry Maxr Stere - Johnstown: Cans Eintram ent - Kingston: Han Berlow, - Lan-caster Cin Tome - Longhorre: Bry Max-Montgomeryville: Bry Maxr Stere - Natrona Heights: Stero Lin - Philadelphia & Suburbs: Distributed - Distributed - Suburbs: Montgomeryville: and weat sense training Heights: Serio Lini - Philadelphia & Suburb Bry Awardson: Bry May Story - Reading: Go Guakertown: Bry May Story - Reading: Go Serio - Selfisgrove: Height - Stroudsburg: Mar St Audo vido - Westord: Audo Insight - Wil-· State Col

liamsport. Robert M des PUERTO RICO Rio Pledras: Precision Audio

RIN, Providence: Saleen Addo SC Anderson: Muse Machine - Charleston: Au-do Wartheast - Columbla: Music Machine -Greenville: Mitchell's Stereo Music Machine -Greenwood: Stereo Shop - Spartansburg: Stereo

Greenwood: Stereo Snoy - Spartansburg: Stereo
 So Aberdeen: Engl Musc - Rapid City: Lear
 For Annotation - Store - Shore -

VA Bristo: A and a characters the transmission of the second water of Falls Church Manassas: Audio Buys, A Richmond: Cary S the o Roanoke: He dres s Virginia Beach: 0 al Sond VT Brattleboro: Ruland: Wa Sellingham, CS Stero Chelan: Mars Stor - Oak Marbor: 0C Stero Chelan: Spokane: Electrost Marshingham, CS Stero Chelan: Spokane: Electrost Marshingham, CS Stero Chelan: Spokane: Electrost Marshingham, CS Stero Chelan: Mars Stor - Oak Marbor: 0C Stero Chelan: Spokane: Electrost Marshingham, CS Stero Chelan: Spokane: Electrost Marshingham, CS Stero Chelan: Mars Stor - Oak Marbor: 0C Stero Chelan: Marshingham, CS Stero Chelan: Marshin

Itacian Helperson Sound World - Eau Claire: EME Audin Systems - Green Bay: Sound World - La-crosse: Worl - Madison: Happy Megum -Marinette: Sound order - Milwaukee: Audio Em · Wausau of World

Wausau, and World WV Barboursville, Beckley, Charleston: Pred P. * Clarksburg: And o visual Concepts * Hun ington: Pred Pper * Pledmont: Sound Gatlery * Wheeling: Charles Link - Hunt ington: Ped Wheeling:

nics Untrinded • Gillette WY Chevenne: Electi Sheridan: Star Video Library

polken

Blues at Sunrise: Albert King Stax 8546-1, LP: SCD-8546-2, CD AAD: 45:49

Sound: A - /B+ Performance: A

Recorded live at the Montreaux Jazz Festival in 1973 and released now for the first time as part of Fantasy's ongoing resuscitation of blues and soul classics from the Stax vaults, this tasty set captures King in tip-top form and having fun. His fat, biting, sour guitar slithers and slices with both short fills and extended jams, and illustrates just how much influence he had on the style of players like Clapton, et al. King's vocals are bold, mature, and expressive. Backing by combined Memphis-style horns and Hammond organ provides a trademark Stax sound and the soulful inspiration which King popularized.

Produced from the original masters. Albert King's Blues at Sunrise sounds excellent on both LP and CD, especially given the fact that it was recorded over 15 years ago. Definitive Albert and very hot blues. Michael Wright

Dreamtime Return: Steve Roach Fortuna 2CD 18055-2, two CDs; ADD; 65:00 and 62:44. Sound: A Performance: A-The Leaving Time: Steve Roach and

Michael Shrieve RCA/Novus 3032-2-N, CD; 45:26.

Sound: A

Performance: A-

Steve Roach has been orchestrating synthesizer dreamscapes for six years. Up until now, he's been defined by the airy, slow-motion surf music of Structures from Silence, his most popular album. But two new releases. Dreamtime Return and The Leaving Time, should expand that definition.

Dreamtime Return takes its cues from Structures, with textures that shift with the graceful evolution of clouds shot from a satellite. It's an album of atmospheres and environments that was inspired by Roach's travels to Australia and his soundtrack for The Art of the Dreamtime, a documentary film on aboriginal art.

After the high-energy launch of "Towards the Dream," with its reverberant percussion, ostinato sequencers, and slowly swirling synth lines, Roach creates a timeless tableau. Sounds shift across desert landscapes, and melodies seem to drift in on the wind and hover in space like holograms.

Sounds from Australia weave into the mix like subtle sonic cues. Recordings of aboriginal songmen are mixed into "Red Twilight." David Hudson plays the didjeridu, an Australian wind instrument made out of a long, hollow wooden tube that drones alongside Roach's synthesizers on "Songline," a human moan in a technological world. "The Other Side" is the other side of wind instruments, with Kevin Braheny playing long violin-like lines on his Steiner Electronic Wind Instrument.

Dreamtime Return is a major statement by Roach, and occasionally the concept and purpose outstrip the music, but not often. "Looking for Safety" plays out a melody over its 31 minutes, but like a few other pieces on *Dreamtime*, its slow-motion beauty becomes somnambulant if you listen too closely. The CD, incidentally, has around 40 minutes more music than the LP.

The other side of Roach's work can be heard in his album with ex-Santana drummer Michael Shrieve, *The Leaving Time*. Shrieve, who plays electronic as well as acoustic percussion, synchronizes with Roach in the grandiose rhythm of the title cut, a sort of ceremonial space march. Roach drapes synthesizer swirls around the bittersweet melody played by guitarist David Torn. Torn is all over this disc, lending an edginess and almost psychotic intensity to the music. His solos break and shudder like a wailing banshee against the perfected electronic rhythms.

The Leaving Time marks the return of Michael Shrieve to recording, and his fluid rhythms give a needed dimension to Roach's synthesized perfection. "Tribes" shows Shrieve's input, with its heavily percussive rhythm churning like an African drum choir. Even the melody sounds like a percussive device. Torn propels it into the stratosphere with a solo that alternately rings and squalls.

"Big Sky" takes on a Steve Reichian feel with its delayed metallic percussion sounds, phasing patterns, and sequencers, while "Edge Runner" is a headlong dervish of pounding, churning rhythm and screaming synthesizers and guitar

153

AUDIO/JUNE 1989



Michael Shrieve's rhythms give needed dimension to Steve Roach's synthesized perfection on their new disc, *The Leaving Time*.

The Leaving Time has a sense of spatial depth on this CD. Shrieve's electronic drums, like the bottomheavy tablas of "Big Sky," punch out a crisp. deep bass, while the grit of Torn's processed guitar contrasts against the smooth sheen of Roach's synthesizers. John Diliberto

the absolute sound®

Comforting News from the Commercial Press!

Economy cars are the equal of any \$60,000 German luxury sedan—don't let some car snob tell you otherwise! Taste? Can't measure it. Doesn't exist.

Screwtop jug wine? Just as good as any vintage Bordeaux. Grapes are grapes.

Frozen food? Once you equalize the temperature—the same as fresh.

Amplifiers? Once you equalize the frequency response, they all sound the same whether they cost \$200 or \$2000.

CD players? All perfect. And the latest generation sounds even better.



Do You Buy This? If Not-Buy This:

Lots of inexpensive audio gear sounds great. And not all the expensive stuff sounds good. But the unfortunate fact is the best costs more. Audio is no different from automobiles, wine, food, or any other product, though some hi-fi magazines would have you believe otherwise.

To get the most for the money you *do* have to invest in audio, you have to have a standard against which all is measured. That's the absolute sound-live, unamplified music occurring in a real space.

The Absolute Sound magazine has been the leader in audio journalism for 16 years. If you're serious about high fidelity, it's time you subscribed.

There's no magazine in the world like it.

Introductory Offer & Guarantee for New Subscribers

Subscribe now for four issues for just \$22.95, using our toll-free number. We'll bill you after you receive your first issue. If you're not completely satisfied, just write "cancel" on your invoice and return it to us. You keep your first issue and owe nothing. That's how sure we are that once you start reading *The Absolute Sound* you won't want to stop.



Call 10am-6pm ET, Mon.-Fri., at 800-222-3201 or 516-671-6342. Or mail this ad with your name, shipping and billing address to P.O. Box L, Dept. ES3, Sea Cliff, NY 11579. Enter No. 49 on Reader Service Card SAE3F9

Photograph: Frank Driggs Collect



A London Bridge: Milt Jackson Pablo 2310-932, LP.

Sound: A-

Performance: B+

This is the second release from a series of live 1982 dates that Milt Jackson and company recorded at the famed London jazz spot, Ronnie Scott's. In the last several years, the tireless vibraphonist has been forced to seek out projects that go beyond the Modern Jazz Quartet—for the simple reason that work with John Lewis, et al., does not satisfy Jackson's still-growing curiosity and brave sense of improvisation. While he might appreciate the rewards and reap the benefits of an MJQ resurgence, Jackson's not into nostalgia.

A London Bridge contains many choice moments, whole selections and sections where this quartet—with the same instrumentation as the MJQ, incidentally—hits a groove and holds it in place for satisfying stretches at a time. The group's potency and potential couldn't be better expressed and delivered than in the opening track, a sterling, up-tempoed, slightly bluesy interpretation of John Coltrane's "Impressions." Bright and flavorful, the group quotes generously and with deference, filling the tune nicely with Miles Davis' "So What."

The underlying problem with the music on this record is that there are too many crowd-pleasing clichés—finishing and predictable touches when songs end. At times, such frivolity distracts and, ultimately, sounds like musical overstatement. This is especially unbecoming from this first-rate and usually consummately professional rhythm section: Planist Monty Alexander, bassist Ray Brown, and drummer Mickey Roker.

In all fairness, Brown and Roker, who know and collectively have been play-

ing and recording with Jackson for more than a half-century, never miss. And, like Jackson, these guys know how to swing hard; the approach and feeling is captured clearly and stated with authority in Tadd Dameron's "Good Bait," on Brown's "FSR" (For Sonny Rollins), and Alexander's "Reggae/Later."

In the end, Alexander may indeed be at the center of virtually all the trouble spots on this disc; his over-flowery and sometimes heavy-handed frills, regardless of intent, can take away, more than add to, a musical episode. While praise is due him for his playing on the ballad "Close Enough for Love" and the Bobby Timmons-like "Captain Bill," the pianist sounds unimaginative, even repetitive, too often for my taste. He relies occasionally on that age-old jazz trick of quoting a bar or measure from a folk or pop tune as well. Humor and wit-filled jazz can be wonderful, but do we really need to hear Alexander's "Old Susannah" in the middle of the aforementioned "Impressions"?

More recently (remember, this date has been in the can for seven years), Jackson has employed pianist James Williams. I suspect that Williams' nononsense swinging provides Jackson with a slightly stronger match than Alexander. Jon W. Poses

Red Hot and Blues: Barney Kessel Contemporary C-14044, LP.

Sound: A – Performance: A In listening to guitarist Barney Kessel's *Red Hot and Blues*, something kept nagging at me: How could this quintet—comprised of a West Coaster (Bobby Hutcherson), three Easterners (Rufus Reid, Kenny Barron, and Ben Riley), and a leader from the Midwest who's worked in La-La Land on radio, TV, and films—groove so, so well? Milt Jackson's new LP has many choice moments where his quartet hits and holds a groove for satisfying stretches of time.

On closer examination, though, the session made perfect sense. *Red Hot and Blues* is an amalgam of great talent, an impeccably conceived stylistic meeting of five veteran players with vast experience who know when to assert themselves and when to sit back. Sensitivity is clearly the name of the game here.

The front line not only includes Kessel but also Hutcherson's vivacious vibraphone and Barron's kingly piano. A composition doesn't go by without the three maneuvering toward and away from each other.

Add to this weaving and bobbing the buoyancy of Reid's startlingly strong and continually engaging over-the-top bass and Riley's always tasty, tremendously subtle and varied drumming. What you have is pure joy—whether on a rendition of Sammy Cahn's standard, "It's You or No One," on samba-andbossa-tempoed excursions such as Laurindo Almeida's "Barniana," or on Kessel's churning, chugging "Messin' with the Blues" and his "Rio."

Kessel, now on the cusp of senior citizenry, drives as hard as ever on his "Blues for Bird," an up-tempoed Monkish fete. And why shouldn't it work? He's playing with half of the group Sphere and "Lady Ace" Hutcherson, whose last recording employed Barron. Monk would be proud of this effort.

"You've Changed," a ballad with a beautiful chord structure, brings out the best in Hutcherson, Barron, and Kessel. It allows the master vibist to exploit his ability to accent and hold the right notes as only he can. Bobby Hutcherson employs his special gifts of time and delivery, and gets the chance to use a touch of vibrato. Barron and Kessel, meanwhile—with Reid and Riley lying low—follow with solos that could melt steel. Believe it or not, the group duplicates this feat on the album's other ballad, a blues entitled "I'm Glad There Is You."

In the end, the fivesome takes us out with the high-steppin' "By Myself." This cut features Kessel, Hutcherson, and, finally, Barron—first in extensive and consecutive scrambles, then trading fours, but pushed throughout by a bass drum duo that has no intention of relenting.

Red Hot and Blues is exactly that. Jon W. Poses

DEALER SHOWCASE



Steve Campbell, owner

 Spectral 	* CWD	· Pioneer LaserDisc
 Mark Levinson 	 Well-Tempered 	· Component Guard
Bryston	 Van den Hul 	 Martin Logan
 Audio Research 	• MIT	 Klipsch
- Cello	 Respons 	 Vandersteen
 McIntosh 	Rega	 Celestion SL
 Adcom 	 Grado Signature 	 Wilson Audio
- NAD	 Monster Cable 	 Spica
 Luxman 	· California Audio Labs	 Mitsubishi Video

205-539-9806 Monday-Saturday 10am to 6pm CST

All products priced at manufacturers suggested retail Major credit cards accepted

> 2212 Whitesburg Dr., Suite E Huntsville, AL 35801

Select Audio Design

"Only the finest in audio components" Electronics: Accuphase Conrad Johnson ■ Jeff Rowland ■ Motif ■ Muse ■ B and K ■ Marantz ■ Audio Dynamics SAE Dynalab Speakers: Sound Lab
Nestorovic ■ JSE ■ Dahlquist ■ DBX ■ Snell Synthesis Rauna JBL Turntables: VPI = JA Michell = Systemdek Accessories: Carnegie Two Straightwire Vanden Hull Audioquest SME Your unique audio specialist located at: 2740 E. Oakland Park Blvd. FT. LAUDERDALE, FLORIDA 33306 (305) 564-0772-0773 FAX: (305) 564-0774

Audio Research	Infinity	Meitner
Oracle	Hafler	Vandersteen
KEF	Threshold	Rega Planar
Tandberg	Revox	Nitty Gritty
Snell	CWD	Sony ES
Nakamichi	MIT	Sme V
Denon	Koetsu	Velodyne
Carver	Monster Cable	Adcom
Rogers	Linn Hi Fi	Janis
NAD	Perreaux	
B&W		
Stax	and the second	
		401
		Worcester
	Telephone	Road
The	508	Framingham
ultimate	879	Massachusetts
olbue	3556	01701
store.		

Natural Sound.

AUDIO/JUNE 1989

SERIOUS AUDIOPHILES DESERVE SERIOUS SERVICE.

Acoustat - AKG - Audible Illusions - Audio Pro + Audioquest - Bedini - Beyer Dynamic - Blaupunkt - Bose - Celestlon - Counterpoint - Crest -Dahlquist - dbx - DCM - Dual - Fosgate - Grado Signature - Haller - Harman Kardon - JBL - JSE -NEC - Niles Audio - Nitty Gritty - Ohm Acoustics -Onkyo - Ortofon - Philips - Precise - Proton - PS Audio - Revox - SAE - Sonance - Sony - Sumiko -Stax - Straightwire - Superplon - Talisman - TDK - Teac - Thorens - Ungo Box - VPI - Wharfedale



Call Us ... (213) 719-1500 18214 Dalton Ave., Dept. A6, Gardena, CA 90248

SPEAKERS REBUILT

Carver B&B Research Rave Audio Dynamics Boston Acoustics B.I.C. K-Mod

Atlanta Sound Works 2901 Buford Huu, AT NORTH DRUID HILLS RD.

404-325-1808

SERVING CENTRAL NEW ENGLAND WITH VALUED PRODUCTS FOR OVER 30 YEARS

AKG. APATURE. AUDIO CONTROL. AUDIO DYNAMICS. BEVERDYNAMIC. CARVER COMPONENT GUARD. DUAL. ESOTERIC. FORTE. HAFLER. HARMAN KARDON. HK CITATION. INTRACLEAN. JBL. KEF. KYOGERA. MAXELL MISSION. MONSTER CABLE. ONKYO. ONKYO GRAND INTEGRA. ORTOFON, PANAMAX. PARSEC. POLK AUDIO, REVOX, SONY STANTON. TDK. TECHNICS. TERK. TRIAD... AND MANY MORE AT PRICES THAT SOUND RIGHT.

O'COIN'S 239 Mill Street Worcester, MA 01602 508-791-3411 x 315 M-F 10-9pm, Sat 9-6pm DISCOVER, MASTERCARD, VISA

FINANCING AVAILABLE

For complete information, call Carol Berman at (212) 719-6338.

VALUEable

Products, Service and Consultation designed to give you the maximum performance for your dollar.

Adcom • B&W • Polk • NAD • Celestion • Carver PS Audio • Kyocera • M&K • Denon • Terk Proton • Pioneer Video • ADS • Tera Canon Video • Stax • Magnum • Linn • Hafler Ambria • Thorens • Mod Squad • Lexicon Grado • Signet • Klipsch • Rotel • Nitty Gritty Tara Labs • Livewire



(213) 370-8575 1310 Kingsdale Ave. Redondo Beach, CA 90278 Mon-Fri 11am-7pm Sat 11am-8pm

THE SPEAKER SPECIALIST!

Stop in our factory showroom or call us at (312)-769-5640 for complete info on our full line of high performance

SPEAKERS & KITS.

Authorized Dealer For: Adcom*Ariston*B&K*Counterpoint Dynalab*Meitner*Musical Concepts Parasound*Proton*PS Audio*VPI VTL and more.

Car Audio: ADS*Boston Acoustics*Coustic Kenwood*Nakamichi*Soundstream



A & R Cambridge Apogee
Aragon Ariston Accuphase
Audible Illusions Audioquest
Bryston Camber Canon
Chapman Compact Discs
Counterpoint Creek CWD
Dahlquist Denon Dynavector
ElectronKinetic Grado
Koetsu Kyocera Magneplaner
Mariah Acoustics Mark Levinson
Mission NAD Nakamichi
Nova Proton Revolver
SME Sota Sumiko Sumo
Stax Symdex VPI
And Much More!
And Mach More.
Hi Fi Exchange

FORESIDE MALL · ROUTE ONE FALMOUTH, ME 04105 (207) 781-2326

DEALER SHOWCASE



Be as selective in where you buy as you are in what you buy. We know they're hard to resist. Guaranteed lowest prices in the universe. Every day's a sale day. Big, bigger, biggest.

But, buying a serious audio or video component isn't the same as buying a dishwasher or microwave. And that's why AUDIO recommends you visit an independent A/V specialty retailer when shopping for equipment. A/V product is the heart of his business, not a "profitable or trendy" sideline. That means the independent dealer will always be more concerned in helping you select the proper equipment than he will be helping himself to a commission.

So, be as selective in where you buy as you are in what you buy. Support your independent specialty dealer.

The Equipment Authority

LASSIFIED ADVERTISING

CLASSIFIED ADVERTISING RATES

BUSINESS ADS \$2.30 per word, 20 word \$46 minimum charge per ad.

BOLD FACE ADS-\$2.75 per word, 20 word \$55 minimum charge per ad.

EXPAND AD-\$3.45 per word, 20 word/\$69 minimum charge per ad.

EXPAND AD BOLD-\$3.90 per word, 20 word/\$78 minimum charge per ad.

JUMBO TYPE-\$7.50 per word, 3 word \$22.50 minimum charge PER LINE (2x larger than normal type and bold).

CENTERED or SPACED LINE-\$16.00 additional.

BOXED AD-\$15.00 additional for a one-point ruled box. ALL LINE ADS-First line set in bold type at no extra charge. Additional bold words at \$2.75 extra per word.

CLASSIFIED LINE ADS ARE PAYABLE IN AD-VANCE BY CHECK OR MONEY ORDER ONLY. (Sorry, we cannot accept credit cards or bill for fine advertising.) ALL LINE ORDERS should be mailed to:

> AUDIO MAGAZINE, P.O. Box 9125 Dept. 346-01, Stamford, CT 06925

ORDERS WILL NOT BE PROCESSED WITHOUT ACCOMPANYING CHECK OR MONEY ORDER FOR FULL AMOUNT.

CLOSING DATE-First of month two months preceding the cover date. If the first of the month falls on a weekend or holiday, the closing date is the last business day preceding the first. ADS RECEIVED AFTER THE CLOSING DATE WILL BE HELD FOR THE NEXT ISSUE UNLESS OTHERWISE STATED.

PREPAYMENT/FREQUENCY DISCOUNTS-3 times less 5%, 6 times less 10%, 12 times less 15%. These discounts apply to line ads only and all payments must be made in advance to qualify. Agency discounts do not apply to fine advertising.

GENERAL INFORMATION-Ad copy must be typewritten or printed legibly. The publisher in his sole discretion reserves the right to reject any ad copy he deems inappropriate. ALL ADVERTISERS MUST SUPPLY: Complete name, Company name, Full street address (P.O. Box numbers are insufficient) and telephone number. Classified LINE ADS are not acknowledged and do not carry Reader Service Card Numbers. FREQUENCY DISCOUNTS not fulfilled will be short rated accordingly. Only those line advertisers who have prepaid for their entire contract time will be RATE PROTECTED for the duration of that contract. in the event of a rate increase

CLASSIFIED DISPLAY RATES

1 col × 1 inch	\$344
1 col × 2 inches	\$543
1 col × 3 Inches	\$777
2 cols. × 1 inch	\$618
2 cols. × 2 inches	\$1044

One column width is 21/8". Two columns wide is 41/4" For larger display ad rates and 6, 12, 18 and 24 times frequency rates call (212) 719-6338.

DISPLAY ADVERTISERS should make space reservation on or before the closing date. Ad material (film or velox) may follow by the tenth. DISPLAY ADVER-TISERS MUST SUPPLY COMPLETE FILM NEGA-TIVE READY FOR PRINTING OR VELOX. PRODUC TION CHARGES WILL BE ASSESSED ON ANY AD REQUIRING ADDITIONAL PREPARATION

ALL DISPLAY CORRESPONDENCE should be sent to: Carol A. Berman, AUDIO MAGAZINE, 1515 Broadway, New York, NY 10036

FOR ADDITIONAL INFORMATION: CLASSIFIED DISPLAY ADS: Carol A. Berman (212) 719-6338. CLASSIFIED LINE ADS: 800-445-6066.



MAY AUDIO MARKETING INC. P.O. BOX 1048, CHAMPLAIN, N.Y. 12919 TEL. (518) 298-4434

ANNOUNCEMENTS

AUDIO CLASSICS

Precision Stereo Components Bought-Sold-Traded-Repaired-Modified-Updated-Appraised. Offering an excellent and diversified collection of fine audio equipment. ACCESSORIES: Avid Equal Level Speaker Comparator \$300, McIntosh CR7 Remote Control (\$849) \$675. AMPLI-FIERS: Accuphase P266 (\$2800) \$1350; Classic Audio CA260 \$1399; Counterpoint SA20 (\$2095) \$1699; Hafler Components; Krell KMA100 II (\$6000) \$4000, KSA100 II(\$3650) \$2700; McIntosh MC2100 \$450, MC2105 \$550-700, MC2002 (\$1895) \$1600, MC2250 (\$2495) \$1700, Threshold 400A (\$1395) \$700, CD PLAYERS: Magnavox. CARTRIDGES: AKG, Grace, Orlofon, Pickering. EQUALIZERS: Audio Control Components; McIntosh MQ101 \$125-175, MQ102 \$60, MQ104 (\$500) \$285, HEAD AMPS: Audio-research MCP33 (\$1395) \$700; Hafler DH102 \$45. HEADPHONES: AKG & Stax. INTERCONNECTS: Apature & Esoteric Audio. INTEGRATED AMPLIFIERS: McIntosh MA6100 \$550. PREAMPLIFIERS: Audio Research SP9 (\$1695) \$1299; Hafler Components; Krell KRS1A (\$8200) \$6000: McIntosh C24 \$300, C26 \$400, C28 \$500, C31V (\$1895) \$1600, CR7 (\$849) \$675, PRO-CESSORS: Audio Control Components; Lexicon CP1 \$1200. RECEIVERS: McIntosh MAC1700 \$450, MAC4100 \$1200-1700, MAC4200 (\$2890) \$2150, MAC4275 (\$1798) \$1200-1300. SPEAKERS: Acoustat: JSE Infinite Slope Demos.6 (\$599) \$475. Demo 2 (\$2295) \$1865: Dahlquist DQ10/DQ1W,DQMX1 \$800; Desktop Loudspeaker Sys-tems: McIntosh ML1C \$550, ML2C (\$1598) \$900, ML4C (\$2400) \$1100-1800, XL1W (\$549) \$400, XL10 (\$858) \$500, XR5-19 \$900, XR1052 (\$2500) \$1650; Snell Type (\$1600) \$495; Velodyne ULD 12" (\$1195) \$1095, ULD 15II (\$1795) \$1669, ULD 18 II \$2395; Yamaha NS1000M (\$1500) \$750 TAPE DECKS: Krocera New D811 (\$750) \$550. TEST EQUIPMENT: Audio Control SA3050A 1/3 Oc. tave Real Time Analyzer \$965; Sound Technology 1701A (\$3600) \$2600, 1710A (\$5000) \$3200. TONEARMS; Premier, SME. TUBES: Gold Aero and other major brands TUNERS: Magnum Dynalab Tuners; McIntosh MR65B \$200-500, MR71 \$750, MR75 \$900, MR80 (\$2495) \$1600. TURNTABLES: Audiomeca J1 (\$3200) \$1995: Dual Tables; Goldmund Studietto (\$4780) \$3000; VPI Tables. Audio Repairs-Updates-Modifications by Richard Modafferi, former Senior Engineer at McIntosh and Clit Ramsey, former Senior Service Technician at McIntosh, AUDIO CLASSICS. invites you to visit our new retail location at the United States Post Office Building in Walton, NY. FREE Catalogue. Layaway Program. Major Credit Cards accepted. 8AM-5PM EST Mon.-Fri., POB 176 Walton, NY 13856

607-865-7200

-Audio Advertiser for over a Decade

High-end and hard-to-find audio components. New and used. Foreign and domestic. Low, low prices! AUDIO AMERICA (Virginia). Call 1(703) 745-2223

ANNOUNCEMENTS

"At long last the Lazy Ken

Kesseler finds a tone-arm

lifter wich does the job

without risk to life, limb or

stylus.

AUDIO RESOURCE HAS MOVED to its new 4400 sq. ft store at 3133 EDENBORN AVENUE, METAIRIE. LOUISIANA 70002. We now have five private listening rooms where you can audition one of the LARGEST SELECTIONS of HIGH END AUDIO EQUIPMENT in the country. AUDIO RESOURCE continues to offer precision-matched tubes. plus sales, service, and restoration of vintage components. Call or write for information on our products and services AUDIO RESOURCE, 3133 EDENBORN AVE, METAIRIE, LA 70002 (504) 885-6988

INVESTORS WANTED: On Dec. 20, 1989, the most advanced and unique acoustic generating device will be available to the discriminating esoteric audiophile. This state of the art speaker shall be the best and like no other. Period. (Pat. Pend.). For more information on the concept of becoming associated with this speaker company; please send \$15.00 to: AWH, P.O. Box 591, Bellport, N.Y. 11713.

TIFFANY CONNECTORS ANNOUNCES NEW PRODUCTS

In addition to 25 new connector models, we are pleased to announce that we are expanding beyond connectors into other new product ideas. If you are interested in extracting the most out of your audio system see below.

To become a dealer or for the name of the authorized TIFFANY CONNECTOR dealer nearest you contact: PANTHER ENTERPRISES, 1431 Ocean Ave., Ste. 400, Santa Monica, CA 90401, (213) 399-4434.

OEM and EXPORT sales are handled directly by the manufacturer: M. BERNS INDUSTRIES, INC., P.O.Box D, Gracle Station, New York, NY 10028, PH: (212) 744-4456, FAX (212) 744-5276


THE CRITICS' CHOICE



sealed enclosures, from $6\frac{1}{2}$ to 15" woofers.


Please visit us at CES Booth #2208. (214) 644-1640

809 Willow Crest, Richardson, TX 75081



ANNOUNCEMENTS

SELLING USED EQUIPMENT? Our company will distribute your listing to interested buyers. For FREE introductory listing, send name, address, phone, equipment description price, RJM, Box 294, McKean, PA 16426



The importance of controlling room resonances to realize bass clarity is well

understood.

Now the PhantomAcous tics Shadow actively supresses the high pres-sure zones which support room resonances Because it responds

actively to pressure occurances, the Phan-tomAcoustics Shadow outperforms passive "trapping" systems.

Its active capabilities even allow absorption of the out-of-r hase bass radiation to the rear of a planer loudspeaker Auburn, CA 95603

for extended bass perception.

Yes, send me the PITTS No, but send more info on loud-

NAME

CITY

SIGNEO

STRRET ADDRESS

MASTERCARD / VISA NUMBER

Bochelle, NY 10805, (914) 633-3039.

OR 97303. (503) 363-5143

speaker design and construction

STATE

Old Colony Sound Lab

PO BOX 243 PETERBOROUGH, NH 03458

ANNOUNCEMENTS

SPEAKER DESIGN SOFTWARE for PC/Mac. Graphs pre-

dicted performance, designs active and passive crossovers

\$40 complete. ATRIUM Electronics, 2302 5th NE, Salem.

-Tremendous improvement. Protect your in-

ZIP

EYP

FAX: (603) 924-9467

PhantomAcoustics

distributed by

INCONCERT

Corporation

products are exclusively

Division of Threshold

o receive a technical paper describing room resonance control and a list of PhantomAcous tics dealers, write PhantomAcoustics c/o InConcert 12919 Earhart Avenue

ANNOUNCEMENTS

... NONSPEAKER **RESOLUTE, MUSICAL &** ULTIMATE, 619/480-4804.

FOR SALE

A&E PHOTON 6000 MONO AMPS. 500W PER CHANNEL. FACTORY INSTALLED UPGRADES INCLUDE: CARDAS HEX WIRE THROUGHOUT, MAS POWER CORDS, SPE-CIAL TORRID TRANSFORMERS, 4 BINDING POSTS FOR BI-WIRING, ETC. \$6000 NEW + \$12000 FACTORY UP-GRADES - ASKING \$3600 WITH FULL WARBANTY SUIT-ABLE TRADES CONSIDERED, RUTH INDUSTRIES (314) 567-0007 567-6421

AAA-AUDIO ELITE IN WISCONSIN!!!

DENON, HAFLER, PS AUDIO, YAMAHA, B&K, JSE, NA-KAMICHI, PROTON, CARVER, ONKYO, ADS, VPI, DCM, SPECTRUM, SONOGRAPH, AR, FRIED, NITTY GRITTY, SUMIKO, THORENS, KEF, ADCOM, SUPERPHON, SNELL, M&K, LUXMAN, SPICA and any others you desire. (414) 725-4431.

CALL US WE CARE !!!

AAA-CALL US LAST! LUXMAN, DENON, AR, YAMAHA. CARVER. BOSTON ACOUSTICS, ADCOM, PS AUDIO, HAFLER, ADS, B & K, ONKYO, KEF. PROTON, SNELL DCM, NAKAMICHI, INFINITY, JSE, SPICA, SUPERPHON M & K, BOSE SPECTRUM, VPI, SONOGRAPH, SUMIKO, THORENS. WHY CALL US LAST? 414-727-0071. WE HAVE THE LOWEST PRICES!!!

AAA-LOW PRICES-HIGH END EQUIPMENT !!! DENON, PS AUDIO, HAFLER, YAMAHA, B&K. CARVER. AR. NAKAMICHI, SUPERPHON, LUXMAN, THORENS, M&K, SNELL, SPECTRUM, INFINITY, ONKYO, PROTON, KEF, SONOGRAPH, FRIED, NITTY GRITTY, SUMIKO, SPICA and any others you desire. AUDIO ELITE. (414) 725-4431, Menasha, Wisconsin

OUR PRICES CAN'T BE BEAT !!!

AAA-YAMAHA, DENON, CARVER, BOSTON ACOUSTICS, LUXMAN, AR, ADCOM, PS AUDIO, HAFL-ER, ADS, B & K, ONKYO, KEF, PROTON, SNELL, DCM, NAKAMICHI, INFINITY, NAD. JSE, SPICA, SUPERPHON. M & K, SPECTRUM, VPI, BOSE, SONOGRAPH, SUMIKO, FRIED, THORENS, PLUS A LARGE SELECTION OF OTH-EBS 414-727-0071

AAAAH! FREE UPS SHIPPING B&K, PS Audio, Celestion, Superphon, Ariston, Orlolon, Onkyo, Classe, B&W. Expert consultation-ask for Audio Dept. THRESHOLD AUDIO, 605 Hebron, Newark-Heath, Ohio 43056. 614-522-4501.

ABARGAIN: TECHNICS STYLUS/GUAGE \$159. 100CMK4 \$475.; STAX PRO/LAMBDA (#3) \$799.; PRO LAMBDA (#1) \$499.; GRACE 747 \$169.; F9E (SUPER) \$160.; F93RUBY \$229.; DENON 103D, KOETSU, FR1MK3F \$235.; SGT, PEPPER/UHQR \$169.; ZEISS BIN-OCULARS, ALL UNUSED; (212) 966-1355 (Day); (201) 863-4278 (Eve.)

AFFORDABLE HIGH-END AUDIO. ACOUSTIC ENERGY AE-1. AE-2, AE-4, ASC TUBE TRAPS, AUDIBLE ILLUSIONS (NEW S-120 POWER AMP), AUDIOQUEST-LIVEWIRE, TARA-LABS NEW TFA-RETURN, B&K-SONATA, CELESTION SL-Si Bi-WIRE SERIES, CHICAGO STANDS, ENTEC-SUBWOOFERS, EPOS, GOLDAERO. KEF CUSTOM SERIES, KIMBER KABLE, LEXICON, MAGNUM DYNALAB NEW ET-101 ELITE MISSION CYRUS, MOD SQUAD, MERLIN LOUDSPEAKERS, NILES AUDIO, PHILIPS AUDIO/VIDEO, PSE, REGA/PLANAR. STAX, SONRISE CABINETS, SONUS FABER ELECTA, TARGET STANDS, VELODYNE, CUSTOM INSTALLATION AVAILABLE, FOR FREE BROCHURE AND LITERATURE CALL-301-890-3232. J S AUDIO ONE CHILDRESS COURT, BURTONSVILLE, MARYLAND 20866. AUDITION BY APPOINTMENT, MONDAY THRU FRIDAY 10AM TO 7PM, SATURDAY 11 TO 5, M/C, VISA, AMEX.

ALL THE BEST EQUIPMENT, EXPERT ADVICE AND OUT-STANDING VALUE! Aragon, Wilson WATT, Apogee, Quad, SOTA, Counterpoint, California Audio, Ouicksilver, ATMA-SPHERE, -- MUCH MORE! Virtually all cable and carlridge lines stocked, call for recommendations. FREE NEWSLET-TEB, Galen Carol Audio (512) 494-3551

AUDIOPHILES: NO RISK AUDITIONINGS! Onpremises engineering, state of the-art audio: B&K, Audioquest, Counterpoint, Eminent Technology, JSE, Sony ES. Kinergetics, Magnum Dynalab, & many more! We pay shipping. SOUND UNLIMITED, 169 Church St. Bristol, CT 06010, Est. 1959, (203) 584-0131

158

A SOUND EXCHANGE

Utah's New, Used, Demo, Classics store, Examples: Audio Reserch SP-11 \$2900, D90B \$1095, Levinson No 20's Perreaux SA-3, TU-3, PMF-2350, Sota Sapphire, Linn LP-12, Superphon DM220, Revealation II. Rowland Mono 7's Coherence One, call. Call for MAIL ING LIST. Sound Exchange, 5130 South State Street, Murray, UT 84107 (801) 268-6066.

ATTENTION

Classic audio collectors of the orient. Buy from me direct. Save many \$\$\$. Contact Kurluff Sound. 4331 Maxson Rd. El Monte, CA 91732 (818) 444-7079; Fax: (818) 444-6863

ATTENTION HAFLER, DYNA, MAGNAVOX OWNERS! Audio by Van Alstine builds complete new higher performance circuits for you. Not modifications, but original new engineering designs that eliminate transient distortion, have no on or off thumps, are durable and rugged, and sound closer to live than anything else at a rational price. Our complete do-it-yourself rebuild kits start at \$200, including all new PC cards. Complete wonderfully-musical factory wired amplifiers, preamplifiers, tuners, CD players, and a great \$99 phono cartridge. Write or call for our new illustrated catalog. Audio by Van Alstine, 2202 River Hills Drive, Burnsville, MN 55337. (612) 890-3517

AUDIO ARCHIVES IN SAN DIEGO. We have MERLIN SIGNATURE speakers (Cardas-wired), CARDAS cables WINGATE Class-A amps, CONVERGENT tube preamp, SOUND ANCHOR equipment stands. (619) 455-6326

AUDIO NEXUS = EXCELLENCE

Featuring legendary VANDERSTEEN loudspeakers & COUNTERPOINT tube electronics.

STEREO COMPONENTS THAT HONOR MUSIC

APOGEE · ARISTON · AUDIOQUEST · BEL · B&K · BRITISH FIDELITY . COUNTERPOINT . EMINENT TECHNOLOGY · FORTE · FRIED · JSE · KIMBER KABLE · KLYNE · MELOS · MERIDIAN · MIT · MONSTER CABLE . MUSICAL CONCEPTS . NITTY GRITTY . ORTOFON . PREMIER . PS AUDIO . PRECISE · ROTEL · ROWLAND RESEARCH · SME · SONOGRAPHE · SONY ES · SOTA · SPECTRUM · STAX · SYSTEMDEK · TALISMAN ALCHEMIST · TUBE TRAPS · VAN DEN HUL · VANDERSTEEN VENDETTA • VTL • Summit, NJ (201) 277-0333.

B&K MODIFICATIONS: IMPROVED DETAILING. **INCREASED DEPTH OF** soundstage & transparency. deeper & tighter bass. State-of-the-art'' We pay shipping. SOUND UNLIMITED, 169 Church St , Bristol, CT 06010. Est. 1959. (203) 584-0131 MC VISA/AMEXP ACCEPTED

BEST TRADES OFFERED. We buy sell, trade, consign most high-end products. Audio Doctor, 1518 W. Commercial Buffalo, MO 65622 417-345-7245, COD-VISA-MC, Newsletter

BUY/SELL in the Audio Video Trader. Every month used audio video professional equipment ads Low rates \$1 & SASE for sample, 1 yr. subscription \$15. Free 30 word ad for trying it! A V Trader-330 S Main St , Wake Forest, NC 27587

BY APPT. 818/883-3826 LA AUDIO ONE NONSPEAKER! 11 & MORE!

CABLE TV CONVERTERS BARGAIN HEADQUARTERS JERROLD, TOCOM, ZENITH, SCIENTIFIC ATLANTA HAMLIN, OAK, ORDER YOURS TODAY! VISA-M C-COD (415) 584-1627

CALL TOLL FREE! 1-800-826-0520 FOR: ACOUSTAT, Apature, Audio Control, Nitty Gritty, M&K, Oracle, Proac, Proton, Stax, Thorens, Dahlquist, Hafler, Monster Cable, Belles, CWD, dbx, Fried, Harman Kardon, 3D, Onkyo, Grado, Audioquest, Celestion, DCM, Duntech, Niles, Citation, Kinergetics, Sound Seller, 1706 Main St., Marinette, WI 54143. (715) 735-9002.

CARDAS HEX 5 SPEAKER CABLE. LATEST MODEL. HAVE 2 512 METER PAIRS, VTL 50W STEREO AMP DUNTECH SPEAKERS, WADIA DIGITAL PROCESSORS, TICE POWER BLOCKS AND TITANS, CARDAS WIRE PRODUCTS. ELECTROCOMPANIET ELECTRONICS MUSIC & SOUND PRODUCTS (MAS), THOMSON PRO-JECTION TELEVISIONS, SIMS VIBRATION FEET AND STANDS. RUTH INDUSTRIES (314) 569-0007, 567-6421




800-438-6040 Cal Walker, Prop I try to answer all calls personally FOUR PRIVATE LISTENING ROOMS 1620 South Blvd., Charlotte, NC 28203 704-376-0350 Authorized Dealer for AKG ● ARAGON ● ARISTON ● BEYER B&W ● CAMBRIDGE ● CELESTION ore Ask about our professional audio division

And more

FOR SALE

CABLE TV CONVERTERS. Jerrold, Oak, Scientific Atlanta, Zenith, and many others, "New" MTS Stereo Add-On: Mute & Vol., 400 and 450 owners! Visa, Mastercard, American Express, B & B Inc., 4030 Beau-D-Rue Drive. Eagan, MN 55122, (1-800-826-7623),





Soundwave Baffleless Speakers

REFLECTION FREE SOUND

Soundwave loudspeakers have the open, seamless, and transparent sound of the best "panel" (electrostatic, ribbon, and planar) speakers, while offering the superior dynamic range and extended bass response of the best "dynamic" designs. And they offer a stereo image that is second to none.

A revolutionary design, achieved by the utilization of acoustic intensity mapping techniques, Soundwave loud-

speakers have a unique "baffleless" enclosure, special drive units, and a 180 degree radiation pattern. The result is sound so natural and three dimensional, you'll think there are live musicians performing in your listening room.

Soundwave loudspeakers create a breathtaking stereo image, possess tremendous dynamic range, and are harmonically correct; they're the most musical speakers I've ever heard," says Dr. Christopher Rouse, world famous composer.

"From jazz through the classics, the response (of the Western New York Audio Society members) was always glowing praise!" -Tom Kasperzak.

For further information, write Soundwave Fidelity Corp. 3122 Monroe Avenue, Rochester, New York (716) 383-1650



How good is the conradjohnson PV8 preamplifier?

- 66 Strings sound like strings, and that, folks, is hard to do. Harmonic balances sound so natural and correct that I have gone through dozens of records, and the glory of each performance bursts forth from each of them.
 99
 Dill Georgia
 - Bill Semple Sounds Like/#2
- Its musical abilities are as obvious as the brilliant colors of autumn, but just as subtle, too. The PV8 re-creates the living breathing presence of musicians and singers, the changeable, yet immutable timbres of wood and metal and gut when they become pianos, violins, and horns, the overall experience that moves you, enriches you, replenishes your energies and faith.

Duncan & Adrienne Hartley High Performance Review/Dec 88

the conrad-johnson group + 2800 R Dorr Avenue + Fairfax VA 22031 + 703-698-8581

FOR SALE

CLASSIC AUDIO

CA260 DUAL MONO TUBE AMPLIFIER—10 DAY HOME AUDITION—MADE WITH REAL MCINTOSH TRANSFORMERS—SAVE'' FACTORY DIRECT—IN STOCK—CLASSIC AUDIO. LTD., 238 LIBERTY AVE.. NEW ROCHELLE, NY 10805. (914) 633-3039.

COPY CD TO DAT!! Direct digital recording rate converter to absolutely preserve the quality of the original CD digital signals recorded to your DAT. Box 908. New London, CT 06320.

DAT RECORDERS: The Time is Now, Join the DAT Revolution, AudioLab, Box 18009, Seattle, WA 98118, 1-206-323-4987, Fax 1-206-325-7601.

THE D.A.T. ROOM

The east coast's first all digital audio tape listening room. D.A.T. tape recorders-home, portable and pro-units, D.A.T. softwear-full line of titles in stock. Full warranty, all accessories, major credit cards, THE D.A.T. ROOM at DISCORAMA, 186 W. 4th St., New York, NY 10014. (212) 989-7236

DUNTECH SOVEREIGN 2001 Speakers. Mark II Crossovers. Rare Japanese Ash finish. \$12,950 pr. Call (213) 934-1817. (PDT).

DYNACO ST70 UPGRADES. Get High End Performance for \$450. ST70 kits assembled, repairs and more. DoReTech Audio Services, P.O. Box 6054. South Hackensack, NJ 07606-4354. (201) 233-2659.

DYNAMIC NOISE REDUCTION. CLEAN UP AND IM-PROVE OLD RECORDS, TAPES, FM. EVEN CDS, FAC-TORY DIRECT, MODEL TE-600, CONTACT FOR LITERA-TURE, DEPT 2520, RT 1 BOX 264-A, HENDERSONVILLE, TN 37075 (615) 822-2737, EXT 2520.

EXCELLENT. AFFORDABLE EQUIPMENT BY: B&K, MFA, VPI, MIT, TARA, BERNING, KIMBER, FRIED, SPEC-TRUM, SYSTEM DEK, WELL TEMPERED, SUMIKO, ANALOGIC, MAGNAYOX, PARASOUND, DEMO SPE-CIALS, ALPINE AUDIO, (703) 628-3177.

FOR THE SWEETEST SOUNDING CD PLAYER MODS, call 1-800-648-6637. With our circuits, your player can easily surpass any analog reference in terms of musicality, soundstage and resolution. Mods begin at \$15. and can be installed by yourself or by our qualified staff. Soloist Audio, 332 Tuttle, S.A., TX 78209.

HAFLER, TEXAS BIGGEST DEALER, TOBY CORPORA-TION, Also ROTEL, TOBY HI-TECH HOME, CAR SPEAK-ERS, SATELLITE, SUBWOOFER SYSTEMS, (817) 732-6301, 2060 Monigomery; Fort Worth 76107.

ATTENTION DENON CUSTOMERS

Not everyone offering Denon products for sale is an authorized Denon dealer. This has great significance to you as a potential Denon customer.

Denon America's warranty applies to the original purchase only. Denon products sold by non-authorized dealers are not covered under this or any other warranty.

Additionally, some of this equipment may have been designed for foreign markets and therefore will not meet Denon America's specifications.

So look for the Authorized Denon Dealer Sticker before you buy.



To find your nearest AUTHORIZED Denon Dealer call: 1-201-575-7810 (9:00am - 5:00pm EST)

GAS EQUIPMENT OWNERS: Since 1977 we have olfered expert service on GAS equipment. From repairs to complete rebuilds with a one year guarantee. Our work compares with today's finest. We've kept the fire burning! Call or write: GASWORKS 5563 Kendall Street, Boise Idaho 83706. (208) 323-0861

HIGH-END, LOW PRICES. ADS+BANG R OLUFSEN + CARVER + DBX + DENON + H/K + NAKAMICHI AND MANY MORE! FULL MANUFACTURERS WARRAN-TY. TECH ELECTRONICS, SINCE 1981, (904) 730-3885

HYBRID III Driver Board updates Dynaco MKIII to latest audio standards. Precision parts factory assembled and tested. Includes unpopulated power supply board for extra storage. Sutherland Engineering, Box 1363, Lawrence, KS 66044, (913) 841-3355.

INTRODUCING CENTER-A-DISC ... THE REVOLUTION-ARY SYSTEM FOR CORRECTING LP'S OFF-CENTER DISTORTION. Revitalize your sound collection instantly! Praised by Stereophile and TAS. "Indispensable and a bargain at the price"-JGH. "I can't think of a better thing you could do for your system anywhere near the price. Now that the other record-centering turntables are gone, buy it." REG, TAS. Order now. Only \$68 postpaid. HVH Design, 7647 Densmore, Van Nuys, CA 91406. (818) 785-2030.

LEGACY LOUDSPEAKERS BY REEL TO REAL DE-SIGNS combine Edge-of-the-Art design with Old World Craftsmanship. A marriage of the finest speaker components from England, France, Denmark and the United States. ... "Exceptional value" says The \$ensible Sound. "... a world class speaker" E.H., South Carolina, "... the best speaker enclosures I've heard" I.M., Massachusetts. Exquisite cabinetry. Quality assured by a ten year warranty

Auditioned in the only relevant environment-YOUR HOME. Factory direct pricing. TOWERS, SUBWOOFERS, SATEL-LITES. From \$496 pr shipping prepaid. RTRD 2105 Claremont, Springfield, IL 62703. 1(800) 283-4644.

MAGNAVOX CD's: CDB480 \$135, CDB482, \$159, CDB486, CHANGER \$259, CDB473 \$199, CDB582, CDB586, CDB650--CALL, TRADES WELCOME, Mod Squad, Audioquest, Phillps MODS, Soundcraftsmen, Monster Cable, Heybrook, Apature. FREE CATALOG!! DIGITAL SOUND: (312) 674-8024

MARANTZ 108 TUNER/PAIR 9 AMPS/PRE-7, ALL MINT W. CABINETS, ORIGINAL PACKING + WARRANTIES; PAIR MODEL 5 AMPS; MARK LEVINSON MLII AMPS; MCINTOSH MR71. (718) 384-4667.

MCINTOSH

Bought-Sold-Traded. FREE Catalogue. See our ad at the beginning of the classifieds. AUDIO CLASSICS, United States Post Office Building, POB 176MM, Walton, NY 13856 607-865-7200. 8AM-5PM EST Mon.-Fri Audio Advertiser for over a Decade

MCINTOSH. JBL (ALNICO), Krell, M. Levinson, and other high end audio components. Let us find your hard to get items. Call John Wolff, 313-229-5191 (24hrs. machine)

McINTOSH MR67 Stereo FM Tuner, Walnut Cabinet, Mint, Original Owner, Manual, Factory Carton, \$475. (207) 236-3215 evenings, weekends EST.

MUSICAL CONCEPTS COMPACT DISC PLAYERS

CD-3/TPS (reviewed, The Absolute Sound ". #52), separate analog power supply, superb imaging, transparent! "Analog-only" audiophiles can't resist our new CD-4! The "ENIGMA", so much for so little! Complete units, 1 yr. warranty! "ENIGMA" \$495, CD-3/582 \$695, CD-4/582 TPS \$965, other models available. We'll mod-Ify your Philips-based player, including Philips CD-960/880!

ADCOM, B&K AND HAFLER MODIFICATIONS

Inductorless output, refined, transparent! Superb on electrostats! Many former tube lovers are using our amplifiers! Hafler modifications from \$149, B&K from \$219/installed. Adcom (GFA-555, 545, 535) \$195/ installed (reviewed, issue #55 of The Absolute Sound "). Options, include Dual-Mono operation

NEW MUSICAL STANDARDS

TEFLON " MC-2 preamplifier retrofits all Hafler and Adcom GFP-555 preamps. Why is the MC-2T replacing \$5000 tube preamps? Modified Hafler, Adcom preamps. the ultimate price/performance standard! SuperConnect III! A superlative, but bargain priced Interconnect. Satisfaction guaranteed! \$55/1M pair.

Dealer Inquiries	Musical Concepts One Patterson Plaza	Send	
Invited	St. Louis, MO 63031 314-831-1822	Reviews/ Brochure	

Does your system sometimes sound different for no apparent reason?

The reason could be your power. A refrigerator or air conditioner, even in another part of the house, may cause voltage to vary whenever they kick on or off. Or you may be getting line noiseelectrical interference that your preamplifier and amplifier amplify and send on to your speakers.

Solution? Tripplite LC-1800. It regulates voltage so it's constant-not too low, not too high. Full voltage-even in brownouts. LEDs show you what Tripplete is doing!

Tripplite's patented ISOBAR circuits provide three "banks" of isolation, two receptacles per bank. You can eliminate interference between critical components. It's like putting your CD player, preamp, and power amp all on separate lines. Sonic benefits may be subtle... but real.

Protection, too

And Tripplite prevents spikes and power from damaging your equipment. This protection is absolutely essential if you leave any of your gear on all of the time

Take a Power Trippe-No Risk!

Try the Tripplite LC-1800 for 30 days. If not satisfied with the performance (and protection), return it for a full refund of your purchase price. Made In USA by Trippe Manufacturing Co., Est. 1922. Only \$299.00 plus \$9.95 shipping in the US. If you want a clean musical signal start with clean consistent power. Order now



Charge It! Amex / Discover / MC/ Visa 1-800-949-0220 odvisor.inc. 225 Oakes SW . Grand Rapids. MI 49503 616-451-3868 · FAX 616-451-0709

Low-Price Accessories

Everything for Turntables:

Hard-to-Find Audiophile LPs/CDs Get 'em while they last! Proprius: Cantate Doming... (cd/lp) 17.95

Everything for CD Players:	
CD Stabilizer Rings: 15 w/locator	19.95
25 w/loc 29.95 100 w/ loc	89.95
Monster Cable Sound Rings:	
(12)14.95 (15)29.95 (50)	49.95
Monster Fonters: New! Small	
Reg (CD) 49.95 Large	
Interconnects for CD Players	
Mannavox CD Players:	

CDB482 w/remote	**149.95
CDB582 w/remote	**199.95
CDB586 CO Changer	**279.95
CDV485 CD/Video player	.*659.95

Powerstrips for Audio/Video

w/ Isolated Line Filtering	
Tripplite IB-4-220, 220/240v	
Tripplite IB-6, 6 outlets, 110v .	89.95
Tripplite IB-8, 8 outlets, 110v.	
Tripplite power Regulators w/	filtering:
LC-1200-220, 220v, 4 outlets	**249.95
LC-1800, 6 outlets, 120v	**299.00

Shipping Charges UPS, Insured, 48 States

Each Extra Item *Turntables, Stands

Electronics

Accessorles: One Item 3.95

12.95

8 95

Prices subject to change

Alphason auto, tonearm raiser AR ES-1 turntable, anniess *419.95 Record Doctor: vac-pwr record cleaning machine120v**169.95 220v** 189.95 LAST Record Products: #1 Cleaner 11.95 Sumitor: H-1 MC demagnetize , 149-95 FB-1 220 volt _____209-95 Sumito Blue Point MC cartridge ____95.00 Tip Toes for tumtables: C3 for AR __4.95 C-17-VPL (-C37-Sona, C-10 Dacke 8.95 Turntable Stand: Leed Balloon ___249.95 Turntable Stand: Leed Balloon __249.95 Turntable Stand: Leed Balloon __249.95 VPI Record Cleaning Machine ____Call Suction tubes for 16.5 4 7 ____9.95 VPI PLC: Power Line Conditioner ___Call Target Equipment Racks from UK TT3 3 shelves for gear, 33 tall TT3RR record rack, 33 tall 219.95 PS3 3 shelves for large gear TT5 5 shelves for gear, 33 tall TT5T 5 shelves for gear, 40 tall 275.00 275.00 299.95 AIB floor stands for amplifiers

Target HJ British stands

and Australia

We use UPS International to the Far East, W. Europe, New Zealand

1-800-942-0220

Amex / Visa / Mastercard / Discover

Cables and Cable Accessories Interconnect Cables: As-One, Cardas, FMS, Distech, Livewire, MIT, Monster VandenHul Custom longer length cables Call Tweek: Contact conditioner . 14 95 BT-1 wall-brackets to hang spkrs ... 27.95 All Kinds of Other Accessories: ASC Tube Trap room dampers AQ Sorbothane Isolation Feet Call Large(4)34.95 Small(forCDs)(4) 19.95

Audiophile Books Good Sound	12	95
David Manley, VTL Tube Book	10.	00
Cramoline contact clean/condition		
dbx 200XG tape routing selector **	99.	95
Oust cover scratch remover	14.	95
Sonex Acoustic Room Treatment		
Sonex Jrs: 2'x2'x2' sheets (4)	49.	95
Niles SPS-1 4 spkr selector	75.	00
Niles HDS-6 6 spkr selector 1	75.	00
NilesAudio/VideoSwitchingSystem	s C	all
Terk "Pi" FM Antenna	79.	95
VacuumTubes: RAM/GoldAeroPrem	1 0	all
VPI HW-5db, "Magic Brick"	39.	95

oudio advisor, inc 225 Oakes SW+ Grand Rapids, MI + 49503 FAX:616-451-0709 Service:616-451-3868

Call



WANTED: MCINTOSH, MARANTZ, AUDIO RE-SEARCH, DYNACO, LEVINSON, KRELL, ALTEC, JBL, TANNOY, CJ, SEQUERRA, WESTERN ELECTRIC, TUBE & SOLID STATE, BUY-SELL-TRADE, MAURY CORB. (713) 728-4343, 12325 Ashcroft, Houston, TX

NY AUDIO ONE NONSPEAKER! ¹¹ & MORE! BY APPT. 201/218-7915.

ORDER TOLL-FREE 1 (800) 222-3465. DIS-COUNTS! AR * AUDIOQUEST * B&K * BLAUPUNKT * BOSE * CELESTION * GRADO * HARMAN KARDON * JBL * MOD SQUAD * MONSTER CABLE * MUSICAL CONCEPTS * NITTY GRITTY * SONY * STAX * STRAIGHTWIRE * SUMIKO * SU-PERPHON + PLUS MORE, HCM AUDIO. 1600 BB MANGROVE, CHICO, CA 95926.

PHONO ONLY PREAMP, HIGHLY REVIEWED, FACTORY DIRECT, \$149. WRITE FOR LITERATURE DEPT. 2525, RT. 1 BOX 264-A, HENDERSONVILLE, TN. 37075, (615)

PS AUDIO — SUPERB!

Fast, FREE shipping! Knowledgeable, friendly service! Audire, Chesky, CWD, Fried, Grado, Kinergetics, Mirage, Monster Cable (M-series), Quad. SME. Sota, Spica, Stax, Straightwire, Thorens, more, READ BROTHERS STEREO. 593 King Street, Charleston, South Carolina 29403. (803)

CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S., CROWN, REVOX TANDBERG, HAFLER, ADCOM, MIS-SION, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH. B & W, KEF, D.C.M., E-V. J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CON-SULTATION. OPEN 24 HOURS A DAY, ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000 WEST: (818) 243-1168

SAN DIEGO AUDIOPHILES: NONSPEAKER! ^M & MORE! AUDIO ONE 619/480-4804.

DYNAUDIO TECHNOLOGY UNLIMITED 21 W-54 17 W-75 8982 TABLE BLUFF CROSS PLAINS, WISCONSIN 53528 300 300 mm 240 240 222 177 Diameter mm 100 54 Voice Coil Diameter 100 75 54 75 % < 0.8 < 1.51 < 0.3<1 < 0,2 Harmonic Distortion Power Capability W 450 210 350 120 160 150 Power Capability Impulse W 1000 1000 1000 1000 1000 1000 Frequency Range Hz 22-900 30 - 300035-3000 35-5000 35-5000 42-3500 Resonance Freq. Hz 24 22 32 33 30 39 Sensitivity 1W/1M dB 91 92 90 90 92 89 Impedance Ohm 8 8 8 8 8 8 Net Wt. 2100 2900

1850

920

2500

800 AUDIO/JUNE 1989

g

REFERENCE RECORDINGS VIDEO

"A VIDEO STANDARD" is here! Now you can accurately calibrate and align any audio video system without the \$10,000 in test equipment previously required to do it right This interactive NTSC videodisc includes extensive video test patterns to calibrate any monitor, TV or video projector. Audio test tones and signals let you set up stereo and surround sound correctly. Clear and thorough onscreen and written instructions are included, along with a reference blue filter. When you have optimized your system, use and enjoy the superb audio and video demonstration sections. This Joe Kane Video Production will let you create a truly professional quality system LD-101, "A Video Standard" is now available at local dealers or factory direct for only \$59.99 postpaid (Visa/MC check) from Reference Recordings, Box 77225X, San Francisco, CA 94107 (415) 355-1892, Free catalogue reviews. Dealer inquiries invited.

SAN FRANCISCO AREA-IRRESISTIBLY priced audiophile components. Shipped delivered. New used, World's best CD Players speakers electronics cables turntables. 1548 Center Rd, Novato, CA 94947 (415) 898-1464

Savings to 40%. Nobody beats our prices. Midli to highend. Over 150 product lines. Free Shipping Full US Warranty. Quality Audio 902-582-3990 7-10pm Eastern Time

60 YEARS IN BUSINESS ... WE MUST BE DOING SOME-THING BIGHT! If it's a much-in-demand audiophile product. we're likely to have it for immediate shipment. Consult with one of our quiet experts or just order U.S .- warranteed components directly VISA MC Ask for Steve K or Dan W SQUARE DEAL, 456 Waverly Ave , Patchogue, N.Y. 11772 (516) 475-1857

SOLID CORE CABLES

TARA LABS, DNM and MUSIC METRE-Custom Terminations, Kimber Kable, Epos ES14, Musical Concepts CD Players. Creek Electronics. Superphon, Tiffany, VISA MC AUDIO EXCELLENCE, LIVERPOOL, NY (315) 451-2707

SONY TAPE DELIVERED; UX-PRO-90 268 100. METAL-ES-90 362 100, P6-90 248. 40, L-500-PRO-X 235 40, T-120-PRO-X 287. 40. Sennheiser, AKG, A-T, dbx, Uher, Loftech, Carpenter GHP, P.O. Box 1321, Meadville, PA 16335-0821

TRANSCENDENCE THREE-Finally musical reality! Announcing the stunning original new hybrid Fet-Valve designs from Audio by Van Alstine. The Fet-Valve Amplifiers, the Fet-Valve Preamplifiers, and the Fet-Valve CD Players A perfect combination of tubes for voltage gain and power fets for current gain, each used ideally! The result is musical reality-the closest approach to live music in your home short of bringing in the musicians. One listen and you will be satisfied with nothing less. Now ultimate musical enjoyment is much less expensive. Write or call for our illustrated catalog. Audio by Van Alstine, 2202 River Hills Drive, Burnsville, MN 55337 (612) 890-3517

D-54

DIMENSIONAL PURITY



VANDERSTEEN AUDIO

Vandersteen Audio was founded in 1977 with the commitment to offer always the finest in music reproduction for the dollar. Toward this goal there will always be a high degree of pride, love, and personal satisfaction ir volved in each piece before it leaves our facilities. Your Vandersteen dealer shares in this commitment, and has been carefully selected for his ability to deal with the complex task of assembling a musically satisfying system. Although sometimes hard to find, he is well worth seeking out.

Write or call for a brochure and the name of your nearest dealer.

> VANDERSTEEN AUDIO 116 WEST FOURTH STREET HANFORD, CALIFORNIA 93230 USA (209) 582-0324

THE FINEST IN HOME AUDIO,

EDEO A VADEO FOUND

FIDELIY	800-438-6040 Cal Walker, Prop.
1620 South E	ATE LISTENING ROOMS Blvd., Charlotte, NC 23203 704-376-0350
OSS • MAGNUM DYN MEITNER MUSEAT	orized Dealer for. NALAB ● MAY AUDIO A©CESSORIES TEX ● MOD SQUAD ● MONSTER ut our professional audio div sion
E/	OR SALE

AKG, Stax, Livewire, Ariston, Apature, The King's Stereo 1275 Wasbash, Springfield, IL 62704, (217) 787-5656

SUMO

AMPS+PREAMPS+TUNERS+SPEAKERS MUSICALLY ACCURATE AND QUALITY CRAFTED AUDIO COMPONENTS, DESIGNED AND BUILT IN THE USA (214) 347-219

OPTIMA AUDIO

D-21


TECHNOLOGY UNLIMITED

D-28

D-52

CAR SIEREO & V	IDEO EQUIPMENT		
AUTHORIZE •ADS •AKG •ALTEC-LANSING •AUDIO CONTROL •AUDIO CONTROL •AUDIO SOURCE •B & W •dbx •DENON •GUL •INFINITY (CAR) •JVC •KENWOOD •KICKER •MINOLTA	D DEALER FOR •MISSION •MONSTER CABLE •ORION •OLYMPUS •POLK AUDIO (CAR) •PROTON •SAE •SANSUI •SIGNET •SNOOPER •SONANCE •SOUND CRAFTSMEN •TERK ANTENNAS •VSE ALARMS •CERWIN VEGA		
Sound CITY Martin Meadown Shopping Center Route 23 South Kinnelon, N.J. (201) 838-3444			

For suggested applications, call 608-831-2990




D-28 AF D-21 AF

-	I THE REAL PROPERTY OF	٢	9	9	T	9		•
177	145	145	110	110	145	145	110	110
75	54	54	28	21	75	54	28	21
< 0,2	< 0,3	< 0,4	< 0,3	< 0,3	< 0,3	< 0,4	< 0,6	< 0,2
180	250	200	300	600	180	200	300	600
1000 80-3500	1000 800-7000	1000 500-6000	1000 1200–25000	1000 2000–35000	1000 300-5000	1000 4 00–8000	1000	1000
74	350	350	700	1300	220	400-8000	1000-30000 700	1500-45000
89	96	92	93	92	88	91	700 91	1300 91
8	8	8	8	8	8	8	8	8
800	1900	1200	600	650	820	1200	550	550

AUDIO/JUNE 1989

17M-75



E-V PATRICIAN COMPONENTS \$1614.50 PAIR. Lowest prices on Electro-Voice. Doing your own church/club installation? We have Altec, Carver, JBL, etc. Flyer. Rick Marder, AHCo. (201) 561-8123.

FIND OUT WHY AUDIO CONCEPTS INC., sells more highend speaker kits and parts than anyone in the country. Catalog Toll Free: 1(800) 346-9183. Allow 4-6 weeks for delivery. First class mailing send \$2 to Audio Concepts, Box 212, LaCrosse, WI 54601.

For the finest In musical reproduction, the complete line of NOSC loudspeakers including subwoofers, satellites, and custom subwoofer crossovers. Free brochure. NOSC, Box 13023, Akron, OH 44313,

FRIED SPEAKERS & KITS

State-of-the-art! Amazing performance/price! FREE shipping. Knowledgeable, friendly service! Audire, Chesky, CWD, Grado, Monster, PS, Quad. Sota, Spica, Stax, Thorens, more. READ BROTHERS STEREO, 593 King Street, Charleston, South Carolina 29403. (803) 723-7276

PHASED, TIME-ALIGNED LOUDSPEAKERS Models 2.5, 2.6, 3.8, 3.8D. Available at FAT JULIAN'S AUDIO, 463 S. Atlanta St., Roswell, GA 30075. (404) 587-1900.

FUSELIER

164

brands and models on display, more knowledge and experience. More service, too. Which explains why more people around the world make Lyric their source for quality audio components.

Come in and audition turntables from Ariston. Goldmund, Oracle, Rega, Sonographe, Sony, Sota, VPI, Well Tempered and others. Tonearms by Alphason, Goldmund, SME, Well Tempered and more. Carnegie, Spectral and other quality cartridges. We supply 220 volt equipment for export.



UVTIC 1221 Lexington Ave. New York, NY 10028 212-439-1900

2005 Broadway New York, NY 10023 212-769-4600

146 East Post Road White Plains, NY 10601 914-949-7500





LOUDSPEAKERS

HIGHTECH Loudspeaker Manufacturer Home/Auto: Die Cast Drivers, Metal Dome Tweeters. Representatives Wanted. AudioLab, Box 18009, Seattle, WA 98118, 1(206) 323-4987, Fax 1-206-325-7601

LEGACY-1 LOUDSPEAKERS BY REEL TO REAL DESIGNS: Probably the most accurate speaker system you'll ever own. Samarium Cobalt leaf tweeter hands off to a 30mm European dome. Vocals are recreated by the most remakable cone driver anywhere. A multi-chambered, slotloaded dual wooler configuration extends bass response to 16 Hz. Biampable through Tiffany gold binding posts and high definition cable. Elegant 43" tower design. Ten year warranty. \$1648/pr shipped prepaid. Ten day home trial. RTRD, 2105 Claremont, Springfield, IL 62703. 1(800) 283-4644

LOUDSPEAKER COMPONENTS-KITS. Dynaudio, Morel, Eclipse, Focal, Peerless, Eton, Vifa, more! Crossover parts-design books also. Catalog \$1. Meniscus, 3275W Gladiola, Wyoming, Michigan 49509. (616) 534-9121.

SOUND ANCHORS Specialty Audio Stands

SOUND ANCHORS stands come PREFILLED with special materials to dampen resonances and add mass, you don't have to fool with sand or shot. SOUND ANCHORS stands are engineered to Interface with your specific components and speakers so they sound their best...period. Special stands are available for these speakers. Vandersteen 2-C. B&W 801 Matrix, Spica TC-50, Sota Panarama and now Magnepan models MG 2C/2.5 and MG 3A. For information and the name of your nearest dealer please call (407) 724-1237.

CD PLAYERS

COMPACT DISC PLAYERS

Knowledgeable, friendly service! Finest brands. FREE shipping. READ ROTHERS STEREO, 593 King Street, Charleston, South Carolina 29403. (803) 723-7276

COMPACT DISCS-AT LOW WAREHOUSE PRICES, Now in our 5th year. CATALOG: Send \$2.00. Oz Warehouse, 1575P Hwy 29, Lawrenceville, GA 30244.

THE MSB CD PLAYERS AND MODIFICATIONS offer the finest In digital reproduction at the most reasonable cost. Call or write for information, Dealer ingulres invited, AUDIO CONCEPTS INC. (608) 784-4570. 901 S. 4th St., La Crosse, WI 54601

PHILIPS COMPACT DISC PLAYERS PHILIPS CD-960 & CD-880, REMARKABLY SMOOTH & DETAILED EXCELLENT DYNAMICS. CD-680 EXCEPTIONAL VALUE UNDER \$300.00. FOR INFORMATION CALL (301) 890-3232, J.S. AUDIO, ONE CHILDRESS COURT, BURTONSVILLE, MD 20866. MONDAY THRU FRIDAY 10am. TO 7pm. SATURDAY 11-5 M C VISA AMEX.

RECORDS

RECORD COLLECTORS SUPPLIES, REPLACEMENT JACKETS, INNER SLEEVES, 78 RPM SLEEVES, OPERA BOXES, LASER DISK BOXES, ETC. FREE CATALOG. CABCO PRODUCTS, BOX 8212, ROOM 662, COLUMBUS OHIO 43201

BLANK TAPES



New MAXELL reels/cassettes. AUDIO TAPES, Box 9584E. Alexandria, VA 22304. (703) 370-5555, VISA/MC

NOTHING BETWEEN THE MUSIC AND YOU

ESOTERIC SOUND Presents the **COUNTERPOINT**

SA-12 Power Amplifier

Esoteric

SOUND SYSTEMS LTD

516/689-7444

High End Components For The Audio Perfectionist ANALOG RESEARCH • APOGEE • BEDINI • COGAN-HALL COUNTERPOINT . ESSENCE . HARTLEY . JANIS . KEF COVENTRY COMMONS Rie 347 LEXICON • MARANTZ 94 • MUSEATEX • PRECISE STONY BROOK, N.Y. 11790 PULSAR - ROTEL - JEFF ROWLAND - SHAHINIAN - and more



Synthesis Loudspeakersdesigned to

preserve the


integrity of

pertormances.

musical

shown: The Synthesis Reference System, the ultimate realization of the Synthesis approach of combining computer simulation and measurement techniques with refinement through exhaustive auditioning of ncremental design adjustments. Lovingly hand-crafted cabinets enhance the aesthetic appeal of the finished product.

he conrad-johnson group 2300 R Dorr Avenue · Fairfax VA 22031 · 703-698-8581



is where you will find knowledge, experience, honesty, value, and over fifty of the finest names in audio.
 Krell, Apogee, SOTA, Quad, Counterpoint, VPI, Eminent Technology, Wilson Audio WATT, Meitner, California Audio Labs, Quicksilver — MOREI
 We sell virtually all cable and accessory lines.
 Call us for friendly advice and a free copy of our informative Newsletter.
 Galen Carol Audio P.O. Box 17562 San Antonio, TX 78217 512-494-3551

HAROPA 🔳 PRODUCTS

Why not wall mount your speakers and T.V. set?



MULTIVISION 2 T.V. BRACKET

Accepts T.V. sets up to 20" deep Full double swivel and tilt facility Control knob adjustment. Will even swivel round corners¹ Beautifully finished in white In Great Britain, HAROPA PRODUCTS are leading manufacturers of T.V. & speaker wall mounting systems.

These products are now available in the U.S. – distributed only by: MAY AUDIO INC. P.O. BOX 1048 CHAMPLAIN NY 12919.

Tel: (518) 298 4434.

or Canada

Tel: (514) 651 5707.



HAROPA SPEAKER WALL BRACKETS

Swivels & tilts speakers to optimum listening position.

Speakers clamped securely, totally non damaging

Excellent, unobtrusive design

Holds speakers between $5^{\prime\prime}$ – $11^{1}/_{2}^{\prime\prime}$ deep

W. Mew Englands Bet. Acoustat - Apogre - Aragon - Boston - A oustats - B&W - Celestion - CWD + db + Daal - Greig - Fred - + Aller - Hinling - JSE + JCC Vide - Nortsur + Niel - Magnum - Me tree - Merian + Mil - Mod Stauae - Monter - HAD - Onevo - Fold - Shure - Still - Sneil - Son - IS - SDI - Slat - Sumao - Velogne - Well Tempered Sound & Mussic

AUDIOPHILE RECORDS

AUDIOPHILE ALBUMS FROM SOUND ADVICE! Mobile fidelity, Reference Recordings, Sheffield Lab, Chesky, Wilson Audio, U.H.Q.R.;s collection, etc... SOUND ADVICE: 8215 Grand, Kansas City, MO 64114. (816) 361-2713, Audiophile albums represent the final effort for the analog recording medium. Keep the faith.

AUDIOPHILE LP'S AND CD'S

IN PRINT

Mobile Fidelity, Reference Recording, Sheffield Labs, Chesky, Wilson, M & K, American Gramophone, Proprius, OPUS 3, Lyrita, Linn Re-cut, EMI, Waterlilly, North Star, Odin, Japanese and British Imports (Ips), Many TAS recommended LPs¹

OUT OF PRINTS

Nautilus, Super Disks, Nimbus, UHQR, MFSL Beatles, Stones, Sinatra Boxes, Direct to Disc by Crystal Clear, Umbrella, EMI, RCA LSC, Mercury SR, Casino Royal, CBS Mastersounds, Etc.

AUDIOPHILE CD'S

MFSL Gold 'Ultra Disk", Bainbridge 'Colossus", Elite Stereo play", Three Blind Mice, Telarc, plus the above labels.

ACCESSORIES BY:

Nitty Gritty, LAST, Audio Quest

ALSO: ONE STOP distributor pricing for Audio Record store, offering all brands above The LARGEST inventory and FASTEST service!

> Call for catalog Acoustic Sounds P.O. Box 2043 Salina, Kansas 67402 913-825-8609

AUDIOPHILE WAREHOUSE LIQUIDATION! Direct-to-Disc, Halfspeed, Quiex II Recordings. 2000 available. Great Prices—example: Abbey Road" (new) was \$75.00, now \$45.00! Elusive Disc, 4216 Beverly Bivd., Suite 230, Los Angeles, CA 90004. (213) 388-7176.

HEAR YOUR SYSTEM SOUND OFF, 12" SINGLE IMPORTS, KILLER SOUND, SAMPLE PACK \$25, OR SEND WANT LIST & C.C. # OR SASE FOR MORE INFO TO SINGLE-GUY 141 OAK CT. MENIO PARK, CA 94025.

REFERENCE RECORDINGS

CHICAGO PRO MUSICA, our Grammy-award-winning group from the Chicago Symphony, is at it again-this time with the 'Threepenny Opera Suite' by Kurt Weill, plus three surprises: Music For A Farce' by Paul Bowles (first stereo recording), a mad 20s ballet by Martinu, La Revue de Cuisine,' and a sonic stunner by Varese, 'Octandre.' Recorded in the famed acoustics of Chicago's Medinah Temple, this program, recorded in Prof Johnson's dazzling sonics, will make your system jump to life. RR-29 is now available at your local dealer or postpaid from Reference Recordings, Box 77225X, San Francisco, CA 94107; \$16 98 Digital Master CD or Pure Analogue JVC LP; \$9.98 cassette (Visa MC/ Check) (415) 355-1892. Free catalogue reviews. Dealer inquiries invited.

COMPACT DISCS

FREE JAZZ CATALOG: CD'S, LP'S, CASSETTES, VID-EOS, SINCE 1975. WRITE TO DEPT. AU, DAYBREAK EXPRESS RECORDS, P.O. BOX 150250, VAN BRUNT STATION, BROOKLYN, NY 11215-0005.



INTRODUCING THE SIME MODEL 309

This exciting new addition to the SME range of tonearms exemplifies the design philosophy of SME. While the influence of the classic Series V will be clearly seen, the aim has been to meet the needs of a broader market in which an interchangeable headshell is required.

We believe SME's designers can be justly proud of this new model which, although not intended to challenge the Series IV or ultimate Series V, offers a performance and manufacturing excellence otherwise without

For more information and the name of your nearest dealer call us at 415/843-4500 or write to P.O. Box 5046, Berkeley, CA 94705





NO EXPORT

AMEX VISA WANTED TO BUY 800-438-6040 MASTERCARD - 7 PM DAILY Cai Walker, Prop. Challenging Prices For Last Call: Sequerra, McIntosh, I try to answer all calls personally. FOUR PRIVATE LISTENING ROOMS 1620 South Blvd., Charlotte, NC 28203 704-376-0350 Marantz, Quad, Audio Research, Western Electric, Westrex. Vintage speaker systems, units, from Tannoy, JBL, Altec, EV, Jensen RCA/LC-1A, W.E. Tel.: (818) 701-5633, David/Audio Authorized Dealer for: SUMO • SUMO ARIA • SUMIKO SYSTEMDEK • TARGET • TERK • Ask about our professional audio division City, P.O. Box 786, Northridge, CA 91328-0786 The And more I WILL PAY RETAIL for all tube MARANTZ or used McIN-TOSH tube or solid state. Need not work. (504) 885-6988 Digital Audio Tar davs STORE IT'S WORTH IT CALLING ME! McIntosh, Marantz Tube Santa Monica, CA 90403 components, Western Electric, Altec, JBL, Jensen, Tannoy The Best Drice (213) 828-6487 • FAX: (213) 470-6176 Lan-Gevin Trusonic Raw speaker. Tube etc., top cash. Henry on Sound Advice Chang, 309 E. Garvey Ave., Monterey Park, CA 91754. (818) 571-6274 LAX DIGITAL AUDIO TAPE RECORDERS MCINTOSH, MARANTZ TUBE, MCINTOSH S.S. equipment, Western Electric, Tubes, Speakers, etc. TOP CA\$H. Scott Dowling, 9908 Daines Drive, Temple City, CA 91780. At SOUND STAGE you can talk to a knowledgeable salesperson who will advise (818) 286-9122, evenings/weekends. you on the best audio or video equipment that meets your needs and budget. From TOP PAYING FOR MCINTOSH, MARANTZ TUBE AMP our large selection you can compare PORTABLE McIntosh Solid State, Western, JBL, Altec, Tannoy, EV, Jensen, Speakers & Horn, EMT Turntable, Ortofon, Arm. performance specifications and prices ALL SOUND STAGE equipment Includes: Temma (516) 997-7633, (516) 496-2973. HOME 30-day best price protection free 3-year warranty with parts & labor ALL BRANDS IN STOCK NOW!!! WANTED: MARANTZ, MCINTOSH, WESTERN, JBL, ALfree delivery TEC OLD EQUIPMENT JOE (213) 320-7020 9am-5pm. PLEASE. NO MAIL ORDER TORRANCE, CA FULL WARRANTY . ENGLISH MANUALS DENON ENERGY ELITE SIGNET ARVER BANG & OLU GRADO PULSAR AUD TRANSFORMERS, TAPES and UNGO BOX KL KLOSS AMBRIA SERVICES Call for store hours ACCESSORIES AVAILABLE (718) 961-9888 AUDIO PULSE SERVICE. Factory trained technicians. We Shipping VIA UPS/FED-EX • 115 W 40th 5 manufacturer and repair digital time-delay (ambience) sysibetw B'way & 6th tems. White Labs, 10528 Lower Azusa Rd., Suite 192A, El 173 Broadway
 NYC, NY 10007
 (NW corner of
 B'way & Contanat) Monte, CA 91731. (818) 446-5346 184-10 Hor Audio Repairs and Restorations by Richard Modafferi, NY 113651 former Senior Engineer at McIntosh and Clif Ramsey, former Senior Service Technician at McIntosh. Over 55 years combined-experience. See our ad at the beginning of the classifieds. AUDIO CLASSICS, United States Post Office Building, POB 176MR, Walton, NY 13856. (607) 865-7200, 8AM-5PM EST Mon.-Fri.

-Audio Advertiser for over a Decade-

DAT REPAIRS performed on all SONY, TECHNICS, JVC and AIWA models. GUARANTEED WORK. FREE ESTIMATES. FET Electronics. 17718 Vanowen Street, Reseda, CA 91335. (818) 345-8565.

Professional repair of your high-end audio equipment. For every repaired unit, full print out of specifications and shipping via UPS. Call: (616) 637-9167. Audio Service Corporation, 505 Phoenix St., South Haven, MI 49090.

SPEAKER REPAIR. 4" to 18" speakers record. Orban Audio, 119 7th St., N.W., North Canton, OH 44720. (216) 497-9932. 6pm - 9pm EST.

HELP WANTED

WE'RE LOOKING FOR A FEW GOOD MONSTERS

Monster Cable, the leader in high quality audio cable, is looking for qualified applicants in the area of Engineering. MAC proliciency required. Audio electronics knowledge a plus. If interested, please send resume to: Monster Cable, 101 Townsend St., San Francisco, CA 94107.

RETAIL MART

WE HAVE THE FINEST SHOWROOM in our area with the best selection of audio/vdeo components available. We represent Adcom, Infinity, Thorens, Dual, Jamo, Yamaha, Canton, Luxman, Klipsch, SONY ES, and more. CONTINENTAL SOUND, 98-77 Queens Blvd., Forest Hills, NY 11375. (718) 459-7507.

Your Records will sound better and last longer.

Audio Advisor's New "Record Doctor" vacuum cleans records... spotless! Only \$169.95

You don't have to spend \$300 or more to clean your records right—liquid application and vacuum suck-up. New "Record Doctor" exclusively from Audio Advisor cleans records right for only \$169.95.

Get serious

Serious audiophiles ALWAYS vacuum-clean their records—for less surface noise and fewer ticks and pops. Sound is clearer, cleaner... the music more natural. Your amplifier doesn't have to amplify noise!

Longer record life

Records LAST LONGER because your stylus no longer pushes particles of dust into soft vinyl grooves. You protect irreplaceable, priceless LPs for years to come. The "Record Doctor" pays for itself!

Sucks up debris

Record Doctor's powerful vacuum sucks up fluid, safely removing dirt, dust, grease and fingerprints. Debris is sucked up, NOT picked up from one part of the record and left on another.

"I can't believe how good my records sound. Record Doctor gets rid of the grunge that was getting between me and the music," says D.P.G., Brooklyn, NY.

"You are right, Record Doctor does the job just as well as an expensive machine," writes D.K. from LA. "And I'd rather rotate the records myself anyway!" (Expensive machines have an extra motor to rotate records. Rotate them yourself and savel)



The Record Doctor TM

You get the complete package: vacuum machine, professional applicator brush, and cleaning fluid—all for only \$169.95 (220v version \$189.95) plus \$8.95 shipping & handling in US. Satisfaction guaranteed—no other machine near this price cleans records better.



RETAIL MART

AUDIO BEST: LA, ORANGE, SAN BERNADINO, CALIFORNIA. HOT COMPONENTS: CELESTION SL700. COUNTERPOINT SA3000, TARALAB. PS4.6 100C; MIT CVT: AUDIBLE ILLUSIONS AMPLIFIER, MODSQUAD PRISM CD: ACOUSTAT SPECTRA 22&23; SPICA AN-GELA: WELL-TEMPERED; VELODYNE. MAGNUM; FOS-GATE: ADCOM, B&K, SUPERPHON, MUSIC REFER-ENCE, PALANTIR, SPECTRUM, RAUNA, SOUNDLAB. VPI, MAPLENOLL, SYSTEMDEK, GRADO, ALPHASON, GARROTT, VDHUL, MONSTER, STRAIGHTWIRE. (714) 861-5413, APPOINTMENT.

CAR STEREO

CAR STEREO-GET THE FACTS, NOT A SALES PITCH. 250 pages of information you can't get anywhere else. 'HOW TO BUY CAR STEREO'-Send \$14.95 to GRAY PUBLISHERS, 703 East Broadway, Suite 1-U, Tucson, AZ 85719, or VISA/MC/DISCOVERY, Call 1(800) BE4-UBUY, Satisfaction Guaranteed¹

INVENTIONS WANTED

A NEW IDEA? Call NATIONAL IDEA CENTER of Washington D.C. FREE INFORMATION--1(800) 247-6600 EXT.155. Come see THE INVENTION STORE'

PARTS & ACCESSORIES

AUDIO APPLICATIONS BOOKSHELF. More than fifty titles: BUTTERWORTHS, SAMS, DOVER, GRAMOPHONE, McGRAW-HILL, TAB, PENGUIN, others. Widest selection by mail-order anywhere. Complete information from: OLD COLONY BOOKS, P.O. Box 243A, Peterborough, NH 03458. (603) 924-6371

MIT cables, custom terminations, Camacs, Monster RCA, hi-flexibility all MIT tonearm sets, XLR balanced; Shotgun CVT; MIT hookup wire for internal rewring, MIT harness & mods for INFINITY'S, customized Athena PolyPhasors; CLEMENTS speakers; ASC Tube Traps; Solen, Sidereal, Wonder Caps-solder-wire; Resistas; Odyssey, Tiffany connectors; custom Tiptoes; many accessories-mod parts, \$1 catalog (\$3 overseas); Michael Percy, Box 526, Inverness, CA 94937; (415) 669-7181

PRO AUDIO TAPE, ACOUSTIC FOAM. CONNECTORS, Patch cords, cleaning fluids, DAT, speaker wire, video, computers, laserjets, supplies: Unbelievable prices¹ Free catalog, Cartunes, P.O. Box 20384, Indianapolis, IN 46220. (317) 257-6776. MC Visa COD.



An Unlimited supply of Backgrounds from standard stereo records! Record with your voice or perform live with the backgrounds. Used in Professional Performance yet connects easily to a home component stereo. This unique product is manufactured and sold Exclusively by LT Sound - Not sold through dealers. Call or write for a Free Brochure and Demo Record.

LT Sound, Dept. A(J-3, 7980 LT Parkway Lithonia, GA 30058 (404) 482-4724 Manufactured and Sold Exclusively by LT Sound 24 HOUR PHONE DEMO LINE: (404)482-2489

SOTA Panorama: Small is Beautiful

To neutralize the loudspeaker enclosure—so drivers move only with the music—that is the first task of the SOTA design team. Minimize colorations at the source and you neutralize all sorts of room gremlins.

That is what SOTA does best. We neutralize gremlins. Using mass, rigidity and all the energy controls for damping resonances that made us America's preeminent turntable maker, we propose to transform the small monitor just as SOTA turntables redefined the high end turntable world eight years ago. Our goals:

• Resolution and coherence second to none, especially in bass extension.

 Compatibility with the widest range of electronics and rooms.


 A gorgeous form equal to the gorgeous performance.





The result of our research: the optimum "truncated pyramid" shape; all curved corners to minimize refraction; and heavily-braced, laminated 1¼" thick walls. Plus, the latest kevlar drivers and ultimate crossover components. The classic two-way speaker may never be the same.





BUSINESS OPPORTUNITIES 800-438-6040 Cal Walker, Prop I try to answer all calls personally EASY WORK! EXCELLENT PAY! Assemble products at FOUR PRIVATE LISTENING ROOMS 1620 South Blvd., Charlotte, NC 28203 704-376-0350 home. Call for information. (504) 641-8003 Ext. 5737 Authorized Dealer for 30 ACOUSTICS • TWEEK • VAMPIRE VAN DEN HUL • VPI • WBT And more Ask about out professional audio division LEARN HOW TO BECOME A MUSIC BROKER, NO SPE-CIAL TRAINING REQUIRED. UNLIMITED INCOME, FOR FREE INFORMATION' T & G PUBLICATIONS, BOX 111. BARRINGTON, R.I. 02806 MAIL ORDER Our speaker cables and interconnects bring the music back to your Upgrades for Thorens lumtables & Grado cartndges Corktone Platter Mat, F-1 Dustcover Weight and more Complete catalog \$3.00, relundable with purchase 1925 Massachusets Avenue, Cambridge, MA (617)354-8933 THE BEST RECORD RACK IN AMERICA. Stackable, portable, oak units hold LP's, CD's and tapes Free Mailorder Brochure, (please mention Audio). Per Madsen Design: (415) 928-4509. P.O.Box 330101, San Francisco, CA 94133. CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S. CROWN, REVOX, TANDBERG, HAFLER, ADCOM, MIS-SION, N.A.D., HARMAN KARDON, KYOCERA, YAMAHA LUXMAN, DENON, KLIPSCH, B & W. KEF, D.C.M., EV. J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CON-SULTATION. OPEN 24 HOURS A DAY ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000, WEST: (818) 243-1168.

FREE MAILORDER CATALOG, MID, HIGH-END AUDIO LOW. LOW WAREHOUSE PRICES CALL (602) 829-6710 NOW! NO TAX OUTSIDE ARIZONA. AUDIO ADVANTAGE. **SINCE 1981**



the conrad-johnson group + 2800 R Dorr Avenue + Fairfax VA 22031 + 703-698-8581

LOWEST LOUDSPEAKER DISTORTION

oak in light

280# \$3895/pr kit, \$4795/pr

78x184x18"


ower III.

VMPS Super

satin

G

The oak.



The new VMPS Super Tower III is the evolutionary successor to the Super Tower IIa/R, one of the most highly acclaimed large speakers of the decade (which remains available)

The new system encorporates numerous design advancements including doublethick front baffle, antidiffraction round vertical cabinet edges, flushmounted drivers. Soundcoat cabinet damping, new 10" high acceleration midbass woofers, multigage Teflon solid core internal wiring, all Wondercap crossovers, four Focal inverted hardcome tweeters, and more Bass extension (-3dB at 17Hz/1W drive), 1HD (no more than 0.25% for 1W), sensitivity (96dB/1W/1m) and overall linearity and nature rainess of sound are unsurpassed by any competitor regardless of price

Hear V MPS speakers, John Curl electronics (such as the SCP2A phono preamp, \$2250), and our new Hybrid Interconnects (\$90 per 1m pair) offering state of the art performance at reasonable cost, at the dealers below. Or write us for brochures and test reports on the three VMPS Subwcofers (Smaller, \$229ea kit, \$299ea assem, ginal, \$329ea kit, \$399ea assem, Larger. \$439ea kit, \$549ea assem), the new MiniTower IIa (\$369ea kit, \$479ea assem) and our other floorstanding and QSO bookshelf systems. Prices include free shipping in 48 US states and kits are supplied with fully assembled cabinets

VMPS AUDIO PRODUCTS div Itone Audio 3412 Eric Ct. El Sobrante Ca 94803

(415) 222-4276

Hear VMPS at The Listening Studio, Boston, Par Troy Sound Parsippany NJ, Dynamic Sound, Washington DC American Audio, Greenville SC, Mountaineer Telephore, Beckley XV Arthur Morgan Lake Mary FL Audio by Caruso, Miami FL Audio Specialists South Bend, In, Stereo Exchange, Palantine III. Encore Audio Lees Summit Mo. Stafeo Exchange. Palantine III. Encore Audio Lees Summit Mo. Shadow Creek Ltd. Mir neapolis Mn. Reference Sound Eagle Rock, Ca. Sounds Ungue San Jose Ca. Ultimate Sound San Francisco Ca. Custom Audio Novato Ca. Itone Audio, El Sobrante Ca.



ALL PRODUCTS CARRY MANUFACTURERS WARRANTIES

torse by the second secon



TIPS FOR MAIL ORDER PURCHASERS

It is impossible for us to verify all of the claims of advertisers, including product availability and existence of warranties. Therefore, the following information is provided for your protection.

1. Confirm price and merchandise information with the seller, including brand, model, color or finish, accessories and rebates included in the price.

2.Understand the seller's return and refund policy, including the allowable return period and who pays the postage for returned merchandise.

3. Understand the product's warranty. Is there a manufacturer's warranty, and if so, is it from a U.S. or foreign manufacturer? Does the seller itself offer a warranty? In either case, what is covered by warranty, how long is the warranty period, where will the product be serviced, what do you have to do, and will the product be repaired or replaced? You may want to receive a copy of the written warranty before placing your order.

4. Keep a copy of all transactions, including cancelled checks, receipts and correspondence. For phone orders, make a note of the order including merchandise ordered, price, order date, expected delivery date and salesperson's name.

5. If the merchandise is not shipped within the promised time or if no time was promised, 30 days of receipt of the order, you generally have the right to cancel the order and get a refund.

6. Merchandise substitution without your express prior consent is not allowed.

7. If you have a problem with your order or the merchandise, write a letter to the seller with all the pertinent information and keep a copy.

8. If you are unable to obtain satisfaction from the seller, contact the consumer protection agency in the seller's state or your local U.S. Postal Service.

AD INDEX

Firm (Reader Service No.) Accuphase Acoustic Research (1)	Page
Accuphase	130
Acoustic Research (1)	Cover II
Adcom (2, 3). 105 Allison Acoustics (4)	Cover IV
Allicon Acoustics (4)	34
Allison Acoustics (4)	20 8 22
Altec Lansing (5)	. 32 & 33
American Acoustics (6)	85-88
Apogee Acoustics (7)	
Audio Influx (8)	
Audio Research (9)	Cover III
Audio Nesearch (5)	13
AudioQuest Audiostream (10)	50
Audiostream (10)	
B & K (11)	128
B & W Loudspeakers (12)	14-17
BBE Sound, Inc. (13)	129
Berkeley SoundLab (14)	101
Beyerdynamic (15)	4
Brystonvermont (16)	20 8 21
Brystonvermont (10)	50 0 51
California Audio Labs	
Cambridge Soundworks (17). Canton (18)	
Canton (18)	102 & 103
Carver	19 23
Columbia House	20 & 21
Counterpoint (19)	119
Dahlquist (20)	40
Daniquist (20)	42
Energy (21)	
Esoteric Audio (22)	137
GRP (23)	149
Hifonics (52)	
Hill Products (24)	4
Hill Products (24) Infinity Systems Inc. (25)	40 8 41
minity Systems inc. (23)	100 41
Jamo (26)	
KEF (27)	9 11
Kinergetics Research (51)	amaria 1
Levinson	3, 113
Luxman (28)	
M & K Sound (29)	121
Madrigal	10
Manager (21)	27
Magnepan (31)	100
May Audio/WBT (32)	
McIntosh (33)	60 & 61
Mirage (34)	127
Mobile Fidelity (35)	131
Mondial (26)	
Monster Cable (37)	
Monster Cable (37)	43
Mondial (36) Monster Cable (37) Music Interface Technology (3	
NAD	
NAD Onkyo	35 43 (8) 141 56 & 57 24 & 25
NAD Onkyo Philips	35 43 (8) 141 56 & 57 24 & 25 90 & 91
NAD Onkyo Philips Pioneer (39)	35 43 (8) 141 56 & 57 24 & 25 90 & 91 96 & 97
NAD Onkyo Philips Pioneer (39) Polk (40)	35 43 8) 141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49
NAD Onkyo Philips Pioneer (39) Polk (40)	35 43 8) 141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49
NAD Onkyo Philips Pioneer (39) Polk (40)	35 43 8) 141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49
NAD Onkyo Philips Pioneer (39). Polk (40). Precise (41). Reel to Real (42).	35 43 (8) 141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43)	35 43 (8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50)	35 43 (8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44)	35 43 (8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44) Sony	35 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44) Sony	35 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44) Sony Soundcraftsmen (30)	35 43 43 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37
NAD Onkyo Philips Pioneer (39). Polk (40). Precise (41) Reel to Real (42) Sherwood (43) Signet (50). Sonance (44) Sony Soundcraftsmen (30). SSI Products Inc. (45).	35 43 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 & 49 81 132 117 96 & 97 36 & 37 36 & 37 26
NAD Onkyo Philips Pioneer (39). Polk (40). Precise (41). Reel to Real (42). Sherwood (43). Signet (50). Sonance (44). Sony. Soundcraftsmen (30). SSI Products Inc. (45). Stereo Exchange (46).	35 43 43 48 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 43 43 145
NAD Onkyo Philips Pioneer (39). Polk (40). Precise (41). Reel to Real (42). Sherwood (43). Signet (50). Sonance (44). Sony. Soundcraftsmen (30). SSI Products Inc. (45). Stereo Exchange (46). Straight Wire (47).	35 43 43 43 48 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 3 36 & 3 26 145 146
NAD Onkyo Philips. Pioneer (39). Polk (40). Precise (41). Reel to Real (42). Sherwood (43). Signet (50). Sonance (44). Sony. Soundcraftsmen (30). SSI Products Inc. (45). Stereo Exchange (46). Straight Wire (47). Studer Revox.	35 43 43 43 48 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 145 146 44 & 45
NAD Onkyo Philips Pioneer (39). Polk (40). Precise (41). Reel to Real (42) Sherwood (43) Signet (50). Sonance (44) Sony Soundcraftsmen (30). SSI Products Inc. (45). Stereo Exchange (46). Straight Wire (47). Studer Revox Sumo	35 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 146 146 44 & 45 52 & 55
NAD Onkyo Philips Pioneer (39). Polk (40). Precise (41). Reel to Real (42) Sherwood (43) Signet (50). Sonance (44). Sony Soundcraftsmen (30). SSI Products Inc. (45). Stereo Exchange (46). Straight Wire (47). Studer Revox Sumo	35 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 146 146 44 & 45 52 & 55
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44) Sony Soundcraftsmen (30) SSI Products Inc (45) Stereo Exchange (46) Straight Wire (47) Studer Revox Sumo TDK (48) The Absolute Sound (49)	35 43 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 145 146 44 & 45 52 & 55 146
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44) Sony Soundcraftsmen (30) SSI Products Inc (45) Stereo Exchange (46) Straight Wire (47) Studer Revox Sumo TDK (48) The Absolute Sound (49)	35 43 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 145 146 44 & 45 52 & 55 146
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44) Sony Soundcraftsmen (30) SSI Products Inc (45) Stereo Exchange (46) Straight Wire (47) Studer Revox Sumo TDK (48) The Absolute Sound (49)	35 43 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 145 146 44 & 45 52 & 55 146
NAD Onkyo Philips. Pioneer (39). Polk (40). Precise (41). Reel to Real (42). Sherwood (43). Signet (50). Sonance (44). Sony. Soundcraftsmen (30). SSI Products Inc. (45). Stereo Exchange (46). Straight Wire (47). Studer Revox. Sumo. TDK (48). The Absolute Sound (49). U.S. Army. Wisconsin Discount Stereo.	35 43 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 48 & 49 6 & 7 36 & 37 26 145 146 44 & 45 52 & 55 140 140
NAD Onkyo Philips Pioneer (39) Polk (40) Precise (41) Reel to Real (42) Sherwood (43) Signet (50) Sonance (44) Sony Soundcraftsmen (30) SSI Products Inc (45) Stereo Exchange (46) Straight Wire (47) Studer Revox Sumo TDK (48) The Absolute Sound (49)	35 43 43 8)141 56 & 57 24 & 25 90 & 91 96 & 97 48 & 49 81 132 117 94 109 6 & 7 36 & 37 26 145 52 & 55 146 44 & 45 52 & 51 146 145 146 145 146 147 147 147 147 147 147 147 147 147 147

Now the Classics Are for Everyone. audio research



STERED POWER AMPLIFIER CLASSIC 30

Despite the undoubted pleasure that high-performance amplifiers bring to legions of audiophiles and music lovers, such rarified performance usually comes at relatively high cost.

Audio Research believes that highly accurate music reproduction isn't just the prerogative of the well-heeled audio enthusiast, but the natural desire of every serious music lover.

Audio Research now proudly introduces the Classic 60 and the Classic 30; two new, moderately priced stereo hybrid amplifiers that come surprisingly close to the benchmark set by the acclaimed Classic 150 Hybrid Monaural Amplifier.

It doesn't take a 'golden ear'' to immediately perceive the emotional power and sonic authority the Classic 60 and Classic 30 bring to any good musical program. Silences are more silent by an order of magnitude; the soundstage is broad, deep, tall; instrumental timbres have an uncommon truth to them; dynamics soft and loud are unbelievably convincing.

And the Classic 60 and Classic 30 are designed to provide years of trouble-free service. You don't need to be a technician to use and enjoy them.

Quite simply, the Classic 60 and Classic 30 bring world-class audio performance within reach of most music lovers. Audition one today at your nearest Audio Research dealer.



6801 Shingle Creek Parkway / Minneapolis, Minnesota 55430 / Phone: 612/566-7570" FAX:,612-566-3402 Enter No. 9 on Reader Service Card

Finally, aCD that reproduces all of the must not just bits vtes of anc t.



A dcom's new GCD-575 Compact Disc Player has been worth waiting for. Now there's a CD player with analog audio circuits as advanced as its digital stages. Featuring a no-compromise Class "A" audio section, the GCD-575 is the first affordable CD player that delivers the long anticipated technical benefits of digital

sound. So visit your authorized Adcom dealer and listen to all of the music... not just bits and bytes of it.



11 Elkins Road, East Brunswick, NJ 08816 U.S.A. (201) 390-1130 Distributed in Canada by PRO ACOUSTICS INC. Pointe Claire, Quebec H9R 4X5