

JANUARY 1982

\$3.00

BME

BROADCAST MANAGEMENT/ENGINEERING

Special Report: **ENG away from home**

Can you avoid government red tape?

Is it better to take cash or credit cards?

How do you choose the right equipment?

Will there be problems with customs clearance?

What phone numbers should you have on hand?

Who can provide reliable satellite links?

How do you get sensitive material back home?

Where do you turn for help?

ALSO IN THIS ISSUE

**Industry Leaders Look at 1982
SMPTE, AES Reports**

KUNO 0038278 X M AD
T W DENROOK DIR OF ENG
KUDW RADIO DIR
325 CMU-U OF WASHINGTON WA 98195
SEATTLE

Compact, clean and capable



It's hard to believe that so many outstanding features could be packaged in a compact, desk-top audio console. But we did it. The new ADM 1600 Series II sets new standards for versatility and capability.

This new console is available with up to 16 discrete inputs, 4 submaster and 2 master outputs. Along with a host of optional modules, the 1600 is perfectly matched to today's production and broadcast environments. And, like all ADM consoles, it is manufactured to the highest quality standards and backed by an exclusive 5-year warranty.

If you're thinking the best — think ADM.

Contact ADM Technology, Inc.

Home Office: 16005 Sturgeon
Roseville, Michigan 48066
(313) 778-8400, TLX 23-1114

West Central Sales: (817) 467-2990

West Coast Sales: (415) 664-2400

East Coast Sales: (313) 778-8400

Rocky Mountain Sales: (801) 486-8822

ADM[®] 1600 SERIES II
The Audio Company

Editing starts with CMX

If you think you can't grow from absolute simplicity to total performance look at the world standard for editing.

Editing starts with the CMX 340X because it performs exactly the same simple functions competitors' limited systems do. Two machine cuts editing, for instance, requires the same number of keystrokes. But for you that's only the beginning. The expandability of the 340X will not restrict its simplicity at any point in your growth.



CMX 340X keys are grouped conveniently, color coded, dedicated and easy to reach. That's one reason it's as easy to operate as most limited capacity editors.

Editing never ends with CMX because the 340X is the most expandable and sophisticated editing system in the world. All the new techniques in post-production developed over its five-year history have been added to the earliest 340X systems. The simplicity of the 340X does not

restrict its expandability at any point in your growth.


Editing starts with CMX because every 340X system installation includes basic training in operation and maintenance. CMX has the world's largest staff of editing system specialists to keep you going. These experts are available to install and train you on new features as they become available.

Editing never ends with CMX because our staff editors provide complete 340X training that never stops. This training is supported by advanced seminars, newsletters, an editors' advisory panel, plus worldwide experience in post-production that only the editors at CMX have.

Editing starts with CMX because it did. CMX built the first simple, practical, computer-assisted editing system over ten years ago. Along with our original customers we

have continued to grow and to lead. While others have come and gone, CMX continues to be the world standard for editing. We have the ten-year track record to support you now and in the future.


Editing never ends with CMX because your initial investment is protected from absolute simplicity to total performance. Before you invest in post-production, look at the difference in total investment between competitors' limited systems and CMX. The 340X has replaced many other systems; and every CMX user has stayed with us when he expanded his system. Editing never stops with CMX when editing starts with CMX.




Orrox Corporation 3303 Scott Blvd., Santa Clara, CA 95050 (408) 988-2000 Telex 910-338-0554/Chicago (312) 325-8488/Los Angeles (213) 980-7927/New York (212) 371-1122
 International Representatives: Magna Techtronics, Australia/Totsu, Japan/Sight and Sound,
 Hong Kong/TeknoMerica, Mexico City/Arvid, Argentina/F.W.O. Bauch, United Kingdom/
 Thomson, France/GTC, W. Germany/Video Promotion, Belgium/Communications Consultants,
 South Africa

Circle 101 on Reader Service Card







Why the BCC-20 Is a Camera for the 80s.



ASU INTERFACE



MASTER SET-UP PANEL



LENS DIASCOPE PATTERN

Full-time digital control makes the BCC-20 Digicam a better camera for the 80s.

Automatic performance. Essentially perfect registration. And a picture quality that comes through in the field or in the studio make Digicam the breakthrough camera you've been waiting for.

Automatic Set-Up You Can Depend On.

The BCC-20 delivers superior registration and picture quality. Time after time after time.

Using unique digital measurement techniques, Digicam's ASU (automatic set-up unit) converts video signals from the diascope pattern to digital signals. It then electronically compares these signals to its electronic pattern test chart.

This allows the ASU operating with digital commands from the MSP (master set-up panel) to measure all important adjustments.

Like tube alignment. Geometry. Registration. Shading. Black balance. And white balance. All automatically!

The ASU then sends corrective digital commands to the camera head microprocessor.

There the camera's revolutionary SECS (spatial error correction system) makes critical adjustments. To geometry. To shading. And, in the case of registration, incredible adjustments in 210 zones to .05%!

This advanced technology is unique to the BCC-20 Digicam. It means you can count on a superior picture with total automatic set-up. Repeatedly!

Quality You Can Depend On.

We didn't overlook the smallest detail to ensure Digicam's quality.

For example, the camera's detail processing electronics and very special coring selectively discriminate against noise to give startling detail in all three channels.

This unique Ampex approach results in low light details with brilliant clarity. You'll get a sharp, crisp picture without bothersome edge effects.

Are You Ready For The 80s?

Digicam is the most advanced camera for the 80s. It's not only the ideal EFP camera. It's also ideal for the studio with the kind of performance and quality you'd expect in a great camera.

Find out soon. Discover the BCC-20 Digicam by calling your Ampex representative today.

Get The Ampex Edge.




Ampex Corporation, Audio/Video Systems Division
Redwood City, CA 94063 415/367-2011

Circle 102 on Reader Service Card

BM/E

BROADCAST MANAGEMENT/ENGINEERING



Learning how to cut through red tape is one of the lessons to be learned by broadcasters planning to shoot ENG away from home. Illustration by Christopher Lella.

Publisher
Charles C. Lenz, Jr.
Editorial Director
Gerald M. Walker
Editor Emeritus
James A. Lippke

Editor
Robert Rivlin
Senior Editor
Robin Lanier
Managing Editor
Janet E. Smith
Associate Editor
Eva J. Blinder
Assistant Editor
Tim E. Wetmore
Special Assignments Editor
C. Robert Paulson
Editorial Assistant
Douglas Damoth

Associate Publisher
Djuna Van Vort
Production Manager
David Rose
Reader Service
Robert Crawford
Sales & Marketing Assistant
Charles Read

Comptroller
Michael J. Lanni

FCC Counsel
**Lovett, Hennessey,
Stambler & Siebert, P.C.**

JANUARY 1982/VOLUME 18/NUMBER 1

- 8 Editorial**
We're bullish on broadcasting
- 12 Broadcast Industry News**
Affiliates grumble at CBS plan for hour-long news; 1982 teletext stampede seen by CBS executive; Public broadcast ad trial gets commission go-ahead
- 19 Radio Programming & Production for Profit**
The young adults are still there
- 20 BM/E's Program Marketplace**
Another look at Churchill Productions
- 23 Television Programming & Production for Profit**
Washington news builds a Pyramid

27 BM/E SPECIAL REPORT ENG: the Tough Get Going

- 28 ENG away from home**
Overseas news gathering assignments pose special problems
- 37 Radio ENG: You Can take it With You**
Today's equipment can meet almost any task
- 45 Special Assignment: The Royal Wedding**
A crack team from ABC coordinated coverage of this most special event
- 55 Things to Do Before Leaving Home**
A checklist for foreign news trips
- 56 Industry Leaders Look at 1982**
A cross-section of industry leaders predicted good things on the horizon for broadcasting
- 77 SMPTE Fall Conference: The Broadcast Perspective**
A detailed look at the show, including the latest hardware developments
- 97 SMPTE Agrees on Worldwide Digital Standard**
The society's endorsement of the CCIR parameters was the most significant development at the meeting
- 101 AES Meet Shows Digital Disk on Arrival Track**
DAD's increasing acceptance made news at the New York convention
- 107 FCC Rules & Regulations**
Broadcaster's First Amendment rights upheld
- 111 Great Idea Contest**
What's your solution to the next two problems in BM/E's revamped contest?
- 113 Broadcast Equipment**
BM/E's survey of new products

Coming in February . . .

A Special Report on digital technology in broadcasting, including digital still stores, digital audio discs, computer graphics, art/paint systems. Plus Survey of Broadcast Industry Needs, and "Tax Tips for Stations"—a new monthly department.

BE SURE TO ENTER OUR NEW GREAT IDEAS CONTEST. DETAILS ON P. 111.

BROADBAND INFORMATION SERVICES, INC.
295 Madison Ave., New York, N.Y. 10017, 212-685-5320, Telex: 644-001
Publishers: **BM/E—Broadcast Management Engineering**
BM/E's World Broadcast News



VBPA BM/E BROADCAST MANAGEMENT ENGINEERING (ISSN 0005-3201) is published monthly by Broadband Information Services Inc. All notices pertaining to undeliverable mail or subscriptions should be addressed to 295 Madison Ave., New York, NY 10017. BM/E is circulated without charge to those responsible for station operation and for specifying and authorizing the purchase of equipment used in broadcast facilities in the U.S. and Canada. These facilities include AM, FM and TV broadcast stations, CATV systems, ETV stations, networks and studios, audio and video recording studios consultants, etc. Subscription prices to others \$24.00 one year, \$36.00 two years. Foreign \$30.00 one year, \$48.00 two years. Air Mail rates on request. Copyright 1981 by Broadband Information Services, Inc., New York City. Second class postage paid, N.Y., N.Y. and additional mailing offices.


Maintaining the Gold Standard



The Empire Mine has been preserved as a reminder to the people of Grass Valley of a period in history when hard work and advancing technology sustained the area's growth under the gold standard.

The traditions and standards of that period continue today at Grass Valley Group, based on the philosophy that the true value of a product is determined by its reliability and performance.

The universal acceptance of GVG® 1600 Production Switchers exemplifies how standards are created and maintained...




Establishing New Standards

Even the smaller 1600-1A and -1L (right) switchers satisfy today's advanced production requirements including digital effects and post production editing.

The basic edit decision list was defined around GVG switchers and today the 1600 Series has been interfaced with every major editing system.

The development of the innovative E-MEM™ Effects Memory System extended the capabilities of switcher/editor interface to the point where virtually all switcher functions can be placed under editor control via the E-MEM Serial Interface. The 1600-1X (above) combines all the features of the largest 1600 Series switchers, including E-MEM II control, for powerful post-production switcher capabilities, at a very reasonable price!

Considering performance, reliability and *value* shouldn't *your* standard be the Grass Valley Group?



THE GRASS VALLEY GROUP, INC.®

P.O. BOX 1114 GRASS VALLEY CALIFORNIA 95945 USA • TEL: (916) 273-8421 TWX: 910-530-8280

A TEKTRONIX COMPANY

Offices: WEST: 21243 Ventura Blvd Ste 206, Woodland Hills, CA 91364, (213) 999-2303 • SOUTHEAST: 1644 Tullie Cir NE, Atlanta, GA 30329, (404) 321-4318 • NORTH CENTRAL: 810 W Bristol St, Elkhart, IN 46514, (219) 264-0931 • NEW ENGLAND & MID ATLANTIC: 499 Thornall St, Edison, NJ 08817, (201) 549-9600 • SOUTH-WEST: Seminary South Office Building Ste 316, Fort Worth, TX 76115, (817) 921-9411 • MIDWEST: 3585 N Lexington Ave Ste 238, Arden Hills, MN 55112, (612) 483-2594

Circle 103 on Reader Service Card

www.americanradiohistory.com

EDITORIAL

We're Bullish on Broadcasting

ONE OF THE WALL STREET brokerage houses has been herding a bull through a china shop on television lately to show how confident it is on investing in America. Well, move over Merrill, Lynch—the outlook from the broadcast industry this year is just as bullish.

Despite a recession, the business picture reported by industry leaders is bright (see p. 56). In some areas there is not a spot to sell. One top executive for a TV group laments that he should have set prices higher in one hot market. That's not a bad problem to have these days.

Graveyard melody?

Is the industry simply whistling past the cemetery? We don't think so. Proof of solid business is cropping up all around. Revenues for 1981 were up substantially. Equipment manufacturers who were fearful when orders tapered off late last year are now seeing a return of activity as NAB draws near. And a look at the last deep recession indicates that broadcasting did not suffer from a stagnant economy then, and all else being equal, it should not take a dive now.

There is also excitement in the air concerning state of the art technology. The applications of microprocessors, the tiny slices of silicon packing the power of a computer, are sweeping the industry. Digital Electronics, which has already "converted" other industries, is now zeroing in on broadcasting, creating a multitude of new concerns for engineers.

Satellites are having great impact today and will continue to influence radio and TV in the coming year. Again, the application of this technology has helped boost the industry rather than threaten it. Recorder camera combinations are set to break into the ENG market, a subject of great concern in the coming year over competing formats. High definition television may be upon us sooner than expected—in any case, this will be a year in which serious efforts will be made to refine this technology.

Standards, too, will be in the spotlight as the digital technology mentioned above becomes more and more important to broadcasters. Meanwhile, the analog systems of today will continue to be upgraded as we enter a period of A-to-D conversion.

Keeping up with the parade

The fast business tempo coupled with this technological ferment is, of course, exciting to *BM/E*, too. We greet the new year with the same bullish expectations.

In this issue we asked industry leaders for their overview of 1982 and got a sampling of the optimism churning through an industry that is supposed to be under fire from new forms of information and entertainment.

In the February issue we will report results of the Twelfth Annual Survey of Broadcast Industry Needs, which will provide specific information on what broadcasters are doing to upgrade their plants this year. And in the March issue we will provide a comprehensive guide to the new equipment being introduced at the NAB show to meet those needs.

Overall, despite the problems that technological change always stirs up, this is—as one industry leader exclaimed—"a pretty good time to be in broadcasting."

This is the first of BM/E's regular monthly editorials commenting on issues affecting the broadcast industry and technology.

"It has what we need."

Harrison

John VanFrey knows what he needs. He is the supervising rerecording mixer at Walt Disney Productions and has been involved in just about everything Disney has done during his nineteen years there. He has had the opportunity to work with three generations of post production consoles.

"When we installed our Harrison post-production console three years ago, we had very specific requirements, and we needed a console that was reliable. Harrison was able to supply that console. It is very well thought out and technically excellent. It's dependable. It's quiet. It has what we need."

John VanFrey, Walt Disney Productions



Harrison Systems is known for its music recording consoles, but for the past couple of years we've been quietly building a reputation as a major supplier of sound post production consoles. Disney, Compact Video, Warner Hollywood (Samuel Goldwyn Studios), and others are using our PP 1 for motion picture sound.

Now we are introducing two new consoles: PP 3 for film sound facilities, and TV 3 for video sound production and post production.

If your sound goes with pictures, we have what you need.



WORDS & PICTURES

Introducing Vidifont® Graphics V. The character/graphics system with unique technological innovations.

Everything you need to combine operator ease with artistic beauty. Total creative freedom. A rainbow of colors. An infinite variety of animated effects. Plus multi-user access.

Graphics V.™ Sophisticated. Easy to use. Practical. Flexible. Everything you'd expect from the great Vidifont tradition.

THE FACTS SPEAK FOR THEMSELVES



- Eight full-set fonts. Up to 48 in resident memory. 256 automatic kerning combinations of intercharacter spacing.
- 4,096 colors in resident collection. 16 color "quads" instantly on-line. Backgrounds. Created independently of foreground character plane and enlarged or reduced.
- Capability to mix italics and conventional characters on the same row. Edge types include border, shadow and outline. Edging may be extended in any direction. Up to 256 scan lines.
- Compact component design for mobile applications, built-ins, or custom console. User stations and disk storage may be located hundreds of feet from main electronics.
- Up to 8 keyboards can operate simultaneously. Simultaneous on-line accessibility provided by two independent, full-function, high resolution channels. Over 35 pages instantly accessed on-line. Unlimited additions from disk.

Character appearance enhanced by edge polishing to eliminate objectionable effects of aliasing.

Exclusive area composition permits composing and editing in one section of the display without disturbing adjacent items. Free-form manipulation through double-buffered frame store. Character placement not limited by row-structured page.

Margins can be released in any or all directions. Displays can "bleed" or run off the edge of the screen.

"Cut and paste" capabilities. Multi-planar character and row stacking. Unique restore function permits examination of sequenced displays. Graphics V steps back and restores previous display for comparison.



THE WIDEST ARRAY OF DYNAMICS

- Rolls/crawls. 196 speed/direction combinations.
- Up to four displays may be moved in any direction simultaneously. Ripple-on/ripple-off. Character-by-character appearance or removal at any of 127 rates. Timing relationships may be examined event-by-event, re-arranged, re-timed or otherwise adjusted.

EASY TO USE

- Operator-oriented design. Prompted and menued entries. Logically laid out keyboard. Independent color edit outputs for each channel. Standard setup always available. When a different, often-used format is required, operator loads in a "user environment." Fonts, colors, channels, levels, tabs, margins, etc. are automatically configured and placed on-line. Self-test and diagnostics.



FONT COMPOSE

□ Plug-in module allows in-house creation of fonts, logos, and graphics. Generated from artwork or electronically synthesized. Full range of composition, editing, and creative aids available directly on keyboard.



Vidifont® IVA. With Vidivote™ and Viditext.™ The cost-effective champ of character generators. Includes so many of the capabilities of Vidifont Graphics V.

For complete information about the new Vidifont Graphics V, send for our brochure.
Thomson-CSF Broadcast, Inc.,
37 Brownhouse Road, Stamford,
CT 06902. Tel. (203) 327-7700.

West Coast Sales & Service,
1919 West Magnolia Boulevard,
Burbank, CA 91056. Tel. (213) 849-2188.

 **THOMSON-CSF BROADCAST, INC.**

SEE US AT BOOTH 408-508 AT THE WINTER SMPTE SHOW

www.americanradiohistory.com

BROADCAST INDUSTRY NEWS

Affiliates Grumble at CBS Plan for Hour-Long News

CBS-TV affiliates had mixed reactions to the net's recently announced plan to lengthen the nightly network newscast, possibly to an hour.

"We're very much opposed to the expansion," insists Thomas Goodgame, general manager of KDKA-TV, Pittsburgh. Goodgame told *BM/E* he was "perfectly willing for CBS to expand their news anytime between 8:00 and 11:00 p.m., but complained, "I'm sure CBS feels the necessity to expand for very legitimate reasons . . . but they can't take any more time and leave the affiliates with anything." KDKA's licensee, Group W, has been a vocal opponent of expanded network news. Goodgame himself was chairman of the ABC affiliate body in 1976 when that net wanted to expand to an hour of news, only to be blocked by the affiliates. He thinks that concerted action by affiliates can stop the CBS move: "It is really a question of wills."

Meanwhile, CBS seems ready to battle for expansion, although exactly what kind has not yet been determined. Various proposals call for an

hour-long broadcast, a 45-minute newscast, or a newscast that could be aired in half-hour or full-hour versions according to the desires of individual stations. The net is looking toward early 1983 as its target for the longer news.

NBC and ABC also hope to expand their newscasts, but, as with CBS, the going promises to be rough. NBC has already faced affiliate rebellion against its expansion plan, although the net reportedly has not given up the fight. ABC, while not presenting its affiliate board with a firm proposal, did suggest an hour of network news with local cutaways during each half-hour. Although ABC-TV President Jim Duffy termed the meeting with the affiliate board of governors "very positive," opposition was already lining up from some board members, including Thomas Cookerly of WJLA-TV, Washington, DC, who described himself as "adamantly opposed" to expanded news.

1982 Teletext Stampede Seen by CBS Executive

Broadcast teletext services will gain momentum in the industry this year,

according to Harry E. Smith, vice president, technology at CBS. Foreseeing FCC approval of a standard by early spring (before the NAB convention?), Smith expects a stampede by broadcasters to offer the service and a stampede by TV set manufacturers to produce a top-of-the-line set with a built-in decoder. Smith predicts a half-dozen or so of these sets at the Consumer Electronics Show in 1983.

Addition of the decoder will add only about \$100 to the cost of a receiver, Smith suggested in remarks made at the Paine Webber Mitchell Hutchins Conference on the Outlook for the Media, held in New York City December 8, 1981. Smith doesn't expect higher-priced set-top decoders will fly, but thinks this is unimportant since new set sales alone will be sufficient to launch the service with a bang.

Broadcasters are uniquely poised to begin teletext services, Smith said, since they already have news organizations and sales forces in place. He sees teletext's principal value as offering local information: a recap of local headlines, sports scores, the day's events, restaurant menus, and the like, with information not exceeding 100 to 200 pages to keep access time low.

Videotex (two-way interactive teletext) using telephone lines or cable will follow right on the heels of teletext, Smith says. For videotex to succeed, however, the information provided must be "gratifying" to users so they form a habit of using the service. Consumer acceptance of videotex will be tested in 200 homes in Ridgewood, NJ, this year in a joint project of CBS and AT&T.

Videotex databases will include 5000 to 10,000 pages since the user can access them immediately. These new services can generate \$5 billion of new revenue in 10 years and perhaps \$15 billion in 15 years, Smith said.

Working hard to become one of the country's largest suppliers of teletext programming is Time, Inc., which has already set up a full-scale teletext service production unit. The company's Video Group is currently developing a software service, based around the recently announced AT&T Presentation Level Protocol, an outgrowth of the Canadian Telidon and French Didon standards. A

Hilton, Wold to Launch Videoconference Service

Hilton Hotels Corp. has joined forces with the Robert Wold Co. to provide a broadcast-quality videoconferencing service. The new service, called The Hilton Communications Network, offers a turnkey package that includes a program design and production, satellite transmission and reception, and large screen projection, plus such hotel services as conference and sleeping room accommodations and

catering.

Wold, a veteran supplier of satellite hookups for the broadcast industry, plans to install permanent earth stations at several Hilton hotels. The closed-circuit conferences will be marketed to corporations, trade and professional associations, convention planners, educators, and other users. Marketing will be conducted jointly by Hilton and Wold.


Officials of the two companies beam as they announce the new venture. From left to right are Wayne Baruch, president of Wold Entertainment; James C. Collins, Hilton's senior VP of marketing; William H. Edwards, president of Hilton's Hotels Division; and Robert Wold, chairman of the Robert Wold Co.



HIGH I/Q

ASACA/ Shibasoku's CMM Series monitors decode color on the I/Q axis.


Asaca/Shibasoku's new high resolution monitors have the I-Q to deliver color performance other monitors simply cannot produce. Using R-Y, B-Y decoding no longer meets the demands of today's professional standards.



I-Q axes in color triangle.

The Asaca/Shibasoku monitor like the human eye resolves certain colors best: reds, oranges, yellows, and flesh tones. The I-Q decoding system enables the monitor to display these colors at a higher resolution using wide band demodulation of 1.3 MHz rather than 0.5 MHz as in R-Y, B-Y systems.

We cared enough to give you a monitor with the I-Q to reproduce the best possible pictures. We know you're smart enough to buy it.



FEATURES

- 20" and 14" models available—high resolution delta CRTs.
- I-Q wide band demodulation system.
- Complete board interchangeability between models.
- Switchable high performance comb filter and aperture correction.
- Multi-standard capabilities (NTSC, PAL, SECAM) on all models. Switchable from the front panel (20" model). No adjustments necessary because of digital sync circuitry.
- Dynamic focus insures perfect focus on all areas of CRT. Adjustable from the front panel.
- Special feedback circuits guard against color changes due to variations in temperature.
- Active convergence—40 controls allow precise adjustment on all areas of CRT.
- Pulse cross with expanded vertical blanking interval.
- OPTIONS... Built-in color bar or cross hatch patterns. Built-in safe title marker generator. Multi-standards. RGB inputs.
- TWO YEAR WARRANTY ON ALL PARTS AND LABOR INCLUDING THE CRT.

ASACA
ASACA/SHIBASOKU
CORP. OF AMERICA
1277 Rand Road, Des Plaines, Illinois, 60016
Telephone (312) 298-4380
New York Office (212) 772-2863
Sales/Service (800) 323-2498
Telex: 72-6351

Circle 106 on Reader Service Card

News

field trial of the national, satellite-distributed, full-channel teletext service is slated for this spring in San Diego.

Public Broadcast Ad Trial Gets Commission Go-Ahead

Public broadcast stations are lining up for the opportunity to air commercials as part of an experiment recently okayed by the Temporary Commission on Alternative Financing for Public Telecommunications, the

group created by Congress and headed by FCC Commissioner James Quello. Proposals from interested stations are being handled by the Corporation for Public Broadcasting. CPB's Brooks Leffler, associate director of broadcast services, told *BM/E* a few days after the December 7 deadline that proposals were in from approximately 16 TV and 14 radio stations, with latecomers still trickling in and being accepted. "Politics has overshadowed the bureaucracy once again," Leffler sighed.

The public broadcasting stations selected for the trial—10 radio and 10

television—will be permitted to sell any form of paid announcement, including conventional commercials, at any time during the broadcast day. Ads will run only at the beginning and the end of programs. Radio programs over two hours long, however, may include commercials at station breaks. One one- to two-minute commercial cluster will be permitted per half-hour. The experiment will last 18 months.

The Temporary Commission has been negotiating with the talent unions, which in the past have given rate preference to noncommercial stations and have reservations about the experiment. Reportedly, the unions feel strongly that their members should receive commercial rates for work on any medium that carries commercials—including public stations. Talks were still underway at press time on this potentially sticky issue.

Not all PBS stations were eager to jump on the ad bandwagon, David Brugger of CPB explained to *BM/E*. Brugger said that several stations had contacted him to explain their non-participation in the experiment; reasons included state laws barring public stations from carrying advertising and stations' fear that ads would greatly reduce other sources of public support.

The Temporary Commission simultaneously initiated a public inquiry on alternative funding for public broadcasting, and some early commenters took a dim view of the ad test. NAB's letter noted the association's opposition to advertising on the public airwaves; as Shaun Sheehan of NAB's public affairs department explained to *BM/E*, the group has a "long-standing policy of believing that public broadcasting should be funded by the government." Sheehan said NAB feels the experiment is "inappropriate."

More opposition came from the National Task Force for Public Broadcasting, which termed the experiment an "atrocious redirection of the mission of public broadcasting."

Commercial broadcasters, of course, are concerned that public broadcasters, if allowed, may lure away precious advertisers. Things may not be so bad, though, counsels the NRBA's *Washington Memo*, prepared by the association's Washington counsel, Arent, Fox, Kintner, Plotkin and Kahn. Anything that helps keep public broadcasting, a rich source of news and public affairs programming, in good health may benefit commercial stations since the existence of all that programming encourages deregulation, the attorneys reason.



**If it doesn't
have an
ANVIL®...
you don't
have a
case.**

The fact of the matter is simple: If your case doesn't have the ANVIL® on it – it doesn't have ANVIL's experience, reputation and quality construction in it.

Sturdy, dependable ANVIL® cases are the industry standard, and always have been. They're designed around the delicate equipment they carry and are perfectly balanced for easy handling. They're dent-proof, scuff-proof, and slippery-fingered-roadie-proof. And they're available in just about any color you can name.

So if you want your guitar, synthesizer, cello, drums, amps and sound-reinforcement gear to get to the gig in one piece – depend on ANVIL®. We can make a strong case for just about anything.

ANVIL® CASES, INC., 4128 Temple City Blvd., Rosemead, CA 91770 • (213) 575-8614

Circle No. 107 on Reader Service Card



Picture shows Model 5462/16 TV Audio Console.

Price Surprise!

From 6 in/2 bus to 36 in/16 bus, Neve TV audio consoles are surprisingly price competitive and often available on short delivery. In addition to attractive pricing, Neve can offer you the best selection of purpose designed TV audio consoles to suit your

application. We pride ourselves on building the finest products in the world, which are simple to operate with unequalled technical performance and reliability. And we are the only console supplier with factory sales and service offices coast-to-coast, in New York (Connecticut), Nashville, Los Angeles and Toronto. Please write or call for our comprehensive TV audio console information package, so you can put Neve in your budget now. You'll be joining the Neve world of excellence!



Rupert Neve Incorporated Berkshire Industrial Park, Bethel, Connecticut 06801 Tel: (203)744-6230 Telex: 969638
Rupert Neve Incorporated 7533 Sunset Blvd., Hollywood, California 90046 Tel: (213)874-8124 Telex: 194942
Rupert Neve Incorporated P.O. Box 120907, Nashville, Tennessee 37212 Tel: (615)385-2090
Rupert Neve of Canada, Ltd. 2721 Rena Road, Malton, Ontario L4T 3K1, Canada Tel: (416)677-6611 Telex: 983502
Neve Electronics International, Ltd. Cambridge House, Melbourn, Royston, Hertfordshire, SG8 6AU England Tel: (0763)60776
Rupert Neve GmbH 6100 Darmstadt Bismarckstrasse 114, West Germany Tel: (06151)81764

Circle 108 on Reader Service Card

The Perfect Companions

VSM-5, the latest in a series of professional test equipment from Videotek. A television Vectorscope which provides bright, sharp, easy-to-observe vector displays on a 5-inch CRT. Available as a separate unit, or rackmounted ... *The Perfect Companion* to our popular TSM-5 Waveform Monitor.



Quality Endures



Videotek, Inc.

125 North York Street, Pottstown, Pennsylvania 19464 / Telephone (215) 327-2292
9625 North 21st Drive, Phoenix, Arizona 85021 / Telephone (602) 997-7523

Circle No. 109 on Reader Service Card

News

Facing Budget Cutbacks, NPR Seeks Private Funds

The prospect of serious losses in government funding over the next few years has moved National Public Radio to go after private money with vigor. The net's new funding campaign, announced recently by NPR president Frank Mankiewicz, will seek to make up half of NPR's budget with private contributions.

The private funds will go to underwrite the net's programming services. Individual stations will still rely on the Corporation for Public Broadcasting to supply their financial needs.

Rather than selling spots on particular programs, NPR will ask contributors to donate to general news or entertainment funds. Donors will be given credit throughout the day. NPR is eyeing other fundraising plans as well—for example, selling cassette recordings of its programs. The net's extensive satellite links (described by *BM/E* in October, 1978, p. 39) may also be tapped for financial possibilities.

Satcom 3-R Goes Aloft; Service Starts this Month

Cable programmers begin the switch to the latest Satcom this month following November's successful launch. The new bird, RCA Americom's Satcom 3-R, replaces the unlucky Satcom 3, which was lost just after its liftoff late in 1979.

No hitches were experienced with the new satellite. Programmers with transponders on Satcom 1 will have their services switched to Satcom 3-R beginning this month. The switch will be gradual for a smooth transition.

Sometimes referred to as Cable Net One, the new bird will be entirely dedicated to television. Twenty-three of its 24 transponders are assigned to CATV programmers, with the fourth slated for occasional service. Satcom 3-R carries four on-board spare transponders and sufficient fuel to keep it in its orbital position for a decade.

The old Satcom 1 will remain in use, carrying other kinds of services for RCA Americom's customers. It is scheduled to be replaced by a new satellite in March, 1983. Expansion of RCA's cable net will continue this January 14 with the launch of Satcom 4, which will serve as a second cable bird. A satellite serving Alaska will be launched in October, 1982, to be operated jointly by RCA Americom and Alascom, Inc., a subsidiary of Pacific Power & Light. RCA has also asked permission to launch a replacement for Satcom 2 in August, 1983.



A Brilliant, New Cartridge Designed For Today's High Technology Records.

At last, a low impedance cartridge which exceeds moving coil performance with moving magnet reliability. The Stanton 981LZS provides the highest level of performance with very low tip mass, the widest frequency response and unsurpassed trackability. The moving magnet (Samarium Cobalt design) offers a truly new, exciting and different sound experience.

Stanton Magnetics, 200 Terminal Drive, Plainview, NY 11803

The 981LZS From STANTON
THE CHOICE OF THE PROFESSIONALS™

Circle No. 110 on Reader Service Card



You always hurt the ones you love. And frankly, it gives us a little twinge every time we do all these brutal things to our Phaser IV.

After all, when we designed and built the Phaser IV, we put together, quite simply, the finest frame synchronizer ever made. To make it even more lovable, we offer it at the lowest price ever (under \$10,000).

So why do we put it through our torture chamber test? Why do we cook it? Freeze it? Shake it and drop it? Prepare it for the worst?

Because we want you to love our Phaser IV as much as we do.

And we know that the major cause of dissatisfaction with any product, is unreliability or breakdown. That's why we put our products through so much abuse. But that's also why we offer a 5-year warranty.

The fact is, we have made product reliability and service

COOKED. FROZEN. SHAKEN. DROPPED.

our number one priority. And a major new influx of money from a blue chip financial organization, is enabling us to carry out our plans.

We now have factory service centers in Los Angeles and Buffalo. So if something does go wrong we have the people in place, East and West, with know-how and facilities to fix it.

And what happens to your business while repairs are being made? Well, that's the real beauty of our new building

block design products like our Phaser IV. Each level of the product is a modular unit. And because each of our dealers is equipped with spares, he can immediately replace any defective board.

No adjustments required. Your equipment is never out of service for longer than the time it takes our dealer to get to your place of business.

If there's a major service problem, we won't fool around. We'll fly an engineer directly to your place of business to get to the bottom of the problem — and solve it. Not just for Phaser IV's, but for all our products.

The system can't fail. And when you add product reliability and outstanding service to our acknowledged innovation and technical expertise... well, as you can see, the future is all Digital.

And you can count on **DIGITAL DEPENDABILITY.**



Head Office:
Digital Video Systems Inc.
716 Gordon Baker Rd.
Toronto, Ont. M2H 3B4
Tel.: 416-499-4826. Telex: 06-966688

Service Center:
Digital Video Systems Inc.
869 Delaware Ave.
Buffalo, N.Y. 14209
Tel.: 716-885-4234

Service Center:
Digital Video Systems Inc.
1680 Vine St., Suite 815
Hollywood, Calif. 90028
Tel. 213-462-6153

For additional information call:
Toll Free (800) 828-7644
In New York (800) 462-1134

Circle 111 on Reader Service Card

www.americanradiohistory.com

Superior reproduction. And it shows.

Maxell 3/4" U-Matic videocassettes have certain advantages that have made them the choice of professional users everywhere. Our specs will support our claims to superiority, but one picture is worth a thousand specs, so we invite you to see for yourself the superior chroma response, high resolution, exceptional picture clarity, image stability and low chroma noise that our tapes provide, even in slow motion or still-frame modes.

Maxell brings you as close to original picture clarity as you can get. Every time. And to make sure you also get the full advantage of our tape, we house it in our own high-precision cassette shells that will stand up to the roughest treatment and repeated play-back. The internal mechanism is carefully designed to make tape travel in both directions smooth and dependable at any speed. And there's another distinct advantage you get with every Maxell U-Matic videocassette—quality control. There are no stricter standards in the industry, so you are assured of the same high-quality performance from one videocassette to another, without exception.

To discover more about Maxell's professional advantages, call one of our Regional Sales Offices: Eastern Office, Moonachie, NJ (201) 440-8020 ■ Midwestern Office, Des Plaines, IL (312) 296-1010 ■ Western Office, San Jose, CA (408) 238-2900



maxell
PROFESSIONAL
INDUSTRIAL
PRODUCTS

The Professional Advantage

Maxell Corporation of America
60 Oxford Drive, Moonachie, NJ 07074
Circle 112 on Reader Service Card

RADIO

PROGRAMMING & PRODUCTION FOR PROFIT

The Young Are Still There

A NUMBER OF radio programming operations of the last several years have come about in response to the rediscovery of the older audience, the listeners whose ages stretch from early middle age up to 50 to 60 years. This has been a profitable rediscovery for quite a few software producers and broadcasters. An example is the runaway success of Al Ham's syndicated "The Music Of Your Life" (*BM/E*, November, 1981, p. 28).

The young adult, however, is still a major target for the radio programmer. Research establishes the 18 to 34 group as a "success center" in today's economy, including many individuals of rapidly rising financial status.

Our "Syndicators Revisited" column this month (p. 20) concentrates on Churchill Productions, now reaching a large audience with a format designed specifically for the young adult group. NBC's network operation, *The Source*, introduced two years ago, also aims at the young group.

Now the Columbia Broadcasting System is almost ready to go (startup is set for April, 1982) with a new network operation, *RadioRadio*, aimed at the young adult. *RadioRadio* will apparently benefit from the skill the industry has developed in recent years in sharpening its aim for specific demographic groups. The material will be produced by program units set up just for the purpose, and not borrowed from the regular CBS network radio production.

For example the news, written and put on the air by an entirely new staff, will be issued 24 hours a day in two-minute segments at 20 minutes after the hour. The tone will be light, with content and style adjusted to the young audience.

RadioRadio will also include four

90-second features, each styled for a specific daypart (they get lighter in tone toward evening). One is a news background story. A second is a series called *Self*, presenting views on a variety of topics chosen and prepared in an appealing fashion. A third series will be *Discovery*, capsuled reports on science, and a fourth, *Celebrations*, will offer stories on how people enjoy themselves.

Other, longer specials will be interspersed in the programming. Among them are celebrity interviews with a revolving series of well-known hosts. At least two long concert programs a month, *Live On Tape*, will be produced by *RadioRadio*.

The line-up also includes an ambitious long-form comedy series—hour-long productions recorded before live audiences, with original material created by a group of proven comedy artists. The star will be Andy Moses, actor and writer, who toured with the *National Lampoon* comedy revue, "That's Not Funny, That's Sick." He served as main writer for the troupe. Another principal will be Sarah Durkee, comedienne, playwright, and lyricist, who also starred in the *National Lampoon* revue. Jovin Montanaro will create special music for the comedy sequences.

A number of prominent comedy writers will contribute, all with success in material for the young adult group in various publications and shows. Each sequence will also star an important musical performer and be hosted by a guest star. The plan, in other words, uses personalities and material already well known to the young adult audience, creating a new music-plus-speech form.

The programming will be expanded as other needs are identified and the operation gains momentum. CBS, looking for an entirely new group of affiliates for *RadioRadio*, has already

studio-proven pickups

ON THE AIR

Don't compromise true hi-fi phono cartridge performance to get the ruggedness required for professional use. Shure offers four cartridges designed to take the use and abuse to which professional phono cartridges are regularly subjected. These cartridges are designed specifically for professional studio, broadcast, disco and mobile sound use.



SC39 Series

(SC39ED, SC39EJ, SC39B)

Three cartridges engineered to provide undistorted playback on even the "hottest" records, with enough durability for the most demanding backcuing and slip-cuing operations. Features include: SIDE-GUARD stylus deflector to prevent accidental damage to the shank assembly; MASAR™ stylus tip to minimize noise build-up and cue-burn on lacquer masters, often-played records, or 45's pressed on sub-standard vinyl; lever-operated STYLUS GUARD for unparalleled stylus protection when not in use; and incredibly flat frequency response through the mid-high bands.



SC35C

A proven, durable performer designed for use on the heaviest and most rugged tone arms which require a tracking force of 4 to 5 grams. Easily visible stylus aids cuing. Rigid stylus shank stands up to abuse.



Shure Brothers Inc., 222 Hartrey Ave.
Evanston, IL 60204
In Canada: A. C. Simmonds & Sons Limited
Manufacturer of high fidelity components,
microphones, loudspeakers, sound systems,
and related circuitry.

Circle No. 113 on Reader Service Card

signed up a considerable number.

The CBS net and RadioRadio, plus RKO, the new NBC and ABC nets, and Mutual Broadcasting, are leading the way to a new, much larger role for radio in national advertising. The national reach and demographic specificity of the new net operations give advertisers the service they need and earlier found difficult to assemble on radio. RadioRadio is another indication of the upbeat prospects for network radio expected this year. **BM/E**

Syndicators Revisited

Churchill Productions, Inc.
1130 E. Missouri, Suite 800
Phoenix, AZ 85014
Tel.: (602) 264-3331

WHEN THIS DEPARTMENT first reported on Churchill Productions in December, 1978, the operation was just a year old. It had been built on a "planned flow" Beautiful Music format that had been a 10-year success on KQYT, Phoenix, when Tom Churchill and his brother Mike operated the station.

Later, after the station was sold to Southern Broadcasting, it lost listeners and the new owners called the Churchills back to program it. Again the station soared in the ratings, and Tom and Mike Churchill decided to go into the syndication business. Tom Churchill became president and Mike Churchill vice president of the new venture.

Within a short period, Churchill Productions had three more subscribers and was a going concern. All the stations experienced large increases in listener response. The record was an especially good one on staying power: listeners, the studies indicated, tended to stay with the format, a form of loyalty that advertisers appreciate.

The original Beautiful Music format now has seven subscribers. One of them, WDOK, Cleveland, has been the highest rated station in its market.

The format has been continually refined, but like all such formats it presents to a syndicator a constant difficulty in finding the music. The Churchills, like others using Beautiful Music, have to go far afield to keep their lists fresh, with much of the material coming from the custom recording activities of various groups.

Radio One, a second format

Churchill now has a second format, *Radio One*, which at one year of age already has seven subscribers. Tom Churchill says *Radio One* is Adult Contemporary programming with strong emphasis on "contemporary." There are no old pieces that would be unfamiliar to the target 25 to 34 demographic group. The music consists of the hits of the '60s and '70s—the prime music for the baby-boom generation, now adult and grown beyond AOR or other rock formats.

These people, says Churchill, have not been caught by most programming intended for them. "Mellow" turned out to be simply "sad"—depressing and often unfa-

Micro-processor based technology...



THE INNOVATIVE APPROACH

That has helped make TET a leader in Remote Control and Data Acquisition.

Positive control and accurate feedback are the combined keys to a good remote control system. That's why TET has pioneered the use of micro-computer systems with hardware, software and firmware tailored to today's changing operational requirements including:

- Distributed processing and networking for multi-site operation
- Fail-safe data transmission for error-free data acquisition and control
- Direct control, keyboard programming and external computer interface for all levels of operational convenience
- Modular design to fit future growth needs

These are just some of the comprehensive features of the TET Remote Control and Data Acquisition line which ranges from basic, low cost digital systems through our current top-of-the-line microcomputer based Model 7900 System.

TET now has regional service facilities to better serve our customers' needs. Call or write us today for full specifications and detailed application information.



3090 OAKMEAD VILLAGE DR.
SANTA CLARA, CA 95051
(408) 727-7272 TWX 910-338-0584

Circle No. 114 on Reader Service Card

miliar at the same time. *Radio One*, while not "hard" music, is very much alive, Churchill says. It is designed to appeal strongly to young people on the move, the up-and-coming young adults who have developed an expansive lifestyle based on positive economics. They do not want rock superstars, nor do they devote themselves to Country music.

Proof is in the ratings

The proof of the idea is, of course, in the ratings. KISN, Salt Lake City, after one year with *Radio One*, increased its listenership among the 18 to 34 group by 264 percent, Tom Churchill says. Among females 18 to 49, the station went from thirteenth in the market to third. KMJK, Portland, OR, after two months on *Radio One* had sharply rising share figures: September/October 1981 was 3.4, October alone 6.4, for the 18 to 44 group. For women alone, the corresponding figures were 3.1 and 9.9.

Tom Churchill says that the fast turn-around for stations taking on the format has been a surprise. It seems that advertisers themselves like the music and are quickly won over by the station's sales efforts. Most of the stations taking on *Radio One* have increased business substantially almost at once.

The programs, Churchill explains, consist of the Adult Contemporary hits in "matched flow" segments each 10 minutes long. It is probably the only matched-flow Adult Contemporary format on the syndication market.

Within each 10-minute segment, the tunes are closely coordinated so that each one moves almost imperceptibly into the next. Not only are the levels brought near each other, but the main instrumentation is also matched between the end of one piece and the beginning of the following one. There is no gap, but rather a cross-fade between numbers.

With this format the listener tends to stay with the music, as already noted. All the Churchill stations have very strong quarter-hour figures. KISN, Salt Lake City, in the latest ratings figures, was number one in the market in listener loyalty.

The 10-minute segment plan gives the station five breaks per hour, rather than the four provided by the 15-minute segments often used in syndication. The plan also gives the station considerable flexibility in coordinating the music with the local talk segments that the station needs for its localism. Churchill is strong for a thoroughgoing local effort by each station.

The format works especially well in a live-assist operation mode, in which

the station's own air personalities can dominate the station's image. The music, Tom Churchill notes, ends up sounding as though the DJ's are playing it right in the studio.

Radio One goes to the subscriber in the form of a basic library of 180 hours of music, plus 30 hours of new music every month. Tom Churchill points out that this is a much larger quantity of update music than syndicators generally supply. He says that Churchill Productions is aiming for an "upper tier" in the syndication market; he wants mostly live-assist operations in the 125 major markets.

His music is not primarily designed for automation systems used in small markets, the tier attracting a good proportion of format syndicators.

His fees, too, with a minimum of \$1000 a month, are in a different "tier" from those of many syndicators, where the average is in the range of \$350 to \$500 a month. Tom Churchill says that his market is not "better" than the other, but is simply the one he wants to serve. His success in it, like all real success in syndication, rests on a real feeling for the music, a sensitivity to the quality of each piece. **BM/E**



A new player in the cart game



Now you can get Beaucart quality in a multi-deck cartridge tape machine — the Beaucart 300. The Beaucart 300 reproducer has a host of features which make it the best buy in its class. The cool and simple Beau motor gives the utmost in reliability. The oversized capstan shaft provides longer bearing life and excellent wow and flutter. All adjustments are readily available from the rear panel, and our *deck-lok* design firmly secures from the front each individually removable and serviceable deckplate. With its extraordinary performance features and advanced Beaucart engineering, the Beaucart 300 is your best bet in the cart game.

UMC Broadcast Products Division
UMC Electronics Co.

460 Sackett Point Road (203) 288-7731 (in CT) Telex 96-3510
North Haven, CT 06473 (800) 243-6178 (Outside CT, toll-free)



Circle No. 115 on Reader Service Card

The new, advanced Philips LDK14S

new performance...new features

Automatics... more than any other EFP camera.

The best EFP camera design for studio and triax conversions.

The LDK14S will outperform any EFP camera on the market today with features and performance that have evolved from the world famous LDK 5, ABC's Olympics camera.

Compare it with any EFP camera you are using or considering. See why it excels in...

- picture quality,
- operating features,
- flexibility, and value.

Call or write today.

Philips Broadcast Group
Central Dynamics Corporation
900 Corporate Drive
Mahwah, NJ 07430
201-529-1550
Central Dynamics Ltd.,
Montreal, 514-697-0810.



LDK 14S in studio and field mode. Digital techniques in the camera and base station (RCU) require *only* an adapter for triax conversion... another LDK 14S cost advantage from the originator of triax... Philips.



CENTRAL DYNAMICS CORPORATION

The U.S. Broadcast Company for
COL ■ PHILIPS ■ American Data

Circle 116 on Reader Service Card

TELEVISION

PROGRAMMING & PRODUCTION FOR PROFIT

Washington News Builds a Pyramid

THE CONTINUED GROWTH and importance of local news has caused many stations to look outside their immediate locales for stories—providing the local viewer with a sense that the station's newsgathering capabilities are quite extensive. Washington, DC, therefore has become an important city in which to establish a bureau, giving the opportunity to interview local congressmen and senators on issues of concern to the local audience.

Unfortunately, the cost of maintaining a full-time news bureau is prohibitive for all but the largest group stations. An alternative is to employ the services of one of a number of new companies operating in Washington that provide coverage for local stations on an ad hoc or contractual basis.

One such company is Pyramid Video, which was created six years ago when Jackson Polk quit his job as an engineer at WTOP-TV (now WDM) and bought a couple of Sony 2800s and an editor. He began producing local commercials with a friend who had a Sony DX-1200 camera.

Because Polk had one of the few 3/4-inch editing setups outside the networks, he started to get a lot of news

editing assignments. To be more accessible to his clients, Polk moved his operation to downtown Washington within a few blocks of the network news bureaus.

Pyramid's first sales targets were foreign broadcasters and visiting network affiliates who often got squeezed out of network facilities. The network bureaus normally try to help out affiliates and foreign broadcasters, but when a major story breaks or deadlines get tight, the network's own needs come first.


"We made phone calls to the



A shoot arranged by Pyramid allowed WFTV, Orlando, reporter Bob Opsahl to transmit live from the White House lawn.



Pyramid's production/edit room at the National Press Building. A Convergence A/B roll editor is used in conjunction with ADDA VW-1 frame synchronizers.



Pyramid's transmit/receive link on top of the National Press Club.

More Than
360°
of Phase >>>>
QUICKLY

WITH THE
Matthey UN360
VIDEO TIMING TOOL




- Video Performance ● 75Ω
- 10-325ns
- ±4ns Trim
- Passive

Television Equipment Associates, Inc.

BILL PEGLER, Director
BOX 260 - SOUTH SALEM, N.Y. 10590
914-763-8893



Circle No. 117 on Reader Service Card



There's nothing fancy about the Knox K50.

It's reliable; it's economical; it's basic; the simplest machine we make.

Come to think of it, it *does* have an independent preview channel... *and* shadow-edged characters... *and* a flash function... all as standard features.

Maybe it's fancier than we thought.



A DIVISION OF COMPUTER OPERATIONS, INC.
8001-J Forbes Boulevard, Lanham, MD 20801
301/489-2106 Telex 89-8327



Do it with style. Better still, do it with *three* styles.

Knox calls it Multifont, and it's built into each Mod-16 character generator.

It's upper *and* lower case. It's accented letters. And it's resolution down to *a single scan line*.

It's just one of the features standard with every Mod-16.

It's also by Knox. Plain enough?



A DIVISION OF COMPUTER OPERATIONS, INC.
5001-J Forbes Boulevard, Lanham, MD 20801
301/459-2106 Telex 89-8327

Circle No. 118 on Reader Service Card

TV Programming



Master control and duplication area includes 1/2-inch and 3/4-inch recorders, a telco loop, and microwave transmitting/receiving equipment.

broadcast bureaus around town and said to them, 'We're four blocks from CBS... come and cut your piece here.' We knew the availability of editing time was irregular at the networks and we could give a confirmed time slot," explains Polk.

The other advantage offered by Pyramid was Polk's ability as an editor. "I had the experience to cut the piece as a network editor," says Polk. "It wasn't as if they were getting an untrained person who didn't know what he was doing. I was a network-quality editor who could put their pieces together, and all they had to do was run down the street and hand CBS the tape for the feed."

The Canadian Broadcasting Corporation (CBC) was one of the first customers, quickly followed by Japan's NHK and Italy's RAI and more. The word spread that if the networks were blocked, Pyramid was available. "That started happening so much," says Polk, "that the reverse became true: 'If Pyramid is blocked, go to the networks.'" As that end of the business kept growing, Polk decided to relocate to the National Press Building.

Most of the news operations in Washington, except for the networks, are in the National Press Building. It is ideally situated in a number of respects, on the main access road to the airport and the Pentagon, with the White House two blocks away and the Capitol less than a mile away.

At the top of the National Press Building is the National Press Club, which Pyramid made an extension of its broadcast operation by wiring a number of areas of the club so interviews could be done there.


Also in the Press Club is a small meeting room in which Pyramid arranged to do both live and taped interviews and inserts. Because the room has a view of the Washington Mon-

Now Available from

CHILES

Power Belts Power Packs Power to Perform

Professional quality, professional performance... a proven trademark of CHILES custom designed high capacity power packs and belts. Whatever your camera power needs are, CHILES power systems can make you self-contained.



CHILES long-life nickel cadmium power supply systems have been especially customized to serve most major film, broadcast and non-broadcast video cameras, including the Ikegami HL-77 and HL-79, and the RCA TK-76. Also available in 30 volt for portable lights. Get the most out of your ENG and EFP equipment with the finest power systems available today: CHILES!

Overnight and Quick Charge Units Available.

For information call or write:
John Chiles, Inc.
7622 N. Main Street
Jacksonville, FL 32208
(904) 764-5281

CHILES

Circle No. 119 on Reader Service Card

TV Programming

ument, "it makes a wonderful background for local stations. When you see the view, there is no doubt that you are in Washington," explains Polk.

With an eye toward staying ahead of the growing competition, Pyramid set up a microwave link on the roof of the National Press Building. An exclusive contract with the building gives Pyramid sole broadcast and microwave access to the roof. Pyramid currently rents microwave gear as needed, but has ordered its own equipment from Microwave Associates Communications. Pyramid has also become a common carrier and offers a service called Satellite Express™ for those who need to feed via satellite.

Pyramid Video has tried to position itself to handle all the needs of a news operation. Pyramid has four 3/4-inch editing suites equipped with Sony BVU-500 decks and Convergence controllers. Three of the editors are ES-102s; the fourth is an ES103S with A/B roll and effects capability. An ADDA VW-1 doubles as the TBC and the frame synchronizer.

There are two control rooms. One has an ISI 902 switcher and the other a 3M 1114. Both have Broadcast Electronics eight by two audio boards.

With Pyramid wired for both telco transmission and satellite feeds, its usefulness to local stations has increased. Arthur Alpert, news director at WDSU-TV, New Orleans, was a recent customer of Pyramid. The station sent its chief anchorman to Washington to interview the state's senators.

Pyramid arranged for everything from booking transponder time to edit facilities, control room, cameras, and technicians. "Pyramid was almost a turnkey operation," explains Alpert. "About the only thing we had to do was show up with our anchor and the senators."

Alpert isn't the only customer who feels confident about Pyramid's ability. During the inauguration, Pyramid provided technical support for 10 local stations and five foreign broadcasters. A week later, when the Iranian hostages came to Washington, Pyramid's client list had swelled to nearly 30, with most of the increased business coming by word of mouth. Nine foreign networks also used Pyramid's facilities.

Pyramid Video is not the only operation of its type in the nation's capital. But most of the others have tended to follow the trail that Pyramid blazed and few would deny that Pyramid practically invented this type of operation.

BM/E

WHY BUY TWO LENSES WHEN THIS ONE WILL DO?



Schneider 14X ENG/EFP lens zooms from super wide angle to long telephoto.

Changing lenses to handle changing conditions could cost you a once-in-a-lifetime shot. And that's why you should know about the Schneider 14X ENG/EFP lens. It gives you two-lens versatility in an economical one-lens package.

It can power zoom from 9mm–126mm. Or with the built-in 2X extender from 18mm–252mm. With the 6.3mm–9mm aspheric lens attachment, it can power zoom on the super wide angle shots. And, when the action calls for close and tight, it's got macro focusing.

The Schneider 14X is designed to bring out the best in Ampex, CEI, Fernseh, Hitachi, Ikegami, JVC, NEC, Panasonic, Philips, RCA, Sharp, Sony, Thomson and Toshiba 2/3" cameras. Lightweight, compact, ruggedly constructed, and weather resistant, it comes with a complete line of accessories. Superb European optics combined with excellent f/1.7 sensitivity bring back crisp, clear pictures even under low light level conditions.

In addition, Schneider offers the 14X lens in a 1/2-inch format for the new one-piece VCR cameras such as RCA Hawkeye, Panasonic and Sony. Schneider broadcast lenses are available throughout the United States and Canada from: **TELE-CINE CORP.**, 400 Crossways Park Drive, Woodbury, NY 11797; (516) 496-8500.

Schneider 14X ENG/EFP

Tele-Cine Corp. is a subsidiary of Schneider Corporation of America.

Circle No. 120 on Reader Service Card



Don't buy this



or this

What capabilities should you expect from an entry-level editing system?
 How can you judge an editor's usability?
 How much interface flexibility can you get?
 What's your best protection against obsolescence?
 How much should you pay for an editing system?

Maybe United Media's new Expandable Commander II is the best system for you and maybe it isn't, but you owe it to yourself to look at all your options and to see for yourself how well Commander II stacks up against the other leaders. Send for your copy of "How to Buy Your Best Editing System for Today and Tomorrow" — today.

The Expandable
COMMANDER II
 from
United Media

before you read this.
 "How to Buy Your Best Editing System for Today and Tomorrow" is yours for the asking — just attach your business card to this coupon and mail it to the attention of United Media's president, Bob Ricci.



Circle 121 on Reader Service Card

4075 Leaverton Court,
 Anaheim, CA 92807 • (714) 630-8020

Special Report

ENG: THE TOUGH GET GOING

"THE AMERICAN EXPRESS card—don't leave home without it" is a familiar caveat given to viewers contemplating a trip away from home. With it go the terrifying images of being lost in a foreign country and not knowing either the language or how to deal with foreign affairs. Unfortunately, for the broadcaster, simply having an internationally recognized credit card is not enough. As our Special Report on ENG away from home points out, well-orchestrated news coverage of distant events requires careful, planned coordination among dozens of members of the station staff.

Difficult as it is to send reporters and crews overseas or into tricky locations, however, the rewards are greater. The release of the American hostages from Iranian captivity is a sterling example: rather than taking a network feed, some stations dispatched crews to get first-hand, on-the-spot coverage of *their* heroes. Another example is disaster striking a foreign country with which a station shares a large local population.

As our Special Report points out over and over again, the station with the crew overseas—the one that can deliver the international story into its viewer's homes stamped with the unmistakable air of local interest—is the station that stands out in a market glutted with network feeds or superstation satellite news.

From the engineering point of view, the foreign

shoot poses some special problems, as evidenced by ABC's experiences in setting up for the wedding of Prince Charles and Lady Diana. Here, of course, the local angle is not as important as providing the entire American viewing community with a "you are there" experience. In the ABC report it should be noted that the operation was not, as many have supposed, engineered for field production; strictly ENG-style, it used $\frac{3}{4}$ -inch VTRs and $\frac{2}{3}$ -inch pickup tube cameras almost exclusively. ABC's experiences are therefore relevant for any broadcaster.

Radio broadcasters have far fewer opportunities for foreign travel, even though the same local benefits can be enjoyed while the engineering problems are substantially fewer than television's. Nonetheless, radio broadcasters are traveling everywhere they can, including jumping out of an airplane for a report on skydiving—equipped to allow the station to carry the reporter live if it wants. Taking risks in radio coverage is no longer the sole prerogative of station management deciding to revamp the news department's hardware.

And how appropriate it is that so many of the stories radio and television will cover away from home will be about survival in one form or another—for the very act of moving outside the studio is one of the surest ways a station can assure its survival, too.

CONTENTS

ENG Away From Home28

TV broadcasters reveal how they did it

Radio ENG: You Can Take It With You. 37

Studies of stations that have taken the show on the road

Special Assignment: The Royal Wedding.45

First-hand account by ABC of how it engineered coverage ENG-style

Things To Do Before Leaving Home.55

Twelve pointers to help you get on the road

ENG AWAY FROM HOME

THE PRODUCER lay on the floor on his back with a hand mic raised as high as possible without it showing in the shot. The mic cable ran across the room to a roped-off area where the cameraman was set up. The subject of these audio acrobatics looked down at the prone producer quizzically. But if he had planned to say something profound about the occasion as he deposited his vote in the ballot box, he thought better of it.

The subject was Fidel Castro, and the occasion was the first election held in Cuba since Castro had seized power 20 years earlier. The producer was lying on his back on the floor trying to pick up Castro's audio with a hand mic because he had not considered the need for a shotgun mic when he planned the equipment list. The producer, from an American television station—the only one allowed to cover the 1976 Cuban elections—was a thousand miles away from his mic. It was a lesson he learned the hard way about travelling overseas on assignment: good planning will prevent you from being ridiculed by the leader of the first Communist country in the western hemisphere.

While the producer involved in this story can laugh about it now, at the time he was wondering why he hadn't stayed home where he could have called the assignment desk and had the courier bring over a shotgun mic. Why wasn't he back home exposing corruption at City Hall instead of trailing around after a fiery revolutionary hoping for an exclusive interview?

The reasons for doing stories overseas vary greatly from situation to situation. Why should a station commit its resources to cover a story in a foreign country when, for much less money, several truly local stories could be done? What advantage is there, if any, in sending reporters, technicians, and equipment on what many might consider a junket?

"The first reason, happily, is journalism," says Eric Ober, vice president of news for the CBS O&Os. Before assuming his present post, Ober was news director at WBBM-TV, Chicago. During his tenure there, the station went from number three to number one in the ratings, partially because Ober sent a number of his reporters on overseas trips.


"The reason for going overseas is to enhance the coverage for your local viewers," Ober explains. "Certain overseas stories have incredible local relevance." He cites the labor struggle in Poland. To many people in Chicago, what happens in Poland is as important as what happens in Chicago since the city has an enormous Polish population. "You've got Poles in Chicago who travel back and forth constantly for va-

cation or to visit relatives. To them, Poland is a very local issue and we would not be doing our journalistic duty if we ignored the story," concludes Ober.

Making preparations

The Von Ende Overseas Corollary to the Three Laws of Communications ("keep it simple, keep it simple, and keep it simple") states, "There is no such thing as over-preparation." Mike Von Ende, news director at WJBK-TV, Detroit, has strong opinions on the importance of planning for overseas trips (see *BM/E*, September, 1981, p. 29).

"Travel is expensive, and even with a good reason for going overseas you had better make sure that you are getting your money's worth," Von Ende stresses. He feels that if there must be problems, it is better to have



The urge to send reporters and crews out of the country is striking more and more local stations. Here is a look at some overseas experiences and what can be learned from them.

them here than in another country. Delays outside the U.S. can get expensive.

The major aspect of preparation is to make sure that all the paperwork is in order. This can get complicated, depending on where the station is sending its personnel. The key is to check and recheck what documents the country requires for personnel, and especially for equipment. The high cost of ENG equipment necessitates scrupulous adherence to the rules and regulations of foreign countries to prevent possible seizure. (For more details, see "Of Customs and Carnets" accompanying this story.)

The difficulty of getting visas for news personnel tends to rise in direct proportion to the political volatility of the granting country. About 40 stations sent reporters and crews to Wiesbaden to cover the return of

the hostages from Iran; many of these stations made the trip with only two or three days' notice, but the West German government went out of its way to expedite things for journalists covering the story.

Poland was different, however. The Polish government was very slow and deliberate about granting visas to journalists, especially Americans, who wanted to cover the effect of the Solidarity labor movement on the country. It took two Detroit stations, WJBK and WDIV, nearly six months and the intervention of the entire Michigan Congressional delegation to get permission to go to Poland.

Once permission is obtained, the next component of planning is deciding what equipment to take. Three things should be considered when planning an equipment list: what country one is travelling to; what kind of shooting situations will be encountered; and what the backup position will be if something major goes wrong.

Equipment selection criteria

The destination can drastically affect what equipment is needed. The chances of picking up a spare camera battery are very good in Tokyo but ridiculous in Djibouti. Renting a tripod is a snap in London but impossible in Aitutaki. One way of keeping the equipment list down is to find out what equipment is available for rent. One option is to hire a completely outfitted crew in the country to which you are travelling, but this article will not cover that.

A blue-sky session with everyone involved in the proposed trip will not be wasted. Thinking about all possible shooting situations can help clarify what equipment is needed. Rain covers are not necessary for shooting in the Gobi, but a good hand vacuum cleaner for getting sand out of the recorder is a must.

A tripod is essential if the crew is going to spend hours waiting outside the base hospital in Wiesbaden, but it is excess baggage for tracking drug smugglers in the Colombian jungle from a helicopter. First consider all possible shooting situations and what equipment is needed; then think about handling those situations with the least amount of gear.

Preparing for major disasters is probably the best way to prevent them. What can be done if someone breaks into the photographer's room and steals the station's \$50,000 camera? What happens if the drug smuggler resents being photographed and puts a 9 mm slug through the recorder? How does the station handle a government so piqued at some of the questions the reporter has been asking that it jails the entire crew?



Skip Brand, camera, and Phil Hejhtmanek, VTR operator, cover a story on Cambodian refugee camps for WBBM.

HITACHI

FP21 COLOR CAMERA SYSTEM



2-FP21-3 Tube Saticon cameras
 2-A10 x 11 BRW 10-1 lens power zoom F1.6
 2-Operation panels with 50' camera cable
 2-5" View Finders
 2-I.T.E. Tripod sets H9PH, T6H, D6G
 2-Lens drive kits
 2-Battery-charger systems
 1-PVM-8200T 8" color monitor

1-Triple 5" mono monitor WV-5203
 1-M-67 Shure audio mixer
 1-BPM-1 Burst Phase Meter
 1-6142 Crosspoint production switcher
 1-6006 Sync generator
 1-528 Tektronic Waveform monitor
 1-McMartin amplifier and speaker
 3-Modular cases with covers

Modular three piece portable studio, packaged in protective cases with front and rear hard shell covers.
 Single cable interconnect between modules for quick and simple set-up.

\$39,500 COMPLETE

Price includes delivery, set-up and training.
 Full manufacturers' warranty applies.

LERRO

ELECTRICAL CORPORATION
 COMMUNICATIONS SYSTEMS DIVISION
 3125 North Broad Street, Philadelphia, PA 19132

215-223-8200 Ask for John Neri or Ed Zwicker

Full line distributor for all Hitachi video products.

Circle 130 on Reader Service Card

www.americanradiohistory.com

Special Report

These are, of course, extreme cases, but preparing for them is the best way to avoid trouble.

A more ordinary problem is dealing with those inevitable glitches in the equipment. There are two approaches to dealing with broken ENG equipment while travelling overseas: the Twin Approach and the Wizard Approach. The Twin Approach calls for carrying a spare of everything from camera to screws. The Wizard Approach favors taking along the station's best maintenance technician to fix anything that goes wrong.

As with most theories, these approaches rarely work in the real world. Few stations have the resources to ship two ENG rigs out of the country for two to three weeks without seriously affecting coverage at home. An even more pressing problem develops with bringing the ENG maintenance technician, leaving the station unable to get equipment fixed until his return.

Fortunately, equipment failure is becoming less of a concern since most ENG equipment is built to take the abuse of field crews. Further, packing the delicate equipment for shipping is no longer a problem; case manufacturers, having had enough experience with

network ENG travel requirements, have designed cases to handle most situations. A look at any of their catalogs will show a dizzying array of cases for every purpose connected with overseas travel.

Language barriers

After all the advance preparations have been made, what will be encountered once the trip gets underway? The major problem will be language. A good interpreter—not just a person who translates, but someone more akin to a second producer—is a must. Such an interpreter knows the ins and outs of the country and can cut red tape, find people, lead the crew to the best places to eat, and keep them from making blunders that could land them in jail. According to Joe Moreland, a producer with WJBK, "Having the right interpreter can mean the difference between coming back with a good story and coming back with a great story."

Producer Terry Oprea of WDIV also believes that a good interpreter is a must; when Oprea went to Poland, however, he had to use the services of an interpreter provided by the government. Most Communist countries have a section of the Ministry of Information that provides services such as transportation, hotel accommodations, and interpreters to the foreign press.

Of Customs And Carnets

One of the biggest problems faced by broadcasters traveling overseas is knowing about customs requirements—both for bringing equipment into the foreign country and bringing it back into the U.S. The foreign country is apt to look at equipment you are bringing in as "merchandise for sale," requiring payment of import duties; the U.S., on your return, is likely to look at the same equipment as having been bought overseas, therefore requiring payment of an import duty to bring it back home.

To make certain you can bring your equipment back into the U.S., you need to have it inspected by a customs agent as you are leaving. The agent will compare the equipment in your cases and its serial numbers against a list you have prepared of the equipment, then sign the statement. In this way, when you bring the equipment back in, you have a document certifying that you brought it out. The list can be prepared on a U.S. Customs Certificate of Registration, Form 44-55, available in advance from your local U.S. Customs Office or at most airports. A less formal but equally valid method is to prepare the list on your official station letterhead. Be sure to list all serial numbers and all incidental gear such as filters, connectors, and adaptors. The form or letter requires at least five copies.

The form is usually certified as you leave the country by a customs agent at the airport. One note of caution: though customs is always around to meet incoming flights, no agent may be available at the time you want to leave. Call the airport in advance.

For further information on U.S. customs law, call Joe O'Gorman or Dick Coleman at the U.S. Customs office in Washington, DC, (202) 566-8157.

When dealing with a foreign country's customs laws, your first step should be to contact the foreign embassy, or consulate, or trade ministry here in the U.S. and get someone to discuss the laws. It is often the case that the laws on equipment importation are relaxed for news crews and you may be able to get by with the same list of equipment and serial numbers that you use for reentry into the U.S. At the World Conference of

Broadcasting Unions held early last year in Tokyo, broadcasters from nine international broadcasting organizations passed resolutions aimed at easing the job of engineers who cover international events by simplifying the movement of ENG equipment through customs. Some of the organizations have already begun working to implement the resolutions, but no details are available at this time.

For some countries, a carnet is required. This is an official document issued by a nongovernmental agency, the United States Council of the International Chamber of Commerce, and then certified by various customs agencies as you travel. In the countries in which it is valid, the carnet permits the free passage of the equipment listed on it both into and out of the countries listed on the itinerary. The carnet is good for an entire year.

The carnet is not an inexpensive document to obtain. First, there is the filing fee—on a sliding scale up to \$150 for \$20,000 or more in equipment. The station should take care to list all equipment that it might possibly travel with for an entire year since equipment can be deleted from but not added to the list. Second, the carnet system requires the posting of a bond or letter of credit—good for 30 months from the time the carnet is issued—for 40 percent of the value of the equipment listed; this is to insure that the station adheres to the rules of the country and doesn't leave anything behind.

Even with a carnet, producers are warned to follow customs procedures to the letter. When going into or out of any country, be certain that a customs agent verifies the carnet and the equipment, or else taxes may be levied based on the country's claim that the equipment was not imported or exported properly. Another serious situation arises if equipment is stolen, since the country, if it suspects that you actually sold the equipment, may make you forfeit your bond.

For more information on the carnet system and to obtain the form itself, call United States Council offices throughout the U.S.: New York, (212) 354-4480; Chicago, (312) 364-7833; Los Angeles, (213) 386-0767; San Francisco, (415) 956-3356.

Special Report

Many reporters feel that these state-supplied people are there as watchdogs and can be as much a hindrance as a help. But Oprea notes that a reporter or producer who has done adequate research and knows what is needed for the story can probably work well with the interpreter, and even enlist his willing cooperation on possibly sensitive stories.

Moreland took matters into his own hands by bringing his own interpreter from the U.S., who also acted as associate producer on the series. The interpreter was a noted Polish scholar who had travelled extensively throughout the country. Moreland had such a positive experience that he doesn't think that he would ever again travel without a handpicked interpreter.

The rules on what can be shot are different in almost every country in the world. The biggest prohibition involves showing military installations. Some countries stretch the definition of "military" to include the police. Some national monuments are not to be photographed; one may visit, but not videotape, Lenin's tomb.

Also check to see what the local taboos are concerning photographing the country's citizens. There is a very colorful and proud African tribe that does not like being photographed without permission. The local government spent a lot of time and money trying to suppress an incident in which a tourist took pictures after being warned not to and got a spear through his heart as an object lesson. An extreme reaction, but it still points out that local authorities are more likely to



Producer Bill Kurtis, cameraman Peter Bertolini, and recordist Chuck Meier in Kenya in 1976 on assignment for WBBM. The story involved following a group of Moody's Bible Institute missionaries as they traveled from village to village.

side with their citizens against a nosey foreign journalist.

Conducting interviews overseas is not like calling up the mayor for his comment on the bond issue. Government officials in foreign countries are not obliged to grant interviews. Even if they are so disposed, it tends to be at their pleasure, resulting in delays in everything connected with the government bureaucracy. The oil minister in Nigeria doesn't see the 6:00 news in Salt Lake City and therefore doesn't care about your deadline. On overseas trips, patience is a virtue.

Careful preparation at home can help minimize delays. A clear idea about what is hoped for on the trip helps in making equipment decisions and also focuses the scope of the story. Not having a firm idea about what is to be covered not only wastes time and money


Microwave On The Move

Stations traveling abroad may find it worth their while to carry their own microwave equipment, especially now that a couple of companies have come out with highly portable gear that meets international standards. The standards themselves are being urged by the Conference of Broadcast Unions, which met last year in Tokyo. Frequencies in the 400 to 500 MHz band are preferred by the conference for two-way communications,

while 13 GHz and 40 GHz are preferred frequencies for point-to-point microwave connections, according to delegates.

Harris Farinon calls its new Global IX "the only portable video microwave transmitter you'll need in all the world," and backs up that claim by saying that this portable unit can cover any 2 GHz frequency plan in any country. The wideband transmitter allows the user to select up to 55 channels in each of 16 different frequency plans, with RF channels selected locally or remotely. It provides 3 W of wideband power (an auxiliary 12 W power amp is available); the transmitter interface can be either baseband video or true 70 MHz heterodyne. The 15-pound Global IX will also simultaneously transmit two audio channels. It can be powered from ac, a power belt, or a car battery and may be remotely controlled. Farinon says that the transmitter is designed for operation in extreme environmental conditions and that it incorporates multilevel shielding for RFI protection.

An ultra-miniature 2 GHz system in a suitcase is offered by Microwave Associates Communications—the Mini-Mac. Originally designed as an airborne unit for helicopter use, the Mini-Mac is packaged with a Quick-Set tripod that folds down to 24 inches. The transmitter weighs just 3.5 pounds (plus heat sink). It features a full 12 W power output, dual audio channels, and remote control capability. For flexibility where channels are crowded, the unit incorporates a high-stability 21-channel synthesizer. It also has internal VSWR and thermal protection. Options include 12 V dc, 115 V ac, or 230 V ac operation, making it suitable for portable applications worldwide.




Microwave Associates Communications' Mark A. Vida shows off the compact Mini-Mac.

THE BETTER WAY

New ~~OLD~~ FAVORITES

We have made our outstanding distribution amplifiers better! The popular D-603 Video D.A. and D-507 Audio D.A. have been superseded by a new generation . . . the "G" series. These new amplifiers set a new standard of excellence while being plug-compatible with the thousands of D-603 and D-507 units in use.



D-603G VIDEO DISTRIBUTION AMPLIFIER

- 6 Outputs
- Differential Looping Input
- High Stability with State of the Art Performance
- Four section cable equalizer, continuously adjustable for up to 1,000 ft. 8281 cable
- Individual Power Supply
- Ten amplifiers accommodated in DF-603 5¼" Rack Frame; three amplifiers in DF-603H frame



D-507G AUDIO DISTRIBUTION AMPLIFIER

- 6 Outputs
- 0.05% Distortion 20Hz to 20kHz over output level range from +30dBm to -10dBm
- Noise 103dB below +30dBm, 30Hz-30kHz
- Excellent Transient Response
- Individual Power Supply
- Same Mounting Arrangements as for D-603G Video D.A.

For More Information,
write or call

D
DATATEK
CORP.

1121 BRISTOL ROAD,
MOUNTAINSIDE, NJ 07092
•(201) 654-8100
TELEX 833 541 DATATEK MTSD

Other-Datatek Products:

- Video-Audio Routing Switchers
- Pulse, subcarrier and time code D.A.'s
- Machine Control Systems
- Identification of Source System
- Color Phase Equalizers
- Video Sweep Generators
- Envelope Delay Test-Meter

Circle 123 on Reader Service Card

Special Report

but is journalistically irresponsible.

Getting the story on the air

Many stations plan foreign trips with an eye toward coming back home and editing at a more relaxed pace. But some events demand getting the story on the air at once. One possibility is to ship tape back by airplane; but this method is less timely than a satellite feed.

Currently, the best advice for a local station trying to feed material back to the U.S. from abroad via satellite is: don't do it yourself. A station handling a story unilaterally (for example, the visit of a local official to an international conference) should hire a satellite broker to handle the arrangements.

On major news events, where many stations are providing coverage, the networks usually arrange pool feeds for their affiliates. The station's only responsibility is to get the tape to the satellite feed point on time. Networks usually try to arrange editing equipment for affiliate use. But since they have their own coverage to worry about, the affiliates could be left out in the cold. Bringing editing equipment is therefore essential.

Arthur Alpert, news director at WDSU-TV, New Orleans, has yet to send a crew overseas, but agrees that sound news judgment should be the basis for deciding whether to go or not. "When the economic summit took place in Cancun, we thought about covering it," says Alpert. "But we felt that there just wasn't sufficient local relevance to the story. There was nothing



WBBM cameraman Skip Brown and VTR operator Philip Weidon outside the U.S. embassy in Tehran before American journalists were expelled.

that we could tell our viewers that they couldn't get from the network."

Some stations send reporters—particularly anchors—overseas for promotional reasons. Most news directors feel that the viewing public quickly sees through that ploy. "Having your anchor do a lot of standups in front of buildings in foreign capitols doesn't mean that he knows anything about the story. People are too smart to be taken in for long by gimmicks," says Jim Snyder, news director at WDIV.

Going overseas can be a big plus for your station. It can also be a big bust. If there are sound journalistic reasons for overseas travel, the audience will take note of that and respond to it. If the public sees overseas junkets as purely promotional hype, everyone loses. The station loses its audience and the audience loses a chance to be informed about something that affects the quality of their lives. **BM/E**


LIGHTNING FAST YET PAMPERED

That unique combination of
20-minute *Burp* Charger and
camera mounted, slide-lock,
super ni-cad battery.

SINCE 1929
CHRISTIE
ELECTRIC CORP.
20665 Manhattan Place, Torrance, CA 90501
(213) 320-0808, TWX 910-349-6260, (800) 421-2955

Circle No. 124 on Reader Service Card

NOW! CONTINENTAL'S 5 KW AM



Pulse width modulation in an efficient 5 kW package; clear, crisp sound of transformerless modulation; ready for AM stereo. Stability of 12-phase power supply with Switch-mod system allows maximum modulation at all power levels IPL and other circuits combine to give you outstanding audio with cost-effective operation.

Write for brochure on 315R-1;
Continental Electronics Mfg. Co.
Box 270879 Dallas, TX 75227
(214) 381-7161

Continental 
Electronics

Circle No. 125 on Reader Service Card


Two Assignments

Canon J13x9B IE plus Canon J25x11.5B IE and your camera

Two assignments, one location. For example, get great action shots of a football game and also get player interviews at half-time. You can do it with one cameraman and *one camera*—like the one shown here—with Canon's amazing E.F.P. lenses. Here's how:

Mount our J25 x 11.5B IE on a tripod at your principal location. It's 2/3" system was designed specifically to work with ENG cameras, yet this lens provides a 25-to-1 zoom ratio, power zoom and focus, automatic iris and the image quality you'd expect from a Canon broadcast lens. Another choice is the Canon J20 x 8.5B IE, with a 20-to-1 zoom ratio. (Both these lenses have built-in extenders, too!) With your ENG camera attached, you've got full capability.

Detach your camera from the fixed lens, mount the famous



Canon J13 x 9B IE and head for the locker room!


You've got a 13X, f1.6 lens now and can move about freely for your interview shots.

The J13 x 9B IE is unsurpassed as an ENG lens, with Cable Drive and auto iris capabilities

plus built-in extenders and auxiliary wide-angle and telephoto accessories available as well.

Electronic Field Production is a reality. A practical reality because you don't have to send two crews or even two cameras to a single location if all you really need is one ENG camera and two Canon lenses. And, costs notwithstanding, sometimes you just don't have enough cameras to go around. Selecting the right combination of Canon lenses could actually double the utility of the ENG cameras you already own. And that's something even your accountant can appreciate!

Find out more. Use the coupon or write on your letterhead for the facts on the Canon J25 x 11.5B IE and J20 x 8.5B IE lenses, as well as our popular J13 x 9B IE. We'll also be happy to arrange a practical demonstration for you. A very practical demonstration!



Canon

Optics Division

Canon U.S.A. Inc. Head Office: One Canon Plaza, Lake Success, N.Y. 11042 (516) 431-7700
 140 Industrial Drive, Elmhurst, Ill. 60126 (312) 833-3070 • 13 Paularino Avenue East, Costa Mesa, Ca. 92626 (714) 979-0000
 Canon Canada, Inc., 3245 American Drive, Mississauga, Ontario L4V1B8, Canada
 Canon Amsterdam N.V., Industrial Products Division De Boelelaan 8, Amsterdam, Netherlands
 © 1981 Canon U.S.A. Inc.

Circle 127 on Reader Service Card

The name to know in broadcasting.
 Please send me information on Canon BCTV lenses and accessories.

Name _____ Title _____
 Company/Organization _____ Phone (____) _____
 St _____ City _____ State _____ Zip _____

CREATIVITY TAKES FLIGHT ON AMPEX VIDEO TAPE.



BROADCASTERS AND PRODUCTION COMPANIES DEPEND ON AMPEX TAPE.

From videotape equipment to the video tape itself, broadcasters and production companies throughout the world depend on Ampex. High quality, durability, reliability, and prompt service are just some of the reasons.

Ampex 175 Highband Quadruplex Video Tape has proven itself under every conceivable type of operating condition within every video standard. Excellent color performance, low drop-outs, and a tough durable formulation with low headwear are features which have contributed to this dependability.

And now Ampex 196 High Energy Broadcast Helical Video Tape has been specifically engineered to fill the increasing needs of a particularly demanding group of video professionals—those who have chosen one of the new broadcast helical VTRs.

No matter what your video tape needs are, there's an Ampex video tape for you. And, once you've tried Ampex tape, you'll see why broadcasters and production companies have grown to depend on Ampex.

AMPEX

REFLECTIONS OF REALITY. AND BEYOND.

Ampex Corporation, Magnetic Tape Division,
401 Broadway, Redwood City, CA 94063 415/367-4463

Circle 126 on Reader Service Card

RADIO ENG: YOU CAN TAKE IT WITH YOU

SPECIAL REPORT

Covering news and other activities "live" away from the studio has been a growing part of radio broadcasting for many years. Today's equipment for radio ENG can do an astonishing variety of jobs. This article describes a sampling of spectacular and unspectacular jobs, some of which may suggest to other broadcasters ENG activity that should not be missing.

IF A DISASTER of international interest occurred within a mile or two of your studio, would you be able to feed a top-grade, first hand, eye witness account of it to national and international radio networks?

If your program department decided it could lift listener consciousness of the station tremendously by having the program director go on the air during a parachute jump from a high flying plane, could you equip the jumper to get his voice 'live' to the studio as he fell to earth and save the reporter as well as his equipment?

If you wanted to get a live concert of music into a satellite uplink from 110 miles away, with top stereo fidelity but at a moderate cost, how would you do it?

The stations described below have handily solved all these problems, as well as other more ordinary ones.

WADF tells the world

When sections of the balcony of the Hyatt Regency Hotel in Kansas City collapsed last March, stations WDAF-AM and FM had a reporter on the scene in a very short time, thanks in part to good connections with the police and fire department in the city. Obviously, no one was allowed inside the hotel at that point except the actual rescue crews. The WDAF reporter, with the blessing of the fire department, got a stand directly across the street from which he could see into the building.

This proved to be a highly advantageous position because some of the early reports out of the hotel were confused and conflicting. The WDAF man, by carefully checking what he saw with the proper authorities, developed a convincing picture of what was going on. His account was put on the air live not only by WDAF but also by ABC, NPR, and intermittently by the BBC in England.


His voice went from the scene directly to the studio



Ron Chapman a few hundred feet above the earth on the way down. Communication with the KVIL studios was perfect all the way from the 3000-foot jump off. Antenna for UHF radio link to ground can be seen on back of helmet (see inset). Marti transmitter was in leather bag fastened to Chapman's waist.

via a Marti handheld transceiver, the RPT-2, which has played a large part in radio ENG in recent years. The operation was another example of WDAF's "live action" remote news style, with the reporter an actor in the event or following it very closely. This style requires continuous two-way communication between reporter and studio so that the studio operators can edit the report in the most interesting way for listeners.

To carry out this kind of remote, WDAF has a two-layer pickup net, linking the reporter, several news cars, and a mobile studio to the main plant. One layer of the net consists of Motorola walki-talkies, plus several 100-Watt repeaters for them. The repeaters are in the news



No excuses

In EFP or ENG, getting the shot is everything.

And, a growing number of networks, major stations and independent producers are consistently getting everything with the Ikegami HL-79. They've become so confident with their HL-79's that the need for a "backup" no longer exists.

The more than 2,000 HL-79's in service today have set new industry standards for low light level performance, well-balanced handling and unprecedented reliability. But Ikegami never rests. Now, the best ENG camera is even better. The improved HL-79D Series features an advanced FET preamp that (depending on your choice of tubes) will deliver a 2 to 3 dB gain in signal-to-noise ratio. The HL-79D Series is avail-

able in four new, application-matched configurations that include high resolution diode-gun or low capacitance diode gun tubes.

In EFP and studio production, the new HL-79D will deliver excellent results. In fact, if you don't have an Ikegami studio camera, chances are that the HL-79D will produce a better picture than whatever camera you've got on the floor.

Contact Ikegami and ask for a side-by-side comparison. Then you'll see why an Ikegami HL-79 crew can leave the excuses—and the backup—at the station.

Ikegami HL-79D

Ikegami Electronics (USA) Inc., 37 Brook Avenue, Maywood, NJ 07607; (201) 368-9171
Northeast: (201) 368-9171 West Coast: (213) 534-0050 Southwest: (713) 445-0100 Southeast: (912) 924-0061 Canada: (201) 368-9171

Circle 128 on Reader Service Card

Special Report

cars and can be stationed wherever they are needed.

The second layer is the Marti UHF equipment, consisting of a battery of the RTP-2 handheld transceivers plus several higher-power repeaters in mobile rigs, or simply in hand portable form. The wide-band response and low distortion of the Marti equipment put the reporter and the scene on the air with excellent fidelity; the listener gets a sense of being right there. Depending on distance and terrain, both the Motorola and the Marti handheld units can reach the studio directly or can be relayed as needed.

Thus, the reporter at the Hyatt hotel collapse had both the Marti and the Motorola units slung on his belt, ready for instant use. He could tell the operators in the studio where he was, where he was going, and how it looked in a timely way. They in turn could tell listeners, say, "Jim is now moving toward the east end of the building—in a moment you will hear what he finds there." What he found there would reach the listener, with all the noises of the event coming through in high fidelity.

Al Kenyon, chief engineer, told *BM/E* that the two-way communications system has proven valuable even in simple remote pickups such as commercial coverage of small store sales. Again, the needed repeats for both the Marti and the Motorola would be in a car just outside, and the man on the inside would have the two handheld units.

In the studio, communication with the reporter is facilitated with announce microphones at the operating positions in the on-air room and the newsroom. These are connected by the push-to-talk button with the two-way communications system. The connection with the reporter can be continuous without disturbing on-air material or other station operations.

A variety of remote applications

Kenyon says that several other kinds of remotes are frequently carried out. On FM, between 6:00 a.m. and 9:00 a.m., there are often remotes from restaurants or other commercial spots in the city for talk shows with city celebrities. In some cases music is a part of these programs. Another disaster report was transmitted by an airborne reporter during morning drive time as he flew over Sedalia, MO, 80 miles away. The night before a tornado had ripped through a corner of the city, destroying everything in its path. Carried in the plane was WDAF's "Sky Spy" package, which includes both narrow-band and wide-band UHF high power transmitters and plugs directly into a power buss and an antenna connector in the plane. A 16-W narrow-band transmitter got the reporter back to the Kansas City studios in good enough shape to go directly on the air.

Live country music is picked up from time to time in cafes and night spots in the area. "As you can see," Kenyon concludes, "I am really up on RPUs for flexibility and independence . . ."

"Hello from up here . . . woosh!"

What would your first words be if you jumped from a plane at 3000 feet, and your parachute opened, and you knew that thousands of radio listeners were waiting to hear what you said on the way down?

Perfect Timing

SMPTTE

TIME CODE READERS THAT YOU CAN AFFORD

ES251-Six digit SMPTTE Time Code Reader displaying Hours, Minutes and Seconds. Reads at play back speed.

Momentary hold switch permits "freezing" of time displayed.

Releasing hold switch updates display to correct time.



\$295

ES252-Exactly like ES251 but displays Minutes, Seconds and Frames. **\$300**



ES253-Eight digit reader, displays Hours, Minutes, Seconds and Frames.

Reads at play back speed. has "freeze" control. **\$454**

ES254-BI-DIRECTIONAL, MULTI-SPEED

(1/20 to 20 times). eight digit reader with "freeze" control. On loss of code, displays last valid code read. **\$675**

AND FOR OFF-LINE EDITING **ES255** SMPTTE IN/VIDEO OUT

ES255 is an eight digit, multi-speed, bi-directional SMPTTE reader which adds the SMPTTE input to your video. You can now "burn" the time code into the video portion of your tape, or feed a monitor directly. **\$995**



Write, Wire or Call: (213) 322-2136
142 Sierra Street, El Segundo, CA 90245

Circle No. 129 on Reader Service Card

Special Report

Ron Chapman, program director and morning drive personality at KVIL in Dallas, who made just such a jump on November 12, shouted: "My God, it all works!" He explained later that he meant both the parachute and the UHF radio system that linked him to the KVIL studio. He was cued in with the KVIL operators while in the plane, and they were still there as he started to fall to earth.

Chapman had conceived the idea of the jump about a month earlier, as a promotion for the station. It succeeded beyond all his expectations—virtually the entire city listened in. More than 500 people came to the tiny airport in Decatur where the jump was made to watch Chapman come down.

Don Everhart, chief operator at KVIL-AM, who put together the elaborate systems for getting the plunging Chapman on the air, described it in detail for *BM/E*. Chief engineer Jerry Klabunde worked closely with Everhart, as did associate Carl Ireland.

Decatur is about 80 miles from Dallas. Getting the signal back home took three UHF hops: from Chapman to the ground at Decatur; from Decatur to a high repeater in Fort Worth; and from there to the KVIL studios in downtown Dallas. This zig-zag route totalled about 120 miles. Everhart says he first thought of using an ad hoc telco net to simplify the logistics, but the telephone company could not or would not do the job within any reasonable time or at reasonable cost.

The UHF links, powered by Marti RPT-25 trans-



Equipment set up at Decatur airport to receive signal from parachutist and relay it toward Dallas.

mitters, worked perfectly, but getting the system as a whole in shape took careful, skillful advance planning and thorough testing. Everhart installed a Marti handheld receiver, multifrequency version, in a leather bag that could be fastened to Chapman's waist. A hole in the leather at the right spot allowed the mic cable to be plugged in when Chapman was ready; this also turned on the Marti unit.

In the helmet were installed two Plantronics tubular microphones with noise suppression. The associated head sets were acoustically peaked in the voice band to improve S/N ratio of incoming cues. The outgoing Marti signal, however, was wide-band. The bandwidth was trimmed somewhat by cavity filters along the ground-hop line, but enough highs were kept for a good

4 Models—8 and 10 mixer dual stereo with rotary or linear faders • Transformer Balanced Inputs and Outputs • 3 Inputs Per Mixer—internal pads allows mic/line selection on the same mixer • Two 4-Input Auxiliary Input Selectors—may be assigned to any mixer • Pre-fader Pushbutton Cue—in addition to normal CCW fader cue position • LED Status Indicators—color coded to aid in instant identification of function selectors • Momentary or Continuous Remote Control Contacts—internally selectable, also controls optional digital timer reset/start • Full Metering Capability—two meters standard, up to four meters and/or digital clocks and timers optionally available, all meters provided with LED peak indicators • Gain Selectable Microphone Preamps—provided with center tap access for phantom condenser microphone power, processor input/output port with buffer amplifier for outboard compressors, limiters, etc. • Programmable Muting Logic—internal pin-programmed matrix allows any selection of monitor and cue muting for the first five mixer positions • Pushbutton Aural Phase Test • Announcer's Microphone Intercom-Air Selector • Full Dual Channel Operation— independent program and audition assignment push-buttons • Five Monitor Driver Outputs—four muted, one non-muted • All Mixers Switch-Selectable to Mono or Stereo • Ground-Plane Techniques Used Throughout for Increased RF Immunity • Selectable Internal or External Master Level Controls • Accessories and Options—mono mixdown, high impedance (cassette) line input plug-ins, reference oscillator/line input plug-in, additional microphone input plug-ins, digital clock, digital timer, linear faders.



LPB[®]

citation series Everything you want in an audio console

LPB Inc. • 28 Bacton Hill Road • Frazer, PA 19355 • (215) 644-1123

Manufacturers and Distributors of Broadcast Equipment since 1960

© 1981 LPB Inc.



1701A



1701B

1701A

THREE GREAT WAYS TO CLEAN UP YOUR ACT.

The Sound Technology 1700 Series

Introducing three fast, accurate and easy-to-use Distortion Measurement Test Systems. All three deliver precise information for the audio professional. All three offer a multitude of features that make them indispensable tools for the engineer/technician.

Every system in the 1700 Series combines a flexible, ultra-low distortion sine-wave signal generator, a high resolution automatic-measuring THD analyzer, optional IMD analyzer and an accurate A.C. level meter in one instrument. Not only will a 1700 analyzer clean up your act, it'll clean up your bench too.

THE FEATURES

- Fully automatic nulling circuitry that measures distortion as low as .0009%. In less than five seconds.
- A simultaneously tuned, balanced and floating oscillator that's capable of 10Hz to 110kHz. With three digit pushbutton frequency selection that's both repeatable and fast. And, adjustable from -90 to +26dBm with three precision attenuators in 10dB, 1dB and .1dB steps (with ± 1 dB vernier).
- You can measure signal-to-noise ratios with a 100dB dynamic range; floating sources from 30 μ V to 300 V; power in

either dBm or watts; push a button and reject hum and high frequency noise with built-in 18dB/octave filters (30kHz, 80kHz and 400Hz).

WHICH ONE IS BEST FOR ME?

For most applications, the 1700B will do a big job for very few dollars. With the 1701A you get ultra-low residual distortion spec's, higher output level and integral, selectable meter detection circuits. Both models are great for R and D, engineering maintenance or Q.C. The 1701A was specifically designed for the broadcast and recording industry. It's the only distortion analyzer available with balanced and floating outputs and RFI shielding.

The 1700 Series Distortion Measurement Test Systems. Fully guaranteed for two years, parts and labor.

They're designed to be three great ways to clean up anyone's act.

SOUND TECHNOLOGY
1400 Dell Avenue, Campbell, CA 95008
(408) 378-6540 Telex: 357445

Please send me more information on how the Sound Technology 1700 Series can help me clean up my act.

NAME _____
COMPANY _____
ADDRESS _____
CITY _____ STATE _____
ZIP _____ PHONE _____

SOUND TECHNOLOGY Department 8010103

Circle 122 on Reader Service Card

Special Report

reproduction of wind and plane noises for “reality.”

On the back of the helmet was mounted a circularly polarized antenna for the Marti system, with a small sheet of aluminum as a ground plane. The CP design was carried out throughout the chain and allowed reduction of multipath distortion.

On the ground in Decatur were the Marti receiver and 25-W repeater, with CP antennas. Luckily, there was a 70-foot beacon tower at the airfield that could be used for the hop to Fort Worth. The transmitting antenna went to the top of the tower. The receiver was put there, too, to keep coax leads short. Also at the airport was a microphone on a long cable that could be keyed into the system. It was used to broadcast a view from the ground of the preparations—such as how Chapman looked getting into his gear and when he first came into view on the way down.

Everhart and his helpers proofed out the whole system two days ahead of the jump. Then, the day before, the system was put in final array and tested in place, by checking cues back and forth to the studio. A guard was hired to watch it at the airport overnight. Everhart says that the end-to-end S/N ratio was around 45 dB, fully good enough for the job.

After Chapman’s first shout of triumph and relief, he told the radio audience about the spectacular view he was getting from aloft—“The most wonderful thing I ever saw”—and how he was directing the fall of the

parachute, as cued from the ground. He said that he seemed to be getting no closer to the earth until the sudden change, apparently familiar to all parachutists, called “ground rush,” when the ground seems to come toward the parachutist at express-train speed.

After his safe landing there was a champagne party at the airport. Later, Chapman, Everhart, and their associates had the satisfaction of knowing the stunt was a runaway success: virtually all Dallas had tuned in.

Digital to the rescue at WSCI

In Charleston, SC, WSCI is an FM outlet of the state’s Educational TV Commission. As one of the National Public Radio stations, WSCI often has the responsibility for getting top-fidelity live music onto the NPR satellite net. The high quality of the satellite distribution channel throws the emphasis more than ever on the quality of the “feed.”

A case in point was last summer’s Spoleto music festival, now an annual event based in Charleston. The problem was to pick up the music live, in stereo in Charleston and get it to the NPR uplink in Columbia, SC, 110 miles away.

John Dozier, general manager of WSCI, told *BM/E* that the station had tried a variety of transmission methods. For the pickup in the hall, the microphones are fed into a Studer Model 069 remote console and thence to a Marti UHF transmitter, both carried in for the purpose. Dozier says that the Studer and the Marti interface beautifully and both perform well.

The UHF signal goes about four miles to an entry to

We've been big in video



We've believed in video from the beginning. Just like many of the producers we service today. And as they've grown, we've grown. Because we always had the best equipment, and the guys who could help you work it right. And maintain it to keep it working right.

Today, nothing's changed. Except now we have over 100 helpful pros and the most complete line of equipment available anywhere. Everything including video cameras, lenses and accessories, terminal equipment, processing equipment, switchers, video

the telco microwave system in south Charleston. Last year it travelled to Columbia via the audio carriers in the telephone company's duplex system, instituted a few years back for the carriage of audio signals in television networking.

This system did not fully meet Dozier's quality requirements, however, so a new plan is being tested for the coming year. It will include a unit at the sending end for putting the stereo signal into digital form with one of the widely used units that converts audio material into a pseudo-video PCM signal. This will be fed to the regular telco line—either microwave or coax—for taking television signals over the distance.

At the receiving end a similar unit will recover the analog signal, which should have audio qualities totally unimpaired. WSCI has been trying out the JVC units for the job, and so far they seem to work well.

This story does not involve any spectacularly new technology, but does indicate that there is great resourcefulness in today's technology for solving ENG problems. Hundreds of radio stations today are using special ENG equipment and it seems likely that many could improve the efficiency and reach of their ENG operations by thinking hard about alternate technology.

An example of ingenuity in using equipment comes from WIFE in Indianapolis. This station changed hands in May, 1981, and left behind its rock-music past in favor of a 100 percent talk-and-news format.

The change meant that news went up to between 40 percent and 50 percent of air time. For the expanded

coverage of local news, WIFE got several news cars with two-way Motorola UHF equipment. Other new facilities included dedicated telephone lines to the state capitol building and other constantly used news spots in the city.

To make interviews in the field more flexible, chief engineer Murray Smith developed an acoustic coupler to feed the receiver of the Comrex RF microphone directly into a dial-up telephone transmitter. With this arrangement a reporter interviewing persons in a crowd, for example, can move around and stay on the air through a dial-up telco connection.

Hundreds of radio stations are using UHF equipment in more or less routine fashion to get live remotes into studios. KRES in Moberly, MO, has a heavy program of local news, local sports, and community events, including events such as junior college basketball and the Veteran's Day Ceremony. A Marti UHF system connects the studio with operators in the field at all these events.

WFAA in Dallas is one of many stations using UHF equipment for live commercial pickups, as well as news and event coverage. A typical location commercial could originate from a restaurant, where the new chef is interviewed about his best recipes and his ideas on making a restaurant attractive.

A constant in most such operations is the need for cueing between station and remote operator, as spotlighted by the WDAF plan. The many different ways of doing this underline the variety of opportunities radio ENG offers creative managements today. **BM/E**

since it was small.



projectors, videocassette recorders, editing systems, etc. We carry virtually every important equipment name you could name. And all at competitive prices, whether you buy, lease or rent. After all, we didn't get big by being small.

The Camera Mart, Inc.

456 West 55th St., NY, NY 10019 (212) 757-6977 Telex: 1-2078

Sales • Service • Rental

Circle No. 131 on Reader Service Card

INTRODUCING OPTIMOD-TV

A TV Audio Revolution.

There's a revolution going on. TV broadcasters are competing with VCR, videodisc, premium cable, and other services for the eyes and ears of a mass audience that's become more aware of good sound. In this audio war, '60's processing technology doesn't cut it.

Enter OPTIMOD-TV. It's the same second-generation OPTIMOD-FM sound that's sweeping the country, with enhancements to adapt it to the specific needs of TV broadcasters. Smooth multiband compression teams up with our patented "Smart Clipper"™ and FCS overshoot corrector to create a tightly bandlimited, peak-controlled output that stays out of the video and is ready for TV stereo. And stereo processing is supplied standard.

The processor rides gain and peak-limits with remarkable subtlety, achieving superior consistency, openness, and naturalness on the finest master-quality audio or the poorest 16mm optical film.

OPTIMOD-TV gives you the potential to bring your audio up to the same quality as your state-of-the-art picture. Processing is no longer the limiting factor. So plan your audio strategy for the great video war of the '80's around OPTIMOD-TV Model 8180A. Your Orban broadcast dealer can tell you more. Or contact us Toll Free (800) 227-4498, in California (415) 957-1067 for more information.

orban

Orban Associates Inc., 645 Bryant Street, San Francisco, CA 94107 Telex: 17-1480 Cable: ORBANAUDIO



Circle 132 on Reader Service Card

SPECIAL ASSIGNMENT: THE ROYAL WEDDING

By Elliot Reed

A crack team at ABC Television coordinates coverage of major news events such as the recent royal wedding in England. Stations contemplating overseas assignments could benefit from its experiences.

NEWS OPERATIONS are not generally known for extensive preplanning; assigning crews to cover stories on an hour-by-hour basis is the more normal course of events. But when a major event is scheduled in advance and preplanning time is available, a news department can plan its coverage with the same attention to technical detail that is given to sports remotes and studio-produced talk shows.

The wedding of Prince Charles and Lady Diana Spencer was just such an event, with at least two months of preproduction time available to the net-

Elliot Reed is technical manager, ABC Broadcast Operations and Engineering.

To provide pool coverage of the wedding procession, the BBC used several dozen Philips LDK-5 cameras with Schneider 30×12.5 zooms.

(photo: BBC Engineering Publicity)



works and others planning first-hand coverage. This allowed ABC News to take full advantage of its "Special Events" group, which was given the awesome task of providing complete coverage of events relating to the wedding, utilizing ABC camera positions supplemented with feeds from local British broadcasters. At the same time, the operation had to be flexible enough to deal with any unexpected occurrences such as demonstrations or acts of violence.

In all, the unit ended up providing true top-to-bottom coverage for four ABC news programs (*Good Morning America*, *World News Tonight*, *Nightline*, and *Special Events*). Beginning with *Good Morning America* on July 27 and running through July 31, ABC carried the preparations, the fireworks display on the eve of the marriage, the royal procession, the ceremony at St. Paul's, the honeymoon departure, and a wrap-up prime-time special on the evening of the wedding—approximately 18 hours of programming.

For the event, ABC combined personnel from the U.S. and the net's London news bureau, rounding up a total of 60 technicians to set up and operate the equipment; five technical managers to design and coordinate the technical aspects and supervise the technical operations personnel; two traffic managers to coordinate and order all audio, video, and communications feeds among the remotes and coordinate the satellite feeds back to the U.S.; a unit manager to maintain control of technical costs; and approximately 65 people for production functions, cost control, researching, talent coordination, and the like.

Hardly an average news assignment, especially since it was overseas! And yet it was all accomplished within the technical guidelines and economic conditions imposed by the network news budget and not, as some have supposed, as if it were an EFP-type remote such as an Olympic Games.

Special Events became involved in the operation some two months

"Special Events" to the rescue

Special Events became involved in the operation some two months

Special Report

before the wedding. A group within ABC News (headed by Bob Siegenthaler), it was formed several years ago to produce news programming of political conventions, inaugurations, and other major events. This group, along with the Broadcast Operations and Engineering division (headed by Julie Barnathan), coordinated the coverage.

At a meeting on May 18, 1981, technical planning for the royal wedding telecasts began, and a survey was conducted to determine equipment, personnel, and space requirements. Several problems had to be addressed in order to satisfy production needs within the cost guidelines: physical space for a coordinating control room; time necessary for construction, setup, and checkout at all locations; and customs problems with bringing equipment into England, including the preparation of carnets (documents that permit the temporary importation of equipment into participating countries without payment of import duties) and a possible strike by customs officials.

While the production department worked on the last two problems, Joseph Carr, Bill Maier, David Linnick, and I set out to design a control room that could be simply installed within the ABC London News Bureau during the two months that remained.

The first step in the design process was to set up a floor space at ABC's headquarters in New York City that precisely corresponded to the space that would be available in London. Racks of equipment were in-



A weary Elliot Reed contemplates the editing room set up at the Regency Center Hotel. Equipment included a Convergence ECS-103 editor, MCI/Quantel frame synchronizers and digital effects processors, and a Yamaha audio board.

stalled, interconnected, and tested in the precise configurations that would be used during the coverage. The only problem in working this way was that the power requirements would be different in England. In the New York mockup we therefore generated a 120 V, 50 Hz source to determine which equipment was capable of operating at the 50-cycle British frequency and which would have to be fed from a Cintec frequency converter to transform the 50 Hz English power into 60 Hz. We were able to test with 120 V since all power in England would be converted by transformers from 240 V to 120 V. Another consideration was the need for increased power availability for the air conditioning and equipment to be installed in London, and the London


"The Missing Link to Reliable Cart Music Reproduction Has Been the Cart...Not the Cart Machine."

I've been using the Audiopak AA-3 at various stations for over two years, with gratifying results.

The AA-3 is capable of studio master music reproduction with excellent stereo phase stability.

It is durable and reliable in performance throughout its long life.


In my opinion, the AA-3 is the best cart we've tested."



AA-3—THE MISSING LINK
For stations who care how they sound

Elliott Klein

Corporate Director of Engineering,
Buck Owens Broadcasting Group
Chief Engineer, KNIX AM & FM,
Phoenix, AZ
Consultant to:
Scripps-Howard Broadcasting Co.
(Radio Division)
Sunbelt Communications Ltd.
The Research Group
Transtar Network




CAPITOL MAGNETIC PRODUCTS
A Division Of Capitol Records, Inc.
6902 Sunset Blvd., Hollywood, California 90028 (213)461-2701
© 1981 Capitol Records, Inc.

Circle No. 133 on Reader Service Card

The Leader Sync/Test Generators.

Every important feature for under \$2,000.



Precise NTSC sync/test pattern generators.

Leader's LCG-400 series sync/test generators provide accurate reference signals for any off-the-air broadcast or non-broadcast operation. Available in either multi-burst or sweep marker configurations, the LCG-400 provides EIA and full-field color bars as well as staircase, raster (in eight colors), window, convergence and cross-hatch test signals... plus gen-lock capabilities and a host of auxiliary outputs. As a matter of fact, Leader's sync/test generators do virtually everything the \$4,000 generators do... except cost as much.

A network-proven 50 MHz oscilloscope.

The Leader LBO-517 oscilloscope makes accurate and detailed measurements. It offers sensitivities of 1 mV to 10 MHz and 5 mV to 50 MHz. Two main and two auxiliary channels can be displayed on main and delayed time bases (8 traces) simultaneously while intensifying



LBO-517 50 MHz Oscilloscope.

the delayed portion. Composite triggering provides *stable* viewing of two asynchronous inputs. Positive, stable triggering on composite video signals, at either H or V rates, is automatic. Leader's new dome-mesh 20 kV CRT assures bright, clearly defined displays, even at the highest or lowest sweep rates. All for under \$2,000.

The Leader Vectorscope is unique.

Only the Leader LVS-5850 NTSC Vectorscope offers CRT-generated phase/amplitude targets that are as bright and clear as the vectors themselves. Now you can easily verify NTSC Vectors in darkened control rooms. And, electronically generating the targets eliminates non-linearity errors caused by CRT aging. You can mount it in your existing console, view it from any angle



LVS-5850 NTSC Vectorscope.

or distance, and be confident that what you see is what you've got.

Two-year warranty. Evaluation units.

A history of high reliability permits Leader to provide a generous two-year warranty (even on the CRT)... backed by factory service depots on the East and West Coasts. Evaluation units are

available to all qualified customers.

Call toll-free (800) 645-5104 to request: an evaluation unit, our 1981/82 catalog, the name of your nearest "Select" distributor and additional information.

For video engineers who know the difference.

LEADER
Instruments Corporation

380 Oser Avenue
Hauppauge, N.Y. 11788 (516) 231-6900
Regional Offices:
Chicago, Los Angeles, Dallas.

Circle 134 for Product Information

Circle 157 for Product Demonstration

Outstanding Outdoors

Camera location 3 behind home plate is no place to tear down a camera. Especially if the director wants to punch it up on air to catch the next pitch. That's just one reason why the rock-steady, works-every-time HK-357A is an outstanding choice for production in the field.

Beyond its reputation for legendary Ikegami reliability, the HK-357A has a lot more to recommend it as the ideal field camera. For example, its crisp, high resolution picture, signal-to-noise ratio of better than 53 dB, and superb colorimetry.

What's more the camera really shows off when it's time to set up. Use of the optional microproces-

sor control brings into play Ikegami's Emmy award-winning digital techniques for automatic setup. Simply press one button and the computer automatically refreshes all set up and registration adjustments in about 45 seconds. No chip charts blowing in the wind, no tweaking. Just unpack, plug-in, auto-setup, and shoot.

Hook up is a simple matter too. Choose the triax option and you can position the camera as far as a mile from the van with absolutely no compromise in picture quality as compared to multicore. And for versatility, our triax camera interfaces with TV-81 multicore at the flip of a switch.

Field test an HK-357A to see why Ikegami is the choice of so many networks, major market stations, and independent producers.



Ikegami HK357A

Ikegami Electronics (USA) Inc., 37 Brook Avenue
Maywood, NJ 07607; (201) 368-9171
Northeast: (201) 368-9171 West Coast: (213) 534-0050
Southwest: (713) 445-0100 Southeast: (912) 924-0061
Canada: (201) 368-9179



Circle 135 on Reader Service Card

Special Report

electric company was advised in advance.

Considerable rack space in the main transmission area was reserved not only for power supplies, but also for 13 MCI/Quantel DFS-1550 frame synchronizers that were to handle incoming feeds from remote locations and make them synchronous to the production switcher, plus two standards converters to allow the 525-line ABC operation to take the British-supplied 625-line feeds. The output from the synchronizers and converters was fed to two seven-by-six ENG transmission packages that included equalizing DAs and in turn fed the production switcher.

ENG-type switching

The control room area was divided into three smaller

rooms by plexiglass panels. The main production area contained an array of 31 monitors—much like a studio control room. Different in this operation, however, was that we used two small Crosspoint Latch production switchers, bused together so that the output of one became one of the inputs of the other. This provided the TD with access to all feeds. For special effects, we had a single-channel MCI/Quantel DPE-5000.

We also used, for the first time on air, a new Quantel DLS-6000 digital still store system. With it we had the ability to grab, sort, and store up to 800 stills on a floppy disk, with instant access to any. With two disks, we could record and access 1600 stills and dissolve from one to another. Further, stills could be displayed either full-frame or compressed. Since the experiment, ABC has purchased an actual production model from Quantel (the one we used in London was more of a prototype) and has placed an order for a number of

Wireless Microphones at ABC

By Phil Godfrey

A high-quality wireless microphone that performs as well as a wired microphone is a valuable asset to any TV production, particularly a large-scale news event. Recognizing the need for such a device, ABC chose the then-unused 940-950 MHz frequency band to develop (with Airborne Instruments Lab of Long Island) a portable wireless microphone. The mic was first used at the Mexico City Olympics in 1968, and then later that year saw service at the Presidential political conventions. At the same time, ABC and Microwave Associates developed a portable transmission system operating in the same band to transmit the TV camera remote control telecommands from the newly developed Ampex hand-held camera. Both of these systems were used by the ABC News and Sports departments until 1976, when ABC joined forces with Ikegami Electronics to develop a wireless microphone and camera command transmission system. These systems were successful, and stayed in service until 1980 when ABC adopted the new Sony Series 27 and 57 wireless microphone for this application.

ABC has most successfully used wireless mics for sporting events such as golf, football, and baseball, in addition to special news events such as political conventions, inauguration parades, and the like.

They are not without their own problems and constraints, however, including transmission range, frequency interference, multipath reflections due to nearby metal objects, and overall terrain conditions. In addition, the mechanical and human engineering considerations of dressing and maintaining the talent with a transmitter battery pack and antenna, plus insuring the return of equipment following a show, create additional drawbacks. Nevertheless, the mobility ABC has gained using wireless microphones has far outweighed the problems associated with them. Usually the size and weight of the transmitter is kept as small as possible, although we often add a linear power amplifier to the transmitter to increase range. The choice of receiver antenna and location, and the use of some type of diversity reception, are equally important.

When televising a program such as golf, we want to give the reporters complete mobility within the areas assigned to them. In this case, identical receivers are located at several different holes throughout the course; their outputs drive a diversity or voting device.

Phil Godfrey is manager of ABC's Engineering Laboratory.

In this way the strongest signal from the receiver closest to the reporter is selected. This type of extreme space diversity has also been successful for covering inauguration parades. With particularly difficult terrain, close space diversity reception reduces dropouts due to fading signals and multipath conditions. In both cases, receivers are usually placed as high as possible, usually on top of an 85- to 100-foot tower or ladder truck. High gain (8 to 10 dB), 20-degree beam width yagi antennas are used wherever possible. Automatic gain control is generally avoided to insure minimum distortion and maximum signal-to-noise ratio. An audio operator controls levels.

Transmitting TV camera remote control telecommand also has several rather unique problems. Dropouts and multipath reflections cannot be tolerated due to the immediate loss of camera control (usually genlock). ABC uses a portable TV camera telecommand control system transmitted within the audio bandwidth of the Sony wireless microphone. To enable a wide range of operation over large golf courses, a helium inflated tethered balloon (aerostat) is raised 300 to 500 feet in the air. This balloon serves as a platform for the Sony transmitter and omnidirectional transmitting antennas, allowing a wide latitude of operation.



A portable camera telecommand signal, transmitted within the audio bandwidth of the Sony wireless microphones, helps ABC cover sports and large-scale news events.

Great Character Builders We Have Known...

Walt Disney, Vince Lombardi and Quantafont

The company we keep is important to us. Because we build great characters, too.

In fact we think they're the best looking characters in the industry. Take our Quantafont™ Q-7A for example.

Where else could you find 20 nanosecond resolution, proportional spacing and 16 resident fonts at one-third the price you once had to pay for those features.

The Q-7A is cost effective, expandable and covers the spectrum from editing suite to teleproduction to film subtitling to broadcasting. And it does all these things in 15 major international languages.

The company we keep *is* important to us. It's also important to you. Make Quantafont your character reference.



SYSTEM
CONCEPTS

System Concepts, Inc.
2440 So. Progress Drive
Salt Lake City, Utah 84119
(801) 974-0992

Circle 136 on Reader Service Card

Special Report

additional units.

The second area of the control room was reserved for Chyron IV graphics operations. The third area was for audio, with a Yamaha 32-by-16 board.

3/4-inch recording

For recording incoming feeds, editing, and playback to air, two separate videotape areas were established, one adjacent to the main control center at the News Bureau and the other directly across the street in the Regency Center Hotel. The tape areas and the main control area were joined with video and audio cables stretched over the street to reach the hotel. All switching to the various recorders was handled by four 3M audio-follow-video routing switchers, with a separate switching systems for natural sounds.

The videotape area next to the control room was used to play back material to air. In this room were the only one-inch machines in the entire operation—two Ampex VPR-2s to air prerecorded intros and bumpers that had been created back in New York. All other material that originated from London, including edited program material played back on two Sony BVU-200 decks alongside the one-inch machines, was shot and recorded strictly ENG style—on 3/4-inch videocassettes.

Our decision to go with 3/4-inch tape was prompted by several interconnected reasons. First, we had decided early on that we would be bringing almost all our equipment with us—15 tons of it! All our cameras and



Two Ikegami cameras provided master shots for ABC's coverage. (photo: Ann Limongello)

recorders were, naturally, 525-line format. To have set up a one-inch editing facility, we would have to have brought an enormous number of bulky one-inch decks with us since 525-line one-inch decks were not available for rental in England. Secondly, we did not feel there was enough time to install a one-inch facility in the limited space available. Thirdly, since all our field crews were working in the 3/4-inch format, it did not make

VCR IN-CASE OPERATION



**SPEED UP YOUR SET-UP...
OPERATE YOUR VCR IN THE CASE!**

- SLIDE-OFF LIDS, GROOVED TRACKS
- REAR CABLE ACCESS
- ETHAFOAM SOUND PROOFING
- VENT SPACE UNDERNEATH
- AIR FLOW THROUGH REAR

THE IN-CASE BY EXCALIBUR.

CALL FOR INFO
213/899-2547

EXCALIBUR

12427 Foothill Blvd., Lake View Terrace, CA 91342 · (213) 899-2547

Circle No. 137 on Reader Service Card

**LOWEST PER CARTRIDGE COST* THE
LATEST MICROPROCESSOR TECHNOLOGY**

WHY WOULD YOU BUY ANYTHING BUT


IGM GO-CART

In 24, 42 or 78-cartridge* capacity

Use 2 or more Go-Carts for back to back play of all programming, including music

OR

Add one to your existing system to handle all the commercials, ID's, and public affairs, leaving the music on reels or disks. Easily interfaced to most automation systems, ours or "theirs".



FAST! Worst access time is 8 seconds.

HUMAN ENGINEERED. Whole unit swings open for maintenance, even while on air.

IGM COMMUNICATIONS

4041 HOME ROAD, BELLINGHAM, WA 98226 [206] 733-4567

Circle No. 138 on Reader Service Card

Special Report

sense to get into a dual-format operation.

For recording and editing, six two-machine editing rooms were set up at the Regency Hotel. Four were equipped with Convergence ECS-103 editors with Sony BVU-200 decks (two could play material back to air). In addition, two off-line systems configured with Convergence ECS-90 editors and Sony VO-2860 decks were installed for viewing and rough cuts. The bulk of the actual post-production work, however, was performed with two Convergence Superstick systems, each configured with three BVU-200 decks, MCI/Quantel frame synchronizers, and DPE-5000s for special effects, small production switchers, and time code readers. Time code was recorded by all field crews on the address track of the BVU-110 recorders, leaving both audio tracks available for sound.

Coordinating remote locations

Coordination of the logistics at the various remote sites and the feeds from British broadcasters into the ABC operation fell to Chris Evans, manager of overseas operations for ABC's BO&E division. A total of 11 sites were involved, including seven camera locations along the parade route with a complement of nine cameras. These, together with a feed from the BBC, which was providing network pool coverage of the ceremony from St. Paul's Cathedral, and a feed from ITV, which was covering the parade, were cabled back to the News Bureau through video and audio loops provided by the British Post Office. Each location had one video



ABC's London operation was based almost exclusively around 3/4-inch equipment, including Sony BVU-200 decks. A single-channel Quantel DPE-5000 (to right of Convergence ECS-103 editor) was used for special effects.

line and two audio lines (one for program and the other for natural sounds).

Another important remote location was the camera providing a "beauty shot" of London and the dome of St. Paul's Cathedral. Located at the B.P. Building, this

ALL NEW, We took an industry work-horse—the dbx Model 160 **WITH**—and made it even more versatile. We gave it Over Easy® so you can choose **OVER EASY** soft knee or hard knee compression **TOO.** at the touch of a button. We've also made it strappable for dual channel compression. **\$420.*** Added dual LED meters, Infinity +™ compression, and the provision for a Jensen output transformer. And, we've put it all into a new slim-line rack mount package with phone jack and barrier strip connectors. Voila! The new Model 160X. See your dbx Pro dealer, or write for information.

*Manufacturer's suggested retail price.



Model 160X Compressor/Limiter

dbx, Incorporated. Professional Products Division,
71 Chapel St., Newton, Mass. 02195 U.S.A.
Tel. (617) 964-3210. Telex: 92-2522. Distributed in
Canada by BSR (Canada) Ltd., Rexdale, Ontario.

dbx®

Circle No. 139 on Reader Service Card

bvs

DELAY LINES

Video•Pulse
Active•Passive•PC•DIP•
Boxed•Switchable•Variable
Rack mount cards.

LOW PASS FILTERS

Eliminate buzz caused by
spurious out-of-band spikes
from character generators.

NOISE MEASUREMENT FILTERS

An easy, economical method
of video noise measurement.

broadcast video systems ltd.

1050 McNicoll Avenue
Agincourt, Ont. M1W 2L8
(416) 497-1020

Circle No. 140 on Reader Service Card

Harris' new TC-85 upstages all other automatic cameras with...

THE 45-SECOND MULTI-CAMERA SETUP

In less time than a standard commercial break, Harris' new auto setup computers can simultaneously run a pre-production setup of all the TC-85 cameras in your studio.

With independent microcomputers in each camera, fine registration, black balance, white balance, gamma and flare are automatically checked and adjusted in all cameras—in less than 45 seconds! Full computer setup from a new tube installation is also accomplished quickly.

The independent microcomputer concept—a Harris exclusive—eliminates camera interdependence and enhances reliability.

The ASU-85 computer setup system is standard in the new TC-85 camera. It can also be added, at



a surprisingly low cost, to all existing TC-80 series cameras in the field, and is fully compatible with the Harris Triax system. You can teach your older cameras new tricks!

Compare the cost. The TC-85 camera with full computer setup is priced well below competitive models.

Contact Harris Corporation, Broadcast Products Division, P.O. Box 4290, Quincy, Illinois 62301. 217/222-8200.



HARRIS
COMMUNICATION AND
INFORMATION PROCESSING

Special Report



ABC's main control room at the London News Bureau included this Yamaha 32 x 16 audio console.

PC-70 with a 42x zoom lens was the only studio-type camera used in the operation. Two HL-77 cameras with Canon 18x zooms, located at the Abby Life Building and the British Railway trestle, provided additional master shots.

Perhaps the most elaborate remote site of all was the anchor position at Juxon House, across the street from St. Paul's. Here, two ENG-type cameras covered Barbara Walters and Peter Jennings while a third camera moved through the crowds and covered the guests emerging from the cathedral. A small control room here was outfitted with a portable Asaca production switcher.

Good Morning America originated daily programs from its own anchor position at the London Hilton.

The twenty-sixth floor of the hotel was set up as a small studio with a three-camera remote production unit supplied by Trillion. Signals from two remote sites were first fed to the main control room at the News Bureau through the standard loops, then relayed to the Hilton. The incoming feeds were synchronized with two Quantel DFS-1550s, then integrated with studio material and edited tapes. The program signal from the Hilton was then relayed back to the News Bureau and fed out on the standard satellite pathway back to the U.S.

Communication among all the sites was considered critical to well-coordinated coverage. The main anchor sites had return video feeds, but each of the camera locations was handled as an independent remote site. Communication from the main control room was accomplished with a telephone twisted pair circuit, a two-way producer's coordination circuit, a director's PL to each camera operator as well as local directors at each site, and an IFB for talent and guests.

Covering this piece of history required a marriage of various broadcast technologies: a control center to monitor and to switch the various remotes; a high level of communication between all remote venues and the main control area; and an effective means of recording and editing videotape. All these requirements were met with portable equipment, digital technology, and sophisticated 3/4-inch editing systems. The flexibility and features of this equipment provided ABC with the means of presenting a storybook wedding in a storybook way to American viewers. **BM/E**

OTARI GIVES YOU MORE AND WE'LL PROVE IT:



MTR 10/2 1/4" Two-track Recorder
STANDARD FEATURES

- Return to zero
- Reverse play feature
- Controlled tension for smooth pack
- Digital speed readout
- Interface for SMPTE interlock
- Switchable bias
- Roll-around cabinet
- Headphone monitor
- Three speed
- and many more features

\$6,450. LIST

Options:

- Ten position tape locator—\$700.
- Overhead meter bridge (available exclusively from Everything Audio).

Call for more information

**EVERYTHING
AUDIO**

16055 Ventura Bl., Suite 1001
Los Angeles, CA 91436
Phone (213) 995-4175 • Telex 651-485

Factory service
for warranty and repair

EVERYTHING AUDIO offers signal processors, microphones, monitors, — everything in professional audio, plus Acoustic design and consultation services for your control room or production facility.

swintek

The Leading Name In
Cordless Microphone Systems



Transmitters small enough to be hidden almost anywhere, tiny microphones that are so unobtrusive that they probably won't even be noticed, hand-held microphones without the encumbrances of hundreds of feet of wire — that's what cordless microphone systems are all about. But there's one more factor of prime importance — reliability. If you're in television, radio or film and you want a cordless microphone system that not only offers the most advanced state-of-the-art electronics but the highest reliability rating in the industry, Swintek is the answer. There's a Swintek transmitter and receiver to fit your specific needs, no matter what your requirements. Check with us today about the greatest name in cordless microphone systems — Swintek.

alan gordon enterprises inc.
1430 N. Cahuenga Blvd., Hollywood, CA 90028
Telephone: (213) 466-3561 • (213) 985-5500
TWX: 910-321-4525 • Cable: GORDET

Circle No. 142 on Reader Service Card

Things to do before leaving home




- Have a planning meeting involving all who will travel and make use of the material. What kind of shots will be most useful? What kind of sound? Who should be interviewed? Make sure everybody knows exactly what he or she is supposed to accomplish on the trip.
- Check with the embassy or consulate of the country you plan to visit: what kind of press credentials are required? Are visas necessary? Be certain all who plan to travel have current, valid passports.
- Select equipment based on specific assignment needs; take only what is required, plus whatever backup is appropriate. Check power availability for recharging batteries, using monitors, etc. Pack converters, inverters, etc. Select shipping cases that conform to airline specifications.
- If you plan to take microwave gear or RF microphone/intercom equipment, does it conform to worldwide frequency standards? Be certain the country you are visiting does not prohibit private use of microwave.
- Check with your insurance company to be certain foreign travel is not excluded from your equipment or personnel policies.
- Contact U.S. Customs for appropriate declaration forms. Contact the consulate or trade ministry of the country you will be visiting to find out whether a carnet and/or bond and/or letter of credit is required.
- Call the airport and be certain a customs agent will be available to inspect your equipment *before* you leave.
- Call the airline and check on excess baggage charges. Charges vary widely, particularly with foreign airlines; finding out you have to pay over \$500 for your equipment cases should be done beforehand, not while checking in.
- Secure the services of an interpreter—one who has worked with news crews before, if possible.
- Make advance arrangements for getting material back home. If you plan to ship tape back, get the schedules of the airlines you will use and names of airline cargo expeditors. If you have politically sensitive material, you may want to try to find an American citizen traveling home to carry it back by hand for you. Make sure you give the person names and numbers of those at the station to call in an emergency, and get the person's travel itinerary so he or she can be tracked down if necessary.
- Make a list of key phone numbers you will need while traveling, and distribute a copy to each member of your team. Include the local U.S. Embassy; foreign broadcasting and press organizations for help with equipment or legal problems; a satellite broker who can arrange feeds back to the U.S. if network time is not available; the coordinator of your network's pool feed coverage; and whom to call in an emergency, including station engineering and managements' home telephone numbers. In addition to foreign telephone numbers, try to secure telex numbers since phone service is sometimes unreliable overseas.
- Take as much cash as you don't mind having stolen; though American Express and other issuers of travelers checks will cash the checks into whatever currency you want, including U.S. dollars, traveling with cash can sometimes help you through sticky situations with government officials or customs agents. Take credit cards such as Amex, Visa, and Mastercard, which are accepted internationally.

TELEPHONE NUMBERS FOR MORE INFORMATION

U.S. Customs	Joe O'Gorman or Dick Coleman	(202) 566-8157
U.S. Council	for securing carnets	(212) 354-4480 (312) 364-7833 (213) 386-0767 (415) 956-3356
U.S. Dept of Commerce/International Trade Administration	Felix Cotten—for information on how to find a customs broker	(202) 377-4654
International Radio and Television Society/IRTS	Steve Labunski—for general information on traveling overseas, including country-by-country requirements	(212) 867-6650

INDUSTRY LEADERS LOOK AT 1982



What recession?

To paraphrase an old slogan, suppose Uncle Sam invited the broadcast industry to a recession and nobody showed up? That appears to be the case, as radio and TV company executives see it.

Entering the new year, it is difficult to find anyone among industry leaders who is not optimistic about business prospects. Moreover, they are also excited by the impact of new technology, in particular the availability of satellites and the rapid deployment of digital circuitry.

In short, rather than being depressed by the recession, broadcasters are eagerly pressing forward. Comments such as “. . . this is the most exciting time to be in broadcasting” were not uncommon.

Yes, there are problems. Cable TV and cable radio are cause for concern. Rising costs coupled with high interest rates nag at managers. New equipment arrives on the marketplace at a rocket pace, causing equally rapid obsolescence of the old.

Yet, when *BM/E* checked with a cross-section of industry leaders to find out what they expect in the coming year, the uniform response was upbeat. On the following pages is a summary of these opinions taken from interviews conducted at the end of November.

GENE JANKOWSKI

CBS Broadcast Group

Gene Jankowski, president of the CBS Broadcast Group, sees little change in the basic structure of broadcasting in the near or even in the long-term future. After the most profitable year in the company's history, Jankowski points out that the great bulk of that revenue came from the traditional forms of broadcasting, not the new technologies.

“There will be an increase in television homes next year and TV homes will continue to grow,” Jankowski predicts. “Contrary to popular belief, most people spend their lives doing other things besides watching television. We've seen that when there are things on that are truly special, the total audience grows.”

CBS is moving into the new business opportunities available in cable, teletext, and viewdata. “One of the positive signs of a very dynamic organization is one that can handle its current businesses in a very strong fashion and at the same time, invest in the future.” Jankowski sees no conflict with a broadcasting company going into cable, which some see as a competitive business. He sees cable as an extension of the programming arm. Those TV homes that tend toward lighter viewing habits will tune in to the kind of programming not available on commercial networks.

Jankowski feels that there is a deregulation mood in Washington and looks with some optimism toward “some meaningful deregulation for the industry.” His major thrust is to see less government involvement in programming. He cites the prime time access rule as what he terms “a de facto government intervention into the free enterprise system.”

Jankowski sees not only the business aspects of broadcasting, but also its creative potential. “Television has a creative challenge the likes of which no other medium has had to face. The challenge is to find fresh programming ideas that the public is going to want to watch. The volume of programming points up the difficulty in finding new ideas that attract an audience and still wind up as a good business decision.”

CBS's Jankowski.



*RKO Radio's
Burchill (center).*

THOMAS F. BURCHILL

RKO Radio Networks

“**T**he industry has been recession-proof in the past—there's no reason to expect otherwise now,” says Thomas F. Burchill, president of RKO Radio Networks, looking at 1982.

SYNCHRONIZED STABILITY

The MICROTIME 2525 Video Signal Synchronizer



Process any video source with this cool-running synchronizer that stays on the job longer. The 2525 synchronizes the broadest range of input signals and provides optimum time base correction of signals from any VTR source. The latest in digital video processing technology at a surprisingly affordable price.

- Synchronizes any video source
- Passes VITS, VIRS and Teletex with vertical blanking adjustable to line 10
- Superior "hot switch" performance
- Direct or heterodyne TBC
- Field 1, Field 2 or full frame freeze
- Auto Freeze or black on last valid frame of video
- Independent, continuously variable H-phase correction
- RS-170A sync generator

Plus the 2525 SP, an optional processing amplifier with multiple inputs, allows presetting of video parameters for each input. The addition of this "Smart Proc" extends the capability of the basic 2525 to form the highly versatile 2525 SP System.

For full information, contact: MICROTIME, 1280 Blue Hills Avenue, Bloomfield, CT 06002. Tel. (203) 242-4242. TWX 710-425-1165.



Leaders

Burchill is certainly bullish as he assesses not only the fortunes of RKO Radio Networks but the outlook for all the networks. Revenues for the industry last year should increase 25 percent over 1980 and continue to gain for the next five years, he predicts.

The RKO executive sees an interesting trend in comparing radio and television. In the past TV was entirely mass-audience oriented and radio was totally local. But as the competitive situation has changed—driven in large part by new technologies such as satellites—the two media are turning around.

Burchill explains that TV was programmed vertically and radio, horizontally. Now radio is accessing more national feeds, becoming more vertical; television is going to localism, becoming more horizontal. Result: the two media are coming together from different directions.

Satellite links will become increasingly important in the coming year, according to Burchill. "This technology has improved our business not only in the quality of the sound compared to the 5 kHz land lines but in the increase in advertisers going after national radio audiences."

Riding this crest, RKO this year expects to increase the number of stations on its net that will take the three separate services, introduced each year since 1979. RKO Radio One, targeted at the 25 to 34 age group, started in '79 with a handful of affiliates and now has over 225 stations on board. RKO Two, which went on the air last September, carries news and features aimed at a somewhat older group from 34 to 45. It attracted 100 affiliates in just 10 weeks. Starting this month is phase two of RKO Radioshows, which debuted in September, featuring musical specials and interviews with popular entertainers.

However, the success among affiliates of the services offered is also cause for concern, he adds. "There have been new network services promised in the rush to expand satellite links. I hope all the promises others made are met. Otherwise, failures to deliver cut into the entire industry. We all lose credibility," Burchill warns.

DON OHLMEYER

NBC Sports

“We just can't afford to be spending \$100,000 to \$150,000 every time we produce a football game," says Don Ohlmeyer, executive producer of NBC Sports. "It's just not cost-efficient. And we won't be able to stay in business and be competitive when people outside the networks can do the same thing for \$10,000 or \$20,000. This is something that management and the unions are going to have to work on together; we all have a vested interest in maintaining a position of primary interest in broadcasting, but we're not going to be able to do it if some cable company can produce for 20 percent of the cost."

Part of Ohlmeyer's solution is to decrease production costs with more flexible, lighter, easier to maintain field production equipment—like the Hitachi CMOS camera NBC adapted for use in a driver's helmet at the Indianapolis 500. But Ohlmeyer concedes that his network, like CBS, is far behind in the race to be the leader in



NBC Sports's
Ohlmeyer.

what we have done is to be extremely creative with what we have—like the frame compression during our baseball coverage, for example. At ABC, Rooney Arledge has been consistently pushing sports production and Julie Barnathan [ABC] has been very receptive to it all along, so they've become the number one network."

"My number one priority," explains Ohlmeyer, "would be to bring our post-production facilities up to the latest standards; right now, the equipment is almost ancient. Beyond that, I'm not certain. Sports has traditionally been what has pushed this medium creatively forward."

As to whether cable will make any inroads into traditional network sports strongholds, Ohlmeyer is extremely skeptical: "Where cable is going to have its impact is not going to be on the big events but on the day-to-day playing of basketball, baseball, and hockey. Congress simply isn't going to let them go after the Super Bowl or the World Series or things like that.

"I do think, however, that the networks are going to have to re-examine the enormous fees we're asked to pay for network exclusivity. The Chicago *Sun-Times* recently bought the Cubs, and the Atlanta team is distributed by SuperStation WTBS. Perhaps the time has come when it would be more profitable for a network to own a ball club."

JULIE BARNATHAN

ABC Broadcast Operations and Engineering

There are three areas in which Julie Barnathan, president of ABC's Broadcast Operations and Engineering, sees technology making a significant impact during the coming year. "The first is a greater use of electronic art, from just plain lower thirds to whole pictures to pictures that move and compress to what I call 'optical devices.' All those things that were done before on film and stills will be electronically generated. One example is the Dubner computer graphics system, which we have been working with for a number of years. We have three of the systems currently in use and have developed a number of our own programs. Another example is the MCI/Quantel DLS-6000 digital still store; we have ordered three and have an option for a total sale of 18 during the coming year.

Leaders

"The second development will be the 'single-pack' camera/VCR units. But we think that before anybody buys one, the industry should have a standard. We don't think that one crew should be going around with Beta cartridges and the other with VHS and another with an altogether different format. I realize that Sony and RCA/Matsushita are in a 'battle to the death' over this thing, but we shouldn't have to be in the middle of it.

"The main reason for our interest in these units is their greater reliability. Any time that you can get rid of a cable connecting two things you have solved a lot of problems."

The third area of technology Barnathan expects to see more of is high definition television. "We're looking at HDTV—and we have been for some time," he claims. "We're working with Ikegami, which is also involved with HDTV. We'd like it to be based on a standard that could be easily converted to 525-line NTSC so that we could avoid a dual standard if, later on, it becomes popular.

"I still don't think we will be seeing a totally digital plant for a long time to come. Everyone will be using individual pieces of equipment, but we will still be constantly converting D/A and A/D.



CBS Radio's
Hosking.

ABC
Broadcasting's
Barnathan (below).



"Right now, our main objective is to get everyone to help improve the quality of current television signals, to get everyone using satellite links wherever possible and clean up our studio equipment; the signal is only as good as its weakest link, and if there's a bad proc amp somewhere it ruins the whole thing. If everybody used even what we have available now—high-sensitivity pickup tubes, VIRS, satellite broadcast, digital signal processing—we'd have a standard NTSC image that the average home viewer couldn't tell apart from an HDTV display."

ROBERT L. HOSKING

CBS Radio Division

The prospects of network radio are excellent for 1982, according to Robert L. Hosking, president of the CBS Radio Division. Network income was up about 25 percent in 1981 over the year before, for the best year in history. The growth rate in the first quarter of 1982 probably will be somewhat less because of the very high level reached last year. But the year as a whole will certainly bring a further substantial advance.

"Network radio is coming of age, and will have an enlarged, more basic role in the radio broadcasting of the future," says Hosking. "It is a *complementary* role—the fundamental function of the individual radio broadcaster is localism, serving the needs of the community. The network supplies material that is essential to a strong audience position for the broadcaster. The material will have greatly increased variety, quality, and audience appeal in the coming year." He notes that the networks have had remarkable success in the last few years. Radio stations affiliated with a net have risen from 2054, or 32 percent of all stations, in 1970, to 3600 stations, or 47 percent of all, in 1980.

The expansion in the number and variety of network programs made possible by the multiple-channel capacity of the satellites will allow radio to serve the broadcasters, and the listener, far more effectively and attractively than ever before. The shift to the satellites will accelerate in 1982 and probably will be complete for all major nets by 1984. Land line distribution will be gone, Hosking predicts.

A good example of the diversification that is spreading among the nets is the new CBS operation, RadioRadio, which gets underway in the spring of this year. It will enlist an entirely new group of affiliates and be aimed specifically toward the 18 to 34 demographic. News will be written in shorter forms especially for this audience. Features will be designed for them. News and other material of top quality will be more and more needed by radio broadcasters, and the nets are showing they can supply this need.

"With this secure position in the American listener's scheme of things, radio's future looks splendid."

VINCENT WASILEWSKI


NAB

Vincent Wasilewski, president of the National Association of Broadcasters, looks to 1982 as the year in which a number of long-standing regulatory issues may be settled. "We hope to see more in the area of deregulation by the Commission and by the government in general," Wasilewski says. "We think

Hitachi-5 Competition-0

That's the score in one-inch VTR technology.

We've gone the first generation of TYPE C machines *five* better...to help you get all the potential of one-inch out of your video installation. Here's what the competition *doesn't* give you.



• Tape guide retracts for threading ease • Air drum eliminates head contact in shuttle/standby modes

1. Retracting Tape Guide

Retracts for unequalled ease of threading; repositions with one micron accuracy for up to two million threadings. Provides the reliability of a quad thread system in a one-inch format.

2. "PRO" Tape Path

The protective reverse oxide ("PRO") configuration of the tape path means *only* the video and audio heads touch the oxide surface. All other transport mechanisms guide the tape by its reverse side. Result: noticeably reduced dropouts; longer tape life.

3. Instant Head Replacement

Pre-aligned head design permits easy replacement of video heads in three minutes. No adaptors or jigs; no adjustments required.

4. Audio and Video Confidence


The others only let you *see* what you're taping. We let you *see* and *hear* everything being recorded...simultaneously.

5. Non-contact Tape Shuttle System

In shuttle and standby modes, tape rides on a cushion of air. Increases head and tape life immeasurably. Cuts frictional


resistance, yielding shuttle times of only 80 seconds end to end.

We could go on. With impressive features like microprocessor control; broadcastable slow motion; one-touch shuttle and jog; front access circuit boards; audio spot erase; and on and on. But why run up the score, when it's already no contest? See the Hitachi HR-200, it's equally impressive portable HR-100 model, and companion TC-200 Time Base Corrector.



• Full audio and video confidence
• "PRO" tape path reduces dropouts

 HITACHI | HR-200



 **HITACHI**
Hitachi Denshi America, Ltd.

Tomorrow's Technology Today

175 Crossways Park West, Woodbury, N.Y. 11797 (516) 921-7200

• New York • Chicago • Los Angeles • Atlanta • Cincinnati • Dallas • Denver • Seattle • Washington, D.C.

Leaders

that the outlook is rather bright.”

Wasilewski also hopes that by the end of the year there will be an agreement on legislation dealing with cable, motion picture, and broadcasting copyrights. He thinks that a compromise can be worked out and that it will be accepted.

Direct broadcast satellites (DBS) are also a concern of the NAB. “We hope to impress upon Congress the need for a study of the direct broadcast satellite proposition feeling that this should be a matter for Congressional determination rather than the FCC’s discretion,” Wasilewski asserts.

While it has some legislative priorities, the NAB is more interested in the current trend toward a hands-off posture by the government. Having the broadcaster and not the government make program decisions is a clear goal.

“One thing that should happen in this technological progression,” he predicts, “is a realization on the part of government that broadcasters should be a part of new technology rather than being prevented from participating in it.”

Wasilewski is also pleased with the recent RARC meeting in Rio de Janeiro, in which the AM spacing problem was worked out.

New technology notwithstanding, Wasilewski sees the year in broadcasting as a good one. He believes that broadcasting will not suffer the effects of the economic downturn. Wasilewski sees an even more vigorous role for the NAB: “We feel that our association is in a very healthy state.”

THOMAS E. WHEELER

NCTA

“**T**he conflict in our regulatory relations with broadcasters is behind us, and the copyright issue only a remnant. The coming year will determine our relations with the telephone companies.”

Would anyone in the last decade expect to hear this statement from a cable television spokesman? It is in fact the view of Thomas E. Wheeler, president of the National Cable Television Association.

Well, regulatory issues with broadcasters are not



NAB's Wasilewski.

quite a thing of the past for the cable industry. Wheeler concedes that eliminating broadcast network cross-ownership restrictions is a big issue this year.

Referring to a study recently released by the FCC's Office of Plans and Policy that recommends lifting the ban, Wheeler comments, “NCTA has suggested that the economic and social implications have not been addressed. An impact analysis has yet to be done and should be done before the Commission takes any final action. Crossownership would allow an awful concentration of power—a network O&O with a cable franchise could get a stranglehold on a community. I grew up in a one-newspaper town and know what it's like.”

This issue is important enough for NCTA to consider commissioning a study to analyze the impact of cross-ownership. “I would hesitate to let this decision go without more analysis,” Wheeler adds. “After all, the days of public policy by intuition have passed.”

Despite the ongoing regulatory hassles, 1982 “is a good year to operate in,” says the NCTA president. “High interest rates and the state of the economy will have an effect on revenues, but nowhere near the decline the cable operators were hit with in the 1973-74 recession.”


Another change since the '70s is greater caution by cable companies in promising multiple services that are not profitable. Wheeler points out that the technology to expand services is available, but companies are “easing in rather than jumping in.” In some cases operators are walking away from franchise situations where the service demands are too expensive or unrealistic to deliver.

In the coming year Wheeler sees cause for concern over the non-federal regulators. As cable operators are becoming identified as common carriers, the traditional state common carrier regulators are trying to take over CATV, he fears.

RICHARD VERNE

NBC Radio

Radio is somewhat recession proof, Richard Verne, president of NBC Radio observes. In addition, in the last few years radio network dollars have exploded as the nets moved into a new era. He cites a number of trends this year that will continue to be operative in coming years:



Dolby

Plug Better Sound Into Your Picture

The Dolby® Cat. No. 221 or 255 module allows you to plug the benefits of a Dolby A-type noise reduction directly into your Sony® BVH-1000/1100 or Ampex® VPR-2 1" VTR.* Operation is fully automatic. And at long last the audio performance of your VTR will rival that of professional audio tape recorders.


Dolby A-type noise reduction has been accepted for years throughout the world for high-quality tape recording and other audio transmission and storage media. It provides 10 dB of noise reduction from 30 Hz upwards, increasing to 15 dB at 9 kHz and above, without the audible side effects (such as noise modulation and overshoot distortion) associated

with more conventional techniques. Dolby noise reduction can also lead to lower distortion, as it permits more conservative recording levels to reduce the risk of tape saturation.

Today wide audio bandwidth and low noise are becoming commonplace in many parts of the television origination/transmission chain. Contact us to find out how Dolby noise reduction can prevent the VTR audio track from being one of the weak links.

*Outboard Dolby noise reduction units are available for use with virtually any other video or audio recorder.

Circle 145 on Reader Service Card



Dolby®

Dolby Laboratories Inc.

731 Sansome St.
San Francisco,
California 94111
415-392-0300
TELEX 34409

346 Clapham Road
London SW9 9AP
England
01-720-1111
TELEX 919109

A rising star in broadcast television.

Quietly and unobtrusively the Fernseh star is rising. More and more broadcasters are looking to Fernseh for innovation—innovation across a broad product line that may very well be the most comprehensive in the industry.

Here are eight specific product areas. Eight ways Fernseh can help you create better television pictures. So *your* star can rise with ours.

Editors. Our Mach One™ computer-assisted editor is easier to operate and provides more functions—including special effects and auto assembly—than any other editor in its class. *Circle item number 286.*

Graphics systems. The Compositor I™ graphics system gives you dual-channel versatility, pushbutton access to over 100 type fonts, a larger memory than any comparable system, and modularity so you can add functions when you need them. *Circle item number 287.*

Cameras. Unsurpassed Bosch quality is designed into every model in the complete line, ranging from the economical KCP-60 studio camera to the exciting new KCA-100 EFP/ENG camera with available fiber optics link. *Circle item number 288.*

Videotape recorders. The superiority of our Bosch BCN units is universally acknowledged. Now you can have BCN quality for every one-inch requirement, whether you need the world's lightest one-inch portable, or the world's first automatic multi-cassette system, or the world's only operational high resolution system. *Circle item number 289.*

Automation systems. Our TVS/TAS-1000 distribution switcher and TCS-1 machine control system bring new levels of efficiency to automatic control. *Circle item number 290.*

Monitors. Fernseh is giving you a choice you never had before. Our full line of color monitors now includes the superb MC-37 15-inch and MC-51 20-inch series. *Circle item number 291.*

Noise reducers. You can improve signal-to-noise ratio up to 18dB with the new Fernseh TDF-2 digital noise filter. The TDF-2 also includes chroma-to-luminance delay correction and image enhancement. *Circle item number 292.*

Telecines. From the revolutionary FDL-60 digital CCD—the most advanced telecine ever made—to the economical TCF-3000/Plus, Fernseh can give you higher quality and more performance than anyone else. *Circle item number 293.*

Judge Fernseh's star quality for yourself. Just circle the item numbers for the product areas of your interest on the card in the back of this publication. We'll rush literature off to you.

If you can't wait, call right now, toll-free: 1-(800) 821-7700, Ext. 701 (In Missouri, 1-(800) 892-7655, Ext. 701.). Fernseh Inc., the Video Corporation of Bell & Howell and Robert Bosch, P.O. Box 15068, Salt Lake City, Utah 84115.

**From now on,
look to Fernseh.**

FERNSEH

© 1981 Fernseh Inc. All rights reserved.

Leaders

- The industry is learning better how to run radio nets, including the sharpening of demographic aims and delivery of audiences the advertisers want;
- The proliferation of nets itself builds the industry business;
- The ad agencies are finding that today's nets can give them national reach;
- There are many more salesmen selling network time;
- The satellites are transforming the nets into far more efficient operations.

NBC will move substantially into satellite delivery in 1982, says Verne, with all the O&O stations equipped for that before the end of the year. The whole net will be completely on the satellites by 1984, with about 600 earth terminals to serve affiliates.

"NBC is moving to a digital satellite signal system," Verne notes. "That will allow us to deliver any programming we want with top fidelity."

He agrees that radio stations must have a base in localism to stay healthy; but they will be increasingly dependent on the networks for special material they need to compete in their local markets.

NBC will steadily expand and diversify its network programming to meet that need, according to Mr. Verne.

"For example," he explains, "the live music concerts that are important in programming for The Source can be expanded, and will benefit greatly from satellite delivery. We are actively developing many additional program ideas, which will be introduced in 1982 and the following years."

He predicted that there would be about 20 full-scale radio networks in a year or two, but he said this would be positive for the industry as a whole. The key will be programming designed for specific audiences.

JOHN T. ILES, JR.


Broadcast Programming International

For John T. Iles, Jr., general manager of Broadcast Programming International, everything is coming up roses for the giant syndicator in 1982. With a couple of new program services in the offing and stations eager to try new things, BPI expects little slowdown this year.

"Getting syndication doesn't require big finances. In fact, stations are making a more diligent effort than ever to get new programming," he explains.

Even the growing importance of satellite transmission competing with BPI's reel-to-reel by mail service has not yet caused Iles to worry—though he is keeping an eye on satellites as reel-to-reel postage rates soar.

He too believes that localism will be a more and more vital part of the radio industry in 1982, but will not necessarily detract from syndication business. "Last year, for example, we mastered a series of classical music," Iles reports, "and one or two Country/Western format stations began using it on Sunday mornings as a transition after the local church sermon and before going back to Country music." This year BPI will expand the classical music from the shortened versions offered last year to full-length presentations.



Broadcast Programming International's Iles.



NBC Radio's Verne.

Iles is also sanguine concerning FCC regulations. "As someone who holds a first phone license, I'm not happy about the removal of the license requirement—it's like a demotion. But I don't think the change will have a lot of impact. Station managers are well aware that they must have qualified people to run the transmitters. What they will miss is the certain sense of security they used to have with a first phone license in the house," he states.

The BPI general manager holds great expectations for digital technology. As a syndicator, it's not too far-fetched, he says, to envision delivering an entire library of programming in an envelope. The increased storage density promised by digital recording would be a major benefit to broadcasters and syndicators.

JOEL CHASEMAN

Post-Newsweek Stations

While optimistic about business in the coming year, Joel Chaseman, president of Post-Newsweek Stations, is careful about making generalizations.

"In the TV broadcast business during a soft economy it's important to know *where* you are looking when you forecast. There are some explosive markets without a spot to sell. Others are not bad, but not exactly

Leaders

glowing. Some markets have more cable TV competition than others. Affiliates and independents differ, too. So you have to be very careful when looking at averages," he cautions.

Nevertheless, Chaseman agrees that 1982 will be good for television. "Advertisers that spend during a recession gain in share of market and also get more in the economic recovery. We like that thinking, especially since it has been proven to work."

A believer in localism in management as well as programming, he expects more responsibility to be shifted to individual stations. The function of the group operator needs to be re-examined, according to Chaseman, with an eye toward placing decision-making at the local level. The group operator functions as guide and provides special services, "but don't try to run it [the local station]."

On the technology front, Chaseman expects the trend toward miniaturization to accelerate. Smaller, lighter ENG and EFP equipment will continue to appear. He's looking into one-quarter inch tape as well as camera-tape recorder combinations.

Further down the road, high resolution television, such as the system recently demonstrated by Compact Video, looks interesting. However, there is a problem of compatibility with home receivers. Speaking of receivers, Chaseman, like many other broadcasters, is appalled by the messy reception that many TV sets provide and viewers' seeming tolerance of poor quality pictures.

Cox Broadcasting's
Swanson.



Post-Newsweek
Station's
Chaseman (below).



"We spend a lot of time at the transmitter end trying to send out the best picture possible, only to find people looking at receivers with pictures that would drive you crazy. Set makers should go to automatic VIR tuning so that what we transmit could be seen," he suggests.

Despite his enthusiasm for the advent of digital technology in broadcasting, Chaseman finds problems in keeping up financially. "The generations of hardware are tumbling over each other and we can't digest them fast enough. The depreciation lines are choking us," he complains.

JOHN SWANSON

Cox Broadcasting

Whether we get a softer economy in 1982 or not, broadcasting must keep up the quality of its product, observes John Swanson, VP of engineering for Cox Broadcasting Corp. Broadcasters can weather a slump best with an improving product, not by cutting down, he adds.

"To deliver a top-grade product, broadcasters must have top-grade equipment," Swanson insists. "Top-grade personnel are essential too, but they can't do the job without the gear."

Up-to-date plant is also needed for efficiency of operation, which becomes even more important if business drops off. Cox is carrying out a phased refurbishing of the system's television and radio stations. A number of different sectors of the operation will be affected, but in every case the changes will raise efficiency, or improve the quality of the signal, or both.

All the television stations now have satellite earth terminals, and two stations, one on the West coast and one on the East coast, will get uplink equipment. The receiving terminals allow the television stations to bring in special programs that are profitable for them.

Entertainment Tonight, the Hollywood show, is satellite-delivered and has been highly successful for the Cox stations. Many other specials will be added to the programming as time goes on. Cox's Washington bureau makes heavy use of the satellite net to deliver news to the TV stations. Swanson points to this as a good example of an attractive product—live Washington news—delivered with great cost efficiency.

Another part of the operation now being upgraded is the production of commercials for on-air use. Each station now has a space dedicated to production of ads, which Cox calls "retail services." The latest one-inch videotape recorders are used (the whole chain will be converted to one-inch videotaping during the coming year).

For the local news, which is a vital part of each station's localism, Cox has installed a full array of mobile ENG equipment, including trucks and helicopters, equipped with portable cameras and recording equipment, plus microwave radio. He predicts that ENG, on a level appropriate to the station's resources, will be a fixed element of local station operation.


PHILIP LOMBARDO

Corinthian Broadcasting

Philip Lombardo, president of Corinthian Broadcasting, is optimistic about the year in broadcasting. Despite a depressed economy in other

TIRED OF PATCHING FEEDS TO THE GM'S OFFICE?

(OR TO OTHER OFFICES, CLIENT VIEWING ROOMS, EDIT SUITES, ETC.?)



Give them one of these Utah Scientific Routing Switcher Controllers and let them do their own patching.

Utah Scientific's new CPD/PL control is a Party Line panel with a single coax control connection — no bulky cables to install. It is powered by a transistor radio battery providing many years life expectancy. It features a pull-out directory to aid the operator in source selection.

Since multiple CPD/PL's can all be connected to a single party line, many stations are installing coax drops throughout their plants giving them complete flexibility for present and future routing switcher control using these versatile panels.

SINGLE COAX CONNECTION — BATTERY POWERED — UNOBTRUSIVE

TRY THAT ON YOUR GRASCOMFERNSAM DYNATEK SWITCHER!

US UTAH SCIENTIFIC
THE ROUTING SWITCHER PEOPLE.

2276 So. 2700 W. • Salt Lake City, UT 84119 • Phone 801-973-6840
TWX #910-925-4037

Circle 146 on Reader Service Card

Leaders

quarters, he expects an increase in revenue for 1982.

Lombardo also feels that the future of broadcasting lies with the local stations. "I think that the broadcasting business from the television station side is going to continue to look for new and innovative ways to become more and more local entities," he says. "I think that you will see continued expansion of local news programming. I think that you will see attempts—some successful—at producing information-based programs outside of news."

Lombardo is backing up his views by committing the resources of Corinthian into a new afternoon information-based broadcast leading into the local news. He feels that his and other local stations are now in the position to take the risks necessary to produce quality local programs. The cost of acquiring other types of programming has risen so much, Lombardo avers, that it makes as much economic sense to produce programs locally as it does to produce that programming as a service to the community.

Like other broadcasters, Lombardo is not afraid of the new technologies. He thinks that cable still has a number of years of expansion to go before it will be in a position to erode any audience from broadcasting.

While Lombardo sees VCRs as the technology that the consumer wants, he is nonetheless concerned about the copyright issue. He believes that the recent court decision against Sony Corp. was correct, and thinks that it will be sustained. He believes that the manufacturers are going to have to address the issue soon.

Lombardo also thinks that some broadcasters have been short-sighted about the copyright issue. He sees it as part of other copyright issues that broadcasters ought to be concerned about, such as the retransmission of programming by cable systems. "The impact of the ruling could be far-reaching if sustained by the court," Lombardo warns.

"The one thing about our business is that it doesn't stand still. If you want to stay in broadcasting for the haul you have to be intrigued by its constant evolutionary nature. You can't live in the past—you have to live in the future. And you can only live in the future by anticipating it."



*Corinthian
Broadcasting's
Lombardo.*

GARY STEVENS

Doubleday Broadcasting

The last quarter of 1981 showed some softening in radio business with national advertising a bit off, reports Gary Stevens, president of the Doubleday Broadcasting Company. The NAB's latest figures (for an earlier period) show sales up somewhat but profits down.


These figures indicate strongly, according to Stevens, that radio has to run a "trim shop" in 1982 to avoid getting caught with unabsorbed overhead. "This is the historic situation of an industry coming to the top of a rapid expansion," he told *BM/E*, "without careful control, costs will continue to go up as income levels off." However, this control does not mean side-stepping the investment needed to make older radio plants efficient and technically state-of-the-art as well as versatile in using programming. Doubleday has in recent years spent substantial sums to rebuild several stations, and is fully convinced that this will bring large returns in efficiency and competitive product quality.

"A radio management with an old, inefficient plant producing a low-quality signal simply won't make it in the competitive '80s," he warns. "Radio is today a multi-billion dollar business, but making money in it requires more than ever sharp tools and sophisticated operations."

Stevens agrees that satellites are going to become the dominant distribution method. Doubleday, he says, will have earth terminals at all stations. But each station must preserve its local character, taking from the satellites certain kinds of special programs that fit into the "Doubleday mix."

Stevens believes that full-format satellite programs will not be bought by many stations in large markets. One reason some stations won't give large chunks of time to satellite programming is that the stations thereby lose air time for local spots, which are likely to be more profitable than the satellite programming. He offers this piece of advice: if the program is not essential to the operation, the radio management should not give up local spots for it.

A possible danger he sees in the proliferation of nets is that some might establish a kind of "radio discount



*Doubleday
Broadcasting's
Stevens.*

MIP-TV '82


**"THIS YEAR, ONCE AGAIN,
THOUSANDS OF PROGRAMS WILL BE SOLD
TO MORE THAN 100 COUNTRIES
WHAT ABOUT YOURS?"**

No other 7 days of the year will give you
a better chance to :

- buy or sell programmes rights ;
- negotiate rights or future projects ;
- arrange co-production deals.

In 1981 : 3,626 executives from 107 countries,
1,044 companies comprising
288 channels or stations
756 production and distribution companies,
15,613 TV programmes and
3,570 feature length films were presented.

23-29 April 1982 - Palais des Festivals - Cannes France



THE UNIQUE TV PROGRAM MARKET

U.S.A.
Perard Associates inc.
Office C/O John Nathan
30, Rockefeller Plaza -
Suite 4535
New York NY 10112
Tel : (212) 489.1360
Telex 235.309 OVMU

JOHN NATHAN
International
Representative

U.K.
International Exhibition
Organisation L.t.d
9, Stratford Street,
London W1X 3 PE
Tel : (01) 499.23 17
Telex : 25230 MIP-TV-
MIDEM LDN

JACK KESSLER
U.K. Representative

FRANCE
179, avenue Victor-Hugo
75116 PARIS - FRANCE
Tel : 505.14.03 +
Telex 630547 F MID-ORG

Bernard CHEVRY
Commissaire General

Bernard LEMAIRE
International Sales
Manager

Please send me the MIP-TV documentation
which I understand places me under no obligation.

Name First name
Title Company
Address
Country Tel Telex

Please return coupon to MIP-TV
179, avenue Victor-Hugo, 75116 PARIS (France)

Leaders

store" giving advertisers cut rates to get business. "The satellite nets are going to be here in larger number," he observes, "but some of those set up in the early days will lose out when the competition matures. This is the normal shake-out in a new industry; nevertheless, well-run radio has a virtually unlimited future."

SIS KAPLAN

NRBA

Radio is looking forward to a prosperous 1982, but prosperity can only be insured by creative thinking and hard work. That's the outlook of NRBA president Sis Kaplan who sees a silver lining of sorts in the current economic slump.

"If we remain in the present slight recession, it is a problem for all businesses," Kaplan explains. "I don't think things are going to fall apart, but I think it is going to require creative selling and creative marketing within our industry. In the last recession, radio did quite well because when [ad] budgets get cut back, radio is the most efficient medium. And though some agencies don't look at it that way because radio is more difficult to buy than television, it works. When the money is not there to throw away, many times they will look more closely and put higher percentages of their dollars into radio."

Deregulation is possible in 1982, Kaplan says, but only if radio broadcasters work together. Kaplan emphasizes, "My cry to everyone is, 'Get off you fannies



and go to work on this!' " NRBA, she notes, is staging a state-by-state effort to persuade Congress to enact proper deregulation legislation, and has raised over \$75,000 so far, all of it from the board members.

Kaplan welcomes the FCC's deregulation drive, but insists that true deregulation requires legislative backup from Congress.

"The deregulation efforts of the FCC, which are considerable, are nonetheless limited by the Communications Act," she complains. "I applaud everything that the FCC is doing within their own boundaries, but even the Chairman knows this or he wouldn't have sent up a legislative package himself. Broadcasters who are complacently sitting by because of the present status of the FCC should realize that if we have a change of ad-

ROUTING SWITCHER BREAKTHROUGH

16 IN x 12 OUT - \$997

- * 22 dBm Max. output
- * .1% T.H.D. Max.
- * 5 1/4" Rack Space
- * Plug In PC Boards & IC's
- * Regulated Power Supply
- * Gold PC Sockets
- * Quality Construction
- * Reduces Wiring
- * Increases Reliability


Call or write today about our 5 console lines, distribution amps, monitor amps, or other fine products.

ARRAKIS SYSTEMS INC.

1713 WILLOX CT • FORT COLLINS, CO 80524 • (303)221-2918

- * Thumbwheel Input Select
- * Remote Control Available
- * Any Output Selects Up To 16 Inputs
- * Balanced Inputs & Outputs
- * Balanced Crosspoints
- * NE5532 IC's

SERIES 2000
FROM \$4000




Look good in bad light



Actual unretouched photograph showing TK-86 picture without Contrast Compression.



The same unretouched scene showing the TK-86 picture with RCA Contrast Compression.



Getting the right light on a scene isn't always possible or desirable when you're chasing fast breaking news or capturing that creative look. But the final result must be a pleasing, usable picture. With its effective Contrast Compression and capability for virtually noise-free video at +9 and +18 dB gain, the RCA TK-86 delivers pictures in demanding light conditions that are subjectively pleasing and economically exceptional.

High contrast conditions no longer automatically mean loss of subject detail to the darkness. RCA's Contrast Compression pulls out those details while maintaining full color fidelity.

A valuable TK-86 feature because Contrast Compression works in RGB, not just luminance.

When the light fails you, a TK-86 won't. Utilizing special circuits, RCA has designed +9 and +18 dB gains that deliver visibly quiet pictures. You will get a picture suitable for use from light levels as low as one footcandle.

The TK-86 is a camera for professionals who perform in the best and the worst conditions. Professionals who require a dependable camera that is sealed against RFI and the elements, that offers full-feature VTR interface, that sits comfortably on the shoulder or

stands upright on the ground, and has complete remote control capabilities.

With a reduced price and immediate availability, the TK-86 begins the end of your wait for the right light. For an immediate hands-on TK-86 demonstration at your facility, contact your RCA sales representative. Or, write to: RCA Broadcast Systems, Building 2-2, Camden, NJ 08102.



Leaders

ministration, the FCC could go back to the way it was under [former chairman] Ferris."

And the NRBA itself—can it meet the NAB challenge? "It's no surprise that the NAB has been after us for years," Kaplan says. "NRBA's growth in the past year has been enormous—we've got hundreds and hundreds of new stations. There is a need for a radio-only organization. We are *radio*, and if we have to take a stand that deals with radio first, we do it."

"Starting years ago, we tried to tell the FCC and the Congress that there is a difference between radio and television. The recent deregulation legislation proves that there is a difference, and even though those in television were fighting it to some extent in the beginning, they now realize that what we did has helped television too. The truth of the matter is they are two different media, and the marketplace can govern in radio."

GEORGE BACK

NATPE

According to George Back, president of NATPE, things couldn't look better for local stations seeking to enter the programming marketplace. "We've been saying all along that the one need all these distribution media, like cable and pay cable and home VCRs and the like, are going to have is programming," Back asserts. "Obviously, the bulk of it will come from traditional programming supply and distribution sources such as syndication companies. But a growing curve is going to come from local television."

"Local television is going to have to find a way of competing against declining network audience shares—and their only chance is to go more into establishing local market presence with locally produced programs. But then, having produced them, they may be able to find a whole new audience in basic cable stations around the country who are not as interested in their own local markets. The local station will, in other

NATPE's Back.



words, be able to 'dump' its programming on the rest of the country.

"It may even be possible—and I'm asking people to think very seriously about this now—that a local commercial TV station may be able to act as a flagship station for a statewide or even regional network of basic cable services."

As to future trends in types of programming, Back is equally bullish; an entire session at the upcoming NATPE Show will concentrate on "the next really true program form" in which new kinds of programming will be explored.

Says Back, "I think we are definitely going to see a rise in what I call 'non-fiction' programming—not news, but a whole new genre of programs such as *The New You Asked For It*. There are other examples too—such as *Entertainment Tonight*, which is based on a very sound idea of delivering entertainment news and information via satellite. The history of programming during the access time period has gone from game shows to animal shows to documentary shows to the

DA'S FOR AUDIO

Highest Performance • Excellent Reliability • Low Cost

Select Neve's DA-90 Audio Distribution Amplifier Range as your DA standard and get peace of mind. Rack cage is 3.5" tall and can take up to ten (10) DA Output Cards and/or Input Mixing Cards, plus PSU module. Each output card has nine (9) resistive split outputs. Specify 75, 150 or 600 ohms.

Delivery is generally stock to 30 days.

Model		Price
PL70426	19" Rack Cage, Empty	\$ 465
BA-569	Power Supply Module	\$ 490
BA-567	DA Card - 9 Outputs	\$ 220
BA-568	Input Mixing Card - 4 Inputs	\$ 195

(Prices subject to change)



Rupert Neve Incorporated
Berkshire Industrial Park
Bethel, CT 06801

Please Call:
(203) 744-6230

Circle No. 148 on Reader Service Card

Special microphones for special sound requirements



As an audio specialist, you know making do with "utility" microphones isn't good enough. You need a complete assortment of microphones, each suited for specific applications. Microphones that not only sound superb but are built to withstand the abuse of session to session punishment.

Shure SM line professional microphones offer built-in ruggedness and reliability and are designed to give you the optimum performance you need in every circumstance, whether it be for • a bass drum (SM7); • an acoustic stringed instrument (SM17); • percussion instruments (SM56 and SM57); • snare drum or acoustic guitar (SM81); • amplified instruments (SM53 and SM54); • studio quality vocals inside the studio (SM59); • studio quality vocals outside the studio (SM85); • stand-up interviews (SM61 and SM63); • desk-top applications (SM33) ... or *whatever* your needs.

...under one cover

For all the facts on Shure's full line of professional microphones, fill out and return the coupon below for your **FREE** copy of our new 72 page catalog describing over 150 microphones. No matter what your sonic requirements, there's a Shure microphone that fills the bill.



The Sound of the Professionals®

Shure Brothers Inc., Dept. 63, 222 Hartrey Ave., Evanston, IL 60204
In Canada: A.C. Simmonds & Sons Limited
Manufacturer of high fidelity components, microphones, loudspeakers, sound systems and related circuitry.

PLEASE PRINT


Yes, send me your new Full Line Microphone/Circuitry Catalog, AL700. (Outside the U.S., enclose \$2.00 for postage and handling.)

Name _____

Address _____

City _____ State _____ Zip _____

1/1/82




Increase your live coverage, and you increase your news ratings.

Our new versatile 2 MX ENG system offers you much greater flexibility in news quality live coverage.

This exclusive frequency agile package is so small and lightweight that it easily mounts on any helicopter, van, or news car. It's also available in a compact suitcase to provide more flexibility and faster coverage. You'll be first "on air" with that important news story.

And because MAC provides the most advanced technology in this field, our engineers have the experience to give you exactly what you need. To give you the most cost effective system available.

In addition, our package is compatible with the news gathering equipment you already have. So your investment in our new highly flexible equipment expands the capability of your entire news gathering system. As



Dimensions: 4 1/4" x 2 1/2" x 5 1/4", Weight: 3 1/2 lbs. Power output: 12 watt, high stability 21-channel synthesizer, internal VSWR and thermal protection, dual audio channels.

well as increase the ratings for your news programming.

In fact, all of MAC's news gathering systems are designed with your ratings in mind. So whether you want to increase live coverage on the street, the roof, in the mobile unit, or in the helicopter, MAC can help you

do it cost effectively.

And our single-source accountability means faster and better service for your news gathering teams.

MAC is a worldwide leader in ENG/EFP, terrestrial airborne and satellite microwave systems.

If you'd like the facts and figures on how this live coverage can improve your news programming, contact your Regional Sales Manager or Microwave Associates Communications, 63 Third Avenue, Burlington, MA 01803, U.S.A. (617) 272-3100, ext. 1872. TWX 710-332-1716, Telex 94-9464.

 Microwave Associates Communications

 A MA/COM COMPANY

Circle 150 on Reader Service Card

www.americanradiohistory.com

Leaders

current reality-type programming. All of these formats will probably continue to exist, but we're seeing more evolved programs in each genre—second- and third-generation talk shows, for example.”

As to the access rule itself, NATPE's position is obviously strongly in favor of maintaining it—a position which Back feels is not incompatible with the public's desire for hour-long network newscasts.

Like many others in the broadcast industry, Back is convinced that the current economic hardships may, in fact, prove a boon to broadcasting. “The latest figures we're getting from Madison Avenue,” he points out, “are that the fourth quarter of 1981 will see the greatest number of new product introductions on commercial television ever. This means that more sources than ever are finding television the pre-eminent marketing tool, enabling TV stations to substantially increase their rates by proving the economics of their viewers.”

“Television has consistently proved that it runs counter to the economics of the country. Besides the obvious energy savings of being able to sit in the living room and not drive to the theater and the movies, I think we're giving people more and more reason for staying home, especially with the home video recording machines that let viewers be their own programmers.”

“There has been some effect on broadcast advertising revenues,” he concludes, “but it's simply not that drastic. We predicted perhaps a 15 percent rise and it's only amounting to 12 percent. But it's a rise nonetheless, and along with it the programming industry is rising. This is an exciting time to be in this business.”

ERNIE SCHULTZ

RTNDA

Ernst Schultz, executive vice president of the Radio-Television News Directors Association, comes to the organization at a time when a long-term fight by the group may bear fruit. RTNDA is a strong opponent of current FCC regulations that hamper news coverage. Schultz feels that the repeal of Section 315 is a 1982 priority of RTNDA.


“We have never believed that there is any valid reason for the government to be concerned with the regulation of the content of news, whether it's print, electronic, word of mouth, written on a wall, or typed at home and passed out on street corners,” Schultz insists. “Despite the mood in Congress, we think that we have a real chance in 1982 to convince them that the FCC is right and that the rules should be repealed.”

Schultz has mixed emotions about some of the technical tools available to news directors. He believes that satellites have immense value, but worries that some news departments might not use them properly.

“The question is, how will satellites be used?” asks Schultz. “Will they be used for fluff, or will they be used for content?” Because of the cost of earth stations, Schultz is concerned that many stations may insist on using their dishes for less than sound journalistic reasons.

Schultz has no fear that competing sources of news will affect the public's dependence on the regularly scheduled local newscasts at 6:00 and 11:00 p.m. “I think that if you are not home for some reason, you

RTNDA's Schultz.



will turn to those services [teletext or viewdata] to find out if World War III has broken out, but I still think that when you want to know what happened in your town you are going to turn on the local news.”

Schultz is optimistic about the coming year in broadcasting. He sees a continued growth in the importance of news and information and believes that removal of government regulations limiting the news gathering effort is a key to that continued growth. Technology will continue to play a big part in how news is gathered, but it must be used carefully and not just because it's available, he maintains.

BM/E

Winsted

THE PERFECT MATCH
for your video equipment

SPACE SAVING DUBBING RACK

Stack up to five VTRs in a variety of setups for duplicating—this sturdy Winsted unit makes it easy! 5 sliding pullout VTR shelves on ball-bearing rollers offer total access with maximum convenience and safety. Beige and cocoa brown finish. walnut woodgrain laminate shelves.

For full-line catalog of editing, production and dubbing consoles, tape and film trucks, film and videotape storage systems, call or write:

MODEL 450A


THE WINSTED CORPORATION
8127 Pleasant Ave. So. • Minneapolis, MN 55420

Phone Toll-Free
1-800-328-2962

Winsted

Circle No. 151 on Reader Service Card

Look into a JVC 3/4" TapeHandler: Now.



JVC has taken a close look at 3/4" Video Cassette Recording with an eye for what you've been looking for. **Stability. Reliability. Gentle tape handling. Economy.** The result is a full line of recorder/editors, full-function recorders, cost-efficient players, and microprocessor-based remote control units with utmost versatility, broad interfacing capability.

Take a look inside one of JVC's Tape-Handlers... the CR-8200U Recorder/Editor, the CR-6600U full-function Recorder with assemble-editing capability, or the CP-5500U Player with on-air quality... and you'll be amazed at what you don't see.

No pulleys. No belts. No idlers.


Instead, a 7-motor direct drive system that keeps tape tension constant for smooth and reliable tape transport, reliable tape shuttling. A simplified tape threading mechanism for gentle tape handling. Brushless DC motors that directly drive the capstan, head drum, and reels to give stability and reliability.

To go with them, there's a choice of compact control units: the easy-to-operate RM-88U Editing Controller for precise timing of machine functions, the low-cost RM-82U Editing Controller, and the RM-70U

US JVC Corp. Dept. BME 1/82
41 Slater Drive, Elmwood Park, NJ 07407

- Please have a representative call.
 I don't want to talk yet. Just send literature.

Name _____
Title _____
Company _____
City _____
State _____ Zip _____
Phone _____



full remote control unit with shuttle search function.

Get all the details. Send in the coupon, phone toll-free 800-821-7700, Ext. 7005 (In Missouri: 800-892-7655, Ext. 7005).

**Your choice.
Now. JVC®**
US JVC CORP.

Circle 152 on Reader Service Card

©1980 US JVC Corp.

SMPTE Fall Conference: The Broadcast Perspective

AS REPORTED last month, the 1981 SMPTE technical conference and equipment exhibit, held in Los Angeles in late October, highlighted an industry in transition. High definition television, a merging of film and video technologies, and worldwide digital standard setting were some of the most hotly discussed and debated subjects among attendees, who seemed to represent equally the broadcast and entertainment production industries.

This second installment of the SMPTE report contains a detailed look at the show, particularly at some of the new hardware developments shown by manufacturers. This report, it should be noted, is designed to digest the show's highlights for broadcasters and those at production facilities; it in no way pretends to be "complete," and offers virtually no coverage of film-related products such as lab equipment or optical printers.

Camera/VCR combo developments

"This version of the Betacam single-piece camera/VCR is very close to the version which will be delivered as a final product," explained Peter Lowten, Sony product manager. The announcement also revealed that Sony has adopted a two-track recording format for the Beta-style cassettes of its camera/VCR combo and new BVW-10 Betacam player.

Both statements made it clear that Sony is moving aggressively into the single-piece combo area. Weighing but 17 pounds with a one-hour battery and lens, the Betacam is certainly the lightest single-piece unit around. The camera side, virtually identical with Sony's BVP-110 ENG camera, delivers 400-line H resolution with a luminance S/N of 50 dB from the single HBST one-inch pickup tube. The recording format offers 46 dB S/N (chrominance). Tape speed in the new Y/C format is 4.7 ips, with a head writing speed of 270 ips.

That the product is close to the final version is also obvious in Sony's "packaging" approach to the system. The new player, for instance, is designed to be completely compatible

with other decks in an editing configuration, with simple RS-422 interconnect. The player is a rack-mountable, front-loading unit, differing little in appearance (or function) from the new Sony BVU-800 U-Matic editing deck.

Somewhat surprising was RCA's decision not to exhibit its Hawkeye single-piece system on the show floor, where the exhibit concentrated on the TK-47 studio camera, TK-86 ENG field camera, and the TK-79C telecine



Ampex's ACE Touchscreen editing system for on-line and off-line editing (top). Shown at left is CEI's 310 camera with microprocessor setup.



camera system with event programmer, color correctors, and projectors.

Up in RCA's hospitality suite, however, Hawkeye was in full view. It appears little changed from the version that was exhibited at NAB and RTNDA—a camera with three half-inch pickup tubes and a recorder with RCA's new ChromaTrack recording format (three tracks recorded on standard VHS-type videocassettes). The total weight of the system is 23 pounds, including one-hour battery and 12X zoom lens. Available with either genlock or remote control adapter modules in addition to the snap-on recorder, the camera delivers 400 lines H resolution with 52 dB S/N (at f/1.4, 60 percent reflectance). In addition, 9 and 18 dB gain are available together with auto white and black balancing and comet tail suppression. Tubes for the new camera include a half-inch Plum-bicon from Ampex and a half-inch Saticon from RCA.

The recorder format—offering

video, two full frequency audio tracks, and a time code track—has a luminance bandwidth of 3 MHz, chrominance bandwidth of 1 MHz, and chrominance S/N of 48 dB.

Panasonic, too, promised that its "B Series" single-piece system would be in a final version by December and would be deliverable as a product by NAB time.

As had been predicted, Ikegami won't be left behind in the development of single-piece ENG systems, especially since it was revealed that ABC is seriously investigating the single-piece systems and has usually looked to Ikegami for new field camera developments. Ikegami's answer on the camera end is its HL-83 compact ENG camera—using standard 2/3-inch pickup tubes to provide more than 500 lines H resolution with 55 dB S/N. Auto white balance and beam stretch are standard.

Ikegami's solution to the on-board recorder is not yet fully developed. At SMPTE, the camera was shown with the 1/4-inch recorder originally de-

The new advanced-design MQ-Series mixers.

RIGHT ON THE MONEY.

Introducing the MQ-Series. A new line of highly affordable mixers that refuse to compromise with audio performance. Or with your needs.

You get the tonal flexibility of a 4-band EQ on each channel and the added flexibility of per-channel echo and foldback

sends. Plus a pair of master-program 9-band graphic equalizers. And direct interface flexibility with per-channel dual input switching.

There's also the dependability and service convenience of a modular layout with each channel's components mounted on a separate internal printed

circuit board. The MQ-Series. Right on the money, right down the line.

Visit your Yamaha dealer or write us for more information. Yamaha, Box 6600, Buena Park, CA 90622. In Canada, Yamaha Canada Music Ltd., 135 Milner Ave., Scarb., Ont. M1S 3R1.

Combo Products

THE WAY IT WILL BE.

 **YAMAHA**

Circle 153 on Reader Service Card

www.americanradiohistory.com

NEWS FEATURE

veloped by Technicolor for home video applications, then modified by For-A for ENG operations and demonstrated at the NAB interfaced with a Nippon TV camera. Specs on the For-A/Nippon TV system put it well below what might be expected for a broadcast system, but Ikegami is still unwilling to speculate as to whether this will be the final configuration for its entry into the single-piece market.

SMPTE itself may shortly become involved in the camera/VCR question. Responding to petitions from broadcasters, an ad hoc study group has been set up to consider recommending a recording format standard. SMPTE leadership is not convinced, however, that the climate is right for the discussion at this time.

EC cameras spark interest

Presumably because it was the SMPTE show, with many film producers in attendance, interest was keen among show attendees in the electronic cinematography cameras. Not to be confused with high definition TV cameras, the EC-35 from Ikegami and the Panacam (a joint development of CEI and Panavision), offer those used to working in the film medium a video camera that looks and feels like its mechanical counterpart.

Other camera developments

Strongly featured at the Central Dynamics/Philips/American Data booth was the new Philips LDK-44 camera, though one suspects this may be the Philips Video 80 camera in a different disguise. In its ENG configuration it sports three 2/3-inch Plum-bicons, self-contained electronics and power packs, and a 1.5-inch viewfinder. In its EFP configuration with up to three cameras, it changes complexion rapidly: the electronics packs may be rack-mounted alongside one another and interfaced with the same microprocessor to provide simultaneous automatic setup of all cameras in the system, and the viewfinder becomes a 4.5-inch top-mounting studio-type finder, arranged on a set of hinges that permit its angle to be changed to suit the operator.

Philips also demonstrated the newest version of its LDK series, the 14S. Adaptable for ENG, field, or studio use, it features low-noise FETs, dynamic beam control, auto white and black balancing, auto centering, and up to 18 dB gain. A snap-on triax adaptor, simple replacement of a single PC board, and five-inch viewfinder convert the camera for

studio use.

Most other companies with ENG cameras to offer were on hand to show their latest developments. Toshiba's PK-60, for instance, appears to be gaining in newsroom popularity because of its light weight (9.2 pounds including viewfinder) and S/N of 54 dB. The camera features a digital auto set-up unit that aligns the camera, locks it in, and then can be transferred to other cameras in the system.

Also following the movement towards lighter weight ENG cameras, Hitachi showed a production model of its SK-81, weighing under 10 pounds (without lens). A stripped-down version of the \$33,000 top-of-the-line SK-91, it costs only \$22,000.



Panasonic's version of the camera/VCR combo.

Also weighing in in the lightweight class (under nine pounds without viewfinder) was JVC's new KY-1900U ENG camera, costing only \$5000 with manual 6:1 zoom. Using three 2/3-inch tubes, it claims 500 lines of H resolution with 52 dB S/N and features automatic beam control, auto white balance (with digital memory) and 9 dB gain.

Of equal interest were the Ampex BCC-20 Digicam with "spacial error correction" and digital electronics, the Fernseh KCA-100, the MC-301 and MC-701 from Thomson-CSF, the MNC-80A from NEC, and the MNC-81A from Cinema Products, though there were few new advances.

On the studio camera end, one of the highlights was Hitachi's SK-110, a version of the company's SK-100 camera modified for use by the CBS network. The modification package is now available to all broadcasters.

Also on display were the Ikegami HK-312 and Fernseh KCK.

Kodak bolsters film interest

Interest in film cameras was naturally high, especially following the announcement by Kodak at the show of two brand-new film stocks. The first, 7251, designed for both news and sports applications, is high-speed reversal stock balanced for daylight illumination; the 400 ASA film is entirely compatible with existing VNF-1

A NEW concept in MICROPHONES

I'm Carl Countryman and I'm so excited about the EM-101 I must tell you why no other microphone offers you such fantastic performance and why the EM-101 is the most versatile mike you can own!

125 dB DYNAMIC RANGE

In terms of raw performance alone, the EM-101 is in a class by itself. The 25 dB noise level of the EM-101 is one of the lowest in the industry. With the EM-101 you can hear sounds in a quiet room that you can't hear with your own ears, yet it easily handles 150 dB sound levels without distortion or pad switching. That's over 300 times the threshold of pain! The EM-101 will completely eliminate microphone overload.

LABORATORY FLAT RESPONSE

The EM-101 is GUARANTEED to have an incredibly flat frequency response; within 1.5dB of perfection over the entire audible range from 20Hz to 15kHz and we back that guarantee by shipping each EM-101 with its own individual computer verified frequency response curve. Listening tests cannot distinguish the EM-101 from precision laboratory microphones costing TEN times more!

VERSITILITY

The EM-101 is about the size and shape of a stick of Dentyne chewing gum and has a non-reflective, black surface. It is also the most perfectly non directional microphone you can buy for recording or sound reinforcement. That makes it the ideal choice for stage, TV, motion picture, or conference work where variations in quality caused by motion and position around the microphone must be minimized. Unlike conventional microphones or "plate mounted" microphones, the EM-101's unique flat design allows it to be placed as close to the surface as desired to take full advantage of this traditional microphone placement technique.

FEEDBACK AND LEAKAGE REDUCTION

The unique design of the EM-101 makes it almost completely insensitive to conducted vibration so it can be placed directly on or even inside an instrument where the sound level is high and you will obtain remarkably improved rejection of unwanted sound and reduction of feedback. Because PA systems feed back on response peaks, the EM-101's ultra flat response allows you to use more gain without feedback and will reduce or even eliminate the need to notch filter or equalize a system.

YOU MUST TRY THE EM-101

I want you to have the experience of using a microphone with performance that rivals the human ear! I'm convinced that once you hear a truly accurate, uncolored microphone in your facility, with your kind of program material, for the affordably low price of \$234.50 U.S. you will never want to be without one!

Please call Countryman Associates or your favorite professional sound dealer to arrange a no risk trial of the incredible EM-101 microphone.

**COUNTRYMAN
ASSOCIATES INC**
417 STANFORD AVE—REDWOOD CITY, CA 94063 (415) 364-9988

Circle No. 154 on Reader Service Card

"OUR CONVERGENCE EDITING SYSTEMS REALLY DELIVER"

Isaac Hersly, ABC

"ABC Network News depends on Convergence editing systems. We need speed and precision to produce top quality programming worldwide within tight deadlines, and our Convergence editing systems really deliver."

Isaac Hersly,
Equipment Planning
Engineer
ABC Broadcasting
Company



Isaac Hersly, Equipment Planning Engineer for ABC Broadcast Operations, selected Convergence ECS-100 joystick videotape editing systems for his Network for many reasons – dependability, easy operation, affordability – But most of all, for the standard features that make these microprocessor-based editing systems top performers in the most demanding broadcast environment.

ABC uses Convergence editing equipment for ABC Network News, 20/20, sporting events, and countless other productions such as their outstanding coverage of the 1980 Winter Olympics,

and the 1980 Republican and Democratic National Conventions. Hersly says, "With Convergence editing systems, expanded use of ENG camera crews is possible, and the American public sees better prime time network news."

CONVERGENCE CORPORATION

1641 McGaw, Irvine, CA 92714
Tel: (714) 549-3146, Tlx: (910) 595-2573
250 W. 57th Street, Fisk Building, Suite 815,
New York City, NY 10019
1 Lochaline Street, London W6 9SJ U.K.
Tel: 01-741 7211, Tlx: 851-27950 MONREF G

Circle 155 on Reader Service Card

NEWS FEATURE

and RVNP processing solutions and can literally be stapled together with either of the existing news stocks. The chief advantage of the emulsion is its 400 ASA speed, permitting extreme slow motion (requiring high shutter speeds) to be shot without force-processing; the film can be easily pushed, however, to 1600 ASA.

The other Kodak development—a brand-new, high-speed negative film with an ASA of 250, but capable of being force-processed to ASA 1000—is likely to have extensive impact on the television production industry.

Lenses lose weight

As has been the trend for several years, lens manufacturers have been helping lower the weight of portable cameras by offering lighter and lighter models. All major lens manufacturers—Angenieux, Fujinon, Canon, and Schneider—are actively engaged in lens development programs for the new half-inch and single tri-stripe one-inch tube cameras.

For $\frac{2}{3}$ -inch cameras, Canon introduced a brand-new lens, the J13X9B 1E II, a 13X zoom weighing just 3.2 pounds, including servo drive. The maximum aperture is $f/1.6$ with a 9 mm to 234 mm range with 2X extender. Minimum object distance is only 0.8 m from the front element.

At Fujinon the news was of the new P28x15 zoom lens for $1\frac{1}{4}$ -inch tube studio cameras such as the Ikegami HK-312. The 28X zoom incorporates an optical pattern projector for automatic camera alignment systems together with a 1.7X extender. The range is 15 mm to 714 mm with extender, while the aperture is $f/2.2$ to 150 mm and $f/3.0$ at 300 mm.

Fujinon also showed its 30X11 zoom for ENG/EFP cameras. With an 11 mm to 330 mm range (with 2X extender) this is the longest focal length lens currently available for $\frac{2}{3}$ -inch tube cameras. (For more details on Fujinon's offerings, see Broadcast Equipment section.)

Angenieux featured its 15X9 zoom for ENG/EFP cameras, with a 9 mm to 135 mm range. Special weather-proofing features are incorporated in the lens's design, including a thumb-operated focusing mechanism that eliminates the focusing ring. In this way the lens is rendered virtually rain-proof.

Schneider, which has bought out its American distributor, Tele-Cine, featured its 14X zoom for ENG/EFP cameras. The range is 9 mm to 126 mm (or 18 mm to 252 mm with the built-in 2X extender). An aspheric

lens attachment also permits extreme wide angle zooms, converting the lens into a 6.3 mm to 9 mm style. The aperture is $f/1.7$ throughout.

Film/tape interface explored

The interface between film and tape, and especially the possibility of shooting in film to get optimum quality, then transferring to videotape to take advantage of the speed of electronic editing, was a major focus of the show. Two entire technical sessions were devoted to the subject, with papers presenting possibilities for both optimizing the film-to-tape-to-film transfer process and for using HDTV as a way of producing high-quality "film-like" images in the first place.

Telecines, therefore, are obviously becoming more and more important, as evidenced by the number of manufacturers promoting them at the equipment exhibit. RCA has already been mentioned. Crowds were consistently large at Rank Cintel's booth, where the Mark III flying spot scanner telecine was demonstrated, together with the TOPSY program for scene-by-scene color correction and Digiscan, which permits a number of operational benefits during the transfer process.

Ikegami's new TKC-900 telecine camera was also strongly featured. A description can be found in our new products section.

Editing systems provide interface

Matching the increased interest in telecines and high-quality video cameras has come the attempt by manufacturers of some of the major microprocessor-based editing systems to apply high-speed electronic post-production to the film editing process.

CMX/Oroxx, for instance, in addition to displaying its popular The Edge and 340X editors, had its brand new FLM-1 on view. The editor/controller offers the editor bi-direction control of sprocketed film transports (such as dubbers and flatbed editors) outfitted with SMPTE shaft encoders and readers. Like a standard video editor, the FLM allows time code selection of edit points, plus preview and review. Best of all, film editing decisions are recorded on a VTR so that no film needs to be cut until the edit is locked down.

Another approach to interfacing film and video is taken by manufacturers such as Harris, with its EPIC editor, and Convergence, with its ECS-104 system. Both offer the producer who shoots in film the opportunity to edit with sophisticated, microprocessor electronics, and then

FROM MICRO-TRAK

NEW MODEL 6509 5 CHANNEL STEREO ROTARY OR LINEAR



NEW MODEL 6411 STEREO HIGH PERFORMANCE PHONO PRE AMP



NEW SPORT IV 4 CHANNEL SPORTS/REMOTE



MICRO-TRAK
620 RACE ST.
HOLYOKE, MA.
413-536-3551



Circle No. 156 on Reader Service Card

BM/E JANUARY, 1982 81

return to the original film for the final printing stage—armed with a computer-generated shot list. Like an edit decision list, the printout contains the in and out edit points for each cut, but is logged in film frame numbers for film lab technicians.

The Harris system, coupled with time code equipment from Gray Engineering, is being used at Walt Disney Productions. In the Gray/Harris system, time code is updated every field during film-to-tape

transfer to prevent the video system from making edits on the spurious frames that are generated during the transfer of 24 fps to 30 fps. For shooting film that will be immediately transferred to tape, a time code generator such as Skotel's—which can generate at either 24 or 30 fps rates—might be appropriate.

On the more strictly television-related end, JVC unveiled its new VE-90 joystick-controlled editor. More details will be found in the new products section in February.

New to the SMPTE show was Sony's BVE-800 editor, which complements the new BVU-800 decks.

Capable of controlling up to three machines, the system stores 128 edit decisions.

Also new to SMPTE was the Ampex Touchscreen ACE editor. The multisource system (up to 20 ATRs, VTRs, or other sources) utilizes both a large-scale joystick whose functions vary according to the mode, and a prompted CRT display of the full edit decision list and various operational controls. To edit, the operator simply touches a finger to the appropriate section on the Touchscreen, eliminating the need for keyboard or lightpen entry.

A somewhat similar approach to finger-activated editing was demonstrated by Control Video—The Lightfinger, now a fully developed product based on the prototype shown at NAB. The CRT displays a set of machine controls as if they were the buttons on the VTRs themselves, with finger touches creating the same results. The CRT display incorporates SMPTE time code addressing and Control's unique forward/reverse multi-speed "stroke" control.

At Datatron, the news was the Smart Scan option for the Vanguard editor. Demonstrated controlling five one-inch VTRs (from four different manufacturers) and a Grass Valley 1600-1X switcher with E-MEM and Quantel DPE-5000 effects, the option-equipped editor can now make full use of the various Dynamic Tracking and AST tracking slow motion capabilities of type C VTRs.

Datatron also had several improvements for its three-machine Tempo editor, including split edits, auto assembly from two program sources, up to 320 events of edit list memory with list management, and a new switcher interface for the ISI 1201 and 1206 models.

Videomedia featured its Z-6000 multisource editor with switcher interface and list management.

Looking good!

Despite wide-scale industry interest in the new digital art/paint systems, few were actually displayed at the show. Notable for their absences were the Ampex AVA, the Aurora Videographics (discussed in a paper), the new MCI/Quantel paint system, and others. An Ampex spokesperson said the AVA was simply booked elsewhere.

One of the systems that was displayed was the Xiphias Videograph, based around a Ramtek 6214 graphics generator. The \$50,000 system, which incorporates both a magnetic stylus and keyboard-prompted mode selection, was demonstrated in conjunction with the Eigen slow motion recorder.

Though digital art systems were not

Some broadcasters just don't believe what we say about ARISTOCART

They're the ones who haven't switched yet!


In a way we can't blame them. For example, that statement of ours about checking every Artiscart cartridge for phase stability and frequency response. **Every one?** Or the bit about **guaranteeing** performance on any properly aligned cart machine to AM/FM sound standards unmatched by any other commercial cartridge. Pretty tall claim! Fortunately, a lot of discriminating broadcasters have discovered we mean exactly what we say. They've made Aristocart one of the best selling NAB cartridges in the world. Why should you settle for less?



NAB
TYPE A & AA
CARTRIDGE

MANUFACTURED BY ARISTOCART DIV. WESTERN BROADCASTING LTD., 505 BURRARD ST., VANCOUVER, B.C., CANADA V7X 1M6 TEL: (604) 687-2844 TELEX: 04-54639

Circle No. 158 on Reader Service Card



EIMAC cavities cover 54 to 970 MHz at power levels to 30 kW —our design or yours

Varian EIMAC has complete cavity design and production capability. We make sure that tube and cavity are compatible. If it isn't an off-the-shelf-item, we have the designers and engineers for any specific job.

EIMAC has expertise in all disciplines including pulse, CW, FM, and TV. We match tube, power,

bandwidth and operating mode to achieve optimum performance.

More information on EIMAC cavities and tubes is available in our Cavity Capability brochure from Varian EIMAC. Or for prompt consideration of your special design requirements, contact Product Manager, Var-

ian EIMAC, or the nearest Varian Electron Device Group sales office. Call or write today.

Electron Device Group
Varian EIMAC
301 Industrial Way
San Carlos, California 94070
415-592-1221

Varian A.G.
Steinhauserstrasse
CH-6300 Zug, Switzerland
Tel: (042) 23 25 75
Telex: 78 841

EIMAC Cavity	Matching EIMAC Tube	Tuning Range (MHz)	Power Output
CV-2200	4CX20,000A	86-108	30 kW
CV-2220	3CX1500A7	86-108	1.5 kW
CV-2225	4CX3500A	86-108	5 kW
CV-2240	3CX10,000U7	54-88	10 kW†
CV-2250	3CX10,000U7	170-227	10 kW†
CV-2400	8874	420-450	300/1250 W*
CV-2800	3CX400U7	850-970	225 W
CV-2810	3CX400U7	910-970	190 W

*pulsed power

†peak sync, or 2.5 kW combined in translator service



varian

Circle 159 on Reader Service Card

The maximum for the minimum

In designing the HK-302, Ikegami kept the frills—and the price—to a minimum while maximizing the performance. And that helps keep a moderate equipment budget from interfering with first-quality program origination.

However, staying with the basics doesn't mean sacrificing advanced technology. The HK-302's highly efficient optical system coupled to $\frac{2}{3}$ " low capacitance diode-gun Plumbicon* tubes and high transconductance FET pre-amps deliver sharp, low noise pictures (S/N 57 dB) with excellent colorimetry. And the compact camera head includes a full range of operational automatics to ensure consistent signal quality.

Built-in test, maintenance and operational features are integral parts of this camera's "basics" as well. A comprehensive test pulse system lets you adjust the video with the pick-up tubes off or removed.

Complete monitoring circuitry and a broadcast quality sync generator with genlock are also standard features.

To add to the versatility of the HK-302, use the Ikegami automatic highlight compression option. It ensures highly detailed pictures even in high contrast scenes.


With the HK-302 you don't have to mortgage your station to afford prime time performance. So if you're looking for the maximum in studio production capability with a minimum of cost and maintenance, look over the Ikegami HK-302. For complete information and a demonstration, contact Ikegami.

Ikegami[®] HK-302

Ikegami Electronics (USA) Inc., 37 Brook Avenue, Maywood, NJ 07607: (201) 368-9171

Northeast: (201) 368-9171 West Coast: (213) 534-0050 Southwest: (713) 445-0100 Southeast: (912) 924-0061 Canada: (201) 368-9179

*Registered TM of N.V. Philips



Circle 173 on Reader Service Card

NEWS FEATURE

that much in evidence, production switchers and digital effects processors were everywhere.

One of the new products on display—at the RCA booth since RCA is a major distributor—was the Digifex digital effects processor from Digital Services Corp. This extremely low-cost system (\$29,500, with an optional additional disk drive for increased memory at \$5000) works with two inputs: a keying signal from either a camera or character generator (synchronous) that is stored and manipulated over a second synchronous source. Effect patterns include spin, flip, rotation, compression, and expansion in various combinations—over 200 patterns in all.

Grass Valley showed a new, slimmed-down version of its popular 300 Series switcher with only two M/Es. The 300-2B has 16 inputs, E-MEM effects memory system on each M/E, and internal interface for the DVE Mark II digital effects package. It is fully programmable for what Grass Valley calls "Personality Programming Functions"—assignment of RGB inputs to primary video inputs, assignment of external chroma keyers to video inputs, programmable wipe patterns (four programmable registers to supplement the 40 preprogrammed patterns), etc. Four input buses per M/E plus unlimited effects reentry make the switcher ideal for post-production applications.

Ampex, too, showed its new AVC-21 microprocessor-based switcher. One of its main features is that all panel control knobs have been replaced with up/down and on/off pushbuttons and pattern positioners. The key memory system permits storage and recall of up to four separate key setups for each key source.

The Vital production switcher line (including the new Saturn four-M/E systems and SqueeZoom digital effects processor) unfortunately was not displayed at the show; instead, Vital invited attendees to a demonstration at a nearby facility. SqueeZoom now incorporates mosaic, posterization, and "star trail" effects.

CDL featured the eight-bus version of its CD-480 two-M/E switcher, interfaced with the CAP automation system that allows changes to be made frame-by-frame if desired. Each SFX module can control up to four video sources for complex effects such as a dissolve to a wipe behind a key.

Demonstrated at the same booth were the American Data 3100 Series

switchers with ACTS automation control. Of all the product lines merged together by the CDC acquisition of Philips and ADC, this is the only potential overlap; a CDC spokesman pointed out, however, that the 480 switchers begin in price where the ADC switcher line leaves off, making the product lines more compatible than originally thought.

Panasonic, meanwhile, demon-



Fernseh showed the BFS-9B VTR incorporating the TDF-2 framestore.

strated its AV-800 digital production switcher, introduced at NAB. The fully digital system incorporates 64 wipe patterns and two M/E amps, though each M/E can create many different combinations of effects.

NEC gave a convincing demonstration of the DME digital effects generator, drawing considerable attention with the unit's mosaic and flip capabilities.

MCI/Quantel concentrated its display on its new line of less expensive products—the DPE-5000/SP effects generator and the DFS-1750 digital framestore/TBC (more later). The single-channel DPE-500/SP has features such as infinite compression, zoom to twice normal size, variable picture positioning, freeze and freeze update, 40-event memory register, border generator, and Digiflip for both flips and tumbles—all in 8¾ inches of rack space, including microprocessor.


A brand-new digital image processing system was demonstrated by ADDA. Known as VIP (Video Image Processing), it offers joystick control panels to manipulate horizontal, vertical, and size parameters of an image, thus acting as a compressor/positioner. Operation of the joystick to affect position, size, or position/size is controlled by a set of pushbuttons on the control console, as is the selection of six programmable memory registers; memorized sequences can themselves be sequenced, leading to extensive preprogrammed event strings. Up to four control consoles can be interconnected in the system to access the framestore proc-

HYDRAULIC ENG MASTS

SMOOTH • SAFE • SURE

6 to 60 FT.

- STOPS AND STAYS AT ANY LEVEL • WITH PUMP OFF.
- 150 to 350 LB. LIFT WITH SINGLE MAST.
- INSIDE OR OUTSIDE MOUNTS SMALL OR LARGE VANS.
- MICRO ADJUSTABLE • TO THE FRACTION OF AN INCH.
- CONTINUOUS ROTABILITY
- 1, 2 or 3 SPEED PUMPS.
- 12, 24 vdc / 120 vac
- CLEAN AND DRY
- NO MAINTENANCE.
- NO SUDDEN STARTS OR SLAMMING STOPS.
- ALL ALUMINUM
- REMOTE CONTROLLABLE TRAILER MODELS FOR STAKE OUT.
- CUSTOM DESIGN WELCOME



N . PRO

■ CALL OR WRITE.

1022 Hazelwood Dr.
or P.O. BOX 604
OREGON CITY, OR. 97045

(503) 656-5500
657-5800

Circle No. 161 on Reader Service Card

Shure makes the mixer to fit the need.



Need a deluxe broadcast remote mixer?

The M267 is ideal for live broadcasts of sports, conventions, other remotes.

- Built-in limiter prevents overload distortion
- Mic/Line Capability on each input and output



Want professional mixer features at minimum cost?

The M67 is the most popular model for remote broadcast and production work.

- AC or battery operation
- Transformer balanced inputs and outputs



Want to expand your sound system?

The M268 is great as an independent mixer or for adding inputs to existing sound systems.

- Built-in simplex power for condenser microphones
- Quieter operation than competing models



Need a low cost, versatile PA mixer?


The lightweight, portable M68 is a great buy as a basic mixer.



What if input levels vary?

The SE30 is the only combination mixer/gated compressor unit with an adjustable response rate that prevents "pumping."

- Automatic gain riding keeps levels constant
- Lowers background music automatically in paging systems



Need an 8-channel mixer, but short on space?

The SR109 is popular in large hotel paging systems, as well as small post-production rooms.

- 8 channels with bass and treble tone controls
- Built-in limiter

Write for our free circuitry catalog.



The Sound of the Professionals®

Shure Brothers Inc., Dept. 67
222 Hartrey Ave., Evanston, IL 60204
In Canada: A. C. Simmonds & Sons Limited

Manufacturer of high fidelity components, microphones, loudspeakers, sound systems and related circuitry.

Circle 162 on Reader Service Card

www.americanradiohistory.com

NEWS FEATURE

essor, with only coax cabling between units.

Fernseh showed its brand-new slide store system, BFS-9B which is based on the BCN-51 Type B one-inch VTR. Incorporating a Fernseh TDF-2 framestore, the system permits storage and random access recall of up to 135,000 frames on a 90-minute reel of one-inch tape. Up to 99 cue points are available for instant frame or field grabbing or playback.



The VE-90 videotape editor with joystick control is just one of U.S. JVC Corp.'s new systems.

Another major force in this type of equipment is Echo Science Corp., which was bought recently from Arvin Industries by Precision Data, Inc. The EFS-1A, aptly dubbed "the image maker," is based around a floppy diskette that records one frame at a time. Playback speed is infinitely variable, permitting the device to be used either for still storage or as a slow motion recorder and playback unit. A dual system is also available, allowing transitions between stored frames.

Slow-motion recorders were also in evidence. The Eigen system has already been mentioned in conjunction with the Xiphias computer graphics unit. Almost every manufacturer of one-inch VTRs also has a slow motion controller for its system, interfaced with the various track following and scanning schemes for both forward and reverse operation up to 40X play speed or extreme slow motion.

Also of considerable interest at SMPTE were the new systems for creating frame-by-frame video animation on one-inch VTRs. Convergence made much of its AniVid controller—an editor-like microprocessor-based unit that automatically exposes a single frame on a one-inch VTR (or a group of frames for less sophisticated animation), then rewinds, recues, and waits for instructions to shoot the next frame. Interface with a 3/4-inch VCR and a computer graphics generator are also possible.

A new approach was shown by 3M, which had previewed the system at a press conference earlier in the year (*BM/E*, November, 1981, p. 16). The

3M approach to video animation utilizes its TT-7000 one-inch VTR and the 3M-developed track following feature. In the 3M system, a tape positioning tachometer precisely positions the recording head at the next track, enabling the frame to be recorded while the tape is stationary. The unit then simply advances to the next track and parks, waiting for further instructions. Thus the entire pre-roll/recue procedure is eliminated.

Character generators were also on view throughout the exhibit, including the 3M D-8800, the Fernseh Compositor, the Chyron IV and

RGU, and the System Concepts Quantafont Q-7. Despite announcements made at the last NAB, the Q-8 font loadable character generator is still some time off and may not be ready in time for this year's NAB; instead, System Concepts is concentrating on its remote keyboard interface for the Q-7 and an automatic subtitling option that calls up titles based on preentered SMPTE time indicators. Chyron, meanwhile, is concentrating on its camera-based font compose program and on its Channel Control Module, which permits mixing of two channels in a dual-

Alexander announces life after death.

Think your battery belt is dead? Then talk to the replacement battery experts — Alexander. We never say die! Instead, we'll bring that battery belt back to life, at reasonable cost.

Just call 515-423-8955 and describe the cell configuration of your particular belt. We'll

make up your replacement modules — charging you only a fixed price per cell used — and ship them to you freight paid. And we use rechargeable nickel-cadmium batteries that are unconditionally guaranteed for six months.

Try us!



 **ALEXANDER**

ALEXANDER MFG. CO.
1511 SO. GARFIELD PL.
MASON CITY IOWA 50401/515-423-8955

REPLACEMENT BATTERY PACKS AND CHARGERS FOR
PORTABLE CAMERAS, VTRS, VOICE RECORDERS, COMMUNICATIONS EQUIPMENT

Circle No. 163 on Reader Service Card

BM/E JANUARY, 1982 87

NEWS FEATURE


channel Chyron IV or RGU system, including mixing, keying, wiping and other special effects. Chyron promises a brand-new graphics software package in time for the NAB.

The most exciting development in character generators continues to be Thomson-CSF's Vidifont Graphics V—a character generator that could rightly be included in a discussion of digital graphics systems since it incorporates a bit-mapped framestore and a magnetic drawing tablet. Not only are characters and symbols stored on various levels of the framestore, permitting elements within a multi-layer image to be shifted without affecting the rest of the composition, but the framestore permits composition along any axis—horizontal, vertical, or diagonal. This frees the messages from characteristic character generator composing formats.

Digital signal processing

Vowing that the newly reenergized company would be making "one new product introduction every month between now and NAB," Digital Video Systems proudly displayed both its

older DFS-1 line, including the digital TBC and the digital framestore, and the newer Phaser IV and Phaser II. The Phaser II is DVS' top-of-the-line digital unit—a complete framestore/TBC synchronizer with features such as multiple microprocessor control, digital velocity compensator, and



The T-120 digital time base corrector from Microtime.

clean hot switching between non-synchronous heterodyne and direct color signals. It has a three-line adaptive comb filter and 11-line hysteresis, and freezes the last picture before signal interruption.

Microtime, too, had its latest-generation TBC on display, the T-120. The \$9950 unit features eight-bit, four times fsc digital sampling, with a 15-line window for correction of even large gyro errors. Ideal for mobile and ENG use in its 3.5-inch high rack-mountable package, it has a top-opening electronics chassis allowing

circuit boards to be fanned open for servicing, thereby eliminating extender cards. The T-120 was shown in conjunction with Microtime's 2100 image processor and enhancer for heterodyne VTRs and 2525 digital TBC/synchronizer.

Edutron brought its Y-688 "Total Error Corrector," which provides full image processing of either composite or component signals. The unit includes H and V image enhancement, H detail improvement, a two-line velocity compensator, and a 32-line window to correct a variety of other problems. Full proc amp and TBC controls provide adjustment of all blanking widths and phase adjustments.

MCI/Quantel exhibited its full line of digital processing equipment, including the DFS-1550 heterodyne/direct color TBC and frame synchronizer and the DFS-1750. Billed as the world's smallest digital framestore/synchronizer, the DFS-1750 occupies only 1 3/4 inches of rack space. It features an infinite window TBC, freeze, fast hot cuts, and a built-in reference signal.

A new digital TBC from Sony—the BVT-800—is designed to work in conjunction with the new BVU-800 VCR. Costing in the \$10,000 region, it provides viewable pictures up to 40X play

AM BROADCASTING - HIGH FIDELITY Are these terms mutually exclusive?

YES NO DON'T KNOW

Surprisingly, many broadcasters may not know that the correct answer to this question is no. Large sums of money are spent each year to purchase new transmitters, new studio equipment, new audio processing equipment and to modify antenna systems for improved AM sound. Unfortunately, until now, there has been no such thing as a professional quality AM monitor receiver. As a result, the perceived fidelity of an AM signal has been severely restricted by receiver performance.

Potomac has developed the SMR-11 Synthesized Monitor Receiver which will let you hear and measure the quality of your transmitted AM signal ... perhaps for the first time. Features include: Crystal Stability; 60 dB Signal to Noise Ratio; Audio Frequency Response ± 0.5 dB, 20 Hz to 8 kHz; Total Harmonic Distortion less than 0.2% (95% Modulation) at audio frequencies above 40 Hz ... please write for complete descriptive brochure.




THIS DIAL WILL TUNE YOU IN TO THE
NEW SOUND OF AM BROADCASTING

POTOMAC INSTRUMENTS

932 PHILADELPHIA AVE.
SILVER SPRING, MD. 20910
(301) 589-2662

Circle No. 164 on Reader Service Card

NOW! CONTINENTAL'S 1 KW AM



Pulse width modulation in an efficient 1 kW package; efficiency and reliability of a tube-powered final; clear, crisp sound of transformerless modulation; ready for AM stereo. Switch-mod system allows maximum modulation level at all power levels while providing cost-effective operation.

Write for brochure on 314R-1:
Continental Electronics Mfg. Co.
Box 270879 Dallas, TX 75227
(214) 381-7161

Continental
Electronics

Circle No. 165 on Reader Service Card



MAGNECORD 3000 for Program Automation and D.J. Assist

Motion sensing and CMOS logic control this spillproof 10½" transport, smoothly and positively. All functions are totally remote controllable with LED's indicating the operating mode.

For automated programming, an optical infrared sensor permits continuous cycling or rewind-to-start with clear leaders. Automatic Cue Release (AQR), provides simplicity of cueing and facilitates easy editing.

This powerful two-speed, three-motor transport operates over a wide range of 120/240 line voltages and features the MagneCORD 3000 HSM tape drive, a virtually indestructible polyurethane drive belt and pressure roller. Modular plug-in boards assure the fast service broadcasters require. And, of course, MagneCORDs are made in the U.S.A. so parts are readily available.

With automation in mind, the 3000 represents a new generation of tape transport, but with the same rugged design and dependability you've come to expect from MagneCORD.

Quality Products for the Audio Professional

TELEX **MAGNECORD**

TELEX COMMUNICATIONS, INC.

9600 Aldrich Ave. So., Minneapolis, MN 55420 U.S.A.
Europe 22, rue de la Légion-d'Honneur, 93200 St. Denis, France

Circle 166 on Reader Service Card

www.americanradiohistory.com

We Owe it to You— The Lenco Challenge



PMM-931

Since you have shown confidence in Lenco for the past TEN YEARS, we feel that we "owe it to you" to supply the best performing monochrome monitor that the industry can provide.

We have achieved your monitor performance expectations by offering you individual modules for ease of replacement and system update.

Top that off with 900 lines of resolution, an outstandingly bright picture, fast thirty day delivery, and a two year warranty. That's our commitment to you.

We owe it to you to make the best. It's a challenge we accept. Now will YOU accept the challenge to compare?




PMM-922




PMM-911



PMM-942



Modules



PMM-912



LENCO, INC., ELECTRONICS DIVISION
300 N. Maryland St., Jackson, MO 63755, (314) 243-3147

Circle 167 on Reader Service Card

NEWS FEATURE

speed forward or reverse, plus timed signals for the dynamic tracking capabilities of the BVU-820. A one-line DOC is incorporated.

Microwave systems

Manufacturers of production microwave systems paid a surprising amount of attention to the SMPTE show, with exhibits usually associated with "strictly broadcasting" shows such as RTNDA and NAB.

Microwave Associates Communications drew considerable interest with its Mac-Cat, a computerized remote control CRT display monitor. This monitor allows not only remote control of all elements within the system and real-time communication among the various control stations, but also computer-aided plotting of best signal pathways and determination of which ENG units are available for assignment.

Brand new from M.A.C. is the Mini-Mac, an extremely small 2 GHz, 21-channel transmitter weighing 3.5 pounds, plus heat sink. Originally designed for helicopter mounting, it has been adapted for land-based ENG use. It is packaged in a small suitcase with a special Quick-Set tripod that can be folded to just 24 inches.

At Harris Farinon the word was also "miniature"—both for the miniature portable microwave link (fully self-contained with selectable 7, 8, 11, 12, or 13 GHz operation) and the miniature 2/2.5 GHz transmitter operating on either ac or dc power with a 1 W output and up to two audio channels. The RF frequency is locked to any of 12 crystal reference frequencies.

Besides its new Superquad II receiving antenna, Nurad concentrated on its Copter Pod and Mini Pod airborne ENG systems. Both incorporate Nurad's four CP directional antennas to provide optimum transmitting strength depending on which way the helicopter is oriented; once the direction of the receive site is dialed in by the operator, switching between the four antennas is automatic. Both pods—which mount easily under the cockpit and require no retraction gear—also contain an omnidirectional receiving antenna enabling the helicopter to act as a relay. The Copter Pod is fully self-contained, while the Mini-Pod requires an external power supply and power amplifier.

Let there be light!

From both the feature film and television sides of the business, consid-

NEW

System 23 Modular Cart Racks Separates Your Sounds . . .




individual racks for wall or table mounting

You can now house your cartridges in an attractive modular system that is designed to grow as you grow. The smallest unit holds 18 cartridges while the largest accommodates 1,296. These cart racks are constructed of quality materials, as are all Ruslang's studio furniture and consoles. They are sturdy, as well as attractive, featuring the look of expensive walnut furniture. The entire system is shown in our catalog. Request a copy today.



table top lazy susan racks shown on Ruslang's double pedestal bases with pedestal cart racks



rack mount cart racks



floor type lazy susan racks

RUSLANG CORP.

320 Dewy Street, Bridgeport, CT 06605 203 384 1266

Circle No. 168 on Reader Service Card



TRIDENT

lexicon

Urei



SONY

Wireless Microphone



Professional

*Eastern Acoustic Works,
Inc.*



MAIN DEALER IN THESE

AND MANY OTHER

FINE LINES

COMPLETE SYSTEM DESIGN

AND INSTALLATION.

**HARRIS AUDIO
SYSTEMS, Inc.**

1962 N.E. 149 St., N. Miami, Florida 33181

(305) 944-4448 **SOUND EAST**

Michael Harris

NEWS FEATURE

erable interest continues in HMI and CID lights—in the TV studio primarily because of their far cooler operating temperatures. At the SMPTE show, almost a dozen companies were showing fixtures for the Osram HMI bulb and the Cinemills Daymax “HMI-type” bulb, among them Strand Century/Ianairo, Arriflex, LTM, Electronic Applications, F&B/Ceco, Belden/Lee, Cinema Products/RDS, Mole-Richardson, and Colortran.

Several developments have been taking place in this type of lighting. One of the most noticeable was the introduction of a new 6000 W bulb at the show, considerably brighter than the 4 kW bulb previously available. On the other hand, many companies are now offering small, 220 W HMI lights, battery-operated and ideal for ENG applications.

Lee Lighting has introduced a new ballast unit for HMIs that it promises to be flicker-free. A similar, solid state, lightweight ballast was introduced by Electronic Applications.

Other lighting manufacturers were in evidence throughout the show. Cool Light featured its answer to cooler lighting using standard quartz-type bulbs—in a specially designed socket and mounting system modeled after medical operating room lights; configurations range from fay lights to the portable Mini-Cool. Frezzolini had its camera-mounting light on display as did Anton/Bauer. Other companies also made a bid for lighting in ENG/EFP applications—such as the Cinema Products Bubblelite, location lighting kits from Lowel (the Tota Lite, Omni Lite, D Kit, and Soft Light), Colortran, Mole-Richardson, and Lee Lighting.

Sylvania/GTE also had an answer for cooling down the TV studio—a 4000 W fill light providing 102 lumens/W, about four times more efficient than tungsten-halogen lamps.

Lighting control systems were also in evidence. Strand-Century featured its new Mantrix modular electronic dimming console while Kliegl put on an impressive exhibition of its Performer II capabilities and Skirpan showed its dimming system as part of the display of Compact Video (Skirpan's new parent company).

Grip equipment, particularly because of the show's Hollywood location, was strongly featured. The Matthews Studio Equipment Tulip Crane was perhaps the most noticeable item, though fire regulations prohibited Matthews from giving rides to brave attendees. The modular, trans-

portable crane works either on pneumatic tires or standard tracking wheels and can also be mounted in back of a truck, ideal for tracking shots during a parade.

Listec, too, showed the Vinten Dolphin crane arm, which provides both tracking and crane-like movements in a format somewhat smaller than a full crane.

Tripod manufacturers at the show included O'Connor, with its by-now-famous Hydroped, billed as “deflectionless” since it compensates for “backlash”. Professional Equipment and Bogen were also on hand.

Batteries for all applications, including both cameras and lighting, were shown at Anton/Bauer, Frezzolini, and Electronic Applications (which featured the Christie Reflex 20 fast-charging system).


There was also some interest in prompting systems, with the Listec Digivision, Q-TV/Telesync, and Telescript systems all up and running. Cinema Products continued to demonstrate its EFP camera-mounting Camraprompter system.

On the audio side

Because the AES show began in New York so soon after the SMPTE show closed, most manufacturers of audio equipment held out from the SMPTE exhibit. Exceptions were manufacturers of intercom and IFB equipment, who attended SMPTE in force. Among them were Clear-Com, RTS (now a division of Compact Video), Television Equipment Associates, Swintek (at the Alan Gordon Enterprises booth), and R-Columbia. The last is making a considerable dent in the market with its wireless headsets, which operate over a 150-yard range and can interface with conventional equipment. Cetec-Vega and Clear-Com products will be discussed in detail in the February new products section.

Dolby took out booth space to promote its new SP Series 24-channel audio noise reduction system, primarily intended for use at recording studios, and the availability of its noise reduction cards for one-inch Type C VTRs. The card for the Sony BVH decks, which incorporates both Dolby noise reduction and the complete audio circuitry for the recorder packaged into a neat, plug-in module, is finding widespread acceptance.

Other audio companies exhibiting at the show included Sennheiser, with its full line of microphones, including shotgun and RF models; Nagra, with its line of portable 1/4-inch audio tape recorders that can be outfitted with time code modules; Comprehensive Video, with the CVMM belt-worn, battery-powered mic mixer; and



The next time your air monitor goes dead, tell your audience about your bargain low-power television equipment

The high cost of low price equipment

No broadcast equipment is a bargain when it's off the air. So EMCEE Broadcast Products builds its translators, LPTV transmitters and other hardware without cutting corners or costs. Frankly, that often means prices that appear higher. But it also means the proven higher reliability that EMCEE hardware has provided since 1960.

Oldies but goodies

This higher reliability is no blue-sky claim, either. Many EMCEE HRV-1 1 watt translators are still doing a full broadcast day's work eighteen years after installation. EMCEE HTU-100 100 watt translators are still going strong after seventeen years on site. And the list goes on. Because through three generations of low-power television equipment, value and reliability have always come before cost.

Lasting value

This value and reliability comes from higher rated components that loaf along at operating values. From human engineered front panel metering for immediate status of operating para-

meters. And from innovations such as the industry's first use of pre-correction to improve linearity and extend final tube life. And the industry's only remote interrogator. A complete translator/transmitter status monitor that reduces the number of trips and hours necessary to keep isolated installations operating efficiently.

Valuable support

But technology alone isn't the source of EMCEE reliability. It comes from the Applications and Field Engineering Departments that supply design, installation and total turnkey services without additional charges. It comes from the expertise of our tower crew. And it comes from our special inventory of emergency hardware and a 24-hour number that can help you solve small problems before they become bigger ones.

A fourth generation of reliability

The next generation of EMCEE low-power television equipment is now in the breadboard stage. Like the three previous generations, it won't be the least expensive hardware available.

Which leaves you with two choices. Pay the price of reliability when you buy. Or when your air monitor goes dead.

*It's not just how it works.
But how long it works.*



**BROADCAST
PRODUCTS**

a division of
**ELECTRONICS, MISSILES
& COMMUNICATIONS, INC.**

P.O. Box 68
White Haven, PA 18661
Call toll free 800-233-6193
(In PA: 717-443-9575)
TWX: 510-655-7088
Ans: EMCEE WHHV

Equipment manufactured in U.S.A.
® EMCEE Broadcast Products
© 1982 EMCEE Broadcast Products

Circle 170 on Reader Service Card

www.americanradiohistory.com

CLEAN UP YOUR ACT.

Get rid of unwanted noise from carts and transmission systems. With dbx Type II Noise Reduction, you get a full 40 dB increase in dynamic range. The new dbx Model 140 provides two channels of encoding and two channels of decoding—usable separately or simultaneously. Provision for Jensen output transformers. Active balanced inputs and other good stuff. See your dbx Pro dealer, or write for complete technical information.

*Manufacturer's suggested retail price.



Model 140 Type II Noise Reduction System


dbx, Incorporated, Professional Products Division,
71 Chapel St., Newton, Mass. 02195 U.S.A.
Tel. (617) 964-3210, Telex: 92-2522. Distributed in
Canada by BSR (Canada) Ltd., Rexdale, Ontario.

dbx®

Circle No. 171 on Reader Service Card

TECH CAMERA IS GOING PLACES

Ask about our Tech Video Systems



ENG PACKAGE #1 FEATURING:
Hitachi FP-21 portable color camera
W/14X1 zoom and standard accessories.
Sony BVU-110 portable 3/4" VTR,
BC-210 Nicad battery charger,
BP-90 Nicad battery BVU-110, Kangaroo
bag, Sennheiser 815 shot gun. **Full broadcast 3/4" package @**

\$450.00 (per 10-hour day).

Complete EFP and Multi Camera packages available • Computerized 3/4" editing • professional motion picture and video production equipment • full production service available • Mobile stages • personnel • lighting • grip.

Attention: Stuart Cane

TECH CAMERA

6370 Santa Monica Blvd. • Hollywood, CA 90038 • 213-466-3238 • 213-465-8236

Circle No. 172 on Reader Service Card

NEWS FEATURE

Coherent Communications, which showed a new miniature microphone, a newly repackaged Artek RF mic system, and a new portable mic mixer with four inputs and two outputs.

Some test and measurement equipment was also shown, although again not nearly as much as at NAB. A brand-new device from Amtron, the AG 341, is a standalone display generator providing pulse cross, safe action, safe title, and digitally generated cursor signals. The displays, which include both analog and digital signals, can be used individually or in any combination. The one-microsecond intervals of the cursor permit accurate measurement of blanking intervals in the pulse cross mode and precise title positioning when used alone. The unit has an optional remote control panel.

Philips Test and Measurement brought two new 250 MHz scopes, one with delayed sweep. Philips T&M also featured its PM5570 video test signal generator for transmission equipment and its logic analyzer, which can be multiplexed to disassemble multiple microprocessors.

At Marconi Instruments' booth it was revealed that sales of the Television Interscission Timer have fallen off considerably, perhaps reflecting the FCC's more relaxed rule enforcement. Marconi did demonstrate some of its products in the AM/FM signal generation, modulation meter, intermodulation/baseband, and PCM test gear areas. The 200 MHz and 1.25 GHz models of its spectrum analyzer are now available.

Lenco gave SMPTE attendees a look at its Videoscope. A test pattern displayed on a standard B&W monitor provides an instant reference for measurements of blanking widths and permits even a non-technical operator with a means of adjusting and then verifying sc/h phase. Lenco's 300 System video test set, providing 29 test signals in addition to a digital sync generator, was also demonstrated.

Test gear was also shown by Videotek, whose display concentrated on its TSM-5 waveform monitor and matching VSM-5 vectorscope. Also of interest was the VM-15, a 15-inch color monitor featuring A/B inputs, dc restoration, pulse cross mode, internal or external sync and raster size regulation with varying APL levels—all in 12 1/4 inches of rack space.

Ikegami, Asaca, Rohde & Schwarz (Barco), JVC, Sony, Panasonic, Videotek, and Fernseh also featured their lines of color monitors. **BM/E**

EYE-OPENERS

Just when everyone had their eyes wide open to the outstanding line of Ikegami broadcast and production color cameras, Ikegami introduced its color and B&W monitor line, engineered with the same innovative technology as its cameras. A great tradition of eye-opening continues with precision, quality and beautiful images.

The Ikegami color monitor line consists of the High Resolution Series RH Color Monitors and the High Performance Series 8 Color Monitors. The High Resolution Series RH Color Monitors are available in the 14" TM 14-2RHA and the 20" TM 20-8RH. Both provide precision color reproduction at 600 plus lines for professional studios, control rooms, remote vans, etc., and feature a high resolution CRT with High Density Dot Matrix, a switchable comb filter in the decoder, and the AFPC (Automatic Frequency Phase Control) system to maintain exceptional color reproduction. Both models are rack-mountable, with the TM

14-2RHA featuring plug-in circuit boards for easy maintenance.

The High Performance Series 8 Color Monitors are available in the 14" TM14-8RC, 20" TM20-8R and 25" TM25-8. The Series 8 monitors offer high quality color reproduction, a Shadow Mask Dot Matrix CRT, Pulse Cross Circuit, Active Convergence Circuit, low power consumption, and more.

The B&W Monitors are engineered to the same exacting Ikegami standards and are available in Triple 5", Dual 9", 5", 9", 12", 17" and 20" sizes.

Ikegami's Eye-Openers are available at most dealers. For details and additional information, contact: Ikegami Electronics (USA) Inc., 37 Brook Ave., Maywood, NJ 07607, (201) 368-9171; West Coast: 19164 Van Ness Ave., Torrance, CA 90501, (213) 328-2814; Southwest: 330 North Belt East, Suite 228, Houston, TX 77060, (713) 445-0100; Southeast: 522 So. Lee St., Americus, GA 31709, (912) 924-0061.



Video Products built to Ideal Standards



Ikegami

Circle 160 on Reader Service Card

The picture is worth a thousand words



The Marconi Mark IXB Colour Camera

You don't have to look very far to appreciate why TV cameramen are behind the Marconi Mark IXB Colour Camera.

With an amazingly sensitive optical assembly giving pictures down to 50 lux, a new electronic package including head amplifiers and talk-back circuit coupled with a lightweight multi-core camera cable, small CCU and low power consumption, the Mark IXB is the star performer in every studio and outside broadcast role.

To put yourself in the picture, contact: John White or Simon Frazer

Marconi Electronics Inc.

100 Stonehurst Court, Northvale, New Jersey 07647, U.S.A. Tel: 767 7250 Telex: 710-991-9752

Circle 174 on Reader Service Card

www.americanradiohistory.com

SMPTE Agrees On Worldwide Digital Standard

By Bob Paulson

TO MANY of the attendees at the recent SMPTE conference in Los Angeles, the most significant report concerning standards was the SMPTE's endorsement of the CCIR Document 11/5031 E—a draft recommendation titled "Encoding Parameters of Digital Television for Studios." Described in a paper presented by William Connolly, chairman of the society's study group on digital tape recording, the recommendation will be forwarded to the U.S. committee of the CCIR (mostly members of the

FCC) who will be attending the CCIR Plenary Session in February. It is almost certain to call for the adoption of the standard.

Once this draft document is approved, it will pave the way for the long-awaited single worldwide digital standard applicable to both production and post-production equipment in the NTSC, PAL, and SECAM formats. In brief, its specifications call for the component coding of the input RGB signal, with the same number of samples per active (visible) scanning line in both 625 and 525 raster scanning formats. The sampling frequency is fixed at 13.5

MHz for the luminance signal and 6.75 MHz for each of the two color difference signals.

The actual wording of the draft document is as follows:

The CCIR, considering

(a) that there are clear advantages for television broadcasters and program producers in digital studio standards which have the greatest number of significant parameter values common to 525-line and 625-line systems;

(b) that a worldwide compatible digital approach will permit the development of equipment with many common features, permit operating economies, and facilitate the international exchange of programs;

(c) that an extensible family of compatible digital coding standards is desirable. Members of such a family could correspond to different quality levels, facilitate additional processing required by present production techniques, and cater to future needs;

(d) that a system based on the coding of components is able to meet some, and perhaps all, of these desirable objectives;

(e) that the co-siting of samples representing luminance and color-difference signals (or, if used, the red, green and blue signals) facilitates the processing of digital component signals, required by present production techniques,

Recommends

that the following be used as a basis for digital coding standards for television studios in both the 525-line and 625-line areas of the world:

1. Component coding;
2. Extensible family of compatible digital coding standards;
3. Specifications applicable to any member of the family;
4. Encoding parameters for the 4:2:2 member of the family (Table 1).

The immediate implication of the new standard is that product designs using composite coding at a sampling rate three or four times subcarrier frequency may become immediately obsolete unless hybrid systems are designed to contain D-to-D transcoders at interfaces between "old" and "new" digital video products.

Comparison of the component coding sampling frequency of 13.5 MHz to the NTSC 14.3 MHz com-

Bob Paulson is *BM/E's* special assignments editor.

Proposed Encoding Parameter Values For the 4:2:2 Member Of The Family

Parameters ¹	525 line, 60 field per second systems	625-line, 50 field per second systems
1. Coded Signals	Y, R-Y, B-Y	
2. Number of samples per total line:		
• Luminance (Y)	858	864
• Color-difference (R-Y, B-Y)	429	432
3. Sampling Structure	Orthogonal, line, field and picture repetitive. R-Y and B-Y samples co-sited with odd (first, third, fifth, etc.) Y samples in each line.	
4. Sampling Frequency:		
• Luminance	13.5 MHz	
• Color difference	6.75 MHz	
5. Form of Coding	Uniformly quantized PCM, eight bits per sample, for the luminance signal and each color-difference signal	
6. Number of samples per digital active line:		
• Luminance	720	
• Color difference	360	
7. Correspondence between video signal levels and quantization levels:		
• Luminance	220 quantization levels with the black level corresponding to level 16 and the peak white level corresponding to level 235	
• Color difference	224 quantization levels in the center part of the quantization scale with zero signal corresponding to level 128	

1. Signal parameters are identical between 525- and 625-line systems except for total samples per line

TV test equipment from the inventors of the Plumbicon® tube.

At long last a new, reliable source of TV test equipment. One that offers fast, predictable delivery. One with a name all the world trusts—Philips. Four quick examples:

PM5565 Waveform Monitor

Enjoy the luxury of examining one line and one field at a time. On top of this, there's a convenient front probe input so you can use the monitor as a troubleshooting oscilloscope.

PM5567 Vectorscope

If you want more accurate decoding and the ability to have an external reference from composite video signals, choose our vectorscope.

Both waveform monitor and vectorscope mount side by side, fit all existing hardware and use less power than the competition.

PM5539 Color Analyzer

Take it on a quick trip through your studio or control room and adjust all monitors to the same color temperature in a matter of minutes.

With four different memories, there's no problem in quickly calibrating four different phosphors.


Variable full-scale, from less than set up to more than reference white, allows measurement of color tracking as a function of APL.

PM5534 Color Pattern Generator

Our universal pattern contains all the signals needed to verify overall system operation—directly from the picture. No wonder virtually every set manufacturer uses our pattern for their TV set alignment.

Of course our TV test equipment line doesn't end here. Today Philips offers a wide range of equipment including sync and pattern generators, VITS generators and analyzers, and TV modulators and demodulators.

For nationwide sales and service information call 800-631-7172, except in Hawaii, Alaska and New Jersey. In New Jersey call collect (201) 529-3800, or contact Philips Test and Measuring Instruments, Inc., 85 McKee Drive, Mahwah, New Jersey 07430.



Philips, of course.



Test & Measuring
Instruments

PHILIPS

Circle 175 on Reader Service Card

www.americanradiohistory.com

BE READY FOR THE ACTION, ANYTIME, ANYWHERE WITH COMREX

posite 4_{fsc} rate makes obvious the fact that these D-to-D transcoders will have to be quite sophisticated, and therefore quite expensive. Some NTSC manufacturers are concerned about the future cost and development time required if this standard is adopted. PAL country manufacturers have similar concerns.

Finally, broadcasters looking to the world communications networks (land line, terrestrial and satellite microwave) also find difficulties with a "universal digital video standard." The bandwidths, sampling rates, and bit resolutions of existing and proposed digital transmission systems bear integer relationships with the Table I numbers only by accident.


SMPTE's October 29 press release heralded the proposed standard as an "international agreement of worldwide significance [that] will permit the development of equipment with many common features, permitting operating economics [sic] and facilitating the exchange of programs in digital form. Of major significance is that 40 years after the introduction of TV broadcasting, the digital video specification is the first step toward a single worldwide television system."

The question being raised by some broadcasters is how many more steps will have to be taken towards the single worldwide system. Dr. Richard Green, chairman of the Drafting Group that prepared the CCIR document, departed from his prepared paper describing the standard to express his concern that the journey towards the ultimate all-digital system may be other than an "orderly evolution" along a single path. He characterized the possible multiplicity of standards along the way as "scarey."

Real-world production requirements and the profit motive are going to influence how many paths are going to appear. From a practical standpoint, for instance, a 4_{fsc} digital video recorder (tape or optical disk) is the most important product to introduce to eliminate codecs in post-production. The recorded signal, however, could be component, requiring a far simpler direct digital interface to current and emerging digital effects equipment.

Those wanting to get involved in the standards-setting process that will determine the continuing direction and pace of the digital journey can contact Alex Alden, engineering services manager of SMPTE, at (914)472-6606. He can provide the name and phone number of the chairman of an appropriate group.


BM/E



The many TV and radio broadcasters already using Comrex compact mobile gear are no longer locked into land line preparations or "best guesses" of where the action will be.

Comrex ENG transmitters give correspondents and sportscasters the power needed to penetrate crowded convention floors or broadcast from locker rooms and distant fairways. The Comrex IFB unit provides the return link, allowing a reporter or sportscaster in the field to hear continuous program audio and permitting a producer to interrupt for cues and scheduling.

See for yourself with our 10 day free trial.




COMREX

P.O. Box 269, 60 Union Avenue,
Sudbury, Massachusetts 01776, TEL. 617/443-8811 TWX: 710 347-1049

Circle No. 176 on Reader Service Card

THE ELECTROHOME DIFFERENCE.



GET IT WITH THE FULL LINE OF ELECTROHOME VIDEO DISPLAYS.

When you choose Electrohome video displays, you're in good company. All over the world, experts in many fields including data, graphics, broadcast, medical education and industry, demand the proven dependability of Electrohome. They count on the Electrohome difference.

Electrohome offers a broad selection of competitively-priced video displays. Attractive, durable, color and monochrome products are available in screen sizes

from 5 inches to 6 feet. Breadth of line...it's an important part of the Electrohome difference.

At Electrohome, we realize that everyone's needs aren't standard, so we will build video display units to meet your special requirements. Custom flexibility...that's part of the Electrohome difference.

Don't settle for second best—get the Electrohome difference. For complete information on video displays with the difference, contact us.

ELECTROHOME ELECTRONICS

809 Wellington St. N., Kitchener, Ontario, Canada N2G 4J6. Telephone (519) 744-7111. Telex 069-5

Circle 177 on Reader Service Card

www.americanradiohistory.com

AES Meet Shows Digital Disk on Arrival Track

THE DIGITAL AUDIO DISK (DAD), potentially the most powerful carrier of digital technology into home high fidelity, broadcasting, and audio communications systems, now has a clear track to wide-scale use in the next year or two. Evidence that the DAD is ready to move accumulated at the seventieth convention of the Audio Engineering Society, held October 30 through November 2 at the Waldorf-Astoria Hotel in New York City.

The convention was an outstanding success with the professional audio community, drawing more than 6000 registrants and nearly 200 exhibitors. About 75 technical papers covered the frontier of audio advance, and a number of workshops devoted to audio operating practice were "standing room only."

Of overriding importance in clearing the way for the DAD is agreement on a technical format among large electronics companies around the world. As reported earlier, Sony and Philips some time ago jointly adopted a 16-bit linear format with 44.1 kHz sampling frequency. This allows the system to have a dynamic range above 90 dB and upper frequency limit of 20 kHz.

Curtis Chan, manager of engineering for Sony's Professional Audio/Digital Audio Division, told *BM/E*: "Sony has been a pioneer in digital audio technology over 10 years . . . Digital audio for the home is about to become a reality. The DAD will lead to an entirely new era in home high fidelity."

At the show a number of other companies—including Pioneer, Studer, JVC, Matsushita, and Mitsubishi—confirmed decisions to use this standard. Others who have announced adherence at various times are Crown, Dual, Nakamichi, Nippon Columbia, Onkyo, Thomson, and Kenwood. The Sony-Philips DAD format is thus the world standard, with official endorsement sure to follow. The four-inch disk is played from the inside out, read by a laser beam. Angular velocity varies from 500 rpm at the inside to 200 rpm at the outside. Playing time is one hour per side.



An important new device from Studer is the SPC-16 converter which changes the sampling rate of digital recordings over a wide range.

A valuable bonus in the design is ample room on the disk for control, synchronizing, or address tracks. These carry exciting potential for broadcasters as well as other users. Next month *BM/E* will discuss in detail the technology of the DAD and its meaning for broadcasters.

Other digital developments

Demonstrations of the DAD by Sony, Pioneer and others were in evidence throughout the show. Also pulling crowds, however, was a new digital device from Studer, the SFC-16, which converts digital recordings from one sampling frequency to another, over a wide range. The SFC-16 will make all the existing digitally mastered recordings available for issuance on the DAD without the complex, distortion-producing process of converting them to analog form and back again to digital.

Mitsubishi had in operation its X-80, a two-track, 16-bit linear digital mastering recorder now in use for many recording masters. Mitsubishi has worked out a scheme making razor-blade editing practical; the cut-

and-splice triggers an automatic 2.5 ms crossfade.

JVC injected a new element into the digital ferment—a system for PCM recording and playback on cassette tapes the size of the audio cassette. JVC showed a deck embodying the system, and the sound quality it produced was excellent.

3M had on hand its 32-track digital mastering recorder, playing a demo tape that illustrated the main advantages of digital recording, including the absence of degradation through 10 generations of dubbing.

Soundstream, the first company to put in operation a digital mastering recorder (*BM/E*, February, 1977), gave an impressive demonstration of recordings mastered on the machine. Soundstream released a list of the more than 150 commercial recordings made on the recorder to date. The machine is sold on a limited basis only; most use has been through rental to record producers.

Technics of Matsushita announced two digital units: a digital mixer/equalizer and a digital audio reverberator. The eight-channel mixer handles signals in digital form, avoiding the degeneration of conversions back to analog. It has flexible equalization, also applied to the signal in digital form.

Audio processing: more refinement

The digital reverberator, of course, comes under the head of audio processing. It simulates six successive reflections and can hold three programmable memories, each with data on initial and late reflections in low, mid, and high range.

Lexicon, with some claim to starting the audio digital sweep with its Delta processor systems of 1970 and thereafter, brought a brand-new digital reverberation system, model 224X. This enlarges the functions of model 224, now in wide use, which Lexicon will continue to sell. The 224X has 15 kHz bandwidth, a variable bandwidth control, automatic changes of reverb time when the music stops for a long "sustain," storage of 36 user programs with instant recall, reverb times from 0.6 to

NEWS FEATURE

70 seconds. Delivery will be in March.

Eventide Clockworks had in operation its new SP2016 programmable effects processor, a software-based system that provides a wide range of special effects and digital reverb. Software modules can be plugged in, for example, for many different reverb effects, with the parameters adjustable by the user. The number and variety of special effects available are extremely large; the company plans to develop more and more software modules, but users can themselves develop software in the field.

Marshall Electronic had its new 5402 delay unit (another software special effects system) and the AR-300, a device for producing a signal like the signal from tape machines, developed for recording studios who use it to adjust processors.

MicMix brought the Dynafex, a new noise reduction system and noise gate that the company says can reduce noise in an already noisy source by up to 30 dB. The company also introduced the XL-515, a new artificial reverb system with three basic programmed modes—"plate," "room"

and "hall"—and flexible adjustment of each.

Another new reverberation system at the show was Ursa Major's 8X32 which has 64 registers for program storage. There are four basic programs, each individually adjustable



Rupert Neve demonstrated their automated console system with provision for synchronization of audio and video tracks. Monitor shows status of video track.

over a wide range. The early reflections and the later decay time are adjusted separately. Input mute silences the direct signal path so the reverb can decay naturally.

AKG also had a new reverb unit, the BX25-E, a two-channel version of the company's long-used spring reverb systems. The BX25-E has all the adjustment flexibility of the earlier

systems, plus the two channels usable together in stereo, or separately.

Aphex, creators of the "aural excitement" technique, brought a new unit in the series, AX-II, designed expressly for broadcast use. Input and output characteristics are standard for broadcast studios. The makers claim the unit will add improved intelligibility, clarity, and "presence" to the program.

Orban introduced a new compressor/limiter/noise gate/de-esser for recording studios and broadcast production work, model 424A. The 424A uses AGC technique from the FM Optimod and has adjustable attack and release times and compression ratio, defeatable gate, and distortion-cancelling circuits. It will be ready early this year.

dbx had three new units. The 160X compressor/limiter is an advanced version of the model 160, with switchable choice of "rounded" or hard-knee compression and dual display for continuous monitoring of operation. Model 180 is a noise reduction system with two encode and two decode channels, with design centered on high operating levels; it can expand dynamic range of high-quality tape recorders, for example. The F-900 frame holds up to eight active units in the 900 processing

The Gordon Headroom Meter:



a better idea in program monitoring.

We've combined the best aspects of the traditional VU meter and the precision of the European Programme meter. The result is a meter that meets the UK/EBU standard for

response to program peaks while maintaining a more conventional and artistically desirable "syllabic" response to music and speech.

Get the complete package for \$122.00, or our VU-conversion option for \$69.00. Quantity discounts are available. For further information, contact:

Inovonics, Inc.
503-B Vandell Way
Campbell, CA 95008
Telephone
(408) 374-8300

Send for copy of AES preprint.



Circle No. 178 on Reader Service Card

Field Service Engineers

The Grass Valley Group, Inc., a leading manufacturer of television broadcast equipment, is looking for people who want challenging professional positions. Openings exist in California, Indiana and New Jersey.

These challenging positions combine chances for U.S. travel plus marketing and engineering career opportunities. Individuals with experience designing and/or maintaining television broadcast systems are required to provide after-sales support for our wide variety of complex systems.

Interested and qualified candidates are invited to send a resume in confidence to Sylvia Smith, The Grass Valley Group, Inc., P.O. Box 1114, Grass Valley, CA 95945. An Equal Opportunity Employer M/F/H.

The Grass Valley Group, Inc.

A Tektronix Company

When you
absolutely,
positively,
unequivocally,
categorically
need to look
your best.

FUJI
VIDEO TAPE
MADE IN JAPAN

Available in 2", 1", 3/4" and 1/2" Beta and VHS.



Circle 179 on Reader Service Card

www.americanradiohistory.com

NEWS FEATURE

series; it uses an external power supply.

The Mike Shop of Elmont, NY, showed noise reduction systems, the "BEL" series, with technology apparently somewhat like that of dbx. The moderate prices suggest that the units should find applications by broadcasters on tight budgets.

Dolby brought a new package of its Type A noise reduction system, which puts up to 24 channels in only 12 1/4

inches of rack space. This SP Series is aimed specifically for production work in radio and television. (For additional information, see Broadcast Equipment Products, pg. 113.)

Microphones, tape recorders

Audio-Technica, AKG, and Neumann all brought new microphones, generally with improved characteristics. Revox, Otari, and Ampex brought new tape recorders: Revox had the PR99, a refinement of the B67 series which has been so widely used for a number of years; Otari showed the new MR-10 series,

four-track and eight-track mastering recorders using quarter-inch and half-inch tape, respectively.

Ampex introduced the ATR-800, a new unit utilizing the technology of the ATR-100 and designed specifically for broadcast use. It has a number of operating facilities that make it flexible and easy to use in a broadcast station. (For additional information, see Broadcast Equipment Products, pg. 113.)

JBL introduced its new "bi-radial" monitors, with a new horn design that distributes the high frequencies over a wide angle to reduce frequency change with listening position change.

The rising emphasis on the quality of monitor speakers was also reflected in designs from Eastern Acoustic Works of Framingham, MA, a new firm in the field. Its speakers gave evidence of close attention to many subtleties of performance.

A monitor speaker in wide use, the Electro-Voice Sentry 100, appeared in a somewhat refined version as the Sentry 100A. Electro-Voice said that the high frequency response has been given final smoothing for very high precision in this range.

An approach to test equipment design running counter to the dominant trend to automation, multi-functioning ultra-precision, and high prices came from Sescom. Some broadcasters may welcome one or more of the four small portable units: a harmonic distortion analyzer, an audio generator, an ac voltmeter, and an audio frequency meter, priced from about \$80 to about \$130 each.

Sound Technology expanded its commitment to high-precision testing with the new model 1020A FM alignment generator. Aimed for measurement and evaluation of high-performance receivers and tuners, the new unit claims internal distortion under 0.01 percent, digital RF readout, 10 kHz resolution, selectable preemphasis, and accuracy of 0.1 dB.

Crown had an advanced version of the Badap spectrum analyzer system, with eight memories and a readout screen using colors to distinguish data. Amber brought the new Model 4500 automatic distortion analyzer, which sweeps the frequency range, and shows a plot of distortion. It also has a noise readout.

Saki Magnetics had new audio posts for Ampex and RCA two-inch VTRs, new ferrite heads for Studer Revox recorders, and new heads for the Ampex ATR-100.

BTX demonstrated "The Shadow," a new synchronizing system for any combination of audio and video machines. **BM/E**

Think of us as your mike expert.



The lack of a consistent "station sound" is a problem many broadcast engineers wrestle to overcome every day. The simplest and often least expensive way of establishing and maintaining this station sound is the use of a professional-quality broadcast microphone.

The RE20, for example, is uniquely suited to eliminating the sonic variables caused by different announce mike techniques, voice-overs and interview setups.

"Single-D" microphones have proximity effect. The RE20 doesn't, and its unique dual-tube Variable-D design not only

assures uniform frequency response independent of working distance but also regardless of the talent's position within the cardioid pickup pattern.

The RE20 also eliminates the vocal inconsistencies often heard in post production when studio voice-overs are added to ENG tapes recorded in the field with omnidirectional mikes.

If a consistent "station sound" is your objective, a truly professional-quality microphone should be the first solution you should consider. See your Electro-Voice professional microphone dealer. He has the microphone you need.

EV Electro-Voice
a Gulton company

600 Cecil Street, Buchanan, Michigan 49107
In Canada
Electro-Voice Div of Gulton Industries (Canada) Ltd
345 Herbert St., Ganaoquoque, Ontario K7G 2V1



Circle No. 180 on Reader Service Card

SAM 82

STUDIO AUDIO MIXER

Dimensions: 445 x 335 x 80 mm (W x D x H) (17.5 x 13.2 x 3.2)"

Weight: 8 kg (17.6 lbs)



A Van or One Man?

You are on a tight budget, but you can't sacrifice audio quality. Would you send a sound mixing van complete with a 3-4 man crew or would you send one man with hand portable equipment?

Such a choice is possible if you select the 17-inch, 17 pound **SAM 82 Studio Audio Mixer**. Make a comparison and save.

SAM 82 gives you the same program quality as a mobile van

SAM 82 gives you lower production costs

SAM 82 gives you a lower investment cost

SATT **SATT Electronics AB**
 COMMUNICATIONS DIVISION
 Box 32006, S-126 11 STOCKHOLM, SWEDEN.
 Tel. Int +46-8-810100. Telex 10884

International distribution:

Australia: G.E. Direct Marketing, Melbourne Benelux: Transtec BV, Rotterdam
 Denmark: AEG Dansk Elektricitets A/S, Copenhagen Finland: Sähköliikkeiden OY, Vantaa
 France: Publison Audio Professional, Paris Japan: Hoei Sangyo Co. Ltd., Tokyo
 Norway: Siv.ing Benum A/S, Oslo Switzerland: Cine Madeco S.A., Neuchatel
 United Kingdom: AKG Acoustics Ltd., London West Germany: BFE KG, Mainz.


FOR ADDITIONAL INFORMATION MAIL COUPON TO:
 SATT, 19th FLOOR, 295 MADISON AVENUE, NEW YORK, NY 10017

Company _____
 Name _____
 Address _____
 Postal code _____
 Country _____
 Telephone _____

Circle 181 on Reader Service Card

EM/E 1-82

The Quantel 1750 and 1550.



Super Synchronizer. Super TBC. Have it your way

At 1¾ inches high, the new Quantel DFS 1750 is the world's smallest digital framestore synchronizer.

Obviously it occupies less rack space than any other unit. And weighs less. And consumes less power. But it does much more.

It has an infinite window heterodyne TBC, freeze, fast hot cuts, built-in reference signals and test circuitry, full proc amp controls, and a digital I/O interface.

Plus unique auto non-phased operation. If the DFS 1750 senses a non-phased input signal, it automatically activates its heterodyne system to ensure continuity of output. Without any operator intervention.

You can use the DFS 1750 not only to lock external video feeds, but on virtually every input to a switcher, effectively eliminating phasing problems.

If the DFS 1750 is the super synchronizer, the DFS 1550 is the super TBC.

It's a heterodyne TBC, a direct color TBC, and a synchronizer—all in one cost-effective package.

Super TBC gives you most of the features of super synchronizer. Plus a few of its own. Such as unexcelled

hot-cut capability between virtually any source—sync or non-sync, phased or non-phased.

It also includes auto non-phased operation, drop-out compensator, and velocity compensator.

So whether you choose the super synchronizer or the super TBC or both, it's a super choice.

A call to your nearest MCI/Quantel dealer will get you all the details. If you don't have the number, get in touch with us directly at 415/856-6226. Micro Consultants, Inc., P.O. Box 50810, Palo Alto, CA 94303.



MCI/QUANTEL
The digital video people.

INTERPRETING THE **FCC** RULES & REGULATIONS

Broadcaster's First Amendment Rights Upheld

By Lee G. Lovett and Joseph F. Hennessey; Lovett, Hennessey,
Stambler & Siebert, P.C., Washington, D.C.

THE UNITED STATES Court of Appeals has strongly endorsed broadcaster's First Amendment rights in a decision released in September. Although the case, *Muir v. Alabama Educational Television Commission*¹ involved a public television station licensee, the substance of the opinion is important to all broadcasters. The court held that the decision not to air a previously scheduled program was an editorial decision protected by the First Amendment. An unwilling speaker cannot be forced to speak.

In this article, we will briefly discuss the issues outlined by the Court of Appeals. We will also briefly review the background of the case which led to this decision by the Fifth Circuit of the Court of Appeals.

The Alabama Educational Television Commission (AETC) is the licensee of nine noncommercial educational television stations in Alabama. AETC funds operations through a combination of state appropriations, matching federal funds (through the Corporation for Public Broadcasting) and private contributions. On May 10, 1980, AETC announced a decision not to broadcast *Death of a Princess*, a controversial drama/documentary about the events which purportedly surrounded the public execution of a Saudi Arabian princess and her lover in 1977. The Saudi government, as well as companies doing business in Saudi Arabia, protested the film's exhibition both here and in Great Britain. AETC based its May 10 decision to cancel the program on a fear for the personal safety and well-being of Alabama citizens working in the Middle East. Several other public television stations also declined to air the program for similar reasons.

Alabama residents who had planned to watch the program went to court in order to compel AETC to broadcast the film. The Federal District Court refused to grant the request of Muir and his fellow Alabamans. Muir appealed the district judge's decision. The Court of Appeals affirmed the lower court ruling, resulting in the decision discussed here.

Editorial freedom from censorship

The Court of Appeals held that public and private broadcasters may safely be treated identically for constitutional reasons if the functions under review are essentially identical. Of course, the challenged function of AETC in deciding to cancel a program like *Death of*

a Princess is identical to similar functions performed by private broadcasters. Indeed, the appellants (Muir and company) conceded as much. However, Muir sought to distinguish the two situations by arguing that AETC is "owned" by the government. As such, Muir argued, First Amendment restrictions against government censorship bound AETC to broadcast the program.

The court acknowledged the tension between competing interests: freedom from governmental intrusion and censorship on the one hand and editorial freedom and responsibilities embodied in both the Constitution and the Communications Act on the other. Under the act, licensees have the absolute and non-delegable responsibility to select the programs to be broadcast. In fact, AETC once lost its license in part because of its failure to maintain exclusive authority over all of its programming decisions.² Public broadcasters do not differ from other broadcasters in their need for freedom to make every day programming decisions. As a result of these decisions, some programs must be rejected in favor of others. In the court's opinion, "If initial rejection of some programs were considered a form of constitutionally forbidden censorship, every public television station would violate the Constitution with virtually every choice it made."³

The court specifically likened the decision to cancel a scheduled broadcast to the decision to schedule the program originally. "No reason in fact or law appears for treating the former differently from the latter in this case."⁴

We would point out that Congress, the Federal Communications Commission and the courts have given licensees broad discretion in programming decisions, ranging from individual programs to entire formats. Early in 1981, the U.S. Supreme Court upheld an FCC decision eliminating restrictions on entertainment format changes by analogizing to the broad discretion the Commission has afforded licensees in selecting both entertainment and non-entertainment programs.⁵ Thus, in this case, there was no reason to overrule the decision by

¹ ____ F.2d ____, 50 RR2d 275 (5th Cir. 1981).

² *Alabama Educational Television Commission*, 50 FCC2d 461, 32 RR2d 539 (1975).

³ *Muir*, supra., 50 RR2d at 280.

⁴ *Id.*, 281.

⁵ *FCC v. WNCN Listeners' Guild*, ____ U.S. ____, 49 U.S.L.W. 4306 (March 24, 1981).

⁶ *Muir*, supra., 50 RR2d at 281.

FCC Rules and Regulations

AETC absent any finding that "the government of Alabama is really operating the electronic press."⁶ The Court of Appeals found nothing in the record of the case to support the charge. If AETC were forced to air the program, however, it would amount to "seeking to force an unwilling speaker to speak."⁷

Broadcasting rights v. public access

In holding that the First Amendment rights of broadcasters reside equally in noncommercial public licensees such as AETC, the Court of Appeals was also ruling that public broadcasters, like commercial broadcasters, are protected from claims for public access. In its 1973 *CBS* decision, the Supreme Court concluded that a right of public access was fundamentally inconsistent with the responsibilities imposed on broadcasters to serve the public interest.⁸ In the 1979 *Midwest Video II* case, the Supreme Court reiterated its finding that public access would conflict with the independence of individual licensees, particularly since "[t]he language of Section 3(h) of [the Communications Act] is unequivocal; it stipulates that broadcasters shall not be treated as common carriers."⁹

In the case of public broadcasting, the Court of Appeals decided:

that the government owns or financially supports a speech medium does not alone create a public right of access to that medium, much less a public right to force that medium to present a particular film.¹⁰

It is only when the government has created a public forum dedicated to public use that a right of access might come into existence. However, in the case of AETC, it is a licensee vested with the public trust by the FCC. As the Court of Appeals noted, "the character and activity of AETC, and its essential purpose, make clear that it is a place for exercise of the editorial function, that is, of AETC's free press rights set forth in the [First] Amendment."¹¹

This decision reaffirms the editorial discretion traditionally deferred to broadcasters. Specifically, it also holds that these rights extend to public broadcasters. A decision by a public broadcaster to withdraw a previously scheduled program is as much a right of the public broadcaster as of a commercial broadcaster. That the public broadcaster might receive government monies to support operations does not affect this right.

Please remember that the only kind of limitation on programming decisions comes with respect to programs addressing important, controversial questions in your communities. This is the Fairness Doctrine requirement discussed in last month's article. However, the Commission generally defers to the discretion of its licensees even in matters involving the Fairness Doctrine. If you have any questions about this whole matter of editorial discretion, we suggest that you consult communications counsel.

BM/E

⁷*Id.*, 282.

⁸*Columbia Broadcasting System v. Democratic National Committee*, 412 U.S. 94, 93 S.Ct. 2080, 36 L.Ed.2d 772 (1973).

⁹*FCC v. Midwest Video Corp.*, 440 U.S. 689, 705, 99 S.Ct. 1435, 1444, 59 L.Ed.2d 692 (1979).

¹⁰*Muir*, supra., 50 RR2d at 283.

¹¹*Id.*, 282.


CINE 60 SUN-GUN

Beautifully Simple

Beautiful . . . because it's fresnel-soft and uniform — ideal for video. And simple because . . . if 250 Watts is too much, change to 150 Watts. Need more? Go to 350 Watts. Want to go really light? Use 100 Watts (12V.). Outdoors, swing-in the built-on Daylight Filter. You color correct instantly! Indoors, swing away the Filter and you have tungsten light! Never a need to readjust camera color controls here! For focus, vary the beam from 8 to 14 Ft. For power, choose from 20 Sun-Gun Powerbelts and Powerpaks. And, to make it beautifully simple . . . we put it all together for you in any one of 17 Portable Sun-Gun Kits. See your dealer or send for data, today.

CINE 60

INCORPORATED
630 Ninth Ave. 6430 Sunset Blvd.
New York, N.Y. 10036 Hollywood, C.A. 90028
(212) 586-8782 (213) 461-3046



CABLE TELEVISION COORDINATOR \$2287 Per Month

Highly responsible professional and technical work in coordinating and monitoring cable television operations within the City of New Orleans.

Applicants must have:

B.A. or B.S. from an accredited college or university in Electrical Engineering, Electronic Engineering, Communications, Broadcasting, or a closely related field. Official college transcript or diploma specifying degree must be presented within 2 weeks of application.

5 years of fulltime professional administrative experience (which must have been gained within the last 10 years) in the field of electronic communications.

Excellent fringe benefits. Please contact Selarstean Mitchell, City Hall, Room 7W03, 1300 Perdido St., New Orleans, La. 70112 or phone (504) 586-3147.

AN EQUAL OPPORTUNITY
EMPLOYER

Circle No. 183 on Reader Service Card



Production Studio, WRBR-FM, South Bend, Indiana.

Electro-Voice's Greg Silsby talks about the Sentry 100 studio monitor

When I first described to Electro-Voice engineers what I knew the Sentry 100 had to be, I felt like a "kid in a candy store." I told them that size was critical. Because broadcast environment working space is often limited, the Sentry 100 had to fit in a standard 19" rack, and it had to fit *from the front, not the back*. But the mounting hardware had to be optional so that broadcasters who didn't want it wouldn't have to pay for it.

The Sentry 100 also had to be both efficient and accurate. It had to be able to be driven to sound pressure levels a rock 'n roll D.J. could be happy with by the low output available from a console's internal monitor amplifier.

The Sentry 100 also had to have a tweeter that wouldn't go up in smoke the first time someone accidentally shifted

into fast forward with the tape heads engaged and the monitor amp on. This meant high-frequency power handling capability on the order of five times that of conventional high-frequency drivers.

Plus it had to have a 3-dB-down point of 45 Hz, and response that extended to 18,000 Hz with no more than a 3-dB variation.

Since it's just not practical for the engineer to always be directly on-axis of the tweeter, the Sentry 100 must have a uniform polar response. The engineer has to be able to hear exactly the same sound 30° off-axis as he does directly in front of the system.

I wanted the Sentry 100 equipped with a high-frequency control that offered boost as well as cut, and it had to be mounted on the front of the loudspeaker where it not only could be seen but was accessible with the grille on or off.

I also didn't feel broadcasters should have to pay for form at the expense of function. The Sentry 100 had to be attractive, but another furniture-styled cabinet with a fancy polyester or die-cut foam grille wasn't the answer to the broadcast industry's real needs.

And for a close I told E-V's engineers that a studio had to be able to purchase the Sentry 100 for essentially the same money as the current best-selling monitor system.

I'm happy to report that we've achieved *all* our objectives.

Market Development Manager,
Professional Markets

EV **Electro-Voice**[®]
a **gulton** company

600 Cecil Street, Buchanan, Michigan 49107

In Canada:
Electro-Voice, Div. of Gulton Industries (Canada) Ltd.,
345 Herbert St., Gananoque, Ontario K7G 2V1.




Circle 184 on Reader Service Card


new

from VIDEO AIDS

VAC



LET US WATCH YOUR VIDEO!



THE VIDEO SQUELCH

The VS-1 Video Squelch will tirelessly monitor your video from sign-on to sign-off for signal quality. If your main video source disappears or becomes noisier than your preselected level, the VS-1 provides audible alarm and switch-over to alternate video source (such as "please stand by" message, color bars, or better signal link).

Ten amp relay contacts are also provided to switch off translators or other equipment when video source noise becomes unacceptable.

**GREAT FOR CLOSED CIRCUIT INSTALLATIONS
WITH MORE PROGRAM OUTPUTS THAN PERSONNEL.**

Call collect for the number of
your local dealer: (303) 443-4950

VIDEO AIDS OF COLORADO
1930 Central Avenue • Boulder, Colorado 80301

Circle 185 on Reader Service Card

GREAT IDEA CONTEST

Here's a chance to share your own personal solutions to some of broadcasting's most vexing engineering needs: end-of-tape sensing . . . cart deck synchronization . . . on/off-air indication on the mixing board . . . distributing timing pulses . . . etc.

Each month we will present a specific engineering problem and invite you to submit ideas on how to solve it. Send in descriptions and diagrams of equipment you have already built, or ideas on how you think the problem ought to be solved. *BM/E's* editors will read the entries and select the best for publication — giving readers an opportunity to vote for the idea they consider best.

To attract the most original solutions possible, we will pay \$10 for each entry we print. In addition, the winner of each month's competition — the one voted for most often on our Reader Service Card — will receive an engineering slide rule calculator as a prize.

So put on your thinking cap and submit an answer to either of the problems outlined below. Solutions to Problem 2 must be received by January 15, 1982, and will be printed in the March 1982, issue. Solutions to Problem 3 must be received by February 15, 1982, and will be printed in the April, 1982, issue.

Problem 2: AUTOMATIC RECORDING

Facilities equipped with satellite receiving loops often have incoming feeds on an irregular basis. To avoid having an operator standing by 24 hours a day, is there a device or circuit that will automatically switch on a recorder and at the same time alert a technician that a recording is being made?

*Solutions to Problem 2
must be received by
January 15, 1982 and will be printed
in the March, 1982, issue.*

Problem 3: ELAPSED TIME INDICATOR

Tape recorders and cassette decks (both audio and video) often lack elapsed time or remaining time indicators. What is your design for a device that will provide this information, have instant manual reset, be readable from a distance, and start automatically when the recorder is turned on?

*Solutions to Problem 3
must be received by
February 15, 1982 and will be printed
in the April, 1982, issue.*

CONTEST RULES

- How to Enter:** Submit your ideas on how to solve the problems, together with any schematic diagrams, photographs, or other supporting material. Entries should be roughly 500 words long. Mail the entries to *BM/E's* Great Ideas Contest, 295 Madison Avenue, New York, NY 10017. Use the official entry form or a separate piece of paper with your name, station or facility, address, and telephone number.
- Voting and Prizes:** *BM/E's* editors will read all entries and select some for publication; the decision of the editors is final. Those selected for publication will receive a \$10 honorarium. Each month, readers will have an opportunity to vote for the solution they consider the best by using the Reader Service Card. *BM/E* will announce the solution receiving the most votes and will award the winner of each month's competition an engineering slide rule calculator.
- Eligibility:** All station and production facility personnel are eligible to enter solutions based on equipment already built or on ideas of how the problem should be solved. Consultants are welcome to submit ideas if they indicate at which facility the idea is in use. Manufacturers of equipment are not eligible to enter. Those submitting solutions are urged to think through their ideas carefully to be certain ideas conform to FCC specs and are in line with manufacturers' warranty guidelines.

Mail Official Entry Form to:

BM/E's Great Ideas Contest

295 Madison Avenue, New York, NY 10017

Solution to Problem # _____

Your Name: _____

Title: _____

Station or Facility: _____

Address: _____

Telephone: (_____) _____

I assert that, to the best of my knowledge, the idea submitted is original with this station or facility, and I hereby give *BM/E* permission to publish the material.

Signed _____

Date _____

If you're looking for low-cost TV programming with broadcast quality...

There's a Harris earth station system to fit your needs

The Harris SSL* family offers a variety of satellite earth stations *specifically designed for broadcasters*. Whatever your system requirement—large or small, downlink or uplink—Harris has the complete package for you, including total planning, rapid reposition antennas, video receivers, exciter-high power amplifiers, microwave links, remote control and complete installation. All backed by Harris 24-hour-a-day service—the most responsive in the broadcast industry.

The high-speed drive system of the Harris kingpost pedestal allows rapid and accurate repositioning of the antenna, so that it can be rotated automatically between any domestic com-



6.1 meter



9.0 meter

munications satellites in less time than a normal commercial break.

The Harris 9.0 meter SSL provides the industry's most advanced feed horn antenna design, with video receive S/N (signal-to-noise) in the high 50s for network quality broadcasting. This antenna is also designed for uplink service, *where specifications and price outperform 10 meter designs!*

The 6.1 meter SSL provides *highly cost effective* TV receive only (TVRO) service for broadcasters, with S/N performance in the mid-50s.

Set your sights on a whole new universe of TV program sources. Contact Harris Corporation, Broadcast Products Division, Quincy, Illinois 62305-4290. 217-222-8200.

*Satellite to Studio Link




HARRIS

Circle 186 on Reader Service Card

BROADCAST EQUIPMENT

Dolby Multi-track Noise Reducer 250

Introduced at AES, the SP series is a professional multi-track noise reduction unit that provides up to 24 tracks of Dolby A noise reduction in 12¼ inches of rack space. It features



a separate regulated power supply with electronically controlled output protection and twin low-noise fans, plus an LED display for each track for accurate calibration. Additional LEDs indicate the presence of signals and clipping and assist alignment with

high-level reference tapes. The unit can easily be recalibrated for playback and punch-in of non-standard-level tapes. The user can choose between relay-controlled "hard" bypass or electronic buffered bypass modes. Other features include balanced and floating input stages; low distortion I and O amps; and remote ground-sensing output configuration to minimize hum pickup when driving single-ended loads. DOLBY LABORATORIES.

Ampex Unveils Broadcast ATR 251

Ampex's ATR-800, introduced at AES, is a broadcast audio recorder featuring cue amplifier, hand-on-reel and tape dump modes for manual editing, variable shuttle control, electronic tape timer, single point search-to-cue, and pick-up record capability, which allows editing or dubbing of new material without creating errors at either end of the new insert. The recorder can accommodate a fourth



head for playback of two different tape formats with no head assembly change. A closed loop dc servoed transport maintains constant tape tension in all operating modes. Variable speed operation permits recording and playback up to -10 percent of nominal speed. For operator convenience, the inter-

TELEVISION MAINTENANCE ENGINEER

New England Telephone has an immediate opening for a corporate television engineer in the Boston area. The position is about 60% maintenance and 40% operating engineering.

Applicants should be well-versed in set-up, maintenance, and repair of broadcast type cameras, 1" type C VTRs, and microprocessor based editing systems and routing switchers.

Send your resume and salary requirements to Box 222, Broadcast Management/Engineering.



An equal opportunity employer.

Using RCA
TK 86 Cameras?

then you need . . .



**Model H14
ON-BOARD*
premium
Nicad batteries!**

Model H14 mounts directly on the TK 86 "snap-on"† battery mounting bracket and provides:

- Full 4AH for long operating time per charge
- Sturdy aluminum case for better heat transfer
- FAST charge in 50 minutes

Introductory Offer!

Send in this ad with your order and receive a 20% discount on your initial purchase of the PEP premium "Best Buy" replacement camera batteries.

*trademark of Frezzolini Electronics, Inc. †trademark of Anton/Bauer

Order from:

PEP / EAST
25 West 54th St.
New York, NY 10019
(212) 246-2490

PEP / WEST
213 North Cedar
Inglewood, CA 90301
(213) 419-0309

NOW SHIPPING FROM STOCK

BETTER BATTERIES AT LOWER COST

Circle No. 187 on Reader Service Card

Never build an editor that can become obsolete...



And it goes for every Z editor ever built.

Considering all the advancements made in videotape editing systems in just the last three years, you might think your Mini-Z or Z-6 editing system is becoming obsolete. Well, it's not.

In fact, even though we're introducing a whole new line of Z6000 editors, the very first Z editor we ever built can be fully upgraded to Z6000 capability for less than \$4,500!

So, if you own a Videomedia editing system, hang on to it. For a surprisingly low cost, you can expand its capabilities whenever you want.

Frame accurate editing, for under \$11,000.

Don't buy a system with more features than you need. If you do, you're paying for "extras" before you can use them. Instead, invest in a system that can grow with you.

For example, start with a Z6000-A, a cuts-only editor with four-way split edits, auto extend and tag, four-event swap/recall, printer output, and the ability to select in and out points on the fly. Like all Z6000 editors, it has distributed intelligence, which controls each transport with an

individual microprocessor, thus eliminating timing discrepancies... all for less than \$11,000!

What's more, you'll be able to add features, such as our new KR6000 character generator for integrated graphics control, when you need them, at a fraction of the cost of a new system with the same capabilities.

Keep up to date at your own pace.

Whenever we build a new product or add a new capability, we make sure that it adapts to all our previous systems.

That's why, when you buy any Videomedia product, you're investing in a system with a future.

For complete details on our entire line of editing systems, post-production equipment, and a copy of our exclusive No-Obsolescence Policy, call or write today.

Videomedia

Professional Television Systems


250 North Wolfe Road

Sunnyvale, CA 94086

Telephone: (408) 733-6500

Circle 188 on Reader Service Card

www.americanradiohistory.com




Broadcast Equipment

changeable control panels may be mounted on either the left or right side of the recorder, allowing ease of use for right- or left-handers. An interface for professional noise reduction systems is optional, and the recorder may be rack-mounted. Basic two-channel version, \$5450. AMPEX CORP.

Color Encoder from Lenco 252

The PCE-462 professional color encoder, introduced at SMPTE, produces an NTSC/EIA color signal from three- or four-channel video source (fourth or luminance channel



is optional). It requires RGB, sync, subcarrier, and blanking signal inputs. A full or split field color bar generator simplifies setup and maintains levels. Input video clamping eliminates low frequency noise and

color errors; all inputs are 75 ohm impedance with loop-through bridging greater than 20K ohms. Controls are on the front panel. LENCO, INC.

Ikegami Telecine Camera 253

TKC-990 is a photoconductive color telecine camera for on-air or film-to-tape transfer, featuring fully automated setup, provision for projector characteristics and camera-to-camera equalization, automatic or preset correction for film deficiencies, and centralized remote control for multiple camera installations. For on-line use, film characteristics can be uncorrected, manually corrected, or automatically corrected. For off-line applications, detailed operator scene-by-scene corrections can be established and stored for retrieval during subsequent film playback and transfer to tape. Setup, operation, and maintenance controls, as well as color corrections and corrections for projector characteristics, are micro-

**For more information
circle bold face numbers
on reader service card.**

computer-controlled and digitally stored. The three-Saticon or vidicon camera has center resolution of 700 lines, with a prism beamsplitter. IKEGAMI ELECTRONICS (USA) INC.

Updated Chyron IV Graphics System 254

A new edition of the Chyron IV graphics system, to be introduced at NAB '82, provides many new features. These include 512 color



choices, multicolor characters, diagonal typing, built-in preprogrammable fader, background graphics plane, four-level animation plane, and digitizing tablet. The new Multimode Graphics Module, the heart of the system, replaces the existing Font Compose Module. All earlier units currently in use may be retrofitted to provide many of the new features. CHYRON TELESYSTEMS

NATIONAL SALES MANAGER INDUSTRIAL VIDEO PRODUCTS

Leading manufacturer seeks a national sales manager with a minimum of 5-10 years experience in the industrial video products field. Emphasis should be in sales management, evaluation of market potentials for new and existing products and obtainment of sales goals. Our financial package includes salary, commissions and company car, plus other fringe benefits. We are located in Bergen County, NJ. Please submit resume and salary history in strictest confidence.

**Box 999, BM/E MAGAZINE,
295 Madison Avenue, New
York, N.Y. 10017.**

**Using Sony
BVU 50 VCR?
BVU 110 VCR?
BVH 500 VTR?**

then you need . . .



**Model V90
premium
VTR battery!**

The V90 is a direct replacement for the BP90 battery and provides:

- Longer operating time (greater capacity)
- Sturdy plastic case, easily replaceable fuse
- Tailored design for high charge/discharge rates

Introductory Offer!

Send in this ad with your order and receive a 20% discount on your initial purchase of the  premium "Best Buy" replacement VTR batteries.

Order from:

PEP / EAST
25 West 54th St.
New York, NY 10019
(212) 246-2490

PEP / WEST
213 North Cedar
Inglewood, CA 90301
(213) 419-0309

NOW SHIPPING FROM STOCK

BETTER BATTERIES AT LOWER COST

Circle No. 189 on Reader Service Card

"HERE'S THE CAMERA THAT HELPED US CONQUER SPACE. SHARP'S XC-700."

Bill Gibson, President, Bill Gibson Productions, former Film Maker Of The Year, Consultant to NASA and Director of films for 20th Century Fox, Warner Bros. Seven Arts and the governments of over 15 nations.

"When the space shuttle touched down at Edwards Air Force Base, our cameraman, Tim McGovern, and Sharp's XC-700 were there.

It was a critical shot for a series we're syndicating for TV called "Conquest of Space."


And once again Sharp's XC-700 proved it had the right stuff.

For reliability and simplicity, you just can't beat this camera.

Because it lets you forget the mechanics and concentrate on getting the shot.

What's more, even when you've bounced it around on location, the registration locks in tight and the footage is as good as a cameraman can make it. That's why we plan to shoot Columbia's next takeoff and landing with Sharp's XC-700, and take it to the Soviet Union later this year to cover former and present cosmonauts.

And why I'd put it up against any camera in the business, regardless of price."



For more information, contact your local dealer, or write Sharp Electronics Corporation, Professional Products Dept. BME-1, 10 Sharp Plaza, Paramus, New Jersey 07652

Circle 201 on Reader Service Card

Broadcast Equipment

dbx Noise Reduction System 255

Model 180 is a new dbx Type I noise reduction system that provides two channels of encode electronics and two of decode electronics. It is intended for use with professional two-track



tape machines and is designed for installation between the console or mic mixer and the line level inputs to the tape machine. It is compact and lightweight and may be taken easily on remote jobs. The separate encode and decode electronics permit decoded monitoring off tape of the signal being tested. Other features include active balanced high-level inputs; +24 dBm output drive capability with provision for output balancing transformers; more than 40 dB additional dynamic range; and true RMS level detection. DBX, INC.

Portable Audio Mixer from Film-Tech 256

The Compact 4-1 EFP is a portable four-channel audio mixer designer for use with lightweight EFP video recorders. Channel four is switchable to a balanced line input. The mixer may



be powered by internal batteries, ac mains, or external dc source between 17 and 35 V. Features include four transformer-balanced mic inputs with 20 dB attenuator and phase reversal; 48 V or 12 V phantom and 12 V A-B mic powering on each mic input; two frequency bass cut filters on each mic input; pre-main gain LED overload indicator; main output transformer balanced with switchable 50 dB attenuator, allowing direct connection to portable VTRs; PPM as standard (VU meter optional); headphone output; and low voltage indicators for mixer and mic powering. The mixer measures approximately 10 1/4 by 7.8

by 1.9 inches and weighs 6.6 pounds with batteries. FILM-TECH ELECTRONICS, LTD.

Zoom Lenses from Fujinon 257

Two new zoom lenses, introduced at SMPTE, are the A17x8.5 for 2/3-inch cameras and the P28x15ESM for studio cameras. The 2/3-inch lens, ranging from a wide 8.5 mm to 144.5 mm, has a built-in 2x extender. Maximum aperture of f/1.5 stays flat out to 80 mm; minimum object distance is 2.3 feet. Other features in-



clude servo or manual zoom and focus with servo iris and total weight of 23.8 pounds. The studio lens, with 1.7x extender, has a maximum aperture of f/2.2, flat to 150 mm; MOD



Also, a complete line of
Weather Instruments



Circle No. 190 on Reader Service Card

Electric Rain Gauge

Now you can report minute-by-minute rainfall amounts and not get wet! This new, low cost, remote-reading gauge shows announcer rainfall accumulations in 1/100-inch increments. Transmitter can be located several hundred feet away and is completely automatic — needs no service or attention. Ask for free Spec. Sheet, Model 525 Rain Gauge.

(214)
631-2490

Department B
Texas

Electronics, Inc.
P. O. Box 7225
Dallas, TX 75209

Beyond P.L.*



**Broadcast Intercoms limited only by
your creativity, imagine:**

- Live Remote P.L. and Cue Systems
- Battery Operated ENG/EFP Systems
- 4 Channel Studio and Post Production P.L. Systems
- Mobile Van P.L. Systems
- Cameraman's Headsets

All NEW from Clear-Com

Send for our catalog on more ideas
and technical information.

*A closed circuit hardwired intercom system.

Clear-Com
intercom systems

759 Harrison Street
San Francisco, CA 94107
(415) 989-1130
TWX: 910-372-1087

Circle No. 191 on Reader Service Card

Profit from the big picture... affordable, airborne ENG



The Hughes Helicopters 300C makes airborne Electronic Newsgathering affordable for most stations and marketplaces. The newest addition to the ENG field combines the Ahead of TIME technology of the Hughes 300C and microelectronics to produce the most economical airborne ENG system available.

The 300C's lightweight, durable design has proven its reliability in the toughest applications. All components are engineered for minimum maintenance and low operating costs. With a low initial investment the 300C provides stations with outstanding ENG capabilities. It provides a low vibration platform for better pictures. Its small size,

maneuverability and wrap around cockpit design allows you to follow all the action.

When equipped, with an I.M. Systems installed, GHZ-12 watt miniature portable transmitter, the 300C is the most cost effective newsgathering helicopter ever developed with the capability for live or tape delay coverage and ground-air-ground relay.



To obtain the complete picture on the Hughes 300C-ENG and a free demonstration, contact: North American Sales, Centinela & Teale Streets, Culver City, California 90230, USA, or call (213) 305-3054.



Hughes Helicopters
Ahead of TIME Technology

Circle 192 on Reader Service Card

www.americanradiohistory.com

Broadcast Equipment

of 2.95 feet; and overall range of 15 to 420 mm (without extender). A three-lamp diascope for automatic setup is available optionally. FUJINON OPTICAL INC.

Panasonic Color Monitors 258

Two 13-inch color monitors feature the Quinrix II in-line picture tube. The CT-132OV receiver/monitor au-



tomatically adjusts color quality to preselected levels with its ColorPilot feature. It offers single-axis VHF/UHF electronic tuning, Panalock automatic fine tuning, and is equipped with eight-pin VTR connectors, BNC-type video and RCA-type audio connectors, TV, VTR, line input, select switch, monitor, and TV out capability. Model CT-132OM is the corresponding video monitor. CT-132OV, \$595; CT-132OM, \$495. PANASONIC VIDEO SYSTEMS DIVISION.

Antennas from Micro Communications 259

Small enough to be portable, Series 93000 pyramidal horn and reflector microwave antennas are for mobile as well as fixed point-to-point applications. They are lightweight, rugged, and of modular design, with interchangeable 2 GHz, 7 GHz, and 13 GHz feeds; surface tolerance permits gains over 40 dB up to 13 GHz. Left, right circular or linear polarization may be obtained by digit manipulation. Assembly and disassembly are quick, with no tools required; all hardware is self-contained. Reflectors are available in two- or four-foot diameters. MICRO COMMUNICATIONS, INC.

**For more information
circle bold face numbers
on reader service card.**

CASES BUILT FOR THE FUTURE
(OF YOUR EQUIPMENT)

Star Case

When you pack for the ultimate show whether it be across town or across the universe your equipment will land safely with Star Case.

Before your next close encounter on the road call or write:

Star Case
Manufacturing Company, Inc.
15525 South 70th Court
Orland Park, Illinois 60462
312-429-6200

Circle No. 193 on Reader Service Card

A revolution in portable power—this new PEP sealed lead-acid battery drives

TWO ON ONE

No other system can offer this unique ability: a video camera and sun-gun run by one portable battery unit. Think of the advantages. Eliminate the need for two battery units, reducing the news cameraman's weight load, increasing maneuverability in news conference and other low light situations.

Plus all the other advantages of the sealed lead-acid battery—no "memory effect," excellent voltage regulation even in extreme temperatures, low self-discharge, increased reliability with fewer cells for power supply. And all the practical PEP extras—built-in meter, a charger that won't overcharge, crack resistant naughahyde belts with convenient velcro closure and more.

Send us the make and model number(s) of your equipment for a free two week trial of this revolutionary new portable power source.

PEP sealed lead-acid batteries— "The Problem Solvers." Battery packs and belts for all film and video cameras and 30 volt lights.

PEP
PORTABLE ENERGY PRODUCTS, INC.

1875 South Pearl Street
Denver, Colorado
303-778-8618

PEP SLA 14100 (14v/10ah) belt with RCA TK-76 and 100 w sun-gun. Running time: 45 min., camera and light; 2½ to 3 hours, camera only. Model SLA 12100 (12v/10ah) available for 12 volt systems.

Circle No. 194 on Reader Service Card

Vital Industries has instituted a cost-saving manufacturer-financing program - applicable to any Vital equipment purchase.

In accordance with our longterm commitment to more responsive television industry service, equipment purchases are being directly financed by Vital Industries itself at **10% interest**.

Recognizing the barriers raised by prohibitively high interest rates, this financing program is offered well below prime — to permit prompt acquisition, without delay, of the advanced programming and operational systems so essential to productivity and profitability.

This bottom-line economy adds to the special advantage Vital offers TV management: **a complete line of switching, video effects and station automation equipment, available from one single source** — 25 sophisticated system options, totally line compatible. Including production and post-

production mixers and switchers, plus our exclusive digital video manipulation system, the versatile Squeezezoom®. All are state-of-the-art products of Vital's innovative technology; and all are now available with Vital 10% financing.

This low-interest opportunity is made possible by Vital Industries' unique financial strengths, solidly established by nearly two decade's stable performance and continuing growth. Now the largest U.S. independently-owned manufacturer of TV switching, effects and distribution systems, Vital can draw on corporate resources available from few other suppliers.

For full program details, contact our Finance Department:

(800) 874-7875 Toll Free



VITAL INDUSTRIES, INC.

3700 N.E. 53rd Street
Gainesville, Florida 32601, USA

Circle 195 on Reader Service Card

Advertisers Index

ADM Technology	Cover 2
Aiexander Manufacturing	.87
Ampex—AVSD	4-5
Ampex—MTD	.36
Anvil Cases	.14
Arrakas	.70
Aristocart	.82
Asaca Corp of America	.13
Belar Electronics Lab.	.122
Broadcast Video Systems	.52
Camera Mart	42-43
Canon USA	.35
Capitol Magnetic Products	.46
Central Dynamics	.22
John Chiles	.24
Christie Electric	.34
Cine 60	.108
Clear-Com Intercom Systems	.117
CMX/Orrox	.3
Comrex	.99
Continental Electronics Mfg.	34,88
Convergence	.80
Countryman Associates	.79
Datatek	.33
dbx	52,94
Digital Video Systems	.17
Dolby Laboratories	.63
Electrohome	.100
Electro-Voice	104,109
Emcee Broadcast Products	.93
ENG	.122
ESE	.39
Everything Audio	.54
Excalibur Industries	.51
Fernseh	.64
Fuji Photo Film USA	.103
Alan Gordon Enterprises	.54
Grass Valley Group	.7,102

G&M Products	.94
Gray Engineering Labs	.121
Harris Audio Systems	.92
Harrls Corp	53,112
Harrison Systems	.9
Hitachi Denshi American Ltd.	.61
Hughes Helicopters	.118
IGM	.51
Ikegami Electronics USA	38,48,84,95
Inovonics	.102
US JVC	.76
Knox Video Systems	.24
Leader Instruments	.47
Lenco	.90
Lerro Electrical	.30
LPB	.40
Marconi Electronics	.96
Maxell Corp of America	.18
MCI/Quantel	.106
Microtime	.58
Microtrak	.81
Microwave Assoc Communications	.74
Rupert Neve	15,72
New England Telephone	.113
New Orleans	.108
N-Pro	.85
Orban Associates	.44
Pep	113,115
Philips Test & Measuring Instruments	.98
Portable Energy Products	.119
Potomac Instruments	.88
Ramko Research	.121
RCA Broadcast Systems	.71
Ruslang	.91
Satt Electronics	.105
Schneider TV Lenses	.25
Sharp Electronics	.116
Shure Bros.	19,73,86
Sound Technology	.41

Stanton Magnetics	.16
Starcase	.119
Studer Revox America	Cover 3
System Concepts	.50
Television Equipment Assoc.	.23
Telex Communications, Inc.	.89
Texas Electronics	.117
Thomson-CSF Broadcast	10-11
Time & Frequency Technology	.20
UMC Electronics	.21
United Media	.26
Utah Scientific	.67
Varian, Eimac Div	.83
Video Aids Corp of Colorado	.110
Videomedia	.114
Videotek	.16
Vital Industries	.120
Ward Beck Systems Ltd	Cover 4
Winsted	.75
Yamaha	.78

SALES OFFICES



Broadcast Management/Engineering

295 Madison Ave.
New York, New York 10017
Telex: 64-4001
National Sales Manager
James C. Maywalt

Eastern & Midwestern States

295 Madison Avenue
New York, New York 10017
212-685-5320
James C. Maywalt
Denis J. O'Malley

Western States

300 Broadway
Suite 20
San Francisco, CA 94133
415-421-7330
William J. Healey
Rick Jamison
18998 Skypark Circle, Suite 260
Irvin, CA 92714
714-556-6480
Bob Hubbard

United Kingdom/Europe

Chiberton House
Doods Road
Reigate, Surrey, England
Telephone: Reigate 43521
Bronwyn Holmes
Derek Hopkins

Japan/Far East

Eiraku Building
1-13-9, Ginza,
Chuo-Ku, Tokyo 104 Japan
03 (562) 4781
S. Yasui
K. Yamamoto

When accuracy counts...Count on Belar for AM/FM/TV MONITORS



BELAR
AM MODULATION MONITOR



BELAR CALL ARNO MEYER (215) 687-5550
ELECTRONICS LABORATORY, INC.
LANCASTER AVENUE AT DORSET, DEVON, PA. 19333 • BOX 826 • (215) 687-5550

Circle No. 198 on Reader Service Card

MOBILE ELECTRONIC JOURNALISM

FIELD TESTED VANS AND FOUR
WHEEL DRIVE DESIGNS TO MEET
YOUR ENG/EFP REQUIREMENTS.
QUALITY • RELIABILITY • ECONOMY

E-N-G CORPORATION


1009C SHARY CIRCLE • CONCORD, CA. 94518
(415) 798-4060



Circle No. 199 on Reader Service Card

SEE US AT NAB BOOTH 1501

www.americanradiohistory.com



Does the Revox PR99 remind you of something?

It should.

It's inexpensive to buy, easy to maintain, practical, reliable, made in West Germany, and built to keep on going through years of demanding use.

No gadgets, no frills. Merely a solid machine equipped with everything a professional needs to get the job done efficiently—and with high quality results.

What's more, the PR99 now comes in three versions: all-steel console, transport case

with snap-off cover, and rack mount. All three may be ordered with the new monitor panel: speaker, amp, volume control, and track selector.

Other features include: • Die-cast chassis • Precision machined headblock • Balanced line in and out switchable for calibrated or uncalibrated mode • Servo-controlled capstan motor • Edit mode switch • Tape dump • Self-sync • Choice of 3.75/7.5 or 7.5/15 ips • Remote control and vari-speed available.

In short, the PR99 is so versatile, so dependable, and so downright sensible that you could almost call it a "volksorder."

Except, well...the shape isn't quite right.

STUDER REVOX

Studer Revox America, Inc.
1425 Elm Hill Pike, Nashville, TN 37210 (615) 254-5651
Offices: Los Angeles (213) 780-4234
New York (212) 255-4462
Canada: Studer Revox Canada, Ltd.

Circle 200 on Reader Service Card

Contemporary reflections!

A dazzling new performer has captured the spotlight in the sophisticated world of contemporary sound.

Reflecting industry demands for comprehensive facilities, and studio reproduction quality in a transportable console, Ward-Beck presents the WBS T1202.

Another classic example of Ward-Beck's flawless dedication to engineering excellence!



First by Design.



Ward-Beck Systems Ltd., 841 Progress Avenue, Scarborough, Ontario, Canada M1H 2X4.
Tel: (416)438-6550.

Ward-Beck Systems Inc., 6900 East Camelback Road, Suite 1010, Scottsdale, Arizona 85251.