

Inside: **Bonus All-Mac Supplement** (follows page 224)

# BYTE

MARCH 1989

A McGRAW-HILL PUBLICATION

## REVIEWS

Compaq & Ogivar  
Portables  
Advanced Floppy Disk  
Drive Controllers  
Programmers' Text  
Editors  
Superbase 4

## PRODUCT FOCUS



10 Large-Screen  
Monitors

# 286 vs. 386SX

*Is the 286 dead?*

*Do you really need an SX?*



Classic IBM AT



Twinhead  
Superset

## IN DEPTH

Object-Oriented Programming

## PLUS

High-Speed Caches  
PC-Write 3.0  
Turbo EMS



\$3.50 U.S.A. / \$4.50 IN CANADA  
0360-5280

World Radio History

# PLEASE CALL 800-426-5150.



## THE DELL 20 MHz 286 SYSTEM 220.

It's an 80286 system that's as fast as most 386 computers. But at less than half the price. Which means you get the best price/performance of any system. The System 220 runs at 20 MHz, with less than one wait state. It also features complete compatibility with Microsoft MS-DOS and MS OS/2, plus a remarkably small footprint. The System 220 is the ideal executive workstation.

### STANDARD FEATURES:

- 80286 microprocessor running at 20 MHz.
- 1 MB of RAM\* expandable to 16 MB† (8 MB† on system board).
- Page mode interleaved memory architecture.
- LIM 4.0 support for memory over 1MB.
- Integrated diskette and VGA video controller on system board.
- Socket for Intel 80287 math coprocessor.
- One 3.5" 1.44 MB diskette drive.
- Integrated high performance hard disk interface on system board.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports integrated on system board.
- 3 full-sized industry standard expansion slots available.

### OPTIONS:

- External 5.25" 1.2 MB diskette drive.
- 3.5" 1.44 MB diskette drive.
- Intel 80287 math coprocessor.
- 1 MB RAM upgrade kit.

\*\*Lease for as low as \$85/Month.

System 220 Disk Drives	With Monitor	
	VGA Mono	VGA Color Plus
One Diskette Drive	\$2,299	\$2,599
40 MB-29 ms Hard Disk	\$2,999	\$3,299
100 MB-29 ms Hard Disk	\$3,799	\$4,099



## THE DELL 12.5 MHz SYSTEM 200.

A great value in a full-featured AT compatible. An 80286 computer running at 12.5 MHz, this computer is completely Microsoft MS-DOS and MS OS/2 compatible. The System 200 offers high speed drive options, industry standard compatible BIOS and on-site service. As Executive Computing said of this computer's predecessor, "If faster processing speed and low cost are two key issues affecting your purchase decision, this machine might be the ideal choice for your office."

### STANDARD FEATURES:

- 80286 microprocessor running at 12.5 MHz.
- 640 KB of RAM expandable to 16 MB† (4.6 MB† on system board).
- Socket for Intel 80287 math coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard disk drive controller.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 200-watt power supply.
- 6 industry standard expansion slots.

### OPTIONS:

- Intel 80287 math coprocessor.
  - 512 KB RAM upgrade kit.
- \*\*Lease for as low as \$99/Month.

### \*PERFORMANCE ENHANCEMENTS (SYSTEMS 325, 310 AND 220):

640 KB is available for programs and data. The remaining 384 KB is reserved for use by the system to enhance performance.

†Using 1MB SIMMs. Inquire as to availability.

System 200 Hard Disk Drives	With Monitor & Adapter	
	VGA Mono	VGA Color Plus
40 MB-28 ms	\$2,699	\$2,999
90 MB-18 ms ESDI	\$3,499	\$3,799
150 MB-18 ms ESDI	\$3,999	\$4,299
322 MB-18 ms ESDI	\$5,999	\$6,299

## LASER PRINTERS AND MORE.

The obvious companion for a high performance Dell system is a Dell laser or dot matrix printer. All printers come with 30-day money-back guarantee. And be sure to ask about our software offerings, which include most popular third-party applications as well as Dell Enhanced operating system software.

### LASER PRINTERS.

Laser System 150, 15 pages per minute:	\$5,995.
Laser System 80, 8 pages per minute:	\$3,295.
Laser System 60, 6 pages per minute:	\$2,195.

All Dell laser printers come with 1.5 MB RAM, full-page 300 DPI graphics, and have 31 standard fonts (7 resident and 24 down-loadable from diskette). Dell laser printers also provide Hewlett-Packard LaserJet, Epson/FX, IBM Proprinter and Diablo 630 emulations.

### DOT MATRIX PRINTERS.

Printer System 800:	\$699.95.
---------------------	-----------

Our highest resolution text and graphics, 24-pin dot matrix printer. Draft quality at 200 cps. Letter quality at 66 cps. Parallel and serial interfaces. Wide carriage.

Printer System 600:	\$499.95.
---------------------	-----------

9-pin dot matrix. Draft quality at 240 cps. Near-letter quality at 60 cps. Parallel interface. Wide carriage.

Printer System 300:	\$199.95.
---------------------	-----------

9-pin dot matrix. Draft quality at 144 cps. Near-letter quality at 36 cps. Four standard fonts. Parallel interface. Narrow carriage.

### OPERATING SYSTEM SOFTWARE.

Dell Enhanced Microsoft® MS-DOS® 3.3:	\$99.95
Dell Enhanced Microsoft MS-DOS 4.0:	\$119.95
(Both MS-DOS versions with disk cache and other utilities)	
Dell Enhanced MS® OS/2 Standard Edition 1.0:	\$324.95

TO ORDER, PLEASE CALL

# 800-426-5150

IN CANADA, CALL 800-387-5752

# TO ALLAY YOUR SUSPICIONS

## YOUR TOTAL SATISFACTION IS GUARANTEED.

Dell offers a complete line of systems, peripherals and software.

And whatever you choose, you must be absolutely, totally satisfied with it. If not, simply return it within the first 30 days for a money-back refund. No questions asked. We call this our Total Satisfaction Guarantee.

## SUPPORT IS A FREE PHONE CALL AWAY.

Also included in your system price is our toll-free support line. It's open every business day from 7 AM to 7 PM (CT). Simply dial (800) 624-9896.

## ON-SITE SERVICE IS INCLUDED IN YOUR SYSTEM PRICE.

For those rare problems that can't be handled over the phone, we'll send a service technician to your location by the next business day. At absolutely no charge to you! Because included in system price is a year's worth of on-site service.

## ONE-YEAR WARRANTY.

Dell offers a one-year limited warranty, which warrants each system we manufacture to be free of defects in materials and workmanship for one full year. During that period we will repair or replace any defective products returned to our factory.

For a lot of companies, leasing our systems is an even better idea because of the cash flow and tax advantages. And we guarantee fixed rates, so you know exactly how much to budget each month. We can even custom design a lease plan to fit the exact needs of your business.

For the complete terms of our On-Site Service Contract, Satisfaction Guarantee, Warranty and leasing plans, write: Dell Computer Corporation, 9505 Arboretum Blvd., Austin, Texas 78759-7299.



**THE NEW 25 MHz  
386 SYSTEM 325.**

When you need the highest possible performance of any 386, this is the technology of choice. Running at 25 MHz, the System 325 is faster than the Compaq 386/25. Besides unequalled speed, it also offers Intel's Advanced 82385 Cache Memory Controller and high performance disk drives. As a result, it gives you workstation-level performance for CAD/CAM and desktop publishing applications. It's also especially effective as a network file server, and more than capable of handling the most complex spreadsheets and databases.

### STANDARD FEATURES:

- Intel 80386 microprocessor running at 25 MHz.
- 1 MB of RAM\* expandable to 16 MB using a dedicated high speed 32-bit memory slot.
- Advanced Intel 82385 Cache Memory Controller with 32 KB of high speed static RAM cache.
- Page mode interleaved memory architecture.
- VGA systems include a high performance 16-bit video adapter.
- Socket for 25 MHz Intel 80387 or 25 MHz WEITEK 3167 math coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard disk drive controller.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 200-watt power supply.
- 8 industry standard expansion slots

### OPTIONS:

- 25 MHz Intel 80387 math coprocessor.
- 1 MB or 4 MB memory upgrade kit
- 2 MB or 8 MB memory expansion board kit.

\*• Lease for as low as \$245/Month.

System 325	With Monitor & Adapter	
Hard Disk Drives	VGA Mono	VGA Color Plus
150 MB-18 ms ESDI	\$6,799	\$7,099
322 MB-18 ms ESDI	\$8,799	\$9,099

The Dell System 325 is an FCC Class A device, intended for business use only.



**THE DELL 20 MHz  
386 SYSTEM 310.**

For business users who need a 386 system, this is the best combination of performance and value available. Running at 20 MHz, this 32-bit system is faster than the IBM PS/2 Model 70 and the Compaq 386/20e. Since it has the same high performance disk drives and Intel Advanced 82385 Cache Memory Controller as our System 325, it brings a new level of performance to complex spreadsheets and databases. As you might expect, it runs windowed software at extremely high speed. It's also well-suited for desktop publishing applications, or as a network file server.

### STANDARD FEATURES:

- Intel 80386 microprocessor running at 20 MHz.
- 1 MB of RAM\* expandable to 16 MB using a dedicated high speed 32-bit memory slot.
- Advanced Intel 82385 Cache Memory Controller with 32 KB of high speed static RAM cache.
- Page mode interleaved memory architecture.
- VGA systems include a high performance 16-bit video adapter.
- Socket for 20 MHz Intel 80387 or 20 MHz WEITEK 3167 math coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard disk drive controller.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 200-watt power supply.
- 8 industry standard expansion slots.

### OPTIONS:

- 20 MHz Intel 80387 math coprocessor.
- 1 MB or 4 MB memory upgrade kit.
- 2 MB or 8 MB memory expansion board kit.

\*• Lease for as low as \$140/Month.

System 310	With Monitor & Adapter	
Hard Disk Drives	VGA Mono	VGA Color Plus
40 MB-28 ms	\$3,899	\$4,199
90 MB-18 ms ESDI	\$4,699	\$4,999
150 MB-18 ms ESDI	\$5,199	\$5,499
322 MB-18 ms ESDI	\$7,199	\$7,499

WHY YOU SHOULD  
CONSIDER THE  
DELL 386 SYSTEMS,  
DESPITE THEIR  
SUSPICIOUSLY LOW  
PRICES.



Our 386-based systems are priced about 35% less than comparable systems—like Compaq's. Which may make you wonder if we've left something important out. Like high performance.

Well we haven't.

In fact, these are among the fastest 386-based systems available. With more advanced features than you'd get in systems that list for up to \$3000 more.

Like Compaq's.

For instance, our 20 MHz System 310 offers you the best value available in any 386-based system. PC Magazine (6/14/88) describes it as "fast enough to burn the sand off a desert floor."

### AND IF THAT SOUNDS FAST, WAIT TILL YOU SEE OUR NEW 25 MHz 386-BASED SYSTEM.

At 25MHz, our new System 325 offers you the highest possible performance in a 386. Like the System 310, it utilizes the very latest technology, including the Intel 82385 Cache Memory Controller, advanced 32-bit architecture and high performance drives. And of course, both systems are fully IBM PC compatible. (For more detailed specifications, see the inside pages.)

But speed isn't the only reason to buy from us. Or even the best reason.

### THE FIRST PERSONAL COMPUTER THAT'S TRULY PERSONAL.

Dell configures systems to your own personal specifications. After an

evaluation of your needs, we'll help you select the features that are right for you. After your system unit is custom built, we'll burn-in everything, add-in boards and all, to make sure the entire system works perfectly.

### TOLL-FREE SUPPORT AND ON-SITE SERVICE INCLUDED IN THE PRICE.

Every Dell system includes the Dell System Analyzer, a complete set of diagnostic tools. Which lets Dell's expert technicians resolve problems right over the phone. This toll-free support service is available from 7 AM to 7 PM (CT) every business day, at no extra charge.


And if your system requires hands-on service, a technician will be at your location the next business day. At absolutely no charge to you. Because included in the price of your system is a full year of on-site service.


But that's not all. You also get our 30-day money-back guarantee. As well as our one-year limited warranty on parts and workmanship.

### AND IF YOU STILL THINK YOU GET WHAT YOU PAY FOR, CONSIDER THIS.

When you buy or lease from Dell, you buy directly from our manufacturing facility in Austin, Texas. Which means we eliminate dealer markups, allowing us to give you a lot more 386 for less.

This same principle is behind all the Dell systems. Review them in detail. Then call us at (800) 426-5150 to order the system that's right for you.





## PRODUCTS IN PERSPECTIVE

### 65 What's New

### 97 Short Takes

**CarrierNET**, when Carrier Current Technologies' package works, it works well

**Turbo EMS**, almost-magic EMS emulation from Lantana

**PC-Write 3.0**,

Quicksoft's now-serious product

**CCC Model 2400**, Compu Com's 2400-bps modem for \$95

**Picture Publisher**,

Astral's image-editing package

## REVIEWS

### 162 Product Focus:

**Upscale Monitors**

by Steve Apiki

and Stanford Diehl

When you're selecting a monitor, bigness actually adds utility to a system.



## COVER STORY Battle of the Chips page 274

The 80286 vs. 80386,  
and an early look  
at two new  
SX-based machines.

### 177 Laptop Dilemma

by Jeff Holtzman

The Compaq SLT/286 and the Ogivar 286 offer different features for different needs.

### 191 Advanced Floppy Disk Drive Controllers

by Jeff Holtzman

Installing the right disk controller lets you share information stored on incompatible disk formats.

### 197 Extensible Text Editors for Programmers

by Jon Udell

BRIEF, EMACS, and Epsilon are powerful embedded languages that offer ultimate flexibility.

### 209 A Virtual Toolkit for Windows and the Mac

by Ray Valdés

XVT's libraries guarantee Mac-to-PC and PC-to-MAC portability.

### 221 Superbase 4

by Nick Baran

An intriguing database program, but does it promise more than it can deliver?

## EXPERT ADVICE

### 109 Computing at Chaos Manor:

**Chaos Manor Awards**

by Jerry Pournelle

It was a very good year for computer users.

### 129 Applications Plus:

**Trackball Madness**

by Ezra Shapiro

A tale of woe that points out the short life span of some input devices.

### 135 Down to Business:

**What Hath COMDEX Wrought?**

by Wayne Rash Jr.

All that glitters in Las Vegas may be just another COMDEX fact.



### 143 Macinations:

**A Macintosh Retrospective**

by Don Crabb

The Macintosh is five years old. How has it affected the world of computers?

### 149 OS/2 Notebook:

**Not Quite COMDEX/2 Yet**

by Mark Minasi

On the trail of the first OS/2 applications.

### 155 COM1:

**The Protocol Pack**


by Brock N. Meeks

In this look at XMODEM, file transfer protocols are put through their paces.



IN DEPTH

- 228 **Introduction:  
Object-Oriented Programming**
- 231 **What's in an Object?**  
*by Dave Thomas*  
Object-oriented programming allows you to build custom applications from existing ones easily.
- 245 **Learning the Language**  
*by Peter Wegner*  
Object-oriented languages may well become the standard method for programming in the 1990s.



Object-Oriented Programming/228

- 255 **Separation of Powers**  
*by Mahesh H. Dodani, Charles E. Hughes, and J. Michael Moshell*  
The object-oriented paradigm shows great promise as the basis for achieving a mature user-interface technology.
- 265 **The Next Step**  
*by Tom Thompson*  
Object-oriented programming simplifies software development with the NeXT computer's NextStep.
- 270 **Object-Oriented Resources**  
Languages, databases, and related products.

FEATURES

- 274 **Cover Story  
Battle of the Chips**  
*by Frank Hayes*  
The powerful 80386 microprocessor and its stepchild, the 80386SX, take on the venerable 80286.

HANDS ON

- 281 **Under the Hood:  
Caching in on Memory Systems**  
*by Brett Glass*  
How do designers make fast CPUs run with almost no wait states, in spite of slow memory?
- 287 **Some Assembly Required:  
Trees 'n Keys, Part 3**  
*by Rick Grehan*  
In the final installment of this series, Rick discusses bringing the database together.



Some Assembly Required/287

DEPARTMENTS

- 6 Editorial: OS/3 and Unix's Last, Best Hope
- 11 Microbytes
- 24 Letters
- 33 Chaos Manor Mail
- 38 Ask BYTE
- 51 Book Reviews
- 335 Coming Up in BYTE

READER SERVICE

- 334 Editorial Index by Company
- 336 Alphabetical Index to Advertisers
- 338 Index to Advertisers by Product Category
- Inquiry Reply Cards: after 340

PROGRAM LISTINGS

From BIX: see 226  
 From BYTEnet:  
 call (617) 861-9764  
 On disk or in print:  
 see card after 320

BYTE (ISSN 0360-5280) is published monthly with an additional issue in October by McGraw-Hill, Inc. Postmaster: Send address changes, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, P.O. Box 551, Hightstown, NJ 08520. Second-class postage paid at Peterborough, NH 03458, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321. Printed in the United States of America.  
 Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE.  
 Copyright © 1989 by McGraw-Hill, Inc. All rights reserved. Trademark registered in the United States Patent and Trademark Office.



Subscription questions or problems should be addressed to: BYTE Subscriber Service, P.O. Box 551, Hightstown, NJ 08520.

# BYTE

**EDITOR IN CHIEF**  
Frederic S. Langa

**OPERATIONS**  
Glenn Hartwig Associate Managing Editor

**REVIEWS (Hardware, Software, Product Focus)**  
Michael Nadeau, Associate Managing Editor, Dennis Allen Senior Technical Editor, Software, Richard Grehan Director, BYTE Lab, Stephen Apiki Testing Editor, BYTE Lab, Stanford Diehl Testing Editor, BYTE Lab

**NEWS AND TECHNOLOGY (Microbytes, What's New, Short Takes)**  
Rich Malloy Associate Managing Editor, D. Barker Senior Editor, News and Technology, Anne Fischer Lent Senior Editor, New Products, Andrew Reinhardt Associate News Editor

**Peterborough:** Roger Adams Associate News Editor, David Andrews Associate News Editor, Martha Hicks Associate News Editor

**West Coast:** Gene Smarte Bureau Chief, Costa Mesa, Nicholas Baran Technical Editor, San Francisco, Frank Hayes Associate News Editor, Marlene Nesary Associate News Editor, Jeffrey Bertolucci Editorial Assistant, San Francisco

**SENIOR TECHNICAL EDITORS**  
Ken Sheldon Features, Jane Morrill Tazelaar In Depth, Tom Thompson At Large

**TECHNICAL EDITORS**  
Janet J. Barron, Robert Mitchell, Ben Smith, Jon Udell, Stanley Wszola

**CONSULTING EDITORS**  
Jerry Pournelle, Ezra Shapiro, Don Crabb, Brett Glass, Brock N. Meeks, Mark Minasi, Wayne Rash Jr.

**CONTRIBUTING EDITORS**  
Jonathan Amsterdam Programming Projects, Mark Dahmke Video, Operating Systems, Mark Haas At Large, Rik Jadrnicek CAD, Graphics, Spreadsheets, Robert T. Kurosaka Mathematical Recreations, Alastair J. W. Mayer Software, Stan Miastkowski New Technology, Alan R. Miller Languages and Engineering, Dick Pountain Algorithms, Roger Powell Computers and Music, Phillip Robinson Semiconductor, Jon Shiell High-Performance Systems, George A. Stewart, Book Reviews, Ernest Tello Artificial Intelligence

**COPY EDITORS**  
Lauren Stickler Chief, Susan Colwell, Jeff Edmonds, Judy Grehan, Nancy Hayes, Cathy Kingery, Margaret A. Richard, Warren Williamson

**EDITORIAL ASSISTANTS**  
Peggy Dunham Office Manager, Linda C. Ryan, June N. Sheldon, Lynn Susan Valley

**ART**  
Nancy Rice Director, Joseph A. Gallagher Assistant Director, Lisa Lynch Assistant, Jan Muller Assistant, Alan Easton Technical Artist

**PRODUCTION**  
David R. Anderson Director, Virginia Reardon Senior Editorial Production Coordinator, Barbara Busenbark Editorial Production Coordinator, Denise Chartrand Editorial Production Coordinator, Michael J. Lonsky Editorial Production Coordinator

**TYPOGRAPHY**  
Sherry Fiske Systems Manager, Donna Sweeney Applications Manager, Christa Patterson

**ADVERTISING/PRODUCTION (603) 924-6448**  
Lisa Wozmak Director of Advertising Services, Lyda Clark Senior Account Coordinator, Karen Cilley, Linda Fluhr; Wei Chiu Li Quality Control Manager, Rod Holden; Julie Murphree Creative Services Manager, Jeanne Gatcombe

**EDITORIAL AND BUSINESS OFFICE:**  
One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9261.  
**West Coast Branch Offices:** 425 Battery St., San Francisco, CA 94111, (415) 954-9718; 3001 Red Hill Ave., Building #1, Suite 222, Costa Mesa, CA 92626, (714) 557-6292.  
**New York Branch Editorial Office:** 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.  
BYTEnet: (617) 861-9764 (set modem at 8-1-N or 7-1-E; 300 or 1200 baud).  
Fax: (603) 924-7507. Telex: (603) 924-7881.  
**SUBSCRIPTION CUSTOMER SERVICE:** Outside U.S. (800) 426-7070; inside U.S. (603) 525-5003.  
For a new subscription—(800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520.

Officers of McGraw-Hill Information Services Company: President: Walter D. Serwatka, Executive Vice Presidents: Kenneth E. Gazzola, Aerospace and Defense; Ira Herenstein, Computers and Communications; Russell C. White, Construction; Robert P. McGraw, Healthcare; Brian H. Hall, Legal. Senior Vice Presidents—Publishers: Laurence Altman, Data Communications; David J. McGrath, Engineering News-Record. Senior Vice Presidents: Robert D. Daleo, Finance; Michael J. Koeller, Human Resources. Group Vice Presidents: J. Burt Totaro, BYTE; Norbert Schumacher, Energy/Process Industries. Vice Presidents: George Eltsinger, Circulation; Julia Lenard, Systems Planning and Technology.  
Officers of McGraw-Hill, Inc.: Joseph L. Dionne, Chairman, President, and Chief Executive Officer; Robert N. Landes, Executive Vice President, General Counsel, and Secretary; Robert J. Bahash, Executive Vice President and Chief Financial Officer; Frank D. Penglass, Senior Vice President, Treasury Operations.

**ADMINISTRATION**  
Donna Nordlund, Publisher's Assistant

**MARKETING COMMUNICATIONS**  
Horace T. Howland Director, Pamela Petrakos-Wilson Promotion Manager, Wilbur S. Watson Marketing Services Manager, Dawn Matthews Public Relations Manager, Lisa Jo Steiner Assistant Promotion Manager, Stephanie Warnesky Marketing Art Director, Sharon Price Associate Art Director, Julie Perron Market Research Analyst

**PLANNING AND RESEARCH**  
Michele Perron Director  
Faith Kluntz Copyrights Coordinator, Cynthia Damato Sands Reader Service Coordinator

**FINANCIAL SERVICES**  
Philip L. Penny Director of Finance and Services, Kenneth A. King Business Manager, Marilyn Parker, Diane Henry, JoAnn Walter, Jaime Huber

**CIRCULATION**  
Dan McLaughlin Director  
James Bingham Newsstand Sales Manager, Vicki Weston Assistant Manager, Karen Desroches Distribution Coordinator, Donna Healy, Direct Accounts Coordinator, Louise Menegus Back Issues

**PERSONNEL**  
Patricia Burke Personnel Coordinator, Beverly Goss Receptionist

**BUILDING SERVICES**  
Tony Bennett Manager, Cliff Monkton, Mark Monkton, Agnes Perry

## BIX BYTE INFORMATION EXCHANGE

**DIRECTOR**  
Stephen M. Laliberte

**EXECUTIVE EDITOR**  
George Bond

**ASSOCIATE EDITOR**  
Tony Lockwood

**MICROBYTES DAILY**  
D. Barker Coordinator, Peterborough, Rich Malloy New York, Gene Smarte Costa Mesa, Nicholas Baran San Francisco, Rick Cook Phoenix, Frank Hayes San Francisco, Jason Levitt Austin, TX, Larry Loeb Wallingford, CT, Brock N. Meeks La Mesa, CA, Stan Miastkowski Peterborough, Wayne Rash Jr., Sue Rosenberg Washington, DC, David Reed Lexington, KY

**GROUP MODERATORS**  
David Allen Applications, Frank Boosman Artificial Intelligence, Leroy Casterline Other, Marc Greenfield Programming Languages, Jim Howard Graphics, Gary Kendall Operating Systems, Steve Krenek Computers, Brock N. Meeks Telecommunications, Barry Nance New Technology, Donald Osgood Computers, Sue Rosenberg Other, Jon Swanson Chips

**BUSINESS AND MARKETING**  
Patricia Bausum Secretary, Denise A. Greene Customer Service, Brian Warnock Customer Service, Tammy Burgess Customer Credit and Billing

**TECHNOLOGY**  
Clayton Lisle Director, Business Systems Technology, ISCo., John Spadafora Programmer/Analyst

**PUBLISHER/GROUP VICE PRESIDENT**  
J. Burt Totaro

**ADVERTISING SALES**  
Steven M. Vito Associate Publisher, Vice President of Marketing

Sara Lyon Administrative Assistant

Jennifer L. Bartel West Coast Sales Manager, (214) 644-1111

**NEW ENGLAND**  
ME, NH, VT, MA, RI, ONTARIO, CANADA & EASTERN CANADA  
John C. Moon (617) 262-1160

**ATLANTIC**  
NY, NYC, CT, NJ (NORTH)  
Leah G. Rabinowitz (212) 512-2096  
Ken Tashy (212) 512-2645

**EAST**  
PA, KY, NJ (SOUTH), MD, W. VA, DE, DC  
Thomas J. Brun (215) 496-3833

**SOUTHEAST**  
NC, SC, GA, FL, AL, TN, VA, MS  
Thomas H. Tolbert (404) 252-0826

**MIDWEST**  
IL, MO, KS, IA, ND, SD, MN, WI, NE, IN, MI, OH  
Kurt Kelley (312) 751-3740

**SOUTHWEST, ROCKY MOUNTAIN**  
CO, WY, OK, TX, AR, LA  
Karl Heinrich (713) 462-0757  
Dan Harper, Sales Associate, (603) 924-2598

**SOUTH PACIFIC**  
SOUTHERN CA, AZ, NM, LAS VEGAS, UT  
Ron Cordek (714) 557-6292  
Tom Harvey (213) 480-5243

**NORTH PACIFIC**  
HI, WA, OR, ID, MT, NORTHERN CA, NV (except LAS VEGAS), WESTERN CANADA  
Bill McAfee (408) 879-0371  
Christine Kopec (415) 362-4600  
Elisa Lister, Sales Associate, (603) 924-2598

**TELEMARKETING**  
L. Bradley Browne Director  
Susan Boyd Administrative Assistant

**SPECIAL ISSUES**  
Liz Coymann (603) 924-2518

**BYTE BITS (2x3)**  
Mark Stone (603) 924-6830

**THE BUYER'S MART (1x2)**  
Brian Higgins (603) 924-3754

**REGIONAL ADVERTISING SECTIONS**  
Scott Gagnon (603) 924-4380  
Larry Levine (603) 924-4379  
Barry Echavarria (603) 924-2574

**BYTE POSTCARD DECK MAILINGS**

**BYTE DECK**  
Ed Ware (603) 924-6166


**COMPUTING FOR DESIGN & CONSTRUCTION**  
**COMPUTING FOR ENGINEERS**  
Mary Ann Goulding (603) 924-9281

**INTERNATIONAL ADVERTISING SALES STAFF**  
See listing on page 337.

Founder: James H. McGraw (1860-1948). Executive, editorial, circulation, and advertising offices: One Phoenix Mill Lane, Peterborough, NH 03458, phone (603) 924-9261. Office hours: Monday through Thursday 8:30 AM-4:30 PM, Friday 8:30 AM-1:00 PM, Eastern Time. Address subscriptions to BYTE Subscriptions, P.O. Box 551, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$31.95 for one year, \$59.95 for two years, \$79.95 for three years. \$75 for one-year air delivery to Europe, \$45 surface delivery elsewhere. Air delivery to Japan, \$14,400 for one-year surface delivery to Japan, \$45 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the U.S. and its possessions, \$3.95 in Canada, \$4.50 in Europe, and \$5 elsewhere. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue. Address editorial correspondence to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Unacceptable manuscripts will be returned if accompanied by sufficient postage. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 29 Congress St., Salem, MA 01970. Specify ISSN 0360-5260/83, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London WC1R 4EJ, England.

BYTE and BITE are registered trademarks of McGraw-Hill, Inc.

# Integrated Software for Schematics & PCB Artwork



## Introducing HiWIRE® Plus

Wintek's smARTWORK® pioneered low-cost printed-circuit-board CAD. Then HiWIRE set the standard for productivity and ease-of-use in schematic capture. Now Wintek introduces HiWIRE-Plus, integrating HiWIRE's schematic features with a powerful printed-circuit-design facility.

## Creating Schematics

With HiWIRE-Plus, simply connect library symbols with wires and buses. Creating and changing symbols is fast and painless. Produce your drawing using a dot-matrix printer, laser printer, or pen plotter.

## Circuit-Board Design


HiWIRE-Plus gives you all the design freedom you want: you choose the grid size, trace widths, and pad shapes. The board size and number of layers are virtually unlimited. HiWIRE-Plus is perfect for surface-mount, microstrip, and ECL applications.

### Current Versions

HiWIRE-Plus    √ 1.1r6  
smARTWORK    √ 1.4r5

## HiWIRE-Plus Advantages

- One tool for schematics and printed-circuit artwork
- Easy-to-learn menu-driven operation; complete documentation and tutorial
- Schematic libraries with TTL, CMOS, ECL, ladder, micro-processor, and discrete components
- Netlist and bill-of-materials utilities included
- Circuit boards up to 60x60 inches and 256 layers
- Variable grid size, trace width, and pad size (.001" resolution)
- PCB library with DIPs, SIPs, SMDs, PGAs, TOs, and edge and D connectors
- Schematic-to-layout cross-checking
- Design-rule checker
- 800 number for free support



"HiWIRE", "smARTWORK", "Wintek", and the Wintek logo are registered trademarks of Wintek Corporation.

## System Requirements

- IBM PC, XT, AT, or PS/2 with 512K RAM, printer port, color monitor, and CGA, EGA, or VGA graphics card
- Microsoft Mouse
- IBM ProPrinter or Epson dot-matrix printer, and/or
- Houston Instrument or Hewlett-Packard pen plotter


## Higher Performance Better Value

Still only \$895, HiWIRE-Plus delivers quality schematics and PCB artwork. You don't need to guess if HiWIRE-Plus is right for you—we *guarantee it!* Try it for 30 days at absolutely no risk. Call toll free today and put HiWIRE-Plus to work for you.

## Wintek Corporation

1801 South Street  
Lafayette, Indiana 47904-2993  
(800) 742-6809 or  
(317) 742-8428  
FAX: (317) 448-4823  
Telex: 70-9079

Europe: RIVA Ltd., England,  
Phone: 0420 22666, FAX: 0420 23700  
Australia: Entertainment Audio Pty, Ltd.,  
Phone: (08) 363-0454



# OS/3 AND UNIX'S LAST, BEST HOPE

The next 90 days will be historic in the operating-system wars

Last month, I briefly examined the current fit between OS/2's Presentation Manager and IBM's Systems Application Architecture—IBM's grand scheme for top-to-bottom software uniformity. PM brings SAA to the desktop.

That's nice, you might say, but so what? Yes, it will be good to be able to share data transparently among all manner of True Blue machines. And yes, it will be a plus to be able to sit down at almost any IBM box and find a familiar-looking interface staring back at you.

But the Macintosh is already more or less uniform within its own family and has been for some time. And the chaos of Unix is rapidly boiling down to a few major and reasonably similar choices. For example, X Windows is the underlying structure for AT&T/Sun's Open Look, the Open Software Foundation's OSF/Motif, Sony's NWS interface, and others. Apple has even announced X Windows for A/UX.

Thus, an asset such as a standardized GUI (graphical user interface)—while welcome and necessary—won't, by itself, give OS/2 any particular edge.

The edge—if there is to be one—will have to come from planned enhancements to OS/2. At a recent two-day briefing staged by IBM and Microsoft, Steve Ballmer of Microsoft offered some glimpses into the future:

- OS/2 will be made faster ("although people are surprised at how quick OS/2 already is," Ballmer said). It will also be made smaller. "You can run a functional OS/2 with 1.6 megabytes if you forgo the compatibility box or with about 4 mega-

bytes full-blown; and that compares well with other powerful operating systems," he said.

- The FAT (file-allocation table) file system will get an overhaul. "It can stand a scrub-up," Ballmer admitted. "We'll improve performance in file access and in smart caching to produce a superfast, supercompetitive file system using the fastest techniques known to man." He's not one for understatement.

- The eight-dot-three filename restriction will finally be lifted, allowing additional attributes for items like subject, author, and file revision dates.

- OS/2 will support larger disk volumes and provide standardized access to different media, including WORM (write once, read many times) drives.

- OS/2 LAN Manager enhancements will include services to enable you to browse a network's users, resources, and so forth, which can be important on very large systems; additional security services; additional program-to-program communications support; improvements in transport efficiency; and "full coordination" with the planned file system enhancements mentioned earlier.

- And most significantly, within the next few months, we'll see the first toolkits for OS/3, or OS/386, or whatever the 80386-specific version of OS/2 will be called. This is the version we've all been waiting for—the version that will finally deliver on the full promise of OS/2. It will, of course, support a true flat address space; it will demand-page (in 4K-byte blocks); and it will offer "full binary compatibility with all OS/2 applications—all OS/2 applications will run unchanged," Ballmer said, although they'll run faster.

Best of all from a user's perspective, this new version of OS/2 will at last support multiple concurrent DOS sessions, which will make the transition from DOS to OS/3 fairly painless and avoid the hassles and limitations of OS/2's current compatibility box.

As for DOS extensions, watch for many of the enhancements listed above for OS/2 to show up in future versions of DOS. Many of them are already available from third parties anyway: Norton's File Info lets you work around the eight-dot-three filename limits (albeit clumsily). Many vendors offer add-on support for disk volumes larger than 32 megabytes. And there are numerous solid multitaskers available that work just fine with vanilla DOS.

PM intentionally bears a strong family resemblance to DOS-based Microsoft Windows. Over time, the available DOS interfaces and PM will become even closer, partly to move DOS at least a little within the SAA fold, and partly for pure marketing reasons. "People can safely stick their toes in the GUI waters with Windows and migrate to OS/2 PM when their favorite applications show up there," Ballmer explains.

All this makes DOS attractive in the short term, and Microsoft apparently concedes the point: Ballmer restated what BYTE's COMDEX polls have been telling us for some time—that it will be at least 1991 before OS/2 will be able to pass DOS.

But Unix is also an attractive alternative. After years of ineffectual internal wrangling, the Unix community is finally getting its act together. Within the next few months, Unix will take its last, best shots at becoming a "mainstream" operating system outside of the academic and scientific venues. There will be a great deal of activity: Very soon, OSF will release its Motif user interface, followed by preliminary versions of OSF/1 (its proprietary version of Unix); Next-Step will leave beta testing and ship version 1.0; AT&T will release its response to OSF; and more.

Things are about to get very, very interesting.

—Fred Langa  
Editor in Chief  
(BIX name "flanga")

# INTERACTIVE WINS THE UNIX TECHNOLOGY RACE!

INTERACTIVE  
386/ix

Call today! 1-800-346-7111

**INTERACTIVE**  
A Regis Company

2401 Colorado Avenue  
Santa Monica, CA 90404  
Circle 111 on Reader Service Card

VP/ix - DOS under

TCP/IP Host - based

NFS

X11.3 Windowing System

UNIX V.3.2

Contestant:  
**INTERACTIVE 386/ix RELEASE 2.0**

	Qualifying UNIX Technology Events
UNIX	✓ Shipping UNIX V.3.2
	✓ Runs XENIX Applications
	✓ Disk Performance Trials
	✓ International Competition
	✓ Installation
GRAPHICS	✓ Standard Graphics Support
	✓ Graphics Integration
	✓ Industry and DOD Standards
NETWORKS	✓ Host or Board Based Protocols
	✓ Transparent File Sharing
	✓ Runs DOS Programs
MS-DOS	✓ Read/Write/Transfer DOS Files
	✓ THE CHOICE IS CLEAR!

*WITH PROPRIETARY ENHANCEMENTS!*  
*BINARY COMPATIBILITY*  
*FAST FILE SYSTEM, HI-PERFORMANCE DISK DRIVER, AND DIRECT DISK PAGE-IN !!*  
*EXPANDED CHARACTER HANDLING*  
*SIMPLE! EXPANDED DRIVER SUPPORT*  
*386/ix X11 WINDOWING SYSTEM RELEASE 3*  
*WORKS WITH VPIX, TCP/IP AND NFS!*  
*386/ix TCP/IP*  
*INTERLAN, 3COM, WESTERN DIGITAL, UNIBERMAN-BASS ETC.*  
*386/ix NFS!!*  
*TOPOLOGY INDEPENDENT*  
*EVEN FLIGHT SIMULATOR®!*  
*FILE TRANSFER UTILITIES & MOUNTABLE DOS FILES*

# REPLACE YO



PC WORLD

"Upgrade product of the year."  
...PC World

"Editors' choice"  
...PC Magazine



**Installed in minutes, the Renegade 386™ motherboard turns any IBM PC, XT, AT or inexpensive clone into a powerful new computer, lightning fast with both old software AND new OS/2 releases.**

**I**s this you?  
You would like to have extraordinary computing speed and power. You want number crunching ability. You need complex CAD capabilities. Or graphics. Or multi-tasking. And you haven't got it. (And you don't want to spend a fortune to replace good equipment with the newest standard.) Weep no more. You can turn your *present* system into the latest, high-performance system that will *equal or exceed the best of the new computers*.

## **Renegade 386™ A new heart and brain for your computer.**

Renegade Technologies offers designers, engineers, architects, and computer-dependent businesses a simple and reliable alternative to obsolescence. Or the unreasonable expense of a new system.

Simply replace the "motherboard" of your present system with a Renegade 386™ motherboard.

It takes a screwdriver and less than 20 minutes. And costs but \$1695.

That's *thousands of dollars less* than a new IBM System/2 Model 80.

But it gives you more than just the latest industry standard. You can run your old software on it. Probably anything you now use on your XT or AT. Big Blue can't do that.

You can use your present 16-bit peripherals. (If you've looked at PC "add-on" cards, you already know your old equipment would be useless.)

But with Renegade 386™ you'll have to find some other excuse to throw away your current modem, network card,



*Multi-task with Lotus 1-2-3 and other applications running side-by-side on the Microsoft Windows/386 desktop.*

EGA or disk controller cards. The Renegade 386™ board comes with an iron-clad *one year limited warranty*. It uses genuine U.S. made Intel 386 chips and is designed and manufactured in the U.S.A.

by Hauppauge Computer Works. Hauppauge is a major developer of software support for Microsoft and IBM products, and is producer of the highly respected Hauppauge 8087 or 80287 highspeed math coprocessors. Over 50,000 have been sold. Major computer magazine reviews in the last year have hailed our Hauppauge-made board as a major breakthrough in a high speed, high power, high performance upgrade product.

## **Not an accelerator card. Not a "turbo" gimmick. Renegade 386™ gives you a full-featured new computer.**

Thanks to Renegade's 80386 microprocessor your computer will now boast a 32-bit data path — and a clock speed of 16 MHz with zero wait state access. Up to 8 expansion slots are provided depending on your computer configuration.


Your "new" computer also will now have **1 Megabyte of 100ns RAM**. This is *not* a naked board. And it also includes a 32-bit high-speed RAM expansion slot which you can populate with up to **15 Mbytes** of system memory.

# UR MOTHER

In practical terms that simply means that programs like Lotus 1-2-3 or new products like Foxbase 386, and almost anything else, *will run faster than anything you have ever seen.*

Which is a minor problem for some folks who are playing computer games on company time. Renegade 386™ may run them at speeds far too fast for human reactions.

The world is not perfect.



*Faster, easier presentation graphics with newest software releases.*

Otherwise Renegade 386™ is perfectly compatible with products like AutoCAD, Aldus PageMaker, Microsoft Windows, Ventura Publisher, the Novell Network and siz- zlers like Paradox 386. We haven't yet found a popular program we can't run with it.


## Power hungry? Equip Renegade 386™ with even more RAM—without speed loss.

Add up to 15 Mbytes of system memory with Renegade™ expansion modules that plug right into your Renegade 386™ 32-bit expansion slot. *And run with no loss of speed*—something no IBM or Compaq model can match.

There's a lot of confusion in computer claims, but the fact is that with *zero* wait state, our 16 MHz is effectively the same as those highly touted machines running at 20 MHz with one wait state.

So plug in Renegade™ expansion modules in 2- and 4-Megabyte increments and run Windows 386 applications at the speed God intended.

386 MotherBoard for the PC or PC/XT	.....	\$1695
386 MotherBoard for the PC/AT	.....	\$1795
386 MotherBoard/20 MHz for PC/AT	.....	\$2195
32-bit RAM Board (2Mbyte installed; up to 10 Mbytes)	.....	\$1195
16 MHz 80387 math coprocessor	.....	\$695
16-bit combination hard disk/floppy disk controller	.....	\$245
<small>Prices subject to change.</small>		



## 30 DAY TRIAL OFFER AND OUR NO-RISK GUARANTEE

We understand perfectly that you have no reason to believe anything you read. Including this ad. (We read too.)

So we invite you to evaluate the Renegade 386™ yourself. Call and order one. We'll send it with detailed, clear instructions. Use it in your own system, on your own work, for 30 days. Try it for brilliant presentation graphics, make massive and instant spreadsheet recalculation, run huge memory-hungry CAD programs. Write it out—on anything your software is up to.

But don't stop there. Challenge your best computer technician. Or a consultant whose opinion you value. Ask them to compare Renegade 386™ dollar for dollar, and feature for feature, with the best on the market.

**After 30 days, if it isn't for you, for *any* reason, we'll take it back and write you a check immediately for your full purchase price.**

The risk is all ours. But we urge you not to wait. RAM chip prices are going up every day due to worldwide chip shortages. We can guarantee this current price only if you order now.

**Call toll-free today. You have nothing to lose but yesterday's computer system.**

# 1-800-426-2189

# Renegade

TECHNOLOGIES

Redmond, Washington USA

(206) 885-5700

IBM PC, AT, XT, Personal System/2, Microsoft Windows 386, Foxbase 386, Paradox 386, PageMaker, 1 2-3, Novell Network, Ventura Publisher, EGA, Intel, Hauppauge, Compaq and other brands and products are trademarks or registered trademarks of their respective holders.



## Creative License.

**If you've ever tried to combine windows, menus, forms, and text entry to create an effective user interface, you know how challenging it can be.**

Perhaps you've turned to a third-party library for help. Only to run into restrictions, limitations, and dead ends. So you had to compromise your design. Or modify the library source code. Or start over.

Which is precisely why we designed Vermont Views™, the new generation of Windows for Data®, the best-selling C library for user interfaces.

Vermont Views offers unbridled, unrestricted creative license.

### The Human Interface Of Your Dreams

Vermont Views offers an unparalleled set of interface building blocks that you can combine in unlimited ways:

- Menus can be created in any style you choose, made scrollable vertically and horizontally, and nested to any level. Features include n-th character selection, checkmarks, and unavailable items.

- Data entry forms can be bigger than their display windows, have scrollable regions for the entry of variable lines of items, lists of choices for data entry, context sensitive help, and special decimal, date, time, and toggle fields.

- A mini word processor can be attached to a field window in a form or

used as a pop-up note taker.

### You're In Charge

Because you can write and attach functions to the beginning and end of menus, forms, fields, and to keys, you're always in control.

Use these control functions to call up subsidiary forms and menus, change field values and the active field, exit or abort a form, do almost any task you can imagine.

All interactive capabilities of Vermont Views use a unique system of accessible keytables, so you can easily change or disable key assignments - even add to the functions provided for menus, forms, text entry, and windows.

### One For All

Vermont Views is available for DOS, OS/2, UNIX, XENIX, and VMS. Maintain the same user interface on all of these operating systems with the same source code.

Vermont Views provides international portability as well, with full support for IBM international characters, flexible date and time formats, and changeable decimal and thousands separators.

### Novice Or Expert

Despite its depth and flexibility, Vermont Views is easy to learn and use. Each major facility is covered in a single, self-

contained section of the manual, so you only need to learn capabilities as you use them.

To help you become an expert in no time, we include a free copy of the Norton Guides™ Engine and our own comprehensive Pop-Up Reference™. You'll have immediate, on-line access to function names, reference pages, structures and tables.

### No-Time-Limit Guarantee

We've only touched on a fraction of what makes Vermont Views special. The only way to know it is to use it.

Try Vermont Views on your hardest problems.

For as long as you want. At no risk.

If not fully satisfied, return for a full refund. Anytime.

### To Order Today Call 1-800-848-1248

Call to order Vermont Views today. And we'll send your "creative license" right away.

Prices: DOS \$395; with Source \$790. UNIX, XENIX, VMS, OS/2 please call.



Vermont  
Creative  
Software

Pinnacle Meadows, Richford, VT 05476

800-848-1248, 802-848-7731 Fax: 802-848-3502 Telex: 510-601-4160 VCISOFT

# MICROBYTES

Staff-written highlights of developments in technology and the microcomputer industry, compiled from *Microbytes Daily* and *BYTEweek reports*

## TI's Prototype Transistor Takes a Quantum Leap

Laptop supercomputers that run off flashlight batteries may be the stuff of science fiction, but Texas Instruments has developed an experimental transistor that may very well make such advanced electronic devices possible within a decade. At the company's Dallas research center, physicists have built the world's first quantum-effect transistor, a device that operates on a fundamentally different principle than the transistors that currently make up our electronic world. Quantum-effect devices potentially will fit 100 times as many functions in the same space as, and consume far less power than, today's ICs.

At dimensions less than 0.02 micron, principles known as quantum mechanical effects dominate the behavior of matter. The quantum transistor—called the bipolar resonant tunneling transistor—is the first semiconductor to directly control a quantum well, an almost unimaginably thin layer that allows only electrons with certain energy levels to pass through.

Quantum transistors have active regions that are about 100 times smaller than the corresponding areas on a contemporary IC. These regions range between 10 and 20 nanometers in size, which is about 10,000 times smaller than a human hair.

And future generations of the devices will be even smaller. At these microscopic dimensions, electrons act more like waves than particles. They occupy discrete energy levels, known as bands, and resonate when they're confined to a region that's the size of their wavelength. These properties let quantum transistors switch at speeds thousands of times faster than today's conventional devices.

Transistors are made up of three parts: Current flows between an emitter and a collector, controlled by a base. In standard transistors, the current flow is controlled by varying the voltage that's applied to the base. The base controls physical barriers of semiconducting material called P-N junctions and depletion layers.

TI researchers say the breakthrough that made the quantum-effect transistor possible was the discovery of a means to directly control the tunneling current by modulating the voltage potential inside a quantum well, which is the device's base. The modulation takes place by putting a charge into the energy well at an energy level that's just below the energy level where the actual current "tunnels" across the base from the emitter to the collector.

The speed at which the current travels between the

emitter and collector—known as transit speed—is several orders of magnitude faster in a quantum transistor than in today's conventional devices, TI researchers say. The TI scientists estimate that the transit speed is in quadrillionths of a second.

The quantum transistor, which is only a laboratory prototype now, was fabricated using a combination of gallium arsenide, aluminum gallium arsenide, and indium gallium arsenide.

Practical applications for the quantum transistor are at least 10 years away. And before the transistor can be commercially feasible, techniques will have to be developed to manufacture and interconnect the tiny structures reliably in production quantities. Moreover, TI scientists admit that quantum transistors will require the development of "whole new circuit architectures." But they predict that once the problems are solved, the cost of quantum transistors will quickly compete with that of conventional devices.

Meanwhile, TI is touting quantum transistors as the next generation of solid-state devices. George Heilmeier, the company's chief technical officer, says that "comparing quantum effect devices with today's semiconductors is like comparing semiconductors with vacuum tubes."

### NANOBYTES

- Expenditures for research and development in the U.S. will reach **\$129 billion** this year, according to a report from Battelle (Columbus, OH). That's an increase of 3.4 percent, or about \$4 billion, over what the National Science Foundation says was spent on R&D in 1988. Battelle's forecast says American industry will fund most of that research, to the tune of \$92 billion. The remaining spare change will come from academic institutions, nonprofit organizations, and the federal government.

- **Texas Instruments and Hitachi** have agreed to work together to develop a new series of **16-megabit DRAM circuits**. The American and Japanese chip giants say they'll jointly design technology that both can use. As part of the deal, each company will have access to the other's DRAM technology "as it relates to 16-megabit development," a TI spokesperson said. While some Japanese companies are currently sampling 4-megabit memory chips, Fujitsu recently publicly detailed its design for 64-megabit DRAMs.

- **Bill Gates** put it down as ho-hum, but what do other industry captains say about the **NeXT computer**? Apple's John Sculley said that if anyone can pull off a start-up company

*continued*

## Don't Worry About the Bus, Some Say

From operating systems to interfaces to file formats, the microcomputer industry is uniquely confusing. Industry executives say

things should straighten out in the next year or so. But one much-publicized issue du jour isn't confusing at all, say some industry leaders,

and that's personal computer bus architectures.

Micro Channel or the EISA (for extended industry

*continued*

## NANOBYTES

successfully, it's Steve Jobs. But Sculley said it will be at least a few years before NeXT becomes a competitive threat. "The key will be software. Many of the technical features [of the hardware] are not new to the industry." Regarding Jobs's prediction that the Macintosh will start to decline in the 1990s, Sculley said, "I have a lot of respect for Steve, but his track record on predicting the Macintosh is not as good as his track record on creating new products. The Macintosh will only get better."

"We'll compare it to Sun's mid-1989 product and we'll compare apples to apples," said Scott McNealy of Sun Microsystems. Sun is expected to announce, any day, week, or month now, a "desktop workstation" that, if you listen to rumors, will be so good that it will take people away from the Mac II, the Personal VAX, souped-up PCs, and other systems aimed at number- and image-intensive applications.

"The only thing I see in NeXT that's really unique is the operating system. The hardware features may appear on other machines before NeXT is even on the market," said Steve Dow of Calera Recognition Systems.

Reese Jones of Farallon, which develops Macintosh products, said he thinks programmers will like the NeXT cube. He cited the Display PostScript imaging model as a very attractive feature. Go's Jerry Kaplan said he thinks NeXT's "great-

*continued*

standard architecture) bus? It's not so confusing after all, said industry heavyweights at the recent PC Outlook conference in San Francisco. Tandy Corp.'s John Roach dismissed all the "vapor talk" in the micromedia about the "bus wars." "Users don't need to worry about the bus, any-

way, yet we continue to debate and debate and debate," he said.

Roach suggested that companies should "do more strategizing within rather than in full view of our customers." Microsoft chairman Bill Gates agreed that the bus architecture has no effect on software compati-

bility and is therefore not very important to users. Rod Canon of Compaq, figured to be the ringleader behind EISA, agreed with that, but he put in a plug for 32-bit bus architectures, which he said will be more important in the 1990s, when mainframe/personal computer connectivity becomes widespread.

## "Chasing After Change": Life Gets Harder for Software Developers

Despite mostly glowing predictions of computing in the next decade, industry executives at the recent PC Outlook conference agreed that the lag in software development will get worse. Developers at the conference talked about the overwhelming complexity of designing new software applications for today's market.

The problem is keeping up with the competing hardware and operating system platforms as well as designing for graphical interfaces. Jerry Kaplan, CEO of Go Corp. and a former executive at Lotus, pointed out that Lotus 1-2-3 version 3 is actually six different products because of the different operating systems it will run under (including DOS, OS/2, and Unix). Kaplan

said that small software companies are faced with tremendous financial risks if they pick the wrong environment for their application.

The problem is largely caused by hardware vendors "chasing after annual change" to differentiate themselves, thus making it hard for software developers to keep up, says Adele Goldberg of ParcPlace Systems. Goldberg also blamed the lack of software tools for allowing one application to work on multiple platforms.

Software developers face a tough challenge. But as Reese Jones of Farallon Computing put it, "There will be no more home-run products. We can't do that anymore." The trick is to work on small pieces incrementally. Developers need

to continue working in small teams. Throwing lots of people at a project doesn't work. And companies will have to hope they chose the right environment for their product, he said.

Software companies have learned from the famous delays at Lotus and Ashton-Tate. Companies will be more cautious about pre-announcing upcoming products and providing timetables for their availability, and they will, in general, be more tight-lipped about their plans. This may be tough for the press covering these subjects, but it certainly will help software companies avoid the embarrassment that Lotus and Ashton-Tate have had to face because of products missing announced shipping dates.

## Kodak Packs 4 Million Pixels onto Image Sensor Chip

Capping a five-year development effort in electronic imaging, Eastman Kodak has announced a 4-million-pixel image sensor chip that could have long-term implications for both commercial and consumer applications. Officially dubbed the KAF-4200 Full-Frame Imager, the chip is similar in design to charge-coupled device (CCD) sensors used in such applications as TV cameras. But there's a very large resolution difference.

A typical CCD chip in a consumer-type video camera has a resolution of 510 by 389 pixels, while the Kodak chip has a resolution of 2048 by 2048 pixels. This results in "near-photographic" quality, and it's all packed onto a package that's just 19 millimeters square.

But the KAF-4200 isn't designed for full-motion video. Using a pair of 20-MHz output channels, it's capable of delivering only 10 frames per second, well

below the 30 frames per second required for full motion.

Potential applications for the chip are numerous, including ultrahigh-resolution scanners and ultrahigh-quality electronic still cameras. Consumer applications, however, are many years away, largely because of the KAF-4200's price. Although Kodak hasn't announced a price yet, a similar chip with 1.7 million pixels sells for \$25,000 for perfect

*continued*

# To learn Microsoft QuickBASIC, you only need a manual this thick.



You're looking at something you won't see anywhere else.

It's called QB Advisor. A remarkable new hypertext electronic manual that can make you instantly more productive, even if you don't know the first thing about programming. QB Advisor actually lets you experiment by cutting and pasting useful sample programs right into your programming window. Only Microsoft has it. Only Microsoft could. And it's just one of the things you'll learn about new Microsoft® QuickBASIC version 4.5 for IBM® PCs and compatibles.

Another is the step-by-step tutorial that actually takes you through every stage of programming by working you through a complete program.

And QB Express—the interactive way to learn all about your programming environment in a matter of minutes—not hours.

Microsoft QuickBASIC also comes with Easy Menus that let you develop programs with

a minimum number of menu choices. Context-sensitive Help for immediate help with error messages and variables by simply punching a key, or clicking a mouse. And a built-in debugger that lets you see exactly what your program is doing, as it's doing it.

Best of all, Microsoft QuickBASIC is packed with enough power to handle whatever problems drove you to programming in the first place. Fact is, it translates your program into executable code at an incredible 150,000 lines per minute.

Microsoft QuickBASIC version 4.5. If programming is the only way out, this is the easiest way in.



**Microsoft**  
Making it all make sense.

## NANOBYTES

est innovation was the deal with IBM." Kaplan also said that NeXT may have an uphill battle trying to capture users who don't care about programming as well as scientists who don't care about high-level interface tools.

"Steve is king of ease of use," said Adele Goldberg of ParcPlace Systems, adding that the main feature of the **NextStep operating environment** is "putting control on the desktop."

- Vendors like **Aldus, Ashton-Tate, and Interleaf** have been working with **DECwindows** for several months now, say DEC officials. DECwindows is "quite portable," said DECwindows team leader Scott McGregor. DECwindows applications will be ported to the OS/2 environment once his team knows what users want, McGregor said.

- **Prentice-Hall** (Englewood Cliffs, NJ) is finishing up publication of two 10-volume series of **AT&T documentation** to go with version 3.2 of **Unix System V**. One set covers plain Unix; the other, Unix for 80386-based systems.

- **Computer software and computer systems** were two of the "worst performing industry groups" during 1988, according to a report released by Standard & Poor's. Collective financial performance of software companies fell 13 percent last year (2 percent better than gold mining), while companies involved in computer systems declined by 3.6 percent, S&P analysts said. On the happy side of that scale, with gains

*continued*

chips, with the price going as low as \$1000 for chips with defective pixels. A Kodak spokesperson said the price for the KAF-4200 is "likely" to be somewhere in the \$50,000 to \$100,000 range. That will limit its initial applications primarily to the military and to sophisticated applications, such as medical imaging.

Dr. Michael McCreary, manager of product development for Kodak's Micro-

electronics Division, told Microbytes Daily that one of the reasons the chip will be so expensive is that the yield of perfect chips during the manufacturing process is extremely low. In addition to the problems of producing a chip with 4,194,304 perfect individual microscopic diodes on a 19-mm square, the fabrication process has to be held to close tolerances to eliminate what's called "dark cur-

rent," spurious noise in the semiconductor substrate that causes bright speckles in the image.

Kodak had planned to start shipping samples of the chip in January, with full-fledged production scheduled by the middle of this year, the company said.

For further information, contact Eastman Kodak, Microelectronics Technology Division, Rochester, NY 14650, (716) 477-7053.

## Novell to Offer Tool for Distributed Processing

**N**ovell plans to soon offer a software tool that will help programmers develop applications that feature distributed processing. The new NetWare RPC (for remote procedure call) is a C preprocessor and a set of network-specific library files designed for various network protocols. NetWare RPC is actually a Novell version of a product developed and already being sold by Netwise (Boulder, CO). NetWare RPC is scheduled to be available in the first quarter of 1990 for both DOS and OS/2.

In designing a distributed-processing or client/server application, a programmer will divide the application so that part of it will run on a user's workstation (the client side) and part on a central file server. With Netware RPC, the

programmer will not have to be concerned with any of the communications-oriented code that is needed by each particular type of network operating system. For example, the programmer could use a single set of network functions and compile an application to run on a NETBIOS-compatible network. Later, the programmer could recompile the program with a different library file to have the application run on a network that uses OS/2's Named Pipes protocol or the Sockets protocol used in Berkeley Unix. In addition to these library files, Netwise will also have library files for the TCP/IP protocol used in Unix and the SPX protocol used by Novell. A library file for IBM's APPC protocol used in its System Network Architecture is scheduled to be

available next year.

Initially, Novell will offer only the SPX library file. Developers, however, will be able to obtain the other network protocol files directly from Netwise. Also, Netwise's own version of the product, called RPC Tool, is available for several environments, including DOS, OS/2, Unix, and DEC VMS. The DOS version starts at \$1250; the OS/2 version, \$1750. When the Novell version of the product becomes available (planned for the first quarter of 1989), the DOS version will sell for \$950; the OS/2 version will sell for \$1750.

For further information, contact Novell, 122 East 1700 St., P.O. Box 5900, Provo, UT 84601, (800) 453-1267, or Netwise, 4745 Walnut St., Boulder, CO 80301, (303) 442-8280.

## Different Drum Uses Computer, Radio Waves

**I**magine playing a Beethoven sonata with a pair of drumsticks. The location and force of the drumstick as it strikes the drum determines the tempo and the shape of the notes played in the sonata. Or, if you can write music, imagine composing a piece for an orchestra and then adding expression and tempo with a pair of

drumsticks. That's what Max Mathews's Radio Drum is all about.

Mathews, a former Bell Labs scientist specializing in acoustics, retired last year to join Stanford's Center for Computer Research in Music and Acoustics (CCRMA, pronounced "karma"). Actually, the Radio Drum was invented

by R. A. Boie, Mathews's former colleague at AT&T. But it is based on a concept developed by Mathews, who hopes it will become a commercial product.

The drum is a sheet of metal, approximately 18 inches square, covering an array of radio sensors. In response to how the player

*continued*

# You'll never know how quick it is until you open it up and see what it can do.

All the horsepower in the world is useless until you can get at it.

Introducing new Microsoft® QuickC® version 2.0. The fastest, easiest way to master all the power and glory of C. Frankly nobody but Microsoft packs this many exclusive features into a single package:


For starters, there's QC Advisor—a new hypertext electronic manual that teaches, helps and guides you *on screen*. It even lets you cut and paste sample programs, so you can learn C the easy way.

By example.

And "C For Yourself," our detailed book of C fundamentals that'll give you more in-depth programming lessons. You'll find one in every box.

With Microsoft QuickC, you can ease into C with Easy Menus to help you write your first C programs, then advance to Full Menus to access the full-throttle potential of C. You'll be up to speed in no time.

And speaking of speed, QuickC has enough muscle for incremental compiling and linking at an incredible 25,000 lines per minute—so it'll make short work of any development you have in mind.



*New Microsoft QuickC 2.0. Zero to expert in record time.*

And speaking of development, its in-line assembler lets you write assembly code within your C code for more efficient programs. Plus it's the only integrated debugger that lets you simultaneously debug C *and* your in-line assembler. Talk about convenience. It even supports all memory models within the integrated environment.

For all the details, call us at (800) 541-1261. The new Microsoft QuickC.

Get it. And break a few speed limits.

**Microsoft**  
Making it all make sense.®

## NANOBYTES

in performance, were textiles, retail food chains, shoes, tobacco, and manufactured housing.

• Apple II designer/industry icon/electronics whiz-guy **Steve Wozniak** sat in as disc jockey for the morning drive-time slot at a San Jose, California, radio station recently, apparently to good reviews. Woz, who also cofounded Apple Computer, produced two rock festivals, and recently coauthored what may be the worst collection of computer jokes ever published, hosted the morning spot on KSJO, an FM rock station. It was a one-day-only gig; the usual disc

*continued*

positions and strikes the drumsticks, these sensors send signals to a D/A data acquisition board in the computer. The computer stores these signals in memory and uses them to modify the frequencies and duration of the notes played in a score of music, which is also stored in the computer. The resulting signals are sent via a MIDI interface card to an electronic music synthesizer for playback. Mathews's original drum used strain gauges to determine the deflection of the drum membrane after each strike of the drumstick. The radio-wave model, developed by Boie at AT&T, allows more precise modulation of the sound.

The Radio Drum performs the role of a conductor of a symphony. Mathews calls the software that interprets the signals from the

Radio Drum the conductor program. The drum allows the performer to modify the tempo and tone of the lines of the composition stored in memory. The scores for any number of instruments can be stored, so the Radio Drum can conduct an entire orchestra. Tempo is controlled by the frequency with which you strike the drum. Each strike of the drum represents a beat in the musical score. Using the conductor program, you can add the beats to the composition as desired. As you strike the drum, the beats are then played sequentially. Each beat can represent any number of instruments. The tone, or "shape," of the note is controlled by moving the second drumstick in the horizontal and vertical dimensions of the drum surface (the horizontal or x-axis controls bass, and the


vertical axis controls treble).

The Radio Drum allows the performer to play electronic music without using the keyboard of the synthesizer. Mathews says a synthesizer played on a keyboard always sounds like a keyboard. The Radio Drum lets you modulate tones much more flexibly than with a keyboard, he says. And you don't have to be an accomplished pianist to play the Radio Drum.

Currently, Mathews has the Radio Drum hooked up to a Data Translation acquisition board in an IBM PC-compatible. The conductor software can be used with Mathews's own text editor for entering scores or with a more elegant scoring program developed by Dr. Leland Smith of Stanford (and marketed by Passport Design

*continued*

# Travel With A Fast Crowd.



Wherever your business takes you, take along the WorldPort 2400™ Portable Modem. Leaving the office doesn't have to mean leaving behind the world of high-speed, 2400 bps communications. Worldwide, in virtually every situation, including hotel rooms and phone booths, your ability to communicate clearly and efficiently remains intact.

Representing the cutting edge of modem technology, the WorldPort line of portable modems combine a broad range of features that bring you the best value in modems today. Features

that go far beyond costly internal units, such as Bell and CCITT standards, direct connect and acoustic interface (300 and 1200 bps), battery power, shirt pocket size, and a tiny price.

In fact, the WorldPort modems are the ultimate for both portable and desktop applications. And the WorldPort 2400 comes with Carbon Copy PLUS™ communications software, for even greater value.

If you want a modem that works where you do, put the WorldPort Series to work for you. In

the office. On the road. Or at home. For more information about our full line of WorldPort modems, or the name of your nearest dealer, call us at 800-541-0345. (In New York, 516-261-0423.)



Touchbase Systems, Inc.  
160 Laurel Avenue  
Northport, NY 11768  
(516) 261-0423  
TELEX: 6502848020  
FAX: (516) 754-3491

WorldPort 2400 is a trademark of Touchbase Systems, Inc. Carbon Copy PLUS is a trademark of Meridian Technology, Inc.

# Reach for ultimate portability

Complete Systems Start at \$790.00!




## 120 MBytes of power, speed and security in a revolutionary, removable hard drive.

**A**t last, the Disk Pack gives you everything you've always wished for in a data storage system. The speed and high storage capacity of a hard drive. The ease and convenience of a floppy diskette. And the safety of a tape backup. All wrapped up in a state-of-the-art rugged unit, about the size of a paperback book. Designed to make your life a lot simpler and more secure.

### True portability is here

Just picture this: With the Disk Pack you carry your whole work environment with you, wherever you go. All your files, all your data stay organized and configured just the way you created them. Between your office and remote sites. Or home. Or another department. You can even mail a Disk Pack. It's that rugged.




*The Disk Pack frees you from the constraints of fixed computers. Your whole work environment fits in the palm of your hand.*

### Total security for your data

Simply slide out a Disk Pack module and lock away your entire business customer base and payroll figures in a drawer or safe. Same for lawyer,

banker or accountant sensitive data and Uncle Sam confidential information. All fully secured in a snap.



*Get full data portability and security on the computer of your choice. Macintosh, PC-Compatible or PS/2.*

### Blazing speed Rock-solid reliability Limitless expansion

Breakthrough technology makes the Disk Pack four to five times more reliable than other removable products. Access times as low as 13 ms make it one of the fastest hard drives on the market. The Disk Pack doesn't limit you to a single storage capacity either. You can interchange 20-, 40-, 80- or 120-MByte modules in your

Circle 162 on Reader Service Card (DEALERS: 163)

For more information call

# 1-800-322-4744



**DISK PACK**

The new standard in data storage technology

## MEGA DRIVE

SYSTEMS  
11693 San Vicente Blvd, Suite 370  
Los Angeles, CA 90049  
Disk Pack is a trademark of IEF

system and between systems. Link modules up for a whopping Half-GByte + of on-line data. Store them for unlimited off-line data. And do lightning-fast data backups.

That's not all. The Disk Pack turns a shared computer into your fully personal machine within seconds. It's ideal for space grabbing applications such as color graphics, CAD, or music. One Disk Pack module does the job of 100 diskettes.

Ten times faster. And with a lot less hassle.

And thanks to the Disk Pack's unique architecture, you'll use it equally well on any Mac, Apple, PC-compatible or PS/2 computer. It's that advanced.

Outside the USA, contact IEF, Tel: (33) 1 45 57 14 14  
217 Quai de Stalingrad 92134 Issy, France



*The Disk Pack is ideal for data security. Lock it away and forget about accidental or intentional data loss.*

YES! I want to know more about Mega Drive Systems' new data storage technology. Please rush me more information about the Disk Pack and your free booklet "20 Valuable Facts About Hard Disk Care and Maintenance" today

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone (\_\_\_\_) \_\_\_\_\_

Mega Drive Systems, Inc.

11693 San Vicente Blvd, Suite 370  
Los Angeles, CA 90049 (213) 556-1663

Number of Micros \_\_\_\_\_ Mac \_\_\_\_\_ PC \_\_\_\_\_

**NANOBYTES**

jockey, a shock-jock by the name of Perry Stone, was on vacation. According to KSJO station manager David Baronfeld, the phone response to Woz was "really excellent."

- A kind and gentle correction: **Interstate Electronics** (Anaheim, CA) wrote, most politely, and without even a hint of the "nyah-nyah" tone we hear so often when we goof up, to tell us of an error in our September 1988 Microbyte on its chip set and 80-MFLOPS boards (page 12). We stated that the Analog Devices 32-bit digital signal processors being used by Interstate are limited to fixed-

*continued*

of Half Moon Bay, CA, as Score). Mathews has also written an improvisation program for the Radio Drum; it allows you to play music interactively, without first entering a musical score. One drumstick controls the sequence up and down the musical scale; the other controls the interval.

Mathews hopes to develop a commercial version of the Radio Drum that will produce MIDI interface signals directly, eliminating the need for the data acquisition board. The MIDI model would allow the user to play the Radio Drum directly connected to a synthesizer or to send the MIDI

signals to the Conductor Program for use in composition. It would also allow the drum to be used with any brand of computer.

For further information, contact Max Mathews at the Center for Computer Research in Music and Acoustics, Stanford University, Stanford, CA 94305.


**Analysts, Developments Offer Bright Chips Forecast**

**M**emory chips will remain a dynamic market, spurred by innovative designs, greater densities, and growing demand, a group of industry watchers we heard recently agreed. At a panel convened in New York by Hitachi America, analysts predicted that the current shortage in DRAM chips will be over by the middle of this year.

The rosier projection for the chip industry was delivered by Dan Klesken of Montgomery Securities (San Francisco): He predicted that total DRAM shipments would surge from 52.7 terabytes in 1988 to 480 terabytes in 1992, an increase of over nine times, fueled by growing demand for personal computers, laser printers, and fax machines and by

the emergence of such high-tech consumer products as digital VCRs and high-definition TV. By 1995, Klesken said, 25 percent of DRAMs will be used for consumer products, 65 percent for microcomputers and peripherals, and only 10 percent for minicomputers and mainframes.

Klesken, however, *continued*




**We Can Put You On The Right Trail With Four HIGH PERFORMANCE PRODUCTS!!**

**1. MODEL 9000 (E)(E)PROM MPU PROGRAMMER**



- Fastest programmer on the market.
- Quick & Intelligent programming algorithms.
- Supports megabit eproms.
- Programs largest variety of chips including Prom replacements, Eproms, EEPROMs and MPU's.

**3. MODEL PCSS-8I INTELLIGENT SERIAL CARD**




- 8 Co-processor driven RS232 channels/card.
- 1-8 cards per computer.
- BIOS Enhancement Software included.
- Eliminates host processor overhead.
- 32-2048KByte buffer memory.
- May be used standalone in custom application.

**2. MODEL ROMX-2XL EPROM EMULATOR**



- Emulates 2716-27010 eproms.
- 256K to 1024K memory available.
- Battery backed up, auto emulate on power-up.
- Low-cost, pays for itself on first project.
- Free 19.2K Serial Communications Software.

**4. MODEL PCSS-8X MULTIPOINT SERIAL BOARD**



- 8 RS232 ports per card (optional 4 port).
- All 8 ports 100% DOS compatible.
- 32 ports may be added to a PC.
- Optional RS422 to 4000 ft.
- Interrupt driven BIOS Enhancement Software included.



DEVELOPMENT HARDWARE & SOFTWARE  
 P.O. Box 2310; Bay St. Louis, MS 38521-2310 U.S.A.  
 ORDER TOLL FREE 1-800-255-GTEK (4835) FAX: 1-601-467-0935  
 MS & Technical Support 1-601-467-8048

# BRIDGES



## The *easy* way to move files between the 5¼" world of PCs, and the 3½" world of PS/2s, Laptops, and 386s: Sysgen's Bridge family.

Because your PCs, PS/2s, 386s and laptops all talk different floppy disk sizes and formats, they can become frustrating *islands* of information.

For the simplest way to get files back and forth, just install Sysgen's Bridge products. Presto: Your different computers can talk to common diskettes.

Sysgen pioneered bridges. Now here are three ways to simplify your life in a multi-computer office.

### **Solution 1: Our Bridge-File 5.25 floppy disk drive.**

A best seller, with over 50,000 installed. Attach it to your PS/2, and you can read and write files from PCs. Critics and users alike have raved



about its small footprint, ease of use, and dual density capacity of 360Kb and 1.2Mb. (IBM's drive is twice the size, yet stores only one-fourth the data.)

Every PS/2 user deserves this easy connection to the world of PCs.

### **Solution 2: Our Bridge-File 3.5 floppy disk drive.**

You get 720Kb and 1.44Mb capacities. Connect it to any PC, and you can read and write files from PS/2s, 386s, laptops, and other 3½" machines.

Now all your PCs can share files with your newer systems.



### **And here's the ideal controller: The Omni-Bridge Controller.**

Controls up to four drives, so you can mix and match 5¼", 3½", and floppy tape drives as you need. This hot card gives you big storage, plus twice the floppy disk and floppy tape transfer performance rates! At only \$95, this is a winner.



**Get your computers talking. Call the Sysgen Hotline for the name of your nearest dealer. 1-800-821-2151.**

# **SYSGEN**

INCORPORATED

556 Gibraltar Drive, Milpitas, CA 95035

MARCH 1989 • BYTE 19

Trademarks: Sysgen, Bridge-File, Omni-Bridge—Sysgen Inc.; PS/2—International Business Machines Corporation. Registered Trademark: IBM—International Business Machines Corporation.

## NANOBYTES

point arithmetic. "Not true," says Interstate. "The Analog Devices chip sets being used in our QUEN family processors perform both fixed- and floating-point arithmetic." We stand corrected and apologetic.

• Scan this deal:

**Microtek** (Torrance, CA) is tossing in some fine software with its Macintosh scanners. Buy a Microtek gray-scale scanner (MSF-400G, MSF-300GS, MSF-300G, MSF-300QS, or MSF-300Q) and you'll get a **free copy of Silicon Beach's Digital Darkroom**. The company said it will also bundle in a **free SuperPaint 2.0** with every Mac scanner.

• Several software publishers were quick to state their **support for DEC's new desktop computers**. Oracle said its relational DBMS will be available on the new VAXstations and DECstations, under VMS, Ultrix, and MS-DOS; **Autodesk** will port AutoCAD to the RISC-based DECstation 3100; **LSI Logic** will offer its Modular Design Environment (for engineering ASIC designs) on the 3100; and **Mathsoft** is moving its MathStation problem solver/document producer to the new DECstations and VAXstations.

• **Silicon Graphics** (Mountain View, CA) says it has so far shipped 1000 **Personal Iris systems**. As we reported here when the machine was announced last October, the \$16,000 Personal Iris represents a substantial drop in cost for a three-dimensional graphics workstation.

tioned that chip makers may not be able to meet new demand unless they raise levels of capital investment. Between now and 1990 alone, he said, the equivalent of 11 major fabrication plants running round the clock must be brought on line, at an investment of over \$5 billion, and chip yields must more than double. But he doubted that U.S. chip makers will gain in the market, predicting instead they will retain their current share of 15 percent to 20 percent, or at best 25 percent.

The picture for Asian producers is different: Capital investment by Japanese chip makers is still two and a half times greater than by U.S. companies, he said, and Korean manufacturers—es-

pecially Samsung, Goldstar, and Hyundai—are pouring billions of dollars into developing capacity.

Analyst Amy Wohl, of Wohl Associates (Bala Cynwyd, PA), said she sees hope in EEPROM chips, saying they will resolve the age-old "duality" of memory—the division between volatile and permanent storage.

Recent technical developments signify that innovation will continue to drive the chip industry. Hitachi has confirmed that it is working on a 16-megabit CMOS DRAM and has offered tantalizing glimpses of other future developments: 100-megabit DRAMs and chips based on superconducting ceramics. Researchers at the

company's lab cautioned that developments in materials physics will be necessary to achieve these aims.

IBM and Texas Instruments both recently claimed breakthroughs in chip technology. IBM researchers said they have devised a way, using advanced lithographic techniques such as electron beams or x-rays, to make CMOS chips with circuits one-quarter of a micron wide, permitting transistors that switch 30 billion times per second and chips with up to 256 megabits of storage. And TI said it has built the world's first quantum-effect transistors, which occupy 100 times less space and switch thousands of times faster than the transistors used in today's ICs.

## Mainstream Will Look More Three-Dimensional

**T**hree-dimensional imaging and animation has comprised a small, expensive, and very specialized segment of the computer hardware and software market. But there are signs that three-dimensional technology this year will begin to emerge into the mainstream of personal computing. And one of the big players in this small field will be Wavefront Technologies (Santa Barbara, CA).

You've probably seen Wavefront's work on TV commercials and network spots, most notably during last year's Summer Olympics. Most of the slick graphics NBC used in the summer games were created on a Silicon Graphics machine

using Wavefront's three-dimensional animation software.

While the big push for "fancy pictures" in 3-D came from Hollywood, Wavefront's cofounders Bill Kovacs and Larry Barel's say that scientific and engineering computing—not the entertainment industry—will bring 3-D into the mainstream.


People in the technical market aren't interested in theatrical animation. They're interested in "describing their problem," says Kovacs. They can get part of the way with CAD and finite-element analysis. But to achieve true, realistic modeling of a physical design, either you construct a

physical model or you use three-dimensional rendering, in which you add color, shading, and texture to the wire-frame or line image, and then apply motion to it.

With sophisticated three-dimensional graphics hardware like the Silicon Graphics Personal Iris, priced under \$30,000, the opportunity is there to make three-dimensional modeling and animation available to a much broader base of users. The missing link is affordable software. Wavefront's current software costs in the neighborhood of \$40,000. Pixar (San Rafael, CA), which is a competitor of Wavefront, offers a complete hardware and software system priced over \$60,000.

The next step is to offer products at a much lower cost with easier user interfaces. We can expect these kinds of products to emerge some time this year. Barel's expects IBM to offer three-dimensional capabilities on its RT PC, using a Silicon Graphics add-in board and Graphics Library.

**TECHNOLOGY NEWS WANTED.** *The news staff at BYTE is interested in hearing about new technological and scientific developments that might have an impact on microcomputers and the people who use them. If you know of advances or projects relevant to microcomputing, please contact the Microbytes staff at (603) 924-9281, send mail on BIX to Microbytes, or write to us at One Phoenix Mill Lane, Peterborough, NH 03458. An electronic version of Microbytes, which offers a wider variety of computer-related news on a daily basis, is available on BIX.*



Each One Is A Landmark Of Power.  
A Technical Masterpiece.  
The Answer To A Specific Need.

AST makes the fastest and highest-quality desktop computers in the business world. One of them is right for you. Whether you need a personal computer for general office work, engineering, desktop publishing, financial analysis or running your business at home, you can count on AST to fit your desktop size, your budget and your need for ultimate speed.

INFO WORLD REPORT CARD		
AST Premium/286	COMPARISONS 386/286	IBM PS/2 Model 80-111
8.0	7.5	6.5
Final Scores • 20 MHz 386 Based Computers May 2, 1988		

**Our Newest Wonders.** If you want extra performance and high quality without spending a lot of money, try our newest computers — the AST Premium® 386/16 and the AST Bravo/286. Our cache-based AST Premium 386/16 makes 386™-CPU computing available to even the most cost-conscious budget. And the AST Bravo/286 is all the AT®-compatible power you

\*Source: PC Week, Nov. 14, 1988.

AST, AST logo and AST Premium registered trademarks AST Research, Inc. 80386 and 80386SX trademarks Intel Corp. AST markets products worldwide — in Europe and the Middle East call 44 1 568 4350; in Japan call

need to manage your small business or home office, or use it as a node in a local area network.

**Our Most Powerful Wonders.** For high-speed CAD/CAM/CAE, multitasking, multiuser environments and LAN file service, choose AST's top performing systems. The 25 MHz AST Premium 386/25 and 20 MHz AST Premium/386C bring the highest performance to your sophisticated 386-CPU based applications.

**Our Most Versatile Wonder.** If you have to choose one computer that satisfies the broadest range of needs, let it be the AST Premium/286. Perfect for flying through word processing, large spreadsheets and even technical applications, it's the industry's award-winner for 286 performance and value.

**Our Smallest Wonders.** When your desktop space



# AST Introduces The Of The Bus



**AST Bravo/286**  
Extra value, quality  
and AT-compatibility  
for business or  
home office use.

**AST Premium  
Workstation/286**  
Executive styling  
and test-proven AT  
compatibility in a  
powerful 286 computer.

**AST Premium/286**  
Outstanding, industry  
winner for general  
business and technical  
applications.

**AST Premium 386/25**  
State-of-the-art  
solution for ultimate  
LAN file service and  
CAD/CAM/CAE.

is limited, but your appetite for speed and power isn't, the AST Premium Workstation/386SX and the AST Premium Workstation/286 offer test-proven compatibility you can rely on. These sleek, small-sized wonders are the quality answer to cost-effective, high-performance desktop computing.



**AST Service, Support And Reliability — The Eighth Wonder.** The AST logo means quality products and service. In fact, PC Week recently named AST first in technical support, over Compaq® and IBM®.\*

For the products and service that will make you the next wonder of the world, ask for AST Computers. For more information, call (714) 863-0181 and ask for operator BB6, use our Bulletin Board Service number (714) 852-1872, or fill out the coupon.

Please send me information on AST computers.

BYTE 3/89

Please have an AST representative call me.

I am  an end user  a reseller.

Name \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Phone \_\_\_\_\_

AST Research, Inc. 2121 Alton, Irvine CA 92714-4992. Attn: M.C.



Times Have Changed.

All other product and brand names are trademarks and registered trademarks of their respective companies. Copyright © 1989 AST Research, Inc. All rights reserved.

1 3 818 0710, in the Far East call our Hong Kong office 852 5 806 4333; in Canada call 416 826-7514.

Circle 29 on Reader Service Card (DEALERS: 30)

# The Seven Wonders of the Business World.



**AST Premium/386C**  
Multiuser, multitasking  
386-CPU powerhouse  
with integrated cache  
architecture.



**AST Premium 386/16**  
Cache-based, true 32-  
bit, 386 CPU processing  
for sophisticated, yet  
affordable computing.



**AST Premium  
Workstation/386SX**  
Executive styling  
in a cost-effective,  
entry-level 386-  
CPU system.

# Why the FREE Inmac catalog is the computer accessory you'll value most.

You get "a store in a drawer."

Page after page of PC products that make work easier, more effective. At your fingertips, when you wish.

## Plain talk makes it all easy.

Spacesavers, workstations, cables, disks. All explained in simple language & pictured as you'd use 'em. Call with any questions: Our informed staff helps you get the right item, instant credit, fast delivery.

## The final decision is yours.

Unlike some catalog firms, Inmac lets you decide when you're satisfied with a product. A promise we back up with ironclad guarantees.

Call now toll free:

**1-800-722-4770**

Ext. 2467

Use the resource that gives the world's sharpest business computer users an extra edge.



Call or send coupon to  
Inmac, 2465 Augustine Dr.,  
Santa Clara, CA 95054.

**YES!**

Send my first Inmac catalog today!

Name \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

Street Address/P.O. Box \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Area Code \_\_\_\_\_ Phone No. \_\_\_\_\_ Code 5550

In Canada, Call Toll Free 1-800-387-2173

# LETTERS

## OS/2 Common Sense

Didn't it occur to you that if Mark Minasi's absurd claim ("The Good News and the Bad News," October 1988) that "background OS/2 processes slow down by a factor of 10 to 500 times" was even remotely realistic, others would have already noticed? A 10-second compile, for example, that suddenly started taking an hour would be fairly obvious, it seems to me.

It hasn't been noticed because it doesn't happen. There have been a lot of ridiculous benchmarks over the years, but these were some of the most egregious.

String compares and such all run at exactly the same speed on a given processor, no matter what the operating system. If you think you see a difference under OS/2, it's only because you don't get an infinitely large and instantaneously available time slice. When, as in Minasi's cases, the benchmark execution times are on the same order as these scheduling characteristics, of course the results are nonsensical.

In a multitasking system, when and how much of the processor you get depends on the relative level of competition for resources, the task switch time, and the scheduling parameters. For example, if you have too many processes chasing too little RAM, any multitasking operating system will thrash, producing a very sudden and dramatic decline in throughput. (For OS/2 1.0 with the compatibility box, the threshold appears to be just below 2 megabytes.) Also, it's well known that getting in and out of read

mode on an 80286 is expensive, but this is hardly the fault of OS/2. (Switching between protected processes or threads is quite fast.)

OS/2 may have its warts, and if Minasi is suggesting that the scheduling parameters (e.g., the way priority is calculated) should be tweaked, he may be right. But on other than toy problems, I think most designers are finding that OS/2's superior kernel services (especially multithreading) make significant performance gains easy to achieve.

Douglas A. Hamilton  
Wayland, MA

*Others have noticed. Page 63 of the November 1987 PC Tech Journal showed a test wherein a large assembly language program was run through MASM under different circumstances. The people there found that running the assembler in the background while running the BRIEF text editor in the compatibility box in the foreground slowed down the compile by 4640 percent. Not all DOS programs cause this effect—I suspect it is the constant keyboard polling of most text editors that causes the damage.*

*For some reason, I found that VEDIT slowed down the background more than IBM's Personal Editor, which in turn slowed down the background more than BRIEF. The bottom line is that you're not going to use the compatibility box any more than you have to.*

*"Nonsensical" is a term that's meaningful only when there is common sense of some kind. No one yet has common sense about OS/2, because it's so new. It's the common sense that I'm trying to help establish.*

*Your comment about the 2-megabyte value in OS/2 1.0 is well taken but really doesn't apply, because the test was done on a 4-megabyte machine and swapping was disabled.*

*I never disagreed with your contention that "switching between protected processes or threads is quite fast." By now, you have seen my November 1988 column, where I discuss that.*

continued

**WE WANT TO HEAR FROM YOU.** Please double-space your letter on one side of the page and include your name and address. We can print listings and tables along with a letter if they are short and legible. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Because of space limitations, we reserve the right to edit letters. Generally, it takes four months from the time we receive a letter until we publish it.

# dBASE® Users—Attack the Mac with FoxBASE+/Mac

## New Frontiers, No Fears.

FoxBASE+/Mac gives you the unprecedented ability to run your dBASE programs on the Macintosh immediately—without changing a single line of code! But there's much more. *With FoxBASE+/Mac you can create beautiful, robust applications that are truly Mac-like—using the familiar dBASE language!*

## Speed and Power.

FoxBASE+/Mac gives you speed to burn—plus the power and performance you've come to expect from Fox. In fact, FoxBASE+/Mac is *by far* the fastest database system available on the Mac today—up to 200 times faster!

## View Window.

The View Window is the master control panel for FoxBASE+/Mac's graphical, non-programming interface. Use it to open and close files, set up indexes, establish relations, access BROWSE, and even to modify database structures!


## BROWSE.

FoxBASE+/Mac's BROWSE feature brings new convenience and power to database display and editing! You're in complete control—BROWSE lets you dynamically adjust the size and order of fields displayed, add or delete records, and split the window to show different database sections side-by-side. Together, BROWSE and View Windows *eliminate* the need to write programs for common database operations!

## Integrated Graphics.

Copy and paste graphs, charts, diagrams and even pictures into your database—instantly! FoxBASE+/Mac gives you the power to display these graphics, or merge them into reports and documents!

FoxBASE and FoxBASE+ are trademarks of Fox Software. dBASE and dBASE III PLUS are trademarks of Ashton-Tate. Macintosh is a trademark of McIntosh Laboratory, Inc., licensed to Apple Computer, Inc.



You can create stunning screens like this with FoxBASE+/Mac—*immediately!* This actual FoxBASE+/Mac screen photo illustrates the View Window, Command Window, Integrated Graphics, Memo field editing, Trace and Debugging Facilities, and the BROWSE feature.

## Command Window.

FoxBASE+/Mac's Command Window gives both experienced developers and novice user ultra-convenient access to the dBASE command language—just type a command into the Command Window, and it's executed!

## Get The FoxBASE+/Mac Facts Now!

Call (419) 874-0162 Ext. 320 for more information about FoxBASE+/Mac. Or visit your local software retailer.




FoxBASE+/Mac is part of the award-winning family of products from Fox Software. For two years in a row, FoxBASE+ has been given the prestigious Editor's Choice award by *PC Magazine*, and scored an impressive 9.2 out of a possible 10 when tested by *InfoWorld's Review Board!*

## Fox Software

Nothing Runs Like a Fox.

Fox Software, Inc. (419) 874-0162 Ext. 320  
118 W. South Boundary FAX: (419) 874-8678  
Perrysburg, OH 43551 Telex: 6503040827

# When you create PC database applications without Clipper,<sup>®</sup> you place unnecessary restrictions on yourself.



*Sometimes we get so accustomed to being confined we forget there are better alternatives.*

Specifically designed for creating sophisticated applications, Clipper<sup>®</sup> takes you far beyond the limitations of other PC database development systems.

Clipper's open architecture, for example, allows user-defined functions as well as outside routines written in Assembler, C and many other languages, to be easily integrated into one seamless application.

In addition to its ability to work with the dBASE<sup>®</sup> language, Clipper provides new language extensions and enhanced commands for creating menus, screens, windows, arrays and input validation. All saving hours of coding time.

It offers a full-featured Debugger. A customizable error system to create your own error recovery strategy. Sophisticated record and file locking capabilities that make networking applications easier to create. And runs applications up to 20 times faster than dBASE.

What's more, Clipper produces .EXE files which free you from runtime modules, licensing costs, royalty fees, and additional software requirements.

Clipper.

Everything you've been asking for in a database development system. With a degree of freedom you've never experienced. The question now is, just how locked into your old ways are you?

For a free demo diskette and booklet, *Developing and Compiling with Clipper*, call (213) 390-7923.

## Clipper<sup>®</sup>



Nantucket Corporation, 12555 West Jefferson Boulevard, Los Angeles, CA 90066, fax: (213) 397-5469, telex: 650-2574125  
Copyright © 1989 Nantucket Corp. All rights reserved.  
Clipper, Nantucket and the Nantucket logo are registered trademarks of Nantucket Corp. Other brand and product names are used for identification purposes only and may be trademarks or registered trademarks of their respective holders.

*Thanks for reading the column. The feedback is always helpful and interesting. —Mark Minasi*

### More on OS/2

In "All Together Now" (September 1988), Mark Minasi tests OS/2 1.0's virtual memory manager. His BASIC program runs 650 times slower when using the virtual memory. (The execution time is 5487 seconds.) He claims that each memory access becomes a disk access once virtual memory is activated.

The program was similar to this:

```
for i=1 to 500 : for j=1 to 500 :
a(i,j)=100 : next j : next i
```

(where 500 is the value of Minasi's "ad").

Did he try a(j,1) instead of a(i,j)? Execution must be some 500 times faster, almost as fast as in RAM.

BASIC stores the matrices in column-wise order, so the offset of memory locations (2-byte integers) is as follows:

```
a(1, 1) : 2*0 ; a(1, 2) : 2*500 ;
... ; a(1, 500) : 2*24500
a(2, 1) : 2*1 ; a(1, 2) : 2*501 ;
... ;
a(1, 500) : 2*24501
a(500, 1) : 2*499 ; a(500, 2) : 2*999 ;
... ; a(500, 500) : 2*24999
```

If the virtual memory page size is 2K bytes, in each second memory access a full page must be written to and another read from disk. In other words, the whole array must be read and written 500 times. If the disk transfer rate is 100K bytes per second and the array size is  $500 \times 500 \times 2$  bytes = 500,000 bytes, then it takes some  $2 \times 500 \times 500,000 / 100 = 5000$  seconds.

This example clearly shows that if you have a memory system with more than one level, the programmer and/or the optimizing compiler must rearrange code sequences to keep the number of data transfers between the memory levels to a minimum.

And for the sake of correctness, the "time to process each byte" of data in the article must be in milliseconds, not in seconds.

G. Márk  
Budapest, Hungary

*See my December column for a discussion of this. By the way, since the December column was printed, two readers have asked why I ran the virtual memory tests on OS/2 1.0 rather than on the beta*

*continued*

## PC EXPERTS AGREE:



# Proteus® offers the fastest for the least, and supports them the most.

Proteus® sells the fastest personal computers you'll find. But as experts from BYTE, InfoWorld, Personal Computing, and others have discovered, our computers are more than just fast.

"You get... fifteen months of service coverage – and onsite at that. Even without the warranty, we highly recommend this machine."

Computer Buyers Guide

"The Proteus is an excellent value for the performance it offers potential buyers. Its speed, expansion capability, and service contract put it in a class with the big boys."

Personal Computing Magazine

"A remarkable range of performance and operational capabilities."

BYTE Magazine

For the fastest, most economical, best supported computers available, follow the experts to Proteus.

**"This IBM-compatible is so fast I have had trouble measuring its speed."**

Business Computer Digest

**"Proteus is markedly faster than any other personal computer we've worked with, including Deskpro 386/20."**

Personal Computing Magazine

**"The Proteus is one of the fastest desktop computer systems we tested, a zero-wait-state hot rod."**

InfoWorld Magazine

**"... a complete multi-user solution that arrives with all peripherals and operating systems installed and tested... a very powerful machine that does what it claims."**

Computer Shopper Magazine

### PROTEUS-286GTX

#### 12MHz, ZERO WAIT STATE

- Intel 80286-12 CPU
- 640K RAM expandable to 16MB
- 32KB cache memory
- 8 expansion slots
- 2 serial & 1 parallel port
- 1.2MB floppy drive or 3.5" microfloppy
- Dual HD & floppy controller
- 200W power supply, 110/220V
- 101 key tactile keyboard
- 15-month free on-site service
- Made in U.S.A.

#### Complete Systems

##### with Hard Disk and Monitor:

- 20MB mono \$1,905
- 20MB EGA plus color \$2,350
- 20MB 16-bit VGA \$2,780
- for 40MB add \$142
- for 80MB add \$445



### PROTEUS 386/16

#### 16 MHz opt. 20MHz ZERO WAIT STATE

- Intel 80386 CPU at 16 MHz
- Optional 80386-20MHz
- 1MB RAM – Expandable to 16MB
- Intel 82385 EE cache ctr
- 32K fast cache
- 2 serial & 1 parallel port
- 1.2MB floppy drive
- Dual HD & floppy controller
- 200W power supply, 110/220V
- 101 key tactile keyboard
- 15-month free on-site service
- Made in U.S.A. **\$2,195**

#### Complete Systems with Hard

##### Disk and Monitor:

- 40MB 28ms mono \$2,899
- 40MB 28ms EGA plus color \$3,299
- 40MB 28ms VGA plus \$3,699
- for 80MB add \$185
- for 90MB add \$1,129
- for 100MB add \$614
- for 150MB add \$1,420
- for 340MB add \$2,675



### PROTEUS 386/25


#### 25MHz, ZERO WAIT STATE

- Intel 80386 CPU at 25MHz
- 1MB RAM expandable to 32MB
- Intel 82385EE cache ctr
- 32K fast cache
- 387 coprocessor support
- 2 serial & 1 parallel port
- Dual HD & floppy controller
- 200W power supply, 110/220V
- 1.2MB floppy drive
- 101 key tactile keyboard
- 15-month free on-site service
- Made in U.S.A. **\$3,995**

#### Complete Systems with Hard

##### Disk and Monitor:

- 40MB 28ms mono \$5,199
- 40MB 28ms EGA plus color \$5,593
- 40MB 28ms VGA plus \$6,069
- for 80MB add \$185
- for 90MB add \$1,129
- for 150MB add \$1,545
- for 340MB add \$2,675



### PROTEUS SYSTEM 3400M MULTIUSER SYSTEM

- 80386-20 opt. 25MHz
- 2MB/4MB 32-bit RAM Exp. 16MB
- 80MB Hard disk; opt. 1/2ms access
- Tape Backup Streamer
- 1.2MB, 5-¼" or 1.44 MB 3.5" fd
- 8 Terminal Support up to 64 users
- SCO XENIX OS loaded
- High Resolution 14" Monitor
- Graphics Controller
- Parallel and Serial ports
- 6 or 8 ½ ht. drive bays
- 101 Key Enhanced Keyboard
- Choice of optional name brand terminals and Proteus LightWave graphics terminals
- 15-Month Free Onsite Service
- Complete System price \$6980



To order, call us direct. 1-800-782-8387

In N.J. call 201-614-7000

For 24 hr catalog, call 1-800-548-5036 using your modem set at 1200B or 2400B/N/8/1.

Technical Support Hotline: 1-800-541-8933 Reseller/VAR programs available.


Custom configurations available.

All trademarks recognized. © Proteus is a registered trademark of Proteus Technology Corp. All prices, terms, specs subject to change.

Circle 211 on Reader Service Card

**proteus**  
THE INTELLIGENT CONCLUSION  
75 Kingsland Ave.,  
Clifton, N.J. 07014

MARCH 1989 • BYTE 27



**EVEREX**

Everex and Sleep are trademarks of Everex Systems, Inc. All other product names are registered trademarks of other manufacturers.

AST Premium 386/20	3.04 MIPS
IBM PS/2 Model 80 (20 MHz)	3.52 MIPS
Compaq DeskPro 386/20	4.59 MIPS
Everex Step 386/20	4.91 MIPS

Power Meter MIPS Version 1.2. The Database Group.



**"We're coming to get you."**

Raymond Li, Kam Chow,  
Anne Russell, Wesley Wong  
Everex Project Engineers



"If you're afraid of monsters, please turn the page."

What makes our new computer unnervingly fast can be explained in three words: write back cache.

Simply put, it means less work: you don't write to the main memory every time you write to the cache.

It's an approach to memory management found only on mainframes and on Everex Step computers.

And in a world where a 32k cache is the norm, ours expands to 256k.

The Step 386. It's a monster of a machine.

Find out more about Step 386 and Step 286 computers. Call 1-800-356-4283.

Everex Computer Systems Division, 48431 Milmont Drive, Fremont, CA 94538.

Circle 100 on Reader Service Card (DEALERS: 101)



Microsoft OS/2 1.1. (These tests were conducted in July 1988, before the general release of 1.1.) In fact, I did try the virtual memory test on 1.1, but the early release crashed when OS/2 started swapping. This has since been fixed.

—Mark Minasi

**Excel Above**

The matrix-handling capability of Excel is indeed a cut above statistical processing features in other spreadsheets, as

“Multiple Regression with Excel” by Charles W. Kyd (November 1988) points out. In fact, using Excel and a little diligent effort, a user can replicate the functions of many statistical packages and provide individual tailoring of formats and reports. I have been using Excel in that manner in quality assurance and testing applications.

Statistically significant outcomes, however, are judged according to what you might expect to see when only

chance is at work. The tables in the back of statistics books assume that you are testing the relationship between only two of many possibly related collections of measurements. Kyd suggests that you should test all possible relationships, looking for the red herring that is now much more likely to appear by chance alone. That’s like looking for a coin to come up heads once in 10 tosses and continuing to toss the coin in sets of 10 until it happens.

A safer and more statistically defensible method would be to plan which comparisons you will make before collecting the measurements and look only for the significance of those in the back of a statistics book. There is ample opportunity here to fudge and announce that you were looking for the relationship that turned out to be the strongest when you weren’t. Oh, well...some people cheat at solitaire, too.

Charles E. Cliett  
Duluth, GA

**The Latest Road to True Salvation**

Walter J. Rottenkolber, complaining of being deluged by a flood of YAPL (yet another programming language), writes, “In the 30 years after the Mark I computer switched on in 1945, I estimate that some three dozen programming languages kept computers humming” (Letters, November 1988). Three dozen? Nonsense! You don’t count programming languages by the dozen, you count them by the gross.

The heyday of YAPL was the 1960s. The programming language was the philosopher’s stone of computing. The typical nerd fantasy was “to design my own computer language.”


Was the best version of ALGOL BALGOL, MAD, or JOVIAL (Jules’s own version of IAL)? Should you do your text processing in COMIT? TRAC? TECO? SNOBOL? For list processing: Lisp? SLIP? or IPL-V? Should users of DEC equipment choose DECAL, DIBOL, FOCAL, or MUMPS?

Champions of problem-oriented languages hotly defended their superiority over general-purpose languages. Should a civil engineer learn FORTRAN when COGO was available? Weren’t problems of soil mechanics best dealt with in SEPOL?

Naturally, programmers soon perceived that the real barrier to progress was the difficulty of writing new language compilers. So they addressed this problem (naturally) by devising new languages for the purpose. The Brooker-

*continued*

**GRAPHICS FOR MAC II®**



**miroGRAPH**

**Flickerfree Display**  
72 dpi and 75 Hz refresh rate are the common features of these boards. You can choose: 256 colors, 256 greyscales or black and white. Compatible with any software based on the Apple Color Quick Draw.

**Highest Resolutions**  
miroGRAPH graphics boards for PC/ AT and PS/2 are featuring resolutions of 1024 x 768, 1280 x 1024 or 1600 x 1200. Drivers for major software products are supplied with our boards. Ask for our actual compatibility list.



USA: miro, 27758 Santa Margarita Pkwy., Suite 285, Mission Viejo, Ca 92691, Phone 1-714-380-1120, Fax 1-714-5822873  
Germany: miro, Gifhorner Str. 28, 3300 Braunschweig, Phone: 49-531-30091-0, Fax 49-531-30091-99, Apple Link GER.XSE0012

Of the more than  
250 hardware products reviewed  
by InfoWorld in 1988,  
our CompuStar® received  
the highest total score awarded.

CompuStar



Simply stated, it's number one.

*CompuStar. is the world's first and only multi-processor, convertible bus™ microcomputer. It can be configured with up to 13 bus expansion slots (PS/2 and/or PC/AT compatible), your choice of interchangeable 8086, 80286, or 80386 microprocessors and up to seven disk/tape devices.*

*To receive a reprint of the InfoWorld review, as well as a complete CompuStar product information kit, call 803/796-7800.*



Corporate Headquarters: 3243 Sunset Boulevard • West Columbia, South Carolina USA 29169 • 803/796-7800 • FAX 803/796-7832

PS/2, Personal Computer AT and AT are trademarks of International Business Machines.

Circle 269 on Reader Service Card

Morris Compiler Building System was spoken of with awe. PSYCO (Princeton syntax-directed compiler) was well known. And there must have been quite a few more, because in 1972 Steve Johnson named his contribution to the genre YACC (yet another compiler-compiler).

A book by Jean Sammet appeared whose cover depicted a picture of the Tower of Babel, completely covered in tiny lettering with the names of computer languages. Three dozen? No, no, no,

Walter! By her count, at that time, there were approximately 600 of them.

In the 1970s, the tide shifted as people began to think that the real answers lay in YAOS (yet another operating system). Today, of course, the flood is down to a mere trickle, because we now understand that true salvation is to be found only in YAUI (yet another user interface).

Daniel P. B. Smith  
Norwood, MA

## PC Voice Mail, now only \$199.

For an ear-opening telephone demo call:  
1-800-6-WATSON

Now get a *combined* PC-based voice mail, data modem, and telephone answering system—from only \$199. With Watson, you'll *profitably* improve your business communications with clients, colleagues, sales and service reps, field staff, vendors.

### Benefits Of A \$20,000 + Voice Messaging System Or "Personal Receptionist" For As Low As \$199

Look at all of these advanced features:

**Voice Mail**—Watson's automatic telephone answering lets callers leave and receive messages of any length 24 hours a day, 7 days a week. Ends "telephone tag" with clients and colleagues. Forwards messages automatically to mobile phones and pagers. Retrieve messages from any touchtone phone—even a car phone. Never miss an important call! And Watson provides "big system" professional sound quality!

**Up To 750 Private "Mailboxes"**—Give up to 750 of your colleagues or clients an individual, confidential "voice mailbox." Use them to receive private messages or record special messages for individual callers.

**Electronic Telephone Book**—In one key-stroke, access any of up to 750 telephone numbers, then use automatic dialing and re-dialing if busy. Store key information on contacts and get it immediately when you need it.

**Hayes-Compatible Data Modem**—Comes complete with 1200 BPS Hayes-compati-

ble modem (or optional 2400 BPS modem). Transfer your data files and access Telex, E-Mail, Dow Jones, or other public databases.

**Simultaneously Run Popular Business Programs**—Run programs such as Lotus 1-2-3 while Watson records or delivers messages.

**Plus**—Watson efficiently guides callers through the options they have in leaving messages... Delivers special pre-recorded messages to individuals at pre-determined times... Automatically forwards messages to other telephone lines or numbers... Provides an electronic calendar with automatic alarms and telephone notification.

### 30-Day Risk-Free Trial Installation

Try Watson for 30 days. If you aren't 100% satisfied, send it back for a prompt and full refund. No questions asked.

### Demo Hotline

For a telephone demo call 1-800-6-WATSON EXT. 121 (In MA 1-508-651-2186 EXT. 121). Touchtone EXT. 121 and receive a *free* five pack of diskettes if you purchase.

### Order Hotline

To order Watson call 1-800-533-6120 EXT. 121 (In MA 1-508-655-6066 EXT. 121). Touchtone EXT. 121 and receive a *free* five pack of diskettes with purchase. Price: \$199. For optional 2400 BPS modem add \$100. MasterCard, VISA, and American Express accepted. Credit card or check must accompany order.



# Watson®

Natural MicroSystems Corporation, 8 Erie Drive, Natick, MA 01760-1313

OVER 30,000 SOLD

### Staying Alive

The reports of our death are greatly exaggerated. In Chaos Manor Mail (November 1988), Jerry Pournelle mourned the passing of our company, Minnow Bear Computers. Considering that we are doing just fine, this came as quite a surprise to us.

We'd appreciate your printing this letter, as many BYTE readers may mistakenly believe we are no longer in business.

Michael E. Nunamaker, President  
Minnow Bear Computers  
Champaign, IL

### FIXES

- The text box entitled "Digitizers with a Twist" in our January Product Focus on digitizing tablets ("Graphic Details") gave incorrect and incomplete information. The sonic digitizer mentioned there is made by Science Accessories Corp. (SAC), not Scientific Accessories, as we stated. The product's correct model name is the GP-7 Grafbar Mark II. It provides an active area of 20 by 26 inches and sells for \$1315.

SAC also sells a three-dimensional digitizer called the GP-8-3D, as well as nine different sizes of its two-dimensional GP-8 line. SAC can be contacted at 970 Kings Highway W, P.O. Box 550, Southport, CT 06490, (203) 255-1526.

We also omitted the address and phone number for Polhemus Navigation Sciences: P.O. Box 560, Colchester, VT 05446, (802) 655-3159.

- Our December 1988 Review Update, "Benchmarks at a Glance," gave an incorrect FPU index rating for the Everex Step 386/20. The correct rating is 8.14.

- Table 2 in "Multiple Regression with Excel" (November 1988, page 372) contained an error for cell B41. The expression DataAvg should have been Data-Avg, as shown below:

$$B41 = (MMULT(TRANPOSE (Data-Avg), Data-Avg) / (TRANPOSE(Std)*Std)) / (n-1)$$

- Our January What's New item on Pocket Soft's .RTLink program (page 84) should have noted that it does not work with Turbo Pascal, rather than Turbo C, according to Borland International.

- The book review of *Using QuickBASIC 4* (December 1988) listed the location of the publisher, Que Corp., as Carmel, California. Que Corp. is in Carmel, Indiana. ■

# Train for a High-Paying Career as a Computer Service Technician

**Only NRI teaches you to service all computers as you build your own fully XT-compatible micro—now with 512K RAM and 20 meg hard drive!**



Jobs for computer service technicians will almost double in the next 10 years according to Department of Labor projections, making computer service one of the top 10 growth fields in the nation.

Now you can cash in on this opportunity—either as a full-time industry technician or in a computer service business of your own—once you've mastered electronics and computers the NRI way.

## **Get inside the powerful, fully XT-compatible Packard Bell computer system**

To give you hands-on training with the absolute in state-of-the-art computer technology, NRI includes the powerful new Packard Bell VX88 computer as the centerpiece of your training. You build this 512K, fully IBM PC/XT-compatible computer from the keyboard up, plus you now go on to install a 20 megabyte hard disk drive to complete your total computer system.

## **Understanding you get only through experience**

You need no previous background in electronics to succeed with NRI. You start with the basics, rapidly building on the fundamentals of electronics with bite-size lessons. You perform hands-on experiments with your NRI Discovery Lab® and then move on to master such advanced concepts as digital logic, microprocessors, and computer memories.

## **Learn at home in your spare time**

With NRI, you learn at your own convenience in your own home. No classroom pressures, no night school, no need to quit your present job until you're ready to make your move. And all throughout your training you've got the full support of your personal NRI instructor and the entire NRI technical and support staff. They're always ready to answer your questions and help you whenever you need it.


Get all the facts from NRI's free 100-page catalog. Send today!

## **Your incomparable hands-on training includes all this:**

NRI's unique Discovery Lab® lets you design and modify circuits, diagnose and repair faults • Hand-held digital multimeter, complete with "talk-you-through" instructions on audio cassette • Digital logic probe lets you visually examine computer circuits • The latest Packard Bell VX88 computer with "intelligent" keyboard and 5¼" floppy disk drive • 20 megabyte hard disk drive you install internally • 16K ROM, 512K RAM • MS-DOS, GW-BASIC, and exclusive word processing, database, and spreadsheet software • Reference manuals, programming guidelines, and schematics.

See other side for highlights of NRI "hands-on" computer training →

## SEND CARD TODAY FOR FREE NRI CATALOG



### COMPUTERS AND MICROPROCESSORS

This training prepares you to service all computers as you build your own fully IBM PC/XT-compatible computer. Total systems training includes 5¼" floppy disk drive, 20 meg hard disk drive, monitor, test equipment, software, and the NRI Discovery Lab®.

### Check one FREE catalog only.

- |  |  |
|--|--|
| <input type="checkbox"/> Computers and Microprocessors | <input type="checkbox"/> Security Electronics        |
| <input type="checkbox"/> TV/Video/Audio Servicing      | <input type="checkbox"/> Electronic Music Technology |
| <input type="checkbox"/> Robotics                      | <input type="checkbox"/> Basic Electronics           |

Name _____ (Please print)	Age _____
Address _____	Telephone _____
City _____	State _____ Zip _____

For career courses approved under GI Bill  check for details.

169-039

Accredited by the Accrediting Commission of the National Home Study Council

# Get In-Demand Computer Servicing Skills With NRI "Hands-On" Training



Using NRI's unique Action Audio Cassette, you're talked through the operation and practical applications of your hand-held digital multimeter—the basic, indispensable tool for the computer specialist.



You set up and perform electronics experiments and demonstrations using your NRI Discovery Lab<sup>®</sup>. You even interface the lab with your computer to "see" keyboard-generated data.



After you build this digital logic probe, you explore the operation of the Packard Bell detached "intelligent" keyboard and its dedicated microprocessor.




Next, you install the 5¼" floppy disk drive, learning disk drive operation and adjustment. You later improve your data storage capacity dramatically by installing a powerful 20 meg hard drive.

## Total Computer Systems Training, Only From NRI

No computer stands alone. . . it's part of a total system. So if you want to learn to service and repair computers, you have to understand today's computer systems. And only NRI builds meaningful training around just such a powerful computer system—the new Packard Bell VX88 computer, complete with monitor, floppy disk drive, hard disk drive, and valuable software—all yours to train with and keep.

The VX88 features full IBM PC/XT compatibility, the breakneck speed of an advanced CMOS V40 CPU, and big-system raw power: 512K RAM and full expandability for future system growth.



## Mastery Is "Built-In"

You assemble the Packard Bell "intelligent" keyboard, install the power supply and 5¼" floppy disk drive, and attach the high-resolution monitor. You then go on to install a powerful 20 meg hard drive—today's most-wanted computer peripheral—now included as part of your NRI hands-on training.

The many demonstrations and experiments you perform as you build your Packard Bell computer system give you a total mastery of computer operation, based on a thorough knowledge of the intricacies of computer theory.

**SEND CARD TODAY FOR FREE NRI CATALOG**



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

**BUSINESS REPLY MAIL**

FIRST CLASS MAIL PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

**NRI** School of  
Electronics

McGraw-Hill Continuing Education Center  
4401 Connecticut Avenue, NW  
Washington, DC 20077-3543



## 100-Page Free Catalog Tells More . . . Send Today!

Send the postage-paid card today for NRI's free 100-page catalog that gives all the facts about NRI computer training, plus career training in robotics, TV/video/audio servicing, electronic music technology, and many other fields. If the card is missing, write to NRI at the address below.

IBM is a registered trademark of International Business Machines Corp.

**NRI** School of  
Electronics

McGraw-Hill Continuing  
Education Center  
4401 Connecticut Avenue, NW  
Washington, DC 20008

# CHAOS MANOR MAIL

*Jerry Pournelle answers questions about his column  
and related computer topics*

## DESQview Debate

Dear Jerry,

As a man who respects your opinions a great deal, I was appalled to read that you highly recommend DESQview.

It seems to me that when I purchased DESQview, I wasted my money. I haven't been able to get this turkey to do anything that I need it to do.

Some of the applications that I use regularly are Windows-specific (e.g., Page-Maker and In a Vision). So when I read of Quarterdeck's advertising to the effect that DESQview could run this type of application, I was quite excited; DESQview appeared to be able to blend into the DOS environment a little better than Windows, and I liked the idea of multitasking, which Windows does only with its print spooler.

So far, the only way I've been able to get a Windows application to run under DESQview is to set up the command WIN PM, for example, which runs Page-Maker under Windows, which in turn runs under DESQview. Is that what they call running a Windows-specific application? If so, I'm underwhelmed by this achievement. Windows is still doing all the work.

I'm sure it's different for you. When Pournelle asks, I would think that an answer is generally forthcoming. But for those of us among what Quarterdeck obviously views as the great unwashed, I must seriously question the usefulness of a completely unsupported product such as this.

Chris Doole  
Winnipeg, Manitoba, Canada

*Maybe your problem has been compounded by the Canadian mail. Quarterdeck is not a very large company, but the people there have been quite responsive to requests, and not just from me. Meanwhile, I'm using DESQview to write this.*

*I don't particularly recommend it for 80286 users (although it's probably better than nothing); with an 80386, you do need QEMM, Quarterdeck's 80386 memory manager.*

*I've used a lot of programs that attempt*

*to let me do task switching, and I keep coming back to DESQview. —Jerry*

## Easy Draws It

Dear Jerry,

In Computing at Chaos Manor (September 1988), you talked about your aborted project of drawing maps on the Atari ST using the Atari laser printer. I own an Atari 1040 ST, and I considered upgrading to a 2-megabyte Mega ST and Atari laser printer. However, I made the following observations:

- Atari supplies only a very bad Diablo emulator driver with the printer.
- Most of the ST applications now support the Hewlett-Packard printers as well as the Atari laser printer.
- The Hewlett-Packard DeskJet is an excellent ink-jet printer, capable of 240 characters per second (cps) in text mode and 300 dots per inch (dpi) in graphics mode, and it is supported by all the applications supporting the HP LaserJet (because both printers use the same command codes).

For those reasons, I bought my DeskJet. A wealthier person would have bought the HP LaserJet II. However, I like to see what a printer is doing. The laser printers buzz and whir for sometimes minutes (especially when you print graphics) before regurgitating a sheet that does not always satisfy you. With the slow but open-air DeskJet, I can actually see my work being printed, and I can stop the device if something goes wrong.

For drawing your fantasy maps, I recommend Easy-Draw 2 for the Atari ST, along with the SuperCharger utility and the Easy-Tools desk accessory. As a freelance fantasy role-playing game-

*continued*

*Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. He can be reached c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, or on BIX as "jerry."*

# NEW BLAISE TOOLS



*The fastest way to create  
powerful programs  
with Turbo Pascal  
5.0 and Turbo C 2.0!*

Blaise Computing, manufacturer of function libraries that offer easy-to-use solutions to your programming needs, introduces:

## POWER TOOLS PLUS/5.0—\$149

*—completely integrated and lightning-fast routines to help you:*

- ◆ Add moving bar pull-down menus and windows to your user interfaces; *NEW!* ◆ Generate context sensitive help screens; *NEW!* ◆ Add easy-to-use date and time conversion routines; *NEW!* ◆ Let users choose from window oriented pick lists; *NEW!* ◆ Create and access "huge" data structures; *NEW!* ◆ Use multiple-line edit fields with fully configurable edit keys; *NEW!* ◆ Speed up your sorting with flexible in-memory sort routines; *NEW!* ◆ Add EMS support; *NEW!* ◆ Write TSRs and ISRs easily; ◆ Control DOS memory allocation; ◆ Create powerful programs in Turbo Pascal 4.0 & 5.0!

## Turbo C TOOLS/2.0—\$149

*—tight, fast, high quality functions to help you:*

- ◆ Add easy-to-use mouse support for windows and menus; *NEW!* ◆ Quickly include virtual windows and menus; *NEW!* ◆ Integrate your windows and menus with Turbo C's text windows; *NEW!* ◆ Create context-sensitive help screens; *NEW!* ◆ Provide multiple-line edit fields with fully configurable edit keys; *NEW!* ◆ Use keyboard and video services (including enhanced keyboard and VGA); *NEW!* ◆ Write TSRs and ISRs easily; ◆ Create powerful programs in Turbo C 1.0, 1.5 and 2.0!

## FREE with these products!

Source code, complete sample programs, a comprehensive reference manual with extensive examples, the Norton Guides Instant Access Program, and an online database. We also offer free technical support and a bulletin board system dedicated to technical issues.

## Unleash your programming potential!

Blaise Computing offers programming tools that are fast, flexible and affordable. Call now to order or to ask for a free brochure on our full line of products for C and Pascal.

## Put Blaise tools to the test!

If at any time during the first 30 days you are not completely satisfied with their speed and flexibility, we'll refund your money.

**Call 800-333-8087 today!**

**BLAISE COMPUTING INC.**

2560 Ninth St., Suite 316, Berkeley, CA 94710, (415) 540-5441

FAX: 415-540-1938

*Turbo C and Turbo  
Pascal are trade-  
marks of Borland  
International.*



module writer, I used it and found it quite comfortable. Easy-Draw lets you create complex vector drawings, just like Mac-Draw. You can mix these objects with freehand drawings and bit-mapped graphics (converted from other utilities through the SuperCharger utility).

Once you've drawn a coarse freehand contour of, say, a shoreline or frontier, you can zoom in closely and break it into fine segments with Easy-Tools (called in from the accessory menu) and refine

each segment, adding or deleting some, until the whole frontier looks perfect. Your drawings can be larger than one 8½- by 11-inch cut sheet (the DeskJet driver I have allows 11- by 17-inch drawings, printed on two pages—a little cut-and-paste work is required in this case).

The package is sold by Migraph, 200 South 333rd St., Suite 220, Federal Way, WA 98003, (206) 838-4677, for less than \$200. The bottom line for a 1040 ST, a 20-megabyte SH 205 hard disk drive, and

Easy-Draw is under \$1500, which makes the combination very attractive.

Frederic Mora  
Williamsburg, VA

*I certainly agree that the DeskJet printer is an excellent buy, perhaps the most versatile one you can get in its price range.*

*As to laser printers laboring like Aesop's mountain, I completely agree: I also like to see what's being printed. On the other hand, lasers are fast enough that if things are mucked up, you haven't lost a great deal.*—Jerry

**Update from West Germany**

Dear Jerry,

The German government is moving to split up the Bundespost! 1992 is bearing down on West Germany, and the government figured it had to do something about German protectionism. So the Bundespost will be split into three or four "byposts" à la Ma Bell a few years ago. Net result: nil.

I've read a few analyses of the proposed splitting action, and they all seem to say that the "new, improved" Bundespost(s) will be less efficient, more entrenched, and less friendly to new technology—if such a thing is possible.

I am amazed at the number of people in Europe who write to BYTE and brag about how they have outfoxed their local postal, telegraph, and telephone services (PTTs) by importing U.S. communication hardware. European PTTs are notorious for their lack of humor in such matters. And advertising your crimes (from the PTT point of view) is pretty foolish. I wonder how these people feel when they come to work and find that all phone service has been shut off "for investigation of technical irregularities."


I read recently that you are preparing a tome on OS/2. Have you ever tried the Pilot operating system? I am using it at work (not on PC-style hardware), and it is everything that OS/2 should be. And it works.

So Apple is now suing Microsoft over the "look and feel" of Microsoft Windows. How does that affect OS/2 and Presentation Manager? As a denizen of the Xerox realm, I look on this with glee. I hope that Apple sets all sorts of precedents. And I hope that the Xerox legal department is preparing a nice sharp stick to whack Apple with when Apple is through with its fun and games.

Chuck Kuhlman  
Dossenheim, West Germany

*Thanks for another excellent report from Europe!*—Jerry ■


# KILL 8051 BUGS FAST.



**CALL TODAY FOR YOUR FREE VIDEO AND SOFTWARE DEMO. (408) 866-1820**

Nohau's EMUL51-PC emulator and trace board make a sophisticated bug-hunting pair for your 8031/8051 projects. Plug the EMUL51-PC into your PC, XT, AT or compatible and find bugs that other emulators can't. Our powerful software makes it a snap to use.

- Source Level Debugging for PL/M-51 and C-51
- 48 bits wide 16K deep trace buffer
- 20 MHz real-time emulation
- Supports 80535, 80C451, 80C152, 80C452, 80C552/652, 80C51FA, DS5000 and more.
- Available in either "Plug-in" or "Box" configurations



*The EMUL51-PC comes with a 5-ft. cable, software and 1 year hardware warranty with free software updates. Trace board optional.*

**WORLDWIDE CALL:**

Austria	0222-387638
Australia	02 654 1873
Benelux	+31-1858-16133
Denmark	02 65 81 11
France	01 69 412 801
Great Britain	01 464 2586
Israel	03 484832
Italy	011 771 0010
Korea	02 784 7841
New Zealand	09 392 464
Portugal	01 83 56 70
Scandinavia	+46 40 922425
Spain	93 217 2340
Switzerland	01 740 41 05
West Germany	08 131-1687

**NOHAU**  
CORPORATION

51 E. Campbell Ave.  
Campbell CA 95008  
(408) 866-1820

# Proof is in the Performance

## db\_FILE™ provides faster file management

### Proven performer

db\_FILE™ from Raima is the only file manager you'll ever need. Other file managers deliver B-tree/ISAM capabilities, but they slow down as the application increases in size or complexity. Only db\_FILE combines B-tree/ISAM capabilities with full network model database capabilities. The result: *You get more file management for less!* Thousands of C programmers in over 50 countries worldwide use db\_FILE. *And, it's fast, 100% faster than the closest competition.* So, for building applications that feature fast data access, whether simple or complex, db\_FILE is the proven performer.

### Proven portability

db\_FILE is written entirely in C for optimum portability. Unlike others, db\_FILE is not limited to MS-DOS, so your db\_FILE applications will run in any environment that supports the C language. Source code is available, allowing you to optimize performance or port to new environments yourself.

### More proof - db\_RETRIEVE™ SQL-based Query

You can add even more performance with db\_RETRIEVE™. It provides the familiar relational view, through SQL, of a db\_FILE network model database...*without sacrificing the performance!* Source code is also available.

### Final proof - the price.

You can't buy this much power for less! Both db\_FILE and db\_RETRIEVE feature free lifetime support. Plus, applications developed using db\_FILE and db\_RETRIEVE are royalty-free, so the savings go on and on. Call us today, and prove it to yourself!

	db_FILE	db_RETRIEVE
Single-User Object	\$ 395.00	\$ 395.00
Single-User Source*	\$ 495.00	\$ 495.00
Multi-User Object	\$ 650.00	\$ 650.00
Multi-User Source*	\$ 795.00	\$ 795.00

\*Source code may only be purchased by registered owners or purchasers of compatible object code.

For the name of your db\_FILE distributor.

**CALL: 1-800-db-RAIMA**  
(that's 1-800-327-2462)


Ask about the many other products and services Raima Corporation offers, including consulting, application development services, and training.

**RAIMA™**  
CORPORATION

BY39


# Some views on why the NEC MultiSync

There's a lot more to the new MultiSync® 3D monitor from NEC than meets the eye. Because instead of making one monitor for each



graphics board, we've developed a monitor that enhances

the performance of the modes on practically any board.



With its new microprocessor-controlled digital tuning system, MultiSync 3D can adjust to a given video standard with a precision matched only by a few high-end single-frequency monitors.


Making it perfectly compatible with virtually all systems and boards. From 8514A, SuperVGA and Mac II to VGA, EGA, MDA and

# 3D is the new monitor standard.


CGA. For an incredible maximum resolution of 1024 x 768.

What's more, MultiSync 3D is equally compatible with you and your workplace. There are upfront controls, for easier access. A 14" non-glare screen on a tilt-swivel base, for more comfortable viewing. And, as you can see, there's even a full 360 degree design.

The way we see it, MultiSync 3D



*Side*



*Top*

has dramatically raised the

standards by which all other color monitors will be judged.

MultiSync is a registered trademark of NEC Home Electronics (USA) Inc.

Mac II is a registered trademark of Apple Computer, Inc.


For literature, call 1-800-826-2255. For technical details call NEC

Home Electronics (USA) Inc. 1-800-FONE-NEC.

© 1989 NEC Home Electronics (USA) Inc.

# NEC

MARCH 1989 • BYTE 37




Break the 32M barrier without breaking your wallet with EZ-DOS 4.0.

EZ-DOS 4.0 was developed by Digital Research as an alternative DOS for PCs. As such, EZ-DOS 4.0 allows 512M partitions and file/subdirectory PASSWORD protection. On-line HELP is another user-friendly feature.

EZ-DOS 4.0 also comes with GEM/3 Desktop, this windowing operating environment.

**GEM Desktop™**



**EZ-DOS 4.0 . . . . . \$79.00**  
**with True BASIC . . . . \$99.00**  
**2001 Sales, Inc.**

Corp. Headquarters:  
 16580 Harbor Blvd., Ste. D.  
 Fountain Valley, CA 92708  
 Tel: (714) 531-6551 Fax: (714) 531-8546

CANADA:  
 Tel: (416) 591-6600 Fax: (416) 591-6808

TAIWAN:  
 Tel: (02) 542-4575 Fax: (02) 536-3405

HONG KONG:  
 Tel: 5-890-3707 Fax: 5-895-6241

Dealer, Distributor & OEM inquiries welcome.  
 VISA and Master Card accepted.

for the U.K. and 60 Hz for the U.S.), the same is true of monitors. Can you tell us whether or not this is true?

William Brown  
 Katy, Texas

*Most monitors manufactured and sold as "PC compatible" are just that; they will work at a scan frequency of 30 Hz to maintain compatibility regardless of their country of origin. Problems would arise only if you attempted to use a composite or TV monitor; the European standard, as you mentioned, is different from that of the National Television System Committee. European monitor manufacturers that sell in the U.S. can sell the same unit in both markets, provided it has dual power inputs.—S. A.*

**Little Orphan Lisa**

Some years back, my department bought five Lisa (Macintosh XL) microcomputers, which Apple Computer no longer manufactures. We have problems with them, and we have contacted Apple, but to no avail. We'd like to know sources of parts and kits, as well as books, because we want to keep our Lisas running. Could you give us suggestions for where to start looking?

Shen Xioyang  
 Department of Physics  
 Shaanxi Teachers University  
 Xian, PR China

*A good place to start looking is at Sun Re-marketing, P.O. Box 4059, Logan, UT 84321, (801) 752-7631. Not only does the company provide upgrades that allow the Lisa to run Macintosh software, but it also is an authorized Lisa service center. Check it out.—T. T.*

**High-Speed Microcomputing**

I race a Limited Inboard Hydroplane in the 5-liter stock class. I use a 305 Chevrolet as my power plant. The boat is capable of 120 mph.

I would like to develop an on-board computer to monitor engine functions while testing and racing. Eventually, I would like to be able to output performance data.

I have gone through past issues of BYTE looking for a project that might fit my application. I have found other on-board computers, but their manufacturers want an arm and a leg for them, and I run a low-budget operation. For example, I looked at a computer that monitored the eight exhaust temperatures, had room for an additional eight engine and clutch monitors, and cost more than \$5000. I'm certain that the job can be

done for a lot less than that.

My problem is that I'm not exactly an electronics whiz. My background is in accounting.

I also want to develop a digital device that would tell exactly what the timing of the engine is. I think this would be an easy device to develop, but I need someone with the expertise and knowledge.

Can you give me some direction? I have ideas, but not the skills to develop them.

Rod Lewis  
 Lake Oswego, OR

*There are several directions you could choose. Your options depend on whether you need monitoring and process control or just a way to record data for later analysis.*

*Real-time process control would require some on-board intelligence; the width of the processor bus is dependent on the number of inputs and outputs you require. Since you also need high temperature sensors, it might be best to contact an industrial control firm; you may be able to put together a small chassis PC bus, VME bus, or Multibus solution with a processor and a few interface cards. The cost, however, is likely to be quite high because you're looking for development for a single system, and the effort would require writing application software.*

*Data acquisition without control would require only the sensors and a recording device, and it may be a more cost-effective solution. Data could be strobed, read in, and stored in memory with only a low-end processor (depending on the speeds and the amount of data required), the sensors, some memory, and some interface logic. You could even put together the timing monitor with no intelligence: A clock, an input line tapped (and stepped down) from the distributor circuit, and a counter would form the heart of the system.*

*Your best bet if you are looking for a do-it-yourself solution is probably to check out some advanced hobbyist books and look for a design that would best suit your needs. You might also check out the single board computers that have appeared in BYTE in recent years.—S. A.*

**A Correct Connection**

I have a Sony KX14CP1 monitor that functions very well as a CGA output device. What's bothering me is whether its analog input is able to accept VGA analog output. Is it just a question of the correct connectors? I am assuming that all

*continued*

# MINUTEMAN<sup>®</sup>

## UNINTERRUPTIBLE POWER SUPPLIES



**“More Powerful Than Ever!”**

INTRODUCING THE NEW **900 WATT** MODEL 120 VOLT

### TOTAL POWER PROTECTION

- BLACKOUTS** Enables user to operate during complete loss of power
- BROWNOUTS** User is protected from low AC voltage below 132 volts.
- OVERLOADS** Automatic shutdown in overload situation to protect UPS from inverter burnout.
- OVERVOLTAGE** UPS runs on inverter (117 volts) when AC voltage exceeds 132 volts.
- SURGES/SPIKES** Clamps transients above 200 volts with an energy rating of 100 joules or less.
- EMI/RFI** Three stage filtering for clean AC power.



- **FULL ONE YEAR WARRANTY**
  - **ORDER-SHIP SAME DAY**
  - **1 MILLISECOND TRANSFER TIME\***
  - **SYNCHRONIZED SINEWAVE\***
- \*250 watt and 500 watt units offer 4 msec transfer time, PWM waveform



1455 LeMay Dr. Telephone  
Carrollton, TX 75007 (214) 446-7363

**1-800-238-7272**

FAX: (214) 446-9011 TELEX: 140275 OMEGA

Power Output	120 Volt Models	230 Volt Models
250 WATT	\$ 379.00	\$ 429.00
300 WATT	\$ 549.00	N/A
500 WATT	\$ 699.00	\$ 799.00
600 WATT	\$ 899.00	\$1049.00
900 WATT	\$1249.00	N/A
1200 WATT	\$1499.00	\$1749.00
1600 WATT	\$1999.00	\$2299.00

Suggested Retail



Optional Battery Packs Not Shown





The original AnthroCart. Mobile.  
Incredibly strong. So many ways to solve  
your space and equipment problems.  
Choose different sizes. Move  
shelves around. Add space saving  
options.

AnthroCart. Well designed  
Technology Furniture.

Look for our name.

# AnthroCart®

Call us for more information: 800-325-3841



Made in U.S.A.  
All steel frame construction  
Easily holds up to 150 lbs.



**ANTHRO**

Anthro®  
Technology Furniture®

3221 N.W. Yeon St.  
Portland, OR 97210  
503-241-7113  
Telex: 940103

AnthroCart and Technology Furniture are  
registered trademarks of Anthro

analog RGB input monitors are the same.  
Is that correct?

I would also like to clarify the impression that I get from reading some of the computer ads in *BYTE* and other magazines. ATI seems to imply that its EGA card is able to output any mode to any monitor. This would mean, for example, that an EGA mode could be displayed on a monochrome monitor with shades rather than colors. This appears wonderful, since it is then possible to run any software with just the ATI card and whatever monitor you happen to have. Is this right?

Dr. Ono Meng Soon MRCP  
Petaling, Jaya

You can use any analog RGB monitor as a VGA output device, provided the monitor has the proper bandwidth and you are able to make the proper connection. While I don't have the specs for the Sony monitor, a bandwidth of over 10 MHz is required for VGA adapters. You'll have to make sure that the monitor is capable of 640- by 480-pixel resolution, a quality not found in many displays sold for use under the CGA standard.

EGA systems have a monochrome mode (mode 15) that can display graphics on a two-color monitor. Monochrome (black-and-white) monitors with gray-scale capability are usually sold for graphics work and offer high resolution. Any EGA card will work only with a TTL monitor or a multifrequency monitor with a TTL switch.—S. A.

## Resurrecting the Dead

I'm a beginning electronics/computer hobbyist (with a strong emphasis on "beginning"). Recently, I intercepted a venerable (circa 1976) Lanier LTE-3 "no problem" dedicated word processing system on its last trip out the back door of a local attorney. The system seems to be in good operating condition and includes a large integrated terminal (a 13-inch CRT, two 5¼-inch floppy disk drives, five card slots, and a full keyboard), some software, and a Qume daisywheel printer.

I'm not interested in wrestling with an antiquated typing system in a modern business environment, but I would like to convert the terminal into a multifunction personal computer. Can I accomplish this in a cost-effective manner?

I have no technical specs on the system, but the motherboard seems to be built around the following chips: the Intel 1D912, NEC D8080AFC, and NEC D8257C microprocessors, and 16

*continued*

## MS-DOS \$99

We call PolyAWK our "toolbox language" because it is a general-purpose language that can replace a host of specialized tools or programs. You will still use your standard language (C, Pascal, Assembler or other modular language) to develop applications, but you will write your own specialized development tools and programs with this versatile, simple and powerful language. Like thousands of others, you will soon find PolyAWK to be an indispensable part of your MS-DOS toolbox. If you don't have enough OS/2 development tools, now it's easy to write your own.

### A True Implementation Under MS-DOS & OS/2


Bell Labs brought the world UNIX and C, and now professional programmers are discovering AWK. AWK was originally developed for UNIX by Alfred Aho, Richard Weinberger & Brian Kernighan of Bell Labs. Now PolyAWK gives MS-DOS & OS/2 programmers a true implementation of this valuable "new" programming tool. PolyAWK fully conforms to the AWK standard as defined by the original authors in their book, *The AWK Programming Language*.

### A Pattern Matching Language

PolyAWK is a powerful pattern matching language for writing short programs to handle common text manipulation and data conversion tasks. A PolyAWK program consists of a sequence of patterns and actions that tell what to look for in the input data and what to do when it's found. PolyAWK searches a set of files for lines matched by any of the patterns. When a matching line is found, the corresponding action is performed. A pattern can select lines by boolean combinations of regular expressions and comparison operations on strings, numbers, fields, variables, and array elements; patterns may reference properties of the current input line or any other program variables. Actions may perform arbitrary processing on selected lines. The action language looks like C, but there are no declarations, and strings and numbers are built-in data types. You can have multiple input files and output files, regular expressions, user-defined functions, and run other programs.

### Saves You Time & Effort

The most compelling reason to use PolyAWK is that you can literally accomplish in a few lines of code what may take pages in C, Pascal or Assembler. Programmers spend a lot of time



# PolyAWK.<sup>™</sup>

## The Toolbox Language.<sup>™</sup>

For C, Pascal, Assembly & BASIC Programmers

writing code to perform simple, mechanical data manipulation — changing the format of data, checking its validity, finding items with some property, adding up numbers and printing reports. It is time consuming to have to write a special-purpose program in a standard language like C or Pascal each time such a task comes up. With PolyAWK, you can handle such tasks with very short programs, often only one or two lines long. The brevity of expression and convenience of operations make PolyAWK valuable for prototyping even large-sized programs.

### Very Concise Code

Where program development time is more important than run time, AWK is hard to beat. These AWK characteristics let you write short and concise programs:

- The implicit input loop and the pattern-action paradigm simplify and often entirely eliminate control flow.
- Field splitting parses the most common forms of input, while numbers and strings and the coercions between them handle the most common data types.
- Associative arrays use ordinary strings as the index in the array and offer an easy way to implement a single-key database.
- Regular expressions are a uniform notation for describing patterns of text.

## OS/2 \$199

- Default initialization and the absence of declarations shorten programs.

### Large Model & Math Support

PolyAWK is a large model implementation and can use all of available memory to run big programs or read files greater than 64K. PolyAWK also includes extensive support for math functions such as strings, integers, floating point numbers and transcendental functions (sin, log, etc.) for scientific applications. Conversion between these types is automatic and always optimized for speed without compromising accuracy.

### PolyAWK Comes With The Book

When you order PolyAWK you receive a copy of *The AWK Programming Language* written by the authors of the original UNIX-based AWK. The book begins with a tutorial that shows how easy AWK is to use, followed by a comprehensive manual. Because

PolyAWK is a complete implementation of AWK as defined by the book's authors, you will use this book as the manual for PolyAWK.

### PolyShell Bonus For MS-DOS!

PolyShell gives you 96 of the most useful UNIX commands and utilities under MS-DOS in less than 20K. You can still use MS-DOS commands at any time and exit or restart PolyShell without rebooting. MS-DOS programmers — discover what you have been missing! UNIX programmers — switch to MS-DOS painlessly! PolyShell and PolyAWK are each \$99 when ordered separately. Save \$50 by ordering the PolyShell + PolyAWK combination package for \$149 (MS-DOS only).

### 30-Day Money Back Guarantee

You can purchase PolyAWK and the book, *The AWK Programming Language*, for \$99 (MS-DOS) or \$199 (OS/2), or \$249 for both. If you already have the book, deduct \$14. The combination package includes only one book. Order PolyAWK (MS-DOS & OS/2) plus PolyShell (MS-DOS) for \$348.

### To Order: 1-800-547-4000

Ask for Dept. BYT. Send Checks and P.O. To: POLYTRON Corporation, 1700 NW 167th Place, Beaverton, OR 97006, (503) 645-1150 — FAX: (503) 645-4576, TELEX: 325800 POLYTRON  
*Call About Our OEM/VAR Strategic Alliance Program*

# POLYTRON

High Quality Software Since 1982  
Circle 205 on Reader Service Card

World Radio History

TMS4116015NL ICs. Can the system be "liberated" with the replacement of one or more chips on the motherboard?

A. J. Daniels Jr.  
Corpus Christi, TX

*I'd consider taking up wrestling. At least, be happy that the system works and see what mileage you can get out of it as is.*

*The D8080AFC is none other than the wonderful old 8-bit 8080, grandfather of the 8088. The 8080 was at its peak in the*

*early days of CP/M and the S-100 bus. The D8257C is not a processor but a programmable direct-memory-access controller for the 8080/8085 family. Your 16 TMS4116-15s add up to 32K bytes' worth of 150-ns dynamic RAM.*

*To update the system, lift it up and move your desk underneath an AT clone. Perhaps the Qume has a Centronics-compatible parallel port (though the Qume daisywheel printers I'm familiar with came with wide, multiline cables compat-*

*ible with only Qume's interfaces), and you can use it with some PC or AT clone.—R. G.*

**Parallel ATs**

Let's take a hypothetical case. I have two IBM PC AT compatibles. One I use all the time. I use the other 10 percent to 20 percent of the time, but I cannot do without it. Both have 640K bytes, a 1.2-megabyte floppy disk drive, a 20-megabyte hard disk drive, and a parallel port. My dream is to use the second AT in a parallel/multiprocessing mode.

Is this feasible under DOS or OS/2? If so, what additional hardware (e.g., memory, bus-to-bus link) would I need? Is such hardware available? If I have C source code, can I—using some overlay software—recompile that software so that it makes use of both machines?

Do other readers find themselves needing a second AT but underutilizing it? Would the kind of software and hardware I'm dreaming about be a viable alternative to upgrading to a faster, more expensive machine?

Ameesh Oza  
Martinez, CA

*It sounds like what you're dreaming about is building a parallel-processing system, not an easy feat by any means. First, you'd want to get the systems communicating with one another at high speed, so you'd probably need to set up a bidirectional parallel port. You can do this by either buying a couple of parallel I/O boards or seeing if you can modify your existing parallel ports as described in "Why Microcontrollers, Part 2" by Steve Ciarcia in the September 1988 BYTE. Then you'll have to work out handshaking details, communication protocols, and so on; you're pretty much on your own in all this.*

*And your problems have just begun, because getting high-speed communications set up doesn't guarantee that any of your software will make use of it. Unless the whole point of this exercise is the enjoyment you'll derive from creating what amounts to your own operating system and application software, you're in for months and possibly years of hassle.*

*Of course, another alternative is to set up a small network between the machines. You could make this as simple or as elaborate as your pocketbook allows. But the computers could at least share disks and printers. So, for example, you could turn one AT into a remote print-spooling station so that it manages large print tasks while the other AT is free to*

*continued*

**IF DESKTOP PUBLISHING WERE A BUICK, PCT<sub>E</sub>X WOULD BE A LAMBORGHINI.**

You'd expect us to say PC T<sub>E</sub>X is hot—so don't take our word for it. In their desktop publishing systems category, INFO WORLD rated PC T<sub>E</sub>X #1. They said:



*"...No non-T<sub>E</sub>X-based program has such typological aesthetics...enormously flexible and offers complete control over the output of your printer..."*

*And from PC MAGAZINE: "...PC T<sub>E</sub>X offers ample rewards. You can achieve incredible precision in formatting text, especially mathematical expressions."*

**TRY THIS**

*with a standard desktop system and you'll see that for complex scientific and mathematical formulation and notation, PC T<sub>E</sub>X leaves the others back in the dust.*

**FORMATTING** with textbook quality, and unsurpassed placement of

**TYPE** that rivals professional typesetting: all yours. Pick the type you like from 30+ Bitstream font families.

**FLEXIBILITY** Camera-ready, publisher-ready manuscripts are fast and easy. Author to printed piece time reduces, author control increases.

*That's flexibility—that's PC T<sub>E</sub>X.*

$$\int_{-\infty}^{nZ} \frac{Xy \cdot Z dt}{X - tY} = \sum_{i=1}^n \left( \frac{(x^4 - i)^3}{\sqrt{Z^3 + y^{10}}} \right) \left( \frac{1}{Z - X^5 Y} \right)$$



**TEST DRIVE IT.**

**For a free PC T<sub>E</sub>X demo diskette, the new PC T<sub>E</sub>X 88 product catalog and information on a PC T<sub>E</sub>X configuration for your system, give us a call at 415-388-8853**



12 Madrona Ave. Mill Valley CA 94941

**VOR O O O O O M !**

PC T<sub>E</sub>X is a registered TM of Personal T<sub>E</sub>X, Inc. T<sub>E</sub>X is an American Mathematical Society TM. Manufacturer's product names are their TMs. Inquire about PTI distributorships. Site licenses available to qualified organizations. This ad was typeset using PC T<sub>E</sub>X and Bitstream fonts.

# Because Resources Should Be Shared



## BayTech engineers Printer Sharing.

Make the most of your investments in valuable printers, computers, plotters, modems, and other resources with a printer-sharing device from BayTech. We manufacture a diverse product line engineered for flexibility and speed that lets you share your resources and maximize your investments.

From simply sharing one or more printers between computers, to creating a complete network for printer sharing and computer-to-computer communication, BayTech has a device designed to meet your specifications.

Call toll free today to learn more about maximizing your resources.

Circle 41 on Reader Service Card

## BayTech

*Bay Technical Associates, Inc.,  
Data Communications Products Division  
200 North Second St., P.O. Box 387,  
Bay Saint Louis, MS 39520 USA  
Telex: 910-333-1618 BAYTECH.  
Telephone: 601-467-8231 or toll-free  
**800-523-2702, EXT 981***

# Never buy another ribbon! with MacInker™

over 100,000 sold



Universal Cartridge MacInker **\$68.50**      Imagewriter or Epson MacInker **\$42.00**

Eliminate expensive fabric ribbon replacement with the famous MacInker. The Universal Cartridge MacInker (\$68.50) will re-ink most cartridges with the appropriate adapter. The Universal Spool MacInker will re-ink all spools. Operation is very simple & automatic. Our extra dark, lubricated ink yields better than new printout quality and its cooling effect extends print-head life. New ink dispenser ensures precise ink metering. Average number of re-inkings/cartridge is 60-100 at an average cost of 5 cents/re-inking. We also have dedicated MacInkers for special cartridges. All MacInkers, with appropriate Multicolor Adapter can re-ink multicolor cartridges (2 or 4 colors). Or use your MacInker to re-ink in 10 different colors: red, green, blue, yellow, purple, brown, orange, gold and silver. Our Customers range from individuals to Fortune 500 Corporations. In 1982 we pioneered re-inking technology and are dedicated to its development. We have a complete range of accessories, heat-transfer re-inking adapters, special inks and cartridges.

- Universal Cartridge MacInker .....68.50
- Multicolor Adapter (specify printer) .....40.00
- Imagewriter I/II MacInker model 234 IM .....42.00
- Epson MacInker model 271EP .....42.00
- Universal Spool MacInker .....68.50
- Heat Transfer Adaptor .....40.00
- Extra Ink bottle .....3.00    pint .....18.50

All MacInkers delivered with bottle of ink, ink meter, reservoir, reservoir cover. Black, uninked, colored, special cartridges available. Best ribbon quality at lowest costs.

## Call for free catalog Special Offer

Just say, "I saw it in 'Byte' and get a free mousepad with any order >\$60.00, or free key-beeper & flashlight combination for orders >\$100.00.

Buy the Universal Cartridge & the Universal Spool at the same time and get the second unit for \$50.00

## New! FAX/MODEM, PC or MAC = the World at your fingertips



LightFax 9624 external **\$749.00**

It's a state of the art, high speed fax and a 2400 baud 100% Hayes™ compatible modem. LightFax™ 9624 turns your PC into a powerful world communication machine at a lower cost than a standard fax. Powerful software offers sophisticated capabilities not found on standard fax machines, including document composition editing, file storage, name card data management, scheduled sending (when the phone rates are cheaper),

broadcasting (sending documents to multiple addresses), line queuing (sending multiple files), journal review of fax traffic and much more. LightFax 9624 features BACKGROUND OPERATION (you don't have to quit your application to receive a fax). With optional LightScan 200 dpi or 400 dpi scanners you can scan your document into your computer, for fax transmission or for use with a paint program. Click the mouse and your LightFax 9624 becomes a 2400 baud modem, 100% Hayes™ compatible (Bell & CCIT). Overseas customers, please specify country to receive proper LightFax 9624 version and power supply.

- PC
- LightSpeed 9624 external .....749.00
- LightSpeed 9624 Internal .....699.00
- Windows™ .....29.00
- Microsoft™ compat. mouse .....49.00
- 200 dpi Scanner .....199.00

- 400 dpi scanner (PC) .....273.00
- Macintosh
- LightSpeed 9624 external .....749.00
- 200 dpi scanner MAC\* .....499.00
- Includes MAC interface
- Mac switch for scanner .....65.00

Satisfaction or 30 day refund on all products - Immediate shipment - Major credit cards

**Computer Friends, Inc.      Order Toll Free 1-800-547-3303**

14250 NW Science Park Dr.  
Portland OR 97229

In Oregon (503)626-2291  
fax (503)643-5379      telex 4949559 CF

## ASK BYTE

work on a spreadsheet or database operation. (An example of a low-cost network system is EasyLAN from Server Technology, 1095 East Duane Ave., Suite 107, Sunnyvale, CA 94086, (408) 738-8377. You'll spend \$99 per system, and all you need in the way of hardware is a serial port on each machine and an RS-232C cable.)—R. G.

### Emergency Shutdown

At my company we have several IBM PC XT and AT computers operating in an unattended environment where it is important to determine if a system is not operating because of a power, hardware, or software failure.

Once failure is detected on a system, we want to energize or deenergize a relay that can be used to enable and disable other equipment. At some later point, we would analyze and correct the actual problem.

We believe we need a device that could be signaled periodically via software control and would then begin a countdown process. If another signal was received before the countdown terminated (indicating valid operation), the counter would be reset; otherwise, the counter would expire and the relay would be switched. We can tolerate a time-out period of several seconds (say, 2 to 5) to a few minutes (say, 1 or 2). Expansion slots are at a premium, so we would like to signal via an existing port: serial, parallel, or, perhaps, keyboard. The cost needs to be low—\$20 to \$50.

We have found some watchdog timers, but either they require special signals via an expansion board, they're too expensive, or both. Since we don't want to design or build this device, do you know of any vendors that supply a device we could use for this purpose?

Fred Schumann  
Boulder, CO

The PC XT and AT already have their own timers, so you probably don't need to buy an additional one. Programming the timer in assembly language and BASIC is covered in good detail in Robert Jourdain's Programmer's Problem Solver for the IBM PC, XT, and AT (Simon & Schuster, New York: 1986). This book also contains good information on programming parallel printer and serial ports. You should be able to use either the RDY line on the parallel printer port or one of the serial port's handshaking lines as input for your triggering signal. So there's a good chance that, with some clever software, you don't need any additional hardware.—R. G. ■

# THE NEW STANDARD FOR HIGH PERFORMANCE STATISTICAL SOFTWARE

# CSS

**COMPLETE STATISTICAL SYSTEM  
WITH DATA BASE MANAGEMENT  
AND GRAPHICS**


A powerful, comprehensive, elegant, and super-fast statistical package for IBM (PC, AT, PS/2) and compatible computers. ■ The CSS optimized user interface with fast hierarchical menus incorporates elements of artificial intelligence; even complex analyses require only a few keystrokes (batch processing is also supported). ■ CSS features comprehensive, state of the art implementations of: *Basic statistics, Multi-way frequency tables, Nonparametric statistics, Exploratory data analysis with analytic graphs, Multiple regression methods, Time series analysis with modeling and forecasting (incl. full ARIMA), General ANOVA/ANCOVA/MANOVA, Contrast analysis, Discriminant function analysis, Factor analysis, Principal components, Multidimensional scaling, Item analysis Reliability, Log-linear analysis, Cluster analysis, Non-linear estimation, Logit/Probit analysis, Canonical analysis, Survival and Failure Time analysis (Censored data), Quality Control analysis, and much more.* ■ All statistical procedures are integrated with fast data base management and instant, presentation quality graphics (over 100 types); full support for all mono and color graphics boards (incl. VGA) and over 100 plotters and printers (incl. the HP and Postscript standards). ■ All CSS screen output is displayed via customized Scrollsheets™ (i.e., dynamic, user controlled, multi-layered tables with cells expandable into pop-up windows); all numbers in a Scrollsheet™ can be instantly converted into a variety of presentation quality graphs; contents of different Scrollsheets™ can be instantly aggregated, combined, compared, plotted, printed, or saved. ■ The flexibility of the CSS input/output is practically unlimited: CSS offers an intelligent interface (read/write) to all common file formats (Lotus, Symphony, dBase, dBase III+, DIF, SYLK, ...) and special utilities to easily access data from incompatible programs; graphics can be saved in files compatible with desktop publishing programs (Aldus, Ventura). ■ CSS data files can be as large as your operating system (DOS) allows; OS/2 version coming soon. ■ CSS precision exceeds the standards of all common precision benchmarks. ■ *Technical note: The CSS user interface and all I/O were written in Assembler and bypass DOS; graphics and data management were written in Assembler and C; the computational algorithms were written in Assembler and optimized Fortran.* ■ \$495 (plus \$5 sh/h); 14-day money back guarantee.

Circle 237 on Reader Service Card



2325 East 13th Street ■ Tulsa, OK 74104 ■ (918) 583-4149  
Fax: (918) 583-4376

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 0404200347. StatSoft UK (London, UK), ph: 0438/310056 or 316561, StatSoft Pacific (Melbourne, Australia), ph: 613-663-6580  
Available From: Egghead Discount Software, Corporate Software and other Distributors Worldwide



# Choose . . .


one of these four outstanding sets for only \$4.95 and save up to \$109.00

## 1 The 3-volume Operating Systems Set 00920



(Publisher's price \$113.95)

## 2 The 3-volume Advanced C Programming Set 00969



(Publisher's price \$81.85)

## 3 The 3-volume Library of Artificial Intelligence 00821



(Publisher's price \$90.95)

## 4 The 3-volume Handbook of Computer Communication Standards 52121




(Publisher's price \$90.00)

# Or...

create your own three-book set for only \$3.00 and save up to \$101.95

as your introduction to the Library of Computer and Information Sciences


You simply agree to buy three more books—at handsome discounts—within the next 12 months.




85947 \$34.95




32288 \$29.95



87100 \$29.95




70810 \$16.95



36972-2 \$48.00




42044 \$31.00




70784 \$24.95

(Counts as 2 choices)



85369 \$30.00




79162-2 \$44.95

(Counts as 2 choices)




87727 \$24.95



32258-2 \$37.95

(Counts as 2 choices)




70111-2 \$41.95

(Counts as 2 choices)



41621 \$24.95



41656-2 \$45.00


(Counts as 2 choices)



50211 \$27.00




67818 \$23.00



42061-2 \$39.95

(Counts as 2 choices)



77620 \$25.00




54436-2 \$39.95

(Counts as 2 choices)




52342-2 \$39.95


(Counts as 2 choices)



87958 \$24.95




69939 \$35.00




58751-2 \$40.00

(Counts as 2 choices)




37177 \$24.95




41649-2 \$44.95

(Counts as 2 choices)




68427 \$21.95



64019 \$35.00



41254 \$29.00



69737 \$29.95

## 4 Good Reasons to Join

- 1. The Finest Books.** Of the hundreds of books submitted to us each year, only the very finest are selected and offered. Moreover, our books are always of equal quality to publishers' editions, never economy editions.
- 2. Big Savings.** In addition to getting the set of your choice for only \$4.95 or three books for a total of \$3.00 when you join, you keep saving substantially, up to 30% and occasionally even more. (For example, your total savings as a trial member—including this introductory offer—can easily be over 50%. That's like getting every other book free!)
- 3. Bonus Books.** Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings of 65% off the publishers' prices.
- 4. Convenient Service.** At 3-4 week intervals (16 times per year), you will receive the Library of Computer and Information Sciences News, describing the Main Selection and Alternate Selections, together with a dated reply card. If you want the Main Selection, do nothing, and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the card and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage.

If reply card is missing, please write to Library of Computer and Information Sciences, Dept. 7-FF7, Riverside, NJ 08075, for membership information and an application.

© 1989 Macmillan Book Clubs Inc.

Byte 3/89

# Concurrent DOS 386

## Think small in a big way

When you think multiuser/multitasking, think Concurrent™ DOS 386, the big name in small systems from Digital Research®, architects of the first standard operating system for personal computers. Now, Concurrent DOS 386 allows multiple users to share peripherals, files and applications, using serial terminal workstations linked by RS-232 cables to the system. It's fast, reliable and economical.

### The big news today is small systems

Concurrent DOS 386 meets the increasing demands placed on small systems by supporting multiple DOS programs on both the system console and attached terminals. You can run popular programs such as Lotus® 1-2-3®, dBase® III, WordPerfect® and many more, with full math coprocessor support. The system runs up to 255 tasks simultaneously, with full intertask communications and byte-level record, file and device locking.

### For people who hate waiting in line

Concurrent DOS 386 brings you all the remarkable speed and power of the Intel® 80386 processor. A prioritized pre-emptive scheduler allows task execution

and intertask communication by several users at near full processor speed while letting some tasks "interrupt" others according to the needs of each user.

### A small system with a big memory

Concurrent DOS 386 gives you access to four gigabytes of linear physical memory. Its powerful memory paging capability fully supports the Expanded Memory Specification with no additional hardware or software.

### Menus at a touch

Now you can create and customize menus, while programmable function keys let you condense complex commands to a single keystroke. The file manager runs standard operating system functions, plus you have an on-line help facility, text editor and support for DOS-based device drivers.

### Multiuser color graphics

Now with the introduction of the newest member of the Concurrent DOS family, Concurrent DOS 386/Multiuser Graphics Edition, your demands for high-resolution EGA bit-mapped graphics in the workstation environment can

be met. Take advantage of advanced technology allowing you to run popular DOS-based graphics programs on individual workstations as well as on the system console without sacrificing system performance. Ask us about this exciting new version of Concurrent DOS 386.

### All you have to remember is Concurrent DOS 386

Concurrent DOS 386 from Digital Research is the name to remember when it comes to 386 technology. The power and versatility of Concurrent DOS 386 are giving a new meaning to the word multiuser.

**CALL DIGITAL RESEARCH AT  
1-800-443-4200 AND ASK FOR OUR  
CONCURRENT DOS PROGRAMMER  
INFORMATION KIT.**

**CONCURRENT DOS 386:  
SHARING THE SYSTEM AFFORDABLY**

Digital Research and the Digital Research logo are registered trademarks, and Concurrent is a trademark of Digital Research Inc. Other product names are registered trademarks or trademarks of their respective owners. Specifications are subject to change without notice. Copyright © 1988, Digital Research Inc. All rights reserved.

 **DIGITAL RESEARCH®**

# BOOK REVIEWS

## Text, Context, and Hypertext: Writing with and for the Computer

Edited by Edward Barrett

MIT Press, Cambridge, MA: 1988, 368 pages, \$29.95

Reviewed by David A. Mindell

New methods of creating, manipulating, and storing text are changing the nature of written language, and not necessarily for the better. Electronic machination can easily transform the wonderful and elusive ambiguity of language into a strictly regimented system of signs: Text becomes "strings," writers become "word processors," and readers become "users." Writers, technologists, and critics alike are asking how these developments will change both the practice and the profession of writing.

*Text, Context, and Hypertext*, a collection of essays edited by Edward Barrett of MIT, attempts to address these difficult issues, as summarized in the book's subtitle, "Writing with and for the Computer." The essays deal with three general categories: technical documentation and the position of the writer in the computer industry, the education of technical writers, and hypertext and hypermedia.

### Writing, or "Information Development"?

In "Information Development Is Part of Product Development—Not an Afterthought," Roger Grice of IBM outlines a strategy wherein technical writers become involved in software development in order to create more user-friendly products. This essay, however, is more revealing as an



example of how large corporations assimilate and mutate writing and how technology and its associated jargon transform the role of the writer.

Grice describes IBM's re-naming of the writer as an "information developer" whose

function becomes an engineering-like design of "information units." According to Grice, what distinguishes these new professionals from writers is that they "tend to get information from people rather than from books,"

work "as part of a team," and "test the information for its usability."

Other articles in the book make similar suggestions that improved writing does not require improved language but rather the proper placement of writers within the corporate hierarchy. Such changes will make the writer serve better as "communicator, integrator, and facilitator." To me, writers have always been these things, and this rhetoric diminishes the power of written text in favor of structure, hierarchy, and euphemism.

### Teaching on the Network

Editor Barrett's own contribution (which was coauthored by James Paradis) concerns the application of computer networks to the teaching of writing in the classroom. Instead of attempting to model "the cognitive processes of the mind" operating within writing instruction, they chose to model the "social setting" of the classroom. The blackboard is replaced by the computer terminal, students hand in their work over a network, and the instructor reviews and returns the work with electronic notes.

The authors found their classroom model quite successful, but students preferred teachers' comments in old-style hard copy covered with red ink. Barrett and Paradis seem enthralled with technology; they are so concerned with being in the technological avant-garde that they hesitate to accept such a low-tech solution as paper and pen.

Classroom-oriented approaches are useful as a kind of textual public-address system, but I doubt if one could really learn to write over a network. While computers can imitate and even improve so-

*continued*

## ALSO REVIEWED

*C: An Advanced Introduction, ANSI C Edition*

*Supercharging OS/2: Batch Files and Utilities*

*Advanced QuickC*

*Advanced Turbo C, A Programmer's Guide*


*The Book of Fax*

*Defense Applications of Artificial Intelligence*

# 12 MFLOPS — OR — 40MIPS

## VECTOR/SIGNAL PROCESSOR


### VECTOR 32



- AT&T DSP Floating Point Processor running at 24MHz
- Plug-in card for IBM™ PC, AT, XT or PS2/30
- 1024 point complex floating point FFT in 8.9ms
- Expansion facilities including 1MByte memory & 100 KHz/330 KHz 12 bit data acquisition
- 'C' & Fortran vector processing libraries
- Full development environment

## PARALLEL PROCESSOR/REAL-TIME CONTROLLER

### PP2000



- Harris RTX 2000 Real-time RISC processor
- Plug-in card for IBM™ AT
- 100ns cycle time
- Combines multiple FORTH instructions into a single cycle
- 'C' compiler
- Executes FORTH as its assembler
- Upto 512 kBytes 0 or 1 waitstate static RAM
- Expansion connector for high performance data acquisition
- 16 TTL outputs & 8 TTL inputs capable of 10 MBytes/sec.

The Vector 32 & the PP2000 form part of SMIS's comprehensive control, digital & image processing range. Data capture cards and memory expansion are available. Soon to be released are DSP32C boards & a graphics processor based on the TMS 34010 chip.

## FOR FURTHER INFORMATION CONTACT:

SMIS, 130 Elm Street, Cambridge MA 02139. Tel: (617) 354-7541  
SMIS Ltd, Alan Turing Rd, Surrey Research Park, Guildford, Surrey GU2 5YF. UK. Tel: (44) 483 506611. Fax: (44) 48363114.

### AGENTS:

Communications Automation and Control, 1642 Union Blvd - Suite 0, Allentown, PA 18103. Tel: (215) 776 6669  
Diantek, P.O. Box 141, 6 8500, Torsby, Sweden. Tel: 0560-119-90. Fax: 0560-136-65.  
Electronic Tools, Am Waldfriedhof 7, D4030 Rottingen 1, W. Germany. Tel: (02102) 841013. Fax: (02102) 841000.

cial settings, they should not replace them, and face-to-face instruction will always be more valuable than screen-to-screen instruction.

*Text, Context, and Hypertext* makes a significant contribution to the current debate on computer writing, but it suffers from an overly "techie" emphasis. That several of the essays are poorly written and carelessly edited is a symptom of insufficient attention to language as the root of all writing. Furthermore, a \$30 book like this one, with a section on desktop publishing, should not have several different typestyles and low-quality dot-matrix prints.

### The Poetics of Hypertext

The most thoughtful essay of the book, "Hypertext and the Teaching of Writing" is written by John Slatin of the English department at the University of Texas. His thesis, that "hypertext is a literary concept," parallels problems of hypertext with problems of poetry such as intertextuality (the essentially referential and connected nature of all texts). Slatin reminds us, through Ezra Pound and Marianne Moore, that "nodes, links, and structure" have long been prominent in literature, and that hypertextual writing is merely an explicit form of these connections. Furthermore, it is through such nodes and the links between them that ideas emerge, so hypertext is a powerful tool for both educators and writers.

Slatin's essay also represents what I see as a new direction in the critical thinking about writing and computers. It is among the few in *Text, Context, and Hypertext* to be free of a certain technological utopianism and disdain for what Barrett calls "rhetorical tradition." All too often, computer/cultural theorists fall prey to the "in 10 years we'll be able to do everything" syndrome. Critical dialogue on these subjects certainly needs technically informed thinkers who can seriously engage new

technologies. At the same time, these thinkers must be able to remove themselves from the thrill of progress and place such developments in their proper historical and cultural perspective.

*Text, Context, and Hypertext* covers a broad spectrum of technical and professional issues. But, when considering the impact of computers, we must ask ourselves, How did the invention of the typewriter affect the nature of writing, or the printing press, or, for that matter, the pen?

## BRIEFLY NOTED


**C: An Advanced Introduction, ANSI C Edition** by Narain Gehani, Computer Science Press, New York: 1988, 265 pages, \$32.95. The denizens of AT&T's Bell Laboratories create a lot of language products and the books that are needed to document them. Narain Gehani developed Concurrent C, a superset of C that facilitates parallel programming, for Bell Labs. He has written extensively about C, Concurrent C, and even Concurrent C++, as well as Ada.

The first edition of this book appeared in 1986; this edition reflects the changes in C required for conformance to the new ANSI standard. Gehani's two books nicely complement the existing C Bible, *The C Programming Language*, by his colleagues Brian Kernighan and Dennis Ritchie.

The style of *C: An Advanced Introduction, ANSI C Edition* will be familiar to readers of K&R. Gehani states up front that he assumes that you already know a fair amount about programming in languages like Pascal, FORTRAN, and Ada. His book helps you learn how to use C but not necessarily how to program. But along the way, he explains C concepts that frequently take a long time to learn on your own. The book

*continued*

# At last READY TO RUN X on SUN



TORCH TECHNOLOGY announces the release of two X Window products. X-OpenTop is an iconic front end for Unix Systems. Providing a simple graphical interface, it makes the benefits of Unix available to a wide spectrum of users.

Currently available on a range of Workstations. At £195 we know you'll like it.

Also available is the X Window System for Sun Workstations that comes Ready To Run. At only £295, the X-Sun System is based on Version X11.2 of the X Window System. And it comes complete with full documentation manuals, user guides and reference books.

The combined package of X Windows and X-OpenTop are available from Torch for a limited period at £395.

Place your order or telephone for more details.

**TO ORDER, Mail Coupon or Call The X Technology Desk on (+44) 223 841000**

*Circle 252 on Reader Service Card*

## X TECHNOLOGY ORDER FORM

Please send me X Window Tapes @ £195; X-OpenTop Tapes @ £295  
X Window / X-OpenTop Special Offer Pack @ £395 Add £10.00 for Overseas Orders

Cardholder Name: \_\_\_\_\_

Ship to Name: \_\_\_\_\_

Company: \_\_\_\_\_


Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_ Telephone: \_\_\_\_\_

Payment: ( ) Check or Money Order ( ) Visa ( ) Access



# PROTECT INTELLIGENCE WITH INTELLIGENCE



See us at  
COMDEX-  
SPRING '89  
BOOTH  
#8474

## SOFTWARE PROTECTION KEYS BY PROTECH

**ProTECH KEYS:**

- are totally transparent to the end user
- allow unlimited back up copies
- free up disk drives
- do not interfere with peripheral operations
- are easy to install
- protect software developers' revenues
- assembler based routines (not drivers)
- encrypted routines
- physically unique hardware KEYS
- sophisticated software installation advice
- provide the highest level of protection available

**THE MEMORY KEY**

The MEMORY KEY is a programmable software protection device. Each byte of memory can be addressed in groups or individually. Possible applications for the MEMORY KEY include:

- modular package control
- serialization
- customization
- access control to PCs
- demo control
- software leasing
- updating modules in the field
- any "counter" operation

For a demonstration package or additional information, please write or call:

**1-800-843-0413**

**PROTECH MARKETING, INC.**  
4905 Pine Cone Drive - Building 40  
Durham, North Carolina 27707  
(919) 490-4970 FAX (919) 490-4974

**WE HAVE THE KEY TO SOFTWARE COPY PROTECTION**

sticks to "advanced" C topics, such as type declarations, data abstraction, exception handling, and the C preprocessor.

In addition to covering the fundamental areas, like control-flow statements and operators and expressions, Gehani concentrates on advanced information, and he manages to be very readable and easy to follow, as well. For example, the chapter on functions explains how to declare and call functions, the basics, but it then goes on to discuss functions with a variable number of parameters and the control of function visibility.

Gehani devotes an entire chapter to independent compilation and data abstraction. This chapter provides a good discussion of breaking programs up into modules so that you can protect data structures by making them local to a given module using the *static* storage class.

This book contains a lot of code. While most of the listings are short, they illustrate C concepts meaningfully; many of the fragments come from larger, working programs.

The book provides appendices for both C++ and Concurrent C that provide an overview of these C supersets. While you cannot learn C++ or Concurrent C from these pages, you can get an idea about whether or not you could benefit from a more detailed explanation in another source.

I can recommend this book to programmers who think they know C well and to programmers who write a lot of code in other languages and want to learn C. Both will find many useful nuggets of information from a true programming wizard.

—G. Michael Vose

**Supercharging OS/2: Batch Files and Utilities** by David D. Busch, Addison-Wesley Publishing Company, Reading, MA: 1988, 276 pages, \$22.95. At first glance, the title of this book grabs your eye and makes you take notice. The promise of making OS/2

even more powerful makes you want to know more. But then you begin to wonder if batch-file utilities are really going to improve OS/2. The answer is, probably not for most users.

Not that some of the 48 utilities offered aren't useful—many of them are, like the STAMPER.COM utility that marks files with the current date, or ARCHIVE.COM, which copies files not already backed up to an archive disk. In addition to some useful utilities, this book nicely explains how each of these batch files works so that you can learn how to be a batch-file programming expert.

But there's a fundamental problem here. OS/2 hasn't caught on up until now mostly because the world was awaiting the Presentation Manager, OS/2's graphical user interface. With PM, you won't be using batch files because you won't be talking to OS/2 from the command line. You won't have to worry about path names and subdirectories, because the OS/2 world will appear in pictures you move with a mouse, not as filenames you copy and delete.

*Supercharging OS/2* seems to be caught in the OS/2 vaporware time warp, appealing to the people who used OS/2 like an advanced version of MS-DOS in the days before the arrival of the PM. It has introductory chapters on OS/2 that rehash why this operating system will be important to personal computing's future; there's nothing new here. It briefly explains OS/2 concepts like multitasking and time-slicing and concisely, albeit simplistically, summarizes what's different between OS/2 and MS-DOS.

Reading this book was hard for me. I know a fair amount about OS/2, and I didn't like its condescending tone.

I can't recommend this book as a way to supercharge OS/2. As a tutorial on using batch files, however, it is useful though not unique; most of

*continued*

**New! WINDOWS development tool for dBASE III Plus!!**

## Create or enhance dBASE applications under Windows!

### Then port to MAC and back!

**\$249**  
Suggested Retail Price


Introductory Price  
**\$199**



dBFast/Windows is an interactive editor/compiler and runtime system which allows a fast, efficient implementation of dBASE III Plus under Microsoft Windows. You easily design multiple, moveable windows, menus, buttons, and other graphic features. Create, compile and edit in a single screen! No need to buy dBASE III Plus! Port data and program files between IBM and MAC without modification! Save time and money by sharing your applications across platforms!

**Bumblebee Software, Inc.**  
1715 114th Ave. SE - Woodridge Bldg. #120  
Bellevue, WA 98004 USA  
(206) 462-0130 FAX: (206) 454-3577





# For People Who Put A Premium On Performance. And Protection.

The more invaluable your data is to you, the more you'll value Verbatim.<sup>®</sup> Because when it comes to high performance and data protection, Verbatim has the winning combination no other floppies can copy.

Consider this: Verbatim DataLife<sup>®</sup> floppies are engineered to perform an average of 50 million revolutions. That's 15 times the industry standard.

Then consider that Verbatim DataLifePlus<sup>™</sup> and DataLife HD 5 1/4" disks were the first floppies to be factory formatted.

Verbatim also gives you plenty to consider when it comes to data protection. After all, nearly 50% of all computer users have lost time and money due to accidental data loss. That's why Verbatim offers advantages like DataHold<sup>™</sup> and DataHold II

anti-static liners. So static charges are dispersed before they ever have a chance to build up.

For the world's ultimate data protection, DataLifePlus floppies have an exclusive DuPont Teflon<sup>®</sup> coating. So fingerprints and spills can be easily wiped from the recording surface.

And of course, all Verbatim floppy disks are tested to be 100% error free and are backed by a lifetime warranty.

Verbatim data cassettes and cartridges, 8", 5 1/4" and 3 1/2" diskettes. For people who put a premium on performance and protection.

For more information on the full line of high-quality Verbatim products call 1-800-538-8589.




© Teflon is a DuPont registered trademark.



**DOING MORE FOR THE DATA PROCESS<sup>™</sup>**

# Dazzling Performance.



'286/SS

Complete 12MHz '286  
with 32MB Hard Drive!  
Only \$1395.00

*It's the fastest '286-12 you can buy. Workhorse of the industry. Rugged from the ground up. This true Zero-Wait state system features a fast Seagate auto-park hard drive. Nothing can touch it!*

- 80286-12 CPU, 6/12MHz Dual Speed keyboard/hardware selectable. Reset and Turbo buttons right up front.
- Zero-Wait State DRAM, 512K expandable to 4MB on the motherboard (16MB System Total). EMS capability!
- Fast 32MB Seagate 138R Hard Drive with auto-park, 1.2MB Floppy Drive.
- Ultra high speed Hard/Floppy controller. L1 interleave, 800 KB/sec transfer rate.
- High-Res Amber Display, Tilt/Swivel Base.
- ZEOS Enhanced 101 Key Keyboard, with Pleasant Tactile/Click Feel.
- Serial and Parallel Printer Ports.
- Clock/Calendar with Battery Backup.
- 6-16 and 2-8 bit expansion slots.
- 80287 support, up to 12MHz.
- Heavy Duty Case complete with Security Lock and LED indicators.

## 20MHz '286 HARD DRIVE SYSTEM

286/20—At 20MHz, the fastest '286. Complete with our 32MB, 33ms Hard Drive and 1MB RAM. This is what Dazzling Speed is all about. Only \$2095.00

If you're buying a new computer, ZEOS® is your best choice. Why? Because ZEOS custom builds the best computers money can buy and sells them *factory direct* to you. *PC Resource Magazine* put it this way, "ZEOS...provides quality comparable with the IBM or Compaq and does so for about 70% of the cost."

And a recent review in *PC Magazine* said "comparing the ZEOS with a typical clone is a bit like comparing the Space Shuttle Booster rocket with a helicopter rotor... If you're looking for one of the fastest rides around at a down-to-earth price, don't pass up the ZEOS. Solid construction, flexible design and escape-velocity performance make it a top flight choice."

We couldn't have said it better ourselves.

That's why ZEOS is fast becoming the *preferred choice* of corporate, government and institutional buyers around the world. That's why it's the best choice for you.


So pick out your dream machine and order it now with confidence. Dazzling performance and incredible prices await you. *Guaranteed*. Order now by calling 800-423-5891.

**YOUR BEST CHOICE!**  
We don't just say it. We guarantee it. Your new ZEOS system comes with a Full One Year Limited Warranty and our 30 day Full Refund Satisfaction Guarantee. Fully Compatible and Rock Solid. Your best choice without question.

# Incredible Prices.

Options Galore. As *PC Magazine* said, "more options than even the most configuration-hungry-hound could possibly need." Including 14" EGA, add \$495. 14" VGA, add only \$695. An incredible selection of hard drives and virtually any other add-on you could want. Call now Toll Free for details 800-423-5891.

All prices and specifications are subject to change without notice. Please call for current pricing and warranty details. ZEOS is a publicly traded company; MPLS/St. Paul Local OTC. ©1989 ZEOS International, Ltd., 530 5th Avenue, N.W., St. Paul, MN 55112



386SX

**The New ZEOS 386SX Hard Drive System. Below '286 Prices! Only \$1895.00**

*The future is now!*

PC Magazine says "386SX-based machines are the right choice..." the new ZEOS 386SX is why. The future is yours now with the new ZEOS '386SX. It's even priced below comparable '286 systems!

- 80386SX-16 CPU, 8/16MHz Dual Speed Keyboard Selectable. Reset/Turbo buttons.
- Zero-Wait State DRAM, 512K expandable to 4MB on board (16 MB System Total).
- Shadow RAM and EMS capability.
- Fast 32MB Seagate 138R Hard Drive, 1.2MB FDD
- Ultra high speed Hard/Floppy controller. 1:1 interleave, 800 KB/second transfer rate.
- High-Res Amber Display, Tilt/Swivel Base, compatible graphics controller.
- ZEOS Enhanced Tactile/Click keyboard.
- High Speed Serial and Parallel ports.
- 6-16, 2-8 bit expansion slots. 80387SX Math coprocessor support.
- ZEOS space saver case. Including Security Lock and LED indicators.



386DT

**Complete ZEOS 20MHz '386 Desktop System. 65 MB Drive! Only \$2995.00**

*A 20 MHz Powerhouse!*

The new '386 desktop standard. Featuring our 64K CACHE (twice that of most competitors) providing Zero-Wait State performance vastly superior to page/interleave memory schemes. Incredible value.

- High speed Zero-Wait 64K SRAM CACHE.
- Genuine 32-bit Intel 80386-20MHz CPU.
- 1MB of Zero-Wait DRAM Expandable to 16MB System Total.
- Fast 65MB Seagate Hard Drive, 1.2MB Floppy Drive.
- Ultra high speed Hard/Floppy controller, 1:1 interleave, 800 KB/sec transfer rate.
- High-Res Amber Display with Tilt/Swivel Base, compatible graphics controller.
- 101 Key ZEOS Tactile/Click keyboard.
- High speed Serial and Parallel Ports.
- 1-32, 5-16 and 2-8 bit slots.
- 80387 math coprocessor support.
- ZEOS 5-bay case. Including Security Lock and LED indicators.



386V

**Complete 25MHz '386 Vertical System. 65MB Drive! Only \$3995.00**

*33MHz systems also available!*

ZEOS 25MHz and 33MHz 80386 systems are the fastest, most advanced available anywhere. Review after review, these ZEOS systems are selected as the best price/performance buys. A power-user's dream.

- High Speed Zero-Wait 64K CACHE.
- Genuine 32-bit Intel 386-25 or 33MHz CPU.
- 1MB Zero-Wait 32-bit DRAM expandable to 8MB on board plus 16MB 32-bit expansion (24MB total).
- Fast 65MB Seagate Drive, 1.2MB FDI.
- Ultra high speed Hard/Floppy controller, 1:1 interleave, 800 KB/sec transfer rate.
- High-Res Amber Display, Tilt/Swivel Base.
- 101 Key ZEOS Tactile/Click keyboard.
- High Speed Serial and Parallel Ports.
- 1-32, 6-16 and 1-8 bit slots.
- 80387 and Weitek 3167 support.
- Heavy Duty 6-bay Verticle Case.

*Desktop configurations also available.*

Order Now Toll Free

**800-423-5891**



FAX Orders Dial: 612-633-2310  
In Minnesota Call: 612-633-4591  
MasterCard, VISA and COI  
Open days, evenings and weekends  
Se habla Español.

IF YOU DESIGN ADD-IN BOARDS FOR THE NEW  
IBM PS/2 SYSTEM YOU NEED OUR

## MICROCHANNEL 4860 C INTERFACE CHIP

Just some of the Functions implemented:  
Program. Option Select \* 32 Bit Data Bus Contr.  
Multi Device Arbitration \* Channel Check Indicator  
Memory and I/O Transfer contr. \* Wait State Log.  
16 Programmable Address Levels.

It comes in a 68 pin PLCC and is fabricated in 1.5u CMOS, only consumes 150mW. You can replace 10 to 20 TTL devices, a board real estate saving of 20 to 65 sqcm. A reduction of board development time of some weeks is realistic. Only requires 2 additional 74LS245 for 16 bit systems, or 4 for 32 bit systems. The chip costs US\$ 15,- in quantities of 5000 and is available now.

EDC GmbH, Taunusstr.51  
8 MUNICH 40 W. GERMANY  
Tel. (89) 3507076  
Fax. (89) 3596180  
Tx. 5212599

IBM, PS/2 and Micro-  
channel are registered  
trademarks of IBM

Dealer inquiries invited

## Introducing the Smallest 80386 based PC Compatible Single Board Computer Only 4" x 6"



CEBIT 89  
HALL 006  
FLOOR E06  
STAND F15

### Quark/PC® II

- VGA® VideoColor LCD Controller
- SCSI Hard Disk Control
- Up to 4 Mbytes Memory and more

To order or enquire call us today.  
Megatel Computer Corporation  
(416) 745-7214 · FAX (416) 745-8792

174 Turbine Drive, Weston, Ontario M9L 2S2

#### Distributors

Germany — (06074) 98031 FAX (06074) 90248  
Italy & Southern Europe — NCS Italia (0331) 256-524 FAX (0331) 256-018  
U.K. — Densitron (0959) 76331 FAX (0959) 7107  
Australia — Asp Microcomputers (03) 500-0628 FAX (03) 500-9461  
Denmark — Ingeniørfirmaet (452) 440488 FAX (452) 440715  
Finland — Digipoint (3580) 757 1711 FAX (3580) 757 0844  
Norway — AD Elektronikk (09) 877110 FAX (09) 875990  
Sweden — 46-40 78078 FAX 46-40 139038

Quark is a registered U.S. trademark of F. & K. MFG. Co. Ltd. VGA is a registered trademark of IBM Corp.

# megatel

the techniques will apply to MS-DOS as well as to OS/2. To learn about OS/2 batch-file programming, you might want to read a magazine article or your OS/2 user's manual instead and save \$22.95.

—G. Michael Vose

**Advanced QuickC** by Werner Fiebel, Osborne/McGraw-Hill, Berkeley, CA: 1988, 711 pages, \$21.95. A few years ago, it was fashionable to claim that "Real programmers eat meat" as a parody on the consciousness-raised early-1980s male who was man enough to eat quiche. While that was a joke, programmers do want "meat" in their programming texts. Werner Fiebel's latest book satisfies such an appetite.

Not really a book about QuickC as much as a book about C programming that happens to use QuickC, *Advanced QuickC* features over 600K bytes of source code. This code is not short snippets written just to explain a C concept; these fragments perform serious, useful tasks. The lists of routines in the book reads like a computer science cornucopia: stacks, queues, linked lists, binary trees, parsers, data compressors, encryption routines, quadratic random-number generators, simulations, statistics models, and graphing routines. All this code is available on a disk from the author for an additional charge.

The text accompanying the code describes the algorithms, sometimes in great detail, and is easy to follow. Long programs are broken down with paragraphs that explain what each function in the program does. These explanations explore problems with any given algorithm, like the discussion of Quicksort's poor performance on small data sets, and presents programs that don't work the way you expect them to, followed by a corrected version of the code.

The section on data encryption offers some puzzles you can play with to exercise and

better understand the encryption algorithms.

The appendixes in this book summarize the QuickC commands and probably offer enough information about QuickC to let an experienced Pascal programmer jump to QuickC with little difficulty. But since QuickC offers extensive on-line help and comes with a reference manual, the material here probably won't be of much use. But if you're like me, you'll use the vast selection of routines that make up the rest of the book over and over.—G. Michael Vose

**Advanced Turbo C, A Programmer's Guide** by Donna Mosich, Namir Shamma, and Bryan Flamig, John Wiley & Sons, New York: 1988, 339 pages, \$21.95. All too often, programming books, even advanced ones, end up being no more than expanded reference manuals. *Advanced Turbo C*, however, covers material that is absent from the Turbo C manuals (including version 2.0) but also provides genuine insight into the unique and often complex nature of C programming.

The book begins with a concise C summary but quickly moves into deeper waters, developing in the next few chapters a mouse-based text window system. The authors should be complimented on the handiness of their programs. The code is clear, well commented, and good for learning. It is also efficient and useful (conveniently divided into header files and program files). Some readers may want to include it in their own libraries.

*Advanced Turbo C* goes on to cover standard Turbo C subjects, such as file I/O, memory allocation, and "generic" programming. The window system from the earlier chapters, for example, is adapted for graphics. The book concludes with a final project of a mini hypertext system, a composite of techniques previously discussed.

continued

**2000  
GATEWAY  
2000**

# COMPUTERS FROM IOWA SURPASS ALL OTHERS!



At Gateway 2000 we firmly believe that we are the best source for computers in the nation. We have over 2000 configurations available, all priced incredibly low and all backed by our unsurpassed service.

*"We are very happy that our system is at the top of the stack in both price and performance, but it is your courteous service that is uncontested by the competition."*

— Pierce Haviland — Kingston, NY

*"Overall, I feel that your product is outstanding and your service has been excellent."*

— Eric Engren — Stonington, CT



## 16 Mhz 286 EGA

1 Meg 70NS Ram  
0 Wait State (S.I. 17.3)  
1.2 Meg 5 1/4" Drive  
1.44 Meg 3.5" Drive  
40 Meg Hard Drive (28 MS)  
1 to 1 Interleave  
EVEREX EGA Board  
14" EGA Monitor  
1 Parallel / 2 Serial Ports  
101 Key Keyboard  
MS DOS w/GW Basic

**\$2395.00**

12 Mhz **\$2195.00**

## 25 Mhz 386 VGA

1 Meg 60NS Ram  
Expandable to 8 Megs on MB  
32 Bit Slot Open  
1.2 Meg 5 1/4" Drive  
1.44 Meg 3.5" Drive  
80 Meg Hard Drive (28 MS)  
1 to 1 Interleave  
16 Bit VGA Board  
NEC MULTI SYNCH II  
1 Parallel / 2 Serial Ports  
101 Key Keyboard  
MS DOS w/GW Basic  
80387 and Weitek Sockets  
Vertical Style Case

**\$3995.00**

## 20 Mhz 386 EGA

1 Meg 60NS Ram  
1.2 Meg 5 1/4" Drive  
1.44 Meg 3.5" Drive  
80 Meg Hard Drive (28 MS)  
1 to 1 Interleave  
EVEREX EGA Board  
14" EGA Monitor  
1 Parallel / 2 Serial Ports  
101 Key Keyboard  
MS DOS w/GW Basic

**\$2995.00**

## 386 SX **\$2695.00**

(Same configuration as above)

**New**



Steve Apiki & Stanford Diehl  
Oct. 1988. **EVTE**  
Review of 20 386

- "Emerging as truly exceptional..."
- "The Gateway delivers speed without sacrificing features."
- "The system ran without a glitch."
- "We were truly surprised to see a system of this caliber selling for less than \$3000."
- "When evaluating the whole package, The GATEWAY 386 surpasses all the others."

**2000  
GATEWAY  
2000**

Gateway 2000 • P.O. Box 2000 • Sgt. Bluff, IA. 51054

**800-233-8472/712-943-2000**

All systems have a 30 day Money Back Guarantee and 1 Year Warranty.  
Due to the Volatility in the DRAM Market all prices subject to change.

World Radio History



## \$95 2400 BAUD MODEM

30 DAY FREE TRIAL !

**SUPERIOR PERFORMANCE** is the reason to buy this modem, not its low cost !!! Most low cost 2400 baud modems are error prone or have other faults. Not ours, they will outperform the most expensive modems costing several hundred dollars. DYNAMIC IMPEDANCE STABILIZATION, DIS, invented by CompuCom automatically compensates for real-world phone line impedance variations. It improves signal quality and reduces errors (due to noise and poor telephone circuits) up to 95%. This is not simply an error correction scheme nor is it marketing hype. Our modems are truly superior. We can prove it! The CCC 2400 is a \$95 high performance Hayes-compatible IBM internal half card. It will outperform the alternatives. In combination with DIS (\$24 option) it will outperform the challengers, regardless of cost. Made in USA • five year warranty internal speaker • software included • dealers inquire... **If you aren't totally satisfied, you may return it within 30 days for a full refund.**

1275 PALAMOS AV call for details SUNNYVALE CA

(800) 228-6648 CompuCom Corporation (408) 732-4500

## BOOK REVIEWS

What sets *Advanced Turbo C* above other programming guides is that the examples it uses are both educational samples and useful routines.

—David A. Mindell

**The Book of Fax** by Daniel Fishman and Elliot King, Ventana Press, Chapel Hill, NC: 1988, 134 pages, \$12.95. *The Book of Fax* is a simply written feature- and benefit-oriented overview of fax machines aimed at businesspeople and other would-be fax purchasers who have a minimal interest in the technology. Even at 134 pages, including the index, the book contains considerable padding, but when the authors get down to their subject, they cover the basics well.

In this case, the basics are such things as features and benefits, price ranges and what you can expect to get for your money, channels for buying a fax machine, and the advantages and disadvantages of each. Some attention is paid to computer fax boards, as well. Throughout, the emphasis is on using fax.

The authors discuss the technical aspects of fax only insofar as they affect the user. They only touch on differences between group 1, 2, 3, and 4 coding, for example, and there is no discussion of coding methods or transmission characteristics. If you want to understand how the technology works, look elsewhere.

Because *The Book of Fax* is so determinedly nontechnical in its orientation, it doesn't attempt to discuss installation and troubleshooting. It gives you tips on where to buy a fax machine and what to look for, but it won't help you connect up your purchase or deal with the common problems with fax.

The weakest parts of the book are the authors' attempts to discuss the strategic and business applications of fax machines. The strongest parts are the wealth of practical tips for using fax machines. Fishman and King alert the reader

to the problem of fax junk mail, for instance, and they offer suggestions on how to deal with it.

*The Book of Fax* is best used as an orientation tool. It will give a nontechnical person interested in fax an overview of the field. It provides a starting point for a would-be fax purchaser, but it is far from a complete guide. —Rick Cook

**Defense Applications of Artificial Intelligence: Progress and Prospects** edited by Stephen J. Andriole and Gerald W. Hopple, Lexington Books, Lexington, MA: 1988, 385 pages, \$65. This is a collection of 20 essays about the "marriage of artificial intelligence technology and a host of Department of Defense problems." The essays are grouped into four categories: the national defense agenda, applications exploring the AI-national defense interface, case studies, and prospects and prognosis. The contributors offer up a good deal of new information and food for thought. Naturally, most of the articles are strictly military in scope, but a few have wider application.

What does it all boil down to? Hopple, using a somewhat strained metaphor, concludes that "the marriage between defense and AI has become a mature and fertile union—past the hype of the honeymoon but reassuringly distant from the divorce court as well." *Defense Applications of Artificial Intelligence* definitely offers most AI readers an unusual perspective on their field of interest. —Jack D. Kirwan ■

## CONTRIBUTORS

David A. Mindell is a technical writer and consultant in Aspen, Colorado. G. Michael Vose is editor of the *OS/2 Report*. He lives in Peterborough, New Hampshire. Rick Cook is a journalist living in Phoenix, Arizona. Jack D. Kirwan is an assistant editor of *The Energy Journal* at the University of Arizona in Tucson.



## MR. BOOKS<sup>©</sup>

asks:

"Did your best friend run off with your wife and your software manuals? And you miss your manuals?" Well, we can help, as we stock the industry's best computer books, and at great discounts!

SAVE UP TO 40% OFF!

No	BOOK TITLE	PUB	# OF PAGES	OF QUAL	DISC GRD	PRICE
7266	Build Your Own 80286 IBM Compatible	TAB	238	**		15.93
6090	C Primer Plus, Revised Ed	SAM	576	**	B/I	21.46
2519	Compl Hypercard Hndbk 2nd ed	BAN	720	**	I	25.76
5008	Customizing AutoCAD	NRD	560	**	I/A	30.06
5240	dBase III+ Handbook, 2nd Ed	QUE	519	**	I	17.16
7903	Desktop Publish w/PageMaker	WLY	289	**	I	17.16
5002	Inside AutoCAD	NRD	576	**	I	30.06
4300	Inside OS/2	MS	645	**	I/A	17.16
7107	Lotus 1-2-3 Desktop Companion	SYB	976	**	I	19.74
7112	Mastering AutoCAD, 2nd Ed.	SYB	739	**	I	25.76
7114	Mastering Crosstalk XVI	SYB	117	**		14.58
6601	Mastering First Choice	SF	311	**	B	17.24
7012	Mastering Quattro	SYB	576	**		19.32
7023	Mastering Ventura	SYB	547	**	I	19.74
7007	Mastering WordPerfect 5.0	SYB	798	**		18.88
7031	MS-DOS Power User's Gd 2nd Ed	SYB	511	**	I/A	17.16
5255	Norton's Prgmr's Gd to PC&PS/2MS	511	511	**	I	19.74
4249	Prgmr's Gd to PC&PS/2 video sys	MS	544	**	I/A	20.21
4230	Proficient C	MS	512	**	I/A	20.20
2306	Programming in Clipper, 2nd Ed	AW	728	**		28.32
4279	Programming Windows	MS	852	**	A	21.46
4242	Running MS-DOS, 3rd Ed.	MS	572	**	I	18.59
7053	Understanding dBASE III Plus	SYB	425	**	I	17.78
5282	Using 1-2-3, Special Edition	QUE	905	**	I	20.21
5288	Using Enable, 2nd Ed.	QUE	750	**		19.74
5222	Using WordPerfect, 5.0	QUE	876	**	B/I	18.88
5208	Using WordStar, ver 5.0	QUE	535	**	I	16.30

• GOOD B BEGINNER SHIPPING & HANDLING  
 • VERY GOOD I INTERMEDIATE \$1.00 - 1 BOOK  
 • EXCELLENT A ADVANCED \$1.00 EACH ADD'L BOOK

Call for our 'Catalog on a Disk' of approximately 2,000 of the best computer books, by the best authors in the industry. With mini-reviews of selected titles \$2.50 for shipping & handling.

ORDERS ONLY: 1-800-274-1460: ORDERS ONLY  
 Questions/Title Searches/Inquiries Call 303-984-2315  
 MR. BOOKS, INC., 400 N. 7th, New Castle, CO 81647



## Our (HSI) Color™ Frame Grabber lets you change your image as fast as you change your mind.

Welcome to the real-time world of color image processing.

If you work in a high speed environment with an IBM PC AT or compatible, you already know how complex and time-consuming RGB color processing is. In contrast, HSI processing lets you manipulate hue, saturation, and intensity independently and in real-time. Add *that* to your power and memory!

Our DT2871 (HSI) Color™ Frame Grabber with its Aurora™ software simply facilitates and accelerates conventional color image processing. Take a quick look at the "split personality" above and see why.

The image on the upper left shows Data Translation President, Fred Molinari's true colors in a frame captured directly from a video camera. Then, to illustrate the broad range of colors available to you, we changed the background hue value in the upper right image. Next we increased the saturation on Fred's shirt and tie, and adjusted both the RGB and HSI values on his snappy jacket. And

finally, we dropped out the color to show the intensity values—all in real-time.

So, whether your application involves animation, cosmetic analysis, robotic vision or quality assurance on fruits and vegetables, our DT2871 is the real-time solution for color image processing you've been looking for.

**Call (508) 481-3700**

In Canada, call 1-800-268-0427.

Business, Graphic Arts, and Entertainment	Scientific	Industrial
Animation Electronic prepress Electronic publishing, either true color or gray scale Film colorization Picture databases Slidemaking Training	Astronomy Medical diagnostic imaging Microscopy Modeling Motion analysis Remote sensing Surveillance	Machine guidance Machine vision inspection — Agriculture (fruits and vegetables) — Cosmetics — Electronic components — Food — Textiles Robot guidance

# DATA TRANSLATION®

**World Headquarters:** Data Translation, Inc., 100 Locke Drive, Marlboro, MA 01752-1192 USA, (508) 481-3700 Tlx 951646

**United Kingdom Headquarters:** Data Translation Ltd., The Mulberry Business Park, Wokingham, Berkshire RG11 2QJ, U.K. (0734) 793834 Tlx 94011914

**West Germany Headquarters:** Data Translation GmbH, Stuttgarter Strasse 66, 7120 Bietigheim-Bissingen, West Germany 07142-54025

**International Sales Offices:** Australia (2) 662-4255; Belgium (2) 735-2135; Canada (800) 268-0427; Chile (2) 25-3689; China (408) 727-8222, (1) 868-721; Denmark (2) 274511; Finland (90) 372-144; France (1) 69077802; Greece (1) 951-4944, (3) 527-039, (1) 361-4300; Hong Kong (5) 448963; India (22) 23-1040; Israel (3) 5401524; Italy (2) 82470.1; Japan (3) 348-8301, (3) 502-5550, (3) 355-1111; Korea (82) 756-9954; Morocco (9) 30-4181; Netherlands (70) 99-6360; New Zealand (9) 504759; Norway (2) 53 12 50; Peru (14) 31-8060; Philippines 818-0103; Portugal 545313; Singapore 7797621; South Africa (12) 8037680/93; Spain (1) 455-8112; Sweden (8) 761-7820; Switzerland (1) 723-1410; Taiwan (2) 918-4740; United Kingdom (0734) 793838; West Germany 07142-54025.

(HSI) Color Frame Grabber is a trademark and Data Translation is a registered trademark of Data Translation, Inc. All other trademarks and registered trademarks are the property of their respective holders.

# Programmer's Paradise Stocks *over*



WE'LL MATCH NATIONALLY ADVERTISED PRICES.

Tom Rettig's HELP  
Tom Rettig's Library  
UI Programmer  
XDB-SQL

### DEBUGGERS

386 DEBUG  
Periscope I/512 K  
Periscope II  
Periscope IIx  
Periscope III 10 MHz  
Quaid Analyzer  
Sherlock  
Trapper

### DESKTOP PUBLISHING

HALO DPE  
MKS SQPS  
Pagemaker  
Ventura Publisher

### DISK/DOS UTILITIES

Command Plus  
Command Tips  
Disk Optimizer  
FANSI CONSOLE  
FASTBACK Plus  
hTest hFormat  
MACE Utilities  
MKS Toolkit  
Norton Commander  
Norton Utilities  
Norton Utilities, Adv. Ver.  
PC/Tools Deluxe  
Vcache  
Vfeature  
Vfeature Deluxe  
Vopt  
Xtree  
Xtree Pro  
ZYINDEX 3.0  
ZYINDEX PROFESSIONAL

### EDITORS

BRIEF  
Epsilon  
KEDIT  
ME  
w/ source  
MKS VI  
Multi-Edit  
Norton Editor  
PC/EDIT +  
Pi Editor  
Slick Editor  
SP/PC  
VEDIT PLUS  
Vq

### FILE MANAGEMENT

Btrieve  
Xtrieve  
Report Option  
Btrieve/N  
Xtrieve/N  
Report Option/N  
CBTREE  
C-Index for MSC  
C-Index for Turbo C  
C-Index Plus  
c-tree  
d-tree  
r-tree  
c-tree/r-tree bundle  
CQL Query System  
dBC III  
dBC III PLUS  
db.FILE  
db.RETRIEVE  
Essential B-Tree  
w/ source  
XQL

### FORTRAN COMPILERS

F77L  
Lahey Personal FORTRAN 77  
MS FORTRAN  
RM/FORTRAN

### FORTRAN LIB./UTILITIES

FITLIB  
FFTLIB  
Grafmatic  
MINIPACK1-LIB  
Plotmatic  
SPARSGEM  
Spindrift Library  
Tekmar Graphics Library

### LINKERS/LIBRARIANS

OPTLIB  
OPTLNK  
Plink86plus  
Plib  
PolyLibrarian I  
PolyLibrarian II  
RTLlink

### MODULA-2

IPI Top Speed Modula-2  
LOGITF CH Modula-2  
Development System

### LIST OURS

120 CALL  
100 80  
295 229  
495 419  
195 145  
795 636  
175 141  
145 106  
1395 1195  
200 179  
195 179  
150 CALL

### CALL

195 162  
495 532  
695 532  
895 554  
90 70  
90 80  
60 55  
75 66  
189 142  
90 80  
99 90  
199 169  
89 56  
100 61  
150 101  
80 70  
50 47  
80 75  
120 111  
50 47  
70 60  
129 111  
95 85  
295 265

### OPERATING SYSTEMS

Microport:  
System V/AT (complete)  
AT Runtime System  
286 DOS Merge  
SCO:  
XENIX Sys V (comp.)  
Operating System  
WENDIN:  
Operating System Toolbox  
PCNX  
PCVMS  
Wendin-DOS

### OS/2 DEVELOPMENT TOOLS

Btrieve for OS/2  
Epsilon for OS/2  
Greenleaf DataWindows  
GSS Dev. Toolkit for OS/2  
LOGITECH Modula-2  
MS Languages  
Panel Plus for OS/2  
PolyAWK for OS/2  
Vitamin C (OS/2)  
Windows for Data (OS/2)

### PROTOTYPING

C-Scape  
Dan Bricklin's Demo Program II  
Instant Replay  
Proteus  
Screen Machine  
Screen Star  
w/ source code

### REFERENCE GUIDES

Command Tips  
Norton On-Line Prog. Guide  
Tom Rettig's HELP

### PASCAL COMPILERS

Microsoft Pascal  
Turbo Pascal  
Turbo Pascal 5.0 Professional

### TURBO PASCAL LIBRARIES/UTILITIES

DATABOSS  
Overlay Manager  
Pascal ASYNCH MANAGER  
PCX Toolkit  
POWER SCREEN  
Turbo Analyst  
Turbo ASYNCH PLUS  
Turbo Geometry Library  
Turbo MAGIC  
Turbo Plus v. 5.0

### NEW RELEASES

PC-lint 3.0  
More C error checking than ever, 50 new error messages, better message control, supports larger programs, wild card support, automatic generation of declarations, faster standard library, autohelp, four new flags, support for ANSI C. Supports MS 5.1, Watcom and Turbo 2.0.  
List: \$129 Ours: \$101  
PCVMS V. 2.5  
The newest version of WENDIN'S VAX/VMS look-alike operating system is self-bootable, and will run most DOS software while offering multibus and multitasking capabilities.  
List: \$99 Ours: \$80  
Greenleaf ViewComm  
Turn your PC into a serial data analyzer. This combination of hardware and software lets you watch live RS 232C communications. Send data from file or keyboard, set "triggers" to control monitoring and capturing of data. A must for debugging communication applications.  
List: \$495 Ours: CALL

### LIST OURS

100 90  
345 309  
495 423  
150 129  
100 85  
50 45  
50 45  
50 45  
200 169  
200 179

### CALL

649 549  
249 209  
249 209  
1295 999  
595 479  
99 80  
99 80  
139 109

### CALL

595 455  
195 151  
395 CALL  
CALL CALL  
349 279  
CALL CALL  
495 CALL  
495 395  
199 179  
345 279  
395 349

### CALL

299 282  
195 179  
150 131  
149 129  
79 60  
99 85  
198 169

### CALL

300 189  
150 105  
250 175  
399 359  
45 39  
175 137  
90 80  
129 99  
99 79  
129 99  
150 135  
199 179  
100 80

### LIST OURS

295 279  
180 90  
CALL  
150 99  
125 105  
100 89  
140 125  
150 105  
100 89

### BASIC

db/LIB  
Facelt  
GraphPak Professional  
MS BASIC/6.0  
MS QuickBASIC 4.5  
QuickPak Professional  
QuickWindows  
w/Source  
QuickWindows Advanced  
SoftCode  
True BASIC  
Turbo Basic

### C LANGUAGE

C-terp  
Lattice C  
Microsoft C  
QuickC  
w/ serial mouse  
Turbo C v. 2.0  
Turbo C v. 2.0 Professional  
Watcom C  
Zortech C + +  
w/ source

### C LIBRARIES/UTILITIES

C ASYNCH MANAGER  
C TOOLS PLUS/5.0  
C Utility Library  
DESQview API C Library  
Essential Communications  
Greenleaf Comm Library  
Greenleaf Functions  
Greenleaf SuperFunctions  
Greenleaf TurboFunctions  
PC-lint  
PCYACC  
TimeSlicer  
w/ source  
Turbo C TOOLS  
vLIB  
w/ source

### C GRAPHICS

Essential Graphics  
w/ source  
Graphic  
GSS Graphic Dev. Toolkit  
HALO '88  
HALO '88 for MS Devel.  
MetaWINDOW  
MetaWINDOW/PLUS  
TurboHALO

### C SCREENS/WINDOWS

Curses (Aspen)  
w/ source  
C-Scape  
C Windows Toolkit  
Greenleaf DataWindows  
Greenleaf Makeform  
HI-SCREEN XL  
JAM  
JYACC FORMAKER  
PANEL Plus  
PANEL/QC or /TC  
Vitamin C  
VCScreen  
Vermont Views  
w/ Source Code

### COBOL LANGUAGE

Micro Focus COBOL/2 Toolkit  
PC-CICS  
Personal COBOL  
Micro Fox  
COBOL Workbench  
Microsoft COBOL 3.0  
Realia COBOL  
w/ RealMENU  
RM/COBOL

### COMMUNICATIONS

Carbon Copy Plus  
Close-Up (Support)  
Close-Up (Customer)  
Co/Session (2 user license)  
Support  
Application  
MIRROR III  
RELAY Gold  
RELAY Silver

### dBASE LANGUAGE

CLARION  
Clear +  
Clipper  
dBASE III Plus  
dBASE IV  
dBASE Graphics for C  
dBASE ON LINE  
dBASE Programmers Utilities  
dBASE Tools for C  
dBASE Tools for Pascal  
dBFast  
dBUG  
dQUERY  
Flipper  
FoxBASE +  
Genifer  
Integrated Dev. Library  
QuickSilver  
R: Base for DOS  
R & R  
w/ Clipper/FoxBASE module  
Say What!  
Scrimage  
SilverComm Library  
The Documentor

### LIST OURS

119 105  
289 249  
299 282  
100 90  
295 209  
125 90  
750 684  
495 453  
495 395  
129 99  
225 162  
149 109  
395 CALL  
790 CALL

### CALL

900 733  
1495 CALL  
149 121  
900 1465  
900 599  
995 799  
1145 929  
950 763

### CALL

195 135  
245 222  
195 116  
249 227  
175 157  
125 116  
100 90  
250 229  
150 139

### CALL

695 599  
200 165  
695 439  
695 399  
795 485  
90 69  
69 60  
90 79  
90 69  
90 69  
100 75  
195 179  
150 129  
195 182  
395 249  
395 259  
149 135  
599 369  
725 529  
150 129  
199 179  
50 45  
CALL CALL  
150 139  
295 229

# 1,000 Brand Names 1-800-445-7899

## This Month's Specials from Raima Corp.

	LIST	OURS
db.FILE	395	309
Single-user w/source code	890	699
Multi-user	595	469
Multi-user w/source code	1390	1099
db.RETRIEVE	395	309
Single-user w/source code	890	699
Multi-user	595	469
Multi-user w/source code	1390	1099
WKS Library	195	169

	LIST	OURS
Turbo POWER TOOLS PLUS	129	99
Turbo Professional 5.0	125	99
Universal Graphics Library	150	121

	LIST	OURS
<b>SCIENCE/ENGINEERING SOFTWARE</b>		
CSS	495	459
Derive	200	179
DesignCAD 3-D	299	219
EXP	150	129
HiWIRE-Plus	895	805
MathCAD	349	279
MICRO-CAP III	895	759
Microstat-II	395	349
Systat	495	469
Tango PCB	395	359
TECH*GRAPH*PAD	395	359

	LIST	OURS
<b>TRANSLATORS</b>		
Bas.C (Commercial)	375	323
Bas.Pas (Commercial)	280	242
BASTOC	495	399
Brooklyn Bridge	130	CALL
dB2C	299	272
dBx TRANSLATOR	550	469
PROMULA.FORTRAN	450	409
w/ Library Source	745	669

	LIST	OURS
<b>386 SOFTWARE</b>		
386 ASM/LINK	495	389
386MAX	75	66
386MAX PROFESSIONAL	129	115
Concurrent DOS 386 (3 User)	395	349
DESQVIEW/386	190	165
F77L-EM/32	895	805
High C 386	895	799
Microport		
System V/386 (complete)	899	799
Runtime System	299	269
MS Windows/386	195	130
NDP C 386	595	529
NDP FORTRAN-386	595	529
SCO XENIX		
Operating System	695	589
Sys. V 386 (complete)	1495	1195
VP/IX (2-USERS)	495	399
VP/IX (unlimited users)	995	799
VM/386	245	199
VM/386 Multiuser (unlim.)	895	CALL

	LIST	OURS
<b>OTHER PRODUCTS</b>		
FLOW CHARTING II	229	207
MuLisp-87	300	219
MuLisp-87 Interp/Compiler	400	299
PC Scheme	95	79
Pfinish	395	215
PolyDoc	199	179
Source Print	97	80
Tree Diagrammer	77	70

	LIST	OURS
<b>BLAISCH COMPUTING</b>		
ASYNCH MANAGER	175	137
C. TOOLS PLUS/5.0	129	99
EXEC	95	76
Key Pilot	50	45
PASCAL TOOLS / TOOLS 2	175	137
POWER SCREEN	129	99
RUNOFF	50	45
Turbo ASYNCH PLUS	129	99
Turbo C. TOOLS	129	99
Turbo POWER TOOLS PLUS	129	99

	LIST	OURS
<b>BORLAND</b>		
Eureka: The Solver	167	119
Paradox 2.0	725	529
Paradox 386	895	625
Paradox Network Pack	995	729
SideKick	85	59
SideKick Plus	200	139
Turbo Assembler/Debugger	150	105
Turbo Basic	100	69
Database Toolbox	100	69
Editor Toolbox	100	69
Turbo C 2.0	150	105
Turbo C 2.0 Professional	250	175
Turbo Pascal 5.0	150	105
Turbo Pascal 5.0 Professional	250	175
Database Toolbox	100	69
Editor Toolbox	100	69
Gameworks Toolbox	100	69
Graphix Toolbox	100	69

	LIST	OURS
Numerical Methods Toolbox	100	69
Tutor	70	45
Turbo Prolog	150	105

	LIST	OURS
<b>GREENLEAF SOFTWARE INC.</b>		
Greenleaf Bus. MathLib	325	229
Greenleaf Comm Library	229	169
Greenleaf DataMath Interface	75	69
Greenleaf DataWindows, DOS	295	209
OS/2 Version	395	299
Greenleaf Functions	209	149
Greenleaf MakeForm	125	99
OS/2 Version	170	135
Greenleaf SuperFunctions	265	189
Greenleaf TurboFunctions	109	79
Greenleaf ViewComm	495	CALL

	LIST	OURS
<b>LAHEY</b>		
F77L	477	429
F77L-EM/16	695	639
F77L-EM/32	895	805
A.I. DEVELOPER'S KIT		
OPERATING SYSTEM	495	459
PERSONAL FORTRAN 77	95	89

	LIST	OURS
<b>MEDIA CYBERNETICS</b>		
Dr. HALO III	140	101
HALO DPE	195	162
HALO '88	325	229
HALO '88 - MS Developers	595	399
TurboHALO for C	100	80

	LIST	OURS
<b>MICROSOFT</b>		
MS BASIC/6.0	295	199
MS C	450	299
MS COBOL V. 3.0	900	599
MS Excel	495	329
MS FORTRAN	450	299
MS Mach 20	495	329
MS Macro Assembler	150	99
MS Mouse Serial or Bus		
w/Paintbrush & Mouse Menus	150	99
w/EasyCAD	175	119
w/Paintbrush & Windows	200	139
MS OS/2 Prog. Toolkit	350	229
MS Pascal	300	199
MS QuickBASIC	99	69
MS QuickC	99	69
MS Windows/286	99	69
MS Windows/386	195	130
MS Windows Dev. Kit	500	319
MS Word	450	285

	LIST	OURS
<b>MORTICE KERN SYSTEMS</b>		
MKS Awk	99	85
MKS Lex:Yacc	249	212
MKS Make	149	127
MKS RCS	189	161
MKS SQPS	495	CALL
MKS Toolkit	199	169
MKS Trilogy	119	101
MKS Vi	149	129

	LIST	OURS
<b>NOVELL</b>		
Btrieve	245	185
Xtrieve	245	189
Report Option	145	105
Btrieve/N	595	455
Xtrieve/N	595	459
Report Option/N	345	279
Netware C Interface for DOS	295	239
Netware RPC	950	779
Netware SQL	595	489
Netware System Calls for DOS	195	159
XQL	795	599

## PROGRAMMER'S POLICIES

**Phone Orders**  
Hours 9 AM-7 PM EST. We accept MasterCard, Visa, American Express. Include \$3.95 per item for shipping and handling. All shipments by UPS ground. Rush service available.

**Mail Orders**  
POs by mail or fax are welcome. Please include phone number.

**International Service**  
Phone number required with order. Call or fax for additional information.

**Dealers and Corporate Accounts**  
Call for information.

**Unbeatable Prices**  
We'll match nationally advertised prices.

**Return Policy**  
30-day no-hassle return policy. Some manufacturer's products cannot be returned once disk seals are broken.

## VM/386

"VM/386 should be considered mandatory software as important as MS-DOS." ... Computer Language 10/88

VM/386, PC Magazine Technical Excellence Award Winner, lets you create "virtual machines," each running its own MS-DOS application so you save valuable time while maximizing the performance of your 386 PC. Time consuming tasks like compiling code and running bulletin boards no longer tie up your PC, because they run simultaneously. VM/386 offers the highest level of data integrity and software compatibility available in a multitasking operating environment. Order your copy today!

List: \$245

Ours: \$199

I9C



## ESSENTIAL GRAPHICS 3.0

Power Graphics for C.

It's easy to add sophisticated graphics to any application with this seasoned library. It provides fast, reliable functions that support 99% of the graphics adapters in use. Essential Graphics' advanced capabilities include 3D graphics, stacked bar and pie charts, PCX files, world coordinates, viewports, rubberbanding and more. Input from mice, digitizers and light pens. Output to printers, lasers and plotters. And, unlike the competition, source is available and there are no royalties. 30-day money back guarantee.



List: \$299

Ours: \$229

## PANEL PLUS II

The latest offering of this reliable, time-tested screen design product includes all new documentation, support for virtual screens, scrolling windows with mouse-controlled scroll bars, a screen design editor enhanced with new pop-up dialog boxes, and an improved C code generator. The full library source code included with PANEL Plus II allows your applications to be ported royalty-free between DOS, OS/2 (including dymalink and Presentation Manager support), Unix, VMS and other operating systems.

List: \$495

Ours: \$395

PANEL Plus II



Roundhill Computer Systems

## MICROSOFT COBOL COMPILER

The complete COBOL development solution for creating OS/2 and MS-DOS applications. It's certified high-level ANSI 85 COBOL. And it's a native code compiler, assuring extremely fast execution.



MICROSOFT COBOL supports the enormous memory requirements of mainframe applications. Develop and maintain applications on a personal computer and port them to a mini-computer or mainframe.

List: \$900

Ours: \$599

Microsoft®

In NY: 914-332-4548  
Customer Service: 914-332-0869  
International Orders: 914-332-4548  
Telex: 510-601-7602

Fax: 914-332-4021

Call or Write for Latest Free Catalog!

1-800-445-7899

Programmer's Paradise™

A Division of Voyager Telemarketing  
55 South Broadway, Tarrytown, NY 10791

Circle 208 on Reader Service Card



## NOW YOUR SOFTWARE CAN TEST ITSELF.



our customers expect software that works. All the time. The key to software quality is exhaustive testing. It's also an engineer's worst nightmare. But it doesn't have to be. Because now you can automate your software testing.

Introducing the Atron Evaluator. The first and only non-intrusive automated PC-based software testing tool.

The Atron Evaluator automatically runs your software regression testing programs. All of them. All day. All night. Giving you thoroughly tested, higher quality software.

The Atron Evaluator is hardware-based. And since it's non-intrusive, software behavior is tested without the risk of alteration. Once your tests have run, you can refer to automatically generated test reports to double-check test results.

The Atron Evaluator saves time. And time makes you money. Development cycles are shortened, so your software gets to market sooner. And while your test programs are running, you can be more productive. Start a new project. Or go home.

For more information about the Atron Evaluator, call us at 1-800-283-5933. And put an end to your worst nightmares. Automatically.



A Division of CADRE Technologies

Saratoga Office Center  
12950 Saratoga Avenue  
Saratoga, California 95070

**Circle 33 on Reader Service Card**

In Europe, contact:

Elverex Limited, Enterprise House  
Plassey Technology Park, Limerick, Ireland  
Phone: 061-338177

QA Training Limited, Cecily Hill Castle  
Cirencester, Gloucestershire, GL7 2EF, England  
Phone: (0285) 5888

# WHAT'S NEW

HARDWARE • SYSTEMS

## AST Gets Lower Than Low

If you're interested in the most cost-effective business or home computer from a reputable company, the AST Bravo/286 might fit your bill. It has a low price, a small footprint with plenty of room for extras, and surface-mount technology.

The system has an 8-MHz Intel 80286 microprocessor with no wait states and 512K bytes of system RAM. A CMOS memory module permanently stores your installation and setup information so you don't have to configure jumpers and DIP switches.

The Bravo/286 also comes with a floppy disk drive controller for a 1.2-megabyte 5¼-inch floppy disk drive, a 101-key AT-style keyboard, an RS-232C port, a bidirectional parallel port, and support for an 80287 math coprocessor. The monitor is optional.

**Price:** \$1245; diskless version, \$1095.

**Contact:** AST Research, Inc., 2121 Alton Ave., Irvine, CA 92714, (714) 863-1333. **Inquiry 1150.**

## Bondwell Laptop Packs Desktop Punch

The superslim B200 laptop from Bondwell includes just about everything you need for applications like word processing and spreadsheets.

The tried-and-true 8-MHz 80C88 chip processes information at a respectable clip from a standard 720K-byte 3½-inch floppy disk drive mounted in the side of this 2-inch-thick



The AST Bravo/286 makes BASIC look easy.

machine. Also standard is 256K bytes of RAM, expandable to 640K bytes, a built-in nickel-cadmium battery, and an AC power adapter.

The keyboard includes 81 keys with 10 programmable function keys. The display is a 10½-inch-wide LCD with an 80-column by 25-row text display capability and 640- by 200-pixel resolution.

MS-DOS 3.3 and GW-BASIC 3.22 come bundled. Connections can be made with the B200's Centronics parallel port, an RS-232C port, and an RGB port. The laptop weighs 8 pounds.

**Price:** \$995.

**Contact:** Bondwell Industrial Co., Inc., 47485 Seabridge Dr., Fremont, CA 94538, (415) 490-4300. **Inquiry 1151.**

## SEND US YOUR NEW PRODUCT RELEASE

We'd like to consider your product for publication. Send us full information, including its price, ship date, and an address and telephone number where readers can get further information. Send to New Products Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Information contained in these items is based on manufacturers' written statements and/or telephone interviews with BYTE reporters. BYTE has not formally reviewed each product mentioned. These items, along with additional new product announcements, are posted regularly on BIX in the microbytes.sw and microbytes.hw conferences.

you can add proprietary networking hardware.

**Price:** \$1999.

**Contact:** Wyse Technology, 3571 North First St., San Jose, CA 95134, (408) 433-1000. **Inquiry 1152.**

## Wang 80386 for Power Users

The PC 382 is a 20-MHz 80386-based machine available in either a tower or desktop configuration that's especially designed for communications- and graphics-intensive applications, Wang Microsystems claims.

A typical system includes 2 megabytes of RAM, a 1.2-megabyte 5¼-inch floppy disk drive, a VGA controller, and a 68-megabyte hard disk drive. But in the tradition of big-business systems suppliers, Wang can also supply the PC 382 stripped or with a multitude of upgrade capabilities.

For example, you can expand memory to 16 megabytes on the 32-bit paged/interleaved memory controller card, and there's room for two 8-bit and six 16-bit cards on top of that. You can add a second 1.2-megabyte floppy disk drive or a smaller-capacity 5¼-inch floppy drive, or you can add a 1.44-megabyte 3½-inch floppy drive. Hard disk drives range from 20 megabytes to 321 megabytes.

Monitors of the 12- to 16-inch monochrome and color variety are optional.

**Price:** Typical system, \$6825.

**Contact:** Wang Microsystems, 10 Technology Dr., Lowell, MA 01851, (800) 962-4727.

**Inquiry 1153.**

continued

## Light Pen Input Made Easier

The FT-1000 is a redesigned light pen from FTG Data Systems, the company that made the light pen a popular alternative to the mouse for the health care industry and others.

Surface-mount technology allows the new pen to be 42 percent smaller, and it's also lighter than before. The cabling that previously coiled all the way to the back of the pen has been replaced: There is about a foot of straight cable from the back of the pen before the cable curls to finish its journey to the computer. The new pens are compatible with the IBM XT, AT, and Micro Channel architecture (MCA) machines.

Virtually all the programs written for Microsoft Windows work with the FT-1000, especially with the new N-33 Windows driver that Microsoft recently completed.

To solve many of the jitter problems associated with previous pens, FTG has added continuous tracking counters and vertical and video interrupts to the MCA board.

**Price:** FT-1000, \$249; XT, AT, MCA, or compatible board, \$129 to \$189.  
**Contact:** FTG Data Systems, 10801 Dale St., Suite J-2, P.O. Box 615, Stanton, CA 90680, (714) 995-3900.  
**Inquiry 1154.**



The FT-1000 light pen is half the size of the original.

## Digitizing Images Made Simple

No need for a frame grabber here. The EDC-1000 is a complete package providing a method to input image or picture data into your computer at near-real-time rates.

The EDC-1000 is computer powered from a standard XT bus, and it provides a stream of 8-bit data corresponding to spacial brightness in a scene. It uses a charged-coupled-device image sensor, packaged in an almost 2-inch-square housing, to help the camera sample an image into 192 by 165 pixels; computer-controlled exposure and frame-scanning times range from 50 milliseconds to 2 seconds. Power, timing, and video signals are carried on a single cable from the computer to the camera at up to 20 feet away.

Your computer must have a floppy disk drive, 256K bytes of RAM, and a half-length XT or AT slot. The operating

system must be DOS 2.1 or higher. And you can use either color or monochrome monitors. The software has CGA, EGA, VGA, and Hercules adapters and can save images in either Tag Image File Format or PC Paintbrush format.  
**Price:** \$400.

**Contact:** Electrim Corp., P.O. Box 2074, Princeton, NJ 08543, (609) 799-7248.  
**Inquiry 1155.**

## A Scanner for Every Desk

The Kyocera A-800 flatbed scanner can scan anything from 8½- by 11-inch photographs to pages in books.

Once the document is scanned, you can scale it from 25 percent to 1066 percent at resolutions of up to 800 dpi and then store it on your hard disk. (Because one 800-dpi-resolution letter-size image can consume as much as 3 megabytes of hard disk capacity, Kyocera recommends a few megabytes of disk space

for scanned material.)

Scan mode includes line art, six selectable patterns of halftone, and four, eight, and 16 selectable gray levels.

You need an XT or AT compatible with at least 512K bytes of free RAM operating under Microsoft Windows 1.03 or higher. The A-800 hooks into your computer's parallel port.

**Price:** \$1985.  
**Contact:** Kyocera Unison, Inc., 3165 Adeline St., Berkeley, CA 94703, (415) 848-6680.  
**Inquiry 1156.**

## Laser Printers Invade the Home Office

The Blue Chip Compact Laser Printer features an 8-page-per-minute print speed in a 17- by 18- by 11-inch package. It's aimed at the home computer market, with serial ports and a Centronics parallel port.

On-board memory comes standard at 512K bytes, expandable to 5 megabytes. Up to 128 fonts can reside in memory at once, or they can be downloaded or loaded from font cartridges.

**Price:** \$2499.  
**Contact:** Blue Chip International, Inc., 7305 West Boston St., Chandler, AZ 85226, (602) 961-1485.  
**Inquiry 1157.**

*continued*

## Economy Ricoh Drive Rewrites on Optical Cartridges

With the introduction of the RO-5030E rewritable optical disk drive, Ricoh could be trouble for such companies as Sony, Maxtor, and Hitachi.

With what Ricoh calls "constant angular velocity tracking," each RO-5030E has a data transfer rate of 1.4

megabytes per second and an average access speed of 61 ms. Data buffer memory for the 5¼-inch internal drive is 256K bytes.


Sustained data transfer rate is as fast as 100K bytes per second for recording, and up to 300K bytes for reading.

The drive incorporates a SCSI controller and uses ISO-approved 5¼-inch optical disk cartridges. Any rewritable optical media meeting ISO standards can be accessed using the magneto-optical writing/reading technology. Capacity is 512 or 1024 bytes per sector, 297

or 326 megabytes per side, and 594 or 652 megabytes per disk.

**Price:** \$3800; cartridges, \$250 each.  
**Contact:** Ricoh Corp., Five Dedrick Place, West Caldwell, NJ 07006, (201) 882-2000.  
**Inquiry 1158.**

**NEW!**  
Advanced Math  
and Statistics  
Applications Packs



# Your pad or ours?


If you perform calculations, the answer is obvious.

MathCAD 2.0.

It's everything you appreciate about working on a scratchpad—simple, free-form math—and more. More speed. More accuracy. More flexibility.

Just define your variables and enter your formulas anywhere on the screen. MathCAD formats your equations as they're typed. Instantly calculates the results. And displays them exactly as you're used to seeing them—in real math notation, as numbers, tables or graphs.

MathCAD is more than an equation solver. Like a scratchpad, it allows you to add



text anywhere to support your work, and see and record every step. You can try an unlimited number of what-ifs. And print your entire calculation as an integrated document that anyone can understand.

Plus, MathCAD is loaded with powerful

built-in features. In addition to the usual trigonometric and exponential functions, it includes built-in statistical functions, cubic splines, Fourier transforms, and more. It also handles complex numbers and unit conversions in a completely transparent way.

Yet, MathCAD is so easy to learn, you'll be using its full power an hour after you begin.

What more could you ask for? How about two new applications packs to increase your productivity?

The **Advanced Math Applications Pack** includes 16 applications like eigenvalues and eigenvectors of a symmetric matrix, solutions of differential equations, and polynomial least-squares fit.

The **Statistics Applications Pack** lets you perform 20 standard statistical routines such as multiple linear regression, combinations and permutations, finding the median, simulating a queue, frequency distributions, and much more.

MathCAD lets you perform calculations in a way that's faster, more natural, and less error-prone than the way you're doing them now—whether you use a calculator, a spreadsheet, or programs you write yourself. So come on over to MathCAD and join 45,000 enthusiastic users.

For more information, contact your dealer or call 1-800-MATHCAD (In MA: 617-577-1017).

Requires IBM PC® or compatible, 512KB RAM, graphics card.  
IBM PC® International Business Machines Corporation.  
MathCAD® MathSoft, Inc.

# MathCAD®

MathSoft, Inc., One Kendall Sq., Cambridge, MA 02139

## Taxan Goes Where No Standards Have Gone Before

The Ultra Vision 1000 from Taxan is designed with very high horizontal-scan-rate ranges—between 30 kHz and 78 kHz for higher-than-standardized graphics boards.

The 20-inch monitor is compatible with IBM and Apple Macintosh computers for desktop publishing and CAD/CAM environments. Input can include analog RGB and horizontal/vertical signals on separate lines.

The horizontal scan rates are barely low enough to handle the 31.5 kHz of VGA and the 35.5 kHz of 8514/A.

Lower-frequency boards designed for CGA and EGA graphics won't work with this monitor, but some CGA and EGA boards operate at higher frequencies.

The board is partly designed for 1024-by-768-pixel, noninterlaced graphics with 256 colors—an unspoken standard, according to Taxan—at 48.5 kHz horizontal and 60 Hz vertical. On the Macintosh



*Taxan's Ultra Vision 1000 monitor reaches scan rates of 78 kHz.*

computers, horizontal scan rates of 64 kHz produce 1024-by-768-pixel resolution. The board will also support the 78-kHz horizontal frequency that provides 1600-by-1200-pixel resolution for high-end imaging boards; these are useful in medicine, for example, for laser surgery, modulating laser wavelengths for image modifications.

High resolution is partly due to the proprietary Dy-

namic Beam Focusing feature, Taxan says. DBF allows electron focusing from the center of the screen all the way to the outer edges.

In addition, the Ultra Vision 1000 includes a high-contrast black background, and the screen is treated with an antiglare coating developed by the Optical Coating Lab in Santa Rosa, California. Dot pitch is 0.31 millimeters.

**Price:** \$3695.

## NEC MultiSync Features Digital AutoSync

The MultiSync 3D monitor from NEC Home Electronics has digital controls that automatically tune its 14-inch screen to 10 preset frequencies. You can also program an additional 19 frequencies between the horizontal scan range of 15.5 kHz to 38 kHz.

The MultiSync 3D can automatically identify TTL and analog input signals and find matching synchronizing information among the 10 presets, or it can adjust to one of your nonstandard frequencies.

It performs this function

with a Z80 microprocessor, an EPROM, and 64K bytes of RAM. When you begin to receive a new image on the monitor, the microprocessor scans memory for similar digital maps of incoming waveforms. If none of the waveforms that are in memory match the incoming image, you can manipulate the image with two buttons for vertical height adjustments, two for horizontal width adjustments, and two for horizontal positioning.

A few seconds after your adjustments are made, the monitor writes the param-

eters to memory.

Support for Super VGA resolution is standard, along with support for the lower-resolution EGA and VGA graphics boards. The monitor is also compatible with the Macintosh II video card, which supports a 1024-by-768-pixel interlaced resolution. Dot pitch is 0.28 millimeter. The MultiSync 3D weighs 35 pounds.

**Price:** \$1049.

**Contact:** NEC Home Electronics (U.S.A.), Inc., 1255 Michael Dr., Wood Dale, IL 60191, (312) 860-9500.

**Inquiry 1161.**

**Contact:** Taxan USA Corp., 161 Nortech Pkwy., San Jose, CA 95134, (800) 544-3888.  
**Inquiry 1159.**

## Sony's Multiscan Monitor Features Video Inputs

The GVM-2000 is a National Television System Committee-compatible 20-inch multiscan monitor that also accepts composite video inputs.

It provides CGA, EGA, PGA, VGA, 8514/A, and Mac II modes for IBM compatibles and for compatibility with Apple's Mac II. That compatibility to synchronize to RGB inputs of 15 kHz to 36 kHz (horizontal scan) is the nice thing about multiscan technology. Vertical scan ranges from 40 Hz to 100 Hz.

Yet the monitor also receives analog or digital input from other video devices for applications like business presentations. VCR output, for example, is 15.5 kHz. The GVM-2000 accommodates composite video inputs such as 3/4-inch tape, 1/2-inch tape, video tuners, videodisk players, ED Beta, and Super VHS.

Dot pitch is 0.55 millimeters. Resolution is 720 by 480 pixels, and maximum video resolution is 560 television lines. Standard broadcast television video is 525 lines, even though most televisions can display only about 420 lines. High Definition Television video is 1125 lines.

**Price:** \$2495.

**Contact:** Sony Corp. of America, One Sony Dr., Park Ridge, NJ 07656, (800) 222-0878; in New Jersey, (800) 222-0879.

**Inquiry 1160.**

*continued*

# Through Basic training? Graduate to Turbo Pascal.

Turbo Pascal® is easy to learn, fast, powerful, and the most popular Pascal compiler in the world.

When you graduate from Basic to Turbo Pascal, you have entirely new freedoms and powers. Modern, modular programming for one. Basic doesn't support that. Complete control over your computer's memory is another. Basic doesn't give you that.

Turbo Pascal's .EXE files are streamlined and fast, just like the pros'. And Pascal doesn't promote Basic flaws like "GOTO" that lead to spaghetti code.

None of which matters as much as the spectacular difference Turbo Pascal makes to the size and speed of your programs. Basic is big and slow. Turbo Pascal is just the opposite.

## You'll like Turbo Pascal 5.0's environmental impact

With Turbo Pascal, you're in a completely integrated environment that includes source-level debugging. You can step code, watch expressions, change variables and set breakpoints. Edit, compile, run and debug.

## You are not alone

We're here to help—whether on CompuServe, by phone to Tech Support or through User Groups. Borland revolutionized programming languages, made Pascal the worldwide favorite, and we're committed to supporting you. Our manuals and tutorials—unlike most others—are clear, concise, and thoroughly professional.

We also offer an extended family of Turbo Pascal Toolbox programs including source code: Runtime Library, Database Toolbox, Graphix Toolbox, Turbo Pascal Tutor, Editor Toolbox, Numerical Methods Toolbox, and GameWorks. Borland is the Pascal one-stop shop.

## 60-Day Money-back Guarantee.\*

\*Customer satisfaction is our main concern. If within 60 days of purchase this product does not perform in accordance with our claims, call our customer service department, and we will arrange a refund. \*\*Includes upgrade manual, plus disks for just \$49.95 (plus tax for CA and MA residents, and \$5.00 for handling within the U.S., \$10.00 in Canada). All Borland products are trademarks or registered trademarks of Borland International, Inc. Other brand and product names are trademarks or registered trademarks of their respective holders. Copyright ©1988 Borland International, Inc. BI-1285A



The integrated development environment lets you easily write and debug real programs.

## Turn pro for only \$250 with new Turbo Pascal Professional

This special package—Turbo Pascal Professional—includes everything you need for professional programming in Pascal.

- New Turbo Pascal Version 5.0
- New Turbo Debugger®
- New Turbo Assembler®

**Turbo Debugger, recent recipient of PC Magazine's Technical Excellence Award** in the development tools category, lets you debug *any* size program

and have up to 12 views of your code. Turbo Assembler is much faster than MASM and more compatible with MASM than MASM is with itself. Turbo Pascal Professional: it's nothing but the best.

## A fast look at 5.0

- Fully integrated development environment
- New source-level debugger
- 34,000 lines a minute on PS/2 Model 60
- RAM-resident context-sensitive Help
- .EXE files bigger than 64K
- Demand Overlays
- EMS support
- Separate compilation by Units

## Forget the Basics for only \$149.95

Ready to move onward and upward from Basic? You can make easy entry to Pascal with 5.0 for only \$149.95.

And if you're a current Turbo Pascal 4.0 user, you can upgrade to the new version 5.0 for \$49.95.\*\*


**To upgrade only call (800) 331-0877, or for the dealer nearest you, call (408) 438-5300.**



# B O R L A N D

Code: MA01

Circle 49 on Reader Service Card (DEALERS: 50)





## Announcing a big leap in mouse technology.

*Finally, a mouse with an extraordinary body and a mind to match.*

*A mouse ballistically tuned to accelerate your cursor across any screen with the mere flick of a wrist, and slow it down on arrival for pixel-point control on detail work.*

*This mouse is guaranteed to work with all applications on your IBM personal computer. And it comes with a great selection of MouseWare™ including Pop-Up DOS™—the ultimate DOS handler; Mouse-2-3™, the Lotus 1-2-3™ shell; and 35 menus for best-selling keyboard-based applications.*

*The Logitech Mouse. \$139, complete with Logitech's Lifetime Satisfaction Guarantee and unlimited Product Support.*


*For your nearest dealer, call:*

**800-231-7717**

*In California:  
800-552-8885*

*In Europe:  
++ 41-21-869-96-56*

*Circle 150 on Reader Service Card  
(DEALERS: 151)*



## Board Masters Voice Mail, Fax, and Communications

The Complete Communicator is an XT- and AT-compatible board that provides your computer with fax, modem, and sophisticated voice-mail capabilities. All you need is one standard analog telephone line from your local telephone company.

With an on-board 6502 microprocessor and software that takes up 75K bytes of RAM space, the board operates in background mode. The voice-mail system allows up to 999 voice mailboxes, each of which can hold as many as 999 messages; each message can be up to 999 seconds long, the manufacturer claims. Once that mail is stored, you can program the board to call you and deliver your messages to whatever phone number you choose.

The board also has a call-transfer function for when you're away from the phone.

The fax capabilities are what you would normally expect from any \$800-range, stand-alone, Group III fax machine, minus the scanning capabilities. You also get many features you can't get on an inexpensive stand-alone fax machine, including auto-redial and scheduled transmission for sending faxes when telephone rates are lowest; broadcast capability, with a distribution list that can be as long as 99 names; a pop-up window for sending faxes from within applications; personalized cover sheets; and on-screen display of faxes, with zoom and scaling.

The modem operates at the standard Hayes-compatible rate of 2400 bps.

**Price:** \$899.

**Contact:** The Complete PC, 521 Cottonwood Dr., Milpitas, CA 95035, (408) 434-0145. **Inquiry 1162.**



*With The Complete Communicator, voice-mail sophistication greets fax and modem pragmatics.*

## Exploit Your Apple IIGS's Ensoniq Sound Chip

The Sonic Blaster is a stereo digitizer that takes advantage of the Ensoniq sound chip on every Apple IIGS, according to the manufacturer, Applied Engineering.

The Sonic Blaster is perhaps most impressive when it's used for audio with a popular helicopter game called Tomahawk. But it's also quite ef-

fective for manipulating sounds for audio production from a number of sound sources, like home stereos, CD players, televisions, and microphones. The interface is a standard DIN connector.

Included software lets you add effects such as echo, stutter, backwards, amplification, and variable rate.

**Price:** \$129.

**Contact:** Applied Engineering, 3210 Beltline, Suite 154, P.O. Box 5100, Dallas, TX 75234, (214) 241-6060.

**Inquiry 1163.**

## Speak Your Mind with the CAD Voice System

The Bug Voice Command System is a speech recognizer for CAD workstations. It features a 25-MHz TMS-320 microcomputer.

It includes its own 64K bytes of system RAM and uses only 15K bytes of memory on your AT-compatible computer. That RAM allows it to store up to 100 voice commands to perform such tasks as change screen perspective, change from line-drawing mode to circle-drawing mode, and move the cursor to the end-point of lines.

The board and accessories are shipped with a starter lexicon of 65 commands. Any CAD package that runs under DOS and accepts keyboard input is compatible, Command Corp. says.

**Price:** \$799.

**Contact:** Command Corp., Inc., 6045 Atlantic Blvd., Suite 400, Norcross, GA 30071, (404) 662-1598.

**Inquiry 1164.**

*continued*

## Upgrade Your AT with Disk-Caching Controller

The PM3011 controller card has its own 68000 microprocessor to enhance AT performance. It works with a variable-size RAM cache that allows your AT or compatible to read and write to the controller cache while the controller card simultaneously accesses the disk.

This allows disk-intensive applications to run a dozen times faster than without the controller card, claims Distributed Processing Technology, because data access time can be increased 50 to 150 times over that of conventional hard disk drives. The operation is transparent

to the operating system, however, so special software drivers and ROM BIOS changes aren't needed.

The cards use the same disk format as the Western Digital disk controller, so installation means that you unplug the existing controller and plug in the PM3011. Then you format the disk drive with the DPTFMT low-level format utility, enabling the controller to re-map the disk drive geometry so the operating system thinks the drive is a standard ST506 drive.

Four versions of the card are available—for an ST506

interface; a run-length-limited interface; an ESDI interface; and ST506, ESDI, and surface-mount-device interfaces for the SCSI host bus used in minicomputers. Each board contains 512K bytes of cache RAM, expandable to 16 megabytes with an optional cache expansion card.

**Price:** \$1150; with the optional cache expansion card, \$1280.

**Contact:** Distributed Processing Technology, 132 Candace Dr., P.O. Box 1864, Maitland, FL 32751, (407) 830-5522.

**Inquiry 1165.**

And then...  
Maxell created  
the RD Series.



Maxell Corporation of America, 22-08 Route 208, Fair Lawn, NJ 07410

Never before has this level of Reliability  
and Durability been available in floppy disks.  
Introducing the new RD Series from Maxell.  
Twice the durability of the disks you're now using.  
Twice the resistance to dust and dirt.  
And the RD Series is ten times more reliable  
than conventional floppy disks.  
The Gold Standard has always meant maximum  
safety for your data. Now it means even more.



**maxell**  
THE GOLD STANDARD

World Radio History

## Produce Your Own 35mm Motion Picture Films

The Imprint system for the Amiga or Macintosh II with the Polaroid Palette film recorder lets you generate slides, negatives, transparencies, or instant prints. With an optional film "back," you can even produce 35mm motion picture films.

With the Amiga system, Imprint can expose images composed in more than 16 million colors to develop visuals from HAM (hold and modify), IFF (Interchange File Format), and DigiView's RGB-IFF files. You can use several types of film with the systems and produce slides, prints, and transparencies.

With the Mac, the Imprint supports PICT and PICT2, the standard picture formats.

Optional "backs" are available in 4- by 5-inch and 8- by 10-inch sizes, bulk film (for as many as 250 exposures, versus the standard 36), spectra-type (the kind of instant film that develops before your eyes), and the 35mm motion picture version.

With the motion picture option, you bypass the NTSC conversion necessary to go from the computer screen to 35mm film because you transfer digitally encoded images directly to the film. This gives you up to 1500 frames on 100 feet of film. Of course, you must have the conversion between the film and videotape performed at your local full-service photography store.

**Price:** Amiga peripheral with Polaroid Palette, \$2495; Mac II board with American Liquid Light film recorder, \$3995.

**Contact:** American Liquid Light, Inc., 2301 West 205th St., Torrance, CA 90501, (213) 618-0274.  
**Inquiry 1166.**



*Liquid Light's Imprint system features quality photo output.*

## Board Combines VGA and Frame Grabber

Publishers' VGA combines a computer VGA card with a frame grabber and allows you to preview images prior to capture without a second monitor.

The IBM PC XT- or AT-

compatible VGA portion of the board has 256K bytes of RAM (expandable to 512K bytes) for graphics modes ranging from 640 by 480 pixels with 16 colors up to 1024 by 768 pixels and 256 colors (with extra memory). You need a VGA-compatible multifrequency or fixed-frequency analog monitor.

Drivers are included for Microsoft Windows and Digi-

## Greater Than the Mighty 8514/A?

The Verticom HX-Series of add-in graphics coprocessor boards offers more than five times the performance of IBM 8514/A display adapters, claims Western Digital Imaging. Yet all the boards are software compatible with the IBM 8514/A display adapter and can default to VGA.

The Verticom HX16/AT and the HX16/MC (for the AT and Micro Channel architectures, respectively) feature 1 megabyte of RAM and can display 16 on-screen colors at up to 1024 by 768 pixels. The HX256/AT and the HX256/MC provide 2 megabytes of memory, 256 colors, and the same resolution as the two 1-megabyte boards.

The boards are shipped with several drivers. These include the 8514/A adapter

interface, AutoCAD versions 9 and 10, AutoSketch, AutoShade, Microsoft Windows 2.1, and Verticom Twin Focus. Only multifrequency monitors are supported, however, because of the need to work up from the VGA standard of 31.5 kHz to the 1024- by 768-pixel requirements of 48.5 kHz.

Kits are available for upgrading the cards to 256 colors, and software developers can choose from on-board palettes of 256,000 or 16.7 million colors.

**Price:** HX16/AT, \$2495; HX16/MC, \$2795; HX256/AT, \$3495; HX256/MC, \$3795; HX-256C upgrade kit, \$1195.

**Contact:** Western Digital Imaging, 800 East Middlefield Rd., Mountain View, CA 94043, (415) 960-3353.  
**Inquiry 1169.**

tal Research's GEM.

The frame grabber portion of the board captures 320- by 200-pixel images in 64 gray scales in one-sixtieth of a second, from video cameras, videotape players, and other video sources. Unlike a flat scanner, the board captures three-dimensional images. And if the board is set up to capture a photo or other two-dimensional image, it can replicate a scanner.

**Price:** \$699.

**Contact:** Willow Peripherals, Inc., 190 Willow Ave., Bronx, NY 10454, (212) 402-0010.

**Inquiry 1167.**

## Synchronize Amiga Graphics with NTSC

The Commodore A2300 Genlock board lets you merge Amiga 2000-generated graphics with output from standard National Television System Committee (NTSC) video sources like VCRs, video cameras, and laser disk players. Or you can merge the Amiga graphics with PAL graphics.

The board fits into the Amiga's video expansion slot, coupling video with the Amiga's inherent multitasking capabilities. For Amigas, standard resolution (in pixels) is either 320 by 200, 320 by 400, 640 by 200, or 640 by 400.

The Amiga 2000 is easily upgradable, with seven Amiga or full-length XT or AT expansion slots; a CPU expansion slot for a 68020, a 68030, or math coprocessor boards; and a video expansion slot.

**Price:** \$399.

**Contact:** Commodore Business Machines, Inc., 1200 Wilson Dr., West Chester, PA 19380, (215) 431-9100.  
**Inquiry 1168.**

*continued*

**More power to the people.**

ORACLE  
5.1B  
IS HERE

ORACLE has led a revolution in PC relational database technology. More power. More portability. More connectivity. More reasons than ever to make ORACLE your corporate standard database.



**New tools with even more power.**

We're proud to announce our newest release — Professional ORACLE Version 5.1B. Now you can run your applications in OS/2 or in protected mode above 640K in MS-DOS. So you have more room for more powerful applications. And those same applications run unmodified on almost all workstations, minicomputers and mainframes.

Version 5.1B delivers a new level of power to your PC developers including the latest versions of:

- SQL\*Forms® NEW! Enhanced 4th-generation application development environment.
- SQL\*Menu® NEW! Flexible interface builder for defining complex menu systems.

• SQL\*ReportWriter™ NEW! Non-procedural development and runtime powerhouse for producing any report.

• SQL\*Plus® Oracle's ANSI-standard SQL query and administration tool.

• Pro\*C™ The C-language pre-compiler and subroutine call interface to ORACLE.

**Learn SQL on us.**

Learn the language of the revolution. Order Professional ORACLE today for \$1299 and we'll include ORACLE SQL\*Tutor, a nine-module PC-based SQL instruction program that sells by itself for \$199.

**Try ORACLE for \$199.**

Our Trial Version is identical to Professional ORACLE, but can't be used in networked configurations and allows a maximum user database size of 1 MB. It's a powerful tool for prototyping your first ORACLE application. And its price can be applied to the purchase of a full Professional ORACLE license.

**ORACLE®**  
COMPATIBILITY • PORTABILITY • CONNECTABILITY

**Call 1-800-ORACLE1, ext. 4931 today.**

**Money-back guarantee.**

If you haven't tried ORACLE yet, now there's even more reason to join the SQL revolution. More tools. More power. If ORACLE 5.1B doesn't revolutionize the way you develop PC database applications, return it within 30 days for a full refund.

**Call 1-800-ORACLE1 ext. 4931, or an ORACLE MasterVAR today.**

**Dear Oracle**

Oracle Direct • 20 Davis Dr. • Belmont, CA 94002  
**1-800-ORACLE1, ext. 4931**

Since your 30-day money-back guarantee eliminates any risk on my part, please send me the software below. Enclosed is my  check, or  VISA  MasterCard  AmEx credit card authorization. Offer valid only in the USA. Please send  5.25" High Density or  3.5" disks.

- Professional ORACLE for MS-DOS with free ORACLE SQL\*Tutor for \$1299 ..... \$ \_\_\_\_\_
- Professional ORACLE for MS-DOS Trial Version for \$199 ..... \$ \_\_\_\_\_
- Professional ORACLE for OS/2 for \$1299 ..... \$ \_\_\_\_\_

Professional ORACLE Requirements: IBM-DOS — 80286/80386 PC with MS-DOS V3.1+, hard disk, 640KB of memory and 896K extended memory required. 2.5MB of extended memory recommended (required for SQL\*ReportWriter). OS/2 — 80286/80386 PC w/ OS/2 V1.0, hard disk, 3MB memory. SQL\*ReportWriter not available for OS/2 and is replaced by SQL\*Report®.

- Just send ORACLE SQL\*Tutor for \$199 ..... \$ \_\_\_\_\_
- Minimum Requirements: 256K PC with hard disk. Color monitor suggested

Subtotal ..... \$ \_\_\_\_\_

Please add appropriate sales tax ..... \$ \_\_\_\_\_

Total enclosed/authorized (USA only) ..... \$ \_\_\_\_\_

NAME TITLE

COMPANY

STREET (no P.O. boxes, please)

CITY STATE ZIP

PHONE

CREDIT CARD NO CARD EXPIRATION DATE

SIGNATURE TODAY'S DATE BYTE MAG

Copyright © 1989 by Oracle Corporation. ORACLE, SQL\*Forms, SQL\*Menu, SQL\*Plus and SQL\*Report are registered trademarks and Pro\*C and SQL\*ReportWriter are trademarks of Oracle. Also trademarks: MS of Microsoft, OS/2 of IBM. TRBA

## Mac Reaches for Businesses' Minis

The IDEComm Mac is a board for the Mac SE that allows twin-axial or twisted-pair connection to the IBM Model AS/400, System 36, or System 38 minicomputers. It also enables the Mac SE to connect to IBM 5294 minicomputers and IBM 5251 Model 12 cluster controllers.

Once connected with proprietary file transfer protocols, the Mac emulates IBM terminals (Models 3180 and 3196 and 5291 Model 1). Until now, that's something only IBM PCs have been able to do. The single Mac SE requirement is that it include 2½ megabytes of RAM.

Macs and IBM PCs are thus allowed bidirectional file transfer at 1 megabit per second and access to four concurrent host sessions (including one printer session). You can observe all the host sessions simultaneously through a win-



*IDEComm Mac brings IBM terminal emulation to the Mac SE.*

dowing feature. You can also accomplish several tasks at once if you're operating under MultiFinder.

Other standard features include password security and dynamic keyboard

remapping.

**Price:** \$995.

**Contact:** IDEAssociates, Inc., 29 Dunham Rd., Billerica, MA 01821, (508) 663-6878.

**Inquiry 1170.**

## Eliminate Ethernet Downtime with FTEL

If your Ethernet application can't afford downtime, even for a minute, the fault-tolerant LAN system FTEL might be your answer.

When the Novell NetWare network operating system and FTEL software on the file server detect a cable or transceiver fault, the FTEL adapter on the file server switches from the primary transceivers and cabling scheme to the backup transceivers and backup cabling.

**Price:** FTEL 1.0 software and file server board, \$10,080; adapter boards for nodes, \$780 each.

**Contact:** Alantec, 101 Hammond Ave., Fremont, CA 94539, (415) 770-1050.

**Inquiry 1171.**

## Get the Fax from Your Modem

The WorldPort 2496 is a tiny, battery-powered device combining a 9600-bps Group III fax modem with a full-featured 2400-bps data modem. It's designed for portable and laptop computers.

The WorldPort 2496 has two standard RJ-11 telephone jacks for direct connection and an interface for acoustic coupler operation. It has a self-contained battery and measures 5 by 3 by 1 inches.

The data modem portion retains all the features of the Touchbase Systems' WorldPort 2400 portable modem, including a speaker and LED indicators.

**Price:** \$699.

**Contact:** Touchbase Systems, Inc., 160 Laurel Ave., Northport, NY 11768, (516) 261-0423.

**Inquiry 1172.**

*continued*

## Removable Module Featured in V.32 Modem

A removable, program-mable, checkbook-size module sets the V.32 modem apart from CCITT V.32-compatible luxury modems from AT&T, Codex, Hayes, and others. Yet the N9635 from NEC America performs as well as or better than its industry siblings, according to the company.

For example, the N9635 can keep up with Microcom's de facto data compression/error-control software standards of up to MNP Level 5, allowing data transmission over standard analog telephone lines at up to 19.2 Kbps. (However, MNP 5 can only allow 19.2-Kbps transmission if both the transmitting and receiving

modems operate under MNP 5 protocols.)

The N9635 is also backward compatible with both the V.22bis standards and the Bell 212 and 103 standards, allowing the N9635 the capability of transmitting to and receiving from modems that operate in asynchronous modes of under 1200 bps. Adherence to the above standards also allows backward compatibility with synchronous modems operating at data transfer rates under 9600 bps.

But the NEC N9635 module gives you several added benefits. For example, you can store dialing parameters and move them from one modem to another. You can

also run diagnostic programs on it to test the functionality of the other N9635 modems in your office.


If you're paranoid about office politics, you can always remove the module and hide it when you're not using it. And when NEC adds additional data compression and error-control software to its modems, it has promised to try to implement those enhancements on the module.

**Price:** \$1495; with module, \$1595.

**Contact:** NEC America, Inc., Data and Video Communications Systems Division, 110 Rio Robles, San Jose, CA 95134, (800) 222-4632, ext. 1277; in California, (408) 433-1277.

**Inquiry 1173.**

# Tape Backup. The End of Database Russian Roulette.



## Why Risk a Disk Crash that Would Shoot Holes in Your Files?

It's fun to gamble. But not with priceless data—perhaps your most valuable business asset. That's why it makes sense to protect your database investment with a dependable tape backup system from Genoa.

With our Galaxy™ and Galaxy/MC™ systems, you won't have to play fast and loose with your files any more. Instead, you'll be backing them up fast—at 5 Mbytes a minute, or just a few minutes for your entire hard disk. And if you forget to do it, Galaxy's auto-scheduler can do it for you. Automatically.

Circle 112 on Reader Service Card



Galaxy systems install fast too, and their simple command menus make them a breeze to operate. They fit right in with your IBM PC/XT/AT or compatibles, and all PS/2 Systems—either standalone or networked. We even provide a Novell Advanced NetWare 86- or 286-compatible software driver, a \$200 value—free.

The Galaxy Family comes in external and internal models, in

both 60-Mbyte digital cassette tape and 60- or 150-Mbyte cartridge tape. All with full one year warranties.

Galaxy tape backup. Because every time that hard disk goes spinning around, you risk seeing endless data entry hours go up in smoke. For details, contact Genoa, 75 E. Trimble Road, San Jose, CA 95131. Phone (408) 432-9090; Fax (408) 434-0997; Telex 172319; London 44-01-225-3247.

© Genoa Systems Corporation. Galaxy and Galaxy/MC are trademarks of Genoa Systems Corporation. NetWare is a registered trademark of Novell, Inc. IBM PC, XT, AT and PS/2 are trademarks of IBM Corporation.

Insist on  
Genoan Value.  
**GENOA**

# CMO...Your Nationwide Source



**PC-TOO 8MHz AT®**

**BASIC SYSTEM CONFIGURATION:**


- 80286 8 MHz CPU
- 512K Motherboard Memory Expandable to 1MB
- 12 I/O Expansion Slots (6 16-Bit & 6 8-Bit)
- Clock Calendar with Battery Backup
- 1.2 MB Floppy Disk Drive
- Hard Disk/Floppy Controller Card
- 238 Watt Power Supply
- Fully Compatible High Speed BIOS
- AT Compatible Keyboard
- Microsoft DOS & GW-Basic
- Zero Waite State
- 5 Half-Height Front Storage Slots (4 exposed)
- 24-Hour Burn-In
- Amber Monochrome Monitor

**\$799**

**Call For Information On Other PC-TOO's (10 AT & 20MG 386)**

## AMIGA

<b>Aegis Development</b>	
Draw Plus 2000	\$159
Sonix	49
Videoscape 3D	139
<b>Cinemaware</b>	
TV Sports	36
<b>Electronic Arts</b>	
Deluxe Paint II	99
Deluxe Video 1.2	89
<b>Epyx Software</b>	
XJ-500 Joystick	15
<b>Gold Disk Software</b>	
Professional Page	259
<b>Micro Illusions</b>	
Photon Paint	69
<b>Micro Systems Int.</b>	
Raw Copy V1.3	44
<b>Micro Systems Software</b>	
Excellence	189
<b>New Tek Inc.</b>	
Digi-View Gold	149
Digi-Paint	44



**MAGNAVOX**  
9CM082 14" VGA Display  
\$399

<b>Sub-Logic Corp.</b>	
Flight Simulator II	\$39
<b>WordPerfect Corp.</b>	
WordPerfect	189


## MACINTOSH

<b>Olympia</b>	
NP-30 Mac 150cps	\$289
<b>Seikosha</b>	
SP-1000AP Mac	239
<b>Everex</b>	
EMAC 20 Deluxe 20MB	595
EMAC 60T 60MB Backup	895
<b>PCPC</b>	
21MB SCSI Hard Drive	699
<b>Cornerstone</b>	
SinglePage Display SE	899
DualPage Display SE	1699
<b>Magnavox</b>	
9CM080 14" VGA Display	519
<b>RasterOps</b>	
19485 Trinitron	3395
<b>Sigma Designs</b>	
PageView SE	849
LaserView II	1899
<b>New Image Technology</b>	
MacScan Pro Sheetfeed	1399
MacScan Pro Flatbed	1789
<b>Practical Peripherals</b>	
Mac 2400 Stand Alone	239
<b>Shiva</b>	
NetModem V2400	459

## MONITORS

<b>Amdek</b>	
Video 210 Amber	85
Video 410 TTL Monochrome	145
Video 432 VGA Monochrome	169
Color 732 VGA Color	399
<b>Cornerstone</b>	
SinglePage Display	899
<b>Magnavox</b>	
7BM623 12" TTL Amber	79
CM8762 14" Comp./RGB	249
9CM053 14" HiRes EGA	369
9CM062 14" VGA Display	349
<b>NEC</b>	
JC-1402 Multisync	589
<b>Packard Bell</b>	
PB-1272 12" TTL Mono	79
PB-1472 14" TTL 132 Col.	109
PB-1422EG 14" HiRes EGA	359
<b>Polaroid</b>	
Palette EGA Plus	2399
<b>Princeton Graphics</b>	
Max-12e 12" TTL Amber	149
<b>Seiko Instruments</b>	
CM-1430 14" VGA	649
<b>Taxan</b>	
770+ MultiVision Display	529
<b>Wyse Terminals</b>	
WY-30, 50, 60	Call
<b>Zenith</b>	
ZFM-1490 14" VGA Analog	639
<b>MULTIFUNCTION</b>	
<b>ATD-ZuckerBoard</b>	
Color Half Card	79
Monochrome Graphics Adpt.	79

<b>AST</b>	
Six Pak Plus Board	\$149
VGA Plus Adapter	389
<b>Boca Research</b>	
TopHat 128K Expansion	129
BocaRam/AT 0-4MB Board	149
Boca MultiEGA	189
<b>DCA</b>	
Irma 2 3278 Board	749



**INTEL 8087 IBM**  
PC/XT CoProcessor  
\$88

<b>Emerald</b>	
3XTwin 5251 Local Emulat.	669
<b>Everex</b>	
Magic I/O AT Par/Ser	59
Ram 3000 Deluxe 0-3MB Bd.	89
Micro Enhancer EGA	169
<b>5th Generation</b>	
Logical Connection 256K	479
<b>Hercules</b>	
Graphics Card Plus	179
<b>Intel</b>	
AboveBoard 2 Plus w/OK	319
AboveBoard PS/286 w/512K	419
AboveBoard Plus w/512K	429
AboveBoard Plus I/O 512K	579
Inboard 386/PC 80386 CPU	769
80287-8 IBM XT 8MHz CoP.	219
80387-16 16MHz 80386	399
<b>Orchid Technology</b>	
ProDesigner VGA	329
TinyTurbo 286	285



**TOSHIBA**  
T1000 8088 Laptop  
\$789

Your Source for Hardware, Software & Peripherals

# For Quality Computer Products.

**Paradise**  
AutoSwitch EGA 480 Adpt. Call  
**Video 7**  
Vega VGA Adapter \$285  
FastWrite Video Adapter 359

## STORAGE DEVICES

**American Power**  
450AT + UPS Backup 439  
**ATD-ZuckerBoard**  
Tandy 30MB HardCard 479  
**Everex**  
Floppy Stream 40 40MB Int. 359  
Excel Stream 40T 40MB Int. 529  
**Miniscribe**  
8425 20MB 3 1/2" 40Msec 259  
3650 40MB 5 1/4" 61Msec 349  
6085 70MB 5 1/4" 28Msec 599  
**Mountain Computer**  
TD-4340 40MB Int. Tape 319  
TD-4440 40MB Ext. Tape 459  
**Plus Development**  
20MB HardCard 549  
**Seagate**  
ST-225 20MB w/cont 269  
ST-238 30MB w/cont 289  
**Sysgen**  
Bridge-File 5 1/2" External 249  
SmartImage 60MB Internal 479  
QIC-File 60MB External 599  
Omni Board Controller 79

## COMPUTERS

**Amstrad**  
PPC-640 Portable 899  
**AST**  
Premium 286 Model 80 1499  
**Compaq**  
Deskpro & Portable 286/386 Call  
**NEC**  
Multimate Laptops Call  
**PC-TOO**  
640K 10MHz 8088 Desktop 699  
512K 12MHz 80286 Desktop 999  
**Sysgen**  
ProSystem 12MHz w/40MB 1999  
**Toshiba**  
T1200 Floppy/HrdD Lpt Call  
**Zenith**  
80286/386 Desktops Call  
SuperSport 20MB w/Modem 1999

## COMMUNICATIONS

**Anchor**  
6480 C64/128 1200 Baud 99  
520 ST520/1040 1200 Baud 129  
1200 Baud External 109  
**Atari**  
XMM301 XL/XE 300 Baud 44  
SX-212 ST Modem 89  
**Avatex**  
1200 HC External 99  
2400 Baud External 179  
**ATD-ZuckerBoard**  
2400 Baud External 129  
**Everex**  
Evercom 12 1200 Baud Int. 79  
Evercom 24 2400 Internal 149  
Evercom 24E+ 2400 Bd. Ext. 199  
**Hayes**  
SmartModem 1200 Baud 289  
SmartModem 2400 Baud 439  
**Intel**  
2400B Classic Internal 249

## This Month's Featured Product:



**EPSON LX-80**  
80 Column, 180 CPS Printer **\$179**

**Murata**  
M1200 Facsimile \$779  
**Practical Peripherals**  
1200 Baud Internal 69  
2400 Baud Stand Alone 189  
**Sharp**  
FO-220 Facsimile Machine 999  
**Supra**  
2400AT 2400 Baud Atari 169  
**U.S. Robotics**  
1200 Baud Direct Ext. 109  
2400 Baud Direct Ext. 199

## PRINTERS

**Brother**  
M-1709 240cps, 132 Col. 449  
HR-20 20cps Daisywheel 359  
HR-40 40cps Daisywheel 599



**EPSON FX-850**  
264cps, 80 Column  
**\$339**

**Epson**  
FX-1050 264cps, 132 Col. Call  
LQ-500 180cps, 24-Wire 299  
LQ-850 330cps, 24-Wire Call  
LQ-950 264cps, 24-Wire Call  
LQ-1050 330cps, 132 Col. Call  
**Hewlett-Packard**  
2225 Thinkjet 349  
**NEC**  
P2200 Pinwriter 24-Wire 349  
P5200 Pinwriter 265cps 579  
**OkiData**  
ML-182+ 180cps, 80 Col. 249  
ML-320 300cps, 80 Col. 359  
ML-390 270cps, 24-Wire 499  
**Panasonic**  
KX-P1080i 144cps, 80 Col. 169  
KX-P1091i 194cps, 80 Col. 189  
KX-P1124 192cps, 24-Wire 349  
KX-P1524 24-Wire, 132 Col. 579

**Star Micronics**  
NX-1000 RainBow Color \$239  
NX-2400 24-Wire, 80 Col. 369  
**Toshiba**  
ExpressWriter 311 New

## SOFTWARE

**Ashton-Tate**  
dBase IV 479  
MultiMate Advantage II 289  
**Borland**  
Paradox R-Database 439  
Quattro 149  
**Central Point**  
PC Tools Deluxe 49  
**DAC Software**  
DAC-EASY Accounting 59  
**5th Generation**  
FastBack Plus 99  
**Fox Software**  
Fox Base + Development 199  
**IMSI**  
OptiMouse w/Dr. Halo III 79  
**Logitech**  
C7 Mouse w/Software 79  
**ScanMan Scanner** 219  
**Lotus Development**  
Lotus 1-2-3 299

**MECA**  
Managing Your Money \$119  
**Meridian Technology**  
CarbonCopy Plus 5.0 119  
**Microsoft**  
Serial or Buss Mouse 109  
**MSC**  
OmniMouse 49  
**Peter Norton**  
Advanced Utilities 79  
**Peachtree**  
Complete Accounting 169  
**Quarterdeck**  
DESQView 2.02 79  
**Server Technology**  
EasyLan Starter Kit 179  
**Software Publishing**  
1st Choice 3.0 89  
1st Publisher 2.0 79  
Professional Write 2.0 179  
**The Complete PC**  
HandScan For PC 179  
Complete Answer Machine 269  
**Traveling Software**  
Lap-Link Plus 84  
**WordPerfect Corp.**  
WordPerfect 5.0 219  
**Xerox**  
Ventura Publishing 2.0 479



**PRACTICAL PERIPHERALS**  
1200 Stand Alone Modem  
**\$69**



Your Source for Hardware, Software & Peripherals

In U.S.A.

**800-233-8950**

In Canada call: 800-233-8949

All Other Areas call: 717-327-9575 Fax call: 717-327-1217

Educational, Governmental and Corporate Organizations

Call toll-free: 1-800-221-4283

CMO, 101 Reighard Ave., Dept. A1, Williamsport, PA 17701

Over 400,000 SATISFIED CUSTOMERS · MAJOR CREDIT CARDS ACCEPTED

**POLICY:** Add 3% (minimum \$7.00) shipping and handling. Larger shipments may require additional charges. Personal and company checks require 3 weeks to clear. For faster delivery, use your credit card or send cashier's check or bank money order. Credit cards are not charged until we ship. Pennsylvania and Maryland residents add appropriate sales tax. All prices are USA prices and are subject to change. All items are subject to availability. Defective software will be replaced with the same item only. Hardware will be replaced or repaired at our discretion within the terms and limits of the manufacturer's warranty. We cannot guarantee compatibility. All sales are final and returned shipments are subject to a restocking fee. We are not responsible for typographic or photographic errors.

**MMC**  
MICROCOMPUTER  
MARKETING COUNCIL

## Battery-Powered Data Logger

The Tattletale Model 6 is a feature-packed data logger for applications not only where AC isn't readily available, but where the machine sometimes has to run for months on end without attention. Manufacturer Onset Computer claims that an application that takes two weeks to fill the power-switched 20-megabyte hard disk drive uses only eight alkaline AA cells.


The Model 6 offers up to 2 megabytes of storage capacity for about the price of 28K bytes on the popular Model 5. It has 11 10-bit A/D channels, 14 individually programmable I/O lines, a UART (the RS-232C interface), four power modes, and its own operating system, TTBASIC.

The 10-bit converter can sample and store all 11 channels at 100 Hz. Most of its 14 individually programmable I/O lines have optional alternate functions, including counting, square wave generation, software UART, and shift register I/O.

A separate serial interface contains the drivers for the main 9600-bps UART. You offload stored results either using XMODEM or formatting with TTBASIC Print statements.

TTBASIC is much like BASIC, as the name implies, but it has an in-line symbolic assembler. You can also tailor the speed-critical portions of your applications with assembly language subroutines that you invoke directly from the BASIC program.

A daughterboard accommodates signal conditioning and I/O expansion while it provides physical support and brings up power and the digital and analog I/O signals. One row of pins brings out internal bus lines, allowing you to add specialized hardware.



Onset Computer's Tattletale data logger.

**Price:** \$1750.

**Contact:** Onset Computer Corp., 199 Main St., P.O. Box 1030, North Falmouth, MA 02556, (508) 563-2267. **Inquiry 1174.**

## Protect Expanded and Extended Memory

The UniSaver 100 is an uninterruptible power supply that provides power protection for LIM 4.0-compatible expanded and extended memory on your IBM XT, AT, or compatible system.

In fact, it works to pre-

serve and restore the actual computer processes taking place in RAM at the exact point of power interruption, claims manufacturer Universal Vectors.

When AC power is restored to your computer, the contents of both the expanded/extended memory files and the RAM/system board files are transferred back to your operating RAM. Then processing resumes exactly where it left off.

**Price:** \$1495.

**Contact:** Universal Vectors Corp., 580 Herndon Pkwy., Suite 400, Herndon, VA 22070, (800) 777-7860; in Virginia, (703) 435-2500. **Inquiry 1175.**

## Mouse Makes Lotus 1-2-3 Input Faster

A luxury mouse with an optical scanner add-on, an audio module, and software makes it quick and easy to input vast columns of numbers into Lotus 1-2-3.

The MarqMouse lets you input numbers as fast as you can move the mouse scanner across them and audibly recognize that the number is correct. That's about four times faster than the fastest key those numbers into a computer, the company claims.

Besides the scanner com-

ponents, the MarqMouse provides many features, including up to 600-dpi resolution, ballistic control (i.e., if you move the mouse quickly, the cursor jumps to attention; if you move it slowly and carefully, the cursor doesn't accelerate beyond first gear).

You also get 16 levels of gray scale, the transparent scanning window, and a feature for paintbrush-type scanning with wide strokes.

When the MarqReader is upgraded for optical character recognition (OCR), you

## Postmortem Diagnoses IC Faults in Seconds

The Postmortem card is an in-circuit diagnostic module for the IBM XT, AT, and compatibles that attaches to the bus and detects faults on every IC in the motherboard down to individual pins.

A set of BIOS chips replaces the motherboard BIOS for power-on self tests; a complete diagnosis of the entire base RAM is also made. Manufacturer Swisscomp says that up to 98 percent of IC faults are detected—and in less than 30 seconds.


When the Postmortem detects a fault, it displays the code relating to the specific fault on an alphanumeric display. Or, if the video circuit is operational, it will display the diagnostic results on the screen. The manual has IC diagrams and an index for quick fault-finding.

**Price:** \$459.

**Contact:** Swisscomp, Inc., 5312-56th Commerce Park Blvd., Tampa, FL 33610, (813) 628-0906.

**Inquiry 1176.**

*continued*




# MICRO-CAP III.™

## THIRD-GENERATION INTERACTIVE CIRCUIT ANALYSIS. MORE POWER. MORE SPEED. LESS WORK.


MICRO-CAP III,™ the third generation of the top selling IBM® PC-based interactive CAE tool, adds even more accuracy, speed, and simplicity to circuit design and simulation.

The program's window-based operation and schematic editor make circuit creation a breeze. And super-fast SPICE-like routines mean quick AC, DC, Fourier and transient analysis — right from schematics. You can combine simulations of digital and analog circuits via integrated switch models and macros. And, using stepped component values, rapidly generate multiple plots to fine-tune your circuits.


We've added routines for noise, impedance and conductance — even Monte Carlo routines for statistical analysis of production yield. Plus algebraic formula parsers for plotting almost any desired function.



*Transient analysis*



*Schematic editor*



*Monte Carlo analysis*

Modeling power leaps upward as well, to Gummel-Poon BJT and Level 3 MOS — supported, of course, by a built-in Parameter Estimation Program and extended standard parts library.

There's support for Hercules® CGA, MCGA, EGA and VGA displays. Output for laser plotters and printers. And a lot more.

The cost? Just \$1495. Evaluation versions are only \$150.

Naturally, you'll want to call or write for a free brochure and demo disk.

**Spectrum**

1021 S. Wolfe Road,  
Sunnyvale, CA 94086  
(408) 738-4387

MICRO-CAP III is a registered trademark of Spectrum Software.  
Hercules is a registered trademark of Hercules Computer Technology.  
IBM is a registered trademark of International Business Machines, Inc.

## Let Your Fingers Do the Walking Through Turbo C

You can add a special menu to Turbo C's main menu with Vizit! and have a host of C functions at your fingertips. To use Vizit!, you select the type of function you need, and then browse through more than 400 functions and descriptions.


You can search by category, by last used, or by wild cards. A quick reference to the C language is available, and an auto-insert feature instantly types in functions.

Vizit! runs on the IBM PC with DOS 2.0 or higher and 58K bytes of RAM.

**Price:** \$49.95.

**Contact:** Computer Ties, 4948 Thunderhead, El Sobrante, CA 94803, (415) 223-6944.

**Inquiry 1111.**



The Vizit! menu offers over 400 Turbo C functions.

tensorial analysis, using vector-processing technology and  $n$ -dimensional geometry, which are transparent to the user. The program stores only unique values within the data set, rather than each of the records, thus reducing the size of the data file.

CrossView runs on the IBM PC with at least 640K bytes of RAM and DOS 3.0 or higher. The company rec-

ommends a hard disk drive and a CGA monitor.

**Price:** Single-user version, \$2000; multiuser server pack for up to six users, \$3000; workstation pack for three additional users, \$1000.

**Contact:** DataEase International, Inc., 7 Cambridge Dr., Trumbull, CT 06611, (800) 243-5123; in Connecticut, (203) 374-8000.

**Inquiry 1107.**

## GCLISP Developer Upgraded

Gold Hill Computers has what it claims is a faster and smaller version of GCLISP Developer, a Common Lisp that offers an improved graphical environment and support for Gold Hill Windows.

Version 3.1 runs 20 percent faster and uses up to 40 percent less memory than version 3.0, according to the company. Another enhancement is that it generates code faster.

GCLISP Developer 3.1 runs on 80386-based IBM PCs with at least 640K bytes of RAM and at least 3 megabytes of extended memory.

**Price:** \$1995.

**Contact:** Gold Hill Computers, Inc., 26 Landsdowne St., Cambridge, MA 02139, (617) 621-3300.

**Inquiry 1108.**

*continued*

## CrossView Analyzes Volumes of Data

CrossView is a data-analysis tool that works by identifying key patterns in large volumes of data. It offers an unlimited, multidimensional view of your data.

You first collect data from micro, mini, or mainframe computer sources, and CrossView compresses it with its Transformation Module. The Analysis Module lets you view and analyze any cross section of the array by identifying cells, rows, columns, and pages from the data elements. You can also revise the view with just a few keystrokes, according to DataEase.

CrossView analyzes data using advanced compression and access methods such as

## Build a Bridge to Windows

Microsoft Windows, unlike other windowing environments such as Quarterdeck's DESQview, has never exactly been friendly to applications that aren't written specifically for it. Although it's possible to run popular applications such as Lotus 1-2-3 or dBASE in a system that uses Windows, it requires extra steps, and you need to exit Windows.

But help is on the way. Softbridge Microsystems is shipping Bridge/286 and Bridge/386, programs for integrating non-Windows-specific applications into the Windows environment. You can think of the programs as a sophisticated batch language that lets you integrate both Windows and non-Windows applications under

Windows' common graphical user interface.

Besides features that are similar to DOS's familiar batch language, Bridge also allows you to design custom menus and dialog boxes, and set up sophisticated connections including interapplication messages. It's all done using a standard ASCII file. The Bridge program itself is actually a Windows program that makes it appear that all applications on a system are running under Windows.

Both versions of Bridge work with all major DOS applications, but Bridge/386 takes advantage of the 80386's power to deliver true multitasking of both Windows and non-Windows applications.

Bridge/286 works with all 80286-based systems and requires Windows/286.

Bridge/386 requires an 80386-based system and Windows/386.

Softbridge has also developed the Bridge Tool Kit, with specific interfaces for Microsoft Excel, dBASE III, and both C and assembly language. According to the company, an OS/2 version of Bridge for Presentation Manager will be available by the middle of this year.

**Price:** Bridge/286, \$149; Bridge/386, \$299; Bridge Tool Kit, \$695.

**Contact:** Softbridge Microsystems Corp., 125 CambridgePark Dr., Cambridge, MA 02140, (617) 576-2257.

**Inquiry 1106.**



**dBASE III PLUS DEVELOPERS!**

# Cut loose from the LAN tangle with SCO XENIX and SCO FoxBASE+!

With industry-standard SCO™ XENIX® System V and SCO FoxBASE+,™ you'll enjoy a *real* multiuser system that runs your existing dBASE III PLUS® code faster, easier, more reliably—and at half the cost!

**Greater Performance.** With only a single PC and none of the traffic overhead required by a LAN server, The SCO Solution is lean and fast. Users share SCO FoxBASE+, applications, and data files via inexpensive terminals—all with greater performance.

**Greater Profitability.** The SCO Solution gives you more for your money for greater profitability. An 8-user SCO XENIX system costs about half as much as an 8-user LAN—and adding each new user costs two-thirds less!

**Greater Reliability.** Because an SCO XENIX system is more reliable than a LAN, you'll spend less time solving LAN problems and more time creating SCO XENIX-based solutions.

**Easier to Administer.** SCO XENIX systems can be easily administered by end users. LANs are much more complicated—multiple PCs, multiple PC configurations, and multiple sources of failure.


**Enhanced dBASE III PLUS Functionality.** SCO FoxBASE+ works just like dBASE III PLUS, only better. It reads and writes the same data files, and runs your source code at compiled speed—without having to compile—for a shorter development cycle.

**Future Compatibility.** An SCO XENIX system protects your investment because future compatibility is built in.

By migrating your dBASE III PLUS applications to The SCO Solution, you can cut your costs and increase your profits—both today and tomorrow.

So cut loose from LANs and relax with a *real* multiuser solution — The SCO Solution—SCO XENIX and SCO FoxBASE+!

SCO FoxBASE+ is also available for larger UNIX® systems, and FoxBASE+ is available for DOS systems.



**Relax with  
The SCO Solution**

**SCO**  
THE SANTA CRUZ OPERATION

(800) 626-UNIX (626-8649)  
(408) 425-7222  
FAX: (408) 458-4227  
TWX: 910-598-4510 SCO SACZ  
E-MAIL: ...!uunet!sco!info info@SCO.COM

Circle 286 on Reader Service Card (DEALERS: 287)

SCO XENIX System V and the SCO XENIX family of software solutions are available for all 80286- and 80386-based industry-standard and Micro Channel™ computers.

SCO and the SCO logo are trademarks of The Santa Cruz Operation, Inc. Micro Channel is a trademark of International Business Machines Corporation. dBASE III PLUS is a registered trademark of Ashton-Tate. XENIX is a registered trademark of Microsoft Corporation. FoxBASE+ is a trademark of Fox Software, Inc. UNIX is a registered trademark of AT&T.

©1988 The Santa Cruz Operation, Inc., 400 Encinal Street, P.O. Box 1900, Santa Cruz, CA U.S.A. 95061

The Santa Cruz Operation, Ltd. (Croxley Centre) Hazers Lane, Watford WD1 8YN, United Kingdom, +44 (0)923 816344, FAX: +44 (0)923 817781, TELEX: 917373 SCOOEN G

# EVERYBODY

But they're not all switching to the database management system you might expect.

In a recent industry survey,\* two-thirds of the respondents who intended to buy a DBMS did not intend to buy dBASE.

And, perhaps coincidentally, two-thirds of recent R:BASE® buyers have used another DBMS before.

---

## Why are they switching to R:BASE?

---


Because nobody really needs a DBMS: they only need what a DBMS can do.

And users find that the friendly facade of other software is fine for questions. But R:BASE has the right answers for their information management needs.

With R:BASE, you can handle all your data management (not just queries) without learning a single command. Our Prompt By Example (PBE) lets you point-and-pick, then R:BASE does the work.

When you find that you're repeating yourself, you automate simply by recording your actions in a macro file.

Or use our application generator to quickly create complete, correct business programs without touching a line of program code.



---

**Data is data, but  
information is power.**

---

R:BASE gives you that power. And even impartial judges seem to agree: *PC Magazine*, *Software Digest*, *Datapro* and *InfoWorld* all just gave

# IS DOING IT.

R:BASE their highest marks.

Because to its ease-of-use, R:BASE adds speed, functionality and data integrity in a combination you don't get with dBASE, Paradox, DataEase, Oracle or any of the other contenders.

R:BASE is optimized for speed, with an intermediate code compiler that makes your applications sing. And a true compiler is on its way.

You can use its English-based language in command mode, to modify programs R:BASE writes for you, or to write your own solutions from scratch.

Simple menus, prompts and our "paint-the-screen" techniques make sophisticated screens, forms and reports quick and easy to create. With R:BASE forms, you can view and update data from several tables at the same time. Create

computed fields. Include scrolling regions so you can work with all the data from other tables. Add rules for data integrity.

And R:BASE is relational, so your rules stay with the tables—applications can't avoid or change them. And forms can be set up to cascade changes through related tables. So you can trust the information you get.

We also give you an SQL implementation that even novices can use to create simple yet powerful queries.



And networking is free for up to three users. It's also easy, so any single-user application can be run on a multi-user LAN with a single command. And our advanced concurrency control, unlike

earlier-generation auto-refresh in other DBMSs, won't bring your network to its knees when you expand with our Six-Pack or Network Unlimited versions.

## Applications that just won't quit.

R:BASE is the second-largest selling PC DBMS in the world, and it's backed by all the training, service and third-party support you'll ever need.

It's providing end-users with the information they need in large businesses and small. On stand-alone PCs and in networks sharing data with minis and mainframes. In insurance and real estate companies, factories and universities, government offices and the storefront down the street.

Check out what R:BASE can do for you with your local dealer, or write: Microrim, Inc., P.O. Box 97022, Redmond, WA 98073-9722.

# DO IT.



**Call 1-800-624-0810 today.**

\*Computer & Software News, 9/5/88. Microrim and R:BASE are trademarks of Microrim, Inc. Other products and services mentioned are not. © Microrim, Inc. 1988.





# QNX<sup>®</sup> vs. UNIX OS/2

Architecture can make or break a computer system.

Don't make your systems bear the brunt of massive, monolithic monsters like Unix or OS/2. Instead, build your systems with QNX. The lean, efficient OS that's flexible enough to support any application.

**MULTIUSER, MULTITASKING, NETWORKING, AND MORE...** QNX is both multiuser *and* multitasking. OS/2 isn't multiuser. Unix may be multiuser and multitasking, but it will hog a huge chunk of your hard disk and system memory. And neither Unix nor OS/2 can do integrated networking.

QNX, on the other hand, hums along using an efficient 150K of RAM, yet provides a powerful multiuser, multitasking, and integrated networking environment.

**TRUE DISTRIBUTED PROCESSING.** A QNX-based PC LAN lets any user share *any* resource on the network—programs, data, devices, even CPUs—without going through the bottleneck of a central file server. With QNX you get mainframe power at micro prices.

**ADDED VALUE FOR VARS.** QNX is flexible enough to run on *any mix* of

PCs, ATs, PS/2s, with or without dumb terminals. Even diskless workstations are supported. So whether you start small or grow to mainframe proportions, you can easily build and maintain powerful, fault-tolerant systems without spending a fortune on hardware.

**REALTIME PERFORMANCE.** Only QNX combines the performance of a dedicated realtime executive with the convenience of a rich development environment that includes a host of utilities, C compiler, full-screen editor, symbolic debugger, and multiple full-screen windows.

**DOS SUPPORT.** For those who need their daily dose of DOS, QNX allows a DOS application to run as a single task on each PC on the network.

**FREE TECHNICAL SUPPORT.** While users of other operating systems have to cough up hefty fees for support, QNX developers enjoy *free* hotline support and *free* BBS access. You'll get prompt answers to your questions and you'll share ideas and insights with fellow developers in the QNX community.

It's time to make the move to QNX.

Circle 213 on Reader Service Card

**THE ONLY MULTIUSER, MULTITASKING, NETWORKING, REALTIME OPERATING SYSTEM FOR THE IBM PC, AT, PS/2, AND COMPATIBLES**

<b>Multuser</b>	10 (32) serial terminals per PC (AT)
<b>Multitasking</b>	64 (150) tasks per PC (AT)
<b>Networking</b>	2.5 Megabit token passing. 255 PC's and/or AT's per network. Thousands of users per network.
<b>Realtime</b>	4,250 task switches/sec (AT).
<b>Message Passing</b>	Fast intertask communication across the network.
<b>C Compiler</b>	Standard Kernighan and Ritchie.
<b>Flexibility</b>	Single PC, networked PC's, single PC with terminals, networked PC's with terminals. No central servers. Full sharing of disks, devices and CPU's.
<b>PC-DOS</b>	PC-DOS runs as a QNX task.
<b>Cost</b>	From US \$450. Runtime pricing available.



For further information or a free demonstration diskette, please telephone (613) 591-0931.

Quantum Software Systems Ltd. • Kanata South Business Park • 175 Terrence Matthews Crescent • Kanata, Ontario, Canada • K2M 1W8

QNX is a registered trademark of Quantum Software Systems Ltd. The UNIX Operating System is a registered trademark of AT&T. IBM, PC, AT, XT and PS/2, PC-DOS and OS/2 are trademarks of International Business Machines.


World Radio History

## Presentations on the Mac Desktop

**P**resentationPro runs on the Mac and is compatible with Crosfield Design Systems' computer slide-production equipment. You can create presentations on your Mac and send the files to a Crosfield Design Systems design station for enhancements or to a Crosfield film recorder for imaging.

The program offers user-definable formats and style-sheets. You have global control over background colors, including 10 predesigned custom backgrounds, plus the ability to have custom backgrounds created. You can import object-based PICT files with proportional or random scaling or positioning.

PresentationPro runs on a Mac with 1 megabyte of RAM. **Price:** \$295. **Contact:** StradeWare Corp., 12600 West Colfax Ave., Suite B110, Lakewood, CO 80215, (303) 232-8282. **Inquiry 1123.**



*PresentationPro works with the Crosfield Design System.*

## Unix Project Management on the Mac

**M**icro Planner for the Macintosh now comes in a version that runs under A/UX, enabling you to take advantage of the networking, file sharing, and centralized storage capabilities of a Unix host computer system. You can access data from a Unix host, create project management

modules on the Mac, and then share the information with others on a Unix-based network.

Micro Planner uses the critical-path method for determining schedules and pinpointing critical deadlines and potential problem areas within a schedule. Logic diagrams show the sequence and interrelationships of tasks in a project. You also have the ability to select the best use of people, equipment, and money for single or multiple projects using the resource analysis method.

The program supports "what-if" analyses and instantly recalculates schedules and budgets when you revise your input. You can compare different what-if scenarios on-screen.

Micro Planner is also available in an IBM PC version, and you can use files on either platform, according to Micro Planning International. The Macintosh version runs on the Mac 512KE, Plus, SE, and II. The IBM PC version requires Windows and runs on any PC that supports Windows. **Price:** Mac or PC version, \$595. **Contact:** Micro Planning International, 235 Montgomery St., Suite 840, San Francisco, CA 94104, (415) 788-3324. **Inquiry 1126.**

## Organizationware

**I**n describing Vortex, Robotronics coined the term "organizationware." The program is an information management system that combines a database with software that you use regularly.

The program comes with two word processors, a communications program, an import/export utility, and a variety of business-oriented modules.

Vortex runs on the IBM PC with 640K bytes of RAM and DOS 3.3 or higher.

**Price:** \$595. **Contact:** Robotronics, Inc., 11103 San Pedro, Suite 107, San Antonio, TX 78216, (512) 344-5511. **Inquiry 1124.**

## ProQube Goes Three-Dimensional

**F**ormalSoft's new spreadsheet, ProQube, is the successor to QubeCalc. The new three-dimensional spreadsheet provides 512 rows by 512 columns by 512 individual pages in its worksheet. The program has the ability to rotate and slice across multiple sheets, allowing you to view, enter, and manipulate data from multiple worksheets on the same screen.

ProQube also has presentation-quality graphics, which include the ability to generate 3-axis bar and area charts with various fonts and colors, according to FormalSoft.

ProQube runs on the IBM PC with 640K bytes of RAM and DOS 2.0 or higher. **Price:** \$247.50. **Contact:** FormalSoft, P.O. Box 1913, Sandy, UT 84091, (801) 565-0971. **Inquiry 1125.**

*continued*

## ZIPping around the U.S.

**T**he ZIPwhere programmer's toolkit from Effective Data Solutions helps you with business chores such as address processing, inquiry handling, invoice processing, shipping and delivery, and sales management.

The toolkit includes a function library and data file that let your programs retrieve, check, and manipulate ZIP codes. ZIPwhere also determines the local time of any place in the U.S. or the time difference between any two places. And it can calculate the distance between any two points in the U.S.

Your program specifies

the name and location of the ZIPwhere Data File, and then you have access to all ZIPwhere functions. The company reports that a file with all data items included requires less than 1 megabyte of storage. A minimum-configuration file requires only 53K bytes.


ZIPwhere runs on IBM PCs running DOS 2.1 or higher.

**Price:** \$139; one update, \$39; two semi-annual updates, \$59; four quarterly updates, \$99.

**Contact:** Effective Data Solutions, 28225 Agoura Rd., Agoura Hills, CA 91301, (800) 777-8818.

**Inquiry 1122.**

# 3X-LINK16 the LAN ALTERNATIVE !



**3X-LINK16**  
HIGH-FLYING  
COMMUNICATIONS

**You have multiple PCs, laptops, PS/2s® and ATs. Some 5 1/4" and some 3 1/2" computers. You need to move files between any and all of them... 3X-LINK16® IS FOR YOU. BESIDES, 3X-LINK16® allows you to share printers and automate backups.**

## 3X-LINK16, Your file transfer solution...

- is up and running in seconds.
- connects up to **16** compatible micros through their **parallel** ports.
- allows you to attach your printer through the same port.
- transfers files at **500,000** bps.
- copies files from remote micros in **background**, without interrupting remote programs.
- supports cables up to 400 feet.

## In addition, 3X-LINK16...

- automates repetitive file transfers with its autscript features.
- allows you to send messages to any connected PC with its **internal E-Mail system**.
- lets you **share any connected printer** with its spooling option.

## 3X-LINK16 outperforms the competition

SUMMARY OF FEATURES	3X-LINK16*	Lap-Link*	Brooklyn Bridge*
Maximum number of PCs linked	<b>16</b>	2	2
Connects to parallel port	<b>Yes</b>	No	No
Transfer speed (bps)	<b>500,000</b>	115,000	115,000
Transfers in background	<b>Yes</b>	No	No
Shares printers in background	<b>Yes</b>	No	No
Dual window interface	<b>Yes</b>	Yes	Yes
Cable supplied	<b>12 Ft.</b>	6 Ft.	6 Ft.
Automated file transfer	<b>Yes</b>	No	No
Check space before sending	<b>Yes</b>	No	No
Internal E-Mail system	<b>Yes</b>	No	No

## THE CHOICE IS YOURS !

3X-LINK16 comes complete with 3 1/2" and 5 1/4" software diskettes, parallel connectors, and a 12 foot cable... all you need to connect two PCs for only \$199. Additional stations can be added for \$139 each.

And you get our 30-day money back guarantee to insure your satisfaction.

The only thing easier than choosing 3X-LINK16® is using it.

For more information or to order 3X-LINK16®, contact your local dealer or call: **800-327-9712**, or FAX: (201) 592-0908, or in N.J.: (201) 592-6874

3X-LINK16, PS/2, Lap-Link, Brooklyn Bridge are registered trade marks of 3X-USA, IBM, Traveling Software, White Crane Systems.



**3X USA Corp. One Executive Drive Fort Lee N.J. 07024  
Phone: (800) 327-9712**



**Introducing the new small footprint  
FlexCache Z-Series.  
For fruitful comparisons.**

	\$2699.00		\$3799.00		\$5199.00	
Models	ALR® FlexCache SX386-Mod10	Compaq® Deskpro 286-Mod10	ALR® FlexCache 20386Z-Mod10	Compaq® Deskpro 386S-Mod10	ALR® FlexCache 25386Z-Mod10	Compaq® Deskpro 20E-Mod10
Microprocessor	80386SX 16MHz 16KB, 82385 Cache	80286 12MHz 1 wait state	80386 20MHz 64KB, EE 82385 Cache	80386sx 16MHz	80386 25MHz 64KB, EE 82385 Cache	80386 20MHz 32KB Cache
Bench Mark*	<b>3.36 Mips</b>	<b>1.93 Mips</b>	<b>4.78 Mips</b>	<b>2.49 Mips</b>	<b>6.07 Mips</b>	<b>4.60 Mips</b>
Opt. Main Coprocessor	80387SX 16MHz	80287 2MHz	80387, Weitek	80387sx	80387, Weitek	80387, Weitek
Memory (RAM)	1MB Expandable to 16MB	640K Expandable to 6MB	1MB Expandable to 16MB	1MB Expandable to 16MB	1MB Expandable to 16MB	1MB Expandable to 16MB
Storage	1 Optional (\$225.00)	Optional (\$275.00) 1	1 Optional (\$225.00)	Optional (\$275.00) 1	1 Optional (\$225.00)	Optional (\$275.00) 1
Fixed Disk Opt.	40MB-28ms 1.4MB, 3 1/2" FD 1.2MB, 5 1/4" FD	40MB-30ms	40MB-35ms, 120MB-28ms	20MB-29ms, 40MB-30ms	40MB-35ms, 120MB-28ms	40MB-30ms, 110MB-25ms
Video	16 bit VGA 800 X 600		16 bit VGA 800 X 600	VGA 640 X 480	16 bit VGA 800 X 600	VGA 640 X 480

\* Data Base Power Meter Ver 1.5

Prices and specifications are subject to change. Verify with manufacturer.



**Award  
Winning  
FlexCache  
Architecture.**  
With ALR's  
award winning  
design, the Z-Series  
incorporates the  
most advanced form  
of cache management.

# It's a fruitless comparison when ALR is the obvious choice.

ALR FlexCache SX386Z



ALR FlexCache 25386Z



ALR FlexCache 20386Z

No one compares with our three year warranty.



ALR's quality is backed by an unprecedented three year warranty on all main CPU boards and a full one year warranty on entire systems. We also offer extended warranty programs and on-site servicing.

*And there's comparably more.*

Each system includes PC-Kwik®. The disk caching

utility voted PC Magazine's Editor's Choice. In addition, Info World's product of the year, DESQview 386®, the powerful multitasking and windowing program is included with the FlexCache Z systems until May 31, 1989.

For more information on the FlexCache Z-Series or the

name of your local authorized ALR reseller please call:  
**1-800-444-4ALR**



**Advanced Logic Research, Inc.**  
9401 Jeronimo, Irvine, CA 92718  
(714) 581-6770 FAX:(714) 581-9240

For our Canadian office: 1-800-443-4CAN  
For our UK office: 1-800-444-4ALR  
For our Singapore-Asia/Pacific office:  
(65) 258-1286 FAX: (65) 258-1285

## DataLAN PC Network

**D**ataLAN is compatible with DOS, the IBM PC LAN Program, and other MS-NET-compatible network operating systems, according to Datapoint. The program supports Novell record-locking protocols and uses the NETBIOS application program interfaces. It works with Ethernet, Token Ring, and ARCNET.

The program can run using nondedicated servers. In addition, Datapoint has also introduced a dedicated server. The multitasking server can cache up to 32 megabytes and supports up to 12 gigabytes. An unattended network archival server supplies the backup, which supports up to 35 gigabytes of archival storage. **Price:** Four-user version, \$595; eight-user version, \$1195; 255-user version, \$1995; dedicated server, \$2495.

**Contact:** Datapoint Corp., 9725 Datapoint Dr., San Antonio, TX 78284, (800) 334-9968; in Texas, (512) 699-7000.  
**Inquiry 1129.**



Receiving messages with DataLAN.

## Micro-to-Mainframe File Transfer

**W**orking with Digital Communication Associates' IRMAlink, FT/Express transfers files from IBM mainframes and IBM PCs faster than any of its current file transfer products, the company reports. The program comes in two versions: one supports the VM/CMS operating system, and the other supports the MVS/TSO operating system. **Price:** CMS or TSO version, \$9000 per CPU plus \$1800 for

yearly maintenance license. **Contact:** Digital Communications Associates, Inc., 1000 Alderman Dr., Alpharetta, GA 30201, (404) 442-4000.  
**Inquiry 1131.**

## Face-2-Face

**R**ecently, a slew of remote control software programs have appeared on the market. Face-2-Face is another, but this one has the ability to communicate with Carbon Copy Plus.

Face-2-Face is written in assembly language and uses as little as 65K bytes of RAM on an IBM PC. The program comes preconfigured for a variety of standard modems.

The program was written with laptops in mind, according to Modem Controls. A phone book included with the program has a field for area codes: You type an area code, and the phone book automatically dials the number.

**Price:** Host end, \$149; remote end, \$99.  
**Contact:** Modem Controls, 432 North Clark St., Suite 202, Chicago, IL 60610, (312) 321-0018.  
**Inquiry 1128.**

## Vaccinate Your File Server

**F**oundationWare, the maker of Corporate Vaccine, has a vaccine for your file server. The program, called Certus, works with most network operating systems and hardware, according to the company.

When installing a LAN, the manager uses Certus to create a database of signature checks of programs approved for a given user or workstation. The database then verifies the integrity of all programs before loading them into memory, FoundationWare reports.

The program monitors and audits systems used and keeps logs of all software use. It will intercept malicious or accidental attempts to write damaging information to hard disks.

The company reports that Certus is the only product that can automatically recover file servers or hard disks from crashes due to damaged partition tables, boot tracks, File Allocation Tables, root directories, and CMOS information. This automatic recovery feature, however, does not work on Novell file servers or other file servers with non-DOS partitioning and formatting. FoundationWare expects to solve this problem in a future version of Certus.

**Price:** \$495.  
**Contact:** FoundationWare, Inc., 2135 Renrock Rd., Cleveland, OH 44118, (800) 722-8737; in Ohio, (216) 932-7717.  
**Inquiry 1130.**

*continued*


## From Mac to PC and Back

**T**he Mac Mail Gateway lets you send electronic mail between Macs and PCs over the Banyan VINES-based Network Mail and QuickMail. The Gateway consists of the listener and the bridge. The listener runs as a VINES service on Banyan's VINES/386 or 80386-based servers. The bridge runs with the QuickMail Administrator program on a nondedicated Mac. The two communicate using the AppleTalk networking protocol. You can connect Macs directly to the VINES server

via Ethernet or through an Ethernet-to-LocalTalk bridge.

Banyan reports that the Gateway is easy to install and requires no administrator intervention. With the Mac Gateway, you can also take advantage of other VINES mail gateways, such as SoftSwitch and EasyGate Fax, according to Banyan. **Price:** \$795.

**Contact:** Banyan Systems, Inc., 115 Flanders Rd., Westboro, MA 01581, (508) 898-1000.  
**Inquiry 1127.**



**Make your  
point without  
a trace of  
doubt.**

**With the new  
HIPAD PLUS  
series.**



If you've ever used a digitizer, you probably were surprised that it didn't do what you thought it would. You assumed that whatever you picked or moved or drew on the tablet would be accurately displayed on the screen and precisely reflected on output. In spite of its straight-forward appearance, it didn't take you long to learn that all digitizers were not created equal, or accurate, or even easy to use.

Today there's a new line of digitizers that can meet your expectations. It's the new HIPAD Plus™ series. With sizes ranging from a compact 12" x 12" to a drafting-size 44" x 60", each model reflects HI's tradition of price/performance excellence.

Compare, for example, the sleek 9012 and 9018 models (shown below) which contain HI's exclusive tilt-correction feature. This unique feature lets you use the stylus like a pencil—no need to hold it in an awkward perpendicular position. HI's tablet captures only the points touched by the tip of the stylus, so you can make menu selections, create freehand drawings, move the screen cursor, or edit pixel-by-pixel—without a trace of doubt.

If you prefer a handheld cursor, you'll find HI's new four-button cursor has the same pin-point precision. (You'll also like the way it feels in your hand.)

The HIPAD Plus digitizers are compatible with both your CAD and graphics systems. Each model processes coordinates rapidly (up to 200 pairs per second) and has a resolution of up to 2,540 lines per inch. This all adds up to high performance and accuracy—and it means you won't be replacing your tablet to meet the high-resolution demands of the future.

And, with prices like \$495\* for the 12" x 12" tablet and \$795\* for the 12" x 18" tablet, HIPAD Plus is affordable. Make your point without a trace of doubt. For details, call 1-800-444-3425 or 512-835-0900.

**HOUSTON  
INSTRUMENT**  
A DIVISION OF **AMETEK**

8500 Cameron Road, Austin, TX 78753

*\*U.S. suggested retail prices. HIPAD Plus and Houston Instrument are trademarks of AMETEK, Inc.*

Circle 125 on Reader Service Card


## CADvance Upgraded

**T**hree-dimensional capability, information management, and expanded mechanical and international engineering features have been added in the latest version of CADvance.

Version 3.0 uses Visual Guidance System's user interface, which makes it possible to use any three-dimensional program, according to IsiCAD. The interface also offers a three-dimensional reference grid, a dynamic working plane, and a three-dimensional cursor that helps you to see your drawings on-screen as three-dimensional images.

CADvance 3.0 offers a two-way link with dBASE II Plus. This eliminates the two-step process of converting CAD files to ASCII, then ASCII to database, according to IsiCAD.

CADvance 3.0 runs on the



*CADvance 3.0 uses the Visual Guidance System user interface.*

IBM PC with 640K bytes of RAM, DOS 2.0 or higher, and a CGA or compatible graphics adapter. The program supports a mouse and a variety of digitizers.

**Price:** \$2995.

**Contact:** IsiCAD, Inc., 1920 West Corporate Way, P.O. Box 61022, Anaheim, CA 92803, (714) 533-8910.

**Inquiry 1136.**

## Schematic Editor for \$99

**S**uperCAD is a schematic-entry program that comes with a netlist generator, a library parts builder, and an ASCII screen editor.

Library part files are categorized according to generic,

memory, microprocessor, programmable-logic-device, and digital-signal-processing chips. There is also a library of package outlines that assists you in laying out boards.

SuperCAD is compatible with narrow and wide-carriage, Epson or IBM-compatible dot-matrix printers. And you can print A- through E-size pages in low or high resolution.

SuperCAD runs on the IBM PC with at least 320K bytes of RAM, DOS 2.0 or higher, CGA, EGA, or Hercules graphics capability, and a Microsoft-compatible mouse.

**Price:** \$99.

**Contact:** Mental Automation, Inc., 5415 136th Place SE, Bellevue, WA 98006, (206) 641-2141.

**Inquiry 1133.**

## Generic Caters to Novice CAD Users

**T**he CADD Starter Kit, which includes Generic CADD Level 2, gives users a workbook tutorial, Generic's Basic Home Design symbol library, and tutorial and sample drawings—all bundled together to offer a complete introduction to drawing and drafting.

The beginner will learn to create floor plans, elevations, product drawings, and alterations with the Starter Kit. You can also create flow charts, graphics, presentations, organizational charts, forms, and flyers.

The CADD Starter Kit runs on the IBM PC with 384K bytes of RAM, DOS 2.0 or higher, and a graphics card.

**Price:** \$159.95.

**Contact:** Generic Software, Inc., 11911 North Creek Pkwy. S, Bothell, WA 98011, (800) 228-3601; in Washington, (206) 487-2233.

**Inquiry 1134.**

## CAD on the Mac

**F**lexiCAD is a two-dimensional CAD program for the Macintosh. It is the first product from the new Amiable Technologies.

The CAD and drafting program takes advantage of the icons and windows environment of the Macintosh. The program offers unlimited undo/redo features, a graphical macro builder for frequently used procedures, and context-sensitive on-line help and prompts. You can position tear-off menu boxes anywhere on the screen, and customize typefaces, line styles, colors, symbols, and more.

FlexiCAD cannot accept scanned images because it uses object-oriented rather than bit-mapped graphics. It does accept input from trac-

ing tablets and can import and export PICT files or, with an optional conversion utility, DXF files.

The program uses the cut-and-paste clipboard for text and image swapping with desktop publishing packages.

With FlexiCAD, you can have up to four drawing files active at once, and each can have multiple viewing windows. You can also have an unlimited number of layers in each drawing. Drawing functions include move, copy, rotate, mirror, scale, and fill, plus dynamic rubberbanding, and a constraint tool that can restrict lines both to a grid and to angles that you specify.

The program also offers Bézier, B-spline, and Cardi-

nal curve commands for tracing and technical illustration. Other features include auto-dimensioning with labels in both English and metric units for linear, radial, and angular dimensions; user-defined icons; and the ability to merge drawings and abort redraws in process.

FlexiCAD runs on the Mac II or IIx with at least 2 megabytes of RAM and a hard disk drive. The program also runs on the Mac SE with a 68881 math coprocessor.

**Price:** \$895; with DXF file-conversion utility, \$995.

**Contact:** Amiable Technologies, 3508 Market St., Suite 210, Philadelphia, PA 19104, (215) 222-9006.

**Inquiry 1132.**

*continued*

# Produce Programs in a Flash

## With Smalltalk-80, the Best in Object-Oriented Technology.



*It's amazing.*

In just a few years, object-oriented technology has become an overwhelming favorite. Witness the success of graphical user interfaces. But what's the best environment for developing these object-oriented programs?

Fortunately, that's no mystery. It's the Smalltalk-80™ program development environment from ParcPlace Systems. Pioneers of object-oriented technology.

We deliver the most complete, fully-integrated system available, with everything you need to quickly and easily develop and implement programs. Including a library of reusable code modules. Browsers, inspectors, and debuggers. Text and graphics editors. Online assistance. Dynamic cross referencing. And much more.

In fact, Smalltalk-80 is so comprehensive, Byte Magazine (1/89) felt compelled to rave, it "... includes everything you need for program development. Everything. And all the goodies are honest-to-God fully integrated."

Even better, Smalltalk-80 gives you true portability. Write programs on a UNIX® workstation and deliver them directly on DOS and MAC OS machines. Or vice versa.

To make sure you start fast and stay productive, we provide the best tech support in the business. Including training, documentation, a hotline, and more.

For details on Smalltalk-80, write:

ParcPlace Systems  
1550 Plymouth Street  
Mountain View, CA 94043

Call 1-800-822-7880, ext. 20; in California, 415-859-1000, ext. 20. Or use E-Mail. Our address: [info@parcplace.com](mailto:info@parcplace.com).

*When you see what it can do, you won't believe your eyes.*



ParcPlace

Smalltalk-80 is a trademark of ParcPlace Systems, Inc. UNIX is a registered trademark of AT&T. © 1989, ParcPlace Systems, Inc.

Circle 199 on Reader Service Card

World Radio History

MARCH 1989 • BYTE 95

## Assistance for Quattro Users

**Q**uattro-Assist 1.0 is a tutorial for Borland's Quattro. It works in conjunction with the Quattro user's manual and covers data entry, spreadsheet functions, graphing, macros, and printing.

The tutorial was created with Instant Replay and is actually a simulation of the Quattro program, letting you work directly with Quattro in a controlled environment.

**Price:** \$79.95.

**Contact:** Nostradamus, Inc., 3191 South Valley St., Suite 252, Salt Lake City, UT 84109, (801) 487-9662.

**Inquiry 1140.**

## A Model Language

**M**odel is a high-level object-oriented engineering language, according to its manufacturer. It is designed to provide solutions for real-time distributed process simulation and control.

The language consists of math, logic, process control, man-machine, alarm, file management, and program control algorithms. Options include steam tables, front-end drivers, and LAN local/remote system control.

Model comes with a natural-language interface preprocessor, a compiler, a screen display generator, and support utilities.

To run Model, you need an IBM PC with at least 384K bytes of RAM. A math coprocessor, color screen, and

hard disk drive are recommended.

**Price:** \$395.

**Contact:** Model Software, 52 Curtis Court, Broomfield, CO 80020, (303) 469-0826.

**Inquiry 1119.**

## The Hunt for the Cursor Has Ended

**I**f you're spending too much time looking all over the LCD screen of your laptop for the cursor, the No-Squint Laptop Cursor from SkiSoft is a memory-resident utility that may brighten your day—as well as your cursor.

The software slows down the blink rate of the cursor. Since the cursor is controlled by hardware, the software has to take control.

The No-Squint Laptop Cursor uses about 1K byte of RAM and runs on DOS-based laptops.

**Price:** \$39.95.

**Contact:** SkiSoft Publishing Corp., 1644 Massachusetts Ave., Suite 79, Lexington, MA 02173, (617) 863-1876.

**Inquiry 1138.**

## Automatic Page Reader

**U**sing intelligent page analysis, ReadStar VI lets you convert hard copy into an electronic file regardless of multiple column structure, graphical images, varying fonts, and portrait or landscape format, according to Inovatic.

ReadStar VI uses a mathematical modeling algorithm to analyze character shapes globally. The program recognizes normally contrasted characters from 4 to 20 points. It can also read extended ASCII text, proportionally

spaced characters, and kerned text, along with foreign characters, stylized fonts, near-letter-quality print, bold-face, italics, and underlined text.

Inovatic reports an accuracy rate of 99.9 percent and claims that ReadStar VI recognizes text at a rate of 4500 characters per minute. The program outputs ASCII text.

The program runs on the IBM PC with 640K bytes of RAM, DOS 3.0 or higher, and a hard disk drive. It is compatible with most scanners, according to the company.

**Price:** \$2495.

**Contact:** Inovatic, 1911 North Fort Myer Dr., Suite 708, Arlington, VA 22209, (703) 522-3053.

**Inquiry 1137.**

## Macro Collection for R:Base Users

**R**:Macros is a collection of over 60 utilities and techniques for automating common R:Base database tasks. These include a basic library of reusable code, instructions for their use, and tips from programmers who designed the applications.

R:Macros is divided into five sections: ready-to-use macros, database and application utilities, forms and report utilities, tips and techniques, and financial macros and templates.

The program runs on the IBM PC with at least 456K bytes of free RAM and DOS 3.1 or higher.

**Price:** \$99.

**Contact:** Microrim, 3925 159th Ave. NE, P.O. Box 97022, Redmond, WA 98073, (206) 885-2000.

**Inquiry 1141.**

## The Repair Engineer's Clone

**I**nstead of boxing up and shipping your broken PC off to the repair shop, you can fix it yourself with an interactive guidance system from Cess Computers. Compu-Fix for Generic PCs runs on a separate, working machine, and offers trouble-shooting techniques and diagnostics to help you repair your malfunctioning system.

The program takes you through steps, instructing you to perform simple actions and then querying you to determine the result of that action. This process continues until all malfunctioning parts are properly identified and the unit is repaired.

Instructions are displayed on-screen. The program is menu-driven, and repair actions and results are described in the form of yes/no questions. At the end of a repair session, the program produces an audit report summarizing the actions taken, which parts are in working condition, which parts need replacing, and the actions taken to verify that these parts need replacing.

The company reports that you don't need any experience with computer repair, although it helps if you can recognize basic computer parts.

The program works to repair most DOS-based systems, including those with 8086-, 8088-, 80286-, and 80386-based microprocessors. Cess reports that it works on laptops as well.

**Price:** \$499.

**Contact:** Cess Computers, One Kendall Sq., Cambridge, MA 02139, (800) 888-2377; in Massachusetts, (617) 494-4770.

**Inquiry 1139.**

# MANCHESTER & NEC EQUIPMENT COMPANY

## COMPARE THE POWERMATE PORTABLE OFFERS MORE YET COSTS LESS

AT COMPATIBILITY • OUTSTANDING PERFORMANCE  
NEC QUALITY & DEPENDABILITY • ATTRACTIVE PRICING  
EXCELLENT FEATURES NOT AVAILABLE ELSEWHERE

Now you can have a portable computer that makes sense. The PowerMate Portable gives you all the functions and power of a full-size desktop computer in a compact transportable package. We CHALLENGE you to find another portable that provides all these features.

**SPECIAL  
CORPORATE  
DISCOUNTS  
AVAILABLE**

- 8/10 MHz 80286 Processor
- 640K RAM
- Backlit LCD
- 720K, 3 1/2" Floppy
- 20 MB or 40 MB Hard Disk
- Expansion Slot for a Modem
- 2 AT-Compatible Expansion Slots
- Parallel Port
- Serial Port
- MS-DOS 3.2
- RGB Color Monitor Port (Supports EGA)
- 5 1/4" Floppy Drive Interface
- Clock/Calendar
- GW-BASIC
- More

**CALL FOR  
RISK-FREE  
CORPORATE  
EVALUATIONS**

Call	Model H701 20MB Hard Disk	Model H702 40MB Hard Disk	Call
	<del>\$3995</del>	<del>\$4695</del>	

LEASING AVAILABLE  
ALL SYSTEMS TESTED BEFORE DELIVERY

## POWERMATE PORTABLE

# INNOVATIVE



*Authorized NEC Computer and Printer Dealer*

## MANCHESTER EQUIPMENT CO., INC.

*"The Computer Supply and Equipment Experts"*

50 MARCUS BOULEVARD ■ HAUPPAUGE, NEW YORK 11788  
(516) 435-1199 ■ (516) 434-8700



New York City  
(212) 629-6969

Ft. Lauderdale  
(305) 491-7660

Tampa  
(813) 962-8088

Boston  
(617) 739-1555

## WHAT'S NEW

METRO NEW YORK • NEW ENGLAND

## AmiForum Goes to the Big Apple

The second in a series of Amiga forums will be held at the Marriott Marquis in New York City from March 3 to 5. According to the show's sponsor, AmiExpo, AmiForum is an opportunity designed for local developers of desktop video, productivity, entertainment, and business software to reap the benefits of the AmiExpo, but in a regional format. The forum will also include an expanded schedule of classes in Amiga programming, graphics, animation, and desktop video production.

Tickets for AmiForum—New York will be available at the door. Master classes,

limited to 40 people per class, will cost \$50.

**Price:** \$15 for one day; \$20 for two days; \$25 for all three days.

**Contact:** AmiExpo, 211 East 43rd St., Suite 301, New York, NY 10017, (800) 322-6442; in New York, (212) 867-4663.

**Inquiry 917.**

## Vermont Tests New Conferencing Service

Computer users in Vermont now have access to a conferencing system called Info-Look that lets users access local, national, and worldwide information services.

Anybody with a computer/

modem setup and a New England Telephone Calling Card can get access, a first for New England and probably the U.S., claimed a New England Telephone spokesperson.

Billing is handled through the Calling Card with a reference to "data services," another first for a Bell Operating Company, although Regional Bell Operating Companies (other than New England Telephone's parent, NYNEX) have offered similar services through subsidiaries other than Bell Operating Companies.

This is also the first time a Regional Bell Operating Company subsidiary has written the code for the host mainframes. The software was written by the NYNEX Science and Technology subsidiary in Boston, New York, and Paris.

When the user dials up the Burlington, Vermont, telephone number, the call is transferred via X.25 transmission lines to one of the three computers.

Directory charges are 5 cents per minute, with rates varying depending on whether the customer wants to order cheese from Cabot's Creamery in Burlington or download information from American CitiNet's service in Boston.

If the trial goes well in Vermont, the spokesperson said, the next cities to be included in the trial will be Boston and New York.

**Contact:** New England Telephone, 800 Hinesburg Rd., South Burlington, VT 05402, (802) 863-0692.

**Inquiry 918.**

*continued*

## INFINITE STORAGE FOR YOUR LAPTOP/DESKTOP COMPUTER

The new EXPORT PORTABLE hard disk drives offer high speed (29 ms) access to 20, 30, 40, or even 80 Mb. of data in a removable module. You'll never run out of space. And if you've got an XT or AT, our BridgeCard™ allows direct connection to the EXPORT drive in seconds.

With EXPORT you get:

- high performance external storage
- high speed file transfer device (no need for expensive "bridge" software)
- fast disk-to-disk Backup
- computer failure insurance
- removable disk for easy expansion


The lightweight (2 lbs.) EXPORT has a secure strap-handle leather case making transport easy and safe. The 60 G non-operating shock tolerance insures data integrity, as does the automatic head parking feature. A battery option is also available.

EXPORT is recommended by laptop manufacturers for use with . . .

- Toshiba (all except T1000)
- IBM Convertible
- Tandy 1400LT
- Zenith Z171

. . . and they are also compatible with

- PCjr (using jr I/F kit)
- AT / XT (using BridgeCard™)
- APPLE Macintosh



So if your laptop or desktop (or both) needs more high speed storage, or you need to transfer files and backup data easily, call us, or write to:

**SYSTEMS PERIPHERALS CONSULTANTS, INC.**  
7950 Silverton Avenue, #107, San Diego, CA 92126  
(800) 345-0624 (619) 693-8611 In CA

# Seminars in Computer Science and Software Engineering

## Spring 1989

**Programming Languages**  
Introduction to Programming  
in C; April 19-21

Advanced C — Data  
Structures; April 10-12

C++ and Object-Oriented  
Programming; April 24-25

Common Lisp Programming;  
April 12-14

OPS-5 Programming;  
April 13-14

Introduction to Prolog  
Programming; April 19-21

Introduction to Modula-2  
Programming; May 10-12

**Unix**  
Introduction to UNIX;  
April 3-5

UNIX System: Application  
Programming; March 30-31

X Window System; May 17-18

**Hypertext**  
Hypertext: A New Way of  
Accessing & Organizing  
Information; April 24-25

**Data Communications**  
Internetworking with TCP/IP;  
April 4-5  
PC Networking; May 31-June 2

**Database Management**  
Relational Database  
Concepts; May 1-3

Relational Database Using  
4GL and Application  
Generators; May 4-5

**Software Engineering**  
Estimating Software Costs;  
April 3

Real-Time Systems:  
Information Analysis/  
Modeling; April 3-4

Real-Time Systems: Dynamic  
Analysis and  
Specifications; April 5-7

Software User Interface  
Design; April 26-28

Project Management:  
Managing the Design of the  
User Interface; May 8

Software Project Management;  
May 1-2

Establishing an Effective  
Software Quality Program;  
May 15-16

Ethics in Technical  
Professions; May 10

Writing Effective  
Documentation; May 17-19

# Seminars in Data Processing

## Spring 1989

IMS/VS Data Communication  
Interface and  
Relationships; April 10-14

Structured Methods for  
System Analysis & Design;  
April 24-28

DB2 Application  
Programming & Design;  
May 1-5

ICF Catalog: Structure &  
Theory; May 3-5

SQL/DS Application  
Programming; May 8-11

FOCUS Report Writer;  
May 15-16

VSAM Record Management &  
Performance Considerations;  
June 5-7

Advanced PL/I Programming;  
June 5-9

The New PL/I; June 12

AS/400 Overview;  
April 24-26

AS/400 Workshop for the  
System/38 User;  
April 27-28

AS/400 Application  
Development Workshop;  
May 1-5

AS/400 Control Language  
Workshop; May 8-12

AS/400 Introduction to RPG;  
May 15

AS/400 RPG Programming  
Workshop; May 16-19

AS/400 COBOL Programming  
Workshop; May 22-26



## First Annual Seminars and Conference in Object-Oriented Programming

Get the scoop on Object-Oriented Programming — considered the "software of the 1990s" by industry experts.

Presented by The Wang Institute of Boston University and the Journal of Object-Oriented Programming

June 12-14, 1989 — at the Wang Institute of Boston University

This intensive, 3-day conference brings together educational seminars and easy-to-follow tutorials with informative product demonstrations and presentations from OOP's leading vendors. Here are just a few of the sessions...

- An introduction to C++
- Object-Oriented Programming Using C++
- OOP in the NeXT computer with Objective-C
- OOP by contract in Eiffel
- LISP based on OOP
- Introduction to Smalltalk
- ... and many more

Call for more information today: 508/649-9731

AS/400 Communications  
Programming Workshop;  
May 31-June 2

Introduction to COBOL  
Programming; March 27-31,  
June 5-9

Advanced COBOL  
Programming; April 3-7,  
June 12-16

Design, Debugging and  
Testing; April 10-14,  
June 19-23

IBM OS Job Control Language  
(JCL) and Utilities;  
April 25-28

Introduction to IMS/DB;  
May 1-4

Advanced IMS/DB;  
March 6-9, May 8-11

IMS/DC Data Communication  
Facility for IMS Using the  
DL/T Language; March 13-15,  
May 15-17

IBM SNA (System Network  
Architecture); March 15-17,  
May 17-19

CICS/VS Command Level  
Applications; March 20-24,  
May 22-26

For more information call:  
**508/649-9731**

**YES!** I would like more information regarding:

- Spring Seminars
- Seminars and Conference on Object-Oriented Programming

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_  
STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Boston University  
Corporate Education Center  
72 Tyng Road  
Tyngsboro, MA  
01879



1839 1989  
BOSTON UNIVERSITY  
SESQUICENTENNIAL

Attn: Special Programs

## Interface '89 Plus

Interface, the show dedicated to the latest developments in the computer and communications industry, will emphasize voice and image transmission with minicomputers, mainframes, and microcomputers this month. Now in its seventeenth year, the show has traditionally featured communications products such as modems, MUXes, and network hardware and software.

Robert Allen, chairman and chief executive officer of AT&T, is scheduled as the keynote speaker for Interface '89 Plus, according to the show sponsor, The Interface Group.

Many conferences are

scheduled, covering the following topics: LAN design and implementation, multi-vendor connectivity solutions, open-network architectures, the economics of telecommunications, IBM/DEC integration, and LAN servers and operating systems.

Other topics to be discussed are large-scale procurement, financial information services, high-speed LAN applications, SQL and distributed database technology, ISDN, international networking, private integrated digital networks, and computer integrated manufacturing.

The first day of the show is dedicated to conferences only. The show will be held at the Jacob J. Javits Convention Center in New York City from March 13 to 16.

Price: \$350 for all confer-

ence sessions and exhibits; \$205 for one day of conferences and exhibits; \$35 for exhibits only; \$7.95 per conference cassette.

**Contact:** Registrations Dept., The Interface Group, 300 First Ave., Needham, MA 02194, (617) 449-6600. **Inquiry 887.**

## AI SIG

The Data Processing Management Association (DPMA) has formed a new AI special-interest group (SIG) that focuses on the commercial applications of knowledge-based expert systems and other areas of emerging AI technology, according to the SIG's president.

The group supports na-

tional and local programs that bring AI experts together, actively support member education, and foster the growth of these technologies. The members of two regions also conduct monthly meetings.


The membership fee for the SIG is \$12 and includes a subscription to a monthly newsletter, scheduled to start publication this month, and educational support. The DPMA currently has more than 30,000 members. Other DPMA SIGs include office systems, computer security, telecommunications, education, certification, and microcomputers.

**Contact:** Eliot Weinman, President of SIG-AI, 560 Lincoln St., P.O. Box 7354, Worcester, MA 01605, (508) 856-0110, ext. 3646. **Inquiry 911.**



# GET JETS!!


## HP PRINTERS AT GREAT PRICES



LASERJET IID

### THE NEW STANDARD

- DUPLEX PRINTING
- ENVELOPE TRAY
- DUAL BINS
- 300 DPI GRAPHICS
- 7.4 P/M DUPLEX
- 8 P/M SIMPLEX




DESKJET

### LASER QUALITY OUTPUT

- MULTIPLE FONTS
- HIGH RESOLUTION GRAPHICS
- 240 CPS DRAFT
- 120 CPS LETTER



LASERJET SERIES II



SCANJET



PAINTJET

1 year lease \$28/month



THINKJET

1 year lease \$25/month

### SALES-SUPPORT

### SERVICE-LEASING

**WESTWOOD**  
COMPUTER CORPORATION



**HEWLETT  
PACKARD**

1-800-221-1127

203-932-6383 212-662-0600  
215-639-4898 201-376-4242  
301-273-5950 617-965-7590



# INDEPENDENT STORE IN NYC DEDICATED TO IBM® PC SOFTWARE AND PERIPHERALS ONLY

If We Don't Have It, It's Probably Not Worth Having.

STORE HOURS: 9:00 A.M.-5:30 P.M. E.S.T. MON.-FRI.

SATURDAYS: 10:00 A.M.-4:00 P.M.

Terms, Conditions and Prices May Differ In Our Store.

CORPORATE ACCOUNTS WELCOMED.

**PC LINK CORP. 29 WEST 38TH STREET. 2ND FL., NEW YORK, NY 10018**

**CALL TOLL FREE 1-800-221-0343**  
FOR ORDERS ONLY

All prices listed in this ad are effective Mar. 1-31, 1989. All Brands are Registered Trademarks. IBM is a Registered Trademark of IBM Corp.

**IN NEW YORK CALL 1-212-730-8036**  
FOR ORDERS & INQUIRIES

## THIS MONTH'S (Choose Your Favorite Data Base) SPECIALS—MARCH 1st through 31st

<b>ASHTON-TATE</b> DBASE IV (In Store Only) ..... <b>469.00</b>	<b>NANTUCKET.</b> CLIPPER (Summer 87) ..... <b>449.00</b>	<b>MICRORIM.</b> R:BASE FOR DOS ..... <b>459.00</b>	<b>FOX SOFTWARE.</b> FOXBASE+ (Single User) ..... <b>195.00</b>
--	--	--	--

<b>BUSINESS SOFTWARE</b>	
ASHTON-TATE	
DBASE IV (In Store Only) .....	469.00
MULTIMATE ADVANTAGE II .....	CALL
<b>BORLAND INT.</b>	
EUREKA .....	99.00
ANSA PARADOX V 2.0 .....	459.00
PROLOG 1.1 .....	69.00
SIDEKICK PLUS .....	149.00
TURBO BASIC .....	69.00
TURBO C 2.0 .....	105.00
TURBO PASCAL 5.0 .....	105.00
QUATTRO .....	159.00
CHIPSOFT TURBO TAX (Personal) .....	55.00
CHIPSOFT TURBO TAX (Professional) .....	CALL
CLARION SOFT. CLARION Personal .....	129.00
CLARION SOFT. CLARION Professional .....	595.00
CLEAR SOFT. CLEAR (CHART dBASE CODE) .....	CALL
<b>CONCENTRIC DATA</b>	
R & R REPORT WRITER FOR DBASE III+ .....	139.00
<b>CROSSTALK COMMUNICATIONS</b>	
CROSSTALK MK 4 .....	109.00
CROSSTALK XVI 3.6 .....	85.00
REMOTE 2 .....	109.00
<b>FOX SOFTWARE</b>	
FOX BASE PLUS V 2.1 .....	195.00
FOX BASE+ MULTIUSER .....	379.00
GREAT PLAINS. ACCOUNTING PACKAGES .....	CALL
JAVELIN SOFT. JAVELIN .....	69.00
KORTEK. FREEWAY ADVANCED .....	79.00
<b>LOTUS DEV. CORP.</b>	
LOTUS 1-2-3(SOLD IN OUR STORE) .....	329.00
SYMPHONY (SOLD IN OUR STORE) .....	479.00
AGENDA (SOLD IN OUR STORE) .....	295.00
MECA. MANAGING YOUR MONEY 5.0 .....	139.00
MERIDIAN. CARBON COPY PLUS .....	139.00
<b>MICRO PRO</b>	
WORDSTAR 2000+ REL.3 .....	249.00
WORDSTAR PROFESSIONAL REL.5 .....	189.00
<b>MICROSOFT</b>	
CHART V 3.0 .....	295.00
C COMPILER .....	309.00
FORTRAN COMPILER .....	309.00
MORCO ASSEMBLER .....	119.00
EXCEL .....	299.00
PROJECT .....	349.00
QUICK BASIC .....	79.00
QUICK C .....	79.00
WINDOWS .....	79.00
WINDOWS 386 .....	145.00
WORD VERSION 4.0 .....	209.00
WORKS .....	109.00
MONOGRAM. DOLLARS & SENSE .....	109.00
NANTUCKET. CLIPPER .....	449.00
OWL INT. GUIDE 2.0 .....	159.00
QUARTERDECK. DESQ VIEW 2.2 .....	89.00
SBT. ACCOUNTING SOFTWARE (Sold in Store) .....	CALL
SSC. SOFTWARE BRIDGE .....	129.00
<b>STSC</b>	
APL+PLUS V 7.0 .....	649.00
STATGRAPHICS .....	649.00
SOFTWARE GROUP. ENABLE OA .....	399.00
<b>SOFTWARE PUBLISHING</b>	
HARVARD TOTAL PROJECT MANAGER III .....	349.00
FIRST CHOICE .....	99.00
PROFESSIONAL FILE/PLAN ea. .....	159.00
PROFESSIONAL WRITE .....	139.00
SYMANTEC. Q&A 3.0 .....	259.00
<b>WALLSOFT</b>	
THE UI PROGRAMMER .....	199.00
THE DOCUMENTOR .....	199.00
<b>WORDPERFECT CORP</b>	
WORDPERFECT V 5.0 .....	259.00
<b>WORDTECH SYSTEMS</b>	
D B X L .....	95.00
QUICK SILVER DIAMOND .....	369.00
XYQUEST. XY WRITE III+ .....	349.00
<b>GRAPHIC &amp; DESK TOP PUBLISHING</b>	
ALDUS. PAGE MAKER (Sold in Store only) .....	CALL
<b>ASHTON TATE</b>	
CHART/DIAGRAM/SIGN MASTER .....	CALL


<b>BRIGHTBILL-ROBERTS</b>	
SHOW PARTNER .....	69.00
SHOW PARTNER F/X .....	249.00
DIGITAL. GEM DRAW PLUS .....	175.00
LOTUS DEV. FREE LANCE+(Sold In Store) .....	359.00
MICROGRAFX. WINDOWS DRAW .....	229.00
<b>SOFTWARE PUBLISHING</b>	
HARVARD PRESENTATION GRAPHICS .....	295.00
XEROX. VENTURA VERSION 2.0 .....	CALL
XEROX. VENTURA Professional Extension .....	CALL
Z SOFT. PC PAINTBRUSH+ .....	99.00
Z SOFT. PUBLISHER PAINTBRUSH .....	179.00
<b>UTILITIES</b>	
CORE INT. CORE FAST .....	119.00
EXECUSYSTEMS. XTREE PRO .....	79.00
FIFTH GENERATION. FAST BACK+ .....	129.00
FUNK SOFT. SIDEWAYS 3.2 .....	59.00
MICROLYTICS. GOFER .....	49.00
NORTON. UTILITIES V 4.5 .....	59.00
NORTON. UTILITIES ADVANCED 4.5 .....	99.00
SOFT CRAFT. LASER FONT .....	149.00
TRAVELING SOFT. LAP-LINK .....	89.00
<b>GRAPHIC TABLETS, KEYBOARDS, MICE</b>	
DATA DESK. TURBO KEYBOARD .....	139.00
LOGITECH. HIRESZ MOUSE (Bus Version) .....	85.00
LOGITECH. C7 PUBLISHERS MOUSE .....	99.00
MICROSOFT. SERIAL OR BUS MOUSE .....	105.00
<b>PRINTERS</b>	
BROTHER. M-1709 240 CPS PAR/SER .....	CALL
HEWLETT-PACKARD. LASERJET II D (New) .....	CALL
HEWLETT-PACKARD. DESKJET .....	CALL
HEWLETT-PACKARD. PAINTJET .....	CALL
OUTPUT TECH. OT-850XL 850 CPS .....	CALL
TOSHIBA. P351SX .....	995.00
TOSHIBA. P321SL .....	499.00
<b>HP LASER ACCESSORIES</b>	
BITSTREAM. FONTWARE (SOFT FONTS) .....	169.00
<b>HEWLETT-PACKARD</b>	
FONT CARTRIDGES	
(A,C,D,E,G,H) ea. ....	129.00
(R,Z) ea. ....	219.00
(R,Z) ea. ....	295.00
SOFT FONTS ea. ....	159.00
<b>MEMORY FOR LASERJET II ONLY</b>	
1MB/2MB/4MB MEMORY BOARDS .....	CALL
<b>IQ ENGINEERING. SUPER CARTRIDGE**</b>	
599.00	
*Emulates 23 HP font cartridges (Total of 55 Fonts)	
**MAGEN. PC Publisher Kit adds DDL, HP-GL & PostScript to HP Laserjet printers. Emulates 15 HP Cartridges. HP 7470/7475 pen plotters. Diablo 630, Epson MX-80/FX-80, & more. Comes with 30 (1 to 254 point) Fonts, 2Mb Ram PC Publisher Kit for HP Laserjet II .....	
1595.00	
INTEL VISUAL EDGE .....	CALL
<b>MONITORS</b>	
AMDEK. 1280 MONITOR .....	739.00
AMDEK. 410A MONITOR .....	179.00
Elite Business. Design VIEW/19 (1280X1024) .....	1595.00
PGS. MAX-12 (MONO MONITOR) .....	179.00
PGS. ULTRASYNCH EGA MONITOR .....	539.00
N E C. MULTISYNC II EGA .....	599.00
SONY. CPD-1302/CPD-1303 MULTISCAN EGA .....	CALL
WYSE. 700 1280X800 HI RES. MONITOR .....	789.00
<b>MODEMS</b>	
EVEREX. EVERCOM 1200 (Internal) .....	109.00
EVEREX. EVERCOM 2400 (Internal) .....	199.00
HAYES. SMARTMODEM 2400 .....	499.00
HAYES. SMARTMODEM 1200 .....	299.00
HAYES. 1200B+SMARTCOM II .....	299.00
HAYES. 2400B+SMARTCOM II .....	499.00
MIGENT. 1200 POCKET MODEM .....	139.00
<b>MIDI PRODUCTS</b>	
<b>MUSIC QUEST</b>	
MIDI Co-Processor Card .....	99.00
Starter System+ .....	169.00
Starter System .....	145.00
<b>TWELVE TONE SYSTEMS</b>	
CakeWalk 2.0 Sequencer .....	89.00
<b>DISKDRIVES</b>	
MINISCRIBE. 3085 70Mb hard disk for AT .....	859.00
MINISCRIBE. 3053 40Mb hard disk for AT .....	479.00
PLUS DEV. Passport 20 or 40MB .....	CALL

<b>SEAGATE. ST-225 20MB With controller</b>		289.00
<b>SEAGATE. ST-251-1 40MB FOR AT</b>		479.00
<b>SYSGEN. QIC FILE 60 EXT. BACKUP</b>		859.00
<b>SYSGEN. BRIDGE FILE</b>		349.00
<b>SYSGEN. BRIDGE TAPE</b>		549.00
<b>TOSHIBA. 3 1/2" &amp; 5 1/4" Drives</b>		CALL
<b>EXPANSION BOARDS</b>		
<b>64K 150NS RAM CHIPS</b>		CALL
<b>256K 150NS RAM CHIPS</b>		CALL
<b>HERCULES. MONO GRAPHICS PLUS</b>		199.00
<b>INTEL ABOVE BOARD PS/286 512K</b>		459.00
<b>VIDEO 7. VEGA DELUXE</b>		199.00
<b>VIDEO 7. VEGA VGA</b>		295.00
<b>VIDEO 7. FAST WRITE VGA 8 or 16 Bit</b>		499.00
<b>VIDEO 7. V-RAM VGA 8 or 16 Bit</b>		599.00
<b>NETWORKING</b>		
<b>INVISIBLE. NETWORK 200</b>		269.00
<b>SERVERTECHNOLOGY</b>		
<b>EASLAN STARTER KIT FOR 2 PC'S</b>		179.00
<b>EASLAN EXPANSION KIT FOR 1 PC'S</b>		79.00
<b>SCANNERS &amp; FACSIMILE</b>		
<b>DEST. PC SCAN 2020</b>		1695.00
Includes Interface, TextPac and PubsPac.		
<b>COMPUTERS</b>		
<b>PC LINK</b>		
<b>386A MODULE 1. 16MHZ, 1MB 32 BIT RAM, ONE 1.2MB DRIVE</b>		2195.00
<b>386A MODULE 11. 16MHZ, 1MB 32 BIT RAM, ONE 1.2MB DRIVE, 40MB HARD DISK</b>		2695.00
386A is a XT type chassis, can accommodate AT size adapters, FCC CLASS A APPROVED.		
<b>386B MODULE 1. 16MHZ, 1MB 32 BIT RAM, ONE 1.2MB DRIVE</b>		1995.00
<b>386B MODULE 11. 16MHZ, 1MB 32 BIT RAM, ONE 1.2MB DRIVE, 40MB HARD DISK</b>		2495.00
<b>386-20 MODULE 1. 20MHZ, 1MB 32 BIT RAM, ONE 1.2MB DRIVE</b>		2495.00
<b>386-20 MODULE 11. 20MHZ, 1MB 32 BIT RAM, ONE 1.2MB DRIVE, 40MB HARD DISK</b>		2995.00
<b>MICROSOFT MS-DOS 3.3*</b>		85.00
<b>MICROSOFT MS-DOS 4.01*</b>		95.00
*When purchased with any PC LINK Computer.		
<b>SPECIAL</b>		
<b>When you buy any PC LINK 386 Module II, you can buy Hewlett-Packard Laserjet Series II with toner for only</b>		1629.00
386B & 386-20 are a AT type chassis.		
<b>STANDARD FEATURES FOR PC LINK 386.</b>		
CHASSIS CAN ACCOMMODATE UP TO FIVE 1/2 HEIGHT DEVICES (3 are accessible)		
HARD/FLOPPY CONTROLLER WITH CABLES, 101 ENHANCED KEYBOARD, SERIAL/PARALLEL PORTS, BATTERY BACK REAL TIME CLOCK, ONE YEAR WARRANTY, FCC CLASS B APPROVED.		
<b>TOSHIBA</b>		
<b>T1000 512KB ONE 3 1/2" DRIVE 4.77MHz</b>		CALL
<b>T1200HB 1MB 20MB HD. ONE 3 1/2" DRIVE</b>		CALL
<b>T3100/20 640KB ONE 3 1/2", 20MB HD</b>		CALL
<b>T5100 2MB RAM ONE 3 1/2", 40MB HD</b>		CALL
<b>WYSE</b>		
<b>PC 386 (16MHZ) ZERO WAIT-STATES 1MB RAM, 1.2MB DRIVE, KEYBOARD, MS DOS 3.2 (8MHz) MODE, SERIAL/PARALLEL PORT</b>		CALL
<b>HAUPPAUGE COMPUTER WORKS.</b>		
<b>Upgrade your IBM/PC or IBM/XT with this complete special priced kit to true 386 16MHz zero wait state.</b>		
Complete Upgrade Kit includes. IBM/PC or IBM/XT Replacement Motherboard, 200 Watt Power Supply, 16 Bit NCL hard/floppy controller with cables, 1.2 Mb Toshiba 5 1/4" floppy drive.		
<b>COMPLETE</b>		1995.00

We reserve the right to repair, replace or return to manufacturer for repair, all goods acknowledged faulty or damaged on receipt by customer. Customer Must Call For Return Authorization Number Before Returning Any Goods. Prompt attention will be given to all damaged and faulty returned goods. Any goods returned for credit are subject to 20% restocking charge, plus shipping charge. No Returns For Credit On Any Software. Customer must deal directly with the manufacturer if the customer finds any false claims made by the manufacturer. All goods are shipped VIA U.P.S. ONLY. Shipping charges are 2% of the total purchase price or \$3.00, whichever is greater. Please call for shipping charges on Printers & Accessories. C.O.D. goods are shipped for Cash or Cashier's Check Only. Max \$1500.00. Please allow 7 to 10 working days for personal or corporate checks to clear. To expedite shipping send money order or cashier's check, or charge to your VISA OR MASTERCARD. WE DO NOT Add a Service Charge For Credit Card Usage. PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

# The Newest Technology in Memory

## NEW COMPAQ® ADDITION™



- 4 MB Memory Module for COMPAQ DESKPRO 386/20, 386/20e, and 386/25 Computers. Now with NO-FAULT™ software at no extra cost!
- Adds up to 16MB of high-speed memory.
  - NO-FAULT disk mirroring software provides data security and continuous backup against data loss.
  - Available for immediate delivery!
  - Full One-Year Warranty!

*attention!2™*

Up to 16 MB Of High-Speed AT Extended Memory in a single slot. Now with Charade™ LIM EMS 4.0 software at no extra cost!

- Compatible with Novell 80386 file servers.
- Fits popular 286/386 processors to 25 MHz.
- "0" Wait States to 12 MHz with proper RAM chips.
- Provides backfill for 0 to 640K.
- Factory populated and socketed board versions.

## SIMM<sub>2</sub> for Macintosh®



**4MB** High Profile  
15 - 32MB For Mac IIX  
Perfect For A/UX

**1MB** High Profile  
Low Profile  
2 - 8MB For Mac Plus,  
SE, II and IIX

**256K** Low Profile  
1 - 2MB For Mac Plus,  
SE, II and IIX

Other High-Performance Memory Products  
*DartCard™* Concentration™  
Solid State Hard Disk Expanded Memory

We invite you to compare power, price and performance.

Ask About Our  
**VAR PARTNER PROGRAM**

See us at  
**COMDEX/Spring '89**  
April 10-13, 1989  
McCormick Place  
Chicago, Illinois

Memory Hotline  
**1-800-678-DRAM**  
(678-3726)

**Newer™**  
TECHNOLOGY

1117 S. Rock Rd., Suite 4  
Phone (316) 685-4904  
FAX (316) 685-9368  
Wichita, KS 67207

In Canada Contact: Tallgrass  
Technologies, Canada, Inc.  
• 1775 Meyerside Drive #1  
• Mississauga, Ontario L5T  
1E2 • (416) 673-3244  
• FAX (416) 673-3926

Newer Technology, DartCard, ADDITION, attention!2, Concentration, Charade and NO-FAULT are trademarks of Spectrum Engineering, Inc. Other product and company names are trademarks or registered trademarks of their respective holders.



**HERTZ**  
Computer Corporation

## If you're building for your company's future, you need the right foundation

**PC** "Built solidly . . . performs well . . . don't pass it over when you shop."  
—PC Magazine  
*"Ahead of the Pack: The Hottest 386s"*

**INFO** "The Hertz 386/25 is a rugged desktop  
**WORLD** computer . . . extra thought went into the design . . . it passed our software and hardware test suites with flying colors . . . good value . . . excellent performance . . . well-trained support staff."  
—Infoworld  
*"Infoworld Looks at the Eight Fastest 386 Machines"*

These emphatic votes of confidence loudly echo what our customers have been saying all along. More and more Fortune 500 power users are discovering that Hertz Computer Corporation offers them choices they never had before. Choices that provide reliable, productive, *cost-efficient* computing systems customized to accommodate their specific needs.

How can we do this? By maximizing our OEM relationships with computer industry leaders, including Intel® and Microsoft®, to ensure that only the highest quality components are used in our machines. By having our microcomputers

assembled and quality-tested by system specialists in our U.S. headquarters. And by integrating power, compatibility, knowledge and service to launch our customers into any application. From Office Automation . . . to Database Management, Computer Graphics, Networking and more.

Hertz Computer Corporation offers a full line of microcomputers for every need, including the Hertz 386/25. It's our incredibly fast and powerful new workstation based on the genuine Intel 25 MHz 80386 microprocessor with a solid 8-layer System Board. All backed by optional Intel worldwide, on-site service.

VARs view us as a technology partner — Hertz will work with you to enhance your business opportunities, providing the same level of non-stop dependability that our client companies from Main Street to Wall Street have come to trust.

Start building a better foundation for your company's future. We have 386 solutions from \$1,195.


Contact Hertz Computer Corporation today by calling (212) 684-4141.

**HERTZ** The Power of Choice  
Computer Corporation

325 Fifth Avenue • New York, New York 10016 • (212) 684-4141  
1988 Hertz Computer Corporation

# SOFTWARE WAREHOUSE

## IBM ON 5 1/4" DISK



## EDUCATION

**ED#3C - AMY'S FIRST PRIMER:** 6 wonderful Kindergarten programs on arithmetic, spelling, color and shape recognition. CGA reqd.  
**ED#3E - PLAY 'N' LEARN:** Alphabet game for 18 months & up plus 6 more pre-school games. CGA reqd.  
**ED#3G - ELEMENTARY ED:** Add, Subtract, Divide, Multiply, Kid's Giant Letter WordProcessor, Funnels & Buckets Math Arcade Game.  
**ED#3K - KID'S STUFF:** Hangman Word Game, Mosaic design game, Shooting Gallery game. CGA reqd.  
**ED#4 - GEOGRAPHY I:** WorldMap, Geochron, States & Capital games. CGA reqd.  
**ED#8 - WORLD ATLAS (2 DISK SET)** Instant reference to geographic statistics. CGA, 2 floppy drives req'd.

**ED#6 - BOOK REPORT & 1001 TOPICS** Helps students pick topics and do their book reports.  
**ED#14A - TEEN ED #1:** Higher Math, Trig, Geometry, Biology, Circuitry, Pi, Morse Code.  
**ED#14D - HIGHSCHOOL VOCABULARY:** Multiple choice word drills with re-testing on missed words, and detailed definitions.  
**ED#16 - TIME TRAVEL HISTORY:** American History Adventure Quiz Game, PLUS the U.S. Constitution.  
**ED#22 - PRE CALCULUS TUTOR:** Trig/Algebra vital to Calc 1 & Business Calc.  
**ED#32 - PROFESSOR WEISSMAN'S ALGEBRA TUTOR** 15 integrated programs teach algebra with full explanations, tests, reviews, etc.  
**ED#5 - NATIONAL GEOGRAPHIC INDEX** Computerized look-up for articles from 1957 to 1987.  
**WP#30 - THESAUR V3.5** - Excellent on-line, easy to use Thesaurus.



## CLIP ART GRAPHICS

**GR#3 - FIRST PUBLISHER CLIP ART (3 DISK SET)** Over 50 digitized images for importing.  
**GR#14 - PRINTSHOP GRAPHICS I:** 3 add'l libraries of graphics for the PrintShop program.  
**GR#14D - PRINTSHOP GRAPHICS II:** An extra 500+ images for the PrintShop Program.  
**GR#14B - PRINTMASTER GRAPHICS I:** 3 add'l libraries of graphics for the PrintMaster program.  
**GR#14E - PRINTMASTER GRAPHICS II - 2 DISK SET:** An extra 500+ images for the PrintMaster program.  
**GR#28 - VENTURA CLIP ART (5 DISK SET)** A collection of clip art with office/business subjects for Ventura Publisher  
**CL#15 - VENTURA PUBLISHER TUTOR** Excellent tutor with utilities!  
**GR#32A/B - WORDPERFECT 5.0 ART SET #1 - 4 DISKS** Ornate alphabets from the 12th and 15th century. PCC format digitized at 300DPI.  
**GR32C/D - WORDPERFECT 5.0 ART SET #2 - 3 DISKS** 24 basic icons/26 decorative medallions. PCC format digitized at 300DPI.  
**GR32E/R - WORDPERFECT 5.0 ART SET #3 - 5 DISKS** Assortment of 370 images in PCC format.  
**GR32F-K - WORDPERFECT 5.0 ART SET #4 - 5 DISKS** High quality images in TIF format: Prehistoric, Futuristic, Myths & Magic, Fast Cars, Old Aircraft.  
**GR32J-P - WORDPERFECT 5.0 ART SET #5 - 5 DISKS** High quality images in TIF format: Sports, Animals, Scuba Diving, Gone Fishin'

Please circle or refer to disk # when ordering.  
 This is only a partial list - Over 600 titles  
 Call for our latest catalogue.  
 Hours: M-F 9 am - 6 pm

CALL OR WRITE FOR OUR COMPLETE SOFTWARE CATALOG

**299**  
 TEN  
 OR MORE  
**350**  
 EACH

## GAMES

**C#1 - ARCADE GAMES:** Crossfire, Space Bugs, Pac-Man, Pac-Girl, Frogger, Space Invaders, Asteroids, Fortune. CGA reqd.  
**C#2 - ARCADE GAMES:** 3-Demon, Aliens, Space Invaders, Centipede, Frog, Galaxy, Bouncing Babies, Galaxy, Dragons. CGA reqd.  
**C#9 - CASINO GAMES:** Solitaire, BlackJack, Baccarat, Slots, Poker, and more. CGA reqd.  
**C#10 - BOARD GAMES:** Monopoly, Yahtzee, Wrimage, Maze. CGA reqd.  
**C#19 - PINBALL GAMES I:** TwilightZone, Pinball, Wizard, Rain & Mystery. CGA reqd.  
**MC#1 - MONO ARCADE GAMES:** PitFall, Bugs!, Pac-Man, Starship Invasion, Haunted Mission.  
**MC#2 - SPORTS & CASINO:** Fortune, Crapps, BlackJack, PC-Golf, Monopoly, Armchair QB.  
**MC#15 - LOVEFIRE** Romance novel Text adventure Where will love lead?  
**MC#21 - MEGAGOPOLY** Very different game like Monopoly

## EGA PROGRAMS

**EG#1C - EGA GAMES #3:** EGA-Scrabble, EGA-Aldo, EGA-Checkers  
**EG#1D - EGA TREK** Intergalactic StarTrek game for EGA  
**EG#1F - ADVENTURES OF CAPTAIN COMIC** 'Live action' graphic adventure for EGA.  
**EG#1H - EGA CHESS** High-res 3-dimensional chess game for EGA  
**EG#3H - EGA NAGEL ART DEMO** Sophisticated art-deco style demo

**A**

ADULT PROGRAMS AVAILABLE FROM OUR CATALOG



## SPECIAL INTEREST

**SL#77 LOTTO MASTER PROFESSIONAL** - Lottery prediction based on past number history  
**SL#27 TRAVEL DISTANCES** Programs calculate travel distance in the U.S. or Worldwide  
**SL#7 FAMILY HISTORY** Genealogy database produces ancestor, descendant, family group reports and tree charts. Easy to use.  
**SL#30 DEEP SPACE (2 DISK SET)** Plots star maps, generates 3-D maps, plots orbits and much much more. CGA reqd.  
**SL#77 FORTUNE TELLER (2 DISK SET)** Predict the future 6 different ways.  
**SL#99 BOOK MINDER** Complete book cataloging system for your personal library.

**MAKE SURE TO COUNT MULTIPLE DISK SETS BY THE DISK (TWO DISK SETS COUNT AS TWO DISKS)**

CALIFORNIA TOLL-FREE ORDER LINE 800 828-8833

US TOLL FREE ORDER LINE: 1-800-648-7360

SEND MAIL ORDERS TO:

SOFTWARE WAREHOUSE  
 200 VALLEY DRIVE - #50  
 BRISBANE, CA. 94005  
 415 468-5150

VISA/MC ACCEPTED  
 ON MINIMUM \$20

SANTA CLARA WALK IN OFFICE:

3080 OLCOTT # 125A SANTA CLARA 95064  
 (408) 748-0481  
 (NEAR CORNER OF SAN TOMAS & SCOTT)

Total # of Disks \_\_\_\_\_  
 Cost per disk \_\_\_\_\_  
 CA Res Sales Tax \_\_\_\_\_  
 Ship / Handling \_\_\_\_\_ \$3.00  
 Total Enclosed \_\_\_\_\_  
 Ship To \_\_\_\_\_

# NEWS FLASH

Call and ask about Sharp Laptops

You'll

**GO...APE!**

OVER OUR  
PRINTERS &  
PC PRICES



The HP LaserJet  
Series II Printer  
LIST \$2695

**\$1628**



LX-800  
Dot Matrix Printer

**BUY EPSON.**

■ POWER ■ PERFORMANCE ■ COMPATIBILITY ■ VALUE

- Full featured, 80-column dot-matrix printer for affordable performance in your home or office
- 180 CPS in draft mode, 30 CPS in Near Letter Quality mode
- Epson SelectType front control panel offers quick, easy selection of popular typestyles
- Choice of Roman and Sans Serif NLQ font styles
- Standard pull tractor and automatic single sheet loading for

- paper-handling versatility
- Standard parallel interface for compatibility with virtually any computer
- Compatible with industry-standard Epson and IBM software codes
- One year limited warranty

**\$189**  
(LIST \$299)

X800, FX850, FX1050, LQ500,  
Q850, LQ 1050 ALL AT  
**KNOCKOUT PRICES!**

EPSON Equity I+ and Equity II+

**Cash Rebates**

The Epson Equity™ II+ is a powerful personal computer featuring full compatibility with the IBM® PC/AT™ standard in a remarkably compact design.

- Powerful 80286 dual speed 8.12 MHz microprocessor
- 640KB RAM memory expandable to 1.5 MB
- Six full size expansion slots
- Built in serial and parallel ports
- Three half-height mass storage slots, plus built-in floppy disk drive controller
- Fully compatible with the IBM PC AT standard
- Built in clock/calendar with battery backup
- Remarkable, detachable AT-style key board
- One year limited warranty

Equity I+ List from \$1099

Equity II+ List from \$1099

CALL or DROP IN

**Panasonic**  
Office Automation




**2 YEAR WARRANTY**

KX-P1595

- KX-P1180 & 1191... New... CALL
- KX-P1092.....\$339
- KX-P1592.....\$449
- KX-P1595.....\$495
- KX-1524.....\$649
- KX-P1124.....New, New, New.....\$379

Fax Partner  
FX-BM89  
Fax  
Board

**\$699**  
(List \$995)



FX-RS505  
Image Scanner



**\$995**  
With interface  
and Cable  
(List \$1499)

ALSO AVAILABLE FX-RS506

**LASER LAUNCH**

Laser-Partner®  
KX-P4450



- Two 250 sheet paper cassettes
- Standard parallel and RS-232C serial interfaces
- 512K RAM standard
- Face down paper output for collated copies
- Envelope feed capability

LIST \$2595

**\$1495**

(When purchased with  
1 MB Memory Board)

**TOSHIBA LAPTOPS**




**T-S100**  
**\$4975**

- T1000.....\$775
- T1200 FB.....\$1575
- T1200 HB.....\$2375
- T3100/20.....\$3499
- T3200.....\$3599
- T5100.....\$4975

Accessories—30% off list

**PRINTERS**  
**CALL FOR PRICES!**

The HP DeskJet Printer:  
See laser quality  
output for under \$1000.



**\$695**  
(LIST \$995)

ASK ABOUT \$100 TRADE-IN

Now Available  
**PANASONIC**  
**FAX**  
Machines



- UF150.....\$1125
- UF250.....\$1525
- UF460.....CALL

**NEW ENGLAND'S LARGEST COMPUTER WAREHOUSE SHOWROOM**

**203 SOUTHWEST CUTOFF  
RT. 20 NORTHBORO**

**CALL TOLL FREE 800-553-1176**


**NATIONAL 800-447-1176 IN VT. 800-332-0342**

(508) 393-7220 • 393-7147 FAX (508) 393-3124

Open Monday to Friday 9 a.m. to 8 p.m.  
Saturdays 10 a.m. to 4 p.m.




APPLIED • PROGRESSIVE • ELECTRONICS • INC.




Now available  
for 386 UNIX/Xenix!

# In a Noisy World...



## BLAST Communications Software Gets Your Data Through it All!

### Performance with increasing noise.



Noise simulation tests run with a 30K binary spreadsheet file at 1200 baud between IBM-PC's, using BLAST II, rev. 8.1. Comparable or better results on Mac, VAX, and others.

In today's world of noisy phone lines, complex switches, and satellite-routed calls, you need rugged communications software to get your data safely through everything, everytime.

BLAST's protected pipelining protocol won't slow to a snail's pace, drop data or disconnect due to noise. Static interference or PBXs — your valuable data quickly BLASTS through it all, saving you time and money, without any add-on boards or other expensive hardware. And, BLAST is X.25/DECNET/MNP compatible!

### Link VAXs, PCs, MACs, and UNIX/Xenix anywhere

BLAST guarantees fast, 100% error-free file transfer and terminal emulation to connect PCs, MACs, UNIX/Xenix, minis and mainframes. With BLAST II you have *one* easy-to-use interface, *one* set of commands, *one* protocol, and *one* scripting language.

Auto-dialing and modem management sequences are built-in so you can easily set up polling, data collection, order entry and other *unattended* communications applications between *hundreds* of remote sites, all at a fraction of what you'd expect to pay. Plus, a "Lock & Key" network feature locks out unauthorized users for data security beyond simple passwords.

### The Choice of the Fortune 1000

Bankers Trust, Blue Cross, Exxon, Nabisco, and many others have chosen BLAST to cut through the noise. And now, leading communications products vendors specify BLAST, as well. Find out what BLAST can do for you. Give us a call today. **1-800-24-BLAST**

### Any computer with BLAST can talk to any other computer with BLAST:

IBM	VM/CMS or MVS/TSO
DEC	VAX/VMS; PDP/RSX; RT-11
DATA GENERAL	RDOS; AOS; AOS/VS
WANG	VS
PRIME	PRIMOS
HEWLETT-PACKARD	3000/MPE; 1000/RTE
HARRIS	VOS
TANDEM	LXN
UNISYS	BTOS, CTOS, UNIX
IBM-PC & PS/2	MS-DOS
APPLE	MACINTOSH
UNIX/XENIX	AT&T; Altos; NCR; Sun HP; VAX & mVAX; 386 PCs.

Many others available; please inquire.

Prices start at \$250



# BLAST®

Communications Research Group

5615 Corporate Boulevard  
Baton Rouge, Louisiana, USA 70808  
(504) 923-0888

© Copyright 1988, Communications Research Group, Inc.

# Electrified

**WE WILL TRY TO BEAT ANY PRICE ON ANYTHING FROM ANYWHERE !!!  
A TRULY PROFESSIONAL STAFF WITH A COMMITMENT TO SERVICE !!!**

**MULTIMATE**  
Professional Word Processing Software - Version 1.1  
Compatible for IBM & Compatible  
List Price \$299  
**\$149**  
Includes 1 Year Limited Warranty

**★ COMPUTER CARNIVAL ★**

**★ THE AWESOME AT ★ BRAND NEW!!!**

**QUADRANT - AT - 80286 FULLY IBM - AT COMPATIBLE**

**SYSTEM OPTIONS:**

Controller - Dual HD FD	\$ 79
1.2MB - 5 1/4 Drive	79
360K - 5 1/4 Drive	79
720K - 3 1/2 Drive	109
1.44MB - 3 1/2 Drive (Requires DOS 3.3)	119
2MB - Hard Drive	249
32MB - Hard Drive - 30MS Fast	299
45MB - Hard Drive	299
Larger Hard Drives Available	Call
Mono Card with Printer Port	49
Color Card with Printer Port	49
Monochrome Monitor	169
Color Monitor	399
DOS 3.1, 3.2, 3.3	19
Serial Card	19
AT Par Serial Card	29

**\$569 COST**

**UNBELIEVABLE!!!**

**SPECIAL 256K MEMORY BOARD SYSTEM MEMORY ONLY \$129**

**★ PRINTER POWER ★**

**SAVE IBM 5182 COLOR PRINTER★**

**★ BRAND NEW • HEAVY DUTY ★ LIST \$1995**

- WIDE CARRIAGE (132 Column)
- 200 CPS Draft 110 CPS Correspondence, 35CPS NLQ
- Prints Black, 4 Colors, and 8 Colors • BiDirectional Dot Matrix
- 9 Wire-Parallel interface • Tractor Included

**\$449**

FRONT BOTTOM REAR PAPER FEED

PAPER RACK AVAILABLE - Stacks Printed Paper - Easy Change Cartridge Ribbons - AVAILABLE

**ONLY \$12.95**

**★ QUANTITY PRICING - CALL !!! ★**

**30 DAY WARRANTY**

**★ ITT XTRA - XP - 80286 - POWER ★**

**In a XT Compatible Computer System**

**COMPARE: THIS IS THE BEST COMPUTER VALUE IN THE USA!!!**

Base System Includes: **BRAND NEW**

**80286 Processor - FAST!! \$499**

**COST**

- 512K Installed • Expandable to 640K on the Motherboard • 80287 Socket
- 5 - XT Slots • Parallel/Serial Ports • Floppy Controller • Deluxe Keyboard
- 155 Watt Power Supply • Small Footprint • Warranty by Servcom - 30 Days to the End User

**SYSTEM OPTIONS:**

Add a 360K - 5 1/4 Drive	\$ 79	Color Card	49
Add a 10MB Drive	179	Mono Monitor 12 TTL	69
Add a 20MB Drive	249	Color RGB Monitor	169
Add a 30MB Drive	319	Serial Card Special	19
Add a 45MB Drive	399		
Increase Memory to 640K	99		
Mono Card	49		

**ITT DOS 3.2 Recommended COST \$39**

**★ DIABLO D80IF ★**

**Letter Quality- 80 CPS ★ BRAND NEW ★**

With Dual Bin Cut Sheet Feeder Wide Carriage - Requires Cable 30 Day Warranty

**YOUR COST \$799**

**DIABLO D-25 - 25CPS-LQ List \$750. Only \$159.**

**★ THE SUPER SYSTEM ★**

**XT-TURBO COMPUTER SYSTEM**

**1-DRIVE IBM COMPATIBLE SYSTEM WITH 256K MEMORY!!!**

**SYSTEM INCLUDES:** 8088-2 Processor • 1-Half Height, 360K, 5 1/4 Drive • Dual Speed - 4.77Mghz and 8Mghz • Turbo - 8 slots - 8087 Socket - 150 Watt Power Supply - Deluxe Keyboard • Full Size Case for 4-HD Drives • 1 Year Parts and Labor Warranty on Base Unit (Hard Drives 90 Days)

**SYSTEM OPTIONS:**

ADD a 2nd 360K 5 1/4 Drive	\$ 79	Mono Monitor	169
ADD a 10MB Drive	49	Color Monitor	169
ADD a 20MB Drive	99 Super Special	Serial Card	19
ADD a 30MB Drive	299	Clock Calendar Card	39
ADD a 40MB Drive	369 FAST 30MB Speed	DOS 3.1	39
ADD a 45MB Drive	499	DOS 3.2 with Basic	49
Mono Card with Printer Port	49	Memory Upgrade to 512K	99
Color Card with Printer Port	49	Memory Upgrade to 640K	149

**\$349**

**Quantity Pricing Available!**

(For 4.77Mghz Systems Only)

**CENTRONICS HPC-136B**

LIST \$899 (Centronics Now Owned by GENICOM) LIST \$899

**180 CPS - 34 NLQ - WIDE CARRIAGE**

**BRAND NEW**

- Full 1 Year Parts and Labor Warranty
- Wire Push Tractor
- IBM and Epson Emulation
- DRAFT 11 - 9 Dot Matrix
- NLQ - 23 - 18 Dot Matrix
- 4K Print Buffer - Cartridge Ribbon

Serial/Parallel Version	\$299	Parallel Version	\$269
-------------------------	-------	------------------	-------

**QUANTITY PRICING IS AVAILABLE**

**★ TELEVIDEO SYSTEMS ★**

**BRAND NEW SYSTEMS!! ★ LIMITED QUANTITIES!!**

**BELOW DEALER COST PRICING !!**

**TELOAS-II 12 MHZ • 80286**

- 1 MB RAM, 1.2 MB Floppy, 8 Slots, FD/HD Controller, 2 Serial, 1 Parallel, Clock Calendar, 101 Keyboard, DOS 3.3, 1 Year "ON SITE SERVICE"

**COST \$1395**

**TELOAS-III 16 MHZ • 80386**

- 1 MB RAM, Expands to 16MB, 1.2MB Floppy, 12 Slots, 2 Serial, 1 Parallel, Clock/Calendar, 101 Keyboard, DOS 3.3, 1 Year "ON SITE SERVICE"

**COST \$2295**

**Monitors, Monitor Cards, and Hard Drives are available - CALL!!**

**★ MULTISCANNING MONITOR MANIA ★**

**THOMSON-4375 MULTISCANNING MONITOR**

**14" ULTRASCAN COLOR MONITOR DISPLAYS UP TO 256 COLORS**

- 31 mm dot pitch • 600H x 560V resolution, compatible with CGA, EGA, VGA, MOA, VGA • Automatically adjusts to any horizontal frequency between 15 and 75 Hz • 3 video input connectors; supports RGBI, R/GbB, RGB Analog, monochrome TTL and video composite
- Toll-free "800" technical support • 1 year warranty
- Refurbished - Brand New Condition

**\$449**

**LIST \$895**

**★ MULTI SCAN MONITOR CARDS STARTING AT \$169** (Quantity Discounts Available!)

**★ MODEMS ★**

**PROFESSIONAL • TOP OF THE LINE MODEM**

**MICOM ★ 2400 Baud ★ Internal Modem**

**With ERROR FREE ★ MNP ★ Class 4**

Compatible with CCITT ★ V.22 bis/V.22 and Bell 212A/103 Standards Can Be Addressed ★ COM 1,2,3 or 4

★ Fully Hayes Compatible

**BELOW DEALER COST!!! LIST \$549 ONLY \$179**

**Other MODEMS Available • For IBM and Compatible**

★ PRENTICE POPCOM ★ 2400 Baud ★ Internal	Only \$99
★ CPI ★ 2400 Baud Internal ★ with Software	Only \$99
★ CPI ★ 1200 Baud ★ Internal ★ with Software	Only \$49

**★ CHEAP MEMORY ★**

**★ IBM - 256K - MEMORY CARD ★**

Fully Populated with 256K Only Works at 4.77Mghz Speed

<b>COST \$69</b>	<b>COST \$65</b>
Quantity 1	Quantity 12

**★★ Electrified Discounters ★★**

**DEALER INQUIRIES INVITED**

**CATALOG SENT WITH ALL ORDERS**

1066 SHERMAN AVENUE  
HAMDEN, CT 06514  
FAX 203-248-8680

**(203) 287-1976**

32 found on all telephone orders over \$100

TOLL-FREE  
ORDER LINE  
**800-223-4492**  
Office (716) 833-6723  
Mon-Fri 9 AM-7 PM (EST) FAX (716) 833-7101

# FREE LIFETIME


## 8088/10MHz SYSTEM



- 4.77/10MHz Motherboard
- 8088-10 CPU
- (1) 360K Floppy Drive
- Expandable To 640K RAM
- Serial Port
- Parallel Port
- Game Port
- Floppy Controller
- 8 Expansion Slots
- 150 Watt Power Supply
- AT Style Keyboard
- Reset Button
- Keyboard Lock
- LED Power And Turbo Indicators
- Clock/Calendar With Batt. Backup

**\$375**

## 286/12MHz SYSTEM



- 6-12MHz Motherboard
- 80286 CPU
- Norton Si Rating 15.3
- 0 Wait State
- 1.2MB High Capacity Floppy
- Expandable To 1 Meg RAM
- Serial Port
- Parallel Port
- Game Port
- 1.2MB Floppy Controller
- 8 Expansion Slots
- 6 16 Bit, 2 8 Bit Slots
- 200 Watt Power Supply
- AT Style Keyboard
- Reset Button
- Keyboard Lock
- LED Power And Turbo Indicators
- Clock/Calendar With Batt. Backup

**\$699**

### 286/10MHz

• Same Configuration As Above Only  
With 10MHz Motherboard

**\$659**

## 30 DAY MONEY BACK GUARANTEE

• TERMS: ALL RETURNS MUST HAVE PRIOR AUTHORIZATION,  
BE IN LIKE NEW CONDITION, AND IN ORIGINAL PACKAGING.

• N.Y. RESIDENTS ADD 8% SALES TAX.  
• PERSONAL AND BUSINESS CHECKS ALLOW 2 WEEKS TO CLEAR.

# SERVICE WARRANTY

**NEW**

## 386/20MHz SYSTEM

- 8-20MHz Motherboard
- 80386 CPU
- Norton SI Rating 23.4
- 1 Meg RAM (80 nsec.) Installed
- 1.2MB High Capacity Floppy
- 2 Serial Ports
- 1 Parallel Port
- 80387 Coprocessor Socket
- Floppy/Hard Drive Controller
- 8 Expansion Slots
- 2 32 Bit, 5 16 Bit, 1 8 Bit
- RAM Upgradable To 16 Meg
- 200 Watt Power Supply
- 101 Key Enhanced Keyboard
- Reset Button
- Keyboard Lock
- LED Power & Turbo Indicators
- Clock/Calendar With Batt. Backup



**\$1895**

### MONO

### COLOR

### EGA

- 386/20MHz System With:
- Samsung Amber Monitor
  - Mono Graphics Card w/Prnt.

**\$2015**

- 386/20MHz System With:
- Samsung Color Monitor
  - Color Graphics Card w/Prnt.

**\$2149**

- 386/20MHz System With:
- Samsung EGA Monitor
  - Enhanced Graphics Card

**\$2375**

### VGA

### MULTISYNC

- 386/20MHz System With:
- Samsung VGA Monitor
  - VGA Graphics Card

**\$2460**

- 386/20MHz System With:
- Samsung Multisync Monitor
  - Multimode Graphics Adapter

**\$2475**

**30 DAY MONEY BACK GUARANTEE**

**COMPUTER TERMINAL**  
4246 RIDGE LEA RD.  
AMHERST, NY 14226

• ALL PRICES REFLECT A CASH DISCOUNT.  
• PRICES & BRAND NAMES SUBJECT TO CHANGE WITHOUT NOTICE.

PC, XT, AT ARE REGISTERED TRADEMARKS OF IBM CORPORATION. TANDY IS A REGISTERED TRADEMARK OF TANDY CORPORATION.

Circle 514 on Reader Service Card



MARCH 1989 • BYTE 96NE-13

# R · I · T

Are You a Computer Professional On the Way Up?  
Consider a Master of Science Degree in

## Software Development and Management

Demand is high for computer professionals who can manage, evaluate, and direct software development projects. Small start-up companies, Fortune 500 giants and top-secret military operations are all eagerly seeking managers skilled in software development.

At RIT, we designed our curriculum for the high-tech marketplace:

- Full-time or part-time studies
- Extensive multi-million dollar computing facilities
- Outstanding faculty
- Scholarship aid available

For program information, contact:

Guy Johnson  
RIT School of Computer Science and Technology  
475-2161

### RIT Software Development and Management

Yes, please send me more information on your master of science degree in Software Development and Management.

Name \_\_\_\_\_

Address \_\_\_\_\_

Phone \_\_\_\_\_

Return to:



Rochester Institute of Technology

School of Computer Science  
& Technology  
P.O. Box 9887  
Rochester, NY 14623

(Att: Guy Johnson)

Byte '89

### VERTICAL CASE



Front panel on/off switch  
200W power supply  
LCD Speed indicator  
Available for 286/386 models

### TANMAX-386



8/16Mhz (20Mhz. opt)  
1MB of RAM  
Phoenix BIOS std.  
200W power supply  
1.2MB floppy disk drive  
Floppy/hard disk controller  
101-key keyboard  
Mono card and monitor

**\$1995**

### TANMAX-PORTABLE



8/16Mhz  
Carrying case  
512K of RAM (exp. to 1 MB)  
200W power supply  
1.2MB 5.25" floppy drive  
20MB hard disk drive  
Supertwist backlit LCD  
RGB output port  
6 expansion slots  
1 parallel, 2 serial ports

**\$1875**

### PROGRAMMING

CUSTOM D BASE  
PROGRAMMING  
NOW AVAILABLE  
BY APPOINTMENT ONLY

### TANMAX-286

8/12Mhz (16Mhz. opt)  
640K of RAM exp. 1MB  
200W power supply  
1.2MB disk drive  
40MB hard disk  
Floppy/hard disk controller  
101-key keyboard  
1 parallel  
2 serial ports  
EGA card & monitor

**\$1995**

PRICES SUBJECT TO CHANGE. CASH OR CERTIFIED CHECK ONLY (SHIPPING CHARGES NON-REFUNDABLE)

- DEALER/OVERSEAS INQUIRIES WELCOME
- CALL FOR FREE CATALOG

TAN COMPUTER SERVICES

P.O. BOX 189

ROSELLE, NJ 07203

**(201) 245-8524**

# Big Performance-Little Price

## The XT SYSTEM



**\$549.00**

4.77/10 MHz 0 WAIT  
 256K RAM up to 640K  
 1-360 FLOPPY DRIVE  
 FLOPPY CONTROLLER  
 MATH CO-PROCESSOR SLOT  
 150 WATT POWER SUPPLY (UL)  
 101 ENHANCED KEYBOARD  
 LOCK/LED/RESET/TURBO CASE  
 MONOCHROME MONITOR. (TILT and SWIVEL)  
 MONOCHROME GRAPHICS ADAPTER

• 512K, PARALLEL, SERIAL, GAME PORT,

CLOCK/CALENDAR **\$645.00**

• BARE BONES SYSTEM **\$195.00**

## The AT SYSTEM



**\$999.00**

6/10 MHz 0 WAIT  
 512K up to 1024K  
 HARD DRIVE/FLOPPY CONTROLLER  
 1-1.2MB FLOPPY DRIVE  
 MATH CO-PROCESSOR SLOT  
 200 WATT POWER SUPPLY  
 101/ENHANCED KEYBOARD  
 LOCK/LED/RESET/TURBO CASE  
 PARALLEL, SERIAL, GAME PORT, CLOCK/CALENDAR  
 MONOCHROME MONITOR. (TILT and SWIVEL)  
 MONOCHROME GRAPHICS ADAPTER

• 286-12MHz SYSTEM with SI=15.5 **\$1099.00**

• BARE BONES SYSTEM **\$425.00**

## OPTIONS

20MB 65MS (ST-225) XT=\$299.00 AT=\$275.00

30MB 65MS (ST-238) XT=\$349.00 AT=\$349.00

40MB 39MS (ST-251) XT=\$499.00 AT=\$425.00

MONOCHROME to CGA COLOR SYSTEM Add: \$199.00

MONOCHROME to EGA COLOR SYSTEM Add: \$399.00

CALL FOR FULL LINE OF ADDITIONAL COMPUTER ACCESSORIES

386-16MHz COMPUTER AVAILABLE \$1999.00

## The UPS



### SPECIAL!

• SAMSUNG 300 WATT 150VA-HOUR POWER CENTER

with UPS SURGE & FILTER **\$335.00**

• DAEWOO 300 WATT 150VA-HOUR UPS BATTERY

BACK-UP with SURGE & FILTER **\$299.00**

Taesung Industries, Inc.



## JASMINE COMPUTER SYSTEMS

P.O. Box 755

101 Main Street

Salem, N.H. 03079

• 1-800-848-1003 • (603) 893-3827

• 1-800-222-4160 (Dealers Only)

On site service available in some areas

24 hour turnaround service

No shipping charge with prepayment check

3% surcharge for Visa and MasterCard

1 year parts and labor warranty

30 day refund policy

Most items shipped within 24 hours

All machines have been burned in 72 hours

# Industry-Leading Performance and Compatibility. GUARANTEED.



*Finally: Systems that meet and exceed your computer wish list:*

- Compatibility.
- Upgradeability.
- Quality.
- Datacom Certification.
- Speed.
- Unparalleled Service and Support.

*In Short, high performance for many years to come.*

## LGX286

**\$995**

- 10MHz 80286 with 13Mhz throughput
- 640K Zero-Wait RAM
- 1.2 Mb Hi-Density Diskette Drive
- 16-bit Floppy/Hard Drive Controller
- Socketed for 80287 math coprocessor
- Traditional heavy-duty full-size case
- 220W Power Supply. UL approved
- On-board rechargeable battery
- 101-Key Enhanced "Click" keyboard
- OS/2®, Xenix®, Novell®, Windows® ready.

## LGX286H1

**\$1495**

- 20MHz 80286 with 26.7Mhz throughput
- 1 Meg Zero-Wait RAM, expand to 8 Mb on main board
- 1.2 Mb Hi-Density Diskette Drive.
- 16-bit Floppy/Hard Drive Controller
- Socketed for 80287 math coprocessor
- Traditional heavy-duty full-size case
- 220W Power Supply. UL approved
- On-board rechargeable battery
- 101-Key Enhanced "Click" keyboard
- OS/2®, Xenix®, Novell®, Windows® ready.

## LGX386

**\$2795**

- 20MHz 80386 with 33.5Mhz throughput
- 2 Meg Zero-Wait RAM
- 1.2 Mb Hi-Density Diskette Drive.
- 16-bit Floppy/Hard Drive Controller
- Socketed for 80387 & 80287 coprocessors
- Traditional heavy-duty full-size case
- 220W Power Supply. UL approved
- On-board rechargeable battery
- 101-Key Enhanced "Click" keyboard
- OS/2®, Xenix®, Novell®, Windows® ready.

### Video Subsystems

(Includes monitor and video card):

- Monochrome: 12" Amber monitor with convenient tilt-&-swivel base. 720x348 High resolution text and graphics, with Hercules & CGA modes. \$149
- 14" Flat-Screen Amber monitor subsystem (same specifications as above) \$185
- EGA: 14" EGA monitor and 640x350 EGA card \$575
- VGA: 13" multisync monitor and Cirrus Logic VGA card. 256 colors. VGA, CGA & Hercules modes. \$790
- Monochrome VGA: 14" Paper White monitor and Cirrus Logic VGA card \$375

### Hard Disc Drives:

- 21 Meg 65 ms Hard Disc \$249
- 44 Meg 28 ms Hard Disc with 40,000 MTBF, assures speed and reliability \$495
- 72 Meg 28 ms Hard Disc with 50,000 MTBF \$625
- 145 Mb 22 ms ESDI Hard Disc \$1375
- 332 Mb 18 ms ESDI Hard Disc \$2249

### Floppy Drives:

- Additional 360K Floppy \$79
- Additional 1.44 Mb Floppy \$117
- Additional 720K Floppy \$89
- MS-DOS 3.3 with comprehensive Manuals, including GW-Basic \$89
- Serial/Parallel/Mouse ports \$39
- Additional serial port \$28
- Microsoft® compatible mouse \$39
- Ethernet Adapter (Fastest Available) \$265



**NOVELL**

**Gateway**  
communications, inc.

# LOGIX

**MICROCOMPUTER, INC.**

In Connecticut: 203-937-7725

**1-800-248-2140**

12 Oaks Business Park  
375 Morgan Lane, West Haven, CT 06516

Circle 502 on Reader Service Card for LGX 286-10.  
503 for LGX 286-20. 504 for LGX 386-25.

# UNDER-WARE ELECTRONICS

HITTING  
PRICES BELOW  
THE BELT

OUR MOTOROLA DISPLAY MODELS  
68020 / 68881 Microprocessors  
4MB w/16K cache memory - to 32 MB, 8 serial ports - to 34  
161 MB ESDI disk - to 1.3 Gb, 60 MB streaming tape  
Full Motorola Warranty.  
List \$26,085.00 **Now \$9,999.00**

IN BUSINESS  
FOR OVER  
TWELVE YEARS

## SHARP

PORTABLE COMPUTERS

### PC-7100

7.37 MHZ 8086 PROCESSOR, 5 1/4" 360K FLOPPY DISK DRIVE,  
TWENTY MEGABYTE HARD DISK, PARALLEL AND SERIAL PORTS,  
320K RAM (EXPANDABLE TO 704K),  
ELECTRO-LUMINESCENT BACKLIT SCREEN  
INCLUDES DOS 2.11 & GW-BASIC 2.11



PC-7100 SPECIAL PRICE

**\$1,099.00**

ORIGINAL LIST: \$2,995.00

PC-7202 SPECIAL PRICE

**\$1,399.00**

PC-7202 ORIGINAL LIST: \$2,995.00

10.8.6 MHZ 80286 PROCESSOR, DUAL 1.2MB FLOPPY DISK DRIVES,  
PARALLEL AND SERIAL PORTS, RGB EXTERNAL MONITOR PORT,  
640K RAM (EXPANDABLE TO 1.6MB),  
ELECTRO-LUMINESCENT BACKLIT SCREEN  
FULL SIZE XT/AT EXPANSION SLOT.  
INCLUDES DOS 3.2 & GW-BASIC 3.2

## NEC

### MULTISPEED-EL

4.77/9.54 MHZ, 640K RAM, DUAL 720K DISK DRIVES,  
PARALLEL & SERIAL PORTS, RGB MONITOR PORT,  
ELECTRO-LUMINESCENT BACKLIT SCREEN  
DOS 3.2, POP-UP SOFTWARE.  
NI-CAD BATTERY PAK & A C ADAPTER INCLUDED.



NEC  
MULTI-SPEED  
DELUXE  
CARRYING  
CASES  
SPECIAL PRICE  
**\$69.00**  
LIST: \$129.00

NEC  
1200 BAUD  
INTERNAL  
MODEMS  
SPECIAL PRICE  
**\$129.00**  
LIST: \$399.00

YOUR  
SPECIAL  
PRICE

**\$999.00**

ORIGINAL LIST: \$2,495.00

DOS 3.1  
W/ GW BASIC  
\$29.00

## ITT XTRA XP XT-286 SYSTEM

DOS 3.2  
W/ GW BASIC  
\$39.00

80286 PROCESSOR, 4.77/6.0 MHZ, 512K RAM, SERIAL AND  
PARALLEL, FLOPPY DRIVE CONTROLLER, KEYBOARD.  
ORIGINAL LIST \$1,995.00

PERIPHERAL DRIVE CHOICE	WITHOUT VIDEO	MONO MONITOR & CARD	COLOR MONITOR & CARD
NO DRIVES	\$499.00	\$579.00	\$679.00
360K FLOPPY & 20 MB HD	\$799.00	\$879.00	\$979.00
360K FLOPPY & 30 MB HD	\$899.00	\$979.00	\$1079.00
360K FLOPPY & 40 MB HD	\$1099.00	\$1179.00	\$1279.00

TO CHOOSE THE CONFIGURATION YOU WANT, SIMPLY LINE UP YOUR  
CHOICE OF DRIVES WITH YOUR CHOICE OF MONITOR.

FACTORY REFURBISHED MONITORS WITH ONE YEAR WARRANTY

PROCORP  
SERIAL MOUSE  
W/ DR HALO III

**\$59.00**

THOMSON  
14" COLOR  
COMPOSITE  
MONITOR  
YOUR COST:

**\$99.00**

ORIGINAL LIST: \$595.00  
FACTORY REFURBISHED  
ONE YEAR WARRANTY

CANON  
LASER PRINTER  
LBP-8A1

8 PAGE PER MINUTE  
CANON CX ENGINE

**\$899.00**

ORIGINAL LIST \$3,000.00

TALLGRASS  
TAPE BACK-UP SYSTEMS

TG1020e 20MB EXTERNAL.....\$199.00  
TG1040i 40MB INTERNAL.....\$299.00  
TG1040e 40MB EXTERNAL.....\$349.00  
TG1425i 20MB HD/  
20MB TBU INTERNAL.....\$299.00


UNDER-WARE  
ELECTRONICS  
1970 S. WEST ST. #365  
WICHITA, KS 67213

**800-442-1408**  
IN KS 316-942-9797  
FAX 316-942-9816


QUANTITIES LIMITED. ALL MERCHANDISE AVAIL-  
ABLE ON A FIRST COME, FIRST SERVE BASIS. ALL  
MERCHANDISE GUARANTEED. 15 DAY RETURN PRIVI-  
LEGE WITH RMA. RESTOCKING CHARGE ON  
RETURNS. NO SURCHARGE FOR MC, VISA, OR DIS-  
COVERCARD. COD ORDERS ACCEPTED WITH CASH  
OR CASHIERS CHECK.

# AMT

has  
it  
better



## FREEDOM OF PRESS™



*24 Wire Dot Matrix Printer, 480, 200, 80 cps  
Emulates: IBM, Unisys, Apple/MacIntosh  
& DEC*

*"C" Size Plotting capabilities*

*and*

*Postscript Printing under \$1,300 in*

***COLOR***

*with Freedom of Press software*

*Freedom of Press the latest in postscript  
language interpreters by CAI*



***Dataware Products Inc.***

***350 University Ave.***

***Westwood, Massachusetts 02090***

***1-800-548-9182 In Mass. 617-461-1160***

# NEC



*Nec's family of 24 Wire Dot Matrix printers  
are capable of Postscript Printing in*

***COLOR***

*with Freedom of Press Software*

*Freedom of Press the latest in postscript  
language interpreters by CAI*



## FREEDOM OF PRESS™

***NEC'S Largest Regional Distributor  
NEC Authorized Service and Supplies***

# SoftCode: The end of cookie-cutter code.

Program generators. Everyone knows how much time and effort they save.

The trouble, however, has always been that to use them you had to accept "generic" code that was written for someone else.

Enter SoftCode™.


A uniquely powerful new program generator that gives you complete control over the type of code generated. In any language. In your own personal style.

## The end of "hard" coded programming.

SoftCode uses its own advanced, fully-documented Program Template Language to generate programs by reading program templates. This powerful new technology lets you use SoftCode to build templates for *any programming language or dialect*. Templates that can write code the way you do.

With SoftCode, any personalized changes you make are made to your templates.

Just once.



SoftCode's powerful screen editor makes designing great looking interfaces practically this easy.

Each program created with that template will reflect the changes from then on. Or, until you make more changes.

Suddenly you see the possibilities in all of this. Like generating code for different applications with the same generator in minutes. Without sacrificing your personal style.

What's more, you'll be able to spend more time creating incredible interfaces your users will rave about.

## Design screens at the speed of your own imagination.

SoftCode's WYSIWYG screen editor is the best in the business.

Changing colors, drawing boxes, moving blocks around and placing fields are all done with single commands. Select special characters from a menu. And specify parameters for fields, including data validation types. It has a pull-down menu interface for easy learning and an Express Key interface for more experienced users.

SoftCode's screen editor makes it easy to design incredible screens – and easy to change your mind.

## Start with our templates.

SoftCode Template Sets are available in four different languages – C, Pascal, BASIC and dBASE. So, you can take immediate advantage of SoftCode without writing a single line of code.

The templates for C, Pascal, and BASIC generate programs that display input screens and allow sophisticated



While other generators simply repeat themselves, SoftCode gives you virtually limitless possibilities.

data entry using the full PC keyboard.

The dBASE templates automatically produce both single file and multiple file relational database programs. These menu driven applications automatically link and maintain records in each file.

## Order now and save!

Order SoftCode today and get one FREE template set plus an additional \$10.95 off the list price. And additional template sets are \$10.95 off list price. If you're not satisfied – for any reason – return everything within 30 days for a full refund.

**SoftCode**  
With 1 Free  
Template Set  
**Limited Time Offer!**  
List Price \$79.95

**\$69**

**Template Sets \$39.**  
List Price \$49.95 Each

**C Set:** Includes Turbo C, QuickC, Microsoft C.  
**Pascal Set:** Includes Turbo Pascal, Microsoft Pascal.  
**BASIC Set:** Includes QuickBASIC, TurboBASIC.  
**dBASE Set:** Includes dBASE IV & III+, Clipper, FoxBASE+, QuickSilver.

Credit Card Orders Call Toll-Free

**800-872-8787**

Operator 314

VISA M/C AMEX

©1989 The Software Bottling Co.

Circle 510 on Reader Service Card

Or write:

The Software Bottling Co.  
6600 Long Island Expressway  
Maspeth, NY 11378  
718-458-3700



**THE  
SOFTWARE  
BOTTLING  
COMPANY**

MARCH 1989 • B Y T E 96NE-19

# QUICK ACCESS


# EASY EDIT



THE MATCHMAKER  
GOLDEN BOW SYSTEMS


TM

**A MATCH FOR YOUR FILES**—find disk information fast, no matter how it's formatted. No need to index or keyword your files—just describe what you want in plain English or regular expressions, and it's on your screen *fast*.



The query panel is Vq's window into your disks.


**A MATCH FOR YOUR PATH**—quickly search a file, a whole disk, or anything in between to find all the files with a match to your search pattern, then display each match in *full context*!



After a query, Vq lists the files containing the target pattern and displays the matching text, highlighted in context.

**WHEN YOU FIND IT, USE IT** with Vq's full-featured editor or your own word processor, compiler, or custom macro.

**A MATCH FOR YOUR CREATIVITY**—expand your creativity into a screenful of windows for different files or different parts of a file. Zoom them, compare them, edit them in parallel, or copy-and-paste to a new file.



Vq's Block command menu is pulled down for processing the marked block of text.


**A MATCH FOR YOUR STYLE**—everything you want for creating and manipulating text, plus a few things you never thought to ask for—paragraph formatting, text centering, auto-indent, search-and-replace, copy, cut, delete or print blocks—*effortlessly!*

**A MATCH FOR YOUR DISPLAY**—25, 43, or 50 line display modes, and you pick the screen colors!

**A MATCH FOR YOUR MOUSE**—full mouse support with pull-down command menus means you don't have to remember *anything*. All Vq's power is delightfully accessible—just point and shoot!

**A MATCH FOR SYSTEM FAULTS**—while you're working, *auto-save* is working too, so you can automatically start each session where the last one ended—even if it ended *unexpectedly!*

**A MATCH FOR YOUR APPLICATIONS**—add Vq's access and editing talents to the applications you know and love.



The small-pull down menu lists Vq's preconfigured Hot Links to other applications.

Vq comes with Hot Links to popular applications, and creating more is a snap. Pass your desktop publisher the file you created, format it, print it, then return to Vq to find your sales summary and jump-start your spreadsheet program, or write brilliant code and Compile-and-display-next-error. Vq shrinks to just 7K bytes during linkage and gives your applications room to run!

**A MATCH FOR YOUR CHORES**—teach Vq whatever you do over and over. Vq's macros learn any input sequence for flawless playback at your command, for infinite customization!

Vq operates with OS/2 or DOS 3.0 or higher in IBM-compatible systems with 256K bytes.

Vq is a trademark of Golden Bow Systems

SEE YOUR DEALER OR CALL TOLL-FREE

(800) 284-3269

GOLDEN BOW SYSTEMS

2870 5th Avenue  
San Diego, CA 92103

(619) 298-9349

TELEX 201520 GBS UR

FAX (619) 298-9950

\$270

M/C VISA  
\$5 US shipping  
CA orders add 7%



# SHORT TAKES

BYTE editors' hands-on views of new products

CarrierNET

Turbo EMS

PC-Write 3.0

CCC Model 2400

Picture Publisher



## Current Events

What would happen if you plugged your IBM PC's serial port into a 110-volt power outlet? If you're using CarrierNET, you'd have a LAN. From Carrier Current Technologies, CarrierNET includes communications software and a specialized modem that attaches to your PC's serial port and transmits at up to 38,400 bps.

The key to CarrierNET lies in a small putty-colored box that connects the PC's serial port to a power outlet. The box accepts serial transmissions from the PC, assembles the data into packets, and broadcasts it asynchronously over the neutral and ground connections that run to every power outlet.

Each node is essentially a modem that uses a proprietary set of communications protocols, including an error-correction scheme that detects and retransmits lost or damaged packets. The box also includes a surge suppressor that protects your serial port.

Every LAN requires a medium access scheme. CarrierNET relies on a collision-avoidance method in which each modem listens for a carrier tone before attempting to transmit. If the line is in use, the modem waits and tries again. If a collision occurs

### THE FACTS

**CarrierNET**  
\$298 per PC; \$219 for peripheral sharing only

**Requirements:**  
IBM PC, XT, AT, or compatible with a floppy disk drive, 256K bytes of RAM, a serial port, and DOS 2.0 or higher; a hard disk drive is recommended.

Carrier Current Technologies, Inc.  
1804 West Southern Pkwy.  
Building A-112  
Durham, NC 27707  
(800) 222-0377; in North Carolina, (919) 490-4970  
**Inquiry 1061.**

during a transmission, each modem issues a time-out and resumes transmitting after a random period.

CarrierNET has RAM-resident communications software called ExcellNet. The basic version supports peripheral sharing only and costs \$219 per workstation. The version I tested (\$298 per workstation) included drive- or subdirectory-level password security, E-mail and file transfer capabilities, and some DOS functions, like the ability to view directories on other PCs.

The prerelease device I received was limited to 19,200 bps, and the preliminary software and documentation were a little rough around the edges. Nevertheless, I was able to get my office AT clone and two 80386 portables up and running quickly. The E-mail and

DOS functions worked without a hitch. It took about 1 minute to transfer a 100K-byte file between computers (1600 bps). When I sent more than one file, however, the network bogged down. Two 100K-byte files sent simultaneously to my AT clone arrived error-free, but they took over twice as long to transmit. Fortunately, you can set ExcellNet to operate in background mode.

But the real problems began when I moved one computer from BYTE's third-floor editorial offices to other floors. CarrierNET claims a range of up to 1 mile, but I couldn't establish any communications from the fifth floor. From the first and fourth floors, I could reach only one of the two workstations on the third floor. Further, transmissions became unacceptably slow:

Calling up a one-screen directory on a remote PC took over 2 minutes.

CarrierNET won't work if your building has more than one transformer or has any crossed neutral and ground connections. It also won't work with surge suppressors that support common mode filtering. Unfortunately, I didn't have time to track down the problem.

When CarrierNET works, it works well. Sharing a printer attached to your PC is easy and quick, thanks to ExcellNet's spooling capability. Once you've configured ExcellNet, files transfer automatically to the remote printer. Transfers are consistently error-free, if not always fast. Also, the menu-driven E-mail system is easy to use. And the DOS commands let you copy, delete, and rename files, as well as construct and remove subdirectories on remote PCs.

CarrierNET seems best suited for small groups of users who share printers and transfer files occasionally. Before buying, however, check with an electrician to make sure that CarrierNET will work in your building.

—Rob Mitchell

## Almost-Magic EMS Emulation

More and more of today's sophisticated applications have the built-in capability of using memory above MS-DOS's 640K-byte limitation, as long as that memory complies with the LIM/EMS. The result is much-improved performance. But there are a few roadblocks on the highway to that nirvana.

*continued*

The RAM above 640K bytes in today's systems is *extended* memory, and MS-DOS has no built-in way of managing it. You need some way of converting it to EMS. The easiest way is to buy an add-in board specifically designed for EMS. But with memory prices sky-high, that's not a viable alternative unless you have a bottomless wallet.

**Turbo EMS** is a software package that neatly handles these difficulties. It's an expanded-memory emulator that simulates the working of an expanded-memory board running EMS 4.0. It will neatly turn the extended memory in your system into what your applications will see as EMS memory.

Expanded-memory emulators aren't new, but their reliability has improved of late. And Turbo EMS has an additional unique feature. If your system doesn't have extended memory, it will turn your hard disk drive into pseudo-EMS memory. Instead of swapping EMS memory segments to and from RAM, it swaps them to your hard disk drive.

I quickly found that, with a few exceptions, Turbo EMS isn't the type of program you take out of the package, load, and run with nary a thought. But I did find the extensive installation utility well designed and helpful.

Turbo EMS does an extensive check of your system during installation, but it can be fooled. It was unable to detect that I was using my 2 megabytes of extended memory as a disk cache. The documentation told me I had to turn off the cache, but this took some digging. It also warned me that failure to uninstall memory-resident programs that use extended memory could result in "data corruption."

There are other areas where you can get into trouble. For example, most programs that use EMS don't care where in memory the 64K-byte *page frames* used for data swapping reside. But some programs do. Applications like DESQview,



### THE FACTS

**Turbo EMS**  
\$99.95

*Requirements:*  
IBM PC, XT, AT, PS/2,  
or compatible with at least  
256K bytes of RAM and  
MS-DOS 2.1 or higher.

Lantana Technology, Inc.  
4393 Viewridge Ave.  
Suite A  
San Diego, CA 92123  
(619) 565-6400  
**Inquiry 1062.**

Paradox, and Windows require specific page-frame alignments. Turbo EMS's documentation was helpful, but it took some research.

After you've filled in all the options, Turbo EMS installs a device driver call in your CONFIG.SYS file. Then you reboot your system and go—or so I thought. After I rebooted, applications kept telling me

that they couldn't detect any EMS memory in my system. I eventually found out why. About halfway through the manual, you're told you have to use a utility to turn on the EMS emulation. Problem solved. But there's a lesson here: With Turbo EMS, it's absolutely essential to read the documentation carefully and plan your installation.

## PC-Write Gets Serious

In 1983, Quicksoft entered the word processor market with PC-Write, a shareware alternative to much more expensive programs. Because of its low price and good technical support, PC-Write did well: Here was a word processor that could do most of what its users wanted and at a fraction of what the others cost. However, the early versions lacked features that made many potential buyers pause. It could handle files of up to

only 60K bytes of RAM, it didn't support columns, and the spelling checker was somewhat too cumbersome.

With **PC-Write 3.0**, Quicksoft has fixed the major drawbacks of previous versions. Not only will its longtime fans appreciate the improvements (after all, they suggested many of them), but first-time buyers or compulsive switchers would also do well to consider it.

The first thing I noticed is the command line, which tells you everything that you ever wanted to know about your file, such as what line you're

Once I got Turbo EMS running, I ran Paradox 2.0 and several other applications with my "new" 2 megabytes of expanded memory. The results were impressive. I could access large databases more quickly, and common commands worked noticeably faster.

Then I tried the program on a system without any extended memory, using the hard disk drive instead. I wasn't impressed. Turbo EMS's swapping of data to and from the hard disk drive doesn't make much performance difference over the normal swapping that any sophisticated application does anyway. It's especially true with a slow 65-millisecond drive. Using a fast 25-ms drive, or, even better, a caching disk controller, does speed things up a bit.


Turbo EMS does an excellent job of converting your extended memory to EMS, opening up a whole new world of performance with applications designed to take advantage of expanded memory. But don't expect its hard disk drive EMS emulation to make a big difference in performance. There is, however, a definite niche for it. Some applications, like the latest version of Ventura Publisher, are beginning to require EMS to use certain features.

—Stan Miastkowski

on, how many lines are in the file, percentage of memory the file occupies, filename, and basic function key commands. At first, I found all this information distracting. But when displaying error messages or performing a search-and-replace operation, or if you're about to overwrite something, the program blocks out the command menu unless it pertains to your current operation.

Version 3.0 can handle any file up to the size of your system's available memory, but I didn't notice any speed loss in

*continued*



Embedded systems designers have already used CrossCode C in over 291 different applications.

# CrossCode C comes with four powerful tools to help you program your 68000-based ROMable applications

From C source to final object, each tool takes you one step closer to your finished ROMable design

**C**rossCode C is designed specifically to help you write ROMable code for all members of the Motorola 68000 family. Four powerful tools take you from C source to object code:

**1. COMPILER:** To get truly ROMable code, you have to start with a truly ROMable compiler. Here are three CrossCode C features that you won't find in any ordinary C compiler:

- Compiler output code is split into five independent memory sections that you can assign into ROM or RAM as you please.
- You can optimize the code for your application because *you* control the sizes of data types. For example, you can optimize for speed by using two byte *ints*, or get maximum versatility by using four byte *ints*.
- You can easily write assembly language routines that call C functions and vice versa, because the compiler uses simple, well documented parameter passing conventions.

**2. ASSEMBLER:** CrossCode C comes with a Motorola-style assembler that has all the features that assembly language programmers require. In fact,

you could write your whole application with it:

- The assembler features an advanced macro language, conditional assembly, "include" files, and an unlimited size symbol table.
- Detailed cross references show you where you've defined and referenced your symbols.
- After a link, you can actually convert your "relocatable" assembler listings into "absolute" listings that contain absolute addresses and fully linked object code.

**3. LINKER:** The CrossCode C linker is designed to handle truly huge loads. There are no limits on the number of symbols in your load or on the size of your output file. And you can always count on full 32 bit target addressability, because the linker operates comfortably in the highest ranges of the 68020's address space.

**4. DOWNLOADER:** CrossCode C comes with a *downloader* that puts you in touch with all EPROM programmers and emulators. It can convert your load into Motorola S-Records, Intel Hex, Tek Hex, Extended Tek Hex, and Data I/O ASCII

Hex. You can also produce a binary image and convert that image into any format you might want. In all formats, bytes can be split into EPROMs for an 8, 16, or 32 bit data bus.

### Why Wait

Once you start using CrossCode C, you may just wonder how you ever got the job done before! It's available under MS-DOS for just \$1595, and it runs on all IBM PCs and compatibles (640K memory and hard disk are required). Also available under UNIX & XENIX.

CALL TODAY for more information:

**1-800-448-7733**  
(ask for extension 2002)

Outside the United States, please dial

**PHONE: 1-312-971-8170**  
**FAX: 1-312-971-8513**

SOFTWARE DEVELOPMENT SYSTEMS, INC.  
DEPARTMENT 22  
4248 BELLE AIRE LANE  
DOWNERS GROVE, ILLINOIS 60515 USA

CrossCode™ is a trademark of SOFTWARE DEVELOPMENT SYSTEMS, INC. MS-DOS® is a registered trademark of Microsoft. UNIX® is a registered trademark of AT&T. XENIX® is a registered trademark of Microsoft.

# MORE dBASE POWER!



FOR ONLY  
**\$189.95!**

**dBMAN V:** A database manager for your PC that has **dBASE III+ power, Report Writer, and Compiler** all in one package! Now you can buy a powerful dBASE III+ work-alike that includes more features and power than any other competitive product on the market, at a fraction of the cost!

*"dBMAN competes directly with dBASE III+, it runs many operations much more quickly and costs less than half the price." Bruce Brown, PC Magazine.*

**Unlimited Power.** We extended the dBASE III+ language to bring you to a new level of programming power and versatility.

**Reports without programming!** With our Report Writer you can easily create invoices, sales statements, form letters, employee lists, multi-lined and columnar reports, and more. All **without programming!**

**Speed unequalled in performance.** dBMAN V's Greased Lightning! Compiler executes dBASE applications **up to 16 times faster** than dBASE III+, and comes with an unlimited distribution runtime license at no extra cost!

We are offering a **30 day money back guarantee** if not fully satisfied. (When purchased from a Versasoft authorized dealer.)

**And, our multi-user version of dBMAN for Novell, IBM PC Net retails for only \$499.95!**

Just compare our price with the competition:

Program	Interpreter	Compiler	Report Writer	TOTAL
dBMAN V	\$189.95	included	included	\$189.95
FoxBASE	\$395.00	\$495.00	\$149.95*	\$1039.95
Clipper	N/A	\$695.00	\$149.95*	\$844.95
QuickSilver	\$199.00	\$599.00	\$149.95*	\$947.95
dBASE III+	\$795.00	N/A	\$149.95*	\$944.75
dBASE IV	\$1295.00	included	included	\$1295.00

\* Suggested retail price for comparable relational full-screen report writer.

#### dBMAN Highlights:

- dBASE II and dBASE III+ compatibility
- 320 extended commands and functions
- Password protection and data security at field level
- BCD numbers
- Single command menus: vertical, horizontal, scrollable and pull down menu
- Program debugger/editor

#### Report Writer Highlights:

- User defined pop-up windows and more...
- 9 group levels
- Conditional printing of any items
- Compute running sums, counts, averages, minimums and maximums
- Relate and report from up to 9 database files with lookup (one to one) and scan (one to many) relations and more...

#### Multi-User Version:


- Locks records and files as a set to prevent deadlock
- Supports transaction update and roll back (Novell TTS system) and more.
- Available for Novell Network, IBM PCNet, Xenix, UNIX and other major operating systems.

**Call today to order your copy of dBMAN V !**

#### Versasoft Corporation

4340 Almaden Expwy, Suite 250  
San Jose, CA 95118  
Phone: 408-723-9044  
Telex: 650-263-5806  
Fax: 408-723-9046

## SHORT TAKES



### THE FACTS

**PC-Write 3.0**  
\$89

**Requirements:**  
IBM PC, XT, AT,  
PS/2, or compatible with  
448K bytes of RAM  
(320K bytes without the  
spelling checker) and  
DOS 2.0 or higher.

Quicksoft  
219 First Ave. N  
Suite 224  
Seattle, WA 98109  
(206) 282-0452  
**Inquiry 1063.**

cursor response. It went from top to bottom of a 50K-byte file in less than a second, and the program found and replaced 34 occurrences of a word in 6 seconds on my IBM PC XT compatible. On BYTE's keystroke count benchmark test for word processors, PC-Write scored a respectable 228, compared to WordStar's 234 (see table 2 on page 110 in the May 1988 BYTE). You can also print from within the program, instead of using a separate print program, and with enough memory, you can buffer the print file for faster printing.

I found the spelling checker a bit quirky, although it is an improvement over the one in the previous version—but then, I've never met a spelling checker I liked. PC-Write's spelling checker looks for misspellings by checking if the word in question is in the master or user list. One- and two-letter words are ignored. Sometimes, the program flagged a plural of an offend-

ing word, only to offer its singular as a possible replacement. But if this happens to your favorite word too often, you can easily remedy it by adding the word to the 50,000-word dictionary. Version 3.0 lets you edit and execute most commands without leaving the spell search mode.

The program now finds duplicate words, and all guesses are displayed on the command line. You can also link and check related files. A nifty feature called shorthand mode lets you create macros, so you have to hit only a letter or two for commonly used words and phrases. You can toggle this feature on or off. Bob Wallace, president of Quicksoft, said the program's dictionary is constantly updated (registered users can call the company with suggestions).

Another feature is its ability to store columns as literal ASCII text, letting you import Lotus 1-2-3 print files into the program. You can also mark

*continued*

# How to move a mountain, level a building, rule the world, erase the past, make a million, and draw attention to yourself.



You can draw anything with AutoSketch.\* But that's only the beginning. Then, you can move it. Make sure it's level. Scale it to size. Or draw in rules.

Don't like it? Erase it. Want it bigger? Stretch it. Need details? Zoom in. Want more of the same? Duplicate it.

AutoSketch is the precision drawing tool that does amazing things. In up to 10 working layers. And because it's also easy to learn (takes about an hour), you won't have a long, drawn-out start-up process. That makes it the perfect complement to

your word processing or desktop publishing package.

So get AutoSketch for your PC\*. For just \$99.95, you'll accomplish things you never thought possible. And who knows what kind of attention that might get you.

To order AutoSketch directly, or for more information, call 1-800-223-2521. For the name of your nearest AutoSketch Dealer, call 1-800-445-5415, ext.1, or write to AutoSketch, 2320 Marinship Way, Sausalito, CA 94965. **AUTODESK, INC.**

\*AutoSketch runs on IBM PC/XT/AT and 100% compatible computers, and supports IBM's PS/2. AutoSketch is registered in the U.S. Patent and Trademark Office by Autodesk, Inc. IBM and Personal Computer AT are registered trademarks, and Personal Computer XT and PS/2 are trademarks, of International Business Machines Corporation.

Introducing *C\_talk/Views™*

# Reduce C Programming for MS Windows by 75%

Introducing *C\_talk/Views™*, a major productivity tool for Microsoft® Windows program development in C. Slash your MS Windows program development time by up to 75% through the powerful object-oriented programming (OOP) technology of *C\_talk*. With *C\_talk/Views*, the most common elements of all MS Windows programs are packaged into reusable software components-object classes. Over forty software components are included as a complete applications development framework. These object classes provide an

easy-to-learn and powerfully consistent interface to the rich functionality of MS Windows. *C\_talk/Views* is also a real OOP environment. Use the software components as they are, or extend them to meet the most demanding applications.

Coming soon...*C\_talk/Views* for the Apple Macintosh®... now your MS Windows program will port to the Mac with little or no change!

**\$450.00** In the US, add \$5 for shipping.  
(\$25 for Int'l handling)



CNS, Inc.  
Software Products  
7090 Shady Oak Rd.  
Minneapolis, MN 55344  
612-944-0170, Fax 612-944-0923

... providing and advancing  
object-oriented methodology.

columns and move, copy, or delete them.


Each registered user of PC-Write receives two free upgrades. Instead of an upgrade, you can get a PageMaker import filter, DCA (Document Content Architecture) conversion package, LaserJet font manager, or the source code. Other goodies that cost extra (but most of which you can get through Quicksoft at a discount) include French and Hebrew capabilities (including

voice support in Hebrew), Grammatik III, the InSet graphics capturer and extra fonts, and more.

With PC-Write 3.0, Quicksoft has dispelled any notion that it's not a "serious" product. The technical support folks are also friendly, knowledgeable, and patient. Even if the price were not under \$100, this would still be a word processor most worthy of your consideration.

—Dave Andrews

## A Real Deal: 2400-bps Modem for \$95



When I first saw the ad from Compu Com Corp. for a \$95 2400-bps modem, I was more than a little skeptical. I remembered how my father would say that things that appeared too good to be true usually weren't. Given that only recently have a few 1200-bps modems made their way to under \$100, and that typical prices for 2400-bps modems range from \$179 to about \$350, the CCC ad promised a lot. So I gave the company a call.

The **CCC Model 2400** modem is an internal short board designed for the IBM PC or compatibles. It is based on a Texas Instruments chip set that results in a sparsely populated—and therefore economical—board. The board

includes two standard modular telephone jacks (a cable also comes with it) and a speaker with an external volume control.

Like most personal com-  
*continued*

### THE FACTS


**CCC Model 2400**  
\$95

**Requirements:**  
IBM PC or compatible  
with at least one available  
bus slot.

Compu Com Corp.  
1275 Palamos Ave.  
Sunnyvale, CA 94089  
(408) 732-4500  
**Inquiry 1065.**

## Custom Key Imprinting

Create a keyboard  
so easy to use, costly training time turns  
into instant productivity!



**Custom Keys and Snap-On IBM KeyCaps:** Available in a wide variety of colors and imprinted in your choice of colors and fonts. **Keytop and Keyfront Labels:** Supporting emulation, word processing or custom made to your specs. Won't wear out or come off keys until intentionally removed. **FlexShield Keyboard Protectors:** Extend keyboard life. Protect from dirt, liquid and damaging environments without restricting keyboard operation. Call for your **FREE CATALOG** of *Custom Keyboard Enhancements*.

**CATALOG HOTLINE: 800 628-2828, Ext. 650**

**Hooleon**  
CORPORATION

For orders or custom info, call:  
**602 634-7515**  
FAX: 602 634-4620

P.O. Box 201, Dept. BYTE, Cornville, AZ 86325

# How To Get In On Our Frequent Flyer Program



Our new software product will increase the speed of any PC system so dramatically that we're tempted to include a pilot's license (and seat-belt) as standard equipment.

We call it FAST! And from the moment you load it, you'll find that's an understatement. A gross understatement.

Using any benchmark or performance test you choose, FAST!

multiplies the actual processing speed of your system, by four times . . . six times . . . eight times . . . or more, depending on your system and application.

With FAST!, a IBM XT system easily outraces a Compaq Deskpro 386, using a standard data transfer performance benchmark. And without enhancing the hardware in any way.

We've got a winner on our hands.

glutton of all. The more disk-intensive your application (database, for example), the more time FAST! will save you.

And since FAST! reduces drive read time drastically, it also reduces wear and tear on your drive, extending its life.

#### FAST! Blows Away The Competition

Priced at just \$99, FAST! is

competitively priced with other disk-enhancement utility software. Yet it offers vastly superior results—four times the performance of the closest competitors.

And it's hundreds less than hardware upgrade options like faster drives, turbo boards, or entire system upgrades, while again offering superior speed enhancement. And FAST! works with XT, AT, 386 and PS/2 systems, in conventional, extended or expanded RAM.


If you want to give your computer bottleneck processing speed, get FAST! To order, call Future Computer Systems at (603) 894-6975. Or, ask your local computer dealer.

For FAX orders: (603) 894-6670



Future Computer Systems  
26 Keewaydin Drive, Building H2  
Salem, NH 03079  
(603) 894-6975

DATA TRANSFER RATES  
IN KILOBYTES PER SECOND




■ BASE RATE  
■ WITH FAST!

#### Speed Enhancement, Without Hardware Upgrades

Our remarkable enhancement is achieved by very simple means. We took a well-known speed-enhancement technique called "disk caching" and improved it. By a mile.

FAST! literally anticipates what data your CPU will be seeking, and reads that data from your drive or floppy into a special RAM buffer (or "cache"), before the CPU asks for it.

Which means that your CPU spends almost no time waiting for disk reads, the most notorious time-



XT, AT and PS/2 are trademarks of International Business Machines Corporation. Compaq DESKPRO 386 is a trademark of Compaq Computer Corporation. FAST! is a trademark of Future Computer Systems

puter modems, the CCC unit uses the Hayes-compatible AT command set, and it has a 40-character command buffer. It also adjusts automatically to lower transmission speeds of 1200 bps or 300 bps.

I installed the modem in my Hyundai Super 286c with no problems. The board requires you to deal with only two jumpers. One jumper selects COM port 1, 2, 3, or 4; the other sets the default (on or off) for the auto-answer mode.

The package comes with a shareware communications program called Boyan (version D3), which has a license fee, should you decide to use it, of \$35. Boyan is a fairly straightforward, no-frills program. It does have one significant drawback, as do many programs of this type: It supports only COM ports 1 and 2. This simply means that if you need to assign the modem to

port 3 or 4, you cannot use Boyan.

I assigned the modem to my system's port 3 and used it with Procomm Plus. In addition to calling local access numbers, which provide relatively clean communications lines, I also sent and received ASCII files on a daily basis via standard long-distance service at 2400 bps and 1200 bps. And although my experience didn't constitute a scientific test, the number of occasional line-noise glitches was about the same as on a USRobotics Courier 2400.

I didn't do any exhaustive labline-noise tests, but in real-world use, the CCC Model 2400 worked fine. This is the first 2400-bps modem I've seen for less than \$100, and it's a bargain. It comes with a two-year warranty and a 30-day money-back policy. That's a very good deal.

—Dennis Allen

## The Electronic Darkroom

**P**icture Publisher is an image editing software package billed as an "electronic darkroom." I used it to edit and manipulate a set of scanned gray-scale images to increase their clarity or remove flaws.

Once you have Microsoft Windows, Picture Publisher, and any Tag Image File Format (TIFF) picture files loaded and ready to go, a suite of useful tools is at your disposal. These tools include Greymap functions, which let you adjust or enhance gray-scale values; Mask functions, which let you create freehand or geometric shapes to either protect an area from global edits or mark an area for edits; Retouch, which you use to smooth, brighten, feather, or add texture to an image; Edit functions, which provide cut-and-paste features; and Pro-

cess functions, which you use to view, crop, scale, or otherwise ready images for final placement on a page.

You use basic utilities like Undo, Apply, and Zoom to implement or delete your edits. You can access the tools and utilities via Windows' pull-down menus, the Astral Picture Window icons, or the function keys.

To actually edit an image, you move between the Windows interface and the Astral Picture Window. The Astral Picture Window is basically a full-screen window within the Windows environment. When you work in the Astral Picture Window, Picture Publisher paints to a full VGA screen so you can see 64 levels of gray and manipulate 256 levels of gray. I found it easy to move between the two interfaces.

It is also easy to create spe-

# How the competition stands

Introducing the modem with a sleek new stand-up\* design. Telebit's new T1000 Multi-Speed modem. The modem that not only looks different, but is different. With more features. More performance. And a surprisingly low price.

### More modem for less money.

What makes the T1000 so different? For one, you get a choice of more speeds. The T1000 can send and receive data at 300, 1200, 2400, or 9600 bps using ordinary dial-up phone lines.

So the T1000 can talk to your installed base of low-speed modems, plus the large installed base of Telebit® and other PEP™ high-speed modems.

But it costs about the same as a

2400 bps error-free modem.

Another difference? The T1000 runs at 9600 bps with any type of data—without compression. Error free. With MNP and PEP error detection and correction.

### The T1000 fits right in.

The T1000 Multi-Speed modem even talks Hayes—right from the box. And if you're using the AT command set or even Smartcom III software, we're compatible. You won't need new software. And you won't need new commands.

The T1000 also has internal support for the most widely-used communications protocols—Kermit, Xmodem, Ymodem and UNIX's UUCP. So you can transfer files up to 3 times faster than any other modem.




cial-effect images with Picture Publisher. For example, you can *posterize* a photo, which groups gray tones with ones of similar value, or you can change an image's *threshold*, which converts gray tones to either black or white to create line art.

The two functions that I found particularly fascinating were Retouch and Greymap. Retouch lets you adjust the gray values assigned to a pixel using a paintbrush. You can easily implement all kinds of changes, like sharpening the image via an edge-enhancing filter or painting over flaws on an image using a gray tone of your choice. I used the sharpen feature to give better definition to some of my fuzzy images.

The Greymap functions let you do complex adjustments or fairly quick adjustments in brightness or contrast.

I ran the product on a PS/2



Model 80 running Microsoft Windows 2.03. The documentation clearly explained basic image-preparation concepts and was easy to follow. While I found the product easy to use, anyone buying it should have some familiarity with both Windows and basic desktop publishing and darkroom con-

cepts. Edited images can be ported to page layout, presentation graphics, or word processing software that accepts TIFF or the Encapsulated PostScript Font format. If you're a serious desktop publisher, Picture Publisher is worth a look.

—Jan Fiderio ■

## THE FACTS

Picture Publisher  
\$595

## Requirements:

With an IBM PC: VGA card, analog monitor, Microsoft Windows 2.03 or higher, Windows-compatible mouse, 640K bytes of RAM, and DOS 2.0 or higher; a hard disk drive is recommended.

## With an IBM PS/2:

Windows 2.03 or higher, Windows/PS/2-compatible mouse, 640K bytes of RAM, and DOS 2.0 or higher.

Astral Development Corp.  
Londonderry Sq.  
Suite 112  
Londonderry, NH 03053  
(603) 432-6800  
Inquiry 1066.

# up to Telebit's newest modem.

And here's another big difference. Since the T1000 runs the most popular communications software at the highest possible speeds. You can take full advantage of packages like HyperACCESS, Crosstalk-Fast, MicroPhone II, and Acknowledge.

Just plug us in, and the T1000 will fit right in. No matter what your environment.

## Remote management for ease of use.

Here's the final difference. The T1000 offers a host of remote management features. Including remote access, remote configuration and remote diagnostics.

So get the modem that's head and shoulders above the rest. In features and performance. At just the right price. Telebit's new

## T1000 Multi-Speed Modem.

Call 1-800-TELEBIT or (415) 969-3800, today.

Or write Telebit at  
1345 Shorebird Way, Mountain View, CA 94043-1329.

Fax: (415) 969-8888.

Because no one gets the message through like Telebit.


# T1000.



©1988 Telebit Corporation. Telebit is a registered trademark and PEP is a trademark of Telebit Corporation. Other brands or product names are trademarks of their respective holders.

\*optional

Circle 248 on Reader Service Card



# The fastest possible way to create the fastest MS-DOS programs possible.

For Personal Computers Running the MS, OS/2 or MS-DOS, Operating System

## Microsoft C 5.1

Optimizing Compiler

```

File View Search Run Watch Options Language
Add Watch... Ctrl+W
Watchpoint...
Tracepoint...
Delete Watch... Ctrl+U
Delete All Watch
    
```

```

0) i : 217
1) p : 23383:5936

125:      int i
126:
127:      set_cursor
128:      p = scrbuf;
129:
130:      /* Draw top of box. */
131:
132:      *p = 218;
133:      p += 2;
134:      for (i = 0; i < COLS; p += 2, i++)
135:          *p = 196;
136:      *p = 191;
137:      p += 2;
138:
139:      /* Draw side of box. */
    
```

Special offer. Programmer's editor and Microsoft QuickC compiler included. FREE!

Now includes OS/2 systems support!

Microsoft

### Microsoft C Optimizing Compiler 5.1 Techbox

#### Compiler

- Optimizations that generate the fastest code for DOS and OS/2 systems.
  - In-line code generation.
  - Loop optimizations.
  - Elimination of common subexpressions.
- Full OS/2-system support to break the 640K barrier.
- Family API programs that run under DOS and the OS/2 systems.
  - Write multithreaded programs and Dynamic Link Libraries.
- Small, medium, compact, large, and huge memory models.
- Mix models with NEAR, FAR, and HUGE keywords.
- Fast compilation (10,000 lines/minute) with Microsoft QuickC.<sup>™</sup>
- Fastest math, in-line 8087/80287 instructions, and floating-point calls.
- More complete support of proposed ANSI standard.
- Over 350 library functions, including a graphics library.

#### Microsoft CodeView

- Full OS/2 systems support.
  - Debug applications of up to 128 MB under the OS/2 systems.
  - Debug multithreaded programs and Dynamic Link Libraries.
- Source-level debugging for precise control over programs.
  - Dynamic breakpoints in the source.
  - Debug programs written in a variety of Microsoft languages.
  - Full symbolic display of C structures.
  - Interactively follow linked lists and nested structures.
  - Watch variables, memory, registers, and flags.

#### Other Utilities

- Fast linking (twice as fast as the C 4.0 version linker).
- OS/2 incremental linker - up to 20 times faster than a full link.
- OS/2- and MS-DOS reconfigurable programmer's editor

Everything about Microsoft® C Optimizing Compiler version 5.1 is dedicated to the professional programmer.

Fast code. Fast development. Fast debugging. And full support for both MS-DOS® and the OS/2 systems in a single package.

There's no faster C code on a PC, because powerful optimizations, such as in-line code generation and loop enregistering, generate executables that are compact and efficient. The documentation even teaches you special coding techniques to squeeze every last bit of

speed out of your code.

Fast code isn't all you get. Under MS® OS/2, the 640K barrier is gone so you can write C programs as large as a gigabyte. You can call the operating system directly. Create more responsive programs (multiple threads allow program operations to overlap). And build Dynamic Link Libraries (DLLs) that can be shared, saving valuable memory. DLLs also allow your main programs to be smaller, so they load faster. You can even write a single Family API program that runs under both MS-DOS and MS OS/2.

# The fastest possible way to create the fastest MS OS/2 programs possible.

## Microsoft C 5.1

Optimizing Compiler

```

File View Search Run Watch Options Language
0) i : 217
1) p : 23383:5936
125:      int i
126:
127:      set_cursor
128:      p = scrbuf;
129:
130:      /* Draw top of box. */
131:
132:      *p = 218;
133:      p += 2;
134:      for (i = 0; i < COLS; p += 2, i++)
135:          *p = 196;
136:      *p = 191;
137:      p += 2;
138:
139:      /* Draw side of box. */
    
```

Now includes OS/2 systems support!

For Personal Computers Running the MS, OS/2 or MS-DOS Operating System

Special offer. Programmer's editor and Microsoft QuickC compiler included FREE!

Microsoft

### Microsoft C Optimizing Compiler 5.1 Techbox

#### Compiler

- Optimizations that generate the fastest code for DOS and OS/2 systems.
  - In-line code generation.
  - Loop optimizations.
  - Elimination of common subexpressions.
- Full OS/2-system support to break the 640K barrier.
  - Family API programs that run under DOS and the OS/2 systems.
  - Write multithreaded programs and Dynamic Link Libraries.
- Small, medium, compact, large, and huge memory models.
- Mix models with NEAR, FAR, and HUGE keywords.
- Fast compilation (10,000 lines/minute) with Microsoft QuickC™.
- Fastest math, in-line 8087/80287 instructions, and floating-point calls.
- More complete support of proposed ANSI standard.
- Over 350 library functions, including a graphics library.

#### Microsoft CodeView

- Full OS/2 systems support.
  - Debug applications of up to 128 MB under the OS/2 systems.
  - Debug multithreaded programs and Dynamic Link Libraries.
- Source-level debugging for precise control over programs.
  - Dynamic breakpoints in the source.
  - Debug programs written in a variety of Microsoft languages.
  - Full symbolic display of C structures.
  - Interactively follow linked lists and nested structures.
  - Watch variables, memory, registers, and flags.

#### Other Utilities

- Fast linking (twice as fast as the C 4.0 version linker).
- OS/2 incremental linker - up to 20 times faster than a full link.
- OS/2- and MS-DOS reconfigurable programmer's editor.

Microsoft Editor is the first reconfigurable text editor for programmers that lets you develop under MS-DOS and MS OS/2. Under MS OS/2, multitasking lets you edit one file while you compile another, which cuts development time. You can even generate multiple compiles that report errors directly back into your source code.

Microsoft CodeView® is the highly acclaimed window-oriented source-level debugger that makes debugging not only fast, but extremely efficient. You can view program execution

while you watch variables and register values change. And under MS OS/2 you can debug multi-threaded applications, DLLs, and programs as large as 128 MB. The Microsoft C Optimizing Compiler 5.1, designed for the professional programmer. It's all the speed you need. Call (800) 541-1261.

**Microsoft**  
Making it all make sense.

Microsoft, the Microsoft logo, MS, MS-DOS, and CodeView are registered trademarks of Microsoft Corporation.

# The Only Character Recognition System



## That Outperforms Ours

Nature's character recognition system can be trained to read any language. Flagstaff Engineering's **SPOT OCR Text Reader** is also trainable. It has read text printed in thousands of typefaces in over 130 different languages!

The SPOT OCR Text Reader works just like a typist who reads a page, then uses a keyboard to transfer the information on the page into a computer file—except SPOT uses a scanner for eyes and outputs the text directly into standard text files. SPOT is also faster. It can read up to 35 characters per second on a 16MHz AT, and up to 65 characters per second on a 25MHz machine (that's 780 words per minute). SPOT supports most major makes of scanners.

Using sophisticated statistical techniques, SPOT recognizes characters like the brain does: by examining their shape and context. Like nature's original, SPOT is very flexible. It can glance over an entire page or zoom in on a few lines of text. SPOT can read newspapers,

magazines, books, manuals, invoices, contracts, government documents, columns, tables . . . just about any printed text. And SPOT keeps getting better. The **new Version 3.0** is faster, more accurate, easier to use, and better documented than its predecessors.

Since 1982, Flagstaff Engineering has provided visionary data conversion solutions for thousands of companies worldwide. SPOT is already increasing productivity and making life easier for many publishers and researchers, accountants and telemarketers, medical and legal offices, archival and transcription services.

Wouldn't *your* business benefit from fast, accurate, and low-cost OCR software? Give us a call and let our application specialists explain how you can save time and money with SPOT, *the* OCR text-entry solution.



Visit us at C-BIT in  
Hanover, West Germany.

Circle 104 on Reader Service Card  
(DEALERS: 105)



**FLAGSTAFF  
ENGINEERING**

*Helping People Read a World of Information*

1120 Kaibab Lane • Flagstaff, AZ 86001  
602-779-3341 • FAX 602-779-5998



## Jerry hands out the kudos for the most distinguished products of 1988

I have got 8 million things to do. At dawn tomorrow I catch an airplane to New England, where I'm scheduled to do some briefings about the space program, as well as attend a BYTE Editorial Exposition. Meanwhile, Christmas is in a few days, and I've done no shopping at all. I found Larry Niven's present last spring, so that's set, and Mrs. Pournelle can handle the rest—except of course for her own, which, with luck, I'll pick up in New Hampshire. Surely they have interesting presents?

Meanwhile, this is the last column of the year, which means it's time for my annual Chaos Manor Awards. BYTE has recently instituted annual awards, and it's about time; I've nothing against the other magazines' awards, but I do think BYTE has unique expertise in this field. The BYTE awards are the result of a vote of the BYTE editors, and they are "official"; you saw them in the January issue.

The Chaos Manor Awards come under different rules. They aren't "official" from BYTE, just from me. There's no vote, although I may check with other BYTE editors to see if they have had problems I didn't notice. Eligibility is the year I got a product, not the year it came out. Finally, the usual Chaos Manor rules apply: unless otherwise noted, this is all stuff that I've personally used and beat the devil out of.

### 1988

This has been an interesting year. I began this column a few weeks ago by setting up a GrandView outline (I'll get back to GrandView later). Within a week, I had more than enough items to

fill three columns. I've acquired a *lot* of useful stuff this year, and much of it first came out in 1988. Some of these products aren't earthshaking, but they're all darned useful. By me, 1988 was a *very* good year for computer users.

### Most Useful Computer

The clear winner in this category is the Cheetah 386, which is built up from a Cheetah motherboard and memory installed in a "tower" configuration. Intel furnished the chip set (the 80386 and 80387). Big Cheetah runs at 25 MHz. It would run faster if I got Intel to send me faster-rated chips, and I just may do that; although I have to say that Big Cheetah already runs fast enough for anything I'm likely to do. The BIOS is by Award. So far it has been compatible with everything I've tried, including the new DESQview 3.0.

Just about everything I have said about Big Cheetah could be said about the Zenith Z-386 (although that runs at 16 MHz, still fast enough for nearly anything I do). It happens that I use Big Cheetah a bit more than I do the Zenith, but it could be the other way around. That is, I never experiment on my primary machine; and since I'm *always* mucking about with new software and boards and equipment, something has to be the experimental machine.

I keep a generic IBM PC AT clone that came from Larry Aldridge's Sterling Solutions (1824 South Starfire Ave., Corona, CA 91719) for stuff I'm really doubtful about. For a fair test, however, all the stuff—boards and software—should be run with an 80386 since, in my judgment, the 80386 is the wave of the future. The Z-386 serves as the 80386 test-bed, and it has never failed me. When Larry Niven needed a new computer, I had no hesitation in recommending the Z-386, which is what he bought. Still, Big Cheetah is faster, and I do use him a bit more; so that's the machine of the year, with the Z-386 as runner-up.

The 80286 chip, originally greeted with enthusiasm when the AT came out, has proven to be a dead end. For one thing, while it's easy to get from virtual mode (where the 80286 pretends that it's a fast 8086 like you have in your PC) to protected mode (which is genuine 16-bit operations that can directly access 16 megabytes of memory), getting back from protected mode to virtual mode requires a kludge you have to see before you'll believe it.

That's not the worst problem. If Intel had been able to make 80286s of consistent quality, the chip might still have a protected-mode future, but they didn't. Instead, we have a number of steps and revisions of the 80286, and they are not all alike. Programs running in virtual mode aren't likely to notice, but when you move into protected mode, it can make a real difference. Thus, anyone programming for the 80286 in protected mode must find a least common denominator of the chip to write to. That is possible, but since it's also difficult and expensive, it's generally confined to large programming outfits. Much of the driving force in this industry comes from small programming companies.

There is useful 80286 software, but in general, the future of the 80286 is to be used as a kind of fast 8086, while the 80386 has a great future. The 80286 won't be abandoned quickly because there are so many of them out there, but I see a definite trend toward software written just for the 80386. Most important, there will be compilers and code generators using the 80386's special features.

### Disk Drive of the Year

Big Cheetah's disk drive is the Priam ESDI 330-megabyte hard disk drive, and that gets the award in this category.

I'm very happy with the trend to ever-larger hard disk drives. I didn't predict it; indeed, one of Pournelle's laws was "Silicon is cheap, but iron is expensive."

*continued*

# A MESSAGE TO OUR SUBSCRIBERS

**F**ROM TIME TO TIME we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

## BYTE MAGAZINE

ATTN: SUBSCRIBER SERVICE  
P.O. Box 555  
HIGHTSTOWN, NJ 08520



## The Amiga 2000 is the clear winner as most-improved computer.

This was formulated back in the days of the S-100 bus, and it was intended to warn users that it was a lot easier to upgrade a machine that used a bus and cards than the single-card computers that were the S-100's chief rivals, but I also applied it to disk drives. I was quite certain that spinning metal would soon give way to something without moving parts, like magnetic bubble memory.

I still think that eventually that has to happen—doggone it, it really is easier to fabricate complex silicon than to make high-precision spinning platters and heads—but it's also very clear that it won't happen soon. I'm seeing reliable gigabyte drives that fit into an AT chassis. Priam has a 700-megabyte drive that I suspect will be next year's drive of the year; in seven years of using Priam drives, from the original 20-megabyte drive to the 330-megabyte unit I use now, I've never lost any data.

Priam shares this award with itself: that is, I also have their 330-megabyte SCSI MacDisk for the Macintosh II. Of course, it uses the same hardware as Big Cheetah's disk drive, so this is really only one award. The MacDisk sure is handy: I've noticed that the Mac II hard disk seems to fill up even faster than PC hard disks do. It's probably the graphics and image files. Priam was kind enough to donate a 330-megabyte MacDisk to the Lowell Observatory, and it's about time I publicly thanked them. I'll report on using microcomputers at the Lowell Observatory soon.

### Most Improved Computer

The Amiga 2000 is the clear winner here. It's not just the hardware upgrade to the 68020 chip and a new chip set with more video RAM (although those certainly helped). Commodore has also greatly improved the operating system. The Amiga 2000 will now boot from its hard disk; there's no more Kickstart with a floppy disk and then calling in the Workbench. The disk access times have been improved dramatically: it used to

be that you could go get a sandwich while the Amiga read in a medium-length file.

The Amiga 2000 is now good enough for most things you'd like a computer for. For example, WordPerfect users will find their favorite editor works fine on the new Amiga. Indeed, the whole software base is expanding rapidly.

I was just up to the Stanford Linear Accelerator Center (SLAC), where they use Amiga 2000s as workstations for both secretarial and scientific staff. A great deal of the work is done locally, while the Amiga's multiprocessing capability keeps it connected to their big mainframe. SLAC has developed software to let the mainframe initiate an Amiga task while the Amiga is doing something else. They use Donald Knuth's TEX scientific text formatter; there's an excellent implementation for the Amiga. Incidentally, the X in TEX is a Greek chi, so it's pronounced "tek."

SLAC has developed a whole slew of software for the Amiga. I was quite frankly impressed with what the SLAC people can make the Amiga do. If Commodore could manage to get the SLAC software—most of it is public domain—and distribute it with the Amiga, it would go a long way toward making the Amiga a machine for the rest of us.

### Most Useful Peripheral

Hands down, the most useful new peripheral I acquired this year is the Maximum Storage WORM (write once, read many times) drive. Runner-up is Information Storage's WORM drive. I find the Maximum Storage software a bit handier than Information Storage's WORM TOS. Both WORM drives work very well. Both have recently come out with high-density formats that get even more data on one WORM cartridge.

The main function of a WORM drive is to back up all my work: fiction, programs, data brought in by E-mail, *everything* of value. WORM storage disks cost about a dollar a megabyte; and unlike other backup media, the WORM *saves* everything. You can page back on the WORM and find every version you ever saved. This can be invaluable for programmers. It's no bad thing for fiction writers, either.

Since the computer sees the WORM as just another disk drive, you can use it to store compilers, word processors, and other software that is read and not written to, thus saving hard disk space.

The really neat thing about a WORM is that you don't mind using it to back things up, since it works with COPY or

*continued*

# We've put it in the hands of the PC millions

SPARC™ (Scalable Processor Architecture) is rapidly becoming *the* standard of RISC technology. It's what makes Sun Microsystems' renowned Sun-4™ the technical workstation everyone wants.

Now you can SPARC up your PC!

Definicon's new SP-ARC1™ is a single board coprocessor that brings the power of SPARC processing to any IBM™ compatible PC. That means 15 MIPS performance at 25 MHz, 8 megabytes of RAM, and SPARC code on your PC.

Our SP-ARC1 opens the world of Sun's brilliant SPARC standard to PC users—and the vast MSDOS™ marketplace to SPARC software developers.

This is riskless RISC, thanks to our unconditional, 30 day money-back guarantee. For details about how you can explore the limitless possibilities of SPARC on your own PC, call Paula Jerome at Definicon *now*.



## DEFINICON

**Get Aboard Tomorrow**

© 1988 Definicon Systems, Inc.

SPARC and Sun-4 are trademarks of Sun Microsystems, Inc.  
MSDOS is a registered trademark of Microsoft Corp.  
SP-ARC1 is a trademark of Definicon International Corp.  
IBM is a trademark of International Business Machines, Inc.

**Circle 76 on Reader Service Card**

Definicon International Corporation  
1100 Business Center Circle  
Newbury Park, CA 91320  
(805) 499-0652 Fax: (805) 498-3559

UK: 1-498-0704 France: 1-69-307000 Germany: 49-89-372062

# SPARC

# THE PROGRAMMER'S SHOP

helps save time, money, and cut frustrations. Compare, evaluate, and find products.

CHAOS MANOR

### FREE Product Literature!

Quickly and efficiently sort through a jumble of products without risk or hassle. Learn the details on every product we carry, direct from the manufacturer. Don't wait. Get it fast, free, first-class the day you call 800-421-8006.

"Mention BY389"

### Assemblers

	List	Ours
MS Macro Asm	150	105
Turbo Assembler/Debugger	150	115
Visible Computer 80286	100	89

### C Language - Compilers

AZTEC C86 - Commercial	499	Call
High C-286 - by MetaWare	595	Call
Instant C/16M	795	699
Lattice C - V3.4	450	289
Microsoft C 5.1 - w/CodeView	450	299
Microsoft QuickC	99	69
Turbo C - by Borland	150	115
Turbo C Professional	250	179
Watcom C6.5 - highly optimized	295	Call

### Dbase & Tools

Buzzwords Toolboxes	295	249
CLEAR+ for dBASE	200	159
Clipper Summer '87	695	449
dBASE IV	795	529
Dbase Online	99	89
dBRIEF w/BRIEF	275	Call
dBug - source debugger	195	179
Documentor	295	239
DBXL Interpreter	199	149
FoxBASE+ - V2.1	395	259
Genifer - code generator	395	259
R&R Relational Report Writer	149	139
R&R Clipper & FoxBASE	55	45
Quicksilver Diamond	599	369
UI Programmer	295	239

### New Discovery

#### Vermont Views

Vermont Creative Software's new generation of Windows for Data. User interface library for forms, windows, menus, help, and keyboard handling. Menus in any style. Forms can be larger than display window, have choice lists, context-sensitive help, flexible decimal, date, time, and toggle fields. Mini word processor. International language portability. \$349

### Debuggers

	List	Ours
Periscope II - breakout switch	175	139
Periscope III - 10 MHz version	1395	1119
Sourcerer	100	89

### Editors

BRIEF	195	Call
COMPEDITOR	175	165
Edix	195	159
Epsilon - like EMACS	195	159
KEDIT - like XEDIT, V.4	150	125
Personal Rexx	125	109
MKS VI	75	69
PI Editor	195	159
SPF/PC - V2.0	245	189
Vedit Plus	185	129

### Text Screen Addons

C Worthy w/forms	295	Call
C-scape	399	379
Curses - by Aspen Scientific	119	109
with source	289	275
Greenleaf DataWindows	295	219
for OS/2	395	299
Vitamin C - source, menus	225	169
for OS/2	345	279
Vermont Views - replaces WFD	395	349
with source	790	659

Note: Mention this ad. Some prices are specials. Ask about COD and POs. Formats 3" laptop now available, plus 200 others. UPS surface shipping add \$4/per normal item. All prices subject to change without notice.

Established 1983. We carry over 1,100 different products. Call today for complete technical information and advice, our catalog, literature, and solid value.

5-B Pond Park Road  
Hingham, MA 02043  
Mass. 800-442-8070  
or 617-740-2510 1/89  
Telex: 671 5346  
FAX: 749-2018

# 800-421-8006

HOURS  
M-F 8:30 - 8:00  
Sat 10:00 - 4:00

## "IT MAKES C-C-CROSSTALK SEEM T-T-TONGUE-TIED."

If you're talking to a DEC mainframe, no communication software emulates the VT220, VT100 or VT52 terminal more accurately, easily, or eloquently than VTERM. \*

Hot keys. Kermit. Automatic reformatting for spreadsheets and databases. VTERM has it all.

Why not join the 60,000 users of VTERM (many of whom moved up from Crosstalk). And try the DEC terminal emulation package that has everyone in the business buzzing.

### FREE EVALUATION KIT.

Yes, send me a free time-limited, full-blown working copy of VTERM/220, which is mine to keep.

Name \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

Telephone (\_\_\_\_) \_\_\_\_\_


I am a user  dealer . Mail to:

### Coefficient Systems Corporation

611 Broadway, New York, New York 10012 (212) 777-6707 BYC-3/89

\* VTERM refers to VTERM/220, VTERM/4010, etc. products from Coefficient Systems Corporation. Crosstalk is a trademark of Digital Communications Associates, Inc.

Questions? Want faster action? Call (212) 777-6707, ext. 403.



XCOPY, just like any other disk drive. The WORM isn't a great deal slower than your regular hard disk drive (well, it's slower than mine, but my Priam disk drive goes at an amazing 14 milliseconds; the WORM is more like 75 ms); consequently, it takes not much longer to make backup copies than it did to save the files in the first place. Once saved, they're nearly eternal. My practice is to alternate WORM cartridges, with the one not in use at the moment residing in a safe-deposit box at American Vault; that way, even if Chaos Manor burned down, I'd have most of what I've been working on.

I've said it before, but I'll repeat it here: anyone doing serious software development should get a WORM drive. It's likely to be one of the best investments a software development firm can make.

### LANtastic

I don't have fixed categories in the Chaos Manor Awards; I invent categories to fit products that have impressed me. That description certainly fits Artisoft's LANtastic, which I'll call the LAN of the year. LANtastic consists of an 8-bit board and peer network software. Installation of both hardware and software is simple, and once done, any station on the network can configure itself to make none, all, or part of its files available to other stations. Since it is a true peer network, nothing can be accessed without prior permission.

LANtastic allows network access to a CD-ROM drive; the DOS extensions need be installed only in the remote machines. Since LANtastic works through DOS, it's possible to access WORM drives and nearly everything else.

There are faster LANs, but so far I've found LANtastic to be more than adequate for every task I've given it. I was even able to use it to network the DOS side of the Amiga to my PC.

### PowerPoint

By far the most useful Mac product of the year was Microsoft's PowerPoint. This program lets you make and organize briefing slides; I used it to prepare the SSX (Space Ship Experimental) briefing for the incoming Bush administration. PowerPoint typifies both the good and bad points about the Mac: once you understand the techniques, it's easy to use, but many of those techniques can be discovered only through learning computer folklore.

PowerPoint makes one-sheet briefing

continued

# LepreCard Disk Cards for PC & AT Computers

LepreCards feature Seagate drives, the acknowledged leader in technology and reliability. You can use them as the first or second hard disk in your system. Low power consumption drives mean less strain on your system. You get a 1 year warranty, unlimited technical support & our illustrated installation, and user's guide. Models available for IBM PC/XT and compatibles, AT's and compatibles, as well as the TANDY 1000/A/SX/TX/TL/SL.

**FREE SOFTWARE** Including **TakeTwo**, the backup utility PC MAGAZINE Editors Choice in 1986 & 1987, & LepreCache disk cacheing from Multisoft.

Tandy 1000 Model



Now for AT

CAPACITY	20MB	32MB	32MB	49MB	65MB
AVERAGE ACCESS	48ms	48ms	40ms	28ms*	16ms*
<b>8 BIT PC/XT TYPE:</b>	<b>\$299</b>	<b>\$339</b>	<b>\$389</b>	<b>\$549</b>	<b>\$649</b>
<b>16 BIT AT TYPE:</b>	<b>N/A</b>	<b>\$399</b>	<b>\$449</b>	<b>\$599</b>	<b>\$679</b>

\*Average access speed per partition. Tandy 1000/A/SX/TX LepreCards add \$20.

## Seagate PC/XT Disk Kits

- Pretested & formatted
- Western Digital short slot controller
- 30 Page installation guide & reference manual
- Cables, mounting screws, full & half-height face plates
- **TakeTwo** backup software, PC MAGAZINE "Editors Choice"
- **LepreCache** software by Multisoft
- 1 Year Warranty, 30 Day Money Back Guarantee
- Optional: 150 watt, UL/FCC approved power supply for IBM PC's, \$69



TANDY 1000 kits add \$20

### 30MB KIT \$299

- Seagate ST238 - 32.7MB/65ms./Half-Height/14.8 watts

### 65MB KIT \$499

- Seagate ST277R - 65.5MB/Half-Height/11 watts
- Preformatted into a pair of 32MB/28ms. partitions

### SEAGATE Matched Pair Kits 20MB \$249 40MB \$349


- Seagate Drive & Matched Controller
- 1 year factory warranty
- 15% faster throughput than ST251 drive.

NEW

## LepreKeys

\$99

- 111 key Enhanced layout
- Built-in Solar Powered Calculator
- Switchable Ctrl, Capslock keys
- Double injection moulded key caps
- Removable function key template
- ALPS tactile keyswitches as used by Northgate
- 100% PC/XT/AT/386 & Novell network compatible



NEW

## AT Disks

- Seagate Drive with IBM AT rails & cables
- OnTrack large drive software
- LepreCache & TakeTwo Backup software
- Formatted, Partitioned & Tested

Size	Model	Speed	Format	Capacity	Price
HH	ST251	40ms	MFM	48MB	\$359
HH	ST251-1	30ms	MFM	42MB	\$449
HH	ST277R	40ms	RLL	65MB	\$439
FH	ST4096	28ms	MFM	80MB	\$599

## 286<sup>12</sup> Computer

### PERFORMANCE RATINGS

SYSTEM	NORTON		
	SI Ver4.0	MIPS	PowerMeter
IBM Model 50Z	11.2	1.6	147.2
Compaq 386-16	15.6	2.8	319.9
Shamrock 286-12/0	15.3	2.5	253.3
Shamrock 286-12/1	11.8	1.9	178.9



- 80286-12Mhz 1 wait state (0 optional)
- 8 slot American made motherboard
- Room for 1 full and 3 half-height drives
- 220 watt power supply, Award BIOS
- Serial/Printer ports, Clock/Calendar
- Choice of 1.2 or 1.44MB floppy drive
- Western Digital 1:1 interleave Disk controller
- LepreKeys Enhanced keyboard with tactile switches & built-in calculator
- 512K RAM standard expandable to 1MB, 1 year warranty - 30 day money back guarantee.

- Complete Systems: Base Unit **\$ 895**
- Monographics Card & Monitor **\$1049**
- VGA Card & Monochrome Monitor **\$1295**
- EGA Card & EGA Monitor **\$1469**
- Paradise VGA Plus Card & Multiscan Monitor **\$1595**
- Paradise VGA Plus 16 Card & NEC Multisync II Monitor **\$1895**



733AA Lakefield Rd., Dept. B,  
Westlake Village, CA 91361



To order, or get  
our free catalog, call TOLL FREE

**800-722-AT-XT**  
California  
**805-373-7847**  
FAX  
**805-379-9345**

- No extra for Visa/Master/Discover (AMEX add 3%)
- Prices include UPS surface shipping.
- Federal Express shipping just \$1.50 per pound.
- 30 Day money back guarantee.
- Corporate & Institutional PO's accepted.
- Call for our FREE catalog.

charts that the program documentation calls "slides." Slides can incorporate both text and graphics. If you have a briefing logo, it can be pasted onto the presentation master, and it will then appear on every chart. I scanned in the logo—a stylized SSX rocket superimposed over a globe—with the Apple Macintosh scanner, another of those products that are infuriatingly excellent: it works fine, but you really have to work to outsmart the software, which seems perpetually to offer you options you want but which are grayed out (and thus not available). On the other hand, when you do figure this stuff out, it works splendidly. The logo really looks great.

PowerPoint charts or slides can be shown on-screen, photographed with something like the Datacam computer screen camera to make actual slides, or printed on a LaserWriter. The LaserWriter will print on acetate for overhead projectors. However you do it, the final product looks very professional.

There is also a notes system: each chart is produced in miniature at the top of a page, after which you can add any notes you like. When you print the brief-

**P**owerPoint  
makes one-sheet  
briefing charts that are  
called slides.

ing charts, you can also, if you wish, print the notes files.

If your company is much involved with giving briefings and presentations, it's probably worth buying a Mac and a LaserWriter just to have this program; the output is that good.

Getting there may drive you nuts.

For example: when you print your charts, PowerPoint offers the option of normal printing, one chart per page, or "handout" style, which puts up to six charts (in miniature) on each sheet. This is a great way to give out briefing summaries, and when we finished the SSX

briefing, I wanted to make handouts. When I did, though, there at the top of each page in a nice shadowed box were the words "Presentation Title," and at the bottom it said "Presented by:" followed by blank space. Clearly not what I wanted. If there had to be a "Presentation Title" box, it ought to have a title I had given it. I didn't care to have "Presented by: blank" on every page, either.

The PowerPoint documents are clear, detailed, and very long. If I were a professional document manager, I'd read that book from beginning to end. Alas, I'm not, and indeed I was in a great hurry and had no time to read a few hundred pages; since what I wanted was to title the presentation, I looked up "title" in the index. There was nothing there. Nothing under "presentation" or "presented by," either.

Eventually I figured it out: just as there is a "Master Slide" onto which you paste your logo and all the other stuff you want on every briefing chart, there's a "Handout Master" that does the same thing. All it takes is editing that. It all makes sense, too, once you cotton onto the philosophy.

## How to think of the New DigiCHANNEL PC/Xi Intelligent Multi-Channel Communications Board.



Think of the DigiCHANNEL PC/Xi as the cutting edge of flexibility. The new state-of-the-art in intelligent multi-channel communications boards.

A 12.5 MHz 80186 subsystem, featuring DigiBoard's Front End Processor real-time Operating System (FEP O/S), works in concert with whatever operating system you're using to ensure efficient I/O handling. Plug-in I/O Mate™ modules give you a



choice of 8 or 16 asynchronous ports to make it extremely flexible. You can specify from 128K to 512K of RAM, plus a variety of interfaces such as RS-232 and RS-422. There's even an optional synchronous channel.

So if your multi-user or multi-channel applications call for the last word in speed, configuration flexibility and programmability, the new DigiCHANNEL PC/Xi will put you at the cutting edge. Where you belong.

**DigiBoard**  
Plugging you into tomorrow

Call 1-800-344-4273. In Minnesota, (612) 922-8055.

It still wasn't all that easy to do things. For reasons I have yet to understand, the Handout Master insists on showing the Presentation Title in color, and when I try to use the facilities to change the color scheme, I get a bomb, "Sorry, a system error has occurred," and error message 05; none of which makes life easy if you are trying to make charts to take to the transition team and your airplane leaves in 5 hours.

I managed a kludge that seems to have worked. The "color" scheme the system gives me is so dark I can't read it, but I just typed in the Presentation Title blind and trusted to luck that when it printed in black and white it would look all right; and Lo!, it did.

I had other problems like that and was able to work around them all. I think using a Mac is a bit like learning Lisp: if you fool around with it long enough, there's a kind of "Aha!" after which everything is simple. I sure hope so.

Meanwhile, despite all the problems, PowerPoint let me make up a complex and highly professional presentation in a couple of evenings; in my old aerospace days, it would have taken the presentation

art group at least a week to do a job that good, and the cost would have been greater than the value of the Mac II.

The Mac II and PowerPoint are seriously good stuff.

### Printing

The printer of the year is the big Kyocera F-3010 laser printer. As I've said before, I really have no business hanging onto this much printer, but I'm sure glad they don't want it back just yet. The F-3010 emulates nearly every printer known, and it prints an honest 15 pages a minute of double-spaced Times Roman text (complete with italics and boldface). I printed a novel in well under an hour. Like most modern laser printers, the F-3010 stacks the output upside down.

Meanwhile, Mrs. Pournelle reminds me that the Mannesmann Tally laser printer continues to work reliably in her end of the shop. It also happens to use the Kyocera print engine.

### Laptops

Despite its weight—it really is giving me a permanent list to port—the laptop I carry is the Zenith SupersPort 286,


which is a full AT-compatible machine with a 20-megabyte hard disk drive. The screen is readable, and I get an honest 3-plus hours on each charge. I've carried the SupersPort to a lot of places, and although I really wish it weighed less, I find that I'm not willing to swap it for one of the other laptops we have here at Chaos Manor.

I did discover that the SupersPort isn't as easy to use in my Bronco II as was its predecessor, the Z-183. The SupersPort is both smaller and heavier than the Z-183, and when you have to balance the machine on your lap while being driven at freeway speeds, that difference is important. I did manage to work with the SupersPort: I got a bungee cord and used that to hold the machine up against the dash, with its battery pack resting on the shelf above the glove compartment. The cord held the machine in place despite bumps and curves, and I was able to write several hundred words an hour.

For writers, the difference between the SupersPort and the Z-183 isn't all that great; either will do the job nicely. The SupersPort is, of course, faster and

*continued*

## How to think of the New DigiCHANNEL PC/Xe Intelligent Multi-Channel Communications Board.



Think of the DigiCHANNEL PC/Xe as the cutting edge of economy. You asked for an intelligent multi-channel communications board to fit applications that don't need a host of "extra" features, and we listened.

An 8MHz 80186 processor gives you speed and power that basic boards can't match, yet its cost is surprisingly...well...basic. You can choose between 4 or 8 asynchronous channels, and you'll find that its

64K of RAM is plenty for such straight forward multi-user and multi-channel applications as data collection and office automation.

Best of all, the DigiCHANNEL PC/Xe is engineered and built to the same impressive standards as our DigiCHANNEL PC/Xi. So, no matter how simple or complex your system, you can trust us to get you up and running. And keep you there.

**DigiBoard**  
Plugging you into tomorrow

Call 1-800-344-4273. In Minnesota, (612) 922-8055.

low, if it existed at all; many of those early BASIC programs "just grewed."

That's all changed now. QuickBASIC 4.5 has all the control structures you'll ever need. It has IF...THEN...ELSE, CASE, DO WHILE, DO UNTIL, and so forth, all of which have been in BASIC for some time. It also has subroutines that can be called by name, and they are nearly indistinguishable from Pascal procedures. QB 4.5 subroutine variables can be local, local and static (a static

variable doesn't go away when you exit the subroutine), or global.

While QB 4.5 isn't as strongly typed as Pascal, there are variable types, including records that work pretty much the same way that records do in Pascal. In a word, all the necessary data structures are there. It's still possible to write spaghetti code, but it's just as easy to do things right.

The result is a language quite good enough for complicated programs, as

well as for quick-and-dirty jobs. I don't doubt that you can do a great deal more with C and that the resulting program will run faster; on the other hand, if you don't do a lot of programming in C, you won't do any. C is a language that lets you do in one line what it takes several lines of Pascal or BASIC to achieve. The result is that it's much harder to read the program, and if you put a large C program aside for a few weeks and then go back to it, you are likely to find it's going to take a long time to figure out what you did. With BASIC, you can usually just pick up the work and start adding to it.

I can make about as good a case for Borland's Turbo Pascal as I can for QB 4.5; but the fact remains that the major programming work I've done this year was on Mrs. Pournelle's reading program, and that has been done in QB 4.5. Also, when I have a quick job to do—file format conversions, for example—I find that I tend to use QB 4.5 because it's so simple to do.

I suspect that the future belongs to object-oriented languages, like Smalltalk or Actor; but at the moment, the language I actually use is QB 4.5.

### Software Trendsetter

There are hardware differences between PC and Mac computers, but they're less important every year. For most users, the essential difference is the general philosophy of their operating systems. The Mac has always been visual and graphics-oriented, and Mac software in general has been developed to take advantage of that. Some of that software was so good that many of us thought it was worth buying a Mac to get it. Of course, much of this software was concerned with desktop publishing and document preparation, typified by packages like PowerPoint.

There were also programs like Microsoft's Excel and Softview's MacInTax.

Many analysts said the most important computer event of 1988 was the introduction of OS/2 and Presentation Manager. That may be true, but I have my doubts; even Microsoft says the installed base of OS/2 won't be very large for another couple of years. In my judgment, the 1988 improvements in Windows were considerably more important. Provided that you have a good EGA video system, you can now get both Excel and MacInTax for your AT. You don't even need Windows; both programs come with runtime packages that take care of the job.

That trend will continue. Windows, and in particular Hewlett-Packard's

*continued*

## New! Turbo Pascal Tools for Powerful Multi-User Databases

Write powerful multi-user databases faster and easier using the language you love - Turbo Pascal - and B-Tree Filer 5.0. Easily upgrade your present applications that use Borland's Database Toolbox.

### The Performance and Connections You Need

You'll have the fastest, safest, most flexible databases when you use B-Tree Filer 5.0 - no rigid structure, no TSR hassles, no running out of files. And they're compatible with Novell, 3Com, MS-NET, and others.

### The Complete B-tree Tool Kit

In over 100 Turbo 5.0 procedures you get:

- Fixed and variable length records • Two billion records per database • 100 keys per index file
- Flexible record locking • B-tree indexing with advanced page balancing • Fail-safe mode with journaling • Units for sorting, browsing, reindexing, and reorganizing • Same source runs on any network • Complete source code. B-Tree Filer includes full documentation and technical support and you pay NO royalties.

**B-Tree Filer 5.0 is only \$125. (single user)**

Multi-user version with network support, only \$175.

Call toll-free for credit card orders.

**1-800-538-8157 ext 830 (1-800-672-3470 ext 830 in CA)**

Complete capabilities brochure available, call 408-438-8608 (9 to 5 PST) or write for more information. Also from TurboPower:

- Turbo Analyst 5.0, tune and document your programs, only \$99.
- Turbo Professional 5.0, the best general purpose library, \$125.

Satisfaction guaranteed or your money back within 30 days. Turbo Pascal 4.0 or 5.0 is required. Shipping and taxes prepaid in U.S. and Canada. Elsewhere add \$15 per unit.



TurboPower Software  
P.O. Box 66747  
Scotts Valley, CA 95066-0747

# Compuclassics

WE WELCOME INTERNATIONAL ORDERS

1 818 705-4885 FAX

## SOFTWARE

<b>ALDUS</b>	
Pagemaker 3.0	519.00
<b>AMERICAN SMALL BUSINESS</b>	
Design Cad	159.00
Design Cad 3D	159.00
<b>ASHTON TATE</b>	
Multimate II	279.00
Dbase IVs	489.00
Dbase IV Developers Edition	849.00
Rapidfile	195.00
Framework II	429.00
Chartmaster	229.00
Master Graphics	299.00
<b>ASK SAM SYSTEM</b>	
Ask Sam	235.00
<b>AUTODESK</b>	
Autosketch Enhanced	65.00
<b>BANNER BLUE</b>	
Org Plus	59.00
<b>BLAISE COMPUTING</b>	
Turbo Power Tools Plus	92.00
Turbo Async Manager Plus	125.00
C Tools Plus	92.00
C Async Manager	125.00
<b>BLOC DEVELOPMENT</b>	
Formtool W/Greatest Hits	59.00
<b>BORLAND</b>	
Sprint	129.00
Sidekick Plus	135.00
Eureka	109.00
Quattro	165.00
Turbo Graphix	69.00
Reflex	99.00
Superkey	69.00
Turbo Prolog	99.00
Turbo Basic	62.00
Turbo C	99.00
Paradox V 2.0	479.00
Turbo Pascal 5.0	99.00
Turbo Tutor 4.0	49.00
<b>BOURBARI</b>	
1 Dir Plus 1.0S	55.00
<b>BRIDGEWAY PUBLISHING</b>	
Faastrix	39.00
<b>BRODERBUND</b>	
Print Shop	35.00
Memory Mate	45.00
<b>BUTTONWARE</b>	
PC File +	45.00
<b>CENTRAL PCINT</b>	
Copy II PC	25.00
Copy II PC Option Brd Dlx	109.00
PC Tools Deluxe	39.00
<b>CHRONOS SOFTWARE</b>	
Who What When	149.00
<b>CHIPSOFT</b>	
Turbo Tax	49.00
Turbo Tax State	29.00
Turbo Tax Professional	169.00
Turbo Tax Professional State	115.00
<b>CLARIS</b>	
Nutshell Plus	219.00
<b>COMPUTER ASSOCIATES</b>	
Supercalc V	319.00
Superproject Expert	445.00
ACCPAC BPI	275.00
Silverado	99.00
<b>CONCENTRIC DATA SYSTEMS</b>	
R & R Relational Report	109.00
<b>CORE INTERNATIONAL</b>	
Corefast	89.00
<b>DAC</b>	
Easy Accounting 3.0	59.00
Easy Payroll 3.0	59.00
Bonus Pack 2.0	115.00
<b>DATASTORM</b>	
Procomm Plus	52.00
<b>DBFAST</b>	
Dblast	62.00
<b>DIGITAL RESEARCH</b>	
Gem Desktop	32.00
Gem Draw Plus	179.00
Gem 1st Word Plus	119.00
Presentation Team	285.00
Desktop Publisher	179.00
<b>DIGITALE</b>	
Smalltalk V	75.00
Smalltalk V 236	145.00
<b>EXECUTIVE SYSTEMS</b>	
X Tree	37.00
X Tree Pro	69.00

<b>FIFTH GENERATION</b>	
Fastback	92.00
Fastback Plus	109.00
<b>FORMWORX</b>	
Formworx w/Fill & File	89.00
<b>FOX SOFTWARE</b>	
Foxbase Plus	199.00
Foxbase Multi-user	299.00
Foxbase Runtime Unlimited	265.00
<b>FUNK SOFTWARE</b>	
Always	95.00
Sideways	40.00
<b>GENERIC SOFTWARE</b>	
Genetic Cad 3.0	55.00
Dot Plot	27.00
Auto Convert	27.00
Auto Dimension	27.00
3D Solid Modeling/Rendering	179.00
<b>GIBSON TECHNOLOGY +</b>	
Spinwrite	55.00
<b>GOLDEN BOW</b>	
V Feature Deluxe	125.00
V Cache	45.00
<b>IBM</b>	
Displaywrite IV	299.00
DOS 4.01	119.00
<b>INTUIT</b>	
Quicken	39.00
<b>LASERGO</b>	
Go Script	160.00
Go Script Plus	279.00
<b>LATTICE</b>	
Lattice C Compiler	229.00
<b>LEADING EDGE</b>	
Word Processor W/Spell/Merge	59.00
Word Processor V1.5	89.00
<b>LOTUS DEVELOPMENT</b>	
All Products	CALL
<b>MATHSOFT</b>	
Mathcad 2.0	225.00
<b>MECA</b>	
Managing Your Money 4.0	125.00
<b>MERIDIAN TECHNOLOGY</b>	
Carbon Copy Plus	115.00
<b>MICROGRAFX</b>	
Designer	465.00
<b>MICROLOGIC</b>	
Tornado	59.00
<b>MICROLYTICS</b>	
Gofer	42.00
<b>MICROPRO</b>	
Wordstar Professional 5.0	249.00
Wordstar 2000 Plus	239.00
<b>MICROMIA</b>	
Rbase for Dos	475.00
<b>MICROSOFT</b>	
Pageview	35.00
Quick C	67.00
Word	225.00
Quickbasic	67.00
C Compiler	299.00
Fortran Compiler	299.00
Macro Assembler	99.00
Learning DOS	35.00
Flight Simulator	35.00
Excel	309.00
Windows 386	129.00
<b>MICROSTUP</b>	
Crosstalk XVI	99.00
Crosstalk Mark 4	125.00
<b>NANTUCKET</b>	
Clipper	439.00
<b>NEW ENGLAND SOFTWARE</b>	
Graph-In-The-Box	75.00
<b>NORTH EDGE SOFTWARE</b>	
Timeslips III	115.00
<b>PAPERBACK SOFTWARE</b>	
VP Info	65.00
VP Planner	55.00
VP Planner Plus	129.00
<b>PATTON &amp; PATTON</b>	
Flowcharting II Plus	145.00
<b>PAUL MACE</b>	
Mace Utilities	55.00
<b>PERSOFT</b>	
Ize	269.00
<b>PC SUPPORT GROUP</b>	
Lightning	55.00
Lucid 3D V 2.0	69.00
<b>PEACHTREE</b>	
Complete Accounting II	159.00
Complete Accounting w/Data Query	235.00
<b>PERSOFT</b>	
Smarterm 240	209.00
Refere	45.00

<b>PETER MORTON</b>	
Norton Utilities	50.00
Norton Utilities Advanced	79.00
Norton Commander	49.00
<b>PRIME SOLUTIONS</b>	
Disk Technician	59.00
Disk Technician Plus	79.00
<b>QUAID SOFTWARE</b>	
Copywrite w/Zerodisk	CALL
<b>QUARTERDECK</b>	
Desqview 2.2	75.00
<b>REFERENCE SOFTWARE</b>	
Grammatik III	55.00
<b>RIGHTSOFT</b>	
Rightwriter	59.00
<b>SANTA CRUZ OPERATION</b>	
Xenix 286 Operating Sys	469.00
Xenix 286 Development Sys	469.00
Xenix 386 Operating Sys	539.00
Xenix 386 Development Sys	539.00
<b>SCITOR</b>	
Project Scheduler Network 4.0	439.00
<b>SIMON &amp; SCHUSTER</b>	
New World Writer II	99.00
Typing Tutor IV	32.00
<b>SOFTCLONE</b>	
Mirror II	35.00
<b>SOFTLOGIC SOLUTIONS</b>	
Disk Optimizer	42.00
Cubit	42.00
Double DOS	42.00
Liberty	115.00
Magic Mirror	59.00
<b>SOFTWARE MASTER</b>	
Flash 5.6	49.00
<b>SOFTWARE PUBLISHING</b>	
PFS First Publisher	79.00
Professional Write	119.00
Professional File	179.00
PFS First Choice	99.00
Harvard Total Project III	449.00
Harvard Graphics	295.00
<b>STORAGE DIMENSIONS</b>	
Speedstor	49.00
<b>SYMANTEC</b>	
Timeline V3	329.00
Grandview	159.00
Note-It-Plus	49.00
SQZ Plus	59.00
Cambridge Spreadsheet Analyst	89.00
<b>TRANSEC SYSTEMS</b>	
Masterkey Unlock	109.00
dAnalyst	179.00
<b>TRAVELING SOFTWARE</b>	
Laplink World	85.00
<b>UNISON WORLD</b>	
Printmaster Plus	32.00
Art Gallery I & II & III (Each)	19.00
Newsmaster II	55.00
<b>WISEWARE</b>	
Prime Time	65.00
<b>WORD PERFECT CORPORATION</b>	
Word Perfect 5.0	239.00
Word Perfect Network Server	349.00
Word Perfect Network Add-On	75.00
Plan Perfect	195.00
Data Perfect	299.00
Word Perfect Executive	125.00
Word Perfect Library	65.00
<b>WORD TECH</b>	
DBXL Diamond	115.00
Quicksilver Diamond	345.00
<b>XEROX</b>	
Ventura Publisher 2.0	519.00
<b>HARDWARE</b>	
<b>ARRAY TECHNOLOGIES (ATI)</b>	
VIP VGA	249.00
EGAWonder 800	249.00
<b>AST RESEARCH</b>	
Six Pack Plus 384K	269.00
Rampage AT 512K	439.00
Rampage Plus 512K	569.00
AST 5251/11 Enhanced	579.00
<b>ATD ZUCKER</b>	
Monographics Short Card	79.00
Memory Expansion 384K	219.00
Modular I/O Bare P/S/Clock	75.00
Clock Board Standalone	42.00
1200 Baud Internal Modem	85.00
<b>CITIZEN</b>	
1200	159.00
MSP 40	349.00
MSP 15E	359.00
MSP 50	445.00

<b>EVEREX</b>	
EV 1800 8MHz AT System	969.00
EV 1800 10MHz AT 0 Wait	1179.00
Evercom II 1200 Modem	75.00
Evercom III 2400 Int Modem	155.00
Magic I/O For AT	59.00
RAM 3000 EMS Expansion	99.00
<b>FIFTH GENERATION</b>	
Logical Connection 256K	469.00
<b>HAYES</b>	
Smartmodem 2400	465.00
Smartmodem 2400B W/Software	465.00
<b>HERCULES</b>	
Hercules Monochrome Plus	189.00
<b>HEWLETT PACKARD</b>	
Laserjet II	1649.00
Fonts/Cartridges for Laserjet II	CALL
<b>INTEL</b>	
Above Board 286 W/512K	429.00
Above Board Plus w/512K	495.00
8087-3 (5MHz)	109.00
8087-2 (8 MHz)	159.00
80287 (6 MHz)	175.00
80827 (8 MHz)	250.00
80287 (10 MHz)	319.00
Inboard 386 PC or 386 AT	899.00
<b>INTERNATIONAL BATTERY</b>	
AT Replacement Battery	19.50
AST Six Pack Battery	3.50
<b>IRWIN MAGNETICS</b>	
120 XT 20MB Internal	339.00
125 AT 20 MB Internal	339.00
<b>KENSINGTON</b>	
Masterpiece	89.00
Masterpiece Plus	105.00
Masterpiece Remote	115.00
<b>LOGITECH</b>	
Logimouse C7	75.00
Logimouse Hi Rez	99.00
Logimouse C7 + Paintbrush	95.00
Logimouse W/Cad/Paint	125.00
Publisher Mouse	125.00
Scanman	199.00
<b>MICROSOFT</b>	
BUS Mouse W/Paintbrush	109.00
BUS Mouse W/Windows	145.00
Serial Mouse W/Paintbrush	109.00
Serial Mouse W/Windows	145.00
<b>MICROSOFT</b>	
Fast Trap	95.00
<b>MOUSE SYSTEMS</b>	
PC Mouse BUS Plus	95.00
PC Mouse Serial Plus	95.00
<b>NEC HOME ELECTRONICS</b>	
Multisync II	629.00
<b>ORCHID</b>	
Orchid Pro Designer	299.00
Pro Designer VGA Plus	359.00
<b>PANASONIC</b>	
KX-P10911	209.00
KX-P1595	479.00
KX-P1524	649.00
KX-10921	365.00
<b>PARADISE</b>	
Autoswitch 480	199.00
VGA Plus	295.00
<b>PLUS DEVELOPMENT</b>	
Hardcard 20 MB	569.00
Hardcard 40 MB	709.00
<b>POLAROID</b>	
Polaroid Palette	1499.00
Polaroid Palette Plus	2399.00
<b>PRACTICAL PERIPHERALS</b>	
Practical Modem 1200 Internal	69.00
Practical Modem 1200 SA	109.00
Practical Modem 2400 INT	155.00
Practical Modem 2400 SA	185.00
<b>SAMSUNG</b>	
Amber Monitor	85.00
<b>SEAGATE TECHNOLOGY</b>	
All Products	CALL
<b>SUMMAGRAPHICS</b>	
Summasketch 1201 Plus	389.00
<b>SYSEN</b>	
Ext 5 1/4" Drive	289.00
<b>TOUCHBASE</b>	
Worldport 2400 Modem	269.00
Worldport 1200 Modem	159.00
<b>TOSHIBA</b>	
T 1000 Laptop	875.00
T 3100-20 Laptop	3415.00
P321 SL Printer	549.00
P341 SL	759.00
P351 SX	1175.00

## ADVANTAGES

- We welcome corporate accounts
- Immediate replacement of defective goods.
- Bulk discounts
- Immediate shipment on purchase orders from qualified government institutions

(schools and universities included)  
 • No hidden charges.  
 • No minimum.

## TERMS:

All prices are subject to change without notice. We

do not guarantee compatibility. No surcharge for VISA or MasterCard. 2% surcharge American Express. No returns without RA#f. Short shipments must be notified within 48 hours. 15% restocking fee on non-defective goods: \$3.50 C.O.O. charge. Shipping \$4.50 minimum per item, less on bulk orders. (\$8.50 Blue Label.) (Higher for some software or hardware items.)

Call for prices for any software item not included in this price list.

Order desk & technical support open 7 a.m. to 6 p.m. Monday-Friday (PST) 10 a.m. to 2 p.m. Saturday (PST)  
**P.O. BOX 1588**  
 6934 Canterbury St., Suite #109-110  
 Reseda, CA 91335  
 Telex 999415COMPU UR/Fax 818-705-4885

WE WELCOME INTERNATIONAL ORDERS

1 818 705-1895 US

1 800 231-6603 CA

1 800 328-4473 US

## Items Discussed

- Actor** .....\$495  
The Whitewater Group  
Technology Innovation Center  
906 University Place  
Evanston, IL 60201  
(312) 491-2370  
**Inquiry 1038.**
- Amiga 2000** ..... \$2195  
Commodore Business Machines, Inc.  
1200 Wilson Dr.  
Brandywine Industrial Park  
West Chester, PA 19380  
(215) 431-9100  
**Inquiry 1039.**
- Cheetah 386** ..... \$2195  
Cheetah International, Inc.  
107 Community Blvd., Suite 5  
Longview, TX 75602  
(800) 243-3824  
**Inquiry 1040.**
- Connection  
CoProcessor** .....\$995  
Intel Corp.  
Personal Computer  
Enhancement Operation  
5200 Northeast Elam Young Pkwy.  
Hillsboro, OR 97124  
(800) 538-3373  
**Inquiry 1041.**
- DESQview** .....\$129.95  
Quarterdeck Office Systems  
150 Pico Blvd.  
Santa Monica, CA 90405  
(213) 392-9851  
**Inquiry 1042.**
- Disk Pac** .....\$399  
Tandon Corp.  
405 Science Dr.  
Moorpark, CA 93021  
(805) 523-0340  
**Inquiry 1043.**
- Dungeon Master** ..... \$39.95  
Oasis Systems/FTL Games  
6160 Lusk Blvd., Suite C-206  
San Diego, CA 92121  
(619) 453-5711  
**Inquiry 1044.**
- Empire** ..... \$49.95  
Interstel  
P.O. Box 57825  
Webster, TX 77598  
(713) 486-4163  
**Inquiry 1045.**
- ESDI Drive** ..... \$3460  
**MacDisk** ..... \$3995  
Priam Corp.  
20 West Montague Expressway  
San Jose, CA 95134  
(408) 434-9300  
**Inquiry 1046.**
- F-3010** ..... \$8395  
Kyocera Unison, Inc.  
3165 Adeline St.  
Berkeley, CA 94703  
(415) 848-6680  
**Inquiry 1047.**
- GrandView** .....\$295  
Symantec Corp.  
Living Videotext Division  
117 Easy St.  
Mountain View, CA 94043  
(415) 964-6300  
**Inquiry 1048.**
- LANTastic** .....\$399  
Artisoft, Inc.  
3550 North First Ave., Suite 330  
Tucson, AZ 85719  
(602) 293-6363  
**Inquiry 1049.**
- Lap-Link Mac**.....\$139.95  
**Lap-Link PC** .....\$129.95  
Traveling Software, Inc.  
18702 North Creek Pkwy.  
Bothell, WA 98011  
(800) 343-8080; in Washington,  
(206) 483-8088  
**Inquiry 1050.**
- Logic Gem** .....\$198  
Sterling Castle Software  
702 Washington St., Suite 174  
Marina del Rey, CA 90292  
(213) 306-3020  
**Inquiry 1051.**
- Mace Utilities 5.0**..... \$99  
**GRASP** .....\$149  
Paul Mace Software, Inc.  
400 Williamson Way  
Ashland, OR 97520  
(503) 488-2322  
**Inquiry 1052.**
- PC-Write 3.0** ..... \$89  
Quicksoft  
219 First Ave. N, Suite 224  
Seattle, WA 98109  
(206) 282-0452  
**Inquiry 1053.**
- PowerPoint** .....\$395  
**QuickBASIC 4.5** ..... \$99  
Microsoft Corp.  
16011 Northeast 36th Way  
P.O. Box 97017  
Redmond, WA 98073  
(206) 882-8080  
**Inquiry 1054.**
- ScanMan** .....\$299  
Logitech International SA  
6505 Kaiser Dr.  
Fremont, CA 94555  
(415) 795-8500  
**Inquiry 1055.**
- Spot**.....\$995  
Flagstaff Engineering  
1120 Kaibab Lane  
Flagstaff, AZ 86001  
(602) 779-3341  
**Inquiry 1056.**
- SupersPort 286** ..... \$4999  
Zenith Data Systems  
1000 Milwaukee Ave.  
Glenview, IL 60025  
(312) 699-4800  
**Inquiry 1057.**
- Turbo Debugger** .....\$149.95  
Borland International, Inc.  
1800 Green Hills Rd.  
P.O. Box 660001  
Scotts Valley, CA 95066  
(408) 438-8400  
**Inquiry 1058.**
- WORM**  
internal ..... \$1888  
external ..... \$2088  
Information Storage, Inc.  
2768 Janitell Rd.  
Colorado Springs, CO 80906  
(303) 579-0460  
**Inquiry 1059.**
- WORM**  
500-megabyte (external) ..... \$4450  
APX-4100 (internal)..... \$4250  
Maximum Storage, Inc.  
5025 Centennial Blvd.  
Colorado Springs, CO 80919  
(719) 531-6888  
**Inquiry 1060.**

# MODULA-2 AND OS/2: PERFECT PARTNERS



"...TopSpeed™ is surely one of the finest new products introduced to date in the PC arena...DDJ doesn't give unqualified raves very often, but there's no question about it in this case; JPI's TopSpeed Modula-2 is first-rate."

Kent Porter  
Dr. Dobbs Journal

"JPI Modula-2 looks like another classic in the making. It generates code as good as or better than leading C compilers and the programming environment is a genuine pleasure to use."

Dick Pountain  
BYTE Magazine

"JPI TopSpeed is simply the best Modula-2 Software Development System evaluated to date, and must be considered the current leader of the pack."

M. Eugene Haltiwanger  
J of Pascal, Ada & Modula-2

**In England and Europe contact:**  
Jensen & Partners UK Ltd., 63 Clerkenwell Road, London EC1M 5NP. Phone: (01)253-4333.  
DOS Compiler: £59.95, TechKit £34.95, VID £34.95, DOS 3-Pack £119.95, OS/2 Compiler £124.95.

**Handling charges:** In UK please phone for VAT & P&P. In Europe, add £6 for up to 3 products, £2 for each add'l product.

**OS/2 version now available:** Runs in protected mode under OS/2 Standard or Extended Edition 1.0 or 1.1. Generates standard .OBJ files and .DLLs. Comes with fast, smart linker, built-in assembler. Modula-2 and assembly source code for libraries included (and fully compatible with DOS version). Full support of all OS/2 calls. Same integrated configurable environment as the DOS version.

**The Compiler Kit includes:** High-speed optimizing compiler (3,000-5,000 lines/min. on a PC AT 8MHz), integrated menu-driven environment with multi-window/multi-file editor, automatic make, fast smart linker. All Modula-2 sources to libraries included. **BONUS:** Complete high-speed window management module included with source. 258-page User's Manual and 190-page Language Tutorial.

**VID (Visual Interactive Debugger):** An integrated multi-window symbolic debugger for DOS. View source code as it executes. Single-step and trace through multiple modules. Qualify breakpoints with expressions. Examine & modify variables in symbolic form, including arrays, records & pointers. Automatic trace of variables accessed. Includes symbolic disassembler, execution profiler. 78-page manual. (DOS only)

**The TechKit™ includes:** Assembler source for start-up code and run-time library, JPI TopSpeed Assembler (30,000 lines/min.). TSR module, communications driver, PROM locator, dynamic overlays, and technical information. 72-page manual. (DOS only)

**System Requirements:** IBM PC or compatible, 384K available RAM, two floppy drives (hard disk recommended).



TopSpeed's seamlessly integrated environment.



VID (Visual Interactive Debugger): power without complexity.



Sieve benchmark measured by the British Standards Institution (BSI)—25 iterations on an 8MHz AT.

**DOS Compiler \$99.95**  
**TechKit \$59.95**  
**VID \$59.95**

**DOS 3-Pack \$199.95**  
(Compiler, TechKit & VID)

**OS/2 Compiler \$195.00**

## To Order:

In the US, call:  
**1-800-543-5202**

In Canada, call:  
**1-800-543-8452**

Or mail us your order with a check, money order, or VISA/MC information. 30-day unconditional money-back guarantee.

## Shipping & handling charges:


In North America: add \$5 for each product ordered. CA residents please add applicable sales tax. Overseas: Add \$20 for EACH compiler and \$8 for each other product. 3-pack & h is \$36.00.



Jensen & Partners  
International

1101 San Antonio Rd.  
Suite 301  
Mountain View, CA 94043  
Phone: (415)967-3200

TopSpeed and TechKit are trademarks of Jensen & Partners International. Other brand and product names are trademarks or registered trademarks of their respective holders.



**A Brand New Resolution The Handy Scanner HS-3000**

**Free HALO DPE™**

The hardest little scanner in the world just got even better. The Handy Scanner 3000 from DFI offers you clarity and versatility in a little package. Like our other Handy Scanners, the Handy Scanner 1000 for the IBM PC, PS/2s and compatibles can handle almost all the jobs the desktop needs, can, but it's smaller and easier to use.

We give you the features you need the most in a Handy Scanner. The new 6-1/8" scanning width makes short work of the biggest pictures. You can switch the scanner between 400/300/200/100 DPI. For those really important pictures, the Handy Scanner 1000 lets you have it all with 400 DPI resolution. The real-time screen display lets you instantly see your scan, so you can quickly make scanner adjustments as necessary. With adjustable half-tones and contrast, you get a clear, clean picture. Two col-

ors, not one, are used to scan your originals, so colors such as red or reddish skin tones can be scanned without losing detail.

The Handy Scanner 1000 comes complete with full featured, powerful software for scanning, editing and merging text with your graphics. Saved scan files are compatible with almost all graphics software, including PageMaker, Ventura, WordPerfect 5.0 and many others. The package includes the scanner, interface card, the HALO DPE desktop publishing software package (worth \$195), a utility diskette and an instruction manual.

The Handy Scanner 3000 is a little scanner that does a lot, and now it does it even better.

**ADDED SPECIAL NOW OCR SOFTWARE AVAILABLE**

Converts scanned images from scanner into ASCII text for use with word processors, data bases, etc.

Reg. \$199.95  
If purchased with HS-3000 ONLY

**\$79.95**

---

**LOGITECH SCANMAN**

- 200 dpi
- 4" scanning width
- IBM, PC, XT, AT, PS/2 (25 & 30)



Complete with Logitech™ "Scanware"™ Software

**\$189.95**

QUALITY CUSTOMER SERVICE 508-278-8555

TECHNICAL ASSISTANCE 508-278-8556



TOLL FREE ORDER LINE  
**1-800-635-0300**

**TRUE DATA PRODUCTS**

115 MAIN ST., P.O. BOX 347  
LUXBRIDGE, MA 01569  
508-278-8555  
HOURS: MON-FRI: 9-6, SAT: 10-4 (EST)

CORPORATE P.O.'S WELCOMED

ALL PACKAGES SHIPPED UPS EXCEPT CANADA AND A.P.O.'S C.O.D.'S ADD \$2.30 MASTER CHARGE/VISA ADD 3% 1 YEAR WARRANTY UNLESS OTHERWISE NOTED PRICES TERMS CONDITIONS SUBJECT TO CHANGE WITHOUT NOTICE

CHAOS MANOR

NewWave Windows implementation, will go far to erase the differences between the PC and the Mac. Add object-oriented languages like Actor, and it may not be long before just about everything that runs on the Mac can about as easily be run on a PC. Apple's lawsuit against Microsoft and Hewlett-Packard was ill-advised, and I suspect that Apple already regrets it; both Apple and Hewlett-Packard would be better off if those resources had been invested in new technology rather than paid to lawyers. So would we all. Still, it's not hard to understand why Apple is afraid of what Windows portends.

**Software Tool of the Year**

Hands down, the software tool of the year is Borland's Turbo Debugger. I first saw this as a demonstration at Philippe Kahn's house a year or so ago, and I've been waiting for it ever since. If you use any Turbo products, you'll find the Turbo Debugger pretty simple; the interface is pretty much the standard Borland Turbo menu system. There's a good manual, but you won't often need it.

One of Turbo Debugger's neatest features is the ability to run on a remote machine, so that if your program crashes, the Debugger isn't dead and may be able to find out what some of the problems were.

Borland continues to make excellent software tools, and by its existence, it forces other major software publishers to improve their products to stay competitive. We all benefit.

**Most Significant Hardware**

The most significant hardware development last year was Intel's Connection CoProcessor board. That may be a bit stronger statement than I meant, but I won't withdraw it.

Another Pournelle law states, "One user, at least one CPU"; the Intel CoProcessor carries this further to "one task, one CPU." The CoProcessor has an on-board 80186, software in ROM, and its own memory. There's also provision for a modem. The result is a small communications computer hosted by your AT. It can call another CoProcessor, inquire for messages, send and receive messages (including fax images), and in general manage most of your communications activities, and do it while the host computer does other things.

There are things about the Intel CoProcessor that I'd change, but in my judgment, this pacesetter was the most significant hardware development I got

*continued*

UTAH



**NEW**

**VERSION 5.0**

**\$69.95**



For IBM® PC's, XT's, AT's and other DOS machines. Needs only 1 disk drive and 128K memory. This is the one you've heard so much about - with fast compile times, small object code modules, not copy protected, no royalties, and clear error messages. Version 5.0 is based upon ANSI-74 standards with new dynamite features including:

- Nested IF's and nested conditions.
- Indexed files (ISAM) with up to 24 keys (includes START verb). This advanced feature requires the software package Btrieve® which is optionally available.
- ACCEPT (line, column) numerics with decimal point alignment, numeric checking, AUTO-SKIP, SECURITY, LENGTH-CHECK, EMPTY-CHECK, ATTRIBUTE (color), FROM ESCAPE KEY, DAY, DATE, TIME, DAY-OF-WEEK.
- Fast memory mapped DISPLAY's (line, column) ERASE, BEEP, ATTRIBUTE (color). Can display entire screen with one DISPLAY statement.
- Windowing, pop-ups, color and overlays. This advanced feature requires the software package Saywhat?!™ which is optionally available.
- An easy to use, COBOL source code EDITOR with auto line numbering, A-margin, B-margin tabing with full screen cursor control.

Also available: Utah SuperSort®, a fast sort program callable from Utah COBOL; Utah FORTRAN; Utah BASIC; Utah PASCAL; Utah PILOT. Used by 50,000 professionals, students and teachers in 40 countries. 30-day money back guarantee. Discover the ease and simplicity of COBOL, today!

Phone order rushed by UPS 2nd Day Air:  
**(702) 827-3030**






Since 1977  
**Ellis Computing, Inc.**  
5655 Riggins Court, Suite 10  
Reno, Nevada 89502

IBM is a registered trademark of International Business Machines, Inc. Btrieve is a registered trademark of Novell, Inc. Saywhat?! is a trademark of The Research Group. SuperSort is a registered trademark of Micropro International Corporation. Utah COBOL is a trademark of Ellis Computing, Inc. © 1987 Ellis Computing, Inc.

# CHEAP!



**ZENITH**

SUPERSPORT 2 Drive \$ 1493  
 SUPERSPORT 20MB HD \$ 2218  
 SUPERSPORT 286 20M \$ 3079  
 SUPERSPORT 286 40M \$ 3588  
 TURBOSPORT 386 40M \$ 5096  
 2400 CRACKER MODEM \$ 258  
 Weitek 5.25' 360K Drive \$ 198  
 Weitek 5.25' 1.2M Drive \$ 248



**286 12MHz**

512K 100ns RAM (Exp. 1MB)  
 0 Wait States  
 1.2MB Floppy Drive  
 Hard/Floppy Controller  
 Advanced 101 Keyboard  
 1 Year Warranty  
 Norton S.I. Rating 13.3

Monitor sold separately **\$999**



**NEC MULTISYNC II**

**\$559**



**AT&T**

6300 WGS 1 Drive \$ 989  
 6300 WGS 30M \$ 1268  
 6386 WGS \$ 2139

Monitor sold separately



**EPSON**

Equality I+ \$ 688  
 Equality II+ \$ 1039  
 Equality III+ \$ 1344  
 LT Laptop Dual Drive \$ 1189  
 LT Laptop 20M Harddisk \$ 1792

Monitor sold separately



**NEC Powermate**

1 Enh. 10MHz \$ 1239  
 2 \$ 1567  
 SX 2MB 42M \$ 2729  
 SX 2MB 140M \$ 3619  
 386/16 \$ 2644  
 386/20 \$ 3475

Monitor sold separately

All Original NEC Components  
 All Models Include Keyboard



**NEC**

Powermate Port. 20M \$ 2419  
 Powermate Port. 40M \$ 2819  
 Powermate Port. SX 42M \$ 3944  
 Multiplex EL II \$ 1419  
 Multiplex HD \$ 2279  
 Ultralite \$ 1984  
 Prospeed 386 Model 40 \$ 4892  
 Prospeed 386 Model 100 \$ 5744



**TOSHIBA**

T1000 \$ 777  
 T1200F \$ 1392  
 T1200FB \$ 1548  
 T1200H \$ 2244  
 T1200HB \$ 2397  
 T3100/20 \$ 3078  
 T3200 \$ 3669  
 T5100 \$ 4859

**HARD DISK DRIVES**

SEAGATE 20M w/Cont	\$ 267
30M w/Cont	\$ 296
40M w/Cont	\$ 528
40M	\$ 448
50M	\$ 659
<b>MINISCRIBE</b>	
40M w/Cont	\$ 334
40M #3650	\$ 298
40M 28ms	\$ 659
71M 28ms	\$ 748
<b>MICROPOLIS</b>	
153M 23ms w/Cont	\$ 1594
332M 18ms w/Cont	\$ 2389

**DISK DRIVES**

PLUS 20M Hardcard	\$ 498
40M Hardcard	\$ 629
<b>TOSHIBA</b>	
3.5" 720K	\$ 88
3.5" 1.44M	\$ 126
5.25" 360K	\$ 89
5.25" 1.2M	\$ 89
AMR 5.25" for PS/2	\$ 239
AMDEK Laserdrive with MS Bookshelf	\$ 799

**MODEMS**

<b>NAYES</b>	
1200B Internal	\$ 229
2400B Internal	\$ 368
1200 External	\$ 268
2100 External	\$ 397
2400P PS/2	\$ 359
<b>US ROBOTICS</b>	
1200 Internal	\$ 95
1200 Internal	\$ 164
1200 External	\$ 99
2400 External	\$ 177
<b>SUPRA</b>	
2100 Internal	\$ 98
2400 External	\$ 138

**VIDEO CARDS**

Boca EGA	\$ 144
Everex EGA	\$ 128
Hercules Mono	\$ 178
Hercules Color NP	\$ 139
Hercules INColor	\$ 272
Nitro Monographic	\$ 49
Nitro Color Card	\$ 49
Paradise Atopus 480	\$ 177
Paradise VGA Plus	\$ 268
Paradise VGA Prof.	\$ 384
Video-7 Vega VGA	\$ 272

**SAMSUNG**

S-300	\$ 649
8 MHzXT Compatible	
360K Drive, 6 Exp Slots	
S-500	\$ 1098
10 MHz AT Compatible	
1.2M Drive, 8 Exp Slots	
S-800	\$ 2598
20 MHz 80386	
1.2M Drive, 8 Exp Slots	
EGA Video Adapter	

**AST COMPUTER SYSTEMS**

286 Model 80	\$ 1448
286 Model 90	\$ 2010
286 Model 120	\$ 2318
286 Model 140	\$ 2677
286 Model 170	\$ 2988
386 Model 300	\$ 2699
386 Model 340	\$ 3999
386 Model 390	\$ 5349
386 Model 3150	\$ 6244
386 Model 3320	\$ 6788

**NEC PRINTERS**

P6 10" wide	\$ 463
CP6 10" Color	\$ 549
P7 16" wide	\$ 644
CP7 16" Color	\$ 733
P2200 10" wide	\$ 359
PSXL 16" Color	\$ 877
P9XL 16" Color	\$ 1079
LC890 Silentwriter	\$ 3433
ELF-350 19 cps	\$ 417
3500 35 cps	\$ 896
8800 55 cps	\$ 1166

**CITIZEN PRINTERS**

120D	\$ 184
180D	\$ 199
MSP-10	\$ 268
MSP-15E	\$ 369
MSP-40	\$ 337
MSP-45	\$ 488
MSP-55	\$ 422
MSP-55	\$ 551
Premiere 35	\$ 533
Tribute 124	\$ 498
Tribute 224	\$ 664

**EPSON PRINTERS**

LX-800	\$ 189
FX-850	\$ 339
FX-1050	\$ 488
LQ-500	\$ 319
LQ-850	\$ 519
LQ-950	\$ 589
LQ-1050	\$ 737
LQ-2550 Color	\$ 919
L389	\$ 1389

**OKIDATA PRINTERS**

320	\$ 329
321	\$ 463
292 IBM Parallel	\$ 416
293 IBM Parallel	\$ 533
294 Color Parallel	\$ 754
393	\$ 944
393 Color	\$ 1045
LASERLINE 6 Par	\$ 1348

**PANASONIC PRINTERS**

KX-P1080i	\$ 198
KX-P1091i	\$ 218
KX-P1092i	\$ 344
KX-P1124	\$ 329
KX-P1592	\$ 436
KX-P1595	\$ 492
KX-P1524	\$ 555
KX-P3131 17 cps	\$ 327
KX-P3151 22 cps	\$ 519
Laser Partner	\$ 1738

**PRINTERS**

AST Turboaser/PS	\$ 3383
DICONIX 150	\$ 332
DICONIX 300W	\$ 515
<b>GENICOM</b>	
4410 400 lpm	\$ 4689
4440 800 lpm	\$ 5979
QMS PS-810 2MB	\$ 4098
XEROX 4020 Color	\$ 1088

**SOFTWARE**

Aldus Pagemaker 3.0	\$ 488
Carbon Copy	\$ 109
Clipper	\$ 395
Crossstalk 16	\$ 98
DBXL Diamond Rel.	\$ 118
Deskview 2.0	\$ 77
Disk Optimizer	\$ 44
Eureka	\$ 98
Feedback Plus	\$ 94
Fonbase Plus	\$ 196
Fonbase Plus 386	\$ 288
Generic CADD	\$ 78
Kings Quest	\$ 34
Managing Money	\$ 119
Microsoft CS 2	\$ 318
MS QuickBasic	\$ 64

**SOFTWARE**

Microsoft EXCEL	\$ 296
Microsoft Word 4	\$ 209
Microsoft Works	\$ 114
Microsoft Write	\$ 119
MS Windows 2	\$ 68
MS Windows 386	\$ 123
MS Flight Simulator	\$ 34
MS Macro Ann 5.1	\$ 98
Newsroom	\$ 36
Parados 1.1	\$ 282
Parados 2.0	\$ 429
PFS: Pro Write	\$ 139
PFS: First Choice	\$ 88
Publishers Palatbrush	\$ 148
Q & A	\$ 189
Quattro	\$ 144

**SOFTWARE**

Xerox Ventura 2.0	\$ 474
Quicksilver Diam Rel.	\$ 337
Reflex	\$ 87
Sideways	\$ 43
Smart Notes	\$ 52
SQZ Plus	\$ 62
Supercalc 4	\$ 259
Turbo Basic	\$ 59
Turbo C	\$ 98
Turbo Lightning	\$ 59
Turbo Pascal 5.0	\$ 98
Turbo Prolog 2.0	\$ 129
VP Planner	\$ 58
Word Perfect 5.0	\$ 235
Wordstar Prof.	\$ 218
Yeager Adv Flight	\$ 29

**SCANNERS**

AST TurboScan	\$ 1233
DEST Scan Plus	\$ 1798
Panasonic OCR	\$ 1798
PGS L5300 w/Int	\$ 698
PGS L5300 OCR	\$ 939

**INTEL**

8087 4.77MHz	\$ 99
8087 8 MHz	\$ 142
80287 6 MHz	\$ 179
80287 8 MHz	\$ 243
80287 10 MHz	\$ 289
80387 16 MHz	\$ 448
80387 20 MHz	\$ 689
Above Bd 286 512K	\$ 349
Above Bd PS/2 OK	\$ 249
Inboard 386/PC Kit	\$ 889
Inboard 386/AT Kit	\$ 988

**MOUSE DEVICES**

MICROSOFT Mouse	\$ 97
With Windows 2.0	\$ 138
LOGITECH Mouse	\$ 74
With LogiCADD	\$ 118
Publisher Mouse	\$ 113
Hires Mouse	\$ 86

Note: Specify either Serial or Bus Version

**MONITORS**

Amdel 410A	\$ 138
432 VGA Mono	\$ 156
732 VGA Color	\$ 414
12x0 & Video card	\$ 638
AST Monochrome	\$ 129
AST EGA Color	\$ 477
Epson Mono	\$ 114
Epson Color	\$ 288
Epson EGA Color	\$ 368
Genius Disp Sys	\$ 1288
NEC Monograph	\$ 1244
NEC MultiSync XL	\$ 2075

**MONITORS**

NEC MultiSync II	\$ 559
NEC MultiSync GS	\$ 179
NEC MultiSync Plus	\$ 858
PGS HX-12	\$ 436
PGS Max-15	\$ 264
PGS LM-300	\$ 538
PGS UltraSync	\$ 539
Texas Crystal View	\$ 1434
WYSE WY-700	\$ 717
Zenith 149	\$ 198
Zenith 1390	\$ 419
Zenith 1490	\$ 584

**ACCESSORIES**

Printer Cable 6'	\$ 9
Printer Cable 10'	\$ 14
Parallel Adapter	\$ 29
Serial Adapter	\$ 29
Game Adapter	\$ 19
101 Keyboard	\$ 68
PS/2 Keyboard Exten	\$ 16
PS/2 Monitor Exten	\$ 21
Kids' DS/DD Disks	\$ 7
Kids' 1.2M Disks	\$ 13
IBM 3.5" 1M Disks	\$ 29
IBM 3.5" 2M Disks	\$ 58

**HOURS (E.S.T.)**  
 9-7 Monday-Friday  
 12-5 Saturday

# NITRO MICRO

120 West Main Street • CARMEL, IN 46032  
**800-382-3888**

Please add 3% for shipping & handling. NO SURCHARGE FOR CREDIT CARDS and we do not charge until we ship. All items subject to availability and price change. All standard orders are sent UPS.




this year. I hope to see a lot more co-processors in the next few years.

### Good Stuff

In addition to my awards, I like to commend other significant products that don't quite fit into the award system. Some, for example, set or exemplify trends. Others are just good stuff that someone ought to say good things about. Call this the Chaos Manor honorable mention list.

Item: Traveling Software. This company pioneered communications between laptop computers and the rest of the computer world, and they've been putting out good products ever since. This year, their trendsetters included a program to link the Macintosh to the PC and another to link up the new Sharp Wizard pocket computer to the PC world. If you don't have the Traveling Software catalog, get it. It's likely you'll find they sell something you need.

Item: DESQview, especially when combined with the Phar Lap DOS extensions. Between them, these two programs can do just about everything that OS/2 can, while letting you run all your

old software at the same time. In my judgment, the main reason DESQview and Phar Lap haven't really taken off in sales—and they're doing quite well now—is the high price of memory, and of course that hurts OS/2 quite as much as it does DESQview.

Item: PC-Write 3.0. This shareware program improves every year, and it has become quite good enough for nearly anything you'd ever want a text editor for. Being shareware, you can get a copy and try it before you pay anything. I don't know what will be the future of shareware, but I do know that if it has a future, that will be in large part due to the efforts of Bob and Meagan Wallace.

Item: Flagstaff Engineering's Spot OCR software. I find in general it's still cheaper to send one of my old paperbacks overseas to one of those shops that key in text than it is to scan it in; but for short jobs, those that have to be done quickly, and jobs involving typescript or clean, well-set type, Spot is more than good enough. Someday we'll have hardware and software capable of reading in just about everything ever printed. Spot isn't there yet, but it's getting us closer.

Item: Tandon's removable Disk Pacs. Tandon pioneered removable hard disk drive technology. This year, it matured to usefulness. We used a pair of Tandon computers in two locations, with Disk Pacs to transfer programs and data. You can't throw these hard disks around—Tandon recommends that you treat them as you would an expensive camera—but they do withstand daily transportation. Tandon machines come both with and without floppy disk drives; a system without a floppy disk drive can be kept quite secure, since it's easier to keep track of Disk Pacs than floppy disks. If the Disk Pacs are locked into a safe, the computer data is as secure as your documents are.

We've had good results with Tandon's AT machines.

Item: Mace Software. Paul Mace was the first person to realize that you could recover data from an accidentally formatted hard disk. Since that time, the Mace utilities have been expanded to include a whole bunch of useful stuff.

This year's major Mace product is GRASP, a PC screen-management sys-

*continued*



# A Size For Sore Eyes.

## 37" Intelligent Color Display Monitor.

There's a new dimension in production and presentation technology from Mitsubishi Electronics. Bold, brilliant colors on a large 37" display monitor\* mean your presentation will be seen like never before. A presentation that can be clearly viewed without eye or neck strain. Even with the house lights up.

Advanced features include compatibility with IBM® CGA, EGA, PGC, PS/2™ and Apple® Macintosh™ II computers. Unique auto-tracking circuitry for ease of use. Plus maximum versatility to accept TTL, analog, or television-type NTSC signals.

It all adds up to greater impact. One look at the high resolution 37" display and you'll agree it's a size for sore eyes.

For more information on the XC3710 or the names of authorized Mitsubishi Electronics monitor resellers near you, please call 1-800-556-1234, extension 209. In California, call 1-800-441-2345, extension 209. Or write, Mitsubishi Electronics America, Inc., Computer Peripherals Division, 991 Knox Street, Torrance, California 90502.




\*35" viewable

IBM is a registered trademark of International Business Machines Corp. Apple is a registered trademark of Apple Computer, Inc.

# Micro Channel Solutions.

Whatever your Micro Channel requirements  
... Boca Research answers with  
the right solutions.



**BOCARAM.MCA 50Z** — *"... the product that answers the need for total IBM compatibility."*

Neil Peterman, U.S. Operations, M & S ELEKTRONIK

- Expanded/Extended Memory up to 2MB
- IBM ID and 100% TRAM compatibility
- Zero wait state operation (1MB 100ns DIPs)
- Supports DOS, OS/2, and EMS 4.0
- Order No. BRMC20 \$245 (0K List)



**BOCARAM 50/60** — *"A high quality American made product that can't be beat."*

Russ Rehak, Sales Manager, RHINO SALES CO.

- Extended memory up to 4MB per board
- One wait state for compatibility with IBM PS/2 Models 50 and 60
- Utilizes 1MB 120ns DIPs
- LIM/EMS emulation
- Order No. BR5000 \$295 (0K List)



**BOCA.MCA PARALLEL** — *"A superior value at an economical price."*

Tom Pliska, President, COMPU SALES, INC.

- 100% IBM Micro Channel compatibility
- Single parallel port addressable as LPT1-3
- Order No. BMCP01 \$110 (List)



**BOCA.MCA SERIAL/PARALLEL** — *"The only quality Micro Channel product as a generic alternative."*

James C. Brown, President, MICRO SUPPLY, INC.

- 100% IBM Micro Channel compatibility
- Provides 3 ports for maximum slot usage
- Two serial ports addressable as COM1-8
- One parallel port addressable as LPT1-3
- Order No. BMCPS2 \$210 (List)

At Boca Research, we're committed to the Micro Channel. For more information on these and other Boca Research solutions, see your dealer or contact us directly.

BOCARAM.MCA 50Z, BOCARAM 50/60, BOCA.MCA PARALLEL, and BOCA.MCA SERIAL/PARALLEL are trademarks of Boca Research, Inc. All other references to computer systems, software and peripherals use trademarks owned by their respective manufacturers. © Copyright 1988 Boca Research, Inc.

**BOCA**  
RESEARCH INC

See us at CeBIT '89 -  
Hannover Fair  
U.S. Pavillion - Booth #S1  
March 8-15, 1989

6401 Congress Avenue, Boca Raton, FL 33487 • Phone: (407) 997-6227 • FAX: (407) 997-0918

Circle 48 on Reader Service Card

MARCH 1989 • BYTE 125

tem that makes it simple to build up animated displays and otherwise do spectacular visuals by calling GRASP routines from BASIC, C, or Pascal programs. This is another of those companies that keep coming out with excellent stuff; you ought to get the Mace catalog.

Item: The Whitewater Group's Actor programming language. The real problem with Windows is that it's hard to learn how to write programs for it. Actor, an object-oriented language, makes Windows programming enormously easier, and it is a giant step in the right direction.

**Logic Gem**

I mentioned this last month. Now I have a copy. The only reason I don't make Logic Gem the Software Tool of the Year is that I just haven't had enough time to work with it; but I've seen enough to know I like it, and I'm pretty sure it will be on next year's honors list.

The blurb on the back of the Logic Gem document says, "Logic Gem does for program logic what spreadsheets do for numbers." That's a pretty good description. Logic Gem lets you make large

truth tables, check for logic conflicts, and then automatically generate code that can be incorporated into your programs. It has already saved me several hours, and I haven't had it a week.

Highly recommended.

**Game of the Year**

This one's a tie: *Dungeon Master*, for either the Atari ST or the Amiga, is spectacular. The visuals are stunning, and the game can really get you involved. Exploring the 14-level dungeon took me about a month, and I found myself playing it a great deal more than I should have.

The other game of the year is *Empire*, for the Atari ST, the Amiga, or an EGA-equipped PC. I get a lot of computer games, and I try a lot of them, but find myself coming back to this one again and again.

**Winding Down**

There's a tie for book of the year, too: Charles Murray's *In Pursuit of Happiness: And Good Government* (Simon and Schuster, 1988) and John Keegan's *The Mask of Command* (Penguin, 1988).

They're both important books, and I don't use that phrase lightly.

It's late at night, and I'm late with this column, which I'm finishing on the SupersPort in a room in the Jack Daniels Motor Inn in Peterborough, five days before Christmas. Since I started this column, I have flown to Boston, then driven up here to New Hampshire. I've also attended the first BYTE Editorial Exposition and gone to a birthday dinner for my BYTE technical editor, Stan Wszola.

I'd better get some sleep. I sure hope 1989 is as good a year as 1988 has been. ■

*Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerry."*

# FIVE GOOD REASONS TO BUY A MOUSE-TRAK.™



Count them. With MOUSE-TRAK, five fingers do all the work. Because it uses trackball technology, input and precision control is at your fingertips, not your elbow.

With CAD, Desktop Publishing or Spreadsheet

applications, MOUSE-TRAK is easier, faster, more relaxed and a lot more comfortable to use than ordinary input devices.

**MOUSE-TRAK OFFERS YOU OPTIONS**

2 or 3 buttons — speed control — Multiple Interfacing

MOUSE-TRAK is stationary. Only the highly efficient trackball moves, eliminating tiresome arm and wrist movement. You can operate MOUSE-TRAK in your hand, even sit back with it on your knee. It plugs into your computer and needs no additional power supply.

User definable input keys are in easier-to-use locations. The uniquely patented shape has

been developed through rigorous ergonomic studies of hand sizes and

finger geom-

etry. Made

in the U.S.,

MOUSE-TRAK




is already in use by the military in planes, subs and tanks. Engineers at IBM™, Texas Instruments™ and Motorola™ are also using MOUSE-TRAKS.

MOUSE-TRAK carries a money back guarantee. If you don't like using MOUSE-TRAK within 30 days, we'll refund your money. And, if you do like it, we'll give you \$10 for your old mouse. MOUSE-TRAK ranges in price from \$139-\$189.

Call us toll-free for the complete story on MOUSE-TRAK and the name of a dealer near you. Our new brochure is available upon request.

*MOUSE-TRAK combines mouse interface technology with the convenience and precision of a tracking ball. There's no wasted motion or time.*




**1-800-533-4822**  
(in Texas 214-494-3073)



3121 Benton Street, Garland, Texas 75042 USA, Telefax 214-494-4159

IBM, Texas Instruments and Motorola are registered trademarks of their respective companies. MOUSE-TRAK is a registered trademark of ITAC Systems, Inc.



## NEW AVOCET C™ FOR MICROCONTROLLERS— A BREAKTHROUGH IN SPEED AND QUALITY.

Introducing Avocet C.™ Fast, *optimizing* cross-compilers that can cut microcontroller development time in half—without sacrificing code quality.

### From concept to code in a fraction of the time.

Programming in C lets you concentrate on end results, not annoying details—so you get more done, faster. And rapid compilation takes the frustration out. But for microcontrollers, you need more than speed. You need tight, high-quality code.

That's why we spent two years field-testing and perfecting Avocet C for both speed and quality. We built in three separate phases of optimization—for object code tight enough for real applications. And we integrated Avocet C with an assembler package that's mature in its own right—not an afterthought. So you can still work magic at the bits-and-bytes level.

Avocet C saves you time in all phases of development. Our run-time library is extensive—no need to write the routines yourself. You'll arrive at bug-free code faster, thanks to LINT-like type checking. And your program's useful life is extended, because you can recompile for other target chips.

Testing is easier, too. Avocet C is ANSI-standard—so you can test generic parts of your program with host-resident systems like Microsoft Quick-C™ and Codeview™. And when you're ready for hardware-specific testing, Avocet's AVSIM Simulator/Debugger tests microcontroller code right on your PC.

### An excellent value.

Just \$895 buys Avocet C for your favorite chip: Intel 8051 or 8096, Hitachi 64180, or Zilog Z80—with more to follow. And Avocet C includes the latest version of AVMAC—Avocet's super-fast, professional assembly-language development package. *(If you're already a registered AVMAC owner, you can upgrade to Avocet C for only \$595.)*



The AVSIM Full-Screen Display


# AVOCET

SYSTEMS, INC.®

THE SOURCE FOR QUALITY PERSONAL  $\mu$ P DEVELOPMENT TOOLS.

Circle 36 on Reader Service Card  
World Radio History

## Free Catalog



Call Toll-Free 800-448-8500\*

For your free Avocet catalog—to order—or for more information about Avocet C and other Avocet products.

### The best technology— responsive, personal service.

Avocet offers a powerful, comprehensive approach to microcontroller development.

Avocet development tools put the most advanced technology at your fingertips. The Avocet staff stands ready to give you complete support—including technical assistance—on a moment's notice. And we'll ship your order in 48 hours or less.

Call 800-448-8500. Discover how Avocet can speed up your next project.

Avocet Systems, Inc., 120 Union Street  
P.O. Box 490BP, Rockport, Maine 04856  
\*In Maine, or outside U.S., call (207) 236-9055  
TLX: 467210 Avocet CI, FAX: (207) 236-6713

© 1988 Avocet Systems, Inc. All rights reserved. Quick-C and Codeview are trademarks of Microsoft Corp. Logo and name Avocet are registered trademarks of Avocet Systems, Inc.

In 1988, \$3.5 billion in micro-computer software will be sold worldwide. During that same time, another \$3.0 billion in sales will be lost to free distribution — better known as software piracy. And right now, Rainbow Technologies' Software Sentinel™ is protecting close to \$1.0 billion in software for developers who never wanted to be part of the free software distribution network in the first place.  The Software Sentinel hardware key is “execution control” software protection. It ships with the software and simply plugs into the PC's parallel port to be one hundred percent invisible to both user and the software. Users can make as many copies as they want. Make working submasters. Use a hard disk. Virtually anything that can be done with unprotected software. Except start freely distributing that software to other users.  The family of Software Sentinel products. Selected by the very big to the not-so-big developers of DOS, OS/2 and Xenix software in worldwide markets. To the tune of close to a billion dollars. So far.



**RAINBOW TECHNOLOGIES**

18011-A Mitchell South, Irvine, CA 92714 • (714) 261-0228 • TELEX: 386078 • FAX: (714) 261-0260  
 Rainbow Technologies, Ltd., Shirley Lodge, 470 London Rd., Slough, Berkshire, SL3 8QY, U.K., Tel: 0753-41512, Fax: 0753-43610  
 Copyright ©1988 Rainbow Technologies, Inc. Software Sentinel and SentinelPro are trademarks of Rainbow Technologies, Inc.  
 Xenix is a trademark of Microsoft Corporation. OS 2 is a trademark of International Business Machines Corporation.



# TRACKBALL MADNESS

Mice aren't as nice, but they may live a lot longer

Every time I have to deal with a hardware malfunction, I begin to wonder why I own computers. When my Abaton ProPoint trackball started acting up, I once again entered that nightmare zone that all users dread. Before it ended (that's assuming it *has* ended), things got pretty bizarre. The story is a good example of the kind of convoluted logic that drives the computer industry.


Let me begin by stating that I'm addicted to trackballs; since switching to these devices for use with my PC AT clone and my Macintosh, I've eliminated the sharp arthritis-like pains in my elbow that came with constant mouse use.

And ProPoint for the Mac seems to be a nifty product, nicely styled and ergonomically superior to many other trackballs I've seen. The position of the two buttons to the lower left of the ball is better suited to righties than to lefties, but since I'm right-handed, the design is ideal for me. I've become absolutely dependent on ProPoint, so when it stopped responding to left-right motion, I was panic-stricken.

I blew away whatever dirt I could see within the device, but that didn't help. Then I prodded and banged for a while, to no avail. I sighed and wrote the trackball off as dead.

As I hadn't bothered to send in my registration card, the following morning I called the mail-order desk at Computerware to buy a new one. When I explained my problem, a pleasant man told me to hold off and to try a call to Everex, of which Abaton is now a division.

"Don't be silly," he said. "They guarantee these things, and you might be able



to save yourself a lot of money."

Wow, a helpful retailer! Duly impressed, I phoned Everex. Sure enough, the fact that I still had the original invoice was good enough, and the company issued a return authorization on the spot. I was told that the repair would take about a week from when Everex received the unit, and it would be returned to me by whatever shipping method I used to get it there. So I packed up the trackball and sent it off by Federal Express, next-day delivery.

Two weeks later, on a Tuesday, I called to find out why I hadn't received my repaired trackball, and I was told that it was scheduled to be shipped Thursday at the latest.

"So I'll have it for the weekend?"

"Definitely," came the reply.

By late Friday, with no trackball in sight, I called again.

"There's a backlog," I was told.

"Your unit will be shipped at the beginning of next week."

Fine. Tuesday rolled around, and nothing happened. Wednesday, I called Everex again. "What's the problem?" I inquired.

"I don't know," said the customer service representative. "There's a backlog. I'll see what I can do."

"Why is there a backlog?" I asked. "What's going on?"

The customer service person sighed. "Nobody will tell me."

"You mean you've talked to the engineers and the technicians, and no one can offer an explanation?"

"That's about it."

At this point, I decided it was time to do a little poking. I called a friend of mine with an engineering background, who has worked with trackballs, and described the situation. "Everex will rue the day they stuck a guarantee on that puppy," he chuckled. "It's a design flaw, not a malfunction. Building a trackball suspension that won't deteriorate

*continued*

rate quickly is not a trivial matter; it can be done, but they haven't done it. I'll bet you anything you don't get the same unit back."

I also telephoned the press relations person at Everex to find out whether there was some major problem with the ProPoint. No, I was told, the delay was more likely to be due to getting parts from suppliers than to any design flaw; the ProPoint's failure rate was in line with those of other trackballs. With completely opposite explanations, I had no choice but to wait.

Finally, 3½ weeks after the process had started, a Federal Express delivery arrived from Everex containing a brand-new ProPoint with a different serial number. I called my engineer friend again.

"How long had you been using the trackball, and how long is the guarantee?" he asked.

"Four months," I replied. "And the guarantee is five years."

"That's three a year," he said. "I predict that the new trackball will fail in four months, and you'll go through this again. Unless they change the design, you'll have to do it 15 times to get past the guarantee."

Ouch. I'm not sure what to make of all this. The facts are these: The guarantee is for real. The trackball certainly failed, and it was replaced with a new unit. Everyone at Everex was friendly and polite. I'd buy products from Everex again, and I recommend the company to friends.

But would I recommend the trackball? I guess I'll have my answer in another four months or so.

One final thought from my friend. "Everex acquired Abaton to get into the Mac market, but they're primarily a PC company. Now that IBM has endorsed mice, the market for third-party pointing devices is heating up fast. If the ProPoint is really a solid design, then why hasn't Everex brought out a PC version of it?"

Stay tuned.

### Microsoft at Work

Microsoft's upgrade to Works for the Mac (2.0) is a truly curious thing. The company has managed to take an enormously flexible integrated software package, add a tremendous array of substantial features and improvements, yet make the product only slightly more useful than it was to begin with. This is no mean feat; I find myself simultaneously awed and irritated, a very strange feeling indeed. I still recommend the product highly—it can easily handle 80 percent to

| find  
that I am  
simultaneously awed  
and irritated about  
Works 2.0.

90 percent of most routine application tasks—yet I'm not sure I'd recommend the upgrade to anyone who already owns the program.

The three most grandiose additions to Works—a spelling checker, a macro recorder, and powerful drawing facilities—all fail to measure up to what I would have expected from Microsoft. The spelling checker is unacceptably slow, and it does not let you check as you type. The macro recorder offers no capabilities for editing, branching, or modifying the speed of playback; it merely spits back recorded keystrokes as fast as it can. Thus, it's useless for anything but

the simplest of functions, like inserting boilerplate phrases into text.

You access the drawing tools as a mode within the word processor or the spreadsheet, rather than firing up a separate new module. This is handy if you want to add little pictures to an existing document, but once you scratch the surface of this feature, it's downright odd. You get the basic palette for drawing lines, rectangles, polygons, ovals, and so on, with patterns and fills, and you can even draw lines that end with arrowheads. However, every time you create an object, the program changes back to the selection pointer, in direct violation of Apple's guidelines for software design. Very annoying.

You get a customizable snap grid, but you can't see it on the screen; there's also no vertical ruler bar, so positioning of objects is haphazard at best. The text tool will let you form blocks of text, a rudimentary sort of page layout, but you have to either type the text right there or paste from the Clipboard, and the spelling checker won't work on objects created in draw mode.

The communications module, always the program's weakest link, has not been improved as far as I could tell. There's still no way to automate log-on procedures, unless you count the macro recorder, which is a sorry solution at best. This was one of my biggest gripes with earlier versions of Works; I wish it had been fixed.

The spreadsheet allows nearly double the number of rows as Works 1.1 (from 9999 to 16,832), but remember you're limited by RAM, so this may be moot. Microsoft has added new functions for date and time, and you can attach notes to individual cells. There's no way to link worksheets, but you can play games with the Clipboard and the macro recorder. Both the spreadsheet and the database now offer the ability to choose one font/size/style per document, but you can't mix attributes.

The Works 2.0 database will accept spreadsheet calculation functions within records, and the report generator now has scroll bars and margin control. The package is still lacking a logical field type (e.g., Yes/No or True/False), which would have been a simple but utilitarian improvement.

The word processor has gained a few niceties, like the ability to print labels two and three across, search and replace on tab and carriage-return characters, and decimal tabs. Forget enhancements like multiple-line headers, indexes,

*continued*

## Items Discussed

**Microsoft Works 2.0** .....\$295

Microsoft Corp.  
16011 Northeast 36th Way  
P.O. Box 97017  
Redmond, WA 98073  
(800) 426-9400  
(206) 882-8080  
**Inquiry 1021.**

**ProPoint** .....\$139

Everex Systems, Inc.  
48431 Milmont Dr.  
Fremont, CA 94538  
(800) 821-0806  
(415) 498-1111  
**Inquiry 1022.**

**WorksPlus Spell 2.0** ..... \$79.95

Lundeen and Associates  
P.O. Box 30038  
Oakland, CA 94604  
(800) 233-6851  
(800) 922-7587 (California)  
**Inquiry 1023.**

# Our MAJOR ADVANTAGE - Supplying you with the Broadest Range of Software Ammunition.



## ADVANTAGE SOFTWARE

LIST OURS	
<b>CAD</b>	
AutoCAD	2895 <b>CALL</b>
Design CAD	299 <b>165</b>
Drafix 3D Modeler	295 <b>199</b>
Generic CADD	100 <b>79</b>
Generic CADD Level 3	200 <b>149</b>
Schema II	495 <b>439</b>
<b>COMMUNICATIONS</b>	
Carbon Copy +	195 <b>120</b>
Close Up - Customer	195 <b>171</b>
Close Up - Support	245 <b>215</b>
Crosstalk MK IV	245 <b>159</b>
Crosstalk XVI	195 <b>99</b>
Relay Gold	250 <b>164</b>
Smartcom III	249 <b>162</b>
<b>DATABASE</b>	
Clipper	695 <b>439</b>
dBASE III +	695 <b>385</b>
dBASE IV	795 <b>485</b>
dBASE IV Dev. Edition	1295 <b>899</b>
FoxBASE +	395 <b>335</b>
Genifer	395 <b>259</b>
R & R	149 <b>119</b>
Tom Rettig's Library	80 <b>75</b>
<b>DESKTOP PUBLISHING</b>	
ByLine	295 <b>185</b>
GEM/3 Desktop Publisher	299 <b>189</b>
Pagemaker	595 <b>429</b>
PFS: First Publisher	129 <b>79</b>
Ventura Desktop Publisher	899 <b>590</b>

<b>GRAPHICS</b>	
AutoSketch	100 <b>85</b>
Chart Master	375 <b>205</b>
Chart Master Premium Pack	395 <b>225</b>
Chart	395 <b>272</b>
Drafix 1 Plus	295 <b>265</b>
Freelance Plus	495 <b>322</b>
Graph-in-the-Box	140 <b>109</b>
Harvard Graphics	495 <b>313</b>
In a Vision	495 <b>290</b>
Sign Master	245 <b>140</b>
Time Line Graphics	195 <b>119</b>

<b>LANGUAGES</b>	
APL+PLUS	695 <b>476</b>
Lattice C	450 <b>279</b>
Lahey FORTRAN F77L	477 <b>453</b>
Microsoft C	450 <b>299</b>
NDP Fortran or C-386	595 <b>529</b>
Turbo C	150 <b>105</b>
Turbo C Professional	250 <b>175</b>
Turbo Pascal	150 <b>105</b>
Turbo Pascal Professional	250 <b>175</b>
Zortech C + +	400 <b>90</b>

<b>PROGRAMMING UTILITIES</b>	
Flowcharting II Plus	229 <b>207</b>
Interactive Easyflow	150 <b>135</b>
OPT-TECH SORT/MERGE	149 <b>99</b>
PolyAWK	99 <b>90</b>
Pro-C	495 <b>459</b>
Windows for Data	295 <b>259</b>

<b>LOTUS ADD-ONS</b>	
4Views	150 <b>119</b>
4Word	400 <b>79</b>
@BASE	195 <b>121</b>
Allways	150 <b>117</b>
At Liberty	295 <b>199</b>
Graph-in-the-Box	140 <b>109</b>
Inword	100 <b>80</b>
Look & Link	100 <b>64</b>
Note-It Plus	80 <b>68</b>
Noteworthy	80 <b>59</b>
R & R (Lotus Version)	149 <b>119</b>
See More	80 <b>65</b>
Sideways	70 <b>45</b>
Smartnotes	80 <b>69</b>
Spellint	80 <b>65</b>
Sqz! Plus	100 <b>CALL</b>

<b>PLANNING</b>	
Harvard Total Project II	595 <b>515</b>
Project 4.0	495 <b>340</b>
Super Project Expert	695 <b>515</b>
Time Line 3.0	595 <b>345</b>
Time Line 2.0	495 <b>306</b>

<b>SCIENCE AND ENGINEERING</b>	
Asystant Plus	895 <b>849</b>
DADISP	795 <b>719</b>
Eureka: The Solver	167 <b>119</b>
Gauss Math + Stat Package	395 <b>359</b>
HIWIRE-Plus	895 <b>805</b>
Labtech Notebook	995 <b>799</b>
MathCAD	349 <b>279</b>

LIST OURS	
Micro-Cap III	1495 <b>1269</b>
T3 Scientific Word Processor	595 <b>499</b>
Tango PCB	495 <b>469</b>
TK Solver Plus	395 <b>349</b>

<b>SPREADSHEET</b>	
LOTUS 1-2-3	495 <b>289</b>
Multiphan	195 <b>129</b>
PC-Excel	495 <b>299</b>
Supercalc IV	495 <b>349</b>

<b>STATISTICS</b>	
CSS	495 <b>459</b>
Microstat II	395 <b>349</b>
NWA Statpak	399 <b>359</b>
SPSS/PC	795 <b>749</b>
Systat	595 <b>549</b>
Systat/Sygraph	795 <b>709</b>

<b>WINDOWS</b>	
Actor	495 <b>429</b>
DesqVIEW	130 <b>89</b>
VM/386	245 <b>169</b>
Windows/286	99 <b>69</b>
Windows/386	195 <b>130</b>
Windows Devel. Toolkit	500 <b>319</b>

<b>WORD PROCESSING</b>	
Displaywrite IV	495 <b>425</b>
Manuscript	495 <b>322</b>
Multimate Adv. II	565 <b>271</b>
Q & A Write	349 <b>207</b>
Samna Word IV	595 <b>313</b>
Volkswriter V3	295 <b>170</b>
Word Perfect v. 5.0	495 <b>228</b>
Word	450 <b>199</b>
Wordstar Pro v. 5.0	495 <b>290</b>

<b>UTILITIES</b>	
IDIR +	95 <b>59</b>
Copy II PC	40 <b>35</b>
Copy II PC Option Board	159 <b>139</b>
Disk Optimizer	70 <b>63</b>
Disk Technician	400 <b>89</b>
Disk Technician Plus	190 <b>175</b>
Fastback Plus	489 <b>109</b>
HTEST	90 <b>79</b>
Mace Utilities	99 <b>85</b>
Norton Commander	75 <b>45</b>
Org Plus	80 <b>59</b>
PC Tools Deluxe	79 <b>69</b>
Prokey	130 <b>81</b>
Sidekick	85 <b>59</b>
Software Carousel	80 <b>60</b>
V Cache	60 <b>55</b>
V Feature Deluxe	120 <b>111</b>
Vopt	60 <b>55</b>
Xtree	70 <b>60</b>
Xtree NET	295 <b>249</b>
XtreePro	129 <b>111</b>

<b>ASHTON TATE</b>	
ByLine	295 <b>185</b>
Chart Master	375 <b>205</b>

LIST OURS	
Chart Master Premium Pack	395 <b>225</b>
C Tools Graphics Library	90 <b>69</b>
C Tools Programmer's Library	90 <b>69</b>
dBASE III +	695 <b>385</b>
dBASE IV	795 <b>485</b>
dBASE IV Developer's Edition	1295 <b>899</b>
dBASE Mac	495 <b>325</b>
dBASE Programmer's Utility	90 <b>69</b>
Diagram Master	345 <b>190</b>
Diagram Master Prem. Pack	365 <b>206</b>
Draw Applause	495 <b>309</b>
Framework III	695 <b>405</b>
Front Runner	195 <b>121</b>
Full Paint	100 <b>65</b>
Full Write Professional	395 <b>236</b>
Map Master v. 6.01	395 <b>240</b>

LIST OURS	
Turbo Assembler/Debugger	150 <b>105</b>
Turbo C 2.0	150 <b>105</b>
Turbo C 2.0 Professional	250 <b>175</b>
Turbo Lightning	70 <b>49</b>
Lightning Word Wizard	70 <b>49</b>
Turbo Lightning and Lightning Word Wizard	150 <b>109</b>
Turbo Pascal 5.0	150 <b>105</b>
Turbo Pascal 5.0 Professional	250 <b>175</b>
Tutor	70 <b>45</b>
Turbo Pralog	150 <b>105</b>

<b>LOTUS DEVELOPMENT</b>	
Agenda	395 <b>299</b>
Freelance +	495 <b>322</b>
Graphwriter II	495 <b>337</b>
Hal	150 <b>89</b>
Lotus 1-2-3	495 <b>289</b>
Lotus Metro	85 <b>59</b>
1-2-3 Report Writer	95 <b>69</b>
Manuscript	495 <b>325</b>
Signal	595 <b>553</b>
Symphony	695 <b>422</b>

<b>MICROSOFT</b>	
MS BASIC/6.0	295 <b>199</b>
MS C	450 <b>299</b>
MS COBOL	900 <b>599</b>
MS Excel	495 <b>299</b>
MS FORTRAN	450 <b>299</b>
MS Learning DOS	50 <b>40</b>
MS Mach 20	495 <b>329</b>
MS Macro Assembler	150 <b>99</b>
MS Mouse Bus or Serial w/ Paintbrush & Mouse	150 <b>99</b>
Menus w/ EasyCAD	175 <b>119</b>
w/ Paintbrush & Windows	200 <b>139</b>
MS Multiplan	195 <b>129</b>
MS OS/2 Prog. Toolkit	350 <b>229</b>
MS Pascal	300 <b>199</b>
MS Project 4.0	495 <b>340</b>
MS QuickBASIC	99 <b>69</b>
MS QuickC	99 <b>69</b>
MS Sort	195 <b>130</b>
MS Windows	99 <b>69</b>
MS Windows/386	195 <b>130</b>
MS Windows Dev. Kit	500 <b>319</b>
MS Word	450 <b>199</b>
MS Works	149 <b>99</b>

### PRIMARY TARGET

#### MICROSOFT EXCEL.

The soul of the new machines. Microsoft Excel takes full advantage of the power of 286- and 386-based computers.

If lets you work faster and consolidate data more easily. If lets you create annual-report-quality output and produce presentation graphics. And it lets you create macros easily and build custom programs.

Since Microsoft Excel is compatible with Lotus 1-2-3, it's easy to integrate into your office.

Find out why we call it the most powerful spreadsheet for powerful personal computers.

List: \$495 Ours: \$299



Microsoft®

LIST OURS	
Multimate Adv. II	565 <b>271</b>
Pascal Tools Prog. Lib.	90 <b>72</b>
Programmer's Utility II	90 <b>69</b>
Rapid File	295 <b>195</b>
Sign Master	245 <b>139</b>

<b>BORLAND</b>	
Eureka: The Solver	167 <b>119</b>
Paradox 2.0	725 <b>529</b>
Paradox Network Pack	995 <b>729</b>
Paradox 386	895 <b>625</b>
Quattro	247 <b>169</b>
Reflex & Reflex Workshop	200 <b>139</b>
Reflex Data Base Systems	150 <b>109</b>
Reflex Workshop	70 <b>49</b>
SideKick	85 <b>59</b>
SideKick Plus	200 <b>139</b>
Sprint	199 <b>139</b>
Superkey	100 <b>69</b>
Turbo Basic	100 <b>69</b>

LIST OURS	
<b>PETER NORTON PUBLISHING</b>	
Norton Commander	89 <b>55</b>
Norton Editor	75 <b>50</b>
Norton Guides:OS/2	150 <b>109</b>
Norton Guides:Specify Lang.	100 <b>75</b>
Norton Utilities	100 <b>59</b>
Advanced Version	150 <b>99</b>

<b>SOFTWARE PUBLISHING</b>	
Harvard Graphics v. 2.1	495 <b>313</b>
Harvard Total Project Mgr.	595 <b>515</b>
PFS: Access	140 <b>91</b>
PFS: First Choice v. 2.0	159 <b>104</b>
PFS: First Publisher v. 2.0	129 <b>75</b>
PFS: Graph	140 <b>91</b>
PFS: Professional File	249 <b>155</b>
PFS: Professional Plan	249 <b>161</b>
Professional Write v. 2.0	199 <b>125</b>
US Mapmaker	149 <b>89</b>

#### Terms & Policies

All prices subject to change without notice. We accept Visa, MC, AMEX (2% surcharge on AMEX). Shipping \$4 per item sent UPS Ground. Allow 14 days for personal/company check clearance. Returns subject to 15% restocking fee. RA # required. PO's welcome from Fortune 4000 and other qualified organizations.



## ADVANTAGE SOFTWARE

Circle 14 on Reader Service Card  
World Radio History

In the U.S. call:  
**1-800-333-3141**  
N.Y. / International: **914-332-0756**  
Fax: **914-332-4021**

55 South Broadway, Suite B, Tarrytown, NY 10591

tables of contents, and such; they haven't been implemented.

New overall features include a simple page preview much like that in Word, the capability to save and name a "Works Desktop" file that will launch a given set of documents, and a "Stationery" file format—as close as you can get to a style sheet in Works, though the trick works only if you open a Stationery document and resave it as something else.

On the whole, Works 2.0 is a better program, but Microsoft seems to have opted for slickness rather than raw power. I keep saying that Works could be an excellent tool for experienced users; meanwhile, Microsoft keeps adding frills for novices. In spite of constant denials, I can't shake the feeling that Microsoft is trying desperately to hold back Works so it doesn't cannibalize the market for its other software products. Oh, well.

In the meantime, I've been playing with a nearly bulletproof beta version of Tim Lundeen's WorksPlus Spell 2.0, and it is still an excellent companion for Works. Why would you need a spelling checker for a program that already has

one? Simple. WorksPlus Spell offers greater speed, checking as you type, hyphenation, word lookup, and a glossary command that lets you store and expand abbreviations. None of this is available in the Works spelling checker. Whatever version of Works you own, WorksPlus Spell is a requirement.

#### Annual Confession

Every March since I began this column, I take a little time to list the hardware and software that I use personally. As I've written quite a bit about these programs in the past year, I'll just reduce the exercise to a few short lists:

- **Primary hardware:** Mac SE with a 16-MHz Radius 68020 accelerator and a Jasmine Direct Drive 160. **Software:** Microsoft Works with WorksPlus Spell, PageMaker, Canvas, Microsoft Word, Excel, Reflex Plus, More, Prototyper, Course Builder, Microphone II, Desktop Express, Suitcase II, DiskTop, QuicKeys, QuickDEX, FontSizer, SuperGlue, LetraStudio, Fontographer, FreeHand, TOPS, and various Adobe typefaces.

- **Secondary hardware:** Tandon PCA-40 (AT clone) with a MicroSpeed FastTrap and a Logitech Bus Mouse. **Software:** WordStar 5.0, Framework III, Lotus 1-2-3 with Funk's Worksheet Utilities, Mirror II, Procomm, PC-Write, Xy-Write, Professional Write 2.0, Memory-Mate, Reflex, Ready!, Cruise Control, Pop Drop, Ventura Publisher, PageMaker, TOPS, and various Bitstream typefaces.

- **Portables:** Cambridge Z88 and NEC PC-8500.

- **Favorite nonclassifiable computer:** Canon Cat with the Cat 180 printer.

- **Favorite device:** Apple LaserWriter IINT (solid, clean, and fast enough for anyone but the truly demented).

- **Next purchase:** A flatbed scanner. ■

*Ezra Shapiro is a consulting editor for BYTE. You can contact him on BIX as "ezra." Because of the volume of mail he receives, Ezra, regretfully, cannot respond to each inquiry.*

*Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.*

# For Quicker Program Development the 8051 C Compiler

The 2500 A.D. 8051 C Compiler offers an alternative to Assembly Language solutions. Quicker program development. Simpler program testing. Easier program maintenance.

- Full Kernighan & Ritchie C
- All data types, including Float & Double
- Reentrant Libraries
- Internal, External or Mixed Data Modes
- Special Function Register support
- In-line Assembly Language
- Listings reflect actual linked addresses
- Function prototyping ANSI extensions
- Full math library, including Trig functions
- Interrupt handler support
- Bank switched memory support
- Internal bit field support
- Linked Assembly language
- Generates ROMable code

The 8051 C Compiler package includes the 2500 A.D. 8051 Macro Assembler, Linker, Librarian, Standard Library and Math Library and is priced at \$500.00 for MSDOS systems.

To order call Toll Free:

## 1 800 843-8144

In Colorado: 1 719 395-8683  
Fax: 1 719 395-8206  
Telex: 752659/AD

## 2500ADS SOFTWARE INC.

109 Brookdale Avenue  
P.O. Box 480  
Buena Vista, CO 81211

**The Right Software for The Right Micro at The Right Price**

**NO ADDED CHARGE ON CREDIT CARDS**

# EXECUTIVE PHOTO & SUPPLY CORP.

**HOURS: Mon. Tru. Thurs. 9AM Till 6PM, Fri. 9AM Till 1:30PM, Sun. 9:30AM Till 5PM, Closed On Sat.**

**FOR COMPUTER & ACCESSORIES**

**CALL TOLL FREE: 1-800-882-2802**

**FOR FAX, TYPEWRITERS & DICTATION EQUIPT.**

**CALL TOLL FREE: 1-800-223-7323**

**IN N.Y. STATE CALL: 1-212-947-5290**

## LAPTOPS



640K, 2-3.5 720K Disk Drives,  
Supertwist Backlit Display,  
w/JT Fax Portable

**1275.90**

New! DATAVIEW SPARK 1-Floppy Drive, &  
1-20MB Hard Drive ..... 1789.95

**TOSHIBA (sold in Store Only)**  
TOSHIBA T-1000 ..... CALL  
TOSHIBA T-1200F/FB ..... CALL  
TOSHIBA T-1200HB ..... CALL  
NEW! TOSHIBA T-3100E ..... CALL  
TOSHIBA T-3200T-5100 ..... CALL

### ZENITH

ZENITH 184-1 ..... 1489.75  
ZENITH 184-2 ..... 2199.75  
ZENITH Supersport 286 Model 20 w/20MB  
Hard Drive ..... 2965.75  
ZENITH 286 w/40MB Hard Drive 3389.75

### MITSUBISHI

MITSUBISHI 268L Laptop w/20MB Hard  
Drive ..... 2394.00

### NEC

NEC Multispeed HD ..... **LOW PRICE**

### LAPTOP ACCESSORIES

HOLMES 2400 Modem f/All LaptopsCALL  
WORLD PORT 2400 Baud Modem235.00  
Diconix Portable Printer ..... 304.90

## DESKTOPS



DESKPRO 286, 12MHz, 1.2 Floppy Drive,  
Seagate 40MB Hard Drive (40ms)2085.00  
NEW! COMPAQ 386/20E w/40MB Hard  
Drive ..... 4749.00  
NEW! COMPAQ SLT/286 Portable w/20MB  
Hard Drive ..... 4049.00



### AST PREMIUM 286

10 MHz, 512K, 1.2 Floppy Drive,  
Seagate 40MB Hard Drive (40ms)

**1719.90**

NEW! AST 386C w/64K Cache Memory, 20  
MHz, 1MB Ram, 1.2 Floppy Drive, 40MB  
Hard Drive (28ms) ..... 3199.00

### COMPATIBLES

IBM-XT Compatible, 1-360 Floppy Drive,  
1-30MB Hard Drive ..... 757.00  
IBM-AT Compatible, 12MHz, 512K, 1.2  
Floppy Drive, Seagate 40MB Hard Drive  
(28ms) ..... 1319.00

**APPLE COMPUTERS . . . . . CALL**

## PRINTERS



### KX-P 1124

24 Pin, Narrow Carriage  
192 CPS Draft, 63 CPS NLQ,  
Tractor Feed Included

**LOW PRICE**

PANASONIC 1091I ..... 189.75  
NEW! PANASONIC 1181 ..... CALL

### EPSON

EPSON LX-800 ..... 175.75  
EPSON LQ-500 ..... 288.00  
EPSON LQ-850 ..... 518.00  
EPSON LQ-1050 ..... 734.50  
EPSON FX-850 ..... 338.50  
EPSON FX-1050 ..... 437.50

### TOSHIBA (Sold In Store Only)

NEW! TOSHIBA Expresswriter 311 CALL  
NEW! TOSHIBA 321SL Color ..... CALL  
TOSHIBA 341SL ..... CALL  
TOSHIBA 351 SX ..... CALL

### NEC

NEC 2200 ..... 339.00  
NEC P5200 ..... 515.00  
NEC P5300 ..... 889.00

### PRINTER SALE!

H.P. Laserjet II w/Toner ..... CALL  
H.P. Deskjet ..... CALL  
STAR NX-1000 ..... 189.95  
APPLE Imagewriter II ..... 439.00

## HARDWARE



INTEL 80287-8 ..... 205.00  
NEW! INTEL Above Board Plus ..... 386.00  
INTEL 80387-20 MHz ..... 419.00  
Logitech Hi-Res Mouse ..... 78.00  
Logitech Clear Mouse ..... 95.00  
DFI HS-3000 Scanner ..... 189.00  
PARADISE VGA Professional ..... 397.00  
NEW! PARADISE VGA Plus 16 ..... 299.90  
MICROSOFT Mouse ..... 99.95  
NEW! NEC Multisync IIA Monitor ..... CALL  
ZENITH Perfect Monitor ..... CALL  
SONY 1302 Monitor w/Stand ..... 689.00  
PLUS 20MB Card ..... **LOW PRICE**  
TOSHIBA 3 1/2" Drive w/Kit ..... 89.00

## SOFTWARE

NEW! SAMNA AMI ..... 97.75  
NEW! GEM Artline ..... 289.75  
XY Write w/AI A Carte ..... 215.95  
ASK SAM ..... 165.00  
BITSREAM Fonts ..... CALL  
XEROX Ventura Publisher 2.0 Low Price  
PROCOM Plus ..... 42.95  
MICROSOFT Excel 2.1 ..... 299.95  
FORMWORK w/Fill & File ..... 79.00  
PFS First Publisher ..... 89.00  
NOTA BENE 3.0 ..... 248.50  
LUCID 3D ..... 67.99  
Q & A ..... 189.99  
INTUIT Quicken ..... 31.95  
MANAGING Your Money 5.0 ..... 115.95  
TOBIAS PC/Tax Cut ..... 45.95  
CHIPSOFT Turbo Tax ..... 42.79  
DAC Easy Accounting 3.0 ..... 57.00  
NOLO Will Maker ..... 30.95  
SPINRITE ..... 48.99  
FASTRAX ..... 32.95

## FAX MACHINES

### PANAFAX



UF-150 ..... **IN STOCK**  
UF-250 ..... **IN STOCK**

### SHARP

FO-220 ..... CALL FO-300 ..... CALL  
FO-420 ..... CALL FO-550 ..... CALL  
FO-700 ..... CALL FO-800 ..... CALL

### CANON FaxPhones

FaxPhone 8 CALL FaxPhone 15 CALL  
FaxPhone 20 CALL FaxPhone 25 CALL  
FAX 270 ..... CALL FAX350 ..... CALL  
FAX 630 ..... CALL

### RICOH

FAX-10E ..... CALL FAX-20E ..... CALL  
FAX-60E ..... CALL FAX-70E ..... CALL

### MURATA

M-1200 ..... 619.90 M-1600 ..... 749.90

### PANASONIC

KX-F 100 ..... CALL KX-F 120 ..... CALL

### TOSHIBA Price Break

3300 ..... 899.90 3700 ..... 1299.90  
Model 30100 ..... 799.90

### SANYO

Model 515H ..... **IN STOCK**

### BROTHER

FAX 60 w/Answering Machine. **IN STOCK**

### FAX PAPER

8 1/2"x98" ..... 49.95 8 1/2"x164" ..... 59.90  
8 1/2"x328" ..... 74.95  
FAX Cleaning Kit ..... 29.95

## TYPEWRITERS & Word Processors



### SMITH CORONA

PWP-60 ..... 489.90  
PWP-40 **IN STOCK** PWP-80 **IN STOCK**  
NEW! PWP-100 ..... **IN STOCK**  
XL-1000 Typewriter ..... **Special 119.90**  
XL-2500 ..... CALL XD-5500 ..... CALL  
XD-7500 ..... CALL XD-9500 ..... CALL

### PANASONIC



KX-W 1500 Word Processor. **IN STOCK**  
KX-R 320 ..... CALL KX-R 330 ..... CALL  
KX-R 340 ..... 189.90 KX-R 350 ..... 229.90

### BROTHER



WP-55 Word Processor ..... **IN STOCK\***  
NEW! WP-490 ..... CALL  
AX-26 ..... CALL AX-28 ..... CALL  
\*Free Spreadsheet Program w/Purchase of  
WP-55 Word Processor

## Dictation Equipmt.



### OLYMPUS Pearlcorer

L-200 ..... 137.90 S-907 ..... 35.90  
S-911 ..... 59.90 S-930 ..... 99.90  
T-1010 Transcriber ..... 169.90  
S-804 ..... CALL S-810 ..... CALL  
T2000 ..... CALL T-2020 ..... CALL

### PANASONIC

RN-15 ..... 129.90 RN-36 ..... CALL  
RN-89 ..... 79.90 RN-105 ..... CALL  
RN-115 ..... 39.90 RN-125 ..... CALL  
RR-900 ..... 178.90 RR-970 ..... CALL  
RR-980 ..... CALL

### SANYO

TRC-6100 ..... CALL TRC-5680 ..... 79.90  
TRC-2550 ..... 149.90  
TRC-5200 ..... 229.90 TRC-5020 ..... 179.90  
TRC-4100 ..... 227.90 TRC-4141 ..... 178.90  
TRC-8000A ..... 227.90 TRC-8010A ..... 185.90  
TRC-8700 ..... 239.90 TRC-8070 ..... 185.90  
TRC-9100 ..... 239.90 TRC-9010 ..... 199.90

### SONY

M-100B ..... CALL M-740 ..... CALL  
M-750V ..... CALL TCM-5000EV ..... CALL  
BM-12 ..... CALL BM-17 ..... CALL  
BM-560 ..... CALL BI-500 ..... CALL  
BM-75 ..... CALL BM-80 ..... CALL  
BM-815T ..... CALL BM-820 ..... CALL

### NORELCO

585 ..... 89.90 590 ..... 119.90  
505 ..... 299.90 510 ..... 374.90  
2505 ..... 259.90 MC-4000 ..... 349.90

## COPIERS



PC-3 ..... 389.90 PC-5 ..... CALL  
PC-5L Legal Size ..... CALL  
NEW! PC-6 ..... CALL  
NEW! PC-6RE ..... CALL  
PC-7 Zoom Copier ..... CALL  
Black Cartridges ..... 79.95  
8 1/2"x11 Paper (5000 sheets) ..... 49.50

## TELEPHONES



Answering Machines Specials  
KX-T 1412. CALL KX-T 1418. CALL  
KX-T 1423. CALL KX-T 1424 ..... 69.90  
KX-T 1427 LCD w/Time Announce109.90  
KX-T 1622. CALL KX-T 1720. CALL

FF-1700 Cordless "Top Rated" 109.90

## DATABANKS



ORGANISER II ..... **IN STOCK**

### SHARP

OZ-7000 WIZARD ..... **IN STOCK**

EL-6250H Dial Master ..... 53.90

### CASIO

CASIO SF-3000 18K ..... 69.90  
CASIO IF-8000 Digital Diary ..... 119.90

**VISA, MASTERCARD, AMERICAN EXPRESS, OPTIMA & DISCOVER CARDS ACCEPTED**

OUR GUARANTEE: Defective goods will be replaced or repaired if returned within 10 Days in original packing, mint condition, blank warranty card, detailed letter of explanation & copy of invoice. No return privilege on software. If found defective, We will advise customer how to consult manufacturer for warrantee service. For Customer Service: Please Call (212) 947-5295. Not Responsible for typographical errors. We reserve the right to limit quantities.

TO ORDER by MAIL: Please send money order or certified check for UPS shipment on most items. Personal check delays your order by 15 days.

Shipping & Handling: Handling Charge: 2% plus 5.95. Shipping Charge: 0.65 per lb. Estimate minimum shipping 5.95. Total charge at time of order. Shipping & Handling charges are not refundable.

INQUIRE about NEXT DAY AIR or 2nd DAY AIR Shipment. N.Y. State Residents add TAX.



MAIL ORDER: Dept BY, 120 West 31st Street, N.Y., N.Y. 10001 (Tel. 1-212-947-5290)

MANHATTAN STORE: 120 West 31st. Street, N.Y., N.Y. 10001 (Tel. 1-212-964-3592)

SCARSDALE, NY STORE: 455 Central Ave. (Scarsdale Plaza) SCARSDALE, N.Y. 10583 (Tel. 1-914-723-1331)


N.Y.C. Consumer Affairs License Number: 800193

Circle 102 on Reader Service Card


# WHY DESIGN YOUR PRODUCT AROUND A COMPUTER?

## Now, you can design the computer into your product.

### Little Board/286



### Little Board/PC



Now includes DR DOS™

**Built-in vs. built-around.** External systems mean boxes, boards, backplanes, cables, and reliability problems. Ampro's Little Boards give you a complete system on a single board you can build right into your product.

**Small size. Big power.** Eliminate the bulk and constraints of multi-board, backplane-based systems. Embed a Little Board. Little Boards require just 2/3rds the power and volume of a 5 1/4" floppy disk drive. But they give you the full power of a PC or AT®.

**Fully compatible.** Little Board/286 and Little Board/PC are functionally identical to multi-board PCs and ATs. They run PC-DOS™ 2.0 to 3.X. They run DOS languages, compilers and applications. That means you'll be standing on a firm foundation of proven hardware and software.

**Ampro's Single Board Systems.** Everything is included except a keyboard, power supply and CRT. Up to a Megabyte of RAM. RS-232C and Parallel ports. AT/PC-compatible controllers and bus expansion. EGA/CGA/MDA and Hercules™-compatible video options. Even optional solid-state disk. Plus SCSI support for hard disk, tape, optical drives, bubble drives ... you name it. What's more, they offer low power consumption (+5VDC, less than 8W) and a wide operating temperature range (0 to 60°C). Perfect for standalone operation and harsh environments. Anywhere that reliability is a critical consideration.

**Available worldwide.** For information and the name of your nearest U.S. or international Ampro representative, call us at the number below. Or write on your letterhead for Little Board Product information.

# 408.734.2800

FAX: 408-734-2939 TLX: 4940302

# AMPRO

COMPUTERS, INCORPORATED  
1130 Mountain View/Alviso Road, Sunnyvale, CA 94089

Reps: Australia—61 3 720-3298; Austria—43-222/45 45 01; Canada—(604) 438-0028; Denmark—45 3 66 20 20; Finland—358 0 585-322; France—331 4502-1800; Germany, West—49 89 611-6151; Israel—972 3 49-16-95; Italy—39 6 811-9406; Japan—81 3 257-2630; Netherlands—010-411 85 20; Spain—34 3 204-2099; Sweden—46 8 55-00-65; Switzerland—M41 1 740-41-05; United Kingdom—44 2 964-35511; USA, contact AMPRO

Trademarks :3M AT—IBM Corp. Hercules—Hercules Computer Technology, Inc. Little Board—Ampro Computers, Inc. DR-DOS—Digital Research Inc.



# WHAT HATH COMDEX WROUGHT?

Wayne roams the halls of COMDEX and discovers the ubiquitous "COMDEX fact"

Once there was a time when you could depend on COMDEX to provide a couple of stunning industry developments. No more. COMDEX has become an immense project filled with hype and wonder, where the first fact you discover is that even the best walking shoes made by L.L. Bean may not be equal to the task.

This fact, of course, leads to further "COMDEX facts." In his book *A Colder Eye*, noted author and critic Hugh Kenner (a member of the BIX writers conference) describes Irish facts as "anything they tell you in Ireland." A COMDEX fact, then, is "anything they tell you at COMDEX."

## COMDEX Facts

The first COMDEX fact I encountered concerned the existence of a 33-MHz 80386-based IBM PC AT clone. I classify this rumor as a COMDEX fact because Intel has yet to ship a 33-MHz version of the 80386 processor. A couple of companies exhibited what they claimed to be such machines, but they were actually using processors designed for slower operation.

Then there is WingZ by Informix, a COMDEX fact for such a long time that it is nearly a COMDEX legend. WingZ is supposed to be a superspreadsheet for the Macintosh. But to date, this unseen product is serving only as a vehicle for the distribution of thousands of gym bags, because most users are more familiar with the orange and yellow bags with the WingZ logo than they are with Informix. Perhaps one day the promise will become a product that will deprive hun-



dreds of bag-seekers of their just spoils.

Fortunately, there was more to COMDEX this year than COMDEX facts. One of the advantages of this conference's having grown so large is that, with some careful observation, you can now spot trends. This year's trends hold some promise for business computer users.

Three of the most important trends involve databases aimed at corporations, local-area networking, and OS/2. I think it's incorrect to call this the year of the database, or the LAN, but this is a year in which you will see some important elements begin to come together. These are evolutionary changes, of course, but the result of this process is a solid trend toward change.

## Databases

Structured Query Language is finally coming to small computers in a useful fashion. Several vendors exhibited versions of SQL database packages designed for the corporate environment. Some of

these suppliers are already shipping products—Oracle and XDB among them. Other software should be shipping by the time you read this, including SQL server software from Oracle, Novell, and Ashton-Tate. WordTech and Borland also exhibited SQL front-end software.

WordTech Systems currently sells dBSL and Quicksilver, a dBASE clone and a dBASE compiler, respectively. The company has reached agreements with Oracle, Novell, and Gupta Technologies to convert dBSL and Quicksilver into dBASE language front ends for SQL database software. The results of these conversions will provide firms with various ways to upgrade existing dBASE language applications to the point where they can access the company mainframe.

Not to be outdone, Ashton-Tate was busy showing dBASE IV, which has embedded SQL. By this spring, there should also be a dBASE SQL server. In the meantime, the embedded SQL means

*continued*

you can develop applications containing SQL and put them into production as soon as the server software becomes available.

Finally, XDB Systems announced it also would offer a dBASE language front end for the SQL server product. XDB, though, did not announce where it plans to obtain its dBASE front end.

An interesting aside came to light when Ashton-Tate announced it was taking legal action against Fox Software and the Santa Cruz Operation for their sales of FoxBASE. Very likely, the winner in this fray will be WordTech Systems, the company that had previously contracted with Ashton-Tate for the use of the dBASE language. While Ashton-Tate is fighting off clones, it looks as if WordTech will be signing up new SQL vendors.

#### LANs

For several years now, columnists have been predicting the "Year of the LAN." I won't add to the noise. There probably won't be a Year of the LAN for the simple reason that LANs arrived quietly and established themselves while we were

**W**hile  
*Ashton-Tate is  
fighting off clones,  
it looks as if WordTech  
will be signing up  
new SQL vendors.*

distracted by other issues. In other words, the Year of the LAN has probably already happened.

Instead, we are seeing a year of considerable growth and maturation. LANs are becoming more a part of the business world, and, for some applications, SQL database servers are becoming more integrated into the applications. LAN manufacturers are working on ways to enhance their interoperability and utility.

Novell, the leader in LAN operating software according to a recent BYTE poll, is introducing Macintosh connectivity with its NetWare 2.15. This product will allow a Macintosh II or SE with an Ethernet interface card to work on a Novell network. Novell has also introduced its OS/2 Requester—software that lets you use OS/2 on the same networks with non-OS/2 systems.

Meanwhile, other LAN software continues to evolve. WordPerfect Corp. showed WordPerfect Office, a package the company refers to as group productivity software. Office works with Novell or NetBIOS networks. It provides E-mail and group scheduling, along with such functions as a calculator and notepad. WordPerfect's idea is to provide a consistent feel to the software, so that users familiar with its other products will feel right at home with the new additions.

#### OS/2

At COMDEX, I saw some evidence that actual software will exist for OS/2. Borland International has begun shipping a

*continued*

## Microstat-II Can Save You Time and Money

Whether for industry, education, government, or pure research, no other statistics package can compare to Microstat-II in areas of coverage, accuracy, ease of use, and value. Just some of Microstat-II's features include

- Descriptive statistics (mean, standard deviation, variance, kurtosis, skewness, etc.)
- Regression Analysis: Simple, Multiple, Stepwise Multiple, forward and backward
- Cluster Analysis
- Canonical Correlation
- Correlation Analysis: matrix and cross products table
- ANOVA: Oneway, Twoway, Twoway with replicate
- LSD, Duncan's, Tukey, Newman-Keuls
- Crosstabs and Chi-square
- Hypothesis tests: mean or proportion
- Nonparametrics: Wald-Wolfowitz, Kruskal-Wallis, Wilcoxon, etc.
- Time Series: moving average, centered moving average, deseasonalization, exponential smoothing
- Probability Distributions: Normal, t, F, Poisson, etc.
- Frequency Distributions: value or range.
- Scatterplots (with simple regression)
- Factorials, Permutations, Combinations
- Up to eight times faster than the competition without loss of accuracy
- Online help plus easy to use keyboard or mouse input; no complex command language to learn
- Unequal cases, missing data, and aliased data, range checking
- Easy to use data entry system with file import capability
- Not copy protected
- Expanded user's manual

Requires an IBM PC, XT, AT, PS2 or compatible with 512K of memory 2 floppy disks or a hard drive. Price: \$395.00 with 30 day money back guarantee. Demo available for \$19.95. Please include \$4.00 for shipping. For information, call or write:

Orders: 1-800-952-0472

Technical Questions: 1-317-255-6476

FAX: 1-317-251-4604

#### Ecosoft Inc.

6413 N. College Ave.  
Indianapolis, IN 46220




# ECOSOFT

# Aw...What the Heck!

## EXTREMELY POWERFUL

DesignCAD 3-D version 2.0 is as powerful as most CAD systems costing \$5000 - \$10,000! Features like: Complex Extrusions-linear, scaler, and circular, Blending of Surfaces, Shading, Cross Sectioning, Complex Sweeps and Translations, and Boolean operations make DesignCAD 3-D one of the most powerful 3-D CAD systems available... at any price! Engineers, Architects and Consultants constantly tell us that they use CAD systems costing thousands of dollars which are not as powerful as DesignCAD 3-D.



## VERY EASY TO USE

Just because DesignCAD 3-D is powerful doesn't mean it is difficult to use. Single keystroke commands and side-bar menus which give short directions on how to proceed make DesignCAD 3-D a snap to use! While not required, DesignCAD 3-D supports all popular digitizers and mice.

Many of the older, more cumbersome CAD systems require weeks of training before a user can be productive. DesignCAD 3-D users find they can be producing useful drawings in a matter of minutes! In a recent CAD contest only one contestant was able to match our drawing time. The package sold for \$3000.00. The other CAD packages took up to twice as long to perform the same drawing and cost up to \$5000.00!

Still don't believe us? The goblet pictured below required only 16 keystrokes and 3 commands to create! The top, front, side, and isometric views were created simultaneously... in less than one minute!

## DesignCAD 3-D only \$399!



## VERY LOW PRICED

The first question asked by many people is, "Why is DesignCAD 3-D priced so low?" The answer? After developing DesignCAD 3-D version 2.0, we were unable to decide how the product should be priced. We consulted experts. We used the finest spreadsheets on the market. We took employee polls. Finally, in the great American Tradition, we said, "Aw... What the Heck! Let's see the other guys beat this price!" DesignCAD 3-D version 2.0 sells for \$399.



## WHY BUY THIS ONE?

There is a very important reason to buy DesignCAD 3-D. PERFORMANCE. No other CAD system can match our price/performance ratio. Many people make the serious mistake of thinking that it is necessary to spend thousands of dollars to obtain "a good 3-D CAD system." This is not true! We talk to people everyday that are sadly disappointed with their "expensive" CAD systems. Don't be one of them! Call us and we will send you a complete set of literature and a free slide show demo disk. Once you compare DesignCAD 3-D version 2.0 with other CAD systems we know you will choose DesignCAD 3-D.



## DON'T TAKE OUR WORD FOR IT

Here is what other people have to say about DesignCAD 3-D:

"After you've worked with DesignCAD, the single keystroke commands are simple to remember and it becomes easy to "flick one key" to execute a command. An extremely ergonomically designed program."

HENRY LEVET, Levett & Daigle Architects - New Orleans, LA  
Designed a 65,000 sq. ft. nursing home using DesignCAD

"Recently I worked with a firm that builds decks. They purchased your product on my recommendation. I sat down with them and in two hours they were very proficient in DesignCAD. Now they are more effective; and we can communicate... it's wonderful to be able to do a block repeat 42 times and there are 42 2x4's to make the deck!"

J. TURNER, Architect, TAO Ltd. - The Woodlands, Texas

"Allows scientists and engineers to expend minimum time learning and using CAD software so that their time can be expended on the project at hand. It also allows scientists and engineers to quickly present to management all views of a subject. (3-D)."

DR. STEVENS, NASA Space Scientist/Engineer

## HOW DO I GET ONE?

DesignCAD 3-D version 2.0 is available from most retail computer stores, or you may order directly from us. DesignCAD 3-D is available in a number of foreign languages from distributors throughout the world. All you need to run DesignCAD 3-D is an IBM PC Compatible and 640K RAM. DesignCAD 3-D supports most graphics cards, printers, plotters and digitizers. Free information and a demo diskette are available by contacting us at:

**American**  
Small Business Computers, Inc.

327 South Mill Street  
Pryor, OK 74361  
918/825-4844  
FAX: 01-918-825-6359  
TELEX: 9102400302

# SOLUTIONS

## Bigger—

*Vfeature Deluxe™* lets your DOS system use hard disks it thought it couldn't, all in one bootable piece—no artificial partitions! You can even span your old drive with the new one for more capacity. Use RLL, ESDI, or SCSI, and laugh at DOS partition limits. \$120

*DUB-14™* takes a different approach to drive expansion, stretches your AT's Drive Table to support the drive YOU choose! Comes with setup and low-level format routines, and it's OS independent. \$95

## Faster—

*Vcache™* accelerates disk operations, avoids repetitive accesses by storing data in RAM as you read it so it's there for you the next time you need it—no waiting! Works with any type of memory, caches up to 15 Mb, bundles accelerators for your diskettes, screens, and keyboard. \$59.95

*Vopt™* saves head motion by eliminating DOS file fragmentation. In a few seconds at boot time, *Vopt* arranges all your files neatly in contiguous clusters so you won't waste any time reading them back. Bundles timing and diagnostic utilities. \$59.95

## Safer—

*Vlock™* protects your system and its data from vandals and accidents. System access passwords control booting, activity menus decide who does what to which files, even locks out Ctl-Break during boot! \$135

## Easier—

*Vtools™* is a slick set of disk management tools for DOS and OS/2. Display directories in whatever order you like, browse files and change or delete them, compare and update multiple versions, find and manipulate categories of files, and more! \$49.95

SEE YOUR DEALER OR CALL TOLL-FREE

# 1 (800) 284-3269



**GOLDEN BOW SYSTEMS**  
2870 5TH AVENUE  
SAN DIEGO, CA 92103  
(619) 298-9349

FAX (619) 298-9950 TELEX 201520 GBS UR  
MC/VISA US shpg/hdlg \$3 CA orders add 7%

Vfeature, DUB-14, Vcache, Vopt, Vlock, and Vtools are trademarks of Golden Bow Systems.

**A**t the  
*COMDEX show, I saw  
some evidence that  
actual software will  
exist for OS/2.*

version of Paradox for that operating system. Borland has said that it will begin shipping a version of SideKick for OS/2 with Presentation Manager by the first quarter of this year.

Lotus was showing Lotus 1-2-3 version 3, which will use OS/2. It still isn't clear when the company will start shipping that long-overdue upgrade. OS/2 software vendors generally agree that memory prices will have to moderate before this operating system will become widely accepted.

## Business Impact

What does all this mean to you? As usual, COMDEX contained both good and bad news. The good news is that with the current state of LANs and SQL software, microcomputer-minicomputer-mainframe connectivity may finally become seamless. The bad news is that moving out of the current state of the art will be expensive.

The good news was demonstrated at COMDEX through the use of the (as-yet-unreleased) SQL version of Paradox, which was shown accessing SQL databases from three other database management systems. Paradox SQL was able to select information from any of the tables and from a combination of tables. The tables have also been from Oracle and located on a VAX or from DB2 and located on an IBM mainframe.

Software such as Paradox SQL will lead to seamless distributed processing, probably in the near future. Nearly all the required components are in place now. Still missing is a product that provides an easy way to use the Oracle server. Now the Oracle server must re-

*continued*

## Items Discussed

<b>dBXL</b> .....\$199	<b>Paradox</b> (single user) .....\$725
<b>Quicksilver</b> .....\$599	Borland International
WordTech Systems, Inc.	1800 Green Hills Rd.
21 Altrinda Rd.	Scotts Valley, CA 95066
Orinda, CA 94563	(408) 439-1060
(415) 254-0900	<b>Inquiry 982.</b>
<b>Inquiry 986.</b>	
<b>dBASE IV</b> .....\$795	<b>WingZ</b>
Developers' version ..... \$1295	(Price not yet available)
Ashton-Tate	Informix Software, Inc.
20101 Hamilton Ave.	16011 College Blvd.
Torrance, CA 90502	Lenexa, KS 66219
(213) 329-8000	(913) 492-3800
<b>Inquiry 981.</b>	<b>Inquiry 987.</b>
<b>Novell NetWare 2.15</b>	<b>WordPerfect Office</b>
(Price not yet available)	File server .....\$495
Novell, Inc.	Each additional station .....\$140
122 East 1700 S	WordPerfect Corp.
Provo, UT 84601	1555 North Technology Way
(801) 379-5900	Orem, UT 84057
<b>Inquiry 984.</b>	(801) 227-4010
<b>Oracle SQL Server</b> ..... \$2495	<b>Inquiry 985.</b>
Oracle Corp.	
20 Davis Dr.	
Belmont, CA 94002	
(415) 598-8000	
<b>Inquiry 983.</b>	



# Transients spike juice. One dead. Seven ill.

The things electric line transients do to a computer are enough to make you sick.

Like spiking its incoming voltage and stealing important bits of information.

Relentlessly attacking its sensitive circuits until it can't take any more. Then serving up the knockout punch.

Worst of all, they usually get away with it.

## Wrong suspects named.

When data is missing, keyboard operators put the finger on software programs.

And computer manufacturers take the rap for hardware failures.

Meanwhile, electrical contaminants such as spikes, sags, surges, brownouts and blackouts go free. Ready to strike again.

Regardless of who's

convicted of the crimes, innocent computer owners must pay the price. In idled employees. Lost productivity. Inaccurate files. And maintenance costs.

## Emerson snares culprit.

Electrical transients are in for a big surprise when an Emerson Uninterruptible Power System is on duty.

A trap. They go in, but never come out.

Only pure, refined electrical fuel reaches your computer.

Giving it all the

pep and trouble-free performance it was designed to deliver.

You'll even get up to 15 minutes of peak performance during *total blackouts*, without a switching delay.


Emerson Electric is a major *Fortune* 500 corporation with more power protection systems installed worldwide than anybody.

We make the most complete line of UPS's for everything from PC's to mainframes, plus power conditioning and distribution systems.

For a free brochure and video "Maximizing Computer Performance," plus the name of your local representative, call us today at 1-800-Back-UPS.

**EMERSON**  
Computer Power

Computers Won't Run Right  
On The Wrong Fuel.



## Finally . . . a low cost, high speed copier for 5¼ and 3½ inch diskettes!

Attach a Victory V3000 Autoloader to your IBM/PC or Apple/Macintosh, enter one or more copy jobs, and walk away! The system automatically copies 5¼ or 3½ inch diskettes—up to 180 per hour. Switching the copy drive takes less than two minutes.

**Copy Formats Flawlessly.** Victory's Auto-Dup™ software copies different formats or you can

build your own format. Auto-Dup tests the quality of each copy, sorting diskettes into one of two output bins.

### Do-It-Yourself Servicing.

The Autoloader's simple component design and diagnostics for checking drive alignment and speed allow you to maintain the system without outside service.

**Call (800) 421-0103.** And ask about Victory's family of affordable Autoloaders that support

Hard Drive Back-Up, Serialization, and Custom Label Printing.




### VICTORY ENTERPRISES

Technology, Inc.

Victory Plaza  
1011 E. 53½ Street  
Austin, TX 78751-1728  
(512) 450-0801

In Europe call BFI: Paris (33-1) 45330137, Frankfurt (49-6074) 27051, London (44-1) 941-4066, Milan (39-2) 33100535, Stockholm (46-8) 7547460, Madrid (34-1) 2559503.



# POWER TOOL.


Introducing 4x488™

You get intelligent IEEE-488 and RS232 ports to make instrument programming fast and easy.

You can have up to 4 Mbytes of memory on the same board for your largest programs,

RAM disks, and data acquisition tasks.

Compatibility is built-in so you can run your favorite programs or create new ones with our advanced programming tools.



To get your FREE demo disk—call 617-273-1818.

Capital Equipment Corp.  
Burlington, MA 01803



The bottom line—IEEE-488, RS232, par. port, 4MB EEM LIM, runs DOS and OS/2.

## DOWN TO BUSINESS

side on a database server that runs Xenix, an environment many users find difficult to manage. Fortunately, at COMDEX, Oracle announced an OS/2 version of the server. It should be available by the time you read this.

Nothing at COMDEX held much hope for an early change to OS/2. If anything, reasons to stay with MS-DOS or the Mac continue to grow. Now that Presentation Manager is shipping, OS/2's memory requirement has grown to about 5 megabytes, depending on what you want to run in addition to the operating system. You could easily spend more on memory than you did on your computer. As yet, there is no software that offers a compelling reason to move to OS/2.

The lack of OS/2 software, plus increased performance and reduced prices on some systems, will affect the purchasing strategy for many businesses. Currently, 80286 versions of AT clones are readily available at prices significantly lower than for an 80386, either in its SX version or in the full 32-bit version. Meanwhile, there is virtually no widely used software that requires the 80386. With 20-MHz versions of the 80286 now being shipped, there is not even much of a speed difference.

What's a business to do? Unless a specific application actually requires the processing ability of an 80386, it may not pay to buy one. It's a reasonably safe bet, given a three-year economic lifetime, that there will be relatively little additional software actually requiring the 80386 during the time you will have the 80286 machine. After all, even though the 80286 has been around for several years, virtually all software is still written for the 8088.

The time will eventually come when the software for the 80386 or its successors starts to become a factor. Then you will start buying those machines. They will cost less, and you won't have lost anything in the meantime. Admittedly, I am offering a low-tech approach to computing, but nothing I saw at COMDEX contradicts this conservative strategy. ■

*Wayne Rash Jr. is a consulting editor for BYTE and a member of the professional staff of American Management Systems, Inc. (Arlington, VA). He consults with the federal government on microcomputers and communications. You can contact him on BIX as "waynerash," or in the "to.wayne" conference.*

*Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.*

ESTABLISHED  
1968

# MONTGOMERY GRANT

BYTE  
301

OUTSIDE USA .....CALL  
**(718)692-0071**

For Customer Service  
Call Mon-Fri: 9:30am-4:30pm  
(718) 692-1148

Retail Outlet: Penn Station, Main Concourse  
(Beneath Madison Square Garden) NYC, NY, 10001  
Store Hours: Mon-Thurs, 8:30am-8pm/ Fri,8:30am-5pm/ Sat, CLOSED /Sun,9:30am-7pm  
**FOR ORDERS & INFORMATION CALL TOLL FREE**

## 1-800-759-6565

OR WRITE TO:  
Montgomery-Grant Mail Order Dept  
P.O. Box 58 Brooklyn N.Y. 11230

FAX NO. 7186923372  
TELEX 422-132 MGRANT

Monday-Thursday, 9:00am-7:00pm/Friday, 9:00am-5:00pm/Saturday CLOSED/ Sunday, 9:30am-6:00pm (EST)  
NO SURCHARGE FOR CREDIT CARD ORDERS / WE INVITE CORPORATE AND EDUCATIONAL CUSTOMERS  
CORPORATE LEASING AVAILABLE / DISCOUNTS FOR QUANTITY ORDERS

### LAPTOPS



**AMSTRAD  
PPC-640 SD**  
• 640K  
• 720K Floppy Drive  
• Built-in 2400 Baud Modem  
**\$769**

AMSTRAD PPC-64C with Two Drives.....	\$849
TOSHIBA 1600.....	\$3269
TOSHIBA 3100 e.....	\$2799
NEC MULTISPEED EL II.....	\$1499
NEC MULTISPEED HD.....	\$2149
TOSHIBA 1000.....	\$749
TOSHIBA 1200 F.....	\$1399
TOSHIBA 1200 H.....	\$2199
TOSHIBA 1200 HB.....	\$2399
TOSHIBA 3200.....	\$3669
TOSHIBA 5100.....	\$4599
ZENITH 184 w/TWO FLOPPIES.....	\$1469
ZENITH 184-2 w/2CMB.....	\$2199
ZENITH 184-98 w/20MB MODEM.....	\$2099
ZENITH 286 w/20MB.....	\$3299
ZENITH 286 w/40MB.....	\$3569
SPARK EL.....	\$999

MODEMS, EXTERNAL DRIVES & ACCESSORIES AVAILABLE FOR ALL LAPTOPS



**EPSON EQUITY 1+  
IBM XT COMPAT. PKG.**  
• 640K RAM w/Clock Calendar  
• 360K Drive  
• Keyboard  
• Serial and Parallel Ports  
• 12" High Resolution Monitor  
• MS DOS / GW Basic  
**\$799**

SAME W/20MB HARD DRIVE.....\$1059  
SAME W/30MB HARD DRIVE.....\$1099  
SAME W/40MB HARD DRIVE.....\$1199  
SAME W/TWO 360K FLOPPIES.....\$879



**EPSON EQUITY II+  
IBM AT COMPATIBLE  
HARD DRIVE PACKAGE**  
• Keyboard  
• 640K RAM  
• 80286 Microprocessor  
• 1.2MB Floppy Drive  
• 20MB Hard Drive  
• 12" Monitor  
• MS DOS/GW Basic  
**\$1449**

SAME W/30MB HARD DRIVE.....\$1499  
SAME W/40MB HARD DRIVE.....\$1599  
**LOGITECH MOUSE M-7.....\$59.95**



**EPSON EQUITY III+  
IBM AT COMPATIBLE  
20MBHARD DRIVE PKG.**  
• Keyboard  
• 80286 Processor  
• 640K RAM  
• 6/8/12 MHz  
• 1.2 MB Floppy Drive  
• 20MB Hard Drive  
• 12" Monitor  
• 8 Expansion Slots  
• Serial & Parallel Ports  
• MS DOS/GW Basic  
**\$1749**

SAME W/30MB HARD DRIVE.....\$1799  
SAME W/40MB HARD DRIVE.....\$1899

### LEADING EDGE

#### MODEL D3

• Keyboard  
• 2MB RAM  
• 1.2MB Floppy Drive  
• 65MB Hard Drive  
• 16MHz  
• 12" VGA Monitor  
• with VGA Card  
• MS DOS/OS2  
**\$3699**



**MODEL D  
IBM XT COMPATIBLE PKG**  
• 512K RAM Computer  
• Keyboard  
• 360K Floppy Drive  
• 4.77-1.6 MHz  
**\$699**

SAME W/TWO 360K FLOPPIES.....\$769  
SAME W/20MB HARD DRIVE.....\$949  
SAME W/30MB HARD DRIVE.....\$999

#### COMPAQ 286 MODEL 1

**IBM AT COMPAT. PKG.**  
• 640K • 1.2MB • Floppy Drive  
• 7 Expansion Slots • 8/12 MHz  
• 12" Monitor • MS DOS/GW Basic  
**\$1799**

#### commodore PC10-1

**IBM XT COMPAT. PKG.**  
• 512K RAM  
• 360K Floppy Drive  
• 12" Monitor  
• Serial & Parallel Ports  
• Keyboard  
• Box of 10 Diskettes  
**\$499**

WE RECONFIGURE ANY OF OUR COMPUTER PKGS. TO FIT YOUR SPECIFICATIONS.  
CALL FOR INFORMATION. WE CARRY MODEMS, DRIVES, CARDS COLOR MONITORS  
& ALL OTHER ACCESSORIES FOR YOUR COMPUTER

#### SHARP PC-7100A PORTABLE

**IBM XT COMPATIBLE COMPUTER PKG.**  
• Detachable keyboard  
• Backlit Screen  
• 8 MHz Turbospeed  
• 5.5" Floppy Drive  
• 20MB Hard Drive  
• Serial/Parallel Ports  
**\$1488**

PC 7000A  
w/2 Floppies.....\$788

#### AMSTRAD PC-1640

• Keyboard  
• 640K RAM Turbospeed  
• Two 360K Drives  
• 12" Monitor  
• FREE Mouse & Software  
• MS DOS/GW Basic  
**\$729**

W/ONE FLOPPY AND 20MB.....\$1029  
EGA AND CGA MODELS IN STOCK!!

### AMIGA

NEW

AMIGA 500  
w/Built-in 5.25" Drive  
**\$519**

AMIGA 500 w/1084S Monitor  
**\$799**

AMIGA 2000  
w/Built-in 3.5" Drive  
**\$1399**

AMIGA 1084S RGB MONITOR.....\$294.95  
AMIGA 2088 BRIDGE CARD.....\$499.95  
AMIGA 1010 DISK DRIVE.....\$189.95

**AMIGA 2500.....CALL**

ALL COMPUTERS AND PERIPHERALS  
IN STOCK!!

**SEAGATE 20,30,40,60,  
80MB HARD DRIVES IN  
STOCK!**

### PRINTERS

STAR NX-1000.....	\$169.95
STAR NX-1000.....	\$169.95
RAINBOW.....	\$219.95
RAINBOW.....	\$304.95
TOSHIBA 321-SL.....	\$449.95
NEC P2200.....	\$349.95
NEC P5200.....	\$499.95
NEC P5300.....	\$669.95

EPSON FX-1050.....	\$489.95
EPSON FX-850.....	\$339.95
EPSON LQ-500.....	\$315.95
EPSON LQ-850.....	\$529.95
EPSON LQ-950.....	\$589.95
EPSON LQ-1050.....	\$729.95
EPSON LQ-2550.....	\$919.95
EPSON LX-80.....	\$199.95

**CITIZEN PRINTERS  
IN STOCK!**

PANASONIC 1080II.....	\$159.95
PANASONIC 1092I.....	\$299.95
PANASONIC 1091II.....	\$189.95
PANASONIC KXP-1524.....	\$499.95
PANASONIC KXP-1595.....	\$409.95
PANASONIC KXP-1124.....	\$319.00

**SPECIAL!  
KXP-4450.....\$1499**

**HEWLETT PACKARD LASERJET SERIES II  
PACKARD \$1629**

1 MB EXPANDER.....\$349  
2MB EXPANDER FOR LASERJET II.....\$749  
HP DESKJET PRINTER.....\$699  
HP LASERJET IID.....\$2995

#### commodore COLT

**IBM XT COMPATIBLE  
PACKAGE**  
• Keyboard  
• Two 360K Floppies  
• Serial & Parallel Ports  
• 12" Monitor  
• MS DOS/GW Basic  
**\$699**

#### AST

**MODEL 80  
HARD DRIVE PKG.**  
• 80286 Processor  
• Keyboard  
• 1.2MB Floppy Drive  
• 20MB Hard Drive  
• 12" Monitor  
• MS DOS/GW Basic  
**\$1599**

SAME PACKAGE W/30MB.....\$1649  
SAME PACKAGE W/40MB.....\$1749

#### commodore 128D PACKAGE

• Commodore 128D Computer w/Built-in Disk Drive  
• Commodore 1902 Color RGB Monitor  
• Commodore Color Printer  
**\$699**

#### 64C PACKAGE

• Commodore 64C Computer  
• Commodore 1541C Disk Drive  
• Commodore Color Printer  
• 12" Computer Monitor  
**\$389**

#### NEC POWERMATE 1

**HARD DRIVE PKG.**  
• 640K  
• Keyboard  
• 10 MHz  
• 1.2MB Floppy Drive  
• 20MB Hard Drive  
• Serial/Parallel Ports  
• 18" Monitor  
**\$1599**

### MONITOR SPECIALS

MAGNAVOX EGA MONITOR.....	\$339
MAGNAVOX EGA MONITOR W/EGA CARD.....	\$459
MAGNAVOX VGA MONITOR.....	\$369
MAGNAVOX VGA MONITOR W/VGA CARD.....	\$569
NEC MULTISYNC II.....	\$579

### IBM XT

**HARD DRIVE PKG.**  
• IBM XT Computer  
• IBM Keyboard  
• 256K RAM  
• Expandable to 640K  
• 360K Disk Drive  
• 20MB Hard Drive  
• Pkg. of 10 Diskettes  
(Monitor Optional)  
**\$1199**



**IBM XT PACKAGE WITH  
TWO FLOPPY DRIVES.....\$999**

#### IBM AT

**HARD DRIVE PKG**  
• 1.2MB Floppy Drive  
• 20MB Hard Drive  
• Serial/Parallel Ports  
• Keyboard  
(Monitor Optional)  
**\$1799**



### APPLE II PACKAGES

**APPLE IIC+ w/Floppy  
Drive & 12" Monitor  
\$599**  
**APPLE IIE w/5.25 Disk  
Drive and 12" Monitor  
\$749**

### APPLE IIGS COMPUTER PACKAGE

• Apple IIGS Computer  
• 512K Upgrade  
• RGB Color Monitor  
• Apple 3.5" Disk Drive  
**\$1499**

IMAGEWRITER II PRINTER.....	\$449
MAC SE COMPUTER W/DUAL DRIVE.....	\$2299
MAC SE COMPUTER W/20MB.....	\$2299
APPLE HARD DRIVE.....	\$2749
APPLE MAC II.....	\$3499
APPLE MAC II W/40MB.....	\$4299

### SANYO

**PR-3000A  
DAISY WHEEL LETTER  
QUALITY PRINTER  
\$59.95**

### PERSONAL SYSTEM 2

PS/II MODEL 30.....	\$1299
PS/II MODEL 30 w/20MB.....	\$1699
PS/II MODEL 30/286-002.....	\$1549
PS/II MODEL 30/286-021.....	\$1999
PS/II MODEL 50 w/20MB.....	\$2499
PS/II MODEL 50Z w/30MB.....	\$2849
PS/II MODEL 50-061.....	\$3249
PS/II MODEL 60-041.....	\$3299
PS/II MODEL 60-071.....	\$3619
PS/II MODEL 70-E61.....	\$4199
PS/II MODEL 80-041.....	\$4295
PS/II MODEL 80-071.....	\$4799
5.25" 360K External Drive for IBM PS/II-30 +PS/II-50.....	\$169
PACIFIC RIM 5.25" 1.2MB External Drive for IBM PS/II 50/60/70/80.....	\$259

**IBM PERSONAL SYSTEM II MONITORS**  
8503 MONOCHROME.....\$239  
8512 COLOR.....\$449  
8513 COLOR.....\$539



RUSH SERVICE AVAILABLE. CALL FOR DETAILS.

Certified Check, Bank Check, Approved P.O.s, Money Orders, Visa, Am Ex, Oiner's Club, Carte Blanche, & C.O.D.s accepted. No additional surcharge for Credit Card orders. Non-certified checks must wait 4-6 weeks for clearance. N.Y. residents add applicable sales tax. Prices and availability subject to change without notice. Not responsible for typographical errors. Return of defective merchandise must have prior return authorization number or returns will not be accepted. IBM PC XT are registered trademarks of International Business Machine Corp. APO FPO orders please add 15% shipping and handling. All APO FPO orders are shipped first class priority air. All orders can be shipped Air Express. Call for details. DC# 800233

Circle 180 on Reader Service Card

# HARDCORE SOFTWARE

Stop fooling around. It's time to get hardcore about software. With Microsoft.

We'll give you all the resources you want. Tens of millions in R&D funding. Along with one of the most elementary tools for thinking — a door, which leads to your own private office. All backed by management that truly does speak your language, because they probably helped write it.

We're serious about software design. If you are too, then apply right now for one of these opportunities.

## Software Design Engineers

We're working on everything from operating systems, sophisticated graphics, award-winning applications products and networking, to compilers, powerful productivity software and more. In fact we're working on some truly visionary ideas we can't even reveal yet. You could be too, if you have programming experience and a background that includes micros, "C", 8086, 68000, Macintosh® Toolbox, Windows™, OS/2, or MS-DOS®.

## Program Managers

Instant responsibility. You select the features, you shape the product, you design the user interface for new generations of software. Guide product development from programming through documentation and testing. Keep your product at the forefront of technology by knowing your competition and product

trends. Convince us you're bright, motivated and knowledgeable of the microcomputer software industry. Project management experience and a BS in Computer Science or related degree desirable.


## Project Leads

We're looking for expert designers with project lead experience to take charge of a team of experienced developers and have full responsibility for the design and implementation of leading edge software in either our OS/2, Networking or Powerful Applications Software groups. You should have a BS or MS in CS or related degree and preferably 4 or more years of software experience, with 1 or more years as a successful project lead.

Microsoft offers you an opportunity to live and work where the quality of life is high and the cost of living is low — the beautiful Pacific Northwest. Along with amenities such as a health club membership, workout facilities and parcourse, plus an array of benefits.

Begin by sending your resume to MICROSOFT CORPORATION, Human Resources, Dept. SSBYTE-0389, 16011 N.E. 36th Way, Box 97017, Redmond, WA 98073-9717. We

are an equal opportunity employer. No phone calls, please.



# Microsoft®

Trademarks are registered to their respective companies.



# A MACINTOSH RETROSPECTIVE

Looking back  
at the first five years  
of a revolution

**B**y the time you read this, the idea of a five-year retrospective for the Macintosh will probably seem pretty lame; I missed the anniversary date by a couple of months. But since I'm writing this in early December of 1988, please indulge me.


I was cleaning out the office in my home today (always a thrill), going through a closet to toss out some of the oldest computer flotsam (most of it software that runs on computers that don't exist anymore).

I came to the old Macintosh software heap. There I found the original cartons, manuals, and disks for software that amazed us all in 1984: the original System kit, MacPaint, MacWrite, MacTerminal, Microsoft Multiplan, and Microsoft BASIC Interpreter.

I remember thinking at the time that the Mac was pretty hot stuff and that it was going to revolutionize the way we think of and use personal computers. It's been five years since the Macintosh was released, so I asked myself whether it really revolutionized anything.

Consider the evidence from the Mac's point of view. The Mac, though bigger, faster, and more expensive, is still the Mac. Its interface is still the same. Pull-down menus. A mouse. Icons. Windows with scroll bars. Decent sound. Nice graphics that work with any application. Good built-in system support for standardized functions as part of the operating system.

Color has been added, and so has background processing with the Multi-Finder. But if a Mac 128K user of 1984 could have been placed in a hermetically sealed room that very year, and released



now to try out an 8-megabyte Mac IIx, he or she would have little trouble using it. The Macintosh has evolved since its 1984 introduction, but it's still the same kind of machine. In fact, the Mac has become a second standard after the IBM PC.

Now consider the evidence from the DOS point of view. In 1984, DOS was somewhere around version 2.xx. Its interface consisted of a helpful A:> or C:> prompt, and dandy error messages like "File allocation tab bad." Menus were for ordering food at a restaurant, not commanding your PC. A mouse was something you had exterminated; you certainly wouldn't tolerate one on your desktop. Icons were found in Greek Orthodox churches, not on your screen. Windows were on your house, not your computer display. Sound consisted of some wonderfully annoying buzzes and beeps. Graphics were CGA at worst, Hercules at best (but then compatibility was an issue). System support for standardized functions was weak and re-

quired major-league driver hacking.


By 1988, DOS was giving way to OS/2 with its Presentation Manager graphics, windows, icons, and mice. Sound was being improved. System support for database, networking, and other functions was being added. In short, the transmutation of the DOS interface to look like the Mac interface was in full swing. If you took a 1984 DOS user from that same hermetically sealed room and plopped that user down in front of a PS/2 Model 70 running OS/2 and the Presentation Manager, the reaction would be unequivocal: "How do I get the A:> prompt?"

By any measure, the Macintosh has indeed revolutionized the way personal computers interact with people. Mostly for the better, I think. When the largest computer manufacturer in the world (IBM) gets together with the largest PC software vendor (Microsoft) to put together a PC user interface that mimics

*continued*

Integrand's new Chassis/System is not another IBM mechanical and electrical clone. An entirely fresh packaging design approach has been taken using modular construction. At present, over 40 optional stock modules allow you to customize our standard chassis to nearly any requirement. Integrand offers high quality, advanced design hardware along with applications and technical support *all at prices competitive with imports*. Why settle for less?

# Rack & Desk PC/AT Chassis



- Rack & Desk Models*
- Accepts PC, XT, AT Motherboards and Passive Backplanes*
- Doesn't Look Like IBM*
- Rugged, Modular Construction*
- Excellent Air Flow & Cooling*
- Optional Card Cage Fan*
- Designed to meet FCC*
- 204 Watt Supply, UL Recognized*
- 145W & 85W also available*
- Reasonably Priced*



Call or write for descriptive brochure and prices:  
 8620 Roosevelt Ave. • Visalia, CA 93291  
 209/651-1203  
 TELEX 5106012830 (INTEGRAND UD)  
 EZLINK 62926572  
 We accept BankAmericard/VISA and MasterCard

IBM, PC, XT, AT trademarks of International Business Machines  
 Drives and computer boards not included

## MACINATIONS

the Macintosh's interface, I think we have evidence of a bonafide revolution.

### It's a Taxing Time of the Year: MacInTax TaxView

Nobody likes to fill out federal income tax forms. Fortunately, however, it's one of those repetitive, numerically intensive tasks that can be simplified with the right program on the right computer. The right computer is, of course, the Macintosh, and I think the right program is MacInTax. I've been using MacInTax since it first appeared in time for the 1985 tax year. It's simply wonderful. I can't imagine how I ever kept my business depreciation calculations straight without it.

Over the past four years I've used and tested many of the tax-preparation programs that run on the PC and the Mac. Of the personal or professional tax-preparation programs on the market, MacInTax is by a large measure the easiest to learn and use. And at \$119, it's also a bargain, especially since you can get yearly updates (which include new manuals) for only \$55. MacInTax is so easy to use because its interface is simple and straightforward, yet still surprisingly sophisticated.

While many tax-preparation programs mimic the structure of those dreaded IRS forms, MacInTax takes that strategy to its limit: its on-screen display duplicates the IRS forms exactly (to the extent that 72 pixels per inch allows). So you just fill out the on-screen forms the same way you filled out the old paper forms. This method means that if you've ever filled out a tax form before, you already know how to use MacInTax.

Need to fill out some of the other forms and schedules? No problem with MacInTax. They're all in the pull-down menu. You can have as many forms open as you need, although you can run out of memory, especially under MultiFinder on a 1-megabyte Mac.

If you hit a rough spot and need some help or want to see the IRS instructions for a particular entry, just double-click on the block in question. If the entry amount is calculated using an on-screen worksheet or is transferred from another form or schedule, double-clicking will pop up that worksheet, form, or schedule onto the screen and link it with the others and the 1040 form automatically. What could be simpler? I've never been able to figure out why other tax-preparation programs don't work this way. It seems so natural.

Printing has always been a strong suit of MacInTax, and it remains so. MacInTax will print *all* IRS forms, including the signature Form 1040, onto plain paper, using either a LaserWriter or an ImageWriter.

I tested MacInTax by turning it loose on my taxes, then my wife's, and finally on some test returns I cooked up that use just about every schedule the IRS has ever conceived. MacInTax was accurate, fast, and flawless in all my tests. I never ran into any of the weird problems that seem to plague some of the other tax-preparation programs I've used.

When I did have a question that the on-line help couldn't answer, the manual did the job nicely. MacInTax supplies more than 30 different forms and schedules, along with nine calculation worksheets that are handy as scratchpads; they are saved with the forms, but they don't get printed for the IRS's scrutiny.

MacInTax can also convert your previous year's tax return to work with the current version of the program (once you've saved the old forms under new names). This could save you some typing on your 1988 tax return if a lot of last year's data hasn't changed for this year's return.

MacInTax also integrates with the most popular financial-management programs on the Mac, including Andrew Tobias's *Managing Your Money*, *MacMoney*, *Quicken*, and *Dollars and Sense*. You can import information from any of these systems directly into MacInTax with just a few keystrokes. This means you can have a fully integrated management, financial-planning, and tax-reporting system if you use MacInTax with one of these systems.

*continued*

## Items Discussed

<b>MacInTax 1988</b> .....	\$119
<b>annual update</b> .....	\$55
SoftView, Inc. 4820 Adohr Lane, Suite F Camarillo, CA 93010 (805) 388-2626 <b>Inquiry 1101.</b>	
<b>MasterJuggler 1.00</b> .....	\$69.95
ALSoft, Inc. P.O. Box 927 Spring, TX 77383 (713) 353-4090 <b>Inquiry 1102.</b>	



# Serious MacBusiness.

You'll get at least twice as much done per day: word processing, data processing or desktop publishing. We make getting down to MacBusiness as easy as apple pie.

Our LaserFeeder 890 provides three, 220-sheet paper bins plus one bin for 40-60 envelopes for your LaserWriter. With the LaserFeeder 890 in place, changing paper type or printing an envelope is a simple mouse click instead of a bite out of produc-

tion time, thanks to BDT's resource software.

When two paper types are the norm, BDT offers its Model 880 LaserFeeder, providing two 220-sheet paper bins plus an envelope bin at a nearly 20 percent reduction in cost.

If you need LOTS of paper and envelope choices, consider the MultiFeeder: five, 200-sheet trays, one envelope tray. Same simple print dialog. Same clear displays. Huge production time savings.

For further information, please call or write: BDT Products, Inc., 17152 Armstrong Ave., Irvine, CA 92714. Outside California: 800-FIND BDT—(800-346-3238). Inside California: 714-660-1386.



Easy as Apple Pie

LaserFeeder and MultiFeeder are trademarks of BDT Products, Inc., as is its logo. Apple, the Apple logo, Macintosh and LaserWriter II are trademarks of Apple Computer, Inc.

For PC users who have wandered into this column, there is good MacInTax news for you, too. Last year, SoftView produced a Microsoft Windows version of the program, and it continues this year. The Windows version is markedly slower than the Mac, though, even on a fast 80286 machine. To get performance akin to the Mac version, you'll need an 80386.

Although I've said it before, it bears repeating: MacInTax is the best personal

computer tax-preparation program around. If you do your own taxes and don't have MacInTax, make your life a whole lot easier and get it soon.

**Font/DA Juggler to the Max: MasterJuggler**

I never used to worry much about how many fonts or desk accessories I needed or used. I had gotten to be pretty good at hacking the system using FEdit Plus, so I could always change the maximum

number of desk accessories allowed each time a new system was released. But after you've done that little trick a couple of times, it loses its appeal. Because of this, I began to cast about for a better solution.

The answer, of course, was either Suitcase or Font/DA Juggler. For a variety of reasons too boring to list, I settled on Font/DA Juggler Plus as having just the right stuff for me. Well, I've become addicted. No more system hacking of desk-accessory limits for me.

With this in mind, I was pleased when ALSoft released the latest version of Juggler a few months back. They called it, appropriately enough, MasterJuggler. This baby does what it says: It allows you to juggle a bundle of fonts, sounds, Fkeys, and desk accessories with your Mac. It keeps them open and available whenever you need them, without choking the system. The desk accessories will appear in the regular Open Apple Menu in a scrollable list, with MasterJuggler always listed first, so you can get to it easily.

MasterJuggler works as a start-up document (INIT) that you drag into your System folder. Once open, MasterJuggler gives you access to all the features of Font/DA Juggler Plus, as well as a bunch more that I find useful. There are pop-up menus for MasterJuggler, and for any application and its windows; and a utility that detects any resource conflicts among all your desk accessories, Fkeys, or sounds.

It also has an application list that allows program selection from running and predefined programs. This is a handy adjunct to MultiFinder, since you can also hide windows each time you change an application (so your screen doesn't get too cluttered).

MasterJuggler is one of those Mac utilities that you wonder how you ever got along without. ALSoft just sent me another item from its growing list of utilities, MultiDisk, a jazzy disk partitioner that I'll report on next time. ALSoft is definitely a company to watch when it comes to providing clever, inexpensive, but nicely executed Macintosh utility programs. ■

*Don Crabb is the director of laboratories and a senior lecturer for the computer science department at the University of Chicago. He can be reached on BIX as "decrabb."*

*Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.*

# 3 1/2 INCH 1.4 MB DISKS FOR ONLY ONE DOLLAR!

## New Invention Makes It Possible!

Do you use the new, high capacity, 3 1/2 inch disks? If so, you have paid four, five, even six dollars per disk! Byte for byte, that is as much as SIX TIMES the 'old' 360K floppies. Now you can convert all your programs, data, and files to the new format, WITHOUT PAYING THESE PRICES!

**HOW IS THIS POSSIBLE?** Have you ever tried to format a regular, 'low density' 3 1/2 inch disk to 1.44 MB? Of course you have! It doesn't work! The computer gives an invalid media error. Our company was putting in a large network of IBM Clones. We have grown from a small company to a million-dollar corporation in two short years, and we didn't do it by wasting money. So, of course, we tried to use the cheap, 720K disks. Total failure.

**ENTER OUR CRACKPOT ENGINEER.** Our Crackpot Engineer wondered what was the difference between the disks. He tore them apart, analyzed the media. He found NO DIFFERENCE WHATSOEVER! Yet, they would not format. Why? Then he started examining the plastic housing. And he found the difference. It is NOT in the media, IT IS IN THE PLASTIC CASE!

**TOTAL FAILURE!** Our Crackpot Engineer (among other things, he invented the Electronic Flea Collar) sent a brand-new 720K disk to our machine shop, and asked them to modify it. They did... and the DISK IMMEDIATELY FORMATTED! But, within 10 minutes of use, it totally failed. It lost data all over the place. Back to the drawing board. The disk was dis-assembled and examined. It was found that, in performing the conversion, a microscopic piece of plastic had entered the housing, and totally ruined the disk. It was obvious that, if the conversion could be done reliably, it required extreme precision.

**ENTER OUR OTHER CRACKPOT ENGINEER.** Our president is a mechanical engineer. One of the best in the country. While a research scientist at Colorado School of Mines, he completely revolutionized the field of water jet drilling. He tackled the problem. Finally he came up with a solution - a precision tool which could perform the modification EVERY TIME and leave no plastic particles which would damage the disk!

**MONTHS OF TESTING.** We then commenced on a testing program. We modified and formatted thousands of disks, and tested them for data integrity. Out of one thousand disks, one would not format, two had one bad track. NOT ONE LOST ANY DATA! We then put a disk on a computer with a bat file which copied data to a disk, read and checked every byte, then copied the data back to the disk. The program ran 24 hours a day, for TWO SOLID WEEKS without even one error! We were finally convinced that the procedure was reliable enough for a product.

**OUR OFFER.** Here is our irresistible offer. Purchase our DoubleDisk Converter for the price of \$39.95. If you are not COMPLETELY SATISFIED, return the DoubleDisk. You will receive a FULL REFUND! What is more, if a disk ever does not convert properly, send us the disk, and we will send you a 1.44MB disk from a major manufacturer in exchange!

**YOU CAN'T LOSE!** You will save MORE THAN THE PURCHASE PRICE IN CONVERTING ONLY YOUR FIRST TEN DISKS! from that point on, it is all profit. After converting only 100 disks, and after deducting the cost of the DoubleDisk, you will have saved AT LEAST \$425.00! Quite a return for an investment of only \$39.95!

**CREDIT CARDS AND CHECKS ACCEPTED!** Purchasing our DoubleDisk is easy! Simply call our 800 number. We accept all major credit cards. Or, return the coupon below, and we will ship you one immediately. We Will gladly accept your personal check.

24 HOURS **ORDER TOLL FREE — 1-800-537-4226** 7 DAYS  
(In Colorado call 303-872-8945)

YES! I want to try your DoubleDisk on your UNCONDITIONAL MONEY BACK GUARANTEE! I enclose only \$39.95 plus \$3.50 Shipping and Handling (California residents add \$2.40 Sales Tax) for each DoubleDisk Converter. If I am not COMPLETELY SATISFIED, I will return the DoubleDisk for a FULL REFUND! If any disk ever fails to convert, I will send it to you and you will IMMEDIATELY send me a 1.44MB Disk in exchange!

Name \_\_\_\_\_ Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_ Telephone \_\_\_\_\_

Send To: Biological Engineering, Inc., DoubleDisk Offer  
2674 Main Street, Ventura, CA 93003 Phone 805-644-1797

# Virtual Memory for DOS!

MicroWay is your best source for the software and hardware needed to get true 32 bit performance from your 386. These include our NDP 32-bit compilers that run on Unix or MS-DOS using the Phar Lap tools. Starting with release 1.4VM, NDP Fortran and C not only access 4 gigabytes of memory, but run with Phar Lap's new VMM extension which provides 386 protected mode virtual memory. Now you can run a program with a 30 megabyte array on a 2 megabyte system simply by having 30 megabytes of free space on your hard disk.

MicroWay also offers transputer based parallel processing boards and languages that run in an XT, AT, or 386. Each of the T800 RISC processors on these boards packs the power of a 20 MHz 386/1167. Our best selling board, the Quadputer2™, has four T800s and boasts 40 MIPS/6 megaflops of processor throughput.

*Dr. Robert Atwell, leading defense scientist, calculates that NDP Fortran-386 is saving him \$12,000 per month in rentals of VAX hardware and software while doubling his productivity!*

*Fred Ziegler of AspenTech in Cambridge, Mass. reports, "I ported 900,000 lines of Fortran source in two weeks without a single problem!" AspenTech's Chemical Modeling System is in use on mainframes worldwide and is probably the largest application to ever run on an Intel processor.*

*Dr. Jerry Ginsberg of Georgia Tech reports, "My problems run a factor of six faster using NDP Fortran-386 on an mW1167 equipped 386/20 than they do on my MicroVAX II."*

Our NDP compilers and NDP utilities are the key to the two to five-fold increase in speed that the mW1167 provides. The compilers generate mainframe style code, while our utilities simplify ports to/from the PC or mainframe. A new utility enables our NDP compilers to call HALO '88.

If you are curious about the benefits of the NDP/mW1167 approach, consider the following (price estimates are for complete systems):

Coprocessor	Speed (Flops)	Price
80287-10	80,000	\$3,000
80387-20	440,000	\$5,000
<b>mW1167-20</b>	<b>2,100,000</b>	<b>\$6,000</b>

When driven by a 32-bit compiler, the mW1167 approaches the speed of a \$600,000 VAX 8650! In fact, many of our users have reported increases in turnaround of 2 to 4 times that of their VAX! Call us at (508) 746-7341.

## 32-Bit Compilers and Tools

**NDP Fortran-386™** and **NDP C-386™** Compilers generate globally optimized, mainframe quality code. Both run in 386 protected mode under Unix, Xenix or Phar Lap extended MS-DOS. The memory model employed uses 2 segments, each of which can be up to 4 gigabytes. They generate code for the 80287, 80387, 3167 or mW1167. Both include high speed EGA graphics extensions written in C that perform BASIC-like screen operations.

- **NDP Fortran-386™** Full implementation of FORTRAN-77 with Berkeley 4.2 and Fortran-66 extensions. . . . . \$595
- **NDP Fortran-386/VM** . . . . . \$695
- **NDP Fortran-386/UNIX** . . . . . \$795
- **NDP C-386™** Full implementation of AT&T's PCC with MS and ANSI extensions. . . . . \$595
- **NDP C-386/VM** . . . . . \$695
- **NDP C-386/UNIX** . . . . . \$795

**Phar Lap 386/VMM extensions** are supported by the VM releases of NDP Fortran and C. Virtual memory is used automatically by the compilers and the code they generate. This makes it possible to compile and run programs as large as the free space on your hard disk.

**Phar Lap Development Tools** . . . . . \$495  
**Phar Lap Virtual Memory Manager** . . . . . \$295

**NDP Windows™** — NDP Windows includes 80 functions that let you create, store, and recall menus and windows. It works with NDP C-386 and drives all the popular graphics adapters . . . . . Library: \$125, C Source: \$250

**NDP Plot™** — Calcomp compatible plot package that is callable from NDP Fortran. It includes drivers for popular plotters and printers. Works with CGA, MDA, EGA and VGA . . . . . \$325

**NDP/FFT™** — Includes 40 fast running, hand coded algorithms for single and double dimensioned FFTs which take advantage of the 32-bit addressing of the 386 or your hard disk. Callable from NDP Fortran with mW1167 and 80387 support . . . . . \$250  
**387FFT** for 16-bit compilers . . . . . \$250

**NDP to HALO '88 Graphics Interface** — This module enables you to call graphics routines in HALO '88 from NDP Fortran or C . . . . . \$100

**MicroWay®**  
**80386 Support**  
**(508) 746-7341**

## Parallel Processing

### Videoputer™

The highest performance graphics card on the market. Uses a T800 and TI 34010 in conjunction with a 130 MHz BrookTree DAC. The board comes with one meg of system RAM, one meg of video RAM and a library of graphics primitives. It runs standalone or in conjunction with a transputer network and drives 32 and 64 KHz analog monitors . . . . . \$4995

### Monoputer2™

The world's most popular PC transputer development product now extends the memory available for developing transputer applications from 2 to 16 megabytes. The board features a DMA bus interface for fast I/O.

- Monoputer2 with T414 (0 MB)** . . . . . \$995
- Monoputer2 with T800 (0 MB)** . . . . . \$1495

### Quadputer2™

This board for the AT or 386 can be purchased with 2, 3 or 4 transputers and 1 or 4 megabytes of memory per transputer. Two or more Quadputers can be linked together to build networks with mainframe power which use up to 100 or more transputers . . . . . from \$3495

### Transputer Compilers and Applications

These Parallel languages are designed for the Monoputer2 and Quadputer2.

- Logical Systems Parallel C** . . . . . \$595
- 3L Parallel C or 3L Parallel Fortran** . . . . . \$895
- MicroWay Prolog Interpreter** . . . . . \$750
- Microfield - Finite element analysis** . . . . . \$1600
- ParaSoft: Parallel Environment** . . . . . \$300
- Performance Monitor** . . . . . \$200
- C Source Level Debugger** \$300
- T800/NAG™** (See NDP/NAG) . . . . . \$2750

**387BASIC™** — Our 16-bit MS compatible compiler introduces numeric register variables to produce the fastest running 80x87 code on the market . . . . . \$249

## Weitek-Based Coprocessors

mW1167™ is built at MicroWay using Weitek components and includes an 80387 socket.

- mW1167-16** . . . . . \$995
- mW1167-20** . . . . . \$1595
- mW1167 Microchannel-16** . . . . . \$1295
- mW1167 Microchannel-20** . . . . . \$1595
- Weitek 3167-20** . . . . . \$1995
- Weitek 3167-25** . . . . . \$2495

## Intel Coprocessors and RAM

- 8087** . . . . . \$93
  - 8087-2** . . . . . \$135
  - 80287-8** . . . . . \$215
  - 80287-10** . . . . . \$245
  - 80C287A (CMOS)** . . . . . \$310
  - 80387-16** . . . . . \$385
  - 80387-16SX** . . . . . \$340
  - 80387-20** . . . . . \$440
  - 80387-25** . . . . . \$550
  - 287Turbo-12** (for AT compatibles) . . . . . \$350
  - RAMPak™** - 1 meg 32-bit memory module for Compaq system memory board . . . . . \$650
  - 256K 100ns DRAM** . . . . . \$13
  - 256K SIMMS** . . . . . \$119
  - 1 MB SIMMS** . . . . . \$450
- (All of our Intel coprocessors include 87Test.)

## Intelligent Serial Controllers

MicroWay's AT8™ and AT16™, the fastest intelligent serial controllers, run in AT, 80386 and PS/2 PCs. They come with drivers for UNIX and XENIX. AT8 . . . \$895 AT16 . . . \$1295

## 32-Bit Applications

- PSTAT-386** — Popular mainframe statistics package. Full version was ported. . . . . \$1495
- NDP/NAG™** — Features a library of 268 engineering and scientific numerical algorithms. Callable from NDP Fortran . . . . . \$895

## 12 MHz PC Accelerators


- FastCACHE-286 12 MHz** . . . . . \$299
- SuperCACHE-286 12 MHz** . . . . . \$399
- FastCACHE-286 9 MHz** . . . . . \$199

**MicroWay**

**World Leader in PC Numerics**

Corporate Headquarters: P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341  
 32 High St., Kingston-Upon-Thames, U.K., 01-541-5466  
 USA FAX 508-746-4678 Australia 02-439-8400 Germany 069-75-1428

# Finally, a Mouse That Won't Tie You Down.



## The New Cordless Manager Mouse

Finally, a mouse that won't hold you back.

Manager Mouse Cordless, the world's first and only cordless mouse.

Better by design, it offers variable resolution, from 10 - 1000 dpi, and the reliable, maintenance-free performance that's become a trademark of the Numonics Manager Mouse line.

Amazingly simple to operate, Manager Mouse Cordless is compatible with virtually all mouse-driven software.

It's one mouse that breaks away from the pack.



**NUMONICS**

101 Commerce Drive, Montgomeryville, PA 18936  
Toll free: 1-800-247-4517 • In PA call collect: 215-362-2766



# NOT QUITE COMDEX/2 YET

The jury is still out on whether OS/2 will be a hit or a miss

I have just returned from COMDEX. There are four basic post-COMDEX columns: the "COMDEX is really dying, and it says something about the industry" column, the "Boy, I didn't get any sleep, and my feet hurt a lot" column, the "COMDEX is mismanaged" column, and the "Gee, there was a lot of neat stuff" column. I'll give you all four for the price of one.


I brought a pair of Rockport shoes—the most comfortable almost-dressy shoe in the land—so my feet weren't too bad. And yeah, it was a pain waiting in the lines, but you get to meet people and hear things while waiting. There were also some noteworthy items vis-à-vis OS/2.

## The OS/2 LANscape

The LAN Manager really makes OS/2 shine. It has good performance, well-documented interfaces, and, most important, support from many vendors. 3Com showed its LAN Manager-based 3+Open software. With 3+Open (as with Microsoft's own LAN Manager), DOS and OS/2 workstations can share a LAN. That's important because a *lot* of DOS machines will never run OS/2.

Since the two operating systems share a common file system, DOS and OS/2 workstations will work together comfortably, and the upgrade from DOS applications to OS/2 applications can be leisurely. Of course, at some point you'll want to switch from, say, the DOS Lotus 1-2-3 to the larger (and, I hope, faster) OS/2 Lotus 1-2-3, but you won't have to switch right away.

3Com also showed a graphical network traffic monitor—a tool you use to gauge network activity. It's not in a



league with mainframe network managers, but I expect that will be remedied.

Torus Systems showed a LAN Manager product, too. Torus makes a graphical front end for NetBIOS-oriented LANs; it's called Tapestry, and it has been in the DOS world for several years now. It offers the usual E-mail and file and print services, but with an icon-based user interface. Tapestry I supported small LANs, but Tapestry II can connect to remote sites using X.25 and, the company claims, can support hundreds of workstations.

Unfortunately, the Moulton, Minasi & Company Charles Babbage Memorial Computation Center is a mite short of hundreds of workstations, so I can't test the claim, but I'll keep my ear to the ground. Like most LAN Manager-derived products, it can talk to both DOS and OS/2 servers and workstations, though in its current configuration, Tapestry's graphical enhancements work only on DOS machines.

The startling thing about talking with LAN Manager vendors was their enthusiasm. Everyone that I talked to who had used the LAN Manager's application programming interface agreed that it greatly simplifies the construction of LAN applications. The Torus folks said the support that LAN Manager provides is "straightforward, allowing us to spend time adding value to our product." Another LAN Manager supporter, Information Builders, said the same thing with respect to the port of its multiuser database, Focus, from DOS to OS/2.

## OS/Too Many Promises

COMDEX offered an easy way to spot OS/2 products: They had an "OS/2" sign hanging off the ceiling. Some were disappointing—either an 80286 or 80386 machine demonstrating that it *could* run OS/2, or a Windows application that looked "just like what the Presentation Manager version will look like in Q1,"

*continued*

that is, by March 31, 1989.

I stumbled across an application that showed quite a bit of promise but didn't get much attention: Micrografx's Mirrors program. Micrografx is mainly in the graphics business, and it makes a number of excellent object-oriented drawing programs for Windows, like In a Vision, Windows Draw, and Designer. The company has now ported Designer over to the Presentation Manager and was demonstrating it in living color—not

the Windows version, the PM version. It ships, again, sometime in this quarter, and I'm looking forward to its release.

Mirrors came from the process of converting Designer from Windows to PM. The Micrografx folks wrote a Windows-to-PM conversion utility to simplify the matter. Figuring that others could use the utility, they decided to offer it to the outside world as Mirrors. Any OS/2 developer should look at it. The example of Mirrors conversion I saw—Designer—

looked pretty good, and Micrografx is to be commended for offering a product to make PM development easier.

What we really need, however, is a Windows/PM fourth-generation language—something that is a simplified Windows application generator. Too many people roll their eyes when I suggest that they port their applications to Windows/PM. "Do you know how difficult that is?" they respond.

As I've said before, Windows/PM programming is very different from what most programmers are used to. Not *bad* different, just *different* different. A language designed from scratch for Windows would be of help here, something simpler than the usual PM code—C programs consisting largely of strung-together Windows procedure calls. Some attempts have been made to produce such a language for Windows, but thus far I haven't seen anything compelling.

**NewWave**

You've heard the hype. "NewWave makes Windows useful." "A whole new way of using the computer." And so on. It's all true.

I was skeptical when I strode up to the Hewlett-Packard booth. But I soon saw the light. Don't get me wrong—NewWave isn't ready yet. The demonstration crashed a lot, and it suffered from the fact that it's built atop an already resource-intensive platform, namely, Windows 286. But it made me want to work with Windows.

NewWave starts off with a Macintosh-like screen showing file folders. Each folder is an associated group of files—a subdirectory, perhaps, that contains spreadsheets, graphs, and text relating to a particular project. You can open a folder and click on any of the files. This is slightly different from Windows, which starts you out looking at the MS-DOS Executive, basically just a disorganized directory of your files. Of course, NewWave, like Windows, knows that when you click on, say, a .WK1 file, it should activate Lotus 1-2-3 and feed the WK1 file to it.

The real fun begins, however, when you use a NewWave application. When you take a graph created by NewWave's graphics program and paste it into a document created by NewWave's word processor, the word processor invokes the graphics program to handle the ugly printing details, so the word processor needn't include redundant code.

This goes beyond the usual Windows clipboard: When the numbers change in

*continued*



**Ad Code BI-D9**

<p><b>PC SYSTEMS &amp; LAPTOPS</b></p> <p>ARC XT'S, Super AT'S, Pentium Workstations... CALL          Nationwide on-site service available!          AST Premium/286-Model 80... CALL          AST Premium/386-Model 300... CALL</p> <p><b>LAPTOPS</b></p> <p>ZENITH Supersport - Dual 720 floppy, 640K, 80C86-8MHz CPU, detachable battery pack, backlit superwrist screen 640x200, RGB color connector for ext. monitor, dock, ser/par. ports, ext. bus (opt), only 9.7 lbs... \$1,689</p> <p>With 20Mb hard drive &amp; 720K floppy... \$2,395</p> <p>ZENITH Supersport 286 - 1.44Mb floppy, 20Mb hard dr., 80C286 - 12MHz, 1Mb, 640x400 8 shades of gray, Clik.S.P, RGB ports, 14 lbs, with battery pack... \$3,288</p> <p>MITSUBISHI MP286L 12mhz, 0 wait, 640K, 11" floppy, 20Mb hard drive, 2 ser/1 par. d/cal, ext floppy ports, 4 proprietary... \$2,449          slot, DOS 3.3, G.W. Basic          MP286L with 40Mb Drive... \$2,888</p> <p><b>MONITORS &amp; TERMINALS</b></p> <p>SAMSUNG EGA int 'n' swivel, 14"..... \$ 359          SAMSUNG 12" TTL int 'n' swivel amber..... \$ 79</p> <p>TATUNG CM-1495 OmniScan 14" Multi-freq, 800x600, VGA, EGA, CGA w/VGA card... \$ 799          TATUNG CM-1496 VGA 14" w/VGA card... \$ 629</p> <p>MDS "The Genius" FULL PG. for PC/XT/AT. CALL</p> <p>MONITERM 19" &amp; 24" CALL</p> <p>WYSE WY-50 green or amber \$ 389          WYSE WY-60 w/keyboard \$ 425</p> <p>XTRON - Futuristic, flat, &amp; non-glare w/ dual mono, EGA, VGA &amp; Multisync models. From \$119</p> <p>ZENITH FTM - 1490 VGA flat screen..... \$ 599</p>	<p><b>LASER PRINTERS &amp; SCANNERS</b></p> <p>Brother HL-8e 40 fops BPPM 2nd gen. Canon Engine Emulates Epson, IBM, Diablo 1Mb RAM-Full pg graphics HP Laser Jet Plus compatible... CALL</p> <p>EVEREX POSTSCRIPT LASER \$2,895          H.P. LaserJet Series II CALL          Font Cartridges From... \$ 119          Panasonic 4450 Laser dual tray, 11PPM \$1,549          H.P. ScanJet Scanner with Starter Kit... \$1,675</p> <p><b>DRIVES - HARD, FLOPPY, &amp; TAPE</b></p> <p>EVEREX 60int. - 60Mb int. tape w/ software... \$ 839          EVEREX 125Mb internal tape... \$1,099</p> <p>CDC 90Mb HH SCSI..... \$925          CDC 135 FH SCSI..... \$1,339          CDC 300 FH SCSI..... \$2,149</p> <p>MAXTOR XT-1140 140Mb \$1,695</p> <p>MICROPOUS 1335 85Mb 28mSec..... \$ 579          MICROPOUS 1375 170Mb SCSI..... \$1,695</p> <p>MINISCRIBE 3085 HH22mSec 72Mb..... \$ 779          DriveCards anyone can install in 5 minutes!          MINISCRIBE Drive Card 20 XT - 20Mb... \$ 279          MINISCRIBE Drive Card 30MB... \$ 355          MINISCRIBE 8225 XT 20Mb W/CTRL... \$ 259          MINISCRIBE 8425F 20Mb 40mS 3.5" ...\$269</p> <p><b>FLOPPY DRIVES</b></p> <p>Fujitsu 360K.....\$75 1.2Mb.....\$95          720K.....\$98 1.44.....\$109          Mitsubishi 360K.....\$89 1.2.....\$126          720K.....\$99 1.44.....\$119          Teac 360K.....CALL 1.2.....\$99          720K.....\$88 1.44.....\$98</p> <p><b>MODEMS &amp; BOARDS</b></p> <p>INTEL Connection CoProcessor.....\$ 798          ANCHOR Modems..... CALL</p> <p>EVEREX EverCom 2400 int MNP3 2400E MNP 3 \$189          MULTITECH Multi-Modems. CALL</p> <p>US ROBOTICS Courier HST to 19,200 bps \$ 629          Sportster 2400 Ext. \$ 168 / 2400 PC \$ 148          Sportster 1200E \$ 98 / 1200 PC \$ 68</p> <p>AST Advantage-Prem-512K S.P. \$ 308          AST Advantage-PS/2-512K 2Mb. \$ 365          AST Hot Shot 286 / CXT Accal. Bd. \$ 369          AST I/O MINI III XT or AT. \$ 75          AST RAMPAGE 286 - 512K \$ 395          AST RAMPAGE 2 for XT 256K - Ml. 30. \$ 279          AST RAMPAGE +256-512micromchannel. \$ 509          AST SIXPACK + 64K.....\$119          AST V.G.A. + 256K 1.6 bit \$ 339 / V.G.A 5 bit \$ 249          AST XFORMER - AT replacement for XT's 8 slot MB, 10 MHz "0", 512K, S.P.C., floppy and hard drive controller, EGA, CGA, HOC..... \$ 629          5251/11 Plus AT Guarantees \$ 598</p> <p>EVEREX Magic I/O AT 1-3 S.P.G. (1.70 B). \$ 59          EVEREX UltraGraphics &amp; 19" Monitor. CALL          EVEREX Floppy 5. P. G. C. \$ 89          EVEREX Deluxe EGA 640x480 + prt. \$ 159          EVEREX VGA \$ 249          INTEL Above BD/286-PCMB 4020 512K \$ 379          INTEL 80287-8...\$240/80287-10...\$269</p>	<p><b>NETWORKING</b></p> <p>VAR'S Let us configure a plug 'n' Play system ready to load your application software!</p> <p><b>4 user NOVELL Network</b></p> <p>ARC-12MHz 80286-12/0, S &amp; 2P, Mono monitor, 1.2Mb floppy 2Mb RAM, 72Mb Drive, 60Mb Tape &amp; Dos 3.3</p> <p>*American Power Conversion 520W UPS</p> <p>*Novell ELS NetWare 286 Level 1 Novell Systems Mng'r &amp; User Basics Tutorials 2400 Baud Modem W/PC Anywhere for Support</p> <p>*4 ArcNet cards, cable, 4-port passive hub</p> <p>*3 ARC ProTurbo88, 10 MHz, 640K, S.P. XT/XTN 14" TN'S flat screen Monitor</p> <p>*Telephone assistance during installation          Your cost .....\$8,888</p> <p><b>PC SOFTWARE &amp; MICE</b></p> <p>DATA BASE MANAGEMENT</p> <p>Ashton-Tate dBase III Plus \$ 379          PFS: Professional File \$ 109          WordPerfect dBaseXL (dBase 3) "Diamond" \$ 115</p> <p>COMMUNICATIONS</p> <p>Carbon Copy Plus (Meridian) \$ 109          PC Anywhere \$ 85</p> <p>WORD PROCESSORS</p> <p>VolksWriter 3+ Speller \$ 199          Microsoft Word \$ 225          MultiMate Advantage II \$ 258          PFS: Professional Write \$ 103          WordPerfect \$ 229</p> <p>INTERATED / SPREADSHEETS</p> <p>Enable 2.0 (software group) \$ 369          Framework III \$ 398          Lotus 1-2-3 \$ 295          Microsoft Excel CALL          PFS: First Choice \$ 85          PFS: Professional Plan \$ 58          Symphony (Lotus) \$ 438</p> <p>DESKTOP PUBLISHING</p> <p>PFS: First Publisher \$ 69          PFS: Art Gallery \$ 69          Xerox Ventura 2.0 \$ 469          Aldus Pagemaker/PC 3.0... \$ 525</p> <p>GRAPHICS &amp; MICE</p> <p>Harvard Graphics (for Lotus 1-2-3) \$ 248          MSC Omni Mouse Paint \$ 55          MSC PC Mouse II Bus/Srl \$ 88          IMSI Genius Mouse Serial \$ 59          Microsoft Mouse From... \$ 98          SummaSketch 12x12..... \$ 365</p> <p>PROJECT MANAGEMENT</p> <p>Harvard Total Project Manager... \$ 349          Symonix TimeLine \$ 269          Microsoft Project 4 \$ 315          Comp. Assoc. SuperProject + \$ 269</p> <p>*Compatibility with PC/XT/AT Clones not guaranteed.          *Order Carefully. Opened software not returnable!</p>
---	---	---

**800-528-3138 Orders Only** 602-991-7870 Customer Service  
 S-100 Div./696 Corp. • 14151 N. 76th St. • Scottsdale, AZ 85260  
 • TELEX 9103806778 SNSCORP • FAX 602-483-0920

Advertiser prices are cash payment. Visa or MasterCard Only/Customers using AMEX. COD's or qualifying for terms. calculate additional charges by dividing above prices by .98. Credit card charged after shipment. Special order items require cash payment and they are not cancellable. Insurance: Shipping cost & fee. minimum \$8.00. 7-10 lbs. \$ 2.00. 11-15 lbs. \$ 3.00. 16-20 lbs. \$ 4.00. 21-25 lbs. \$ 5.00. Sales tax. Arizona residents only. Product returns may be subject to a restocking fee or full credit toward a future purchase. All prices and specifications subject to change without notice.

# An Anti-Virus Vaccine Plus Seven RAM Resident Productivity Modules For Under \$100 Is Nothing To Sneeze At.

Today's advances in networking and connectivity mean more computers are sharing more information than ever before. That's good news!

But it also means that now, when one PC becomes infected by a virus, thousands of others across the country start sneezing almost immediately. And that's not so good.

## The Cure For The Common Virus And More

For virtually any computer user concerned with protecting valuable data from infection, new MultiPlus is just what the doctor ordered.

MultiPlus combines a powerful anti-virus vaccine and seven other RAM resident productivity modules into the most comprehensive desktop management package ever offered.

## Constant Data Protection

Because MultiPlus is RAM resident, you never have to worry about letting your guard down against computer mischief and crime. Whenever a virus is detected, MultiPlus immediately flashes an urgent, on-screen alarm and provides an immediate course of action to correct the problem.

With MultiPlus you'll get more value from your system because you'll be able to take full advantage of bulletin boards and networks without worrying about your computer.

## The Added Plus Of A Powerful Productivity Tool

MultiPlus is more than just an anti-virus vaccine. It's a full-featured PC desktop management package, designed to enhance user productivity in business, scientific, academic, programming and home computer environments. The program's integrated modules provide:

- Full-featured word processor with a useful typewriter mode
- Database file manager that makes printing mailing labels or 3"x5" cards a snap
- Telephone message center featuring a notepad, mailbox and time/date stamp
- Five different calculators for: scientific, financial, statistical, metric-anglo conversion and programmer computations
- An infinite calendar and 24-hour appointment planner, including a holiday indicator
- PC utilities such as DOS utilities, ASCII table, system information and vaccine status
- An auto-dialer that dials phone numbers and allows you to print out phone directories.

## Eight Modules One Low Price


You might easily expect to pay hundreds of dollars for anti-virus protection alone. Yet as a special introductory offer, you'll get all eight MultiPlus modules, including the potent MultiPlus vaccine for only \$99. That's a 50% savings off the regular retail price. This is a limited time offer, so call our toll-free number, or mail in the coupon below, today!



PC, XT, AT and IBM "PS/2" compatible. Requires hard disk, MS-DOS 2.0 or greater and 640K. Network compatible. IBM and PS/2 are registered trademarks of International Business Machines Corporation. MultiPlus and SunFlex Software are trademarks of SunFlex Software.

**Circle 239 on Reader Service Card  
(DEALERS: 240)**

**\$99 Special  
Introductory Offer.**



I Want To Take Advantage of Your Special Introductory Offer:

Please send me \_\_\_\_\_ copies of MultiPlus at just \$99 each plus \$3.75 shipping per order (\$12 for shipping outside USA and Canada). Georgia residents add local sales tax.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_

STATE \_\_\_\_\_

ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

Form of Payment:  Check Enclosed  Ship C.O.D.

**Call Toll Free 1-800-633-1524.**

Or Mail this order from to:

**SunFlex Software**  
1447 Peachtree Street, N.E./Suite 503/Atlanta, Georgia 30309

# IEEE 488

## Interfaces & Software

### Hardware

IEEE interfaces for PC, AT, 386, PS/2, Macintosh, HP, SUN & DEC. Converters from IEEE to RS-232, RS-422, modem, Centronics, SCSI, digital I/O and analog I/O. IEEE extenders, expanders & buffers.

### Software

IEEE device drivers for DOS, UNIX, Macintosh & SUN. Drivers for Lotus 1-2-3 & Symphony. Macintosh IEEE desk accessory. PC menu-driven analysis.

### Support

Free applications support.  
30 day money-back guarantee.  
Two year warranty  
IEEE seminars available.

Call for your **FREE**  
Technical Guide

Demo disks & application  
notes available



(216) 439-4091

Telex 6502820864 • Fax (216) 439-4093  
IOtech, Inc. • 25971 Cannon Road • Cleveland, Ohio 44146  
London (0754)861287 • Paris (1)34819178 • Milan (02)4120360  
Brussels (02)3480662 • Linköping (013)110140 • Helsinki (90)5215288  
Munich (089) 718020 • Zurich (01)8219444 • Vienna (0222)253626  
Gorinchem (011)36355233 • Oslo (02)649070 • Copenhagen (02)804200  
Madrid (91)8022069 • Lisbon (01) 41013420  
Melbourne (03)55293622 • Toronto (416)6740444



## Items Discussed

**Mirrors** ..... Not priced yet  
Micrografx, Inc.  
1303 East Arapaho  
Richardson, TX 75081  
(214) 234-1769  
**Inquiry 1024.**

**Tapestry II**..... \$2995  
Torus Systems, Inc.  
240 "B" Twin Dolphin Dr.  
Redwood City, CA 94065  
(415) 594-9336  
**Inquiry 1025.**

**3+Open 1.0**.....\$295  
3Com Corp.  
3165 Kifer Rd.  
Santa Clara, CA 95052  
(408) 562-6400  
**Inquiry 1026.**

the graph, the graph changes in the text, as with the "hot link" that the ill-fated Lotus Jazz used on the Mac. Unfortunately, for NewWave to become truly useful, we'd have to hope that a lot of folks would write NewWave applications. I just complained about writing Windows applications—NewWave applications are just Windows applications with more code added.

NewWave links to voice mail and LANs. Hewlett-Packard intends to support X Windows and OS/2's PM with it.

Finally, NewWave answers what is, to me, one of the most important arguments against WIMP (windows/icons/mice/pointers) interfaces—lack of a batch capability. NewWave has something called the NewWave Agent, which is basically a macro or batch file capability. There's the usual batch language that looks like a DOS .BAT file. Agent can also record and play back things that you do interactively. All in all, it's very nice. Take this with a grain of salt, though—I had only 45 minutes to play with the product. I'll report more as I learn more.

### Dark Hints and Drivers

Time for a few things before I go. Iomega—the company that brings you the Bernoulli Box—will be shipping OS/2 Bernoulli drivers soon. That's good news for me since the Bernoulli Box is my favorite backup device.

Advanced Micro Devices, the company that makes its living producing

faster and faster 80286 chips, had a display room where it basically said "386SX: Just Say No." AMD is annoyed about the feeling in the industry that the 80286 is not the chip of choice. The company makes 80286 chips because it used to get Intel's chip designs through a technology transfer agreement. Intel decided not to share the plans for the 80386, however, so AMD is seeking legal recourse to get the 80386 plans and is pushing the 80286 as hard as it can.

AMD ably demonstrated that, head to head, a 16-MHz 80286 is faster than a 16-MHz 80386SX, assuming you're running only real-mode programs (DOS) or 80286 protected-mode programs (OS/2). The 80286, of course, lacks several crucial 80386 features, but AMD argues that these features are of interest only to power users. A good argument, which was articulately defended by its engineering staff—AMD sent well-informed people to its COMDEX booth.

I had a few quibbles, however. When I countered, "Couldn't *everyone* use the ability to do DOS multitasking" and pointed to the fragility of OS/2's compatibility box, the AMD people dropped dark hints about an external memory management unit for the 80286 in the offering.

"You mean something that could make the compatibility box more bulletproof?" I asked.

"You're on the right track," they replied. Who knows? Maybe we needn't sell our 80286 machines yet. Then again, if a judge tells Intel to hand over the 80386 plans tomorrow, we may never hear of this mystery chip.


Finally, while at COMDEX, I tried to listen to everyone who'd answer the question, "Is OS/2 going to be a success?" For most, this is unfortunately a religious question—no middle ground. The answer was either "Yes, of course, and you're a fool to even ask the question," or "No, of course not, and only a fool would even be interested." There seemed to be about a 50/50 split on whether OS/2 will make it or not. What do you think?

Next month, I'll continue building the inexpensive OS/2 workstation. ■

*Mark Minasi is a managing partner at Moulton, Minasi & Company, a Columbia, Maryland, firm specializing in technical seminars. He can be reached on BIX as "mjminasi."*

*Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.*

# We'll take your stats and make you the most valuable player in your league.



★

**CHRIS JOHNSON** Data Analyst

**CAREER HIGHLIGHTS**

**1983**  
Proposed remap of sales territories based on SPSS analysis of economic and consumer trends. Increased new-customer revenues 38% in 2 years.

**1985**  
Used SPSS data entry/tabulation system to administer employee benefits more efficiently. Eliminated outside costs of more than \$75,000.

**1985**  
Identified current customers likely to need added services, increasing average billings by more than 20%.

**1988**  
Rewarded with special corporate recognition and bonus.

★ Another Story in the SPSS SUCCESS SERIES ★

## Data analysis software from SPSS® gives your PC a winning advantage.

It doesn't matter which field you play hardball in. The right combination of equipment and ability can make you a hero.

You get that ability with SPSS/PC+™, the best-selling data analysis software from SPSS. It's designed for the IBM PC/XT,™ PC/AT,™ PS/2™ and compatibles. And with it, you'll turn raw data into real facts, for sound business decisions.

SPSS/PC+ features a base package of numerous statistical procedures. Plus some

powerful options for data entry, advanced statistics, forecasting, graphics, mapping and much more. So you can scrutinize and manipulate your data in countless ways.

SPSS/PC+ also provides a seamless interface with other popular PC software such as dBase™ and 1-2-3™ to give you complete command of your data. For market research, sales analysis, quality control and much more.

Yet, SPSS/PC+ is designed for ease-of-use. It features a menuing and help system, as well as an on-line statistical glossary that helps you interpret results as you go.

And you'll always have training, support,

and ongoing upgrades from SPSS. The team that's supplied statistical software to over 1 million users since 1968.

For more details on how SPSS/PC+ can help you get the most out of your micro, give us a call at

**1-312-329-3315.**

We'll show you how to really stand out in your field.

**SPSS inc.**

*Best in the final analysis.*

444 North Michigan Avenue • Chicago, Illinois 60611

SPSS is a registered trademark of SPSS Inc. SPSS/PC+ is a trademark of SPSS Inc. IBM PC/XT, PC/AT and PS/2 are trademarks of International Business Machines Corporation. dBase is a trademark of Ashton-Tate. 1-2-3 is a trademark of Lotus Development Corporation.

ALL YOUR COMPUTER BOOKS



**YES!**

**YOU CAN  
NOW BURN ALL  
YOUR COMPUTER  
BOOKS AND  
STILL BE AN ACE  
PROGRAMMER!**

GEYSER "ON-SCREEN REFERENCE BOOKS" ARE EITHER MEMORY RESIDENT OR STAND ALONE PROGRAMS. THEY POP UP INSTANTLY AND PUT ALL THE INFORMATION YOU NEED RIGHT AT YOUR FINGERTIPS!

WITH GEYSER "ON SCREEN REFERENCE BOOKS" YOU CAN NOW:

- ASK ANY QUESTION IN PLAIN ENGLISH USING ITS UNIQUE "PERSONAL WORD SEARCH" QUERY SYSTEM.
- GET THE EXACT SYNTAX AND USAGE OF ANY COMMAND BY USING THE "COMMAND REMINDER" WINDOW.
- SCAN THE ON-SCREEN BOOK BY TOPIC USING THE OVERVIEW FEATURE.

THE GEYSER COLLECTION INCLUDES THE FOLLOWING TITLES:

NOW AVAILABLE			
DOS	dBASE III PLUS	WORDPERFECT	LOTUS 1.2.3
TURBO C	CLIPPER	WORDSTAR	
TURBO PASCAL		XYWRITE III PLUS	
MS FORTRAN			

AVAILABLE END OF MARCH 89			
PROLOG	REFLEX	SPF/PC	SYMPHONY
TURBO BASIC	DATAEASE	PFS/PROF. WRITE	QUATTRO
TURBO ASSEMBLER	dBASE IV	MS WORD	SUPERCALC
		DISPLAYWRITE	

AVAILABLE END OF APRIL 89			
XENIX	FOXBASE	WORDSTAR 2000 PLUS	EXCEL
ADA	R:BASE	MULTIMATE	MULTIPLAN
	PARADOX		FRAMEWORK

NO MORE ENDLESS PAGES FLIPPING.  
NO MORE WASTED TIME SEARCHING.  
NO MORE TRAIN-OF-THOUGHT DERAILMENT.

\$49.<sup>95</sup> WILL BUY YOU  
FREEDOM FROM BULKY MANUALS.  
ORDERS: 1-800-361-7273

EACH GEYSER ON-SCREEN REFERENCE BOOK IS AVAILABLE ON DISKETTE FOR ONLY \$49.95.

GEYSER ALSO HAS A CORPORATE CUSTOMIZATION SERVICE DIVISION THAT MAKES OUR LEADING EDGE TECHNOLOGY AVAILABLE FOR CUSTOMER SALES SUPPORT OR TRAINING. THIS DIVISION OF GEYSER CAN APPLY OUR UNEQUALLED ON-SCREEN HELP TO ANY KIND OF BOOKS, MANUALS OR CATALOGUES. FOR FURTHER INFORMATION CALL: (514) 842-5719. FAX: 514-285-1138

Circle 289 on Reader Service Card

**Geyser Informatics Inc.**

SYSTEM REQUIREMENTS: 640K RAM, A HARD DISK, IBM/XT, AT, 386 OR 100% COMPATIBLES AND PC-DOS OR MS-DOS VERSION 2.0 OR HIGHER.

TO ORDER: CALL TOLL FREE: 1-800-361-7273 CREDIT CARDS: AMERICAN EXPRESS - VISA - MASTERCARD

GENERAL NOTICE: THE PRODUCT NAMES USED HEREIN HAVE BEEN USED FOR IDENTIFICATION PURPOSES ONLY AND MAY BE TRADEMARKS OF THEIR RESPECTIVE COMPANIES.



# THE PROTOCOL PACK

## Putting XMODEM and its file transfer heirs through their paces

**P**rotocol, as we saw last month, is an accepted way of doing things. For diplomats, protocol means ritual; for communications software, it's a mixed bag of connections, characters, and signals that can be understood at both ends of the connection. Once you've solved this communications equation, you've only just begun.


The proliferation of file transfer protocols provides you with an arsenal for attacking any file transfer situation and application. As we saw last month, the venerable XMODEM has evolved into a more robust protocol—larger block length, better error checking—and has spawned hybrid offspring, such as YMODEM (which offers batch file transfer, time- and date-stamped files, and 1K-byte blocks) and ZMODEM (which offers streaming protocol, a very efficient error-correction scheme).

However, with all these file transfer variants, many people have still never ventured beyond XMODEM for file transfers. The prevailing attitude seems to be, "If it ain't broke, don't fix it." That philosophy will get you by, but only if you're uploading or downloading an occasional file. For anyone transferring files on a regular basis, there are more efficient protocols than XMODEM.

I ran the file transfer protocols I discussed last month through their paces under a variety of common conditions. Before I get to the results, I want to introduce another protocol into the mix: Windowed XMODEM, or W/XMODEM.

### Through the Windows

Windowed protocols, such as W/XMODEM, are an attempt to improve



throughput by avoiding the start-stop approach implemented in the ACK/NAK send and receive scheme of XMODEM. Windowed protocols assume that the blocks, or "packets," are received without error, a kind of "expect the best" approach. Such protocols do not wait for the ACK before sending the next packet.

The receiving systems *do* send ACK signals; the sending systems just don't rely on receiving that ACK before sending the next packet. If an error occurs, the receiver sends a NAK to the transmitting computer; if the transmitting computer still has the failed packet in its memory, it resends it and proceeds. And there's the catch.

The failed packet must still be in the transmit buffer, and that buffer has a finite length. All windowing protocols set a maximum window size; W/XMODEM uses a four-packet window. This means that the transmitting computer can send a maximum of four packets without getting a reply from the host. If this weren't

the case, error recovery wouldn't be possible.

Now let's take a look at the tests.

### Basic Bits

The basic criterion for judging the efficiency of a protocol is to measure its throughput. Throughput, as defined here, is the amount of information being transferred from one system to another in the form of bits per second (bps).

Each character transferred consists of 8 bits. In addition, computer communications requires that the system send a start and stop bit, as well. The start bit lets the receiving computer know that the next 7 or 8 bits contain information. The stop bit tells the receiving computer that the whole character has been transmitted and to prepare for the next character. (These start/stops are also called *framing bits* because they frame the data bits.)

All this means that each character (8 bits) sent actually "costs" 10 bits. Thus,

*continued*

**Table 1: Results of tests using Procomm Plus and a 2400-bps modem to upload and download a 45K-byte file across the country over regular telephone lines. The straight ASCII transfer, included for comparison, was riddled with errors. The ZMODEM transfer was the winner, while XMODEM fared miserably.**

Protocol	Speed	Throughput	Efficiency (%)
ASCII (upload)	1200	880	73
ASCII (upload)	2400	1720	71
ASCII (download)	1200	1170	97
ASCII (download)	2400	2325	96
XMODEM (upload)	1200	647	54
XMODEM (upload)	2400	1534	64
XMODEM (download)	1200	663	55
XMODEM (download)	2400	1600	66
YMODEM (upload)	1200	1045	87
YMODEM (upload)	2400	2200	91.6
YMODEM (download)	1200	1090	91
YMODEM (download)	2400	2035	84
YMODEM-g (upload)	1200	Failed	N/A
YMODEM-g (upload)	2400	Failed	N/A
YMODEM-g (download)	1200	Failed	N/A
YMODEM-g (download)	2400	Failed	N/A
ZMODEM (upload)	1200	1120	93
ZMODEM (upload)	2400	2268	94.5
ZMODEM (download)	1200	1158	96
ZMODEM (download)	2400	2305	96
W/XMODEM (upload)	1200	940	78
W/XMODEM (upload)	2400	1700	70
W/XMODEM (download)	1200	690	57
W/XMODEM (download)	2400	2100	87.5

N/A = not applicable

under optimum conditions, a 2400-bps modem would send 240 characters per second (cps), since  $2400/10 = 240$ . In reality, this rarely happens. Why? File transfer overhead, or artificial delays, are imposed on each data transfer by any of several factors. These delays are incurred in your file transfers by network flow controls (XON/XOFF), satellite relays, noisy telephone lines, and the sending and receiving of ACK/NAK signals.

To figure out the efficiency of a protocol, you divide the throughput by the rated speed of the modem. First, determine the number of characters per second transferred; you divide the file size by the total number of seconds needed to transfer it. To figure the throughput in bps, you multiply the cps by 10. To figure the efficiency, you divide the speed in bps by the rated speed of the modem. Here's an example of a 26,624-byte file (26K bytes) that took 126 seconds to send

via a 2400-bps modem:

$$\begin{aligned} 26,624/126 &= 211.30 \text{ cps} \\ 211.30 \times 10 &= 2113 \text{ bps} \\ 2113/2400 &= 88 \text{ percent efficiency} \end{aligned}$$

### In the Field

Using Procomm Plus and a 2400-bps modem on an XT-class PC, I uploaded and downloaded a 45K-byte file from my home in San Francisco to a bulletin board in Washington, DC, over a regular telephone line. For comparison's sake, I also performed an ASCII (straight text, no protocol) upload and download. The results are shown in table 1.

At first glance, the straight ASCII file transfer looks pretty good, but statistics lie. The upload was done with flow control (XON/XOFF) enabled. The download had no such flow control; as fast as the text scrolled across the screen, I captured it to disk.

What these figures don't show is that, even with flow control, the text took several hits, and several large passages of the text were garbled and therefore unusable. The same thing happened with the download. I was receiving text very fast, but noise on the line introduced long strings of garbage characters. The resulting file increased in size because of the extra garbage characters, and the text was unusable. And, of course, straight ASCII text is useless for transferring executable files.

As expected, XMODEM transfers were terminally slow due to the turnaround time needed to send the ACK/NAK signals after every 128-bit block. Over voice-grade lines, the file transfer had to resend several failed blocks.

ZMODEM was the overall best performer. The streaming aspect of ZMODEM is responsible for this; the protocol doesn't depend on any ACK signals from the host computer. It simply keeps sending unless it receives a NAK, at which time it falls back to the failed block and starts to retransmit from that point.

YMODEM performed well because of the 1K-byte packet size that reduces the interaction of ACK/NAK signals between the computers.

YMODEM-g failed all the tests. With no error correction in the protocol and no use of error-correcting modems, failed blocks went undetected and uncorrected. The file transfers attempted just wouldn't work.

W/XMODEM performance was surprisingly poor, in part owing to its small window size (four packets); however, its efficiency was still better than that of XMODEM. The windowing aspect of W/XMODEM allows it to send four times the data of a regular XMODEM transfer before it has to check to see if any failed packets were sent. This decreases the turnaround sufficiently.

For XMODEM, regardless of file transfer rate, the protocol must receive an ACK/NAK for every packet sent, and when transferring packets in 128-bit blocks, that means a lot of time wasted on turnaround. These tests suggest that windowing improves efficiency somewhat, but not as much as going to YMODEM or ZMODEM with their larger block length.

I then performed the same tests, using the same setup, over Telenet's packet-switched network. (See table 2.)

Telenet introduces its own flow controls, and when combined with the host's flow control, uploads and downloads tended to suffer.

*continued*

# Instant Wait Reduction

Now you can run most routines at or near the capacity of your hardware.

From Bell Labs to Caltech, research scientists and engineers have found GAUSS can help them solve problems with their PCs that would take them hours longer with conventional languages. And not only does GAUSS run fast, it's easier to program because its language is closer to mathematical syntax. GAUSS allows you to easily enter your own ideas even if you are not a programmer and saves time by including over 200 mathematical routines.

You can even call your favorite Fortran, C or assembler subroutines.

Now GAUSS 2.0, the second generation of the new breed of matrix handling programming languages is available, with indexed, easier-to-use documentation, on-line debugger and Smart™ on-line help that can even handle your own functions. And GAUSS 2.0 is faster, up to 20% on some calculations, compared to our previous versions.

The GAUSS system includes publication quality graphics and a library of mathematical

routines and applications, documented in the updated 2.0 manual. All this for the total price of just \$395. So don't waste another minute


running at half speed, order GAUSS 2.0 today.

We're so sure GAUSS will make you more productive, giving you more answers to more questions more quickly, that we guarantee it.

If you are not completely satisfied with the power, speed and flexibility of

GAUSS simply return it for a full refund. No questions asked. Call (206) 631-6679 to order.

GAUSS - faster, easier, smarter...guaranteed.



**GAUSS™ 2.0**

FOR IBM PC-XT-AT-PS/2 & COMPATIBLES  
WITH MATH COPROCESSOR

BY APTECH SYSTEMS, INC.

26250 - 196th Place SE

Kent Washington 98042

Phone (206) 631-6679

FAX (206) 630-1220

CALL OR WRITE FOR FREE BROCHURE

IBM IS A REGISTERED TRADEMARK OF INTERNATIONAL BUSINESS MACHINES  
ALL TESTS RUN ON AN IBM PS/2 MODEL 80 16 MHz

**Table 2: Results of the same tests as in table 1, performed over Telenet's packet-switched network. Note that the efficiency of all the file transfer protocols was decreased. XMODEM suffered the worst, probably because of the combination of its short block length and Telenet's flow controls.**

Protocol	Speed (bps)	Throughput (bps)	Efficiency (%)
ASCII (upload)	1200	745	61
ASCII (upload)	2400	1688	71
ASCII (download)	1200	1096	91
ASCII (download)	2400	2160	90
XMODEM (upload)	1200	545	45
XMODEM (upload)	2400	1058	44
XMODEM (download)	1200	417	35
XMODEM (download)	2400	700	30
YMODEM (upload)	1200	956	79
YMODEM (upload)	2400	1995	83
YMODEM (download)	1200	1058	88
YMODEM (download)	2400	2024	84
YMODEM-g (upload)	1200	Failed	N/A
YMODEM-g (upload)	2400	Failed	N/A
YMODEM-g (download)	1200	Failed	N/A
YMODEM-g (download)	2400	Failed	N/A
ZMODEM (upload)	1200	1069	89
ZMODEM (upload)	2400	2200	92
ZMODEM (download)	1200	1089	90
ZMODEM (download)	2400	2289	95
W/XMODEM (upload)	1200	786	65
W/XMODEM (upload)	2400	1985	82
W/XMODEM (download)	1200	587	48
W/XMODEM (download)	2400	1865	77

N/A = not applicable

XMODEM performed miserably. The long turnaround time after each 128-bit block, combined with the delays of Telenet, wreaked havoc on download time.

ZMODEM again won out as the best performer. This is no surprise, since ZMODEM was specifically designed to operate over packet-switched networks. Telenet's network operates over satellite links, and there are inherent delays in the network. These delays slow up the ACK/NAK signals between computers. Because ZMODEM doesn't expect any ACK signals, it overcomes this pitfall.

YMODEM performance placed second; again, because of the 1K-byte packet size, the delays in turnaround are diminished.

YMODEM-g failed over Telenet, as it did over voice-grade lines. Use of error-correcting modems would help solve this problem, but to get full performance out of this protocol, you really need error-

correcting modems and leased lines.

W/XMODEM had fewer errors over Telenet than voice grade lines. That's because the packet-switched network is designed to carry data and, therefore, is less susceptible to noise than ordinary phone lines. But W/XMODEM's efficiency over Telenet showed a decrease in all tests, except for the 2400-bps upload. Why the discrepancy? Perhaps there was less traffic on the network during the 2400-bps tests; my notes show that these tests were done around midnight, while the others were done during early evening. As traffic increases on a network like Telenet, the network must perform many more "housekeeping" functions. Housekeeping involves everything from addressing each packet to figuring out the packet's correct routing. At any one time, thousands of packets are traveling over Telenet, and when traffic increases it's possible to run into a kind of infor-

mation gridlock. Conversely, when you're using the network during off-peak times (usually late at night), there's less traffic and, therefore, less housekeeping needed.

### The Envelope, Please

ZMODEM is the overall winner, so why are people still using XMODEM? Habits are hard to break. Clearly, you can save time and money by switching to a different protocol. The trouble is, not all systems support ZMODEM.

If you find yourself facing extensive file transfers, and ZMODEM isn't available, try YMODEM. Most systems, including BIX, now support YMODEM. The popular TBBS bulletin board software program also supports YMODEM. The 1K-byte packet size of YMODEM makes this an efficient protocol, as the tests show. Using YMODEM is no great technical leap for the user, and XMODEM fans will have no trouble switching to this more efficient protocol.

### On Your Own

Several factors come into play when running tests like these. I used real-world examples, so your mileage may vary. Tests under lab conditions would be much different, but nobody transfers files under laboratory conditions.

Your choice of a long-distance phone company plays into the equation, too. I've found US Sprint to be more reliable than MCI, perhaps due to its fiber-optic network. AT&T is still the best route for its consistently clean lines, but it's also more expensive than US Sprint. (Note that the rate difference in long distance carriers is much smaller than it was a few years ago. The difference between US Sprint and AT&T long distance charges is often only a few cents per minute.)

The bottom line is to run your own tests; there are several other protocols not covered here—I'll save those for another column. In the meantime, don't be afraid to experiment with new protocols. At worst, you'll waste some time but satisfy your curiosity. At best, you'll increase your on-line productivity and decrease those monthly telecommunications bills. For my money, that's a good reason to take a chance on change. ■

*Brock N. Meeks is a San Francisco-based freelance writer who specializes in high technology. You can reach him on BIX as "brock."*

*Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.*



# Our Printer Sharing Unit Does Networking!

## **An Integrated Solution**

Take our **Master Switch™**, a sophisticated sharing device, combine it with **MasterNet™** networking software for PCs, and you've got an integrated solution for printer and plotter sharing, file transfer, electronic mail, and a lot more. Of course you can also share modems, minis, and mainframes or access the network remotely. Installation and operation is very simple.

## **Versatile**

Or you can use the Master Switch to link any computer or peripheral with a serial or parallel interface. The switch accepts over 20 commands for controlling the flow of data. It may be operated automatically, by command, or with interactive menus. Its buffer is expandable to one megabyte and holds up to 64 simultaneous jobs. The

**MasterLink™** utility diskette for PCs comes with every unit and unleashes the power of the switch with its memory-resident access to the commands and menus.

## **Other Products**

We have a full line of connectivity solutions. If you just want printer sharing, we've got

it. We also have automatic switches, code-activated switches, buffers, converters, cables, protocol converters, multiplexers, line drivers, and other products.

## **Commitment to Excellence**

At Rose Electronics, we're not satisfied until you're satisfied. That's why we have thousands of customers around the world including large, medium, and small businesses, factories, stores, educational institutions, and Federal, state, and local governments. We back our products with full technical support, a one-year warranty, and a thirty-day money-back guarantee.



**Call now for literature or more information.**  
**(800) 333-9343**

*Give a Rose to your computer*

P.O. Box 742571 • Houston, Texas 77274 • Tel (713) 933-7673 • FAX (713) 933-0044 • Telex 4948886

Circle 223 on Reader Service Card


MARCH 1989 • BYTE 159

# 10 YEARS

**W**e take great pride in Warehouse Data Products' ten year anniversary. A decade of team commitment to servicing the computer market with low pricing, technical support and integrity.

We want to hear from you about your needs, whether it's product availability or how to better our service – we want to know. Tell the team who knows the customer is always right. Call 1-800-421-3135.

Sincerely,



Earl Beatty  
President, CEO

# WAREHOUSE DATA PRODUCTS

**SINCE 1979,**  
servicing our PC buyers  
with low pricing,  
technical experience –  
and reliable service.



# WAREHOUSE DATA PRODUCTS

**1-800-421-3135 WITHIN THE USA AND CANADA TOLL-FREE**

Order Status,  
Technical & Other  
Info: (602) 246-2222  
Fax: (602) 246-7805  
Call for programs  
not listed.

## S O F T W A R E

### ACCOUNTING

Dac Easy Acct. 3.0	Call
Dac Easy Light	\$39
Dac Easy Payroll	Call
Dollars & Sense	94
Managing Your Money 5.0	117
Peachtree Complete	149
Peachtree W/PDQ	220
Quicken 2.0	28

### DATA BASE MANAGERS

Clipper	\$410
Condor 3	325
DataPerfect	Call
DBase III Plus	433
DBase IV	Call
DBase IV Prog Ed	Call
DB-XL Diamond	115
Fox Base Plus 2.1	190
Genifer	189
Knowledgeman 2.5	Call
Paradox 2.0	435
PFS: Pro File	Call
Powerbase	169
Q&A 3.0	Call
Quicksilver Diamond	329
Revelation Advanced	460
R Base For DOS	425
Reflex	90
Relate & Report	112
VP Info	63

### INTEGRATED

Enable OA	\$352
Microsoft Works	83
PFS 1st Choice 3.0	88
Smart System	380
Symphony 2.0	410

### DESKTOP PUBLISHING

Pagemaker Ver. 3.0	\$475
PFS: First Publisher 2.0	73
Ventura Publisher 2.0	470

### CAD/GRAPHICS

Autosketch Enhanced	\$61
Chartmaster	199
Design Cad 2D & 3D	148
Diagram Master	199
Easy Cad	109
Generic Cad	49
Generic Cad Level 3	109
Grasp	79
Harvard Graphics 2.1	265
In-A-Vision	298
Math Cad 2.0	245
Microsoft Chart 3.0	225
Newsroom Pro	65
PFS First Graphics 1.0	87
PFS First Publisher 2.0	73
Printshop	33
Showpartner FX	199

### COMMUNICATIONS

Brooklyn Bridge Universal	\$75
Carbon Copy Plus	105
Crosstalk XVI	92
Crosstalk MK4	110
Flying Dutchman	64
PC Anywhere III	69
Procomm Plus	42
Remote II	95

### PROJECT MANAGER

Microsoft Project	\$299
Super Project Plus	255
Timeline 3.0	323
Harvard Total Project Mgr 3	369

### LANGUAGES

Lattice C Compiler	\$220
Microsoft C Compiler Ver. 5.0	Call
Microsoft Fortran Ver. 4.1	260
Microsoft Macro Assembler Ver. 5.1	84
Microsoft Pascal	Call
Microsoft Quick Basic 4.0	59
Microsoft Quick C	Call
Ryan McFarlan Fortran	390
Ryan McFarlan Cobol	612
Turbo Basic	Call
Turbo C 2.0	Call
Turbo Pascal 5.0	Call
Turbo Prolog 2.0	90

### MULTI-USER SOFTWARE

DBase IV Lan	Call
Fox Base +	\$299
Microsoft Word	205
Word Perfect 5.0	Call
Word Perfect Modules	ea 79

### WORD PROCESSING

Borland Sprint	\$122
Grammatic III	49
Grandview	169
Microsoft Word 5.0	Call
Multimate Advantage II	259
Q and A Write	110
Rightwriter	55
SPF/PC	Call
Webster Spellcheck	37
Word Perfect Ver. 5.0	Call
Word Perfect Executive	124
Word Perfect Library 2.0	65
Wordstar Pro 5.0	239
Wordstar 2000 +	205

### SPREADSHEET

Lotus 1-2-3	\$295
Lucid 3D	86
Microsoft PC Excel 2.1	240
Quattro	156
Surpass	329
Plan Perfect	Call
Twin Advanced	69
VP Planner Plus	117

### UTILITIES

Allways	\$85
Core Fast	75
Copy II PC	19
Copywrite	52
Cubit	39
Desqview 2.2	72
Direct Access	49
Eureka	99
Fastback Plus	Call
Fastrax	30
Formtools	56
Formworx w/Fill & File	Call
Graph in the Box 2	Call
Mace	48
Mace Gold	79
Microsoft Windows 286 Ver. 2.1	55
Norton Advanced	75
Norton Commander 2.0	45
Norton Utilities	48
PC Tools Deluxe	37
Prokey 4.0	70
Q DOS II	49
Sidekick Plus	120
Sideways	39
SQZ Plus	55
Superkey	59
Lightning	79
Timeslips	Call
XTree	35

## H A R D W A R E

### COMPUTERS

ARC	Call
ACER	
710 w/o Monitor	Call
900 w/o Monitor	Call
AT&T	
6286 WGS	\$1499
6300 WGS	899
6386 WGS, 40 MB H.C.	2999
6386, 135 MB H.D.	4599
EVEREX	
286, 10MHz, 0 Wait	1149
286, 10MHz, 1 Wait	999
286, 12.5MHz, 0 Wait	1349
NEC	Call
SHARP	Call
TOSHIBA	
T1200FB	1569
T1200HB	2439
T1600	3359
T3100E	2889
T3200	3629
T5200	Call
ZENITH	Call

### VGA/EGA BOARDS

AST VGA + (16 Bit)	\$349
ATI EGA Wonder 800	229
Genoa Super EGA Hi-Res +	186
Orchid Designer VGA 800	249
Orchid Pro Designer	299
Paradise VGA Plus	269
Paradise VGA Prof.	399
Vega VRAM	Call
All Other EGA Products	Call

### HARD CARDS

Plus 20 MB	\$529
Plus 40 MB	659

### HARD DRIVES

Seagate ST-225 20 MB w/cont	\$259
Seagate ST-238 30 MB w/cont	279
Seagate 40 MB AT 251	349
Seagate 80 MB AT	579
Seagate ST-125 w/cont	319
Seagate ST-138 w/cont	369
Priam	Call

### MONITORS

Armdex 410	\$145
NEC G5 White	Call
NEC Multisync 2	Call
NEC Multisync XL	Call
Mitsubishi Diamond	509
Princeton Max 15	509
Princeton Ultra 16	Call
Princeton Ultrasync	Call
Samsung Amber Flat	89
Samsung RGB	249
Samsung EGA	369
Samsung XL	449
Samsung Multisync	Call
Sigma Laserview	Call
Viking Monitors	Call
Zenith 1490	599

### MICE/SCANNERS

Complete Scanners	Call
Datascopy	Call
HP Scanjet	Call
Logitech	
Clear	Call
HiRes	57
PS/2	\$73
Scanman	Call
Serial	59
Microsoft	
Bus w/Paintbrush	Call
Serial w/Paintbrush	Call

### PRINTERS

AST TURBO PS	Call
CITIZEN	
MSP 40	\$285
120 D	146
MSP 50	385
EPSON	
LQ 500	349
LQ 850	559
FX-850	Call
LASERS	
Other Lasers	Call
OKIDATA	
Laserline 6	137
OKI 320	359
OKI 390	499
PANASONIC	
1124	339
1091 I-Mz	189
STAR MICRONICS	
NX 1000	179
NX 1000 Color	238

### BOARDS

AST	
Rampage/2	Call
Rampage 286 w/512K	\$399
Rampage 286 PLUS w/512K	Call
Sixpac Plus w/64K	129
All Other AST Products	Call
EVEREX	
2MB Above PC/XT w/o Mem	79
3MB Above AT w/o Mem	89
INTEL	
Above 286 Plus	416
Above 286 I/O	Call
Above 286 w/512K	375
ORCHID	
Ram Quest Extra PS/2	Call
Tiny Turbo	289

### MODEMS

AZ 2400 INT w/o Soft	\$129
Everex 300/1200 w/ Soft	69
Everex 2400 EXT, Error Cor.	189
Hayes 1200 EXT w/o soft	299
Hayes 1200B INT w/ Soft	289
Hayes 2400 EXT w/o Soft	435
Migent Pocket Modem	114
U.S. Robotics 2400 w/o Soft	335

### ACCESSORIES

Copy II PC Deluxe Bd.	\$101
Curtis Ruby +	69
Logical Connection 512K	Call
Mach II Joystick	36
Masterpiece	85
Masterpiece +	95
Targus Laptop Bags	Call
150 Watt Power Supply	69

**No Charge for  
MasterCard or Visa**



### TERMS

Shipping on most software is \$5.00.  
AZ orders + 6.7% sales tax.  
Personal/company check allow  
fourteen (14) days to clear. We  
accept purchase orders from  
authorized institutions for 3.5%  
more than cash price. All returns are  
subject to our approval. There will  
be a 20% restock fee. All prices are  
subject to change. Due to copyright  
laws we cannot take back any open  
software.

Circle 267 on Reader Service Card (DEALERS: 268)

**WAREHOUSE DATA PRODUCTS**  
Division of AZ Computer Corporation  
2727 W. Glendale Ave. • Phoenix, AZ 85051

- All Prices are subject to change.
- We do not guarantee compatibility.
- We stock all available products.
- We welcome international accounts.

Phone Hours: Monday thru Friday 6:30 a.m. - 9:00 p.m.  
Saturday 9:00 a.m. - 5:00 p.m. MST  
Technical Support: 1-800-421-3135  
Call our 1-800-421-3135 within the USA and Canada.



# Upscale Monitors

Large-screen monitors add a new dimension of clarity to graphics applications

Steve Apiki  
and Stanford Diehl

**B**igness has an aesthetic attraction all its own. From ancient monuments to cars of the fifties, people have always been fascinated by sheer size. But when you're selecting a monitor, bigness is more than a matter of aesthetics—it actually adds utility to the system.

Dedicated CAD workstations usually include large displays, but the benefits of a big monitor go beyond CAD. Enlarging the display size enhances virtually every graphical application, from desktop publishing to the myriad software products designed for windowing environments.

Extra screen size translates to an additional level of magnification. For CAD, more display space allows the designer to see fine detail and, at the same time, gauge the relationship of individual components to the overall drawing. Desktop publishing page displays attain true WYSIWYG only if the screen is large enough to accommodate an entire page layout.

It's also true that graphical user interfaces (e.g., Macintosh, Windows, Presentation Manager, and DESQview) are made more efficient with larger desktops. The trend toward graphical interfaces for general applications makes investing in a large-screen monitor an attractive proposal.

We looked at 10 monitors that are rep-

resentative of the types of large-screen color displays available (see table 1). Pricing and features vary, but all the units have 19- or 20-inch screens. They vary in resolution from an EGA-compatible 640- by 480-pixel display to a 1280- by 1024-pixel display. While our primary focus was on the 10 color monitors, Rick Grehan also evaluated two popular monochrome models that are commonly used for desktop publishing (see the text box "The Monochrome Option" on page 170).

We divided our tests into two categories: low-level objective tests using industry-standard test equipment, and subjective evaluations. For the low-level tests, we used a Microvision analyzer to determine common performance measurements, such as spot size and mis-convergence.

To test compatibility and to get a feel for how the monitors work in real-world situations, we ran subjective tests using graphics adapters appropriate for each monitor. Our pool of graphics boards included a Paradise EGA card, an IBM VGA controller, an NEC MultiSync board, and a Control Systems Artist 12 card. Test software was made up of AutoCAD Release 10 and a palette-shifting display program developed by the BYTE Lab. Photos of each monitor's display of text are provided on page 168.

## Setting the Background

Color monitors operate by activating red, green, and blue phosphor dots arranged in combinations on the inside face of the CRT. Each dot can be turned on by any of three electron guns that generate the three primary colors. The two monitor components that contribute to performance are the electron beam drive circuitry and the glass bottle, with its phosphorescent dots, that makes up the CRT itself.

Fabricating a bottle with uniform phosphor distribution over an area as large as 19 inches is a difficult process

that adds significantly to the high cost of large-screen displays. The bottle's contribution to the monitor's appearance, however, is limited to determining the fineness of the dot spacing and the curvature of the screen. The distance separating each dot in an RGB trio is called the monitor's dot pitch. While dot pitch represents an absolute resolution limit, obtainable resolution is more dependent on the driver circuitry than it is on the pitch of the monitor.

The monitor's internal circuitry converts input signals from the graphics controller into electron gun drive signals. The guns scan across the face of the CRT at a rate determined by the horizontal scan frequency. As the beams scan each line, the guns switch on and off to light individual pixel groups. The frequency with which the guns can be switched is determined by the video bandwidth specification. The scan continues line by line, top to bottom; a monitor's vertical frequency measures the time required to retrace all the lines that make up a screen.

Bandwidth and horizontal frequency together determine a monitor's resolution. The total number of dots that a monitor can display is determined by the bandwidth (number of dots per second) divided by the vertical frequency (1/seconds per screen). Since the vertical frequency must be at least 50 Hz to avoid flicker, high resolution depends on high bandwidth.

The greater the horizontal frequency, the more lines that can be retraced in a given vertical scan interval. Higher horizontal frequency therefore translates to greater vertical resolution. Higher vertical scan rates let displays react more quickly and are thus better suited for applications involving animation.

A technique known as interlacing lets the monitor trade reaction time for greater vertical resolution. Interlacing involves scanning only every other scan line with each vertical pass. An inter-

laced monitor has increased vertical resolution, but the two passes required for each screen refresh make reaction time longer, and some flicker may become noticeable.

Video standards like EGA and VGA include specifications for bandwidth and horizontal frequencies, so these ratings play an important part in determining a monitor's compatibility with a given standard (see table 2). Multiscan monitors—those with variable horizontal frequencies—automatically synchronize with adapter outputs that are within their range. Monitors that are capable of greater than 640- by 480-pixel resolution require nonstandard graphics cards to drive them beyond the realm of VGA. Nonstandard adapters will not run all graphics applications at high resolution; vendors must include drivers for each software product.

Monitor inputs can be TTL, analog, or both. Graphics adapters that can display many different colors (VGA and higher) or that have very high bandwidths are commonly analog; adapters with capabilities equal to or below EGA usually require TTL monitors.

User controls, once limited to contrast and brightness, now often include sophisticated adjustments for display position and alignment. Many monitors also feature a degaussing button to eliminate stray magnetic fields that can cause interference.

### Behind the Screens

Our Microvision Superspot 100 system performs a variety of objective tests on CRTs, returning hard data on key specifications like spot size, misconvergence, time variance, blooming, and voltage regulation. Each parameter measures the accuracy and consistency of the monitor's display: Spot size determines screen resolution, while the other measurements reflect the severity of image errors introduced by the monitor.

*continued*



**Table 1:** A roundup of large-screen color monitors shows a wide range of features and prices.

	Price	Size	Display area (H x V)	Maximum resolution	Horizontal dot pitch	Bandwidth
Chugai Cadvision CPD-2040	\$3495	19"	14.2" x 10.3"	1280 x 1024	0.31 mm	120 MHz
Colorgraphic Communications EG2040	\$2200	19"	13" x 10"	640 x 480	0.31 mm	65 MHz
Electrohome ECM 1911	\$2995	19"	15" x 11.5"	1230 x 960	0.31 mm	35 MHz
Hewlett-Packard D1187A	1	20"	14.2" x 10.8"	1280 x 1024	0.31 mm	100 MHz
Intecolor MegaTrend/2 E01923	\$2395	20"	13.75" x 10.31"	640 x 480	0.31 mm	45 MHz
Microvitec Definition 1019/SP	\$239	19"	15.3" x 11.2"	800 x 600	0.31	40 MHz
Mitsubishi HA3905K	\$2720	20"	13.8" x 10.4"	1024 x 800	0.31 mm	50 MHz
Mitsubishi HL6905TK	\$3650	20"	13.8" x 10.6"	1280 x 1024	0.31 mm	100 MHz
Nanao FlexScan Model 9500	\$3999	20"	14.2" x 10.6"	1280 x 1024	0.31 mm	120 MHz
NEC MultiSync XL	\$3195	19"	13.8" x 10.2"	1024 x 768	0.31 mm	65 MHz

<sup>1</sup> Evaluation unit is a production prototype; price not available at press time.  
N/A = Information not available from manufacturer.

The Superspot 100 employs a linear photodiode array composed of 512 photosensitive scan elements. Housed within an optic module, the array derives a profile of an external light source by sampling the response from each photodiode element over a specified time interval. This grants us a glimpse of the monitor's true performance that goes beyond subjective evaluations and vendor-provided specifications. Unfortunately, we were

unable to test the Chugai Cadvision monitor because our pattern generator was incompatible with the Cadvision's requirements.

Before setting up our tests, we had to take into consideration the intensity range of each monitor, so as not to penalize monitors with a wide range (see figure 1). Intensity, most often measured in footlamberts, or ft-L (a common unit of luminance), reflects the actual screen

brightness. Although we have adjusted those tests that are affected directly by intensity range, you should still keep figure 1 in mind as you evaluate the results of these tests.

A wide intensity range offers greater control and flexibility. The Intecolor MegaTrend/2 sports an impressive intensity range from 10 ft-L to 30 ft-L; the Electrohome ECM 1911, on the other hand, ranges from approximately 6 ft-L

# Every copier company talks We're doing something about

Choosing a new copier isn't easy. You look at copiers, you listen to promises. It all gets very confusing.

Now, you don't have to listen to a lot of talk about promises. You can read ours. Because we put it in writing. If you try to compare it to other copier guarantees, you'll find there's no comparison. Suddenly, a difficult decision becomes a very easy choice to make.

Look at the certificate above. Nobody offers you as good a copier guarantee as Harris/3M. So, while

copier salespeople are all giving you a lot of talk, ours will give you something great to read.

Send in the coupon. Or give us a call at 1-800-TLC-COPY. (In Canada, 1-519-668-2230.) We'll send you our 8-page *Consumer Guide to Copiers*. Then, we can talk about it.



Harris/3M copiers have features for all sizes of offices. That includes the 6070. Seventy copies a minute, guaranteed.

Scan frequency	Vertical scan frequency	Interfaced	Video input	Connectors	Dimensions (inches)	Weight (lbs.)
58-70 kHz	60 Hz	No	Analog	BNC	20 × 20 × 20	68.2
20.0-32.0 kHz	40-100 Hz	No	TTL	9-pin d-sub	17 × 18 × 19.5	66
15-36 kHz	45-86 Hz	Yes	Analog, TTL	9-pin d-sub	17.2 × 19 × 20.8	72.8
30-64 kHz	50-90 Hz	No	Analog	BNC	17.7 × 19.6 × 21.0	69.7
31.5 kHz	N/A	No	Analog	15-pin d-sub	18.6 × 18.9 × 20.5	62
15-36.5 kHz	45-100 Hz	No	Analog, TTL	9-pin d-sub	17.6 × 18.5 × 19.4	59
15.7-35.5 kHz	45-80 Hz	No	Analog, TTL	BNC, 15-pin d-sub	17.7 × 19.6 × 21.0	66
30-64 kHz	50-90 Hz	No	Analog	BNC	17.7 × 19.6 × 21.0	64
31.5 kHz, 48-50 kHz, 64-78 kHz	55-75 Hz	No	Analog	BNC	18.5 × 19.5 × 22.1	83.6
21.8-50 kHz	56-80 Hz	No	Analog, TTL	BNC, 9-pin d-sub	18.8 × 18.9 × 21.5	59.4

to 8 ft-L. For misconvergence, time variance, and voltage regulation tests, we set the monitors to a medium intensity level of 11 ft-L, except for the ECM 1911, which could reach an intensity of only 8 ft-L.

The Superspot 100 measures both horizontal and vertical widths of a scan line. By deriving the vector sum of these two measurements, you can determine

*continued*

**Table 2:** A summary of video standards; compatible monitors must conform to these specifications.

Graphics adapter	Maximum resolution	Video bandwidth	Horizontal scan rate	Vertical scan rate	Total colors
CGA	640 × 200	14.3 MHz	15.8 kHz	60 Hz	16
EGA	640 × 350	16.3 MHz	21.9 kHz	60 Hz	64
VGA	640 × 480	25.2 MHz	31.5 kHz	60 Hz	256k

# about customer satisfaction.

it.



Yes, I'd like to know more about Harris/3M copiers and the Harris/3M Copier Promise.

Send to Harris/3M, P.O. Box 785, Dayton, OH 45401

NAME \_\_\_\_\_

COMPANY NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PHONE # ( ) \_\_\_\_\_

\_\_\_\_\_ I'd also like information on your fax machines.

MH389

## HARRIS/3M

Offer is valid for a limited time and other restrictions and limitations apply; see your Harris/3M sales representative for details. ©1988 Harris/3M Document Products, Inc. Harris is a trademark of the Harris Corporation. 3M is a trademark of the 3M Company.

the diameter of a single spot. This represents the beam's *spot size*. While the dot-pitch specification sets the resolution limit, the spot size gives a more practical measure of the monitor's fineness. We measured the spot size at center screen (see figure 2).

We also took readings at four different brightness levels, representing the full intensity range of each monitor. We did not adjust these results for brightness level because the absolute spot size is important for many applications. Therefore, you should use the graph in con-

junction with figure 1. For example, the MegaTrend/2 and the NEC MultiSync XL have similar spot sizes at low intensity, but the MegaTrend/2 achieves this result at more than double the intensity. Each bar in the graph represents the cumulative result of spot sizes at all four brightness levels. For all the graphs (except figure 1), a smaller bar indicates better performance.

In a perfectly designed monitor, spot size will remain constant from the center of the screen (best case) to the corner of the screen (worst case). Figure 3 charts

the change in spot size from center to corner. The Nanao FlexScan Model 9500 registered the smallest amount of change. The Mitsubishi monitors returned contrasting results: the Diamond Scan HL6905TK varied little, while the HA3905K fluctuated widely at each brightness level.

As intensity increases, the spot size tends to enlarge, adversely affecting the monitor's resolution. Figure 4 tracks the extent of this *blooming*. We adjusted the results so that the data reflects the actual bloom and not the monitor's intensity

**Figure 1:** A map of the intensity range for each monitor. The Intecolor MegaTrend/2 sports an impressive range of 20 footlamberts.

**Figure 2:** Beam spot size at center screen. The stacked bars are cumulative results for four different brightness levels.




**Figure 3:** This test tracked the change in spot size from center screen to the corner. Ideally, spot size should remain constant.

**Figure 4:** A graphical illustration of how much a spot will enlarge, or "bloom," as intensity increases. Results were adjusted for intensity range.

**Figure 5:** Each bar in the stack represents time variances at different frequencies—high-frequency jitter, moderate-frequency swim, and low-frequency drift. Low values are desirable.

**Figure 6:** These results show how well the red, blue, and green electron beams are aligned. The lower the error, the better.

**Figure 7:** We examined change induced by energy variances (a reflection on the quality of voltage regulation) at the top and at the side of the screen. The stacked bars show cumulative results. Monitors with the shortest bars fared the best.



range. The FlexScan and the Mitsubishi HA3905K bloomed little; the Colorgraphic Communications EG2040 suffered from excessive blooming.

The three types of time variations—high-frequency jitter, moderate-frequency swim, and low-frequency drift—can all be annoying and can contribute to eyestrain. The Superspot 100 measures time variance by sampling the shift of the beam position at three different frequency intervals (see figure 5). Measuring jitter involves sampling the beam's position every half second; similar sam-

ples are taken at 10-second intervals for swim and every 60 seconds for drift.





Four different tests registered time-dependent variance at center screen, horizontal variance at the corner, vertical variance at center screen, and vertical variance at the corner. Each bar in the stack represents an average of the four figures. Microvitec's Definition 1019/SP performed poorly on all three variance measurements, while, once again, the FlexScan scored well.

Misconvergence defines the alignment error of the red, blue, and green electron

guns. Displays with high misconvergence can display color inaccurately. We tested both horizontal and vertical misconvergence (see figure 6). The tests track red-to-green, blue-to-green, and red-to-blue error; these three values are averaged to determine overall horizontal or vertical error. The best monitors will return results close to the zero line, reflecting low error and precise alignment.

Both Mitsubishi monitors displayed low error on the horizontal misconvergence tests, along with the Hewlett-Packard

*continued*



PRODUCT FOCUS  
LARGE-SCREEN MONITORS



swimming  
SWIMMING  
swimming

Chugai Cadvision CPD-2040



swimming  
SWIMMING  
swimming

Colorgraphic Communications EG32040



swimming  
SWIMMING  
swimming

Cornerstone Technology DualPage




swimming  
SWIMMING  
swimming

Electrohome ECM 1911




swimming  
SWIMMING  
swimming

Elite Designview 19




swimming  
SWIMMING  
swimming

Hewlett-Packard D1187A



swimming  
SWIMMING  
swimming

Intecolor MegaTrend/2



swimming  
SWIMMING  
swimming

Microvitec Definition 10191/SP




swimming  
SWIMMING  
swimming

Mitsubishi HL6905TK



swimming  
SWIMMING  
swimming

Mitsubishi HA3905K



swimming  
SWIMMING  
swimming

Nanao FlexScan Model 9500



swimming  
SWIMMING  
swimming

NEC MultiSync XL

*Photo 1: Sample text displays for each monitor. Varying levels of contrast, clarity, and resolution (in the relative density of each character) are evident. Monitors shown with other than standard IBM characters do not support standard graphics adapters.*

ard D1187A and the Electrohome ECM 1911. The latter two also scored well on the vertical misconvergence tests. Keep in mind, however, that we tested the ECM 1911 at a lower intensity level.

Another factor that can contribute to a lack of consistency is poor voltage regulation. A good monitor should keep the beam in the same position at both low energy levels (with most of the screen dark) and high energy levels (mostly bright). To measure the quality of a unit's voltage regulation (see figure 7), we marked the position of a horizontal line at the top of a black screen and measured the change in position of that line when all bits were turned on. We then tracked the movement of a vertical line at the side of the screen in the same way. The FlexScan and the D1187A displayed the best voltage regulation. The FlexScan and the HL6905TK had perfect voltage regulation at the side of the screen.

### The Big Picture

The results of our subjective evaluations are described below. For each monitor, we tested compatibility with the graphics boards described earlier. We also evaluated overall display quality (see photo 1) and examined the color output using a VGA and EGA palette-display program, where applicable.

*Chugai Cadvision CPD-2040:* The Cadvision sits in a class by itself—it's the only large-screen monitor we reviewed that doesn't maintain compatibility with any PC graphics standard (see photo 2). This monitor, which is available for \$3495, requires a high-resolution board like the Control Systems Artist 12, and so it could not be run through our EGA/VGA test equipment.

The display is best suited for CAD or other detailed work, and not for use as a primary monitor. Its most common use is as the second monitor in a two-monitor command/display system. The Cadvision does, however, show some flicker when it's placed close to another monitor; we tested it alongside a Compaq VGA display and found disturbances when the tubes were less than 2 feet apart.

Though we couldn't do objective testing, the Cadvision's display is clear and sharp. There were no problems with bright spots near the edges of the screen and no noticeable misconvergence. Setup is simple, with a front-panel power switch and four rear-panel BNC connectors for video input. The monitor rests easily on the standard tilt/swivel stand.

If you require 1280-by-1024-pixel resolution but don't need compatibility with standard cards, the Cadvision may be an

option worth considering.

*Colorgraphic Communications EG2040:* At the low end in both resolution and price, the EG2040 offers large-screen EGA performance for a relatively modest \$2200. While the maximum resolution, 640 by 480, is high enough for VGA, the monitor supports TTL inputs only.

The rear panel features two 9-pin d-sub connectors, one for TTL in and one for TTL out, so you can daisy chain similar monitors. There's a rear-panel degaussing button. The 2-foot-long cable supplied with the EG2040 is much too short, but it's a standard EGA cable, and replacements are easy to come by.

The display itself had a few problems when we tested it with the Paradise EGA card: noticeable overscan lines near the top and left side, and visible horizontal bars across the screen. Color contrast was quite good, lessening the washed-out look of most large-screen monitors.

*Electrohome ECM 1911:* Although most monitors with the kind of resolution specifications the ECM 1911 sports

(1230 by 960) have horizontal scan rates in the 60-kHz range, this interlaced monitor has scan frequencies compatible with all IBM video standards (15 kHz to 36 kHz), and it worked flawlessly when connected to the IBM VGA controller.


The tinted CRT surface mutes reflections but contributes to lower contrast and decreased brightness. We noted white overscan lines near the edges of the screen, but a rear-panel overscan switch can increase the display size and push the lines out of view.

Our monitor came with no manual, which made determining the function of the unusual rear-panel switches difficult. There is an auto-position switch and four screw knobs for each vertical and horizontal size and position. Master positioning knobs override the position of the other screw knobs.

The \$2995 ECM 1911 handles both TTL and analog inputs through separate rear-panel connectors.

*Hewlett-Packard D1187A:* We evaluated a production prototype D1187A, as

*continued*



**Photo 2:** The Chugai Cadvision offered good resolution but was not multisyncing. It's best suited for CAD applications.

## The Monochrome Option

Rick Grehan


High-resolution monochrome monitors are currently the darlings of desktop publishers. These users need the elbowroom to work with full pages of text on-screen, but they can't always justify the cost of high-resolution color displays. Although these displays are also suitable for some CAD operations, it's often difficult to represent different elevations or an object's components using black and white only. Consequently, these displays are aimed primarily at people involved in the publishing industry.

### DualPage

The Cornerstone Technology DualPage derives its name from its ability to display two full pages of text on a vast 19-inch diagonal screen (see photo A). Although it's a monochrome display system, you can purchase the DualPage's controller board outfitted with additional memory in increments to provide two, four, or 16 levels of gray. Its ability to display gray scales is combined with a maximum resolution of 1600 by 1280 pixels.

You can install the DualPage's custom controller board in either an IBM PC XT or AT (or compatible) as either the primary or secondary display. The DualPage will be content to coexist with a Monochrome Display Adapter (MDA) or Hercules adapter already in your machine (a table in the manual shows jumper and switch settings, as well as the addresses to the DualPage's display memory maps).

On boot-up, the DualPage appears to the system as a Hercules color graphics adapter. DualPage comes with a packet of disks that include programs that let you switch between 40-row and 80-row DOS display formats. Both modes provide 96 columns, resulting in a "flattened" look in the 80-row mode. The remainder of the programs on the disks are drivers for applications like Ventura



**Photo A:** *The Cornerstone Technology DualPage was the better of the monochrome units.*

Publisher, AutoCAD, Lotus 1-2-3, and others.

While installing the drivers for Lotus 1-2-3, I uncovered the only real problems I had with the DualPage, and most of these had to do with the manual. First, when I tried to adjust the brightness, I found only a single knobless plastic stem in the back of the monitor. I consulted the manual's index, which referred me to page 3-9. There was no page 3-9. When I determined that the adjustment on the back was indeed for brightness, I discovered that the DualPage is so big (it measures 15½ inches high by 18 inches wide by 16½ inches deep) that I couldn't adjust the brightness and watch the screen.

Then I found—by trial and error—that the manual had left out a critical step in installing the Lotus 1-2-3 graphics drivers. This was easy to fix, and the results were worth it: a whopping 75 rows by 96 columns of spreadsheet.

I tested the DualPage using BYTE's low-level graphics benchmarks. The display was running in Hercules-emulation mode, and it turned in a perfor-

mance of about 5.2 seconds on the text benchmark and 1.6 seconds on the graphics benchmark.

The DualPage includes a monitor, an adapter, and driver software. It also includes a one-year limited warranty. The adapter will run in the IBM XT, AT, PS/2 Model 30, and compatibles. The unit is available in three configurations: black and white (\$2395), with four levels of gray (\$2550), and with 16 levels of gray (\$2995).

### Elite Designview 19

Elite's Designview is a hefty 19-inch monitor that touts itself as a WYSIWYG display with 1280 by 1024 resolution, 96 dots per inch, and a 1-to-1 aspect ratio. This makes it particularly well-suited to desktop publishing—circles on-screen will show up as circles on your

newsletter.

The Designview comes with its own controller board and—on boot-up—emulates either an MDA or a CGA monitor. Unlike the DualPage system, whose controller is built on custom hardware from the ground up, the Designview's controller is based on the Intel 82786 graphics coprocessor (see "Inside the 82786 Graphics Chip" by Bill Nicholls, August 1987 BYTE). On-board, the Designview adapter carries its own 512K bytes of video memory.

The Designview's 38-page manual leads you through the procedure of installing drivers for your favorite application. On the supplied disks, you'll find drivers for AutoCAD, PageMaker, Gem, Lotus 1-2-3, and many other applications. As an added bonus, the Designview's engineers sneaked a Microsoft InPort device connector onto the controller board. This means you can attach a mouse to the controller. In an era when the mouse is becoming indigenously to the computer desk, it's nice to see someone tying it so closely to the display system.

The Designview turned in poor figures on the low-level text benchmarks, but it produced more acceptable times on the graphics benchmarks. Specifically, for the 40-column text benchmark, the Designview averaged 40.4 seconds; for the 80-column text, it turned in an average time of 48.1 seconds; and for the graphics benchmark (modes 4, 5, and 6) the Designview's times averaged out to 1.7 seconds.

I don't find the poor text benchmark times bothersome, however. I can't imagine anyone purchasing a large display, only to run it under DOS in CGA text-emulation modes. This display is in its element when working with large-area graphics applications, and the graphics benchmarks look quite reasonable. Still, if you do decide to use your own word processor with the Designview, you'd have to be a mole not to be able to read the display's large, 16-by-32-pixel text.

The cursor-positioning portion of the text benchmarks showed up a quirk in the Designview's controller. While the cursor was being positioned rapid-fire all over the screen, the display tended to jump and flicker. I contacted the engineers at Elite, who attributed the problem to an interaction between the technique used to refresh the screen and the controller's 8-bit bus width. Elite's engineers stated that the screen flicker occurred in only a limited number of applications (indeed, I observed the flicker only during the text benchmark) and that when the 16-bit bus version of the board was released, the effect would disappear.

At \$1695, the Designview includes all hardware and software: monitor, board, cabling, and disks with drivers—plus a three-year parts and labor warranty. The board is compatible with the IBM XT, AT, and clones. (The documentation mentions no specific DOS dependency—this probably depends more on the application programs than on their drivers.) At press time, Elite said that a 16-bit version of the board should be available for the same price by the time this article reaches print. Elite plans to offer an upgrade to owners of 8-bit boards: For \$150, you can send the company your 8-bit board, and Elite will swap it for a 16-bit board.

*Rick Grehan is director of the BYTE Lab. He can be reached on BIX as "rick\_g."*

Hewlett-Packard was still preparing an initial production run when this article went to press. The company assured us that the model we reviewed would be identical to the production model, which is scheduled for release early this spring. Price had not yet been determined for the unit.

At first glance, the D1187A seems to be akin to Mitsubishi's large-screen HL6905TK, with the same cabinet design and similar specifications. Like the HL6905TK, this monitor has a wide range of horizontal frequencies that made it compatible with all the analog graphics cards we tried. Input connections are via five BNC connectors, for red, green, blue, and separate or composite syncs.

Position and size adjustments are made through controls located behind a panel cover on the right side of the monitor. There are two multiple-selection switches: one for channel selection and one for parameter selection. Each channel represents a different input frequency. Screen parameters like horizontal and vertical position can be adjusted and saved for each channel, so switching between graphics adapters requires only one initial adjustment.

There are 10 channels. You can set seven of these for any valid input frequency; two are reserved and preset with appropriate VGA and Macintosh II settings. Channel 0, the "auto" channel, accepts up to 11 settings separated by at least 3 kHz; it automatically locks itself to the input frequency and uses the correct presets. Channel 0 comes with three common frequencies preset from the factory.

The picture display itself is bright, and the screen shows virtually no reflections. The monitor exhibited no noticeable jitter when we ran it close to the Compaq 13-inch tube.

*Intecolor MegaTrend/2 E01923:* The Megatrend/2, like the Cadvision, is a single-input-frequency monitor. Its 31.5-kHz horizontal scan rate and 640 by 480 resolution make it best-suited for VGA and Mac II operation. It sells for \$2395.

The monitor has an excellent ergonomic design, with a small-footprint tilt-and-swivel stand coupled with front-panel power and degaussing switches. The antiglare screen reduces reflections to some extent.

We ran the MegaTrend/2 from an IBM PS/2 VGA board. As with many of the units we tested, it showed some overscan brightness near the perimeter of the screen. It also displayed some irregularity in color: There were two faint red vertical lines on one side of the screen that

remained even after degaussing.

*Microvitec Definition 1019/SP:* Microvitec's large-screen monitor features compatibility with all IBM graphics standards and sells for \$2395. Resolution goes to 800 by 600 pixels; the display is noninterlaced.

The unit has separate 9-pin d-sub connectors for TTL and analog inputs, located at the back of the monitor. There is also a switch for manually selecting the number of colors in TTL mode, or for setting the monitor to automatically follow the colors generated by the graphics controller. Unfortunately, the power switch is also on the rear panel—hard to reach behind the 19.4-inch-deep unit. Front-panel switches enable input selection (TTL/analog), position and size adjustment, and the usual brightness and contrast control.

We tested the display with IBM's VGA controller. While the 1019/SP delivered excellent color quality, crisp contrast, and good brightness levels, it also had a few problems. The most important of these was the tendency for the image to bow at each side, making for curved lines and noticeable misconvergence in the corners. There were also some overscan lines on the screen, as was the case with many of the monitors.

*Mitsubishi HA3905K:* The HA3905K provides compatibility with all the IBM graphics standards and offers 1024 by 800 resolution. The \$2720 unit scans from CGA frequencies to just beyond VGA, and it also supports the Mac II and Apple IIGS boards. It proved compatible with the IBM VGA board.

The rear of the monitor has five BNC connectors and a 15-pin d-sub connector socket. You can choose TTL or analog inputs. While in TTL mode, you can set text-only mode with white, green, or amber text, or graphics mode with 8, 16, or 64 colors. The selection switches are poorly labeled and arranged in a diagram that's not related to their function.

But the difficult configuration is only one of the unit's problems. The screen shows uneven brightness patterns, resulting in a splotchy look at low light levels, and some overscan lines are noticeable.

*Mitsubishi Diamond Scan HL6905TK:* Virtually identical to the Hewlett-Packard D1187A in external design, the HL6905TK features 1280 by 1024 resolution and 30- to 64-kHz scanning for \$3650.

The HL6905TK monitor has the same channel setup as the D1187A. You can set viewing parameters for seven channels, and the monitor also has preset

*continued*

channels for Mac II and VGA operation. Its broad scan-frequency range made it compatible with all the analog graphics controllers we used in our tests.

The HL6905TK has a clear screen that provides excellent brightness but generated sharp reflections and was hard to use in bright light. Unlike the D1187A, it has an additional switch for selecting internal (sync on green) or external sync signals.

While the display showed excellent contrast and was generally a good performer, we noticed some nonuniform horizontal lines that round toward the edges of the display. The disturbance was visible only at low light levels, however.

**Nanao FlexScan Model 9500:** The FlexScan's wide-ranging input frequencies and top-of-the-line 1280 by 1024 resolution make it suitable for almost any PC application. Handy front-panel controls and a tilt-and-swivel base contribute to a simple setup and make adjustments easy (see photo 3). But premium performance carries a premium price—the FlexScan sells for \$3999.

## C

hoosing  
the right monitor  
depends heavily on  
your application.

Input frequencies range from 31.5 kHz to 78 kHz, with a few gaps between the three multiscanning channels. There are no channel presets, as with the HL6905TK and the D1187A, but front-panel knobs for position and size provide quick picture adjustments. The front panel also includes degaussing and power switches. For fine-tuning, there are signal attenuation and convergence adjustment knobs on the back. Input is through five BNC connectors; there are also corresponding output BNC jacks for the red, green, and blue analog signals.

The antireflection CRT produced almost no glare, even in bright light. Contrast was excellent—almost as good as the 13-inch Compaq monitor we used for comparison. While the monitor worked fine with all our analog controllers, it showed one compatibility problem when using AutoCAD and the Artist 12 board: The display had a high background green level, giving the picture a strong green tint. Disconnecting the external sync input fixed the problem. The problem didn't show up with any other combination of application and adapter that we tried.

**NEC MultiSync XL:** As the extra-large version of the original multiscanning monitor, NEC's \$3195 MultiSync XL comes from a line with an outstanding reputation. This unit deserves the praise: It's easy to configure and easy to use. Also, it provides excellent color contrast.

There are two types of input connector, BNC and d-sub. The 9-pin d-sub socket limits the bandwidth to 65 MHz, but it can be used for TTL or analog inputs. When in TTL mode, you can select monochrome text or color graphics and set the colors, much as you can on the HL6905TK. Positioning switches are hidden behind a panel on the front of the monitor, and a degaussing button is positioned underneath the unit. The package includes a tilt/swivel base.

Colors are on par with the 13-inch Compaq VGA. Contrast is also better than average: It gives the MultiSync XL less of a washed-out image than most of the other large-screen devices. The monitor works with EGA, VGA, and NEC MultiSync adapters. The one problem we had came when we used the MultiSync XL close to the Compaq monitor—the MultiSync XL's screen showed unacceptable flicker when the displays were less than 2 feet apart.

### The Best of the Biggest

Choosing the right large-screen monitor depends heavily on your application. For pure desktop publishing work, the monochrome monitors deliver impressive resolution and full-page displays for less money. For dedicated CAD work, the Chugai Cadvision CPD-2040 offers some impressive specifications. The NEC MultiSync XL still sets the standard for flexibility and ease of use. Three of these monitors, though, stand out on both our subjective and objective tests: the Hewlett-Packard D1187A, the Mitsubishi Diamond Scan HL6905TK, and the Nanao FlexScan Model 9500.

The HL6905TK offers 1280 by 1024




*continued*



**Photo 3:** The Nanao FlexScan gave the best overall performance in the color monitor category.

# MAXXICAD

True  
3-D



- Model mode (3D) or picture mode (2D) selectable at any time
- Optional "pop-up" icon or text command structure
- A dynamic on screen example available for each of 200+ commands
- Displays up to 14 active views simultaneously
- Dynamic rotation and translation of views
- Modification of entities
- Complex surfaces
- Dimensioning and tolerancing includes 18 options
- Multiple utility commands available during sessions
- Efficient file storage, security, back-up and recovery
- Three levels of documentation
- 24 hour telephone availability

*"Maxxicadd stands as one of the most promising CAD products in today's market."*

*"Maxxicadd's remarkably simple user interface and on-line animated help facility is a dealer's dream come true. Within a day, any dealer (or, for that matter, user) can learn enough of the package to be giving demonstrations."*

– Reprinted from Computer Graphics Today, August, 1988

**"Engineering Tools For The Twenty First Century"**



**CRTC**

COMPUTER RESOURCE TECHNOLOGY CORP.

2164 East Broadway Road, Suite 310

Tempe, Arizona 85282

(602) 924-9638

Call toll-free for more information and a demonstration disk.

**1-800-628-2828, Ext. 923**

## Computers For The Blind

Talking computers give blind and visually impaired people access to electronic information. The question is how and how much?

The answers can be found in "The Second Beginner's Guide to Personal Computers for the Blind and Visually Impaired" published by the National Braille Press. This comprehensive book contains a Buyer's Guide to talking microcomputers and large print display processors. More importantly it includes reviews, written by blind users, of software that works with speech.

This invaluable resource book offers details on training programs in computer applications for the blind, and other useful information on how to buy and use special equipment.

Send orders to:  
National Braille Press Inc.  
88 St. Stephen Street  
Boston, MA 02115  
(617) 266-6160

\$12.95 for braille or cassette, \$14.95 for print. (\$3 extra for UPS shipping)  
NBP is a nonprofit braille printing and publishing house.

## Company Information

**Chugai Boyeki America**  
55 Mall Dr.  
Commack, NY 11725  
(800) 422-6707  
**Inquiry 1027.**

**Colorgraphic Communications Corp.**  
5388 New Peachtree Rd.  
Atlanta, GA 30341  
(404) 455-3921  
**Inquiry 1028.**

**Cornerstone Technology**  
1883 Ringwood Ave.  
San Jose, CA 95131  
(408) 279-1600  
**Inquiry 1029.**

**Electrohome, Ltd.**  
809 Wellington St. N  
Kitchener, Ontario  
Canada N2G 4J6  
(519) 744-7111  
**Inquiry 1030.**

**Elite Business Applications**  
4201 Remo Crescent Dr.  
Bensalem, PA 19020  
(215) 639-9567  
**Inquiry 1031.**

**Hewlett-Packard**  
Customer Information Center  
19310 Prune Ridge Ave.  
Cupertino, CA 95014  
(800) 752-0900  
**Inquiry 1032.**

**Intecolor Corp.**  
2150 Boggs Rd.  
Duluth, GA 30136  
(404) 623-9145  
**Inquiry 1033.**

**Microvitec, Inc.**  
1943 Providence Court  
Airport Perimeter  
Business Center  
College Park, GA 30337  
(404) 991-2246  
**Inquiry 1034.**

**Mitsubishi Electronics America, Inc.**  
991 Knox St.  
Torrance, CA 90502  
(213) 515-3993  
**Inquiry 1035.**

**Nanao USA Corp.**  
23510 Telo St., Suite 5  
Torrance, CA 90505  
(213) 325-5202  
**Inquiry 1036.**

**NEC Home Electronics (U.S.A.), Inc.**  
Personal Computer  
Products Division  
1255 Michael Dr.  
Wood Dale, IL 60191  
(312) 860-9500  
**Inquiry 1037.**

resolution, low blooming, consistent spot size from center to corner, and adequate voltage regulation. A broad scan range provides excellent compatibility. Only excessive variance and a hefty price tag hold it back.

The D1187A hangs near the top of the pack on almost every test we performed. It boasts the lowest spot size at center screen, and only the FlexScan posts a better corner spot size. Furthermore, its impressive spot size is not degraded at high intensity or when moving from center to corner. Variance measurements are within acceptable limits, and it scores well on both convergence tests. Round this off with 1280 by 1024 resolution and the best voltage regulation of the group, and you have a monitor that's hard to beat. Depending on how Hewlett-Pack-

ard prices this model, it may deserve a close look.

At \$3999, the FlexScan was the most expensive monitor we tested. Not surprisingly, it was also among the best, attaining top-of-the-line status for every specification and every test. It boasts 1280 by 1024 resolution, extremely versatile scanning frequencies, fine spot size, the lowest blooming of the bunch, the least amount of change from center to corner, the best marks on all three variance tests, consistently low misconvergence error, and excellent voltage regulation. If you want the best, pay the price; because without a doubt, this is it. ■

*Steve Apiki and Stanford Diehl are BYTE Lab testing editors. They can be reached on BIX as "apiki" and "sdiehl."*



WE PUT THIS AD SIDEWAYS TO MAKE A POINT

## It's Awkward to Work on a Landscape Monitor... When Your Document is Portrait

### PPL's Versatile MultiView Monitor with GrafixPro Gives You the Best of Both Views

VGA compatibility. High resolution. Full-page display. Now you can have it all... at a remarkable low price... with the new MultiView Monitor. When you add GrafixPro — PPL's VGA register level compatible controller board — you get 512K display memory and the ability to support landscape or portrait views on the same screen! So from publishing to spread sheets, you no longer have to switch between two monitors. You can do it all with the MultiView monitor and GrafixPro VGA controller board.

### MultiView Monitor Features

- Full-page, Multi-scan capabilities
- Supports CGA, EGA, MDA, Hercules and VGA graphic standards
- Analog and Digital (TTL) signal inputs
- High-resolution landscape (1024 x 768) or portrait (800 x 1000) modes with automatic screen size adjustment
- Paper white 15" screen
- \$395 list price

### GrafixPro Features

- High resolution with 512K display memory
- Includes display drivers for Windows, GEM, Ventura, AutoCad, Lotus 1-2-3 & WordPerfect 5.0
- Supports MDA, CGA, EGA and VGA monitors
- Text modes include 132, 100, 80 and 40 columns
- Works with IBM PC/ATs and compatibles
- \$595 list price

*Don't settle for less than what you need and don't pay more to get it. Get the whole picture with the GrafixPro Board and MultiView Monitor from PPL.*



For more information, call Today! **1-609-924-1153** Ext. 19

**PRINCETON PUBLISHING LABS**

Advanced Electronic Publishing Hardware  
19 Wall Street, Princeton, New Jersey 08540

Circle 207 on Reader Service Card

IBM is a registered trademark of International Business Machines Corporation. Windows is a registered trademark of Microsoft Corporation. GEM is a registered trademark of Digital Research, Inc. Ventura is a registered trademark of Xerox Corporation. AutoCad is a registered trademark of Autodesk, Inc. Lotus 1-2-3 is a registered trademark of Lotus Development Corporation. WordPerfect 5.0 is a registered trademark of WordPerfect Corporation. Hercules is a registered trademark of Hercules Computer Technology.

# FLEXSCAN™ 9070S, PC Hi-Res That Looks Like a Million.

The FLEXSCAN 9070 Multiple Scan monitor is of course compatible with other multi-scans, but includes improvements that will give you the professional edge which is the mark of a good investment. You can extend your multi-scan range from 20kHz to 50kHz in practical terms. This means that, at the 48-50 kHz range, you can make use of PC CAD/CAE capabilities at a resolution of up to 1024 dots × 768 lines. The FLEXSCAN 9070 takes advantage of non-interlace high resolution signal as high as 1024 × 768 to provide you with a flicker free display at much brightness. You can also use the 9070 with IBM PS/2 or VGA compatible boards at a high resolution mode like 800 × 600 and 1024 × 768 (non-interlace). The FLEXSCAN 9070 provides a 16-inch screen, large enough for CAD/CAE and 3-D projections, yet small enough to fit comfortably into your home work space.



1024 dots × 768 lines Graphics (Non-interlace)  
AutoCAD



Also, for your convenience, all controls and switches, including the alternate video input, are located within easy reach on the front panel. The FLEXSCAN 9070 is compatible with a wide range of IBM, Apple, and other products, allow you to use all of today's popular programs---at a resolution that looks like a million.

## FLEXSCAN™ MODEL 9070S

- IBM VGA(PS/2), 8514/A, PGC, EGA compatible and CAD/CAE use.
- Apple Mac. II and SuperMac Spectrum compatible
- Max. 1280 dots × 800 lines high resolution
- 1024 dots × 768 lines display on Non-Interlace signal delivers flicker-free high-res graphics
- 20kHz to 50kHz horizontal scan automatic adjustment. 50Hz to 80Hz vertical scan automatic adjustment
- 16 inch, 0.31mm dot pitch and newly developed XF(Extended Field) Gun to obtain both brightness and sharp focus.
- Front mounted controls including the input signal select switch between 2 video input.
- Selecting white or Amber displays colored application in shades of gray or amber
- Tilt-Swivel stand standard

# NANAO®

**NANAO USA CORPORATION**  
23510 TELO AVE., SUITE 5 TORRANCE, CA 90505  
PHONE (213) 325-5202 FAX (213) 530-1679

Specifications are subject to change without notice.

APPLE, Macintosh II are registered trademarks of Apple Computers Inc. ARTIST, ARTIST 1 Plus, ARTIST 10, ARTIST 10/16 are trademarks of Control Systems Inc. IBM, IBM PC, XT, AT and PS/2 are registered trademarks of International Business Machines Corporation. SuperMac is a trademark of SuperMac Technology. SuperEGA HiRes, SuperVGA and SuperVGA HiRes are trademarks of Genoa System Corporation. Orchid Designer VEGA, Orchid Designer VEGA-2, TurboEGA and TurboVGA are trademarks of Orchid Technology. Paradise VEGA Professional Card, Paradise VEGA Plus Card and Autoswitch EGA are trademarks of Paradise Systems, Inc. Paradise Systems is a registered trademark of Paradise Systems, Inc. VEGA Deluxe and VEGA VEGA are trademarks of Video-seven Inc. Metheus is a registered trademark of Metheus Corporation. Imagraph is a trademark of Imagraph Corporation. AutoCAD is a registered trademark of Autodesk Inc. GEM is a registered trademark of Digital Research Inc. Lotus and 1-2-3 are registered trademarks of Lotus Development Corporation. SigmaVGA and SigmaEGA are trademarks of Sigma designs, Inc. FLEXSCAN is a trademark of NANAO CORPORATION. NANAO is a registered trademark of NANAO CORPORATION.



# Laptop Dilemma



Choosing between the Compaq SLT/286 and the Ogivar 286 means defining your needs

---

Jeff Holtzman

Laptop computers appear to be diverging into two groups. The first group, typified by the Compaq SLT/286, offers battery power for computing wherever you are. The second group, including the Ogivar 286, is constrained by the need for AC power but usually offers an improved display using a plasma or electroluminescent screen.

Compaq's new SLT/286 combines a VGA-compatible backlit supertwist LCD screen, a 12-MHz 80C286, a decent keyboard, a fast hard disk drive, expandability, ease of servicing, and intelligent energy management. It's all packed into a diminutive case that occupies about as much space as two IBM *Technical Reference* manuals and weighs about as much as three bricks. Its only flaw is its cost, which approaches the five-digit mark for a fully expanded configuration.

Ogivar's 286 is a more traditional entry. From a distance, the machine bears a strong resemblance to Toshiba's T3100 and T5100 series. It's an AC-power-only

machine with an EGA-compatible plasma display, a 12.5-MHz 80286, and an unusual keyboard that supports a French character set.

## The Basics

The SLT/286 comes in two configurations: the Model 20 (\$5399) and the Model 40 (\$5999). The two machines are identical except for the hard disk drives—20-megabyte and 40-megabyte, respectively. Both drives have average access times under 30 milliseconds and 1-to-1 interleaving. You can upgrade a Model 20 to the larger drive, but it'll cost you \$1399, more than twice the difference in price between the Models 20 and 40.

Both Compaq models include as standard equipment a 1.44-megabyte floppy disk drive; 640K bytes of memory; a serial port; a parallel port; ports for an external VGA monitor, external floppy disk drive or tape backup unit, external keyboard, and external numeric keypad; and a special port that allows the SLT/286 to dock with a desktop expansion chassis. The machine runs at either 8 or 12 MHz, keyboard-selectable.

Compaq says that the expansion chassis provides two standard 16-bit slots, as well as connectors for a standard VGA monitor, an Enhanced keyboard, and a printer. Unfortunately, the expansion chassis was not available for this review.

Compaq also offers several internal expansion options: a second serial port or a 2400-bps Hayes-compatible modem; up to 3 megabytes of memory, which can be configured as either extended or expanded (EMS 3.2) memory; and a math coprocessor, either an 8-MHz 80287 or a 12-MHz 80C287. Compaq has adapted its version of OS/2 1.0 Standard Edition for the SLT/286.

The 1-megabyte memory boards measure about 3½ by 1¼ inches and are populated on both sides with surface-mount chips. The boards plug into a small edge connector that provides the sole mechan-

*continued*

The Compaq SLT/286 (left) and the Ogivar 286.

### Compaq SLT/286

#### Company

Compaq Computer Corp.  
20555 FM 149  
P.O. Box 692000  
Houston, TX 77269  
(713) 370-0670

#### Components

**Processor:** 12-MHz 80C286; socket for 12-MHz 80C287 or 8-MHz 80287  
**Memory:** 640K bytes, expandable to 3.6 megabytes  
**Mass storage:** 1.44-megabyte floppy disk drive; 20-megabyte (Model 20) or 40-megabyte (Model 40) hard disk drive  
**Display:** 10-inch diagonal VGA-compatible backlit supertwist LCD  
**Keyboard:** 82 keys  
**I/O interfaces:** DB-9 RS-232C port; DB-25 parallel port; VGA port; DB-37 external disk or tape port; expansion chassis port; external keypad connector

#### Size

4 1/8 x 8 1/2 x 13 1/2 inches; 14 pounds

#### Software

Includes setup, disk cache, and expanded memory driver

#### Documentation

Getting Started; System Overview; Keyboard User's Reference; User Programs Reference; 12-MHz 80C287 Coprocessor Installation Guide; External Storage Module User's Guide; Asynchronous Communications Board Installation Guide; Mass Storage Device Installation Guide; Quick Reference Guide

#### Price

Model 20: \$5399  
Model 40: \$5999  
System as reviewed: \$8316

#### Inquiry 852.

ical support. With the cover in place, it's impossible for a module to pop out of a slot.

My review machine (valued at slightly more than \$8000) was a Model 40 with the internal modem, 2 megabytes of expansion memory, and no math coprocessor. Compaq also supplied a copy of MS-DOS 3.31.

During the course of testing, the original machine developed problems with the display memory, so Compaq sent a replacement Model 20. I disassembled both machines, swapped hard disk drives, and transferred the modem and memory boards over to the new machine. In that way I found out that servicing the SLT/286 is a snap.

### Ogivar 286

#### Company

Ogivar Technologies, Inc.  
7200 Route Transcanadienne  
Ville Saint-Laurent  
Quebec, Canada H4T 1A3  
(514) 737-3340

#### Components

**Processor:** 12.5-MHz 80286; socket for 80287 coprocessor  
**Memory:** 640K bytes, expandable to 4.6 megabytes  
**Mass storage:** 720K-byte 3 1/2-inch floppy disk drive; 40-megabyte hard disk drive  
**Display:** 10-inch diagonal EGA-compatible plasma  
**Keyboard:** 84 keys  
**I/O interfaces:** DB-9 RS-232C port; DB-25 parallel port; EGA port; external disk port; one expansion slot

#### Size

4 x 14 x 13 inches; 14 pounds

#### Software

MS-DOS 3.3; Fastwire II

#### Documentation

User's Guide; MS-DOS User's Guide

#### Price

System as reviewed: \$4995

#### Inquiry 853.

The standard configuration of the Ogivar 286 (\$4995) includes a 40-megabyte hard disk drive, a 720K-byte 3 1/2-inch floppy disk drive, 640K bytes of RAM, MS-DOS 3.3, and a copy of Fastwire II, a file transfer utility. Options include an expansion chassis, an external floppy disk drive, modems, a battery pack/auto power adapter, and expansion memory. The motherboard can hold as much as 2.6 megabytes of memory; an expansion slot can hold an additional 2 megabytes.

#### Compaq Features

The SLT/286 is innovative. It has a modified clamshell design, and the display screen tilts up from the rear to reveal the

detachable keyboard. You can use the machine without removing the keyboard, but its height above the desk makes this uncomfortable. The rechargeable battery, which weighs about 2 pounds, is located beneath the keyboard; two latches allow you to change batteries quickly.

The floppy disk drive is on the left, the carrying handle is in the middle, and a second drive bay is on the right. The power switch and power input jack are located on the left side of the machine; the modem (or second serial) port is located on the right. All six external ports are located on the rear; unlike some laptops, the SLT/286 has a flip-down cover that protects the ports from the elements.

Unlike many laptops, the SLT's carrying handle is positioned so that the machine does not hang awkwardly to one side when you're carrying it. Beneath the handle is a standby-power push button and several LEDs: a power indicator, separate hard disk and floppy disk drive activity indicators, and a low-power indicator. The floppy drive indicator turns orange when a 720K-byte disk is being accessed, and green for a 1.44-megabyte disk. The power and low-battery indicators flash at various rates and in various combinations when the SLT/286 is in standby mode or when the battery starts to run down.

The SLT/286 weighs 14 pounds; the rechargeable battery accounts for 2 pounds. The external AC adapter adds another 2 pounds. In contrast, a Tandy Model 100 with power pack and spare batteries weighs less than 3 pounds. Using the SLT/286 on your lap or carrying it for long distances will try you physically.

#### Ogivar Features

On the outside, the Ogivar 286 bears a strong resemblance to Toshiba's AC-powered machines. The case features a clamshell design in black plastic. The floppy disk drive is mounted on the right side, the hard disk drive is mounted on the left within the case, and a small fan located at the rear cools the internal components.

The machine comes standard with 640K bytes of memory, serial and parallel ports, and a port for an external disk drive. In addition, the machine has one proprietary expansion slot; currently, Ogivar sells a 2400-bps modem, 1-megabyte and 2-megabyte memory cards, and an interface to an external expansion chassis. The expansion chassis can accept one standard 16-bit expansion card. Ogivar also sells an external battery pack

*continued*




# Compaq SLT/286, Ogivar 286

## APPLICATION-LEVEL PERFORMANCE

Compaq SLT/286 **7.7\***

WORD PROCESSING	Compaq	Ogivar	DATABASE	Compaq	Ogivar
<b>XyWrite III + 3.52</b>	<b>Med./Large</b>	<b>Med./Large</b>	<b>dBASE III + 1.1</b>		
Load (large)	:15	:13	Copy	1:09	:55
Word count	:05/:36	:05/:34	Index	:08	:21
Search/replace	:08/:31	:08/:31	List	1:07	1:53
End of document	:03/:19	:02/:19	Append	2:16	1:57
Block move	:12/:12	:12/:12	Delete	:02	:03
Spelling check	:15/1:55	:15/1:49	Pack	1:47	1:38
<b>Microsoft Word 4.0</b>			Count	:05	:18
Forward delete	:23	:23	Sort	1:04	1:24
<b>Aldus PageMaker 1.0a</b>			<b>Index:</b>	<b>1.95</b>	<b>1.34</b>
Load document	:10	:20	<b>SCIENTIFIC/ENGINEERING</b>		
Change/bold	:40	:41	<b>AutoCAD 2.52</b>		
Align right	:29	:31	Load SoftWest	3:41	3:40
Cut 10 pages	:25	:28	Regen SoftWest	3:26	3:25
Place graphic	:07	:07	Load StPauls	1:03	1:01
Print to file	2:42	2:48	Regen StPauls	:58	:54
<b>Index:</b>	<b>1.77</b>	<b>1.75</b>	Hide/redraw	49:19	46:07
<b>SPREADSHEET</b>	<b>Compaq</b>	<b>Ogivar</b>	<b>STATATA 1.5</b>		
<b>Lotus 1-2-3 2.01</b>			Graphics	1:38	1:57
Block copy	:06	:05	ANOVA	:59	:57
Recalc	:03	:02	<b>MathCAD 2.0</b>		
Load Monte Carlo	:23	:24	IFS 800 pts.	2:02	1:54
Recalc Monte Carlo	:12	:11	FFT/IFFT 1024 pts.	2:26	2:16
Load rlarge3	:06	:06	<b>Index:</b>	<b>0.61</b>	<b>0.62</b>
Recalc rlarge3	:02	:02	<b>COMPILERS</b>		
Recalc Goal-seek	:06	:05	<b>Microsoft C 5.0</b>		
<b>Microsoft Excel 2.0</b>			XLisp compile	6:08	7:03
Fill right	:09	:09	<b>Turbo Pascal 4.0</b>		
Undo fill	3:27	3:14	Pascal S compile	:06	:07
Recalc	:01	:03	<b>Index:</b>	<b>1.69</b>	<b>1.45</b>
Load rlarge3	:38	:38			
Recalc rlarge3	:02	:02			




\*Cumulative application index. Graphs are based on indexes at left and show relative performance.

All times are in minutes, seconds. Indexes show relative performance; for all indexes, an 8-MHz IBM PC AT = 1

## LOW-LEVEL PERFORMANCE<sup>1</sup>

Compaq SLT/286

CPU	Compaq	Ogivar	DISK I/O	Compaq	Ogivar	VIDEO	Compaq	Ogivar
<b>Matrix</b>	7.74	7.27	<b>Hard Seek<sup>3</sup></b>			<b>Text</b>		
<b>String Move</b>			Outer track	3.33	3.31	Mode 0	5.97	7.21
Byte-wide	53.88	50.22	Inner track	3.35	3.33	Mode 1	5.93	7.20
Word-wide:			Half platter	9.05	9.98	Mode 2	5.87	6.98
Odd-bnd.	53.88	50.24	Full platter	10.10	16.65	Mode 3	5.88	6.96
Even-bnd	26.97	25.12	Average	6.46	8.32	Mode 7	N/A	N/A
<b>Sieve</b>	49.27	46.12	<b>DOS Seek</b>			<b>Graphics</b>		
<b>Sort</b>	38.94	36.29	1-sector	13.30	15.05	CGA:		
<b>Index:</b>	<b>1.59</b>	<b>1.70</b>	32-sector	19.99	61.09	Mode 4	3.46	3.29
<b>FLOATING POINT</b>			<b>File I/O<sup>4</sup></b>			Mode 5	3.46	3.29
<b>Math</b>	N/A	N/A	Seek	0.21	0.21	Mode 6	3.68	3.50
Error <sup>2</sup>			Read	0.61	0.80	Mode 13	5.73	5.05
<b>Sine(x)</b>	N/A	N/A	Write	1.06	1.06	Mode 14	6.28	5.60
Error			<b>1-megabyte</b>			Mode 15	N/A	N/A
<b>e<sup>x</sup></b>	N/A	N/A	Write	4.14	7.96	Mode 16	6.30	5.57
Error			Read	3.48	7.42	VGA:		
<b>Index:</b>	<b>N/A</b>	<b>N/A</b>	<b>Index:</b>	<b>1.77</b>	<b>1.19</b>	Mode 18	6.61	N/A
						Mode 19	3.79	N/A
						Hercules	N/A	N/A
						<b>Index:</b>	<b>1.43</b>	<b>1.38</b>



N/A = Not applicable.

<sup>1</sup> All times are in seconds. Figures were generated using the 8088/8086 versions (1.1) of Small-C.

<sup>2</sup> The errors for Floating Point indicate the difference between expected and actual values, correct to 10 digits or rounded to 2 digits.

<sup>3</sup> Times reported by the Hard Seek and DOS Seek are for multiple seek operations (number of seeks performed currently set to 100).

<sup>4</sup> Read and write times for File I/O are in seconds per 64K bytes.

<sup>5</sup> For the Livermore Loops and Dhrystone tests only, higher numbers mean faster performance.

## CONVENTIONAL BENCHMARKS

	Compaq	Ogivar
LINPACK	4111.12	3835.61
Livermore Loops <sup>5</sup> (MFLOPS)	N/A	0.01
Dhrystone (MS C 5.0) (Dhr/sec)	2557	2750

# Compact Disk Products, Inc.

## CD-ROM/WORM

**ALL PRODUCTS, LOWEST PRICES, EXPERT ADVICE**

### INTRODUCTORY OFFERS

Hitachi 1503S or 3500S CD-ROM Drive with your choice of:

- NEW Programmer's Reference Library (Microsoft) . . . \$995
- McGraw Hill Science and Technical Reference Set . . . \$920
- Grolier Electronic Encyclopedia . . . \$995
- Microsoft Bookshelf or PC55G Library . . . \$895

### CD-ROM SOFTWARE

Oxford English Dictionary	NEW	\$945
Comstock Stock Photography On CD	NEW	\$445
Educomp Public Domain/Shareware for the Mac	NEW	\$179
The New Grolier Electronic Encyclopedia		\$359
McGraw Hill or Bookshelf or PC55G (Add \$25 for McGraw)		\$269
The Bible Library		\$495
Kirk-Othmer Encyclopedia of Chemical Technology		\$845
Registry of Mass Spectral Data		\$265
Geovision U.S. Atlas and Mapmaker		\$795

**TOLL FREE ORDER LINE - 800-MEGABYTE (634-2298)**

### CD-ROM and WORM DRIVES

Hitachi 1503S External CD-ROM Drive with Audio	\$729
1503S with Digital Audio Output and CD-Capture	\$1229
Hitachi 3500S Internal 1/2 Height CD-ROM Drive w/Audio	\$719
NEC Intersect CD-ROM Drives for the Apple/Mac	CALL
Maxtor 800 MB WORM Drive	\$3899
Portable 286 with CD-ROM Drive and Hard Disk	CALL

CD-Play (\$89) Pop-up utility that permits user to play all audio CDs on Hitachi and compatible drives. Output to headphones or amplifier.

CD-Play Sampler (\$149) Same features as CD-Play plus the ability to name two points on an audio CD and loop between them.

CD-AudioFile (\$149) Automatically creates database records of all your audio CDs. Allows you to store a preferred play sequence for each disk. Automatic recognition of CDs. Creates DBase compatible records.

**Compact Disk Products**  
223 E. 85th St.  
New York, NY 10028  
Tel. 212-737-8400  
Fax 212-737-8289  
Compuerve 75530214

**INTERNATIONAL ORDERS A SPECIALTY**

International Agents:	Australia	CDP now offers:
United Kingdom	Kewtel	Consulting Services.
CDROM - New Manor Farm	145 Cotham Road	Call us for your
Winterslow Near Salisbury	Kew, Victoria 3101	optical storage
WALS: 525 152	Tel. 03-917-9833	solution.
Tel. 0980-882890		

that can power the unit for about 50 minutes.

The motherboard can hold as much as 2.6 megabytes of memory. Machines sold with less than the maximum are not field-upgradable; you must return the machine to the factory. Alternatively, you can install a 1-megabyte or 2-megabyte expansion card, but this means you give up use of the expansion slot.

The carrying handle runs the full length of the machine and is comfortable if you don't have to carry the computer for an extended length of time. An optional carrying case is available. Like the SLT/286, the Ogivar 286 weighs in at 14 pounds.

### LCD versus Plasma

The SLT/286 display measures 10 inches diagonally and has the standard contrast and brightness controls. Attaining a suitable display angle is easy because the hinge rotates smoothly through a full 180 degrees. The surface of the display is highly reflective, so glare could be a problem; however, its smooth rotation makes it easy to compensate.

You can set the SLT/286 up to display dark characters on a light background or light characters on a dark background. The default is light on dark; unfortunately, there is no simple way to alter the default values without going through the setup program and rebooting. The machine does not provide any warning if you close the display without turning off the power.

The color of the display resembles tie-dyed denim; intensity varies in different portions of the screen. You can compensate for (but not eliminate) those variations using the contrast and intensity controls. Although noticeable, the problem is not hard on the eyes.

Compaq supplies a utility for mapping colors to intensities; the program can be used from the command line or loaded as a TSR program. Although no commercial software presently supports it, the SLT/286 can display 16 shades in a CGA-style 320- by 200-pixel mode. However, only eight shades are available in the high-resolution VGA modes.

The SLT/286 has an external analog VGA port that drove an NEC MultiSync monitor without problems. A pair of hot-key combinations let you switch between the LCD and the external monitor.

The Ogivar plasma display measures 10 inches diagonally and is quite legible, with a resolution of 640 by 400 pixels. Basically, it provides EGA compatibility; the 50 extra scan lines (standard

*continued*

## People are talking about us.

When professional FORTRAN programmers develop or port large programs they use Lahey's F77L-EM/32 and F77L-EM/16, *PC Magazine's 1988 Technical Excellence Award Winners*. F77L-EM/32 is a fast 32-bit protected-mode compiler that accesses up to 4 gigabytes of memory on 80386s. F77L-EM/16 gives 80286 users the power to create 15 megabyte programs. These protected-mode FORTRANs include the features that have made them, and our F77L and Lahey Personal FORTRAN, market leaders: full ANSI 77 Standard, VAX and IBM VS extensions, fast compilation, comprehensive diagnostics, and a powerful debugger.



**When people talk about FORTRAN the name mentioned most often is**



Contact us to discuss our products and your needs. (800) 548-4778  
Lahey Computer Systems, Inc. P.O. Box 6091, Incline Village, NV 89450  
Tel: (702) 831-2500 FAX: (702) 831-8123 Tlx: 9102401256

1024X768 IBM COMPATIBLE VGA VIDEO CARD

# VGA W O N D E R™

T H E S E C O N D W O N D E R

# 1024X768

## Plus: VGA, EGA, CGA, MDA & Hercules on Standard MULTISYNC monitors

**Y**es! the Phenomenal VGAWONDER does it all at IBM Hardware level compatibility with automatic monitor detect and no dip switches or jumpers to set. A HOT CARD for the 286/386 POWER USER with AUTO BUS DETECT for 8 or 16 bit slots, running with a 16 bit datapath with 1:1 interleave. 100% IBM HARDWARE LEVEL COMPATIBILITY means that ALL software and operating systems designed for IBM systems will run. 1024 WILL BE DISPLAYED IN COLOR ON STANDARD MULTI-FREQUENCY MONITORS. Although these features are expected from ATI they are NOT AVAILABLE from other manufacturers. EGA on all monitors including RGB & TTL means a perfect card for networks. MOUSE ON BOARD! ATI built the mouse right in to this one, why not? No extra charge! VGAWONDER is available in both 512K and 256K Versions. Ask your dealer for more information.



**TECHNOLOGIES INC.**


**Technology you can Trust.**

ATI Technologies Inc.  
3761 Victoria Park Ave., Scarborough, Ontario  
Canada M1W 3S2 Telex: 06-966640 (ATI TOR)  
Tel: (416) 756-0718 Fax: (416) 756-0720



Circle 31 on Reader Service Card

ATI, VGA WONDER — ATI Technologies Inc.; Multisync — NEC Home Electronics Inc.;  
AUTOCAD — Autodesk Inc.; WINDOWS — Microsoft Inc.; GEM — Digital Research Inc.;  
VENTURA — Xerox Corp.; HERCULES — Hercules Computer Technology Inc.;  
IBM, VGA, EGA, CGA — International Business Machines Corp.




Which  
computer  
publication  
do you find  
most useful?

Q

A

According to 5,600  
COMDEX/Fall  
attendees polled  
at the show,  
BYTE is the  
most useful!



**W**e are *not* machine-specific. The growing trend towards the use of more than one microcomputer standard requires a publication which covers them all. There's only one. **BYTE**. And as the trend continues, the need for machine-specific magazines diminishes. Go with the trend—go with **BYTE!**

**BYTE** 

One Phoenix Mill Lane  
Peterborough, NH 03458

EGA has 350 lines) provide greater vertical character separation, which enhances readability. The extra lines also allow for underlined text (standard EGAs do not provide the underline attribute). The Ogivar 286 has an external EGA port; unfortunately, the underline attribute does not show up on an external monitor, contrary to what the user's guide states.

On-screen text can appear "normal" (with low and high intensity, as used by an application), low intensity only, high intensity only, or swapped (low is high, and vice versa). You control those attributes from the keyboard and define default values using the setup program.

The plasma display has no gray scaling, so applications that run in color must map colors to pixels that are either on or off. Ogivar supplies two programs that allow palette mapping. Both of these programs can be loaded as TSRs; you can pop up one at any time—even over graphics programs—to map colors interactively. With the other, you specify the color mapping on the command line, and when you press a hot key, the display hardware is reprogrammed to force that mapping. This capability is useful after loading an application that sets its own colors.

Two other utilities let you vary the number of screen lines. One limits the screen to 350 scan lines. That's useful, because when all 400 lines are used in graphics modes, images designed for 350-line EGA resolution are stretched vertically. A circle, for example, looks like an ellipse standing on end. A corresponding utility restores full 400-line resolution.

A push button in the display lets you blank the screen at any time, but the button's value is questionable: The screen remains blank only as long as the button is pressed. The machine does not automatically shut off when you close the cover with the power on.

#### Removable Keyboard

The SLT/286's 82-key removable keyboard is about three-fourths of an inch thick and quite light (1 1/2 pounds). It has rubber nonskid feet and levers for propping the keyboard up. However, the levers have only a single latch position that raises the keyboard to a steeper than usual angle. Hence, keys in the rows farthest from the palms are higher than usual. As with the display, the problem is not severe. However, in the propped position, the keyboard blocks the floppy disk drive when the keyboard abuts the system unit.

All keys have a satisfying feel and an

*continued*

# WGA

A new way to look at color;  
a better way to buy it.



**Advantages are enhanced by Tatung VGA** provides significantly higher resolution. In fact, image clarity is 37% higher than EGA. And while EGA gives you 16 on-screen colors, VGA puts 256 colors (from a palette of 262,144 colors) on a monitor's screen at a time. Distortion, ghosting, and even eye fatigue is sharply reduced. In text modes, characters (even those with descenders like y, p and g) are more clearly defined thanks to a 9 x 16 dot matrix. But, while the monitor is a vital part of a VGA system, we think the real key is the VGA card that goes with it.

**The Tatung VGA card is all performance** Ours is a 16-bit graphics array board with a single high speed, register compatible, VGA chip...a graphics controller that's incredibly fast (it has a bandwidth more than 7 times that of other VGA boards)! You can access this 16-bit data path to display memory, BIOS ROM, and I/O. Our exclusive SwiftWrite makes the wait state virtually non-existent. More? With 16 colors, resolution increases to 800 x 600. On-board is a 256K DRAM; and the card is backward compatible with EGA, CGA, MDA and Hercules graphics standards.

**Tatung Monitors deliver the new standard** We offer the broadest line of VGA monitors available; 5 newly styled and engineered monitors. Each model provides 640 x 480, 640 x 350 lines of graphics resolution; 720 x 400 lines for text. Tatung's new VGA monitors offer a broad range of features that contribute to their superior value: dark, non-glare CRT's, automatic vertical sizing encoding, multi-color text or reverse video switch, 110/220V switchable power supply, removable tilt/swivel bases...all supported by Tatung's full year warranty.

**Tatung bundles provide superior value** By bundling VGA monitors and cards, Tatung puts VGA within the reach of everyone. In most cases, the Tatung VGA bundle will cost no more than EGA packages! That's why we believe that feature for feature, dollar for dollar, the Tatung VGA bundle represents incomparable value. The kind of value only the largest manufacturer of monitors in the world can deliver.

**Tatung offers guaranteed compatibility** Whenever a new standard is introduced, system users have a justifiable concern about software compatibility. That's why Tatung offers a **unique guarantee\***: if you note any software incompatibilities within the 1 year warranty period, Tatung will correct them free of charge within 30 days, otherwise the full value of the Tatung VGA card will be refunded.

**In addition, Tatung offers users a huge advantage: a Tatung VGA bundle is 100% IBM™ VGA compatible and more...your investment in software is fully protected.**

That's the Tatung VGA story. It's a story worth seeing. For complete information, specifications, and the name of the Tatung dealer near you, and to arrange for a demonstration, call us today. After all, seeing is believing.

Circle 246 on Reader Service Card

**NOW AVAILABLE!**  
New TVGA-8, 8-bit card!



## TATUNG

We monitor the world.

In Southern California: (213) 979-7055  
In Northern California: (408) 435-0140  
Outside California: (800) 421-2929  
Tatung Company of America, Inc.  
2850 El Presidio Street, Long Beach, CA 90810  
Tatung Science & Technology, Inc.  
2060 Ringwood Ave., San Jose, CA 95131

\* Warranty applies to IBM PC XT AT Systems and their compatibles. Refer to Tatung VGA Card Manual for specific details. All details included with each Tatung VGA card. All names trademarked are properties of their respective manufacturers.

electronic click. The Num Lock, Caps Lock, and Scroll Lock keys each have an LED. The keys themselves are full-size, except for the Fn key and the arrow keys. Although the keys' spatial arrangement is intuitive, their small size makes them hard to use. In addition, I occasionally bumped the left arrow key with the right side of my right hand.

Unfortunately, the Control key was moved from its normal position (on Enhanced keyboards) beneath the Caps

Lock key to a point below the A key. The result is that you must curve the little finger of your left hand inward, beneath the palm, rather than outward. It's not impossible to adapt, but there's no excuse for moving a frequently used key to yet another position.

The keyboard also provides an embedded number pad beneath the 7, 8, and 9 keys. You access the embedded functions using the Fn key. The arrangement is a little confusing, because some keys

have four functions. For example, the 7 key normally generates 7 and &, depending on whether a Shift key is pressed. When you press Fn, the 7 key generates 7 or Home, depending on the state of the Num Lock key and the Shift keys. For basic cursor movement, I found that using Fn (with Num Lock off) and the embedded keys is more efficient than using the miniature cursor keys.

Another flaw is that, like the Control key, the Fn key is much too small, and its location is terrible. There's room for it next to the Control key; since the Control key is undersized anyway, why not put the Fn key where you can reach it?

### Bilingual Keyboard

Although the Ogivar 286 performs at roughly the same level as the Compaq, using it is difficult because of the keyboard's poor layout. For example, the Insert and Delete keys are inexplicably located to the left of the space bar. The cursor keys are arranged in a nonintuitive shape that makes them nearly impossible to use. An extra key (backslash/vertical bar) is located between Enter and the quote key. PageUp and PageDown are located right by Enter, but End and Home are in the function-key row. The function keys themselves are offset one position to the left from where they're normally located.

There is an embedded numeric keypad beneath the 7, 8, and 9 keys; the indicators for Num Lock, Caps Lock, and Scroll Lock are in a row beneath the tilt-up display. Other indicators show the status of power, hard and floppy disk drive access, and the "non-ASCII" key. The latter indicates that the French character set is active; a similarly labeled key just to the right of the space bar activates the French mode. In this mode, pressing the ? key produces an ASCII character 130 and, with the Shift key, an ASCII 135.

You can create other accented characters with two keystrokes by pressing an accent key followed by the desired vowel. This feature is very handy if you work in French; if you never do, and you don't want to go into non-ASCII mode accidentally (a likely possibility due to the location of the non-ASCII key), you can disable the key using the ROM-based setup program.

### Disk Drives

The SLT/286 uses a Citizen floppy disk drive and a Conner 40-megabyte hard disk drive. Compaq rates the SLT/286's hard disk drive as having a 29-millisecond average access time; the Coretest

continued

# STOP

## and compare our quality and prices!

Our Standards Are Their Options...

**42+ Meg 12 MHz 286  
EGA Color System     \$1850**

- Samsung 14" EGA Color Monitor
- 12 MHz PC-AT Computer
- Baby AT Case with Key Lock, Turbo, Power and Hard Drive LEDs
- Everex Enhanced Auto Switch EGA Card 640 x 480
- Intel 80286 CPU
- Multi-speed 6/8/10/12 MHz
- Keytronics 101 Enhanced Keyboard
- 640k Memory Expandable to 1 Meg
- 200 Watt Power Supply
- Seagate Model ST251 42+ Meg Hard Disk Drive
- 5 1/4" 1.2 Meg Floppy Drive
- Western Digital 2 Hard Disk and 2 Floppy Controller with Cables
- Serial/Parallel & Game Port
- 80287 Math Co-Processor Slot
- Complete Operations Manual
- One Year Warranty
- Clock, Calendar & Battery Backup

With EGA Multisync (Analog) 800 x 560 ..... **\$2045**  
With Monochrome + 40 Meg (ST-251) ..... **\$1895**



**286 16 MHz 0 Wait State Running at 21.0 MHz**

**42+ Meg 16 MHz 286  
EGA Color System     \$2250**

*Same System as Above with the Following Differences:*

- Running at 21 MHz
- 0 Wait State
- 16 MHz PC-AT Computer
- Multi-speed 8/16 MHz
- Landmark Test of 21 MHz
- 1 Meg Memory Expandable to 8 Meg on the Motherboard
- EMS 4.0

With EGA Multisync (Analog) 800 x 560 ..... **\$2445**  
With Monochrome + 40 Meg (ST-251) ..... **\$1895**

**42+ Meg 20 MHz 386  
EGA Color System     \$2995**

- Samsung 14" EGA Color Monitor
- 20 MHz 0 Wait State Computer
- Everex Enhanced Auto Switch EGA Card 640 x 480
- AT Case with Key Lock, Turbo, Power and Hard Drive LEDs (Tower Case Available)
- Intel 386-20 CPU (not a 386-16)
- Keytronics 101 Enhanced Keyboard
- 1 Meg Memory
- 220 Watt Power Supply
- Seagate Model ST251 42+ Meg Hard Disk Drive
- 5 1/4" 1.2 Meg Floppy Drive
- Western Digital 2 Hard Disk and 2 Floppy Controller with Cables
- Serial/Parallel & Game Ports
- Math Co-Processor Slot
- Complete Operations Manual
- One Year Warranty
- Clock, Calendar & Battery Backup
- EMS 4.0

With 386-20MHz EGA Multisync (Analog) 800 x 560 ..... **\$3190**

**DOS 3.3: \$79    DOS 4.0: \$109**

**All Systems Also Available with VGA**

# ieee, inc.

17120 DALLAS PARKWAY, SUITE 212  
DALLAS, TEXAS 75248

To Order, Call

## 1-214-931-3777

TERMS: One year warranty (12 months parts/12 months labor). 30 day money-back guarantee (excluding shipping charge). We accept Visa, MasterCard, Discover (add 3% for credit cards), cashier's check, money order, wire transfer and personal checks (personal checks, please allow 10 working days to clear). Shipping and insurance extra. Prices and availability subject to change without notice. IEEE reserves the right to substitute equivalent or better products. No COD's accepted. 15% restocking fee on unauthorized returns. IBM XT/AT are trademarks of IBM Corp. HOURS: (Central Time) 9 a.m.-7 p.m. Mon.-Fri., 9 a.m.-5 p.m. Sat.

MEMBER  
•  
DALLAS  
CHAMBER OF  
COMMERCE

# BEST



## NEW MINI PORTABLE BEST-286 LCD

- 10 MHZ 0 WAIT (12MHZ Option)
- 512 K RAM
- 1.2 M. Floppy Drive
- 30 MB Hard Disk (Seagate 138 28ms)
- 200 W DC Fan Power Supply
- Serial & Parallel
- Non-Glare LCD Screen
- Super Twist
- Built-In Back Light
- 640 x 200 Dots
- Weight 22 lbs
- Padded Soft Carry Bag
- Dimension 16" x 8" x 9"

**\$1600**



## VTI-33 SYSTEM

- 8088-2 10 MHz
- 640 K RAM**
- 2 360K Floppy Drive
- Serial, Parallel Port
- Clock, Calendar
- AT Style Keyboard
- Built in Mono/Color Graphic
- MONO MONITOR**
- MS-DOS 3.3, GW Basic

**\$749**

**COLOR SYSTEM \$919**



## BEST-286 PORTABLE

- 10 MHZ (12 MHZ Optional)
- 512 K RAM
- One 1.2 MB Floppy Drive
- 7 Expansion Slots
- 200 W DC Fan Power Supply
- 9" Dual Amber Screen
- Mono or Color Graphic Card
- Serial & Parallel Port
- 84 Key Soft Tough Key Board

**\$1115**

**BEST-88 PORTABLE \$845**

## Complete 386 SYSTEM

- 80386-20 MHZ CPU
- Support 80287, 30387 & WEITEK processor
- Six 16 Bit, Two 8 Bit BUS
- 1 MB RAM (Expandable 2,4,8 MB on board), 32 Bit
- RAM Architecture (Interleaved Page Mode)
- AMI Bios
- Realtime Clock/Calendar
- 1.2 MB Floppy Drive
- Fast 1 to 1 Interleaved Hard Disk Controller
- VGA Adapter & VGA Monitor
- 66 MB Hard Drive (21 ms) (Toshiba)
- 101 Enhanced Keyboard
- Vertical Case
- MS-DOS 3.3 GW Basic
- 1 Year Warranty
- Support: NOVELL/3COM/PC NET/LanLink/OS/2

**\$2990**



## 286 BABY MOTHER BOARD

- 10 MHZ \$265
- 12 MHZ \$295
- Mono Monitor \$79
- Fujitsu 101 Enhance Keyboard \$45

EGA PLUS 640 x 480 \$139  
(Paradise Compatible)

## PORTABLE CASE

- 9" Dual Amber Monitor \$359
- 200 W Power Supply

**LCD CASE**  
640 x 200 Dots \$549



Same Day Shipping

## VTI-55 SYSTEM

- 80286 8/12 MHz
- 640K - 120 ns
- 1.2 MB Floppy Drive
- 40 MB Hard Disk ST-251 (40 ms) with Controller**
- 2 Serial 1 Parallel
- Clock Calendar
- 101 Enhance Keyboard
- ATI EGA Wonder Card
- EGA MONITOR**
- MS-DOS 3.3, GW Basic

**\$1799**

**MONO SYSTEM \$1499**

**CALL FOR QUANTITY PRICE**

# BEST

**COMPUTER INC.**  
5017 Telegraph Road  
Los Angeles, CA 90022

Circle 44 on Reader Service Card (DEALERS: 45)

MON - SAT 9:00 - 6:00 PACIFIC TIME  
PRICE & SPEC. ARE SUBJECT TO CHANGE WITHOUT NOTICE

Tel: (213) 265-0900

Tech: (213) 265-0300

Fax: (213) 265-4234

Toll: **(800)634-7920**

Outside Cal.



Credit Card Purchase Subject to Service Charge.

ported a value of 24.4 ms, a 6-ms track-to-track seek time, and a data transfer rate of 640K bytes per second. All three figures would be better than average for a desktop AT compatible; in a portable, they're outstanding.

A rear-panel port lets you add an external floppy disk drive or a tape backup. However, the drives are expensive (\$275 for a 5¼-inch drive) and require a special external storage module—a \$299 option. The 40-megabyte tape drive is

somewhat more reasonable at \$799, but the module is also required with it. In addition, the module accepts only one device—either the floppy disk drive or the tape backup. Optionally, you can boot from an external floppy disk drive.

The Ogivar's floppy disk drive is a Toshiba, and the hard disk drive is by Matsushita. The hard drive has a fast average seek time—about 33 ms, according to the Coretest. However, its overall throughput is a disappointing 166K bytes per

second, not much better than an 8-bit XT controller.

A rear-panel floppy disk drive port lets you add an external 360K-byte 5¼-inch floppy disk drive (\$530). Unlike the Compaq, the Ogivar 286 doesn't require an external storage module.

### Power Concerns

Compaq provides a number of features to help you manage the SLT/286's energy store. You can press the front-panel standby button to cut off power to the SLT/286's major subsystems: CPU/memory, screen, hard disk drive, and modem. In standby mode, the power LED blinks; you can restore normal operation at any time by pressing the standby button again.

The SLT/286 also provides several automatic energy-saving features. One will place the machine in standby mode if the system has been inactive (i.e., no use of disk drives, I/O ports, keyboard, or modem) for a preset period of time. Another turns off the hard disk drive if it hasn't been accessed recently. Another blanks the screen. The time-out values for all three energy-saving features are defined using the setup program. You can also change the values temporarily by using a utility program (PWRCON); rebooting restores the default values.

The setup program also allows you to determine whether the optional modem is to be powered when you boot. The PWRCON program lets you turn modem power on and off as desired.

When battery power does start to run down, the SLT/286 provides two stages of warnings, Low Battery I and II. Stage I is initiated when approximately 10 percent of battery power remains; Stage II, when 5 percent is left.

You can connect the AC adapter while the SLT/286 is running, but to switch battery packs, you must power down. The SLT/286 handles connecting and disconnecting the adapter while in operation without a hitch.

Another innovative feature of the SLT/286 is the battery charger/AC adapter. It switches automatically between 110- and 220-volt systems, and it can "quick-charge" a battery in 1½ to 3 hours. In addition, you can charge the nickel-cadmium battery while you're working on the machine.

The adapter's connector is polarized, so there is no danger of inserting it into the SLT/286 backward. The adapter has two LEDs; one indicates when it is connected to AC power, and the other indicates when it is quick-charging.

*continued*

# the Telcor modem "simply ate up our data."




John H. Humphrey and Gary S. Smock  
High Speed Modems  
June 1988, Byte Magazine

you find that hard to believe, prove it to yourself. Order a pair at \$1195 apiece and try them for thirty days. High speed file transfer software for your PC-AT is included.

Call us toll free in the U.S. at 1-800-826-2938. Elsewhere call 1-508-653-3995. VISA and Mastercard accepted. Also available through local distributors.



*the world's fastest  
dial modems*



Our patented Model 2496 data compressing modem was the only 2400 bps unit included in this evaluation of 9600 bps dial modems. And it was judged the surprise of the lot!

Just imagine what our 9600 bps modem can do... dial data throughput up to 38,400 bps. What's more, the Telcor Model 2938 also talks to 300, 1200 and 2400 bps modems and fully supports MNP Levels 2-6.

The Telcor Model 2938 outperforms any other dial modem in the world. If

# Discover Parallel Processing!



## Monoputer/2™

The World's Most Popular  
Transputer Development System

Since 1986, the MicroWay Monoputer has become the favorite transputer development system, with thousands in use worldwide. Monoputer/2 extends the original design from 2 to 16 megabytes and adds an enhanced DMA powered interface. The board can be used to develop code for transputer networks or can be linked with other Monoputers or Quadputers to build a transputer network. It can be powered by the 20 MHz T414 or T800 or the new 25 MHz T425 or T800.

## Parallel Languages

Fortran and C Make Porting a Snap!

MicroWay stocks parallel languages from 3L, Logical Systems and Inmos. These include one Fortran, two Cs, Occam, Pascal, and our own Prolog. We also stock the NAG libraries for the T800 and Rockfield's structural and thermal finite element package. A single T800 node costs \$2,000, yet has the power of a \$10,000 386/1167 system. Isn't it time you considered porting your Fortran or C application to the transputer?

## Quadputer™

Mainframe Power  
For Your PC!

MicroWay's Quadputer is the most versatile multiple transputer board on the market today. Each processor can have 1, 4 or 8 megabytes of local memory. In addition, two or more Quadputers can be linked together with ribbon cables to build large systems. One MicroWay customer reduced an 8 hour mainframe analysis to 15 minutes with five Quadputers, giving him realtime control of his business.

For further information, please call MicroWay's Technical Support staff at (508) 746-7341.

# Micro Way

## World Leader in PC Numerics

P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341  
32 High St., Kingston-Upon-Thames, U.K., 01-541-5466  
USA FAX 617-934-2414 Australia 02-439-8400 Germany 069-75-1428



**Diamond Scan 14**  
Auto-Tracking  
800 x 600 pixels (digital, analog, monochrome)  
330 x 500 pixels (composite NTSC)

**Diamond Scan 20A**  
Auto-Tracking  
800 x 600 pixels (digital, analog, monochrome)  
1024 x 800 pixels (maximum)

**Diamond Scan 16L**  
Auto-Tracking  
1024 x 768 pixels (typical)  
1280 x 1024 pixels (maximum)

**Diamond Scan 20L**  
Auto-Tracking  
Up to 1280 x 1024 pixels

Actual unretouched screen images  
Monitors shown with optional bases

# A Clear View To Monitor Quality

REVIEW

LAPTOP DILEMMA

As for battery life, Compaq claims the SLT/286 can run for about 3 hours without needing a charge. To test that claim, I set up GrandView to save to disk automatically every 5 minutes, and I set the disk time-out to 1 minute (the minimum). I was able to use the machine for about 2½ hours continuously. With the modem turned on, battery life decreased to about 1½ hours.

The Ogivar 286 is essentially an AC-power-only machine. The power demands of a plasma display prohibit the use of a reasonable-size internal battery. An external battery pack is available, but the price is a daunting \$655.

## Beneath the Keyboard

The Compaq is built like a Swiss watch. All subassemblies fit well and are logically integrated into the main chassis. A modular design makes servicing (i.e., module swapping) fast and easy.

The chassis is actually composed of several modules, each of which consists of a printed circuit board encased in a lightweight aluminum box. The base is a ½-inch-thick box that contains the motherboard; the disk drives, modem,

power module, and memory-slot cover all plug into various card-edge and dual-row header connectors.

The motherboard measures about 12 by 7½ inches and occupies most of the base surface. It is built almost entirely from surface-mount devices; the exceptions are the BIOS EPROMs and the math coprocessor socket, which are standard DIPs. The CPU is an 80C286, and it is socketed. Most of the LSI ICs other than the RAM and CPU bear Compaq logos.

The motherboard in the review machine was labeled Rev. G; even so, there were three engineering-change jumpers and two ¼-watt resistors hand-soldered to the rear side of the board.

Although the Ogivar electronic subassemblies are well made, mechanical integration is only fair, making this machine difficult to disassemble for servicing. The Chips & Technologies system-support ICs provide memory and I/O interfacing; the BIOS (3.02J) is by Award Software.

## On the Bench

The two machines are roughly comparable in speed; the Zenith SupersPort 286,

the Mitsubishi 286, and even the 12.5-MHz 80386-based GRiDCase 1530 have similar performance ratings.

The Ogivar's raw CPU performance exceeds the SLT/286's by about 7 percent. However, Compaq's high-performance subsystems help balance overall system performance. The SLT/286's hard disk drive is faster than the Ogivar's by almost 50 percent, and that allows it to surpass the Ogivar 286 in almost all application categories. The disk-intensive database tests, for example, really reflect the low-level disk benchmarks in that the SLT/286 is about 45 percent faster than the Ogivar 286. In the other application-level benchmarks, the two machines were nearly identical, but because of the SLT/286's better disk drive performance, its overall application index was about 13 percent better than the Ogivar 286's.

## Compatibility Testing

I successfully ran the following software packages on both machines: SideKick 1.56b, PCED 1.01a, AutoSketch 1.01, Fastwire II, WordPerfect 5.0, WordStar 5.0, Lotus 2.01, VP-Planner 1.0, Turbo

Only one supplier of color monitors offers the widest selection of features and operating flexibilities in the market today.

That company is Mitsubishi Electronics.

Mitsubishi® delivers the reliability and performance that can meet your color information display requirements today as well as tomorrow. Larger screen sizes, truer colors, and optimum resolutions make your work easier—and far more productive.

Whether your requirements call for fixed-frequency graphics standards, like EGA and VGA, or multiple-frequency performance, Mitsubishi has the color monitor

with the resolution and size to fit your specific needs. This includes the Diamond Scan Series of 14", 16" and 20" auto-tracking monitors, some with microprocessor-enhanced programmable display settings. All at very competitive prices.

To get a clear view of monitor quality and value, look to Mitsubishi.

For product information or nearest authorized Mitsubishi Electronics sales representatives, please call 1-800-556-1234, ext. 54M. In California, call 1-800-441-2345, ext. 54M. Mitsubishi Electronics America, Inc., Computer Peripherals Division, 991 Knox Street, Torrance, CA 90502, (213) 217-5732.



XC1429C  
VGA Compatible  
640 x 480 pixels

XC1410C/XC1430C  
EGA Compatible  
640 x 350 pixels

Mitsubishi Model	Screen Size (Inches)	Horizontal Scan Frequency (kHz)	Mask Pitch (mm)	Compatibility/Resolution							
				NTSC	CGA	EGA	VGA		Apple Mac II	1024 x 768 (48 kHz)	1280 x 1024 (64 kHz)
							Std.	Ext.			
Diamond Scan 14 (AUM1381A)	14/13V	15.7 - 36 auto-tracking	0.31	•	•	•	•	•	•		
Diamond Scan 16L* (HL6605TK)	16/15V	30 - 64 auto-tracking	0.31				•	•	•	•	•
Diamond Scan 20A (HA3905ADK)	20/19V	15.7 - 36 auto-tracking	0.31		•	•	•	•	•		
Diamond Scan 20L* (HL6905TK)	20/19V	30 - 64 auto-tracking	0.31				•	•	•	•	•
XC1429C	14/13V	31.5	0.28				•				
XC1410C	14/13V	22 or 15.75	0.40		•	•					
XC1430C	14/13V	22 or 15.75	0.31		•	•					

\*Microprocessor-enhanced programmable display settings



# And Value.

© 1988 Mitsubishi Electronics America, Inc.  
Mitsubishi is a registered trademark of Mitsubishi Electric Corp., Tokyo.

Screen images produced with permission from the following companies (trademarked software package name follows company name): Autodesk, Inc. (AutoShade); Computervision Corporation (Personal Designer); Computer Friends, Inc. (Modern Artist); SuperMac Software (PixelPaint); Three DI Graphics, Inc. (Perspective); Microsoft Corporation (Excel Version 2.0).

## REVIEW

### LAPTOP DILEMMA

Pascal 4.0, Procomm Plus 1.1A, and Ken Skier's No-Squint Laptop Cursor 1.09. I also ran Windows 286 version 2.1, with PageMaker 3.0 and Designer 1.2, without problems on the Compaq.

I was able to successfully install and run IBM's OS/2 1.1 (Presentation Manager) on the Compaq; of the four AT compatibles that I happened to have in the office at the time, it was the only one that would run PM. I got an error message about the COM1: serial port not installing, but a Microsoft Serial Mouse worked fine from that port. There was not enough memory on the Ogivar to run PM or Windows.

#### User's Perspective

The Compaq SLT/286 comes closer to my idea of perfection than any other battery-powered portable on the market. Although the display doesn't have as much contrast as a real CRT, it's good enough to work on all day without eyestrain. The screen is legible in bright sunlight and in a dark room. The eight-level gray scaling allows you to run software set up for a color monitor without fiddling with a mapping utility, and that's a real plus.

However, the Compaq's LCD screen has long-persistence imaging, so scrolling text and moving graphics images leave a trail. That can be bothersome—for example, if you're used to reading information coming by modem from an on-line service.

The plasma display on the Ogivar is readable in almost any light, but you are limited to monochrome EGA operation, although you can experiment with color-mapping utility software.

The Compaq's keyboard has a few flaws, but they're tolerable. The Ogivar keyboard has major flaws that are really a pain. However, the Ogivar does make working in French painless.

The SLT/286's automatic drive timeout saves battery power, but it can be frustrating to wait for the disk to come up to speed every time you save your work.

Compaq's documentation is typically well done, with lots of illustrations and clear explanations. Ogivar's documentation is not as extensive or as polished as Compaq's. It covers only the basics, and it lacks an index.


The base price for an SLT/286 with a 40-megabyte hard disk drive is \$5999; a

similarly equipped Ogivar 286 costs \$4995. By contrast, the comparable Zenith SupersPort 286 costs \$5599. The SLT/286 outperforms both machines, and it has the advantage of battery power and a much better screen (the Zenith provides only CGA compatibility).

A fully expanded SLT/286 with a modem, a math coprocessor, maximum memory (3.6 megabytes), and an expansion chassis costs more than \$10,000. However, the machine could do double duty on the desktop and in the field.

Both machines have comparable performance. In terms of overall quality, the Compaq SLT/286 holds the edge over the Ogivar 286. In terms of price, the Ogivar 286 takes the lead. Deciding between the Ogivar and the Compaq comes down to whether you prefer an umbilical cord to AC power or if you want your computing on the go. ■

*Jeff Holtzman owns Publishing Concepts, a firm that specializes in evaluation, verification, and documentation of high-technology products. He lives in Ann Arbor, Michigan, and can be reached on BIX c/o "editors."*



## Where price and performance meet.


Life is one long—usually frustrating—search for the highest possible performance at the best possible price.

Fortunately, for FCC-approved XT<sup>®</sup>, AT<sup>®</sup> and 386\* bare-bone systems, as well as a full line of motherboards and add-on cards, your search is over. You've found DTK.

DTK's high-performance boards collectively enjoy a reliability rate of 99.5%. Because they're manufactured to exacting quality control standards, then individually burned-in for 24 hours.

Which is why DTK products are exceptionally popular. This 10 MHz XT motherboard, for example, already has over 200,000 satisfied customers worldwide. And it's just one of our success stories.

Contact the DTK office nearest you. We'll send you information on our full line of quality computer boards and systems. And show you how affordable the price of high performance can be.



See us at CeBIT  
Hall 5, Stand G 06



**DTK COMPUTER INC.**

15711 E. Valley Blvd. • City of Industry, CA 91744  
Tel: (818) 333-7533 • Fax: (818) 333-5429

**DTK Computer Inc. of Florida**  
7245 Corporate Center Dr., Suite B  
Miami, FL 33126  
Tel: (305) 477-7440  
Fax: (305) 477-8322

**DTK Computer Inc. of New Jersey**  
300 Columbus Circle, Raritan Center  
Edison, NJ 08818  
Tel: (201) 417-0300  
Fax: (201) 417-0307


**DTK Computer Inc. of Texas**  
10535 Wilcrest Dr., Suite 120  
Houston, TX 77099  
Tel: (713) 568-6688  
Fax: (713) 568-5688

**DTK Computer GmbH**  
Wahlerstr 16  
4000 Dusseldorf 30  
West Germany  
Tel: 011-49-221-656031  
Fax: 011-49-221-653753

**EXCLUSIVE DISTRIBUTORS:**  
Florida: TWC (305) 599-0871  
Northern California: Supercom  
(408) 772-9393

XT and AT are registered trademarks of International Business Machines Corporation. DTK is a registered trademark of Datatech Enterprises Co., Ltd. \*FCC Class A approval

# Advanced Floppy Disk Drive Controllers



Extend the versatility  
of your computer

Jeff Holtzman

**H**ow do you share information stored on incompatible disk formats? For occasional use, transferring files via an RS-232C hookup suffices, but for everyday use, you'll want to install in your PC a floppy disk drive for each desired disk format. Doing so with a modern 80286- or 80386-based IBM PC AT compatible may be as simple as installing a new disk drive and running your machine's setup utility. It's not so simple, however, with older PCs, XT's, or compatibles based on the 8088. One solution is to install an advanced floppy disk drive controller card.

For this review, I looked at the Sysgen Omni-Bridge, the MicroSolutions CompatiCard I, and the Manzana Mux Card. All these cards offer increased versatility for the older PC. Each board has certain advantages and disadvantages. Their features are summarized in table 1.

## Upgrade Path

To add a new drive type to an older XT compatible, you must add the new or secondary controller, select nonconflicting

I/O port addresses, install a device driver, and upgrade the DOS version for your system.

I installed the Sysgen Omni-Bridge and the MicroSolutions CompatiCard I as secondary controllers and connected both 1.2-megabyte (Fujitsu) and 1.44-megabyte (Manzana) drives to each. As part of the testing procedure, I installed and ran all the cards in both an AST Premium/286 and an IBM PC XT, both running PC-DOS 3.3.

Unlike the others, the Manzana Mux Card is not a disk drive controller, but a bus multiplexer with simple logic (gates and latches) that allows you to connect more than two drives to a single floppy disk drive controller. It has limitations: It cannot control 1.2-megabyte drives, and it can control only 720K-byte drives on XT machines.

In both machines, I connected the Mux Card to the pre-existing controllers: a Western Digital combined hard disk/floppy disk drive controller in the Premium/286, and a generic multi-I/O card in the XT.

I had no trouble formatting and using bootable high-density 3½-inch and 5¼-inch system disks using DOS's native FORMAT/S command with both the Omni-Bridge and the CompatiCard. After some initial setup difficulties, I got the same results with 720K-byte disks on the XT and 1.44-megabyte disks on the Premium/286 using the Mux Card.

All three boards are half-length and fit into either an 8-bit or a 16-bit bus slot. Each is built using traditional DIP technology; all three exhibit high-quality components and workmanship. The Sysgen card had one engineering-change jumper soldered to two pins of an IC on top of the board.

## MicroSolutions CompatiCard I

The CompatiCard I is the most versatile floppy disk drive controller on the market. At \$175, it's also rather expensive,

*continued*

From left to right: Omni-Bridge, Mux Card, and CompatiCard I.

REVIEW  
ADVANCED FLOPPY DISK DRIVE CONTROLLERS

	CompatiCard I	Omni-Bridge	Mux Card
<b>Type</b>	Advanced floppy disk drive controller	Advanced floppy disk drive controller	Floppy disk drive multiplexer
<b>Company</b>	MicroSolutions Computer Products 132 West Lincoln Hwy. DeKalb, IL 60115 (815) 756-3411	Sysgen, Inc. 556 Gibraltar Dr. Milpitas, CA 95035 (408) 263-4411	Manzana MicroSystems P.O. Box 2117 Goleta, CA 93118 (805) 968-1387
<b>Features</b>	As many as four internal drives in 360K-byte, 1.2-megabyte, 720K-byte, and 1.44-megabyte formats	Allows you to add one or two drives in any format internally, and one or two externally	Runs one or two 1.44-megabyte drives off an existing AT controller
<b>Size</b>	Half-length	Half-length	Half-length
<b>Hardware Needed</b>	8-bit or 16-bit slot and cables	8-bit or 16-bit slot and cables	8-bit or 16-bit slot and floppy disk drive controller
<b>Software Needed</b>	DOS 3.3 or higher for best performance	DOS 3.3 or higher for best performance	DOS 3.3 or higher for best performance
<b>Options</b>	CompatiCard II: \$125 MatchMaker: \$149 Macintosh external drive: \$239	Internal 1.44-megabyte drive: \$250 Bridge-Tape: \$695	3rd Internal (720K-byte) drive: \$299 3rd Internal Plus (1.44-megabyte) drive: \$340 3FIVE.SYS software: \$75
<b>Documentation</b>	36-page booklet	44-page booklet	60-page booklet
<b>Price</b>	Adapter card with software: \$175 (cables extra)	Adapter card with software: \$95 (cables extra)	Adapter card with cables and software: \$70
	<b>Inquiry 855.</b>	<b>Inquiry 856.</b>	<b>Inquiry 857.</b>

**Table 1: Each advanced floppy disk drive controller or multiplexer can handle a specific number and variety of floppy disk drives.**

	5¼-inch		3½-inch		Max no. of drives			RAM (bytes)
	360K-byte	1.2-Mb	720K-byte	1.44-Mb	Int.	Ext.	Total used	
Mux Card	Yes	No	Yes	*	2	2	2	7K
CompatiCard I	Yes	Yes	Yes	Yes	4	2	4	12K
Omni-Bridge	Yes	Yes	Yes	Yes	2	2	4	9K

\* Only in AT or with high-density controller in XT.

but you get what you pay for. The CompatiCard accepts eight types of drives—four types of 5¼-inch drives, three types of 3½-inch drives, and 8-inch drives. All standard IBM formats are supported, as are several proprietary formats.

The CompatiCard lets you install up to four drives, each of which can be of any supported type. Appropriate connectors are supplied so that up to four drives can be installed internally; a standard 37-pin D connector provides for one or two external drives.

You can install the CompatiCard as

your primary floppy disk drive controller or as a secondary controller. In fact, you could install as many as four CompatiCards in a single PC, providing a total of 16 disk drives.

To install the CompatiCard, you set two jumpers that determine its I/O port addresses, and then connect cables from your drives. The card provides both an edge-card connector and a 34-pin dual-row header strip to connect drives 0 and 1. Another header strip allows connection to drives 2 and 3; that strip is wired in parallel with the external D connec-

tor. Last, you insert the card into a vacant slot.

If the CompatiCard is the primary controller, and if your BIOS supports the format of your new disk, installation is complete. Otherwise, you'll have to alter your CONFIG.SYS file so that DOS will load a device driver.

You use CCDRIVER.SYS to specify the address (0 to 15), the type (0 to 7), and, optionally, the step rate (1 to 32) of each drive attached to the CompatiCard. So, to add 1.2-megabyte (type 2) and 1.44-megabyte (type 7) drives, I used DEVICE=CCDRIVER.SYS/6,2/7,7.

If you use DOS 3.2 or higher, and if DOS's DRIVER.SYS and CCDRIVER.SYS are located in the same directory, CCDRIVER.SYS will load DRIVER.SYS and use it to process requests from the DOS disk-manipulation programs (e.g., FORMAT). Otherwise, you'll have to format disks with CCFORMAT.COM, and the other DOS programs (e.g., COPYDISK) may not work. The two drivers together occupy just under 12K bytes of RAM.

The CompatiCard's documentation is brief but logical. If you comprehend the basic issues, the documentation is suffi-

## Floppy Disk Drive Problems

**F**our types of floppy disks and four corresponding disk formats are commonly used in the IBM world: the 360K-byte and 1.2-megabyte 5¼-inch formats, and the 720K-byte and 1.44-megabyte 3½-inch formats. For either disk size, it is impossible to read the high-density disks in the low-density drives. In the other direction, although it's possible to read from and write to a 360K-byte floppy disk in a 1.2-megabyte drive, the results are unreliable; you can, however, reliably read from and write to a 720K-byte disk in a 1.44-megabyte drive.

So, to read all four types of disks, you really need three disk drives: 360K-byte and 1.2-megabyte in the 5¼-inch size, and 1.44-megabyte in the 3½-inch size. But, depending on the type of PC you have, adding disk drives may not be simple.

As you might expect, there are two types of problems: software and hardware. You can resolve software problems by adding a new BIOS, a new version of DOS, a device driver, or some combination thereof. Hardware problems can be resolved by substituting a new floppy disk drive controller for your present one, or by adding a secondary controller.

### Software Limits

Because of the way disk formats evolved over time, most PC and XT compatibles have built-in BIOS support for only the 360K-byte and lesser (e.g., 160K-, 180K-, and 320K-byte) formats. Most AT compatibles have built-in support for both the 360K-byte and the 1.2-megabyte formats; newer ATs also support one or both of the 3½-inch for-

mat. You can determine which formats your AT supports by running its setup program.

Even without built-in BIOS support, you can install a new-format floppy disk drive in an old machine by adding a software device driver. DOS versions 3.2 and higher include a device driver called DRIVER.SYS, which supports newer disk formats, depending on the version of DOS. Most drive vendors sell similar drivers.

There are several disadvantages to the device-driver approach, however. First, the machine will be unable to boot from the drive because it will not know how to read the drive until after it has loaded the device driver. Therefore, a drive without built-in BIOS support cannot be installed as drive A. Further, the driver eats up precious RAM, typically about 10K bytes. On the other hand, a software driver can be upgraded more easily than a driver in ROM or EPROM.

You may also have to upgrade your version of DOS to take advantage of all the features of the newly added drive. DOS versions under 3.0 support the 360K-byte and lesser formats; DOS 3.0 and 3.1 support the 1.2-megabyte format; DOS 3.2 adds the 720K-byte format; and DOS 3.3 adds the 1.44-megabyte format.

To use DOS's FORMAT, DISKCOPY, DISKCOMP, and, in some cases, BACKUP and RESTORE programs, you have to use a version of DOS that directly supports the desired format. Generally, however, even without a higher version of DOS, you'll be able to format disks with a special utility supplied by the disk vendor, the control-

ler card vendor, or a third party. Creating bootable system disks may take several steps, however.

### Hardware Limits

Even with the right software, you must also have the right hardware. Standard PC and XT floppy disk drive controllers are limited to a data transfer rate of 250K bits per second; this is not high enough for the high-density (1.2-megabyte and 1.44-megabyte) formats, which require either a 300- or 500-Kbps rate, depending on drive speed. The situation is somewhat better with AT-compatible disk drive controllers, which are designed for all three data transfer rates.

Another variable is the number of drives a controller can support. You can connect as many as four drives to IBM's standard PC/XT floppy disk drive controller, but only two can be mounted internally. Many clone controllers support two internal drives and no external drives.

Most controllers (floppy disk drive-only and combination hard disk/floppy disk drive) for ATs support only two drives. You can add a secondary controller that uses different I/O ports, but a device driver will be necessary to communicate with the CPU.

Cabling may also be a problem. Adding a secondary or specialty controller may require an extra-long data cable, and the cables that come with some machines won't reach. You may also need a Y adapter to supply power to a new drive. To avoid disappointment and unnecessary delays, make sure you acquire the appropriate cables when ordering the other components.

cient. Novices, however, may need help. I found the company's technical-support staff knowledgeable, polite, and easy to reach.

A stripped-down version of the card (CompatiCard II) is also available for \$125; it supports only two internal drives, but they can be any standard type. The CompatiCard II can function as a primary or secondary controller.

### Sysgen Omni-Bridge

The Omni-Bridge is a semi-intelligent disk drive controller that can function as a primary or secondary controller. It can

control as many as four drives in all standard formats; however, only two drives can be mounted internally.

Like the CompatiCard, The Omni-Bridge includes its own on-board LSI disk drive-controller IC. In addition, the board has an EPROM with part of the driver code. The value of this 8K bytes of firmware is questionable, however, because, even with it, you still have to load a device driver that occupies about 10K bytes of RAM. If the EPROM contained the entire device driver, you could boot from a drive not supported by your BIOS and save the RAM as well.

To install the board, you run a setup program that shows you how to set the on-board DIP switches (eight positions in two DIPs); the switches specify drive types, BIOS and I/O port addresses, and so on. Then you insert the card in your PC and run a cable to your drive(s). Both edge-card and header strips are provided for the internal drives.

An Install program will modify your CONFIG.SYS file, or you can do so manually, using information in the manual. After rebooting, the new drives are available for use.

*continued*

## Macintosh Disks

Not only are there four types of DOS disks, now there are also Macintosh disks to contend with. With care, it's possible to transfer PageMaker, Excel, and even some text files between the two environments without losing any essential information. But what do you do if you're creating PageMaker files on a PC and want to print them at a service bureau that accepts only Mac-format disks?

### MatchMaker

One solution is to add an external Mac drive to your PC. MicroSolutions sells a half-length card called the MatchMaker (\$149) that lets you do just that. MatchMaker uses its own I/O ports and has no connection whatsoever with the PC's disk drive controller. The card goes into an empty 8-bit or 16-bit expansion slot; the drive plugs into a 19-pin D connector through which it obtains power and exchanges data. You also need an external Macintosh drive, of course.

MatchMaker uses a TSR program called MAC.COM that occupies about 35K bytes of RAM. MAC.COM provides a set of DOS-like commands (e.g., MCOPY, MDEL, and MRD) for manipulating Macintosh disks—those with both the flat (Macintosh File System) and the hierarchical (Hierarchical File System) directory structures. The Macintosh drive is designated as drive M. So, for example, to copy MYPCFILE to a Mac disk, you'd type: C>MCOPY MYPCFILE M:. Wild cards are acceptable in filename specifications (e.g., MYPCFILE.\*). Because Macintosh filenames can be longer than eight characters and can also include illegal DOS characters, the program truncates long filenames and generally translates illegal characters to an underline character.

Because the M drive is simulated, it's not available to normal DOS commands or other programs. So you couldn't do this: XCOPY M:\*. \* C:\MACFILES. MatchMaker would be much more useful if the M drive were accessible at the DOS level.

### Deluxe Option Board

Central Point Software (15220 Northwest Greenbrier Pkwy., Suite 200, Beaverton, OR 97006, (503) 690-8090) has been selling the Copy II PC Deluxe Option Board (\$159) for several years as a means of backing up copy-protected software. The Deluxe version lets you use Macintosh disks in an IBM-type 720K-byte or 1.44-megabyte 3½-inch disk drive.

You install the Deluxe Option Board between your current controller and your disk drive(s). Central Point specifically warns that some Alps and Mitsubishi drives cannot read and write Macintosh disks reliably. If you're in the market for a drive, and you're considering using it to trade files with a Macintosh, the company recommends using Citizen, TEAC, and Toshiba drives, in either the 720K-byte or 1.44-megabyte format.

Next, you load a memory-resident program called MCP.EXE that occupies less than 1K byte of memory. It provides a set of commands similar to those provided by MatchMaker (MCD, and so on). However, with MCP.EXE, you refer to a device by its DOS designation. For example, MCP MFORMAT A: would format a disk in physical drive A.

Neither product can rename a file or a directory on a Mac disk. More significantly, neither deals with the problems of data translation. You'll need a third-party program to convert WordStar files to MacWrite, for example.

I used both products over a period of several months with varying degrees of success. I had occasional problems with MatchMaker; it seems that the external drive is not well shielded, so it sometimes picked up stray electromagnetic interference from my NEC MultiSync monitor (a veritable "radio station"); the effects depended on whether the drive was located on top of the Premium/286 or beside it (i.e., further from the monitor).

The Option Board also failed occasionally, especially when accessing the inner tracks.

first two logical drives (A and B) as external drives, whether they're actually installed in the chassis or in an external case. This can be confusing.

### Manzana Mux Card

Manzana sells a number of disk drive products, separately and bundled in various combinations. The core of the line is the Mux Card, which lets you add a third (and a fourth) drive to an existing floppy disk drive controller with support for only two.

Because the Mux Card works off the existing controller, it relies on simple, inexpensive circuitry, keeping the cost of the board (with cables and software) to \$70. However, the simplicity of the board precludes adding any high-density drive to an XT-type controller with the 250K-bit-per-second data transfer rate. That means you can't use this board to format 1.44-megabyte disks in an XT with a standard floppy disk drive controller. (But you can format 720K-byte disks in a 1.44-megabyte drive with a standard controller.)

In addition, you can add a 1.44-megabyte drive to an AT with a standard controller, but the Manzana hardware and software doesn't support 1.2-megabyte 5¼-inch drives at all.

For this review, Manzana supplied a bundled product known as the 3rd Internal Plus. It consists of a Mux Card, a 1.44-megabyte drive, and a software driver called 3FIVE.SYS. (A 720K-byte version of the 3rd Internal is also available.) Each product is sold separately; even though the three are bundled, the documentation for each is contained in a separate booklet, and it's up to you to integrate the three. The type in the booklets is small, dense, and hard to read, and the information is poorly organized and poorly written.

Installing the disk drive was simple enough, but I had a great deal of trouble configuring the card and getting the software to access the drive, and I had to get help from the company's technical-support line. Fortunately, the technician got me up and running quickly.

To install this card, you must disconnect your current disk-to-controller cable and rewire things so that the Mux Card appears between the controller and the disk drives (as with Central Point Software's Deluxe Option Board; see the text box "Macintosh Disks" at left). The problem is that the written description in the manual is unclear about which connector goes where. You must also set a number of jumpers on the card, depending on the port address it uses, type of

As with the CompatiCard, the Omni-Bridge lets you use DOS's disk-manipulation programs if you are running DOS 3.2 or higher. Otherwise, you must use OFORMAT.COM. In the latter case,

other DOS programs (e.g., DISKCOPY) may not work correctly.

The documentation is rather confusing on a number of points. For example, the manual refers to any drive after the

cable (straight or "inch-twisted"), and so on.

Then you install the device driver. 3FIVE.SYS is available separately; a copy of it is also included with each disk drive and Mux Card sold by Manzana. The driver can function without the Mux Card; it would be useful if you were trying to install a 3½-inch drive in a system running an early version of DOS—one without DRIVER.SYS.

Although I had trouble installing the Mux Card, in operation it performed flawlessly.

### Formats Galore

The CompatiCard I is well documented and extremely versatile but expensive. On the other hand, the Mux Card is quite inexpensive, but it has limitations and is poorly documented. The Omni-Bridge is in the middle in terms of price, versatility, and documentation.

If you're upgrading an XT-class machine, the Mux Card is not a good buy because of its limitations. For this purpose, one of the CompatiCards or the Omni-Bridge would be a more appropriate choice.

If you can tolerate the documentation, the Mux is a good buy for upgrading an AT. Manzana's bundled price for the 3rd Internal is high, but if you're willing to do a little shopping around, you can buy the Mux Card from Manzana and a quality drive elsewhere and save more than \$100.

If you're building a system from scratch, want it to be able to read from and write to all IBM disk formats, and want more than two internal drives, the CompatiCard is the way to go.

On an XT, the Omni-Bridge has one advantage over the other cards: You can connect one of Sysgen's tape backup units to the external DB-37 connector and operate it at twice the speed possible with a standard controller.

Cost aside, my personal favorite is the CompatiCard. The documentation is clear, the card is well designed, and it's suitable for use in both XT and AT machines. If you've got an XT lying around your office unused, you could install a CompatiCard in it, along with a drive of each type, and then use the machine to transfer files among the different disk formats. ■

*Jeff Holtzman owns Publishing Concepts, a firm that specializes in evaluation, verification, and documentation of high-technology products. He lives in Ann Arbor, Michigan, and he can be reached on BIX c/o "editors."*

# HARD DRIVES

**MiniScribe**  
 Solutions for Data Storage



Our Complete Family  
 of Card Drives™

## Card Drive™ HARD CARDS

Card Drive 20-8225 68ms	\$279
Card Drive 30-8438 68ms	\$309
Card Drive 40-8450 46ms	\$359

These Card Drives use quality MiniScribe drives.

### --Features--

- Available for **PC/XT** and most **Tandy** models.
- Quality engineered for reliability.
- Auto lock feature.
- **ONE YEAR Warranty.**
- Super easy installation and setup.
- Pre-formatted, Pre-tested and **READY TO GO!**

30 Day  
 "WorryFree"  
 Guarantee

**IF YOU DON'T  
 LIKE IT...  
 RETURN IT  
 FOR A  
 REFUND!**

**FACTORY-TRAINED  
 TECHNICIANS**  
 are on hand  
 to answer your  
 questions!

## PC/XT KITS

20Mb ST225	half height	65ms	\$244
30Mb M8438	half height	65ms	\$279
40Mb M8450XT	half height	46ms	\$319
62Mb M3675	half height	61ms	\$379
80Mb ST251/PS180	half height	40ms	\$499
130Mb M6085/PS180	full height	28ms	\$699

All kits come **COMPLETE** with the drive, controller, cables, How-To Manual and mounting hardware. 40Mb and larger drives also include partitioning software.

## AT/386 DRIVES

**ALL DRIVES include AT mounting hardware and "Disk Manager" formatting/partitioning software!!**

40Mb Seagate	ST251-1	half height	28ms	\$399
71Mb MiniScribe	M6085	full height	28ms	\$539

### High Capacity Drives

160Mb MiniScribe	M3180E	half height	16ms	\$1375
340Mb MiniScribe	M9380E	full height	16ms	\$2195

High Capacity drives include an ESDI "1 to 1" high performance Hard/Floppy Controller!



**ONE YEAR Warranty**  
 on all products!



**HARD DRIVES**  
 International  
 An IDN Company

1912 W. Fourth St. Tempe, AZ 85281  
 (602) 784-1038  
 TELEX: 405765 FAX: (602) 829-9193

South American Distributor  
 Hardware Express  
 Avenue Luis Thayer Ojeda 0115L-10  
 Phone (562)-2311144 FAX (562)-2233664  
 Santiago-Chile

**Call Toll Free 1-800-234-DISK**

International Orders: (602) 784-1038  
 Order Status: 1-800-234-5197



**Never a Surcharge**  
 for Visa or MasterCard

Prices and availability subject to change without notice. All items are NEW. 6% surcharge for American Express and COD orders. P.O.'s accepted NET 30 - subject to 9% surcharge. Add \$11 shipping for EXPRESS AND/PPD orders. 30 Day Guarantee conditions: shipping & handling charge is not refundable; product must be undamaged and in original condition. Hard Drives International is a division of Insight Distribution Network, Inc.

BT0389

*By popular demand, we've extended  
this program to April 30, 1989.*

# FREE\* SIVA 386 SYSTEM

*with the purchase of \$3295++  
of software or \$4995++ of  
hardware.*

## Standard 386 Features:

- 32-bit Intel 80386-16 CPU.
- 1MB of 32-bit RAM on board.  
System expandable to 16MB.
- 8/16/20 MHz Keyboard  
selectable.
- ST-251-1 Seagate 40MB  
Formatted 28 ms high speed,  
with ultra high speed  
Controller 1:1 interleave.
- 1.2MB High Capacity  
Floppy Drive.
- Super deluxe heavy duty  
tower case with 6 half-height  
drive openings.
- High-resolution 12" Non-Glare  
Amber Display. Tilt and  
Swivel base, Hercules-  
compatible Adapter.
- 101 Key Enhanced Keyboard,  
Pleasant "Tactile/Click" Feel.
- 80287/387 Math-  
Coproductors optional.
- Fully compatible with  
virtually all XT/AT and  
386 software.

## Upgrades for your FREE 386 System:

- VGA Color Upgrade —  
add only \$495.
- 20 MHz CPU Upgrade —  
add only \$195.
- Call for all other options  
and upgrades.

## Choose Your Hardware

*A hardware purchase of \$4995 or more is required  
to receive the SIVA 386 System FREE.*

- |  |        |
|--|--------|
| • QMS PS 810 Postscript Laser Printer                        | \$5495 |
| • CDC WREN IV 300MB SCSI<br>Hard drive with Controller       | \$2595 |
| • CDC WREN III 155MB SCSI<br>Hard drive with Controller      | \$1795 |
| • CDC WREN II 86MB ST506<br>Hard drive with HD/FD Controller | \$ 895 |
| • Eight Port RS232 Intelligent Card<br>with Xenix Driver     | \$ 995 |
| • 32-Bit 8MB Memory Expansion Board                          | \$2997 |
| • Intel 80387 — 16 Coprocessor                               | \$ 495 |

## Software

- |   |        |
|---|--------|
| • Complete SCO Xenix System<br>(including Operating System, Developing System and<br>Text Processing System for 80386-based System) | \$1595 |
| • SCO Lyrix System  | \$ 595 |
| • SCO Professional  | \$ 895 |
| • SCO Integra   | \$1295 |
| • SCO Foxbase Plus  | \$ 995 |
| • SCO VP/IX<br>(integrated DOS environment — two users)   | \$ 495 |
| • Language & Development Tools  | CALL   |
| • Networking & Communication Packages   | CALL   |

*A software purchase of \$3295 or more is required to receive  
your FREE SIVA 386 System. Mix and match to meet  
your needs!*

## Ask about our Professional Services:


- Data Processing and Network Consulting
- Application Development and Training
- System Administration
- Hardware and Software Installation & Support

# 1-800-252-4212

## VNS America Corp.

Suite 270, 910 Boston Post Road  
Marlboro, Massachusetts 01752 U.S.A.  
In Massachusetts 508-481-3726  
FAX: 508-481-2218

All prices subject to change without notice.



# Extensible Text Editors for Programmers

```

----- finish.c -----
fprintf(fd2,"=====\n");
fprintf(fd2," BYTE Benchmarks -- Version 1.1      \n");
fprintf(fd2,"=====\n");
fprintf(fd2,"");
fprintf(fd2,"          R E S U L T S\n\n");

/* Do it */

fprintf(fd2," CPU TESTS:\n");
fprintf(fd2,"-----\n");

if ((adata[0]==.01)&&(adata[1]==.01))
fprintf(fd2," Insufficient memory for matrix test\n\n");
else
    mattime=adata[0]-adata[1];
fprintf(fd2," Matrix: %6.2f seconds          IBM AT: 11.69\n",mattime);
}
fprintf(fd2," String move:\n");
fprintf(fd2,"   Byte-wide: %6.2f seconds          IBM AT: 80.41\n",adata[4]);
fprintf(fd2,"   Word-wide(odd): %6.2f seconds    IBM AT: 80.41\n",adata[5]);
fprintf(fd2,"   Word-wide(even): %6.2f seconds   IBM AT: 40.26\n",adata[6]);

BRIEF v2.1 - (c) 1984-1988 by UnderWare, Inc.   Line: 69  Col: 1   5:08 pm

```

Powerful embedded  
languages offer  
ultimate flexibility

Jon Udell

As software gets more complex, it gets harder to create programs that will satisfy a diverse group of users. That's why so many application programs have programmable features. But when an application caters to one particularly demanding group of users—programmers—it must offer more than just a few programmable features.

I looked at four popular text editors that do just that—BRIEF 2.1 (\$195, Solution Systems), EMACS 1.2 (\$325, UniPress), Epsilon 3.2 (\$195, Lugaru), and ME 2.1 (\$89, Magma). These editors are specialized for programmers editing source code, and that means they're line, not paragraph, oriented. They all run on a standard IBM PC or compatible; EMACS needs at least 384K bytes of RAM, and Epsilon, ME, and BRIEF will run in 256K bytes. And these text editors let you customize them in nearly limitless ways.

Each of them manages the complexity

of customization by dividing itself into the *kernel* and *user* layers. The kernel is the executable file you run from the DOS command line. It manages machine resources, implements basic operations involving files, buffers, and windows, and supports the user layer. The user layer is a set of files containing code written in the editor's extension language and executed by the kernel. It implements key bindings, search-and-replace protocols, and language-sensitive modes.

This layered architecture has two benefits. You're not stuck with the default user interface, and to the extent that it's implemented in the user layer, you can change it. You can also add powerful new features to the editor.

Of course, you can't change everything. For example, a kernel might not support virtual memory or limit lines to a certain length. Table 1 lists some kernel-level characteristics of the four editors. One major difference is the way each editor implements an edit buffer. An editor that follows the EMACS tradition—like UniPress EMACS and Epsilon—views a buffer as a one-dimensional array of characters. Other editors, including BRIEF and ME, represent a buffer as a two-dimensional array.

That distinction has several ramifications. With the one-dimensional scheme, row and column coordinates aren't readily available, so EMACS and Epsilon report the current position in a buffer as a percentage of the buffer's total size. It's the reverse with the two-dimensional approach. The absolute index into the buffer isn't at hand, but row and column coordinates are, so BRIEF and ME report these.

On balance, I prefer the latter approach, because two-dimensional representation is useful for operations on rectangular regions. BRIEF and ME support rectangular cut and paste, for example, while EMACS and Epsilon don't. The one-dimensional method has advanced

*continued*

**Table 1: Kernel characteristics.**

	BRIEF	EMACS	Epsilon	ME
Virtual memory	Yes	No	Yes	Yes
Line length	144 to 512	Unlimited	Unlimited	512
Maximum file size	64,000 lines	Free memory	Free disk space	Free disk space
OS/2 version	No*	No	Yes	Yes
Horizontal windows	Yes	Yes	Yes	Yes
Vertical windows	Yes	No	No	Yes
Highlight marked region	Yes	No	No	Yes
Multiple marked regions	Yes	No	No	No
DOS shell	Yes	Yes	Yes	No
DOS buffer	No	No	Yes	No
Rectangular cut and paste	Yes	No	No	Yes
Regular expressions	Yes	Yes	Yes	Yes
Undo	Yes	Yes	No	No

\*The manufacturer says it is currently working on an OS/2 version of BRIEF.

**Table 2: Performance characteristics, working with a 100K-byte file.**

	BRIEF	EMACS	Epsilon	ME
Read file	4	13	4	9
Jump to end of file	1	0	0	0
Scroll to end of file	17	49	25	19
Search to end of file	3	9	1	2
Write file	4	7	2	5
Execute tag command	19	—*	25	45

\*Ran out of memory using a 100K-byte file.

**Note:** Tests were conducted on a MicroServe ProPlus AT with 640K bytes of RAM and a 40-megabyte hard disk drive.

tages, too. Since buffers and disk files are similar—they're both streams of bytes—you can use EMACS and Epsilon to edit binary files (e.g., executables, databases, and so forth) in situations that would otherwise require a debugger.

### A BRIEF Look

BRIEF dazzled me with its speed. Though it didn't win all my benchmark tests (see table 2), it turned in the best overall performance. But what really sets BRIEF apart from the others is the rapidity with which you can move the cursor around in a buffer. The program can speed up the rate at which keys repeat; when you hold the key bound to the `next_char` function, the cursor flies across the screen. It's so fast that I never had to resort to `next_word`.

The program also has a great undo facility. BRIEF's undo stack stores 30 commands by default, and you can in-

crease that number to 300. That means you can literally run the editor backward, undoing the effects of previous commands. BRIEF restricts the undoable commands to those that change the position in or contents of a buffer. It can't undo operations that change the size or location of a window, or switch from one buffer to another, but it does maintain separate undo stacks for each active buffer. (BRIEF divides the total number of undoable commands among the active buffers.)

If you haven't used a feature like this, it'll take some getting used to, but you'll soon be hooked. It's more than a way to recover from mistakes. As the manual points out, the undo stack makes every buffer location you visit an implicit bookmark. So when you scroll from one part of a buffer to another, you use undo to get back to your starting location.

Like all the editors in this review,

BRIEF keeps a circular list of buffers. The command `edit_next_buffer` cycles through the list, presenting each successive buffer in the current window. The command `buf_list` presents the whole list. You can select and then edit, write, or delete any of the buffers in the list. Both functions are located in the user layer and rely on primitive kernel functions, such as `next_buffer`, to communicate with BRIEF's internal data structures.

About a third of BRIEF's commands are implemented that way—as user-layer code that calls primitive kernel functions. The rest of the commands hook directly into the kernel. For example, the `next_word` command resides in the user layer and uses the kernel function `next_char` to do its work. But `next_char` is a command, too. You call it by pressing the key to which it's bound (by default, the right arrow) or by naming it at the BRIEF command prompt. From the user's perspective, there is no difference between commands implemented in the user layer and those implemented in the kernel.

Fetching files into buffers is something you do often enough to have an efficient scheme for doing it. BRIEF cuts down considerably on the keystrokes required to fetch a file. When it prompts you for a filename, you type the first few characters of a name and then press the tab key. If the partial name is enough to uniquely identify a file in the current directory, BRIEF automatically completes it. Otherwise, BRIEF displays a menu of files whose names begin with the characters you've typed, so you just point and shoot.

Because BRIEF keeps a record of the responses to all its prompts, you can recall a previous response to the filename prompt without having to retype it. This is useful if you need to retrieve a file that you've already viewed before. The code that supports this behavior resides in the user layer. It's a well-developed package called the Dialog Manager, used most prominently by BRIEF's help facility. BRIEF's authors recommend that anyone writing a user-interactive extension to BRIEF should use the Dialog Manager, to save time and to maintain the look and feel of the core program.

### EMACS from UniPress

EMACS was the slowest of the four editors. Because UniPress EMACS began life as a Unix program running on large machines, it hasn't had the kind of extensive Intel CPU-specific performance

*continued*

**NOW! Larger Data Sets.  
Upgrades Available**

**MODEL FITTING RESULTS FOR: YIELD**


INDEPENDENT VARIABLE	COEFFICIENT	STD. ERROR	T-VALUE	SIG. LEVEL
CONSTANT				0.0018
time	-3977.847583	747.932209	-5.3185	0.0016
time^2	17.862499	3.288094	5.4325	0.0386
temp	-0.021469	0.008136	-2.6386	
temp^2	44.997502	9.614533	4.6802	
time*temp	-0.124651	0.032546	-3.8300	
	-0.0975	0.020297	-4.8037	

R-SQ. (ADJ.) = 0.7865  
 Previously: 0.0000  
 12 observations fitted, forecast(s) computed for 0 missing val. of dep.

SE = 2.029674  
 MAE = 1.173668  
 0.000000  
 0.000000

**FURTHER ANOVA FOR VARIABLES IN THE ORDER**

SOURCE	SUM OF SQUARES	DF	MEAN SQ.	F
time	15.3890909	1	15.389091	
time^2	15.6011921	1	15.601192	
temp	1.0765657	1	1.076566	
temp^2	60.4298606	1	60.429861	
time*temp	95.0625000	1	95.062500	
Model	187.559209	5		



# BRAINS & BEAUTY

**STATGRAPHICS®. Sophisticated Data Analysis and Gorgeous Graphics — In An Easy-to-Use PC Statistics Package.**

Get the best of both worlds with STATGRAPHICS — sophisticated data analysis *and* a dazzling array of graphics in an easy-to-use PC statistics package.

**Powerful Statistics.** Realize the full potential of your analytical skills. STATGRAPHICS gives you over 250 statistical procedures including ANOVA, regression analysis, quality control procedures, experimental design, multivariate techniques, nonparametric methods, exploratory data analysis, forecasting, time series analysis, and more.

**Incredible Graphics.** Turn the "Ho-Hum" into the "Ah-Ha!" STATGRAPHICS includes over 50 types of graphs that allow you to analyze your data visually and communicate your results brilliantly!

**Easy To Learn and Use.** Enter your data using our full-screen editor, or import data directly from your ASCII, dBASE®, Lotus®, or DIF files. STATGRAPHICS is completely menu-driven and includes online HELP, a self-paced tutorial,

Circle 238 on Reader Service Card

handy reference cards, and a user's guide complete with examples and sample data sets. No wonder *InfoWorld* said STATGRAPHICS "makes interactive data analysis and knock-your-socks-off graphics easy!"

Why compromise? Get the power of sophisticated data analysis *and* gorgeous graphics with STATGRAPHICS — all for only \$895.\* For more details or to order today, call:

**(800) 592-0050 ext. 400**

In Maryland, (301) 984-5123;  
Outside the U.S., (301) 984-5412 for the name of the dealer nearest you.

Ask about our money-back guarantee!

**STSC** STSC, Inc.  
2115 East Jefferson Street  
Rockville, MD 20852

See us at PITTCON booth 5150 & 5152

\* Suggested retail price in U.S. and Canada. International prices vary. STATGRAPHICS, dBASE, and Lotus are registered trademarks of Statistical Graphics Corp., Ashton-Tate, and Lotus Development Corp., respectively.

	BRIEF 2.1	EMACS 1.2	Epsilon 3.2
<b>Type</b>	Extensible text editor	Extensible text editor	Extensible text editor
<b>Company</b>	Solution Systems 541 Main St., Suite 410 South Weymouth, MA 02190 (617) 337-6963 (800) 821-2492	UniPress Software 2025 Lincoln Hwy. Edison, NJ 08817 (201) 985-8000	Lugaru Software Ltd. 5843 Forbes Ave. Pittsburgh, PA 15217 (412) 421-5911
<b>Format</b>	Two 360K-byte 5¼-inch floppy disks or one 3½-inch floppy disk	Two 360K-byte 5¼-inch floppy disks	Two 360K-byte 5¼-inch floppy disks or one 3½-inch floppy disk
<b>Hardware Needed</b>	IBM PC or compatible with at least 192K bytes of RAM and a floppy disk drive	IBM PC or compatible with 384K bytes of RAM and a floppy disk drive (a hard disk drive is recommended)	IBM PC or compatible with 256K bytes of RAM and a floppy disk drive (a hard disk drive is recommended)
<b>Software Needed</b>	MS-DOS 2.0 or higher	MS-DOS 2.0 or higher	MS-DOS 2.0 or higher
<b>Language</b>	C, Assembly, BRIEF Macro	C	C
<b>Documentation</b>	186-page user's guide; 215-page macro language reference; quick reference	134-page generic user's guide; 100-page PC-specific user's guide	198-page reference manual
<b>Price</b>	\$195	\$325	\$195
	<b>Inquiry 881.</b>	<b>Inquiry 882.</b>	<b>Inquiry 883.</b>

tuning that programs born on the PC get. It's also the only one that doesn't implement virtual memory (though its Unix incarnation does), so buffer space is limited to about 100K bytes. On the other hand, it's the most widely available program: It runs on dozens of machines under a variety of operating systems, including DOS, VMS, and many flavors of Unix.

While no speed demon, the program is a faithful implementation of EMACS as it was originally conceived by Richard Stallman at MIT. That means you get a set of default key bindings that you may be tempted to change but probably shouldn't. In an EMACS editor, you can do almost everything you need without moving either hand away from the home row. For example, the commands forward-character and backward-character are bound to Ctrl-F and Ctrl-B, respectively.

All the EMACS commands flow from the Ctrl (or Alt) keys, often in multiple combinations (e.g., visit-file is bound to Ctrl-X/Ctrl-V). That seems bizarre at first, but once you get used to it—particularly if you're a touch typist—you'll be amazed at what an efficient scheme it is. And since you use the QWERTY keys in conjunction with only one or two special control keys, your editing skills don't de-

pend on any particular keyboard layout; that's helpful in a heterogeneous computing environment.

You can, of course, reconfigure any of the editors reviewed here to behave that way. Since I favor the EMACS key bindings, I did just that with BRIEF and ME (Epsilon already had the EMACS bindings). What really makes EMACS special is its help system. It stores the names of all its commands, along with their key bindings, in a table that you access by way of the apropos command. The apropos command prompts for a string, then pops up a buffer containing all the commands whose names contain the string. It's a quick way to locate commands that work on windows, buffers, words, lines, or files.

What is particularly nice about apropos is that EMACS records new commands—ones you add to the editor by way of the extension language—in the name table. So the help system automatically tracks extensions to the editor, and you don't have to remember to update anything. Other useful help commands include describe-key, which prompts for a key and tells you what command is bound to it, and describe-bindings, which produces a complete list of commands and key bindings. Unfortunately, UniPress didn't implement a related

command, describe-command, which retrieves short descriptions of commands. According to UniPress, DOS users can't afford the space to store the text database. (Epsilon, however, does implement both apropos and describe-command.)

UniPress EMACS completes partial names in a variety of contexts (as does Epsilon). As with BRIEF, you can type a partial name and view a list of matching names. In EMACS editors, the list appears as a buffer rather than a menu; you keep adding characters to the partial name until it's unique. The completion facility works not only with filenames, but also with commands and system variables. However, UniPress EMACS doesn't complete buffer names.

### Epsilon: Another Implementation of EMACS

Of the four editors reviewed here, Epsilon most cleanly separates the user and kernel layers. All the Epsilon commands reside in the user layer; that's a compelling demonstration of the speed and power of EEL, Epsilon's extension language. And Epsilon's implementation of EMACS outdoes UniPress's in many respects: it's faster, offers more features, and has greater capacity.

Only Epsilon supports a DOS process

**ME 2.1**

Extensible text editor

Magma Software Systems  
15 Bodwell Terrace  
Millburn, NJ 07041  
(201) 912-0192

One 360K-byte 5¼-inch floppy disk

IBM PC or compatible with 256K bytes  
of RAM and a floppy disk drive

MS-DOS 2.0 or higher

C

75-page reference manual

Editor: \$89

Editor and source code: \$189

**Inquiry 884.**

buffer. It not only shells to a spawned DOS process—something many programs and all the editors reviewed here do—but it also creates a captive DOS process within an editing buffer. The transcript of your DOS session that accumulates in the process buffer is a handy document; it also simplifies program compilation from within the editor.

Like the others, Epsilon supports language-sensitive modes. When you fetch a file whose name ends with .c, for example, Epsilon switches to a mode appropriate to C programming (i.e., it indents text as you enter it according to one of several popular styles). Epsilon doesn't provide more ambitious template-oriented features. For example, BRIEF and UniPress EMACS can expand an "f" into the template of a for construct. I find such features intrusive and don't use them, but if you feel differently, you could easily extend Epsilon to provide such behavior.

Epsilon completes names in every conceivable context, and when doing so it requires fewer keystrokes than does UniPress EMACS. But it doesn't attach a history stack to each prompt, as BRIEF does, and it doesn't provide an undo command as BRIEF and, to a lesser degree, UniPress EMACS and ME do. Something that compensates for the lack

of an undo feature is the kill ring. The kill ring is a set of buffers used in a cyclical manner by successive operations that delete text. The buffers in the kill ring aren't invisible system-only buffers. Epsilon displays them when you list available buffers, and you can visit them and retrieve text from them.

Like the other editors, Epsilon supports keystroke macros: sets of keystrokes that you record, assign to a key, and then play back. It's a handy way to automate little tasks that aren't worth implementing in the extension language. Unlike the others, Epsilon permits you to save these recorded sequences directly so you can reuse them. (UniPress EMACS and ME do this indirectly, by converting keystrokes into extension-language code.) Epsilon accomplishes that by storing keystroke macros in its state file, a single file that contains the entire user layer along with extensions that you add to it.

One useful command that none of the others have is sort-buffer, which, as its name suggests, sorts the lines in a buffer and puts the result in a new, sorted buffer. Another, shared with UniPress EMACS, lets you repeat any command a specified number of times. Called argument, this command prompts for a count of repetitions and then feeds that count to the next command you execute.

**Magma Software Systems' ME**

ME has good performance and does everything a text editor should. Still, I liked it the least. ME has a weak help system and very poor documentation—I spent a lot more time getting up to speed with ME than with the others. I also didn't like the way ME organized its kernel and user layers.

The extension-language packages that come with ME aren't integral to the product, as they are with the other editors. They demonstrate that you can use the extension language to add features, but the product itself doesn't rely on the extension language. And the add-in packages have a haphazard feel to them. Some the program's author wrote, others ME users donated, and many were buggy. For example, ME's undo command, written in the extension language, broke when I remapped the default key bindings, since it records keys rather than command names.

Another example illustrates why it's important to implement user-interactive behavior in the user layer. In ME, when you mark a region, it prompts for an action: You can delete, write, or copy the region. But because that behavior inheres

in the kernel, you can't change it, so I wasn't able to rework the cut-and-paste facility to my liking. Primitive, atomic operations belong in the kernel; complex, user-interactive operations belong in the user layer. Finally, ME doesn't support file-, buffer-, or command-name completion, so I had to do a lot of typing to get things done.

Setting these caveats aside, ME has lots of useful features. Like BRIEF, it supports multiple resizable windows that can split the screen horizontally and vertically (Epsilon and UniPress EMACS support only horizontal windows), and it permits rectangular cut-and-paste operations. It's got a good virtual memory manager, so you can edit extremely large files.

Like the other editors, it supports regular expressions; thus, in search operations, you can specify not just a literal string, but a wild-card-like pattern. For example, the pattern `^[0-9]+` finds a string of digits of any length at the beginning of a line. Regular expressions are slightly less powerful in ME and EMACS than in BRIEF and Epsilon. You can't form a compound expression like `[a-z]([0-9]|[A-Z])+`, which specifies a single lowercase letter followed by either a string of digits or a string of uppercase letters. ME supports the "|" (or) symbol but doesn't let you use parentheses to specify its precedence. BRIEF and Epsilon do support this method of grouping expressions.

ME shares with BRIEF the ability to associate extension-language functions with program events. These event hooks can activate user-written functions when you insert a character into a buffer, press Ctrl-Break, or exit ME.

ME is unique in making available the source code for its kernel; that costs an additional \$100. So in principle, ME is the most extensible of all these editors—though modifying the kernel is more work than you may want to undertake. If you're interested, though, you could link in large-model C functions that, when added to a table of functions, appear as new primitives in ME's extension language. To be compatible with ME, such functions can take only two types of arguments: integers and strings.

**Using the Extension Languages**

BRIEF and UniPress EMACS base their extension languages on Lisp (see table 3). They're quite similar to one another, though only superficially Lisp-like. The languages use Lisp syntax: parenthesized prefix expressions of the form (op-

*continued*

**Table 3: Extension language characteristics.**

	BRIEF	EMACS	Epsilon	ME
Derivation	Lisp	Lisp	C	C
Data types	String, int	String, int	All C types	String, int
Recursion	Yes	Partial	Yes	No
State file	No	No	Yes	No
Debugger	No	Yes	Yes	No

erator operand operand ...), and a defun (in BRIEF's case, macro) operator to define new functions. But there aren't any lists; the only data types are strings and integers. You must declare variables before using them, and when a function wants to receive arguments, it has to call a special function to pull them off the stack.

Both languages support recursion, but when I wrote a version of the Fibonacci function for each, I found that only BRIEF ran it correctly. The UniPress EMACS extension language, called MLisp, failed to evaluate the function's arguments properly when it recursed—

though it didn't detect a problem—so the function returned the wrong answer. UniPress acknowledges the existence of this bug. Of course, I wouldn't know just where it went wrong if it weren't for the superb MLisp debugger, a true source-level debugger that traces the execution of an MLisp function, shows its effects on the current buffer, and prints the values of variables. Epsilon has a debugger also, though one not quite so fancy; neither BRIEF nor ME provides one.

Epsilon and ME use C as the model for their extension languages, but there's a big difference between the two. Epsi-

lon's EEL is so close to K&R C that the manual sums up the differences in less than a page. It supports strings, integers, arrays, structures, and pointers. You can even use pointers to functions, as the implementation of completion in EEL nicely illustrates. The functions that complete on commands, filenames, and buffer names call the same central function, passing pointers to functions that explore appropriate name spaces.

The ME extension language, by contrast, looks like C, but it isn't C. There are just two data types: strings and integers. Functions aren't required to declare the arguments they receive. The #include statement fails when you supply a quoted string as you normally do in C; ME requires an unquoted string instead. And the Fibonacci function, which Epsilon ran correctly, failed in ME; as with UniPress EMACS, it returned the wrong answer without any indication of error. As it turned out, ME doesn't support recursion—though I had to call Magma to discover that, since I found no mention of the subject in the documentation.

*continued*

# Let's get down to business.

*Macintosh® is getting down to business faster than ever. Because businesses of every kind, of every size, have recognized that Macintosh-based system solutions provide all the power and flexibility they need.*

*Now we need technical people who understand how to put the power of Macintosh on the desktops of corporate America. You can help revolutionize the way complex, multi-vendor environments operate. And as a result, revolutionize the way business itself operates.*

*Our new Apple Integrated Systems Group works directly with corporate customers, to plan, implement and support value-added, Macintosh-based solutions. If you see all the potential here that we do, send us your resume. And let's get to it.*

## PROJECT MANAGEMENT Systems Integration Engineer

You will: Work in a team with other engineers to help analyze opportunities, as well as identify and implement innovative solutions for customers' information processing requirements; help develop system requirements, functional specifications, and design alternatives; develop, document, test and install integrated system solutions using your Macintosh programming skills; provide initial user training. You need: 2+ years of systems analysis and programming; thorough knowledge of the Macintosh as well as key 3rd-party applications software and mainframe connectivity products; and hands-on experience with at least four of the following: HyperTalk™ (including XCMDs), Pascal/C, MPW, 4th Dimension®, UNIX™, AppleTalk®, Token Ring®, Ethernet, X.25 or SQL. (Dept. CB001BT).

## Systems Integration Analyst

You will: Have similar responsibilities to those mentioned above but with particular emphasis on systems analysis, project management and technology consulting; ensure that appropriate solutions are delivered on time, within budget and to the customer's total satisfaction. You need: 5+ years' experience in analysis and delivery of complex, multi-vendor computer systems. (Dept. CB002BT).

Both of these positions provide the opportunity for extensive customer contact as well as approximately 35% travel. We have opportunities in Atlanta, Chicago, New Jersey and San Jose.

Send your resume, indicating the appropriate department code, to: APPLE COMPUTER, INC., Attn: CB, 333 W. San Carlos, 10th Fl., Suite 1025, San Jose, CA 95110, or via CompuServe 74666, 1763. Principals only, please. No phone calls.

*Apple Computer has a corporate commitment to the principle of diversity. In that spirit, we welcome applications from all individuals including women, minorities and disabled individuals. © 1989 Apple Computer, Inc. Apple, the Apple logo, and Macintosh are registered trademarks of Apple Computer, Inc. UNIX is a trademark of AT&T. Other trademarks belong to other respective owners.*



The power to be your best.™

# TAKE CHARGE!® DOES WHAT ALL THESE DO AND MUCH MORE... INCLUDING TASK SWITCHING

<b>SIDKICK PLUS</b>  \$199.95      72K	<b>DISK OPTIMIZER</b>  \$69.95      256K	<b>AUTOMENU</b>  \$50.00      30K	<b>PC TOOLS DELUXE 5.0</b>  \$79.00      40K	<b>DIRECT ACCESS</b>  \$89.95      256K
<b>CRUISE CONTROL</b>  \$59.95      4K	<b>METRO</b>  \$85.00      64K	<b>Q DOS</b>  \$79.95      128K	<b>XTree professional</b>  \$129.00      100K	<b>NORTON UTILITIES ADVANCED</b>  \$150.00      256K
<b>SOFTWARE CAROUSEL</b>  \$79.95      32K	<b>NORTON COMMANDER</b>  \$89.00      145K	<b>COMMUNICATIONS</b>  \$100.00      100K	<b>MACE</b>  \$99.00      192K	 <b>Take Charge!</b> \$139.95      20K

## IN ONLY 20K OF RAM!

This power packed integrated program lets you Take Charge! of your PC with every memory resident program you will ever need, plus Configure-IT, the Take Charge! Task Switching Manager. Lets you run your favorite programs as pop ups from within another running application program with the use of a hot key. Pop up word processing from within your Data Base Management program. Go from Lotus 123 to any other program and back, all within 20K of RAM. While using such Take Charge! features as a Full featured Menu System that enables you to run all the software on your PC with just one key stroke. A Disk Optimizer to speed up your hard disk. Undelete for files accidentally deleted. Format Recovery for those accidentally re-

formatted hard disks. File Locator to quickly find any file anywhere on the hard disk. A complete Communications package for communicating with other PC and BBS. View and work in multiple directories with Split Screen facility. A full featured Dos Shell with Graphic Tree Directory display. Copy, move and delete files quickly. Pop up Calculators, full screen Editor with unlimited file size, Notepad/clipboard, ASCII

table, Rolobase with autodialer, Appointment book and calendar. Cut-and-paste between applications. Set the Alarm clock to remind you of appointments. Lock your Keyboard with your own security code. Set the Clock to display on the screen. Set the Screen Saver to automatically turn off the CRT display. Change on screen colors. Redirect printer output. Use the Speed Key to increase cursor speed. Plus Disk Test, Disk Map, Directory Editor, Hex Editor, Directory Sort, DOS 4.0 and Compaq DOS 3.31 support. **\$139.95**

**Take Charge!**  
 LIKE NOTHING IN RECENT MEMORY

**SPECIAL \$99.95** Includes our New Hard Disk Back Up Program **FREE**. Works in background mode, unattended & automatic-backs up data while you work without interruption.

Call your local Dealer, or write: Departmental Technologies, Inc /13 Kilroy Rd., Newton, NJ 07860  
 Tel: (201) 786-6878 / FAX: 201-786-5868 / Major Credit Cards Accepted, Dealer Inquiries Welcomed

System Requirements: IBM™ PC, XT, AT, PS/2, or 100% IBM compatible. Requires hard disk. MS/DOS 2.0 or greater. 320 K minimum. Network compatible. Product RAM estimated. All product names are trademarks of their manufacturers. Copyright 1988. Departmental Technologies, Inc. All rights reserved.

Circle 80 on Reader Service Card  
 World Radio History

The four editors use four different methods of compiling, loading, and accessing extension-language code. BRIEF, Epsilon, and ME use stand-alone compilers. The EMACS compiler is part of the editor's kernel; the load function, when first run on a file containing MLisp code, both compiles the source code and loads the resulting object code into memory. On subsequent loads, so long as the source code hasn't changed, the program skips the compile

and just loads the object code.

BRIEF's auto\_load command opens a file containing compiled macros but doesn't immediately load them; the macros in that file can then load if and when they're called. Epsilon's state file contains the compiled aggregation of all the source files that make up the user layer and loads the whole thing at start-up. ME and EMACS load compiled code on a per-file basis.

To test the extension languages, I

created a new command, tag, for each of the editors. Intended for use from within a buffer containing C source code, tag searches for all lines containing either a #define statement or a function declaration, puts those lines in a buffer, and displays the buffer. I got all four programs to work, and the programs are quite similar to one another.

Writing a regular expression that would match all lines with function declarations—and only those—was the hardest part. What finally worked was a pattern that specifies a letter, digit, or underscore, followed by a string of letters, digits, underscores, spaces, and asterisks (for functions that return pointers), followed by a left parenthesis, a string of zero or more arbitrary characters, and a right parenthesis. I anchored the whole pattern to both the beginning and the end of the line on which it occurs. That pattern appears in each of the programs, with minor variations having to do with the representation of the beginning of a line, the end of a line, the any-character wild card, and a literal use of a character, such as the asterisk, that otherwise has special meaning.

### Putting It All into Perspective

Text editors, like programming languages, stir up a religious frenzy among their adherents. That's even more true now that text editors include programming languages.

My goal here hasn't been to choose winners and losers, but rather to investigate a representative sampling of a class of products—extensible editors—and to give you a feel for what's meant by extensibility and how you can make use of it. The tag command is quite useful, and it is easy to create. Think about doing the same thing from scratch in a standard language like C—without all the built-in support for windows, buffers, and regular expressions—and you'll begin to appreciate the power of an extensible editor.

Nevertheless, of the editors reviewed, both BRIEF and Epsilon emerge as superior products. They're useful right out of the shrink wrapper—you don't have to extend them to get needed features. And as table 2 shows, they're very fast. But when you do want to add a feature, they make the job about as easy as it can be.

Editor's note: Listings of the four programs are available in a variety of formats. See page 3 for details. ■

Jon Udell is a BYTE technical editor. He can be reached on BIX as "judell."

**SUNDAY 10-5**


**PROMPT DELIVERY**

**APPLE**  
Ivener II NT 3450.00  
Mac SE 2 800K 2150.00  
Mac SE 2 20 MB 4199.00  
Mac SE 40 MB HD 6899.99  
Mac II 1 80 MB 1029.00  
Mac II 2 80 MB 499.00

**AST PREM 286 140 X** 2149.99  
1 MB Ram, 10 MB  
AST PREM 286 512K 1599.99  
1.2 D 25 MB HD  
AST PREM 386/20 MHz 2874.99  
1 MB 40 MB HD Seagate

**COMPAQ**  
Drepano 286 12 MHz 1950.99  
1.2 F.D. 40 MB HD  
Drepano 386 20 MHz  
VGA Board  
Pant. 386 40 MB  
Pant. 386 80 MB  
Pant. 386 160 MB  
Pant. 386 320 MB  
Pant. 386 640 MB  
Pant. 386 1280 MB  
Pant. 386 2560 MB  
Pant. 386 5120 MB  
Pant. 386 10240 MB  
Pant. 386 20480 MB  
Pant. 386 40960 MB  
Pant. 386 81920 MB  
Pant. 386 163840 MB  
Pant. 386 327680 MB  
Pant. 386 655360 MB  
Pant. 386 1310720 MB  
Pant. 386 2621440 MB  
Pant. 386 5242880 MB  
Pant. 386 10485760 MB  
Pant. 386 20971520 MB  
Pant. 386 41943040 MB  
Pant. 386 83886080 MB  
Pant. 386 167772160 MB  
Pant. 386 335544320 MB  
Pant. 386 671088640 MB  
Pant. 386 1342177280 MB  
Pant. 386 2684354560 MB  
Pant. 386 5368709120 MB  
Pant. 386 10737418240 MB  
Pant. 386 21474836480 MB  
Pant. 386 42949672960 MB  
Pant. 386 85899345920 MB  
Pant. 386 171798691840 MB  
Pant. 386 343597383680 MB  
Pant. 386 687194767360 MB  
Pant. 386 1374389534720 MB  
Pant. 386 2748779069440 MB  
Pant. 386 5497558138880 MB  
Pant. 386 10995116277760 MB  
Pant. 386 21990232555520 MB  
Pant. 386 43980465111040 MB  
Pant. 386 87960930222080 MB  
Pant. 386 175921864444160 MB  
Pant. 386 351843728888320 MB  
Pant. 386 703687457776640 MB  
Pant. 386 1407374915532800 MB  
Pant. 386 2814749831065600 MB  
Pant. 386 5629499662131200 MB  
Pant. 386 11258999324262400 MB  
Pant. 386 22517998648524800 MB  
Pant. 386 45035997297049600 MB  
Pant. 386 90071994594099200 MB  
Pant. 386 180143989188198400 MB  
Pant. 386 360287978376396800 MB  
Pant. 386 720575956752793600 MB  
Pant. 386 1441151913045478400 MB  
Pant. 386 2882303826090956800 MB  
Pant. 386 5764607652181913600 MB  
Pant. 386 11529215304363827200 MB  
Pant. 386 23058430608727654400 MB  
Pant. 386 46116861217455308800 MB  
Pant. 386 92233722434910617600 MB  
Pant. 386 18446744886981235200 MB  
Pant. 386 36893489773962470400 MB  
Pant. 386 73786979547924940800 MB  
Pant. 386 14757395915184988800 MB  
Pant. 386 29514791830369977600 MB  
Pant. 386 59029583660739955200 MB  
Pant. 386 118059167321479910400 MB  
Pant. 386 236118334642959820800 MB  
Pant. 386 472236669285919641600 MB  
Pant. 386 944473338571839283200 MB  
Pant. 386 1888946777143778566400 MB  
Pant. 386 3777893554287557132800 MB  
Pant. 386 7555787108575114265600 MB  
Pant. 386 15111574217150228531200 MB  
Pant. 386 30223148434300457062400 MB  
Pant. 386 60446296868600914124800 MB  
Pant. 386 120892593737201822489600 MB  
Pant. 386 241785187474403644979200 MB  
Pant. 386 483570374948807289958400 MB  
Pant. 386 967140749897614579916800 MB  
Pant. 386 19342814997952291599334400 MB  
Pant. 386 38685629995904583189668800 MB  
Pant. 386 773712599918091673677337600 MB  
Pant. 386 1547425199836182347544675200 MB  
Pant. 386 3094850399672364695089350400 MB  
Pant. 386 6189700799344729390178700800 MB  
Pant. 386 12379401598688577880374016000 MB  
Pant. 386 24758803197377155760748332000 MB  
Pant. 386 49517606394754311552146664000 MB  
Pant. 386 99035212789508623104233328000 MB  
Pant. 386 19807042557901724220846664000 MB  
Pant. 386 39614085115803448440173328000 MB  
Pant. 386 79228170231606896880346656000 MB  
Pant. 386 1584563444721377937606933120000 MB  
Pant. 386 3169126889442755875213866240000 MB  
Pant. 386 63382537788855117515427332480000 MB  
Pant. 386 12676507557771023303084464960000 MB  
Pant. 386 253530151155420466061691939200000 MB  
Pant. 386 507060302310840932123383878400000 MB  
Pant. 386 1014120604621681864246767756800000 MB  
Pant. 386 2028241209243363728493535513936000000 MB  
Pant. 386 40564824184867274569870710271872000000 MB  
Pant. 386 811296483697345491397414205435440000000 MB  
Pant. 386 1622592975194690982794832828870880000000 MB  
Pant. 386 32451859503893819655897656577417600000000 MB  
Pant. 386 64903719007787639311795313155154336000000000 MB  
Pant. 386 129807438015575527623598263110670720000000000 MB  
Pant. 386 2596148760311115524717165252213334400000000000 MB  
Pant. 386 519229752062223111155247171652522133344000000000000 MB  
Pant. 386 10384595041244442223111155247171652522133344000000000000 MB  
Pant. 386 20769190082488844442223111552471716525221333440000000000000 MB  
Pant. 386 4153838016497768884444222311552471716525221333440000000000000 MB  
Pant. 386 830767603299553776888444422231552471716525221333440000000000000 MB  
Pant. 386 16615352065991115537768884444222315524717165252213334400000000000000 MB  
Pant. 386 3323070413198223115537768884444222315524717165252213334400000000000000 MB  
Pant. 386 664614082639644623115537768884444222315524717165252213334400000000000000 MB  
Pant. 386 13292281652799289231155377688844442223155247171652522133344000000000000000 MB  
Pant. 386 26584563155997776446231155377688844442223155247171652522133344000000000000000 MB  
Pant. 386 531691263119995553289231155377688844442223155247171652522133344000000000000000 MB  
Pant. 386 1063382526399911155532892311553776888444422231552471716525221333440000000000000000 MB  
Pant. 386 212676505279992231155532892311553776888444422231552471716525221333440000000000000000 MB  
Pant. 386 4253530105599444231155532892311553776888444422231552471716525221333440000000000000000 MB  
Pant. 386 85070602111998884442311555328923115537768884444222315524717165252213334400000000000000000 MB  
Pant. 386 17014120422397768884442311555328923115537768884444222315524717165252213334400000000000000000 MB  
Pant. 386 3402824084479555768884442311555328923115537768884444222315524717165252213334400000000000000000 MB  
Pant. 386 6805648169559111555768884442311555328923115537768884444222315524717165252213334400000000000000000 MB  
Pant. 386 1361129739118223115557688844423115553289231155377688844442223155247171652522133344000000000000000000 MB  
Pant. 386 272225947823644623115557688844423115553289231155377688844442223155247171652522133344000000000000000000 MB  
Pant. 386 544451895647289231155576888444231155532892311553776888444422231552471716525221333440000000000000000000 MB  
Pant. 386 1088903791294578446231155576888444231155532892311553776888444422231552471716525221333440000000000000000000 MB  
Pant. 386 217780758258915578446231155576888444231155532892311553776888444422231552471716525221333440000000000000000000 MB  
Pant. 386 4355615165178311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 871123033035662311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 17422460660713244623115557688844423115553289231155377688844442223155247171652522133344000000000000000000000 MB  
Pant. 386 348449213214488844423115557688844423115553289231155377688844442223155247171652522133344000000000000000000000 MB  
Pant. 386 69689842642977768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 1393796852495555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 278759370499111555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 55751874099822311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 11150374819974462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 2230074963994892311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 4460149927989784462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 89202998559795784462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 1784059911159555784462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 356811982231159555784462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 71362396446231159555784462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000 MB  
Pant. 386 142724792892311595557844623115557688844423115557688844423115553289231155377688844442223155247171652522133344000000000000000000000 MB  
Pant. 386 285449585784462311595557844623115557688844423115557688844423115553289231155377688844442223155247171652522133344000000000000000000000 MB  
Pant. 386 57089917156955578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 1141798339113191155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 228359667822638231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 45671933564527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 9134386712905527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 1826877342581105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 365375468516105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 730750937022222105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 146150187404444422222105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 292300374808888444422222105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 5846007497777768888444422222105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000 MB  
Pant. 386 11692014955555557688884444222221055276462311555784462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000000 MB  
Pant. 386 233840299111111155555576888844442222210552764623115557844623115557688844423115557688844423115553289231155377688844442223155247171652522133344000000000000000000000000 MB  
Pant. 386 46768059822222231155555576888844442222210552764623115557844623115557688844423115557688844423115553289231155377688844442223155247171652522133344000000000000000000000000 MB  
Pant. 386 9353611964444446231155555576888844442222210552764623115557844623115557688844423115557688844423115553289231155377688844442223155247171652522133344000000000000000000000000 MB  
Pant. 386 187072232888888444462311555555768888444422222105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000000 MB  
Pant. 386 37414446577777688888444462311555555768888444422222105527646231155578446231155576888444231155576888444231155532892311553776888444422231552471716525221333440000000000000000000000000 MB  
Pant. 386 74828893155555576888884444623115555557688884444222221055276462311555784462311555768884442311555768884442311555328923115537768884444222315524717165252213334400000000000000000000000000 MB  
Pant. 386 149657783111111555555768888844446231155555576888844442222210552764623115557844623115557688844423115557688844423115553289231155377688844442223155247171652522133344000000000

# We Just Made Choosing Your Graphics Card



## As Easy As 1,2,4.

You've probably seen our TrueVista products, or you've heard about their powerful features like the real-time frame capture, on-board TI 34010 coprocessor, large frame buffer, NTSC/PAL compatibility and more. Recently, we announced several new products in the series, each with unique potential for your

applications from video to digital pre-press to image processing. So now, whether your choice is an AT-class platform or the Macintosh® II, you only need one source for your graphics needs, the TrueVista series. The chart below outlines several key differences in the 5 products.

### TrueVista Series

FEATURES	ATVista 1M	ATVista 2M	ATVista 4M	NuVista 2M	NuVista 4M
<b>BUS</b>	AT	AT	AT	NuBus	NuBus
<b>MAXIMUM ADDRESSABLE RESOLUTIONS</b> 32 bits/pixel	512 x 512	1024 x 512	1024 x 1024	1024 x 512	1024 x 1024
16 bits/pixel	1024 x 512	1024 x 1024	2048 x 1024	1024 x 1024	2048 x 1024
8 bits/pixel	1024 x 1024	2048 x 1024	2048 x 2048	2048 x 1024	2048 x 2048
<b>VMX EXPANSION</b>	2-10 Mbytes	2-10 Mbytes	2-10 Mbytes	TBA	TBA
<b>PRICE</b>	\$2995.	\$4250.	\$5995.	\$4250.	\$5995.

### Now There's Software You Can Count On, Too.

To complete the equation, add in STAGE™, our comprehensive graphics environment for the 34010. Since STAGE is host-independent, it allows you to access the coprocessor directly, regardless of the bus. So your program on the AT can be quickly ported to the Macintosh II. Customers will not be tied to one platform either, as files and programs will be compatible across both hosts. STAGE is currently available for the AT Vista series, and will be available soon for the NuVista as well.

With the new members of the TrueVista family and the release of STAGE, you now have everything you need to develop exciting new products for the next generation of computer graphics. And many applications are already appearing to assist you in your immediate needs. Contact us to learn more about our products or our third-party developer program and the support available to you. You'll soon see how you can count on Truevision to provide all your graphics solutions.



**TRUEVISION** INC.


7351 Shadeland Station, Suite 100, Indianapolis, IN 46256 800/858-TRUE

INTERNATIONAL: Canada 416/499-9400 France 33-13-952-6253 Italy 39-2-242-4551 Switzerland 41-1-825-0949  
U.K. 44-1-991-0121 West Germany 49-89-612-0010 Other 617/229-6900

Prices quoted are US Domestic suggested retail prices. Macintosh is a registered trademark of Apple Computer, Inc.

**Circle 257 on Reader Service Card**

# Power



*T5200: 20MHz 386 processor, 2 internal IBM<sup>®</sup>-compatible expansion slots, VGA gas plasma display with VGA monitor port, 40MB or 100MB hard disk, 2MB RAM standard expandable to 8MB, 1.44MB 3½" diskette drive.*

At Toshiba, we're not only committed to making computers more portable, but also to making portables more powerful.

Which is why, in our effort to constantly improve and refine our machines, we've added three new computers to what is already the most complete family of truly portables available.


Each designed to be powerful enough to take on the increasingly complex tasks that face today's sophisticated PC users.

First, the T1600 which weighs under 12 pounds and which is the fastest battery-

powered computer we've ever made.


Second, the T3100e, the successor to our most popular machine—the T3100/20. We've made it nearly two pounds lighter and a lot faster—we've even added expansion capabilities. About the only thing we didn't add was more size.

*T1600: Battery-powered 286/12MHz, coprocessor socket, 20MB hard disk at 27msec, 1.44MB 3½" diskette drive, 1MB RAM expandable to 5MB, detachable backlit EGA compatible LCD, removable rechargeable battery pack.*



Toshiba is the world leader in truly portable PCs and manufactures a complete line of high quality dot-matrix and laser printers. For more information call 1-800-457-7777. All Toshiba PCs are backed by the Exceptional Care program (no-cost enrollment required). IBM is a registered trademark of International Business Machines Corporation. Model T5200 has not been approved by the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased until the approval of FCC has been obtained.

# Surge.



And finally, the T5200, which has enough power to replace virtually any desktop PC.

But we haven't just concentrated on power and portability. We've also constantly looked for ways to make our machines more durable, more reliable, and easier to use—down to the 800 number our customers can call for help with any technical question that might come up.

We figure that's what our users demand.

And it's by anticipating the growing needs of our users that we have continually found ways to make our machines weigh

less and do more. So you can work wherever you want and however you want.

All of which might make it tempting for some people to abandon their desktop for the convenience of portability. Go ahead.

We've given you the power to do it.

*T3100e: 12MHz 286 with 80287 co-processor socket, internal half-length IBM slot, 20MB hard disk with 27 msec access, 1MB RAM expandable to 5MB, gas plasma display, 1.44MB 3½" diskette drive.*



In Touch with Tomorrow  
**TOSHIBA**

Circle 253 on Reader Service Card  
(DEALERS: 254)












Toshiba America Inc., Information Systems Division  
World Radio History

MARCH 1989 • BYTE 207

# Systat. Because other statistics and graphics packages are not enough.



Systat now offers more statistical graphics than any other PC or mainframe package. And we still give you less bulk with more statistics.



### Statistics

Basic statistics, frequencies, t-tests, post-hoc tests  
Multiway crosstabs with log-linear modeling, association coefficients, PRE statistics, Mantel-Haenszel, asymptotic standard errors Nonparametric statistics (sign, Runs, Wilcoxon, Kruskal-Wallis, Friedman two-way ANOVA, Mann-Whitney U, Kolmogorov-Smirnov, Lilliefors, Kendall coefficient of concordance) Pairwise/listwise missing value correlation, SSCP, covariance, Spearman, Gamma, Kendall Tau, Euclidean distances, binary similarities Linear, polynomial, multiple, stepwise, weighted regression with extended diagnostics Multivariate general linear model includes multi-way ANOVA, ANOCOVA, MANOVA, repeated measures, canonical correlation Principal components, factor analysis, rotations, components scores Multidimensional scaling Multiple and canonical discriminant analysis, Bayesian classification Cluster analysis (hierarchical, single, average, complete, median, centroid linkage, k-means, cases, variables) Time series (smoothers, exponential smoothing, seasonal and nonseasonal ARIMA, ACF, PACF, CCF, transformations, Fourier analysis Nonlinear estimation (nonlinear regression, maximum likelihood estimation, and more).

### Graphics

Overlay plots Drivers for most graphics devices  
*Two dimensional:* Error Bars Scatterplots Line and Vector Graphs Vector, Dot, Bubble and Quantile Plots Bar Graphs (single, multiple, stacked, range) Box plots (single and grouped) Stem-and-leaf diagrams Linear, quadratic, step, spline, polynomial, LOWESS, exponential smoothing Confidence Intervals and ellipsoids (any alpha value) Smooth mathematical functions Rectangular or polar coordinates Log and power scales ANOVA interaction plots Histograms (regular, cumulative, fuzzy) Stripe and jitter plots Gaussian histogram smoothing Scatterplot matrices Voronoi Tessellations Minimum spanning tree Maps with geographic projections (U.S. state boundary file included) Chernoff faces Star plots Fourier plots Pie charts Contour plots on regularly and irregularly spaced points Control charts and limits  
*Three dimensional:* Data plots Smooth function plots Vector plots Linear, quadratic, spline, least squares surface smoothing Three-dimensional type fonts.

### Data Management

Import/export Lotus, dBase, and dIF files Full screen data editor Full screen text editor Unlimited cases Missing data, arrays, character variables Process hierarchical, rectangular or triangular files, irregular length records Character, numeric, and nested sorts Merge and append large files Unlimited numeric and character variable transformations Subgroup processing with SELECT and BY Value labels and RECODE Statements Macro processor with programming language, screen control, file manipulation, applications generation, and report writing.



1st in PC WEEK User Satisfaction Poll


December 5, 1988

Systat operates on IBM PCs and compatibles, MS-DOS and CP/M machines, several UNIX minicomputers, and the VAX/Microvax. Menu/windowed Macintosh version also available. Single copy price \$795 USA and Canada, \$895 Foreign. Site licenses, quantity prices and training seminars available. No fees for technical support. Statistics and graphics available separately.

For more information, call 312 864.5670 or write Systat Inc., 1800 Sherman Avenue, Evanston, IL 60201.

The following are registered trademarks: CP/M of Digital Research, Inc., IBM PC of IBM, Inc., MS-DOS of Microsoft, Inc., Macintosh of Apple Computer Inc., UNIX of AT&T and VAX of Digital Equipment Corporation.

# A Virtual Toolkit for Windows and the Mac



## XVT's libraries guarantee Mac-to-PC and PC-to-Mac portability

Ray Valdés

In this era of competing graphical environments, developers face tough choices. Should they commit to a particular system—Microsoft Windows, Presentation Manager, the Macintosh—or try to construct a portable application that abstracts the properties that these systems share? The single-system approach is perilous; the multisystem approach is safer but terribly arduous. XVT (Extensible Virtual Toolkit) 1.1 from the Advanced Programming Institute (API) simplifies the safer course of action.

This \$995 product implements a library of functions that provide a common programming interface across windowing environments. Initially, XVT spans the Macintosh and Windows environments. XVT's author, Marc Rochkind, intends to port this virtual toolkit to other present and future industry-standard environments—notably X-Windows and Presentation Manager.

Some graphical environments, like X-Windows and ParcPlace Systems' Smalltalk-80, are designed to be portable to different hardware platforms. However, XVT is different. It is a thin intermediate layer of software that lies between the application program and the native environment. Because this intermediate layer relies on the services of the native environment for presenting menus, tracking the mouse, and framing windows, appli-

cations created with XVT have the look and feel of applications written from scratch for the native environment. API provides a sample MacDraw-like application, called XVT-Draw, that illustrates the approach and validates it through proof-by-existence.


XVT provides functions similar to the ones provided by the native Mac and Windows environments. There are functions to create and manipulate windows, draw graphics objects on the screen, allocate relocatable memory blocks, deal with events and messages, put up dialog boxes and alert boxes, read and write files and directories, transfer data to and from the clipboard, and print the contents of a window.

In addition to these functions, XVT provides applications developers with a built-in help subsystem that users access through the system menu, and also with some facilities for debugging through a trace transcript. Other higher-level extensions beyond what the Mac and Win-


dows environments offer include a font-selection menu and support for file directories. Table 1 lists representative XVT functions along with their Windows and Mac counterparts.

The XVT package comes with two disks and documentation. One disk is an 800K-byte 3½-inch Mac disk, the other a 360K-byte 5¼-inch MS-DOS floppy

*continued*



*XVT Draw runs on the Macintosh (above) and on the PC (below).*



**Table 1: Representative XVT functions, along with their Mac and Windows counterparts.**

	XVT	Mac Toolbox	Windows
<b>Window management</b>	new_window	NewWindow	CreateWindow
	close_window	CloseWindow	DestroyWindow
	show_window	ShowWindow	ShowWindow
	show_window	HideWindow	ShowWindow
	set_front_window	BringToFront	SetWindowPos
	get_client_rect	GrafPort data struct	GetClientRect
	local_global	LocalToGlobal	ClientToScreen
	—	GlobalToLocal	ScreenToClient
	set_title	SetWTitle	SetWindowText
	invalidate_rect	InvalRect	InvalidateRect
	—	BeginUpdate	BeginPaint
—	EndUpdate	EndPaint	
<b>Memory management</b>	galloc	NewHandle	GlobalAlloc
	gfree	DisposHandle	GlobalFree
	glock	HLock, handle data struc	GlobalLock
	gunlock	HUnlock	GlobalUnLock
	grealloc*	SetHandleSize	GlobalReAlloc
	gsize	GetHandleSize	GlobalSize
<b>Events</b>	main_event	app event loop	app Window Procedure
	xvt internal	FindWindow	DispatchMessage
<b>Drawing</b>	set_cur_window	SetPort	GetDC, hDC data struct
	get_cur_window	GetPort	hDC data struct
	move_to	MoveTo	MoveTo
	draw_line	LineTo	LineTo
	draw_arc	FrameArc, PaintArc	Arc
	draw_oval	FrameOval, PaintOval	Ellipse
	draw_rect	FrameRect, PaintRect	Rectangle
	draw_pie	PaintArc, FillArc	Pie
	draw_polygon	FramePoly, PaintPoly	Polygon
	draw_roundrect	FrameRoundRect, PaintRound	Rect RoundRect
<b>Pictures</b>	picture_make	OpenPicture	CreateBitmapIndirect
	picture_open	OpenPicture	SelectObject
	picture_close	ClosePicture	DeleteObject
	picture_draw	DrawPicture	StretchBlt
	picture_free	KillPicture	DeleteObject
	picture_lock	HLock	GetBitmapBits
	picture_unlock	HUnlock	—
<b>Files</b>	open_file_dlg	SFGetFile	OpenFile
	—	FSOpen	OpenFile
	—	FSClose	close
	gread	FSRead	read
	gwrite	FSWrite	write
<b>Misc.</b>	caret_off	—	ShowCaret
	caret_on	—	HideCaret
	obscure_cursor	ObscureCursor	ShowCursor
	pt_in_rect	PtInRect	PtInRect
	set_rect	SetRect	SetRect
	needs_update	SectRect	IntersectRect
	offset_rect	OffsetRect	OffsetRect
	is_rect_empty	EmptyRect	—
	set_rect_empty	SetRect	SetRectEmpty

\*Not available in XVT 1.1 but will be available in version 1.2.

disk. For version 1.1 of XVT, the Mac disk contains files totaling 464K bytes, in four folders: lib, include, examples, and bin. The MS-DOS disk has a similar structure, except that there are no directories and the files are compressed to fit on the smaller-capacity floppy disk.

The MS-DOS disk includes a batch-installation file and a small decompression program that create a directory structure on your hard disk similar to the one shipped on the Mac disk. The installation process is simple enough that you can ignore the batch file and do the installation manually from the command line. That's my procedure with new programs so that I know exactly what goes where. If you have the Windows development environment installed and know how to use it (a prerequisite for XVT), none of this will present any problem.

When installed, the lib directory contains the XVT library for your C compiler. On MS-DOS, there is one file, XVT.LIB, that is an 87K-byte medium-model library file for the Microsoft C Compiler. On the Mac, there are two files: a Lightspeed C file and an MPW C file (both about 56K bytes in size). You link these libraries, along with your regular Windows and Macintosh libraries, to the XVT applications you write.

The include directory contains header files for your C compiler. There are two, and they are identical for the Mac and MS-DOS. The principal file is XVT.H, which is about 500 lines long and declares the data structures and type definitions used by the XVT virtual environment. In addition, XVT.H has function prototypes for all the XVT functions. That's relatively modest compared to the 2400 lines of the Windows header and the roughly 2000 lines for the Mac header files in Lightspeed. Like these equivalents, XVT.H must be included in all program files that interact with the environment. The second file, called XVT-MENU.H, contains environment-independent menu definitions. Under MS-DOS, the include directory also contains header files for the resource compiler.


The third directory contains small example programs, in source code form, illustrating how to use XVT to accomplish typical tasks. The source files are named for the function they illustrate: scrolling, tracking the mouse, displaying multiple windows, selecting fonts, listing a directory, and using a clipping region. Each cookbook-type example does its job, but I wish API had provided more of them. Much more helpful would have been the source code to a medium-size application

*continued*

# Affordable Large Format Plotting Starting at \$1695.\*

**A-E**  
**\$2695.**  
(sugg. ret. \$2995.)

**A-D**  
**\$2295.**  
(sugg. ret. \$2695.)



\*\$1695—Model 3610 C/D  
(not shown)  
Same style as 3600 A-D  
Handles C & D size media

## Features that say value ...

**Economical:** \$1,000 less than other large format plotters.

**Compatible:** Operates with all popular CAD software supporting DM/PL.™

**Multiple Media Sizes** as small as 8½" x 11" or as large as 36" x 48" eliminates the need for a second plotter.

**Practical speed you can really use:** 10" per second assures good drawing throughput while optimizing the speed at which most plotter pens can draw without skipping.

**Repeatability and Resolution:** .004 assures quality suitable for the most demanding applications including PCB artwork.

**Vacuum Paper Hold Down** guarantees perfect registration.

**Unique:** X&Y rescaling allows calibration to one part in 10,000. Ideal for applications where scale is critical.

CALL NOW AND WE'LL SEND YOU  
A FREE SAMPLE PLOT.

(415) 490-8380 Fax (415) 490-3906

Dealer inquiries invited.

## ZERICON

40491 Encyclopedia Circle  
Fremont, California 94538

Made in USA

DM/PL is a trademark of Houston Instrument

Circle 278 on Reader Service Card (DEALERS: 279)

MARCH 1989 • B Y T E 211

## XVT (Extensible Virtual Toolkit) 1.1

### Type

Portable software development tool for Macintosh and Windows graphical environments

### Company

Advanced Programming Institute, Ltd.  
P.O. Box 17665  
Boulder, CO 80308  
(303) 443-4223

### Format

One 360K-byte 5¼-inch floppy disk (for IBM PCs and compatibles) and one 800K-byte 3½-inch floppy disk (for Macs)

### Hardware Needed

IBM PC or compatible capable of running Microsoft Windows, and/or a Macintosh 512KE or higher

### Software Needed

For IBM PCs and compatibles:  
Windows 2.03 or higher; Microsoft C 5.1 or higher; and Microsoft Windows Software Development Kit 2.10 or higher  
For the Mac: Macintosh System 5.0 or higher; Lightspeed C 3.0 or higher

### Language

C

### Documentation

60-page Technical Overview

### Price

\$995 (complete package includes both Mac and PC versions)  
Programmer's Reference Manual: \$25

### Inquiry 1064.

that combines the functions into a whole program. API offers nothing like that, although it says it plans to distribute the source code to the XVT-Draw sample.

The bin directory, the fourth and last directory, contains two executable files: the XVT-Draw example application and the Help File compiler utility. On MS-DOS, XVT-Draw is 134K bytes in size; on the Mac, it is 104K bytes. The Help File compiler is of similar size on both machines—about 30K bytes.

### Setting Up an XVT Environment

Installing XVT was a breeze on the Mac, and easy on the PC, too—once I had installed the basic development tools that this product requires.

For this review, I used a Compaq 386

with 2 megabytes of memory, a 70-megabyte hard disk drive, and a Micro Display Systems Genius full-page display. My Mac system is a Mac SE with 4 megabytes of memory, a Radius 68020 accelerator, a Radius full-page display, and a 40-megabyte hard disk drive. These hardware configurations represent what many consider the minimum needed for doing serious development work on PCs and Macs. Gone forever are the days when you could fit a C compiler, text editor, linker, debugger, libraries, and your source code on a dual-floppy machine with 512K bytes of memory. The XVT package imposes no additional hardware requirements beyond what you need to run the native toolkits.

XVT assumes you have the standard development tools for your particular environment. On the Mac, this means either Lightspeed C 3.0 or MPW C. I use Lightspeed C, and I was up and running with no problems. On my MS-DOS system, I used Microsoft C 5.1 and the Microsoft Windows Software Development Kit (SDK) 2.03. Installing the XVT library and compiling and running the sample programs were fairly simple.

For Mac programmers used to the purity of one type of screen display, one size of memory pointer, one floating-point option, and one user interface, it is a jarring experience to encounter the strange world of MS-DOS and Windows. There's a gauntlet of irritating and unpleasant experiences to run through as you ascend the learning curve. Some novice programmers might unfairly associate the XVT product with these negative experiences, but I want to emphasize that none of this has to do with the quality or ease of use of the XVT product, which is commendable.

### Using XVT

Writing an application using XVT is much like writing it for the native environment, except that you use the above-mentioned header files in place of the native headers and you use the XVT library *in addition to* the native libraries. All other development tools operate in the same way. The only caveat is that, with MS-DOS, you have to use the medium-model compiler option.

Native Mac and Windows applications are built around a top-level event loop that invokes appropriate event handlers. XVT works similarly, but the event loop is buried in the XVT library. Applications programmers need only supply the handlers, a process that's like what you do under Windows when you specify a WndProc for each class of window. Ac-

ording to API, the upcoming version 1.2 of XVT will make the buried internal event loop accessible to the application through an event-hook procedure.

I compiled and ran all the sample applications on both my PC and my Mac. Then I combined several of the examples—one that featured mouse tracking and another that manipulated multiple windows—into a single program. Finally, I took a toy drawing application that I've written for both the PC and the Mac and ported it to XVT. Everything went smoothly. I should emphasize, though, that I'd originally written my drawing program in a portable way so I could create both PC and Mac versions. A program written specifically for either environment would, naturally, be more difficult to port to XVT.

### XVT Subsystems

The services provided by the XVT environment are a blend of those supported on the Mac and in Windows. XVT contains subsystems for event processing, memory management, window creation, graphics drawing, menu handling, file reading and writing, printing, and clipboard management. Some of these are closer to the Mac in spirit, and others are closer to Windows.

The memory management subsystem is philosophically closer to Windows than to the Mac because there is no double-indirection of handles as on the Mac. Also, as in Windows, you have to lock an object in memory to obtain a pointer to it. The memory functions include the following: allocate a relocatable memory block, free it, lock it (and return a pointer to the locked block), unlock it, and return its size. In version 1.1, there's no function to resize a memory block, so you'll have to do that yourself. The company says this was an oversight and it will add the function to version 1.2.

In the area of event processing, the 15 event types in XVT represent a conceptual middle ground between the 11 Mac events and the 96 message types defined in Windows. The mouse events are mouse up, mouse down, move, and double-click. Window events are update, activate, close, destroy, resize, vertical scroll, and horizontal scroll. The remaining events are keyboard character, menu command, font selection, and application termination. XVT excludes the Mac network event from this set because Windows does not support it. Likewise, it excludes all Windows intertask communication events. A new feature not found in either Mac or Windows is the

*continued*

# ~~Six~~ Five easy ways to boost your BASIC

## **PROBAS™** updated Professional Basic Programming Library

Announcing **PROBAS** Version 3.0, now with over 335 assembly routines to really kick QuickBASIC and BASCOM into high gear. **BYTE** magazine calls **PROBAS** a "Super-charger for QuickBASIC". Thousands of programmers rely on **PROBAS** to make their life easier and to enhance their programs with features like:

- An 800-page 3-part manual
- Full-featured windowing
- Screen snapshots (Text & Graphics)
- String, array, and pointer sorts
- Lightning-fast file I/O
- Full mouse support

Create dazzling screens in text mode, CGA, EGA, VGA or Hercules graphic modes. Save and restore screen snapshots to arrays, EMS memory or files. Full featured windowing to meet the most demanding jobs. The **PROBAS** system of virtual screens allows you to draw full or partial screens to memory, and then snap them on in an eyeblink. You can even create virtual screens far larger than the display screen.

Sick of running out of string space? Store hundreds of K in numeric arrays or megabytes in extended or expanded memory. Tired of using a kludgy SHELL to DIR to read a directory or archive files? Scan sub-directories or .ARC files using wild-cards and store thousands of file names, dates, and times. Wish you could drag a window containing text or a menu around the screen with a mouse? It's easy!

**PROBAS** gives you a complete set of blazingly-fast file routines. Read or write huge chunks of data at a clip, with file locking and error handling so that you can even use them in subprograms. You'll never want to use BASIC's file I/O again! Sort data with lightning fast array and pointer sorts. Search files or arrays at assembly speeds. **PROBAS** also has over 200 other essential services including handy string, date, time, directory and array manipulation, string, screen and data compression, full mouse support, valuable equipment and input routines and faster replacements for most BASIC commands.

Whether you are a professional or a novice, **PROBAS** will boost your BASIC in ways you never dreamt possible. **PROBAS** allows professionals to save time and work and lets novices write professional-quality programs quickly and easily. After all, how much is a few hundred hours of your time really worth?

For all versions of QuickBASIC and BASCOM including BASCOM 6.0 for OS/2. **Just \$135.00!**

## **PROREF™** On-Line Help For PROBAS

**PROREF** provides pop-up help for the routines in **PROBAS** and is an extension of the QuickBASIC programming environment. Find help on any routine with a few key-strokes or mouse clicks. Pop-up an ASCII chart, calculator, scan code module, box diagram, your own help information or almost any DOS program via a hot-key. **Just \$50.00!**

## **PROSCREEN™** Professional Screen Management System

**PROSCREEN** is a full-featured screen generator/editor that will save you more design and coding time than you ever thought possible. **PROSCREEN** treats screens like a word processor treats text to provide complete control over characters, colors, and placement. Design input screens with up to 130 fields and 19 pre-defined and 2 user-defined masks. Use **PROBAS** or the included BASIC/Assembler subroutines to access the screens. No kludgy code generators here! Comes with subroutine source, extensive on-line help, and a 285 page manual. **Just \$99.00!**

## **PROMATH™** new!

**PROMATH** is a collection of over 150 high-level routines that provide mathematical functions and operations for programmers who often work in mathematics, science, or engineering. Complex variables, real and complex matrices, real and complex trigonometric and hyperbolic functions and their inverses, solution of linear equations, integration, differential equations, Fast Fourier transforms and many other useful routines are provided.

For years Fortran has been the language of choice for scientific and engineering applications, but it lacks many of the useful features of QuickBASIC. **PROMATH** contains most of the Fortran mathematical and numeric functions and allows you to easily translate Fortran code to BASIC or write new programs in BASIC while retaining Fortran's numerical prowess.

The **PROMATH** manual is over 200 pages and provides a complete description of each routine, including any algorithm and the mathematical formula the routine uses, shown in standard notation. For QuickBASIC 4 and BASCOM 6 only. **Just \$99.00!**



## **PROBAS™** TOOLKIT

The **TOOLKIT** is a collection of assembly and BASIC modules that use the **PROBAS** library to save you even more hours of grunt work. Why spend hundreds of hours re-inventing the wheel when you can just plug in **TOOLKIT** modules like:

- Menu Generators
- Fast B-tree indexing
- Mini-editor with word-wrap
- Patch .EXE files
- Protected storage areas
- Julian date routines

The **TOOLKIT** also includes clock, calendar, windowing, BCD math routines and much more, complete with BASIC source code and a comprehensive manual. The **PROBAS TOOLKIT** adds capabilities and helps conserve your most valuable asset of all—time! Requires **PROBAS**. **Just \$99.00!**

## **PROBAS™** TELECOMM TOOLKIT

The **PROBAS TELECOMM TOOLKIT** is a collection of high-level communications modules that you plug into your code to provide popular file transfer protocols, terminal emulations, login scripts and baud rates up to 115,200 baud. You get:

- Xmodem/Modem7/Xmodem-1 k
- Ymodem (single and batch)
- CRC-16 and Checksum
- VT52, VT100, ANSI BBS etc.
- Auto Dialer & data base
- Documented BASIC source

Why use clumsy SHELLS to complex terminal programs when you can plug just the communications routines you need into your code? Implement just the features and commands you want. Requires **PROBAS**. **Just \$75.00!**

Our thirty day, money-back guarantee assures you the highest quality and our technical support staff is always ready to help. Try our BBS at (301) 953-7738 or give us a call at:

**HAMMERLY**  
COMPUTER SERVICES, INC.

9309 JASMINE COURT • LAUREL, MD 20707  
INTERNATIONAL CALLS: (301) 953-2191  
**(800) 343-7484**

FAX # 301-725-8147  
Add \$5.00 per item (\$8.00 Canada) for shipping per order.  
Europe: \$39.00 for 1st item plus \$5.00 for each additional item. Visa, M/C, C.O.D. (US Only) checks and approved POS accepted. Trademarks **PROBAS**, **PROREF**, **PROSCREEN**, **PROMATH**: Hammerly Computer Services, Inc. QuickBASIC, BASCOM: Microsoft Corp.

font-selection event, the foundation of XVT's higher-level support for menu display of font styles and sizes.

The window management subsystem includes functions to create a new window, return the size of its content area, close the window, invalidate its content (i.e., invoke repainting), query the system for the frontmost window, set the clipping rectangle, set the window title, get and set the cursor, convert from window coordinates to screen coordinates, and set the scroll position and scroll range. These routines are closer to the Mac than to Windows. You don't need to register different window types, and you don't have to specify a separate event handler for each window class.

The graphical functions are philosophically closer to Windows than to the Mac. XVT supports the concept of a pen tool (for drawing lines and outlines of shapes) as well as a brush tool (for filling in hollow areas like the interior of a rectangle). Pens come in different colors (white, black, and transparent), styles (currently only a solid style—no dashed styles), and draw modes (e.g., XOR, OR, COPY). There are 12 brush styles (for filling areas, including white, light gray, dark gray, diagonal, and vertical).

There are routines to make a window available for drawing, set the pen and brush tools, draw shapes (line, polyline, polygon, rectangle, oval, roundrect, arc, pie, and text), set text-font attributes (size, family, style), and perform queries.

There's an asymmetry in XVT's implementation of stored pictures, which contain the cumulative result of a series of drawing commands. On the Mac, an XVT picture is stored as a PICT file; this preserves object structure and simplifies redisplay, scaling, and interapplication transfer. Although Windows supports a PICT analogue—the Metafile—XVT, for some reason, doesn't use it. Instead, XVT implements stored pictures as bitmap objects, although the manual hints that this may change. There are routines to create a picture, open it for the accumulation of drawing commands, close it, play it back within a scaled rectangle, lock it for reading and writing to a file, and dispose of it.

Menu-bar support includes routines to add check marks to menu items, enable and disable items, draw the menu bar, set menu text, and support the font-selection menu. File-system support implements an abstract object called a directory, which represents native directories on local file systems. There are built-in functions that return the start-up direc-

tory or obtain a directory selection from the user by means of a dialog box.

Printing is another messy device-dependent topic that causes problems even for programmers writing in a single native environment. XVT supports the necessary operations: begin printing, start a new page, end a page, and end printing.

Dialog support in XVT is straightforward. Some simple dialogs are built in (e.g., an about box, an alert box, and a prompt box) along with the more elaborate file-directory dialog mentioned ear-

**Y**ou can  
try out XVT-Draw  
for nothing and see  
how it feels.

lier. Custom user dialogs are supported through XVT functions (e.g., `check_radio_button`, `enable item`, `get item text`, `check box`) in conjunction with resource files in the native environment.

### Is There a Performance Penalty?

With interactive graphical applications, performance is often a subjective matter that doesn't lend itself to quantitative measurement. For some applications, a twentieth-of-a-second lag can make a difference. For others, differences of whole seconds may not matter much. For example, on my high-end Compaq 386 running any Windows application, the mouse tracking always feels clunky and sluggish when compared to the feel of the mouse on my lowly Mac 512 (never mind my 68020 Mac). But when I look at published benchmarks of programs that run on both machines (e.g., Aldus PageMaker), the numbers don't bear that out.

With one exception, all the operations I tried out using the XVT library—tracking the mouse, dragging a window, typing in text, choosing menu items—felt like equivalent operations found in native applications. The single performance anomaly I observed relates to Windows. When I selected an occluded child window within an XVT application, the time required to uncover, highlight, and redraw the window seemed substantially longer than in a native Windows application. This was true even for a do-nothing example program that did no computa-

tion or redrawing within the window.

That's a small thing that many people might not even notice. Fortunately, you can see for yourself without investing \$1000 to buy XVT. You can download XVT-Draw, the sample application, from many electronic bulletin boards and information utilities as shareware, in both Mac and Windows versions. Try out its functions and see how they feel. If the application you want to write is similar in size and structure, it should have equivalent performance.

It comes down to this: The XVT layer is about as thin as it can be while meeting the design goals of portability and real-world functionality. The level of abstraction seems appropriate. On a subsystem-by-subsystem or function-by-function basis, the decisions made by its author are reasonable. Although you or I might not make the same choice in every case, none stands out as horribly mistaken. It's very unlikely that an average programming shop will surpass this particular implementation in terms of efficiency, quality, and robustness.

Some innovative applications might require choices in function mapping that are different from those made in XVT. You can sidestep XVT, though, and use the native environment, although the resulting application will be nonportable.

### What's Wrong with XVT?

XVT does have a weak point. The quality of its documentation is typical of that from a small, tool-oriented vendor with limited resources: It's OK, but it doesn't go far enough. The documentation consists of a 60-page Technical Overview, a 160-page Programmer's Reference Manual (\$25 extra), and a smattering of technical notes and updates. Explanations are understandable and clear despite the dense nature of the topic at hand.

But the documentation lacks information. There's no index and no up-to-date list of the functions available in the system. I was able to find what I needed in the header files, with their function prototypes, but API should provide a separate list and group the functions by subsystem as well as alphabetically.

Assorted release memos, bug reports, and technical notes are confusing for the same reason: There's no catalog of functions to which you can relate them. The bug reports do serve one useful purpose, though. They indicate the health of the product. I was pleased to find evidence of benign incremental improvements (characteristic of a product beginning its journey to maturity), rather than mysterious

*continued*



The journey to discovery can sometimes be a long and arduous one.

Especially when it comes to writing database applications.

And especially when you're not a programmer.

All of which is precisely why we built dBASE IV™ with an innovative new feature we call the Control Center.

The Control Center is a logical, intuitive window from which you perform all your key database operations. A constant frame of reference, if you will, for harnessing all of dBASE IV's formidable power.

Through the Control Center, you get simple and understandable access to every one of dBASE IV's modules and functions. Like the powerful Report Writer. The Applications Generator. And much, much more. So that the time it takes to develop your applications can be drastically reduced.

You see, at Ashton-Tate we think that people tend to be more successful when they're able to see the opportunities for discovery right in front of them.


Want to see for yourself? Just visit your local authorized Ashton-Tate dealer for a demonstration, or call 800-437-4329\* ext. 2934 for details on videotapes, demo disks, upgrades, and more.

 **ASHTON · TATE®**

INTRODUCING dBASE IV

Circle 25 on Reader Service Card (DEALERS: 26)

**“It’s a whole lot easier when you can see what you’re doing.”**



\*In Colorado call (303) 799-4900. Trademark/owner: dBASE IV, Ashton-Tate, and Ashton-Tate Logo/Ashton-Tate Corporation. © 1989 Ashton-Tate Corporation. All rights reserved.

# AMX86

**KADAK's  
engineers bring  
years of practical real-time  
experience to this mature**

## MULTI-TASKING SYSTEM (version 2.0)

**for the IBM® PC, PC/XT and PC/AT**

<ul style="list-style-type: none"> <li>■ No royalties</li> <li>■ IBM PC DOS® support</li> <li>■ C language support</li> <li>■ Preemptive scheduler</li> <li>■ Time slicing available</li> <li>■ Source code of the C interface and device drivers is included</li> </ul>	<ul style="list-style-type: none"> <li>■ Intertask message passing</li> <li>■ Dynamic operations:                             <ul style="list-style-type: none"> <li>- task create/delete</li> <li>- task priorities</li> <li>- memory allocation</li> </ul> </li> <li>■ Event Manager</li> <li>■ Semaphore Manager</li> </ul>
--	--

**AMX86™ operates on any 8086/88, 80186/88, 80286 system.**

Demo package	<b>\$25 US</b>	<p><b>KADAK Products Ltd.</b> 206-1847 W. Broadway Vancouver, B.C., Canada V6J 1Y5 Telephone: (604) 734-2796 Telex: 04-55670</p>
Manual only	<b>\$75 US</b>	
AMX86 system	<b>\$2195 US</b>	
(shipping/handling extra)		

Also available for 8080, 280, 68000

items describing unexplained fatal errors. Still, this is no excuse for not having a better-organized, up-to-date reference manual.

In fairness to API, I should note that many of the above criticisms applied equally to the Mac Toolbox and the Windows SDK when they were introduced. As with those two systems, it is likely that XVT will continue to improve—particularly in documentation. The company promises that version 1.2 will be out by the time this review is printed and that it will have some (but not all) of the improvements suggested above.

### Making the Decision

XVT is a tremendous bargain for developers who must have portability but don't want to commit time and resources to developing in two native environments. I'm convinced that, for these people, the savings in time, aggravation, and opportunity costs will easily exceed XVT's price by one or even two orders of magnitude. But the decision to commit to a development platform like XVT is a major one, comparable to choosing a programming language. The problem is the large gap between the \$25 you can spend to peruse the XVT manual and the \$995 you have to spend before you can actually try out the product. Perhaps API can come up with some intermediate arrangement to help prospective buyers familiarize themselves with XVT.

If you are interested in writing portable, graphically based applications software, you can't afford to ignore XVT. Get the Technical Overview, which is a free article reprint, and order the Programmer's Reference Manual for \$25. Download and try out the sample shareware application, XVT-Draw. Become familiar with your target environments if you are not already familiar with them. Try writing some small native applications. Then consider purchasing XVT.

If you are part of an organization with a healthy R&D budget, order a copy of XVT and try it out. Even if your organization eventually decides not to use it, chances are you will have learned a number of useful concepts. If using XVT keeps you from including WINDOWS.H or the Mac Toolbox header files in every module of your application, it will have been worth at least its purchase price. ■

*Ray Valdés is president and founder of Sapphire Software, a technology consulting firm in San Francisco, California, that specializes in the design and development of graphical software. He can be reached on BIX c/o "editors."*

Made in USA

## Complete /AT System On A Single Card (Standard IBM /AT Card Size)



**Build your own system by selecting from DTT's card family with features that include:**

- On-board RAM up to 8M
- 12, 16, 20, MHz CPU Speed
- CPU-8088, 286, 386SX, 386
- Graphics-VGA, EGA, CGA, MDA
- SCSI, ST506, IDE
- Floppy Interface
- Keyboard Interface
- 2 Serial Ports
- 1 Parallel Port
- Ethernet Interface
- Award or Phoenix Bios

**Also Available:**

- Card Cages
- Backplanes
- Chassis
- Rackmounts
- much more

**Diversified Technology**

112 E. State St. • Ridgeland, MS 39158  
(601) 856-4121  
**1-800-443-2667**

Designed and Manufactured by DTT in the USA

3088,286, 386SX, 386 are tradenames of Intel Corp.  
/XT, /At, IBM are tradenames of IBM Corp.  
Award is a tradename of Award Inc.  
Phoenix is a tradename of Phoenix Inc.



**Our standards are  
the toughest part  
of our 3.5" diskette.**

We've got you covered. The rigid plastic jacket of our 3.5" Micro Diskette is molded to our own specifications for unsurpassed protection. And, our clipping level is 44% higher than industry standards. Call 800-343-4600 for the name of your nearest BASF supplier.

**Depend on it.**




**BASF**

# PC NETWORK. SERVICE



## THE™ PC+ TURBO XT/10 SYSTEM



**\$599**

• Intel 8088-1 Switchable from 4.77 to 10MHz • 512K RAM Expandable to 640K • Dual Floppy Controller • 150 Watt Power Supply • Mono/Color Video Graphics Board • 12" Monochrome Monitor • 1 Serial/1 Parallel/1 Game Ports & Clock • 101 "AT" Style Key Keyboard • FREE 1 Year Warranty.

### Color Systems With Mitsubishi Monitors

CGA Color System ..... \$869.  
EGA Color System ..... \$1079.  
CGA w/20MB ..... \$1137.  
EGA w/20MB ..... \$1347.

### THE™ COMPLETE 40MB 286/12 PROFESSIONAL SYSTEM

**\$1579**


• 12MHz Switchable Speed • 512K RAM Expandable to 1024K • 1.2MB Mitsubishi Disk Drive • FDC/HDC Dual Controller • 40MB Seagate (ST251-1) Hard Drive • 1 Serial/1 Parallel/ & Game Port • Color/ Mono Graphics Card • 101 "AT" Key Keyboard • 200 Watt Power Supply • 12" Monochrome Monitor • FREE 1 Year Warranty

### Color Systems With Mitsubishi Monitors

CGA Color System ..... \$1779.  
EGA Color System ..... \$2099.  
VGA Color System ..... \$2229.



### PRINTERS



**PANASONIC KXP-1124  
Dot Matrix  
Printer \$339.**

#### PANASONIC

1180i ..... CALL.  
1124 192/63 cps ..... 339.  
1524 240/80 cps ..... 575.  
1592 220/38cps ..... 415.  
1595 290/51cps ..... 449.  
KXP 4450 Laser w/Toner ..... 1599.

#### EPSON

LX 600 180/32cps ..... \$199.  
EX 800 300/60cps ..... 439.  
FX 850 264/54cps ..... 359.  
FX 1050 200/54cps ..... 467.  
LQ 500 180/60cps ..... 328.  
LQ 850 264/88cps ..... CALL.  
LQ 1050 264/88cps ..... CALL.  
LQ 2550 400/133cps ..... 949.  
DFX 5000 533/80cps ..... CALL.

#### NEC

P2200 170/55cps ..... \$369.  
P5200 265/90 cps ..... 530.  
P5300 265/70 Wide ..... 719.  
P9XL 400/330 cps ..... 1092.  
LC890 Laser ..... 3199.

#### OKIDATA

ML 182P 180/30 ..... \$239.  
ML 320 300/63 ..... 345.  
ML 321 300/63 ..... 479.  
ML 390 270/90 ..... 479.  
ML 391 270/90 ..... 655.  
ML 393 450/120 ..... 1005.  
ML 393 COLOR ..... 1079.

#### HEWLETT PACKARD

Deskjet ..... \$709  
Laser Jet II ..... 1717.

#### DICONIX

150p 150/50 ..... \$313.  
300 WP 310/73 ..... 489.



### MONITORS

#### MAGNAVOX

Amber TTL Mono ..... \$75.  
14" VGA Mono/Flat (640x350) ..... 169.  
14" RGB Analog (640x240) ..... 254.  
14" EGA/CGA (720x350) ..... 349.  
14" VGA (800x600) ..... 415

#### MITSUBISHI

1409 13" CGA (640x200) ..... \$249.  
1410 13" EGA (640x350) ..... 361.  
1430 13" EGA(640x350) ..... 399.  
Diamond Scan (800x600) ..... 490.

#### SONY

1302 13" Multiscan (1024x768) .. \$644.  
1303 13" Multiscan (800x600) ..... 522

#### PRINCETON GRAPHICS

Ultrasync 12" ..... \$519.  
Ultrasync 16" ..... 879.

#### ZENITH

1390 13" RGB (640x480) ..... \$439.  
1490 14" FTM Monitor ..... 648.

#### NEC

Multisync II 13" (800x600) ..... \$599.  
Multisync Plus 15" (960x720) ..... 919.  
Multisync XL 19" (1024x768) .... 2249.

### VIDEO BOARDS

THE™ Mono/Color ..... \$59.  
THE™ EGA /480 ..... 159.  
THE™ VGA/256 ..... 220.  
PARADISE Autoswitch 480 ..... 215.  
PARADISE VGA+ ..... 274.  
VIDEO 7 VEGA VGA ..... 285.  
VIDEO 7 VEGA DELUXE ..... 214.  
ORCHID Pro Designer VGA ..... 299.  
ORCHID Designer VGA 800 ..... 235.  
ATI EGA Wonder 800 ..... 230.



### COMPUTER SYSTEMS

AST Premium 386 MDL. 300 .... \$2770  
AST Premium 286 MDL. 140 ..... 2648  
COMPAQ Deskpro 286-/40MB .. CALL  
COMPAQ Deskpro 386-25/110 ... CALL  
COMPAQ Deskpro 386-20/60MB CALL  
IBM MDL. 30-21, 20MB ..... CALL  
IBM MDL. 30-286, 30MB ..... CALL  
IBM MDL. 50Z,30/MB ..... CALL  
VENDEX HEADSTART III ..... CALL

### LAPTOPS

**NEW!  
TOSHIBA  
T-3100E  
\$2799.**



#### TOSHIBA

T-1000 ..... \$779.  
T-1200H/HB ..... 2214/2399.  
T-1600 NEW! ..... CALL.  
T-3100E NEW! ..... 2799.  
T-3200 ..... 3599.  
T-5100 ..... 4749.  
T-5200 NEW! ..... CALL.



**NEW!  
ZENITH  
Supersport  
In Stock Now!**

ZENITH  
Supersport MDL. 2 ..... CALL.  
Supersport MDL. 20 ..... CALL.  
Supersport 286 MDL. 20 ..... CALL.

#### NEC

Ultralite ..... CALL.  
Multi Speed HD ..... CALL.



# PC NETWORK

\*DEFECTIVE SOFTWARE REPLACED. DEFECTIVE HARDWARE REPLACED OR REPAIRED. PRICES SUBJECT TO CHANGE.



# SELECTION

# PRICE



## SOFTWARE



**ALDUS**  
Pagemaker  
3.0  
\$479.

- ADOBE Illustrator w/Windows \$428.
- ALDUS Pagemaker 3.0 ..... 479.
- ASHTON TATE DBase IV ..... 453.
- ASHTON TATE Multimate Adv. II 289.
- BORLAND Turbo C w/Debugger 92.
- BORLAND Turbo Pascal ..... 99.
- BORLAND Quattro ..... 159.
- BRODERBUND Where USA ..... 26.
- BRODERBUND Where World ..... 25.
- BRODERBUND Printshop ..... 37.
- BRODERBUND Bank St. Writer+ 47.
- CENTRAL POINT PC Tools Delx. 42.
- CHIPSOFT Pro 1040 ..... 228.
- CHIPSOFT Personal 1040 ..... 46.
- DAC Easy Accounting 3.0 ..... 59.
- FIFTH GENERATION Fastback + 99.
- FUNK SOFTWARE Always ..... 85.
- FUNK SOFTWARE Sideways ..... 42.
- INTUIT Quicken ..... 30.
- LOTUS Lotus 1-2-3 ..... 299.
- LOTUS Symphony ..... 445.
- MECA Managing Your Money .. 117.
- MERIDIAN Carbon Copy Plus .. 114.
- MICROSOFT Flight Simulator ..... 35.
- MICROSOFT Word 5.0 ..... CALL.
- MICROSOFT Excel 2.0 ..... 315.
- MICROSOFT Works ..... 99.
- MICROSOFT Windows ..... 68/130.
- PEACHTREE Business Acct. II 162.
- PETER NORTON Utilities Adv. .... 77.
- PFS First Choice ..... 95.
- PFS Professional Write ..... 115.
- PFS Harvard Graphics ..... 285.
- WORDPERFECT Wordperf.5.0 225.
- XEROX Ventura Publisher ..... 495.

## CO-PROCESSORS/CHIPS

- INTEL 8087-1 ..... \$215.
- INTEL 8087-3 ..... 109.
- INTEL 80287-8 ..... 239.
- INTEL 80287-10 ..... 279.
- INTEL 80387-16 ..... 442.
- INTEL 80387-20 ..... 540.
- INTEL 80387-25 ..... 650.
- THE™ 640K Upgrade Kit ..... CALL.
- THE™ Memory Upgrades ..... CALL.

## MULTIFUNCTION CARDS

- AST 6Pack w/384K ..... \$269.
- AST Rampage AT w/512K ..... 399.
- AST Advantage Premium w/512K .... 426.
- INTEL Above Board 286 w/512K .... 385.
- INTEL InBoard 386 PC w/1MB ..... 799.
- ORCHID Tiny Turbo ..... 269.
- ORCHID Twin Turbo ..... 379.
- THE™ Multi I/O XT or AT ..... 65.

## ACCESSORIES

- THE™ 3.5" DS/DD Bulk 25 ..... \$32.
- THE™ 5.25" DS/DD 50 Pack ..... 19.
- THE™ 5.25" DS/HD Bulk 25 ..... 19.
- FUJI 3.5" DS/HD 10 Pack ..... 49.
- FUJI 5.25" DS/HD 10 Pack ..... 21.
- CH PRODUCTS Mach III Joystick .... 34.
- CH PRODUCTS Game Card III ..... 42.
- PTI Datashield S100 ..... 59.
- CURTIS Ruby Filter 6 Outlet ..... 56.

## FAX

- CANON Faxphone 8 ..... \$875.
- CANON Faxphone 20 ..... 1250.
- CANON Faxphone 25 ..... 1945.
- SHARP FO220 ..... 995.
- SHARP FO300 ..... 1199.
- SHARP FO420 ..... 1299.
- MURATA M1200 ..... 775.

## PLOTTERS/DIGITIZERS

- HOUSTON DMP 41, 42, 52, 61 CALL
- HOUSTON DMP 52MP, 62MP CALL
- ROLAND DXY 885 DXY980 CALL
- CALCOMP 1023 CALL
- SUMMASKETCH 12X12 ..... 379.
- SUMMASKETCH 12X18 ..... 645.

## SCANNERS

- H.P. Scanjet w/Interface ..... \$1455.
- PANASONIC RS 505 Flatbed ..... 995.
- PANASONIC RS 506 Flatbed .... 1259.
- MICROTEK MSF 300G ..... 2650.
- MICROTEK MSF 300C Flatbed .. 1350.
- PRINCETON LS 300 w/Adaptor .. 758.
- COMPLETE PC Handscanner ..... 171.
- LOGITECH Scanman ..... CALL.

## MICE

### LOGITECH

- Hi Res (Bus) ..... \$95.
- Clear Mouse (Serial) ..... 95.
- C-7 (Serial or Bus) ..... 79.
- Mouse w/Paint (Bus or Serial) ..... 88.

### MICROSOFT

- MOUSE w/Windows & Paint ..... \$144.
- MOUSE w/Paint & Menus ..... 107.
- MOUSE w/Easycad ..... 124.

## MODEMS

- THE™ 2400 Internal ..... \$99.
- THE™ 2400 External ..... 128.
- THE™ 9600 Internal ..... 379.
- THE™ 9600 External ..... 399.
- HAYES Smartmodem 1200 ..... 295.
- HAYES Smartmodem 1200B ..... 295.
- HAYES Smartmodem 2400 ..... 433.
- HAYES Smartmodem 2400B ..... 433.
- US ROBOTICS HST 9600 ..... 625.

## DISK DRIVES

- SEAGATE ST-225 20MB/Kit ..... \$279.
- SEAGATE ST-251 40MB/Kit ..... 469.
- SEAGATE ST-251-1 40MB/28MS 435.
- SEAGATE ST-4096 80MB/28MS .. 625.
- MINISCRIBE 3650 40MB/ Kit ..... 377.
- MINISCRIBE 3675 60MB HD/ Kit .. 430.
- MINISCRIBE 6085 71MB/22MS ..... 642.
- PRIAM ID230 230MB/RL/12MS 1975.
- MITSUBISHI 360K 5.25"HH ..... 76.
- MITSUBISHI 720K 3.5" HH ..... 86.
- MITSUBISHI 1.2MB 5.25"HH ..... 93.
- MITSUBISHI 1.44MB 3.5"HH ..... 103.
- SYSGEN Bridge File 3.5" Ext. Drive 225.

## HARD CARDS

- PLUS DEVELOP. Hard Card 20 \$545.
- PLUS DEVELOP. Hard Card 40 .... 690.
- WESTERN DIGITAL File Card (30)..419.

## TAPE BACKUP

- MOUNTAIN 40MB Ext./Power XT \$569.
- MOUNTAIN 40MB Ext./PS/2 Mdl30 549.
- MOUNTAIN 150MB Ext. /PS/2 .. 1550.
- IRWIN 145C 40MB INT./AT ..... 469.
- IRWIN 120D 20MB/XT ..... 299.
- PLUS DEVELOP. Pass Port 40 ..... 606.

## JOIN PC NETWORK FOR SERVICE, SELECTION & PRICE.

- New "Net" Pricing... All Members Pay Prices Shown + Shipping.
- All Products on Display at Our Warehouse Showroom.
- No Credit Card Surcharge on Master Card or Visa.
- Free Technical Support Before and After the Sale.
- Fast 24-Hour Shipping on all In-Stock Items.
- Qualified Sales Representatives Standing by to Serve You.



BY0389

# 1-800-621-SAVE

- TECH SUPPORT 1-312-205-1410
- CUSTOMER SERVICE 1-312-205-1510
- FACSIMILE 1-312-205-1525

625 ACADEMY DRIVE, NORTHBROOK, IL 60062 HOURS: MONDAY-FRIDAY 8:30AM-6:00PM SATURDAY 10:00AM-4:00PM

Circle 201 on Reader Service Card

MARCH 1989 • BYTE 219

# "The printer that changed my life."

"I remember when the ACCEL-500™ arrived as if it were yesterday. Because it was.

It all started innocently enough. The boss questioned my decision to buy the ACCEL-500 instead of the leading 24-pin dot matrix printer.

With ACCEL-500's SelectDial™ fingertip control, I put the handsome new printer through its paces. Zooming through paper handling and setup options. Snapping in IntelliCard™ modules to emulate every printer and font style he could think of. From 480 cps draft mode to high resolution color graphics, from 6-part forms to sheet-fed envelopes, ACCEL-500 demonstrated a versatility previously the province of vegetable slicers and dicers.

The boss beamed, shook my hand, and left me to face a hostile crowd of jealous, resentful co-workers. I made a successful break for this broom closet. Where I'll remain until they give up and go home.

Good thing the ACCEL-500 runs unattended, around the clock. I could be here for days."


## **ACCEL-500™**

For the ACCEL-500 dealer nearest you, write: Advanced Matrix Technology, 765 Flynn Road, Camarillo, CA 93010. Or call: (800) 992-2264.

Circle 38 on Reader Service Card



ACCEL-500, Select-Dial, and Intelli-Card are trademarks of Advanced Matrix Technology, Inc.



# Superbase 4

A great concept  
whose design may not  
be so super

Nick Baran


At the very least, Superbase 4 is an intriguing program. It's part of a new breed of database managers for IBM PCs and compatibles that can include graphics images and external text files as fields in a database table. Superbase 4 is also a full-featured relational system. It has a large BASIC-like programming language and a query system modeled after Structured Query Language (SQL).

Of course, supporting all those different things—graphics images, text files, a programming language, and a query system—may be a great concept, but it's a lot to promise. And the version of the program I worked with, version 4.0, is not without its faults.

Based in the U.K., Precision Software, the developer and vendor of Superbase 4, currently offers the program for Digital Research's GEM windowing environment, which runs under MS-DOS. Superbase 4 is bundled with GEM 2.1, which is about two years old. According to a company spokesperson, there are no plans at present to bundle the program with GEM 3.0. However, customers can run Superbase 4 under version 3.0 if they purchase it separately. Precision Software says it plans to introduce a version of the program running under Microsoft Windows early this year.

## Installation and Operation

The Superbase program comes on four 5¼-inch floppy disks plus an additional



six floppy disks for the GEM windowing system. The installed program plus GEM requires about 1.5 megabytes of disk space. Superbase 4 requires 640K bytes of RAM and a graphics board and monitor supporting CGA, Hercules, or EGA. I tested Superbase 4 on an IBM PC XT with an Orchid 80286 TurboEGA board.

Installation is simple, although you must learn the basic workings of GEM, which is similar to Microsoft Windows in its operation but slower. Whether you like GEM or not, you'll have to get used to it if you want to run Superbase 4.

Superbase 4 depends on a graphics-based environment and therefore requires a mouse to operate effectively, although it is possible to run it entirely from the keyboard. You can access almost all operations from pull-down menus at the top of the screen or from a series of control buttons along the bottom of the screen. The control buttons act essentially like the buttons of a tape re-

order, letting you "fast-forward" and "rewind" the records of a database, move sequentially from one record to the next, and perform ad hoc queries and searches of the open database file.

You can display records in Form view, Table view, or Record view. The Form view lets you enter or display data using a custom-designed form from the Superbase Forms Editor. Clicking on the fast-forward button in Table view lets you view a screenful of records at a time. Record view displays a single record at a time and is the default format for entering data. The control buttons include options for moving to the top and bottom of the file, moving forward or backward through the file, searching on a keyword in the file, or performing a query. However, there were some bugs in the control button functions. Occasionally, the system would report "end of file" without displaying any records moving either forward or backward through the file. The

*continued*

Superbase 4 version 4.0

**Type**  
DBMS

**Company**  
Precision, Inc.  
(subsidiary of Precision Software, Inc.)  
8404 Sterling St., Suite A  
Irving, TX 75063  
(214) 929-4888

**Format**  
Four 5¼-inch floppy disks for Superbase; six 5¼-inch floppy disks for GEM

**Hardware Needed**  
IBM PC, XT, AT, PS/2, or compatible with 640K bytes of memory; a hard disk drive with at least 1.5 megabytes of free space; a CGA, Hercules, or EGA graphics card; one floppy disk drive

**Documentation**  
Two spiral-bound user's manuals (approximately 200 pages each); pocket reference guide

**Price**  
\$695 (includes GEM 2.1)

**Inquiry 851.**

only solution was to close the file and re-open it.

**Relational Structure**

Superbase 4 uses the standard relational table structure of rows and columns. It includes text, numeric, time, and date data types, as well as an external data type that can point to a graphics or text file. A nice feature is that text data types can have multiple response fields, allowing up to nine separate data entries for a single field, with a total of 500 characters. Each table is stored as a separate database file, and common fields can link the tables to other Superbase 4 database files. Superbase uses a linking system similar to SQL, in which the common field names are appended with the corresponding database filename (e.g., lastname.ACCOUNTS = lastname.CUSTOMER). You can therefore use fields from other open databases in any data-entry form or report. Superbase 4 allows the importing of dBASE, data-interchange format, and ASCII files, and also exporting to ASCII file format.

Superbase 4 can have multiple database files open, but you can access only one database at a time interactively. You can set up a form or report that accesses and displays data from multiple databases, however. Using the system's link

facility, you can set up links between as many as 99 database files. Unfortunately, the use of multiple files is poorly documented in the Superbase user's manuals. Almost all the tutorials and examples focus on single-file operations.

Superbase 4 maintains separate index files for each indexed field in the database. Indexes are optional, but you must have at least one index per database. You can view your data sorted in the order of the open index. Only one index can be open at a time. Indexes are automatically updated as you enter data. Searches and queries are very fast if they are performed on the field of the currently open index. I tried a text search of a 700-record database and obtained the answer almost instantaneously. However, Superbase 4 took an additional 4 or 5 seconds to search through the rest of the file when there were no more matches.

As long as you stick to searches on the field of the open index, the performance is quite good. Since the indexes update automatically, your data is always in sorted order according to the open index. Thus, the performance of sorting is not really an issue, although you can slow down data entry considerably if you define too many indexes.

**Two Programs in One**

Superbase 4 actually consists of two programs. The primary program is the Superbase 4 application itself, which includes facilities for entering and displaying data, querying database files, and developing programs in the Superbase 4 programming language, called DML (for database management language). DML is modeled after the BASIC programming language. It includes over 200 commands and a complete set of math, date, time, string, and financial functions. You can generate programs using the Superbase 4 text editor or with any simple text editor.

The Superbase application includes a full-screen text editor and utilities for viewing the status of files, listing directories, and determining available system memory. The directory-listing function was erratic and would occasionally report a blank screen and return to the main menu, even though the directory contained files. A major drawback of the program is that there is no facility for temporarily exiting to MS-DOS. This is a major omission for any competitive application package on the market today.

The other component of the package is a separate Forms Editor, which you use to design data-entry forms and reports for Superbase databases. You must exit

Superbase temporarily to use the Forms Editor. You can locate fields anywhere on the screen, specify calculated fields and fields from other databases, and design windows and boxes to enhance the appearance of the form. Forms can consist of multiple pages.

Unfortunately, forms design is not a trivial exercise for the uninitiated. The manual even warns that the technique of drawing patterns and outlines on forms "may be difficult to master." It was difficult, indeed. After laboriously designing a form, I lost the entire thing because of an error I made in specifying a box border. Most users are accustomed to more forgiving interfaces. Simply warning the user in the manual is not enough.

Reports are a subset of forms created in the Forms Editor. You can define groups, headers, footers, and the usual array of calculations and functions that you would expect in a full-featured relational database. However, the report generator has some serious design flaws. If you inadvertently select an option such as Group or Footer and then decide you don't need to use it, there seems to be no way to change your mind. For example, if you decide to add a footer and click on this menu option, you can't remove the footer area from your report without clearing the screen, thus losing the rest of your report. If you leave the footer area blank, the computer freezes when you attempt to print the report. Another odd quirk of the report generator is that you can run test reports only on the printer, not on the screen.

Reports are saved as Superbase DML programs, and, to run a report, you must execute it from the Superbase 4 Program menu option. Unfortunately, all Superbase 4 programs have the same file extension, so there is no way of telling which programs are reports and which are used for other purposes; you have to name your files so that you can remember which ones are reports. This is a major inconvenience.

**A Few Problems**

As I mentioned earlier, one of the big selling points of Superbase 4 is its ability to display graphics images and text files as fields in a database. Superbase does this by providing an External file data type, which is used as a pointer to the external text or graphics file. Any file containing ASCII text or graphics images in IMG, PCX, GEM, or PICT format can be included as a field in a database record. Thus, theoretically, you could have a database of addresses with a field

*continued*

# The UnVT



## The clear alternative to DEC terminals!

If you connect to a DEC VAX, there is a better alternative. The UnVT. KEA Systems' line of DEC terminal emulation products for the IBM PC and successors. Software like ZSTEM 240 with:

- true 132 column support on all adapters
- VT340 color and resolution
- extensive network support

Or for 100% compatibility, the PowerStation. A DEC VT layout keyboard and ZSTEM emulation software. Don't settle for just a terminal. Get The UnVT.

Find out why 65,000 others use the clear alternative.

Call 604-732-7411 or

FAX 604-732-0715 now!




KEA Systems Ltd., 2150 West Broadway, Suite 412, Vancouver, B.C. Canada V6K 4L9 • Order desk 800-663-8702.  
DEC, VT and VT340 are trademarks of Digital Equipment Corporation. PowerStation, and ZSTEM are trademarks of KEA Systems Ltd. IBM and IBM PC are registered trademarks of International Business Machines Corporation.

# ChiWriter

 NOW  
WITH  
MICROSPELL

How are you currently producing your scientific documents? Are you using a "golf ball" style typewriter? A regular word processor, hand lettering the special symbols? Are you fighting against a "what-you-see-is-definitely-not-what-you-get" system with a special command language? Or are you using one of our competitors' expensive and inflexible programs? Find out how ChiWriter can solve your scientific word processing problems.



From an actual ChiWriter screen display

## Powerful Scientific/Multifont Word Processing at a Reasonable Price

ChiWriter is a complete word processor, designed especially for scientific and foreign language text. Its features include: intuitive formula editing commands, automatic pagination, variable headers and footers, footnotes, box draw mode, a notepad window, and an integrated spelling checker.

Best of all, ChiWriter is completely "what-you-see-is-what-you-get." Even complicated formulas can be entered easily because the screen display corresponds exactly to the printout.

ChiWriter runs on an IBM PC with CGA graphics, 2 floppy or 1 hard/1 floppy drive, and an Epson/IBM compatible 9 pin printer. Hi res screen support (Hercules, EGA, VGA, AT&T), 24 pin printer support, and laser printer support (HP LaserJet, DeskJet, PostScript) are available.

"ChiWriter is a nifty product with a price I defy you to beat and performance I defy you to snub... I know of several \$500 programs that will do the job, but for the same money you could buy ChiWriter and a vacation."

Phil Wiswell, PC Magazine

<input type="checkbox"/>	ChiWriter Program	\$99.95
<input type="checkbox"/>	Hi Res Screen Support	\$24.95
<input type="checkbox"/>	24 Pin Printer Support	\$24.95
<input type="checkbox"/>	Laser Printer Support	\$59.95
<input type="checkbox"/>	International Keyboard Support	\$19.95
<input type="checkbox"/>	Chemistry Support	\$49.95
<input type="checkbox"/>	Word Perfect Converter	\$49.95
<input type="checkbox"/>	Conographic Font Set	\$149.95
<input type="checkbox"/>	MergeChi Mail Merge Facility	\$24.95
<input type="checkbox"/>	IndexChi Index Generator	\$59.95
<input type="checkbox"/>	Shipping & handling	\$
	\$5 U.S. & Canada, \$10 Europe, \$15 elsewhere	

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_ Country \_\_\_\_\_

Phone ( ) \_\_\_\_\_

Payment by  Check  Purchase Order  VISA  MC

Card # \_\_\_\_\_ Exp. / \_\_\_\_\_

BY 3/89

Horstmann Software Design Corporation  
140 E. San Carlos St./P.O. Box 5039  
San Jose, CA 95150-5039, USA  
(408) 298-0828  
FAX: (408) 298-6157

horstmann software



that contains a bit-mapped image of the house at each address. Or you could have a database that catalogs a series of reports or text documents.

However, there's a big problem. GEM doesn't support enough memory to display graphics images in Superbase. Specifically, GEM does not support expanded memory—so Superbase 4 can use only 640K bytes. I found that bit-mapped graphics images could not be displayed because of memory limitations (I got an "insufficient memory" message even with a small, 10K-byte image produced with PC Paintbrush).

## Superbase has a complete Query Definition facility for defining and storing complex queries.

Precision Software acknowledged this problem and told me that there is some improvement if you use GEM 3.0. However, this means that you must purchase GEM 3.0 separately, which is hardly a satisfactory solution. The Superbase manual suggests removing GEM desk accessories and disabling your RAM disk to free up more memory for graphics display. These are not satisfactory solutions, either. Presumably, a version of Superbase under Microsoft Windows would support expanded memory and get around the present memory limitations.

The use of external text files works somewhat better. Superbase displays external text files using its own text editor. You can either display the text file in a window on the screen or expand the window to the full screen. You can edit the external file from within Superbase using the text editor. Superbase 4 also lets you search external text files for text strings. However, it will not open the file and display the text string that it found; it simply lists the record containing the external file with the desired text string. You still have to find the string by scrolling through the flagged external file.

Another drawback is that Superbase matches lines to search for text strings; thus, it won't find a text string if it's on multiple lines. If you were storing a large

library of documents, it would be almost impossible to ensure that text strings of interest were always located on one line.

Searches of text files are extremely slow. Searching for a string in a simple four-record database with one text file of about 500 words and another of about 40 words took close to 30 seconds. Text searches would be slow indeed with, say, 500 external files.

One of the more promising features of Superbase 4 is its query facility. While you can perform simple single-file queries using the control button at the bottom of the screen, Superbase 4 also includes a complete Query Definition facility for defining and storing complex queries. The Query Definition facility consists of a menu-driven dialog box in which you enter the desired fields, the filter or query criteria, and the appropriate format parameters for the output of the query. In fact, you can output fairly sophisticated reports using the Query Definition facility. You can specify field groups and, as I mentioned earlier, fields from other databases.

The problem is that the Query Definition facility is poorly documented and difficult to use. Virtually no examples are provided for developing a query using multiple files. I struggled for several hours with a simple query involving two database files and a common last name. There should be a more comprehensive, step-by-step tutorial for the query facility. While it may be powerful, it's not much good if it's too difficult to learn.

Superbase 4 also includes a communications function for dialing other computers using Superbase and exchanging files via the XMODEM protocol. As it stands in the current version, communications must be performed in auto-dial mode, and each machine must be set up to either answer or receive only. Communications commands can also be included in DML programs.

Superbase 4 has the potential to be a powerful and useful database program, but the 640K-byte memory restriction severely limits it. If Precision Software does indeed port the program to Windows and, better still, to Presentation Manager, it will be worth a second look. Still, the documentation and tutorial material should be greatly improved, and the bugs in the program eliminated.

While Superbase 4 has great promise, it's difficult to recommend in its current form. ■

Nick Baran is a BYTE senior technical editor based in San Francisco. He can be reached on BIX as "nickbaran."

Spring 1989

# BYTE

Bonus All-Mac Issue

## Macintosh Special Edition



ResEdit Explained  
Working with TextEdit  
Extending Your Macintosh  
Short Takes

# LabVIEW Instrumentation Software.

## Our Users Tell the Story.

### EDUCATION

University of Southwestern  
Louisiana


"LabVIEW is the best single software entity that has been written to date for any computer for any purpose." Dr. John O'Dell, professor of Mechanical Engineering, uses LabVIEW in his course on computer-controlled systems.



### AUTOMATED TESTING

Sundstrand-Sauer

"With LabVIEW, I have reduced testing time for our control panels from 15 minutes to less than 1 minute." Jay Herman is in charge of testing Sundstrand control panels used on concrete paving machines. A GPIB-controlled power supply tests the power requirements for these machines. Analog and digital lines on the control panel are tested with the NB-MIO-16 board.



### MEDICINE

Sahlgren University Hospital—Sweden

"Without any earlier experience with programming, we were writing our own applications after the LabVIEW 3-day training course." Dr. Anders Ullman uses LabVIEW in clinical pharmacology. Muscle contractions evoked by nerve stimulation or by different drugs are measured via isometric force transducers with a plug-in analog input board. Each channel is monitored on a LabVIEW strip chart.



### PHYSICS

The University of Texas  
at Austin


"We initially set up our system on a MicroVAX. It took 6 months. With LabVIEW and a Macintosh II, we got it working in a couple of weeks." Azucena Overman, graduate student in the Physics Department, researches the chemical properties of surfaces. In her research, LabVIEW controls GPIB instruments and graphs the data collected.



### OPTICS

Newport Corporation


"LabVIEW makes it easy for researchers to create sophisticated optical experiments that anyone can operate." Scott Jordan incorporates LabVIEW with instruments from Newport in applications like this Gaussian laser beam profiler.



### CIVIL ENGINEERING

Stanford University

"LabVIEW is the most flexible data acquisition software I've ever seen—it's also a bit of fun." Dr. Steven Monismith of the Civil Engineering Department uses an experimental pond to research double diffusive systems. LabVIEW and an NB-MIO-16 board measure signals from temperature and conductivity probes in the pond, and control a motor that varies the depth of the probes.



### SEMICONDUCTOR RESEARCH

Raytheon Company

"LabVIEW is the system of choice for data acquisition." John Day uses LabVIEW and GPIB instruments to measure physical properties of GaAs semiconductors. LabVIEW generates graphs of capacitance versus frequency and capacitance versus voltage.

### SIMULATION

Engineering Measurements Company

"LabVIEW saved me several months of development." John Waers simulates digital signal processing algorithms with LabVIEW. The algorithms are burned into EPROMs on intelligent flow meters manufactured by Engineering Measurements Company.

## Now . . . LabVIEW® 2.0

*Faster, more versatile, and even easier to use.*

*Graphical Instrumentation Software  
for Data Acquisition, Analysis, and Presentation.*



12109 Technology Blvd. Austin, Texas 78727-6203  
512.250-9119 800.551-4742 800.IEEE+88 in Texas

National Instruments of Japan 81 (05) 788-1922 • National Instruments of France (1) 08 65 33 70 • National Instruments United Kingdom 44-01 549-3444 • ARGENTINA 541 46 5776-0628 • AUSTRALIA 61 (3) 879-2322 • BELGIUM 02 735 21 35 • CANADA 116/890-2010 613/596-9300 (514) 747-7878 403/295-0822 (604) 988-2195 • CHILE 56 2253689 • DENMARK 45 02-251122 • FINLAND 358 90-372 14 • FRANCE 33 (1) 69077802 • HONG KONG 852 0 262707 852 0 262945 • IRELAND 353 042 72282 • ISRAEL 972 524298 • ITALY 39-29849107-2-3 • KOREA (02) 776-3800 • THE NETHERLANDS 31 070-996360 • NEW ZEALAND 64 09 44-2645 • NORWAY 02 531250 • PORTUGAL 195 15313 • SINGAPORE 65 29 11336 • SOUTH AFRICA 27 (011) 787-0473 • SPAIN 34 (1) 455 81 12 • SWEDEN 46 08 792 11 00 • SWITZERLAND 41 65 52 8949 • TAIWAN THE REPUBLIC OF CHINA 886 (02) 7056280 • THAILAND 66 23 49350 • UNITED KINGDOM 44 273 608 531 • WEST GERMANY 49 89 807081

Circle M20 on Reader Service Card for LabWindows.  
M21 for LabVIEW.

World Radio History

# BYTE

## Macintosh Special Edition



**Editorial: Information (Mis)management** by *Tom Thompson*

2

**Short Takes**

5

**Extending Your Macintosh** by *Paul Mercer and Fred A. Huxham*

9

**Introducing the New Extended Text Edit** by *Michael Ogawa*

21

**Exploring the Mystery** by *Laurence H. Loeb*

39

BYTE (ISSN 0360-5280) is published monthly with an additional issue in October by McGraw-Hill, Inc. Founder: James H. McGraw (1860-1948). Executive, editorial, circulation, and advertising offices: One Phoenix Mill Lane, Peterborough, NH 03458, phone (603) 924-9281. Office hours: Monday through Thursday 8:30 AM-4:30 PM, Friday 8:30 AM-1:00 PM, Eastern Time. Address subscriptions to BYTE Subscriptions, P.O. Box 551, Hightstown, NJ 08520. Postmaster: Send address changes, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, P.O. Box 551, Hightstown, NJ 08520. Second-class postage paid at Peterborough, NH 03458 and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321. Subscriptions are \$22.95 for one year, \$39.95 for two years, and \$55.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$25.95 for one year, \$45.95 for two years, \$64.95 for three years. \$75 for one-year air delivery to Europe, ¥28,800 for one-year air delivery to Japan, ¥14,400 for one-year surface delivery to Japan, \$45 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the U.S. and its possessions, \$3.95 in Canada, \$4.50 in Europe, and \$5 elsewhere. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue. Printed in the United States of America.

Address editorial correspondence to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Unacceptable manuscripts will be returned if accompanied by sufficient postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE.

Copyright © 1989 by McGraw-Hill, Inc. All rights reserved. Trademark registered in the United States Patent and Trademark Office. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 29 Congress St., Salem, MA 01970. Specify ISSN 0360-5280/83, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London WC1R 4EJ, England.



Subscription questions or problems should be addressed to: BYTE Subscriber Service, P.O. Box 551, Hightstown, NJ 08520.

# Information (Mis)management

Because of the wide proliferation of computer viruses, the free exchange of information may be in peril

Welcome to BYTE's third Macintosh Special Edition. One of the main functions of these supplements is to give you not merely good information on the Macintosh family of computers, but information you won't find anywhere else. You'll use any computer more effectively if you know more about it than simply how to turn it on and what application to run. The Mac is no exception.

Even if you don't need to write your own INIT (as Paul Mercer and Fred A. Huxham show us how to do in "Extending Your Macintosh"), you'll be better off *knowing* the meaning of all those icons marching along the bottom of the Mac's screen at boot time.

And as your use of the Mac becomes more sophisticated, the time may come when you do want to write an INIT. That information will be found here in BYTE. Advanced computer users are like that: They want to use their computers in ways that their designers never anticipated. Either way—as solid background information or practical how-to information—the BYTE Macintosh Special Editions fill the bill.

## The Dark Side

For quite some time now, I've watched the outbreaks of various strains of Mac viruses come and go, but I had never encountered one myself. My interest in them was merely as a programming curiosity. However, three things occurred recently that changed my feelings on the matter.

First, an author unwittingly sent us a Mac disk infected with the SCORES virus. Curious or not, we scrupulously check submitted disks for virus infections, so we detected it right away. No Mac system at BYTE was ever infected. However, as you might expect, the author was not thrilled to find out that his computer was.

Second, during the first week of November, a worm worked its way through Internet, bogging down numerous networked Unix systems. This worm was "benign" in that it only made copies of itself and gobbled up processor time. However, if the worm had deleted or mangled data on the systems that it invaded, the damage could have been immense.

This incident disturbs me a great deal, since most of the Macs at BYTE are linked by AppleShare to a single server. As stated earlier, while we exercise caution in using new software that we receive, anyone on the network might slip up and infect the Mac he or she is working on. Under the right conditions, the infection could spread to every Mac on the network. This is not a very pleasant thought.

Third, I have hanging from a nail on my office wall one of the infamous green-banded Mega-ROM CD-ROMs from Quantum Leap Technologies. The notoriety of this particular CD-ROM is that some of the Mac applications on it are infected with an nVIR virus. Unlike an infected hard disk, which you can erase to wipe out an infection, the data on a CD-ROM is permanent.

The infection on this particular CD-ROM is there for all time—or at least until I retire it for use as a Frisbee. The release of an infected CD-ROM was absolutely unintentional on Quantum Leap's part, and the company has since redistributed new, uninfected copies of it. You can be certain that Quantum Leap is unhappy about the incident, both for the notoriety and because of the cost to

make a new master disk and have new copies pressed.

The upshot of all this is that computer viruses are starting to cost us in terms of time to clean systems of infections, to replace corrupted files, or to redistribute software. But it can cost us more than that. Computing in the next decade will rely heavily on our ability to freely access and use vast amounts of information on computer systems across the country or across the globe. We will hurl ideas composed of text and images off satellites to other nations. Their citizens, as they get to know us, will really—and finally—become our neighbors.

But viruses threaten this capability, even as we put it into place. To safeguard ourselves from these viruses, we might have to isolate our networks and hamper the free exchange of information, which is the very soul of the Information Age. This loss is the one that will cost us dearly.


As one who helps spread information about computers in BYTE, I'd really hate to see this happen. But unless we convince every programmer that viruses foul the very environment in which thoughts are freely exchanged and great ideas grow, I don't see any other possible outcome.

Information exchange is important in nonelectronic media, too, of course. For example, we put the information that we think you want in these supplements. Now it's time for information to flow the other way.

Are these supplements meeting your needs? What helps you most? What would you like to see handled differently? Only if you pick up your keyboard and write us—via either conventional mail or BIX mail—can we find out. Only through the exchange of information can we find out if we're serving your interests. We welcome your input.

—Tom Thompson  
Senior Technical Editor  
(BIX name "tom\_thompson")

# Borland's new Turbo Pascal Family makes programming fast and easy



**T**urbo Pascal® code compiles and runs at better than a sizzling 12,000 lines per minute. Its clear, logical design makes it easy to learn and use.

Turbo Pascal is truly compatible with Inside Macintosh, which means that you're on familiar ground—that's why so many Mac users have made it their standard. Best of all, it's only \$99.95!

**NEW!**

**The Turbo Pascal Tutor is just for you!**

A companion to Turbo Pascal, Turbo Pascal Tutor quickly teaches you how to program your Mac in Pascal! This interactive tutorial on disk and 700-page manual really show you how—from the basics to advanced programming on the Mac—in Turbo Pascal, MPW Pascal or any version of the language you're using. Code: MA06

**You get . . .**

- A concise history of Pascal and step-by-step concepts for the beginning programmer.
  - A Programmer's Guide taking you through all the specifics you'll need from Pascal program structure to data types, records and files.
  - An advanced programming section covering linked lists, stacks, sorting and searching algorithms and more.
  - A full guide to using the power of the Macintosh in Pascal, from use of the visual interface to memory management and debugging.
  - Source code on disk you can use in your own programs without paying royalties.
- Only \$69.95!**

**NEW!**  
**Turbo Pascal Numerical Methods Toolbox™**

Numerical analysis at your fingertips! This complete collection of state-of-the-art routines and programs solves all the most common problems in science and engineering. And you're free to include the source code in your own programs. Includes:

- Solutions to equations
- Interpolations
- Matrix operations: inversions, determinants and eigenvalues
- Differential equations
- Least squares approximations
- Fourier transforms

**Only \$99.95!**

**NEW!**

**Turbo Pascal Database Toolbox®**

Provides you with the search and sort routines you need for your Pascal database applications.

- Turbo Access locates, inserts or deletes records using B+ trees, and does it fast.
  - Turbo Sort uses the Quick-sort method to sort data on single items or multiple keys.
  - You get source code on disk and a free sample database using the Mac interface that you can tailor to your specific needs.
- Only \$99.95!**

**“ Turbo Pascal is fast: 12,000 lines of good, compiled Pascal code in 60 seconds.**

**Howard Katz, MACUSER ”**

All products require a Macintosh with at least 512K.

All Borland products are trademarks or registered trademarks of Borland International, Inc. or Borland/Analytica, Inc. Other brand and product names are trademarks or registered trademarks of their respective holders. Copyright ©1987 Borland International BI-1127C

**For the dealer nearest you,  
or to order by phone  
CALL (408) 438-5300**

**Circle M19 on Reader Service Card**  
World Radio History

**BORLAND**



# PSpice

## Mixed-Mode Circuit Simulation Now Available on Macintosh II

PSpice, the largest selling SPICE program in the world, now brings the benefits of its enhanced, fully supported, electronic circuit simulator to you on the Macintosh II.

The new PSpice Digital Simulator option allows full mixed-mode simulation. Circuits containing both analog and digital components can be simulated. There are no performance compromises—digital components are processed at logic simulation speeds and analog waveforms are calculated with PSpice's usual precision.

The Probe, Parts, Monte Carlo and Worst Case analyses, along with Analog Behavioral Modeling and the Digital Files interface options for PSpice are also available on the Macintosh II.

Probe and Parts support both the color and monochrome graphics displays. Probe

makes use of Apple's graphical interface, and so supports all displays and hard-copy devices for which Apple provides drivers. This includes the ImageWriter and LaserWriter. The same comments apply to Parts.

Every copy of PSpice includes a model library of 2,200 analog and 650 digital devices and a detailed reference manual.

PSpice comes with our extensive product support. Our technical staff has over 50 years of experience in CAD/CAE and our software is supported by the engineers who wrote it. With PSpice, expert assistance is only a phone call away.

For our free information packet, including a PSpice demo diskette for the Mac, call us at (714) 770-3022 or toll free (800) 826-8603. Find out for yourself why PSpice has become the standard for circuit simulation.



## MicroSim Corporation

20 Fairbanks, Irvine, CA 92718 U.S.A. • (714) 770-3022 (800) 826-8603 • Telex 265154 SPICE UR

PSpice is a registered trademark of MicroSim Corporation. All other brands and product names are trademarks or registered trademarks of their respective holders.

# SHORT TAKES

BYTE editors' hands-on views of new products

Studio/8

Just Enough Pascal

## Studio/8: The Best Paint Yet

If Studio/8 put on even one more ounce of features, it would bust the bristles of the Macintosh. This color paint program from Electronic Arts is stuffed with more tools and capabilities than most people will know what to do with, including artists. It comes on five disks, and, like SuperPaint, it has all the things you'd expect in a great Mac paint program, plus things from slick programs like PixelPaint and Photon Paint.

But it also has some of the tools for drawing straight lines and smooth curves that made FreeHand and Illustrator famous. With so much to work and play with, it's an addictive program. The good news is that it's an expensive addiction, so if you can't afford color hardware and lots of memory, you're safe.

I had the luxury of using Studio/8 on a Mac II with a video card supporting the full 256 colors. It's in 256-color mode that Studio/8 really shines. It's where you can use its advanced paint techniques, like blending and smearing colors, mixing colors, painting with patterns (either the ones in the Toolkit or ones that you have done), and working with pseudowatercolors. There's also a color-sampling tool (it looks like an eyedropper) that essentially picks up a color from the canvas and puts it on the brush or in the airbrush—very helpful if you have to match a custom color. A masking feature lets you cover



### THE FACTS

**Studio/8**  
\$495

**Requirements:**

Mac II with at least 1 megabyte of RAM (2 megabytes strongly recommended) and a hard disk drive with at least 6 megabytes open for

Studio/8; for color painting, video board with 16- or 256-color support; System 5.1 or higher.

Electronic Arts  
1820 Gateway Dr.  
San Mateo, CA 94404  
(415) 571-7171  
**Inquiry M225.**

up any sections of a drawing you want shielded, just like masking up the chrome before spray-painting a car.

One of the program's fanciest provisions lets you easily make a paintbrush out of pretty much any pattern or drawing; you draw it, and then the brush loads up with it. This is really handy for doing complex but finely detailed background patterns. But even on a Mac with 2 megabytes of RAM, I couldn't always pull this off. When I tried to load some of the package's predone backgrounds to use them as brushes, I got "insufficient memory" messages.

Besides a complete set of painting and drawing tools, Studio/8 has a feature called Gallery, which lets you set up a virtual slide show of images. You can establish the sequence of pictures to appear on the screen and go from one picture

to the next using things like dissolves and disassembling checkerboards. For some folks, this is total overkill, but if you're in a situation where you have to make presentations, this is a good alternative to buying another package specifically for that purpose.

The program can open images stored in the following formats: PICT, Tag Image File Format, and MacPaint; you can bring in Encapsulated PostScript files from Illustrator using the Clipboard. For output, you can send documents to a LaserWriter, a Tektronix Model 4693D printer, or a Mirus film printer. I checked only the laser-printer output, and after working with the glorious colors on the screen, the lasered images were downright depressing.

As a box of artist's tools, this is one of the best collections available. You can use it

to draw anything from clean schematics to soft illustrations to wildly patterned designs. It's straightforward, but for the more advanced functions, you'll have to consult the manual, which is 300 pages long and looks like a high school geometry textbook.

This is the most versatile paint package I've used. Just listing what it can do would take lots of room. A program this meaty is for people who want a do-just-about-everything color paint/draw program and who also have ample memory—someone with a corporate art director's budget.

The bad side of Studio/8 is its capacious memory needs. I often couldn't save files, getting instead an "error: volume full" message. I had no trouble with simple images of only a few colors, though.

Besides lots of memory, the one other essential component for using Studio/8 is restraint. The temptation is to pig out and use everything in the Toolkit at least once. It's easy to be dazzled by all the tools and tricks and end up with screens that are the artistic equivalent of Las Vegas.

—D. Barker

## Pascal on the Mac

Just Enough Pascal from Symantec's Think Technologies Division is an add-on module for the language that gets the novice user comfortable with working within the Lightspeed environment by building a game application called GridWalker.

A special desk accessory functions as a tutorial for all the program's operations. There are 20 segments in the

*continued*

## LPA's *flex*-pert system

*flex* combines frames, objects and rules within a logic programming framework and includes:

- \* *'if-then' production rules*
- \* *forward & backward chaining*
- \* *frame, objects & slots*
- \* *demons, procedures & watchdogs*

**LPA MacPROLOG** is a multi-window compiler system for the Macintosh and includes:

- \* *a fast incremental compiler*
- \* *a declarative graphics systems*
- \* *a powerful optimising compiler*
- \* *flexible interfaces to C, Pascal*

Send for your demo disc for Mac or P/C, now!

LPA, Studio 4, RVPB  
Trinity Road, London  
SW18 3SX, UK  
Tel: +44 1 871 2016  
Fax: +44 1 874 0449

PLS,  
31 Crescent Drive,  
Milford, CT 06460,  
USA  
Tel: 800 AILOGIC

## Subscription Problems?



### We want to help!

*If you have a problem with your BYTE subscription, write us with the details. We'll do our best to set it right. But we must have the name, address, and zip of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible.*

**BYTE**

Subscriber Service  
P.O. Box 555  
Hightstown, NJ 08520



assembly of GridWalker, and the desk accessory has different buttons for explanation, assembly, and tinkering. The advantages of handling a tutorial like this aren't totally obvious until it is used inside Lightspeed Pascal.

This desk accessory adds yet another window to the multiwindow Lightspeed Pascal environment that you can refer to at any time. Your attention remains on the screen, instead of having to manipulate a book. We found it novel and convenient to do things this way, especially since the Just Enough Pascal desk accessory is a small hypertext system. You can click on highlighted words, and the program jumps to relevant discussion of the word inside the message box. The user interface is well thought out.

Just Enough Pascal's approach to teaching is that you learn by doing. In the assembly section, the actual construction of the game occurs. You select text from the message box (a special mode allows complete selection of the relevant text in its entirety without requiring you to scroll) and paste it into the main program listing. No direct typing is necessary. The steps are clearly laid out and logical in progression. After you've assembled one part, the tinkering section gives instructive ways to change things within the program (while telling you how not to mess it up for the next section to build on), so that the important points of the construction are understood.

The tinkering area is probably the best innovation in this type of learning system. It lets

the student self-test his or her understanding of learned concepts by extending them into areas where answers are not given by the program. The student is required to think, not simply to memorize, encouraging the type of thinking that a programmer is required to do in real life when solving programming problems. Of course, Just Enough Pascal also manages to teach the Pascal syntax that is necessary to use the language.

Definitions abound, and they are used by succeeding parts of the lesson in their normal context. This forces the student to master the definition or the assembly becomes problematic.

What happens if you make a mechanical error of some sort—say, failing to paste the correct text into the right place? A troubleshooting button offers helpful suggestions as to where things might go wrong. However, the correct program list (and unit changes) is provided for each step. Even if you terminally munge something, you can continue the lesson using the preceding building blocks that you know to be correct. This kind of error recovery shows the attention to detail that Just Enough Pascal has.

Just Enough Pascal is a learning experience that does not condescend to the novice, but teaches the language in a straightforward manner, using a tool (the desk accessory) that is well suited to the job. Whether you are new to the language or just want to brush up on it, this is a great learning tool.

—Anne Lent and  
Laurence H. Loeb

## THE FACTS

**Just Enough Pascal**  
\$75

**Requirements:**  
Mac Plus, SE, or II with  
1 megabyte of RAM,  
Lightspeed Pascal 2.0,  
and System 5.0 or higher.

Think Technologies  
Division  
135 South Rd.  
Bedford, MA 01730  
(617) 275-4800.  
**Inquiry M226.**

NO MEMBERSHIP FEES

NO MEMBERSHIP FEES

IBM PC's and Compatibles

THE BEST of BOTH WORLDS

MACINTOSH

\$275 Per Disk Ten or More \$325 Per Disk Less than Ten

\$5 Per Disk 15 or more \$6 Per Disk 5-14 \$7 Per Disk Less Than Five

TOP 40 IBM COLLECTION

Software Excitement!

TOP 40 MAC COLLECTION

BUSINESS/ACCOUNTING/FINANCE

- Home Budget Manager (1103) - Helps you design and stick to a budget
E-Z Forms Executive (1160) - Makes it easy to generate any type of business form
Express Check (1105) - A fantastic checkbook program with reconciliation features
PC-Calc+ (1130-1132) - One of the most powerful and complete spreadsheet packages available...

DATABASE

- MailMaster (1207) - Complete, full-featured mail list manager and label printer
PC-File+ (1213-1215) - A powerful DBase III-compatible Database

EDUCATION

- Facts (1525) - Teaches kids the states, presidents, capitals, etc.
Typing Tutor (1550) - Improve your typing skills with this friendly teacher!
Computer Tutor (1562) - If you are a new user or computer novice, THIS IS WHAT YOU NEED! Learn in a fun, pressure free environment...

UTILITIES/APPLICATIONS

- MasterKeys (1300) - Like the popular Norton disk file utilities, only better!
Desk Mates (1375) - A disk full of Sidekick-like desk accessories
HDMenu III (1379) - Puts all the programs on your hard disk on an auto booting, one-touch menu!

So easy to Use

- No Computer Experience Necessary
FREE Phone Support
Instructions for each Order
The BEST User Supported Software

So Easy to Order

- No Membership Fees
FREE 800-# for Orders
FREE Shipping for IBM orders of 5+
FREE Shipping on MAC orders
UPS 2nd Day Air Service when you need it Now!
FREE Catalog
Your Satisfaction Guaranteed

IBM >>> <<< MACINTOSH

BUSINESS

- Banner Maker (1801) - Make banners of various sizes and styles with this disk.
PianoMan (1902) - Record, edit, and then play back your favorite tunes.
Payroll (2004) - Excellent payroll manager.
Finance I (2006) - Analyzes loans, mortgages, and investments...

EDUCATION

- Science (2100) - Teaches biology, physics, and general science topics (junior high to adult)
Stars (2102) - Great star charting-astronomy programs
Math Tutor (2104) - Several fun math quiz games
Geography (2106) - Both a quiz and study program for learning states, capitals and U.S. regional information...

UTILITIES

- Disk Utilities (2202) - Disk and file recovery tools that everyone should have-just in case!
Vaccine (2204) - Several programs that will check for, eliminate, and protect against computer viruses
MACKERMIT (2208) - The KERMIT modem protocol for MAC

CREATIVITY

- Music I (2300) - Many music learning and creation tools
MacInTalk (2302) - Allows your MAC to speak
Guitar (2304) - A keyboard electric guitar simulator
Songs (2306) - Over twenty musical selections with player utility...

MISCELLANEOUS APPLICATIONS

- Genealogy (2500) - "MACRoots," an excellent family tree program
Self Improvement (2502) - Includes "Diet Helper," a program that helps you with your diet and tracks your progress

GAMES

- Football (2700) - Be a computer-desk quarterback
Billiards (2701) - Fantastic graphics and extreme realism. Plays several different billiard and pool games
Backjack (2702) - Includes great backjack and poker games
Space Invaders (2704) - Defend against the aliens in three great space games...

Note: CGA=Requires Color Graphics Adapter

Order Today - Call Toll Free 1-800-444-5457

Only the BEST Software for IBM PC's and Compatibles for information/technical support: 503-664-1364

IBM Disks Ordered x \$
If you require 3 1/2" disk format, add \$1.00 per disk
SHIPPING \$2 U.S. (FREE if you Order 5+)
\$4 Foreign
COD (add \$4 if you require COD)
U.P.S. 2nd Day or Priority Air (Add \$3)
TOTAL \$
Check/MO Visa/MC COD

Name
Address
City State Zip
Phone ( )
Visa/MC
Exp Date
Sig
Send Catalog

MAC Disks Ordered x \$
SHIPPING Free to U.S. \$4 Foreign
COD (add \$4 if you require COD)
U.P.S. 2nd Day or Priority Air (Add \$3)
TOTAL \$
Check/MO Visa/MC COD
System: 128K 512K Plus
SE MacII
Drive: 400K 800K

Only the BEST Software for Macintosh Systems for information/technical support: 503-664-5953




Software Excitement!

P.O. Box 3097 • Central Point, OR 97502



# Enter The New Age of Electronic CAD



The wait is over for a powerful, easy to use electronic design workstation.

With the new Douglas CAD/CAM Professional System, you can now experience computer-aided design without going over budget and without sitting through months of tedious training. Running on the Apple Macintosh Plus, SE and II, the Professional System from Douglas Electronics excels in price/performance, short learning curves and ease of use.

As the newest addition to the Douglas CAD/CAM line of printed circuit board design and manufacturing systems, the Professional System is a fully integrated engineering tool that will take you from the schematic drawing to the final routed board. The software features full color, unlimited multi-

layers and .001" control which makes surface mount technology (SMT) and other difficult tasks a snap. Professional Layout includes a parts placement facility. Schematic includes fully interactive digital simulation and net list generation. A flexible, multi-pass router completes the design cycle with a 16 layer routing capability.

The new age of electronic CAD has come with the high resolution and speed of a Macintosh engineering workstation. You'll be designing your first circuit board just minutes after the Professional System software has been loaded into your computer. In addition, the Macintosh's graphics capa-

bilities allow for powerful features such as the ability to transfer Professional System drawings into final engineering documentation.

Computer-aided design wasn't meant to be time consuming and complicated. If your present CAD system has got the best of you, it may be time you enter the new age of electronic CAD with the powerful, easy to use Douglas CAD/CAM Professional System.

Take your first step by ordering a full-feature Demo. All three programs are included for just \$25.

Call or write for more information and to place your order.

Circle 15 on Reader Service Card

# Extending Your Macintosh

Paul Mercer and Fred A. Huxham

With the latest System software, the Macintosh Plus has most of the software features of the Mac SE, such as the Script, Sound Managers, and hierarchical menus. It has these additional capabilities even though it was introduced in 1986 (more than a year before the Mac SE), with a completely different set of ROMs. New features like these are added to a Mac's repertoire when you drag a new version of the System software to the start-up volume.

How does the Mac System software accomplish this? It quietly patches the Macintosh Toolbox at start-up using special resources that are called INITs and PTCHes. An INIT is a small block of executable 68000 code with a single entry point at offset 0 that is used to initialize parts of the Mac operating system at boot time. INITs normally install resources like device drivers, and the PTCHes, which are similar to INITs, patch out known bugs in the Mac Toolbox. Other INITs modify or extend the behavior of the system. We'll focus on the latter function, and we'll give you guidelines about when to use an INIT and some sample code to help you write one.

In the original System software design, all INITs resided in the System File. When the Macintosh was started up, ROM boot code loaded the system INITs and executed them. But as Mac software became more sophisticated, third-party developers wanted to customize system behavior in other directions and wrote their own INITs. But this probably caused more problems than it solved, for two reasons. First, the number of INITs that could be installed was limited to 36, since the ROM boot code executed only those INITs numbered 0 through 35 in the System File. Second, there was no standard way to install INITs into the System File, so most third-party vendors wrote their own installer programs. Alas, many of these applications were quite limited, and some even had bugs that could corrupt the System

## *Some helpful rules for programming start-up routines on the Macintosh*



File, rendering it useless.

Faced with these predicaments, Apple introduced the INIT 31 mechanism in January 1986. It's documented in detail in *Inside Macintosh* Volume IV.

### **The INIT 31 Mechanism**

INIT 31 is a simple solution to the above problems. It makes dealing with INITs much simpler for both users and developers. First, no more installer programs are required. To install an INIT, you simply place it in the start-up volume's System Folder and reboot. To remove an INIT, you drag its icon from the System Folder.

One of the last system INITs to run, INIT 31 searches the System Folder, looking for certain files that contain other INIT resources, and executes each of them as if it were within the System File. The limit of 36 INITs is also gone.

INIT 31 is a System INIT, an INIT resource that resides in the System File. When the Mac boots, all the INIT resources in the System File are executed. When INIT 31 is executed, it does the following:

- Searches for files of type INIT, cdev, or RDEV within the boot volume's System Folder.
- Opens the resource fork of each file of the specified type.
- Checks to see if the file has a sysz resource ID = 0. The first long word of the sysz resource specifies the size of a contiguous block of memory that must be available in the system heap for this particular INIT to run. If this space isn't available, INIT 31 tries to resize the system heap to accommodate the sysz request. If a sysz 0 resource isn't included in the file, INIT 31 assumes a 16K-byte default space. A sysz resource doesn't assure that your INIT will get the memory requested. An INIT must still check for errors when allocating memory.
- Checks the file for INIT resources.

*continued*




Figure 1: Macintosh RAM at system start-up.

Each INIT resource is loaded via a GetIndResource call, and MC68000 registers A0 through A6 and D0 through D7 are saved. A handle to the currently running INIT is placed in register A0. The running INIT can use this handle to call, for example, SetHandleSize or DetachResource on itself. INIT 31 does not actually lock down the INIT resource, so it must have its locked bit set.

After executing the last INIT resource of a particular file, the resource fork of the file is closed, and INIT 31 continues its file search.

**Some Guidelines**

Since INITs are run very early in the start-up process, it is important that you adhere to the Macintosh rules of defensive programming. It is completely unacceptable for an INIT to crash at boot time. It is just as unacceptable to not have an "abort" option in the beginning of the INIT, which, if invoked, causes it to simply exit. This is necessary because, despite your best efforts, an INIT can break or cause a system crash because of future System changes or through inter-

action with another INIT. Over time, most INIT developers have adopted a casual standard: Holding down the mouse button or the Shift key will abort an INIT's execution. Listing 1, UserTestInstall from the ScrapSaver source, shows one way to detect this condition.

It's generally a bad idea to require user interaction at INIT time. Since the only Toolbox manager initialized at INIT 31 time is QuickDraw, it is difficult to prompt the user for any input. Although you can initialize other Toolbox managers from the INIT itself, Apple designed the INIT 31 mechanism for installing device drivers and system patches. The user should not have to pay attention to the computer at boot time; filling in dialogues or answering questions in order to get the computer to run is not desirable. The UserTestInstall function does not completely violate this principle of no user interaction, since the standard behavior (i.e., your Macintosh boots and the INIT installs) requires no user input.

As a rule, it's also a bad idea to design anything major, in terms of size or execution time, as an INIT. If you have an

# Exceptional color.



It's plain to see. In any application, on any type of paper, Pixelmaster™ printers from Howtek combine blazing, high-resolution color images with crisp text and bold graphics.

PostScript® language, QuickDraw™ and Microsoft® Windows compatible—supporting 24-bit

color and scalable fonts—Pixelmaster allows you to fully utilize software applications on both PC and Mac II platforms.

Whatever the output, Pixelmaster brings printed documents to life. Thanks to our unique Thermo-Jet™ process, special piezo-crystal jets quietly



propel thousands of drops of Howtek's easy-to-handle solid ink with pin-point accuracy.

Through this process, Pixelmaster combines four colors—cyan, magenta, yellow and black—to produce over 256,000 brilliant shades in a single pass. As for paper,



Switzerland: (41) 1-825-0949

Italy: (39) 2-612-8131

INIT that is larger than a few K bytes or requires more than a second or two to run, there's probably a better way to do what you want done. Think hard about your goals and see if you can do the same job by turning your INIT into an application. This approach makes even more sense now that MultiFinder is available.

**Allocating Permanent Memory**

When you're implementing an INIT that patches a system trap or installs a driver, you must allocate memory permanently. There are two main ways to do this. Figure 1 illustrates a simplified Macintosh memory map at initialization time.

The system heap is the best place for static memory allocation, since it is initialized only once at boot time. Before INIT 31, a number of obstacles stood in the path of increasing the system heap if your memory requirements were too great. At that time, most machines had only 512K bytes of RAM, and permanently reserving big blocks of memory hindered the functionality of the computer. Increasing the system heap even caused a number of popular applications to break due to their incorrect assump-

tions about the system memory layout.

Back in the early days of Macintosh programming, it was common practice for programmers to get their static memory by lowering the low-memory system global BufPtr. This global holds the default stack pointer value that the Macintosh System Segment Loader uses to launch applications. Initially, this global points close to the top of available RAM. Programmers lowered BufPtr by the number of bytes they required, and then they used the memory that was between the old and the new BufPtr as their permanent memory. Using this memory would appear to actually wipe out the stack used by the current INIT. To avoid this fatal situation, the stack is actually allocated much lower in memory at INIT time.

Lowering BufPtr, however, has its limitations. The most notable is that since subsequent INITs (and potentially, applications) might likewise lower BufPtr to get memory, it is impossible to free any of the previously allocated memory and return it to the heap for use by the system. An easy target for abuse here is the Macintosh file system cache.

Despite the fact that you can use the Control Panel desk accessory to adjust the memory allocated for caching, unless the cache INIT was the last program to lower BufPtr (it usually is last, since it is numbered 35), it cannot increase or shrink the cache memory until the machine is restarted. Changing the cache to use system heap memory would be an improvement for many users.


**Using INIT 31 with ScrapSaver**

Macintosh users know the Clipboard as the place where objects are placed for subsequent pasting after a cut or copy command. This simple yet effective mechanism is the vehicle by which users interchange data between applications. The Clipboard (or "desk scrap" in *Inside Macintosh* terminology) is not maintained across reboots of the machine. ScrapSaver is an INIT that remedies the loss of desk scraps by writing the scrap file to disk. A breakdown of ScrapSaver looks like this:

- At boot-up, see if ScrapSaver is to be loaded. This includes checking the

*continued*

# Plain paper.



anything goes with Pixelmaster. From copier paper to quality bond, you get quick, reliable output that's superior in every way to other printers. All at an average of ten cents per finished page.

Only Pixelmaster brings you to new heights of technology. From software compatibility and outstanding color, to reliable performance and economical results. Pixelmaster has it all. For more



information on our complete line of color printers, color scanners and other color peripherals, call (603) 882-5200 today. And get the quality of your hard-copy output soaring.

**Howtek**

603-882-5200



United Kingdom: (44) 1-991-0121    France: (33)1-3-952-6253    West Germany: (49) 89-612-0010    Other Int'l.: 1-(617)-229-6900

Pixelmaster and Thermo-Jet are trademarks of Howtek, Inc. Other brand or product names are trademarks or registered trademarks of their respective holders.

mouse button and Shift key, as well as the System version (4.0 or higher).

- Install a ShutDown procedure for writing the scrap file to disk.
- Determine the name of the scrap file

**T**he  
*ScrapSaver INIT*  
remedies the loss of desk  
scraps by writing the  
scrap file to disk.

by reading it from the boot blocks.

- Read the scrap file header to determine the current scrap size and data type, and store this information in the appropriate low-memory globals to initialize the scrap.
- Draw an appropriate icon on the desk-

top. The icon reflects the type of object in the scrap file.

**Shutdown Procedures**

As described above, ScrapSaver makes use of the Macintosh Shutdown Manager, which is documented in *Inside Macintosh* Volume V. It gives developers a formal interface for restarting or shutting down the Mac, as well as routines to install and remove procedures that will be called at shutdown and restart time. When a ShutDown procedure is installed, the programmer must specify when in the shutdown process it is to be called. There are five different possibilities:

- sdOnPowerOff calls procedure before power-off.
- sdOnRestart calls procedure before restart.
- sdOnUnmount calls procedure before unmounting the start-up volume.
- sdOnDrivers calls procedure before closing drivers.
- sdRestartOrPower calls procedure before either power off or restart.

Since a Toolbox trap—Unload-

Scrap—already exists for flushing the scrap file to disk, ScrapSaver simply has to install a ShutDown procedure to call it. Installing a ShutDown procedure involves allocating a nonrelocatable memory block in the system heap to hold the code. The block is allocated in the system heap, since it needs to be around when the Shutdown Manager calls it. The ShutDown procedure is then moved into this block with the BlockMove trap. The Shutdown Manager trap SDInstall is called to place a pointer to this code into the shutdown task queue. We pass sdOnUnmount as one of the arguments to SDInstall, since we want the scrap file flushed before volumes are unmounted whenever the machine is shut down or restarted. Listing 2 shows the code from ScrapSaver to install this procedure.

**The INIT Code**

It is a straightforward task to write an INIT that reads in the Clipboard file and fills in the necessary low-memory globals needed to get the system to recognize the scrap. Table 1 lists the Scrap Manager low-memory globals.

*continued*



**Make the Most of Your Mac**

With Detailed, In-Depth Information from  
**Scott, Foresman and Company**

**Making Art on the Macintosh II**  
*Michael Gosney and Linnea Dayton*

Transform your Mac into an artist's brush and canvas in the click of a mouse! Loaded with insider tips, secrets and shortcuts, this entertaining and highly informative book will help you create the art you want using the Mac II's amazing electronic art and design capabilities.  
Softbound, 320 pages, \$22.95 ISBN 38159-5

**PageMaker: Desktop Publishing on the Macintosh**  
*Kevin Strehlo*

Make the most of Aldus' PageMaker 3.0 software and your Mac. This illustrated book includes a comprehensive overview of PageMaker tools, image scanning and bit-map graphics, plus design tips that will help you bridge the gap between computing and publishing.  
Softbound, 320 pages, \$21.95 ISBN 18764-0

**The Macintosh II Reference Guide**  
*Mark D. Veljkov*


Developed for new and prospective Mac II owners, this current and comprehensive guide will help you unleash the mighty Mac's potential with authoritative advice on choosing and using hardware and software add-ons, upgrading and enhancing your system, and much more.  
Softbound, 352 pages, \$21.95 ISBN 38227-3

**4th Dimension: A Complete Guide to Database Development**  
*Tim Knight*

Perfect for beginning and intermediate level developers, this book shows you how to design a database and write customized applications that take full advantage of the graphics, networking and color of 4th Dimension, Acius' powerful relational database for the Macintosh.  
Softbound, 480 pages, \$21.95 ISBN 38172-2

Available wherever computer books are sold or call 1-800-PUB-BOOK to order.

**The Leader in Computer Books**



**Scott Foresman and Company**  
**Professional Books Group**  
1900 East Lake Avenue  
Glenview, Illinois 60025  
312-729-3000

## EXTENDING YOUR MACINTOSH

**Listing 1:** UserTestInstall, from the ScrapSaver source, is code that detects when the Shift key or mouse button is down to abort the execution of the INIT.

```

;-----
;   UserTestInstall tests the mouse button and
;   Shift key states and will return NE
;   if either is down
;-----
UserTestInstall:
    moveq.l #-1,d7      ; d7 is the Boolean result
    clr.b  -(sp)        ; Boolean result for _Button
    _Button
    move.b (sp)+,d0     ; get and test result
    bne.s  UserNoInstall
    pea   myKeys(a6)    ; my copy of the key map
    _GetKeys
    btst   #shiftBit,shiftByte+myKeys(a6)
                ; check the Shift key
    bne.s  UserNoInstall
    moveq.l #0,d7      ; everything is wonderful
UserNoInstall:
    tst.w  d7           ; set the condition codes and
    rts                ; return

```

**Listing 2:** The code that defines the custom ShutDown procedure and the code to install it. Note: The assembly language macro for UnloadScrap is actually spelled UnloadScrap.

```

;-----
;   This ShutDown procedure simply flushes
;   the scrap file to disk
;-----
MyShutDownProc:
    clr.l  -(sp)        ; function result
    _UnloadScrap        ; write the scrap to disk
    addq.l #4, sp      ; ignore result
    rts
MyProcEnd:
;-----
;   Copy the ShutDown proc to the system
;   heap and install it into the ShutDown task queue
;-----
InstallShutDownProc:
    moveq.l #-1,d7      ; error is initial function result
    move.l  #MyProcEnd-MyShutDownProc, d0
                ; get length of ShutDown code
    _NewPtr sys        ; make space in system heap, result in a0
    bne.s  NoShutDown ; error!

    move.l  a0,a1      ; put in a1 for _BlockMove
    lea    #MyShutDownProc, a0 ; source
    move.l  #MyProcEnd-MyShutDownProc, d0
                ; length again
    _BlockMove        ; copy the code
    move.l  a1,-(sp)   ; the ShutDown procedure pointer
    move.w  #sdOnUnmount, -(sp) ; call this procedure at ShutDown time
    _SDInstall        ; unmounting disks
    moveq.l #0, d7     ; no error
NoShutDown:
    tst.w  d7         ; error
    rts

```

# MACINTOSH PROGRAMMING TOOLS

FROM

## Invention SOFTWARE

New Version 3.5

### PROFESSIONAL PROGRAMMER'S EXTENDER™

Over 200 powerful routines to help create  
full-featured applications quickly

- Complete multifinder support
- Full 100% source code version
- Full Mac II color support
- Fully customizable user interface
- Event handling, windows, menus, text editing, alerts
- Modelless and modal dialogs
- User hooks & exceptions handling routines for flexibility and ease of event handling
- Lists including scrolling lists of text, icons & patterns
- Spreadsheet lists
- Printing routines for full-featured text & graphics including multi-page text printing
- Input/output of text files, generic data files, MacPaint™, MacDraw™ & PICT™ format files
- Bitmap handling including off-screen bitmaps
- Conversion between PICT™ and bitmap
- Marquee to select & copy screen images
- Easy string manipulation in dialogs
- Pop-up menus, tilting and stacking windows
- 500 pages of tutorial style documentation including 150+ pages of fully-commented source code + disks


All provided in one convenient  
New Version 3.0 3-ring binder!

New Version 3.0

### EXTENDER GRAFFAK™

Routines for creating professional quality  
graphs in your applications

- Full color plots
- Variety line plots: scatter, bar, column, log-log, semi-log, dB & polar plots
- Titles & labels in any font, size, style
- Tick marks: regular or scientific notation, major & minor
- Pre-defined plotting symbols in any format: opaque or transparent
- Multiple curves on one picture
- Plotting with error bars
- Multiple grid patterns
- Patterns can be placed under curves



Extenders™ available for  
LSP™, TML™, LSC™, MPW™  
MacPaint, MacDraw and PICT are trademarks  
of Apple Computer

INVENTION SOFTWARE CORP.  
(313) 996-8108

At INIT 31 time, all these variables are uninitialized. In addition to these variables, we must understand the format of the scrap file (see figure 2).

To install a valid scrap object, the INIT needs to do the following:

- Store the name of the scrap file into the low-memory Scrap Manager global ScrapTag.
- Store the address of ScrapTag (970 hexadecimal) into the ScrapName variable.
- Read the data-size field of the scrap file and store it into the ScrapSize variable. We need to increase the size of this field to account for the size of the data-type and data-size header fields. The definition of ScrapSize includes them.
- Initialize the ScrapHandle variable to Nil, since we don't really read the scrap into memory.
- Initialize the ScrapCount variable to zero.
- Initialize the ScrapState variable to zero.

Performing the above steps is all that's required to initialize the Scrap Manager. When an application later needs to access the scrap, the scrap file contents will be

read into memory. See listing 3 for the complete ScrapSaver assembly language code. Listing 4 contains the INIT resource information in Rez format. Listing 5 is the MPW make file.

The Start Manager chapter of *Inside Macintosh* Volume V states that the name of the scrap file is stored in the boot blocks of a Macintosh volume. Reading this requires the use of the Device Manager instead of the File Manager, since the boot blocks are not part of any file. They are actually logical blocks 0 and 1 (each block is 512 bytes, so the boot blocks are 1K byte in size) of every Macintosh volume that has a System Folder.

In addition to specifying the scrap filename, the boot blocks are used to store a number of other system parameters, including additional System File names and the size of the event queue. Page 351 of *Inside Macintosh* Volume V contains a chart of the boot block contents. You should note that using this very implementation-specific information unnecessarily will needlessly jeopardize your program's ability to remain compatible in future implementations of the Macintosh operating system. Even though all these low-memory system globals are listed in the SysEqu.a file

distributed with Apple's MPW development system, the careful programmer will always be wary of direct accesses (writing in particular) to system globals. Generally, if a functional interface is provided to accomplish something, use it. But since there's no other way to achieve ScrapSaver functionality without writing to low memory, we have to run the risk of future incompatibility.

### Hello, World


ScrapSaver's use of the Shutdown Manager contains an important lesson for all Macintosh programmers. The Shutdown Manager is available on all Macintosh computers using System 4.0 and higher. If you called a Shutdown Manager function without ascertaining the presence of System 4.0 or higher, you'd be greeted by system error ID = 12, unimplemented trap error. Fortunately, it's easy to check the System version with the use of the SysEnviron function.

SysEnviron wasn't available until System 4.1, so for our purposes, we'll check for a System 4.1 or higher. Once again, this seems like a catch-22 situation; however, the library code for SysEnviron handles pre-System 4.1 situa-

*continued*

**Table 1: Scrap Manager low-memory globals.**

Name	Location (in hex.)	Purpose	Space allocated
ScrapSize	960	Scrap length	Long
ScrapHandle	964	Memory scrap	Handle
ScrapCount	968	Validation byte	Word
ScrapState	96A	Scrap state	Word
ScrapName	96C	Pointer to scrap name	Pointer
ScrapTag	970	Scrap filename	STRING[15]



**Figure 2: The format of the scrap file.**

**Listing 3: The complete MPW assembly language source code for the ScrapSaver INIT.**

```

; ScrapSaver is an INIT that reads the desk scrap at boot time.
; It also installs a ShutDown procedure to flush the scrap file to
; disk at Restart or ShutDown time.
;
; Version 2.01    Changed SetScrapGlobals to skip scrap size adjust if size is 0
;
; Copyright 1987, 1988 Paul Mercer.
;
; Thanks to Darin Adler for many helpful comments and suggestions.
;
-----
INCLUDE    'SysEqu.a'      ; get Macintosh system symbols
INCLUDE    'Traps.a'      ; get Macintosh system trap macros
INCLUDE    'ShutDownEqu.a' ; get Shutdown Manager symbols
    
```

## EXTENDING YOUR MACINTOSH

```

; symbols relating to boot blocks
BBSize      equ      1024      ; size of boot blocks
BBScrapName equ      $6A      ; offset from start of boot blocks to scrap name
ScrapNameSize equ     16      ; size of scrap filename (Pascal STR[15])

; system symbols
sysNeeded   equ      $0410    ; ShutDown Manager is only in System 4.1 and up
shiftByte   equ      7        ; byte and
shiftBit    equ      0        ; bit offset in key map for Shift key

; icon resource id numbers
noScrap     equ      129      ; empty scrap file
blobScrap   equ      130      ; unknown scrap type
TEXTScrap   equ      131      ; TEXT scrap type
PICTScrap   equ      132      ; PICT scrap type
noInstallScrap equ     133      ; aborted ScrapSaver install

; my globals allocated on the stack
myStackFrame record 0,decrement ; my stack frame
myKeys       ds.b 128/8        ; KeyMap structure for GetKeys in routine UserTestInstall
theWorld     ds.b SysEnvRec    ; for SysEnviron in routine SysTestInstall
paramBlock   ds.b ioHVQE1Size ; for File System calls
bootBlocks   ds.b BBSize      ; buffer for loading boot blocks
smallBuffer  ds.l 1          ; buffer for reading scrap variables
varsSize     equ      *
            endr

ScrapSaver:  main              ; executable code entry point

            import InitShowINIT,ShowINIT31 ; ShowINIT31 code
            import SysEnviron      ; SysEnviron glue
            with myStackFrame      ; use the stack frame

;-----
; This is the standard, but not required, header for executable resources
;-----
            bra.s CodeStart      ; skip header data
            dc.l ('INIT' )      ; resource type INIT
            dc.w 1                ; id 1
            dc.w 2                ; version 2

CodeStart:
            bsr InitShowINIT      ; initialize the ShowINIT library right away
            link a6,#varsSize     ; allocate my variables on the stack
            movem.l d3-d7/a2-a6,-(sp) ; save the standard Toolbox registers

            bsr.s UserTestInstall ; test to see if user objects to installation
            bne.s NoInstall       ; and exit quickly
            bsr.s SysTestInstall  ; ascertain system requirements
            bne.s NoInstall       ; and exit if not
            bsr.s InstallShutDownProc ; install the scrap file flushing ShutDown proc
            bne.s NoInstall       ; but exit if we fail
            bsr ReadBootBlocks    ; read in the boot blocks into a buffer
            bne.s NoInstall       ; but exit if error
            bsr ReadScrapFile     ; read the scrap size and type (d5, d6)
            bsr SetScrapGlobals   ; and effect the scrap change
            bsr GetIconNumber     ; and pass these registers to GetIconNumber
                                ; which returns an ICN# resource id in d7

Exit:
            move.w d7,-(sp)        ; push the ICN# id for ShowINIT31
            bsr ShowINIT31        ; draw the icon
            movem.l (sp)+,d3-d7/a2-a6 ; restore the previously saved registers
            unlk a6               ; deallocate my variables
            rts                   ; return to INIT31

NoInstall:
            move.w #noInstallScrap,d7 ; specify the 'X' icon
            bra.s Exit            ; and fall through to common exit

```

*continued*

## EXTENDING YOUR MACINTOSH

```

;-----
; UserTestInstall tests the mouse button and Shift key states
; and will return NE if either is down
;-----
UserTestInstall:
    moveq.l #-1,d7          ; d7 is the Boolean result
    clr.b  -(sp)           ; Boolean result for Button
    _Button
    move.b (sp)+,d0        ; get and test result
    bne.s  UserNoInstall
    pea   myKeys(a6)       ; my copy of the key map
    _GetKeys
    btst  #shiftBit,shiftByte+myKeys(a6) ; check the Shift key
    bne.s  UserNoInstall
    moveq.l #0,d7          ; everything is wonderful
UserNoInstall:
    tst.w  d7              ; set the condition codes
    rts                    ; and return
;-----
; SysTestInstall returns NE if the System version is older than 4.1
; to make sure we have the ShutDown Manager facilities
;-----
SysTestInstall:
    moveq.l #-1,d7          ; d7 is the Boolean result
    clr.w  -(sp)           ; OSErr function result
    move.w #1,-(sp)        ; versionRequested is 1
    pea   theWorld(a6)     ; the environsRec argument
    bsr   SysEnviron      ; call SysEnviron
    move.w (sp)+,d0        ; get and test OSErr result
    bmi.s SysNoInstall     ; and exit if real error (negative)
    cmp.w  #sysNeeded,theWorld.systemVersion(a6) ; we need System 4.1
                                                ; for _ShutDown
    blt.s  SysNoInstall
    moveq.l #0,d7          ; everything is wonderful
SysNoInstall:
    tst.w  d7              ; set the condition codes
    rts                    ; and return
;-----
; A simple ShutDown procedure that flushes the scrap file to disk
;-----
MyShutDownProc:
    clr.l  -(sp)           ; function result
    _UnlodeScrap          ; write the scrap to disk
    addq.l #4,sp          ; ignore result
    rts
MyProcEnd:
;-----
; Copy the ShutDown proc to the system heap and install it
; into the ShutDown task queue
;-----
InstallShutDownProc:
    moveq.l #-1,d7
    move.l #MyProcEnd-MyShutDownProc,d0 ; get length of ShutDown code
    _NewPtr sys           ; make space in system heap, result in a0
    bne.s  NoShutDown     ; error!

    move.l a0,a1          ; put in a1 for _BlockMove
    lea   MyShutDownProc,a0 ; source
    move.l #MyProcEnd-MyShutDownProc,d0 ; length again
    _BlockMove           ; copy the code

    move.l a1,-(sp)       ; the ShutDown procedure pointer
    move.w #sdOnUnmount,-(sp) ; call this procedure at ShutDown time
    _SDInstall           ; unmounting disks
    moveq.l #0,d7         ; no error

```

## EXTENDING YOUR MACINTOSH

```
NoShutDown:
    tst.w    d7                ; error
    rts

;-----
; Read the boot blocks into the boot blocks buffer,
; return NE if reading fails
;-----
ReadBootBlocks:
    lea     paramBlock(a6),a0 ; point to parameter block with a0

    clr.l   ioFileName(a0)    ; no name for input
    clr.w   ioVRefNum(a0)     ; zero is the default volume
    clr.w   ioVolIndex(a0)    ; zero the volume index to use ioVRefNum
    _GetVInfo                    ; get the default volume info
                                ; so we can use the Device Manager
                                ; to read the boot blocks
    bne.s   @Error            ; exit on error

    move.w  ioDrvInfo(a0),ioVRefNum(a0) ; get the default volume's drive
    move.w  ioVDRRefNum(a0),ioRefNum(a0) ; number and driver refnum
    lea     bootBlocks(a6),a1 ; load the boot blocks here
    move.l  a1,ioBuffer(a0)
    move.l  #BBSize,ioReqCount(a0) ; load this many bytes
    move.w  #fsFromStart,ioPosMode(a0)
    move.l  #0,ioPosOffset(a0) ; boot blocks are at beginning of volume
    _Read                    ; read the scrap filename (Device Manager call)
@Error:
    rts

;-----
; Returns scrap type and scrap size in d5, d6,
; these values are zero if the file is empty or doesn't exist
;-----
ReadScrapFile:
    clr.l   d5                ; initialize the output type and size
    clr.l   d6
    lea     paramBlock(a6),a0 ; point to parameter block with a0

    lea     bootBlocks+BBScrapName(a6),a1 ; a1 points to scrap name read
                                                ; from the boot blocks
    move.l  a1,ioFileName(a0) ; set up the filename
    move.w  theWorld.sysVRefNum(a6),ioVRefNum(a0) ; get the boot drive
                                                ; working directory
    clr.b   ioFileType(a0) ; the Mac uses only file type zero
    move.b  #fsRdPerm,ioPermsn(a0) ; we want only read permission
    clr.l   ioOwnBuf(a0) ; no special access path buffer
    _Open
    bne.s   @Error

    lea     smallBuffer(a6),a1 ; load the scrap type and size here
    move.l  a1,ioBuffer(a0)
    move.l  #4,ioReqCount(a0) ; it is a long word
    move.w  #fsFromStart,ioPosMode(a0)
    move.l  #0,ioPosOffset(a0) ; size is at start of file
    _Read                    ; read in scrap type
    bne.s   @AfterOpenError
    move.l  (a1),d5            ; return scrap type here
    _Read                    ; read in scrap size
    bne.s   @AfterOpenError
    move.l  (a1),d6            ; return scrap size here

@AfterOpenError:
    _Close
@Error:
    rts
```

*continued*

## EXTENDING YOUR MACINTOSH

```
-----  
; Take scrap size in d6  
; and set up the Scrap Manager low-memory globals:  
; ScrapSize  
; ScrapName  
; ScrapTag  
; ScrapHandle  
; ScrapCount  
; Note that this is the only routine that directly accesses low memory  
-----  
SetScrapGlobals:  
    lea    bootBlocks+BBScrapName(a6),a0 ; a0 points to scrap name read  
                                           ; from the boot blocks  
    lea    ScrapTag,a1                    ; ScrapTag holds the scrap name  
    moveq.l #ScrapNameSize,d0            ; this many bytes  
    _BlockMove  
    move.l a1,ScrapName                  ; set up ScrapName to point to ScrapTag  
    move.l d6,d0  
    beq.s  ZeroSize  
    addq.l #8,d0                          ; adjust for type & size header  
ZeroSize:  
    move.l d0,ScrapSize                  ; and store it for the Scrap Manager  
    clr.l  ScrapHandle                  ; initialize the rest of the Scrap Manager  
    clr.w  ScrapCount                   ; variables  
    clr.w  ScrapState  
    rts  
  
-----  
; GetIconNumber takes the scrap type in d5 and the scrap size in d6  
; and returns the appropriate ICN# resource id in d7  
-----  
GetIconNumber:  
    move.w #noScrap,d7                  ; start with this guy  
    tst.l  d6                           ; any scrap?  
    beq.s  GetDone                       ; nope, so fall through  
  
    lea    TypeToIDTable,a0             ; point to the types table  
NextType:  
    move.w (a0)+,d7                      ; get the resource id  
    move.l (a0)+,d0                      ; and the corresponding type  
    beq.s  GetDone                       ; if at end of list then blob out  
    cmp.l  d5,d0                          ; else if we haven't matched the type then  
    bne.s  NextType                      ; loop again  
  
GetDone:  
    rts  
  
-----  
; This table consists of an icon resource id followed by a scrap type  
; and is terminated by a generic icon id followed by a zero type  
-----  
TypeToIDTable:  
    dc.w   TEXTScrap  
    dc.l   ('TEXT')  
  
    dc.w   PICTScrap  
    dc.l   ('PICT')  
  
    dc.w   blobScrap  
    dc.l   0                               ; end of list marker  
  
-----  
; End the INIT with some more embedded version info  
-----  
    dc.b   'Version 2.0'  
    dc.b   'Copyright 1987, 1988 Paul Mercer'  
  
end
```

**Listing 4: The ScrapSaver resources in Rez format.**

```
#include "Types.r"

type 'Paul' as 'STR';

resource 'Paul' (0) {
    "ScrapSaver Version 2.0\r@1987, 1988 P. Mercer"
};

resource 'BNDL' (128) {
    'Paul',
    0,
    {
        'ICN#',
        {
            0, 128
        },
        'FREF',
        {
            0, 128
        }
    }
};

resource 'FREF' (128) {
    'INIT',
    0,
    ""
};

/* Finder Icon */
resource 'ICN#' (128) {
    /* array: 2 elements */
    /* [1] */
    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 04 20 00"
    "$03 F8 1F C0 06 20 04 60 04 40 02 20 04 7F FE 20"
    "$04 00 00 20 04 00 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 02 20 04 00 00 60 04 00 10 20"
    "$04 00 01 20 04 00 88 20 04 00 01 E0 04 00 26 20"
    "$04 04 08 20 04 00 90 20 04 00 20 20 04 08 20 20"
    "$04 01 40 20 04 00 40 20 06 04 40 60 03 FF FF C0",
    /* [2] */
    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 07 E0 00"
    "$03 FF FF C0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 03 FF FF C0"
};

/* noScrap */
resource 'ICN#' (129) {
    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 04 20 00"
    "$03 F8 1F C0 06 20 04 60 04 40 02 20 04 7F FE 20"
    "$04 04 04 20 04 08 02 20 04 10 01 20 04 20 00 A0"
    "$04 40 01 20 04 80 02 20 05 00 04 20 04 80 08 20"
    "$04 40 10 20 04 20 20 04 10 40 20 04 08 80 20"
    "$04 05 00 20 04 02 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 06 00 00 60 03 FF FF C0",

    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 07 E0 00"
    "$03 FF FF C0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 03 FF FF C0"
};
```

```

    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 03 FF FF C0"
};

/* blobScrap */
resource 'ICN#' (130) {
    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 04 20 00"
    "$03 F8 1F C0 06 20 04 60 04 40 02 20 04 7F FE 20"
    "$04 04 04 20 04 08 E2 20 04 11 31 20 04 20 10 A0"
    "$04 40 31 20 04 81 E2 20 05 02 04 20 04 80 08 20"
    "$04 48 10 20 04 20 20 04 10 40 20 04 08 80 20"
    "$04 05 00 20 04 02 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 06 00 00 60 03 FF FF C0",

    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 07 E0 00"
    "$03 FF FF C0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 03 FF FF C0"
};

/* TEXTScrap */
resource 'ICN#' (131) {
    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 04 20 00"
    "$03 F8 1F C0 06 20 04 60 04 40 02 20 04 7F FE 20"
    "$04 04 04 20 04 09 22 20 04 10 91 20 04 22 48 A0"
    "$04 49 21 20 04 84 82 20 05 12 44 20 04 88 08 20"
    "$04 44 10 20 04 22 20 04 10 40 20 04 08 80 20"
    "$04 05 00 20 04 02 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 06 00 00 60 03 FF FF C0",

    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 07 E0 00"
    "$03 FF FF C0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 03 FF FF C0"
};

/* PICTScrap */
resource 'ICN#' (132) {
    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 04 20 00"
    "$03 F8 1F C0 06 20 04 60 04 40 02 20 04 7F FE 20"
    "$04 04 04 20 04 08 02 20 04 10 21 20 04 21 94 A0"
    "$04 40 C9 20 04 82 72 20 05 21 24 20 04 92 C8 20"
    "$04 49 90 20 04 25 20 04 12 40 20 04 08 80 20"
    "$04 05 00 20 04 02 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 04 00 00 20 04 00 00 20"
    "$04 00 00 20 04 00 00 20 06 00 00 60 03 FF FF C0",

    "$00 00 00 00 00 00 00 00 00 07 E0 00 00 07 E0 00"
    "$03 FF FF C0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$07 FF FF E0 07 FF FF E0 07 FF FF E0 03 FF FF C0"
};
};
```

*continued*

```

/* noInstallScrap */
resource 'ICN#' (133) {
    {
        "$"00 00 00 00 00 00 00 00 00 07 E0 00 00 04 20 00"
        "$"03 F8 1F C0 06 20 04 60 04 40 02 20 04 7F FE 20"
        "$"04 00 00 20 04 00 00 20 04 00 00 20 04 00 00 20"
        "$"04 30 0C 20 04 78 1E 20 04 3C 3C 20 04 1E 78 20"
        "$"04 0F F0 20 04 07 E0 20 04 03 C0 20 04 07 E0 20"
        "$"04 0F F0 20 04 1E 78 20 04 3C 3C 20 04 78 1E 20"
        "$"04 30 0C 20 04 00 00 20 04 00 00 20 04 00 00 20"
        "$"04 00 00 20 04 00 00 20 06 00 00 60 03 FF FF C0",
    };
};
    "$"00 00 00 00 00 00 00 00 00 07 E0 00 00 07 E0 00"
    "$"03 FF FF C0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$"07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$"07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$"07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$"07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$"07 FF FF E0 07 FF FF E0 07 FF FF E0 07 FF FF E0"
    "$"07 FF FF E0 07 FF FF E0 07 FF FF E0 03 FF FF C0"
};

```

tions. To check the System version number, you need to call the SysEnvirons function and then check the systemVersion field of the SysEnvRec. If this field is equal to 0401 or greater, the machine is running System 4.1 or higher.

Listing 6 gives the Pascal declarations for the SysEnvRec record and the SysEnvirons function.

Since SysEnvirons is so straightforward to use, there's no reason not to take advantage of its services.

**ShowINIT**

To inform you of its installation, ScrapSaver uses ShowINIT, a piece of public domain code written by Paul Mercer. This code is distributed in the form of an MPW object file and is available on BIX. ShowINIT lets an INIT draw an icon to the screen after loading, complete with a mask that visually indicates that the INIT has successfully installed itself. It takes care of all the nitty-gritty work involved in creating and displaying an icon's data structures. ShowINIT is at-

tractive, since all the icons are drawn in a line at the bottom of the screen. Because ShowINIT decides where an INIT's icon is drawn, those INITs that use this resource avoid overlapping displays. Those INITs not using this resource unknowingly draw over icons previously displayed. This simple icon-drawing mechanism is powerful. For instance, to show that you have aborted the loading of an INIT, you can draw a special icon.

To use ShowINIT, you must call the routine InitShowINIT at the very beginning of the INIT code. Just before exiting from the INIT and returning to the caller (INIT 31), you will call ShowINIT31. ShowINIT31 expects a word-size argument on the stack specifying the ID number of the ICN# resource to draw.

**Be Careful Out There**

Even though INITs are relatively easy to write, you should apply careful thought before going headlong into the implementation process. Part of the fun in programming the Macintosh is changing system behavior with an INIT trap patch.

Try to temper your enthusiasm for hacking the system with a good dose of thought on compatibility and survival in an ever-changing world. ■

**Listing 5: The MPW make file for the ScrapSaver INIT.**

```

# Simple MakeFile for ScrapSaver INIT

ScrapSaver `` ScrapSaver.r
Rez ScrapSaver.r -o ScrapSaver

ScrapSaver `` ScrapSaver.a.o ShowINIT.a.o
Link ScrapSaver.a.o ShowINIT.a.o  
-o ScrapSaver  
"{Libraries}"Interface.o  
-rt INIT=0 -ra =16  
-sn Main='ScrapSaver'
SetFile -a B ScrapSaver -t INIT -c Paul # set the bundle bit
Duplicate ScrapSaver "{SystemFolder}" -y # copy finished file to System
Folder

```

**Listing 6: The Pascal declarations for the SysEnvRec record and the SysEnvirons function.**

```

{ SysEnvirons data structure }

SysEnvRec = RECORD
    environsVersion:    INTEGER;
    machineType:        INTEGER;
    systemVersion:      INTEGER;
    processor:           INTEGER;
    hasFPU:              BOOLEAN;
    hasColorQD:          BOOLEAN;
    keyBoardType:       INTEGER;
    atDrvVrsNum:         INTEGER;
    sysVRefNum:          INTEGER;
END;

FUNCTION SysEnvirons(versionRequested: INTEGER; VAR theWorld: SysEnvRec):
    OSERR;

```

**BIBLIOGRAPHY**

Apple Computer, Inc. *Inside Macintosh* Volume IV, System Resource chapter. Reading, MA: Addison-Wesley, 1986.

Apple Computer, Inc. *Inside Macintosh* Volume V, Start Manager chapter. Reading, MA: Addison-Wesley, 1988.

Apple Computer, Inc. *Macintosh Technical Note #110, MPW: "Writing Stand-alone Code."* Cupertino, CA: MacDTS, 1985-1988.

Knaster, Scott. *How to Write Macintosh Software*. Hasbrouck Heights, NJ: Hayden, 1986.

*Paul Mercer is a member of the Finder team at Apple Computer. Fred A. Huxham does software research at Farallon Computing. They can be reached on BIX c/o "editors."*

# Introducing the New Extended TextEdit

Michael Ogawa

*Macintosh's basic text editor has been upgraded in several important ways*

One reason for the success of the Macintosh is that Apple provided hundreds of routines in ROM and System software for realizing the human interface envisioned by its designers. Routines are available for drawing primitive graphics shapes, for varied character sets, for drawing and manipulating windows, and for user interaction with an application program. Among the facilities provided to developers is a text-editing system that supports proportionally spaced fonts and is capable of automatic word wrap and various text justifications.

Apple continually upgrades its System software, providing developers with stronger and more flexible routines to incorporate into their applications. Apple recently extended the capabilities of the supplied text-editing facilities.

## About TextEdit

Apple's text-editing facilities are a part of the Macintosh Toolbox known as TextEdit, and they are built on other Toolbox routines for drawing and text measurement. TextEdit provides basic text-editing (i.e., backspace, cut, copy, and paste) and formatting capabilities within applications, handling both keyboard and mouse interaction from the user. It also provides automatic word wrap, left-, center-, or right-justification, and the use of any single font, size, and style variation within a block of text.

Most of TextEdit's limitations are understandable considering its design origins. TextEdit was designed to provide basic text-editing and formatting capabilities needed in applications, while following the Macintosh User Interface Guidelines. Its most prominent usage is in dialog boxes for displaying prompts and receiving user input. If you have previously programmed on Apple IIs, you may well have seen the genesis of TextEdit in Apple's guidelines for standard input routines, such as the "blinking underline cursor" routines. TextEdit can be seen as the maturation and fulfillment of

these earlier concepts for providing common input routines for all applications.

TextEdit is limited to 32,768 characters within a block of text. This limit is reasonable considering that the text is managed as one large block. Performance slows down on large blocks, making a higher limit impractical. To keep performance up on longer blocks of text requires "banding," or breaking a document into more manageable pieces of text. This goes into the area of disk-based editing, well beyond the original intent of the RAM-based TextEdit.

Another 32,768 limit is that of the destination rectangle, which provides positioning information about the block of text. That is, no block of text can be wider or taller than 32,768 pixels. This pixel limit can be reached long before hitting the maximum character limit, especially if the text block is narrow and the font size is large.

TextEdit has other limitations: no support of fully justified text (i.e., text aligned on the left and right margins), no support for fixed tab positions (either at specified evenly spaced distances or individually specified horizontal offsets), and only one font, size, and style per text block. A text block could be in any single font, size, and font-style variation, but mixed fonts and variations are not available.

As far as input routines go, TextEdit is very nearly fully featured. Data input pushing the 32K-byte boundaries is un-

realistic. At that point, it is no longer data entry. What you are talking about then is a full text editor or word processor. Full justification in data entry is rarely necessary, and most static text items in dialog boxes are so short that full justification doesn't read as easily as simply aligned prompts. Tabbed input is a reasonable request for many applications. If you only need to provide a few inputs per screen, the Dialog Manager provides this capability by using separate text-editing boxes for each data element. For anything bigger, you may be able to use the List Manager for display-only columnar formatting.

Varied fonts within data-input items are probably needed only on rare occasions. However, as users grow more accustomed to easily changing fonts using menus and then seeing the actual font style on the screen, they will want this ability more often. Varied fonts, once the domain of sophisticated word processing programs, will be demanded from all types of applications, not just from applications that are thought of as text processors.

The Macintosh has definitely raised user expectation levels. Features once considered advanced are now expected as part of baseline standard-features sets. For example, many word processing programs for other machines would be considered text editors on the Mac simply because they don't support WYSIWYG font variations.

## Welcome to the New TextEdit

With the release of the Macintosh II and System 4.1 for all Macs with 128K bytes of ROM, TextEdit received a boost in capabilities. TextEdit now lets you mix fonts, font sizes, and font styles within a block of text. A newly supported font attribute is color: TextEdit can use the new Color QuickDraw RGB color information when drawing text.

The new font capabilities are provided

*continued*

## An Alternate Means of Handling Mixed Faces

When the new TextEdit functionality was introduced with System 4.1, it was easy to implement a Style menu. It was very difficult to implement MacWrite's component manner of managing font faces, while managing a Word style menu was merely difficult.

To handle font menus in an aggregate fashion such as in Word, you determine if there is currently a null style record. If so, use it to determine the menu settings. Otherwise, you have to find all the styles over the selection range, and,

for any attribute that was continuous over the selection range, check its menu item.

Listing A illustrates this with the routine DocStyleMenus() and support routines TEGetNullStyle(), TEC2Run(), and TEGetNextStyle(). Note that the menus are actually set by the routines DocFontMenu(), DocSizeMenu(), and DocFaceMenu(), which are exactly the same as described in the main article.

Adjusting the menus for an insertion

point, or a selection range with only one style run, is trivial. If the selection range contains more than one style run, then all the runs must be checked for each attribute to see if the attribute is consistent throughout.

The algorithm first gets the attribute of the initial run within the selection range. Then for all the other runs in the range, it checks to see if the attributes are the same. If an attribute doesn't match, an invalid attribute value is passed to the routine that actually ad-

**Listing A: Adjusting the font, font-size, and font-face menus. DocFontMenu(), DocSizeMenu(), and DocFaceMenu() are the same as in the main article listing.**

```
static Boolean TEGetNullStyle(VAR pTheStyle,
                             pLineHeight, pFontAscent, hTE)
TextStyle *pTheStyle;
Integer *pLineHeight, *pFontAscent;
TEHandle hTE;
/* The TEGetNullStyle() function returns the
style information, including line height and font
ascend, for a null selection, if there is a null
selection style. A null selection style exists
only if TEGetStyle() has been called when
selStart and selEnd are equal. If there is a null
selection style, the function value returned is
TRUE. If there is no null selection style, or the
edit record is an old-style record, then the
function value returned is FALSE. */
/* m_o 04.23.88 */
{
    Boolean hasNullStyle = FALSE;

    if ((*hTE).txSize == -1) {
        StScrpHandle hNullScrap;
        TEGetStyleHandle hTEStyle;

        hTEStyle = GetStylHandle(hTE);
        hNullScrap = ((*hTEStyle).nullStyle)
                    ->nullScrap;

        if (hasNullStyle =
            ((*hNullScrap).scrpNStyles != 0) {
            ScrpSTElement *pScrpSTElem;

            pScrpSTElem = ((*hNullScrap).scrpStyleTab;
            BlockMove(&pScrpSTElem->scrpFont,
                    pTheStyle, (long)sizeof(*pTheStyle));
            *pLineHeight = pScrpSTElem->scrpHeight;
            *pFontAscent = pScrpSTElem->scrpAscent;
        }
    }
    return(hasNullStyle);
}
```

```
static Integer TEC2Run(cOffset, hTE)
register Integer cOffset;
TEHandle hTE;
/* Returns the run number of the character whose
offset is cOffset in the text belonging to the
edit record **hTE. The run number returned is a
0-based run offset index. */
/* Uses a standard binary search algorithm,
making sure to always round downward if the
character offset cOffset does not match an offset
in the line-starts array. The use of the pointer
to the beginning of the line-starts array in the
relocatable text edit record is safe because
there are no calls made from within this routine.
*/
/* m_o 04.15.88 */
{
    register Integer rn, lo, hi, runStart;
    register StyleRun *pRuns;
    TEGetStyleHandle hTEStyle;

    hTEStyle = GetStylHandle(hTE);
    lo = 0;
    hi = ((*hTEStyle).nRuns;
    pRuns = ((*hTEStyle).runs;
    while (hi >= lo) {
        rn = (lo + hi) / 2;
        runStart = pRuns[rn].startChar;
        if (cOffset == runStart)
            break;
        else if (cOffset > runStart)
            lo = rn + 1;
        else
            hi = rn - 1;
    }
    return((cOffset < runStart) ? rn - 1 : rn);
}

static Boolean TEGetNextStyle(VAR pCOffset,
                              VAR pTheStyle, pLineHeight, pFontAscent, hTE)
Integer *pCOffset;
TextStyle *pTheStyle;
Integer *pLineHeight, *pFontAscent;
TEHandle hTE;
```

justs the menu of the particular attribute. The invalid value never matches any menu item, so none is checked.

The routine DocStyleMenus() calls two routines that were defined similar to the new TextEdit routine TEGetStyle(). The example program never uses the line-height and font-ascent information they return. They were defined that way just so they "looked" like functional derivatives of TEGetStyle().

```
static Boolean
TEGetNullStyle(VAR
    pTheStyle, pLineHeight,
    pFontAscent, hTE)
TextStyle *pTheStyle;
Integer *pLineHeight,
        *pFontAscent;
TEHandle hTE;
```

The TEGetNullStyle() function returns the style information, including line height and font ascent, for a null selection, if there is a null selection style.

A null selection style exists only if TEGetStyle() has been called when selStart and selEnd are equal. If there is a null selection style, the function value returned is TRUE. If there is no null selection style, or the edit record is an old-style record, then the function value returned is FALSE.

```
static Boolean
TEGetNextStyle(VAR
    pCOffset, VAR pTheStyle,
```

*continued*

```
/* The TEGetNextStyle() function returns the
style information, including line height and font
ascent, of the next style after the style of the
character *pCOffset. The character offset of the
first character in the next style is returned
through *pCOffset, and the function value
returned is TRUE. If there is no next style, or
for an old-style edit record, the function value
returned is FALSE, *pCOffset is unchanged, and no
style information is returned. */
/* m_o 04.23.88 */
{
    Integer curStylRun;
    Boolean fndNxtStyl = FALSE;

    if (**hTE).txSize == -1 {
        Integer nxtStylRun;
        TEStyleHandle hTEStyle;

        hTEStyle = GetStylHandle(hTE);
        nxtStylRun = TEC2Run(*pCOffset, hTE) + 1;
        if (fndNxtStyl = (nxtStylRun <
            (**hTEStyle).nRuns)) {
            STElem *pSTElem;

            *pCOffset =
                (**hTEStyle).runs[nxtStylRun].startChar;
            pSTElem = (**hTEStyle).styleTab +
                (**hTEStyle).runs[nxtStylRun].styleIndex;
            BlockMove(&pSTElem->stFont, pTheStyle,
                (long)sizeof(*pTheStyle));
            *pLineHeight = pSTElem->stHeight;
            *pFontAscent = pSTElem->stAscent;
        }
    }
    return(fndNxtStyl);
}
```

```
static void DocStyleMenus(hTE)
TEHandle hTE;
/* Updates the menus for fonts, font faces, and
font sizes. HTE is a handle to the edit record of
the currently active document window. The menus
are updated according to the style of the
```

character just before the insertion point, or of the styles of the characters within the selection range. \*/

```
/* m_o 04.24.88 */
{
    Integer lHt, ascent;
    TextStyle theStyle;
    Boolean plainTx;

    if (!TEGetNullStyle(&theStyle, &lHt,
        &ascent, hTE)) {
        Integer cOffset;

        cOffset = (**hTE).selStart;
        if (cOffset && cOffset == (**hTE).selEnd)
            --cOffset;
        TEGetStyle(cOffset, &theStyle, &lHt,
            &ascent, hTE);
    }
    plainTx = theStyle.tsFace == 0;

    if (**hTE).selEnd != (**hTE).selStart) {
        Integer cOffset2, lHt2, ascent2;
        TextStyle nxtStyle;

        cOffset = (**hTE).selStart;
        while (TEGetNextStyle(&cOffset, &nxtStyle,
            &lHt2, &ascent2, hTE) && cOffset <
            (**hTE).selEnd) {
            if (nxtStyle.tsFont != theStyle.tsFont)
                theStyle.tsFont = -1;
            if (nxtStyle.tsSize != theStyle.tsSize)
                theStyle.tsSize = -1;
            plainTx = plainTx && nxtStyle.tsFace == 0;
            if (nxtStyle.tsFace != theStyle.tsFace)
                theStyle.tsFace = 0;
        }

        DocFontMenu(theStyle.tsFont);
        DocSizeMenu(theStyle.tsSize, theStyle.tsFont);
        DocFaceMenu(theStyle.tsFace, plainTx);
    }
}
```

```
pLineHeight, pFontAscent,
hTE)
Integer *pCOffset;
TextStyle *pTheStyle;
Integer *pLineHeight,
        *pFontAscent;
TEHandle hTE;
```

The TEGetNullStyle() function returns the style information, including line height and font ascent, of the next

style after the style of the character \*pCOffset. The character offset of the first character in the next style is returned through \*pCOffset, and the function value returned is TRUE. If there is no next style, or for an old-style edit record, the function value returned is FALSE, \*pCOffset is unchanged, and no style information is returned.

Listing B illustrates changing a font face. Note that the algorithm used to

change the font face relies on the font-face menu being correctly checked. If the face being toggled isn't the Plain menu item and the item is currently unchecked, then the corresponding face is simply added to the face(s) of the selected text. But if the item is already checked, meaning also that there is one continuous style over the selection, then the face is subtracted from the face(s) of the selected text.

**Listing B: Changing the font face.** Notice how DocFontFace() relies on the menu items being correctly checked. (The statements between the preprocessor commands are a bug workaround. This bug may be fixed in a future System release.)

```
void DocFontFace(myFontFaceMItem, wptr, doUpdt)
Integer myFontFaceMItem;
WindowPtr wptr;
Boolean doUpdt;
/* Changes the font face of the selected text in
the window wptr. MyFontFaceMItem is the menu item
number of the font face. If the item is the Plain
menu item, then the selected text is changed to
Plain.
If the item isn't the Plain menu item and the
item is currently unchecked, then the
corresponding face is added to the face(s) of the
selected text. If the item is already checked,
then the face is subtracted from the face(s) of
the selected text (which must be continuous over
the selection range).
The document is marked changed, and the global
MenusChanged is set. If doUpdt is TRUE, then the
text will be redrawn, and if necessary the
vertical scroll bar will be recalibrated and the
selection scrolled into view. (If you wish to
make several face changes, call DocFontFace()
once for each change, passing FALSE for doUpdt
for all except the last face change. This will
minimize the amount of recalculations done.) */
/* m_0 11.20.88 */
{
    Style theFace;
    TextStyle myStyle;
```

```
MyDataHndl hMyData = (MyDataHndl)
                    GetWRefCon(wptr);
TEHandle hTE = (*hMyData)->teRecord;

# ifdef BUNNY
    {Ptr p = &myStyle.tsFace + 1; *p = 0;}
# endif
if (theFace = (myFontFaceMItem == PLAIN_MITEM) ?
    0 : 1 << (myFontFaceMItem - BOLD_MITEM)) {
    char markChar[2];

    GetItemMark(MyMenus[STYLE_MENU],
                myFontFaceMItem,
                markChar);
    if (markChar[1]) {
        Integer lnHt, ascent;

        /* get style at beginning of selection */
        TEGetStyle((*hTE)->selStart, &myStyle,
                  &lnHt, &ascent, hTE);
        /* set face to existing faces except menu item */
        theFace = ~theFace;
        theFace &= myStyle.tsFace;
        /* set all to plain */
        myStyle.tsFace = 0;
        TEGetStyle(doFace, &myStyle, FALSE, hTE);
    }
    myStyle.tsFace = theFace;
    TEGetStyle(doFace, &myStyle, doUpdt, hTE);
    if (doUpdt)
        SetScrollMax(wptr, TRUE);
    MenusChanged = (*hMyData)->changed = TRUE;
}
```

for within blocks of text and through the Macintosh Clipboard and desk scrap mechanism. As an added bonus, the new improved TextEdit uses the standard Scrap Manager's desk scrap rather than the private TextEdit scrap. This means the programmer needn't resort to using special Toolbox routines to move text to and from this private scrap if the intent is to share data among applications via the desk scrap.

Unfortunately, there is still no provision for fixed tab positions. To TextEdit, a tab is still just another character whose

width is determined in the font's definition. Let's face it, anyone who has used a typewriter expects tabs to do more than act as a space character. Just doing an initial line indent or aligning a few columns in a memo or short piece of text are common needs for tabs. Many programmers have tried devising ways to patch tab support into TextEdit, but Apple has warned that such patches have a high probability of breaking in future releases of the System software. Hopefully, Apple will address this in future TextEdit improvements.

As for everyone who hoped to be able to write a text editor or word processor with a few hundred lines of code and an "About..." box, the news is that the old 32K-byte limits still exist. Nevertheless, the current improvements in TextEdit are significant and will make life a lot easier for programmers and users alike.

#### New TextEdit Data Structures

The TextEdit upgrade introduces the concept of *style runs* of characters, where *style* now refers to a composite descrip-

*continued*

# WAREHOUSE SALE

Order These Back Issues of *BYTE* and *Popular Computing* Before They're Gone Forever!

## BYTE

Limited Quantities — Order Now!

	1979	1980	1981	1982	1983	1984	1985
January							
February							
March							
April							
May							
June							
July							
August							
September							
October							
November							
December							
Inside the IBM PCs							

\$4.00 U.S. includes shipping and handling  
\$5.00 foreign includes shipping and handling

Available Issues

## Popular Computing


Limited Quantities — Order Now!

	1982	1983	1984	1985
January				
February				
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				
Special Guide to Computers				

\$3.00 U.S. includes shipping and handling  
\$4.00 foreign includes shipping and handling

## Special Bound Copies of *BYTE*

- Volume II, Part 2— July 1977 through December 1977
- Volume III, Part 1— January 1978 through June 1978
- Volume III, Part 2— July 1978 through December 1978



\$9.95 U.S. includes shipping and handling  
\$11.95 foreign includes shipping and handling

Check enclosed. Payments from foreign countries must be made in U.S. funds payable at a U.S. bank.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Postcode \_\_\_\_\_ City \_\_\_\_\_

Country \_\_\_\_\_

Please indicate which issues you would like by checking (✓) the boxes.

Send requests with payments to:

BYTE Back Issues  
One Phoenix Mill Lane  
Peterborough, NH 03458  
(603) 924-9281

Charge:  VISA  MasterCard

Card # \_\_\_\_\_

Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_



# NEW EXTENDED TEXTEDIT

tion of font family, size, face, and color information. The term *font face*, rather than *font style*, is now used to refer to stylistic variations such as boldface or underline or a combination of these. If you've been developing on the Mac for some time, you should get used to using this new terminology, using the term *font face* for individual variations and *font style* for the composite descriptions.

There are several new TextEdit data

structures, plus the new Color QuickDraw data structure to define color information. Also, the TextEdit record itself redefines two fields and sets three other fields to *sentinel values* to indicate that the record is a new-style record. The revised TextEdit record with the added structures is shown in figure 1.

Because a font is no longer constrained to a single size within a block of text, there can't be a single value that de-

scribes the block's line height. Therefore, the `txSize`, `lineHeight`, and `fontAscent` fields are useless. These fields are set to -1 to indicate that this is a new-style TextEdit record and the values for these attributes must be found elsewhere.

The `txFont` and `txFace` fields of the TextEdit record are also meaningless, since there is not necessarily one font or face for a text block anymore. Since these




Figure 1: The new text-edit record and auxiliary structures. The double-headed lines indicate handles to data.

two 2-byte fields reside adjacent to each other in the TextEdit record, the new edit record redefines them as a single 4-byte field, storing a handle to the new text style information record. This style record, `TEStyleRec`, is the jumping-off place for all the other new data structures.

As mentioned earlier, any particular combination of font-variation attributes is referred to simply as a *style*. Text is kept track of as *runs* of characters that have the same style. Each unique style used within an edit record's text is stored in a style-table element, and all the styles are kept in a `TEStyleTable` style-table array. A handle to the style-table array is kept in the style record.

To specify which style applies to a character in the text, TextEdit maintains an array of `StyleRun` style-run records. A style-run record gives a starting character offset from the beginning of the text, and an index into the style table. The style-run records are stored at the end of the style record in ascending character offset order. All characters whose offset into the text is equal to or greater than the starting character of a style run, and less than the starting character of the next style run, use the style indicated by the style index of the style run. This is illustrated in figure 2.

There are two calls used to find out the style attributes at a given character offset and to set the style attributes of the current selection. They use the `TEStyle` text-style data structure to communicate the style-attribute information.

Until any text is entered in a new style, there is no way to store the pending style, because all style runs have to be at least one character long. The `NullSTRec` null-selection style record maintains the style information when an application sets style information at an insertion point.

### Scrap Management

Previously, there was a separate, private scrap for TextEdit. When you wanted to move a cut or copied piece of text to other applications or desk accessories, you had to call `TEToScrap()` to move the text from this private scrap into the global desk scrap of the Scrap Manager. Likewise, to use text from an external source, you had to call `TEFromScrap()` to read the desk scrap into TextEdit's private scrap.

TextEdit now communicates directly with the Scrap Manager. The `TECut()` and `TECopy()` functions place the text in the Scrap Manager's desk scrap. For backward compatibility, these functions also place a copy of the scrap handle in

TextEdit's private scrap global, `TEScrpHandle`, and for old-style TextEdit records, they use the private scrap only. `TEPaste()` and the new `TEStylePaste()` both use the Scrap Manager's scrap, except for old-style records, where they again use TextEdit's private scrap.

To communicate style information to the desk scrap, there is a style scrap record, stored in the desk scrap as type `styl`. The style scrap record is a variable-length structure. It begins with a count field `scrpNStyles` indicating how many scrap style-table elements follow. There is a table element `ScrpSTElement` for each style run within the scrap text. Each element contains information about the starting character offset within the

scrap text, the height and ascent of the run, and the style information. Elements are in order of the starting offset, and there may be elements with duplicate style information. When cutting or copying text, TextEdit automatically writes this style information to the desk scrap along with the text. When pasting, if the desk scrap contains this style information, it is used along with the text.

The positive result is that you automatically write both the text and style information to the scrap when cutting or copying with the new text-edit records. If you then paste into the standard Scrapbook, you will see the text unformatted, but the scrap type information will show that

*continued*




Figure 2: Style-run record giving the starting character offset from the beginning of the text, and an index into the style table.

both text and style information has been saved. Likewise, TextEdit also automatically pastes in any text from the desk scrap with its accompanying style information.

So if you are using TextEdit for all your text manipulation, it's as easy to maintain your styles as not. If you are using your own text-processing routines, you should consider writing out scrap data with style information in the new `styl` format, as well as any proprietary format. Apple strongly recommends that developers use the Scrap Manager to access the Scrapbook and the desk scrap. Using the Scrap Manager will ensure that applications can share the desk scrap in shared (i.e., MultiFinder) environments.

If you're going to store style information in the new `styl` format, or in a format similar to the style table and runs array, be aware that the font information is stored by number rather than name. The desk scrap and the Scrapbook aren't normally carried from machine to machine, so this should not be a problem. However, by storing style information in a data file simply as numbers, you could make your application susceptible to the "changing font problem": Other machines or different fonts in the System may cause a document to display differently from the way you intended if your font ID numbers are already in use. To minimize this problem, you should maintain a table of font IDs and names and automatically adjust the fonts.

**Where's My Line?**

One big "gotcha" with the new capabilities is that scrolling is harder to handle.

This is because line heights are no longer fixed throughout the text. Since line heights can now vary, the number of text lines displayable in the view rectangle can vary throughout the text and, as the user changes fonts and sizes, through time.

**T**he  
current improvements  
in TextEdit will make  
life a lot easier.

Because of this, control values must now be correlated to pixel offsets from the top of the destination rectangle to the top of the view rectangle, instead of corresponding to line offsets. Additional calculations are needed to ensure scrolling by full lines of text. The maximum control value is derived by determining the lines of text that can be completely shown on the last screen, taking the height of all lines above, and using this value for the maximum control value. Figure 3 illustrates this, along with the accompanying C source code for the function `SetScrollMax()` in listing 1.

When scrolling, you want to "pin" the control values and the pixel offsets so that the top visible line of text aligns with the top of the view rectangle. Listing 2

shows how to determine the amounts to scroll for the various parts of the scroll bar.

When scrolling up one line (mouse in down arrow), the distance to be scrolled is the height of the line currently at the top of the view rectangle. But for scrolling down one line (mouse in up arrow), the distance to be scrolled is the height of the line above the line currently at the top of the view rectangle. When scrolling up a window of text at a time, the distance to be scrolled is the height of all the lines of text currently visible in their entirety, less the last of those lines (i.e., the line of text at the window's bottom becomes the line at the window's top). When scrolling down by a windowful, you want to scroll the line currently at the top of the window down so that it is the last line visible in its entirety, and such that the new line at the top of the view rectangle is also completely visible.

Scrolling with the thumb involves getting the value of the scroll bar after the user has released the mouse button, then forcing the control value to the closest value that will align the top of the visible text to the top of the view rectangle. The following code fragment illustrates this, and listing 3 includes `TEPinLine()`.


```

/* hScrollerV == handle to
   vertical scroll bar */
/* mouseLoc == point (local
   coordinates) where mouse
   was initially pressed */
/* HScrollTE == handle
   (global) to TE record */

if (partCode == inThumb) {
    Integer v0, v1, v1pin;

    v0 = GetCtlValue
        (hScrollerV);
    TrackControl(hScrollerV,
        mouseLoc,
        NULL);
    v1 = GetCtlValue
        (hScrollerV);
    v1pin = TEPinLine(v1,
        HScrollTE);
    if (v1 != v1pin)
        SetCtlValue(hScrollerV,
            v1pin);
    if (v0 != v1pin)
        TEScroll(0, v0 - v1pin,
            HScrollTE);
}

```



**Figure 3:** Setting the maximum value of the vertical scroll bar.

Converting a character offset to a line offset is a commonly required function. The function `TEC2Line()` shown in listing 4 uses a binary search strategy to quickly return the line offset given a

character offset. Note that the dereferencing of the line-starts array `pLnStarts` is safe because there are no Toolbox calls, or calls to functions in other segments that would cause memory to be moved.

### Changing Fonts Is Easy

Changing the font over a selection range is easy to do, as is changing the font size. However, changing a font face can be harder. Because font faces can be combinational, design problems occur when the selection range does not have a consistent face setting. You also have to keep track of the menus for the font styles.

When the selection range includes mixed fonts, no font in the font menu should be checkmarked as the current font. Also, most applications will have none of the font sizes outlined. (Outlining a font size indicates that there is a bit-map font available in that size for the current font.) However, if the font size is consistent through the selection range, the size should be checkmarked in the menu. If the user then chooses a font, all characters within the selection range now use that font.

Neither the fonts nor font-face menus are dependent on font size(s) within the selection range. When the selection range includes mixed font sizes, no size in the menu should be checkmarked as the current font size. If the user chooses a font size, that font size is applied to all characters within the selection range.

The application designer must decide how to handle selection ranges with mixed font faces. Consider how MacWrite and Word deal with mixed selection ranges. MacWrite deals with font faces by viewing combinational faces in a component manner. That is, if over the selection range all characters are in bold, then the Bold menu item is checked, even though some characters within the selection may be bold-italic, others bold-underlined, and others merely bold.

Word, on the other hand, deals with font faces by viewing combinational faces in an aggregate manner. In Word, even if over the selection range all characters are in bold, the Bold menu item is not checked if some characters are bold-italic, while others are bold-underlined, and others merely bold.

The implication of all this is that with MacWrite you can toggle off a component face within a mixed run, whereas with Word you can't.

With the original extensions to TextEdit, you could more easily implement Word's method than MacWrite's. How-

*continued*

### Listing 1: This routine recalibrates the vertical scroll bar.

```
void SetScrollMax(wpPtr, fShowSel)
WindowPtr wpPtr;
Boolean fShowSel;
/* Adjusts the scroll bar maximum value so that the scroll bar range is
not allowed to exceed the end of the text. WpPtr is a pointer to the window
of the text and scroll bar. If fShowSel is true, then the text is scrolled
if necessary so that the insertion point or the beginning of the selection
range is visible. */
/* Note 1: The maximum control value is the pixel offset of the top of the
first line of text on the last screen. Or, you can think of it as the
height of all lines above the first line visible in the last screen full of
text.
Note 2: If the last line is empty because the last character is a <<cr>>,
then we have to add the height for one extra line because it is not
actually included in the count of the number of lines.
Note 3: TEGetHeight() expects 1-based line numbers. Our TEC2Line()
routine returns a 0-based line number. */
/* m_o 11.20.88 */
{
    Integer vMax; /* new maximum control value */
    Integer d; /* delta old/new control values */
    MyDataHndl hMyData = (MyDataHndl)GetWRefCon(wpPtr);
    TEHandle hTE = (*hMyData)->teRecord;
    ControlHandle hScrollV = (*hMyData)->hScrollV;
    Integer nChars = (**hTE).teLength;
    Integer nLns = (**hTE).nLines;
    Integer viewHt = HEIGHT(**hTE).viewRect;
    Integer textHt = TEGetHeight(nLns, 1, hTE);
    Integer v0 = GetCtlValue(hScrollV);

    /* see Note 2, above */
    if (nChars > 0 && (**hTE).hText[nChars - 1] == CR)
        textHt += TEGetHeight(nLns, nLns, hTE);
    /* text requires scrolling? */
    if (textHt > viewHt) {
        Point scratchPt; /* see Note 1, above */
        Integer cOffset; /* character offset @ scratchPt */
        Integer lastHiddenLn; /* line offset @ scratchPt */

        scratchPt.h = (**hTE).destRect.left;
        scratchPt.v = textHt - viewHt + (**hTE).destRect.top;
        cOffset = TEGetOffset(scratchPt, hTE);
        lastHiddenLn = TEC2Line(cOffset, hTE);
        vMax = TEGetHeight(lastHiddenLn + 1, 1, hTE);
    }
    else
        vMax = 0;
    SetCtlMax(hScrollV, vMax);
    /* did control value change? */
    if (d = v0 - GetCtlValue(hScrollV))
        TEGetScroll(0, d, hTE);
    if (fShowSel)
        ShowSel(wpPtr);
}
```

### Listing 2: Action procedure for the vertical scroll bar; it handles mousedowns in the scroll arrows and the page regions.

```
static pascal void TrackVScroll(hScrollV, partCode)
ControlHandle hScrollV;
Integer partCode;
/* Track control procedure used to adjust the vertical scroll bar hScrollV
and scroll the text. PartCode handles the portion of the scroll bar that
the mouse is down in (which may be simulated). The private global HScrollTE
```

*continued*

```

must be set on entry to contain the handle to the affected text's edit
record. */
/* Key principle when scrolling by page amounts: When scrolling up a page,
the last visible line becomes the first visible line, and vice versa when
scrolling down a page.
Here, the last visible line means the last line visible in its entirety.
It is assumed that the minimum control value is 0.
An alternate strategy for passing the handle to the TextEdit record is to
store it in the control's refCon field. */
/* m_o 04.17.88 */
{
    Point pt;
    Integer v0, vMax, cOffset, curTopLn, d;

    if (!partCode)
        return;
    v0 = GetCtlValue(hScrollV);
    vMax = GetCtlMax(hScrollV);
    /* location of view rectangles top left corner */
    pt = (**HScrollTE).viewRect.topLeft;
    /* calculate current top line */
    cOffset = TEGetOffset(pt, HScrollTE);
    curTopLn = TEC2Line(cOffset, HScrollTE);
    switch (partCode) {
    case inUpButton:
        if (v0 == 0)
            return;
        /* calculate height of line above current view */
        d = -TEGetHeight(curTopLn - 1 + 1, curTopLn - 1 + 1,
            HScrollTE);
        break;
    case inDownButton:
        if (v0 == vMax)
            return;
        /* calculate height of line currently at top of view */
        d = TEGetHeight(curTopLn + 1, curTopLn + 1, HScrollTE);
        break;
    case inPageUp: {
        Integer viewHt, newTopLn;

        if (v0 == 0)
            return;
        viewHt = HEIGHT(**HScrollTE).viewRect);
        /* calculate pixel offset to new top line: the current top
        line's bottom minus the view height; then convert to
        line offset */
        pt.v += TEGetHeight(curTopLn + 1, curTopLn + 1,
            HScrollTE) - viewHt;
        cOffset = TEGetOffset(pt, HScrollTE);
        newTopLn = TEC2Line(cOffset, HScrollTE);
        /* if height from current top line to new top line
        greater than view height, change new top line to
        scroll one less line */
        if (TEGetHeight(curTopLn + 1, newTopLn + 1, HScrollTE) >
            viewHt)
            ++newTopLn;
        d = -TEGetHeight(curTopLn - 1 + 1, newTopLn + 1,
            HScrollTE);
        break;
    }
    case inPageDown: {
        Integer curBtmLn;

        if (v0 == vMax)
            return;

```

ever, since the release of System 6.0, MacWrite's method is easier. System 6.0 added the routine TEContinuousStyle(), which makes it simple to determine the font attributes over a selection range. Listing 5 illustrates adjusting the font menus. TextEdit handles the Style menu in a component fashion similar to MacWrite. For an example of how to handle the Style menu in an aggregate manner similar to Word, see the text box "An Alternate Means of Handling Mixed Faces" on page 22.

It's very easy to "add" a face over a range with a single call to TEsSetStyle(). But prior to System 6.0, subtracting a face from a range required you to individually modify each run throughout the selection range. This meant that for each run within the selection range, you had to get the style of the run using TEGetStyle(), then call TEsSetStyle() with the original aggregate face less the component face being removed. The addition of the doToggle mode has made changing font faces much simpler.

Listing 6 illustrates changing a font versus changing a font face. Note that the algorithm used to change the font face relies on the font-face menu being correctly checkmarked. Not only is proper menu maintenance important to the user interface, but it can also simplify a program's internal design. Part of the Apple Human Interface Guidelines is that, as much as possible, users shouldn't be presented with choices that really can't be made. If an option or command isn't currently available, it should be dimmed or disabled so users don't waste time trying to do something that can't be done.

Note also the usage of the toggleFace flag in DocFontFace(). This is necessary for a most peculiar reason. If you call TEsSetStyle() with a mode of doFace+doToggle and a style of bold for a selection range that includes plain and bold text, the faces will swap—the plain text becoming bold and vice versa. Therefore, use the doToggle mode only when you wish to toggle a face off.

The example code ignores the issue of making style changes undoable. Undoing a style change over a selection range with multiple styles is not simply a matter of reapplying or "negating" a font-face change over the entire selection range. If the font was changed and the selection included runs of different fonts, each run must have its original font set back individually. The same applies to a font-size change. With font faces, if some runs originally used the newly applied face,

*continued*

## NEW EXTENDED TEXTEDIT

```

/* calculate current bottom line of view */
pt.v = (*HScrollTE)->viewRect.bottom;
cOffset = TEGetOffset(pt, HScrollTE);
curBtmLn = TEC2Line(cOffset, HScrollTE);
/* if height from current top line to new top line
(i.e., the old bottom line) greater than view height,
change new top line to scroll one less line */
if (TEGetHeight(curBtmLn + 1, curTopLn + 1, HScrollTE) >
HEIGHT((*HScrollTE)->viewRect))
--curBtmLn;
d = TEGetHeight(curBtmLn - 1 + 1, curTopLn + 1,
HScrollTE);
break;
}
/* switch */
SetCtlValue(hScrollV, v0 + d);
TEScroll(0, v0 - GetCtlValue(hScrollV), HScrollTE);
}

```

**Listing 3:** TEPinLine(). This procedure "pins" control values so that a line of text is aligned with the top of a view rectangle.

```

Integer TEPinLine(pixFromTop, hTE)
Integer pixFromTop;
TEHandle hTE;
/* Given a vertical pixel offset pixFromTop from the top of the text
belonging to the edit record **hTE, TEPinLine() returns a vertical pixel
offset pinned to the top of the line that the original offset fell in. */
/* m_lo 04.17.88 */
{
Point myPt;
Integer cOffset, theLine;

myPt.h = (*hTE)->destRect.left;
myPt.v = (*hTE)->destRect.top + pixFromTop;
cOffset = TEGetOffset(myPt, hTE);
theLine = TEC2Line(cOffset, hTE);
return((theLine) ?
TEGetHeight(theLine - 1 + 1, 1, hTE) : 0);
}

```

**Listing 4:** TEC2Line() is a commonly used routine. It converts character offsets into line offsets.

```

Integer TEC2Line(cOffset, hTE)
register Integer cOffset;
TEHandle hTE;
/* Returns the line number of the character whose offset is cOffset in the
text belonging to the edit record **hTE. The line number returned is a 0-
based line offset index. */
/* Uses a standard binary search algorithm, making sure to always round
downward if the character offset cOffset does not match an offset in the
line-starts array. The use of the pointer to the beginning of the line-
starts array in the relocatable text edit record is safe because there are
no calls made from within this routine. */
/* m_lo 04.15.88 */
{
register Integer ln, lo, hi, *pLnStarts, lnStart;

lo = 0;
hi = (*hTE)->nLines;

```

continued

## AMERICA's Lowest Prices

Computer Packages  
**Mac** SYSTEM DESIGN Specialists  
The West Coast's Largest "Mac Only" Store

RECOMMENDED FOR...  
**BUSINESS - PUBLISHERS - DESIGN PACKAGE**



**3298.**

2 mb FAST RAM MEMORY  
80 mb. HARD DRIVE SYSTEM  
12.5ms FAST **QUICK** INTERNAL  
13" SONY HI-REZ 900 X 560 MONITOR  
256 COLOR CARD  
101 KEY EXT PROG. KEYBOARD  
SOFTWARE PROGRAMS  
FONTS, DAS & UTILITIES  
PLUS...  
POSTSCRIPT™ - HI SPEED  
**LASER PRINTER**  
CALL FOR...  
CUSTOM DESIGNED  
PACKAGES

OUR PACKAGE PRICE ONLY... **9988.** RETAIL STORE LIST \$16000.00  
SAVE OVER \$6000.

Now, In Stock...  
**2998:**

RECOMMENDED, FAST 68030 16 MHz Computer



2 mb. RAM MEMORY, 1.4 DRIVE, STEREO SOUND  
MAC PRINTER, 101 KEYS EXT. KEYBOARD  
INTERNAL 40 mb. **QUICK** 12.5ms HARD DRIVE  
2 to 5 times faster than the... SE.

OUR PACKAGE PRICE ONLY... **4988.** RETAIL STORE LIST \$6500.00  
YOU SAVE, OVER \$3000.

OUR MOST POPULAR PACKAGE!  
**1998.**

RECOMMENDED, SE BUSINESS PACKAGE...



2 mb FAST RAM MEMORY, ONE 800K DISK DRIVE  
MAC PRINTER, 101 KEYS KEYBOARD  
INTERNAL 40 mb 12.5 MS **QUICK** HARD DRIVE  
THE HOT SYSTEM AT A HOT PRICE!

OUR PACKAGE PRICE ONLY... **3988.** RETAIL STORE LIST \$5500.00  
Now... SAVE OVER \$2500.

**1298.**

RECOMMENDED... "START-UP" SYSTEM PACKAGE...



1 mb. FAST RAM, MAC PRINTER,  
EXTERNAL 30 MB. FAST HARD DRIVE  
APPLE KEYBOARD & MOUSE SOFTWARE  
GREAT SYSTEM TO GET STARTED WITH!

OUR PACKAGE PRICE ONLY... **2388.** RETAIL STORE LIST \$3300.00  
SAVE OVER \$900.

**MONITORS - HARD DRIVES - LAZER PRINTERS**  
WE SELL ALL MAJOR... Mac Brand Names  
OVER... 1000 Mac PRODUCTS. NOW IN STOCK!  
CALL FOR QUOTE... ON COMPLETE COMPUTER SYSTEMS,  
DESIGNED FOR YOUR SPECIFIC, COMPUTING NEEDS.

**Mac Friends**  
A NEW KIND OF COMPUTER STORE™  
with System Package

COD's Credit Cards OK  
One Day Rush Delivery

**800 331-1322**  
WE CAN BEAT ANY PRICE, CALL US LAST!

© 89 Compa Hort Inc. Mac, Macintosh™ APPLE COMPUTER INC.

## Computers For The Blind

Talking computers give blind and visually impaired people access to electronic information. The question is how and how much?

The answers can be found in "The Second Beginner's Guide to Personal Computers for the Blind and Visually Impaired" published by the National Braille Press. This comprehensive book contains a Buyer's Guide to talking microcomputers and large print display processors. More importantly it includes reviews, written by blind users, of software that works with speech.

This invaluable resource book offers details on training programs in computer applications for the blind, and other useful information on how to buy and use special equipment.

Send orders to:  
National Braille Press Inc.  
88 St. Stephen Street  
Boston, MA 02115  
(617) 266-6160

\$12.95 for braille or cassette, \$14.95 for print. (\$3 extra for UPS shipping)  
NBP is a nonprofit braille printing and publishing house.

```

pLnStarts = (*hTE)->lineStarts;
while (hi >= lo) {
    ln = (lo + hi) / 2;
    lnStart = pLnStarts[ln];
    if (cOffset == lnStart)
        break;
    else if (cOffset > lnStart)
        lo = ln + 1;
    else
        hi = ln - 1;
}
return((cOffset < lnStart) ? ln - 1 : ln);
}

```

**Listing 5:** *Adjusting the font, font-size, and font-face menus. There is no invalid value for the font-face information, so an extra Boolean is used to indicate if the font face is actually Plain; the plain value for the font-face value passed to the menu-adjusting routine indicates that no face (other than possibly Plain) is consistent throughout the selection range.*

```

static void DocFontMenu(theFontID)
Integer theFontID;
/* Checks the font in the font menu whose ID is equal to theFontID and un-
checks all other fonts. If no font is to be checked, then a value that
won't match any font ID, such as -1, should be passed in for theFontID. */
/* m_o 11.20.88 */
{
    Integer item, nItems;
    MenuHandle hMenu;

    hMenu = MyMenus[FONT_MENU];
    for (item = 1, nItems = CountMItems(hMenu);
        item <= nItems; item++) {
        Str255 fontName;
        Integer fontNum;

        GetItem(hMenu, item, fontName);
        GetFNum(fontName, &fontNum);
        CheckItem(hMenu, item, fontNum == theFontID);
    }
}

static void DocSizeMenu(theFontSz, theFontID)
Integer theFontSz, theFontID;
/* Checks the size in the font size equal to theFontSz, and unchecks all
other sizes. If no size is to be checked, then a value that won't match any
size, such as -1 or 0, should be passed in for theFontSz.
Also sets the item style to be outlined for each font size that is
available as a bit-map font in the font specified by theFontID. If there is
no font to check for available bit-map fonts, then -1 should be passed in
for theFontID. */
/* m_o 11.20.88 */
{
    Integer item, nItems;
    MenuHandle hMenu;

    hMenu = MyMenus[STYLE_MENU];
    for (item = SIZE1_MITEM, nItems = CountMItems(hMenu);
        item < nItems; item++) {
        Integer sz;

        sz = (Integer)MItem2Num(hMenu, item);
        SetItemStyle(hMenu, item,
            (theFontID != -1 && RealFont(theFontID, sz)) ?

```

*continued*

then undoing the face change would leave those runs alone. Only those runs that did not originally include the applied face would have the face removed.

You will need a copy of *Macintosh Technical Note #207* for documentation on the routines added with System 6.0. And because these routines are imple-

**S**upport  
of non-Roman script  
systems will be a big  
design point.

mented with selectors through the same `_TEDispatch` trap that was added with System 4.1, you must check for their existence by using the `SysEnviron()` call and checking specifically for a System version greater than or equal to 0600 hexadecimal. Testing whether or not the `_TEDispatch` trap is implemented is not sufficient all by itself.

**Other Font Issues**

When setting a font, don't use font ID #1, the application font. The application font is not an actual font. It is a reference to the default font that most applications use. This default is usually Geneva, but it's different for languages that don't use roman character sets.

If there is any text in the application font, it will appear as Geneva (assuming that is what the application font maps to). But your comparison routines will not recognize the text as being in Geneva. For that to happen, you have to write code to specifically test whether text is in the application font; if so, you have to map to the actual font, which isn't necessarily Geneva.

The same is true for font size 0, which tells the System to use the System font size. The System font size is usually, but not always, 12 points. Additionally, many large-screen monitors now come with software to specify a System font size larger than 12 points.

It isn't quite enough to never explicitly set a style using the application font or the System font size. When you call `TEStyleNew()` to create a new-style edit record, it initializes the style-element table from the `txFont`, `txFace`, and `tx-`

*continued*

# Creating sophisticated database applications on your Mac® takes more than a friendly face.

While other database development systems have reasonably friendly interfaces, in terms of speed and power they leave a lot to be desired.

Only McMax™ 2.0 combines these elements successfully.

For example, McMax allows full use of the Mac® interface including pull-down and pop-up menus, programmable alert and file boxes, and context sensitive help.

McMax also features a powerful programming innovation, User-defined READS™. This allows for event handling and the freedom to create modeless applications. It's this unique capability that gives McMax the distinction of being the only dBASE® compatible product on the Macintosh that adheres to Apple's® 10 Human Interface Guidelines.

Of course McMax gives you more than just the means to satisfy the end user. It affords you complete connectivity between the PC and Macintosh environment.


Fully compatible with MS-DOS™ dBASE data, programs, and report and label file formats, McMax allows for ease of conversion by simply using its enhanced direct serial port access to transfer data and programs.

Clearly the deeper you look into McMax the more you find to appreciate.

McMax supports Hypercard™ XCMDs and XFCNs. This gives you the ability to develop programs in standard high level languages such as PASCAL, C, and Assembler. Or access previously written routines and pre-defined Hypercard utility functions.

McMax runs dBASE programs up to 10 times faster on a Mac than on a PC. It provides source code encryption to protect your programs. A built-in Debugger. And an unlimited royalty-free run-time version so you can copy and distribute your applications with no additional costs or software.

Efficiency. Flexibility. Speed. Compatibility. And a full Mac interface. That's what McMax gives you because that's what it takes to develop successfully on a Mac. Anyone who tells you otherwise either honestly doesn't know. Or isn't being very friendly.



*Most systems are so slow it makes you wonder what's behind them.*



**McMax™**

Nantucket Corp., 12555 W. Jefferson Blvd., Los Angeles, CA 90066, (213) 390-7923, fax: (213) 397-5469.  
Copyright © 1989 Nantucket Corporation. All rights reserved.  
Nantucket and the Nantucket logo are registered trademarks and McMax and User-defined READS are trademarks of Nantucket Corporation. Other brand and product names are used for identification purposes only and may be trademarks or registered trademarks of their respective holders.

# Protect Your Copies of BYTE

## NOW AVAILABLE:

Custom-designed library files or binders in elegant blue simulated leather stamped in gold leaf.

**Binders—Holds 6 issues, opens flat for easy reading.**  
\$9.95 each, two for \$18.95, or four for \$35.95.



**Files—Holds 6 issues.**  
\$7.95 each, two for \$14.95, or four for \$27.95.



## Order Now!

Mail to: Jesse Jones Industries, Dept. BY,  
499 East Erie Ave.,  
Philadelphia, PA 19134

Please send \_\_\_\_\_ files;  
\_\_\_\_\_ binders for BYTE magazine.

Enclosed is \$\_\_\_\_\_. Add \$1 per file/binder for postage and handling. Outside U.S.A. add \$2.50 per file/binder (U.S. funds only please).

Charge my: (minimum \$15)

\_\_\_\_\_ American Express \_\_\_\_\_ Visa  
\_\_\_\_\_ MasterCard \_\_\_\_\_ Diners Club

Card # \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

CALL TOLL FREE (24 hours):  
1-800-972-5858

Name \_\_\_\_\_

Address \_\_\_\_\_ (No P.O. Box)

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Satisfaction guaranteed.  
Pennsylvania residents add 6% sales tax.  
Allow 5-6 weeks delivery in the U.S.

**BYTE**

## NEW EXTENDED TEXTEDIT

```

        outline : 0);
        CheckItem(hMenu, item, sz == theFontSz);
    }
}

```

```

static void DocFaceMenu(theFontFace, plainTx)
Style theFontFace;
Boolean plainTx;
/* Checks all font faces in the Style menu whose corresponding bit is set
in the theFontFace parameter. Any font face whose corresponding bit is
clear is unchecked in the Style menu. If plainTx is TRUE, then the Plain
menu item is checked, otherwise it is unchecked. */
/* m_o 11.20.88 */
{
    Integer item;
    MenuHandle hMenu;

    hMenu = MyMenus[STYLE_MENU];
    CheckItem(hMenu, PLAIN_MITEM, plainTx);
    for (item = BOLD_MITEM - BOLD_MITEM;
        item <= EXTEND_MITEM - BOLD_MITEM; ++item)
        CheckItem(hMenu, BOLD_MITEM + item,
            theFontFace & (1 << item));
}

```

```

static void DocStyleMenus(hTE)
TEHandle hTE;
/* Updates the menus for fonts, font faces, and font sizes. HTE is a
handle to the edit record of the currently active document window. The
menus are updated according to the style of the character just before the
insertion point, or of the styles of the characters within the selection
range. */
/* m_o 11.20.88 */
{
    Integer mode;
    Boolean continuous;
    TextStyle theStyle;

    mode = doFont;
    if (!TEContinuousStyle(&mode, &theStyle, hTE))
        theStyle.tsFont = -1;
    DocFontMenu(theStyle.tsFont);

    mode = doSize;
    if (!TEContinuousStyle(&mode, &theStyle, hTE))
        theStyle.tsSize = -1;
    DocSizeMenu(theStyle.tsSize, theStyle.tsFont);

    mode = doFace;
    if (!(continuous = TEContinuousStyle(&mode, &theStyle, hTE)))
        theStyle.tsFace = 0;
    DocFaceMenu(theStyle.tsFace,
        continuous && theStyle.tsFace == 0);
}

```

Size fields of the grafPort. So before creating a new edit record, call the QuickDraw routines TextFont() and TextSize() to set the font and font-size fields to appropriate values.

### All This and Colors II?

TextEdit was extended not only to include multiple fonts, font sizes, and font faces, but also to support color. Color output devices are still pretty expensive, but the capability is there. To take advan-

tage of it, all you need to do is allocate a CGrafPort (a new color graf port).

If you do decide to support colored text within your application, you should allow the user to set up color "presets." Making the user choose a color from the Color Picker Package is less than ideal, but so is a fixed color palette.

### Ready for International Fame

The new TextEdit is also compatible with the Script Manager. This means that

TextEdit can handle languages that write from right to left, have large extended character sets well past 256 characters, have special word-break rules, or use characters whose appearance is context sensitive (i.e., it changes depending on the preceding or following characters). Examples of such writing systems are Japanese, Chinese, and Arabic, which are known as non-Roman scripts, as opposed to writing systems that evolved from Latin.

The Script Manager, using writing-system-specific *Script Interface Systems*, intercepts and modifies many system calls to measure, draw, sort, and convert text. For developers who must write their own text-editing engine, support of non-Roman script systems will be a big design point.

### Saving a Document

Probably the simplest way to save a document with text and styles is to save the text in the file's data fork and all the style information in the file's resource fork. The file should be of type TEXT.

Using this scheme, you need to save the styles table and the runs array. You might also want to save the modification time of the file as a resource. When you are reading the document back in, if the modification date resource doesn't exist, or if it isn't the same as the actual current value of the file's modification date, then you know that the file was edited by some other application and you should ignore any style data in the resource fork.

After reading in and setting up the saved text, you read in the saved style table and replace the data in the existing style table with the saved style-table data, then reset the nStyles field of the style record. Next, read in the saved runs array and replace the existing runs array with it, and reset the nRuns field of the style record. Finally, call the old TECal-Text() routine to recalculate the line-heights table along with the line-starts array. You may also want to save and restore the selection range, the document's window size and placement, and the visible portion of the document within the window. The following pseudocode illustrates the procedure:

```

Read in text.
Set text-edit record to use
  read-in text (directly or
  by using TEText()).
Read in modification date
  resource.
If modification date resource
  exists & equals file's
    
```

*continued*

# Hey Mac, Nisus™ Is Not Just Another Word Processor.



Here's why.

Want to draw a picture without ever leaving the program? *Easy.*

Want to wrap text all the way around it or let the text flow right through? *Easy.*

Want to see it all in glorious color? *Easy.*

Need to find a particular word or phrase by searching through all files, open or not? *Easy.*

Need to use our superior dictionary or thesaurus? *Easy.*


Want to undo what you just did, or any number of things you did

before? Unlimited Undos. *Easy.* Want to use the fastest word processor on the market? *Easy.*

Line numbers? Envelopes? Auto-save? Column selection? Adjustable page preview?

Ten clipboards that can be edited and printed? Your favorite page layout ready when you open a new file? *Easy.*

It's all easy when you have Nisus. Ask your favorite dealer.



Nisus is a trademark of Paragon Concepts, Inc.

(619) 481-1477 Outside CA (800) 922-2993 4954 Sun Valley Rd., Del Mar, CA 92014

Circle M15 on Reader Service Card

March 1989 Mac Special Edition • B Y T E MAC 35

World Radio History

1	Exxon
2	General Motors
3	Mobil
4	Ford Motor
5	IBM
6	Texaco
7	E.I. du Pont
8	Standard Oil (Ind.)
9	Standard Oil of Cal.
10	General Electric
11	Gulf Oil
12	Atlantic Richfield
13	Shell Oil
14	Occidental Petroleum
15	U.S. Steel
16	Phillips Petroleum
17	Sun

**27  
million  
Americans  
can't read.  
And guess  
who pays  
the price.**

Every year, functional illiteracy costs American business billions.

But your company can fight back...by joining your local community's fight against illiteracy. Call the Coalition for Literacy at toll-free **1-800-228-8813** and find out how.

You may find it's the greatest cost-saving measure your company has ever taken.

**A literate  
America is a  
good investment.**

**Ad Council**  **Coalition for Literacy**

**Listing 6:** Changing the font and changing the font size are similar and relatively simple operations. Changing the font face is more involved. Notice how DocFontFace() relies on the menu items being correctly checked. (The statements between the preprocessor commands are a bug workaround. This bug may be fixed in the next System release.) All three operations are much more involved when implemented so that the style change is undoable.

```
void DocFont(myFontName, wptr)
Str255 myFontName;
WindowPtr wptr;
/* Changes the font of the selected text in the window wptr to the font
named myFontName. The document is marked changed, and the global
MenusChanged is set. If necessary, the vertical scroll bar is recalibrated
and the selection range is scrolled into view. */
/* m_o 04.24.88 */
{
    TextStyle myStyle;
    MyDataHndl hMyData;

    hMyData = (MyDataHndl)GetWRefCon(wptr);
    GetFNum(myFontName, &myStyle.tsFont);
    TSEtStyle(doFont, &myStyle, TRUE,
        (*hMyData)->teRecord);
    SetScrollMax(wptr, TRUE);
    MenusChanged = (*hMyData)->changed = TRUE;
}

void DocFontFace(myFontFaceMItem, wptr, doUpdt)
Integer myFontFaceMItem;
WindowPtr wptr;
Boolean doUpdt;
/* Changes the font face of the selected text in the window wptr.
MyFontFaceMItem is the menu item number of the font face. If the item is
the Plain menu item, then the selected text is changed to Plain.
If the item isn't the Plain menu item, then the font face is toggled.
That is, if the specified face is continuous over the current selection
range, it is toggled off, otherwise that face is set continuous over the
selection range.
The document is marked changed, and the global MenusChanged is set. If
doUpdt is TRUE, then the text will be redrawn, and if necessary the
vertical scroll bar will be recalibrated and the selection scrolled into
view. (If you wish to make several face changes, call DocFontFace() once
for each change, passing FALSE for doUpdt for all except the last face
change. This will minimize the amount of recalculations done.) */
/* m_o 11.20.88 */
{
    Boolean toggleFace;
    TextStyle myStyle;
    MyDataHndl hMyData = (MyDataHndl)GetWRefCon(wptr);
    TEHandle hTE = (*hMyData)->teRecord;

    myStyle.tsFace = (myFontFaceMItem == PLAIN_MITEM) ?
        0 : 1 << (myFontFaceMItem - BOLD_MITEM);
    if (!myStyle.tsFace)
        toggleFace = FALSE;
    else {
        char markChar[2];

        GetItemMark(MyMenus[STYLE_MENU], myFontFaceMItem, markChar);
        toggleFace = markChar[1] != 0;
    }
    TSEtStyle(doFace + ((toggleFace) ? doToggle : 0), &myStyle,
        doUpdt, hTE);
    if (doUpdt)
        SetScrollMax(wptr, TRUE);
    MenusChanged = (*hMyData)->changed = TRUE;
}
```

## NEW EXTENDED TEXTEDIT

```

actual mod.date {
Read in the styles table.
Replace existing style
table using
PtrToXHard().
Set number of entries in
nStyles field of style
record.
(Calculate number of
entries in styles table
by dividing table size
by element size.)
Read in runs array.
Set size of style record to
size of style record
(exclusive of any run
elements) plus size of
read-in runs array.
Use BlockMove() to copy
runs array to style
record.
Set number of runs in nRuns
field of style record.
(Calculate number of
entries in runs array by
dividing array size by
element size and
subtracting one element.
The subtraction of an
element is because there
is a dummy element at the
end of the array that is
not included in the nRuns
count.)
}
Call TECalText() to readjust
the line-heights array.

```

The advantage to this method is that any application that can read a TEXT file will be able to access the text. The drawback to this strategy is that, due to limitations in the Resource Manager, the document cannot be accessed simultaneously by multiple users except as read-only.

**Keep Your Eyes Open**

In addition to *Inside Macintosh*, volume V, every developer who wants to use the new TextEdit routines should read *Macintosh Technical Note #131* (revised March 1, 1988) and #207 from Macintosh Developer Technical Support.

Note #131 covers known TextEdit bugs and workarounds, while Note #207 covers the changes to TextEdit introduced with System 6.0. ■


*Michael Ozawa is a software designer for Palomar Software (Oceanside, CA). Since 1985 he has been involved with designing, programming, and managing projects for commercially marketed Macintosh business productivity software. He can be reached on BIX c/o "editors."*

**MathWriter™ 2.0—Elegant Scientific Word Processing**

Both inline and displayed expressions are fully integrated as text.

Compose at the keyboard without pasting equations!

At last—  
a general-  
purpose,  
easy-to-use  
word  
processor  
designed for  
professional  
mathemati-  
cians,  
scientists,  
and  
engineers.



• "What-you-see-is-what-you-get" • Dual keyboard and mouse input • Automatic equation, figure, table, & theorem numbering with linkage to textual references • Automatic pagination • Automatic revision tracking shows both deletions and additions • Hypertext memo notes • Automatic table formatting • Smart templates automatically format expressions • Box equations and paragraphs for emphasis • Full screen editing in multiple columns, even within equations. Requires Macintosh Plus or larger. Supports ImageWriter and LaserWriter.

Cooke Publications—Software Tools That Empower You—We listened.

**Request personal notification of shipping date and price.**

Cooke Publications, PO Box 4448, Ithaca, NY 14852 (607) 272-2708, ext 15

## A MESSAGE TO OUR SUBSCRIBERS

FROM TIME TO TIME WE MAKE THE BYTE SUBSCRIBER list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

**BYTE MAGAZINE**

ATTN: SUBSCRIBER SERVICE

P.O. Box 555

HIGHTSTOWN, NJ 08520




# BYTE's Subscriber Benefits Program

Your BYTE subscription brings you a complete menu of the latest in microcomputer technology every 30 days. The kind of broad-based objective coverage you read in every issue. *In addition*, your subscription carries a wealth of other benefits. Check the check list:

## BONUSES

- ✓ **Annual Separate Issues:** In addition to BYTE's 12 monthly issues, subscribers also receive our annual IBM PC issue free of charge, as well as special bound-in All-Macintosh Supplements.
- ✓ **BYTE Deck:** Subscribers receive five BYTE postcard deck mailings each year—a direct response system for you to obtain information on advertised products through return mail.
- ✓ **Reader Service:** For information on products advertised in BYTE, circle the numbers on the Reader Service card enclosed in each issue that correspond to the numbers for the advertisers you select. Drop the post-paid card in the mail and we'll get your inquiries to the advertisers.
- ✓ **TIPS:** BYTE's Telephone Inquiry System is available to readers who need *fast response* from advertisers. After obtaining your Reader I.D. Card, dial TIPS and enter your inquiries. You'll save as much as ten days over the response to Reader Service cards.
- ✓ **Free Programs Via BYTEnet:** You get access to the BYTEnet Bulletin Board Service, which allows you to download, via



modem, valuable program listings. There is no connect charge for this service.

- ✓ **Subscription Service:** If you have a problem with, or a question about your subscription, you may call our service department toll-free (in the U.S.) at 800-525-5003. All others use 609-426-7070. (During business hours Eastern Time). Should you care to correspond, use the following address: P.O. Box 555, Hightstown, N.J. 08520.
- ✓ **Editorial Indices:** Available through our customer service department P.O. Box 328, Hancock, New Hampshire 03449.

## PAID SERVICES

- ✓ **BIX:** BYTE's Information Exchange puts you on-line 24 hours a day with your peers via computer conferencing and electronic mail. All you need to sign up is a microcomputer, a modem, and telecomm soft-

ware. For further information and cost, call 1-800-227-BYTE.

- ✓ **Program Listings:** Listings of programs that accompany BYTE articles are now available on BIX, on disks or in quarterly printed supplements (see reply cards in this issue for cost information), or call 1-800-258-5485.
- ✓ **Microform:** BYTE is available in microform from University Microfilm International in the U.S. and Europe. See Contents page for cost information.

## DISCOUNTS

- ✓ One-year subscription at \$24.95
- ✓ Two-year subscription at \$44.95
- ✓ Three-year subscription at \$59.95
- ✓ One-year group subscription for five or more at \$19.95 each. (Call or write for details.)

## TOLL-FREE NUMBERS FOR YOUR CONVENIENCE:

**Subscriptions Within U.S.:**  
1-800-525-5003

**BIX:** 1-800-227-BYTE

**Program Listings Orders:**  
1-800-258-5485

## ADDITIONAL NUMBERS:

**Subscriptions Outside U.S.:**  
1-609-426-7070

**Back Issues:** 1-603-924-9281

# BYTE



# Exploring the Mystery

Laurence H. Loeb

## *Understanding ResEdit's use opens more than windows for the Macintosh programmer*

Since 1985, the resource editor has been one of the Macintosh's major utilities. Before then, a disparate collection of editing utilities was available, but ResEdit's object was to bring all these resource-modifying programs under one roof to share a common, extensible interface. It has been successful in doing just that, but it has also been one of the most misunderstood utilities because, to date, it comes without a manual.

The operation of ResEdit is one of the mysteries that aspiring Mac programmers must solve because it does things for developers that no other program will. It lays bare the innards of a Mac program for inspection. It gives powers of creation to those familiar with its workings. (So does RMaker, for that matter, but ResEdit shows the graphical content of the resource, which gives better feedback on how something will look.) In the best Mac tradition, ResEdit removes a layer of abstraction (the specification list) that programs like RMaker interpose between worker and work.

### **A Caveat for the Unwary**

Before you do anything with ResEdit, though, please heed some hard-gotten advice. Always work with a backup of your program when using ResEdit, *never* with the original. ResEdit has a way of crashing once in a while. It's lots better than it used to be, but you may ask it to dive into the ground at Mach 3 without realizing it. Also, if you make a mistake and later save that mistake to your original, you may have no way of tracing what went wrong without a known good copy of the program. Before you go exploring, make sure you have a known good backup, preferably on a disk not connected to the machine. Really. It *will* happen to you one day. It does to everyone.

### **Some Bare-Handed Bit Grabbing**

An exploratory walk through ResEdit country with me as your guide can teach you some vital things. One item that will

amaze your technoid friends is the power to create an icon that goes with an application and sticks with it even when it's copied to another disk. The following instructions may seem tedious to the more adventurous, but this trick won't work unless all the individual tasks are done. The Finder is very bull-headed about wanting certain information. That's what you have to learn to give it.

I'll start with an application I wrote (see "Program Extenders" in the December 1988 BYTE, page M52) that has the "generic" icon attached. This is the icon the Finder assigns when no other is specified. Opening ResEdit (I used version 1.2b2) gives the main window listing the applications ResEdit recognizes. Successive selecting and clicking get you to a window that lists the resources present in my application, a Mac-to-Wang terminal program. You are now ready to start slogging through the terrain.

Under the FILE menu, select New (or press Command-N). The select box comes up, to let you name what type of resource to create. You're going to tell the Finder about desktop information. This is stored in the Bundle (BNDL) resource, so that's what you select from the box on the left of the dialogue. Having clicked the OK button, you see a BNDL resource showing in the program's type list window. But you're not done yet. Opening the BNDL type will give you an empty list window. You have to create another BNDL (by Command-N or menu choosing) before you can do anything.

A quick review is in order here because this step is important, and it's the single thing most new users goof up on. A New selection must be done twice. The first creates the BNDL shown in the program's list. The second New creates a BNDL inside the list window of the previous BNDL. Got that? This has to be done correctly before ResEdit will let you proceed. If the menu choices described later will not "un-gray" at any

*continued*



point, this may be the cause.

Now, double-click on the secondary BNDL. A window will appear. It will have an ID number that has been randomly selected by ResEdit. This is where you set the actual BNDL information. Set the owner ID to 0 first. (You could do this later, but I recommend doing it now.) After setting it, close the window. The secondary BNDL will show as selected. Command-I (or Get Info from the menu) will bring up the information window. Set its ID to 132 and close the window. The ID should change in the BNDL-type window as well. Open the secondary BNDL again. Where it says OwnerName, put in a 4-character string that you want to use to identify your newly created icon to the Finder. This string must be unique to your application. (As a matter of fact, Developer Services at Apple should really approve whatever string you use here to make sure that it isn't used by another application. Apple has reserved for its own use strings composed entirely of lowercase letters.) Insert the string by typing it in.


Next, click on the row of asterisks in the BNDL window under numTypes. A box will appear around them. Double-clicking produces a type box with a line of dashes beneath it. Type ICN# (which means "icon list") into the type box and double-click on the row of dashes. Two more boxes will appear. Putting 0 into localID and 128 into rsrcID will do the trick here. Double-clicking on the asterisks now produces another type box, which you fill in with FREF (for "file reference"). In the same manner as before, double-click on the dashed line and get localID and rsrcID boxes. (Do you see a pattern emerging? Asterisks get you a new type, while the dashes get a secondary specifier.) Insert 1 and 129 into them, respectively. You can now close the entire BNDL window.

You should then be at the application's type window. Create a new ICN# type from the menu or keyboard. A window will appear when you do. (Because it's an ICN# resource, you don't have to do the two New operations. ResEdit is smart enough to give you the window based on the type you have requested.) A square indicates what icon you will be working on. Do a Command-I at this point and set the ID of the selected ICN to 128. Double-clicking in the square will put you in the graphical icon editor. This is where you'll design the icon you want to affix to the application.


ResEdit's icon editor functions in much the same way that MacPaint's Fat-

*continued*


**Figure 1:**  
*A list of resource types.*




**Figure 2:**  
*A list of the DLOGs present.*




**Figure 3:**  
*A graphical representation of the dialogue in small format.*




**Figure 4:**  
*Dialogue displayed as text.*






**Figure 5:**  
An Edit window  
for the DLOG.





**Figure 6:**  
An Edit box  
for an individual  
dialogue item.



**Figure 7:**  
A new message  
can be added.

**Figure 8:**  
(bottom left)  
An Edit box  
to change the  
button name.

**Figure 9:**  
(bottom right)  
The DITL  
type list.



**W**ith  
ResEdit at your side,  
you'll have fun  
exploring the inside of  
an already-created  
program, such as  
StuffIt, and learn a lot  
in the process.

Bits mode does. The left side of ResEdit's icon-editor screen is where the bits are set to make the "data" part of the icon (what you see on the desktop when the icon is not selected). The left part of this screen is where the "mask" is made (for when the icon is selected). The bottom of the screen shows the icon under various conditions (selected, unselected, small, and so on) to give you an idea of what things will look like when you're done. The ICN# menu that appears with the editor allows the data part to be copied to the mask part so that misalignment doesn't occur. After making the icon and the mask, close both the editor and the ICN# windows.

When you specified the BNDL resource, I mentioned a FREF resource that you had not yet created. Now's the time. As you did for BNDL, select New twice (once for the application type list and once inside the FREF window). A Command-I on the secondary window lets you set the ID of this resource to 129 as you did for the BNDL resource. Once that is done, you can double-click on the secondary window to open a new window. The file type is set to APPL for application, the icon local ID to 0, and the filename to the 4-character string you used before. Close the window.

The last major step is coming up. You have to create a resource with the same name as the 4-character string. As before, you'll use the "double New" way to make the resource. A Get Info on the secondary window allows you to set its ID to 0. Then close all the resource windows. Nothing further needs to be done with it. (Advanced note: If you open the ID=0 resource as an STR [a string], you can put information into it that will show in the application's information window when a Get Info is done from the desktop as version information. It's not mandatory to do this, however.)

You can then close the application's resource type list. As you close it, ResEdit will ask if you want to save the changes. Click yes. After it is closed (and highlighted), do a Get Info on the application. Set the type to APPL and the creator to the 4-character string you have used. Close the window, and you are done!

**A Real-Life Example**

Now that you have one trick down pat, you're ready to go on and see what the inside of an already-created program looks like with ResEdit on your side. Stuffit 1.5.1 is a great utility from Ray Lau that has widespread distribution within the Mac community (and if you haven't sent your shareware to him yet,

please do so right away!).


Figure 1 shows what you find when you open Stuffit, namely the resource types that are present. Select the DLOG (dialogue) resource. Figure 2 is a list of the DLOGs present; select the first one and double-click. Figure 3 is the image that then shows. It's a graphical representation of the dialogue in a small format. Note the DLOG menu that has appeared in the menu bar. It allows the choice of a graphical or text representation of the dialogue. Figure 4 shows the same dialogue displayed as "text" information.

Going back to the graphical representation is very interesting, but how does any editing get done? You simply double-click on the graphic. The result is shown in figure 5. Newer versions of ResEdit are smart enough to realize that DITLs (dialogue item lists) are linked to DLOGs. They call up the appropriate linked DITL to the DLOG automatically. Older ResEdits made this a manual operation. In any case, you can see each of the individual dialogue items. Select one (figure 6). A bordered box is drawn around it with a gray "handle" in the lower right-hand corner. Double-click on that, and the edit box (figure 7) appears.


The editable text is selected at the bottom. You can now change it to your heart's content with whatever message you want. (The `^O` in the text is a placeholder for a paramtext Toolbox call. To actually use the dialogue, you would call paramtext from the code, specifying the name that would go into the dialogue as one of the parameters.) When you close the edit box, you see the effect of your change. If a change in the size of the edited item is required, this is where you would make it.


Double-click once more with the button selected. Figure 8 is the edit box that appears, similar to the previous one. Again, this is where you would make any text changes (i.e., the name of the button). One way to confirm for yourself the linking that ResEdit does is to select DITLs individually. Figure 9 shows the DITL in the type list. Selecting the one corresponding to the DLOG you just did would show it with the new wording in effect. You can always access the DITLs this way without the DLOG if that is faster for the purpose you have in mind. ALRT (alert) resources also exhibit this kind of linked behavior. You can open an ALRT to see what it looks like and call up the individual DITL items from it, in

**Figure 10:**  
*ALRT menu choice.*



**Figure 11:**  
*A Stuffit small icon listing box.*






**Figure 12:**  
*ZBasic 4.0 menu resource.*

the same manner as from a DLOG. However, the text displayed by choosing it from the ALRT menu choice (figure 10) is specific for what is needed for an alert.


One of the resource types StuffIt has listed is SICN (small icon). Opening this up in the standard manner shows an interesting listing box (figure 11). The small icon is shown about the same size as it would appear in the program. Double-clicking on the small icon brings up the editing box. This editor works the same way as the icon editor you saw before. Bits are set and cleared to produce a small icon.



**Figure 13:**  
*Main file menu.*


**Something Completely Different**

One resource that StuffIt lacks is a menu. I grabbed ZBasic 4.0 and opened it up to show a menu resource (figure 12). Since I know that ID=129 is almost always the File menu, I picked that one and opened it. What appears (figure 13) will be a surprise to anyone using the Apple-issued ResEdit. Alan Goates of Otherware (310 South 13th East, #3, Salt Lake City, UT 84102) has created a very nice menu editor for ResEdit that I use in preference to Apple's. When I spoke earlier of ResEdit being extensible, this is one of the things I had in mind. (MenuEditor 1.2 is available in the listings section of the macintosh conference on BIX.)



**Figure 14:**  
*Items can be selected and edited.*

Figure 13 shows what the screen looks like when the main menu is selected. Any individual item can be selected (figure 14) and edited as far as text or marked state. To demonstrate how easy it is to edit with this tool, I simply typed in the number of one of ZBasic's icons, hit the Do It! button, and got the results in figure 15. The respacing necessary in the menu to reflect the icon's presence was done automatically. Adding the menu editor to a standard ResEdit is very simple, nothing more than a copy and paste. I recommend this tool for anyone editing menus with ResEdit.



**Figure 15:**  
*Type a ZBasic icon number, hit Do It!, and the icon appears.*

**The Benediction**

I have really not taken you much below the surface of ResEdit's possibilities in this brief exploration. But you should now understand how to make it do at least one practical task that may have seemed mysterious before, and have a better appreciation of the great utility Apple has provided to developers. ■

*Laurence H. Loeb is an electrical-engineer-turned-dental-surgeon in Wallingford, Connecticut. He is comoderator of the macintosh conference on BIX. He can be reached on BIX as "lloeb."*

# READER SERVICE

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

\* Correspond directly with company.


## Alphabetical Index to Advertisers

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
M19 BORLAND INT'L.....	MAC3	M5 DOUGLAS ELECTRONICS.....	MAC8	M12 MICROSIM.....	MAC4
• BYTE PUBLICATIONS.....	MAC38	M6 HOWTEK.....	MAC10,11	M13 NANTUCKET.....	MAC33
• BYTE SUB. MESSAGE.....	MAC37	M7 HOWTEK.....	MAC10,11	M20 NATIONAL INSTRUMENTS.....	MACCII
• BYTE SUB. SERVICE.....	MAC6	M8 INVENTION SOFTWARE CORP.....	MAC13	M21 NATIONAL INSTRUMENTS.....	MACCII
• BYTE BACK ISSUES/SALE.....	MAC25	M9 INVENTION SOFTWARE CORP.....	MAC13	M15 PARAGON CONCEPTS.....	MAC35
M1 COGNITION TECHNOLOGY.....	MACCIII	M10 LOGIC PROGRAMMING ASSOC.....	MAC6	M16 SCOTT FORESMAN & CO.....	MAC12
M2 COGNITION TECHNOLOGY.....	MACCIII	M22 MAC FRIENDS.....	MAC31	M17 SOFTWARE EXCITEMENT.....	MAC7
M3 COOKE PUBLICATIONS.....	MAC37	M11 MICROSIM.....	MAC4	M18 VERSACAD.....	MACCIV

## Index to Advertisers by Product Category

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
<b>HARDWARE</b>		M13 NANTUCKET.....	MAC33	M30	APPLE2/MAC — LANGUAGES
M25	PRINTERS/PLOTTERS	M15 PARAGON CONCEPTS.....	MAC35	M19 BORLAND INTL.....	MAC3
M6 HOWTEK.....	MAC10,11	M27	Apple2/MAC APPLICATIONS Scientific/Technical	M10 LOGIC PROGRAMMING ASSOC.....	MAC6
M7 HOWTEK.....	MAC10,11	M3 COOKE PUBLICATIONS.....	MAC37	M31	APPLE2/MAC — UTILITIES
<b>SOFTWARE</b>		M11 MICROSIM.....	MAC4	M8 INVENTION S/W CORP.....	MAC13
M26	APPLE2/MAC APPLICATIONS Business/Office	M12 MICROSIM.....	MAC4	M9 INVENTION S/W CORP.....	MAC13
M1 COGNITION TECH.....	MAC CIII	M20 NATIONAL INSTRUMENTS.....	MAC CII	<b>M33 MAIL ORDER/RETAIL</b>	
M2 COGNITION TECH.....	MAC CIII	M21 NATIONAL INSTRUMENTS.....	MAC CII	M22 MAC FRIENDS.....	MAC31
M28	APPLE2/MAC — CAO	M16 VERSACAD.....	MAC CIV	M17 SOFTWARE EXCITEMENT.....	MAC7
M29	APPLE2/MAC — LAN	M29	APPLE2/MAC — LAN	<b>M34 EDUCATIONAL/INSTRUCTIONAL</b>	
M5 DOUGLAS ELECTRONICS.....	MAC8	M5 DOUGLAS ELECTRONICS.....	MAC8	M18 SCOTT FORESMAN & CO.....	MAC12

**Important TIPS\* for BYTE Subscribers:  
Receive Product Information 10 Days Earlier!**




All you need is a touch-tone telephone and your subscriber I.D. number. See instructions facing the Reader Service Index in the back of this issue for outrageous time-saving opportunities!

\*BYTE's Telephone Inquiry Processing Service

# How to Have an Expert Anywhere You Have a Macintosh

NEW...  
Full HyperText



Have you ever wanted to be in more than one place at one time? Now with MacSMARTS™, you can at least have your expertise be there.

It isn't hard to see why leading corporations are gaining a competitive edge using expert systems. The ability to let multiple computers offer advice and solve problems, instead of just one "human expert," has strategic implications for productivity. Advice, information, diagnoses and expert knowledge can be freely handed out to all departments in the same building, or in each corporate office anywhere in the world.

DuPont, Eastman Kodak, Procter and Gamble, ARCO, General Electric, Union Carbide, Honeywell and Arthur Andersen are already using MacSMARTS applications to boost productivity. One Fortune 500 company is using MacSMARTS to save more than \$1.5 million per year by optimizing office procedure manuals. Another company is using MacSMARTS to interpret complex government regulations. In fact, MacSMARTS has the largest installed base of Macintosh expert-system sites worldwide, including many other Fortune 500 companies, as well as federal agencies, universities, and professionals in accounting, engineering, law, medicine, finance and other disciplines.

With MacSMARTS, a powerful expert system can be built by people with absolutely no training in artificial intelligence or programming.

Before MacSMARTS, creating a knowledge-based or expert system was both time consuming and difficult. You had to be fluent in esoteric programming languages like LISP or Prolog and use specialized computers. This complexity has prevented many companies from gaining the benefits of such a system.

MacSMARTS works by condensing the knowledge of experts into sets of rules. Its highly intuitive interface features a spreadsheet-like logic worksheet with simple fill-in-the-blank forms. You create rules by entering information in English, not a complex syntax, and by simple menu selection. Or you can enter examples from your own, or other experts' experience and MacSMARTS will then automatically create the rules for you.

MacSMARTS is the first program to allow hypertext linking of rules or advice to graphics (MacPaint and MacDraw format), text files,

spreadsheets, databases and other knowledge bases, instead of conventional text-only display. You simply click on images or text (as in HyperCard) to link with a graphic explanation of a question or a textual elaboration of advice. You can take geological maps, engine diagrams, architectural plans, key contract paragraphs, laboratory protocols or balance sheets and add rules to make an expert advisor.

In fact, MacSMARTS can now be directly linked to HyperCard, not just as a front end, but as a dynamic two-way link between the free-form browsing of HyperCard and the inferencing power of MacSMARTS.

MacSMARTS is fully compatible with MultiFinder and works on all Macs from 512K to Mac II.

So if you're looking for an organizational tool that's smart enough to be both powerful and simple, take a closer look at MacSMARTS from Cognition Technology; the company at the forefront of expert system tools. Because as MacGuide Magazine puts it, "When it comes to expert system shells on the Mac, there's one that really shines above the others... MacSMARTS. The best expert system shell currently available on the Mac."



**Cognition  
Technology**

MacSMARTS 3.2 retail list \$195. MacSMARTS Professional retail list \$495. To order contact your local dealer or call (800) 622-2829. In Massachusetts call (617) 492-0246.

## MacSMARTS™

The Intelligence-Amplifying Software™

Looking into CAD?

# See how VersaCAD on the Macintosh stacks up . . .

When it comes to professional CAD on the Macintosh®, only VersaCAD® offers a complete solution. Now in its fourth release, this bestselling software gives you high-precision color graphics . . . plus unique design capabilities based on Apple Computer's HyperCard™ information management tool.

- 2D drafting rated "Best" at the National Computer Graphics Association shootout
- 3D color shading that's fast and easy, including multiple viewport display
- Exclusive HyperCard stacks for:
  - Bill of materials
  - Parametric design
  - Off-line plotting
  - Attribute database
  - CAD text processor
  - Drawing manager, and more.
- Proven two-way links to PC-CAD, workstations and thousands of productivity programs.


See for yourself how VersaCAD stacks up. Return the coupon for a free demo disk or call (714) 960-7720 today.

# VERSACAD®


## Macintosh

EDITION

**Prime**  
Personal CAD/CAM



Library	Unit Size	Description	Count	Cost
mech 2	1/8"	nut	39	155.00
mech 3	1/4"	steel rod	3	45.00
mech 5	1/8" X 2"	bolt	39	325.00
mech 12	3/4" X 7 1/4"	shaft	12	75.00
mech 13	1/32"	bearing	4	120.00
mech 18	1/16"	steel bushing	15	155.00
mech 19	1/6"	100% aluminum	16	175.00
mech 20	1/2"	base	6	85.00
mech 21	22 1/4"	flange	10	125.00
mech 23	4 1/8"	flange	7	45.54
mech 24	1"	coupler	4	7.55
mech 25	7/16" X 3"	adapter	22	24.55
mech 33	5"	steel shaft	9	65.00
mech 45	1 1/32"	brass flange adapter	1	10.75
mech 49	5 29/64"	bracket	4	22.50



YES, send me a free demo disk (requires a Macintosh Plus or greater).

Name \_\_\_\_\_  
 Title \_\_\_\_\_  
 Company \_\_\_\_\_  
 Address \_\_\_\_\_  
 City/State/Zip \_\_\_\_\_  
 Phone \_\_\_\_\_

Please send to Demo Disk, Versacad Corporation, 2124 Main Street, Huntington Beach, CA 92648.

Circle M18 on Reader Service Card

World Radio History

# We Guarantee Good News Every Monday Morning!



**I**n fact, we'll guarantee the best news—100% factual, accurate and unbiased expert analysis of significant developments in the personal computer industry. Just straightforward, no-nonsense professional reporting of industry news, product announcements and key events as they happen each and every week.

BYTEweek, McGraw-Hill's new weekly newsletter, is devoted to helping you stay on top of the dramatic changes in the continually-evolving business computing arena. BYTEweek is devoted to reporting and analyzing these changes and developments through its timely, compact, one-stop news format. BYTEweek keeps you on top of significant industry trends and developments through its coverage of the IBM, IBM-compatible, Apple Macintosh and workstation markets. BYTEweek gives you the full details of significant new product announcements with in-depth analysis.

BYTEweek guarantees what no other personal computing publication can by building on two renowned and respected technical resources: the award-winning *Microbytes Daily* on-line news service and the technical expertise of the BYTE Editorial Staff aided by the new resources available to them in the recently expanded BYTE Lab. Through these resources, you are kept on top of issues such as:

- **New data storage techniques**, including CD-ROM, erasable optical and other text, graphics, and video storage technology.
- **Expert systems**, with an examination of both the technical and human aspects of implementation.
- **Bus standards** and the war between IBM and the clone

manufacturers—with critically important user ramifications.

- **Legal skirmishes** and "look and feel" suits, which can put the manufacturer of your favorite software out of business.
- **Software emulation** that will allow new, exotic computer systems to run software written for IBM PCs.
- **LAN system developments**, including all pertinent aspects of connectivity and inter-operability.
- **Network management**, a complex and increasingly important topic for personal computers in both small and large offices.
- **PostScript clones**, which promise faster, lower-cost laser printers with the same capabilities as the Apple LaserWriter.
- **New, easy-to-use programming systems** such as CASE and 4th Generation Languages, that can allow non-programmers to develop powerful applications.

BYTEweek offers you what no other industry publication can: timely news on the rapidly evolving computer industry as it happens, framed by interpretation and evaluation that only BYTE's experienced editorial staff can provide.

Subscribe now and take advantage of the special one-year charter subscription rate of \$395 a year (\$495 outside the U.S. and Canada)—a savings of \$100 off the regular rate. Your subscription to BYTEweek includes 50 issues and a free subscription to BIX, which includes access to the award-winning *Microbytes Daily* on-line news service. Your hourly usage rates will be billed separately.

Don't miss this opportunity! Call BYTEweek's toll-free number:

**1-800-258-5485**

to order your subscription.

## BYTEWEEK

One Phoenix Mill Lane, Peterborough, NH 03458  
**1-800-258-5485** (In NH, call 603-924-9281)  
Charter subscription just \$395 for 50 weekly issues



Canis lupus

#1 in a series of consumer habits

**T**he timber wolf is equipped with

more than an iron will

to survive the rigors of nature.

It has a steel jaw with a bite of 1800

pounds per square inch.

Grazers they are not. Neither are

the readers of Byte magazine.

For they are a special breed

of advanced personal computing

experts whose hunger for

new product knowledge is not

readily satisfied by tidbits

of information. They crave content.

Meaty reviews. Technical

analysis. Something substantial to

sink their teeth into. Which


is what they get in every Byte. Some

publications may promise you

more readers than Byte's 435,000.

But none so voracious.





# Object-Oriented Programming



## 231 What's in an Object?

by Dave Thomas

## 245 Learning the Language

by Peter Wegner

## 255 Separation of Powers

by Mahesh H. Dodani,  
Charles E. Hughes,  
and J. Michael Moshell

## 265 The Next Step

by Tom Thompson

## 270 Object-Oriented Resources

The phrase "object-oriented" is becoming one of those buzzwords that you hear from everyone. It's also becoming one of those topics that no two people agree on. But what does "object-oriented" really mean?

The basic idea behind the object-oriented approach is very simple. We perceive the world around us as a variety of objects. When we look at a plant, we see a plant, not a mass of individual atoms. We can divide the plant into leaves, flowers, stems, and roots, but we still see those items as units, as objects.

If we subdivide the bits and pieces of the plant into molecules, even they are groupings of different atoms that we also perceive as single units. To carry the analogy one step further, traditional procedural programming deals with the atoms, while object-oriented programming deals with the plant.

Thus, from the outside, object-oriented means the familiar; it means the way you normally look at the world around you; and it inherently makes sense. From the inside, however, it's a lot more complex than that.

This month's In Depth section sheds some light on the inner workings of object-oriented programming, languages, and interfaces. In "What's in an Object?" Dave Thomas provides an entrance into the object-oriented world. He describes the basics and the terminology and gives an overall view of the field.

Then, in "Learning the Language," Peter Wegner goes into the details of object-oriented languages, how they handle things and how they are organized. He


also defines the differences between object-based, class-based, and object-oriented languages.

In their article "Separation of Powers," Mahesh H. Dodani, Charles E. Hughes, and J. Michael Moshell discuss object-oriented user interfaces—how they work, and why they are popular. And they are popular: Consider the success of the Macintosh user interface.

In "The Next Step," BYTE's Tom Thompson discusses the inner workings of the NextStep user interface from NeXT.

We've been hearing it from psychologists for some time now: Some of us are right-brained (more artistic, more intuitive) and some of us are left-brained (more logical, more analytical). Traditional computer languages and interfaces, with their structure and detail, have appealed to those of us who are left-brained. On the other hand, object-oriented languages and interfaces, with their emphasis on perception and the whole picture, invite those of us who are right-brained to join the computer revolution as well.

—Jane Morrill Tazelaar  
Senior Technical Editor, In Depth





# INDUSTRIAL STRENGTH OOPS.

You have three options in today's world; lead, follow or get out of the way. You've already taken a leadership position in hardware with the latest 286 or 386 system. Now you can use that triple-digit architecture to blast ahead of the pack with the most powerful new Object Oriented Programming (OOPS) software on the market: Smalltalk/V286.

Smalltalk/V, the original OOPS tool for the PC, gave scientists, engineers, programmers and educators a brand new way to solve problems. And soon they were developing exciting new applications in everything from economics to medicine to space.

Now Smalltalk/V286 gives you true work station performance with industrial strength capabilities like: push-button debugging; multi-processing; portability

between DOS, OS/2 and Presentation Manager operating environments; integrated color graphics; a rich class library; and access to 16 MB of protected mode memory, even under DOS.

The new Smalltalk/V286, which is even easier to learn and use than Smalltalk/V, retails for just \$199.95. Or you can buy Smalltalk/V, still the world's best selling OOPS, for only \$99.95. And both come with our 60 day money-back guarantee.

Check out the new Smalltalk/V286 at your dealer. If he doesn't have it, order toll free, 1-800-922-8255. Or write to: Digitalk, Inc., 9841 Airport Blvd., Los Angeles, CA 90045. And let us put you ahead of the power curve.

## Smalltalk/V286

Now available: Industrial strength OOPS for the Macintosh - Smalltalk/V Mac, only \$199.95.

# What's in an Object?

*Even limited object-oriented systems let you build your own integrated applications quickly*


*Dave Thomas*

**O**bject-oriented programming encourages code reuse rather than reinvention. It encourages prototyping and code polishing. It rewards the development of generic functions.

Object-oriented programming enables you to create software that can be readily comprehended and shared with others. Unlike more traditional programming methods that are based on concepts such as data flow or mathematical logic, object-oriented programming directly models the application. Programs perform computations by passing messages between active objects, which are computer analogs of entities in the real world.

An object-oriented financial application, therefore, might see Customer objects sending debit and credit messages to Account objects. The Account objects might then cooperate to maintain Cash-on-Hand, Accounts-Receiveable, and Accounts-Payable objects.

Likewise, an object-oriented electronic CAD system might model a circuit as a set of Component objects, each holding a collection of Pin objects that connect through Net objects to the Pins of other



Components. When a Component asserts a signal on one of its output Pins, the Pin sends a message to its Net that asserts the signal to all its other connecting Pins.

## **Breaking with Tradition**

Breaking down an application into entities and relationships that are meaningful to end users is a common convention-

al programming-analysis technique. Unlike conventional programming, however, object-oriented programming preserves this same decomposition through the design and implementation phases. This makes the software more tangible to nonimplementers who have application knowledge.

This also means that you can reuse objects in similar applications in the same area. Reusing, rather than reinventing, software speeds the development and maintenance of large applications.

You design and implement an object-oriented system, then, as a simulation that assigns state and behavior to each of the natural objects in the application. For example, an object-oriented language like Smalltalk formalizes the notion of an object and makes it the natural unit of modularity. You implement an object's state by giving it a private, persistent memory. Its behavior is implemented as a set of procedures or operations (called methods in Smalltalk) that have access to the private memory.

In traditional programming systems, data and procedures are separate entities; the programmer is responsible for

*continued*

applying active procedures to passive data structures, and frequently for ensuring that the procedure will work correctly on the data types to which it is applied.

By contrast, an object-oriented programming system (OOPS) doesn't view an object just as passive data but as the combination of its private state and the methods that manipulate it. (See the text box "What Took So Long?" on page 234.)

### Methods and Messages

Only the methods of an object have access to its state, and a method can only be invoked by sending the object a message. The distinction between a message and a method is subtle but important. Since a method is part of an object and not a global entity, there is no problem with a Line object and a Circle object both having a method named *draw*.

Sending the draw message to a Line invokes its draw method; sending the same message to a Circle invokes a different method. Thus, you always get the appropriate behavior for the draw operation.

It is quite common in object-oriented systems to code multiple classes of an object that respond to the same messages, as in the Line and Circle example. The ability of different objects to respond differently to the same message is known as *polymorphism*. This approach is clearly superior to using a huge case statement for all the known graphical data types in a single global draw procedure.

Polymorphism is partly responsible for a well-known characteristic of object-oriented systems: a style of programming sometimes referred to as differential programming or programming by modification. It is very easy to plug new objects into the system if they respond to the same messages as existing ones. For instance, if a Window object expects all graphical objects to be able to draw themselves, then it is very easy to add Rectangle objects to a system that previously had only Lines and Circles.

The other characteristic of most object-oriented languages that supports differential programming rather well is called *inheritance*. This is the ability to define a new object that is just like an old one except for a few minor differences. For example, if you were writing a banking application, you could define a Savings-Account object that is just like the existing Bank-Account object but with a few extras. Savings-Account will inherit all of Bank-Account's state and methods.

All these features—the encapsulation of state and methods together, differen-

tial programming via polymorphism, and inheritance—create a different style of programming.

### A Shared Vision

It is often said that you can always tell a good idea when many claim to have discovered it. While most attribute the origins of object-oriented programming to Simula67 and Smalltalk-80, the object concept has many proponents. Simula67 demonstrated the modeling power of a class-based programming language. Smalltalk-80 introduced the concepts of an integrated language, a programming

**F**uture  
programming systems  
will be based on  
the concepts of object  
and message.

environment, a user interface, and a class library.

Early explorers in the OOPS field include the AI community, which developed many object-oriented systems for knowledge engineering, including Hewitt's Actors, MIT's Flavors, and Xerox's Loops. Applications such as Schlumberge's Strobe and Intellicorp's KEE (Knowledge Engineering Environment) demonstrate the power of the OOPS metaphor. For several years, leading researchers in operating systems have advocated an anthropomorphic programming style using lightweight processes in systems such as XOR's THOTH, Open Systems' Harmony, and Quantum Software Systems' QNX.

In programming-language research, information hiding (encapsulation) has been the guiding principle in the development of abstract data type systems found in languages such as Alphard, CLU, and Ada. While many of these systems lack the concept of inheritance, they constitute an important class of systems that Brown University's Peter Wegner calls object-based systems.

### Elementary Particles

Many object-oriented pundits believe that objects and messages, arranged in some configuration, form the elemen-

tary particles of software. In recent years, we have come to accept the notions of data structure and control structure as requirements of all programming systems. Future systems will be based on the concepts of object and message.

I'll briefly discuss object-oriented programming terminology. The concepts are intentionally illustrated with simple examples. However, to appreciate the benefits of OOPS, you will need to use a real object-oriented programming environment, such as Smalltalk, on an interesting application. Like most important ideas, the concepts of object and message are deceptively simple.

The four most important concepts of object orientation are encapsulation, message passing, inheritance, and late binding.

### Encapsulation

An object consists of an encapsulated representation (state) and a set of messages (operations or procedures) that can be applied to that object. Encapsulation is the technical name for information hiding.

Instead of organizing programs into procedures that share global data, the data is packaged with the procedures that access that data. This concept is often called *data abstraction* or *modular programming*. Languages such as Modula-2 and Ada, unlike Pascal and C, support this concept.


The goal here is to separate the user of the object from its implementer. The user is no longer aware of how the object is implemented (using an array or linked lists, for example). Users can only operate on an object using those messages that the implementer provides.

This has the obvious benefit that you can change the implementation of the encapsulated object without affecting the applications using it. Your operating system is such an object (albeit a large one).


The application programmer who uses the standard C file I/O library, for example, has no difficulty porting from one operating system to another. File-oriented applications using this protocol run on DOS, Unix, and the Mach Unix Kernel without modification, although the underlying implementations are completely different.

Pointers are often the antithesis of encapsulation. For example, the C address-of (&) and dereference (\*) operations allow you to bypass the protection boundary provided by objects. Object-oriented programming extends Pascal's safe-pointer notion to provide a powerful


*continued*




**OOPS.** Using sophisticated Object-Oriented Programming, Matrix Layout gives you the power to build complete applications faster than you thought possible. And that's just the beginning.



**CASE.** Layout's Computer Aided Software Engineering functions let you design programs using an intuitive flowchart model. Then, Layout can automatically turn your flowchart into source code or even an .EXE file.



**Hypertext.** Layout puts all the features of Hypercard\* on your PC and in your programs. Use Layout's graphical user interface to create documents with action links to related documents in any file. Or to create hyperlink applications.



**Plus, your favorite programming language(s).** Using Layout's tools, you can cut your coding time up to 70 percent, and still produce ready-to-run programs in your choice of languages.

# A Great Programming Tool Should Contain All Of The Above.

Presenting Matrix Layout, the first full software development system for the PC to promise you all the above. And deliver. Sit down to Layout's intuitive user interface and in minutes you'll be using advanced OOPS (Object-Oriented Programming System) and CASE technology to build your program. Simply draw a flowchart indicating the windows, buttons, menus, text, and graphics you want.

**A Cut Above Other Tools.** Layout also provides flowchart elements for Hypertext data base capabilities, math functions, variable management, conditional branching and looping. And, its open architecture allows you to build your own Black Box elements — to create exactly the program you want. When your flowchart is ready, Layout uses

artificial intelligence technology to automatically turn it into code — Turbo Pascal, Turbo C, Microsoft C, QuickBasic or Lattice C. Or create a ready-to-run .EXE file right from within Layout.

It's so efficient, your programs will run incredibly fast, even on a standard 256K PC. Plus, they'll include Layout's automatic mouse support and device independence.

- All The Above And More.**
- Matrix Helpmaker helps you create context-sensitive help and complete on-line documentation for your programs.
  - Matrix Paint offers a full set of graphics

tools, scanner support, and clip-art files to make your programs look professional. • Finally, Matrix Desktop gives you a simple, visual way to organize files and disks.

**For A Lot Below.** Layout delivers all the above for just \$149.95 — a lot below what you'd expect. Especially when you throw in free customer support, no copy protection, and a 30-day, money-back guarantee.

**Video Tape Offer.** Still not convinced? Call for a copy of our Matrix Layout VHS demonstration video at 1-800-533-5644 (just \$9.95 for shipping and handling, credited against your purchase). In Massachusetts, call (617) 567-0037.

Any way you look at it, Matrix Layout is the ultimate PC programmer's tool. And that's the bottom line.



Matrix Software Technology Corporation • One Massachusetts Technology Center • Harborside Drive • Boston, MA 02128 • (617) 567-0037  
 Matrix Software/UK • Plymouth, England • 0752-796-363 • Matrix Software/Belgium • Geldenaaksebaan 476 • 3030 Leuven • 016202064  
 The following are registered and unregistered trademarks of the companies listed: Matrix Layout, Matrix Paint, Matrix Helpmaker, Matrix Desktop, Matrix Software Technology Corporation; Macintosh, Hypercard, Apple Computer, Inc.

Circle 157 on Reader Service Card

## What Took So Long?

If object-oriented programming is so great, why isn't everyone using it? Why is it still not well understood despite its 1960s and 1970s roots?

The first reason is that both the Simula67 system and the Smalltalk-80 system were relatively inaccessible to the North American software community until the 1980s. The pioneering work on Smalltalk-80, for example, was held captive at the Xerox Palo Alto Research Center until the BYTE issue of August 1981.

And it was only three years ago that the first conference on Object-Oriented Programming Languages, Applications, and Systems (OOPSLA) was held. Only five years ago, languages

such as Objective-C, C++, and Eiffel didn't even exist.

The second reason is that many of those first introduced to Smalltalk thought of it as only a windowing system rather than a revolutionary programming environment. This is exemplified by the many interfaces using windows and a mouse. You should note, however, that while many interfaces copied Smalltalk's user interface, none of these systems let you touch or modify the underlying objects. In many cases, the flexibility of open systems like Smalltalk can be achieved only on powerful hardware. Current processors like the Intel 80386 and the Motorola 68020 fit the bill.

programming metaphor without pointers. It has been my experience that even the use of object-oriented programming style in C and Pascal programs reduces the number of pointer bugs. The Macintosh and Microsoft Windows environments clearly demonstrate the difficulty of developing applications using dynamic pointer-connected data structures.

It is extremely difficult to build robust applications in a language where you must manage dynamic storage, which is why we still need tools like memory protection and hardware debuggers. Environments like Smalltalk never crash the system. Instead, a notifier (debugger) window appears, indicating the error (e.g., when an object does not understand a message).

### Class versus Instance

Modern programming languages make distinctions between a type definition and a variable declaration. Each time a procedure is called in C, for example, the local variables are instantiated (allocated and initialized).

In object-oriented languages, the definition of a type is often called a *class*. A class definition defines both the instance variables (state or representation) and the methods (operations) for objects of that class.

Similar to a type in Pascal, object-oriented languages use a class for the purpose of creating instances of it. While it's possible to allocate objects using a stack discipline like Pascal or C, most object-oriented languages dynamically create objects by sending some form of "new" or "create" message to the class.

Figure 1 illustrates the difference between the Account object that defines the class Account and instances of Account. The class object provides a mechanism for sharing the methods, since the same method code is used for each instance of the class. One important benefit of this approach is that each object is self-identified, since it carries its type with it.

This turns out to eliminate many programming problems, since all objects know their type and how to print themselves. When a program bombs, you don't have to write a complex debugging routine to display a data structure. The more sophisticated languages, such as Smalltalk and CLOS (Common Lisp Object System), remove the need to worry about storage by providing an automatic garbage collector. The advantages of automatic reclamation of unused objects are numerous.

### Message Passing

The use of the word *message* versus *procedure* suggests a looser connection between the object and its user. It leaves open the question of how the message will be realized (by a jump to a subroutine, a system trap, or an interprocess communication in a multitasking or distributed system).

In most cases, the messages are organized into public and private categories. Public messages are generally accessible. Private messages, however, can only be executed by the object itself. They are not available (visible) to outside users.

Message passing facilitates software maintenance by eliminating the type-specific If and Case statements, which

must be updated each time an application is modified to accommodate a new type.

Listing 1 shows the organization of an existing application for handling banking transactions. The program is well structured, with a procedure for each transaction: withdraw, deposit, and transfer. The problem is, each time a new account type is added, the program must be updated.

Suppose you are developing an application in C that needs to run in many environments, such as the Macintosh, X Windows, Presentation Manager, and NextStep. If you anticipated this requirement and have been very careful, you would have common source code across all platforms. By using the C preprocessor, you conditionally build the source for the appropriate platform as illustrated in listing 2. Maintaining common code will be extremely difficult because you will have to update the common code for each platform. A mistake anywhere can result in a major bug that is propagated to each platform. The readability of the code is significantly decreased, and the development time for any given version is increased.

Both of these problems illustrate the clear advantage of having type-based dispatching performed by a common message-passing routine. To provide a usable abstraction for the user, such as Deposit or Open Window, you must provide and maintain another layer of encapsulation.

When you program with an object-oriented language, you are relieved of maintaining message passing. Your only responsibility is to place the new or updated code for the operation (method) in the appropriate class definition.

Smalltalk and Objective-C use an explicit message-passing syntax of the form `account deposit: 50`. Languages such as C++, CLOS, Eiffel, and Trellis/Owl use the traditional functional syntax `deposit (amount,50)`. These are called generic or overloaded functions, since there are multiple definitions of the functions for different classes (types).

### A Common Inheritance


Inheritance is the major feature distinguishing an OOPS from other programming systems. Every OOPS provides simple inheritance in one form or another. Inheritance increases code sharing by allowing the language rather than the programmer to reuse code from one class in another related class.

Consider a simple banking application that must operate on several different account types. I will call the basic account type "Account." Account denotes the

most general type of account. Savings Accounts, Checking Accounts, and BonusSavings accounts are more specialized accounts that have additional properties. Each of the account types includes an account number, an account owner, a balance, and an interest rate. All accounts allow you to deposit funds at any time. Savings Accounts do not allow check withdrawals, but checking accounts do. BonusSavings accounts have a higher interest rate, but the accounts cannot be used for cash or check withdrawals for a specified period.

You can use inheritance to capture the similarity and differences in the account types using the Smalltalk code shown in listing 3.

We say that Savings and Checking are subclasses of Account, and that BonusSavings is a subclass of Savings. Both the methods (deposit, withdraw, and check) and the representation (accountNumber, accountOwner, balance, and rate) of an object can be inherited. When the check: 500 message is sent to an instance of BonusSavings account, the method executed is the one defined in



**Figure 1:** An illustration of the differences between the Account object and the Account instances.

Savings. Figure 2 shows the inheritance diagram for the account classes.

Most languages perform representation inheritance at compile time and method inheritance at run time. While it's generally a good idea to inherit common behavior, it's often undesirable to inherit representation. The existing systems, such as the Smalltalk class library, don't differentiate between the logical

and implementation hierarchies. The logical hierarchy organizes the classes based on their behavior. The implementation hierarchy simplifies the implementation of a given class.

#### Parts: The Keys to Reusability

Inheritance is not the only way to share code and promote reuse. *Parts* let you

*continued*

**Listing 1:** This segment of a Pascal application for handling banking transactions is clearly well structured. Unfortunately, each time a new account type is added, the program must be updated.

```
Type
Account = Record
  Type      : (CDA,GIC,BONUS);
  Balance   : Money;
  ...
End;

Procedure deposit (account:Account, amount:Money)
Begin
  Case Account.Type of
    CDA:   CADdeposit (account, amount);
    GIC:   GICdeposit (account, amount);
    BONUS: Bonusdeposit (account, amount);
  End;
End;


Procedure withdraw (account:Account, amount:Money)
Begin
  Case Account.Type of
    CDA:   CADwithdraw (account, amount);
    GIC:   GICwithdraw (account, amount);
    BONUS: Bonuswithdraw (account, amount);
  End;
End;

Procedure transfer (account1, account2:Account, amount:Money)
Begin
  Case Account.Type of
    CDA:   CADtransfer(account1, account2, amount);
    GIC:   GICtransfer(account1, account2, amount);
    BONUS: Bonustransfer(account1, account2, amount);
  End;
End;
```

**Listing 2:** The beginning of the conditional source for each of the different platforms: Macintosh, X Windows, Presentation Manager, and NextStep. Maintenance will involve updating the common code for each platform.

```
draw(...)
#ifdef PM
  pmdraw(.....)
#endif X
  xdraw(.....)
#ifdef Mac
  quickdraw(...)
#endif Next
  psdraw(...)
  openWindow(...)
#ifdef PM
  pmopenwindowC
#endif X
  xopenwindow (...)
#ifdef Mac
  macopenwindow (...)
#endif Next
  psopenwindow (...)
  readevent(...)
#ifdef PM
  pmgetnextevent(...)
#endif X
  xgetnextevent(...)
#ifdef Mac
  getnextevent(...)
#endif Next
  psgetevent(...)
```

**Figure 2:** *The inheritance diagram for the account classes.*



**Listing 3:** *Here the Smalltalk code uses inheritance to capture the similarities and differences in the banking-application account types.*

```

class name      Account
superclass     Object "Every object is a subclass of
                    something, in this case Object"
Instance variable names  accountNumber accountOwner balance rate
                    "The state of the object"

instance methods

deposit: amount
  "Deposit amount into the receiver (an Account)."
  balance := balance + amount.

withdraw: amount
  "Withdraw amount into the receiver."
  amount > balance ifTrue: [
    accountOwner
    error: 'Not enough money in this Account.'
  ].
  balance := balance - amount.

check: amount
  "The code for check withdrawals."
  self withdraw: amount "Note: Here we
                        re-use the method we
                        have already defined."

class name      Savings
superclass     Account
instance variable names  <none>

  check: amount
    accountOwner
    error: 'You can't write checks against
          this account!'

class name      Checking
superclass     Account
instance variable names  <none>

class name      BonusSavings
superclass     Savings
instance variable names  period "The minimum deposit period."
                        depositDate "Date of last deposit."

  withdraw: amount
    depositDate + period < Date today
    ifFalse: [ accountOwner
              error: 'You can't withdraw from
                    this account yet'
            ].
    ^ super withdraw: amount
  
```

construct compound objects such as windows. Therefore, you can use inheritance as a mechanism to create objects that share properties with similar objects, and you can use parts as a mechanism for assembling composite objects. It's easy to confuse the parts hierarchy (such as the house in figure 3) with the inheritance hierarchy.

This error is signaled by the inability to inherit useful properties. Some existing window systems also suffer from the fact that much of the window structure is inherited rather than assembled from parts. There is no explicit syntax for parts programming. You might expect a `partOf: construct`. Instead, parts are constructed using instance variables.

Figure 3 illustrates the classes for a house. When you describe composite objects, you must describe how they are created and how components are added and modified.

### Early versus Late Binding

Once you accept the benefits of a new language or tool, you will probably question its efficiency. Clearly, in listing 1 you didn't know the type of the object until run time, so you had to perform the `Case` statement in order to determine which method to execute. This is called run-time interpretation of message passing—late or dynamic binding. Obviously, in figure 2, you knew the type of the window system at compile time; therefore, you could early-bind the messages for "draw" and so forth.

Early binding is only possible in the cases where the types are known at compile time, as is common in languages like C and Pascal. Smalltalk and CLOS use late binding, since in these languages it is the objects, not the variables, that are strongly typed.

The proponents of early binding argue that it provides a significant performance advantage. Those who support late binding argue that types get in the way of rapid prototyping and end-user programming in particular. Do you think that HyperCard and Lotus 1-2-3 users would like to have to type their cards and cells?

It seems impossible, for example, to have the convenience of a Smalltalk collection class in a strongly typed language like C++. In Smalltalk, collections can contain any objects. Given an inventory collection, for example, it is possible to add a class into the inventory at any time. In C++, all programs using the inventory must be recompiled with the new class added to the existing union type for inventory. If you allow union types, then


*continued*

# CATCH IT FRESH

The Newest Thinking in Computer Graphics

Attend SIGGRAPH '89 in Boston to catch the most inventive ideas in computer graphics. Join other forward-thinking computer graphics enthusiasts who are looking for original solutions in areas as diverse as automobile design, medical imaging, scientific visualization, and corporate presentations. Discover techniques that can keep you out of hot water.

Come to the 16th Annual Conference on Computer Graphics and Interactive Techniques in Boston, 31 July - 4 August 1989.



"Lobster" Kim, Getto, Resch/Rensselaer Polytechnic Institute  
"Ozone Bubbles" Audrey Fleisher/Images II+, CGL Inc.  
"Radio Jet Disruptions by Shocks in Ambient Medium"  
Norman, Burns, Sulkonen, Cox/NCSA, University of Illinois  
"Rex Goes on Vacation" Martin Majuss/San Francisco, CA

Please send a copy of SIGGRAPH '89 registration materials to:

name \_\_\_\_\_  
company \_\_\_\_\_  
address \_\_\_\_\_  
city, state, country \_\_\_\_\_  
zip code \_\_\_\_\_  
telephone \_\_\_\_\_

For exhibit information contact Robert T. Kenworthy Inc. 201-602-0911.

Sponsored by the Association for Computing Machinery Special Interest Group on Computer Graphics in cooperation with the IEEE Technical Committee on Computer Graphics.


ACM SIGGRAPH '89  
Conference Management  
111 East Wacker Drive, Suite 600  
Chicago, IL 60601  
312-644-6610

Members of ACM SIGGRAPH will automatically receive these materials in the mail and need NOT return this coupon.  
BYTE




Circle 11 on Reader Service Card

**Figure 3:** This graphic illustrates the classes for a house. When you describe composite objects, you must describe how they are created and how components are added and modified.



**Figure 4:** Abstract classes, shown here, make it easy to extend and modify programs.



implicitly there must be a run-time look-up anyway. Finally, the current implementations of Smalltalk and CLOS typically dispatch methods faster than C procedure calls, so there isn't a significant price for the flexibility.

### Abstract Classes

Experience has shown that method inheritance is a good idea but that, in many cases, representation (variable) inheritance is not. Consider an editor that uses objects of type String to represent lines of text.

String has all the methods for appending and inserting strings, so it is convenient to represent Text as a subclass of String. String has a representation as an array of characters (bytes), which is inherited by Text. This works nicely until you want to handle kanji or multifold text, at which point you need another representation, such as 2 bytes per character. Since you can't redefine the representation of Text, the easy way to do it is to copy String into a new class, KanjiText.

While this solves a short-term requirement, it increases code bulk by duplicating code. The real problem is yet to come. Suppose the simple paragraph editor is not called on to handle large files

and that a fast search function is required. You simply redefine the search method in class String to use your new fast search routine. Unfortunately, this doesn't propagate to KanjiString because you no longer have all the methods for String in one place.

Fortunately, there is a simple solution that is standard practice for experienced object-oriented programmers. You make a new class, AbstractString, which has all the methods of String but no representation. You then define String as a subclass with representation of an array of bytes, and KanjiText as a subclass of AbstractString with representation of an array of words (see figure 4).

An *abstract* class is a class that you never make an instance of. It contains the methods common to all subclasses. Abstract classes make it much easier to extend and modify programs that require different representations.

If everything is a class, then a class object must itself have some class. The concept of a *metaclass*—where classes in the system are, in turn, instances of some class (called MetaClass in Smalltalk)—is another important facility provided by the more powerful object-oriented languages. This facility has many important benefits (e.g., extensibility, debugging,

and locality of description) but is unnecessary for understanding and using objects.

### Subtypes versus Subclasses

Smalltalk, Actor, CLOS, Objective-C, and C++ support the concept of subclass inheritance. Eiffel and Trellis/Owl are based on a more stringent notion called *subtyping*.

Subclassing is a sharing mechanism that permits code and representation to be inherited. Subtyping is stricter than subclassing, since it guarantees that an instance of a subtype can always be used in place of a supertype. Ideally, subtype compatibility would guarantee that the subtype had the same behavior as the supertype, but in practice it only verifies that the operations defined on the subtype have the same name (and types) as the supertype. The subtype must provide all the operations defined on the supertype.

### Multiple Inheritance and More

Clearly, not everything can be organized into a single taxonomy (inheritance) tree. Single-inheritance systems require that you organize classes into a tree structure. This can sometimes result in deep inheritance structures that can be awkward to use. Many alternatives based on multiple inheritance have been proposed and implemented in C++, CLOS, Trellis/Owl, Eiffel, and some Smalltalk variants.

Unfortunately, the benefits of multiple inheritance are often outweighed by the complexity required to resolve ambiguities in variable and method name conflicts. Others familiar with object-oriented issues argue that objects should not have classes. Rather, objects should be cloned from an exemplar or prototype. The prototype systems make use of a code-sharing technique called *delegation*. Instead of an object executing the

*continued*

# ZORTECH

T · E · C · H · N · O · L · O · G · Y

## C DEBUGGER \$89.95

Zortech's Debugger is the most sophisticated source level debugger now available. Because it is fully compatible with Codeview you can use it to debug Zortech or Microsoft programs.

Single step through source in one window while watching the variables (inc. automatics) change value in another window. You can even alter variables dynamically while the program executes.

Much better than Codeview, and full of advanced features like dual monitor, EMS memory and Mouse support. Call for data sheet.

## C VIDEO \$299.95

Learn C Now! When you buy our C Course the first lesson you learn is in economics. You will save yourself or your company hundreds of dollars in seminar tuition fees.

You get ten one hour tapes containing 36 lessons ranging from the beginners introduction through to more advanced features.

Great for learning C! Any compiler and any operating system. Complete with 365 page workbook (additional copies available at \$29.95) and free Zortech C compiler - Call for data sheet.



# HELP!

## TECHNICAL HOTLINES

All our products are covered by an extensive FREE technical support hotline which is open five days a week from 9.00 till 5.00 (EST)

### USA HOTLINE

617-646-6703  
Fax: 617-648-9340

### OUTSIDE USA

44-423-501552 (England)  
Fax: 44-423-530746 (England)



**DISCOUNT**  
**EGGHEAD SOFTWARE**

**BOTH FOR \$149.95**

## C COMPILER \$89.95

The most advanced C compiler money can buy. No junk - just pure performance. Magazines are too embarrassed to print our optimized benchmark results - they don't want to upset the big guys!



The 600 page manual comes with a great introductory section and lots of solid technical data and examples. Fully compatible with Codeview and the new Zortech C Debugger. You get over 400 functions and the Flash Graphics package with drivers for Hercules, CGA, EGA and VGA - the fastest graphics library available! Context Sensitive Help, an advanced editor/environment, make, touch, five memory models, linker & librarian. Library Source only \$89.95 - Call for data sheet.

## ZC/TC/MSC TOOLKITS from \$49.95

Please state which compiler you have.

### COMMS - \$99.95

Full Communications library with support for up to 8 ports, Xmodem, Kermit, ANSI, VT52, VT100, up to 38,400 baud, etc. 120 page manual.

### BTREE - \$79.95

A database function library for C, complete with example program and over 50 functions. Easy to use with 92 page manual.

### WINDOWS - \$69.95

Enhance your application with easy to use multiple text windows. Full demo program including 90 page manual.

### PROSCREEN - \$69.95

Generates C source code for your application from screens that you draw. Too many features to list.

### HOTKEY - \$69.95

Write memory resident applications with this TSR function toolkit. Includes example progs.

### SUPERTEXT - \$49.95

WordStar compatible wordprocessor with full source code and 256 page manual. Over 150 functions.

### CHESS - \$49.95

Learn to write Chess games with this toolkit (contains full source). Also includes Backgammon and 150 page manual.

Please request full data sheets.



## C++ COMPILER \$149.95

This is the world's only true C++ compiler for MS-DOS machines - there is no choice. Not to be confused with 'translators' which are slow, expensive, inefficient and not real C++ compilers.

More people use Zortech's C++ than any other C++ on any operating system. Zortech strives to ensure full compatibility with AT&T C++.

Zortech C++ contains all the features of Zortech C including the C compiler itself at no extra cost. Everything is in one neat package. Compatible with Codeview and the new Zortech Debugger. C++ Library Source only \$149.95 - Call for data sheet.



# BYTE

1988 WINNER


WINNER

## C++ TOOLS \$99.95

Zortech's toolkit of base C++ classes covering a wide range of common programming tasks such as bit vectors, singly and doubly linked lists, dynamic and virtual arrays, binary search tree, hash table, BCD maths, time/date/clock, directory lists, filenames, interrupt and critical error handlers, string editing, text windows and editing.

The 450 page manual also acts as a C++ tutorial which introduces the C programmer to the world of C++. Call for data sheet.

# BOOKS



C Primer (Sams) - \$23.95  
Advanced C Primer (Sams) - \$23.95  
C++ (Stroustrup) - \$29.95  
Oops & C++ (Wiener) - \$27.95

## ORDER HOTLINE

# 1-800-848-8408

### VISA/MC/COD

Prices do not include shipping

Circle 288 on Reader Service Card

Zortech, Inc., 1165 Massachusetts Avenue, Arlington, MA 02174. (617) 646-6703. Fax: (617) 643-7969.

Outside USA: Zortech Ltd., 106-108 Powis Street, London SE18 6LU, England. (44-1)-316 7777. Fax: (44-1)-316 4138.

## Subscription Problems?



**We want  
to help!**

*If you have a problem with your **BYTE** subscription, write us with the details. We'll do our best to set it right. But we must have the name, address, and zip of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible.*

**BYTE**

*Subscriber Service  
P.O. Box 555  
Hightstown, NJ 08520*



method inherited from its superclass, the message is automatically delegated to the superclass where it is executed.

We are just beginning to understand the benefits and weaknesses of these more advanced code-sharing techniques. In particular, there has been no substantial class library, say the equivalent of Smalltalk's, implemented using them.

### The Development Effort

The pressure to develop new, complex, integrated products in 18 to 24 months can only be addressed by a new product-development life cycle. Rapid prototyping that reuses existing software components is central to this new design and development approach.

In such a system, you first develop a display prototype to perform initial user-interface testing. You follow this with a full simulation that is, in fact, an executable specification of the final product. You then refine the simulation and, where required, reimplement to build the final product.

There are several alternative approaches to object-oriented design, including the methods proposed by Grady Booch, Ivar Jacobson, Bertrand Meyer, and James Rumbaugh. Object-oriented design begins with the identification and classification of the objects in the application:

- physical versus conceptual;
- active versus passive;
- temporary versus permanent versus persistent;
- part versus whole;
- generic versus specific;
- application private versus public; and
- shared versus nonshared.

You can then organize the objects into several different groups:

- families of objects that share much commonality (inheritance);
- part/whole relationships;
- communities of interacting data types (different classes that together make up a coherent application); or
- classes that are used by many applications (base classes).

Once you identify the important objects, you must specify the operations that the objects provide. You must divide the operations into "base" (primitive) and "extended" (nonprimitive), identify those operations that are used only internally (private operations) and those that

are public operations, and then develop a specification for each operation.

### OOPS and You

OOPS promises much more than a point-and-click window interface. Carefully designed class libraries let you quickly assemble applications from prefabricated parts. The power of even limited systems, like HyperCard and Lotus Macros, shows how quickly end users can build their own integrated applications, given the appropriate framework.

Class libraries, unlike the passive click art and text libraries just becoming available on CD-ROM, will allow you to build custom applications from existing ones easily.

For software developers, object-oriented programming provides the opportunity to build substantial applications based on the work of others. This presents a challenge to those individuals who have always worked alone using their own tools and style.

I see the programming community dividing into class producers and class consumers. Class producers will provide classes in specialized areas for use by class consumers. Class consumers will assemble existing classes, with some of their own creation, to build custom applications. Object-oriented technology will not make this happen. However, it does make it feasible to talk about sharing at this level.


Perhaps the first step you can take to get involved in object-oriented programming is to learn Smalltalk. Smalltalk is the first and only completely object-oriented environment. Unlike the superficially more familiar hybrid systems, such as C++, Smalltalk forces you to think in terms of objects. For this reason, many instructors who teach systems such as Objective-C and C++ recommend learning Smalltalk first.

However, if you are wondering if you will have to program in Smalltalk, the answer is no. It is unclear what language will dominate the future of OOPS. It is already possible to program in object-oriented dialects of your favorite language, be it C, Pascal, or BASIC. But the concepts learned using Smalltalk will serve you well whatever language and class library you choose. ■

*Dave Thomas is an associate professor at Carleton University in Ottawa, Canada, the president of Computer Based Information Systems, and an associate editor of the Journal of Object-Oriented Programming. You can reach him on BIX as "dathomas."*

# The Byte Book Club® Invites You to TAKE ANY 3-VOLUME LIBRARY FOR ONLY \$3.95...

VALUES  
UP TO  
\$147.85



## dBASE LIBRARY

Olympia: **dBASE POWER**  
Knecht: **dBASE COMPILERS**  
Krumm: **UNDERSTANDING & USING dBASE III PLUS**  
• \$71.85 Combined Pub. Pr. (Code No: 584961-5)



## C LIBRARY

Barkakati: **MICROSOFT C BIBLE**  
Kochan: **PROGRAMMING IN C, Rev. Ed.**  
Schidt: **ADVANCED TURBO C**  
• \$72.85 Combined Pub. Pr. (Code No: 584960-7)


### HOW THE CLUB WORKS TO SERVE YOU:

**Quality books, dependable service.** You get a wide choice of books from all publishers, delivered right to your door. Every 3 or 4 weeks members receive the Club Bulletin, together with a dated Reply Card. If you want the Main Selection, do nothing — it will be shipped to you automatically. If you want another selection, or no book at all, just indicate your choice on the Reply Card and return it by the date specified. You'll always get at least 10 full days to decide. If the Club Bulletin ever comes late and you receive a Main Selection you don't want, return it for credit at our expense.

**Substantial savings and Bonus Books.** Discounts can run as high as 40% on every book you buy, and you're automatically eligible for our Bonus Book Plan, which allows you savings up to 70% off publishers' prices.

**Easy terms.** Your only obligation is to buy two more books during the next 12 months, after which you enjoy the benefits of membership with no further obligation. You or the Club may cancel membership anytime thereafter.

Fill out the card and mail today! If the card is missing, write to: **BYTE Book Club®, P.O. Box 582, Hightstown, NJ 08520-9959** or, for faster service, call **1-800-2-MCGRAW**.



## GRAPHICS LIBRARY

Kliwer: **EGA/VGA**  
Johnson: **ADVANCED GRAPHICS IN C**  
Adams: **HIGH SPEED ANIMATION & SIMULATION FOR MICROCOMPUTERS**  
• \$68.85 Combined Pub. Pr. (Code No: 584962-3)

### EXTRA BONUS!



**THE MCGRAW-HILL  
ENCYCLOPEDIA OF ELECTRONICS  
AND COMPUTERS, 2nd. Ed.,  
ABSOLUTELY FREE** when you join!

- 1,047 pages
- \$75.00 Pub. Pr.



MAIL THIS COUPON TODAY



**MCGRAW-HILL BOOK CLUBS  
BYTE BOOK CLUB®**  
P.O. BOX 582 • HIGHTSTOWN, NJ 08520-9959

Please enroll me as a member and send me the 3-volume Library indicated, plus the **MCGRAW-HILL ENCYCLOPEDIA OF ELECTRONICS AND COMPUTERS, 2/e**, all for only \$3.95, plus local tax, shipping and handling charges. I agree to purchase a minimum of two additional books during my first year of membership as outlined under the Club plan described in this ad. Membership in the Club is cancellable by me or the Club anytime after the two book purchase requirement has been fulfilled. A shipping and handling charge is added to all shipments.

Write Code No. of the Library Selection here

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address / Apt. # \_\_\_\_\_

City / State / Zip \_\_\_\_\_

This order subject to acceptance by McGraw-Hill. All prices subject to change without notice. Offer good only to new members. Foreign member acceptance subject to special conditions.

P39785

# Benefit from breakthrough and experience

## Complete\* 6, 12, 16 and 20 MHz Systems with

SIVA Systems from VNS America Corp. delivers the uncompromising power you want, plus the hardware/software products you need. Promptly. Courteously.

Enjoy the AT®-compatibility, speed and future upgradeability you would expect from up-to-date premium quality computers. And, enjoy the fast service so many have come to appreciate from VNS America Corp.

### About VNS America Corp.

VNS America Corp. and its associate companies pool their expertise and buying power to bring you premium, name brand products at breakthrough prices.

We're bold, colorful and innovative. We have to be to gain your attention in this ultra-competitive industry. But, our products and service are first rate because we need your confidence to succeed.

IBM set the standard... we're just making it affordable to thousands of companies, individuals and industry that want quality at the best prices.

**TRY US**  
Call 1-800-252-4212

**VNS America Corp.**

Suite 270, 910 Boston Post Road  
Marlboro, Massachusetts 01752 U.S.A.  
In Massachusetts 508-481-3726  
FAX: 508-481-2218

## The Powerful SIVA 386 System

### Standard 386 Features:

- 32-bit Intel 80386-16 CPU.
- 1MB of 32-bit RAM on board. System expandable to 16MB.
- 16/20 MHz Keyboard selectable.
- ST-251-I Seagate 40MB Formatted 28 ms high speed, with ultra high speed Controller 1:1 interleave.
- 1.2MB High Capacity Floppy Drive.
- Super deluxe heavy duty tower case with 5 half-height drive openings.
- High-resolution 12" Non-Glare Amber Display. Tilt and Swivel base, Hercules-compatible Adapter.
- EGA Controller Standard.
- 101 Key Enhanced Keyboard, Pleasant "Tactile-Click" Feel.
- 80287/387 Math-Coprocessors optional.
- Fully compatible with virtually all XT/AT and 386 software.

**\$2495**

### Upgrades for your 386 System:


- VGA Color Upgrade — add only \$495.
- EGA Upgrade — add only \$295.
- 20 MHz CPU Upgrade — add only \$195.
- Call for all other options and upgrades.



\* MS-DOS is a trademark of The Santa Cruz Operation, Inc. • XT/AT is a registered trademark of Microsoft Corporation. • IBM is a trademark of INTERNATIONAL BUSINESS CORPORATION. • PS, 3.5" and AT are trademarks of IBM Corporation. Prices are subject to change without notice. Call for complete warranty details.

# pricing from VNS America™ unmatched performance!

## Premium Name Brand Peripherals and Software!



### The Economical SIVA 286

A Complete 12 MHz High-Speed SIVA 286 System  
with 40MB (28MS-ST251-1) Hard Disk

#### Complete System Features:

- 80286 CPU, 6/12.5 MHz Dual Speed, Keyboard Selectable
- High-Speed RAM, 512K Expandable to 4MB on the Motherboard (16MB System Total)
- Phoenix BIOS
- 40MB Hard Drive, 1.2MB Floppy Drive
- Ultra High-Speed Floppy, Hard Disk Controller 1:1 Interleave, 800KB/Sec Transfer Rate
- High Resolution 12" Amber Display with Tilt and Swivel Base, Compatible Graphics Controller
- Full 101-Key Enhanced Keyboard, Pleasant Tactile-Click Feel
- Two Serial and One Parallel Printer Ports and One Mouse Port (IBM PS/2 Compatible)
  - 3-16 Bit and 1-8 Bit Free Expansion Slots
  - Clock Calendar with 10-Year Life Battery Backup
  - 80287 Support, up to 10 MHz
  - Meets FCC Requirements

**\$1295**

**Standard System** Including all Standard Features except Hard Disk \$995

#### Lowest Cost Compilable Upgrader

- Additional 512K Memory for \$195.
- 1.5MB Additional Memory for \$395.
- EGA Upgrade for \$295.

#### Nine Reasons to Call VNS America Now...

- Produced by High Technology Manufacturing Processes
- FullySurface Mounted Technology
- EGA Controller Standard
- Supports 3.5" and 5.25" Floppy Disks
- 10-Year Battery Life
- Phoenix BIOS
- No Memory Surcharge (We're not opportunists!)
- Same Day Shipment (Competitors often take 4-6 weeks.)
- 100%-Compatible with Your Budget

\*Complete: includes 12 MHz high-speed SIVA 286 System with 40 MB hard disk drive, monitor and keyboard.


™ VNS America is a trademark of VNS America Corp.

Circle 265 on Reader Service Card

## VNS America Corp.

## Order Now Toll-Free 1-800-252-4212

\*Complete unit includes CPU, monitor, keyboard and 40 MB hard disk drive.



Actor™ is the fastest, easiest way to develop applications for Microsoft® Windows. The reason— Actor's reusable toolkit of objects such as dialog boxes and edit windows. It more than doubles your overall productivity, making Actor an essential part of any Windows development project.

A full-featured, interactive, Windows-based programming environment, Actor provides immediate compilation, interactive testing, and source-code debugging. You can use it to produce fast standalone applications that support all Windows features, including Dynamic

Data Exchange (DDE) and expanded memory.

Actor is a powerful, pure object-oriented programming language. It's all you need to develop complete Windows applications. You also have the option to dynamically link Microsoft C code to your Actor program.

Either way, it's the fastest way to produce everything from prototypes to complete development projects. No wonder so many developers are already using Actor.

Call us now for more information.

The sooner you do, the sooner you can speed up *your* Windows development work.



*These two lines of Actor code are all it took to produce the Windows text editing program you see above. Just think what you can do with a few more lines.*



**Find out about Actor.**  
**The Whitewater Group, (312) 491-2370**

Technology Innovation Center  
 906 University Place, Evanston, IL 60201

© Copyright 1989, The Whitewater Group


# Learning the Language

*Object-oriented programming trades the ability to reuse individual operations for efficiency and conceptual simplicity*

*Peter Wegner*

**W**ith the software crisis of the late 1960s, structure and simplicity became the basis of language design rather than undisciplined expressive power. The discipline of software engineering was born, and a number of structured-programming and structured-design methodologies were proposed as a basis for applications programming. Emphasis shifted from thinking of programs as sequences of statements to thinking of them as collections of interacting modules. Ada, developed as the Department of Defense's response to the software crisis, supports various kinds of modules, including functions, procedures, packages, tasks, and generic program units. (References for the languages mentioned in this article are shown in the text box "Language References" on page 249.)

The first object-oriented language, Simula, developed in the mid-1960s, featured classes whose instances consisted of sets of operations with a local state, co-routines that simulated parallel execution by "resume" operations, and subclasses that inherited operations and state from parent classes.



This article is an extension and adaptation of concepts described in the OOPSLA '87 conference paper in reference 1. It identifies the basic concepts of object-oriented programming and examines design alternatives both for traditional sequential object-oriented languages and for concurrent and persistent languages for object-oriented programming as a whole.

## Objects, Classes, and Inheritance

A language is said to be *object-based* if it supports objects as a language feature, where objects are defined as follows: An object has a set of operations and a local shared state that "remembers" the effect of operations. The value that an operation on an object returns can depend on the object's state as well as the operation's arguments. The state of an object serves as a local memory that is shared by operations on it. In particular, other previously executed operations can affect the value that a given operation returns. An object can learn from experience, storing the cumulative effect of its experience—its invocation history—in its state.

Language support of objects is worthwhile because linguistic objects can directly model objects in the real world, like banks, people, ships, and so forth. However, many practical object-oriented languages impose additional language requirements so you can classify and organize objects within the language. In particular, they require that objects belong to a *class* and that classes support *inheritance*.

*continued*

A class is a template that “new” or “create” operations can use to create objects. Objects of the same class have common operations and, therefore, uniform behavior. Classes have one or more interfaces that specify the operations accessible through them. A “class body” specifies code for implementing operations in the class interface.

A class can inherit operations from *superclasses* (those above it), and its operations can be inherited by *subclasses* (those below it). An object of the class C, created by C new, has C as its base class and can use operations defined in both its base class and its superclasses. Inheritance from a single superclass is called single inheritance; from multiple superclasses, multiple inheritance.

### The Semantics of Objects

Different language subcultures have fundamentally different notions of what an “object” is (see figure 1). Functional objects arise in functional object-oriented languages, such as OBJ2, and in logical ones, such as Vulcan. Their interfaces are object-like, but the objects lack an identity that persists between operations. An operation that transforms the state results in the creation of a new object with the given interface and a new state.

Passive, or “server,” objects become active when a synchronous message or a remote procedure call invokes their operations. These are the traditional objects of Smalltalk and C++ and are the default when I use the term *object* without qualification. This lets me include the packages of Ada, the modules of Modula-2, and the objects of Simula and CLU among the entities I call objects.

Active, or “autonomous,” objects can execute autonomously even when other objects do not invoke them. They include monitors, strongly coupled concurrent objects, and distributed concurrent objects.

Slot-based objects are defined in terms of their instance variables, or slots, as in Flavors and CLOS (Common Lisp Object System). You can dynamically add methods for slot-based objects with DEFMETHOD operations, which specify the class, or flavor, to which you want to add them.

The default definition excludes functional objects, because they don't have a notion of object identity, and slot-based objects, because they allow you to add new methods dynamically. Perhaps I should broaden the default to include slot-based objects, since Smalltalk also permits dynamic addition of methods; however, it is less frequently used, be-

cause its objects are normally created with their methods in place.

Objects can be modeled by automata whose state represents the object's state and whose input symbols represent operations with their arguments. Figure 2 illustrates an object with operations  $f_1, f_2, \dots, f_n$ . An operation  $f_i$  with argument  $x$  in state  $s$  results in output  $f_i(x, s)$  and state transition  $s' = g_i(x, s)$ . Thus, operation symbols  $f_i$  are associated with symbols on the input tape, internal actions are associated with the state-transition function  $g_i(x, s)$ , and outputs are associated with operations  $f_i(x, s)$ .

You can describe objects with a variant of let notation:

```
let  $x_1 = a_1, x_2 = a_2, \dots$  in
   $f_1(p_1) = \text{body of } f_1$ 
   $f_2(p_2) = \text{body of } f_2$ 
  ...
endlet
```

The variables  $x_1, x_2, \dots, x_n$  correspond to instance variables, while  $p_1, p_2, \dots, p_n$  correspond to parameters of the operations (messages)  $f_1, f_2, \dots, f_n$ . The semantics of let clauses representing objects differs from the let notation of functional programming: When an operation executes, it can modify instance variables.

An instance variable  $x$  can appear in operations  $f_1, f_2, \dots, f_n$  as a nonlocal variable. Thus, the object-oriented style of specifying operations encourages, and even requires, sharing nonlocal variables among several operations. Such sharing makes it difficult to reuse operations of one class in another.

Object-oriented programming sacrifices the reusability of individual operations to gain efficiency and conceptual simplicity. It concentrates on making objects and classes reusable through encapsulation and inheritance.

### Properties of Inheritance

The inheritance hierarchy in figure 3 defines persons and elephants as subclasses of mammals, and students and females as subclasses of persons. Instances (below the dotted line) are grouped into classes, while classes (above the dotted line) are categorized by their superclasses. Thus, inheritance serves to group classes in much the same way that classes serve to group values (see reference 2). While subclasses, such as students and females, may overlap in the real world, they cannot generally overlap in object-oriented languages, because every object must belong to precisely one base class.




Figure 1: Objects in different language subcultures.




Figure 2: An object with operations  $f_1, f_2, \dots, f_n$ . Thus, operation symbols  $f_i$  are associated with symbols on the input tape, internal actions are associated with the state-transition function  $g_i(x, s)$ , and outputs are associated with operations  $f_i(x, s)$ .

Inheritance is a powerful organizational principle for concepts, because it can capture natural mechanisms, such as specialization, abstraction, approximation, and evolution. Thus, elephants specialize the properties of mammals; *mammal* is an abstraction of the concept of *elephant*; the properties of mammals approximate those of elephants; and elephants evolved from early species of mammals. Classes serve to model concepts, and class inheritance makes it easier to manage hierarchical relationships among concepts.

In software engineering, inheritance is used not only for classification, but also for system evolution and incremental modification. The ability of inheritance to flexibly specify incremental change is an invaluable tool in software engineering, but it requires a mechanism that is fundamentally more powerful than classification. For example, Smalltalk's inheritance mechanism is designed so you can use it to model software evolution as well as to classify.

Constraints on incremental modification include behavioral, signature, and name compatibility, and cancellation (see reference 3). Behavioral compatibility requires that the behavior of the modified entity, whether class or object, be compatible with its parent's behavior. Similarly, signature compatibility requires that the set of names and types of components, or attributes, of the parent be compatible with the modified entity's. Name compatibility asks only that the names of the parent's components be compatible. And cancellation allows you to cancel parental attributes in the modified entity.

These forms of incremental modification are associated with different underlying models and are studied by different research groups. Behavioral compatibility is associated with algebraic models (see reference 4), signature compatibility with lambda calculus models (see reference 5), name compatibility with implementation models like Smalltalk's, and cancellation with AI models, which are often concerned with such questions as whether penguins are birds although they cannot fly.

### Class-based and Object-Oriented

You can define subclasses of object-based languages in terms of the constraints on the objects' properties. The requirements that objects belong to a class and that classes support inheritance are examples of such constraints. An object-based language is a class-based, or classical, language if every object must

**O**bject-oriented programming sacrifices the reusability of individual operations to gain efficiency and conceptual simplicity.

belong to a class. A class-based language is an object-oriented language if an inheritance mechanism can incrementally define class hierarchies.

Class-based languages are a proper subset of object-based languages, while object-oriented languages are a proper subset of class-based languages (see figure 4). Moreover, these language classes are useful in distinguishing between existing object-based languages on the basis of their language features, and in relating such distinctions to the language's support of a methodology.

Ada is object-based, but it is neither class-based nor object-oriented, according to my definition, because its objects, or packages, do not have a class, or type. CLU is class-based, because its clusters are effectively classes. They serve as templates for creating instances and allow instances to be "first-class objects" in that you can assign them to variables, pass them as parameters, and use


them as components of structures. However, CLU doesn't have inheritance for defining the hierarchical relations between clusters, so it is not object-oriented. Simula and Smalltalk are object-oriented according to my definition.

Figure 4 can be seen as an inheritance hierarchy using object-oriented techniques to classify object-based languages. You can think of class-based languages as inheriting the attributes of object-based languages, and of object-oriented languages as inheriting the attributes of both class-based and object-based languages.

Let's briefly consider the effect of objects, classes, and inheritance on programming methodology. Objects serve to group operations with the data they will transform, and to provide a data-oriented principle for program design. Classes serve to manage collections of objects, allowing them to be passed as parameters, assigned to variables, and organized into structures. Class inheritance organizes collections of classes so that class hierarchies can describe application domains.

Object-based languages such as Ada support object functionality. But mechanisms outside the language, like libraries, must handle object management because it's not supported within the language. Class-based languages provide some degree of object management but none for class management. Object-oriented languages allow both objects and classes to be managed within the language, thereby providing a uniform mechanism for both application design and implementation. They are "wide-spectrum languages," because they support both the high-level design of class

*continued*



**Figure 3:** An inheritance hierarchy. Persons and elephants are defined as subclasses of mammals, and students and females as subclasses of persons. Instances (below the dotted line) are grouped into classes, while classes (above the dotted line) are categorized by their superclasses.

hierarchies and the low-level implementation of objects.

### Data Abstraction and Strong Typing

Objects whose state you can access only through their operations are called *data abstractions*. Data abstractions hide an object's data representation from its users. For example, stack data abstractions whose data is accessible only through push and pop operations hide the stack representation (by a list or an array) from their users. This type of a data abstraction is called an *abstract data type*.

The notion of an object type is strongly related to that of a class. But types are motivated by type checking and can be defined by a predicate for recognizing expressions of the type, while classes determine collections of objects and can be defined by templates for object creation. Types have type-checking semantics, while classes have instance-creation semantics (see figure 5).

The definition of types as predicates and classes as templates leads to a definition of subtypes in terms of predicate

modification and subclasses in terms of template modification. Subtypes are defined in terms of the constraints that determine a subset of the set defined by the parent predicate. Subclasses are defined in terms of template modifications that can involve radically modifying or even canceling template components.

A language is said to be *statically typed* if you can determine the types of all expressions at compile time. A language is said to be *strongly typed* if you can determine the type compatibility of all expressions representing values from the static program representation at compile time. Static typing implies strong typing, but strongly typed languages don't require the ability to determine the types of expressions at compile time as long as they satisfy the weaker condition of operator/operand compatibility.

Object-oriented languages with data abstraction and strong typing are a narrower class of languages with stronger structuring properties than the class I've chosen to call object-oriented. This narrower class excludes Simula67—whose

objects are not data abstractions because other objects can access their instance variables—and Smalltalk, which is not strongly typed because you can assign values of a different type to its variables at different points of execution. The term *object-oriented* has been carefully defined to be sufficiently narrow to exclude languages like Ada, Modula, and CLU, and sufficiently broad to include languages like Simula and Smalltalk.


Object-oriented languages that have strong typing and require all objects to be data abstractions are called *strongly typed object-oriented languages*. Strong typing and data abstraction have the common objective of strengthening object modularity, but they are independent in the sense that strong typing is possible for objects that are not data abstractions (as demonstrated by Simula67), and data abstraction is possible without strong typing, and indeed without any typing at all (as demonstrated by Smalltalk).

Should object-oriented languages require abstraction and strong typing? Smalltalk has consciously avoided strong typing in order to achieve dynamic binding, while Lisp-based object-oriented languages in the Flavors tradition have consciously avoided both strong typing and abstraction.


Flavors goes even further and doesn't actually have objects as a language primitive. It has the notion of a data template to which you can attach operations. It doesn't specify operations, but you can use it as an anchor for operations. Thus, Flavors-style languages are not, strictly speaking, object-based but serve as a substrate that you can use in an object-based or object-oriented way.

The inclusion of data abstraction and strong typing is clearly not an unqualified benefit. It involves a trade-off between structure and discipline on the one hand and flexibility and efficiency on the other. Abstraction is good when you can commit yourself to particular abstractions early in the design process. But it can be unduly constraining when you are unsure of the precise abstractions appropriate to a problem and wish to experiment with abstractions as part of the design and prototyping process.

This is often the case with AI applications or with other experimental applications concerned with understanding concepts that underlie a class of problems rather than with solving a specific problem. Lisp-based object-oriented systems are intended for such applications and consciously provide nonabstract objects to enhance the conceptual flexibility of problem solving.



**Figure 4:** From object-based to object-oriented languages. Class-based languages are a proper subset of object-based languages, while object-oriented languages are a proper subset of class-based languages.



**Figure 5:** Types versus classes. While strongly related, types are motivated by type checking and can be defined by a predicate for recognizing expressions of the type, and classes determine collections of objects and can be defined by templates for object creation.

Does it make sense to have nonabstract, strongly typed languages? Although languages like Simula illustrate that commitment to strong typing is possible without commitment to abstraction, this may be a historical accident. It may well be that nonabstract objects are useful primarily for untyped formalisms where the absence of both abstractions and types encourages conceptual flexibility.

Typed formalisms can discourage experimentation to such an extent that non-abstract objects are no longer useful. However, this is just speculation, and closer analysis might well reveal that nonabstract, strongly typed objects are, in fact, useful in certain kinds of experimental applications.

In spite of these reservations, the accepted wisdom is that strongly typed object-oriented languages should be the norm for applications programming and especially for programming as a whole. An object-oriented environment should probably support Lisp-style untyped programming for prototyping and strongly typed object-oriented languages for traditional applications programming. Moreover, there should also be a provision for automatically freezing experimental prototype code to turn it into strongly typed code if and when it is ready to use for production programming.

### Language Classes

I have now identified five progressively smaller language classes in terms of progressively stronger language requirements:

1. In object-based languages, objects are supported.
2. In class-based languages, objects belong to classes.
3. In object-oriented languages, classes support inheritance.
4. In object-oriented data-abstraction languages, classes support information hiding.
5. In strongly typed object-oriented languages, types are determinable at compile time.

If you add concurrency and persistence to this set of language features, you can define the class of concurrent, persistent, strongly typed object-oriented languages as strongly typed object-oriented languages that support concurrency and persistence (see reference 1). *Classless* languages are those languages that support objects without classes and provide flexibility in creating objects in singleton classes or objects that can change their

class in executing operations.

Classless languages can in turn be subdivided into *prototypical* languages, which support inheritance, and *actor-like* languages, which support concurrency but not inheritance. Prototypical languages were pioneered by Henry Lieberman (see reference 6). Actor-like languages gain flexibility in defining concurrency mechanisms by giving up the structuring mechanisms of classes and inheritance (see reference 7).

Figure 6 illustrates a new methodology for exploring language design tradeoffs by viewing language features as design dimensions of a language design space. This example has seven features: objects, classes, inheritance, data abstraction, strong typing, concurrency, and persistence. Features can be binary (i.e., either a language has them or it doesn't), or they can have a number of alternative realizations, as do objects,

*continued*

## Language References

### ABCL/1

Yonezawa, A., J. Briot, and E. Shibayama. The Tokyo Institute of Technology. *Proceedings of OOPSLA '86*.

### Ada

*Ada Reference Manual*, U.S. Dept. of Defense, July 1980.

### Argus

Liskov, B., and R. Scheifler. *Guardians and Actions: Linguistic Support for Robust Distributed Programs*. TOPLAS, July 1983.

### CLOS

*Common Lisp Object System Specification*. SIGPLAN Notices, September 1988.

### CLU

Liskov, B., A. Snyder, R. Atkinson, and C. Schaffert. *Abstraction Mechanisms in CLU*. CACM, August 1977.

### CSP

Hoare, C. A. R. *Communicating Sequential Processes*. CACM, August 1978.

### C++

Stroustrup, B. *The C++ Programming Language*. Reading, MA: Addison-Wesley, 1986.

### DP

Hansen, P. B. *Distributed Processes: A Concurrent Programming Concept*. CACM, 1978.

### Flavors

Moon, D. "Object-Oriented Programming with Flavors." *Proceedings of OOPSLA '86*.

### Modula-2

Wirth, N. *Programming in Modula-2*. New York: Springer-Verlag, 1982.

### Monitors

Hoare, C. A. R. *Monitors: An Operating System Structuring Concept*. CACM, October 1974.

### NIL

Strom, R., and S. Yemini. *NIL: An Integrated Language and System for Distributed Programming*. Proceedings of the SIGPLAN '83 Symposium on Language Issues in Software Systems, June 1983.

### Orient 84K

Ishikawa, Y., and M. Tokoro. "Orient 84K: An Object-Oriented Concurrent Programming Language for Knowledge Representation." In *Object-Oriented Concurrent Programming*. Ed. Yonezawa and Tokoro. Cambridge, MA: MIT Press, 1987.

### Simula67

Dahl, O. J., B. Myrhaug, and K. Nygaard. *Simula67 Common Base Language*. Norwegian Computing Center, 1984.

### Smalltalk-80

Goldberg, A., and D. Robson. *Smalltalk-80: The Language and Its Implementation*. Reading, MA: Addison-Wesley, 1983.

### Vulcan

Kahn, K., E. Tribble, M. Miller, and D. Bobrow. "Vulcan: Logical Concurrent Objects." In *Research Directions in Object-Oriented Programming*. Ed. Shriver and Wegner.

classes, and inheritance.

There is a potential language class corresponding to each of the 128 subsets of the seven language features, but some of the classes are more interesting than others. I associate names with interesting classes and have examined trade-offs in methodology resulting from including or excluding particular features. This approach to examining the spectrum of possible object-oriented languages is

useful in that it provides a systematic mechanism for exploring the design space of object-oriented languages.

### Object-based Concurrency

Concurrent object-based languages model the world with concurrently executable objects called *processes*. A process has an interface of executable operations or entry points and one or more threads of control, either active or sus-

pending. Process-based languages are object-based languages whose objects, or processes, can execute concurrently.

The smallest executable element within a process is called a *thread*. A thread is a data structure that becomes active when it is loaded into a processor. You can pass threads to processes as message requests, and you can queue them in message buffers until a process is ready to execute them. They can be suspended if the conditions aren't appropriate for them to execute, and reactivated when the conditions recur.

You can classify processes by the properties of their threads: Sequential processes have a single thread of control; quasi-concurrent processes have at most one active thread of control; and concurrent processes have multiple threads of control (see figure 7).


Sequential processes, like those in Ada and NIL, generally have a body of code with an interface of entry points where messages to perform operations can be queued. An invoking operation (an incoming message) must wait until the currently executing process is ready to accept it. When it is, a *rendezvous* occurs that joins the incoming and active threads of control to synchronize them and allow argument communication. It then separates the threads so that invoking and invoked processes can again proceed in parallel.

Quasi-concurrent processes suspend a thread of control's execution while it waits for a condition to be fulfilled, and they resume its execution when the condition is satisfied. They differ from sequential processes by having "condition queues" of suspended threads, as well as entry queues of threads that are waiting to enter the process. An incoming thread can become active only if the current thread terminates or is suspended, or if the incoming thread fuses with the active thread by a mechanism such as a *rendezvous*. Monitors are an example of quasi-concurrent processes.


In concurrent processes, there is no restriction on active threads, and an invoking operation can freely create a new thread. But attempts to access shared data in critical regions can cause a thread to be suspended until the access can be safely accomplished. Concurrency within processes allows more finely grained control that lets you delay suspension from the time of process entry to that of critical-region entry.

The concurrent languages CSP, Ada, and NIL all have sequential processes. Monitor-based languages such as DP,

*continued*




**Figure 6:** Classes of object-based languages. Note how the language features are used as design dimensions of a language design space. There is a potential language class corresponding to each of the 128 subsets of the seven language features, but some of the classes are more interesting than others.



**Figure 7:** Internal process concurrency. You can classify processes by the properties of their threads: Sequential processes have a single thread of control; quasi-concurrent processes have at most one active thread of control; and concurrent processes have multiple threads of control.

# The Cool Machine Cometh



OKIDATA introduces a line of PC modems that run so cool they're guaranteed for 5 years.

Our new 1200, 2400 and 2400 *Plus* PC modems are built around a very simple fact: the cooler they run, the longer they last.

That's important in any modem, and it's vital in the case of an internal board. That's why we engineered a special chip that does the work of three ordinary chips. It also generates less heat—and consumes 50% less power—than the leading brand. Which is why we back our modems twice as long as they do.

But reliability on the inside comes as no surprise when the OKIDATA name is on the outside.

We have over a century of experience in telecommunications all over the world. And you'll see it in everything we make, from tank-tough printers to award-winning PC modems to a full line of high-speed modems.

To see our new "cool machines" in person, visit your OKIDATA dealer. Or call 1-800-OKIDATA for the name of the dealer nearest you.

Circle 192 on Reader Service Card

**PC DIGEST**

... gave five stars to our 1200 bps modem and top-rated our 2400 bps modem.

**PC WORLD**

... gave our 2400 their coveted "Best Buy" title.

Registered Trademarks: OKIDATA, Oki America, Inc.,  
Marque déposée de Oki America, Inc.  
Trademarks: *PC Digest*, National Software Testing  
Laboratories, Inc.; *PC World*, PC World Communi-  
cations, Inc.

**OKIDATA**<sup>®</sup>  
an OKI AMERICA company

We put business on paper.

ABCL/1, and Orient 84K have quasi-concurrent processes. Actor languages and Argus have concurrent processes (called guardians) with multiple threads of control.

The question of whether processes should have internal concurrency can be addressed at the levels of both conceptual modeling and language design. Conceptually, fully concurrent processes more naturally model some applications. For design and implementation, however, sequential and quasi-concurrent processes allow the units of modularity and concurrency to be the same, and they result in much simpler languages than do concurrent processes.

Concurrent processes permit units of modularity to contain multiple units of concurrency. Thus, they require distinct synchronization and communication mechanisms for inter- and intra-process concurrency at both the language and system levels (see reference 8).

However, concurrent processes are more uniform in allowing you to use the same concurrency primitives both within and between processes. Concurrent processes have a hierarchical, rather than a flat, process structure. Moreover, they allow a more finely grained concurrency and are more expressive in modeling real-world situations that require such concurrency.

The step from sequential to quasi-concurrent processes makes scheduling threads within a process more flexible without causing mutual-exclusion problems for simple access to data structures.

**A**dding  
*persistence to an  
object-oriented  
language allows it to  
be used as a basis  
for database  
implementation.*

However, quasi-concurrent processes present mutual-exclusion problems when processing transactions, because suspending a thread in the middle of a transaction could violate the transaction's integrity constraints.

Transactions are an atomic unit of work that can require temporary association with a collection of resources. You can view them as "temporal modules," in that they represent uninterrupted temporal units of execution. Quasi-concurrent processes will not present any mutual-exclusion problems for atomic operations, but they cause problems when you try to combine the temporal modularity of transactions with the traditional spatial modularity of objects and processes.


Concurrent languages based on quasi-concurrent processes, such as ABCL/1 or Orient 84K, are harder to extend to transaction processing than languages based on concurrent sequential processes. Thus, there is a trade-off between flexibility and extensibility in replacing sequential with quasi-concurrent processes.

Concurrent object-oriented systems must be able to handle transactions and must therefore deal with temporal modularity (atomic actions) as well as spatial modularity (atomic objects).

**Distributed Processes**

A distributed process is a process with a separate address space; that is, it cannot directly access any resources outside its local address space and can communicate with the outside world only by message passing. Design alternatives for distributed processes involve interaction between the units of modularity (the unit that defines the user interface), concurrency (the unit that represents a single thread), and naming (the unit that determines name space). (See figure 8).

The unit of modularity determines the interface between the users of a module and the information hidden within it. It determines a visibility barrier for resources within a module that look outward. The unit of modularity determines the granularity of data abstractions, the unit of concurrency determines the granularity of thread synchronization, and the unit of naming (name-space boundary) determines what set of names in the



**Figure 8:** Units of modularity (left), naming (center), and concurrency (right). Design alternatives for distributed processes involve interaction between the units of modularity (the unit that defines the user interface), naming (the unit that determines name space), and concurrency (the unit that represents a single thread).

environment is known at any point in the program.

Processes for which the units of modularity, concurrency, and naming are the same are called *distributed* sequential processes. They are aesthetically appealing because you can identify the interfaces for message passing, mutual exclusion, and transactions. But this clean identification of interface, concurrency, and name space comes at a cost of conceptual flexibility and efficiency. Flexibility is sacrificed because the unit of sharing must have the same granularity as the units of modularity and concurrency, so sharing among modules or concurrent units is precluded. Efficiency is sacrificed because of the high cost of making the transition between distributed components.

An important dichotomy in distributed systems is the one between *statically* interconnected distributed processes—where the connections of each process to its environment are determined at process-creation time and can't be changed during the lifetime of the process—and *dynamically* interconnected distributed processes, where language commands can change those connections during execution.

Ports in dynamically interconnected distributed processes are variables to which you can assign process connections, or channels. It is prudent to associate types with ports and to permit connection only if the type and I/O mode of port values are compatible with those of the port's variable. You can think of input ports as sockets and output ports as plugs that must fit the sockets. Dynamically interconnected distributed processes can be modeled by a modifiable plugboard with wires corresponding to channels of communication.

### Object-Oriented Persistence

Persistence is a property of data that determines how long it should be kept. In traditional languages, the lifetime of data usually does not transcend the lifetime of a particular program. Some data, such as locally declared data or procedure parameters, has an even shorter lifetime. Databases store data whose persistence transcends that of individual programs. Adding persistence to an object-oriented language allows it to be used as a basis for database implementation.

A database can be viewed as a long-lived object or process with special properties. It is globally accessible, or sharable, by many users. Usually, access is asynchronous from the user's point of

view, and you can think of the database as a nonterminating process that services asynchronous user requests.

Asynchronous access can be handled either directly by the database process or by a database server that organizes user requests and feeds them to the database. The database itself can be a sequential process (dealing with requests in a serial order), a quasi-concurrent process, or a fully concurrent process with locks that enforce mutual exclusion for data access. Database processes need the following special features:

- To support persistence, you need a strong notion of object identity that is independent of the key used in object selection and that persists across programs and projects.
- You need a query language that can process traditional database queries (such as finding the set of all employees that make more money than their managers). This kind of query can involve objects of more than one type and produces results that are collections of objects. Queries in relational database languages can be viewed as select operations on an aggregate type, namely the type set or relation. They have the form `select(set, predicate)`.

Query complexity and efficiency are determined by the nature of the predicate. Relational query languages specify all queries in terms of a restricted set of primitives whose optimization has been extensively studied. Object-oriented query languages must accommodate the greater richness of object-oriented specifications for which optimization is not as well understood.

One of the issues in object-oriented query languages is to make them efficient so that the user doesn't pay in efficiency for the flexibility provided by object-oriented programming.

- Since object-oriented databases are particularly suited to managing evolutionary systems, they require a mechanism for version control and other tools for evolving systems.
- Databases should be able to specify constraints and check that constraints are not violated as the database is modified. This can be achieved by using active variables or triggers (see reference 9).
- Multiple views should be supported with automatic updating of all views when the data is modified. Lazy updating for views that are not currently active is clearly appropriate.

Object-oriented programming in the 1980s is becoming as fashionable and


important as software engineering techniques, like structured programming, were in the 1970s. The term *object-oriented programming* has become a buzzword that everyone uses, but no one knows what it is. In characterizing the varieties of object-oriented programming, I have tried to make the different uses of this term more precise.

I believe that if Ada were designed now, it would likely be designed as an object-oriented language, and that concurrent, persistent, object-oriented languages may well become the standard method for programming as a whole in the 1990s. Object-oriented programming has a very bright future. ■

### REFERENCES

1. Wegner, P. "Dimensions of Object-Based Language Design." In *Proceedings of OOPSLA '87*.
2. Wegner, P. "The Object-Oriented Classification Paradigm." In *Research Directions in Object-Oriented Programming*. Ed. Shriver and Wegner. Cambridge, MA: MIT Press, 1987.
3. Wegner, P., and S. Zdonik. "Inheritance as an Incremental Modification Mechanism, or What Like Is and Isn't Like." *Proceedings of the ECOOP 1988*, LNCS no. 322. New York: Springer-Verlag, 1988.
4. Goguen, J. A., and J. Meseguer. "Unifying Functional, Object-Oriented, and Relational Programming with Logical Semantics." In *Research Directions in Object-Oriented Programming*. Ed. Shriver and Wegner. Cambridge, MA: MIT Press, 1987.
5. Cardelli, L., and P. Wegner. "On Understanding Types, Data Abstraction, and Polymorphism." *Computing Surveys*, December 1985.
6. Lieberman, H. "Using Prototypical Objects to Implement Shared Behavior in Object-Oriented Languages." In *Proceedings of OOPSLA '86*.
7. Agha, G. *Actors: A Model of Concurrent Computation in Distributed Systems*. Cambridge, MA: MIT Press, 1986.
8. Strom, R., S. Yemini, and P. Wegner. "Viewing Ada from a Process Model Perspective." International Ada Conference, Paris, May 1985.
9. Zdonik, S., and P. Wegner. *Language and Methodology for Object-Oriented Databases*. Hawaii Conference on System Sciences, January 1986.

*Peter Wegner has a Ph.D. from London University. He is currently a professor of computer science at Brown University in Providence, Rhode Island. He can be reached on BIX c/o "editors."*



# Send And Receive Fax Right From Your PC

<h1>#1</h1> <p><b>JT Fax</b> The Best Selling PC Fax In America</p>	<p>PC Computing MOST IMPORTANT PRODUCT OF THE YEAR</p>	<p>PC WORLD BEST BUY</p>	<p>PC MAGAZINE EDITOR'S CHOICE</p>	<p>INFO WORLD PRODUCT OF THE YEAR READER'S CHOICE POLL</p>	<h1>From \$395</h1>
	DEC 1988	1988	JAN 1988	1988	

JT Fax internal and portable 4800 baud models for PC/AT/XT and PS/2.  
9600 baud board with optional modem daughter card.

Call to order the right JT Fax for you.

## 1-800-548-3420

In Georgia: (404) 564-5566 Fax: (404) 564-5528

254 BYTE • MARCH 1989

**QUADRAM** <sup>®</sup>  
An Intelligent Systems Company  
One Quad Way, Norcross, Georgia 30093  
Quadrang logo and JT Fax are trademarks of Quadrang

Circle 292 on Reader Service Card (DEALERS: 293)

# Separation of Powers

*Object-oriented user interfaces promise evolutionary—rather than revolutionary—upgrades*

*Mahesh H. Dodani, Charles E. Hughes, and J. Michael Moshell*

**G**ood user interfaces are difficult to construct. When WordStar's user interface was redesigned to produce WordStar 2000, the effort was a major one, about equivalent to writing an entire new program.

Such an enormous effort suggests that little or no code from the previous version could be reused. This is probably due to the old user interface being intimately intertwined with the code that supported the word processing application. Such a total overhaul of code to introduce the latest interaction technology must clearly be avoided.

In the last decade, software has rapidly progressed from noninteractive to highly interactive programs. The direct involvement of users during the execution of these interactive programs has completely altered our view of how programs should interface to the outside world.

User interaction forces software engineers to consider many human-factors issues, such as ease of use and the presentation of information. These concerns have led to interaction styles that include graphical displays, menu-based input, and mouse-based selection.



As a result, many products that prospered five years ago would meet with an early demise if they were introduced today. Even the successful interactive graphical products of today may be subject to early obsolescence if they do not evolve with the emergence of newer interaction technologies.

Interactive software provides a large incentive to implement the user interface

as an independent component. Separation from the application has several advantages. First, you can subdivide the user interface into components that can be glued together. Such an approach lets you use these components without a detailed understanding of the underlying implementation. Second, you can rapidly modify the interface to be reused in other applications that have similar interaction requirements. Third, you can alter or even replace the interface with no adverse effects on the code that defines the application. Finally, you can develop the interface in an iterative manner, in which you produce successive prototypes until you find a design that satisfies the needs of the application and its users.

From these advantages, a number of principles and techniques emerge. The principles are reusability and encapsulation. The techniques are rapid prototyping and iterative development. To support the production of interactive graphical interfaces, you need a design methodology and a development environment that support each of these principles and techniques. This is where

*continued*

object-oriented design and programming come into play.

### Layer upon Layer

One way to make user interfaces easier to design and change is to characterize the components of an interactive software system. This characterization must effectively separate the application from the interaction style.

Conceptually, we divide the components of an interactive software system (see figure 1) into the following three layers: the application layer, the code that actually does the work; the user-interface layer, the code that directs the interaction; and the virtual-terminal layer, the display software that draws graphical primitives, writes text, and collects user inputs (e.g., keystrokes and mouse moves).

The flexibility of such a decomposition is evident, even when applied to the design of other interactive systems. Take, for example, an automobile. The user interface corresponds to the steering wheel, pedals, and gearshift; the application layer to the engine, transmission, wheels, and chassis; and the terminal layer to the basic metal and plastic from which the steering wheel and so on were built.

Clearly, it is beneficial for the automobile designer to completely separate the user interface from the application. Who wants to try to drive by directly handling a hot, dirty engine? More importantly, this separation lets you use the same interface for a 4-, 6-, or 8-cylinder engine, an automatic or manual transmission, and so on. Furthermore, it lets you upgrade the interface (e.g., replace analog gauges with digital ones) without redesigning the application.

Effective software engineering is

**S**oftware engineers have been forced to consider human-factors issues.

largely dependent on the development environment (see reference 1). Therefore, the majority of current user-interface research is aimed at building user-interface development environments. UIDEs have certain characteristics. They automate the development of much of the interactive software. They usually allow a declarative specification of how users interact with the system. They provide the necessary basis for rapid prototyping and incremental development of the user interface. And they provide a test bed for comparing competing approaches to interface development.

We can identify a hierarchy of four different types of UIDEs that might help us achieve these characteristics.

1. *Graphics packages* provide the facilities to manipulate the basic elements of graphical input and output. Graphical input is concerned with managing and manipulating input devices, such as keyboards, mice, and tablets. Graphical output concerns the display of color, text, and geometric shapes, such as lines, circles, and rectangles.
2. *Windowing systems* extend graphics packages so they can both create and manage the interaction of one or more applications. The base windowing system,

a graphics package with some additional high-level facilities (such as menus), is the substrate on which sophisticated multiapplication interactive systems are built.

These systems provide two additional components to manage interaction. The window manager provides facilities to manipulate overlapping windows, and the input manager controls the interface between input devices and applications—that is, which applications obtain input from which devices.

3. *Frameworks* provide facilities with which to construct the components of a software design, or “skeleton.” For example, a compiler framework enables you to construct a lexical analyzer, a parser, a symbol table, a type checker, and a code generator. Frameworks also let you define and manage the interfaces between these components.

User-interface frameworks are concerned with presenting application information to the user, accepting user input, and invoking application functions. Furthermore, user-interface frameworks must define and manage the communication between the application and the user interface. Frameworks are akin to libraries that support conventional programming environments, together with a specified “cookbook method” of interface construction.

4. *User-interface construction sets* are collections of high-level tools that let you interactively configure and construct user interfaces. Ideally, construction sets are built on top of frameworks.

The user interfaces of most currently available interactive software systems are built in an ad hoc manner on top of graphics or windowing subsystems. However, such an approach is costly and time-consuming, since you must build each user interface from scratch.


### Looking at Three Frameworks

Ideally, a framework is a set of abstract classes (i.e., classes that are never instantiated to produce objects, but merely serve as the basis for subclasses), with one abstract class for each major component of the design. A set of messages defines the interfaces between the components.

The effectiveness of a framework is dependent on the ease with which you can use and reuse it. In studying reusability, it is convenient to classify frameworks as either “white box” or “black box” (see reference 2).

A white-box framework is one whose



*continued*



**Figure 1:** The components of an interactive software system. The application layer actually does the work; the user-interface layer directs the interaction; and the virtual-terminal layer handles the details of the actual interaction.


# SELECT 5 BOOKS for only \$3<sup>95</sup>

(values to \$198.75)



3116 \$27.95  
Counts as 2

When it's new and important in business or personal computing, The Computer Book Club® has the information you need . . . at savings of up to 50% off publishers' prices!




2809 \$26.95  
Counts as 2



3019 \$39.95  
Counts as 2



3146P \$17.95



2891P \$19.95



2997 \$25.95



2859P \$20.95



2852P \$17.95



2978P \$17.95



1846P \$16.95



2870 \$24.95



9826P \$16.95



1939P \$19.95



9808 \$34.95



2627P \$17.95



3109P \$28.95  
Counts as 2



3119P \$21.95



9762P \$21.95




2841P \$15.95



3031 \$24.95



3045P \$19.95



2879P \$22.95




3070P \$24.95  
Counts as 2



2858P \$18.95




9785 \$86.95



2989 \$29.95  
Counts as 2



2855P \$16.95



2929P \$15.95




1990P \$16.95




2838 \$19.95



2968 \$19.95



2937 \$19.95



3127P \$16.95


All books are hardcover unless numbers are followed by a "P" for paperback. (Publishers' Prices Shown)



## The Computer Book Club®

**Membership Benefits • Big Savings.** In addition to this introductory offer, you keep saving substantially with members' prices of up to 50% off the publishers' prices. • **Bonus Books.** Starting immediately, you will be eligible for our Bonus Book Plan, with savings of up to 80% off publishers' prices. • **Club News Bulletins.** 14 times per year you will receive the Book Club News, describing all the current selections—mains, alternates, extras—plus bonus offers and special sales, with hundreds of titles to choose from. • **Automatic Order.** If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the reply form provided. As a member, you agree to purchase at least 3 books within the next 12 months and may resign at any time thereafter. • **Ironclad No-Risk Guarantee.** If not satisfied with your books, return them within 10 days without obligation! • **Exceptional Quality.** All books are quality publishers' editions especially selected by our Editorial Board. BY389

If card is missing, use this address to join: ©1989 THE COMPUTER BOOK CLUB®  
Blue Ridge Summit, PA 17294-0820




3049P \$26.95  
Counts as 2



2620 \$25.95




3035P \$14.95



3057P \$15.95



2748P \$14.95



9200P \$24.95  
Counts as 2

## MAIL PREFERENCE SERVICE

In today's fast-paced society, shopping by mail or phone has become a popular, time-saving way to purchase many products and services. Most people enjoy receiving catalogs and other direct advertising, informing them of what's available through the mail.

You can obtain a free booklet called "Shopping at Home: A Consumer Guide" by sending your name and address to the Consumer Services Department of the Direct Marketing Association. The booklet provides the necessary information to make informed purchase decisions.

However, some people are not interested in receiving advertising mail and the Direct Marketing Association's Mail Preference Service (MPS) offers a free name removal service to consumers. Many companies participate because it's good business to send their message to people interested in their product. Recently, it has been enhanced to include non-profit organizations. You can specify which lists you would prefer to be removed from — commercial and/or non-profit.

So, if you wish to have your name deleted from many national advertising mailing lists, send us the coupon below and we'll let the participating mailers know. After several months, MPS should greatly reduce the amount of national advertising mail you receive. However, many local businesses and community organizations are not participants and will continue to send direct mail. In these cases, your name can be removed from their mailing list by writing directly to the mailer.

\_\_\_\_\_  
Name

\_\_\_\_\_  
Street Apt.

\_\_\_\_\_  
City

\_\_\_\_\_  
State ZIP

\_\_\_\_\_  
Variations of my name

MAIL PREFERENCE SERVICE  
Direct Marketing Association  
6 East 43rd Street  
P.O. Box 3861 Grand Central Station  
New York, NY 10163

use requires knowledge of its internals—that is, its implementation. It provides top-level control and sequencing of activities and can therefore be seen as an extensible skeleton. You can tailor interfaces for a particular application by creating subclasses from this skeleton.

In contrast, a black-box framework requires only that you provide the components that define the application-specific behavior. It uses these components to automatically generate the object-oriented software. Thus, black-box frameworks require that you understand only the external interface of the major components. Their main advantage is that they provide an ideal foundation for developing construction sets. Black-box frameworks exist in other areas of software, but they are not yet readily available for user interfaces.

### The MacApp Framework


The MacApp white-box framework (see reference 3) equips you with a prefabricated standard Macintosh user interface for any application. The basic premise of MacApp is to provide a user interface that automatically handles the characteristics common to all applications, such as resizing the windows, and to let you plug in application-specific details, such as the contents of each window. Since MacApp provides the user-interface code, you can either use these standardized interfaces directly or customize them to

suit the peculiarities of a particular application.

Specifically, the MacApp framework (version 2.0) includes the following four components.

1. The *application* component is the primary controller of the interactive system. Its main purpose is to receive input events, classify them, and invoke appropriate application-specific event handlers. It also provides a set of standard global functions for creating document objects, opening documents, and quitting the system.
2. The *document* component provides the hooks for describing the application. Documents manage and manipulate the application data structures and are responsible for communicating their current status to view objects. Documents are also responsible for reading their data from, and writing it to, backing store.
3. The *view* component manages an application's display and controls interaction with it.
4. The *command* component interfaces between the application and the user interface. Each document has an associated command component responsible for performing the commands (i.e., changing application data and updating views) and, most importantly, for undoing the commands, if appropriate.


*continued*



**Figure 2:** The four views of the MacApp window architecture: the actual window, the scroll area, the scroll bar, and the text view. These four views are presented in three layers: first, the window itself; second, the scroll area and bar; and third, the text.

# Knowledge, Experience & Expertise

your most valuable resources.



## Now available on the IBM PC!

**KnowledgePro**<sup>®</sup> is a tool for "explaining things" using a computer. It combines **HYPERTEXT** and **EXPERT SYSTEM** technologies in a high-level language to let you write stand-alone applications or add an intelligent, aesthetic interface to your existing programs.

**KnowledgePro** stores knowledge in natural "chunks" called topics. It lets non-programmers communicate complex information using simple commands like SAY, ASK, IF, DO and PICTURE.

**KnowledgePro** lets you integrate hypertext, rules, math, lists, and logic quickly and easily. With our Database Toolkit you can read Lotus 123 and dBASE III files. The Graphics Toolkit lets you define hypergraphics using PC Paintbrush images. The VideoDisk Toolkit provides complete control of interactive laser video.

**KnowledgePro** reads, writes and searches text files. You can include routines written in other languages and call other programs.

Your **KnowledgePro** application can ask users for information you need to bring together resources and explanations they need. You can retrieve text, graphics, data, and video information, perform calculations, create text files and run programs based on each user's unique problems, interests and level of expertise. "I recommend that you check out *KnowledgePro*", said Steve Ciarcia of BYTE. "So much fun to work with", said Mickey Williamson in PCWEEK. "I LOVE *KnowledgePro*. It's less like programming and more like writing", said Dan Shafer of PC AI.

**KnowledgePro** runs on IBM PC XT, AT and PS/2 compatibles with 640k. It costs \$495 plus \$8 shipping (\$58 foreign). There are no run-time charges, so you don't have to pay more to distribute applications. The Database, Graphics and VideoDisk Toolkits cost \$49, \$89 and \$249 respectively. KnowledgeMaker, our induction system for creating rules from data, costs \$99. Stock Expert, a system for the personal investor, costs \$249. A working demonstration system, with a 100 page manual, is available for \$30 plus \$5 shipping (\$8 foreign) with credit toward purchase of the full system.

For product literature, review reprints or to order:

### Call 518-766-3000

(FAX 518-766-3003)

Amex, M/C, Visa, COD or send check to:  
Knowledge Garden Inc., 473A Malden Bridge Rd.  
Nassau, NY 12123, USA.  
New York residents please add 7% sales tax.

## KnowledgePro<sup>®</sup>

A tool for communicating knowledge  
by Bev & Bill Thompson

Join us on CompuServe (GO PCVEN user option #8)

Circle 141 on Reader Service Card

from



An abstract MacApp application consists of one or more views, one or more documents, and a single application object. A view can exist without any associated document, but each document (if it is to be displayed) must be associated

with a view. A view can be contained in a superview, and it can contain zero or more subviews.

Whenever a view is displayed, its contents are drawn first, followed by the display of each of its subviews. Conse-

quently, the highest-level view in a hierarchy can serve as a background for its subviews.

For example, a typical Macintosh window might be formed from four views: the window itself, the scroll area, the scroll bar, and the view that displays the text (see figure 2). This window is presented in three layers. The bottom layer is the window with its standard grow box; the second layer is the scroll area with its scroll bar; and the top layer is a portion of the associated document.

In MacApp's class hierarchy, TView is a class that describes behavior common to all display objects, including nesting, focusing, drawing, and event handling. All objects involved with displaying must therefore be described within subclasses of TView. TWindow is a predefined subclass of TView that describes standard Macintosh window behaviors, including opening, closing, and resizing.

### The MVC Framework


The model-view-controller framework (see reference 4) facilitates constructing standardized user interfaces for the Smalltalk environment (see reference 5). A typical Smalltalk user interface is depicted in figure 3. The MVC framework constructs a user interface with standard facilities common to all applications, and it provides the necessary hooks to allow application-specific behavior to be attached. The availability of the code for the user interface lets you fine-tune the interface to suit the particular application.

An abstract Smalltalk application consists of a model, which in turn consists of a set of related view-controller pairs. Views display the application's status while controllers manage interaction. Controllers act as the interface between the user and the application, as well as between the application and its views. The interaction between the three components is shown in figure 4.


The standard interaction cycle is as follows. The active controller accepts user input and invokes the appropriate application function within the model. The model performs the requested action and broadcasts the change to its dependents—that is, its set of view-controller pairs. The views update their displays through application-provided information.

Specifically, the MVC framework consists of the following components:

1. The *model* component lets you define an application. It also lets you connect view-controller pairs as dependents and



**Figure 3:** A typical Smalltalk user interface, the Smalltalk system browser. Through the browser, you can study, use, and alter any of the classes that make up the Smalltalk environment.



**Figure 4:** Model-view-controller relationships. Views display the application's status, controllers manage interaction, and the model performs the requested action.

broadcast changes to these dependents.

2. The *view* component is concerned with display. It is equivalent to windows in most systems, allowing for the creation and management of subwindows (or subviews). Views provide standard facilities for clipping, transformation, and display. The top-level view is a standard system view that provides common facilities for resizing and movement. Note that each view is associated with exactly one model and one controller.

3. The *controller* component provides the basic facilities to coordinate the user with the appropriate view and application model. Standard controllers handle predefined views, including a menu controller for mouse-based pop-up menus, and a scroll controller to handle scrollable windows. The active controller is in charge of obtaining user input and invoking the appropriate application-specific function to handle it.

### The ICpak 201 Framework

Stepstone's ICpak 201 graphical user-interface class set is an object-oriented user-interface framework for Objective-C (see reference 6). This framework is designed around the metaphor of a modern cartoonist producing animation. Typically, a cartoon is constructed as layers of acetate, where the background is painted on the bottom layer, the main characters on the next layer, and additional props on the topmost layer. These layers form a single frame of the animation sequence.

A standard topmost layer of a typical user interface constructed with ICpak 201 is depicted in figure 5. This layer is similar to Smalltalk's topmost views and is responsible for presenting the image that the user manipulates, as well as controlling interaction with the user. The controller aspect of the layer is separated from its image to let you modify the interaction. The controller is either transparent or opaque, to allow or disallow passing control to the layers below the current one.

The ICpak 201 framework follows a three-way factoring of interfaces similar to Smalltalk's MVC framework. For example, all menus within the interface have an independent (abstract) model that collects the choices, and a corresponding view-controller pair that represents the concrete image of the menu model and allows menu selection.

The ICpak 201 class hierarchy provides a rich set of prefabricated components to create standardized user interfaces. You can modify these classes, as you can other object-oriented frame-

works, by creating subclasses to construct specialized user interfaces.

### Construction Sets

The basic problem with these user-interface frameworks is that using them requires intimate knowledge of the underlying structure and implementation. This implies a steep learning curve for constructing interfaces, making them usable only by technically expert designers.

A natural way to reduce the complexity of using frameworks is to provide tools (or construction sets) that automate the process of building interfaces. Such construction sets require an underlying framework that either is a black box or enforces a well-defined consistent user-interface design strategy.

Various characteristics of construction sets differentiate them from frameworks. Construction sets automate the construction of user interfaces; they are interactive tools; they don't require that you understand the implementation details of the user interface; and their simplicity allows end users to modify (or customize) the user interfaces of interactive applications.

### ViewEdit

A major part of creating user interfaces within MacApp is instantiating view objects and describing relations between them through a hierarchy. Instantiating a predefined view within MacApp requires assigning values for each of the view's fields. You can do this either pro-

cedurally or declaratively.

To define a view declaratively, you create a view resource that basically defines the characteristics of the intended Macintosh window by describing the root window and its subviews (which eventually include scroll and display views). A view is described simply by listing options that correspond to the instance variables defined for each view class supported within MacApp.

ViewEdit (see reference 7) is a construction set for interactively defining views and building view hierarchies. It lets you create individual views, define their characteristics, and place them in windows, thereby defining a view hierarchy. For example, in a typical view-editing scenario, the window might be made up of four views. Of these four, two subviews might be text views; the other two might be clusters (sets of buttons), each of which contains several nested subviews representing the contents of these clusters.

This construction set includes three major tools. The *selection* tool allows you to select a particular view for editing. You can edit the parameters of the selected view, which presents the possible settings for the topmost window, such as a "go away box," "stagger windows," and so on. The *sketching* tool allows you to create new views in a fashion similar to drawing a rectangle in MacDraw. For instance, you can add a pop-up menu view as a subview of the currently se-

*continued*




Figure 5: A standard system window in ICpak 201.

lected view using the sketching tool. Finally, a *moving* tool lets you modify the view hierarchy by grabbing views and dragging them into different areas.

**Glazier: An MVC Construction Set**  
Experience with Smalltalk's MVC framework revealed that the view-controller pairs of interfaces dealing with standard (model) objects, such as lists, text, and code, were similar. This led to

**U**ser  
*interfaces should be easily customizable by system designers and, more importantly, end users.*

the creation of a set of classes called *pluggable views* that factor out these common behaviors and let you specify them as parameters in an interface-creation message. The pluggable views automatically create the view-controller pair for the intended model and thus are good examples of black-box frameworks.




Figure 6: An illustration of constraints.

Glazier (see reference 8) is a construction set for interactively building windows for Smalltalk's standard pluggable views. To create a new window, you select a standard pluggable view and specify its size and location. Glazier automatically creates the subclasses (of the corresponding pluggable view) to implement the new window. You can then change the predefined standard methods inherited by the new class to achieve behavior specific to the application model.

Glazier also provides the following facilities to manipulate the newly created window: adding subviews, or panes; adding new instance variables to customize the new window's behavior; interactively placing, or relocating, the subviews; and interactively creating dependencies between instance variables and panes in the window to make it easier to manage changes.

#### Constraints

A novel approach for user-interface construction sets is based on the notion of constraints (see reference 9). In constraint programming, statements like  $x = y + z$  specify a relation between objects that must be maintained. Unlike conventional programming, this expression doesn't say that you obtain  $x$ 's value from the current values of  $y$  and  $z$ . Rather, it says that the values of these three variables must always be consistent with the equality that is expressed by this relation.

A change in the value of  $x$  results in a change to one or both of  $y$  or  $z$ . A change to the value of  $y$  could be accommodated by changing the value of  $x$ , as in a conventional system, or by changing  $z$ , or even by changing both. (Maintaining this relationship is the responsibility of the underlying constraint-satisfaction system, not the programmer.)

The two-way nature of constraints means that a change to one dependent object may cause changes in another object, with neither being in control. Thus, you could constrain a gauge appearing on the user's screen (see figure 6) so that its position matches the value of a variable in the currently running application. If the application changes the value of this variable, the screen image is updated. Symmetrically, if the user moves the gauge's dial, the application's variable is altered to accommodate this change.

#### Great Promise

User-interface research is still in its infancy. A mature technology implies user interfaces that can evolve to accommodate ever-changing interaction styles,

techniques, and devices. Moreover, such interfaces should be easily customizable by system designers and, more importantly, end users.

As you can see from looking back at figure 1, the user has only one interface for an application. How can you achieve the flexibility of multiple interfaces without forcing users to become programmers? There is no answer yet, but the object-oriented paradigm shows great promise as the basis for achieving such a mature technology. ■

#### REFERENCES

1. Barstow, David R., Howard E. Shrobe, and Erik Sendewall. *Interactive Programming Environments*. New York: McGraw-Hill, 1984.
2. Johnson, Ralph E., and Brian Foote. "Designing Reusable Classes." *Journal of Object Oriented Programming*, vol. 1, no. 2, June/July 1988.
3. Schmucker, Kurt J. *Object-Oriented Programming for the Macintosh*. Hasbrouck Heights, NJ: Hayden Book Company, 1986.
4. Krasner, Glenn E., and Stephen T. Pope. "A Cookbook for Using the Model-View-Controller User Interface Paradigm in Smalltalk-80." Palo Alto, CA: ParcPlace Systems, January 1988.
5. Goldberg, Adele, and David Robson. *Smalltalk-80: The Language and Its Implementation*. Reading, MA: Addison-Wesley, 1983.
6. Cox, Brad J. *Object Oriented Programming: An Evolutionary Approach*. Reading, MA: Addison-Wesley, 1986.
7. Wetmore, Russ. *MacApp 2.0 ViewEdit User's Guide*. Apple Computer, 1988. (Preliminary draft)
8. Alexander, James M. "Painless Panes for Smalltalk Windows." *Proceedings of OOPSLA '87* (special issue of *ACM SIGPLAN Notices*, vol. 22, no. 12, December 1987), pp. 287-294.
9. Borning, Alan, and Robert Duisberg. "Constraint-Based Tools for Building User Interfaces." *ACM Transactions on Graphics*, vol. 5, no. 4, October 1986, pp. 345-374.

*Mahesh H. Dodani is an assistant professor of computer science at the University of Iowa in Iowa City and has a Ph.D. from the University of Central Florida in Orlando. Charles E. Hughes is a professor of computer science at the University of Central Florida and has a Ph.D. from Penn State. J. Michael Moshell is an associate professor of computer science at the University of Central Florida and has a Ph.D. from Ohio State. They can be reached on BIX c/o "editors."*

# Two new DESQviews.

## They're everything you want in windowing environments.

### And less.

DESQview™ is the operating environment that brings OS/2™ power to DOS. And it lets you, with your trusty 8088, 8086, 80286, or 80386 PC, leap into the next generation in PC productivity. For not much money. And without throwing away your favorite software.

#### Introducing DESQview 2.2

And now, DESQview 2.2 adds capabilities, performance, and compatibility enhancements you've been asking for:

Like being able to fine tune DESQview performance "on the fly." Run Lotus Express and Metro. And the Intel Connection Co Processor. Even use the DOS 4.0 shell with DESQview. Have DESQview automatically install Quattro, Sprint, Aldus PageMaker, Microsoft Excel, Word Perfect, Dataease and as many as 80 other programs. And using the DESQview API, be able to dynamically link them.

#### More bang; less bytes

While other programs get bigger, we've worked to make DESQview smaller. And we've succeeded in a big way on PCs and PS/2™s with extended, EMS 3.2 (AboveBoard), EEMS and EMS 4.0 memory—as well as on 386 PCs and PS/2s. For example, DESQview overhead on EMS 4.0 and 386 PCs can be as low as 10K on EGA/VGA PCs. And

For programmers, DESQview's API, with its strengths in inter-task communications and multitasking, brings a quick and easy way to adapt to the future. With the API's mailboxes and shared programs, programmers are able to design programs running on DOS with capabilities like those of OS/2.

VGA, and Hercules programs in windows and in the background. Run 32-bit 386 programs,

like Paradox 386, and IBM Interleaf simultaneously with your favorite DOS programs. All with the speed and performance you expect out of your 386. And with protection against 'misbehaved' programs.

#### Promise and performance

And, of course, both DESQviews have all the features that made prior versions the popular choice in operating environments. The ability to multi-task in 640K and beyond. View programs in windows or full screen.

Did you buy another environment that hasn't lived up to your expectations? Trade up to new DESQview. See coupon below.

Transfer data. Access DOS via menus. Dial your phone. And create keystroke macros within and between programs.

#### Our story gets better and better

If there's any doubt about our commitment to your PC and PS/2 productivity, just look at our accomplishments over the years. We think you will understand why PC Magazine gave

DESQview its Editor's

Choice Award for "The Best Alternative to OS/2," why readers of InfoWorld twice voted DESQview "Product of the Year," why, by popular vote



at Comdex Fall for two years in a row, DESQview was chosen "Best PC Environment" in PC Tech Journal's Systems Builder Contest. DESQview lets you have it all now.



DESQview actually increases memory 30K on CGA PCs; 20K on monochrome and Hercules PCs. That's good news for users of big desktop publishing, CAD and database programs.

#### Introducing DESQview 386

For users of 80386 PCs and PS/2s (or PCs with 80386 add-in boards, such as the Intel Inboard 386), there's DESQview 386 (a combination of DESQview 2.2 and the new QEMM-386 Quarterdeck Expanded Memory Manager, version 4.2).

DESQview 386 gives you extraordinary power. Run text, CGA, EGA,

**DESQview System Requirements:** IBM Personal Computer and 100% compatibles (with 8086, 8088, 80286, or 80386 processors) with monochrome or color display; IBM Personal System/2\* Memory: 640K recommended; for DESQview itself 0-145K\* Expanded Memory (Optional): expanded memory boards compatible with the Intel AboveBoard, enhanced expanded memory boards compatible with the AST RAMpage; EMS 4.0 expanded memory boards\*Disk: two diskette drives or one diskette drive and a hard disk\*Graphics Card (Optional): Hercules, IBM Color/Graphics (CGA), IBM Enhanced Graphics (EGA), IBM Personal System/2 Advanced Graphics (VGA)\* Mouse (Optional): Mouse Systems, Microsoft and compatibles\* Modem for Auto-Dialer (Optional): Hayes or compatible\* Operating System: PC-DOS 2.0-4.0; MS-DOS 2.0-3.3\* Software: Most PC-DOS and MS-DOS application programs; programs specific to Microsoft Windows 1.03-2.1, GEM 1.1-3.0, IBM TopView 1.1\* Media: DESQview 2.0 is available on either 5-1/4" or 3-1/2" floppy diskette.

Trademarks are property of their respective holders: IBM, OS/2, PS/2, Lotus, Express, Metro, Quattro, Sprint, Aldus, PageMaker, Intel, Above Board, Hercules, Mouse Systems, Hayes, Microsoft, Windows, Excel, Word Perfect, Dataease, Paradox 386, Interleaf, TopView.

**YES!**  
I need increased productivity now!

Payment  Visa  MasterCard  
Expiration /  
Account #   
Name   
Address   
City  State  Zip

Qty	Product	5-1/4	3-1/2	Price Each	Totals
	DESQview 386 Multitasking windowing environment			\$189.90	
	DESQview 2.2 Multitasking windowing environment			\$129.95	
	DESQview 2.2 Upgrade from DESQview/Version 2.0			\$24.95	
	Upgrade from DESQview 1.0 & AST Special Editions*			\$60.00	
	Upgrade from Topview, Windows, Visi-On, etc.**			\$65.00	
	QEMM-386 Version 4.2			\$59.95	
	QEMM-386 Version 4.2 Upgrade from QEMM 1.0-4.1*			\$19.95	
	Shipping & Handling			\$5 in USA / \$10 outside USA	
				Calif Residents add 6.5%	
				Grand Total	



Quarterdeck Office Systems, 150 Pico Boulevard, Santa Monica, CA 90405 (213) 392-9851 Fax: (213) 399-3802

\* Requires DESQview or QEMM-386 registration card on file at Quarterdeck or included with upgrade order; upgrades free to owners who show proof of purchase after August 1, 1988. Quarterdeck priority service users: 33% discount from upgrade price plus sales tax and shipping/handling. \*\* Just present proof of purchase of any multitasking operating environment—the cover of your manual will do—and send it to us along with the appropriate payment plus shipping, handling and tax.

# Just Say: Name Brands

At Just 7% Over Wholesale\*

## QUADRAM

**JT/FAX**  
\$249\*

JT/FAX has features such as pull-down windows, multiple scheduling and Broadcast FAX.

Runs unattended. Input: scanner or word processor. Output: dot matrix or laser printer. Group III FAX compatible.

External Stand-Alone Version ..... \$349\*

## LOGITECH

**AWARD-WINNING MICE**

Logitech Serial Mouse ..... \$79\*  
Logitech IBM BUS Mouse ..... 89\*  
Logitech Hi-Res. Mouse ..... 99\*

ASK ABOUT  
OCR/ASCII  
SOFTWARE

**LOGITECH HAND SCANNER**



\$199\*

W/ Paint Show Plus Software  
CALL ABOUT OUR FULL PAGE SCANNERS!

## CITIZEN



**180D**  
\$189\*

• Epson Compatible • 180 CPS/9 Pin  
Citizen 120, 120 CPS/9 Pin ..... \$159\*  
MSP 50, 300 CPS/9 Pin ..... 299\*  
Tribute 224, 24 Pin/360 DPI Laser Quality! ..... 399\*

## US ROBOTICS

**HST**  
\$569\*

Clearly the most popular high speed modem on the market.



**HAYES COMPATIBLE**

• At 300-2400 BAUD • LEV 5 MNP FOR 17,400 BPS  
• US Made • 2 Year Warranty • Toll Free Support  
New HST V.32 Standard ..... CALL  
USR 2400 Baud Hayes Compatible ..... Now \$129\*

## AWARD-WINNING SYSTEMS



**BRAND NAME 286/AT IBM COMPATIBLE NATIONWIDE SERVICE 40 MB HARD DISK \$1299\***  
Including Monitor

**65 MB 386/TOWER CASE SYSTEM**

COMPARE:

- 80386 Intel CPU
- 80387 Co-Processor Slot
- 1 MB Expandable to 10 MB
- 65 MB Hard Disk Drive
- UNIX and OS/2 Compatible

\$1995\*

Now Only



## MINISCRIBE



**HARD DISKS**

**EASY TO INSTALL KITS**

20 MB With Controller ..... \$279\*  
40 MB With Controller ..... 369\*  
110 MB With 1:1 RLL Controller ..... 799\*

## TOSHIBA

All New!

**3100E LAPTOP**

12 Mhz/20 MB

\$2895\*

**PORTABLE HEADQUARTERS!**



## PC/WORKS

**MULTI-LINE VOICE/MAIL**  
PCX Telemarketing System

For a live demonstration of PCX, please call: 805/654-0721.

From \$269

**4800 BAUD HAYES COMPATIBLE MODEM**

USING MICROCOM LEV 5 MNP SOFTWARE INCLUDED

Save Over \$200 NOW!

- Supports 300-1200-2400 Baud TOO!
- Auto Dial • Auto Answer

\$99\*

2 YEAR WARRANTY

**DLX: MULTI-USER**



**ON-LINE DATABASE SYSTEM WITH ELECTRONIC MAIL**

- Runs Directly Under MS-DOS
- Supports Modems or Terminals
- On-Screen Order Entry and More!
- Easy to Install • Very User Friendly

\$395

ALL \*PRICES SHOWN ARE WHOLESALE AND REFLECT AN ADDITIONAL 3% CASH DISCOUNT. THE ON-LINE STORE'S WHOLESALE + 7% PURCHASERS PAY JUST 7% ABOVE THE WHOLESALE PRICE, PLUS SHIPPING AND HANDLING. Minimum shipping: \$5 per order. International orders: call for rates. Prices subject to change. Products subject to availability and may be private label versions. WE ALSO SERVE LARGE CORPORATE ORDERS: call for information. This ad supersedes all previous.

CALL NOW! 24 HOUR ORDER LINE:  
**805/650-0188**



BBS 805/650-0193

FAX 805/650-0195

CUSTOMER SERVICE: 805/650-0188



3037 Golf Course Dr., Ventura, CA 93003

**ONLINE STORE**

Your Data Communications System Specialist

# The Next Step


*Object-oriented programming simplifies and speeds software development with the NeXT computer's NextStep*

*Tom Thompson*

**W**ithout a doubt, designing software for today's high-powered microcomputers is more complicated than ever. This is partially because the new breeds of multitasking operating systems are so complex, but also because it's so very difficult to design and test graphics-oriented user interfaces.

Both Macintosh applications and OS/2 programs use an event-driven paradigm at the core of their operation. This structure provides the flexibility required of a graphical interface where you trigger an *event* (hitting a key or clicking on the menu bar with the mouse) at any given time or in any given order.

But this flexibility exacts a price: The code loop that manages the graphical interface and processes these events—called an event loop—is complicated, and it requires a steep learning curve to understand how it works and how to design code to fit within it. Seasoned Mac and OS/2 programmers keep "skeleton" files handy that contain this basic event-loop source code. Designing a new application then becomes a matter of fleshing out the skeleton file. However, it still



takes a considerable amount of time to organize an application's functions to fit within the framework of the skeleton.

When NeXT introduced its computer, its designers faced the same situation. While the NeXT computer has powerful hardware, it also has a very complicated application environment: a multitasking Mach Unix kernel and the same event-driven user interface that turns Mac and

OS/2 software design schedules into confetti. So NeXT concentrated on creating an object-oriented development environment that would simplify the design and creation of the event-driven interface and allow easy access to the machine's resources. The tools to do this are part of NextStep, the environment in which every NeXT program lives.

## **NextStep**

To get a good picture of how to write programs for the NextStep environment, you must first understand the environment itself. NextStep consists of four components: the Window Server, the Workspace Manager, the Application Kit, and the Interface Builder.

The Window Server manages the low-level system functions. The Display PostScript interpreter embedded within it handles all drawing to the screen, and it manages hardware events generated by the mouse and keyboard. The Window Server handles the events that deal with managing the display, such as moving windows, bringing them to the front, and resizing them. The Window Server forwards

*continued*

events directed at applications, such as a mouse-click in a window, to the target application.

The Workspace Manager operates at a higher level: It manages the files and applications on the system. It displays files in the current directory, lets you examine them, and, if you like, lets you delete them by dragging them to a "black hole" icon that operates like the Mac's Trash-can. You start NeXT applications through the Workspace Manager, and applications are shown as icons that can be "docked" at the right of the screen.

The Application Kit gives programmers access to the computer's many resources. It accomplishes this by supplying a library of 38 tested objects that provide services (see figure 1). Some objects are ready to use, while others you will modify to suit your needs. Some of these objects, such as Window, Button, and View, are visible on the display, and others, such as Application, Speaker, and Archiver, are not. All of them, visible or not, help implement the basic functions that a NeXT application needs to run.

The Interface Builder (called IB for brevity) application serves several important functions during application de-

sign. First, it lets you prototype and build the application's user interface. You do this either by using existing objects from the Application Kit or by creating custom objects and describing their interface. IB uses a powerful and intuitive visual interface that reduces this chore to a series of mouse-clicks and keystrokes.

Second, IB lets you modify the contents of instance variables. By modifying specific instance variables, you visually determine the connections between user interface objects and the application code. That is, you decide what object receives the message emitted by a specific control object.

Finally, IB creates a description file that describes these objects and their instance variables. This file is used at run time to actually establish the appearance of the interface and the message connections between the various objects, as described in your session with IB.

You construct a NeXT application by first using IB to design and test a user interface. Then you determine what underlying objects you need to satisfy the application's design requirements. Finally, you implement these underlying objects. In situations where you must write unique code to implement application-

specific functions, you use an Objective-C preprocessor originally developed by Stepstone Technologies and an ANSI C compiler bundled with the NeXT computer.

Where the application must draw to the screen or deal with a user event, you normally use the objects provided in NeXT's Application Kit. It's important to note that the source code for these objects is *not* provided, but the great flexibility of the object-oriented design and the IB allows you to modify the behavior of these objects without having to edit and compile their original source code.

### It's in the Objects

Many of the Application Kit's objects, such as Font and Window, will be familiar to a Mac programmer, and in many respects they serve the same purpose. They should not be confused with Mac resources, however. The characteristics of these objects are unique to the Next-Step environment, and some require further explanation.

The Application object provides the fundamental support structure for an application's execution. The Application object establishes the application's connection to the Window Server. It reads




Figure 1: The 38 objects in the NextStep Application Kit. These objects provide the core functions that an application needs to run.

the IB description file and instantiates the application's objects and their instance variables based on this file's contents.

The Application object also manages a list of all the windows used by the program. Each application must have one, and only one, Application object.

The Application object's function is analogous to the event-loop skeletons used by Mac and OS/2 programmers. It receives events from the Window Server, translates them into event messages, and then passes these messages to the appropriate objects to handle them. As an example, for a window event (say, a mouse-click inside a window), the Application object receives the event from the Window Server and translates it into an event message. This message gets passed to the Window object associated with the event. The Window object might then pass this message to objects visible in the window. A Panel is a special type of Window object used to present dialog boxes or menus.

These visible objects in either Windows or Panels are called Views. As figure 1 shows, many of the objects in the Application Kit are direct or indirect classes of View.

A View object supplies the framework for drawing in a window and the methods for acting upon event messages dispatched to them. Views define the location, size, and orientation of the PostScript coordinate system that they draw within. The View object also handles any image clipping. Since a View uses floating-point PostScript coordinates, it's easy to translate, scale, rotate, or flip the image's coordinate system.

Since all classes of View are visible, a View must define a mechanism to draw itself on the screen. This mechanism is the *drawSelf* method. Display first saves the current PostScript state. Then it sets up the temporary coordinate system that the View uses to draw in the window and its clipping area.

Next, a method containing Objective-C code and PostScript commands called *drawSelf::* draws the View's image. Display then sends display messages to Views that it owns, called *subviews*, informing them to draw themselves. When the subviews finish, display restores the previous graphical state and exits.

Although subviews have their own local coordinate system, they operate within the coordinate system of the Views that own them, called *superviews*. All Views in the window are ultimately owned by a single View, called a *content-View*. This relationship between Views

and their subviews becomes a hierarchy that determines the order in which Views get drawn and how they receive event messages.

This View hierarchy becomes a powerful tool for managing images in a window. For example, suppose a View object is an aircraft control panel that has subviews composed of gauges and switches. If the coordinates of the control panel View change, the coordinates of the gauges and switches change as well.

As another example, suppose you want the control panel to display itself. You send a display message to the window that owns the control panel. The window redraws itself, then sends a display message to the control panel. The control panel View calls its *drawSelf::* method that redraws its image. The control panel View then sends the display message to each of its subviews, and they in turn execute their *drawSelf::* methods. In this way the entire control panel, gauges and all, is redrawn.

The Responder object supplies a safety net of default behavior for event messages should objects in your application fail to do so. It does this by defining methods for every event message. The action these methods take is to pass the event message to whatever object is defined as the "next responder," which by default is the View's *Superview*.

Since many of the visible objects inherit the Responder's behavior, it supplies the logic by which Views deal with events. For certain events, a View might have methods that override the Responder's behavior. However, for events for which the View has no corresponding methods, the Responder's behavior takes over: The View passes the message up the View hierarchy until an object deals with it. You normally don't use the Responder object yourself.

Also be aware that all Control objects, such as a slider, override much of the default behavior defined by Responder.

### Bitmap, Control, and Text Objects

The Bitmap object stores the bit map of an image. You use the Bitmap object to display static images, such as pictures or icons. It's also useful for storing complex images that must be drawn quickly many times.

For example, suppose you have an intricately shaded View object called *Molecule* that you plan to use in a chemistry demonstration application. As part of the demo, you want the molecule's image to bounce rapidly around the screen. To do this, you use PostScript commands to render the image into a Bitmap.

In *Molecule*'s *drawSelf::* method, you "composite" the Bitmap to various locations inside your View. Compositing consists of the fast multibit pixel operators added to Display PostScript by NeXT. This way, you use the Bitmap to move the molecule's image about the screen and avoid the computationally expensive task of executing *Molecule*'s PostScript commands to redraw it each time.

Control objects implement visible controls, such as radio buttons, switches, or sliders. They use another object called a Cell that knows how to draw the control and "highlight" it (i.e., darken and then lighten the control's image) in response to a user event. Cells also save the Control's target and action information (more on this later).

The Control object itself handles mouse tracking when it receives a mouse-down message, and it issues an action message in response to a subsequent mouse-up or mouse-down event. In the case of a slider control, for example, the Control object uses the Cell to display the slider's image and move it in response to mouse events. The Control object sets the range of values—perhaps representing voltages—that the slider emits and directs these values to the appropriate target object, which in turn executes a particular action method.

A Text object, not surprisingly, deals with ASCII text. The amount of text that can be stored in it is limited only by available memory. The Text object also stores information that describes the typefaces and point sizes used throughout the text. Text implements basic text-handling capabilities such as text selection (the portion of text chosen is highlighted), cut, copy, and paste operations. Text objects can also read and write Microsoft's RTF (Rich Text Format) files.

Perhaps one of the most powerful objects in the Application Kit with regard to application design is the Archiver object. The Archiver object lets you write an instance of a NeXT application and all its objects to an archive file on disk. It also reads an application from an archive disk file into memory.

It's important to note that all instance variables in each object are saved in this archive operation. This means that when the archived program is read back into memory, the values of its instance variables are recovered. In other words, the entire state of the application at the time it was archived is restored.

For example, say you're working on a manuscript using a text editor applica-

*continued*

tion. You've got a window of a certain size and position on the screen opened to a Text object with the text you see here stored in it. It's late, and you decide to stop work. For this particular application, when you tell it to quit, it issues an archive message to all its objects. The Window object saves its size and screen location in its instance variables. The Text object archives the text you've just entered, plus information on the various fonts you used, what part of the text was visible in the window, and even what section of text was highlighted for a planned cut-and-paste operation.

Since every Application Kit object knows how to archive itself, this makes for an extremely clean application design: You don't have to write special code to save user preferences or restore the application's state to the last session in which it was used.

Since only instance variables are archived, however, you should avoid the use of global variables in an application. If you happen to write an object with unusual storage requirements, you should provide methods to properly archive and restore the state of the object. While Objective-C provides an archiving mechanism for object-oriented programs, NeXT implemented its own archiving functions in this object.

### When to Speak, When to Listen

The Speaker and Listener objects provide an object-oriented interface on top of Mach's interprocess communication system. Both of these objects have a number of methods that translate messages into the Mach IPC protocol. Speaker and Listener are used to send messages between applications and also can be used to implement high-level interprogram communications.

For example, when you call the "Define" function from within a NeXT application to look up a word, its Sender object opens a connection to the Webster's application. Then a Define message is sent in IPC format, which has a character string that contains the word in question. Webster's Listener has a method that looks for such messages. When it receives the message, a search begins based on the word embedded in the message. When the search ends, the Webster's application opens a window that displays the results of the search.

### Putting It Together

As you can see, the Application Kit has a number of highly useful objects. The next thing a programmer must do is assemble these objects into a working ap-

plication. NeXT's IB application lets you do this, and do it quickly. As stated earlier, it's used both to build the user interface and to establish how the objects communicate with one another.

I'll start with the user interface. You select a visible object to be used as a control, perhaps a button, from a library of control objects presented by IB. Using the mouse and keyboard, you alter the button's dimensions (you might make it bigger) and text display (changed from "OK" to "Save File").

For IB to operate on visible objects this way, the objects must be designed carefully. The object's `drawSelf::` method must use instance-variable values and not hard-coded constants. This lets you drag an object about on the screen where you want it and then adjust its size.

IB also allows you to modify the values of instance variables in an object. This lets you change the name of the Button in the example above. But this capability brings me to IB's second function: You can change the linkages between an application's interface and the objects within it.

The normal course of communication between control objects and application objects is through a *target/action paradigm*. That is, an event on a control object—that button you just built—sends an action message ("save file") to a target object. The target object responds by executing the action method that saves your data to a file on the disk drive.

This target/action paradigm lets you design precise message routes between the user interface and the methods that handle the work. More important, it lets you use IB to change these routes to different objects at a later date. You do this by modifying the instance variables that determine these connections.

To see how this is done, I'll give you a closer look inside a Control object—specifically, a Cell. Recall that Cells store target and action information. This is done with two instance variables, named, appropriately, `target` and `action`. Target indicates what object to notify when the proper event occurs, and `action` is the action message to be sent. As an example, suppose you click on that "save file" button. The Button's mouse-down method highlights the button. When a mouse-up event occurs, the Button dispatches the message stored in `action` to the object whose name is stored in `target`.

IB presents a Connect window that lets you define the target/action relationship between objects. You select the objects you want to work with by dragging their

images to either a Sender or a Target slot in the Connect window. For the object designated as a Target, the Connect window shows you a list of the object's action messages as text. You can't modify the message names from the Connect window, but you can choose which message the Sender emits from this list. If you now drag an object into the Sender slot and click on the "patch cords" that connect the two slots, the patch cords close, indicating that the target/action relationship is established. You can optionally have the target object direct output to another object, perhaps a gauge.

IB's technique of visually establishing the message routes in an application is simple yet powerful. It makes the programmer's job of designing the connections between the user interface and the application code easy.

### Run-Time Binding

Making life simpler for the programmer required a carefully thought-out design for NeXT software. As you can see, this design relies heavily on object-oriented programming to make it work. However, additional effort goes on behind the scenes to supply the flexibility IB provides in making target/action message connections.

When you compile an object, the character strings that make up the object's messages are stored in a *local message table*. The compiler also produces two other tables. The first is a *selector translation table* that maps a unique binary selector code to the character string that represents the message. The second table is a *message dispatch table* that contains pointers to every method defined in the class. The selector codes in the selector translation table serve as a run-time reference to the method names in the message dispatch table. At run time, this message dispatch table plays the crucial role of directing an object's action message to its target method.

Recall that when you work on an Application object with IB, the target-action connections and their messages are stored in IB's definition file. As the application starts, these definitions are loaded by the Application object. The run-time system uses the definitions to establish the contents of each Control's `target` and `action` instance variables.

When an event occurs, the affected Control translates the message stored in `action` into a selector code. The selector code is sent to the target object, as determined by the contents of `target`. The system then searches the message dispatch table of the target object for the se-

lector code that was emitted by the Control. Now you see the reason for the selector code: It's faster to do a binary comparison than the character-by-character comparison required if the actual text of the message strings was used for the search. If a match occurs, the corresponding pointer in the message dispatch table directs the thread of execution to the appropriate method. If there is no match, the search resumes in the message dispatch table of the object's superclass. This mechanism for establishing links between the messages and their targets at run time is known as *run-time binding*.

The benefits of run-time binding are twofold. First, it lets objects send messages to other objects without regard for the target's class until run time. Second, it permits modification of the application's user interface without recompiling the application. The price you pay for this binding mechanism is performance: It takes about twice as long for a target method to receive a message versus using a subroutine call. Considering the power of the NeXT computer and the flexibility in designing the application interface, this trade-off is reasonable.

NextStep makes extensive use of object-oriented programming concepts. First, OOP packages code into functional modules that can be effectively used without knowledge of their contents (the "black box"). For example, the intricate event-loop code that manages the user interface is encapsulated in the Application object.

Class inheritance allows Application Kit objects to "borrow" behavior, as from the Responder object. Inheritance also lets programmers customize existing objects for unique behavior without writing the object from scratch.

Finally, run-time binding provides a powerful but flexible means to simplify application design without whiling away the hours compiling source code. NextStep uses all these aspects of OOP to provide a revolution in software design. While I've only watched NextStep being used, I'm eagerly looking forward to the chance to try it myself. ■

#### ACKNOWLEDGMENT

*I would like to thank Bruce Blumberg of NeXT, Inc., for his patience in explaining the key concepts behind NextStep. Without his help, this article could not have been written.*

*Tom Thompson is a BYTE senior technical editor at large. He can be reached on BIX as "tom\_thompson."*

ORDER LINE **1-800-528-1054**

**Information**  
Going Business Since 1980 A Division of CW Marketing, Inc.



**Unbeatable Prices**

**The Acknowledged Leader in the Computer Mail Order Industry**  
Call About the Availability of Other Products Not Listed.

### HARDWARE

- PRINTERS:**
- Epson**
    - FX1050 ..... \$459
    - LQ500 ..... 295
    - LX800 ..... 175
    - Other Models ..... Call
  - NEC**
    - P2200 ..... \$339
    - P5200 ..... 505
    - Other Models ..... Call
  - Okidata**
    - 320 ..... \$309
    - 390 ..... 439
    - Other Models ..... Call
  - Panasonic**
    - 1124 ..... \$319
    - KXP1080I ..... 159
    - KXP1091I ..... 179
    - 1180 ..... 185
    - 1191 ..... 249
    - Other Models ..... Call
  - DRIVES:**
    - Toshiba**
      - 3½ (1.4MB) ..... \$99
      - 3½ (720K) ..... 79
- CARDS:**
- Orchid**
    - Designer 800 ... \$239
    - Other Models .... Call
  - Paradise**
    - VGA Professional \$469
    - Other Models .... Call
  - Video 7**
    - Vega Deluxe ..... \$205
    - Other Models ..... Call
- MODEMS:**
- Hayes**
    - 1200B ..... \$279
    - Other Models .... Call
  - US Robotics**
    - All Models ..... Call
- MONITORS:**
- NEC**
    - Multisync II ..... \$589
  - Princeton Graphics**
    - Ultrasync ..... \$499
    - Other Models ..... Call

### SOFTWARE

- Borland**
  - Turbo Pascal ..... \$88
  - Turbo Prolog ..... 88
  - Other Titles ..... Call
- Central Point**
  - Copy II
  - Option Board .... \$99
  - Other Titles ..... Call
- Dac**
  - Dac Accounting ... \$53
  - Other Titles ..... Call
- Lotus**
  - Lotus 1, 2, 3 ..... \$285
  - Other Titles ..... Call
- Microsoft**
  - C Compiler ..... \$269
  - Macro Assembler ... 89
  - Windows 286 ..... 59
  - Other Titles ..... Call
- Paperback Software**
  - VP Planner ..... \$47
  - Other Titles ..... Call
- Peter Norton**
  - Norton Advanced .. \$69
  - Norton Utilities .... 47
  - Other Titles ..... Call
- PFS**
  - First Publisher ..... \$69
  - Professional Write 102
  - Other Titles ..... Call
- Word Perfect**
  - Word Perfect 5.0 \$219
  - Other Titles ..... Call
- Xerox**
  - Ventura Publishing ..... \$445
  - Other Titles ..... Call

**VISA** **MasterCard**

**MMC** **MEMBER COMPUTER MAIL ORDER**

- No Charge for VISA and Mastercard.
- We Do Not Charge Your Card Until Your Order is Shipped.
- All products including D.O.A.s, carry only manufacturer's warranties. We do not honor guarantees, rebates, trial period privileges or promotional programs offered by manufacturers.
- You Pay The Ground Shipping 1-10¢ \$8.00; 11-20¢ \$10.00 (Except Alaska & Hawaii). We Pay the Air Difference.
- Free Air Applies ONLY to Orders Over \$100.
- No APO, FPO, or international orders please.
- Call Before Submitting P.O.'s. Ask for National Accounts.
- Personal and Company Checks Will Delay Shipping 3 Weeks.
- Prices, Terms & Availability Subject to Change Without Notice.
- Add 5% for C.O.D. Orders.
- We Do Not Guarantee Machine Compatibility.
- Mailing Address: TELEMARK, 8804 N. 23rd Ave., Phoenix, AZ 85021.
- To Place an Order: 1-800-528-1054.
- To Follow Up On An Order: (602) 944-1037.
- Order Line Hours: Mon.-Fri. 7:00 am-6:00 pm, Saturday 9:00 a.m.-1:00 p.m.
- Order Processing: (602) 944-1037, 10:00 a.m.-3:00 p.m. Mon.-Fri.

Circle 250 for MS DOS Products.  
(All others: 251)

## Object-Oriented Resources

### Actor

*A single-inheritance language that can be incrementally compiled*

The Whitewater Group  
Technology Innovation Center  
906 University Place  
Evanston, IL 60201  
(312) 491-2370  
**Inquiry 988.**

### AdaFlow

*A software-design tool for Macintoshes doing Ada systems design*

Iconix Software Development, Inc.  
2800 28th St.  
Suite 320  
Santa Monica, CA 90405  
(213) 458-0092  
**Inquiry 989.**

### Analyst Assistant Humble

*A variety of Smalltalk applications*

Xerox Special Information Systems  
250 North Halstead St.  
P.O. Box 5608  
Pasadena, CA 91107  
(818) 351-2351  
**Inquiry 990.**

### Color Smalltalk

Tektronix, Inc.  
P.O. Box 500, M/S 50-470  
Beaverton, OR 97077  
(503) 627-1497  
**Inquiry 991.**

### C\_Talk

*A software-development environment that has both C and Smalltalk language features*

CNS, Inc.  
7090 Shady Oak Rd.  
Eden Prairie, MN 55344  
(612) 944-0170  
**Inquiry 992.**

### Designer C++

*A development environment*

Oasys, Inc.  
230 Second Ave.  
P.O. Box 8990  
Waltham, MA 02254  
(617) 890-7889  
**Inquiry 993.**

### Eiffel

*A software-engineering language and environment*

Interactive Software Engineering, Inc.  
270 Storke Rd.  
Suite 7  
Goleta, CA 93117  
(805) 685-1006  
**Inquiry 994.**

### GAIA

*An Ada environment framework*

Honeywell Systems and Research Center  
3660 Technology Dr.  
Minneapolis, MN 55418  
(612) 782-7599  
**Inquiry 995.**

### G-BASE

*A DBMS for Lisp and Unix machines*

**G-LOGIS**  
*A programming language*  
Graphael, Inc.  
255 Bear Hill Rd.  
Waltham, MA 02154  
(617) 890-7055  
**Inquiry 996.**

### GemStone

*A multiuser DBMS*

Servio Logic Development Corp.  
15025 Southwest Koll Pkwy., 1A  
Beaverton, OR 97006  
(503) 644-4242  
**Inquiry 997.**

### IRIS

*A database research prototype*

Hewlett-Packard Laboratories  
P.O. Box 10490  
Palo Alto, CA 94303  
(415) 857-4233  
**Inquiry 998.**

### KnowledgePro

*An object-oriented language, expert system, and hypertext system*

Knowledge Garden  
473A Malden Bridge Rd.  
Nassau, NY 12123  
(518) 766-3000  
**Inquiry 999.**

### Labview 2.0

*An icon-based graphical programming language for the Macintosh*

National Instruments Corp.  
12109 Technology Blvd.  
Austin, TX 78727  
(512) 250-9119  
**Inquiry 1000.**

### Layout

*A software-development system and hypertext product*

Matrix Software Technology Corp.  
One Massachusetts Technology Center  
Harborside Dr.  
Boston, MA 02128  
(617) 567-0037  
**Inquiry 1001.**

### MacApp

*A Macintosh application-development framework*

Apple Computer, Inc.  
20525 Mariani Ave.  
Cupertino, CA 95014  
(408) 973-4831  
**Inquiry 1002.**

### Max2

*OOPS board for ATs*

International Meta Systems, Inc.  
23844 Hawthorne Blvd.  
Suite 200  
Torrance, CA 90505  
(213) 375-4700  
**Inquiry 1003.**

### Objective-C 4.0

**The Objective C Compiler ICpak 201 Graphical User Interface Objective-C Interpreter**

The Stepstone Corp.  
75 Glen Rd.  
Sandy Hook, CT 06482  
(203) 426-1875  
**Inquiry 1004.**

### Papillon

Traveling Software, Inc.  
18702 North Creek Pkwy.  
Bothell, WA 98011  
(206) 483-8088  
**Inquiry 1005.**

### Prograph

*A pictorial dataflow language*

TGS Systems, Inc.  
1127 Barrington St.  
Suite 19  
Halifax, NS  
Canada B3H 2P8  
(902) 429-5642  
**Inquiry 1006.**

### Smalltalk/V

**Smalltalk/V 286**

**Smalltalk/V MAC**

*Languages and development environments*

Digitalk, Inc.  
9841 Airport Blvd.  
Suite 604  
Los Angeles, CA 90045  
(213) 645-1082  
**Inquiry 1007.**

### Smalltalk-80

*A development language and environment*

**Cynergy**

*An interactive programming environment for C++*

**Navigator**

*A graphical user interface*

ParcPlace Systems, Inc.  
2400 Geng Rd.  
Palo Alto, CA 94303  
(415) 859-1000  
**Inquiry 1008.**

**The C++ Compiler**

Zortech, Inc.  
366 Massachusetts Ave.  
Suite 303  
Arlington, MA 02174  
(617) 646-6703  
**Inquiry 1009.**

**The Oregon C++ Software Development Environment**

Oregon Software, Inc.  
6915 Southwest Macadam Ave.  
Suite 200  
Portland, OR 97219  
(503) 245-2202  
**Inquiry 1010.**

**The Smalltalk Collection**

*A library of Smalltalk applications and classes*  
Knowledge Systems Corp.  
2000 Regency Pk wy.  
Suite 270  
Cary, NC 27511  
(919) 481-4000  
**Inquiry 1011.**

**Trellis/Owl**

*A programming language and development environment*

Digital Equipment Corp.  
Three Results Way  
P.O. Box 1003  
Marlborough, MA 01752  
(508) 467-4806  
**Inquiry 1012.**

**Vbase**

*A database with integrated languages*

Ontologic, Inc.  
47 Manning Rd.  
Billerica, MA 01821  
(508) 667-2383  
**Inquiry 1013.**

**Books and Literature**

*The Object-Oriented Programming, Systems, Languages and Applications (OOPSLA) '88 Conference Proceedings.* The Association of Computing Machinery (11 West 42nd St., New York, NY 10036).

Shriver, Bruce, and Peter Wegner, eds. *Research Directions in Object-Oriented Programming.* Cambridge, MA: The MIT Press, 1987.

*The Smalltalk/V Tutorial and Programming Handbook.* Digitalk, Inc. (9841 Airport Blvd., Suite 604, Los Angeles, CA 90045).


Stroustrup, Bjarne. *The C++ Programming Language.* Reading, MA: Addison-Wesley, 1987.

Weiner, Richard S., and Lewis Pinson. *Introduction to Object Oriented Programming and C++.* Reading, MA: Addison-Wesley, 1988.

Weiner, Richard S., and Lewis Pinson. *Introduction to Object Oriented Programming in Smalltalk.* Reading, MA: Addison-Wesley, 1988.

**SVS FORTRAN-386**  
**The Real World Solution**

- Supports Intel 80287/80387 & Weitek Coprocessors
- 100% Royalty Free License on Developed Software
- Free DOS Support Library with Source Code
- Accesses up to 16 MBytes of Memory
- Source Level Symbolic Debugging
- Uses 32-bit Instructions



Put the full power of the 80386 into your programs. Using SVS FORTRAN-386 compiler & Phar Lap's 386 Linker you can break DOS's 16-bit instruction and 640K memory limit. With SVS you can cut a typical program's run-time in half, while using up to 16 Megabytes of memory.

**Supporting Software Tools:**

- Maintainability Analysis Tool
- Scitech Plotting Package
- Scitech Scientific Package

The Scientific Package includes mathematical routines which are compatible with the IBM Scientific Library found on mainframe computers. It also includes matrix operations, Fast Fourier Transform (FFT) and many statistical routines.

**Prices:**

SVS FORTRAN-386.....	\$695
SVS PASCAL-386.....	\$695
Phar Lap-386 ASM/LINK.....	\$495
Scitech Scientific Package*	\$325
Scitech Plotting Package.....	\$325
Maintainability Analysis Tool.....	\$895
* with Source Code	

For more information call:  
**1-800-346-5159**  
In CA call (415) 960-5931



**Industrial Control Systems**  
**Intelligent Terminals**  
**Diskless Systems**



For the IBM  
PC, XT, AT, PS/2  
and PC DOS\* or MS DOS\*

**SOLID STATE DISKETTE AND DRIVE EMULATORS**  
**New Dual Disk Models**

- NEW PCE/2 Dual disk model—up to 1.2MB of read only EPROM memory or 770K of EPROM as the primary "boot" diskette with a secondary diskette with up to 770K of SRAM of read/write memory.
- NEW PS/2 Dual disk model—up to 1.44MB of read only EPROM memory as the primary "boot" diskette and a secondary diskette with 128K of SRAM read/write memory.

**ROMDISK PCE MODEL STANDARD FEATURES**

- In-board and interchangeable Cassette models using EPROM, Flash EPROM and SRAM technology.
- On-board EPROM programmer—simply copy a diskette to program the EPROMs.
- Two Autoboot modes, a File (read) and a Programming mode—automatic disk drive designation set-up during booting.
- Flash EPROM models are electrically erasable. SRAM models are battery backed. EPROM models are ultraviolet erasable.
- List prices with memory ICs from \$295. OEM prices and models available OEM with or without memory ICs.



**CURTIS, INC.**  
2837 North Fairview Ave. • St. Paul, MN 55113  
612/631-9512 Fax 612/631-9508



\* IBM PC, XT, AT, PS/2 and PC DOS are trademarks of IBM; MS DOS is a trademark of Microsoft

# Seven great reasons to join BIX. The on-line service for computing professionals

## \*Over 200 microcomputer-related conferences:

Your BIX subscription connects you with experts on Macintosh, IBM PC and compatibles, the Apple II family, Amiga, Atari, and UNIX machines. Join our OS/2 conference and learn about the new presentation manager.

## \*Microbytes daily – the award winning on-line news service:

Get up-to-the-minute industry news and new product information covering the IBM, IBM-compatible, Apple Macintosh and workstation markets.

## \*The full text of BYTE Magazine:

Each month BIX publishes the complete text of BYTE available on-line before the magazine is printed. Plus each issue since August 1988 is available for searching.

## \*Vendor support:

Hundreds of hardware vendors and software publishers use BIX to support their products. Get answers about new releases and tips on how to use products.

## \*Software libraries:

Including libraries for PCs, Macs, Apple II, Amiga and Atari. Join the "FromByte" area to get listings from BYTE articles.

## \*Electronic mail:

BIX is the only service that offers binary mail attachments. Now you can send spreadsheets, pictures, word processing documents, or desktop publishing files. You can even use BIX mail to distribute software updates.

## \*New menu interface:

The new BIX menus provide a convenient map of the system and include powerful options like the BIX Index where you can search all the BIX conferences. The Quick Download option will collect all of your mail messages and new conference messages and send them to you saving valuable on-line time.

## What BIX costs: How you pay

One time registration fee: \$39

### Hourly Charges:

	Off-Peak	Peak
(Your time of access)	7PM-6AM \$11	6AM-7PM \$20

Charge to Visa, Mastercard, American Express or ask about our corporate billing.

## BIX Help Line

800/227-2983

603/924-7681 in New Hampshire

## Join BIX right now:

Set your computer's telecommunications program for full duplex, 8-bit characters, no parity, 1 stop bit. Call 800/336-0149 and ask for your local Tymnet number. Dial Tymnet and respond as follows:

Tymnet Prompt:	You Enter
[x] [xx] or terminal identifier	a
login:	bix
name:	new

After you register on-line you get the BIX Main Menu and you can begin to explore the exciting world of BIX.

# BIX

One Phoenix Mill Lane, Peterborough, NH 03458 1-800-227-2983 ♦ In NH (603) 924-7681

Display this month's  
BIX activities:

# M A R

## WEDNESDAY, 3/8

Michael Ward, Moderator, Libraries Conference; Computers in Libraries, 11 PM EST  
(join libraries/cbix)

## SUNDAY, 3/12

Larry Loeb, Editor, Mac Exchange; The Academic Mac (Macs in colleges), 9PM EST  
(join mac.novice/cbix)

## TUESDAY, 3/14

Don Osgood, Consultant, Eagle Engineering, Inc.; The Workhorse AT, 9 PM EST  
(join ibm.at/cbix)

## THURSDAY, 3/30

Gary Kendall, Group Moderator, Operating Systems; Large Databases, 11 PM EST  
(join dbms/cbix)

### Focus on Object-Oriented Programming

Follow-up discussions and code samples supporting this month's In-Depth section on object-oriented programming (OOP) will be held in the following conferences:

#### Smalltalk Conference (Language Group Menu)

<i>Topic</i>	<i>Description</i>
expert.forum	Experts discuss OOP Concepts
goodies	Smalltalk source code that can be downloaded
literature	Citations from journals about OOP
approg	Applications programming in object-oriented languages
oopsla	News from the OOPSLA Conference
macst	Macintosh Smalltalk implementations and applications
st87	The new Smalltalk standard (aka Virtual Image 3)
visprog	Visual Programming
novice	Questions and answers for novice Smalltalkers

#### NeXT Conference (Computers Group Menu)

prog	Discussion of software development on the NeXT system
devl	Third-party development on the NeXT
soft	Software components (Mach, NextStep, applications)
code	Source code for programs and applications

### C.Plus.Plus Conference (Language Group Menu)

compilers	A discussion of commercial C++ compilers and their features
tools	A discussion of C++ libraries, etc.
methods	How should C++ be constructed?
oem	Discussions with C++ vendors
tech.help	The place to come with your C++ problems
philosophy	Discussions of C++'s multi-paradigmatic abilities
hacks	A place to put or discuss C++ hacks, "tricks" or helpful hints
translators	A discussion of C++ translators and their features

### OOD Conference (Object-Oriented Design) (Language Group Menu)

define.object	What is the actual definition of an object?
languages	What is OOP?
bibliography	Object-Oriented literature in the public domain
oo.design	Object-Oriented Design methods

### Object-Oriented Resources on the BIX Vendor Support Group


The Whitewater Group • Knowledge Garden  
Digitalk, Inc. • Zortech, Inc.

# BIX

One Phoenix Mill Lane ♦ Peterborough, NH 03458  
1-800-227-2983 ♦ In NH (603) 924-7681

# BATTLE OF THE CHIPS

*Frank Hayes*



**T**he 80286 processor is the chip that not so long ago brought AT-class computers more power than PC-compatible machines had ever produced before. But is it outmoded and obsolete now? Has it been replaced by the 80386 and its low-speed cousin, the 80386SX?

That's what Intel (which designed all three chips and is the exclusive manufacturer of the latter two) has been suggesting ever since it introduced its new generation of chips. After all, says Intel, the 80386 clocks faster, addresses more memory, and runs more software than the 80286.

But in recent months, two other companies that make 80286 chips, Advanced Micro Devices and Harris Semiconductor, have been singing a different tune. Both companies have speeded up the 80286 to what were previously 80386-only speeds. Harris's fastest 80286 CPU runs at 20 MHz (faster than the 80386SX and as fast as many 80386s). AMD's fastest chip is a 16-MHz 80286, but the company expects to be making a 20-MHz chip next year—and both AMD and Harris expect to create a 25-MHz version within a year.

The two chip makers aren't alone in singing the praises of the 80286:

Gordon Campbell of Chips & Technologies says the 80286 is "hands down the most effective in the industry." "We'll see a 10-year life cycle for the 80286, and almost 10 years of growth," says Campbell.

Joel Jewitt of Everex says that "the demand for 80286 processors (the high-end ones) will remain strong," since their performance capabilities are comparable to the 80386, and their price/performance ratio is much better.

Andrews Czernack of Zenith points out that low-power versions of the 80286 are perfect for portables.

Russ Werner of Microsoft says the 80286 is the least expensive chip with the power to run graphical interfaces and multitasking.

Larry Fortmiller of AST sees another perspective: "Buying an 80386SX is a political decision, not a technical one. People are asking their DP managers for 80386 machines; the pressure is on to get them, even when a fast 80286 would probably be more than adequate. The 80386SX lets a manager put an 80386 on the desks of people who don't really need the full power of an 80386 but who think that they have to have the latest hardware."

But while 80286 chip and clone makers fight to win back the hearts and minds of users who want the very newest—and Intel and 80386 clone makers fight to keep them to themselves—the real advantages of each chip may be getting lost in the shuffle. There are advantages to each CPU—and the newest isn't always the best.

*Is the battle  
between the Intel 80286,  
80386,  
and 80386SX  
just a family feud?*

*Or does it make a difference  
to you?*

**80286 versus 80386**

Ironically, when an 80286 and an 80386 are running DOS programs at the same speed, they achieve roughly the same performance. When Intel first introduced the 80386, it ran substantially faster than the 80286s that were available at the time. But with AMD's 16-MHz 80286 and Harris's 20-MHz chip, the 80386 no longer has the advantage that its wider registers once gave it. Either CPU can run OS/2, as well as all MS-DOS software.

But the two chips aren't identical by any means. The 80386 can run all the software that the 80286 can, but the converse isn't true. True power users want the ability to do real multitasking. Even though there are versions of

Xenix and other multitasking operating systems for the 80286, multitasking doesn't become really secure until the processor is designed for it.

It is not an easy task to make the 80286 perform multitasking or mode switching (moving between protected mode and un-protected mode). The mode is determined by the logic of one of the processor pins when the processor is either powered up or reset. The BIOS can specify the state, but you can change the mode only by resetting the 80286. Jerry Pournelle describes the process this way: "You have to clunk it over the head and knock it out. When it's waking up—but before it realizes it's been reset—you shout: 'Stop! Stop! Don't reset! It's all a terrible dream.'"

The 80386, on the other hand, is designed for simultaneously running multiple operating systems with multiple protected-mode virtual 8086s (for each MS-DOS process) and, at the same time, a *real-mode* 80386. The 80386 processor handles memory management far more efficiently and with greater flexibility than the 80286 does.

These might seem like strong reasons to choose an 80386 machine. And they are, if you require efficient multiprocessing. But most application programs do not require the features of the 80386 if they are run in the traditional PC manner, one at a time.

According to both AMD and Harris, when you run a typical application on an 80386, it's likely to be slower than on an 80286. Because of design differences between the two CPUs, that may be true—in theory. But a BYTE Lab comparison of computers built around both chips indicates that if there's a difference, it's very slight. A 20-MHz 80286 is just about the same as a 20-MHz 80386.

**What Makes Fast Fast?**

However, there are other factors besides CPU speed that can affect how fast a computer runs software. One is the speed of memory—how many CPU wait states the RAM requires to

*continued*

## The 80386 Power Users

Ben Smith

If your plans include any of the following, you need an 80386 machine:

- *Unix V/386*, from Interactive (Santa Monica, CA), and *Locus, Microport, and Xenix-386*, from SCO (Santa Cruz Operations, Santa Cruz, CA). These all require the Intel 80386 to run: They are licenses of the Unix operating system that have been specifically designed to take advantage of the multitasking strengths of the 80386. Each publisher also offers either Merge 386 or VP/ix, which are extensions to the operating system that allow it to run multiple virtual 8086s with MS-DOS concurrently with Unix. Unix is a multiuser operating system that provides for facilities similar to a LAN's but without many of the hardware expenses and hassles.
- *Windows/386*, from Microsoft (Bellevue, WA). The 80386 version of this well-known DOS extender takes full advantage of the 80386, offering true multitasking. This product is as close to Presentation Manager as you will get without running OS/2.
- *VM/386*, from IGC (Santa Clara, CA). This is another, less graphically oriented way of using the 80386 to run concurrent DOS applications.
- *DESQview 386*, from Quarterdeck (Santa Monica, CA), is the most popular DOS extension for multiprocessing.
- *Concurrent DOS 386*, from Digital Research (Monterey, CA), the originators of the CP/M operating system and GEM. It lets you attach as many as nine terminals to the 80386 machine. Each

terminal can be running a separate DOS product. This is actually multiuser, multitasking DOS.

- *PC-MOS/386*, from The Software Link (Atlanta, GA). This is another multitasking DOS that uses special dot (.) prefixed commands to manage the tasks.
- *Omniview*, from Sunny Hill Software (Seattle, WA). This one is especially well suited to working with networks, and it also takes advantage of the multitasking abilities of the 80386.
- *Theos 386*, from Theos Software Corp. (Walnut Creek, CA). A completely different multiuser, multitasking operating system specially designed for transaction processing and real-time processing such as manufacturing/process control.
- *Soft-ICE*, from Nu-Mega Technologies (Nashua, NH). This debugger runs the target application as one process in a virtual 8086 machine while watching it from another process.
- *Turbo Debugger virtual-mode operation*. From the Borland (Scotts Valley, CA) Turbo Professional developer's packages, it has similar facilities to those of Soft-ICE.
- *Paradox 386*, also from Borland. It is the most popular of the application programs (as opposed to operating systems) that specifically use the 80386. Paradox 386 was developed with Phar Lap DOS-Extender (see below) to take advantage of the 80386's ability to address very large blocks of memory as one continuous block. If more memory

is required than is physically available, virtual memory automatically fills the requirement. These 80386 memory management features plus the 32-bit operation can improve an application's performance by up to a factor of five on the same computer.

- *386 DOS-Extender*, from Phar Lap (Cambridge, MA). This is a set of development and run-time tools that allow MS-DOS applications to take advantage of the 80386. Though Paradox 386 is the best known of the products using these tools, over one hundred other application programs use them.

In the general-use category, most programs that need to include network drivers use the 386 DOS-Extender to overcome the 640K-byte limitation of MS-DOS. Many minicomputer and mainframe CAD/CAE programs have been moved to 80386 machines. These products include Anvil 5000PC from Manufacturing & Consulting Services (Irvine, CA); Workview 3000 from View Logic Systems (Marlborough, MA); and Future Designer 386 from Futurenet (Chatsworth, CA).

In addition, there are programs for finite element analysis, linear programming, and, of interest to mathematicians, Mathematica 386, the phenomenal symbolic math modeling and graphics program.

*Ben Smith is a technical editor for BYTE. You can reach him on BIX as "bensmith."*

keep up. A second is whether there's a floating-point unit (typically an 80287 or 80387 FPU) in the system.

Wait states slow down the CPU's ability to work: The processor must spend a significant amount of time waiting to get data or instructions from memory. Zero-wait-state machines are available, but some computers using inexpensive RAM may have two wait states or more. Other computers use a cache to cut the wait states to a minimum.

Curiously, the 80286 handles wait states slightly better than the 80386—but both processors lose about 10 percent to 15 percent of their processor speed for every wait state required. For example, a 20-MHz CPU with two wait states will run only about as fast as a 16-MHz CPU with no wait states. It is clear that the fewer wait states required, the faster the computer will run.


While wait states slow a CPU down, a floating-point unit can speed it up significantly—but only if the software being used can make heavy use of the FPU for number crunching. This is

where the 80386 has an advantage, and it's a big one: It can use either an 80287 or an 80387 FPU; the 80286 is limited to an 80287.


Right now, there are no high-speed 80287s to match the fast 80286s from Harris and AMD. As a result, an 80386 with an 80387 is significantly faster than an 80286 with an 80287. (An 80386 with an 80287 shows no significant improvement over an 80286 with an 80287.) Although AMD has promised a faster version of the 80287, it's not likely that you'll see it in computers before the end of this year.

The 80386 machines are typically much more expensive than equivalent 80286 machines—by about 30 percent. But while the 80386-based systems generally have a higher price tag, they are also likely to come with faster hard disk drives, I/O, and video. These features let software run at top speed. You can get similarly high-speed hard disk drives and video systems for an 80286-based system, but it's less likely that

*continued*



**Figure 1:** The 80286 CPU architecture. Though there are provisions for many sophisticated memory management and process-control features, the majority of applications only use the chip as a fast and efficient 8086.



**Figure 2:** The 80386 CPU architecture. The only major difference between the 80386 and the 80386SX is the number of lines in the internal physical address bus and in the external data bus.

# Battle of the SXs

Michael E. Nadeau

Debating the pros and cons of the 80386SX CPU from the user's point of view has been mostly an intellectual exercise. Until recently, the only machine available was the Compaq 386s (see "SX Appeal" by Jeff Holtzman in the November 1988 BYTE). With more systems being introduced, we are now seeing the range of performance, price, and configuration that other vendors might offer.

BYTE has also looked at two other 80386SX machines: the Twinhead Superset 490 Model A and the NCR PC916sx. These units represent two very different design philosophies. The Superset 490 uses a standard motherboard design in a small-footprint box with only four 16-bit expansion slots, which mount horizontally. The NCR is a backplane design in a full-size case with six open slots (two 8-bit and four 16-bit). The price difference between the machines is significant, too: \$3399 for the Superset 490 and \$5195 for the PC916sx in base configurations.

## Twinhead Superset 490

Our Superset 490 unit was a preproduction model, though Twinhead said it was equivalent to the models that would be shipping as of January. It runs at 16 MHz with zero wait states. Our unit came with a 1.2-megabyte 5¼-inch floppy disk drive, a 40-megabyte 28-ms MiniScribe hard disk drive, the optional 80387SX math coprocessor, a 101-key Qtronix keyboard, and 1 megabyte of memory on the motherboard. Also standard are serial, parallel, and mouse ports; a three-button mouse (which we did not receive); a clock/calendar, and Twinhead's Magic Combo graphics card and driver. Magic Combo converts a 640- by 200-pixel color display into a 720- by 350-pixel mode that emulates monochrome formats. It is supposedly compatible with IBM MDA, CGA, HGCA, and Plantronics standards.

The Superset 490 uses the Phoenix Neat 286 BIOS with the P9 modification for the 80386SX CPU. It also sports an Eagle graphics BIOS that supports the Magic Combo card. The main board can hold up to 8 megabytes of memory.

Performance is the story. We ran only the low-level system benchmarks. On the CPU index, the Superset 490 bettered the Compaq 386s (1.93 vs. 1.86)



but was slower than the Dell 220 (2.72) and the 16-MHz IBM PS/2 Model 70-E61 (2.11). On the FPU index, it bested the Dell 220 with its 80287 chip (4.91 vs. 1.73) but fell behind both the Compaq 386s and the Model 70 (5.03 and 5.50, respectively). (See table A.)

## NCR PC916sx

The NCR unit bears a closer resemblance to a high-end 80386. It has more expansion slots, a beefier power supply, a 1.44-megabyte 3½-inch floppy disk drive, VGA graphics, NCR's own BIOS, and 1 megabyte of 80-ns memory on the processor board, which you can expand up to 5 megabytes. The remaining standard features are similar to those on the Twinhead. The unit is also speed-switchable between 8 and 16 MHz. The 80387SX math coprocessor is an option.

The PC916sx actually has eight slots, but one is taken by the 80386SX processor board and another by what NCR calls a Personality Card, which integrates the disk controllers, serial and parallel interfaces, and VGA card.

NCR has priced this system at \$5199, close to the Compaq 386s. This is a computer for people who are willing to pay for a well-known name and want all their expansion opportunities open. In fact, NCR calls its design Incremental Workstation Architecture, which means you can drop in an 80386 processor later if you need the extra power.

As table A shows, performance is similar to the Superset 490, with a i.87 CPU index.

## Where's the Beef?

On the surface, there seems little reason to buy an 80386SX system. You can get more powerful 80286 machines for less and 80386 machines for slightly more. However, if you have an eye toward running 32-bit software on a 16-bit budget, the SX might make sense.

With that in mind, Twinhead seems to have the more reasonable approach. The best-selling PCs are still the 80286-based systems by a wide margin. Twinhead and other like-minded vendors are apparently hoping to siphon off sales from the high-end 80286s with the stripped-down 80386 computers. It might work if the price difference between the 80386 and 80386SX CPUs holds. After all, look what Henry Ford did with his V-8 in 1932.

On the other hand, NCR seems to have designed a computer that can be configured to meet a wide range of customers' needs. That flexibility comes at a price: Like the Compaq 386s, a fully configured PC916sx could easily cost over \$10,000. At that level, customers have to ask themselves why they aren't buying a true 80386 system.

Michael E. Nadeau is associate managing editor for BYTE. He can be reached on BIX as "miken."

Table A: Indexes of low-level performance benchmarks.

	Superset 490 80386SX 16 MHz	NCR PC916sx 80386SX 16 MHz	Compaq 386s 80386SX 16 MHz	Dell System 220 80286 20 MHz	IBM PS/2 Model 70-E61 80386 16 MHz
CPU index	1.93	1.87	1.86	2.72	2.11
FPU index	4.91	N/A	5.03	1.73	5.50
Disk index	1.45	1.34	1.78	1.40	1.55
Video index	1.17	1.11	1.87	2.02	1.93

These indexes show performance relative to an IBM AT (where AT=1). For details, see "Introducing the New BYTE Benchmarks," June 1988 BYTE.

you'll find such high-performance features included as standard equipment.

The Review Update in the December 1988 BYTE ("Benchmarks at a Glance") summarizes the BYTE Lab's benchmark results for several dozen computers we've tested. For the most part, computers with the 80386 are faster overall than those with the 80286—even when the processors run at the same speed; this is probably because of the extra standard features of the 80386 computers.

If you're in the market for a speedy number cruncher, a fast 80386 with an 80387 FPU is the fastest you can buy right now—and for most of this year.

### The 80386SX

What about the Intel 80386SX? That's the version of the 80386 that has a 16-bit data bus like the 80286 (instead of the regular 80386's 32-bit data bus). Because the same amount of data is being squeezed through a narrower doorway, it can't perform at the level of an 80386—yet it's still almost as expensive as one.

There are some discouraging facts about the 80386SX pro-

**O**ur tests  
*of early 80386SX machines show that  
a fast-enough 80286 computer can  
offer all the speed an 80386SX  
machine has—and typically for a  
much lower price.*

cessor. First, it can't run any faster than 16 MHz. Intel plans to work on faster versions, but only after it has filled the current demand for the 16-MHz model and its supporting family of chips.

AMD claims that the 80386SX is significantly slower than an 80286. This is based on their comparison of the Compaq 386s computer to the Everex Step 286/16. Our tests of early 80386SX machines show that a fast-enough 80286 computer can offer all the speed an 80386SX machine has—and typically for a much lower price. (See the text box "Battle of the SXs" on page 278.)

The 80386SX is a relatively slow, relatively expensive CPU. A math coprocessor makes a difference—but even with an 80387SX FPU, a 16-MHz 80386SX is no faster than a 20-MHz 80286 with a much slower 80287 FPU. In addition, several clone makers have complained privately that 80386SX CPUs are in very short supply (Intel is the only source of the chips); this suggests that they won't be dropping much in price in the near future.

What do you get for paying a premium price? Only one real benefit: the ability to run 80386-based software. DESQview 386, Unix V/386, and special applications such as Borland's Paradox 386 are all written specifically to take advantage of the 80386's special features, and to skirt the restrictions of the 16-bit operating systems MS-DOS and OS/2. But your common,

## Companies Mentioned

NCR Corp.  
Personal Computer Division  
Dayton, OH 45479  
(800) 544-3333  
Inquiry 1105.

Twinhead International  
Corp.  
30 Chapin Rd., Bldg. K  
P.O. Box 702  
Pine Brook, NJ 07058  
(201) 808-1688  
Inquiry 1104.

everyday MS-DOS software doesn't take advantage of any of the benefits of the 80386.

### Back to the Future

Microsoft predicts that most IBM PC-compatible computers will continue to run MS-DOS until at least 1990, when there will finally be a significant number of programs for OS/2. An 80386 version of OS/2 isn't likely to arrive until 1990 or 1991, and even then, most OS/2 software will still run on 80286-based machines.

On the other hand, if you are buying for the long-term future, there is no question that the 32-bit operating systems and applications will have a longer shelf life. The new thrust of applications development is for Unix V/386 and for the eventual 32-bit version of OS/2. Even now, Intel is working on the 80486 (though it is rumored to be just an incremental step from the 80386).

If you want to use software and operating systems that have been written specifically for the 80386 (see the textbox "The 80386 Power Users" on page 276), the 80386SX may offer some hardware savings as long as the 32-bit SIMMS remain a valuable commodity. Or, if you use software that might gain some efficiency from the 80386 (e.g., if you need raw number-crunching power), the ability to use the 80387 math coprocessor would make an 80386 a worthwhile investment. In such a case, even if you are not running an 80386 operating system, an 80386-based computer may still be your best bet at the present time.


Test your software on both 80286 and 80386 machines before buying. You'll pay a premium for an 80386; make sure you get the additional performance you're paying for. The 80386 may be sexy, but that's not a good enough reason for buying an 80386-based machine.

Finally, if your main consideration is to continue to run the software you run now, let price and performance be your guide. Your best bet is probably an 80286 machine—but make sure that the typically lower prices of 80286 machines don't saddle you with a slow hard disk drive, slow memory, or a slow video system.

No, the 80286 isn't dead. Until prices come down and performance improves on the 80386 family, the 80286 is still the CPU of choice in the price/performance arena. The 80386 has an advantage only if it's using an 80387 coprocessor or if you want to use software that depends on the 80386's instructions. For the next year at least, the 80286 will still give you far more bang for your buck. ■

*Frank Hayes is a BYTE associate news editor based in San Francisco. He can be reached on BIX as "frankhayes."*

# 2400 BAUD MODEM \$99<sup>99</sup> ERROR CORRECTING



**maxon MAX2400**

STATE-OF-THE-ART FEATURES OF THE MAX 2400

- \* Hayes Compatible
- \* Transmits and receives at 2400, 1200, or 300 bps with automatic bit selection
- \* Advanced adaptive equalization and signal filtering technology for superior performance and compatibility with other modems
- \* Signal compatibility with Bell 103, 212A, and CCITT V.22 bis modems
- \* Automatic RS-232 signal reconfiguration permits use of most cables
- \* Asynchronous/synchronous operation
- \* Automatic connection and tone sensing
- \* Tone or pulse dialing
- \* Auto-dial and Auto-answer modes
- \* Automatic self test confirms system readiness on power up
- \* Call progress monitoring and tone indicators
- \* LED status indicators and slide volume control
- \* Includes modem, power supply, modular telephone cable and user's guide

**TO ORDER, CALL 1-800-626-6343**

**IF YOU THINK THIS PRICE IS RIGHT, ASK FOR A CATALOG OF OUR FULL LINE OF COMPUTER PRODUCTS  
COPPER ELECTRONICS, INC.**



4200 Produce Rd.  
Louisville, KY 40218  
FAX #: 502-968-0449



## THE HIGHEST PERFORMANCE BOARD IN THE 386 WORLD

A STATE-OF-THE ART DESIGN FROM AMERICAN MEGATRENDS INC. U.S.A.


### KAOTEC 80386-20 SYSTEM



TR-8000 386-20 MINITOWER CASE  
TR-8001 DESKTOP

### SPECIFICATIONS

- 64KB CACHE MEMORY
- INTEL 32 BIT 80386-20MHZ CPU
- 128K ROM(AMI BIOS + EGA BIOS)
- SOCKET FOR 80387 CO-PROCESSOR
- 20MHZ SYSTEM CLOCK
- SYSTEM CLOCK SWITCH BY KEYBOARD (AMICLK FOR EUROPEAN KEYBOARD PROGRAM)
- 8 LAYERS P.C.B.
- 6 EXPANSION SLOTS: 1 x 32, 4 x 16, 1 x 8
- OPTION 2MB/8MB RAM BOARD CAN BE EXPANDED TO 10MB/16MB BY INSTALLING 8MB PIGGY BACK
- AMI BIOS-386 BUILT-IN-SET-UP & DIAGNOSTICS
- PERFORMANCE NORTON S123.0 LAMARK TEST 30MHZ
- 32 BIT ROM BIOS FASTER THAN SHADOW RAM
- DALLAS SEMICONDUCTOR REAL TIME CLOCK DS-1287A; WITH AN INTERNAL ENERGY SOURCE POWER DURABLE OVER 10 YEARS (MAINTAINS AN ACCURACY OF 1 MINUTE PER MONTH AT 25°C)
- EMS DRIVER AVAILABLE BY SOFTWARE OF AMI SEEMS



PX-118B

### KAOTEC 80286-16 SYSTEM



TR-6001 DESKTOP  
TR-6002 SLIMCASE

- AMD 80286-10/80286-12 MICRO-PROCESSOR
- 6MHZ, 8MHZ, 10MHZ or 12MHZ SYSTEM CLOCK WITH LED INDICATOR
- SOFTKEY SELECTABLE SYSTEM CLOCK
- HARDWARE RESET JUMPER
- 512K/840K/1024K/2048K/4096K BYTES RANDOM-ACCESS MEMORY (RAM)
- DALLAS SEMICONDUCTOR REALTIME CLOCK DS-1287A WITH AN INTERNAL ENERGY SOURCE POWER DURABLE OVER 10 YEARS (MAINTAINS AN ACCURACY OF ± 1 MINUTE PER MONTH AT 25°C)



PX-116C



**HWA HSIN ELECTRONIC CO., LTD.**

5F., NO. 12, LANE 538, CHUNG-CHENG RD., HSINTIEN, TAIWAN, R.O.C.  
TEL: 886-2-9153375 FAX: 886-2-9106992 TELEX: 35210 TROMX

## Our NEW AUTO-MODEMS




2400bps, 1200bps  
Stand alone, pc card  
with MNP modem

**& WILL BE NEW  
9600bps modem**

X.25, X.32 PAD

NEW 80386-SX mainboard  
P9 daughter board & NEAT set  
other mainboards.



make more function

P9 daughter board

**WELCOME OEM, any form  
COLLABORATION or a  
TAIWAN DISTRIBUTOR for your components  
& systems.** MNP is a registered trademark of Microcom Inc.



**ASTA ELECTRONIC SYSTEMS CORP.**  
ROOM 1000, NO. 432, KEELUNG RD.,  
SEC. 1, TAIPEI 10548, TAIWAN, R.O.C.  
TEL: 886-2-7551657 (rep.)  
FAX: 886-2-7071338

# CACHING IN ON MEMORY SYSTEMS

Small amounts of fast RAM boost system performance

**cache** \ 'kash \ n. [F, fr. *cacher* to press, hide . . . ] **1 a:** a hiding place esp. for concealing and preserving provisions or implements **b:** a secure place of storage **2:** something hidden or stored in a cache

—Webster's Ninth New Collegiate Dictionary

**T**hese days, it is increasingly difficult to find a high-end computer system that does not use a cache—a small amount of high-speed memory that holds recently accessed data to boost performance. In this installment of *Under the Hood*, I'll explain the inner workings of these high-performance memory systems.

## CPUs Accelerate

Since the beginning of the microcomputer industry, chip makers have raced to make their processors run faster and faster. In the days of the S-100 bus and CP/M-based microcomputers, you had prestige if you owned a system in which the Z80 microprocessor ran flat out at a blazing clock speed of 4 MHz. At that speed, the Z80 needed to get information back from RAM roughly 200 nanoseconds—billionths of a second—after it asked for it. If the RAM couldn't deliver the data in that amount of time—and in some systems it couldn't—the computer's circuitry would have to make the CPU wait until the data was ready, which is called a *wait state*.

Another system of that era, the Apple II, clocked its 6502 CPU at slightly more than 1 MHz, and it needed to get the data back from RAM within 600 ns. (This was slow enough that there was actually time for the video circuitry to access the

RAM in between CPU reads and writes.)

The time that it takes for a RAM to return data after it is "asked for it" (i.e., after you send it an address and any needed control signals) is called the RAM's *access time*. Table 1 shows a list of common microprocessor chips, along with the maximum access times their RAM chips must have if wait states are to be avoided.

## Keeping Pace with CPU Speeds

As you can see, the more powerful the microprocessor, the faster the RAM needs to be to let it operate at full capacity. And while RAM speeds have continued to increase over time, they have not kept pace with CPU speeds.

In 1977, a typical static RAM chip had an access time of 250 ns, while the most common DRAMs had an access time of 450 ns. As of January, these figures have decreased to 30 to 45 ns for a moderately priced SRAM chip and 80 to 100 ns for a typical DRAM chip. This decrease in access time is more than a factor-of-5 improvement, but still not enough to satisfy the current crop of data-hungry CPUs. What to do?

The designer could use only fast SRAM chips, but the resulting system might be too costly for all but the most well-heeled customers. Dell Computer, the only IBM PC-compatible company to try this approach, dropped its SRAM-only Model 300 last year.

Alternatively, the designer could use only the less expensive DRAM chips and rely on special circuit design tricks like interleaving, page mode, nibble mode, and static column mode to make these RAMs operate at top speed. (For more information on these trade-offs, see "Keeping Up with the CPU" by Mark L. Van Name in *BYTE's* Fall 1988 *IBM Special Edition*.)

Some manufacturers—Cheetah in particular—claim that a clever DRAM design using page mode is sufficient to meet even the grueling demands of a 33-

MHz 80386 system. Most manufacturers, however, use a cache.

## The Locality Principle

Caches work because of a phenomenon known as the *locality principle*, which states that a von Neumann CPU (i.e., one that executes instructions sequentially) tends to access the same memory locations over and over again. In situations where speed counts, like tight loops, the CPU will repeatedly fetch and execute the same instructions. In addition, the CPU is likely to use many of the same memory locations, like counters and pointers, repeatedly. Thus, if each memory object that the CPU accesses is saved in fast RAM for immediate reuse, there is a high probability that you'll save time on the next access.

In essence, a cache works just this way. When the CPU needs data from memory, the cache circuitry checks to see if the information is already in the cache. If it is, the memory system can read the data very quickly and deliver it to the CPU with no delay. This situation is called a *cache hit*. However, if the required data is not in the cache, the system requires an access to slower memory. This situation is called a *cache miss*, and the microprocessor usually incurs a few wait states.

Data retrieved during a cache miss, however, is also written into the cache's faster memory, so that if the computer accesses the same location again (i.e., if the locality principle holds), there will be no delay the second time around.

## Associativity—Finding Data in the Cache

In order for a cache to speed up memory accesses, it has to be able to find the data the CPU needs—and find it fast. How does a cache organize the data it saves so it can get to it quickly? The answer depends on the *associativity* of the cache.

The simplest sort of cache to under-

*continued*

stand, though the hardest to implement, is called a *fully associative cache* (see figure 1). This sort of cache simply remembers the most recent data accessed—as much as it has room for. That

is, if there are  $n$  locations in the cache, the cache always holds the contents of the last  $n$  memory locations accessed by the CPU. When a cache miss occurs, the cache circuitry picks a location in the

cache memory, loads it with the data that's retrieved from slower main memory (the part of RAM that isn't in the cache), and records the fact that the data is there.

This sort of cache is called fully associative because any location in the cache can be associated with (i.e., can hold the data from) any location in main memory.

In practice, however, few computer systems use fully associative caches. Why? In order to determine whether a hit or a miss has occurred, the cache logic must be able to check every single location in the cache to see if it contains the needed data—and complete this arduous task in a very short time (typically, 10 ns or less).

### Set-Associative Cache

While it's possible to design circuitry that checks every location in the cache, it's usually more economical to restrict the number of places where the data from a particular memory location can go so there are fewer locations to check. Such a cache is called a *set-associative cache* (see figure 2) because there is a limited set of places in the cache where the data from a particular main memory address can be saved.

In a typical set-associative cache, each memory location can be associated with  $k$  locations in the cache, where  $k$  is an integer (usually a power of 2). This is called a  *$k$ -way associative cache*. Many PC-compatible computers, for instance, use the Intel 82385 cache controller, which can implement a two-way associative cache ( $k = 2$ ).

### Direct-Mapped Cache

A cache that can store the contents of a particular memory address in only a single place in cache memory (i.e., a one-way associative cache) is called a *direct-mapped cache*.


A direct-mapped cache is the simplest, least expensive, and potentially fastest type of cache. Why? Because, instead of searching the cache to see where the needed information might be, all the cache circuit needs to do is check to see if a single location has the right data in it.

Let's suppose, for instance, that a cache has 8192, or  $2^{13}$ , words of fast memory in it. Each cache location can then be addressed by a unique 13-bit number. If we associate each address in the cache with all the addresses in main memory whose lower 13 bits are the same, no calculations are needed to determine where to look for the cached data. The hit-or-miss decision is reduced to a single comparison operation, in

**Table 1: Speeds of common microprocessors.** The last column shows how fast RAM chips must be to allow zero wait states in a real-world design. Within microprocessor families, this number is roughly inversely proportional to clock speed.

Microprocessor	Clock speed (MHz)	Access time required for zero wait states (ns)
Synertek 6502	1	500
Zilog Z80	4	200
Intel 8088	4.77	450
Intel 80286	8	120
	10	100
	12	80
Intel 80386	16	60
	20	50
	25	40
Motorola 68000	8	200
	10	150
Motorola 68030	16.67	60 <sup>1</sup>
	20	50

<sup>1</sup>Timings are for synchronous cycles.



**Figure 1: A fully associative cache consists of a bank of data RAM and a content-addressable RAM containing the address where each data item came from. When each memory access occurs, the content-addressable memory is searched for the address of the required data. If it's found, the corresponding location in the data RAM can be used to complete the access. Since content-addressable memory is complex and expensive, fully associative caches are rare.**

which the remaining bits of the main memory address are compared to the upper bits of the address from which the cache data came. This direct mapping saves both time and circuitry, and thus is the most commonly used method.


### Performance and Associativity

You might think that a direct-mapped or set-associative cache would not perform as well as a fully associative cache, since

there is always a chance that the microprocessor could simultaneously use code and data areas with the same least significant bits. In fact, however, the probability of this happening is lower than you might think.

Most microcomputers use, at most, a two-way associative cache. And some of the most economical speedup cards for PC-class machines, which replace the

*continued*




**Figure 2:** In a two-way associative cache, the least significant bits of the memory address select a set of two cache locations. Each location has a "tag" that contains the most significant bits of the main memory address whose contents are stored there. Only two comparators (i.e., logic circuits that compare numbers) are necessary to determine if one of the locations contains the needed data. A direct-mapped cache is similar, but it has only one comparator, one column of tag RAM, and one column of data RAM. A four-way associative cache would have four of each.

## Back, by popular demand.

Just a few years ago, illegal hunting and encroaching civilization had all but destroyed the alligator population in the south. They were added to the official list of endangered species in the United States.

Now alligators have made a comeback.



Conservationists intent on preserving this legendary reptile helped the alligator get back on its feet. Once again some southern swamps and marshes are teeming with alligators.

With wise conservation policies, other endangered species have also made comebacks... the cougar, gray whale, Pacific walrus, wood duck, to name a few.

If you want to help save our endangered species, join the National Wildlife Federation, Department 106, 1412 16th Street, NW, Washington, DC 20036.



8088 microprocessor with a faster 80286, gain massive performance improvements by using a small direct-mapped cache between the 80286 and the 8-bit PC memory.

A direct-mapped cache can be easily implemented without a relatively expensive cache controller like the Intel 82385. In fact, it often pays to use a direct-mapped cache and more cache memory instead of a two-way associative cache controller and less memory. (This is the approach taken by the Everex Step PC compatibles, among others.)

Table 2, from Intel's *80386 Hardware Reference Manual*, shows some actual empirical data on cache performance. It shows hit rates—the percentage of accesses that produce cache hits—for cache configurations in which the cache size, associativity, and line size (i.e., the size of each location in the cache) vary. At a hit rate of 93 percent, which is the maximum shown in the chart, a system with DRAM will perform only 7 percent slower than if SRAM was used for the entire system memory.

### Replacement Strategies

Once a system with a cache is running, it doesn't take long before each location in the cache holds data from somewhere in main memory. The question then arises: When a cache miss occurs, which location in the cache will be mapped to a new place in main memory to accommodate the new data? In a direct-mapped cache,

**W**hen the CPU writes to a memory location in a cached system, we must make sure that both the cache and main memory are updated.

each main memory location can map to only one place in the cache, so this is not an issue. However, in a set-associative or fully associative cache, a choice must be made, and the algorithm used to make the decision is called the cache's *replacement strategy*.

In an ideal universe, the cache would be prescient: It would know exactly which memory locations the CPU was going to access. It could free the slot in the cache that corresponds to the location that would not be reused for the longest time. When computer scientists talk about this ideal strategy, they give it the name OPT, for optimal. All evaluations of feasible strategies are based on this de-

sirable but unattainable goal.

In the real world, several strategies are possible. The simplest, and perhaps the most obvious, is called *random replacement* (RAND). In this scheme, at random, the cache simply picks a location to replace. It's common for a system that uses this overly simple strategy to throw away useful data.

More common in real-life systems is a strategy called *least recently used*, or LRU. Given the choice between several slots in cache memory, the cache logic picks the one that the CPU has read or written least recently.

LRU turns out to be a much better replacement strategy than RAND. Why? A good way to understand this is to observe that if time were reversed, the least recently used location would become the one read again. In this kind of cache, each write incurs the same speed penalty as a cache miss, and the processor is slowed down accordingly—in other words, LRU would become OPT. Now, even though we can't run time backward, we know by the locality principle that accesses to a memory location tend to occur in bunches. It's therefore a good bet that LRU will guess correctly about which locations are to be used in the future.

### Updating Main Memory

When the CPU writes to a memory location in a cached system, we need to make sure that both the cache and main memory are updated. There are three commonly used strategies for doing this: a *write-through cache*, a *cache with posted writes*, and a *write-back cache*. In a write-through cache, the simplest kind, each CPU write goes both to main memory and into the cache (so it will be available if it is read again). In this kind of cache, each write incurs the same speed penalty as a cache miss, and the processor is slowed down accordingly.

Some or all of this delay can be eliminated if the cache implements posted writes. In a posted write, the data goes to cache memory right away, and the CPU "thinks" the write has completed before the information actually reaches main memory. (The term *posted* comes from the same root as postage and post office, and it means somewhat the same thing. The cache circuitry tells the CPU that the write is complete once the data is on its way—in the mail, as it were—to main memory.) Execution continues, and the CPU doesn't wait unless it needs to access main memory soon thereafter. A separate-state machine—part of the memory circuit—completes the write cycle after the CPU has moved on.

**Table 2:** The hit rates for different cache configurations with the 80386 microprocessor. Line size is more important than associativity in determining performance for each cache size.

Cache configuration			Cache performance	
Size (bytes)	Associativity	Line size (bytes)	Hit rate (%)	Performance ratio over noncached DRAM
1K	Direct-mapped	4	41	0.91
8K	Direct-mapped	4	73	1.25
16K	Direct-mapped	4	81	1.35
32K	Direct-mapped	4	86	1.38
32K	Two-way	4	87	1.39
32K	Direct-mapped	8	91	1.41
64K	Direct-mapped	4	88	1.39
64K	Two-way	4	89	1.40
64K	Four-way	4	89	1.40
64K	Direct-mapped	8	92	1.42
64K	Two-way	8	93	1.42
128K	Direct-mapped	4	89	1.39
128K	Two-way	4	89	1.40
128K	Direct-mapped	8	93	1.42

Even better results can be obtained with a write-back cache. In this scheme, most CPU writes go solely to the cache. Main memory is updated only when the cached location has been written and is then replaced by the replacement strategy. A "dirty bit," associated with each location in the cache, is used by the cache circuit to determine if main memory needs to be updated. The Everex Step PC-compatible computers were the first to implement a write-back cache, but others in the industry are likely to follow suit.

### Cache Coherence and Snooping

It stands to reason that, in order to work correctly, a cache must ensure that its copy of the data in main memory corresponds to the actual contents. This is called *coherence*. Coherence is easy to achieve if the CPU is the only entity that can ever change the contents of memory. However, in systems with peripherals that perform direct memory access (DMA), the cache needs to find out when a main memory location has been changed by something other than the CPU—a peripheral, for instance—so that it knows its copy might no longer be valid.

By the same token, if a cache implements posted writes or a write-back strategy, it must ensure that a DMA device gets the correct data rather than an obsolete value from main memory.

The process in which a cache watches to see how peripherals are accessing memory is called *snooping*. Ideally, snooping should be able to occur concurrently with other cache operations. Virtually all cache controllers—including the 82385—implement this function.

In the 82385, a write-through cache, a DMA write to a main memory location invalidates the cache's copy of the data in that location. The write-back cache in the Everex Step computers operates even more efficiently. The cache controller actually accepts the data from the DMA device, keeping the cache data valid. Similarly, when a DMA device reads memory, Everex's cache can supply data directly to the device without delay.

### Internal Microprocessor Caches

The Motorola 68030 and Texas Instruments TMS34010 microprocessors contain built-in caches. The Motorola chip has a 256-byte instruction cache and a 256-byte data cache, while the TI chip has only a 256-byte instruction cache. All these caches are direct-mapped, and the instruction caches are loaded in bursts of four 32-bit longwords (provid-

**Table 3: How some high-performance 80386 machines implement their caches. All but two use the Intel 82385 cache controller.**

Computer	Cache architecture
ALR FlexCache 20386	82385 cache controller (32K bytes)
ALR FlexCache 25386	Extended emulation—proprietary hardware emulation of 82385 cache controller with added features (64K bytes)
Compaq 386/20, 25	82385 cache controller (32K bytes) and concurrent I/O (flex architecture)
Dell System 310	82385 cache controller (32K bytes)—20 MHz—and interleaved RAM
Everex Step 386/25	Proprietary write-back direct-mapped cache (64K to 256K bytes)
IBM PS/2 Model 70	82385 cache controller (64K bytes)—25 MHz

ing an opportunity for the design to use nibble mode to fill the cache quickly). The Intel 80386 does not have an internal cache, though it does attempt to prefetch instructions before it needs them.

The speed contest in the microprocessor world shows no sign of slacking off, and we will most likely see CPUs from Intel and virtually all other manufacturers with on-chip caches. However, since real estate on microprocessor chips is extremely tight, these caches will not obviate the need for external caches. In fact, external caches will most likely need to be specially designed to efficiently handle requests from the on-chip cache controllers.

### Cache Problems

While caches usually provide significant improvements in memory system performance, they sometimes fail to work as well as they should—most often because the basic assumption of locality is violated. For instance, a simple linear search algorithm, which scans a large expanse of memory for a particular pattern, can wipe out some or all of the useful data in a cache.

Multitasking systems may switch between many contexts, each accessing a different set of code and data. One particular danger in multitasking systems is *thrashing*. Thrashing occurs when a cache location is reloaded repeatedly because two or more processes happen to use memory locations that map to that slot.

There's no foolproof way to avoid the problem of thrashing, though large caches and set-associative caches are less prone to thrashing than smaller and direct-mapped ones. However, even in the worst cases, there is likely to be some locality of reference and hence some bene-

fit from the use of the cache.

Intensive I/O may also cause inefficiencies in certain cache designs. The Intel 82385, for instance, invalidates cache entries whenever DMA occurs to a location in the cache. Thus, I/O operations may flush the very locations that the CPU will shortly be accessing. The usual solution to this problem is to update the cache rather than to invalidate the entry.

Finally, it's possible for code and data to compete for the same areas of the cache. Many systems avoid this by having two caches—one for code and one for data. As mentioned earlier, the Motorola 68030 uses this scheme for its internal cache.

### Cache Results

Despite a few potential pitfalls, caches have proven to be a highly effective means to maximize memory system performance. Once the exclusive province of mainframe computers, caches are now an important part of most high-end designs (see table 3). We can expect that more and more designers will increase performance by putting a cache controller under the hood. ■

### ACKNOWLEDGMENTS

Many thanks to Mike Slater of Micro-Design Resources and Joe Kua of Everex Corp. for providing vital materials for the preparation of this article.

Brett Glass is a freelance programmer, author, and hardware designer residing in Palo Alto, California. He can be reached on BIX as "glass."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

# TAIPEI



## COMPUTEX '89

June 6-12, 1989

Let Computex give you a hand!

### Organizers:



TAIPEI COMPUTER ASSOCIATION

Venues: TWTC EXHIBITION HALL

CETRA EXHIBITION HALL (Sungshan Domestic Airport)

Contact: CETRA EXHIBITION DEPARTMENT

5 Hsinyi Road, Section 5, Taipei 10509, Taiwan, Republic of China

Tel: (02)725-1111 • Fax: 886-2-725-1314 • Telex: 28094 TPEWTC

### Branch Offices:


• New York-CETDC Inc. • Tel: (212)532-7055 • Fax: (212)213-4189

• San Francisco-Far East Trade Service Inc.

Tel: (415)788-4304 • Fax: (415)788-0468

• Chicago - Far East Trade Service Inc.

Tel: (312)321-9338 • Fax: (312)321-1635



Taipei  
Trade  
Shows  
1989

## Part 3

## TREES 'N KEYS



ZSAM provides speedy, keyed-file access to those mega-databases


I've spent the last two articles describing routines for the B-tree database system that I dubbed ZSAM. But a pile of routines is just a pile of routines until you actually put them to some use; knowing how to search a B-tree for its inorder successor doesn't build a client database system.

You can't just sit down at the keyboard and begin typing in raw data. First you have to take a serious look at how you're going to structure your database. This means you've got to ask yourself questions like "What information do I really need to keep on file?" and "How do I want to access the information? By ZIP code? By the customer's last name?" Once you've determined the structure of your database and how it's to be accessed, you can then decide what your data files will look like, how many key files you'll need, and how the keys in the key files will be constructed.

This month, I'll present a couple of examples of ZSAM database applications. I'll show you how to pull together all the algorithms that I have described in the last two columns into a working application. First, you'll want to read through the text box "The C Interface" on page 292; it gives a detailed description of the ZSAM library functions. You'll need to refer to this text box throughout the rest of the article.

#### Example Database 1: A Bibliography

I thought of this first application some time ago, when I wanted a way to computerize BYTE's annual index. Most of all, I wanted to be able to rapidly locate



all BYTE articles on any particular topic. I didn't need the article's entire text in the database—just its title, issue date, and page number. I decided that it would also be nice to keep track of authors in case I needed to find out who had done articles on a topic.

Figure 1 is an outline of the database structure that I came up with. As you can see, the database consists of four key files and four data files:

- The master key file (MASTER.KEY) consists of 7-byte-wide keys that point to a record in MASTER.DAT. Records in MASTER.DAT hold the titles of the BYTE articles and a key, constructed from the concatenation of the article's date (4 bytes, YYMM format), its page number (2 bytes), and a counter (1 byte). This counter, also known as an enumeration byte, is a means of resolving the conflict that would occur if two articles were to start on the same page and map to the same key in MASTER.KEY.

For an example of using the counter byte, the first article encountered has a key like "YYMMPP0," and the second has a key like "YYMMPP1." Each character position represents a byte. YYMM represents the ASCII numerals for year and month; any necessary zeros are prepended. PP represents the page number in 16-bit binary, with each byte swapped and the most significant byte first. The keys are therefore stored in the tree in ascending page-number order. The last digit is a single binary byte representing decimal 0 to decimal 256.

Building this key is only a little tricky. When you enter a new article in the database, the application program builds the key in the form "YYMMPP0" and uses ZSAM functions to search for that key in the file. If ZSAM doesn't find the key, the application program can insert the new key into the key file. But if ZSAM does find an existing duplicate key, the program must increment the counter byte

*continued*

## The C Interface

**Z**SAM is a B-tree file management system written in 8088 assembly language and interfaced to Borland's Turbo C (although it shouldn't be difficult to attach it to other C compilers—or other high-level languages, for that matter).

ZSAM provides all the routines I've described in this series of articles. I've also thrown in some additional C code for creating, opening, and closing ZSAM files.

You call ZSAM routines via C functions, which in turn call the assembly language library. I think it's worth pointing out that the assembly language library does not perform file I/O directly. Since file I/O is already provided in the C run-time library, I've written the ZSAM assembly language routines so that they turn around and call C library functions to perform file reads and writes. The result is C functions calling assembly language functions calling C library functions.

Here is a list of the routines provided by the ZSAM interface code:

```
ZOPENK(FNAME, KFNUM)
char *FNAME;
unsigned int KFNUM;
Opens key file FNAME and associates it with number KFNUM. ZOPENK( ) creates a node buffer and allocates space for the key file's header information. When you write a program that uses ZSAM, you define two constants; one indicates the maximum number of key files that you can open simultaneously, and the other indicates the maximum number of data files that you can open simultaneously. These constants serve to define the size of arrays of pointers to the key- and data-file header information. KFNUM is actually an index into the arrays; think of KFNUM as a file handle.
```

```
ZCLOSEK(DFNUM)
unsigned int DFNUM;
Closes the key file associated with KFNUM. ZCLOSEK( ) updates the key file's header information. Thus, you must call ZCLOSEK( ) for any
```

open key files before terminating your program. Remember, the header information includes data like the file's root sector. If you've opened a key file and added keys that have caused the B-tree to grow, you have to update the header information before you close the file, or the identity of the new root sector will be lost.

```
ZOPEND(FNAME, DFNUM)
char *FNAME;
unsigned int DFNUM;
This routine is the data-file counterpart to ZOPENK( ). The data file FNAME is opened and associated with DFNUM. ZOPEND( ) creates a data-record buffer and allocates space for the data file's header information.
```

```
int ZCLOSED(DFNUM)
unsigned int DFNUM;
Closes data file DFNUM. As with ZCLOSEK( ), any data file that you have opened using ZOPEND( ) must be closed with ZCLOSED( ) before your program terminates.
```

```
int ZREWINDK(KFNUM)
unsigned int KFNUM;
Rewinds key file KFNUM.
```

```
int ZREADKR(KFNUM, DFNUM, KEY, REC)
unsigned int KFNUM, DFNUM;
char *KEY, *REC;
Read keyed record. KEY is a pointer to a character string containing the target key. If the target is found in file KFNUM, the data pointer associated with that key is assumed to point to a data record in DFNUM. ZREADKR( ) reads that data record and copies its contents into the character array that REC points to. (This routine uses the algorithm described in SEEK_KEY.)
```

```
int ZREADNKR(KFNUM, DFNUM,
              KEY, REC)
unsigned int KFNUM, DFNUM;
char *KEY, *REC;
Read next keyed record. This routine positions the internal pointers of file KFNUM to the current key's inorder successor (which becomes the new cur-
```

rent key). The new current key is copied into the character array that KEY points to, and its associated data record (from DFNUM) is copied into the character array that REC points to. If DFNUM is a complex file, ZREADNKR( ) returns the head of the record set and leaves the data file's internal pointers set to the head record. (This uses the algorithm described in SEEK\_NEXT\_KEY.)

```
int ZREADNDR(DFNUM, REC)
unsigned int DFNUM;
char *REC;
Read next data record. DFNUM must be a complex data file. DFNUM's internal pointers are moved to the next record (in the current record set); this record is copied into the character array that REC points to. (This uses the algorithm described in READ_NEXT_RECORD.)
```

```
int ZCREATKR(KFNUM, DFNUM,
             KEY, REC)
unsigned int KFNUM, DFNUM;
char *KEY, *REC;
Create keyed record. The key string that's pointed to by KEY is added to KFNUM. REC points to a character array that holds the record to be associated with KEY. REC's contents are added to DFNUM, and a data pointer to this new record is attached to the new key in KFNUM. (This uses the algorithm described in CREATE_KEY.)
```

```
int ZINSERTK(KFNUM, DFNUM, KEY)
unsigned int KFNUM, DFNUM;
char *KEY;
Insert a new key. This routine operates similarly to ZCREATEKR( ), but it does not create a new data record. KEY points to a key string, which is added to KFNUM. A data pointer to the current record in DFNUM is attached to the new key. If DFNUM is a complex data file, then the data pointer identifies the head record of the current record set.
```

```
int ZWRITEDR(DFNUM, REC)
unsigned int DFNUM;
char *REC;
Write data record. The contents of the
```

Finally, since ZSAM permits keys of up to 64 bytes, you can do hierarchical sorting. Say you're building an accounting system and you'd like to be able to generate a report showing transactions

sorted first by account number and next by date. You just create a key file whose keys are composed of the account number with the transaction date appended and a final count byte (or word) tacked

on the end to make each key unique. Using the READNKR( ) function, you can step through the file, accessing the transactions in the desired order. If you want the transactions in date order, you

current data record in DFNUM are overwritten by the character string that REC points to.

```
int ZAPPENDDR(DFNUM,REC)
unsigned int DFNUM;
char *REC;
```

Append data record. A new record is created in DFNUM and is loaded with the character string that REC points to. This new record is appended to the current record set in DFNUM and becomes the new current record. (This routine uses the algorithm that was described in APPEND\_RECORD.)

```
int ZDELKR(KFNUM,DFNUM,KEY)
unsigned int KFNUM,DFNUM;
char *KEY;
```

Delete keyed record. Key file KFNUM is searched for KEY; if found, that key is deleted from the file, and its associated data record is then deleted from DFNUM. If DFNUM is a complex data file, the entire record set that KEY points to is deleted. (This routine uses the algorithm described in DELETE\_KEY.)

```
int ZDELK(KFNUM,KEY)
unsigned int KFNUM;
char *KEY;
```

Delete key. The key file KFNUM is searched for KEY; if found, that key is deleted. Any data record associated with KEY is unaffected.

```
int ZDELD(DFNUM)
unsigned int DFNUM;
```

Delete data record. Data file DFNUM must be a complex data file. The current record is deleted from the current record set. (This uses the algorithm described in DELETE\_RECORD.)

```
int ZREWINDD(DFNUM)
unsigned int DFNUM.
```

Rewind data record set. Data file DFNUM must be a complex data file. The current record set is rewound so a subsequent call to ZREADNDR( ) will return the set's head record. (This routine uses the algorithm described in REWIND\_SET.)

construct another key file (pointing to the same data) with keys made up of DATE + ACCOUNT NUMBER + COUNT BYTE. Your only real limit is the amount of space on your hard disk.

### End of File

As extensive as ZSAM is, it's not the final word in a database management system. For one thing, it doesn't begin to address relational operations on the database; those are functions you'd have to add on top of the ZSAM routines. (You can do that while you're adding a Structured Query Language front end, right?) Some of the more reasonable additions to ZSAM might include the following:

- Multiple indexes per key file. Each record in a key file is 512 bytes long. The header information is placed on the first sector of the file (offset 0), but since this information takes up only a small portion of the entire sector, there's ample room for more header information. The information for a given index would be located at a fixed offset within the first sector. So, if you had a data file that was keyed by date, client number, and ZIP code, instead of having to open three files to get at all the indexes, you could keep them all in one key file. And since all key nodes are the same length, the indexes could share a common available-for-reuse list.

- Allowing multiple records per key. This involves moving the functions for appending an enumeration byte (or word) into the ZSAM routines rather than having to manipulate the byte separately, as in the bibliography example. For a key file that allows multiple instances of the same key, simply expand the key length to account for the enumeration quantity. (Expanding it by 1 byte would allow for 256 copies of the same key in the file; expanding it by 2 bytes would allow for 65,536 instances of the same key.) Adding a replicate key would involve scanning through the existing keys until you located the first available value for the enumeration quantity.

- Tighter coupling between the key and data files. The header information of each key file could also include which data file it was associated with, and what portions of a data record are put together (and how) to create the key. For example, the key file holding social security numbers in the student database would contain header information that would say (translated to English): "Keys in this key file are composed of the character string starting at offset 25 within each data record." Offset 25, of course, is where the student's social security number is stored.

This arrangement has an added benefit of safety. If the key file gets clobbered, but the header information and data file remain intact, a program can recreate the

index by simply scanning through the data file and reinserting the keys into the index. And speaking of safety...

- Safety features. When the key file begins to grow, it becomes more sensitive to corruption. Not that the failure rate goes up; it's just that the amount of information you stand to lose gets larger and larger. Some B-tree file management systems open a temporary file when an update is about to take place (like an insertion or deletion). Then, for each sector that the routine is about to modify in the B-tree, it first writes an unaltered copy of the sector into the temporary file. The temporary file is erased (or overwritten) only after the entire update has been completed successfully. So, if there's a system crash in the middle of the update that would otherwise leave the file damaged, you can restore the file to its state prior to the update by retrieving the sectors saved in the temporary file.

In humongous key files, where a power failure might spell the loss of a multimegabyte database, the added time required to write the records into the temporary file can be significantly less than that needed to rebuild the database.

- Variable-length keys. These have the advantage of letting you pack more keys on a key node. You'll have to precede each key with a key count. Determining whether the number of entries has exceeded a node's capacity becomes a little tricky; nevertheless, all the algorithms that I've presented in this column remain largely unchanged.

### Next Month

I'll take another look at floating-point operations; this time, I'll present a binary-coded decimal floating-point package.

*Author's note: The complete ZSAM package is available on BIX as the file ZSAM.ARC. It is also available in a variety of other formats. See page 3 for details. The listings contain the source code for the assembly language routines and the C interface code. They also contain the programs that I used in the bibliography example, plus some sample data. ■*

*Rick Grehan is the director of the BYTE Lab. He has a BS in physics and applied mathematics and an MS in computer science/mathematics from Memphis State University. He can be reached on BIX as "rick\_g."*

*Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.*

# THE BUYER'S MART

## A Directory of Products and Services

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

**RATES:** 1x—\$525 3x—\$500 6x—\$475 12x—\$425  
Prepayment must accompany each insertion. VISA/MC Accepted.

**AD FORMAT:** Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum), descriptive text (250 characters is recommended, but up to 350 characters can be accommodated), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

**DEADLINE:** Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call 603-924-3754.

### ACCESSORIES

#### CUT RIBBON COSTS!

Re-ink your printer ribbons quickly and easily. Do all cartridge ribbons with just one inker! For crisp, black professional print since 1982. You can choose from 3 models:  
Manual E-Zee Inker — \$39.50  
Electric E-Zee Inker — \$89.50  
Ink Master (Electric) — \$159.00  
1000's of satisfied users in 5 years. Money back guarantee.

#### BORG INDUSTRIES

525 MAIN ST., JANESVILLE, IA 50647  
1-800-553-2404 In IOWA 319-987-2976

Inquiry 576.

### ARTIFICIAL INTELLIGENCE

#### NanoLISP \$99.99

An MS-DOS Common LISP interpreter that supports most Common LISP operations and strictly adheres to the standard. Numerous advanced and extra features, excellent debugging facilities, sample AI programs, fully-indexed manual, free technical support.

#### Microcomputer Systems Consultants

P.O. Box 8646, Santa Barbara, CA 93160  
(805) 967-2270

### BAR CODE

#### PRINT BAR CODES, BIG TEXT, LOGOS

On EPSON, IBM, OKI dot matrix or LaserJet. Design any format/size on ONE easy screen. 1-120 fields/label. 13 text sizes to 1" — readable at 50 ft. AIAG, MIL-STD, 2 of 5, 128, UPC/EAN, Code 39. File input, FAST—\$279. Logos, Product Symbols. Other menu-driven bar code programs from \$49. 30 day \$ back.

#### Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060  
(800) 345-4220 In CA: (408) 458-9938

### SELF-INKING PRINTER RIBBON

Awarded United States Patent #4701062  
Lasts 10-15 times longer than the conventional ribbon  
For printers using 1/2" width open spool ribbon  
Oki/da 82A-83A-84-92-93 Dec LA 180120  
Teletype-33, 35 Dec LA 301/IBM 1443  
Star Gemini 10X Teletype-Model 40  
Extel TI 800/810, 820, 880  
Contact us by mail, phone or telex and we will forward you a brochure

#### CONTROLLED PRINTOUT DEVICES, INC.

POB 869, Baldwin Rd., Arden, NC 28704  
(704) 684-9044 • TELEX: (FILMON-AREN) 577454

Inquiry 577.

### NEW EXPERT SYSTEM

FirstExpert - A unique expert systems tool that you can master in a few hours! Generates the complete system based on your specifications! Built-in learning procedure automatically creates knowledgebase. Interactive structured induction allows you to add new knowledge at any time. Includes consultancy system. Handles up to 10,000 rules on a PCI Demos included! IBM pc's /PS-2's.  
An ingenious program, buy now for only \$99.95. s/h add \$500

#### NovaCast Expert Systems

2530 Berryessa Rd. Suite 607, San Jose, CA 95132  
(408) 272-4071 Fax: (408) 437-7777

Inquiry 581.

### BAR CODE READERS

For PC, XT, AT, & PS/2, all clones, and any RS-232 terminal. Acts like 2nd keyboard, bar codes read as keyed data. With steel wand—\$399. Works with DOS, Xenix, Novell, Alloy, ALL software. Lasers, magstripe, & slot badge readers. One year warranty. 30 day \$ back. Direct from USA manufacturer.

#### Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060  
(800) 345-4220 In CA: (408) 458-9938

### FREE CATALOG

A complete source for computer supplies at low prices. Fast Service. Diskettes • Latest Accessories • Books • Software • Dust Covers • Furniture • Data Cartridges • Plotter Pens • Cleaning Supplies • Tapes • Ribbons • Printers • Computer Paper • Copier Supplies • Surge Protectors • Cables • Print Wheels • MUCH MORE!!!  
Call, write or circle inquiry card for a FREE CATALOG

#### GAAN COMPUTER SUPPLIES

186 B East Sunnyside Ave., Campbell, CA 95008  
(800) 523-1238, In Calif. (408) 370-6747

Inquiry 578.

### Buy your own Book

Get a fully supported LISP program for the MAC without the padded price to pay for an expensive book. \$20 buys it MAC plus or equivalent runs it. Order now and save.

#### Oosson Software

Box 33113, Coon Rapids, MN 55433

Inquiry 582.

### PRINT BAR CODES/BIG TEXT FROM YOUR PROGRAM

Add bar codes and big graphics text to your program. Print from ANY MS-DOS language. Bar codes: UPC, EAN, 2 of 5, MSI, Code 39, Epson, Oki, IBM dot matrix text up to 1/2". LaserJet up to 2". Font cartridges not required. \$179-\$239. 30 day \$ back.

#### Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060  
(800) 345-4220 In CA: (408) 458-9938

### ARTIFICIAL INTELLIGENCE

#### EXPERT SYSTEM DEVELOPMENT

Get the award winning AGNESS to develop network based expert systems using multiple inference methods, the Merit scheme for efficient data collection, and unique explanation facilities. Use the AGNESS C talk Toolkit to embed an expert system into your application under an object oriented environment. \$795.

#### Applied Information Systems, Inc.

2117 West Hoyt Ave., St. Paul, MN 55108  
(612) 641-9947

Inquiry 579.

### muLISP™ 87 for MS-DOS

Fast, compact, efficient LISP programming environment. muLISP programs run 2 to 3 times faster & take 1/2 to 1/3 the space of other LISPs. 450 Common LISP functions, multi-window editing & debugging, flavors, graphics primitives, lessons & help, demo programs, comprehensive manual.

#### Soft Warehouse, Inc.

3615 Harding Ave., Suite 505, Honolulu, HI 96816  
(808) 734-5801

Inquiry 583.

### PORTABLE READER

Battery operated, handheld reader with 64K static RAM, 2x16 LCD display, 32 key keyboard, Real-Time-Clock. Wand or laser scanner. Program prompts and data checking thru its own keyboard. Easy data transfer by RS-232 port or PC, PS/2 keyboard. Direct from USA manufacturer. 30 day \$ back.

#### Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060  
(800) 345-4220 In CA: (408) 458-9938

### NATURAL LANGUAGE C LIBRARY

Increase your market share! Use JAKE to add a natural language front end to your application. JAKE translates English queries and commands into C function calls and data structures. JAKE offers context-sensitive semantic processing; interfaces easily; <64K mem.

JAKE \$495. INTERACTIVE DEMO \$10

#### ENGLISH KNOWLEDGE SYSTEMS, INC.

5525 Scotts Valley Dr. #22, Scotts Valley, CA 95066  
(408) 438-6922

Inquiry 580.

### \*LISP\* SYMBOLICS 3620 \*LISP\*

Ideal for Futures Trading. Comes with 3620 CPU, 190MB Disk, 4 MB Memory, Tape drive, 16" Monochrome Monitor, Serial Interface, Mouse, Single and Double precision Floating Point Accelerator, Genera software environment, and all Manuals.

#### WELLINGTON

733 Bishop St., Ste. 1800, Honolulu, Hawaii 96813  
(800) 992-9989

Inquiry 584.

### BAR CODE SOLUTIONS

We make bar coding very easy with our complete line of readers. Our PC-Wand readers network, or work with your keyboard or terminal, or are carried around taking inventory, entering sales and clocking time. Our bar code label printing software packages work with MS-DOS or PC-DOS and most matrix or laser printers. We also sell pre-printed labels. Our hardware can work with nearly every computer in the world.

#### International Technologies & Systems Corp.

635-C North Berry St., Brea, CA 92621  
(714) 990-1880 FAX: 714 990-2503 TLX 6502824734 MCI

Inquiry 585.

# THE BUYER'S MART

## BAR CODE

### BAR CODE MADE EASY

PERCON® E-Z-READER™ keyboard interfaces and multiuser RS-232 models make it easy to add bar code to virtually any computer/terminal WITHOUT SOFTWARE MODIFICATION. Immediate shipping. Two year warranty. Bar code printing software available. Call for details on fast, accurate, easy data entry. Substantial reseller discounts.

#### PERCON®

2190 W. 11th St., Eugene, OR 97402  
1-800-3 PERCON

### PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost effective data entry. Looks just like keyboard data! Choose from stainless steel wand or laser interface. Also, powerful Bar Code and Text printing software. Great warranty. Dealer inquiries welcome.

#### Seagull Scientific Systems

15127 N.E. 24th, Suite 333, Redmond, WA 98052  
206-451-8966

### DATA INPUT DEVICES

Bar Code & Magnetic Stripe Readers for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. Low cost bar code print programs, magnetic encoders, & portable readers are also available. GSA contract #GS00K87AGS5346

#### TPS Electronics

4047 Transport, Palo Alto, CA 94303  
415-856-6833 Telex 371-9097 TPS PLA  
FAX: 415-856-3843

Inquiry 586.

### VARIANT MICROSYSTEMS BAR CODE READERS DELIVER

WAND/LASER/MAGNETIC CARD CONNECTIVITY

- Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2 and portables.
- RS232 wedges for WYSE, Link, Kimtron terminals
- Bar code and label printing software
- Full two year warranty
- 30 Day Money Back Guarantee
- Extensive VAR/Dealer Discounts

3140 De La Cruz Blvd., Suite 200/Santa Clara, CA 95054/(408) 980-1880

Inquiry 587.

## CAD/CAM

### P-C-B ARTWORK MADE EASY!

Create and Revise Printed-Circuit-Artwork on your IBM or Compatible

- \* Help Screens \* Dip & Sip Library
  - \* Printer and Plotter Artwork \* Supports Mice
  - \* Auto-Router available \* ICON Menus
- Requirements: IBM or Compatible PC, 384K RAM, DOS 3.0 or later. PCBoards: \$99.00 DEMO: \$10.00

#### PCBoards

2110 14th Ave. South, Birmingham, AL 35205  
(205) 933-1122

Inquiry 588.

### P-CAD MOUSE

A quality mouse designed to run with the P-CAD software. It requires one RS232C COM Port for the connection. No external security device is needed any more. Complete hardware and documentation for \$575. Call or write for more information. Three years warranty. Checks, COD, VISA, MC accepted.

#### UNITEK SYSTEM

9228 Vancouver Drive, Sacramento, CA 95826  
(916) 962-6075

P-CAD trademark of Personal CAD System, Inc.

Inquiry 589.

## CASE

### FINITE STATE PROGRAM COMPILERS

State programs develop quicker, run faster and use less memory than sequential programs. A few keystrokes can replace hundreds of instructions. The Compiler, a CASE software development tool, forms source state programs in: Ada, BASIC, C, FORTRAN and Pascal. FOR IBM DOS.

Price \$200 per lang. (With Primer and Debugger)  
Sampler \$50.00 (With all manuals & credit!)

AYECO 5025 Nassau Circle, Orlando  
INCORPORATED FL 32808 (407) 295-0930

Inquiry 590.

### JOINT APPLICATION DESIGN and PROTOTYPING WORKBENCH

Developers! Reduce your costs and improve user satisfaction. Give users a hands on feel for the system. Build a full working model of a system in just hours. PC-PROTO is easy to use, flexible, and writes the documentation for you. From \$149.

Kartech, Inc. (416) 656-2032  
165 Pinewood Ave., Toronto, Ontario, Canada M6C 2V6

Inquiry 591.

## CD-ROM

### CD-ROM Drives & Titles

Largest selection for PC & Mac. Microsoft Programmers Library & Drive \$995 Computer Library \$695 • Public Domain SW \$99.

Drives from \$699. Hundreds of titles from \$29. MC/VISA/AMEX, Money-back Guarantee. Call or write for free 100 page catalog. Get it all from "The Bureau"

Bureau of Electronic Publishing  
121 Norwood Ave., Upper Montclair, NJ 07043  
(201) 746-3031

Inquiry 592.

### Government Databases on CD-ROMs

Detailed US databases available on 5 CD-ROMs: Economics, Labor, Agriculture, Consumers, and Food. Soon: Health, Business, Tax, Energy and more. Includes software to make tables, DIF or ASCII. \$65 each, MS-DOS req. CD-ROM publishing services available.

#### Hopkins Technology

421 Hazel Lane, Hopkins, MN 55343  
(612) 931-9376 CIS 74017,614

Inquiry 593.

## COMMUNICATIONS

### PC-COMM: A SERIAL DATA COMMUNICATIONS ANALYZER

Displays bidirectional RS-232 data traffic. Logs data to disk monitoring at 19.2K baud. Indicates errors and RS-232 control signals. Runs on all IBM PC/AT/PS2 compatibles. Transfers binary files at 19.2K baud.

PC-COMM \$165 Cable option \$65 S/H \$5

#### Santa Rosa Software

99 Aiden Ave., Rohnert Park, CA 94928  
707-664-8440

Inquiry 594.

## COMPUTER INSURANCE

### INSURES YOUR COMPUTER

SAFWARE provides full replacement of hardware, media and purchased software. As little as \$39 a year provides comprehensive coverage. Blanket coverage; no list of equipment needed. One call does it all. Call 8 am-10 pm ET. (Sat. 9 to 5)

TOLL FREE 1-800-848-3469

(Local 614-262-0599)

SAFWARE, The Insurance Agency Inc.

Inquiry 595.

## CROSS ASSEMBLERS

### CROSS ASSEMBLERS

Universal Linker, Librarian  
Targets for 36 Microprocessors  
Hosts: PC/MS DOS, micro VAX, VAX 8000  
Developed and supported at

#### ENERTEC, INC.

BOX 1312, Lansdale, PA 19446  
215-362-0966 MC/VISA

Inquiry 596.

### Professional Series

PseudoCode releases its PseudoSam professional Series of cross assemblers. Most popular processors. Macros, Conditional Assembly, and Include Files. Virtually unlimited size. For IBM PC's, MS-DOS 2.0 or greater. With manual for \$50.00. (MI res. 4% tax). Shipping \$5, Canada \$10, Foreign \$15. Visa/MC (Dealer Inquires Welcome).

#### KORE Inc.

6910 Patterson, Caledonia, MI 49316 616-791-9333  
30 Day satisfaction guaranteed or purchase price refunded.

Inquiry 597.

### FANTASTIC SIMULATORS

For the 8048, 8051, 8080, 8085, & Z80 families. Full function simulation including ALL MODES of interrupts. Built-in disassembler. Better than expensive I.C.E.'s.

#### CROSS ASSEMBLERS

We support the 8048, 8051, 8080/8085, 8096 & Z80 families. Just \$75 each.

#### Lear Com Company

2440 Kipling St./Ste. 206, Lakewood, CO 80215  
303-232-2226

Inquiry 598.

### 680X0 Cross Assemblers

Now, inexpensive quality 680X0 Cross-Assemblers that use your IBM PC or compatible. All versions support up to 32 char labels, INCLUDE files, PPTH names, extensive list output, sorted symbol tables, many common directives, printed manuals. Basic versions create S-records. Linking versions include a Librarian & linker, create either S-records or relocatable modules linked to create S-records or binary files. Minimum requirements are 320K, DOS 2.0, 6.1-5.1, MSDOS

Basic 68000/8010—\$49.95 Basic 68020—\$69.95  
Linking 68000/8010—\$89.95 Linking 68020/68881—\$129.95  
Linking 68030/68881—\$149.95

Checks, VISA, MC accepted. MN residents +6% sales tax.

No PO's or COO's please

#### RAVEN Computer Systems

Box 1218, St. Paul, MN 55112 (612) 636-0365

Inquiry 599.

### 6800-Family Development Software

Our C Compilers for the 6800, 6801, 6809, & 68HC11 feature a complete implementation (excluding bit fields) of C as described by K&R and yield 30-70% less code than other compilers. Our Assemblers feature macros and conditional assembly. Linker & Terminal Emulator included.

#### Wintek Corporation

1801 South St., Lafayette, IN 47904  
(800) 742-6809 or (317) 742-8428

Inquiry 600.

## DATA CONVERSION

### MEDIA CONVERSION/DATA TRANSLATION

More than just a straight dump or ASCII transfer! Word Processing, DBMS, and Spreadsheet data on Disks or Tapes transferred directly into applications running on Mainframes, Minis, Micros. Dedicated Word Processors, Typesetters, and Electronic Publishing systems. IBM PS/2 & Macintosh supported #1 in the translation industry!

#### CompuData Translators, Inc.

3325 Wilshire Blvd., Suite 1202, Los Angeles, CA 90010  
(213) 387-4477 1-800-825-8251

Inquiry 601.

# THE BUYER'S MART

## DATABASE MGMT SYSTEMS

### FREE TRIAL dBASE III CLON!!

"1 on 1 is a programmable relational DBMS... The menu mode is a fancier and more complete version of DBases's assistant mode... 1 on 1 = 3!! is a great deal for those who would be glad to have a dBASE III PLUS clone!"

### \*\* PC MAGAZINE 5/17/88 \*\*

Free 30 day trial full program USA only or Buy now get free upgrade. Money back guarantee \$69 + \$5. S/H chk/Amex. CAN +\$4. Other +\$10. Call or write:

**1 on 1 Computer Solutions**  
26 Finchwood Dr., Trumbull, CT 06611 203-375-0914  
dBASE III is a trademark of Ashton-TATE

Inquiry 602.

### query dBASE IV data in OS/2

don't waste time waiting for a huge program to load up  
C>SELECT \* FROM DATABASE

- SELECT can read dBASE III+ & IV database & index
- DOS & OS/2 protected mode version, multiuser
- set up query by filling table, no programming
- filter, relation, calc field, graph, histogram, report
- DOS \$38 OS/2 \$38 both \$68 + \$3 S/H check/visa/MC

### YSC Tech (416) 733-0228

47 Protea Gardens, Willowdale, ON M2K 2W5, CANADA  
dBASE IV is trademark of Ashton-Tate

Inquiry 603.

## DATA/DISK CONVERSION

### QUALITY CONVERSIONS Nine Track Tape 2,000 plus Disk Conversions Optical Scanning

### 1st Run Computer Services Inc.

1261 Broadway, Suite 508, New York, NY 10001  
(212) 779-0800

Inquiry 604.

### Get the Expertise You Need!

#### Disk/Disk • Tape/Disk • OCR

Over 1,000 formats! 3 1/2", 5 1/4", or 8 inch disks, 9 track mag tape; 10 MB Bernoulli cartridge. Data base and word processor translation. Specialists in Government Security Data. Call for free consultation.

### Computer Conversions, Inc.

9580 Black Mtn. Rd., Ste J, San Diego, CA 92126

(619) 693-1697

Inquiry 605.

## DISK CONVERSIONS

Media transfer to or from: IBM, Xerox, DEC, Wang, Lanier, CPT, Micom, NBI, CT, also WP, WS, MS/WRD, DW4, MM, Samna, DEC DX, MAS 11, Xerox-Writer, ASCII.

### FREE TEST CONVERSION CONVERSION SPECIALISTS

531 Main St., Ste. 835, El Segundo, CA 90245  
(213) 545-6551 (213) 322-6319

Inquiry 606.

### DISK & TAPE CONVERSIONS AUTOMATICALLY

#### SAVE TIME AND MONEY

Over 1000 formats from Mini, Micro Mainframe, Word Processors, & Typesetters.

TAPE Conversions as low as \$2300 MB  
DISK Conversions as low as \$1500 per Disk  
Call or write TODAY for a cost saving quotation.

### CREATIVE DATA SERVICES

1210 W. Latimer Ave., Campbell, CA 95008  
(408) 866-6080

Inquiry 607.

## DATA/DISK CONVERSION

### DISK INTERCHANGE SERVICE COMPANY

DISC specializes in transferring files between incompatible disk formats, and between disk and 9-track tape.

- Dedicated Word Processors
- Mini, Micro & Mainframe Computers
- 9-Track Tape (800, 1600 and 6250 BPI)
- MSDOS, CPM, UNIX, DOS, PRODOS, TSX+, RT-11

2 Park Drive • Westford, MA 01886  
(508) 692-0050

Inquiry 608.

## THE #1 CHOICE

### In disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry—world-wide.

Free test • Satisfaction guaranteed

Call the helpful conversion experts...

### Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411  
(612) 588-7571

Inquiry 609.

## IBM PC to HP

FILE COPY

IBM PC to HP File Copy allows IBM PCs, PS/2, compatibles to read, write files written by Hewlett Packard Series 70, 80, 200, 300, 1000, 9000's. We offer custom work using our file copy utilities and program translators. Call for estimate, catalog, data sheet.

### Oswego Software 312/554-3567

507 North Adams St. Fax 312/554-3573  
Oswego, Illinois 60543 Telex 858-757

Inquiry 610.

## CONVERSION SERVICES

Convert any 9 track magnetic tape to or from over 1000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk to disk conversions also available. Call for more info. Introducing OCR Scanning Services.

### Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B  
Buffalo Grove, IL 60089 (312) 459-6010

Inquiry 611.

## DEMOS/TUTORIALS

### LEARN THE ABC'S OF 1-2-3

LEADING EDGE'S New Software VCR Training ACCELERATES learning LOTUS 1-2-3. You get: 84-min videotape, workbook and practice disk. Now you're up-to-speed on Lotus 1-2-3. Just \$29.95 + 2.50 P&H. ORDER NOW. Money back if not delighted. All major credit cards. CALL NOW.

### LIFE DYNAMICS

6050 Peachtree Pkwy., #240-226, Norcross, GA 30091

(800) 548-9608 M-F 10-6

(800) 548-5782 Ext. 12 ANYTIME

Inquiry 612.

## INSTANT REPLAY III

Build Demos, Tutorials, Prototypes, Presentations, Music, Timed Keyboard Macros, and Menu Systems. Includes Screen Maker, Keystroke/Time Editor, Program Memorizer, and Animator. Rec'd Great Reviews! Simply the BEST. Not copy protected. No royalties. 60 day satisfaction money back guar. IBM and Compatib \$149.95 U.S.Chk/Cr. Crd. Demo Diskette \$5.00

### NOSTRADAMUS, INC.

P.O. Box 9252

Salt Lake City, Utah 84109 (801) 487-9662

Inquiry 613.

## DISASSEMBLERS

### SOFT-X-PLORE

See "BYTE's May '88 issue pg. 78". Disassemble 500 kb (\*) program at 10,000/min. (\*) in any file, ROM/RAM memory up to 80386 instruction set (\*). SOFT-X-plore:

- \* is for MS/DOS 2.0+ systems
- \* uses 20 algorithms and seven passes (\*)
- \* only \$129.95 plus S&H w/30 day guarantee.
- To order call (800) 446-4656 or info (203) 560-0236

Or write: **RJSWANTEK INC.**

178 Brookside Rd., Newington CT 06111

\* best on the market MC/VISA accepted

Inquiry 614.

## DISK COMPATIBILITY

### IBM PC's USE Mac DISKS

MatchMaker lets you plug any Macintosh external floppy drive into an IBM PC. Half size card and software lets you copy to/from, view directory, initialize, or delete files on the Mac diskette. Works with PCs, XT's, AT's, and compatibles. The easy way to move information!

\$149.00 Visa/MC/COD/Chk.

### Micro Solutions Computer Products

132 W Lincoln Hwy., DeKalb, IL 60115 815/756-3411

Inquiry 615.

## DISK DRIVES

### PS/2 DRIVES FOR PC's AT's

CompatiKit/PC ..... \$279

CompatiKit/VAT ..... \$219

Built-in floppy controllers—no problem. Supports multiple drives and formats. Lets your computer use IBM PS/2 1.4M diskettes plus more! Call for further information or to place an order. VISA/MC/COD/CHECK.

### Micro Solutions Computer Products

132 W Lincoln Hwy., DeKalb, IL 60115 815/756-3411

Inquiry 616.

## DISK DUPLICATION

### SOFTWARE PRODUCTION

- Disk duplication
- All formats
- EVERLOCK copy protection
- Label/sleeve printing
- Full packaging services
- Warehousing
- Drop shipping
- Fulfillment
- 48-hour delivery
- Consultation & guidance

### Star-Byte, Inc.

2880 Beryge Rd., Hatfield, PA 19440  
215-997-2470 800-243-1515

Inquiry 617.

## DUPLICATION SERVICES

### SOFTWARE DUPLICATION

- One Stop Shopping
- Custom Packaging
- Copy Protection
- Technical Support
- Drop Shipping
- Fast Turnaround
- Competitive Pricing

### SATISFACTION GUARANTEED

800-222-0490 NJ 201-462-7628

### MEGAsoft

PO Box 710, Freehold, NJ 07728 See our ads on page 322.

Inquiry 618.

## ELECTRONIC PROJECTS

### BUILD TALKING ROBOT!

- Build B.E.R.T.© the Basic Educational Robot Trainer
- Featured in BYTE April & May / 87
- Even a child can program this talking Robot, built from off-the-shelf components
- Minimum Kit \$500.00 U.S.
- Complete Kit \$1800.00 U.S.
- +10% S/H VISA welcomed
- For further information write to:

### GoCo Dist.

Suite 806, 1146 Harwood St., Vancouver, B.C. Canada V6E 3V1  
VISA orders only: 604-681-0595

Inquiry 619.

# THE BUYER'S MART

## ENTERTAINMENT

### ★ ★ ★ EGA Chess ★ ★ ★

- "Challenging", "Relentless". —PC Mag
- Fully Animated High Resolution Graphics
- Solves Mate In 7. . . On Screen Clock
- Huge Opening Book . . . Select Level
- Save/Restart/Print Your Own Games
- Requires 256K EGA/VGA 5.25" disk
- \$34.95 (\$5.00 for Demo)

### CUBE Microsystems

P.O. Box 26064, Overland Park, KS 66225  
(913) 649-4747 VISA/MC

Inquiry 621.

### NEMESIS™ Go Master®

Go, a game of strategic elegance, has been a way of life in the Orient for over four thousand years. Many consider Go to be the secret of the Japanese businessman's success. "White chess is a game of war, Go is a game of market share" [President of Nikko Hotels].

"If you are interested in Go, buy this program."

Game of the Month J. Pournelle BYTE 7/87

**Toyoogo, Inc.** The Leader in Computer Go.  
76 Bedford St. #34-Y, Lexington, MA 02173. (617) 861-0488

Inquiry 622.

### Sho 'nuff good software

Cast yo eyes 'pun a little ole piece o assembly code, 'n yo be seein how powerful easy it be ta tie yo mind in knots. Sos wise ole Uncle Remus hisself has commented a pile o IBM code jus fo yo ta see. Ta git yourin, be a scribblin GAMES on a scrap o paper. Den be a mailin da simples' purchase order in da whole wide world 'n a check to three smacklers ta

**ZIPFAST** Box 12238 Lexington, KY 40581-2238

An extry buck shrinkins da disk ta 3.5 inches.

A fancified printed book be 18 o dem der dollars.

Don' furgut yo ever lovin return address.

Inquiry 623.

### YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

### THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!

Call Brian Higgins for more information

**603-924-3754**

## FAX COMMUNICATIONS

### COMPLETE FAX \$295

Grp. III FAX capability for your PC. Bkgrd. operation, w/pop-up "hot key" for direct faxing from most applications. Scheduled/broadcast transmission, auto redial. Optional 9600 bps, voice mail, more! 2 yr warranty from The Complete PC. Free 2nd day air shipping

### R. Gile Electronics

358 So. Main St., Ste #36  
Orange, CA 92668

To order, call (800) 527-4453 or (714) 634-3353 24 hr.  
For info, poll FAX (714) 634-1644

Inquiry 624.

## FLOW CHARTS

### Flowchart/State Diagram for Engineers

Draw flowcharts or state diagrams with this MacDraw like program on your IBM PC/AT/PS2 or compatible. All flowchart symbols are prebuilt and can be stretched to any size. Add your own symbols to the symbol library. Ellipses, curves with ending arrowheads, ovals, bars, enlarge/reduce, drag, zoom out, undo, etc. Output to most printers, plotters, and desktop publishing software. Complete with Logitech Mouse for \$89. See our larger ad every other month.

### Daytron Electronics Inc.

610 S. Sherman #10, Richardson, TX 75081 214-669-2137

Inquiry 625.

## FLOW CHARTS

### FLOW CHARTING II+ HELPS YOU!

Precise flowcharting is fast and simple with Flow Charting II+. Draw, edit and print perfect charts: bold and normal fonts, 26 shapes—95 sizes; fast entry of arrows, bypasses & connectors. Fast Insert Line, shrink screen displays 200-column chart; 40 column edit screen for detail work, much more!

### PATTON & PATTON

81 Great Oaks Blvd., San Jose, CA 95119

**1-800-525-0082 Ext. 42 (Outside CA)**  
**408-629-5376 Ext. 42 (CA/Int'l)**

Inquiry 626.

### WINDOWS FLOWCHARTER \$79

RFFlow is a drawing tool designed specifically for flowcharts. Easy to learn, easy to use. 75 shapes automatically adjust in size. Move, copy, or delete groups of objects. 7 levels of zoom. Use mouse or keyboard. On-line user's manual. Supports Windows printers, plotters, and fonts. \$5 trial disc. RFFlow requires Microsoft® Windows.

### RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538  
(303) 663-5767

Inquiry 627.

### STRUCTURED FLOW CHART

NSChart creates Nassi-Shneiderman (structured) flowcharts from a simple PDL. Keywords define structures & text strings appear in the chart. Easy to create, even easier to revise! Automatic chart sizing, text centering. Translators from many languages available. For Mac and IBM PC.

### SILTRONIX, INC.

P.O. Box 82544, San Diego, CA 92138

**1-800-637-4888**

Inquiry 628.

## GRAPHICS

### AMAZING GRAPHICS MADE SIMPLE!

Announcing AXUM, the first truly sophisticated technical graphics and analysis PC program.

- analyze/explore/publish
- ultra-high resolution
- windows/menus/help
- extremely easy to use
- powerful
- display/edit
- color/2D & 3D
- interactive
- wonderful

— \$495 with 60 day money back guarantee —

### TriMetrix, Inc.

444 NE Ravenna Blvd, Suite 210-BY, Seattle, WA 98115  
(800) 548-5653 ext. 061, in WA (206) 527-1801

## GRAPHICS LIBRARIES

### GRAPHICS LIBRARIES

Very Fast 2D/3D Autoscaling Graphics for Microsoft Languages. 3D Lines Use Color. Fast Polygon Fill, Solid/Wireframe. Color/Blinking Text. XY, Bar, Smith Contour & 3D Fishnet Graphs. Supports CGA/EGA/VGA/Herc & Dot Matrix/Laser/Plotters @ Full Resolution. Print Screen. Port. \$140 NO ROYALTIES. FORTRAN Source + \$30.

### CHIRP TECHNICAL SERVICES

P.O. Box 551, Del Mar, CA 92014-0551

**(619) 632-9510**

Inquiry 629.

## HARD DRIVE REPAIR

### HARD DRIVE REPAIR

WE WILL REPAIR YOUR HARD DRIVE AT A FRACTION OF THE COST OF REPLACING IT. FAST TURNAROUND!!! CALL FOR DETAILS

### H & W micro, inc.

528-C FOREST PARKWAY

FOREST PARK, GA 30050

**(404) 366-1600**

Inquiry 630.

## HARDWARE

### CHIP CHECKER

- 74/54 TTL + CMOS
- 14/4000 CMOS
- 14-24 Pin Chips
- 8000 Nat. + Signetics
- 9000 TTL
- 3" + 6" IC widths

Tests/identifies over 650 digital chips with ANY type of output in seconds. Also tests popular RAM chips. IBM compatible version \$259. C128 + C64 version \$159.

### DUNE SYSTEMS

2603 Willa Dr., St. Joseph, MI 49085

**(616) 983-2352**

Inquiry 631.

### INDUSTRIAL STRENGTH SINGLE BOARD COMPUTER

Has optimum features for monitor + control applications: 16 Chan A/D • 4 RS232/422 Ports • 48 Prog I/O Lines • 8 Opto INs • 8 HiDrive OUTs • 4 Timers • Watchdog • 104K Memory • 5.25 x 8.0 Options: Resident FORTH OS with Target Compiler, Editor, Assembler, + Auto Load/Start; 5 MHz 8085 • 4 Chan D/A • Battery Backed Clock/RAM • Networking • PC Support.

E-PAC 1000 + \$249.00 E-PAC 2000 + \$449.00

### EMAC INC.

PO Box 2042, Carbondale IL 62902 (618) 529-4525

Inquiry 632.

### FREE CATALOG

Protect your computer power from black-outs, brown-outs, audio/video hash and surges! Complete line of low cost Emergency Power Supply units, Line Conditioners and Surge Suppressors prevent damage and loss of valuable data. Prevent errors, malfunctions and false printouts! Send for money saving catalog today.

### INDUS-TOOL

730 W Lake St., Chicago, IL 60606

**Phone 312-648-2191**

Inquiry 633.

### Rack-Mounted AT 286 or 386

Industrial, Med-Tech, Laboratory and Comm. needs  
◊ Intel 80286 or 80386 CPU daughter card ◊ Passive back plane (8-10 expansion slots) ◊ Fits standard 19" rack ◊ Heavy-duty dual fans ◊ Clean air filter ◊ High-speed, high quality hard disk available ◊ Slide-mounted CPU chassis for easy maintenance access ◊ Power supply up to 360 Watts. For details and prices, Contact:

**(516) 589-8666**

**International**

**Telecommunications Services**

Inquiry 634.

### QB 4.5 LIBRARIES

Make QuickBASIC 4.5 even better with our FINALLY! Family of Products. Programming tools,

WINDOWING, Graphics and more!

FREE CATALOG of Compiled BASIC Tools.

(800) 423-3400.

### KOMPUTERWERK, INC.

851 Parkview Blvd., Pittsburgh, PA 15215

Inquiry 635.

### Apple • Service Parts

• Accessories • Systems •

BUY ★ SELL ★ TRADE

**PRE-OWNED Electronics, Inc.**

30 Clematis Avenue, Waltham, MA 02154

**800-274-5343 FAX 617-891-3556**

**Service Centers and Dealers welcome**

Inquiry 636.

# THE BUYER'S MART

## HARDWARE/ADD-ONS

### The World's First Highest Density Module!

- 18 Meg on the smallest surface
- Organization: 2x1024Kx9 bit
- Package: DIL 64 pin Jedec-Standard
- Technology: CMOS, hybrid, 18xHMS1100JP-10
- Compatibility: With two Hitachi HB56A 19-10
- Suitable for extension of basic memory

For more information please write or call:

#### TermoTrol Corp.

1888 Century Park East, L.A. CA 90067  
Tel. 213 284-3242

Inquiry 637.

## HARDWARE/COPROCESSOR

### DIGITAL SIGNAL PROCESSOR

DSP products for the IBM PC/XT/AT based on the T1 TMS32010 and TMS320C25. Designed for applications in communications, instrumentation, speech, and numeric processing. Offered with 12 bit 110 KHz A/D and D/A and continuous to disk data acquisition & playback option. \$650 and up.

#### DALANCO SPRY

89 Westland Ave., Rochester, NY 14618  
(716) 473-3610

Inquiry 638.

### SC/FOX™ PARALLEL COPROCESSOR

PC/XT/AT/386 plug-in board with Forth software. 10 MIPS operation, up to 50 MIPS burst. 64K to 1M byte memory. Uses Harris RTX 2000™ RISC realtime CPU with 1-cycle multiply, 1-cycle 14-priority interrupts, two 256-word stacks, three 16-bit timer/counters, 16-bit i/o bus. Ideal for real-time control, signal and image processing and multiple board operation. From \$1,995.

SILICON COMPOSERS, INC. (415) 322-8763  
210 California Ave., Suite K, Palo Alto, CA 94306

Inquiry 639.

## IBM SOFTWARE

### IBM\* SOFTWARE NEW VERSION

SAVE UP TO 65%, Quantity Limited

First come, First served, VISA/MC/check

COBOL V2.0 ..... \$295 Prof. FORTRAN V1.3 ..... \$250  
C compiler ..... \$195 Macro assembler V2.0 ..... \$75  
BASIC Compiler V2.0 ..... \$95 BASIC Ref. V3.2 ..... \$25  
LAN Program V1.2 ..... \$75 Plotting System ..... \$150

#### The Computer Place, Inc.

301-330-6016 Fax 301-926-3415

\*IBM is trademark of International Business Machine

Inquiry 640.

## INVENTORY MANAGEMENT

### STOCK-MASTER 4.0

Commercial grade inventory management software at micro prices.

- Supports all 12 transaction types
- Trend Analysis
- Quality Control
- Multiple Locations
- Purchase Order Tracking
- Open Order Reporting
- Serial/Lot # Tracking
- Stock Status Reporting
- Activity History Analysis
- Bill of Materials
- Purchase Order Writing
- Order Entry
- Material Requirements
- On Line Inquiry

#### Applied Micro Business Systems, Inc.

177-F Riverside Ave., Newport Beach, CA 92663 714-759-0582

Inquiry 641.

### dFELLER Inventory

Business inventory programs written in modifiable dBASE source code.

dFELLER Inventory \$150.00

Requires dBASE II or III, PC-DOS/CPM

dFELLER Plus \$200.00

with History and Purchase Orders

Requires dBASE III or dBASE III Plus (For Stockrooms)

#### Feller Associates

550 CR PPA, Route 3, Ishpeming, MI 49849

(906) 486-6024

Inquiry 642.

## LAPTOP COMPUTERS

### LAPTOP SPECIALS

TOSHIBA • Zenith • NEC • SHARP LAPTOPS  
• Hard drives for Tandy 1400 LT & Toshiba 1100+  
• AFFORDABLE 5¼" or 3½" DRIVE UNITS for LAPTOPS & DESKTOPS • DICONIX PRINTERS • 768 card for T1000 • 2400 BAUD MODEMS for Laptops • Fast reliable and friendly service. For Low Pricing call

World wide sales

COMPUTER OPTIONS UNLIMITED  
201-469-7678 (7 Days, 9 am-10 pm Eastern time)

Inquiry 643.

### Laptop Connection

2PC — THE File Transfer Utility

- Lap to Lap, Lap to Desk
- Super Easy to Use
- Breaks the "Bridge-Link" Price Barrier
- Desk to Desk, PC to PC
- No Installation Required
- 115 K Baud

\$55 w/universal cable, \$45 w/o cable  
See Jan. 89 Issue—"What's New" Column—p.94  
PLUS... Quality Cables at FAIR Prices:

• Null Modem (6')	\$12	• Printer (6')	\$10
• Mod Ext (6')	\$12	• Mod Ext (8')	\$12
• Par Print (6')	\$10	• Serial (6')	\$10

MANY MORE CABLES AVAILABLE. Mac & PC

Thompson Computing—587 F.N. Ventu Park Rd., Ste. 306,  
Newbury Park, CA 91320. (805) 498-7653 (VISA MC)

Inquiry 644.

### LAP - LINK

The ultimate solution for linking laptop computer with any IBM compatible desktop PC. 115, 200 baud transfer rate—faster than any other product available. No installation necessary, easy to use split screen design. Includes incredible "universal cable" that connects any two computers. Transfer entire disks faster than a DOS copy command! Only \$129.95 including universal cable and both 3¼" and 5¼" disks. "Bridge" owners can trade in for only \$89.95 w/o cable.

#### Traveling Software, Inc.

18702 North Creek Parkway, Bothell WA 98011  
1-800-343-8080 (206) 483-8088

Inquiry 645.

## LAPTOP PERIPHERALS

### LAPTOP BACKLIGHTS

Factory Installed • 90 Day Warranty

Toshiba, Amstrad, Sanyo, DG,  
Kaypro, IBM, HP, etc. \$295

The Portable Peripherals People

#### Axonix Corporation

(801) 466-9797

Inquiry 646.

## MEMORY CHIPS

### MEMORY CHIPS

41256-15-12-10	..... Call	51000 (1 Meg)	..... Call
4164-15	..... Call	51258 for Compaq 386	..... Call
4164-12	..... Call	8087-3-2	..... Call
41128 Piggy Back for AT	..... Call	80287-6-8-10	..... Call
41464-12 (64Kx4)	..... Call	80387	..... Call
414256 (256Kx4)	..... Call	NEC-V20-8	..... Call
2764,27128,27256,27512	..... Call	Mouse	..... Call

Prices subject to change

ESSKAY 718-353-3353

Inquiry 647.

## MONITOR INTERFACE

### DRIVE MULTIPLE MONITORS

with one PC using our VOPEX video port expanders. Featuring no loss of resolution or color, presentations are more dramatic. We have a VOPEX for PC, PS/2, MAC II & workstations. Units are available from 2 to 10 output ports.

#### NETWORK TECHNOLOGIES INC.

800-RGB-TECH or 216-543-1646 MC/VISA/AMEX  
19145 Elizabeth St., Aurora, OH 44202

Inquiry 648.

## POS PERIPHERALS

### POS PERIPHERALS

Credit Card Reader \$200.00 US  
Reads track 1, ASCII data sent to host via RS232.  
Credit Card and Bar Code Reader  
As above plus Code 39,25,Codabar,UPC,EAN.  
POS Peripheral Contains 47 relegable keys, receipt printer,  
2 line LCD display, credit card and bar code readers, cash  
drawer, NV ram, etc. Connects to any computer via RS232.  
OEM and custom modifications welcome.

#### DIGITAL DIALOGUES INC.

4 Croydon Rd. #2, Toronto, Ontario, Canada  
M6C 1S7 (416) 449-4905

Inquiry 649.

## PRACTICAL JOKES

### EXPERIENCE A HOT-BOOT

48 Visual Tricks & Practical Jokes for the IBM PC.  
A Trick for every occasion and every person!

- Frotzics
- Computer Bitboard
- Happy Hacler
- The Blob
- Drunk DOS
- Impatient DOS
- Password
- Flash Back
- Misspeller
- Happy Birthday
- Ghost Writer
- Plus 37 more!

We take having fun seriously,  
so for a good time send \$21.00 to

Left-handed Software, 2063 42nd Ave., SF, CA 94116 (415) 665-2665  
(PS Hot-Boot requires an IBM PC/Compatible and a sense of humor)

Inquiry 650.

## PROGRAM SUBCONTRACT

### In a Time Jam?

Let us do your software work in TPascal or TC or M/S C. Guaranteed fast turn, low price and satisfaction. To your specs or we'll design too!

#### Automated Software

3239 Mill Run, Raleigh, NC 27612  
800-227-7681 or 919-782-9045

Inquiry 651.

## PROGRAMMERS TOOLS

### TURBO SCREEN MASTER

Produce data entry screens and help windows for Turbo Pascal and Turbo C. Menu-driven, context sensitive help, configurable edit commands, flexible data validity checking, colors, IBM-PC graphics characters. Generates Pascal and C source code. Only \$69.95 plus \$3.00 S&H. WA residents add 7.8%.

#### BLUE BRIDGE SOFTWARE

7401 W. Canal Drive, Suite 343  
Kennewick, WA 99336  
(509) 627-6729

Inquiry 652.

### TLIB™ 4.1 Version Control

"TLIB" is a great system! — PC Tech Journal 3/88.  
Full-featured configuration mgmt for software professionals. All versions of your code instantly available. Very compact, only changes are stored. Check-in/out looks, revision merge, branching, more. Mainframe deltas for Pansorphic, ADR, IBM, Unlays, MS-DOS. \$99.95, or 5-station LAN \$299.95 + shipping

#### BURTON SYSTEMS SOFTWARE

PO. Box 4156, Cary, NC 27519 (919) 856-0475

Inquiry 653.

### OBJECT ORIENTED TOOLKIT

TRIPLE your productivity with Complete C™

The only C object oriented development utility with precompiler, foundation classes (source code included), make, integrated debugger, documentation generator, profiler, streamliner, and full tech support.

Introductory Price: \$269

#### Complete Computer Corporation

111 West 57th St., NY, NY 10019  
212-582-2635

Inquiry 654.

# THE BUYER'S MART

## PROGRAMMERS TOOLS

### FORTRAN NAMELIST EMULATOR

NAMELIST™ subroutine library provides Fortran programmers with an emulation of NAMELIST and associated read and write routines. Supports Fortran 77 data types, 31 character names, control of output line length, tab stops, paging, plus features not found in compilers with NAMELIST statements. Popular Fortran 77 compilers. Literature available. Price \$150.

### Data Ready

4647 T Highway 280 E — Suite 150, Birmingham, AL 35242

(205) 991-6381

Inquiry 655.

## ZIP CODE INTELLIGENCE

ZIPwhere™ Function Library and Data File supply "C" programs with all ZIP Codes and matching cities, counties, states, area codes, time zones, lat/longs and mileage grids. Save user time and \$\$ by autofilling address entry fields. Determine "nearest dealers" to any address. Retrieve distances and time differences. Much more! Data file < 1 meg. \$139.

### EFFECTIVE DATA SOLUTIONS

28225 Agoura Road, Agoura Hills, CA 91301  
(800) 777-8818

Inquiry 656.

## DEVELOPMENT TOOLS

Professional Programmers Extender: Standard Mac interface, lists, printing, graphics, tiling. Extender GraphPac: Quality color graphs. Line, bar, semi-log, customizable symbols.

### INVENTION Software

(313) 996-8108

Inquiry 657.

## CREATIVE INTERFACE TOOLS for Borland Language Users

Create graphic mouse cursors, symbols, bit-mapped character sets, and dynmic, self-calculating menus in text or graphics. Control program flow with keyboard or mouse. Supports Turbo C, Turbo Pascal, Turbo Prolog and Turbo Basic. Three features, one price.

\$69.95

1-800-622-8366

### Maxx Data Systems, Inc.

1126 S. Cedar Ridge, Suite 115, Duncanville, TX 75137

Inquiry 658.

## TURBO PLUS \$149.95

Programming tools for Turbo Pascal 5.0: Screen Painter, Code Generator, I/O Fields, Dynamic Menus, Programming Unit Libraries, Sample Programs, 280 Page Illustrated Manual, 60 Day Satisfaction Guarantee! Brochures & Demo Diskettes avail. Highly Favorable Reviews! IBM & Compatibles.

### Nostradamus Inc.

P.O. Box 9252 Salt Lake City, UT 84109  
(801) 487-9662

Inquiry 659.

## Get INSIDE!

The best PC software performance tool is now better than ever with source line timing, caller timing and arbitrary event timing—all with microsecond accuracy and without source modification. The expanded DOS analysis mode identifies I/O bottlenecks. \$125

Call today for a free brochure and the latest list of supported compilers. 30-day guarantee. VISA/MC/COD

### Paradigm Systems

P.O. Box 152, Milford, MA 01757  
(800) 537-5043 In MA: (508) 478-0499

Inquiry 660.

## PROGRAMMERS TOOLS

### Modula-2

Graphix is the M2 interface to the widely used MetaWindow professional graphics library. Supports multiple fonts, mouse tracking, many printers (incl. PostScript & LaserJet), over 30 display adapters, and hundreds of modes. For JPI TopSpeed, LogiTech, StoryBrook, and other compilers. From the creators of Repertoire (\$149), Macro2 (\$89), EmsStorage (\$89), DynaMatrix (\$69), ModBase (\$39), etc. MC/VISA/AMEX/COD.

### PMI

4536 SE 50th, Portland, OR 97206  
(503) 777-8844; FAX: (503) 777-0934

Inquiry 661.

## FREE BUYER'S GUIDE

Programmer's Connection is an independent dealer representing more than 300 manufacturers with over 800 software products for IBM personal computers and compatibles. We have serviced the professional programmer since 1984 by offering sound advice and low prices. Call or write today to receive your FREE comprehensive Buyer's Guide.

Programmer's Connection US 800-336-1166

7249 Whipple Ave. NW Canada 800-225-1166  
North Canton, OH 44720 International 216-494-3781

Inquiry 662.

## DISASSEMBLERS

### MPU OBJECT CODE on your PC

Relocatable, symbolic disassemblers are now available for the Motorola, Intel, RCA, TI, Rockwell, & Zilog micros! Automatic label generation, assembly capability and much more. Call and ask for what you need.

### RELMS™

P.O. Box 6719, San Jose, CA 95150  
(408) 356-1210

TWX 910-379-0014 (800) 448-4880

Inquiry 663.

## 'C' DOCUMENTATION TOOLS

- C-CALL \$39 Creates graphic-tree of caller/called structures, and files-vs-procedure table-of-contents
- C-HDR \$39 Creates/mstarts/updates headers for each procedure showing caller/called and identifiers
- C-LIST \$29 List, action-diagram, reformat programs
- C-REF \$29 Local/global/parameter cross reference
- SPECIAL \$99 All 4 plus integrated C-DOC version

### SOFTWARE BLACKSMITHS INC.

6064 St. Ives Way, Mississauga, ONT Canada L5N 4M1  
(416) 858-4466

Inquiry 664.

## PUBLIC DOMAIN

### OUTSTANDING IBM SOFTWARE ONLY \$3.00/DISK or Less

The Best of Shareware and Public Domain Programs. 5.25" and 350" formats.

Orders shipped First Class within 24 hours

Satisfaction guaranteed.

Write or call for FREE CATALOG

or Send 75¢ for a disk Catalog and sample programs

A.C.L. (916) 973-1850

1621 Fulton Ave., Suite #35-B3, Sacramento, CA 95825

Inquiry 665.

## \$3.00 SOFTWARE FOR IBM PC

Hundreds to choose from, wordprocessors, databases, spreadsheets, games, lotto, communications, business, music, bible, art, education, language and useful utilities for making your computer easier to learn. Most programs have documentation on the disk.

Free 125 page catalog.

### BEST BITS & BYTES

P.O. Box 8245, Dept-B, Van Nuys, CA 91409

In CA: (818) 764-9503 800-245-BYTE

Inquiry 666.

## PUBLIC DOMAIN

### 75¢ per DISK SALE

20 TOP IBM PC PD/SW DISKS (360K)  
ONLY \$15 + \$3 S&H

CubeCalc, EDRAW, AutoMenu, Math Tutor, PC-DOS Help, Baker's Dozen, Languages, EZ-Form, PC-Style, PackDisk, PC-Stock, KidGames, Best Games, Home Inventory PC-Outline, Form Letters, ImagePrint, SideWriter, PC-Prompt, Best Utilities

### BRIGHT FUTURES INCORPORATED

Dept. BYM, P.O. Box 1030, East Windsor, CT 06088  
FREE CATALOG (\$1 per disk/50¢ rental)

Inquiry 667.

## FREE SOFTWARE BEST OF PUBLIC DOMAIN & SHAREWARE.

Carefully selected and edited programs for I.B.M. Send S.A.S.E. for free catalog.

### C.C.S., Inc. Dept. B1

P.O. Box 312, Lafayette Hill, PA 19444

Inquiry 668.

## FREE CATALOG PUBLIC DOMAIN/SHAREWARE

• 400 IBM PC & compatibles disks •  
• 200 Amiga disks • 125 Atari ST disks

PC disks as low as \$1.25 each, Amiga & ST as low as \$1.60 each! Rent or buy. Free shipping! Call toll free, write or circle reader service for FREE BIG CATALOG with full descriptions. Please specify computer—48 hr. turnaround!

### Computer Solutions

P.O. Box 354—Dept. B, Mason, Michigan 48854  
1-800-874-9375 (M-F 10-6 EST) 1-517-628-2943

Inquiry 669.

## RENT SOFTWARE \$1/DISK

Rent Public Domain and User Supported Software for \$1 per diskfull or we'll copy. IBM (3 1/2" also), Apple, C-64, Sanyo 550 and Mac. Sampler \$3. VISA/MC. 24 hr. info/order line. (619) 941-3244 or send #10 SASE (specify computer) Money Back Guarantee!

### FutureSystems

Box 3040 (T), Vista, CA 92083

office: 10-6 PST Mon-Sat. (619) 941-9761

Inquiry 670.

## FREE IBM SOFTWARE

FREE CATALOG also contains SHAREWARE. 5 1/4 and 3 1/2-inch. All categories. ENGINEERING, CAD, DESKTOP PUBLISHING, LANGUAGES, UTILITIES, BUSINESS, GRAPHICS, SPREAD-SHEETS, WORD PROCESSORS, CHURCH, MEDICAL, HEALTH, EDUCATION, HOME.

### SECTOR SYSTEMS COMPANY, INC.

Dept. B-3, 416 Ocean Avenue, Marblehead, MA 01945  
(617) 639-2625

Inquiry 671.

## FREE SOFTWARE

Buy or Rent \$1/disk

World's largest Free Software Library of IBM PC & Compatibles and Macintosh. Over 3000 programs for Religion, Utilities, Business, Com., Word Processor, Education, and Games on 5 1/4" and 3 1/2" format. Best quality, lowest rate, and fastest service. For fast free catalogue write to:

### SOFTSHOPPE

P.O. Box 709, Ann Arbor, MI 48105  
(313) 763-8721

Inquiry 672.

# THE BUYER'S MART

## PUBLIC DOMAIN

### FREE SOFTWARE

We send you 15-20 new IBM programs a month on 5 disks—FREE! You pay only \$5. shipping/handling. Annual membership reg. \$29.95. Join today for only \$9.95 and we'll send you over 30 programs on 10 disks as a bonus—FREE! No gimmicks—no catches!

toll free 800 669-2669 ext 348

**SOFTWARE of the MONTH CLUB**  
we take visa/mastercard/amex

Inquiry 673.

## SECURITY

### THE ULTIMATE COPY PROTECTION

- Completely Menu Driven
- Defeats all Hardware/Software Copiers
- No Source Code Changes
- Multiple Layering
- No Damaged Media
- Full Hard Disk Support
- Unlimited Metering
- FREE Demo Disk

Quite  
Simply  
The Best  
Way To  
Protect  
Your Valuable  
Software Investment

STOPCOPY™ \$325<sup>00</sup>      STOPCOPY PLUS™ \$450<sup>00</sup>

**BBI COMPUTER SYSTEMS®** (301) 871-1094  
14105 Heritage La., Silver Spring, MD 20906 FAX: (301) 460-7545

Inquiry 674.

### PRIVACY-YES/VIRUS-NO

"TOBY" is a powerful software package for the protection of privacy and integrity of files of any type. Special format conversions for modem/BB use included. TOBY employs simple menu-driven commands featuring helpful user dialogue. For the IBM-PC line and true compatibles: coprocessor (8087, 80287, 80387) required. Program memory 36K. TOBY features a practical yet serious cryptographic capability which is an extension of the professionally-respected algorithm of MacClaren and Marsaglia (no DES, no RSA). US sales only. Specify 35" or 5.25" media. Check out MD for \$125 (Mass. orders add 5%).

**CSI**

P.O. Box 98, Newton, MA 02168

Inquiry 675.

### BIT-LOCK® SECURITY

Piracy SURVIVAL 5 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. Reliable/small port transparent security device. PARALLEL or SERIAL port. Complemented by economical KEY-LOK™ and multifunctional COMPULOCK™ including countdown, timeout, data encryption, and multiproduct protection.

### MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122

(303) 922-6410/770-1863

Inquiry 676.

### ELECTRONIC SHREDDER NOW AVAILABLE TO PUBLIC

**Absolute security. Program totally erases sensitive files while leaving all other files intact.** Eliminates deleted files on any size hard or floppy drive. Data CANNOT be re-created by ANY utility, IBM or Compatibles. Perfect for legal, financial, military applications. \$89. VISA/MC

### ProWest Inc.

4313 Lomas Blvd. NE, Albuquerque, NM 87110  
1-800-825-8375

Inquiry 677.

### COPY PROTECTION

The world's leading software manufacturers depend on Softguard copy protection systems. Your FREE DISKETTE introduces you to SuperLock™—invisible copy protection for IBM-PC (and compatibles) and Macintosh.

- Hard disk support
- Customized versions
- LAN support
- New upgrades available

(408) 773-9680

**SOFTGUARD SYSTEMS, INC.**

710 Lakeway, Suite 200, Sunnyvale, CA 94086  
FAX (408) 773-1405

Inquiry 678.

300 B Y T E • MARCH 1989

## SOFTWARE/ACCOUNTING

### dBASE BUSINESS TOOLS

- \* General Ledger
- \* Accounts Recvbl.
- \* Order Entry
- \* Sales Analysis
- \* Purch Ord/Inventory
- \* Accounts Payable
- \* Job Costing
- \* Job Estimating

\$99 EA. + s&h w/dBASE 2, 3 or 3+ SOURCE CODE

**DATAMAR SYSTEMS™** Cr. Crd/Chk/COD

4876-B Santa Monica Ave.  
San Diego, CA 92107 (619) 223-3344

Inquiry 679.

## SOFTWARE/BASIC

### Save time, money, & brain cells!

QuickWindows Advanced user-interface library supports windows, menus, dialog boxes, help, mouse, and more. For text and graphics modes thru VGA. Fast and intuitive! QuickComm communications library supports up to 16 comm ports, Hayes modems, xmodem and ymodem file transfer, and more. All interrupt driven. Easy to use! Each library written in assembly and comes with complete manual. \$139 each. For Microsoft QuickBasic or BASCOM.

### Software Interphase, Inc.

5 Bradley Street, Suite 106, Providence, RI 02908  
(401) 274-5465 Call now for FREE terminal/demo program.

Inquiry 680.

## SOFTWARE/BUSINESS

### DATA ENTRY SYSTEM

Heads-down data entry with two-pass verification for the IBM PS/2-PC/XT/AT & compatibles. Features include: Auto dup/skip, verify bypass, range checks, table lookups, a complete edit language. Fully menu driven. Price \$395

Call for our free 30 day trial period.

### COMPUTER KEYES

21929 Makah Rd., Woodway, WA 98020  
Tel: 206/776-6443 USA: 800/356-0203 Fax: 206/776-7210

Inquiry 681.

### LP88-SPREADSHEET LP

Our best selling menu-driven linear programming system now solves problems with 1000 constraints and 5000 variables up to 30 times faster. New version reads/writes Lotus worksheets. Use 1-2-3/Symphony as a matrix generator or post processor. Many other features including interactive and batch operation, spreadsheet style display, equation processor, problem/basis storage, file I/O, Simplex restart, report generator, sensitivity analysis. *ENews* says: "The flexibility and features of this program are a bargain at its low price." \$149 with 8087 support and 100-page manual. \$29 for working demo and manual.

### EASTERN SOFTWARE PRODUCTS, INC.

P.O. Box 15328, Alexandria, VA 22309 (703) 380-7600

Inquiry 681.

### Contact POWER

E-Z contact management system for hands-on lawyers, consultants, RE agents, mfr. reps & other client based professionals. Instant data, form letters, labels, schedules, time logs, ticklers—auto phone work—tracks mail, referrals, projects—text editor for notes & letters. Only \$395. IBM, 384K, HD. Send \$5.00 for working demo.

Parkside Computer Systems (714) 838-1888  
1241 Landfair, Santa Ana, CA 92705 Visa/MC

Inquiry 682.

### Simplify the Business of Business

### with SIMPLESOFT's Business Software

- \* General Ledger
- \* Accts Receivable
- \* Accts Payable
- \* Cashflow

\$49.95 each + S&H

\*\*\* Write for FREE CATALOG \*\*\*

### SIMPLESOFT SOFTWARE CORPORATION

1402 E. Guadalupe Road, Suite 228, Tempe, AZ 85283  
(602) 831-8105

Inquiry 683.

## SOFTWARE/ENGINEERING

### DATA ACQUISITION ON MS-DOS AT-VMC

Our compiler ALLCON can handle software for processes up to 100 P.I.D. reg and 100 PLC functions and 500 I/O in a realtime kernel. The system can be A control, alarm, regulating and measuring system with timechannels, peak, states, and supervision functions. Introduction price: The first 100 orders ALLCON software and one Multif. card with 16 A/I (12 bit), 1 A/O, 16 D/I and 16 D/O with daughterboards.

\$995.—for each CPU license

10 years exp. of computer

### ALLregulator AB

415 09 Göleborg Sweden

Fax 46 31434730 tel 46 31480180 agents wanted

Inquiry 684.

### PRACTICAL ENGINEERING TOOLS

Hobbyists — Students — Engineers  
CIRCUIT DESIGN — LOGIC SIMULATION  
FFT ANALYSIS — CIRCUIT ANALYSIS  
MATHEMATICS — PC/MSDOS  
VISA/MC

ALL UNDER \$50 — FREE CATALOG

**BSOFT Software (614) 491-0832**  
444 Colton Rd., Columbus, OH 43207

Inquiry 685.

### Affordable Engineering Software

### FREE APPLICATION GUIDE & CATALOG

Circuit Analysis • Root Locus • Thermal Analysis • Plotter Drivers • Engineering Graphics • Signal Processing • Active/Passive Filter Design • Transfer Function/FFT Analysis • Logic Simulation • Microstrip Design • PC/MSDOS • Macintosh • VISA/MC

### BV Engineering Professional Software

2023 Chicago Ave., Suite B-13, Riverside, CA 92507  
(714) 781-0252

Inquiry 686.

### SIMULATION WITH GPSS/PC™

GPSS/PC™ is an IBM personal computer implementation of the popular mainframe simulation language GPSS. Graphics, animation and an extremely interactive environment allow a totally new view of your simulations. Simulate complex real-world systems with the most interactive and visual yet economical simulation software.

### MINUTEMAN Software

P.O. Box 1717Y, Stow, Massachusetts, U.S.A.

(508) 897-5662 ext. 540 (800) 223-1430 ext. 540

Inquiry 687.

### Circuit Analysis — SPICE

Non-linear DC & Transient; Linear AC.  
• Version 3B1 with BSIM, GaAs, JFET, MOSFET, BJT, diode, etc. models, screen graphics, improved speed and convergence.  
• PC Version 2G6 available at \$95.

### Northern Valley Software

28327 Rothrock Dr., Rancho Palos Verdes, CA 90274

(213) 541-3677

Inquiry 688.

### ELECTRONIC TEMPLATES

### SCHEMATIC SYMBOLS

In Macintosh MacPaint format. Hundreds of symbols including: common components, TTL, CMOS, linear & more.  
Copy & Paste in seconds.

\$44.95 + \$3 S/H (CAL residents add 6%)

### OASIS DESIGNS

61159 El Coyote Ln., Joshua Tree, CA 92252  
619-366-8570

Inquiry 689.

## SOFTWARE/ENGINEERING

### FREE ENGINEERING MAGAZINE

*Personal Engineering* is a monthly magazine sent free of charge (USA only) to scientists/engineers who use PCs for technical applications. Topics each month include **Instrumentation • Data Acq/Control • Design Automation**. To receive a free sample issue and qualification form either circle below or send request on letterhead to:

**Personal Engineering Communications**

Box 300, Brockline, MA 02146

Inquiry 690.

### EC-Ace ANALOG CIRCUIT ANALYSIS

You can afford to get started with **EC-Ace**, a subset of the powerful **ECA-2** circuit simulator. Includes all the basics and built-in graphics.

- AC, DC, Temperature, Transient
- A full 525 pg. ECA-2 manual.
- Interactive, twice as fast as SPICE.

**EC-Ace 2.31 IBM PC or Mac \$145.**

Call 313-663-8810 for FREE DEMO

**Tatum Labs, Inc.**

1478 Mark Twain Ct., Ann Arbor, MI 48103

Inquiry 691.

### 68HC11 SIMULATOR \$95.00

Test software written for the 68HC11 on an IBM/PC/XT/AT or 100% compatibles. Single stepping, trace mode, breakpoints, interrupts, disassembler, EPROM simulation, much more! Tool for students and professionals. Check/Visa/MC. FAX (604) 294-9996 **Brochure available**

**WestShore Products**

22548 Kendrick Loop, Maple Ridge, B.C. Canada V2X 3W4 (604) 291-1179

Inquiry 692.

## SOFTWARE/GEOLOGICAL

### GEOLOGICAL CATALOG

Geological software for log plotting, gridding/contouring, hydrology, digitizing, 3-D solid modelling, synthetic seismogram, fracture analysis, image processing, scout ticket manager, over 50 programs in catalog. Macintosh too! Please call, or write, for Free Catalog!

**RockWare, Inc.**

4251 Kipling St., Suite 545, Wheat Ridge, CO 80033 USA  
(303) 423-5645

## SOFTWARE/GRAPHICS

### PC TECHNICAL GRAPHICS

TEKMAR is a graphics library for the **EGA** or **Techar** Graphics Master. Similar to PLOT-10, includes WINDOW, VIEWPORT, AXIS. Support for HP, HI plotters. Curve fitting, complete plotting program. Log, semi-log, multi-axis, 3-D, contours. Jerry Pournelle (Aug 86 Byte): "As good as any I have ever seen..." Demo disks, literature available.

**Advanced Systems Consultants**

21115 Devonshire St. #329, Chatsworth, CA 91311  
(818) 407-1059

Inquiry 693.

### PROFESSIONAL GRAPHICS FOR SCIENTISTS AND ENGINEERS PC/MSDOS • Macintosh

**FREE 48 page Catalog**

Linear/Log Scaling • Graphs with error bars • AUTO PLOT • BATCH Mode • Multiple Y-axes • Multiple data files • Auto/Forced Scaling • Full labelling • Built-in editor • 1-2-3 Interface • Curve fitting • Statistics • CGA, EGA & Hercules Compatible. 40 pen plotters supported.

**BV Engineering Professional Software**

2023 Chicago Ave., Suite B13, Riverside, CA 92507  
VISA/MC (714) 781-0252

Inquiry 694.

## SOFTWARE/GRAPHICS

### TurboGeometry Library

Over 150 2&3 dimensional routines, includes Intersections, Transformations, Equations, HiddenLines, Perspective, Curves, Areas, Volumes, Clipping, Planes, Vectors, Distance, Polydecomp, IBM PC and Comp. MAC, MSDOS 2+, Turbo Pascal, Turbo C, MSC & Turbo Pascal MAC. 400 pg. manual, source code \$149.95 + 5.00 S&H. Foreign add \$16.00. VISA, MC, Chk. PO. 30 Day guarantee.

**Disk Software, Inc.**

2116 E. Arapaho Rd., #487, Richardson, TX 75081

1-800-635-7760

(214) 423-7288 FAX: 214-423-4465

Inquiry 695.

## SEGS v 2.0

Scientific Engineering Graphics System

- Logarithmic, Time/Date & Linear Axes.
- Easy Curve Fitting and Data Smoothing.
- 1-2-3 Interface & Numeric Spreadsheet.
- Supports all Video & Device Standards.
- 10 Curves with up to 8000 points each.

**Edmond Software, Inc.**

5900 Mosteller Dr. #1124

Oklahoma City, OK 73112

405-842-0558

800-284-3381

Inquiry 696.

### PEN PLOTTER EMULATOR

FPLLOT turns your dot matrix or laser printer into an HP pen plotter. Fast hi-res output. No jagged lines. Vary line width, color. Works with Autocad, Drafix, etc. Supports NEC P5/P6, IBM Proprinter, Epson LQ/FX, Toshiba, HP Laserjet. Hercules/CGA/EGA/VGA for preview. \$64 check/m.o.

**FPLLOT CORPORATION**

24-16 Steinway St., Suite 605, Astoria, NY 11013

212-418-8469

Inquiry 697.

### GRAPHICS PRINTER SUPPORT

AT LAST! Use the *PrtSc* key to make quality scaled B&W or color reproductions of your display on any dot matrix, inkjet, or laser printer. GRAFFPLUS supports all versions of PC or MS-DOS with IBM (incl. EGA, VGA), Techar, and Hercules graphics boards. \$49.95.

**Jewell Technologies, Inc.**

4740 44th Ave. SW, Seattle, WA 98116

800-628-2828 x 527 (206) 937-1081

Inquiry 698.

### FORTRAN PROGRAMMER?

Now you can call 2-D and 3-D graphics routines within your FORTRAN program.

GRAF/MATIC: screen routines \$135  
PLOT/MATIC: plotter driver 135  
PRINT/MATIC: printer driver 135

For the IBM PC, XT, AT & compatibles. We support a variety of compilers, graphics bds., plotters and printers.

**MICROCOMPATIBLES**

301 Prelude Dr., Dept. B, Silver Spring, MD 20901 USA  
(301) 593-0683

Inquiry 699.

### STANDARD GRAPHICS

ANSI VDI compatible. Mapping, arcs, markers, text, orient, align, font loading, figure fill, image & more. Draw in bit-map or on display. Segmentation, transf., vm support, pick simul., bitblt, var size pattern fill, input option set, DRIVERS, print, plotter supp. Works with most "C" MS "QuickBASIC", "FORTRAN". EGA/VGA Examples, manual. \$395. Amex accepted.

**NOVA INC.**

P.O. Box 68976, Schaumburg, IL 60168

312-882-4111

Inquiry 700.

## SOFTWARE/INVESTMENTS

### STOCKS OPTIONS FUTURES

Turn Your PC Into A

#### MARKET QUOTATION MONITOR

100 page book covers satellite and radio data reception of financial news and quotes for your PC. \$19 (includes demo diskette). Free informative catalog of

- Data receivers and kits
- Quick processing and display software
- Descrambling software utilities

303-223-2120

\$5 Demo Diskette

**DATArx**

111 E. Drake Rd, Suite 7041, Fort Collins, CO 80525

Inquiry 701.

## SOFTWARE/LANGUAGES

### FORTH with DRUMA FORTH-83

Break the 64K barrier with this '83 standard implementation.

- 320K program space, no speed/space penalty
- 1MB+ memory with automated memory management
- On-line doc/glossary, full DOS & file interface
- Ascii/block files, assembler, editor, & others
- IBM PC/XT/AT & all compatibles

Attractive prices. Write or call for free diskette.

**DRUMA INC.**

6448 Hwy. 290 East E103, Austin, TX 78723

Orders: 512-323-0403 BBoard: 512-323-2402

Inquiry 702.

### FORTRAN for Macintosh

Language Systems FORTRAN is a full-featured FORTRAN 77 compiler integrated w/MPW. Full ANSI FORTRAN 77 plus VAX-type extensions. SANE numerical calculations & data types incl. COMPLEX\*16, 68000, 68020 and 68881 object code. Arrays greater than 32K. Link with Pascal, C, MacApp. \$359 w/MPW via air. MC/VISA/Check. MAC+, SE, Mac II. HD req.

**Language Systems Corp.**

441 Carlisle Drive, Herndon, VA 22070

(703) 478-0181

Inquiry 703.

## SOFTWARE/MATHEMATICS

### MATH EDITING FOR THE PC

$$x_i^2 = \sum_{k=0}^{\infty} [x_k^{2m}(\eta)] + \left( \frac{1}{\alpha} \int_{\alpha}^{\beta} F ds \right)$$

- MathEdit constructs math equations to be inserted into WordPerfect and TeX documents.
- User-friendly interface—no new word processor needs to be learned
- MathEdit—\$149

**K-TALK**

COMMUNICATIONS

50 Milliken Ave., Suite 100  
Columbus, Ohio 43201  
(614) 294-3535

Inquiry 704.

### MATHEMATICIANS—ENGINEERS

Have you ever seen functions of a complex variable? Would you like to really understand differential operators like div, grad and curl? How about a peek into the fourth dimension? Call or write for information on our latest PC and Macintosh software.

**Lascaux Graphics**

3220 Steuben Ave., Bronx, NY 10467

(212) 654-7429

Inquiry 705.

## SOFTWARE/MORTGAGE

### MORTGAGE COMPUTER SYSTEMS

For **LENDERS:**

- Construction Mortgage Servicing.
- Conventional Mortgage Servicing.
- Reverse Mortgage

For **BROKERS:**

- Best fit Borrower/Property/Lender/Commission.
- Risk Management
- Automatic Documents Creation.

Runs on IBM PC/XT/AT and compatibles.

**synthetic Intelligence Inc.**

(212) 967-2399 New York, NY, 10001

Inquiry 706.

# THE BUYER'S MART

## SOFTWARE/MUSIC

### IBM MUSIC FEATURE CARD!

Option card with 8 voice, multi-timbral MIDI synthesizer on board. Includes 240 pre-programmed Yamaha sounds, 96 programmable patches and a MIDI in/out thru interface. Use two cards to double capacities. An all-in-one MIDI Studio for IBM and compatibles for only \$495. Software available for recording, arranging and educational needs. Packages recommended. Dealers, catalogers, & VARs call for discount schedule.

Distributed by **MIX BOOKSHELF**

6400 Hollis St., #12, Emeryville, CA 94608 (415) 653-3307

1-800-233-9604

Inquiry 707.

## SOFTWARE/PACKAGING

### HARD TO FIND COMPUTER SUPPLIES FOR SOFTWARE DEVELOPERS & POWER USERS

Cloth binders & slipcases like IBM's. Vinyl binders, boxes, and folders in many sizes. Disk pages, envelopes, & labels. Low quantity imprinting. Bulk disks. Everything you need to bring your software to market. Disk and binder mailers. Much more! Low Prices! Fast service. Call or write for a FREE CATALOG.

**Anthropomorphic Systems, Limited**

376 E. St. Charles Rd., Lombard, IL 60148

1-800-DEAL-NOW 312-629-5160

Inquiry 708.

### SAVE SAVE SAVE SAVE LET'S TALK LABELS

We do disk labels (5 1/4" & 3 1/2")

• Better • Faster • Cheaper •

Because we specialize in disk labels... Let's Talk

We also have Tyvek Sleeves

Mailers • Binders • Vinyl Pages

We are a complete software packaging service.

**Hice & Associates**

9303 Cincinnati-Columbus Rd., West Chester, OH 45069

513-777-0133

Inquiry 709.

## SOFTWARE/PRINTER

### PRINTER GENIUS

Powerful memory resident printer management • Control printer features from menus or within documents • Print spool to disk files or memory • Background print • File & directory browse • Edit small text • and more... • User friendly pop-up screens • 92 page manual • Preset for all printers • Completely flexible • PC MS-DOS • \$89 + \$4 S/H • VISA/MC

**Nor Software Inc.**

527 3rd Ave., Suite 150, New York, NY 10016

(212) 213-9118

Inquiry 710.

## SOFTWARE/SCANNERS

### Optical Character Recognition

Stop retyping. PC-OCR™ software will convert typed or printed pages into editable text files for your word processor. Works with HP ScanJet, Panasonic and most other scanners. Supplied with 18 popular fonts. User trainable, you can teach PC-OCR™ to read virtually any typestyle, incl. foreign fonts. Proportional text, matrix printer output, Xerox copies OK. \$385. Check/VISA/MC/AmExp/COD

**Essex Publishing Co.**

P.O. Box 391, Cedar Grove, NJ 07009

(201) 783-6940

Inquiry 711.

## SOFTWARE/SCIENTIFIC

### DATA ACQUISITION & ANALYSIS ON PC'S

• Free application assistance. Tell us about your DSP, process control, A/D or DA needs. Our expert engineering staff will provide you with a system solution to fit your needs and budget.  
• A/D & IEEE 488 boards from Metrabyte Scientific Solutions and National Instruments.  
• Analysis software including PRIME FACTOR FFT subroutine library, FOURIER PERSPECTIVE II advanced linear systems analysis.  
• Menu driven software from Uniel, Laboratory Technologies, Quinn-Curtis, and Golden. Scientific Engineering 2 & 3D graphics.  
See "What's New", page 80, BYTE July, 1988

LOW PRICES—SELECTION GUARANTEED

**ALLIGATOR TECHNOLOGIES**

PO Box 9708, Fountain Valley, CA 92708

Tel. (714) 850-9984 FAX. (714) 850-9987 MCI. ALLIGATOR

Inquiry 712.

302 B Y T E • MARCH 1989

## SOFTWARE/SCIENTIFIC

### POWERFUL EQN SOLVER

RISK FREE \$99 OFFER With Top 10 Word Processor!

Graphics Built-In • Coupled (singular) diff eqn • Indefinite (singular) integrals • New functions/algorithms/solutions • Fit 60th order curves to imported data • COMPLEX/real roots • Programming • 47 predefinitions • 14 digit accuracy • More • "Dev. over 40 years" EETimes • MS-DOS, 640Kb, graphics card • CURVE"

CALL TODAY, 800-648-5353 x100

VISA/MC/COD/Check

**Curve Systems International**

11683 San Vicente Blvd., Suite 350, L.A., CA 90049

Inquiry 713.

### OUR CATALOG WILL SAVE YOU TIME AND MONEY!

It describes (i) GRAPH, a \$79 scientific plotting program, (ii) MINSQ, a powerful \$179 package for curve fitting and model development, (iii) LAPLACE, a simulation program employing numerical inversion of transforms (\$249), and (iv) RSTRIP for exponential stripping (\$249). Call today for our free 16 page catalog with detailed technical application notes

**MicroMath Scientific Software**

Salt Lake City, Utah 84121-3144

For orders or catalogs call: (800) 942-MATH

Inquiry 714.

### ORDINARY/PARTIAL DIFFERENTIAL EQN SOLVER

FOR THE IBM PC & COMPATIBLES

**MICROCOMPATIBLES INC.**

301 Prelude Dr., Silver Spring, MD 20901

(301) 593-0683

Inquiry 715.

### Scientific/Engineering/Graphics Libraries Turbo Pascal, Turbo C, Microsoft C

Send for FREE catalogue of software tools for Scientists and Engineers. Includes: Scientific subroutine libraries, device independent graphics libraries (including EGA, HP plotter and Laserjet support), scientific charting libraries, 3-D plotting library, data acquisition libraries, menu-driven process control software. Versions available for a variety of popular languages.

**Quinn-Curtis**

1191 Chestnut St., Unit 2-5, Newton, MA 02164

(617) 965-5660

Inquiry 716.

### SOLVER-Q

a numerical & equation handling program by Prof. F. Alvarado. U.Wisconsin, does symbolic math (over 500 simultaneous non-linear equations, multiple non-linear regression, complex equations, symbolic differentiation, graphics... ) Easy-to-use, on-line tutorial, menu-based, full screen editor, manual. Requires MS-DOS 2.0+.

**Scientific LOGICS Inc.**

Excellence in Software for Science and Engineering

21910 Alcazar Ave., Cupertino, CA 95014

(408) 446-3575 Compuserve 74017,663

Inquiry 717.

## SOFTWARE/SECURITY

### CodeSafe™ Virus Protection System

Protects all hard disks, any size • Detects any dormant virus • Protects all COM, EXE, and associated OVL files. Not just the system files (like other products) • Detects corruption of Boot sector and DOS • Supports all PCMS DOS machines • DOS 2.0 to 4.0 • Mono, Herc, CGA, EGA • Includes both 5 1/4" and 3 1/2" disks • Transparent to user • Warning windows will open, with options if a problem occurs • Memory resident approx. 10 to 20 K, depending on the number of files.

TOLL FREE TECH SUPPORT • 30 Day Money Back Guarantee

NOT COPY-PROTECTED \$69.95

**ChrisWare, Inc.**

15415 N. Eden Dr., Eden Prairie, MN 55346

TOLL FREE 1-800-325-8448 Visa and Master Card accepted

Inquiry 718.

World Radio History

## SOFTWARE/SECURITY

### PC Security Products

A complete line for: PC access, back-ups, modems, software piracy, virus detection, file encryption, and data protection. Featuring CodeSafe H/W copy protection with sophisticated file encryption. Brochures and Demos available.

**Gamma Security Products**

710 Wilshire Blvd., #609, Santa Monica, CA 90401

Tel: 213/394-8622 Fax: 213/395-4214 Tlx: 5106008273

Inquiry 719.

## SOFTWARE/SORT

### OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and filetypes including Btrieve and dBASE. Unlimited file sizes, multiple keys and much more! MS-DOS \$149. XENIX \$249.

(702) 588-3737

**Opt-Tech Data Processing**

P.O. Box 678 - Zephyr Cove, NV 89448

Inquiry 720.

## SOFTWARE/TAX PREP

### TAX PAK

5th year—Sched A B C D E F R S Firms 1040 1040A 1065 2106 2119 2441 3468 3800 3903 4137 4562 4684 4797 4972 6251 6252 8582 8606 8615. IRS approved printing for IBM PC. Professional allows multiple clients, Batch Processing, & Tax Organizer; \$185. Personal has abbreviated list of forms & features \$37. Annual updates \$125 & \$27 respectively.

**Candelaria Works**

3955 Club Dr., Atlanta, GA 30319 (404) 266-2420

Inquiry 721.

### APRIL 15th™

Tax preparation package based on Lotus 1-2-3, 2.0 for IBM-compatible PC w/512K. Includes 1040, 1040A, all Schedules & 12+ supporting Forms. IRS-acceptable printouts (except 1040, 1040A). Easy-to-use menu functions & Help files. 1988 Version \$49.95. Low-cost '87 demo available for '88 tax planning.

**JD Enterprises**

P.O. Box 658 St. Ann MO 63074

(314) 427-3353

Inquiry 722.

### 1988 TAXES FAST, EASY, ACCURATE

IBM/Compatibles, Commodore-Amiga. Prints forms, audits taxes, multiple returns, 20 forms and schedules, saves to disk, forecast 1989 taxes. ONLY \$34.95. Add \$4 S/H, MA add 5% Sales Tax, Check, M.O., Credit Cards.

**Quality Business Systems**

P.O. Box 805, Hudson, MA 01749

1-800-225-5800

Inquiry 723.

## SOFTWARE/SCIENTIFIC

### The BASS System™

Why use up 8 meg and 640K just to run a data step on your PC? Now you can run your data step code and statistical procs with a system that takes only 1 meg and 400K (and costs only \$399)! Free information:

**BASS Institute, Inc.**

P.O. Box 349, Chapel Hill, NC 27514

(919) 933-7096 or BB: (919) 968-6755 (N,8,1)

Inquiry 724.

## STATISTICS

### STATATA

NEW RELEASE NOW AVAILABLE. Even better graphics, expanded on-line help, and much more. Still only \$590. Quantity and Academic Discounts available. \$20 Demo. Call toll-free for more information. AX/VISA/MC.

**1-800-STATAPC**  
**Computing Resource Center**  
 10801 National Boulevard Los Angeles, CA 90064  
 (213) 470-4341

Inquiry 725.

## STATISTICS

### STATISTIX™ II

Comprehensive, powerful and incredibly easy-to-use. Full screen editor, transformations, linear models (ANOVA, regression, logit, PCA, etc), ARIMA, most standard stat procedures. Clear, well organized documentation. Satisfaction guaranteed. \$169 PC DOS, \$99 Apple II.

**NH ANALYTICAL SOFTWARE**  
 PO. Box 13204, Roseville, MN 55113  
 (612) 631-2852

Inquiry 730.

## UTILITIES

### MATCH PRINTERS TO PC

For less than \$30 MatchFont and Match-a-Printer are great for foreign and scientific writings. Get all the characters you need from most programs and printers (Apple & Epson printers, daisywheels, etc.), Greek, French, Italian, Spanish, German, Swedish, Japanese, graphics. You name it! To receive a demo disk send \$5 refundable upon purchase to:

### MATCH SOFTWARE

6426 Coldwater Canyon, North Hollywood, CA 91606-1113

Inquiry 736.

## THE SURVEY SYSTEM

An easy-to-use package designed specifically for questionnaire data. Produces banner format, cross tabs & related tables, statistics (incl. regression) & bar charts. Codes and reports answers to open-end questions. All reports are camera-ready for professional presentations. CRT interviewing option.

**CREATIVE RESEARCH SYSTEMS**  
 15 Lone Oak Ctr., Dept. B, Petaluma, CA 94952  
 707-765-1001

## NCSS

Professional, easy to use, menu driven statistical system. Used by over 5,000 researchers.

- 5.0 Statistical System—\$99
- 5.1 Graphics (2D & 3D)—\$59
- 5.3 Power Pac Supplement—\$49
- 5.4 Exp. Design/QC—\$49
- 5.5 Survival Analysis—\$59

We accept checks, PO's, Visa, MC. Add \$3 s/h.

### NCSS-B

865 East 400 North, Kaysville, UT 84037  
 801-546-0445

Inquiry 731.

## ATTENTION FORMAT VICTIMS!!!

REARGUARD password protects you from accidental formatting of your hard disk. Not memory resident nor modifies DOS. Completely automated installation. Manual and diskette provided.

ONLY \$29.00 + \$4.00 S/H VISA/MC/COD UPS B/R

### MICROBRIDGE COMPUTERS

655 Sky Way #125, San Carlos, CA 94070

Order toll free 1-800-523-8777

415-593-8777 (CA) 212-334-1858 (NY)  
 TELEX EZLINK 62873089 FAX 415-593-7675

Inquiry 737.

## STATISTICS CATALOG!

Call for the catalog full of professional programs for general statistics, analysis of variance, regression, questionnaire analysis and quality control. Thoroughly tested and easy to use. The programs come with complete documentation. Programs available for PC or Apple II. Call toll free now for your free catalog.

### HUMAN SYSTEMS DYNAMICS

9010 Reseda Blvd., Suite 222  
 Northridge, CA 91324

(800) 451-3030 (818) 993-8536 (CA)

Inquiry 726.

## A-Cross

This year's #1 Cross Tab package!

Easy to learn & easy to use. Superfast, Supereasy "Point & Pick" operation. #1 in connections, statistics and tabulation features. Output to Lotus WKS files, ASCII, and laser printers. #1 with leading market research firms and Fortune 500 companies. Accepts dBase, ASCII & Column-binary data. CALL FOR INFO AND FREE DEMO DISK

### STRAWBERRY SOFTWARE

42 Pleasant Street, Watertown, MA 02172  
 (617) 923-8800 or FAX: (617) 926-0134

Inquiry 732.

## COPY AT TO PC

The 1.2mb drive has long been known to READ but NOT reliably WRITE on 360KB floppies. With "CPYAT2PC"™ 1.2mb drives CAN reliably WRITE 360kb floppies saving a slot for a second hard disk or backup tape. "CPYAT2PC" (Not Copy Protected) offers the preferable SOFTWARE SOLUTION: ONLY \$79+\$4 S/H VISA/MC/COD UPS B/R

### MICROBRIDGE COMPUTERS

655 Skyway, San Carlos, CA 94070

Order toll free 1-800-523-8777

415-593-8777 (CA) 212-334-1858 (NY)  
 TELEX EZLINK 62873089 FAX 415-593-7675

Inquiry 738.

## STATISTICAL NAVIGATOR™

Statistical Navigator an expert system using AI strategies to help guide the researcher to the appropriate statistical analysis. Based on your answers, it suggests several analyses ranked by suitability. It explains what the analysis does and how it fits your objectives and assumptions. Special retro price \$99.95 + s/h.

VISA/MC/AMEX/PO, 30 day-guarantee.

### The Idea Works, Inc.

100 West Briarwood, Columbia, MO 65203

1-800-537-4866 314-445-4554

Inquiry 727.

## StatPac Gold™

Voted World's Best Statistical & Forecasting Package in 1987 by PC World Magazine readers. Six times more votes than the next closest competitor. More comprehensive & easier to use than all others. Get the facts. Call now for your FREE brochure.

1-800-328-4907

### Walonick Associates, Inc.

6500 Nicollet Ave. S., Minneapolis., MN 55423  
 (612) 866-9022

Inquiry 733.

## UTILITIES

### VIDEO SYSTEM TEST

This menu-driven utility tests your PC/XT/AT video monitor and controller board combination for compatibility with 17 video modes, including 8514/A, VGA, EGA, CGA, and Hercules. Also provides test pattern for screen adjustment. \$25.

### Adventa Corporation

1016 E. El Camino Real, Ste 223, Santa Clara, CA 94087  
 (408) 946-8545

Inquiry 734.

### SIR/DBMS DEMO KIT (7.5 Mb) \$49.95

Since 1976, SIR/DBMS has PIONEERED Advanced DBMS Technology DESIGNED to handle the changing complexities of Scientific, Engineering, and Research Database Management. SIR/DBMS is also DESIGNED to Provide THE BEST DIRECT Interfaces to SAS, SPSS, @MOP, & SYSTAT. SIR/DBMS offers True Application Level Portability from PCs thru Supercomputers!

**MAYBE YOU SHOULD TRY SIR/DBMS??**

Order Now! Ref. Buyer's Mart Special Offer!

**SIR, A Division of Inter Systems Inc.**

312-480-9270 (IL) 703-642-1600 (VA)

Inquiry 728.

### XPage Breaks 640k!

Why buy expensive EMS boards? OS/2 is not going to use it. XPage turns your PC/XT/AT hard disk space or AT extended memory as EMS memory. It's compatible with most DOS EMS applications. Write for free information or send check/money order \$39 + \$3 s/h to:

### RMC Technologies

7 Baron Park La., #21, Burlington, MA 01803  
 (617) 272-8208

Inquiry 739.

### MINITAB's a PC of cake!

MINITAB's intuitive commands are easy to use and remember. Features descriptive statistics, regression, time series, chi-square, hi-res graphics, much more. PC version incl. LOTUS interface, 30-day trial, network pricing. Call for FREE brochure.

### Minitab, Inc.

3081 Enterprise Dr., State College, PA 16801

(814) 238-3280

Inquiry 729.

### Class-A-File

A database for your DOS files. Automatically tracks last access, update, and creation dates. You classify each file, specify ownership using pop-up interface accessible from any program. Class-A-File sorts and reports according to your selection. Like adding secondary keys to the DOS files system. \$69.95.

### Automation Technology Research

4790 Irvine Blvd. #105-376, Irvine, CA 92720

(714) 838-6607

Inquiry 735.

### LOGGER®

Logger, for IBM-PC and compatibles, tracks and reports: User, Time on, Time off, Directories used, Programs used, Program start/end time, and calculates totals. Tracks directories/files: Opened, Created, Renamed, Deleted. Completely transparent. Retail for \$74.95 with quantity discounts available.

### System Automation Software, Inc.

8555 16th St., Silver Spring, MD 20910

1-800-321-3267 or 1-301-565-8080

Inquiry 740.

# THE BUYER'S MART

## UTILITIES

**\$79.95!!**

Order the RED Utilities now! Programs include: Disk cache speeds hard and floppy disks. Printer spooler. Batch file compiler speeds batch files. Path command for data files. Wild card exceptions. Sort directories. Over 10 more programs. IBM PC. Visa/MC. Send for free catalog.

**The Wenham Software Company**

5 Burley St., Wenham, MA 01984 (508) 774-7036

Inquiry 741.

## WORD PROCESSING

### JAPANESE WORD PROCESSOR FOR IBM

EW Plus is the first complete Japanese word processor for IBM PS/2 and AT. Contains about 8000 KANJI and KANA characters, as well as a 45000 word dictionary. Fully supports Japanese standards. Powerful Roma-ji to KANJI conversion. For IBM PS/2, AT, Toshiba laptops. Requirements: VGA, EGA, Hercules; 512k Memory; Hard Disk. Printers: Epson LQ 24 dot; IBM 9 pin, XL24; HP LaserJet.

For details call:

**Information Technology Lab., Inc.**

280 Park Ave., 4E, New York, NY 10017

TEL (212) 557-0177 FAX (212) 557-0179

Inquiry 743.

## WORD PROCESSING

### PC-Write 3.0 — Shareware

Fast, full featured word processor for IBM PC. Now edits large files & multiple columns. Also spell check, mailmerge, networking, ASCII, and macros. Easy to use, optional menus. Supports 500 printers incl. lasers. Software, guide and tutorial on disk: \$16. Registration with manual, support newsletter and 2 free updates: \$89.

90 day money back guarantee. VISA/MC.

**Quicksoft** 1-800-888-8088

219 First Ave. N., #224-BYTC, Seattle, WA 98109

Inquiry 745.

## ' WORD PROCESSING

### FARSI / GREEK / ARABIC / RUSSIAN

Hebrew, all European, Scandinavian, plus either Hindi, Punjabi, Bengali, Gujarati, Tamil, Thai, Korean, Viet. or IPA. Full-featured multi-language word processor supports on-screen foreign characters and NLO printing with no hardware modifications. Includes Font Editor. \$355 dot matrix; \$150 add'l for laser; \$19 demo. S/H in U.S. incl'd. Req. PC, 640K, graphics. 30 day Guarantee. MC/VISA/AMEX

**GAMMA PRODUCTIONS, INC.**

710 Wilshire Blvd., Suite 609, Santa Monica, CA 90401  
213/394-8622 Tlx: 5106008273 Gamma Pro SNM

Inquiry 742.

### DuangJan

Bilingual word processor for English and: Armenian, Bengali Euro/Latin, Greek, Hindi, Khmer, Lao, Punjabi, Russian, Sinhalese, Tamil, Thai, Viet. \$109+\$5 s/h (foreign + \$12 s/h). Font editor included. For IBM with dot-matrix & LaserJet printer. Demo \$6 + \$1 s/h.

**MegaChomp Company**

3524 Cottman Ave., Philadelphia, PA 19149-1606

(215) 331-2748

Inquiry 744.

### YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

### THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!

Call Brian Higgins for more information

**603-924-3754**

Inquiry 746.

	1985	1986	1987	1988	1989
Jan.	\$4.00	\$6.00		\$6.00	\$6.00
Feb.	\$4.00	\$6.00	\$6.00		\$6.00
March	\$4.00	\$6.00	\$6.00	\$6.00	
April	\$4.00	\$6.00	\$6.00		
May	\$4.00	\$6.00		\$6.00	
June	\$4.00	\$6.00	\$6.00	\$6.00*	
July		\$6.00	\$6.00	\$6.00	
Aug.	\$4.00	\$6.00	\$6.00	\$6.00	
Sept.	\$4.00	\$6.00	\$6.00	\$6.00	
Oct.	\$4.00	\$6.00	\$6.00	\$6.00	
Nov.	\$4.00			\$6.00	
Dec.	\$4.00	\$6.00	\$6.00	\$6.00	

\* Benchmarks Issue 1/2 Price

Check enclosed

Payments from foreign countries must be made in US funds payable at a US bank.

VISA  MasterCard CARD # \_\_\_\_\_

EXP. DATE \_\_\_\_\_

SIGNATURE \_\_\_\_\_

The above prices include postage in the US. Please add \$ .50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery). Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

## BACK ISSUES FOR SALE

### SPECIAL ISSUES and INDEX

BYTE '83-'84 INDEX	\$3.00
BYTE 1985 INDEX	\$3.00
BYTE 1986 INDEX	\$3.00
BYTE 1987 INDEX	\$3.00
1985 INSIDE THE IBM PCs	\$4.00
1986 INSIDE THE IBM PCs	\$5.00
1987 INSIDE THE IBM PCs	\$6.00
1988 INSIDE THE IBM PCs	\$6.00
APPLICATIONS SOFTWARE TODAY SPECIAL	\$4.00

Circle and send requests with payments to:

**BYTE Back Issues**  
One Phoenix Mill Lane  
Peterborough, NH 03458  
(603) 924-9281

**Special !**  
**CompuGUARD**

Anti-VIRUS ... \$75  
Access Control ... \$129

**Best Buy**  
see Floppy Drives

**SAVE UP TO 70%**

**SINCE 1984**



THE PRIMITIVE DRAUGHTSMAN

PRODUCTS NOT LISTED ... CALL!

**CAD...etc.**  
PC & MAC

**New Orders: 1-800-621-3999**

**AST Premium**  
288/386  
**Call**

**ZENITH 1490**  
FlatScreen  
**\$579**

**DRAFIX**  
Ultra, 1 Plus or 3D Module  
**Call**

**MITSUBISHI**  
Diamond Scan AT 40Mb Disk 23 ms  
**\$477 \$379**

**VENTURA PAGE-MAKER**  
PUB 2.0  
**\$457 Call**

**Summagraphics**  
Mac 12x12 Tablet  
**\$269**

**DESIGN CAD**  
Standard or 3D  
**\$145**

**SMART MODEM**  
1200B Int. 2400B Int.  
**\$59 \$115**

**PANASONIC**  
10911-m2 1124  
**\$179 Call**

**SCANNERS**  
ScanMan or Complete PC HandScanner  
**\$155**

**PRINTERS & LASERS**

Abs	Call
Canon BJ-130	Call
Citizen 180-D	Call
MSP-15E	295
MSP-40	269
MSP-45	389
MSP-50	345
MSP-55	440
Premiere 35	439
Tribute 124	439
Tribute 224	579
Diconix 150	295
HP LaserJet II	1690
JDL 850 Series	Call
NEC LC890	Call
Panasonic 1080i-m2	155
10911-m2	189
1124	Call
1592/1595	382/418
1524	515
Toshiba 321-SL	455
341-SL	609
351-SX	888
Others	Call

**SOFTWARE (cont.)**

Excell PC	281
FastBack	89
FastBack Plus	85
FormTool	52
FreeLance Plus	293
Fox Base Plus	179
GEM Draw Plus	159
Generic Cadd 3.0	48
Generic Cadd Others	Call
Harvard Graphics	255
In House Act	107
King Quest IV	35
Laplank Plus	74
Liesure Suit Larry II	35
Lighting Hard Disk Speedup	59
Lotus 123 2.01	Call
Lotus Agenda	Call
Managing Your Money	113
MathCad 2.0	195
MicroSoft Flight Sim	35
MicroSoft Windows 2.0	56
MS-Dos 3.3	95
Norton Util 4.0	45
Novell Netware 286	Call
PageMaker 3.0	Call
Paradox 2.0	391
PC Tools Deluxe	Call
PathMinder 4.0	55
Peachtree Accounting II	145
Peachtree Quere	Call
PFS: First Choice 3.0	85
PFS: First Publisher 2.0	67
PFS: Professional File 2.0	Call
PFS: Professional Plan 1.02	51
PFS: Professional Write 2.0	102
Plan Perfect	185
Q&A	177
Q&A Write	115
Quattro	132
Rapid File	172
R-Base for DOS	415
ShipMate™ (ups Manifest)	199
SideKick Plus	Call
Smart System	418
Sprint	115
Tops	101
Turbo Basic, C, or Pascal	85
Ventura Publishing 2.0	458
VersaCad & Libraries	Call
Windows	Call
WordPerfect 5.0	213
XTree	33
XTreePro	58
XTreeNet	Call

**MONITORS**

Amdek 1280 & Card	639
210A	87
Hitachi 20" SuperScan	2090
Mitsubishi Diamond Scan 1381	477
Monitorm Viking	Call
NEC Multisync II	565
Multisync GS	185
Others	Call
Samsung	Call
Sigma Designs LaserView	Call
Sony Multiscan 1302	650
Multiscan 1303	475
Zenith 1490 FlatScreen	579

**SOFTWARE**

AutoSketch®	59
BoeingGraph	189
By-Line	169
Carbon Copy Plus	103
Clipper	369
Copy II PC	18
Corefast	75
Dac Easy 3.0	58
dBase IV	Call
DesignCad	145
Deskink	92
DesqView	69
Drafix 1 Plus	Call
Drafix Ultra	Call
Drafix 3D Mod & Options	Call
Dollars & Sense	95
Easy Xtra	54

**DIGITIZERS & PLOTTERS**

Calcomp 1023-GT	Call
1043-GT	5898
Drawing Brd 12x12 16-Btn	369
Enter Sweet-p 600	598
Houston Instruments	Call
DMP 41/42	2098

**HITACHI Digitizer**  
10 Year Warranty  
Puma Pro 12x12  
(replacing Tiger Tablet)  
4-Btn Cursor, 1-Btn Pen & Mouse Emulator.  
**\$349**

Digitizers & Plotters (cont.)

DMP 51MP	3550
DMP 51	3200
DMP 52MP	2600
DMP 52	2300
DMP 56A	3800
DMP 61	2890
DMP 82	3990
MP Options	Call
Hitachi Puma Tab (10-Year Warranty)	Call
PumaPro 12x12,4btn,Pen,SW	349
PumaPro 12x12,12btn,SW	369
loine	Call
JDL 850 Series	Call
Kurta IS 12x12	285
IS 12x17	485
Summagraphics 12x12 Plus	329
18x12 Pro w/4 Butt & Stylus	559
Mac Bit Pad 12x12,4But,Sty	269



T-1000 \$779

**HELPERS**

Logical Connection 256/512k	Call
Others	Call
ScanMan	155

Clones 286/386 .... Call

**WANTED**  
Original Programs - utilities, applications, etc. Earn royalties in just 90 days.  
Mail or Fax your info to attn: Bill, M.S.-DOS & MAC compatible only.

**DRIVES, MODEMS & FAX**

Fujitsu 3.5" 720k Drive	84
Mitsubishi AT 40/64 Mb Hard Drive	1/2 ht., 23ms
Panasonic FAX Board	699
Seagate ST225 w/card	260
ST238 30Mb w/card	285
Sharp Fax UX-140 & Phone	969
Smart Modem 1200B int w/sw	58
2400B int w/sw	115
Teac 3.5" 720k Drive	79
3.5" 1.44Mb Drive	95
5.25" 360k Drive	75
5.25" 1.2Mb Drive	87
US Robotics	Call

**BOARDS & NETWORKS**

3-Corn Etherlink	Call
Adage AD10/4	Call
AD10/8L	Call
ArcNet	Call
Artist	Call
AST	Call
ATIEGA Wonder	169
VIP VGA	249
Copy II Opt Board Dk	95
EtherNet Plus	Call
Genoa VGA 760x1024	379
Hercules Graphics Plus	169
Intel AboveBoard 286/512k	359
AboveBoard PS 286/512k	388
Paradise EGA 480	Call
VGA Plus	Call
VGA Plus 16	Call
VGA Pro	Call
Sigma Designs VGA	209
Tops Flashcard	143
Verticom	Call
Video 7 Vega Deluxe	177
V-Ram	Call
Vega VGA	\$255
Western Digital EtherNet Plus	Call

**COMPUTERS**

AST Premium	286 Model 80	1349
286 Model 140X		2098
386 Model 300		2475
Mitsubishi MP286L		Call
NEC Multispeed		1079
Multispeed EL II		1423
Multispeed HD		2209
Toshiba Laptops		Call
T1000		779
Zenith Laptops		
SuperSport-Dual		1570
SuperSport 20Mb		2357
SuperSport 286 20Mb		3298
SuperSport 286 40Mb		Call

**Intel coprocessors**  
Genuine & New

8087-2	132
80287-8	205
80287-10	239
80387-16	Call
80387-20	Call
80387-25	549
80387-SX	398
80C287A (for Laptops)	299

**MOUSE**

Logitech C7 Serial or Bus	64
C7 Clear Mouse & Paint	85
HiRez Bus	82
Bus & Paint	82
Serial & Publisher	104

**OPTICAL**

OptiDriver Kit	525
40 ms equiv. for most optiDrives	

**DataBase Special**

dBase IV ...	455
FoxBase Plus ...	179
Paradox ...	429
Rapid File ...	175
Rbase for DOS ...	415
Q & A ...	177
Quattro ...	149

**MHI Warehouse, Inc.**  
8129 N. 35th Ave. #2-306  
Phoenix, AZ 85051

New Orders:  
**1-800-621-3999**  
Order Info: 602-997-8877  
Fax: 602-943-3833

**It PAYS to BUY-MHI!**  
Service You Expect !!

Volume Bids Welcome!

VISA  
MASTERCARD  
PO's  
Just Call First.

Pre-approved P.O.'s are welcome. Prices reflect cash discount and are subject to change without notice. Product compatibility, warranties, & claims are responsibility of manufacturer only. All returns are subject to a restocking fee. Personal/Company checks delay shipping. AZ orders only add 6.7% tax. Orders are processed same Day. International orders Call (602) 881-1090.

**NEC V20 & V30 CHIPS**

Replace the 8086 or 8088 in Your IBM PC and Increase its Speed by up to 30%!

Part No.	Price
UPD70108-5 (5MHz) V20 Chip	\$ 7.49
UPD70108-8 (8MHz) V20 Chip	\$10.75 \$ 9.49
UPD70108-10 (10MHz) V20 Chip	\$12.95 \$12.25
UPD70116-8 (8MHz) V30 Chip	\$9.95 \$ 7.95
UPD70116-10 (10MHz) V30 Chip	\$10.95 \$15.49

**7400**

Part No.	1-9	10+	Part No.	1-9	10+
7400	SALE	15	7485	SALE	45
7402	29	19	7486	SALE	25
7404	SALE	15	7489	1.95	1.85
7405	35	25	7490	49	39
7406	39	29	7493	45	35
7407	SALE	25	74121	SALE	25
7408	35	25	74123	SALE	35
7410	SALE	15	74125	SALE	35
7414	SALE	25	74126	SALE	35
7416	SALE	19	74143	SALE	3.95
7417	SALE	19	74150	SALE	1.00
7420	29	19	74154	1.35	1.25
7430	SALE	15	74158	SALE	1.25
7432	39	29	74173	SALE	59
7438	SALE	25	74174	SALE	35
7442	SALE	25	74175	SALE	49
7445	SALE	59	74176	SALE	49
7446	89	79	74181	SALE	1.49
7447	89	79	74189	SALE	1.49
7448	1.95	1.85	74193	79	69
7472	SALE	25	74198	SALE	1.25
7473	39	29	74221	SALE	69
7474	SALE	25	74273	SALE	1.49
7475	49	39	74365	SALE	35
7476	45	35	74367	SALE	35

**74LS**

74LS00	SALE	15	74LS165	75	65
74LS02	SALE	15	74LS166	SALE	69
74LS04	SALE	16	74LS173	SALE	25
74LS05	SALE	19	74LS174	SALE	25
74LS06	59	49	74LS175	SALE	2.95
74LS07	59	49	74LS189	SALE	2.95
74LS08	28	18	74LS191	SALE	39
74LS10	SALE	15	74LS193	69	59
74LS14	39	29	74LS240	SALE	45
74LS27	SALE	19	74LS221	SALE	45
74LS32	SALE	15	74LS243	SALE	45
74LS32	SALE	19	74LS244	SALE	49
74LS42	SALE	19	74LS245	SALE	59
74LS47	89	79	74LS259	89	79
74LS53	SALE	25	74LS273	89	79
74LS54	SALE	19	74LS279	49	39
74LS75	SALE	25	74LS322	3.49	3.39
74LS76	59	49	74LS365	SALE	35
74LS85	59	49	74LS366	SALE	35
74LS86	29	19	74LS367	SALE	29
74LS90	SALE	29	74LS368	SALE	35
74LS93	SALE	29	74LS373	SALE	59
74LS123	SALE	35	74LS374	SALE	49
74LS125	49	39	74LS393	SALE	69
74LS138	49	39	74LS590	5.95	5.85
74LS139	SALE	29	74LS624	1.95	1.85
74LS154	1.19	1.09	74LS629	SALE	1.95
74LS155	45	35	74LS640	SALE	89
74LS158	SALE	25	74LS645	SALE	89
74LS163	SALE	35	74LS670	SALE	79
74LS164	SALE	35	74LS688	2.39	2.29

**74S/PROMS\***

74S00	SALE	19	74S188*	1.49	
74S04	SALE	19	74S189	1.49	
74S08	SALE	19	74S240	SALE	99
74S10	SALE	19	74S240	SALE	1.39
74S32	SALE	19	74S244	SALE	75
74S74	SALE	19	74S253	SALE	29
74S85	SALE	49	74S287*	1.49	
74S86	SALE	49	74S288*	1.49	
74S124	SALE	25	74S373	SALE	99
74S174	SALE	25	74S374	SALE	99
74S175	SALE	25	74S72*	SALE	2.49

**CD-CMOS**

CD4001	19	CD4076	59
CD4008	59	CD4081	22
CD4011	19	CD4082	22
CD4013	29	CD4093	35
CD4015	45	CD4094	89
CD4017	19	CD4095	89
CD4018	59	CD40107	49
CD4020	59	CD4510	69
CD4024	45	CD4511	69
CD4027	35	CD4520	75
CD4030	35	CD4522	79
CD4040	65	CD4538	79
CD4049	29	CD4541	89
CD4050	29	CD4543	79
CD4051	59	CD4553	3.95
CD4052	59	CD4555	79
CD4053	59	CD4559	7.95
CD4063	1.49	CD4566	1.95
CD4067	1.49	CD4583	59
CD4069	19	CD4584	49
CD4070	29	CD4585	69
CD4071	22	MC14411P	7.95
CD4072	22	MC14490P	4.49

**EEPROMS**

2816A	2048x8	350ns (9V 15V) 5V Read/Write	5.25
2816A-25	2048x8	250ns (9V 15V) 5V Read/Write	5.49
2817A	2048x8	350ns 5V Read/Write	6.49
2864A	8192x8	250ns 5V Read/Write (Phn 1, No R/B)	13.95
2864A-30	8192x8	300ns 5V Read/Write (Phn 1, No R/B)	12.95
9655A-30	8192x8	300ns 5V Read/Write	9.95
52B13	2048x8	350ns (21V) 5V Read Only	1.49

**MICROPROCESSOR COMPONENTS**

**MISCELLANEOUS CHIPS**

D765AC	995	2.95
WD9216		3.95
<b>Z80, Z80A, Z80B SERIES</b>		
Z80		1.19
Z80B-CTC	+99	39
Z80-PIO	+99	39
Z80A		1.29
Z80A-CTC		1.65
Z80A-OART	+99	3.95
Z80A-PIO	+99	1.49
Z80A-SIO/0		9.95
Z80B		2.75
Z80B-CTC		9.95
Z80B-PIO		2.25
Z8530		4.95
Z8671		7.95
Z868181		8.95
<b>8000 SERIES</b>		
8031		9.95
80C31		3.95
8035		1.49
8039		1.95
8052AHBASIC		24.95
8058A		2.49
80B5A		2.49
8086		3.95
8086-2		6.95

**8000 SERIES Continued**

8087(5MHz)		99.95
8087-1(10MHz)		194.95
8087-2(8MHz)		159.95
8088(5MHz)		4.95
8088-2(8MHz)		6.95
8111		4.95
8155		2.49
8155-2		3.49
8156		2.95
8212		2.29
8228		1.95
8237-5		4.95
8243		1.75
8250A		4.95
8250B (For IBM)		5.95
8251A		1.69
8253-5		1.95
8254		3.95
8255A-5		2.95
8259-5		2.25
8272		9.95
8273-5		2.95
8741		6.95
8742		19.95
8748 (25V)		7.95

**STATIC RAMS**

Part No.	Function	Price
2016-12	2048x8 120ns	4.95
2018-45	2048x8 45ns 300MIL	1.95
2102	1024x1 350ns	89
2114N	1024x4 450ns	99
2114N-2L	1024x4 200ns Low Power	1.49
2124A	1024x4 450ns (CMOS)	2.00
5101	256x4 450ns (CMOS)	2.95
6116P-1	2048x8 100ns (16K) CMOS	4.95
6116P-3	2048x8 150ns (16K) LP CMOS	4.95
6264-10	8192x8 100ns (64K) CMOS	10.95
6264P-10	8192x8 120ns (64K) LP CMOS	10.95
6264P-12	8192x8 120ns (64K) LP CMOS	10.95
6264P-15	8192x8 150ns (64K) LP CMOS	10.25
6514	1024x4 350ns (CMOS)	3.75
43256-10L	32,768x8 100ns (256K) Low Power	20.95
43256-15L	32,768x8 150ns (256K) Low Power	18.95
62256L-P-85	32,768x8 85ns (256K) LP CMOS	21.95
62256L-P-10	32,768x8 100ns (256K) LP CMOS	20.95
62256L-P-12	32,768x8 120ns (256K) LP CMOS	20.95

**DYNAMIC RAMS**

THM91000-10	1,048,576x9 100ns 1Megx9 SIP	549.95
THM91000S-10	1,048,576x9 100ns 1Megx9 SIM	399.95
THM91000-80	1,048,576x8 80ns 1Megx9 SIP	419.95
THM91000S-80	1,048,576x8 80ns 1Megx9 SIM	419.95
TMS4416-12	16,384x4 120ns	7.75
TMS4416-15	16,384x4 150ns	7.75
4116-15	131,072x1 150ns (Poggyback)	+39
4128-15	131,072x1 150ns	5.29
4164-100	65,536x1 100ns	3.49
4164-120	65,536x1 120ns	2.99
4164-150	65,536x1 150ns	2.59
41256-60	262,144x1 60ns	13.49
41256-80	262,144x1 80ns	12.49
41256-100	262,144x1 100ns	11.95
41256-120	262,144x1 120ns	11.95
41256-150	262,144x1 150ns	11.49
41264-12	64Kx4 120ns Video RAM	11.95
41464-10	65,536x4 100ns	15.95
41464-12	65,536x4 120ns	13.99
41464-15	65,536x4 150ns	13.95
51258-10	262,144x1 100ns Static Column	13.95
85227-10PL	262,144x9 100ns 256Kx9 SIP	149.95
85227-10PS	262,144x9 100ns 256Kx9 SIM	149.95
51100P-10	1,048,576x8 100ns (1 Meg)	99.95
51100P-85	1,048,576x8 85ns (1 Meg)	44.95
514256P-10	262,144x4 100ns (1 Meg)	99.95

**EPROMS**

TMS2516	2048x8	450ns (25V)	6.95
TMS2532	4096x8	450ns (25V)	6.95
TMS2532A	4096x8	450ns (12.5V)	4.49
TMS2564	8192x8	450ns (25V)	6.95
TMS2716	2048x8	450ns (-5V, +5, +12V)	6.95
1702A	256x8	(1µs)	4.95
2708	1024x8	450ns	3.75
2716	2048x8	450ns (25V)	6.95
2716-1	2048x8	350ns (25V)	4.95
2716-2	2048x8	450ns (25V) CMOS	4.95
2732	4096x8	450ns (25V)	3.95
2732A-20	4096x8	200ns (21V)	4.25
2732C	4096x8	450ns (25V) CMOS	3.95
2764-20	8192x8	200ns (21V)	4.95
2764-25	8192x8	250ns (21V)	3.69
2764A-25	8192x8	150ns (12.5V) CMOS	5.95
27128-10	16,384x8	200ns (21V)	6.95</

## COMPUTER PRODUCTS

**Jameco IBM AT Compatible 16MHz 80286 NEAT Motherboard**  
Now with Norton SI of 18.0!

- Expandable to 8MB RAM (Zero-K included)
- 8/16MHz switchable
- Supports all NEAT functions including shadow RAM, EMS 4.0, RAM re-mapping and selectable wait states
- 80287-10 Coprocessor capability
- AMI BIOS ROMs included
- One-year warranty



**JE3010 8/16MHz NEAT (AT) . . . \$469.95**

### Additional Motherboards

**JE1001 4.77/8MHz (PC/XT) . . . \$ 89.95**  
**JE1002 4.77/10MHz (PC/XT) . . . \$109.95**  
**JE3005 8/12MHz (AT) . . . \$329.95**

**Jameco IBM PC/XT/AT Compatible Computer Cases**

**JE1019 Pictured**

**JE1010 Standard PC/XT Flip-Top Case . . . \$34.95**  
**JE1011 Standard PC/XT Slide Case . . . \$39.95**  
**JE1014 Baby XT Turbo Flip-Top Case . . . \$69.95**  
**JE1017 Baby AT Flip-Top Case . . . \$54.95**  
**JE1018 Baby AT Slide Case . . . \$69.95**  
**JE1019 Baby AT Flip-Top Case . . . \$69.95**

## TEST EQUIPMENT


**Merex M4650:**

- Handheld, high accuracy
- 4 1/2 Digit LCD
- Manual ranging with Overload Protection
- Audible continuity tester
- Tests: AC/DC Voltage, Resistance, Continuity, Capacitance, Frequency
- One Year Warranty
- Size 7 1/2" x 3 5/8" x 1 5/8"

**M4650 . . . \$99.95**



## JAMECO SOLDERLESS BREADBOARD SOCKETS



Part No.	Dim. L x W	Contact Points	Binding Posts	Price
JE20	6 1/2 x 3/4	200	0	\$ 1.95
JE21	3 1/4 x 2 1/8	400	0	\$ 4.95
JE22	6 1/2 x 1 3/8	630	0	\$ 5.95
JE23	6 1/2 x 2 1/8	830	0	\$ 7.95
JE24	6 1/2 x 3 1/8	1,360	2	\$12.95
JE25	6 1/2 x 4 1/8	1,660	3	\$19.95
JE26	6 1/2 x 5 1/8	2,390	4	\$24.95
JE27	7 1/4 x 7 1/8	3,220	4	\$34.95

## DATA BOOKS

**400041 NSC Linear Data Book-Vol. I (88) . . . \$14.95**  
**400042 NSC Linear Data Book-Vol. II (88) . . . \$ 9.95**  
**400043 NSC Linear Data Book-Vol. III (88) . . . \$ 9.95**  
**210830 Intel Memory Handbook (88) . . . \$17.95**  
**230843 Intel Microsystem Hndbk. Set (88) . . . \$24.95**

## Jameco IBM PC/XT 8MHz Turbo Compatible Kit With 256K RAM

- Free! QAPLUS Diagnostic Software Included!
- Free! PC Write Word Processing Software Included!
- 256K RAM Included, Expandable to 640K
- 4.77 or 8MHz Switchable
- AMI BIOS ROM Included

Save \$128.06

Part No.	Description	Price
JE1001	4.77/8MHz Turbo Motherboard (Zero-K RAM - includes AMI BIOS ROM)	\$89.95
JE1010	Flip-Top Case	34.95
JE1015	XT/AT Compatible Keyboard	59.95
JE1020	5.25" DSDD Disk Drive (Black Bezel)	89.95
JE1030	150 Watt Power Supply	59.95
JE1040	360K Floppy Controller	29.95
JE1050	Mono/Graphics Card with Printer Port	59.95
AMBER	12" Monochrome Amber Monitor	99.95
41256-150	256K RAM (9 chips)	103.41



Build Your Own And LEARN!

Save \$128.06 Regular List \$628.01  
**JE3002 IBM Compatible PC/XT 8MHz Turbo Kit. . . \$499.95**

## IBM COMPATIBLE DISPLAY MONITORS

**AMBER 12" Amber Monochrome . . . \$99.95**  
**CTX2410 14" RGB Color . . . \$279.95**

**14" EGA Color - EGA/CGA Compatible, 720 x 350 Max. Resolution (PC/XT/AT)**  
**TM5154 . . . \$399.95**



**14" EGA Monitor and EGA Card - EGA compatible, 720 x 350 Max. Resolution - displays up to 16 colors (PC/XT/AT)**  
**JE1059 SAVE \$40.00 . . . \$519.95**

**TM5155 14" Multiscan Color . . . \$549.95 \$499.95**

**QC1478 14" VGA Monitor . . . \$449.95**

**14" VGA Monitor and VGA Card - QC1478 VGA Monitor and Orchid VGA Card (PC/XT/AT)**  
**JE2055 SAVE \$70.00 . . . \$649.95**

**JAMECO IBM PC/XT/AT COMPATIBLE CARDS**

**Graphic Display Cards**

**JE1050 Mono Graphics Card w/Printer Port (PC/XT/AT) . . . \$59.95**  
**JE1052 Color Graphics Card w/Printer Port (PC/XT/AT) . . . \$49.95**  
**JE1055 EGA Card with 256K Video RAM (PC/XT/AT) . . . \$159.95**  
**JE1071 Multi I/O with Drive Controller and Mono Graphics (PC/XT) . . . \$119.95**

**Multifunction, I/O and Expansion Cards**

**JE1060 I/O Card with Serial, Game, Parallel Printer Port and Real Time Clock (PC/XT) . . . \$59.95**  
**JE1061 RS232 Serial Half Card (PC/XT) . . . \$29.95**  
**JE1062 RS232 Serial Half Card (AT) . . . \$34.95**  
**JE1065 I/O Card w/Serial, Game & Parallel Printer Port (AT) . . . \$59.95**

**JE1081 2MB of expanded or extended memory (zero-K on-board) (AT) . . . \$119.95**  
**3MB of expanded or extended memory, parallel printer port, serial port and game port (zero-K on-board) (AT) . . . \$169.95 \$149.95**

**JE1082 Floppy and Hard Disk Controller Cards**

**JE1041 20/40MB Hard Disk Controller Card (PC/XT) . . . \$79.95**  
**JE1043 360K/720K/1.2MB/1.44MB Floppy Disk Cont. (PC/XT/AT) \$49.95**  
**JE1044 360K Floppy/Hard Disk Controller Card (PC/XT) . . . \$129.95**  
**JE1045 360K/720K/1.2MB/1.44MB Floppy/Hard Disk Controller Card (AT) . . . \$149.95**

**3.5" PC/XT/AT Compatible Disk Drives**

**352KU 3.5" 720KB (Mounting Frame Included) (PC/XT/AT) . . . \$109.95**  
**356KU 3.5" 1.44MB (Mounting Frame Included) (PC/XT/AT) . . . \$129.95**

**40MB Tape Back-Up for IBM PC/XT/AT**  
**DJ10 40MB Back-Up and Tape . . . \$349.95**  
**TB40 40MB Tape Cartridge . . . \$24.95**

**Jameco 5.25" PC/XT & AT Compatible Disk Drives**

**JE1020 360K Black Bzl. (PC/XT/AT) . . . \$89.95**  
**JE1021 360K Beige Bzl. (PC/XT/AT) . . . \$89.95**  
**JE1022 1.2MB Beige Bzl. (PC/XT/AT) . . . \$99.95**

**3.5" PC/XT/AT Compatible Disk Drives**

**352KU 3.5" 720KB (Mounting Frame Included) (PC/XT/AT) . . . \$109.95**  
**356KU 3.5" 1.44MB (Mounting Frame Included) (PC/XT/AT) . . . \$129.95**

**Datronics 2400/1200/300 Modems**

**NEW Pocket Version!**  
Hayes command compatible - Bell 103/212A compatible - Auto-dial/auto-answer - FCC approved - 1-year warranty - Includes MaxiMite Communication Software (except 1200P)

**1200P 1200/300 Baud Packet Modem . . . \$ 99.95**  
**1200H 1200/300 Baud Internal Modem . . . \$ 69.95**  
**2400H 2400/1200/300 Internal Modem . . . \$129.95**  
**1200C 1200/300 Baud External Modem . . . \$ 99.95**  
**2400C 2400/1200/300 External Modem . . . \$169.95**

**2400H 2400/1200/300 Internal Modem . . . \$129.95**

**1200C 1200/300 Baud External Modem . . . \$ 99.95**

**2400C 2400/1200/300 External Modem . . . \$169.95**

**2400H 2400/1200/300 Internal Modem . . . \$129.95**

**1200P 1200/300 Baud Packet Modem . . . \$ 99.95**

**1200H 1200/300 Baud Internal Modem . . . \$ 69.95**

**2400H 2400/1200/300 Internal Modem . . . \$129.95**

**1200C 1200/300 Baud External Modem . . . \$ 99.95**

**2400C 2400/1200/300 External Modem . . . \$169.95**

**U.S. Funds Only**  
Shipping: Add 5% plus \$1.50 Insurance (May vary according to weight)

**California Residents:**  
Add 6%, 6 1/2% or 7% Sales Tax

© 1989 Jameco Electronics 3/89

**\$20 Minimum Order**

IBM is a registered trademark of International Business Machines



Mail Order Electronics - Worldwide  
**Jameco ELECTRONICS**



1355 Shoreway Road, Belmont, California 94002

**24 HOUR ORDER HOTLINE (415) 592-8097** • The Following Phone Lines Are Available From 7AM-5PM P.S.T.:

• Customer Service (415) 592-8121 • Technical Assistance (415) 592-9990 • Credit Department (415) 592-9983 • All Other Inquiries (415) 592-7108

**Data Sheets - 50¢ each**  
Prices Subject to Change

Send \$2.00 Postage for a FREE 1989 CATALOG

FAX Numbers: 415-592-2503 or 415-595-2664

Telex: 176043

# This could be the most productive phone number you call today. Toll free.

# 1 (800) 531-5369

(Or, if you prefer to FAX your order—1 (512) 344-2985.)

## TrippLite® Battery Back-Ups

Protect your equipment and data by providing safe shut down time for your computer systems and other sensitive equipment during black or brown-outs. Data loss from one black-out can cost you hundreds, if not thousands of dollars.

These units feature AC line spike and noise suppressors, status indicator lights and heavy gel-cell batteries—a regulated battery charger automatically restores battery to full charge when AC power returns.

**\$1299.00**

**\$799.00** an extremely low price. **\$399.00**

**\$599.00**

**\$299.00**

**\$239.00**

**BC-200 200-W**    **BC-325 325-W**    **BC-750 750-W**    **SC-BC-2000 2000-W**    **BC-1200 1200-W**    **BC-450 450-W**

## TrippLite® Voltage Regulator—Line Conditioners

**\$79.00**    **\$149.00**    **\$199.00**



**LS-600**    **LC-1200**    **LC-1800**

TrippLite® Line Stabilizer/Conditioners automatically adjust varying input voltage to provide full voltage support during a low voltage condition while suppressing spikes and line noise.


## OMNI Power Director



**CC16-P**    **\$79.95**

TrippLites' ISOBAR command console provides the highest level of surge and noise suppression of any console unit on the market today. Features include 6 outlets, 5 lighted power switches, protection indicator light, 15 amp circuit breaker and 12-foot power cord.

## Eprom Programmer



**EW-904**    **\$179.95**

You can program your own EPROMS with this EPROM programmer—it can program up to 4, 16K thru 512K EPROMS simultaneously—easy to use software is included.

## Eprom Eraser



**LA-6T**    **\$79.95**

You can erase your EPROMS quickly and easily at home or workplace with this easy to use EPROM eraser with built-in timer. It features an adjustable exposure time with alarm and is static protected. Without timer (not shown). **\$59.95**


## Hard Drive Cases



**SDH-2H**    **\$99.00**

This sturdy metal cabinet is capable of handling up to two 1/2 height hard disk drives—comes complete with fan, switching power supply and mounting hardware. (Drive cables not included) 14 7/8" W X 13 7/8" D X 2 1/8" H.


## Cable Assemblies



PC/AT Parallel Printer Cables			DB-25 - 25 Line Cables Male-Male		
Stock #	Length	Price	Stock #	Length	Price
PPC301-6	6 ft.	\$ 6.95	25MM-6	6 ft.	\$ 6.95
PPC301-10	10 ft.	7.95	25MM-10	10 ft.	7.95
PPC301-15	15 ft.	11.95	25MM-25	25 ft.	17.95
PPC301-25	25 ft.	17.95	25MM-50	50 ft.	33.95
PPC301-6RA	6 ft.	12.95	25MM-100	100 ft.	62.95

POPULAR CABLES			DB-25 - 25 Line Cables Male-Female		
Stock #	Description	Price	Stock #	Length	Price
MEC-6	Monitor Ext.	\$5.95	25MF-6	6 ft.	\$ 6.95
KEC-6	Keyboard Ext.	3.95	25MF-10	10 ft.	7.95
ACPC-03	Power Adapter	4.95	25MF-25	25 ft.	17.95
ATM-6	AT Modem Cable	5.95	25MF-50	50 ft.	33.95
	call Other cables available		25MF-100	100 ft.	62.95

## Switchboxes



These sturdy metal switchboxes allow you to share computers, printers and other peripherals quickly and easily. They have gold-plated contacts and are EMI-RFI protected.

DB-25 25 Line Switchboxes		
Stock #	Description	Price
AB25-2	Two position	\$19.95
AB25-3	Three position	25.95
AB25-4	Four position	28.95
AB25-5	Five position	38.95
AB25-6	Six position	59.95
AB25-X	Cross over	29.95

Centronics 36 Line Switchboxes		
Stock #	Description	Price
AB36-2	Two position	\$23.95
AB36-3	Three position	29.95
AB36-4	Four position	34.95
AB36-5	Five position	44.95
AB36-X	Cross over	37.95

## Altex Electronics, Inc.

"Your Electronics Supply House"

TERMS: Minimum order \$10.00. We accept Mastercard, Visa, and American Express at no additional charge. For C.O.D. orders, add \$2.20. For orders under \$100.00, add \$3.00 handling and actual UPS shipping charges. For orders over \$100.00, we pay handling charge—you pay actual UPS shipping charges plus insurance. Purchase orders accepted from approved accounts. All returns require an RMA# and are subject to a restocking fee. Texas residents add 7.5% sales tax. Prices subject to change and we are not responsible for typographical errors.

Store Hours: 8:00-6:00 M-F, 10:00-2:00 SAT CST  
10731 Guldale, San Antonio, Texas 78216

We carry a complete line of switchboxes for your different requirements. Call for more information!

# Compu\$ave



## 1-800-877-8855

International Orders are Welcome!

### BOARDS

#9 Pepper Sgt. + 1299 Orchid Design Pro ..... 298  
 Adv. Dig. Slave ..... 565 Paradise VGA+ ..... 258  
 AST 5251-11E ..... 545 Paradise VGA + 16 ..... 295  
 ATI VGA Wonder ..... Save Quadram JT Fax ..... 262  
 BOCA RAM AT ..... 139 Sigma VGA H ..... 230  
 Genoa VGA HiRes ..... 349 STB VGA EM 512K ..... 358  
 Intel Above Board ..... Save Video 7 V RAM ..... 468  
 Intel Inboard 386 ..... Save Video 7 Vega VGA ..... 262  
 Alloy, Artist, Everex, Hercules, Metheus ..... CALL  
 Number 9, Talung, Talltree, Verticom, VMI ..... CALL

### DISK DRIVES

Miniscribe 30 Card ..... 369 Plus Hardcard 40 ..... 638  
 Miniscribe 40 Mb ..... 309 Seagate 20Mb Kit ..... 262  
 Miniscribe 3053 ..... 429 Seagate 30Mb Kit ..... 275  
 Miniscribe 6085 ..... 549 Seagate 80 Mb ..... 545  
 Mountain TD 4440 ..... 365 Seagate ST251-1 ..... 405  
 Plus Hardcard 20 ..... 498 Toshiba 720 K, 3.5" ..... 84  
 Archive, Alloy, CDC, Genoa, Iomega, Irwin ..... CALL  
 Micropolis, Pnam, Maxtor, Rodime, Tecmar ..... CALL

### SOFTWARE

Appleworks ..... 159 Microsoft Works ..... 91  
 Carbon Copy Plus ..... 107 Multimate Advan. II ..... 259  
 DBase IV ..... 479 Paradox 2.0 ..... 459  
 First Choice 3.0 ..... 87 Project 4.0 ..... 310  
 Fastback Plus ..... 104 Peachtree Complete ..... 143  
 Harvard Graph ..... 290 Q & A 3.0 ..... 190  
 Lotus 123 ..... 295 Quattro ..... 157  
 Lotus Symphony ..... 408 Top for DOS ..... 105  
 Microsoft Excel ..... 289 Ventura Publisher ..... 489  
 Microsoft Word 4.0 ..... 209 WordPerfect 5.0 ..... 229

### COMPUTERS

Acer 20 Mhz ..... CALL Toshiba 1000 ..... Save  
 Altos Computers ..... Save Toshiba T1200F ..... 1359  
 ALR Computers ..... Save Toshiba T1200FB ..... 1495  
 AST Premium 286 ..... Save Toshiba T1200HB ..... 2365  
 AST Premium 386 ..... Save Toshiba T1600 ..... 3295  
 Compaq 286 386 ..... Save Toshiba T3100E ..... 2799  
 Everex Computers ..... CALL Toshiba 3200 ..... 3565  
 Intel 25 Mhz ..... Save Toshiba 5100 ..... 4575  
 Mitsubishi 286 386 ..... Save Toshiba 5200 ..... 6295  
 NEC Laptops ..... Save Wyse 2108 ..... 949  
 NEC Powermates ..... Save Wyse 2112 ..... 1375  
 Packard Bell 12 Mhz ..... 1249 Wyse 2200 ..... 1345  
 Samsung 20 Mhz ..... Save Wyse 3216 ..... 2125  
 Televideo 286/386 ..... Save Zenith Supersport ..... 1579  
 Unisys 286 386 ..... Save Zenith SS 286 ..... 3265  
 Mitsubishi MP286 Laptop : 20 Mb ..... 2298  
 Sperry PC IT : 512kb 44Mb HD / Keyboard ..... 2795  
 Altos, ITT, Sharp & Other Models ..... CALL

### TERMINALS

Altos IV ..... 355 Televideo 955 ..... 379  
 Altos V ..... 485 Wyse 30 ..... 289  
 IBM 3151 ..... 385 Wyse 50 ..... 362  
 Kimtron KT-70 PC ..... 359 Wyse 60 ..... 399  
 Link MC-5 ..... 405 Wyse 85G ..... 375  
 Televideo 905 ..... 299 Wyse 105 ..... Save  
 Adds, CIE, Falco, Link, Qume & Other Models ..... CALL

### MICE

Logitech C7 ..... 64 Microsoft w/windows ..... 129  
 Logitech HiRes ..... 78 Mouse Systems PS/2 ..... 79  
 Microsoft w/ paint ..... 99 Mouse Systems PC II ..... 89

### PLOTTERS

Calcomp 1023GT ..... 3785 HP Draft DXL ..... 3729  
 Calcomp 1043 GT ..... 5595 Ioline 3500 ..... 2375  
 Calcomp 1044GT ..... 10,245 Ioline 3700 ..... 2995  
 Houston DMP 61 ..... 2995 Ioline 4000 ..... 3695  
 Houston DMP 62 ..... 4065 JDL 850 GL ..... 2799  
 HP 7440 A ..... 955 Roland 885 ..... 689  
 HP 7475 A ..... 1395 Roland 980 ..... 869  
 HP 7550 A ..... 2895 Roland DXY8800 ..... 945  
 HP 7570A ..... 2995 Roland DXY 1100 ..... 889  
 HP 7595 ..... 7795 Roland GRX ..... Save  
 Bruning, Enter, Numonics, Taxan, Versatec ..... CALL

### DIGITIZERS

Calcomp 12 x 12 ..... 348 Houston Hi Pad + ..... Save  
 Calcomp 44 x 60 ..... 3895 Kurta IS 3 ..... CALL  
 Calcomp 36 x 48 ..... 3395 Kurta IS 8.5 x 11 ..... 239  
 GTCO 24 x 36 ..... 1945 Kurta IS 12 x 12 ..... 282  
 GTCO 36 x 48 ..... 2395 Kurta IS 12 x 17 ..... 482  
 Hitachi 11 x 11 ..... 439 Summa 12 x 12 + ..... 328  
 Hitachi Puma Pros ..... Save Summa 12 x 18 ..... 558

### MODEMS

ATI 2400 ETC. .... 152 Practical 1200 ..... 65  
 Anchor 2400E ..... 145 Prometheus 2400B/2 ..... 129  
 Practical 1200 Ext ..... 78 Prometheus 2400G ..... 149  
 Cardinal 2400 Ext ..... 139 Racal-Vadic 2400VP ..... 388  
 Cardinal 2400 Int. .... 109 USR Sportsters ..... Save  
 Hayes 1200 ..... 275 USR Courier 2400 ..... 288  
 Hayes 2400 ..... 415 USR HST 9600 ..... 588  
 MultiTech 224 EH ..... 368 World Port Pocket ..... Save  
 MultiTech 224 EC ..... 305 Zoom 2400 HC ..... 119  
 AST, Avatec, Case, Packard Bell, Ventel ..... CALL

### PRINTERS

Alps 324 E ..... 729 NEC P5200 ..... 505  
 Alps Allegro 24 ..... 342 NEC P5300 ..... 665  
 Canon BJ 130 ..... 699 NEC P9XL ..... 1038  
 Citizen1200 ..... 145 Panasonic 1080IM2 ..... 159  
 Citizen 1800 ..... 162 Panasonic 1091IM2 ..... 175  
 Citizen MSP 55 ..... 462 Panasonic 1124 ..... Save  
 Fujitsu DL3400 ..... 519 Panasonic 1592 ..... 368  
 HP Desk Jet ..... 699 Panasonic 4450 ..... 1545  
 HP Paint Jet ..... 1049 Star NX-1000 ..... 165  
 Okidata ML320 ..... 329 Star NX-1000R Color ..... 218  
 Okidata ML 390 ..... 455 Star NX-2400 ..... 308  
 NEC LC 890 ..... 3145 Toshiba 321SL ..... 469  
 NEC P2200 ..... 335 Toshiba 341SL ..... 629  
 Brother, C.itoh, Data Products, Diconix, Epson ..... CALL  
 Genicom, OTC, QMS, Qume, Varityper, TI ..... CALL

### MONITORS

Amdek 1280 ..... 638 NEC Multisync XL ..... 2145  
 Amdek 732 ..... 399 PGS Ultra 16 ..... 879  
 Gold Star TTL Mono ..... 75 Samsung TTI ..... 79  
 Genius 402 420 ..... Save Sigma Laser 19" ..... 1765  
 Hitachi ..... Save Sony 1302 ..... 645  
 Magnavox ..... Save Taxan ..... Save  
 Mitsubishi 1381A ..... 475 Tatung Multiscan ..... 459  
 Monitorm ..... Save Wyse 650 VGA ..... 449  
 NEC Multisync II ..... 575 Zenith 1490 ..... 578  
 Seiko CM 1430 : 14" Multisynch 1024x768 ..... 595

### SCANNERS

HP Scanjet ..... 1399 PC Hand Scanner ..... 152  
 Logitech Scan Man. .... 189 PGS LS-300 w/paint ..... 725  
 AST, HP, Taxan, Panasonic, Datacopy ..... Call

Mail Address: Compu\$ave - 4207 S. 37th Street - Dept B3 - Phoenix, AZ 85040. Order lines open: Mon. - Fri. 7 am - 6 pm, Sat.: 9 am - 2 pm. Prices reflect cash discounts and are subject to change without notice. We do not guarantee compatibility. DOA's are repaired or replaced, please call for a RMA. Major credit cards and selected PO's are accepted. **INTERNATIONAL SALES (602)437-4855 - FAX (602)437-9685 - CUSTOMER SERVICE (602)437-4856**

## Protect Your Copies of **BYTE**

**NOW AVAILABLE:** Custom-designed library files or binders in elegant blue simulated leather stamped in gold leaf.

**Binders—Holds 6 issues, opens flat for easy reading.**  
 \$9.95 each, two for \$18.95, or four for \$35.95.



**Files—Holds 6 issues.**  
 \$7.95 each, two for \$14.95, or four for \$27.95.



**Order Now!**

Mail to: Jesse Jones Industries, Dept. BY, 499 East Erie Ave., Philadelphia, PA 19134

CALL TOLL FREE (24 hours): 1-800-972-5858

Please send \_\_\_\_\_ files; binders for BYTE magazine.  
 Enclosed is \$ \_\_\_\_\_  
 Add \$1 per file/binder for postage and handling. Outside U.S.A. add \$2.50 per file/binder (U.S. funds only please).  
 Charge my: (minimum \$15)  
 \_\_\_\_\_ American Express  
 \_\_\_\_\_ Visa \_\_\_\_\_ MasterCard  
 \_\_\_\_\_ Diners Club  
 Card # \_\_\_\_\_  
 Exp. Date \_\_\_\_\_  
 Signature \_\_\_\_\_

Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
No Post Office Box  
 City: \_\_\_\_\_  
 State: \_\_\_\_\_ Zip: \_\_\_\_\_

Satisfaction guaranteed. Pennsylvania residents add 6% sales tax. Allow 5-6 weeks delivery in the US.



## Protects while you type!



- **Remains In Place** while you use your computer.
  - **Avoids Costly Repairs.** Protects delicate electronics from dust, spills, smoke, ashes, staples.
  - **Soft, Flexible,** retains normal keyboard feel.
  - **Washable, Durable High-Tech Polymer** lasts years.
  - **Hundreds of Models.** SafeSkin is available for most PCs, laptops, workstations and clone keyboards.
  - **Office • Home • Factory • Classroom • Laboratory**
- List Price \$29.95. Please call or write for free color brochure. Dealer Inquiries encouraged.

**SafeSkin™**  
 Keyboard Protector

Merritt Computer Products, Inc. 14561 S. Westmoreland  
 Dallas, Texas 75237/(214) 339-0753 • Fax (214) 339-1313  
 In Canada call 1-800-663-1061

# SPEECH PRODUCTS

For PCs and compatibles  
**SYNTHESIZER—only \$79.95**




The next versatile and best sounding speech product available for under \$400! The amazing **Speech Thing** provides text-to-speech as well as PCM and ADPCM speech and music reproduction. Comes with "Thing" D/A converter that attaches to the parallel printer port outside the computer—ideal for laptops. Will not interfere with normal printer operation. Also comes with audio amplifier/speaker and power adapter. Software includes two advanced text-to-speech programs, digitized speech and music files, full screen waveform editor, sampling music keyboard, special effects mixing board, and drivers so you can add speech and sound effects to programs written in BASIC, C, PASCAL, and others. Includes 54 page manual. **SPEECH THING—\$79.95.**

## DIGITIZER—only \$89.95



The **Voice Master PC Digitizer** is a full 8-bit PCM sampler board. Fits in any available slot. Up to 15,000 samples per second. Input pre-amp has automatic gain control and 4.5 KHz low pass filter. Includes a quality headset microphone. Software included for recording and editing sound files for playback through **Speech Thing**. Also includes a real-time spectrum display and oscilloscope display as well as assembly language source listings for writing your own drivers. **BONUS:** Voice recognition program included which is callable via an interrupt vector. Demonstration program written in GWBASIC. **VOICE MASTER PC DIGITIZER—\$89.95.**

## VOICE RECOGNITION—only \$49.95



A price/performance break-through! Equal in performance to other systems costing hundreds more \$\$\$ The amazing **Voice Master Key** program adds voice recognition to just about any program or application. You can voice command up to 256 keyboard macros. Fully TSR and occupies less than 64K. Instant response time and high recognition accuracy. Easy and fun to use—no compilers or editors required. Works with CAD, desktop publishing, word processor, spread sheet, even other TSR programs. A genuine productivity enhancer. **Voice Master Key** can also be called from within a program for adding voice recognition to custom applications. **Voice Master Key** requires the **Voice Master PC Digitizer** for operation. (Please note: **Voice Master Key** will not replace the keyboard or mouse except under certain circumstances. Not to be confused with the still unavailable "voice typewriter.") **VOICE MASTER KEY—\$49.95.**

**BONUS OFFER!** Buy **Voice Master Key** with **PC Digitizer** for only **\$129.95**—you save **\$10!**  
**BETTER BONUS OFFER!** Buy all three: **Speech Thing**, **PC Digitizer**, and **Voice Master Key** for only **\$189.95**—you save **\$20!**  
ALL OF THESE PRODUCTS ARE OF PROFESSIONAL QUALITY.

ORDER HOTLINE: (503) 342-1271

Monday-Friday, 8 AM to 5 PM Pacific Time

Add \$5 for shipping and handling on all orders. Add an additional \$3 for 2nd day delivery. All goods shipped UPS. Master Card and VISA, money order, cashiers check or personal checks accepted (allow a 3 week shipping delay when paying by personal check). Foreign inquiries contact Covox for C&F price quotes. Specify computer type when ordering. **30 DAY MONEY BACK GUARANTEE IF NOT COMPLETELY SATISFIED. ONE YEAR WARRANTY ON HARDWARE.** Call or write for FREE product catalog.



**COVOX INC.** 876-0 CONGER ST.,  
EUGENE, OREGON 97402 U.S.A.  
TEL: 503-342-1271 FAX: 503-342-1263


Advertise your computer products through **BYTE BITS** (2" x 3" ads)

For more information call Mark Stone at 603-924-6830

BYTE  
One Phoenix Mill Lane  
Peterborough, NH 03458

Circle 283 on Reader Service Card

## PAL™/PLD SOFTWARE Sets The Standard



CUPL™ PLD compiler, the most powerful language for state machine logic design, now allows OrCAD™ schematic software as the front end design entry. CUPL supports all PLDs and carries the most extensive update program. Available on MS-DOS™, Apollo™, Sun™, VAX™ and most UNIX™ based platforms.

**LOGICAL DEVICES, INC.**

1201 N.W. 65th Place  
Ft. Lauderdale, FL 33309  
305-974-0967  
1-800-331-7766

Circle 148 on Reader Service Card (DEALERS: 149)

## HARD DISK CONTROLLERS

ADAPTEC	
PC/XT Controller ST506/412	\$45
2070 PC/XT to 506/412 RLL	\$69
2071 PC/XT to ST506 RLL (1' drive)	\$59
2072 PC/XT RLL	\$79
2370 PC/XT to ST506 RLL	\$99
3530 SCSI to Tape CMC 36	\$78
4000 SCSI to ST506/412	\$89
4000A SCSI to ST506/412	\$129
4070 SCSI to ST506/412 RLL	\$98
4520 SCSI to ESDI	\$98
5500 SCSI to ST506/412	\$125
5580 SCSI to SMD	\$175
XEBEC	
S1410 SASI Controller	\$89
S1420 SASI to 5 1/4" Floppy & Hard Disk Controller	\$29
Apple II, II+, IIe Host Adapter	\$29
OTHERS	
DTC 510A SASI controller	\$98
DTC 5187 AT to ST506/412. No Floppy	\$98
Konan DJ-210 3 1/2" SASI to ST506/412 (Xebec 1410 clone)	\$89
WD 1002-SHD Xebec Compatible SASI Controller	\$109
Western Digital 1003WAH	\$119
Manuals	\$8 each
Drives Available	Ask for Pricing
Hard Drives 20-380 MB	Call



**Computer Surplus Store**

715 Sycamore Dr. • Milpitas, CA 95035  
Phone: 408-434-1060  
Fax: 408-434-0931  
Twx: 1561447

"We Buy and Sell"

Circle 66 on Reader Service Card

World Radio History

## A HIGH QUALITY RS232-RS422 BIDIRECTIONAL CONVERTER AT A LOW PRICE

Changes RS232 Data Streams Into RS422 Compatible Data Streams

Model AA1709



List \$89.00 (one to three) over 100 \$59.90


Converts RS232 links to long distance RS422 standards on cable lengths to 4,000 feet, while having high noise immunity for use in industrial environments. This module makes it possible for RS232 equipped devices, such as an IBM personal computer, to interface with an RS422 equipped device. Included in the many uses of this converter is the ability to communicate with Anaheim Automation's own step motor motion controls. The unit includes a power supply. Call or write for brochure.

**ANAHEIM AUTOMATION**  
910 E Orangefair Lane, Anaheim, CA 92801  
(714) 992-6990 Telex: 2978217 MCI FAX: 714-992-0471

Circle 22 on Reader Service Card

## UNIVERSAL/GANG PROGRAMMER

made in U.S.A.



\$595.00 Includes One Year Update and Warranty

**HUSKY**™ programs EE/EPROMS, CMOS PLDS, and Micros. It's your best bet when low cost and quality are both important. From the people who make CUPL and ALLPRO.

**LOGICAL DEVICES, INC.**

1201 N.W. 65th Place  
Ft. Lauderdale, FL 33309  
305-974-0967  
1-800-331-7766

Circle 305 on Reader Service Card (DEALERS: 306)

## IMAGING CARD



### DV-01 GRAY SCALE FRAME GRABBER

Composite video in/out  
256 x 240 resolution  
Digitize/display at frame speed  
256 gray levels in  
16 Meg. color palette out  
PC/XT/AT compatible

\$849.00 Complete with software VISA/MC Demo Disk available

**Control Vision**  
P.O. Box 596, Pittsburg, KS 66762  
(316) 231-6647

Circle 70 on Reader Service Card

# COMPARE OUR NEW LOWER PRICES AND SUPERIOR QUALITY

## PCI-286-12

- 80286-12
- 1.2 MB Floppy Drive
- 640K RAM
- Serial / Parallel / Game
- 101-Key Enhanced Key Board
- SI = 13.3 (1 Wait)
- SI = 15.2 (0 Wait \$100 Option)
- 6/12 MHz Key Board Switchable
- WA2 HD & FD Controller
- 80287 SOCKET
- 200W POWER SUPPLY

## MONO SYSTEM

- W/Mono Monitor
- 20 MB Hard Disk

**\$1195**

## VGA COLOR SYSTEM

- W/VGA Card & Monitor
- 20 MB Hard Disk

**\$1795**

## EGA COLOR SYSTEM

- W/EGA Card + Monitor
- 20 MB Hard Disk

**\$1580**



## PCI-386-20

- 80386-20
- W/40 MB HD
- Mono System **\$2295**
- EGA **\$2695**
- VGA **\$2995**

## GAS PLASMA 286-12 --- \$2295

- 80286-12 CPU
- SI = 13.3
- 3 1/2" FD 1.44 MB
- 20 MB HD ST-138
- LCD Screen (640 X 400)
- I/O Card Parallel/Serial/Game
- 640K RAM



## GAS PLASMA 286-20 --- \$2495

- CPU 80286-20
- SI = 23

## LCD-286-10 PORTABLE --- \$1595.00

- 10 MHZ 80286 SI=10.3
- 12 MHZ SI = 13.3 (Option \$50.00)
- 16 MHZ SI = 18 (Option \$250.00)
- 640K RAM
- LCD Screen 640 X 200 (Option 640 X 400 \$180.00)
- Super Twist & Back Lighting
- 86 Key Board
- External / Parallel / Game
- 1.2 MB Floppy drive
- 20 MB Hard Disk
- 80287 Socket
- 200 W Power Supply
- Side 15 1/4" X 9 1/2" X 8"
- 23 LBS



## LCD-386-16 --- \$2695.00


- 80386-16 MHZ
- 40 MB Hard Disk
- 80387 Socket

## LCD-386-20 --- \$2795.00

- 80386-20 MHZ
- 40 MB Hard Disk
- 80387 Socket

## CRT-PORTABLE-286 --- \$1389

- Compaq Type
- 80286 (10 MHZ or 12 MHZ)
- 12 MHZ SI = 13.3 (Option \$50.)
- 16 MHZ SI = 18 (Option \$250)
- One 1.2 MB Floppy Drive
- 200 W Power Supply
- TTL Display 9" Amber
- AT Key Board
- Serial / Parallel / Game
- WA2 HD & FD Controller
- 20 MB Hard Disk



- CRT-386-16 **\$2495**
- CRT-386-20 **\$2595**
- 80386-16

## PCI PACIFIC COMPUTER

702 S. Del Mar Ave., #B,  
San Gabriel, California 91776  
(FAX) 818-286-8662

(818) 571-5548 (Technical support)


(800) 421-1102 (IN CA) ORDER ONLY  
(800) 346-7207 (OUT CA)

Mon - Sat  
9:00 AM - 6:00 PM



\*ALL SYSTEMS COME WITH ONE YEAR PARTS & LABOR WARRANTY

## Satellite Communication MICROSAT II Expansion Board



**\$700**

IMMEDIATE  
DELIVERY

- For IBM PC/XT/AT and compatible.
- Satellite data receiver - 9600 baud.
- Satellite bulletin board.
- Satellite video and audio option - Add \$200

## PERSONAL SPACE COMMUNICATIONS

707 Johnson Road, Blaine WA 98230  
(604)597-6298 TLX 04-508306 FAX (604)597-6214

## IEEE 488 Solutions

- Hardware & software interfaces for PC, AT, 386, PS/2, Macintosh, SUN, HP & DEC
- IEEE converters to SCSI, RS-232, RS-422, modem, Centronics, digital I/O & analog I/O
- IEEE extenders, expanders & buffers
- IEEE drivers for DOS, UNIX, Lotus 1 2 3, Symphony & Quattro.

Call or send for your  
**FREE Technical Guide**

Demo disks and application notes available

Please  
see our  
ad on  
page 111.




(216) 439-4091

Telex 6502828864 • Fax (216) 439-4093  
IOtech, Inc. • 25971 Cannon Road  
Cleveland, Ohio 44146

## ON TARGET ASSOCIATES

Products and Services  
for Design and Manufacturing Engineers.



We will move your PC/XT/AT products to the  
Micro Channel, or create your new design.

CALL: (408) 980-7118  
for our Free catalog

ON TARGET  
TARGET  
TARGET

...the PS/2 leaders.

PS/2 and Micro Channel are trademarks of IBM Corp.

# PC Software as low as \$2.49

Macintosh Software Also Available. Call for a Free Catalog.

Thousands of IBM/Compatible Public Domain and Shareware Programs Are Available from the Micro Star Library and at Incredibly Low Prices!

We feature the best and most up-to-date shareware available. Our software is guaranteed against bugs, defects, viruses, etc.

And We Offer FREE Technical Support For Our Customers

ORDER TODAY on our TOLL FREE PHONE LINES • ORDERS SHIPPED OUT SAME OR NEXT DAY



## GAMES

**ARCADE GAMES (106)** Has Kong, 3-D Pacman, Bricks, Pango. (Requires color.)  
**BASIC GAMES (107)** Pacman, Lunar Lander, Star Trek, Meteor, Breakout, and others.  
**CARD GAMES (109)** Canasta, hearts, draw poker & bridge.  
**STRIKER (110)** Defender-like game. "Top Gun" in space.  
**FLIGHTMARE (112)** Futuristic fighter pilot game. (Requires color graphics adapter.)  
**SLEUTH (117)** Who done it?  
**DND (119)** Like Dungeon and Dragons.  
**ROUND 42 (120)** Better than Space Invaders. 42 levels.  
**GAMES IN BASIC (124)** Lander, biorhythms, desert, Phoenix, Star Wars, others.  
**QUEST (152)** Role playing adventure fantasy game. (Requires CGA.)  
**SPACE WAR (156)** Dogfight in outer space, using phasers, photon torpedoes, etc.  
**BRIDGE PAL (171)** Complete game of contract bridge, with tutorial.  
**FENIX (193)** Just like the famous arcade game.  
**PINBALL GAMES (197)** Pinball, Rain, Twilight Zone, Wizard, etc.  
**KID-GAMES (GAM8)** Animals math, clock game, alphabet, etc.  
**CHESS (GAM9)** Incredible. 2D and 3D. Many levels. Play back moves, store games.



**EGA RISK (GAM11)** World domination in great color. Includes EGA Asteroids.  
**PC PRO-GOLF (GAM27-28)** Great graphics. Complete 18 hole, 72 par course. (CGA)  
**PEARL HARBOR (GAM32)** Shoot down Jap Zeros before they destroy U.S. Fleet. (CGA)  
**ULTIMA 21 DELUXE (GAM34)** Best Blackjack game around. Includes Video Poker.  
**FORD SIMULATOR (GAM37)** Great driving simulation. (CGA)



## MUSIC

**PIANOMAN 4.0 (301)** Turn your keyboard into a piano.  
**PC-MUSICIAN (302)** Compose, save, and play music.

## WORD PROCESSING

**PC-WRITE 3.0 (434, 435, 436)** (3 disks) Newest version! Very popular and complete. Includes spelling checker.  
**PC-TYPE+ (421-423)** (3 disks) Excellent. Includes mail merge, 100,000 word spelling checker. Interfaces with PC-File+, PC-Style.


## GRAPHICS

**KEYDRAW CAD SYSTEM (1001, 1002, 1065)** (3 disks) Popular. Also uses mouse. (Requires color graphics - CGA.)



CURSOR MODE SCI PCDB 19 1 BL

**SIDEWAYS (1007)** Prints text sideways. Useful for spreadsheets.  
**SIMCGA/HGCIBM (1027, 1062)** (2 disks) Use with Hercules graphics card/compatibles to run programs requiring CGA on your monochrome PC.  
**IMAGE 3-D (1048)** Create and edit 3-D objects. Move, scale, rotate and tip image.  
**FINGERPAINT (1050)** Use keyboard or mouse to draw. Like MacPaint. (Requires CGA or EGA.)  
**DANCAD 3-D (1051, 1052)** (2 disks) Create 3-D graphics. Rotate, magnify, etc. Runs on CGA, EGA, or Hercules.  
 DanC - 3-D



**FANTASY (1057)** Create flowing graphic images with mouse or keyboard. (CGA)  
**FLOWCHARTING (1078-1079)** Complete system for flowcharts, organizational, electrical, etc., with symbols.

## RELIGION

**THE BIBLE (3301-3306)** (6 disks) Old Testament, King James version.  
**THE BIBLE (3307-3308)** (2 disks) New Testament, King James version.  
**WORD WORKER (3309-3310)** (2 disks) Bible search program. New Testament, King James version.  
**BIBLEMEN (3330)** Excellent Bible quiz program.

## BASIC


**PC-PROFESSOR (1401)** BASIC tutorial. Good.  
**BASIC PROGRAM GENERATOR (1402)** The menu driven way to write programs.  
**B-WINDOW (1407)** Give windowing capabilities to your Basic program.

## UTILITIES

**HOMEBASE (2608, 2612, 2613)** Complete desktop organizer. Great!  
**PROFESSIONAL MASTERKEY (2805)** Like Norton's. Retrieve deleted files. A lifesaver.  
**BAKER'S DOZEN (2821)** 13 utilities from Buttonware.  
**AUTOMENU (3003)** Make PC menu driven. Incl. passwords.  
**SCREEN (3006)** Save your monitor from screen burn-in.  
**DOT MATRIX FONTS (3061-3062)** (2 disks) Print your text in different fonts. Works with most printers.

## ACCOUNTING/FINANCE

**MARCKET CGA (BUS17)** Performs sophisticated analysis on stocks, funds, etc. (EGA version is BUS16).



**BILLPOWER+ (BUS40)** Bill clients for time and materials, advances, retainers, etc. Computes taxes, past due interest, etc. Has full G/L  
**CPA LEDGER (706-708)** (3 disks) Complete general ledger for corporations, partnerships or sole proprietors.  
**PERSONAL FINANCE MANAGER (715)** Household budget manager. Keep track of checking, savings, investments.  
**PAYROLL USA (725-726)** Up to 2,000 employees in any state. dBaseIII and Lotus compatible. Complete P/R system.  
**EXPRESS CHECK (786)** Check account with running balance, monthly reports, etc. Prints checks.  
**FINANCE MANAGER II (774-775)** (2 disks) For personal or small business financial management.

## DOS

**DOSTUTORIAL (1301)** Teaches you to use DOS.  
**STILL RIVER SHELL (1304)** Run DOS commands from a menu. Makes DOS easy.  
**BATCH FILE TUTORIAL (1305)** Utilize batch file processing.  
**MORE DOS TIPS (1318, 1323)** (2 disks) More about DOS.

**HELP DOS (1326)** On line DOS help with menus. Includes DOS dictionary of terms and a hints menu.

## SPREADSHEETS

**AS-EASY-AS (505)** Great. Includes screen help menus. Utilizes function keys. A Lotus clone that reads Lotus files.  
**PC-CALC+ (512-514)** (3 disks) Jim Button's famous Lotus clone.

## EDUCATION

**AMY'S FIRST PRIMER (248)** Children's learning game that teaches letters, numbers and keyboard.  
**FUNNELS AND BUCKETS (201)** A fun way to learn math.  
**MATHPAK (202)** Tutorial with lessons in higher math.  
**PC-TOUCH (204)** Learn typing.  
**BASIC TUTORIAL (208)** Learn programming with BASIC.  
**BEGINNING SPANISH (211)** Tutorial.  
**SPANISH II (232)** Sequel.  
**BIBLEQ (214)** Learn the Bible with this Q-A tutorial.  
**FACTS 50 (239)** Geography lessons for U.S. Nice graphics.



## APPLICATIONS

**FORM LETTERS (1907)** Commonly used form letters and business applications.  
**EZ-FORMS (1908)** Make forms to meet different needs.  
**MANAGER'S PLANNER (1920)** Daily planner. Prints out.  
**HOME INVENTORY (1966)** Track all your possessions.  
**BIORHYTHM (1990)** Display the 3 biological cycles: physical, emotional, intellectual.  
**FAMILY HISTORY (2203-2204)** (2 disks) Create files and genealogical reports.  
**DR DATA LABEL (2327)** Powerful mailing list program. Customize labels to size.

Incredibly Low Prices

1-9 Disks \$2.99 ea.  
 10-19 Disks \$2.69 ea.  
 20 or more \$2.49 ea.

**LOTTO PROPHET (2364)** Best Lotto program we've seen.  
**CITY DESK (2513)** Simple desktop publisher.

## SPREADSHEET TEMPLATES

**LOTUS MACROS (601)** Save hours of work. (Req. Lotus)  
**LOTUS SPREADSHEET TEMPLATES (602)** Ready-made. (Requires Lotus 1-2-3)  
**GOAL-SEEKER V3.5 (624)** Achieve objectives by changing spreadsheet and seeing result. (Requires Lotus.)  
**LOTUS TUTORIAL (630)** Learn Lotus (requires Lotus).

## ADULTS ONLY

**ADULTS ONLY (2901)** Animated. Req. CGA.  
**MAXINE (2902)** Incredible. (CGA)  
**STRIP POKER (2903)** Pick opponent (CGA)  
**BAD-BAD (2904)** Adventure game.  
**ASTRO-(BEEP) (2905)** Arcade game (CGA)  
**X-RATED COLOR SHOW (2915)** Beautiful girls. (CGA)  
**X-RATED PRINTSHOP (2909)** Graphics for Printshop.



## TELECOMMUNICATIONS

**Q-MODEM 3.1 (1101, 1102, 1144)** (3 disks) Powerful but easy to use. Fast.  
**RBBS V16.1A (1107-1109, 1150)** (4 disks) Multi-user bulletin board system.  
**PROCOM 2.42 (1112-1113)** (2 disks) Hacker's delight. Redial capability. Latest version.

## SECURITY/HACKING

**COPY PROTECTION I (1219)** Instructions for unprotecting commercial software.  
**COPY PROTECTION II (1220)** More software unprotect.  
**COPY PROTECTION III (1221)** Additional software to unprotect.  
**FLUSHOT (1225)** Checks software for viruses.

## DATABASE PROGRAMS

**PC-FILE dB (801, 805, 837)** (3 disks) Newest version! Rated better than dBase III+.  
**PC-GRAPH (802)** Create graphics from PC FILE.  
**FILE EXPRESS 4.0 (803-804)** Powerful system. Allows 32,000 records. Sorts up to 10 key fields.  
**DBASE III+ ROUTINES (851-852)** (2 disks) Latest utilities to help you utilize dBase III+

# MICRO STAR

1105 SECOND ST. • ENCINITAS, CA 92024

HOURS: Monday - Saturday 7 AM - 5:00 PM, Pacific Time

TERMS: We accept MasterCard, VISA, checks (allow 10 days to clear), Money Orders, and COD (add \$4.00).

3 1/2" DISKS: 3 1/2" format add \$1/disk.

SHIPPING & HANDLING: \$3.50 (Total per order)

MAIL-IN ORDERS: Circle disk numbers. Include name & address.

CALL TODAY FOR FREE CATALOG

800-444-1343 Ext. 23

FOREIGN: 619-436-0130

# AVPROM™

## \$295



For IBM-PC's & compatibles, menu-driven AVPROM programs EPROMs up to 8x faster than serially-connected units (20 sec. for 2764).

- Programs 2716 thru 27512A.
- 4- and 10 socket gang versions too. Call for prices.

For complete specs, free 32 pg. development tool catalog, call

**800-448-8500.**  
or 207-236-9055

### AVOCET

SYSTEMS, INC.  
120 Union St., Fockport, ME 04856

Circle 35 on Reader Service Card

**NEW!** MCPM-3 for MC68HC05 Family!



6805/6305 SINGLE CHIP

### MICROCOMPUTER DEVELOPMENT SYSTEMS

Each of three products allows the IBM PS/2/PC/XT/AT to be used as a complete development system for the Motorola 6805 series single chip microcomputers. MCPM-1 supports the MC68705 family, MCPM-2 supports the MC1468705 family and MCPM-3 supports the MC68HC05 family. Each system is \$495 and includes a programming circuit board or programmer with driver, cross assembler and simulator/debugger software. A system is also available for the HITACHI 63705 ZTAT micro.

### THE ENGINEERS COLLABORATIVE

Route 3, Box 8C, Barton, VT 05822  
(802) 525-3456 FAX (802) 525-3451

Circle 280 on Reader Service Card

## Add-Ons for the Blind

What you add on to your computer, if you're a blind operator, is almost more important than the computer itself.

Scanners, modems, braille printers, speech synthesizers, braille output devices and a host of other peripherals are described in "Add-Ons: The Ultimate Guide to Peripherals for the Blind Computer User."

The product reviews contained in this book are written by those who know them best—blind computer users.

\$16.95 for braille or cassette  
\$19.95 for print.

Send orders to:

National Braille Press Inc.  
88 St. Stephen Street, Boston, MA 02115  
(617) 266-6160

NBP is a nonprofit braille printing and publishing house



### System 1800 Basic System \$699

(MADE IN U.S.A. with quality)

- Intel 80286 CPU
- Fully compatible with IBM AT
- 6MHz MHz selectable 6 pins
- 5.25" or 3.5" floppy disk drive
- 195 watt power supply
- 10/200
- Clock/Calendar Everex HDT/D card
- FCC class "B" approved
- 48 Hour factory high temp dynamic burn-in
- 1.2 MEG "base Dr. AT Keyboard
- Runs Autodesk Lotus Xerox Novell all crop Software
- 200 pages of documentation (written in U.S.A.)
- 80287 CD-Processor socket
- 80000 units installed with customer report on file
- Made in U.S.A.
- with 1 year warranty

Model 515 (Basic Sys. + Everex/Intel 132 core w/pc 1x1 Everex Full Mem.)	Special \$595
VGA Sys. (Basic Sys. + Everex EGA card + 14" Everex EGA (33mm) Mon.)	\$1414
Upper EGA Sys. (Basic Sys. + Everex EGA card + NEC Sharp 9000 (33mm) Mon.)	\$1700
System 1800 12MHz 286 0 w/ 5.25" 25 IP KB Base system	\$1099
System 1700 12MHz 286 0 w/ 1 meg RAM KB Base system	\$1395
System 3000 16MHz 386 0 w/ 1 meg KB Base system	\$1895
System 3000 20MHz 386 0 w/ 1 meg KB Base system	\$2200

Full Line of Everex Products Available:

PC: IBM 80486	System 1600 10 MHz 256K	\$535
Main: PC 286/10MHz 512K	System 1600 11 17MHz 256K	\$635
Mod: PC 286/16MHz 512K	New Paradise VGA Plus 16 bit	\$329
Mod: PC 286/16 MHz 512K	VGA Monitor (Secur)	\$445

**Schwab Computer Center**  
"The Everex Store" - Authorized Everex Corp. VAR  
2092 El Camino Real, Santa Clara CA 95051  
408-241-1210 Fax: 408-241-1279  
M-F 10-7 SAT 11-4  
Prices change without notice

Circle 227 on Reader Service Card



### ! not only a printer buffer !

THIS IS THE MOST SOPHISTICATED  
**DCB PRINTER BUFFER - MULTIPLEXOR - SWITCH**

WITH TWO SEPARATE INPUTS (SERIAL AND PARALLEL) AND TWO SEPARATE OUTPUTS (SERIAL AND PARALLEL) CAN BE USED LIKE STANDARD BUFFER. WITH ANY INPUT TO ANY OUTPUT. BUT ALSO YOU CAN CONNECT 2 COMPUTERS TO 1 PRINTER OR 1 COMPUTER TO 2 PRINTERS, OR 2 COMPUTERS AND 2 PRINTERS, AND MORE = 1 COMPUTER TO 3 PRINTERS OR 3 COMPUTERS TO 1 PRINTER.

HIGH CAPACITY - 64 KB TO 256 KB AND - 256 KB TO 1 MB (MODELS A AND B) PAUSE COPY AND RESET FUNCTIONS SERIAL PORTS WITH 1 OR 8 BITS WORD LENGTH, 1 OR 2 STOP BIT, PARITY, XON/XOFF, DTR, RTS.

MCB A-64K \$ 195 DCB B-256K \$ 255 !\*

\* Power supply and parallel cables are included

ALSO, WE HAVE THE MOST COMPLETE DATA CONVERTER UNIT CONVERTS RS232 SERIAL TO CENTRONICS PARALLEL OR VICE VERSA. JUST BY MOVING JUMPERS PAUSE RATE AND PROTOCOL FULLY PROGRAMABLE FROM 150 TO 19200 BAUDS INCLUDES DTR, RTS, XON/XOFF, PARITY, etc.

DCU \$ 80 !\*\*

\*\* Power supply and cables NOT included

serial <math>\leftrightarrow</math> parallel bi-directional converter



INTECTRA Inc. - Dept. 232  
2825 TERMINAL BLVD  
MOUNTAIN VIEW CA 94043  
(415) 967-8818 TX 345545

Circle 129 on Reader Service Card

**SAVE ON**

## 9 TRACK TAPE SYSTEM

FOR IBM PC/XT/AT



- Mainframe to PC Data Transfer
- High Speed Backup
- All Software, Complete System
- Service and Support, easy Installation

call (818) 343-6505 or write to:  
**CONTECH Computer Corp.**  
P.O. Box 153 Tarzana, Calif. 91356

### CONTECH

Circle 68 on Reader Service Card

# Bulk Diskettes

(100) FOR ONLY

## 29¢ ea.

5 1/4" DS-DD

With Tyvek Sleeves & Write on Labels

Delaware 1-800-451-1849  
PO BOX 10247 WILMINGTON DE 19800

Oklahoma 1-800-654-4058  
PO BOX 1674 BETHANY OK 73008

Nevada 1-800-621-6221  
PO BOX 12396 LAS VEGAS NV 89112

Minimum Order \$2000 - Visa, MasterCard at Capital, COD add \$9.95 UPS delivery. U.S. Mail for APO, FPO, AK, HI, or PR add 5% additional for PAL

# IBM

## RIBBONS & DISKS

3.5" DS 1.0 MB #6404107

23<sup>95</sup> 1bx 23<sup>50</sup> 5bx 22<sup>95</sup> 10bx

3.5" HD 2.0 MB #6404078

45<sup>95</sup> 1bx 45<sup>50</sup> 5bx 44<sup>95</sup> 10bx

PROPRINTER \$7<sup>99</sup> EA  
XL 4202 #1040150

Delaware 1-800-451-1849  
PO BOX 10247 WILMINGTON DE 19800

Oklahoma 1-800-654-4058  
PO BOX 1674 BETHANY OK 73008

Nevada 1-800-621-6221  
PO BOX 12396 LAS VEGAS NV 89112

TELE X-4933362 FAX-405-495-4598

# Nashua™

5 1/4" 2 Boxes 5 Boxes 10 Boxes

Double Side \* 5<sup>25</sup> 5<sup>10</sup>

High Density 9<sup>25</sup> 8<sup>95</sup> 8<sup>75</sup>

2 Boxes 5 Boxes 10 Boxes

3 1/2" MF2 13<sup>50</sup> 12<sup>95</sup> 12<sup>50</sup>

3 1/2" HD 2MB 35<sup>95</sup> 35<sup>50</sup> 33<sup>95</sup>

Delaware 1-800-451-1849  
PO BOX 10247 WILMINGTON DE 19800

Oklahoma 1-800-654-4058  
PO BOX 1674 BETHANY OK 73008

Nevada 1-800-621-6221  
PO BOX 12396 LAS VEGAS NV 89112

TELE X#4933362 FAX#405-495-4598

Minimum order \$2000 "No Surcharge on Visa MasterCard." COD orders add \$3.00 Surface. Shipping UPS add \$3.00 per 100 for 3 1/2" or 5 1/4", add \$4.00 per 100 for 8" U.S. Mail delivery add 9%. Prices subject to change without Notice

The most important step you can take is the first.

call toll free

QUADRAM



800-888-9294

#1 JT Fax  
The Best Selling PC Fax in America



the VECTOR From LACC

Model XT-4 77 MHz / 10 MHz Expandable to 640 KB RAM  
8088 Main Board Fully IBM PC/XT Compatible/150 W P/S/Phoenix Bios /  
1 Drive Bios / 1 Drive 36 OK w/ controller DTK  
\$329.00 w/Mono Chrome \$449.00 w/Color \$599.00  
Model AT (286-8 MHz) O'Wait PC AT Compatible 195% Faster than IBM AT 200 watt  
power supply Multi I/O 32 KB Phoenix Bios 640 K E xp/Meg  
1.2 Meg Floppy 1.3 60K Floppy \$959.00 w/30 Meg \$1319  
w/30 Meg Color Monitor \$1499 Mono Monitor

ACCOUNTING

ACCPAC Easy	\$ 53
ACCPAC BPI	\$229
Bedford Accounting	\$139
DAC Easy Accounting	\$ 53
DAC Easy Payroll	\$ 53
In-House Accountant	\$105
One Write Plus 2.0	\$117
One Write	
A/R A/P Payrc	\$117
Time Slips	\$ 69
Time Slips III	\$109

MONEY MANAGEMENT

Dollars & Sense	
w/Forecast	\$ 92
Tobias	
Managing your Money 4.0	\$114

PROJECT MANAGEMENT

Harvard Total	
Project Manager II	\$309
Timeline 3.0	\$315
Microsoft Project 4.0	\$287
Superproject Expert	\$395

LANGUAGES

MS Basic Compiler	\$175	Quick Basic 4.0	\$ 57
C Compiler (Microsoft)	\$259	Quick C	\$ 57
Cobol Compiler (Microsoft)	\$512	Ryan McFarlan Fortran	\$379
MS Fortran Compiler 4.0	\$259	Ryan McFarlan Cobol	\$609
Lattice C Compiler Macro	\$209	Turbo Basic	\$ 58
Assembler (Microsoft)	\$ 86	Turbo C	\$ 58
Pascal Compiler (Microsoft)	\$175	Turbo Pascal 4.0	\$ 58
		Turbo Pascal	
		Dev Library	\$228
		Turbo Prolog	\$ 89

HARDWARE SPECIALS

Panasonic KXP 1080 II	\$169.00	Everex VGA plus	
NEC Multisync II Monitor	\$549.00	Hayes Smart 2400 Baud Modem	\$399.00

NEC Letter Quality Printer  
22 Cps Demo 90 day warranty  
Retail \$495. LACC \$179.

IBM COMPATIBLE CASES  
AT \$29.95  
XT \$19.95

FAX MACHINES

PanaFax UF 150	\$1069.00
Murata M 1600	\$819.00
Brother Fax 1000	\$1459.00

PANASONIC

Model 3131/315	\$269/439
KXP 159/1595/1524	\$399/429
1091/1092/modell II	\$199/319
1081 model II	\$169.00
NEC	
2200	\$349.00
5200	\$699.00
3550/8850	\$799/1169
OKIDATA	All Available Call

COMMUNICATION

Hayes 1200 E/1200B w/S/W	\$279.00
2400 E	\$432.00
2400 B	\$432.00
Everex	Call
LACC Modem 1200 I w/S/W	\$69.00
2400 I w/S/W	\$119.00

MONITOR INTERFACES

LACC Fabulous Mono Hercules compatible or color card	Call
Hercules Mono II Here color	\$289/299
Everex Micro Enhancer	\$129.00
Paradise VGA plus	\$259.00

PRINTERS

EPSON LX 800 DM 180 NLO 30 9 PIN	\$179.00
FX 1050 wide carriage 9 pin	\$469.00
DFX 5000 (533 CPS) 9 pin	Call
EX 800 300 CPS 60 HLO 9 pin	Call
LO 1050 263 CPS 88 NLO 24 pin	\$699.00
All Epson Printer Available Call	

MONITORS

Princeton Graphics System	
HX12E (640 x 350)	\$459.00
Ultrasync VGA compat (800 x 600)	\$479.00
Max 12 TIC	\$149.00
NEC	
Multisync II	\$1549.00
Multisync Plus	\$859.00
Multisync XL 19 pictures	\$2150.00
AMTEC	
410 Amberor white	\$159.95
410 Green	\$159.00
SONY	
EGA Multisync CPD	\$1302.00
SAMSUNG	
EGA 14	CALL
1252 Flat	\$75.00
CN4551 Multisync	\$459.00
LACC TTL Monitor	\$49.00

\$1599

The HP LaserJet Series II Printer.



HEWLETT PACKARD  
DESK JET \$699.00



Model 30 8086 640K 2 Drives	\$1,295
Model 50 20Meg 80286 1 MB	\$2,295
Model 60 44 Meg	Call
Model 80 70 Meg	Call

UTILITIES

1 DIR Plus	\$ 46
Brooklyn Bridge	\$ 69
Carousel 2.0	\$ 43
Copy II PC	\$ 18
Copywrite	\$ 40
Corelast	\$ 89
Cruise Control	\$ 29
Direct Access	\$ 48
Disk Optimizer 2.0	\$ 38
Disk Technician Plus	\$ 69
DS Back Up Plus	\$ 46
Fastback	\$ 75
Fastback Plus	\$ 75
Keyworks	\$ 53
Laplink	\$ 75
Mace Utilities	\$ 47
Microsoft Windows 286	\$ 57

Microsoft Windows 386	\$ 109
Norion Commander	\$ 43
Norion Editor	\$ 35
Norion Utilities 4.0	\$ 46
PC Tools Deluxe	\$ 36
Printworks for	
Dot Matrix	\$ 39
Printworks for Laser	\$ 67
Sidexick Plus	\$115
Sideways	\$ 37
Smart Notes	\$ 43
SO2 Plus	\$ 53
Superkey	\$ 58
Unlock D Plus	\$ 49
Unlock Masterkey	\$ 95
XTree	\$ 35
XTree Professional	\$ 61

WORD PROCESSORS

Easy Extra	\$ 53
Grandview	\$159
Multimate Advantage II	\$259
PFS Professional Write	\$102
Valkswriter 3	\$132
Valkswriter Deluxe Plus	\$ 57
WEBSTER	
New World Writer	\$ 53
Prof Spell Checker	\$ 32
New World Thesaurus	\$ 37
Word (Microsoft)	\$185
Word Perfect 4.2	\$199
Word Perfect 5.0	\$219
Word Perfect Executive	\$119
Word Perfect Library	\$ 59
Wordstar Pro Pack 5.0	Call
Wordstar 2000 Plus 3.0	Call

TOSHIBA

LAPTOP

Model 1000	\$ 780
Model 1200/1200F	\$2250/1395
Model 3100	\$2995
Model 3200/5100	\$3495/4495
Also available from LACC (Apple Compad Dellagold)	
EPSON MC Equily L1 MS Dos 3.2 2 floppy 20 Meg 640K 4 77 / 13 MHZ ECT Call	

COMPUTERS

(PC MASS EDS CHOICE)

AST Premium 286	Model 80 - CALL
	Model 120 CALL
	Model 140 CALL
	Model 180 CALL
All AST Product Available Call	



HARD DRIVES

Seagate 40 MB 251 I	\$389.00
Plus Hard Card 40	\$659.00
Plus Hard Card 20	\$519.00
Seagate 20 MB 225	\$259.00
Seagate 30 MB 238	\$275.00

DATA BASE MANAGEMENT

Cripper	\$409	Paradox 2.0	\$415
dBase III Plus	\$369	PFS	
dBase III LAN	\$599	Professional File	\$119
DB XL Diamond	\$107	Q&A	\$185
Eureka	\$ 99	Q&A Write	\$105
Gentler	\$188	R Base For DOS	\$475
Nutshell	\$72	Rellex	\$ 88
Nutshell Plus	\$139	VP Expert	\$112
		VP Info	\$ 56

INTEGRATIVE SOFTWARE

Ability Plus	\$137	MS Works	\$ 85
Enable 2.0	\$152	PFS 1st Choice	\$ 76
Framework III	\$425	Smart Software System	\$389
		Symphony	\$435

DESKTOP PUBLISHING

Newsmaker II	\$ 89	PFS First Publisher	\$ 69
Pagemaker 3.0	\$489	Ventura Publishing	\$475



Weston

Retail \$ 599.95  
Camera w/ health report camera courses \$499.95



A California Corporation

Open Monday Thru Friday  
7 am to 6 pm  
Saturday  
8 am to 2 pm



COMPUTER CORPORATION

A CALIFORNIA CORPORATION

3701 Inglewood Ave. Ste. 161, Redondo Beach, CA 90278-1110

SHIPPING  
UPS US Mail  
Fed Ex Express  
Emery  
Other

FAX # 213-328-1750

Outside CA  
800-888-9294  
Inside CA  
213-328-9294

P.O. accepted from qualified companies, institutes and schools

WE ACCEPT:  
COD  
Wire Transfers



# LOW-LOW-LOW

**hp** Laserjet Printer Series II \$1650  
**hp** Scanjet Scanner + interface kit \$1355

**IBM** **COMPAG** **Apple** **ACER**  
**EVEREX** **AST** & other

XT/AT Compatibles & 386 Computers  
 CALL for LOW PRICES

Gov't, Corporate, Schools, Dealers,  
 & Export INQUIRIES WELCOME.

## SURAH inc.

44862 Osgood Road, FREMONT, CA 94539  
 PH: (415) 651-5101 FAX: (415) 651-5241  
 1-800 543-1001  
 VISA, Master Card accepted. w/sc

Circle 282 on Reader Service Card

# BIOS SOURCE CODE

The **The AT BiosKit** is a book with diskettes containing source code in C, plus utility programs to help you create a Bios. Now you can have a Bios with documentation for your own applications modify boot-up, eliminate the keyboard, install security features, etc. Only \$199 complete. The **XT BiosKit** is only \$99, or get both BiosKits for \$279. The **Intel Wildcard Supplement** for the **XT BiosKit** is \$49.

### — XT-AT HANDBOOK —

The **XT-AT Handbook** is full of hardware and software information in a shirt pocket size book. Over 70 pages covering 38 subjects including connectors, I/O maps, controller programming, DOS and DEBUG commands, board dimensions, character codes, hard disk drive types, and much more. Only \$995 each qty 1-4, five or more, \$5 each.

### Annabooks

12145 Alta Carmel Ct Suite 250-262  
 San Diego, California 92128  
 (619) 271-9526

Circle 21 on Reader Service Card

# REAL WORLD I/O

For PC/XT/ATs



**DG24** • 24 line digital I/O, 10 MHz 8255. \$95  
**AD500** • 8 channel 12-bit (plus sign) integrating A/D; programs of 1, 10 & 100; 7 digital I/O lines. \$239  
**AD100** • Single channel version of AD500. 10 digital I/O lines. Same programmable gains 700 meg input Z. \$149  
**AD1000** • 8 channel 12-bit A/D, 25 uS, sample & hold, 3.5 MHz timer counters, 24 digital I/O lines. \$295  
**ADA300** • 8 channel 8-bit 25 uS A/D; single D/A sample & hold, 24 digital I/O lines. \$239  
**AD200** • 4 channel 12-bit 125 uS A/D, 3.5 MHz timer counters, 24 digital I/O lines. \$239  
**DA600** • Fast settling dual bipolar D/A. \$179  
**PD200** • Prototype board w/ address decoder; manual \$99


All boards include BASIC, Pascal, C, and FortH drivers. 30 day return, 1 year warranty. Call for "Real World Interfacing" application notes.

### Real Time Devices, Inc.

P.O. Box 906 State College, PA 16804  
 (814) 234-8087

Circle 221 on Reader Service Card

# 6809 Single Board Computer



6809 MPU, 2 serial ports, 4 parallel ports, RAM, EPROM, real-time clock, watchdog timer, 44-pin 4.5" x 6.5" PCB  
**EXPANSION MODULES:** RAM, EPROM, CMOS RAM/battery, analog I/O, serial I/O, parallel I/O, counter/timer, IEEE-488, EPROM programmer, floppy disks, cassette, breadboard, keyboard/display.



**WINTEK**

Wintek Corp.  
 1801 South Street  
 Lafayette, IN 47904  
 317-742-8428

Circle 271 on Reader Service Card

# BIG MOUTH

VERS. 2.0



REAL VOICE Digital Recording  
 for your PC, XT, AT or Compatible

- ◆ VOICE MAIL SYSTEM
- ◆ TELEMARKETING  
 - Inbound & Outbound
- ◆ SMARTEST ANSWERING MACHINE
- ◆ AUTODIALER—DATABASE
- ◆ VOICEPAD™  
 - Voice for your Programs
- ◆ PROGRAMMER'S TOOLKIT  
 - (optional '790)

1/2 card, software, cables, and speaker

\$269<sup>00</sup> + 5¢/h

(415) 652-9600

Talking Technology, Inc.  
 4383 Piedmont Ave., Suite B  
 Oakland, CA 94611

Circle 245 on Reader Service Card



## SAME DAY SHIPMENT

### D - RAMS

41256 - 06	\$13.00
41256 - 08	\$12.50
41256 - 10	\$10.80
41256 - 12	\$10.20
41256 - 15	\$9.50
1mg x 1 - 10	\$28.00
1mg x 1 - 08	\$24.00

### MATH CO-PROCESSOR

8087	\$96.00
8087 - 01	\$170.00
8087 - 02	\$130.00
80287 - 06	\$145.00
80287 - 08	\$200.00
80287 - 10	\$230.00
80387 - 16	\$320.00
80387 - 20	\$420.00
80387 - 25	\$510.00

CALL FOR LOWEST PRICES  
 1-800-2-SABINA

SABINA INTERNATIONAL, INC.

657 Brea Canyon Road Suite 42  
 Walnut, California 91789  
 (714)594-6336 • FAX (714)595-4008  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Circle 224 on Reader Service Card



## E(E)PROM, MICRO & MEMORY CARD PROGRAMMER... \$345 - \$595

- No personality modules for E(E)PROMs & Intel Micros.
- All 24/28/32 pin EPROMs to 1 Mbit (upgradeable to 32MB)
- 8741, -2, -4, -8, -8H, -9, -9H, -51, -51, -52, -55, 9761. EEPROMS.
- Memory Cards: Seiko/Epson, GI, Flash EProms. On-board Programming capability. Easy F/W upgrades. Modular design.
- Stand-alone E(E)PROM & Memory Card Duplication / Verify.
- User friendly menu - driven driver for IBM-PC & Macintosh.
- Autobaud RS232 to any computer. Hex/Binary/Intel/Motorola.
- Built-in Eraser/Timer option (\$50). Gang-Module ready.
- Direct technical support. Full 1 year warranty.

Call today for datasheets!



## B&C MICROSYSTEMS INC.

355 West Olive Ave. Sunnyvale, CA 94086  
 (408)730-5511 FAX (408)730-2155 TLX 984185

## LOW COST INTERFACE CARDS FOR PC/XT/AT



## PC485D \$95

[ RS 485/422 INTERFACE ]

- Meets the EIA RS-485 standard for multipoint bus transmission and the EIA RS-422A standard.
- Can be configured as COM1 or COM2.
- Line terminators are jumper selectable.
- High speed differential drivers allow fast data transfer over long cables (over 4000 ft). Max. Baud rate 56KB/115KB.
- Tri-state line drivers permit implementation of LANs.
- Two wire (half duplex) operation. DB9 or phonejack.
- Sample communication software available. (\$50)

## PC488A \$145

[ IEEE - 488 INTERFACE ]

- Includes INSTALLABLE DOS DEVICE DRIVERS and software support for BASIC.
- Optional language support for C, PASCAL, FORTRAN and ASSEMBLY - \$50
- Selectable base I/O address, IRQ and DMA.
- CONTROLLER / TALKER / LISTENER capability.
- Customer support via dedicated 24 hours B&C Microsystems BULLETIN BOARD.
- Compatible with most IEEE-488 Software Packages for the IBM-PC (e.g. ASYSTANT GPIB, Lotus Measure, etc.).
- Hardware compatible with N.I. GPIB - PC/IIA.

## PC488B \$345

[ IEEE - 488 CARD WITH ]  
 [ BUILT-IN BUS ANALYZER ]

- GPBASIC package complements IBM/Microsoft BASIC interpreter and compiler to create a programming environment similar to HP desktop computers.
- Additional libraries of over 20 high level 488 dedicated functions for C, Pascal or Fortran available (\$50 ea.)
- Powerful menu-driven bus analyzer, which can run in the foreground or in the background while 488 programs or commands are executed, features program stepping, break points and real time bus data capture (4k circular buffer)
- Instant toggling between foreground and Analyzer screen.
- Dipswitch selectable Base Address, IRQ, DMA.
- Talker/Listener/Controller capability. Based on TMS-991.
- NEC-7210 based version (NI PC/IIA compatible) - \$445

MC/VISA/AMEX

Call today for datasheets!



## B&C MICROSYSTEMS INC.

355 West Olive Ave. Sunnyvale, CA 94086  
 (408)730-5511 FAX (408)730-2155 TLX 984185

Circle 285 on Reader Service Card



**\*FREE! SHIPPING!!!**

Offer Expires 3/31/89

Restricted to Continental U.S.A. Only

3M Diskettes Only \* Multiples of Case Only

DS-DD	Quantity Discounts Available min. 5 boxes	DS-HD
.65	25 PACK 5.25" 3M Diskettes	1.19
.69	10 PACK 5.25" 3M Diskettes	
1.45	3.50" 3M Diskettes	2MB 3.49
.75	5.25" 3M PC Pre-formatted Diskettes	
1.89	SS/DD-8.00" 3M Diskettes-DS/DD	2.15
.39	3M Highland Box Diskettes (min 10 bx)	
DC-1000	12.50	DC-300XLP 19.40
DC-2000	17.05	DC-600A 21.45
3M Mag. Tapes 2400" WTS (min 10 reels)	12.50	
3M Mag. Tapes 1200" WTS (min 10 reels)	9.25	



**\*FREE MICRODEX/25**

DS-DD	Quantity Discounts Available	DS-HD
.59	5.25" BASF	.89
1.29*	3.50" BASF	2MB 3.59
.35	5.25" BASF NoLogo Diskettes with Tyvek sleeves, labels & w/p.	
.49	5.25" BASF SS/DD/48 TPI Diskettes in BASF plastic library box	



**\*FREE Plastic Library Box**

DS-DD	Quantity Discounts Available	DS-HD
.49	5.25" Nashua Diskettes	*.84
1.24	3.50" Nashua Diskettes	2MB 3.29

**COLOR DISKETTES**

5.25" DS/DD	5.25" DS/HD	3.50" DS/DD
.39	.84	1.26

**BULK DISKETTES**

DS-DD	Quantity Discounts Available	DS-HD
.29	5.25" No-Logo Diskettes	.59
1.06	3.50" No-Logo Diskettes	2MB 2.99



MD-2D-MP	MD-2HD-MP	MF-2DD
.65*	1.19*	1.52



5.25" DS/DD	5.25" DS/HD	3.50" DS/DD
.69	1.25	1.49



MD-2D	MD-2HD	MF-2DD
.65	1.52	1.52



MD-2D	MD-2HD	MF-2DD
.75	FUJI COLOR DISKETTES	RAINBOW DISKETTES

**DISKOTECH DISKCO TECHNOLOGIES, INC.**

213 Cottage Avenue  
P.O. Box 1339 Sandy, Utah 84091

**NEW**

**MULTI-CHANNEL PS/2**



**COMMUNICATION BOARD**

- Four Independent RS-232 Ports
- Flexible Interrupt/Address Options
- Discounts Available
- For Models 50, 60, 80


**1-800-553-1170**



478 E. Exchange St., Akron, OH 44304  
TEL: (216) 434-3154 FAX: (216) 434-1409  
TLX: 5101012726

Circle 216 on Reader Service Card

**SERIAL/PARALLEL Communications Board**



- Two Parallel Printer Ports
- Two 8-Bit Digital I/O Ports
- Two Serial Ports, RS-232, RS-422 or RS-485
- Address Selectable
- Selectable & Shareable Interrupts


**1-800-553-1170**



478 E. Exchange St., Akron, OH 44304  
TEL: (216) 434-3154 FAX: (216) 434-1409  
TLX: 5101012726

Circle 217 on Reader Service Card

**WAVEFORM SYNTHESIZER**



- For IBM PC/XT/AT and compatibles
- Generates user-definable signal
- Up to 2000 points per envelope

**\$795.00**

**1-800-553-1170**



478 E. Exchange St., Akron, OH 44304  
(216) 434-3154 TLX: 5101012726

Circle 215 on Reader Service Card

**NEW**

**PARALLEL PORT FOR PS/2**



**MODELS 50, 60, 80**

- LPT1, LPT2, LPT3
- Optional Serial Port
- OEM Pricing Available

**1-800-553-1170**



478 E. Exchange St., Akron, OH 44304  
TEL: (216) 434-3154 FAX: (216) 434-1409  
TLX: 5101012726

Circle 214 on Reader Service Card

**FRAME GRABBERS**

MODEL	RESOLUTION	PRICE with frame grab	PRICE without frame grab
HRT 256-4	256 x 256 x 4	495	NA
HRT 256-8	256 x 256 x 8	795	NA
HRT 512-8	512 x 512 x 8	995	NA
HRT 512-24	512 x 512 x 24	1995	1495

- CALL FOR DIFFERENT MODELS
- IBM PC/XT/AT COMPATIBLE
- DIGITALIZE IN REAL TIME
- COMPOSITE VIDEO IN
- 24 BIT RGB OUT except model HRT 256-4
- 16 level gray scale out
- SOFTWARE LIBRARY OF IMAGE ANALYSIS ROUTINES
- FREE SOFTWARE UPGRADES TO REGISTERED OWNERS
- FULL CREDIT ON UPGRADE PURCHASE IN FIRST YEAR
- RETURN OLD BOARD AND JUST PAY DIFFERENCE

INPUT DEVICES (optional)

Microsoft Mouse (bus or serial)	999
Bit Pad Plus by Summagraphics	3599



**HRT**

HIGH RES TECHNOLOGIES  
P.O. BOX 76  
LEWISTON, N.Y. 14092

PHONE 416-497-6493

FAX 416 497-1988

Circle 121 on Reader Service Card

**9-TRACK MAG. TAPE SUBSYSTEM\* FOR THE IBM PC/XT/AT AND...**



For information interchange, backup and archival storage, AK Systems offers a 9-track, IBM format-compatible magnetic tape subsystem for the IBM PC, featuring:

- IBM format 1600/3200 and 800 cpi.
- Software for PC-DOS, MS-DOS, XENIX
- Also for AT&T, DEC, VAX, VME, S-100, RS-232, IEEE 488.

\*formerly IBEX Mainstreamer

**AKSystems**

20741 Manilla St  
Chattsworth, CA 91311  
(818) 709-8100

Write, phone or TWX for information

TWX 910-460-2071

Circle 15 on Reader Service Card

# IBM

PS/2 model 30/20 meg	1775
PS/2 model 50/20 meg	2595
PS/2 model 60/40 meg	3395
PS/2 model 60/71 meg	4100
PS/2 model 80/40 meg	4595
PS/2 model 80/115 meg	6295

Call for other models

# COMPAQ

386 S 40 meg	3595
386 130 meg/20 MHz	6295
286 40 meg	2195
386 110 meg/25 MHz	7495
386 60 meg/20 MHz	5195
Portable III 4C meg/12 MHz	4095

CARD & MONITOR EXTRA  
Call for other models

# Macintosh

Mac-SE/20 Meg	2849
Mac-II/40 Meg	4249
Mac-SE12 Drive	2295
Call for 60 and 100 Meg	
Lazer NT	3595
Lazer NTX	5195

# LOW PRICE LEADER

SINCE 1983

# LAP-TOP

Compaq SLT 286-20	Call
SLT 286-40	Call
Toshiba T1000	769
T1200F	1395
T1200HB	2395
T3200-40 Meg	3495
T5100	4595
Zenith Supersport	
286-20 Meg	3195
286-40 Meg	3695
8088-20 Meg	Call
Epson LT	Call
NEC EL w/case	1295
Mitsubishi 286-20	2595

# Everex

Step 286 - 12 & 16 MHz & 20 MHz  
1 Meg RAM  
Set up utility in ROM  
S/P, C/C  
Enhanced keyboard  
1.2 MB floppy  
DOS/BASIC

Call! for your configuration

# Everex

Step 386-20 MHz & 16 MHz & 25 MHz  
256K cache of very high speed RAM  
2 Meg RAM, expandable to 16 Meg  
S/P, C/C  
Enhanced keyboard  
1.2 MB floppy  
DOS/BASIC

Call!

Everex 1800 Available

# AST

AST 386 40 Meg	3495
AST 286 model 80	1595
AST 286 model 120	Call
AST 286 model 140	2595

CARD & MONITOR EXTRA

### WE STOCK

CITIZEN  
OKIDATA  
EVEREX  
GOLD STAR

TOSHIBA  
NEC  
WYSE  
HITACHI

PRINCETON GRAPHICS  
SONY  
ACER  
HOUSTON INSTRUMENTS

AMDEK  
HAYES  
SAMSUNG  
CALCOMP

PC MOUSE  
MICROSOFT MICE  
LOGITECH  
MITSUBISHI

IRWIN & ARCHIVE  
TAPE BACK  
TAXAN  
MAGNOVOX

### BOARDS

Paradise VGA +	285
Vega VGA	279
Everex EVGA	265
Everex EGA	159
Tatung 16 bit	275

### SOFTWARE SPECIALS

dBase IV	455
Wordperfect	239
Aldus Pagemaker	450
Ventura Publisher	475
Clipper	415
Quatro	145



## NOVELL Authorized Dealer

### PRINTERS

<b>EPSON</b>	
LX-800/LQ-500	195/315
LQ-850/1050	535/735
<b>OKIDATA</b>	
320/321	335/460
390/391	460/635

### LASER PRINTERS

HP Laser II	1695
HP Desk Jet	675
Panasonic 4450	1549
Brother HL-8	1895
Nec LC 890	3295
PageLaser 12	\$\$\$\$\$

### MONITORS

Nec Multisync II	575
Nec Multisync Plus	875
Nec Multisync XL-19"	2095
Samsung EGA	335
Goldstar VGA	375

### FAX MACHINES

Sharp FO 220	950
Sharp FO 420	1195
Canon	Call
Minolta	Call
Brother	Call
Richo	Call

### Intel Coproprocessors

8087-3	105
8087-2	145
80287-6	175
80287-10	285
80387-16	485
80387-20	549
80387-25	695

### TOSHIBA

321-SL/341-SL	485/595
351-SX 350 CPS	945

### BROTHER

1709-9 PIN	425
1724-24 PIN	595

### MODEMS

Everex 1200 Int	89
Everex 2400 Int	149
Hayes 1200 B	275
More in Stock	Call

WE ACCEPT LC, CASHIER CHECKS, MONEY ORDERS, VISA, MC, AmEx  
3% charge on VISA, MC & 5% on American Express

EXPORTS  
Available

# COMPUTERLANE

HOURS:  
M-S 9-6

**1-800-526-3482 (Outside CA)**  
**(818) 884-8644 (In CA)**  
**(818) 884-8253 (FAX)**

22107 ROSCOE BLVD.  
CANOGA PARK  
1/2 BLOCK W. OF TOPANGA  
CA 91304

CORPORATE ACCOUNTS WELCOME  
CALL FOR VOLUME DISCOUNTS  
CONSULTANTS CALL FOR PRICING

Prices subject to change without notice

Compaq is a Registered Trademark of Compaq  
IBM is a Registered Trademark of International Business Machines


# PROGRAMMERS

PUT ONE UNIT  
ON YOUR DESK TODAY!



ULTIMATE PROGRAMMING & TESTING  
SOLUTION FOR EPROM, PAL, BIPOLAR,  
8748 & 8751 SERIES, IC & MEMORY.

**UNIPRO --- Only \$545 Complete**  
Optional 4-socket ADAPTOR  
for multiple EPROM programming --- \$99



**EPROM PROGRAMMERS --- FROM \$160**  
(1,4,8,16 Socket gang programmers)



High-speed, dedicated PROGRAMMERS  
for PAL, BIPOLAR, 8748 Series, and  
8751 Series, and IC & MEMORY  
TESTERS are also available.

Ask for PAL DESIGNING S/W  
1. PALASM (MMI) 2. PLDesigner (MINC)  
3. ORCAD PLD



High Intensity EPROM ERASERS ---from \$59.90

OEM, DEALER INQUIRY WELCOME

## XELTEK

473 SAPENA COURT, UNIT 24  
SANTA CLARA, CA 95054

TEL: (408) 727-6995 FAX: (408) 727-6996

**ORDER TOLL FREE  
1-800-541-1975**

VISA, MASTER, AMEX ACCEPTED

## Dynamic Electronics

# SIMMS

CALL FOR PRICES

INTEL	DRAMS	SIMMS
8087	64K	256 X 8
80287	256K	X9
80387	4464	1 Meg X 8
80387SX	1 Meg	1 Meg X 9
80C287A		

Phone 714-855-0411

Fax: 714-855-8504

23522 COMMERCE CENTER DR. #L  
LAGUNA HILLS, CA 92653, USA

Circle 93 on Reader Service Card

## Cross-32 Meta Assembler

Table based macro cross-assembler using the  
manufacturer's assembly mnemonics.

Includes manual and MS-DOS assembler disk  
with tables for *all* of the following processors:

1802	64180	65C02	65816
6801	6805	6809	68HC11
680X0	80X86	COP400	COP800
8048	8051	8085	8096
TMS320	TMS370	Z8/Z80	...MORE

Users can create tables for other processors!

Generates listing, symbol table and binary,  
Intel, or Motorola hexcode.

Free worldwide airmail shipping & handling.

Check, MO, VISA or MC: US\$199 or C\$249

Universal Cross-Assemblers  
POB 384, Bedford, NS  
Canada B4A 2X3  
(902) 864-1873

Circle 260 on Reader Service Card

### JB UNIVERSAL COMPUTER INTERFACE

RS232 ADAPTER TO JB-BUS	\$149
CENTRONICS ADAPTER TO JB-BUS	\$99
The JB universal interface cards can be connected externally to just about any computer with a standard interface. Affordable and portable data acquisition, monitoring & control	
JBAD08-16 Analog input, 16 ch, 8-bit, gain 1, 10, 100	\$149
JBID064 Digital I/O, 32 TTL inputs, 32 TTL outputs	\$99
JBBAT Battery option, great for laptop computers	\$99

### PC COMPATIBLE INTERFACE CARDS

**DIGITAL OSCILLOSCOPE SYSTEM \$99**

- AD08-1 card & DIG-OSC-8 Software
- Analog input
- 8 bit resolution
- save waveform to disk
- 10K samples/sec
- High input impedance
- 0-5V range

**DAS 12 (Sale Price ends February 28, 1989) \$249**

- 8 hi-Z, 12-bit S.E. Analog input channels
- GAIN of 1, 10, 100
- \* Full Scale, +/- 10V, 5V, 500mV, 50mV
- \* 25uS conversion
- \* software to simulate 8 channel DVM, data logger, plot data
- \* 7 TTL I/O, trigger sampling or control external devices

**DAS8F \$199**

- high speed (15uS conversion) 8-bit data acquisition system
- 8 hi-Z, S.E. input channels, GAIN of 1, 10, 100, 0-5V Full Scale
- optional 8-bit analog output, add \$50

Prices, availability and specifications are subject to change

**JB COMPU-TRONIX**  
3816 N. Wadsworth Blvd.  
Wheat Ridge, CO 80033  
**(303) 425-9586**

Call for FREE CATALOG, accept MC/VISA orders

Circle 137 on Reader Service Card

World Radio History



**Presto!**  
**A Link to  
Mainframe  
Graphics**

Find out how our whole family of  
EMU-TEK graphics terminal emulation  
software makes good sense for the work you do.  
Call today for more information.

**FTC DATA  
SYSTEMS**

(714) 995-3900  
(800) 962-3900 (800) 972-3900 (Calif.)  
10801 Dale St., Suite M-2  
Stanton, CA 90680

Circle 103 on Reader Service Card

## 9-TRACK TAPE SYSTEMS!



**OVERLAND DATA IS THE EXPERT** when it  
comes to connecting your PC to the mainframe  
and mini computer world.

- PC/XT/AT 386/PS2/compat bls
- 800, 1600, 3200, 6250 BPI
- Free tutorial on tape systems
- EBCDIC ASCII conversion
- IBM & ANSI labeled tapes
- DOS, XENIX, UNIX, PICK
- Highest quality customer service
- Stock full range of tape drives
- Network backup and More!

## Overland Data Inc.

5620 Kearny Mesa Rd. • San Diego, CA 92111  
Tel: (619) 571-5555 • FAX: (619) 571-0982

Circle 194 on Reader Service Card

## 8051 SIMulator

for the IBM PC/XT/AT **\$99**

The 8051SIM software package assists in the  
debug of 8051 family programs. A screen  
oriented, menu command driven program,  
8051SIM speeds development by allowing  
program execution and debug without a  
target system. A great learning tool as well.

## 8031DryICE \$199

Dry ICE is a debugger/emulator that supports  
the development of hardware and software  
using the 8031 microcontroller. The DryICE  
provides powerful functions to assist in the  
integration, debug, and test phase. Hardware  
connects between your target 8031 IC socket  
and CRT terminal or PC COM port.

**HTE**

HiTech Equipment Corporation  
9400 Activity Road  
San Diego, CA 92126

(619)566-1892


Circle 120 on Reader Service Card

# CALL (800) 654-7762 FOR THE LOWEST PRICE CUSTOM CONFIGURATIONS

## CAT™ 8MHZ BASE SYSTEM

- 256K (Opt. 640K) • 150 Watt Power Supply • AT Style Keyboard & Case
- 4.77 or 8 MHZ Keyboard Selectable • FDC
- 8087 Socket • 360K Floppy Drive • 1 Year Warranty

**\$39900**



## CAT 386 SYSTEM

- 12" Amber Monitor with Graphics Interface Card
- 1.2 Meg Floppy Drive (expandable to 8 Meg)
- 1 Meg of Memory
- Parallel, Serial & Clock
- 70 Meg Hard Drive

20MHz **\$249500**

## CAT™ 286-10 BASE SYSTEM

- 512K Exp. to 1 MEG • 200 Watt Power Supply • AT Style Keyboard
- Western Digital Controller • 1.2 Meg Floppy • Legal Bios w/manuals • Systems Documentation • 1 yr. wr. • Clock/Calc
- 10MHz DTK Motherboard

**\$79900**



**OPTION A**  
12" Mono Amber Monitor  
Graphics Card w/par port  
**\$51900**

**OPTION B**  
640 x 200 Color Monitor  
Graphics Card w/par port  
**\$69600**

**OPTION C**  
12" Mono Amber Monitor  
Graphics Card w/par port  
20 Meg Hard Drive  
**\$78800**

**OPTION A AT**  
12" Mono Amber Monitor  
Graphics Card w/par port  
**\$94900**

**OPTION B AT**  
640 x 200 Color Monitor  
Graphics Card w/par port  
**\$109600**

**OPTION C AT**  
12" Mono Amber Monitor  
Graphics Card w/par port  
40 Meg Hard Drive  
**\$139900**

# FOR WHOLESALE PRICING WITH RETAIL SERVICE CALL (800) 654-7762

## intel COPROCESSORS



If Your PC Uses the Intel	Running at . . .	Then You Need Intel	MEADS Price
8088	5MHz or less	8087	97 <sup>50</sup>
8088 or 8086	8MHz or less	8087-2	143 <sup>50</sup>
8086	10MHz or less	8087-1	209 <sup>00</sup>
80286	6-8MHz	80287	159 <sup>00</sup>
80286	8-12MHz	80287-8	229 <sup>00</sup>
80286	10MHz or more	80287-10	259 <sup>00</sup>
80386	16MHz	80387-16	387 <sup>50</sup>
80386	20MHz	80387-20	549 <sup>00</sup>
80386	25MHz	80387-25	669 <sup>00</sup>
386SX	16MHz	80387-SX	429 <sup>00</sup>

## ALL KINDS OF RAM UPGRADES

WE BUY EXCESS RAMS PLEASE CALL OR FAX LIST

64K		1 Meg.	
4464	100 NS	18 <sup>05</sup>	1Meg x 1 120 NS 27 <sup>00</sup>
4464	120 NS	17 <sup>05</sup>	1Meg x 1 100 NS 29 <sup>00</sup>
4464	150 NS	16 <sup>00</sup>	1Meg x 1 80 NS 39 <sup>00</sup>
4164	150 NS	2 <sup>05</sup>	
4164	120 NS	3 <sup>25</sup>	Simn Modules
4164	100 NS	3 <sup>45</sup>	256 x 8 120 NS 89 <sup>00</sup>
			256 x 9 80 NS 149 <sup>00</sup>
			256 x 9 100 NS 119 <sup>00</sup>
			256 x 9 120 NS 109 <sup>00</sup>
			1Meg x 9 120 NS 379 <sup>00</sup>
			1Meg x 9 100 NS 399 <sup>00</sup>
			1Meg x 9 80 NS 499 <sup>00</sup>
			1Meg x 8 120 NS 339 <sup>00</sup>

## Seagate HARD DRIVES

COMPLETE KITS

ST125 20Meg 40 Mil 1/2 Ht 3 1/2" Drive only	279 <sup>00</sup>
ST225 20Meg w/cont. & Cables	269 <sup>00</sup>
ST238 30Meg w/cont. & Cables	299 <sup>00</sup>
ST251 40Meg 1/2 HT 40 Mil w/software	379 <sup>00</sup>
ST251-1 40Meg, 28 Mil Sec.	439 <sup>00</sup>
ST277R 60MB 40 Mil 1/2 Ht	489 <sup>00</sup>
ST4026 20Meg Full Ht 40 Mil	279 <sup>00</sup>
ST4038 30Meg 40 Mil Full Ht	309 <sup>00</sup>
ST4053 40MB 28 Mil Full Ht	519 <sup>00</sup>
ST4096 80Meg Full Ht w/software	649 <sup>00</sup>
Fastrax Software	49 <sup>00</sup>

## MODEMS BY EVEREX™

EV-923 EverCom 12 300/1200 bps Bitcom Software	74 <sup>00</sup>
EV-941 EverCom 24 2400 Baud Int. Bitcom Software	139 <sup>00</sup>
EV-945 External 2400 Baud	199 <sup>00</sup>
For error correcting add \$10.00	
Hayes Compatible Major Manufacturers	
1200 Baud Internal w/Software	59 <sup>00</sup>
1200 Baud External fully Hayes Compatible	99 <sup>00</sup>
2400 Baud Internal 1/2 card w/software	109 <sup>00</sup>
2400 Baud External Fully Hayes Compatible	129 <sup>00</sup>
1 Year Warranty	

## ACCESSORIES OF ALL KINDS

150 Watt Power Supply Direct PC Replacement	54 <sup>00</sup>
200 Watt Power Supply Direct AT Replacement	79 <sup>00</sup>
Everex Ram 3000 0-3 Meg.	99 <sup>00</sup>
Everex Ram Expansion for XT 0-384K	59 <sup>00</sup>
No Slot Clock	39 <sup>00</sup>

## CONTROLLERS BY WESTERN DIGITAL

WX-1 8 Bit 1/2 Sized for XT	79 <sup>00</sup>
WA-2 16 Bit Full Sized Hard/Floppy	119 <sup>00</sup>
WD-27X 8 Bit RLL 1/2 Size	89 <sup>00</sup>
WAH 16 Bit Hard Drive Controller	129 <sup>00</sup>
RA2 16 Bit RLL Hard/Floppy for AT	159 <sup>00</sup>
MEAD Floppy Disk Controller for XT, controls 4 drives	29 <sup>00</sup>
MEAD 1.2 Meg & 360K Controller for XT	59 <sup>00</sup>
Cable Set for Hard Drive Only	5 <sup>00</sup>

## TAPE BACKUPS BY

40MB Mini Cartridge, 1.8MB/min, XT	359 <sup>00</sup>
40MB Mini Cartridge, 3.6MB/min, AT	359 <sup>00</sup>
40MB Streaming Cassette, 5MB/min w/cont	589 <sup>00</sup>
60MB Streaming Cassette, 5MB/min w/cont	649 <sup>00</sup>
60MB Streaming 600A, 5MB/min w/Full cont	849 <sup>00</sup>
125MB Streaming Cartridge, 5MB/min w/Full cont	1119 <sup>00</sup>
Excell 60 Model 60/80	999 <sup>00</sup>
Excell 125 Model 60/80	1269 <sup>00</sup>
External Add 195 <sup>00</sup>	

# Liquidation ★ Closeouts ★ Discontinued Items ★ Overstocked

## SAVE UP TO 90% OFF RETAIL — All New 90 Day Warranty\*\*

## LETTER QUALITY PRINTER

DAISYWHEEL PRINTER MANUFACTURED BY C.ITOH

Why pay \$1149 for a C.Itoh

## STARWRITER™ F-10

When our 40 cps letter quality daisywheel printer from the same manufacturer is only

**\$39900** ea.

### OPTIONS

- 6 ft. Serial Cable \$ 19<sup>00</sup>
- Bidirectional Tractor 149<sup>00</sup>
- Cut Sheet Feeder 199<sup>00</sup>
- Serial to Parallel Converter 99<sup>00</sup>

### STANDARD FEATURES

- 40 CPS • Accepts Paper to 15 inches • Form Length and Pitch Set from Control Panel
- Industry compatible ribbon, printwheels and control commands • RS232 Serial Interface



## MICROSOFT MOUSE



- In Port with Bus Interface
- Fully IBM Compatible (of course)
- Includes Showpartners and Paint Brush

List \$199 Mead **\$7900**

## REPT MONITOR



FREE TILT SWIVEL BASE

- 14" Flat Screen • Paper White Phosphorus
- TTL Monochrome & RGB Composite Interface

List \$199 Mead **\$10900**

## STATIC BUSTER

Attached to CRT face and keyboard, Static Buster works just like a sponge, dissipating static at a rate of 20,000 volts in less than two seconds.

List 49<sup>00</sup> Mead 19<sup>00</sup>



## AT STYLE / XT CASE



- 2 Bay Standard AT Style Case
- Keypack Power and Hard Drive LED's

List 99<sup>00</sup> Mead 29<sup>00</sup>

## TEAC

360K Floppy Drive



- 360K White Faceplate • 1/2 HT / 55BV

List 199<sup>00</sup> Mead 74<sup>00</sup>

## MORE LIQUIDATIONS

MicroSoft DDS 3.21 w/GW Basic	59 <sup>00</sup>
Intel 2764A	3 <sup>00</sup>
NEC V-20-8MHz	8 <sup>00</sup>
2nd Serial Chip Upgrade	9 <sup>00</sup>
10 Meg with Controller	179 <sup>00</sup>

**800-654-7762**

SALES: 7 a.m. - 6 p.m. PST

**702-294-0204**

CUSTOMER SERVICE / ORDER STATUS:

9 a.m. - 4 p.m. PST

**FAX 702-294-1168**

Trademarks are Registered with their respective Co's Prices Subject to Change All Products 90 Day Warranty unless stated otherwise

WE ALSO PURCHASE EXCESS INVENTORY — FAX LIST



1000 Nevada Hwy. • Unit 101 • Boulder City, NV 89005

NO SURCHARGE FOR MCVISA TERMS:  
MC • VISA • CDD • CASH  
Purchase Orders from Qualified Firms  
Personal Checks • AE add 4%  
20% Restocking Fee on Non-Defective Returns



SHIPPING: (min. 6<sup>00</sup>) UPS

# Emergency Power!

Even a "small" brownout can wipe your valuable data clean. Voltage spikes can burn out an entire CPU. Protect your equipment and data with a low-cost battery backup system.



## Battery Back-up Power System — Spike and Surge Protection

450-watt, 120V power system for up to 2 hrs. (at 80 watt) continuous use during a complete black-out.

**\$499<sup>95</sup>**

Model BC-450



## Line Stabilizer — Voltage Regulation and Surge Suppression

1800 watt power output. Isobar® spike and noise protection.

**\$299<sup>00</sup>**

Model LC-1800

TOLL FREE  

**800-648-2626**

(NY State 800-832-1446 Ext. 242)

# SCOPE ELECTRONICS

260 Motor Pkwy, Hauppauge, NY 11788

ASK FOR FREE CATALOG Money orders, checks accepted. Please add \$15.00 per item shipping and handling. NYS residents add appropriate sales tax

## 16-BIT RESOLUTION ANALOG-TO-DIGITAL CONVERTER 12,000 SAMPLES/SEC for IBM PC, XT & AT SINGLE PIECE PRICE \$475

We manufacture a broad line of data acquisition and control hardware and software for Apple and IBM computers.

Call for quotes on custom hardware or complete systems.

### LAWSON LABS, INC.

5700 RAIBE ROAD  
COLUMBIA FALLS, MT 59912  
800-321-5355 or 406-387-5355



Circle 146 on Reader Service Card

## 9-Track Tape Subsystem for the IBM PC/XT/AT



Now you can exchange data files between your IBM PC and any mainframe or mini-computer using IBM compatible 1600 or 6250 BPI 9-Track tape. System can also be used for disk backup. Transfer rate is up to 4 megabytes per minute on PCs and compatibles. Subsystems include 7" or 10½" streaming tape drive, tape coupler card and DOS compatible software. For more information, call us today!

**QUALSTAR**

9621 Irondale Ave., Chatsworth, CA 91311  
Telephone: (818) 882-5822

Circle 212 on Reader Service Card

## HARD DRIVE SALE SEAGATE

ST- 225 . . . . .	\$ 255.00
with controller and cable	
ST- 238 . . . . .	\$ 265.00
with controller and cable	
ST- 251 . . . . .	\$ 325.00
ST- 251-1 . . . . .	\$ 420.00
ST- 125 . . . . .	\$ 289.00
with controller and cable	
ST- 138 . . . . .	\$ 359.00
with controller and cable	



A.N. Wholesale & Retail, Inc.  
1320 South Dixie Hwy, Suite 256  
Miami, Fla 33146

Phone: (305) 284-0827  
Fax: (305) 284-0831

Circle 20 on Reader Service Card

## PAL/EPROM PROGRAMMER for PC

VERSION 2 of Software and Hardware \$475

- Programs 20 and 24 pin MMI, NS, TI, Altera, Cypress, Ricoh/ Panatec PALs EPLD (UV erasable), polarity, and RA types.
- Functions Include: read, write, verify, protect, edit, print, and file load and save of program
- JEDEC files supported.
- 2716-27512 EPROMs.
- Functions Include: read, write, verify, blank check, Hi/Lo split, edit in ASCII, HEX, or Decimal.
- INTEL Hex and Motorola "S" Record file support.



## 200/100 MHz LOGIC ANALYZER for PC

- 24 Channel mode with 4K/channel • 6 Channel mode with 16K/channel
- Internal Rates from 200MHz(LA27200) or 100MHz(LA27100) to 250 Hz
- External Clock from DC to 50 MHz • 16 Level Triggering Sequence
- Threshold Voltage Level at TTL, ECL, or -8V to +14V variable • Data Display as Timing Diagram or State List • Save/Load Data and Setup Info.

LA27100

\$1299

LA27200

\$1899

(201) 994-6669  
Link Computer Graphics, Inc.  
4 Sparrow Dr., Livingston, NJ 07039

Circle 147 on Reader Service Card

## Communications Analyzer



- Monitors and stores to disk RS232 async data in real time
- Dual line DCE over DTE format
- Perform action on any data pattern
- Interactive mode
- Fully configurable, includes cables
- For IBM/PC/XT/AT or compatibles



Palladian Technologies Incorporated \$395.00  
demo \$10

1-800-537-5046 (301)576-0575

Circle 197 on Reader Service Card

## DATA ACQUISITION

ALL needs ! ANY computer !

- PC Software Included
- Serial, Modem, & Bus
- Stand Alone Ability
- Laptop & Handheld
- PC & MAC Cards
- Inexpensive
- OEM & VAR
- RTU's



Call for FREE DEMO DISK !  
Specialists in portable and battery backed up as well as PC compatible modular systems.



Call for applications info: (201) 299-1615  
P.O. Box 246; Morris Plains, NJ 07950

**ELEXOR**

Circle 96 on Reader Service Card

Opto-Mechanical

# Mouse \$29

1200 Baud Modem

# Modem \$48

**Jade 10 MHz Turbo XT** \$398  
640K Motherboard w/256K RAM  
Floppy Disk Controller  
140 Watt Power Supply  
101 Enhanced Keyboard

**Monochrome Graphics System** \$698  
640K RAM, 360K Disk Drive  
Printer Port, Amdek 310A Monitor  
30 MB Hard Disk System... add \$298  
CGA Color System... add \$188  
EGA Color System... add \$398  
VGA Color System... add \$568

**Jade 12 MHz Turbo 286** \$898  
1 MB Motherboard w/512K RAM  
200 Watt Power Supply  
Clock/Calendar  
Enhanced 101 Keyboard

**Mono Graphics System** \$1098  
1.2 MB Floppy Drive & Controller  
Printer Port, Amdek 310A Monitor  
40 MB Hard Disk System... add \$438  
12 MHz, 1 MB of RAM... add \$148

**Jade 20 MHz Turbo 386** \$1998  
1 MB of RAM on Motherboard  
1:1 Interleave FDD/HD Controller  
2 Serial, 1 Parallel, Clock Calendar  
101 Enhanced Keyboard

**40 MB Mono Graphics System** \$2388  
1.2 MB Floppy Disk Drive  
40 MB Hard Disk Drive  
Amdek 310A Monitor

**Disk Drives**  
360K half height... \$68  
360K full height... \$118  
TEAC 55 BV... \$78  
1.2 MB for AT... \$88  
3 1/2" 720K... \$88  
3 1/2" 1.44 MB... \$118  
5 1/4" ext. 360K for PS/2... \$218  
5 1/4" ext. 1.2 MB for PS/2... \$258  
5 1/4" ext. for LapTop... \$298

**Hard Disk Drives**  
10 MB w/controller... \$198  
20 MB w/controller... \$268  
30 MB w/controller... \$288  
40 MB w/controller... \$398  
40 MB for AT... \$338  
ST 125 20 MB... \$248  
ST 138 30 MB... \$298  
ST 251 40 MB... \$368  
ST 251-1 40 MB... \$448  
ST 4096 80 MB... \$568

**Tape Back-up**  
CMS Jumbo 40 MB XT/AT... \$298  
XT/AT Kit External... \$128  
PS/2 Internal Kit... \$58  
PS/2 External Kit... \$128

**Monitors**  
Amdek 310A amber... \$98  
Amdek 410A amber... \$118  
14" amber flat screen... \$128  
RGB 640 X 240 color... \$258  
EGA 640 x 350 color... \$378  
VGA 800 x 560... \$488  
NEC MultiSync GS... \$188  
NEC MultiSync II... \$588  
NEC MultiSync Plus... \$888  
Mitsubishi Diamond Scan... \$498  
Zenith 1490 flat screen... \$618  
Sony 800 x 600 Multi Scan... \$488

**Keyboards**  
84 Key AT-style... \$68  
101 Key enhanced... \$78

**Printers**  
EPSON LX-800 9 PIN... \$188  
EPSON FX-850... Call  
EPSON FX-1050... Call  
EPSON EX-800... Call

EPSON LQ-500 24 PIN... \$299  
EPSON LQ-850... Call  
EPSON LQ-950... Call  
EPSON LQ-1050... Call  
EPSON DFX-5000... Call

Okidata 320... \$348  
Okidata 321... \$498  
Okidata 390... \$498  
Okidata 391... \$648  
Okidata 393... \$948

Citizen 120D... \$158  
Citizen 180D... \$168

NEC P2200... \$358  
NEC P5200... \$528  
NEC P5300... \$698

Diconix 150 Portable... \$308

**Daisywheel Printer**  
40 CPS Parallel and serial... \$248

**Hewlett Packard DeskJet**  
DeskJet... \$698  
128K PDP Desk RAM... \$98  
EPSON emulation cartridge... \$68  
TMS RM/HELV Soft Font... \$98  
Ink cartridge... \$19

**Hewlett Packard LaserJet**  
LaserJet II... Call  
LaserJet IID... Call  
25 in One Font Cartridge... \$398  
4 MB card w/0 memory... \$188  
1 MB memory card... \$348  
2 MB memory card... \$648  
4 MB memory card... \$1148  
Toner cartridge... \$98

**Terminals**  
WYSE model 30... \$288  
WYSE model 50... \$368  
WYSE model 85... \$438

**Joystick**  
Kraft 3 button Joystick... \$19  
Dual Game Port... \$19

**Plotter**  
Roland DXY 885... \$898  
Houston Instruments... Call  
Hewlett Packard all models... Call

**Scanner**  
Complete Hand Scanner... \$178  
Logitech Scan Man... \$248  
Diamond Flower 3000... \$198  
Hewlett Packard ScanJet... Call

**Digitizers**  
Summa Sketch 12 x 12... \$378

**Mouse**  
Opto-mechanical with Software \$29

**LogiTech**  
LogiMouse Bus... \$78  
LogiMouse Serial... \$78  
LogiMouse Hi-rez... \$88

**Mouse Systems**  
PC Mouse with Paint... \$88

**Microsoft**  
Mouse w/Paintbrush... \$98  
Mouse w/CAD... Call  
Mouse w/Window... Call

**Complete PC**  
Complete Hand Scanner... \$178  
Complete FAX 4800... \$298  
Complete FAX 9600... \$458  
Complete Answering Machine... \$248

**Switch Boxes**  
Parallel or Serial (Specify)  
2 way AB... \$28  
3 way ABC... \$38  
4 way ABCD... \$58  
5 way ABCDE... \$68  
Crossover X... \$68  
AutoSwitch 3 way... \$198  
AutoSwitch 6 way... \$248

**Modems**  
1200 internal w/software... \$48  
2400 internal w/software... \$98  
1200 external... \$88  
2400 external... \$158  
2400 PS/2 internal... \$198  
Intel 2400B for PS/2... \$278

**Intel**  
8087... \$98  
8087-2... \$143  
8087-1... \$198  
80287-6... \$158  
80287-8... \$228  
80287-10... \$268  
80387-SX... \$398  
80387-16... \$398  
30387-20... \$478  
80387-25... \$598  
Above board PC 64K... \$268  
Above board 286 512K... \$468  
In board 386... \$1098

**Cables**  
6' printer... \$12  
10' printer... \$18  
25' printer... \$28  
9' serial... \$18  
25' serial... \$28  
50' serial... \$38  
100' serial... \$58  
Keyboard extender... \$12  
Monitor extender... \$16  
Printer extender... \$16

**Boards**  
Monographics w/Parallel... \$48  
Color Graphics w/Parallel... \$48  
EGA card... \$158  
VGA card... \$268  
AST EGA Par/Ser/Clock... \$188  
Dual game port... \$19  
XT I/O Par/Ser/Cik/Game... \$58  
AT I/O Par/Ser/Game... \$58  
360/720K 1.2/1.44 MB FDC... \$48  
AT FDD/HD controller... \$128  
XT Hard Disk controller... \$58  
AST SixPak Plus... \$118  
AST XFormer... \$578  
Paradise auto EGA 350... \$168  
Paradise VGA+... \$268  
Paradise VGA+ 16... \$318

**Surge Protector**  
S. L. Waber 6 outlet... \$18  
Isobar 4 outlet... \$48  
Isobar 8 outlet... \$68  
Isobar modem protector... \$24

**TrippLite Battery Back-up**  
450 Watt UPS... \$398  
750 Watt UPS... \$498  
1200 Watt UPS... \$698

**TrippLite Line Stabilizer**  
600 Watt LC... \$98  
1200 Watt LC... \$158  
1800 Watt LC... \$188

**Accessories**  
Kensington Master Piece... \$88  
MicroSpeed PC-Trac Ball... \$78  
Vertical CPU stand... \$18  
Keyboard drawer... \$58  
Monitor Tilt-n-Swivel... \$18

4901 W. Rosecrans Ave. Box 5046  
Hawthorne, California 90251-5046



California  
Torrance, Santa Ana, Woodland Hills  
Kearny Mesa, Sunnyvale  
Texas  
Addison, Houston

Georgia Arizona  
Smyrna Phoenix

Not all items in stock at our nine retail locations.

# JADE COMPUTER

Place orders and use our technical support toll free!

Continental U.S.A. 1-800-421-5500 Inside California 1-800-262-1710

Fax machine 1-213-675-2522/All others 1-213-973-7707



We accept checks, credit card or purchase orders from qualified firms and institutions. No surcharge on credit card orders. CA., TX. GA. & AZ. residents add sales tax. Prices and

availability subject to change without notice. Shipping and handling charges via UPS ground 50¢/lb. UPS air \$1.00/lb. Minimum charge \$4.00.

Circle 135 on Reader Service Card

MARCH 1989 • BYTE 321

## EPROM PROGRAMMER CROSS ASSEMBLERS



MODEL  
SX151

RS232C OR STAND ALONE (all models). Communication protocol XMODEM, HEX, and BIN Programs EEPROMS, 2716 - 27512 and CMOS Programs (w/adapter) 25XX, 27101 (and above) 68701 68705 68764 6 8741 2 8744 8748 9 8751 2 8755 87252 and CMOS More available soon Model SX151 \$214 (assembled with case) Other models are available from \$49 (kit).

Cross assemblers by PseudoCode for IBM-PCs, \$50 Z80, 1802, 6502, 6800/1/2/3/5/8/9/11, 68000/8/10, 8048/9, 8051/2, 8080/5, 8096, and more soon



**KORE, Inc.**  
6910 Patterson S.E.  
Caledonia, MI 49316  
(616) 791-9333

\$5 for shipping (USA), plus \$3.00 COD

Circle 142 on Reader Service Card

## 8051/8052 BASIC COMPILER!

MCS BASIC52™ compatible  
Runs on IBM-PC or compatible

# \$ 295.00

Call Now! 603-469-3232



Binary Technology, Inc.

Main Street • P.O. Box 67 • Manden, NH 03770

## FREE!

Turn-key  
PC Systems  
Handbook

NEW

1989  
Spring  
Summer  
Edition  
Save Time and Money  
Over 1000 Hard to find  
Hardware and Software  
Items of Special  
Interest to Technicians  
PC Users

144 Pages  
Available Now

In a hurry?  
Call 203-786-5151  
101

- RS 232C IEEE 485 Networks
- Motor Controls
- Ruggedized PC's
- Risk Mgt. 80286 & 80386
- Laboratory Automation
- 1 MHz A/D
- Digital Scopes to 200 MHz
- High Speed Bus Adapters
- Waveform Synthesizers
- Data Loggers
- PC Bus Expansion Chassis
- And Much More

A How to Handbook that enables you to configure the BEST products from the world's leading PC hardware and software vendors into risk free turn key system solutions that meet your needs

Toll Free Hotline for application assistance and convenient one stop shopping at competitive prices 100% Satisfaction Guaranteed

Call or write for a FREE  
handbook today!

203-786-5151

CyberResearch Inc.

P.O. Box 5188, New Haven, CT 06536

Fax: 203-786-5151 Telex: 010250103

Circle 73 on Reader Service Card

## DATA CONVERSION SYSTEMS

9-Track Tape for your PC, AT,  
PS/2, MAC, Sun

Read/write data from nearly any Mainframe: IBM, DEC, HP, DG, or Honeywell. Runs under MS-DOS, Unix, Xenix, MAC, and SunOS

8", 5 1/4", 3 1/2"  
Diskette converter  
for your PC/XT/AT

Our diskette conversion system can read/write and format diskettes from IBM Systems 34, 36, 38, AS-400, DEC, CMX, CP/M, Displaywriter and many more



Microtech  
Conversion  
Systems  
(415) 324-9114

525 Alma, Palo Alto, CA 94301

Circle 173 on Reader Service Card

## TWIX COMPUTERIZED CASH REGISTERS



THE TWIX 3000 SERIES OF REGISTERS PROVIDE THE FLEXIBILITY OF A COMPUTER OR TERMINAL WITH THE LOOK AND FEEL OF A CASH REGISTER.

- 3010 "REGISTER HEAD" - REPLACES THE KEYBOARD, MONITOR, AND PRINTER OF ANY IBM XT AT COMPATIBLE COMPUTER.
- 3040 "REGISTER TERMINAL" - TV 950 EMULATION PLUS DRAWER, MONITOR AND SCANNER CONTROL.
- 3070 "REGISTER COMPUTER" - STANDALONE IBM COMPATIBLE WITH 20 OR 40 MB HARD DISK DRIVES.

ALL MODELS AVAILABLE WITH A VARIETY OF RECEIPT PRINTERS, KEYBOARDS, MONITORS, CASH DRAWERS, BAR CODE SCANNERS AND MAG STRIPS

TWIX INTERNATIONAL CORP.  
4401 S. BROADWAY, ENGLEWOOD, CO 80110  
(303) 789-5333

Circle 259 on Reader Service Card

## BUY QUALITY FOR LESS! MAXELL

5 1/4" DS/DD 59¢  
3 1/2" DS/DD 1.09  
LIFETIME WARRANTY

Price based on quantity of 300 in bulk includes Tyvek sleeves and label kits.

800-222-0490

In NJ 201-462-7628  
FAX 201-462-5658

• 24 Hour Shipment •  
**MEGAsoft**  
P.O. Box 710, Freehold, NJ 07728

Circle 164 on Reader Service Card

## Terminal Emulation

### TEK 4105/4010

- Tektronix 4105
- Tektronix 4010/4014
- VT220, VT102
- Picture files
- VGA and EGA support
- High resolution hardcopy

### VT220

- VT220, VT102 emulation
- File transfer
- 132 column modes
- Color support
- Hot key

### ■ Diversified Computer Systems, Inc.

3775 Iris Avenue Suite 1B  
Boulder, CO 80301 (303) 447-9251  
FAX 303 447 1406

Trademarks: VT102, VT220, DEC, Tektronix, Tektronics Inc.

Circle 88 on Reader Service Card



**Sure  
it's insured?**

SAFWARE® Insurance provides full replacement of hardware, media and purchased software. As little as \$39/yr. covers:

- Fire • Theft • Power Surges
- Earthquake • Water Damage • Auto Accident

For information or immediate coverage call:

# 1-800-848-3469

In Ohio call 1-614-262-0559



SAFWARE, The Insurance Agency Inc.

Circle 225 on Reader Service Card

World Radio History

## DYNAMIC RAMS

SIMM	80/100	\$CALL
1MBIT	100ns	\$26.00
514256	100ns	\$32.00
41464	150ns	\$12.50
41256	120ns	\$10.50
✓ 41256	150ns	\$ 9.50
✓ 51258	100ns	\$12.25
✓ 4164	150ns	\$ 2.85

PROCESSORS		E PROMS	
80387-25	25MHz \$535.00	27C101	250ns \$23.00
80387-20	20MHz \$425.00	27C512	200ns \$13.00
80387-16	16MHz \$365.00	27512	250ns \$ 9.50
80287-12	12MHz \$305.00	27C256	250ns \$ 5.50
80287-10	10MHz \$245.00	27256	250ns \$ 4.95
80287-8	8MHz \$210.00	27128A	250ns \$ 4.75
8087-1	10MHz \$180.00	27C64A	200ns \$ 4.25
8087-2	8MHz \$135.00	2764	250ns \$ 3.50
V-30	8MHz \$ 12.75	S. RAMS	
V-20	8/10MHz \$ 8.5/15	43256	120ns \$19.95
		4364	150ns \$11.50

**I.C. EXPRESS**

15358 Valley Blvd City of Industry, CA 91746 Tel 818 369 2688

ORDER TOLL FREE (Mon-Fri 8-5:30)

(800) 892-8889 • (800) 882-8181

Outside California Call 818 369 2688

Price shown for cash. Min. order \$100. Ship. and handling charges extra. All items subject to change without notice. Minimum order \$100. Ship. and handling charges extra. All items subject to change without notice. ALL MERCHANDISE IS 100% GUARANTEED WITH PROMPT DELIVERY.

Circle 126 on Reader Service Card

# California Digital

17700 Figueroa Street • Carson, California 90248



## Color Monitor

Better Than **EGA**

**\$219**



Ideal for CAD/CAM and Desk Top publishing applications. The Roland CD/240 color monitor has a resolution of 720 pixels by 400/480 lines on a .31mm dot pitch 12" non-glare screen. VGA specifications in text mode EGA in graphic mode.

California Digital has made a special purchase and is able to offer the CD/240 EGA/VGA RGB color monitor for only \$219. Full featured, 132 column, multi-resolution video color adapter card available for only \$139 additional. Comparable card package would retail for \$1095.

## Hitachi CD-ROM

**\$495**



Compact disk is a relatively new medium for storage of read-only digital data. One removable disk is capable of storing over 500 megabyte of data on a disk the same size as an audio CD.

The CDR-3500 will install in a PC in the space of one 5 1/4" drive. Eclipse 2000 external system with controller and software, \$519. Other CD/BOM Products Available: Sony, Amdek, Toshiba, Panasonic, NEC, Chicon, and Fujitsu.



## NEC/890 Laser Printer

**\$3095**

PC Magazine has chosen the NEC-890 best laser printer of the year. (Jan. 12, 1988). And its obvious why... the printer is Postscript, Hewlett Packard, and Apple compatible, and comes standard with three megabytes of memory. The 890 accepts data from parallel, serial and Apple-Talk devices. NEC has also incorporated 40 built-in fonts along with two paper trays into this industrial quality laser printer.

### Other Laser Printers Available

Hewlett Packard Laser II, 8 pages per minute.....	\$1659
QMS PS/810 2 Meg., 35 fonts, Postscript 8 pgs.....	3879
Apple Laser Writer II SE.....	1979
Texas Instruments 2115 Postscript 15 pgs.....	5426
NEC 890/XL (new for 1989).....	call

## 20" Analog Color

~~\$1095~~ **\$659**



Ever try gathering a classroom of students around a 12 inch monitor? This 20 inch analog RGB monitor is the ideal solution. High screen resolution of 1200 pixels by 950 lines allow extra fine detail without the dots looking like golf balls. 256 colors and VGA compatible. Super value originally sold for over \$2000. Only 350 available.

## Build Your Own Computer

**\$35**

AT Case Only



California Digital has all the components needed to customize your own computer. Buy as much computing power as you need now, and up grade when the need arises. Here are some examples of components available:

8 slot 10 MHz Mother board.....	\$89	Monochrome card, printer port.....	\$25
8 slot 12 MHz baby AT Motherboard.....	\$229	MonoGraphics (hercules) printer port.....	\$45
Full size five drive AT case.....	\$35	Color Graphics card.....	\$49
Four drive XT case.....	\$25	EGA Color Multi Resolution II.....	\$159
101/102 AT/XT German mtg. Keyboard.....	\$7	I/O card, serial & parallel.....	\$35
200 watt AT power supply.....	\$9	I/O PLUS Ser/Par/clock, game.....	\$59
Teac 360K/Byte disk drive.....	\$59	Disk I/O, disk control, clock, game.....	\$59

## \$139 2400 Baud



Finally an affordable 2400 baud modem... American manufactured, Supra-Modem 2400 features the Intel 89026/7 high reliability chip set. Fully Hayes compatible, supports "S" registers and all "AT" commands. Status lamps, loudspeaker everything you would ever want in an RS-232C modem. Programmable non-volatile memory stores telephone numbers and user configuration. Compatible with Bell 103/2142A and CCITT V.21/V.22/V.22 bis protocols. All this in a compact 4 1/2 by 6 1/2 inch metal enclosure. Only \$139.

## 40 Meg. Tape Back-up

~~\$659~~ **\$239**



Head Crash, Power Spikes or just poor disk maintenance... Don't loose data because you didn't back up. The All/40 is an inexpensive way to save and restore files in the event that your data has been destroyed. This 40 megabyte half height tape back is manufactured by North Americas largest producer of data retrieval equipment. No need to purchase a separate tape controller... the ALL/40 attaches directly to your existing floppy disk controller. Supplied software allows your computer to back up any time Day or Night. Come back in the morning and 40 megabytes of irreplaceable data has been stored on one Scotch DC/2000 data cassette. Back up entire hard disk, modified files only, or by file name. Loss of data is inevitable but when you are backed up on an ALL/40 its not a catastrophe.



## Scanner

~~\$1299~~ **\$359**

The Saba Scanner inputs a printed page in less than three seconds. OCR software allows your computer to transfer printed pages into ASCII files or directly to spreadsheets and word processing programs. Archival data, legal briefs... No problem. Simply insert the page into the Saba and in seconds the document is digested into your computer and ready for editing. Limited quantities available. Original price \$1299, now only \$359.

## Digitizers

**\$259**



California Digital offers over 100 different digitizers. We have two which appear to offer the best values. Both are 12" by 12", one thousand line per inch resolution, are supplied with four button cursor and stylus. The first digitizer is the Genius Tablet priced at only \$259. This is a new product from KYE of Taiwan. The other unit, pictured above, is the Puma Pro manufactured by Hitachi and warranted for ten years. The Puma boast a 0015 repeatability only \$359.



	One	Two	Ten
TEC501 1/2 height sgl. side	49	39	35
TANDON 101/4 full ht. 96 TPI.	99	89	79
FUJITSU 5 1/4" half height	65	63	57
MITSUBISHI new 501 half ht.	119	109	105
MITSUBISHI 504A AT comp.	149	139	135
TEAC FD55BV half height	89	85	79
TEAC FD55FV 96 TPI, half ht.	119	109	105
TEAC FD55GF for IBM AT	109	105	99
PANASONIC 455 Half Height	109	99	89
PANASONIC 475 1.2 Meg./96	119	115	109
Switching power supply			49
Dual enclosure for 5 1/4" drives			59

3 1/2" DISK DRIVES			
SONY MP-53W 720K/Byte	129	125	119
SONY MP-73W, 2 Meg.	159	149	call
TEAC 35FN 720 K/Byte	129	119	115
TEAC 35HN/30, 2 Meg.	159	149	145
5 1/4" form factor kit			20

8" DISK DRIVES			
QUME 842 double sided	189	179	175
QUME 841 single sided	119	109	99
SHUGART 851R dbl. sided	319	309	299
REMEX RFD4000 dbl. sided	189	179	165
OLIVETTI 851	189	179	165

## Hitachi 11 by 17 Plotter

~~\$895~~ **\$695**



The Hitachi 672/XD is a four color 11 by 17 (B size) plotter with superior accuracy and repeatability (1.3mm). The 672 accepts HP/PLT 7475 commands and is both Centronics parallel and RS232C compatible. The 672 plots at a fast eight inches per second in axial direction and eleven inches at an angle of 45 degrees. The plotter also features a self contained digitizing function that allows data to be entered into your computer from printed graphs and blue prints. Four different color pens are supplied with the plotter but a wide variety of technical pens are available.

## Heath H/89 Computer

**\$179**



Hard to believe... but we found a stash of brand new fully factory assembled Zenith/Heath Model H/89s. These computers feature 64K/byte of memory, the Zilog Z-80 CPU and operate under CP/M. The unit incorporates a 12 inch green screen, three serial ports and one 5 1/4" disk drive. Zenith's original price was \$1895. We have still 97 units available for sale, while supplies last we are offering the H/89 at only \$179. CP/M operating system available \$24.95.

## 40 Megabyte Hard Disk Kit

Forty megabyte internal hard disk drive, controller and cables all for only \$397. The kit includes the a 40 milisecond Miniscribe 3650 drive and a half slot Western Digital controller.



Five Inch Winchester Disk Drives			
Price does not include controller.	each	two+	
SEAGATE 225 20 Meg. 1/2 Ht.	239	229	
SEAGATE 238 30 Meg. RLL	259	249	
SEAGATE 251/1 51 M. 28ms.	459	445	
SEAGATE 4096 96 M. 35ms.	659	639	
MINISCRIBE 8425 25 M. 65ms.	239	227	
MINISCRIBE 3650 50M 61 ms.	419	399	
MINISCRIBE 6085 90 meg.	795	779	
MINISCRIBE 3053 25 ms. 1/2 ht.	459	439	
FUJITSU 2242 55 M. 35ms.	1299	1229	
FUJITSU 2243 86 M. 35ms.	1695	1619	
RDDIME RD-204E 53 Meg.	895	859	
MAXTOR XT1140 140 Meg.	1595	1550	
MAXTOR XT2190 192 Meg.	1919	1875	
TOSHIBA MK56 70 M. 30ms.	1289	1229	
CONTRDL DATA WREN "V"	call		

Winchester Controllers for IBM/PC	
XEBEC 122X with floppy controller	159
DTC 5150X	119
DMT1 5527 RLL controller	99
ADAPTEC 2070 RLL controller	99
ADAPTEC 2372A 1/1 interleaf	159
WESTERN DIGITAL WD/1002WX2	89
WESTERN DIGITAL 1003WAH or WA2 139	
WESTERN DIGITAL 1007/WA2 ESDI	239
SCSI/SASI Winchester Controllers	
XEBEC 1410A 5 1/4" foot print	239
WESTERN DIGITAL 1002-05E 5 1/4"	229
DMT1 20L	89
Winchester Accessories	
Dual floppy enc. and powersupply	59
Winchester enclosure and supply	139
Switching power supply	49



Every year since 1973, customers from virtually every nation in the free World have chosen California Digital for their data processing requirements. If its computer, California Digital has it... complete minisystem or just one microchip. California Digital offers over 10,000 unique computer products. Regardless of how specialized your data processing requirements... California Digital is your one stop shopping solution.

TECHNICAL & CALIFORNIA  
**(213) 217-0500**  
TOLL FREE ORDER LINE  
**(800) 421-5041**

Telefax • (213) 217-1951

## FREE CATALOG

### RS-232C INTERFACE & MONITORING EQUIPMENT CATALOG



**B&B**  
ELECTRONICS CATALOG

**WRITE or CALL for YOUR FREE COMPREHENSIVE B & B ELECTRONICS CATALOG TODAY!** Pages and pages of photographs and illustrated, descriptive text for B&B's complete line of RS-232C converters, RS 422 converters, current loop converters, adapters, break-out boxes, data switches, data splitters, short haul modems, surge protectors, and much, much more. Most products meet FCC Part 15J. Your RS 232 needs for quality, service and competitive prices will be more than met by B&B ELECTRONICS. **Manufacturer to you, no middleman!** Money back guarantee! Same day shipment! One year warranty on products! Technical support is available.

**Write For Your FREE Catalog Today!**

**B&B electronics**  
MANUFACTURING COMPANY  
4002C Baker Road, P.O. Box 1040 • Ottawa, IL 61350  
Phone: 815-434-0846

**Order direct from manufacturer TODAY & SAVE!**

Circle 39 on Reader Service Card

## Spring Sale

### 3M 5.25" Mark Q Diskettes

The ultimate in diskette reliability durability and quality.



	Sale	List
--	------	------

#00234 DSDD 48TPI	\$1.67	\$1.95
#12597 DSDD 48TPI	.79	2.25
Prereformatted for use in IBM PC, with DOS 2.0 and higher.		
#12100 DSHD IBM PC/AT	1.39	3.15

### 3M 3.5" Micro Diskettes

	Sale	List
--	------	------

#12042 DS 135TPI	\$1.48	\$ 4.00
#12513 HD 2.0 MG	3.40	10.10

Minimum: 50 disks. 10 disks/box.

**Toll Free: 1-800-258-0028**

**FREE CATALOG**  
Complete Line of Quality Supplies For Your Computer.  
**Foreign Inquiries Invited.**

Minimum Order \$25.00. S&H: (Continental USA) \$4.00/100 disks. Larger quantities shipped F.O.B. Grand Rapids, MI. Inquire about terms to well-rated firms. Prices Subject to Change.



**Precision Data Products™**  
P.O. Box 8367, Grand Rapids, MI 49518  
Michigan: 1-800-632-2468  
616-452-3457 • FAX: 616-452-4914

Circle 206 on Reader Service Card

## SINGLE BOARD EXPANSION CARD

### - 2 Serial Ports -



CI0703

The CI0703 is a single card expansion board which implements 2 serial ports. Option to address either port as COM1, COM2, COM3 or COM4. Each port can be configured to use IRQ(2), IRQ(3), IRQ(4) or IRQ(5). 3.00" x 4.15" circuit board with two 9-pin "D" type connectors.

**Diversified Technology**  
Box 748 • Ridgeland MS 39158  
Factory Direct 1-800-443-2867  
VISA • MASTERCARD

Circle 89 on Reader Service Card

## ICs PROMPT DELIVERY!!!

SAME DAY SHIPPING (USUALLY)  
QUANTITY ONE PRICES SHOWN for JAN. 29, 1989

OUTSIDE OKLAHOMA: NO SALES TAX

DYNAMIC RAM			
SIMM (1) 256Kx36	100 ns	\$750.00	(1) PS2/70 OR PS2/80 IMPROVE  (2) SIMM FOR  (3) ATX COPROCESSOR (4) 80387-8 80387-16 80387-2 80387-2 \$230.00 \$150.00
SIMM (2) 1Mx9	80 ns	425.00	
SIMM 256Kx1	80 ns	150.00	
1Mbit 1Mx1	80 ns	36.50	
1Mbit 1Mx1	100 ns	27.99	
41256 256Kx1	60 ns	14.95	
41256 256Kx1	100 ns	12.75	
41258 (3) 256Kx1	100 ns	13.25	
41256 256Kx1	120 ns	11.75	
41264 (4) 64Kx4	120 ns	14.50	
EPROM			
27C1000 128Kx8	200 ns	\$28.50	
27C512 64Kx8	200 ns	13.95	
27256 32Kx8	150 ns	8.15	
27128 16Kx8	250 ns	4.95	
STATIC RAM			
62256P-10 32Kx8	100 ns	\$20.50	
6264P-12 8Kx8	120 ns	9.75	
6116AP-12 2Kx8	120 ns	5.50	

OPEN 6 1/2 DAYS, 7:30 AM-10 PM. SHIP VIA FED-EX ON SAT.  
WE EXPORT ONLY TO CANADA, GUAM, PUERTO RICO & VIRGIN ISLANDS

SAT DELIVERY INCLUDED ON FED-EX ORDERS RECEIVED BY 7:00 AM. \$1.50 PER P. \$12.25 1.B.

MasterCard VISA or UPS CASH ON DELIVERY MICROPROCESSORS UNLIMITED, INC. 24,000 S. Peoria Ave. (918) 267-4961 BEGGS OK 74421. No minimum order. Please note: prices subject to change! Shipping insurance extra up to \$1 for packing materials.

Circle 168 on Reader Service Card

## MASIS SYSTEMS INC.

### Typewriter Interfaces

Plug-in units convert Electronic Typewriters into Printers for use with Computers or Video Terminals. Complete with computer cables and instructions. Available for Typewriter Models:

Adler: 1005, 1005XL, 1010, 1011, 1020, 1030, 1035C, 1035, 1040, 310, 315, 320, 325, 805, 810, 825  
Satellite II, Satellite III

Royal: 5005, 5005XL, 5010, 5011, 5020, 5030, 5035C, 5035, 5040, 410, 415, 420, 425, 505, 510, 525  
Alpha 2001, Alpha 2002, 610, 700D, Beta 8100, 9000D

Sharp: ZX400, ZX500, ZX505  
Silver Reed: EX50

IBM: Serial Send/Receive units for WheelWriter 3, WheelWriter 5, QuietWriter 7, ActionWriter 1. (Trademarks of IBM Corp.)

We also design and manufacture Spelling Checkers, and micro-processor based controllers.

MASIS Systems Inc.  
E. 110 Linwood Ave., Paramus, NJ 07652



Tel. (201) 794-7303  
FAX (201) 445-4812



Circle 155 on Reader Service Card

## Z80 HD64180

### MICROPROCESSORS

Assembler  
"C" Compiler  
Real-time kernel!  
Emulator  
Prototype board  
Floating point  
Serial driver

Software and hardware which works with the IBM-PC for Z80 / HD64180 development:

C-compiler, complete	\$495.00
Assembler/linker	\$195.00
In-circuit Emulator	\$995.00
Source/symbolic debugger	\$195.00
Multitasking kernel	\$395.00
HD64180 serial driver	\$150.00
Fast floating point package	\$150.00

**Z-World Engineering**  
1340 Covell Blvd. Suite 101  
Davis, CA 95616  
(916) 753-3722  
Fax: (916) 753-5141

"Z80 Specialists"  
In Germany: 08131/1687

Circle 276 on Reader Service Card

## NEW! EPROM PROGRAMMER



EPROM PROGRAMMER

- Programs 2764 in 8 sec.
- Reads programs, copies over 475 devices from 35 mfg's - 2716, 2713, 27011, 27014, 2672e, 2804, 2825e, etc.
- Optional microcontroller boards support 8745 and 87C51 series
- Improved design now programs over twice as fast
- Automatically uses the fastest algorithm recommended by the manufacturer to ensure reliable data storage
- Connects via RS-232 to any computer (PC, XT, AT, PS/2, Mac, etc)
- Supports ASCII/BIN/ASCII/HEX/CR protocols & ASCII file stores
- Supports Intel, Motorola, hex space, straight hex and binary files
- Checksums supported
- 8 baud rates to 38,400
- 30 day money-back guarantee
- Collates 16 & 32-bit data
- Eng. support team for fast updates
- One year warranty (parts and labor) • Same day shipment
- Full-time technical support
- Thousands of satisfied customers attest to the EP-4's great value
- Low price of \$349 includes IBM compatible communications program, user's manual and two free firmware update coupons

**CALL TODAY FOR MORE INFO 1-800-225-2102**

**BP MICROSYSTEMS**  
11061 Haddington #190 Houston TX 77041  
(713) 461-9430 FAX (713) 461-7413

Circle 51 on Reader Service Card

## Erase or program EPROMs all in one site

### Erasogram-40™ MultiProgrammer™/UV Eraser

- PC Based Menu Driven Software
- Supports 24, 28 & 32-pin (E)EPROMs
- EPROMs: 2716 up to 27513, plus 27010, 27011, 27C301, EEPR0Ms: 2816 - 28C256
- Fast Programming (2764 - 10 sec.) (27256 - 1 minute)
  - 8, 16 & 32-bit word programming
  - 60 minute timer (auto shut-off)
    - Holds up to 30 chips.
    - UV indicator
  - Safety interlock switch
  - One year warranty
  - 100% U.S.A. made

**\$345.00**

Call To Order  
**1-800-523-1565**  
FL: 1-407-994-3520  
FAX: 1-407-994-3615 • TELEX: 4998369 BYTEK



**BYTEK**

BYTEK Corporation Instrument Systems Division  
508 NW 77th Street  
Boca Raton, FL 33487

Circle 303 on Reader Service Card (DEALERS: 304)

World Radio History

## 1/2" NINE TRACK TAPE DRIVES FOR THE PC

The TDX 50 1/2" 9-Track tape subsystem is a lightweight, heavy duty, highly reliable system designed for office and field applications. It is fully compatible with PC's, XT's, AT's and 386's.

- 50 IPS, True Start/Stop Tape Drive.
- NRZI/800 & PE/1600 BPI Dual Density Unit.
- Reel sizes up to 10.5 inches.
- On the fly conversion from ASCII/EBCDIC.
- Disk to tape transfer speed of 2.0 Megabytes/minute.
- Image and file based back-up.
- Quick Disconnect cable for multi-CPU applications.
- Utilizes one slot in your PC, XT, AT or 386.
- Direct Integration Into MS-DOS.
- Xenix Driver Available.
- Enter Mainframe Data directly Into Database and Spreadsheet.
- MTBF: Greater than 8400 hours.

DOS operation using familiar commands. Applications programs can be written with minimal effort.

Price: \$5100 includes all hardware, software, cables and table top enclosure.

Please call Ronald M. Kramer at 800-835-3298 or 516-423-3232

## TELEBYTE

Circle 249 on Reader Service Card

# ACP's HOT SHEET

BELOW WHOLESALE PRICES!

MEMBER  
**MMC**  
MICROCOMPUTER  
MARKETING COUNCIL  
OF THE DIRECT MARKETING ASSOCIATION

**SPECIAL BUY!**  
**HANDSCAN**  
by **saba**<sup>TM</sup>  
**299.** List 799!

Don't confuse Handscan with other lowest cost scanners on the market...many deluxe features! Never before available at this special low price...order now!

**SPECIAL PURCHASE!**

**SPECIAL! 512K RAM**  
Upgrade with purchase... **99.**

**688.** ACP Sale Price  
Note: FOR THIS PRICE YOU MUST MENTION THIS AD AT TIME OF PURCHASE  
**AMAX/Advanced 286/10 MHz BareBones**  
Includes 101-key keyboard, 1.2Mb floppy, floppy/HD controller card, OK expands to 1 Meg.  
Call for Custom Configurations...

**SPECIAL PURCHASE!**

**IBM**<sup>TM</sup>  
**Blowout Sale !!!**  
Genuine IBM<sup>TM</sup> AT Prototype Board **25!**  
IBM<sup>TM</sup> IEEE GPIB **99.**

this has never been offered to the remarketing channel by IBM<sup>TM</sup> before... and we bought big! 8 big truckloads of IBM PCs, expansion boards, memory and over 60,000 real IBM software packages... First come, first served... call for complete list!

- IBM XT/286 ..... 1395.
- IBM AT/339(OK) ..... 2295.
- IBM PC/3270(1Mb) ..... 1295.
- IBM PC/XT286 ..... 788.
- PC Voice Comm Card ..... 229.
- AT Exp Card w/512K ..... 149.
- Monochrome adaptor ..... 49.
- Color adaptor ..... 49.
- AT Prototype board ..... 25.
- Synchronous Comm adaptor ..... 49.
- 3270 Exp Card, 1Mb ..... 499.
- IBM Reporting Assnt ..... 25.
- IBM AT 2MbMemory Expansion Brd w/OK ..... 69.
- IBM Writing Assnt. **19.95**
- IBM Filing Assnt ..... **19.95**
- IBM Fortran ..... **99.95**
- IBM Xenix ..... **119.95**
- IBM 3270 Emulator **24.95**
- IBM 3101 Emulator **69.95**
- IBM Education Series Software, choose 300 titles from ..... **995**
- Appointment ..... **19.**
- Asset catalog ..... **19.**
- Mailing Labels ..... **19.**
- Data Edition ..... **19.**
- IBM DOS 1.0/3.1 from **9.95**

**Desktop Publisher's Dream!**  
Full-Page Scanner by **saba**<sup>TM</sup>



**Pagescan**  
Complete with OCR Software. IBM compatible, same engine as PGS LS300 & Microtech. Mfg. List \$1295  
**599.**  
• ONE YEAR FACTORY WARRANTY •

**BLOW-OUT PRICE!**

**IBM**<sup>TM</sup> **299.**  
Reg. \$895. Roll-A-Bout Computer Workstation  
• One lock secures CPU, printer & programs  
• 5-plug strip w/mstr switch • Flip-up shelves  
• Printers up to 24" wide • 132lb. ship wt.

**85Mb Hard Drive**  
Includes EDSI AT Controller...  
Special! Upgrade your IBM<sup>TM</sup> AT or compatible with our popular 60 ms half-height hard drive.  
**699.**

**20 Mb Hard Drive Kit**  
**259.**

**20 Mb Hard Card**  
At this low low price, you can't afford not to buy one...our next shipment the price will go up...  
**288.**

**Tecmar "Micro RAM" PS/2**  
Expand your PS/2 up to 8Mb  
Reg. Retail \$439. ACP Sale Price **5995**  
# 734-0003 • While Supply Lasts

**QuickLink IV 4-User LAN**  
by Cubix  
• 4 286 Processors  
• 786K RAM per user(3Mb total)  
• NOVELL CERTIFIED  
• Your PC/AT and 4 terminals give you a fast, inexpensive LAN  
Reg. \$2800. ACP Sale... **1995.**

**Toshiba T-1000 Modem**  
• Hayes compatible  
• Mirror II software  
Correspondent<sup>TM</sup> • 2 yr. warranty  
**266** Retail \$349. Holmes Microsystems

**PARADISE<sup>TM</sup> VGA-PLUS**  
• VGA/EGA/HDA comp.  
• 256K on board  
the Performance Leader...Reg. \$399, #625-0004. **269.**

**Hi-Tech Silicon Corner**  
• MOT 68881-16 (16 MHz) Coprocessor..... **188.**  
• Intel 80287-6 (8 MHz) Coprocessor..... **139.**  
• DP 8428V-70 1Mb RAM Controller..... **14.95**  
• MOT MC 68766C30 EPROM..... **29.95**

**IBM (Original) Floppy Disk Drive!!!**  
Original DS/DD 360K Drives, 5-1/4" Factory Boxed  
**5995** Super Price!  
While Quantities Last

**"LASERNET" 8 Port Buffer**  
by Western Telematic Retail \$995.  
• 8 Serial Input Ports #400-0076  
• 1 Serial, 1 Parallel Output  
• 256K Buffer expands to 2Mb  
Model PSU-82C Printer Share  
Postscript compatible, Menu-driven, Set-up software  
**449.**

**IBM<sup>TM</sup> Filing Assistant BUNDLE-all 5 pkgs. 99.95!**  
• IBM Filing Assistant, Reg. \$204.00!!! ..... **19.95**  
• IBM Assistant Executives Solutions (reqs. Filing Ass't) ..... **24.95**  
• IBM Assistant Accounting Solutions (reqs. Filing Ass't) ..... **24.95**  
• IBM Assistant Home Solutions (reqs. Filing Ass't) ..... **24.95**  
• IBM Document Retrieval Assistant (reqs. Filing Ass't) ..... **24.95**  
**IBM<sup>TM</sup> Decision Series BUNDLE-all 4 pkgs. 79.95!**  
• IBM Data Edition, Reg. \$255.00 ..... **24.95**  
• IBM Reports+ Edition, Reg. \$204.00 ..... **19.95**  
• IBM Graphs Edition, Reg. \$204.00 ..... **19.95**  
• IBM Plans+ Edition, Reg. \$335.00 ..... **29.95**

Call for complete listing and get deals like these...  
IBM<sup>TM</sup> Language Education BUNDLE-any 10 pkgs 129.95  
or IBM<sup>TM</sup> Science Education BUNDLE-any 10 pkgs 139.95

**CALL FOR TOSHIBA LAPTOPS!!**  
**499.** TOSHIBA 321SL Sale!  
PRINTER BARGAIN HUNTERS!!!  
ACPs • 120d. **144.95**  
Sale! • 180d. **169.95**

**IBM 2Mb/OK Memory Expansion Board**  
for AT or compatibles  
Unbelievable Low Price... **69.** While Supply Lasts!  
• 512K AT Memory Expansion Board/512K... **149.**

**VGA Package Deal!**  
**625.** Complete package... card plus monitor at one low price!  
Low Cost... High Quality!!!  
• 800 x 460 Resolution • IBM software  
• 640 x 480-16 colors • ATI VGA card  
• 320 x 200-256 colors • VGA, EGA, HDA

**ACPs Special Wholesale Price... 995** New!... from RAY-O-VAC<sup>SM</sup>  
**AT Replacement Battery**  
Direct replacement for AT 286/386 real time clocks  
**Software Sale!** IBM Writing Ass't, v2. **59.**  
Lotus 1-2-3 • 325, Word Perfect ..... **258.**  
Ventura ..... **499.** Excel ..... **299.** All popular software in stock... call!

Multisynch Compatible  
**419.** MULTISYNCH MONITOR  
...ACP's Sale Price!

**AST RESEARCH INC.** Your Choice... Advantage AT or Rampage AT **88.**

**QUADRAM** Silver Quad **79.**  
(Sixpak compatible)  
• Liberty XT, EMS ..... 79.  
• Quadsprint Accelerator .. 79.

**BLOW OUT PRICE!**  
**7995** Pocket Modem<sup>TM</sup>  
**Migent<sup>®</sup> Pocket Modem**  
We have 1000 units to sell... and when they're gone, they're gone! This popular 1200 Baud pocket modem w/o software has never been offered at such a low price!

**OUR NO. 1 SELLERS!!!**  
Hayes Compatible **1200 Baud**  
Internal External **49.7495**  
Hayes Compatible **2400 Baud**  
Internal External **9595 11995**  
Both are half-cards, with software, plug 'n play!

**NUMONICS SPECIAL PURCHASE!!**  
**Cordless Mouse 8895**  
Includes drivers, charger, receiver, T-mouse & PC Paint Reg. 199.95  
**Manager Mouse 5595**  
Includes drivers, charger, receiver, T-mouse & PC Paint Reg. 149.95

**Genuine IBM<sup>TM</sup> 5.25" Diskettes**  
**3995** 100 pc. box

All disks are from IBM<sup>TM</sup> and are formatted to PC DOS 360K DS/DD 5-1/4". Disks are programmed but can easily be erased by Deleting Data and reusing the diskettes. You get IBM<sup>TM</sup> quality Diskettes for only 39¢. All disks are new, formatted and programmed but never used.

**Rated No. 1**  
Box of 10... **699** Quantity of 1 to 4, only 7.50 each.  
**Polaroid<sup>®</sup> DataRescue<sup>TM</sup> IBM DS/DD Gray Disks**  
Backed by DATA RESCUE... Polaroid will retrieve your data FREE if you lose it!


for the **FASTEST SERVICE** order by phone...  
Mail Orders: P.O. Box 17329 Irvine, CA 92713  
Retail: 1310 E. Edinger, Santa Ana, CA 92705  
**Advanced Computer Products, Inc.**  
Authorized dealers for Hyundai: • AST • Epson • Citizen • NEC • Okidata • Maxell • Seagate • Magnavox • Sony • Toshiba • Sharp • HP • Intel • Microsoft • Ventura • Aldus • many more.

**800-FONE ACP**  
800-366-3227 • 714-558-8813  
Customer Service 714-558-1356

• \$25.00 Minimum MAIL ORDER  
• No Surcharge for VISA or Mastercard  
• Volume purchasing agreements available  
• Pricing subject to change without notice  
• ACP Retail Store pricing may vary. Not responsible for typos  
• Limited warranties and other conditions may apply  
• Orders subject to availability  
• Supply limited on certain items  
• Call for Corporate VPA's...  
**CALL!**



## REMOTE DATA ACQUISITION AND CONTROL



**A**lthough affordable, powerful and easy to use, the A-BUS I/O system until recently had a major limitation: it had to be located close to the controlling computer. Now two new serial adapters from Alpha Products have removed this restriction. Any computer with an RS232 port can control the A-BUS line of data acquisition and control cards.


Using standard telephone type cable, the A-BUS system can be located up to 500 feet away from the computer. With the addition of a Modem the A-BUS system can be controlled from anywhere. As with all A-BUS cards, the adapters are easily installed and are programmed using standard commands.

## NEW SERIAL PROCESSOR HAS BRAIN



**B**esides implementing a full A-BUS on a serial port, the low cost SP-127 A-BUS Serial Processor fills a great need in remote data acquisition. It includes a complete BASIC interpreter and can run programs independently of the host computer. This distributed processing relieves the host of housekeeping chores and low level decision making. The SP-127 can read and log data at set intervals for later reviewing or recalling at the host's convenience. The Serial Processor, which communicates with any computer through an RS232 port, includes a complete BASIC interpreter and 32K of memory. Adding a Modem turns the SP-127 into a automated remote data and control station.


## THE A-BUS ON NETWORK



**U**nique features such as the new "Serial Nodes" greatly expand the usefulness of the A-BUS. These inexpensive (\$49) devices provide the ability to connect up to 16 complete A-BUS systems to a single serial port on any computer. The node also functions as a repeater to increase the reach of the adapter beyond the 500 foot limit

The nodes work in conjunction with the company's SA-129 Serial A-BUS Adapter. Plant-wide data collection and control will become widespread thanks to the system's low cost, outstanding capabilities, and ease of use.

## ADVANCE IN MOTION CONTROL



**S**eeking new heights in motion control and robotics, Alpha's Smart Quad Stepper Controller outperforms systems costing 5-10 times more. This \$299 board includes a multitasking microprocessor capable of controlling 4 stepper motors simultaneously at speeds up to 1000 steps per second. Four Axis positioning is perfect for robot arms, positioners, pick and place, etc. Commands are intuitive; plain English words and a forgiving syntax make it easy to write (and edit) command sequences. Scaling factors allow for meaningful units of your choice, and 32 bit floating point arithmetic ensures accurate calculations. The "learn" feature involves storing a series of movements so that even a complex sequence can be repeated easily. Alpha's engineers thoughtfully included direct drivers for small motors, and a variety of inputs (limit switches, remote keypad, panic button, etc.). An SC-149 can be set up quickly and easily, minimizing development time and allowing more effort to be devoted to the rest of the robotic project.



**ALPHA** Products


(203) 656-1806

Darien, CT 06820

# A-BUS™ MAGIC

Classroom to advanced industrial applications.

Be a Wizard in your Lab, Factory, College, Home...



It used to be difficult and costly to do process control, robotics, data acquisition, monitoring and sensing with your computer. Now the low-cost A-BUS system makes it easy to do almost any project you can imagine.

**Versatility.** A-BUS cards handle most interfacing, from on/off switching, to reading temperatures, to moving robot arms, to counting events, to sensing switches...

**Adaptability.** The A-BUS is modular, allowing expansion well beyond your needs. It works with almost any computer, or even as a remote data station with the new serial adapters.

**Simplicity.** You can start using the A-BUS in minutes. It's easy to connect, and software is a breeze to write in any language.

**Reliability.** Careful design and rugged construction make the A-BUS the first choice in specialized I/O.

An A-BUS system consists of: = An A-BUS adapter plugged into your computer = A cable to connect the adapter to 1 or 2 A-BUS function cards. = The same cable will also fit an A-BUS Motherboard for expansion to up to 25 cards in any combination.

**NEW: REMOTE A-BUS!** Use the new Serial (RS-232) Adapter or Processor to control any A-BUS system. Cards can be up to 500 ft away using phone type cable, or off premises using a modem. Call or send for the new A-BUS Catalog which covers all the products.

## Important

All A-BUS Systems: ♦ Come assembled and tested ♦ Include detailed manuals with schematics and programming examples ♦ Can be used with almost any language (BASIC, Pascal, C, assembler, etc.) using simple "IN" and "OUT" commands (PEEK and POKE on some computers) ♦ Can grow to 25 cards (in any combination) per adapter ♦ Provide jumper selectable addressing on each card ♦ Require a single low cost unregulated 12V power supply ♦ Are usually shipped from stock. (Overnight service is available.)

## About Alpha Products

Founded in 1976 for the purpose of developing low cost I/O devices for personal computers. Alpha has grown to serve over 70000 customers in over 60 countries. A-BUS users include many of the Fortune 500 (IBM, Hewlett-Packard, Tandy, Bell Labs, GM...) as well as most major universities. A-BUS products are U.S. designed, U.S. built, and serviced worldwide. Overseas distributors: England: Cald Science Assoc. Ltd., Merseyside, 051 342 7033. Australia: Brumby Technologies Pty. Ltd., NSW, 759 1638. France: Coserm. Rungis. 46 86 64 75

## Inputs, Outputs, etc.

**Analog Input:** 8 analog inputs. 0-5.1V in 20mV steps (8 bits). 0-100V range possible. 7500 conversions/second. AD-142: \$142

**12 BIT A to D:** Analog to digital converter. Input range -4V to +4V, expandable to 100V. On-board amplifier. Resolution 1mV. Conversion time 130ms. 1 channel. (Expand to 8 channels with the RE-156 card.) AN-146: \$153

**Relay Card:** 8 individually controlled industrial relays each with status LED's (3A at 120VAC contacts, SPST). RE-140: \$142

**Reed Relay Card:** 8 reed relays (20mA at 60VDC, SPST). Individually controlled and latched, with status LEDs. RE-156: \$109

**D/A converter:** 4 Channel 8 Bit D/A converter with output amplifiers and separate adjustable references. DA-147: \$149

**24 line TTL I/O:** Connect 24 input or output signals (TTL 0/5V levels or switches). Variety of modes. (Uses 8255A) DG-148: \$72

**Digital Input:** 8 optically isolated inputs. Input can be 5 to 100V voltage levels or switch closures. IN-141: \$65

**Digital Output Driver:** 8 outputs: 250mA at 12V. Drive relays, solenoids, stepper motors, lamps, etc. ST-143: \$78

**Clock with Alarm:** Powerful clock/calendar. Battery backup. Timing to 1/100 sec. Alarm relay, LED and buzzer. CL-144: \$98

**Touch Tone Decoder:** Each tone is converted into a number which is stored on the board. PH-145: \$87

**A-BUS Prototyping card:** 4x4.5" card. Will accept up to 10 I.C.s. With power & ground bus. PR-152: \$16

**Counter Timer:** Three 16 bit counters/timers. Use separately or cascade for long (48 bit) counts. CT-150: \$132


Call our application engineers to discuss your project.

## Motion Control

**Smart Quad Stepper Controller:** The world's finest. On board microprocessor controls four motors simultaneously. Uses simple English commands like "MOVE ARM 10.2 (INCHES) LEFT". For each axis, you control coordinates (absolute or relative), ramping, speed, units, scale factors, etc. Many inputs for limit switches, etc. On the fly reporting of speed, position... Built in drivers for small motors (such as MO-103 or 105). SC-149: \$299

Options: = 5 amp/phase power booster for 1 motor: PD-123: \$49

= Remote "teach" keypad for direct motor control: RC-121: \$54



A large A-BUS system with two Motherboards Adapter in the foreground plugs into PC, XT, AT type slot.

**Stepper Driver Kit:** For experimenting with stepper motors. Includes 2 MO-103 motors and a ST-143 dual driver PA-181: \$99

**Stepper Motors:** (4 phase, unipolar)

MO-103: 2 1/4" dia. 1/4" shaft. 7.5"/step. 12V. 5 oz-in torque. \$15

MO-104: 2" dia. 1/4" shaft. 1.8"/step. 5V. 60 oz-in torque. \$45

MO-105: 1.7" square. 2" shaft. 3.75"/step. 12V. 6 oz-in. \$15

## A-BUS Adapters

- Can address 64 ports and control up to 25 A-BUS cards.
- Require one cable. Motherboard required for more than 2 cards.

### A-BUS Parallel Adapters for:

IBM PC/XT/AT & compatibles. Uses one short or long slot. AR-133: \$69

Apple II, II+, IIe Plugs into any slot inside. AR-134: \$52

Commodore 64, 128 Plugs into Expansion Port on back. AR-139: \$48

TRS-80 Model 102, 200 Uses 40 pin "System bus". AR-136: \$76

Model 100 (Tandy portable) Plugs into socket on bottom. AR-135: \$75

TRS-80 Model 3, 4, 4D Y-Cable available if 50 pin bus is used. AR-132: \$54

TRS-80 Model I Plugs into 40 pin expansion bus. AR-131: \$39

Tandy Color Computers Fits ROM slot, Multipak or Y-Cable AR-138: \$49

**A-BUS Cable:** Necessary to connect any parallel adapter to one A-BUS card or to first motherboard. 50 pin. 3 ft. CA-163: \$24

Special Cable for two A-BUS cards CA-162: \$34

**Serial Adapter:** Connect A-BUS systems to any RS-232 port. Allows up to 500 ft from computer to A-BUS. SA-129: \$149

**Serial Node:** To connect additional SA-129/A-BUS systems to a single RS232 serial port (max 16 nodes). SN-128: \$49

**Serial Processor:** same as above plus built in BASIC for off-line monitoring, logging, decision making, etc. SP-127: \$189

Use SA-129 or SP-127 with modems for remote data acquisition.

**Motherboard:** Holds up to 5 A-BUS cards in sturdy aluminum frame with card guides. A sixth connector allows (using cables CA-161: \$12) additional Motherboards to be added. MB-120: \$108

**Power Supply:** Power pack for up to 4 cards. PS-126: \$12

### Complete Catalog Available

For Orders and Info call (203) 656-1806

Weekdays from 9 to 5 EST or FAX 203 656-0756


Ordering Information: We accept Visa, Mastercard, Checks, and M.O. C.O.D. is \$4 extra. Purchase orders are subject to credit approval. CT residents add 7.5% sales tax. Shipping: \$4 per order (usually UPS ground). UPS 2nd Day Air: \$4 extra. Next Day service available. Canada: \$6 per order (Airmail). Outside US and Canada: Add 10% of order total.

Circle 16 on Reader Service Card



**ALPHA Products**

242-B West Avenue, Darien, CT 06820



# JDR Microdevices

**MMC**  
MICROCOMPUTER  
MARKETING COUNCIL  
of the Direct Marketing Association, Inc.

• 30 DAY MONEY BACK GUARANTEE • 1 YEAR WARRANTY ON ALL PRODUCTS • TOLL-FREE TECHNICAL SUPPORT  
• COMPLETE CUSTOMER SATISFACTION • SUPERIOR SERVICE • FRIENDLY, KNOWLEDGEABLE SALES STAFF

## STATIC RAMS

PART	SIZE	SPEED	PRICE
2112	256x4	450ns	2.99
2114	1024x4	450ns	.99
2114L-2	1024x4	200ns	1.49
TC5516	2048x8	250ns	3.95
TMM2016-200	2048x8	200ns	3.25
TMM2016-150	2048x8	150ns	3.29
TMM2016-100	2048x8	100ns	4.29
HM6116-4	2048x8	200ns	4.95
HM6116-3	2048x8	150ns	6.45
HM6116-2	2048x8	100ns	6.45
HM6116-1	2048x8	120ns	6.45
HM6116LP-4	2048x8	200ns	5.95
HM6116LP-3	2048x8	150ns	6.45
HM6116LP-2	2048x8	120ns	6.95
HM6264LP-15	8192x8	150ns	9.95
HM6264LP-12	8192x8	120ns	10.95
HM43256LP-15	32768x8	150ns	12.95
HM43256LP-12	32768x8	120ns	14.95
HM43256LP-10	32768x8	100ns	19.95

CALL TO CONFIRM CURRENT PRICES

## DYNAMIC RAMS

PART	SIZE	SPEED	PRICE
4116-200	16384x1	200ns	.89
4116-150	16384x1	150ns	.99
MK4332	32768x1	200ns	6.95
4164-150	65536x1	150ns	2.89
4164-120	65536x1	120ns	3.19
4164-100	65536x1	100ns	3.95
TMS4164	65536x1	150ns	2.89
TMS4464	16384x4	150ns	8.95
41128-150	131072x1	150ns	5.95
TMS4464-15	65536x4	150ns	10.95
TMS4464-12	65536x4	120ns	11.95
41256-150	262144x1	150ns	12.45
41256-120	262144x1	120ns	12.95
41256-100	262144x1	100ns	13.45
41256-80	262144x1	80ns	13.95
HM51258-100	262144x1	100ns	13.95
1 MB-120	1048576x1	120ns	34.95
1 MB-100	1048576x1	100ns	37.95

CALL TO CONFIRM CURRENT PRICES

## EPROMS

PART	SIZE	SPEED	Vpp	PRICE
2708	1024x8	450ns	25V	4.95
2716	2048x8	450ns	25V	3.49
2716-1	2048x8	350ns	25V	3.95
2732	4096x8	450ns	25V	3.95
2732A	4096x8	250ns	21V	3.95
27C64	8192x8	250ns	12.5V	4.95
2764	8192x8	450ns	12.5V	3.49
2764-250	8192x8	250ns	12.5V	3.69
MCM68766	8192x8	200ns	12.5V	4.25
27128	16384x8	250ns	12.5V	4.95
27128A-200	16384x8	200ns	12.5V	5.95
27C256	32768x8	250ns	12.5V	7.95
27256	32768x8	250ns	12.5V	5.95
27256-200	32768x8	200ns	12.5V	7.95
27512	65536x8	250ns	12.5V	11.95
27C512	65536x8	250ns	12.5V	12.95
27C101-20	131072x8	200ns	12.5V	34.95

CALL TO CONFIRM CURRENT PRICES

## CO-PROCESSORS

8087	5 MHz	99.95
8087-2	8 MHz	159.95
8087-1	10 MHz	229.95
80287	5 MHz	179.95
80287-8	8 MHz	249.95
80287-10	10 MHz	309.95
80387-16	16 MHz	499.95
80387-SX	16 MHz	599.95
80387-20	20 MHz	799.95
80387-25	25 MHz	999.95



**intel**  
5 YEAR WARRANTY

INCLUDES MANUAL & SOFTWARE GUIDE

CALL OUR WHOLESALE DEPT. FOR VOLUME QUOTES

## HIGH-TECH SPOTLIGHT

### HIGH SPEED CMOS

RUNS COOLER, FASTER AND USES LESS POWER!

80C86	MICROPROCESSOR	\$13.95
80C88	MICROPROCESSOR	\$12.95
82C51A	COMMUNICATIONS INTERFACE UART	\$3.95
82C53-5	INTERFACE TIMER	\$3.95
82C54	INTERVAL TIMER	\$6.95

### V-20 SERIES

SPEED UP YOUR PC BY 10% TO 40%!

■ HIGH SPEED ADDRESS CALCULATION IN HARDWARE
■ PIN COMPATIBLE WITH 8088 # LOW POWER CMOS
■ SUPERSET OF 8088 INSTRUCTION SET
V20* 5 MHz 8.95 V20* 8 MHz 10.95
V20* 10 MHz 12.95 V30 8 MHz 13.95

### SIMM MODULES

41256A8B-15	256K x 8-BIT	FOR MAC	150ns	\$89.00
41256A8B-12	256K x 8-BIT	FOR MAC	120ns	99.00
41256A8B-10	256K x 8-BIT	FOR MAC	100ns	129.00
41256A9B-15	256K x 9-BIT	FOR PC	150ns	\$119.00
41256A9B-12	256K x 9-BIT	FOR PC	120ns	129.00
41256A9B-10	256K x 9-BIT	FOR PC	100ns	139.00
41256A9B-80	256K x 9-BIT	FOR PC	80ns	159.00
42100A9B-10	1 MB x 9-BIT	FOR PC	100ns	\$29.00
42100A9B-80	1 MB x 9-BIT	FOR PC	80ns	\$99.00

### PALS

16L8	\$2.95	20R4	\$4.95
16R8	2.95	20R6	4.95
16R9	2.95	20R8	4.95
16R4	2.95	20X8	4.95
20L8	4.95		

### STARTER KIT

EASY TO USE CUPL STARTER KIT. PROGRAMS ALL THE PAL DEVICES AT LEFT. MCT-PAL-SOFT 99.95

30 DAY MONEY-BACK GUARANTEE TOLL-FREE TECHNICAL SUPPORT

## MICROPROCESSORS

### 6500 8000 8200

6502	2.25	8031	3.95	8253	1.59
6502A	2.69	8035	1.49	8253-5	1.95
6502B	4.25	8039	1.95	8254	2.79
65C02*	7.95	8052AH		8255	1.99
6520	1.65	BASIC	34.95	8255-5	2.49
6522	2.95	8080	2.49	8256	15.95
6522A	5.95	8085	1.95	8257	2.25
6526	13.95	8085A-2	3.75	8257-5	2.49
6532	3.95	8086	6.49	8259	1.95
6545A	3.95	8088	5.99	8259-5	2.29
6551	2.95	8088-1	12.95	8272	4.49
6551A	6.95	8088-2	7.95	8274	3.95
6581	14.95	8155	2.49	8275	16.95
CMOS		8155-2	3.95	8279	2.49
		8156	2.95	8279-5	2.95
		8741	9.95	8282	3.95
		8742	29.95	8283	3.95
		8748	7.95	8284	2.25
		8749	9.95	8286	3.95
		8755	14.95	8287	3.95
		80286	79.95	8288	4.95
		80286-8	249.95		
		80286-10	79.95		

### 6800

6800	1.95			Z-80	
6802	2.95			Z80-CPU	1.25
6803	3.95			Z80A-CPU	1.29
6809	2.95			Z80B-CPU	2.75
68B02	3.95			Z80A-CTC	1.69
68B09	5.99			Z80B-CTC	4.25
6809E	2.95			Z80A-DART	5.95
6809EA	5.49			Z80A-DART	6.95
6808	2.49			Z80A-DMA	5.95
6810	1.95	8203	0.00	Z80A-PIO	1.89
6820	2.95	8205	3.29	Z80B-PIO	4.25
6821	1.25	8212	1.49	Z80A-SIO/0	12.95
68B21	1.85	8216	1.49	Z80A-SIO/1	5.95
6840	3.95	8219	2.29	Z80A-SIO/2	5.95
6845	2.75	8226	1.69	Z80B-SIO/2	12.95
68B45	4.95	8228	2.25	Z80A-SIO/0	5.95
6847	4.75	8237	3.95	Z80A-SIO/0	5.95
6850	1.95	8237-5	4.75	Z80A-SIO/0	12.95
68B50	1.75	8238	4.49	Z80A-SIO/1	5.95
6852	4.95	8243	1.95	Z80A-SIO/2	5.95
6883	22.95	8250	6.95	Z80B-SIO/2	12.95
68000	9.95	8251	1.29	Z8671BASIC	9.95
68020	189.95	8251A	1.69		

### 8200

### Z-80

## HIGH SPEED CMOS LOGIC

74HC00	.25	74HC244	.85	74HCT138	.35
74HC04	.25	74HC245	.85	74HCT139	.55
74HC08	.25	74HC273	.69	74HCT157	.59
74HC14	.35	74HC367	.69	74HCT161	.79
74HC32	.35	74HC373	.69	74HCT240	.89
74HC74	.35	74HC390	.79	74HCT244	.89
74HC138	.45	74HC374	.69	74HCT245	.99
74HC139	.45	74HC4040	.89	74HCT273	.99
74HC154	.109	74HCT00	.25	74HCT373	.99
74HC157	.65	74HCT04	.27	74HCT374	.99
74HC161	.55	74HCT08	.25	74HCT393	.99
74HC164	.65	74HCT32	.27	74HCT4040	.99
74HC175	.59	74HCT74	.45	74HCT4060	1.49

## STANDARD CMOS LOGIC

4001	.19	4028	.65	4069	.19
4011	.19	4040	.69	4070	.29
4013	.35	4042	.59	4081	.22
4015	.29	4044	.69	4093	.49
4016	.29	4046	.69	14411	9.95
4017	.49	4047	.69	14433	14.95
4018	.69	4049	.29	14497	6.95
4020	.59	4050	.29	4503	.49
4021	.69	4051	.69	4511	.69
4023	.25	4052	.69	4518	.85
4024	.49	4053	.69	4528	.79
4025	.25	4060	.69	4538	.95
4027	.39	4066	.29	4702	9.95

## 7400 SERIES LOGIC

7400	.19	74121	.29	74F240	1.29
7402	.19	74123	.49	74F250	2.29
7404	.19	74125	.45	74S02	.29
7406	.29	74150	1.35	74S04	.29
7407	.29	74151	.55	74S08	.35
7408	.29	74153	.55	74S10	.29
7410	.19	74154	1.49	74S12	.35
7411	.25	74157	.55	74S14	.49
7412	.25	74159	1.65	74S16	.35
7414	.49	74161	.69	74S112	50
7416	.25	74164	.85	74S124	2.75
7417	.25	74166	1.00	74S138	.79
7420	.19	74175	.89	74S153	.79
7430	.19	74367	.65	74S157	.79
7432	.29	74368	.65	74S158	.95
7438	.29	74369	.65	74S163	1.29
7442	.49	74F00	.35	74S175	.79
7447	.69	74F02	.35	74S195	1.49
7448	.69	74F04	.35	74S240	1.49
7473	.34	74F08	.35	74S247	1.49
7474	.33	74F10	.35	74S244	1.49
7475	.45	74F32	.35	74S280	1.95
7476	.35	74F64	.55	74S287	1.69
7483	.50	74F74	.39	74S288	1.69
7485	.59	74F86	.55	74S299	2.95
7586	.35	74F138	.79	74S373	1.69
7489	2.15	74F139	.79	74S374	1.69
7490	.39	74F253	.89	74S471	4.95
7493	.35	74F157	.89	74S571	2.95

## 74F/74S

**CRYSTALS**

32.768 KHz	.95
1.0 MHz	2.95
1.8432	2.95
2.0	1.95
2.4576	1.95
3.579545	1.95
4.0	1.95
5.0	1.95
5.0688	1.95
6.0	1.95
6.144	1.95
8.0	1.95
10.0	1.95
10.738635	1.95
12.0	1.95
14.31818	1.95
16.0	1.95
18.0	1.95
18.432	1.95
20.0	1.95
22.1184	1.95

**OSCILLATORS**

1.0MHz	5.95
1.3432	5.95
2.0	5.95
2.4576	5.95
2.5	5.95
4.0	4.95
5.0	4.95
5.0688	4.95
6.0	4.95
6.144	4.95
8.0	4.95
10.0	4.95
10.73818	1.95
12.0	1.95
14.31818	1.95
16.0	4.95
18.0	4.95
18.432	4.95
20.0	4.95
22.1184	1.95

**MISC.**

ADC0804	2.99
ADC0809	3.85
DAC0800	3.29
DAC0808	1.95
DC1022	5.95
MC1408L8	1.95
8T28	1.29
8T97	.59
DP8304	2.29
9334	1.75
9368	2.85
9602	.69
ULN2003	.79
MAX232	7.95
MC3470	1.95
MC3487	2.95
AY5-3600	
PRO	11.95

**CLOCK CIRCUITS**

MC146818	5.95
MM58167	9.95
MM58174	9.95
MM5832	2.95

**POWER SUPPLIES**



**APPLE TYPE SUPPLY**  
 ■ WITH APPLE CONNECTOR  
 ■ +5V @ 6A, +12V @ 3A,  
 -5V @ 1A, -12V @ 1A  
**PS-A \$49.95**



**FLOPPY DRIVE SUPPLY**  
 ■ +5V @ 2.5A, +12V @ 2A,  
 -12V @ 1A  
 ■ +5V @ 5A, IF +12 NOT USED  
**PS-ASTEC \$24.95**



**36 WATT POWER SUPPLY**  
 ■ +5V @ 2.5A, +12V @ 1.5A  
 ■ 3 PIN INPUT, 6 PIN OUTPUT  
 ■ SELECTABLE 110V-220V  
**PS-3045 \$12.95**



**144 WATT MICRO SUPPLY**  
 ■ +5V @ 18A, +12V @ 4A,  
 -12V @ 500MA  
**PS-1554 \$29.95**

**VOLTAGE REGULATORS**

7805T	.49	7812K	1.39
7808T	.49	7905K	1.69
7812T	.49	7912K	1.49
7815T	.49	78L05	.49
7905T	.59	78L12	.49
7908T	.59	79L05	.69
7912T	.59	79L12	1.49
7915T	.59	LM323K	3.49
7805K	1.59	LM338K	4.49

**FULL 1 YEAR WARRANTY ON EVERY PRODUCT!**

**WIREWAP PROTOTYPE CARDS**

FR 4 EPOXY GLASS LAMINATE WITH GOLD PLATED EDGE CARD FINGERS AND SILK SCREENED LEGENDS



JDR-PR1	FOR XT WITH +5V AND GROUND PLANE AS ABOVE WITH I/O DECODING LAYOUT	27.95
JDR-PR2	FOR PS/2	29.95
JDR-PR32	32 BIT PROTOTYPE CARD	69.95
JDR-PR16	16 BIT WITH I/O DECODING LAYOUT	49.95
JDR-PR16PK	PARTS KIT FOR JDR-PR16 ABOVE	15.95
JDR-PR16V	16 BIT FOR VIDEO APPLICATIONS	39.95
JDR-PR10	FOR AT	
JDR-PR10PK	16BIT WITH I/O DECODING LAYOUT PARTS KIT FOR JDR-PR10 ABOVE	34.95
		12.95

**DISK CONTROLLERS**

1771	4.95
1791	9.95
1793	9.95
1795	12.95
1797	12.95
2791	19.95
2793	19.95
2797	29.95
8272	4.39
UPD765	4.39
MB8876	12.95
MB8877	12.95
1691	
2143	6.95

**INTERSIL**

ICL7107	10.95
ICL7660	1.99
ICL8038	3.85
ICM7207A	5.95
ICM7208	15.95

**UARTS**

AV5-1013	3.95
AV3-1015	4.95
TR1602	3.95
2651	4.95
IM6402	3.95
IM6403	9.95
INS8250	6.95

**BYPASS CAPACITORS**

.01UF CERAMIC DISC	100/5.00
.01UF-MONO MONOLITHIC	100/10.00
.1UF CERAMIC DISC	100/6.50
.1UF-MONO MONOLITHIC	100/12.50

**BIT RATE GENERATORS**

MC1441	19.95	COM5016	16.95
BR1941	4.95	COM8116	8.95
4702	9.95	MM5307	4.95

**SOLDER STATION**

UL APPROVED  
 ■ HEAT SETTING ADJUSTS  
 ■ TIP TEMPERATURE READOUT  
 ■ REPLACEMENT TIPS AVAILABLE @ \$2.95  
**168-3C**



**\$59.95**

**"SNAPABLE" HEADERS**

SNAP APART TO MAKE ANY SIZE HEADER, ALL WITH 1" CENTERS

1x40 STRAIGHT LEAD	.99
1x40 RIGHT ANGLE LEAD	1.49
2x40 2 STRAIGHT LEADS	2.49
2x40 2 RIGHT ANGLE LEADS	2.99

**EPROM ERASERS**

SPECTRONICS CORPORATION

Model	Timer	# of Chips	Intensity (uW/Cm <sup>2</sup> )	Unit Cost
PE-140	NO	9	8,000	\$ .89
PE-140T	YES	9	8,000	\$1.39
PE-240T	YES	12	9,600	\$1.89



■ SHIRT POCKET SIZE! ■ ERASES MOST EPROMS/EPLDs IN 3 MINUTES  
 ■ ALL SIZES UP TO 4 AT A TIME  
**DATASE II**



**LITHIUM BATTERY**  
 LONG LASTING 6 VOLT BATTERY FOR 286 AND 386 PCS - MOUNTS JUST ABOUT ANYWHERE!  
 ■ MOTHERBOARD CONNECTOR  
 ■ ADHESIVE VELCRO MOUNTING STRIP  
**LITHIUM 6.8V 11.95**

**EXTENDER CARDS**

FOR PROTOTYPE DEBUGGING, TESTING AND TROUBLESHOOTING

EXT-8088	XT COMPATIBLE	29.95
EXT-80286	AT COMPATIBLE	39.95
EXT-16	MICROCHANNEL 16 BIT	69.95
EXT-32	MICROCHANNEL 32-BIT	99.95

**SOLDERLESS BREADBOARDS**

WBU-204-3	1360 TIE PTS	12.95
WBU-204	1660 TIE PTS	19.95
WBU-206	2390 TIE PTS	24.95
WBU-208	3220 TIE PTS	34.95




**PC SOLDERLESS BREADBOARDS**

■ 62 CLEARLY LABELLED BUS LINES  
 ■ ACCEPTS UP TO 24 14-PIN ICs  
 ■ 1940 TIE POINTS ■ EXTERNAL FEMALE DB25 D-SUB CONNECTOR UP-604 \$49.95

**GENDER CHANGERS**

GENDER-FF	FEMALE-FEMALE	7.95
GENDER-MM	MALE-MALE	7.95
GENDER-MF	MALE-FEMALE	7.95
GENDER-NM	NULL MODEM	8.95
GENDER-JB	JUMPER BOX	8.95
GENDER-MT	MINITESTER	14.95
GENDER-VGA	DB9-DB15	19.95
GENDER-9-25	DB9-DB25	4.95



**IDC CONNECTORS/RIBBON CABLE**

DESCRIPTION	ORDER BY	CONTACTS					
		10	20	26	34	40	50
SOLDER HEADER	IDHxxS	.82	1.29	1.68	2.20	2.58	3.24
RIGHT ANGLE SOLDER HEADER	IDHxxSR	.85	1.35	1.76	2.31	2.72	3.39
WIREWAP HEADER	IDHxxW	1.86	2.98	3.84	4.50	5.28	6.63
RIGHT ANGLE WIREWAP HEADER	IDHxxWR	2.05	3.28	4.22	4.45	4.80	7.30
RIBBON HEADER SOCKET	IDSxx	.63	.89	.95	1.29	1.49	1.69
RIBBON HEADER	IDMxx	..	5.50	6.25	7.00	7.50	8.00
RIBBON EDGE CARD	IDExx	.85	1.25	1.35	1.75	2.05	2.45
10' PLASTIC RIBBON CABLE	RCxx	1.60	3.20	4.10	5.40	6.40	7.50

FOR ORDERING INSTRUCTIONS, SEE D-SUBMINIATURE CONNECTORS BELOW

**D-SUBMINIATURE CONNECTORS**

DESCRIPTION		ORDER BY	CONTACTS					
			9	15	19	25	37	50
SOLDER CUP	MALE	DBxxP	.45	.59	.69	.69	1.35	1.85
	FEMALE	DBxxS	.49	.69	.75	.75	1.39	2.29
RIGHT ANGLE	MALE	DBxxPR	.49	.69	..	.79	2.27	..
PC SOLDER	FEMALE	DBxxSR	.55	.75	..	.85	2.49	..
WIREWAP	MALE	DBxxPWW	1.69	2.56	..	3.89	5.60	..
	FEMALE	DBxxSww	2.76	4.27	..	6.84	9.95	..
IDC RIBBON CABLE	MALE	IDBxxP	1.39	1.99	..	2.25	4.25	..
	FEMALE	IDBxxS	1.45	2.05	..	2.35	4.49	..
HOODS	METAL	MHOODxx	1.05	1.15	1.25	1.25	..	..
	PLASTIC	HOODxx	.39	.39	..	.39	.69	.75

ORDERING INSTRUCTIONS:  
 INSERT THE NUMBER OF CONTACTS IN THE POSITION MARKED "x" OF THE "ORDER BY" PART NUMBER LISTED. EXAMPLE: A 15 PIN RIGHT ANGLE MALE PC SOLDER WOULD BE DB15PR  
**MOUNTING HARDWARE 59¢**

**IC SOCKETS/DIP CONNECTORS**

DESCRIPTION	ORDER BY	CONTACTS									
		8	14	16	18	20	22	24	28	40	
SOLDERTAIL SOCKETS	xxST	11	11	..	12	15	18	15	20	22	30
WIREWAP SOCKETS	xxWW	59	69	59	99	1.09	1.39	1.49	1.69	1.99	
ZIF SOCKETS	ZIFxx	..	4.95	4.95	..	5.95	..	5.95	6.95	9.95	
TOOLED SOCKETS	AUGATxxST	62	79	89	1.09	1.29	1.39	1.49	1.69	2.49	
TOOLED WW SOCKETS	AUGATxxWW	1.30	1.80	2.10	2.40	2.50	2.90	3.15	3.70	5.40	
COMPONENT CARRIERS	ICCCxx	49	59	69	99	99	99	99	1.09	1.49	
DIP PLUGS (IDC)	IDPxx	95	49	59	1.29	1.49	..	.85	1.49	1.59	

FOR ORDERING INSTRUCTIONS SEE D-SUBMINIATURE CONNECTORS ABOVE

**SHORTING BLOCKS**



**\$1.00**

**COIN TYPE BATTERY**



LITHIUM-3V 1.95  
 HOLDER 3V-MHW 1.49

**RS-232 BREAKOUT BOX**

FOR TROUBLESHOOTING SERIAL COMMUNICATIONS

- OPEN/CLOSE INDIVIDUAL CIRCUITS
- 20 JUMPERS CROSS-CONNECT ANY 2 CIRCUITS
- 10 LEDS SHOW CIRCUIT ACTIVITY

**GENDER-BO 34.95**


JDR MICRODEVICES, 110 KNOWLES DRIVE, LOS GATOS, CA 95030  
 LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110  
 RETAIL STORE: 1256 SOUTH BASCOM AVE., SAN JOSE, CA (408) 947-8881  
 HOURS: M-F 9-7 SAT. 9-5 SUN. 12-4

Terms: Minimum order \$10. For shipping and handling include \$3.50 for ground and \$4.50 air. Orders over 1 lb and foreign orders may require additional shipping charges - please contact the sales department for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative.



**ORDER TOLL FREE 800-538-5000**

COPYRIGHT 1989 JDR MICRODEVICES



# JDR Microdevices®

**MMC**  
MICROCOMPUTER  
MARKETING COUNCIL  
of the Direct Marketing Association, Inc.

30 DAY MONEY BACK GUARANTEE • 1 YEAR WARRANTY ON ALL PRODUCTS • TOLL-FREE TECHNICAL SUPPORT  
COMPLETE CUSTOMER SATISFACTION • SUPERIOR SERVICE • FRIENDLY, KNOWLEDGEABLE SALES STAFF

## PROMETHEUS 2400 BAUD MODEM

**\$129.95**



### INTERNAL 2400 BAUD

- AUTO DIAL ANSWER
  - SELF TEST ON POWER UP
  - FULL OR HALF DUPLEX
  - TOUCHTONE OR PULSE DIALING
  - HAYES & BELL SYSTEMS COMPATIBLE
  - MIRROR II COMMUNICATIONS SOFTWARE INCLUDED
- PRO-24I **\$129.95**  
PRO-12I 1200 BAUD 1/2 CARD **\$69.95**  
PRO-24M 2400 BAUD FOR PS/2 **\$249.95**

### EXTERNAL 2400 BAUD

- 2400/1200/300 HAYES COMPATIBLE
  - 8 EASY TO READ STATUS LED'S
  - CALL PROGRESS MONITORING & ADJUSTABLE VOLUME
  - 2ND PHONE JACK FOR VOICE COMMUNICATIONS
  - REQUIRES SERIAL PORT & CABLE (OPTIONAL)
- PRO-24E **\$169.95**  
PRO-12E 1200 BAUD EXTERNAL **\$99.95**

### APPLE/MACINTOSH MODEMS

- MACINTOSH 2400 BAUD EXTERNAL AS ABOVE WITH CABLE AND PROCOM M SOFTWARE
- PRO-24EM **\$199.95**  
PRO-24A APPLE II 2400 BAUD MODEM **\$179.95**  
PRO-12A APPLE II 1200 BAUD MODEM **\$139.95**

## POCKET MODEM \$99.95

**GVC**



- YOU'LL NEVER BE FAR FROM YOUR DATA WITH THIS 6 OUNCE HAND HELD POCKET MODEM
- 1200/300 BAUD ■ BATTERY & AC POWER
  - SERIAL INTERFACE (DB25) ■ 4 STATUS INDICATORS
- GVC-12P **\$179.95**  
GVC-24P 2400 BAUD VERSION **\$249.95**

## KEYBOARDS



- TACTILE FEEDBACK MAXI-SWITCH**
- MAX-5339 ENHANCED STYLE (SHOWN) **\$84.95**  
MAX-5060 84 KEY LAYOUT **\$64.95**

- BTC ENHANCED STYLE LAYOUT**
- AUTONSENSE FOR XT OR AT COMPATIBLES
  - LED INDICATORS ■ AUTO REPEAT FEATURE
  - SEPARATE CURSOR PAD
- BTC-5339 **\$79.95**

- BTC 84 KEY LAYOUT**
- SOFTWARE AUTONSENSE FOR XT OR AT COMPATIBLES
  - LED INDICATORS ■ AUTO REPEAT
- BTC-5060 **\$59.95**

- BTC AUDIBLE "CLICK" KEYBOARD**
- ENHANCED STYLE, 101 KEY KEYBOARD
  - LED INDICATORS ■ AUTO REPEAT
- K103-A **\$84.95**

## DFI HANDY SCANNER 400 DPI \$249.95

- ALL HANDY SCANNERS ARE NOT THE SAME!
- INSTANTLY SCANS UP TO 4" WIDE IMAGES
  - 100, 200, 300, 400 DPI BOTH DIRECTIONS
  - B&W AND 3 HALF-TONE MODES
  - 32 LEVELS OF GRAY SCALE
  - HERCULES, CGA AND EGA COMPATIBLE
  - INCLUDES HALO DPE AND IMAGE EDITOR SOFTWARE HS-3000
- OCR-SOFT OCR SOFTWARE **\$99.95**



## LOGITECH HIREZ MOUSE

**\$89.95**

- NEW LOW PRICES!
- HIGH RESOLUTION BUS MOUSE FOR BETTER RESPONSE
- 320 DPI ■ INCLUDES DRIVER, TEXT EDITOR & POP-UP MENU'S ■ NO PAD POWER SUPPLY OR PORT REQUIRED
- LMOUSE-BH**

### LOGITECH 3-BUTTON MOUSE

- PC MAGAZINE EDITORS CHOICE! ALL MODELS HAVE SERIAL SUPPORT (COM1/COM2), 200 D P I, RESOLUTION, LOTUS 1-2-3 SHELL, SELF-INSTALLING SOFTWARE AND "POINT EDITOR"
- LMOUSE** **\$74.95**  
**LMOUSE-P** SERIAL MOUSE W/LOGIPAIN **\$89.95**  
**LMOUSE-BP** BUS MOUSE W/LOGIPAIN **\$89.95**  
**LMOUSE-BPBL** BUS MOUSE W/PUBLISHER PKG **\$129.95**  
**LMOUSE-BPC** BUS MOUSE W/LOGIPAIN/CAD **\$139.95**



## 24-HR. ON-LINE ORDERING! (408) 374-2171

JDR'S ELECTRONIC BULLETIN BOARD OFFERS TECHNICAL SUPPORT, CONFERENCING AND MORE

## DATA SWITCH BOXES

TYPE	# OF POS.	PARALLEL	SERIAL	PRICE
PUSHBUTTON	2-WAY	AB-P	AB-S	39.95
ROTARY	2-WAY	RSP-2P	RSS-2S	24.95
ROTARY	3-WAY	RSP-3P	RSS-3S	27.95
ROTARY	4-WAY	RSP-4P	RSS-4S	29.95




## MOLDED COMPUTER CABLES

- HIGH QUALITY GOLD-PLATED CONTACTS, CABLE AND CONNECTORS ARE 100% SHIELDED, MOLDED ASSEMBLY
- CBL-PRINTER PC PRINTER CABLE **\$9.95**
  - CBL-PRINTER-25 AS ABOVE 25 FOOT **\$15.95**
  - CBL-PRINTER-RA RIGHT ANGLE PRINTER **\$15.95**
  - CBL-DB25-MM DB25 MALE TO DB25 MALE **\$9.95**
  - CBL-DB25-MF DB25 MALE TO DB25 FEMALE **\$9.95**
  - CBL-9-SERIAL 9 PIN TO 25 PIN SERIAL **\$7.95**
  - CBL-KBD-EXT KEYBOARD EXTENSION **\$7.95**
  - CBL-CNT-MM 36 PIN CENTRONICS M M **\$14.95**
  - CBL-HD-20 20 PIN HARD DISK CABLE **\$3.95**
  - CBL-HD-34 34 PIN HARD DISK CABLE **\$4.95**
  - CBL-HD-34D 34 PIN DUAL HARD DISK **\$6.95**
  - CBL-FDC-EXT 37 PIN EXTERNAL FLOPPY **\$9.95**
  - CBL-MNT-9 9 PIN MONITOR EXTENSION **\$6.95**
  - CBL-MODEM DB25 TO DB25 FEMALE **\$7.95**

## VGA COMPATIBLE PACKAGE \$649

- 800 X 560 MAXIMUM RESOLUTION
  - 640 X 480 IN 16 COLORS
  - 320 X 200 IN 256 COLORS
  - IBM STYLE ANALOG MONITOR
  - FULLY VGA, EGA, CGA, HERCULES & MONOCHROME COMPATIBLE
- VGA-PKG**



## NEC MULTISYNC II \$599.95

- AUTO FREQ ADJUSTMENT ■ RESOLUTION AS HIGH AS 800 X560 ■ TEXT MODE & TEXT COLOR ■ INCL ADAPTOR
- NEC-MULTI**

## JDR MULTI \$499.95

- FULL FEATURED MULTISCAN MONITOR WITH UNLIMITED COLORS ■ HIGH RESOLUTION, 14" NON-GLARE DISPLAY
  - AUTO SWITCHING ■ TTL/ANALOG VIDEO INPUT
- JDR-MULTI**

## EGA MONITOR \$399.95

- 720 X 350 MAXIMUM RESOLUTION ■ 31 MM DOT PITCH
  - 14" BLACK MATRIX SCREEN ■ 16 COLORS SWIVEL BASE
- EGA-MONITOR**

**EGA SPECIAL - SAVE \$50!**

BUY THE RELIUS EGA AND THE MCT EGA CARD TOGETHER AND SAVE \$60.00 JUST \$499.00

## RGB MONITOR \$279.95

- COLOR/GREEN/AMBER SWITCH ■ 41MM DOT PITCH
  - 640 X 240 RESOLUTION ■ 14" NON GLARE SCREEN
  - TILT AND SWIVEL BASE
- RGB-MONITOR**

## FLAT SCREEN \$139.95

- LOW DISTORTION 14" GLARE-RESISTANT AMBER SCREEN
  - 720 X 350 MAXIMUM RESOLUTION ■ IBM COMPATIBLE
  - TTL INPUT ■ SWIVEL BASE
- GM-1488**  
MONO-SAMSUNG WITH 12" SCREEN **\$129.95**

## TILT & SWIVEL MONITOR STANDS

- MS-100 **\$12.95**  
MS-200 5 OUTLETS AND SURGE SUPPRESSOR **\$39.95**

## UPRIGHT CASE

**\$299.95**

SLEEK UPRIGHT DESIGN SAVES SPACE, ADDS STYLE!

- ACCOMODATES ALL SIZES OF MOTHERBOARDS
- 250 W POWER SUPPLY INCLUDED
- MOUNTS FOR 3 FLOPPY & 4 HARD DRIVES
- TURBO & RESET SWITCH
- SPEED DISPLAY, POWER & DISK LED'S
- INCL MOUNTING HARDWARE, FACEPLATES & SPEAKER

- CASE-100**
- CASE-FLIP FOR 8088 MOTHERBOARDS **\$39.95**
  - CASE-SLIDE FOR 8088 MOTHERBOARDS **\$39.95**
  - CASE-70 FOR 286 MOTHERBOARDS **\$89.95**
  - CASE-JR MINI-286 W/POWER SUPPLY **\$149.95**



## POWER SUPPLIES

- ALL OUR POWER SUPPLIES ARE UL APPROVED, 110/220V
- PS-135 IBM XT COMPATIBLE, 135 WATTS **\$59.95**
  - PS-150 IBM XT COMPATIBLE, 150 WATTS **\$69.95**
  - PS-200 IBM AT COMPATIBLE, 200 WATTS **\$89.95**

## 1.44 MB 3 1/2" DRIVE

**\$99.95**



- ULTRA HIGH DENSITY
- ALSO WORKS WITH 720K DISKS
- FDD-1.44X BLACK FACEPLATE
- FDD-1.44A BEIGE FACEPLATE
- FDD-SOFT SOFTWARE DRIVER **\$19.95**

### 1/2 HEIGHT FLOPPY DISK DRIVES

- FD-55B 5-1/4" TEAC DS/DD 360K **\$99.95**
- FD-55G 5-1/4" TEAC DS/HD 1.2M **\$129.95**
- M2551A 5 1/4" FUJITSU DS/DD 360K **\$89.95**
- M2553K 5 1/4" FUJITSU DS/HD 1.2M **\$119.95**
- FDD-360 5-1/4" DS/DD 360K **\$69.95**
- FDD-1.2 5-1/4" DS/HD 1.2M **\$109.95**
- MF355X 3-1/2" MITSUBISHI 1.44MB (BLACK) **\$129.95**
- MF355A 3-1/2" MITSUBISHI 1.44MB (BEIGE) **\$129.95**
- FDD-3.5X 3-1/2" DS/DD 720K (BLACK) **\$97.95**
- FDD-3.5A 3-1/2" DS/DD 720K (BEIGE) **\$97.95**

### TAPE BACK-UP DRIVES

- AR5240X ARCHIVE TAPE DRIVE -XT'S & AT'S **\$369.95**
- AR5540A FASTER TAPE DRIVE -AT'S ONLY **\$369.95**
- AR340 40 MB TAPE CARTRIDGES **\$24.95**

### DISKETTES

- N-MD2D BOX OF 10 5-1/4" 360K DS/DD **\$6.95**
- N-MD2H BOX OF 10 5-1/4" 1.2 MB DS/HD **\$13.95**
- N-3.5DS BOX OF 10 3 1/2" 720K DS/DD **\$16.95**
- N-3.5HD BOX OF 10 3 1/2" 1.44 MB DS/HD **\$49.95**
- N-MD2D BULK 360K DS/DD (MIN 50 DISKS) EA. **49c**

### DRIVE ACCESSORIES

- FD-ARAIL MTG. RAILS FOR AT COMPATIBLE **\$2.95**
- FD-55MHV HALF-HEIGHT MOUNTING HARDWARE **\$2.95**
- FD-5Y Y-POWER ADAPTOR FOR DRIVES **\$2.95**
- FD55P BEIGE FACEPLATE FOR TEAC DRIVES **\$2.95**

## Seagate

Kits include a Seagate hard disk drive, drive controller, cables and instructions.  
HDKIT20 20 MB System Kit  
HDKIT30 30 MB System Kit

**20 Mb kit \$269**

**30 Mb kit \$299**



SIZE	MODEL	AVG. SPEED	HT.	DRIVE ALONE	With MCT Controller			
					HDC	RLL	AFH	AFH-RLL
20MB	ST-225	65 ms	Half	\$225	\$269	-	\$339	-
30MB RLL	ST-238	65 ms	Half	\$249	-	\$299	-	\$389
40MB	ST-251	40 ms	Half	\$379	\$419	-	\$489	-
40MB	ST-251-1	28 ms	Half	\$469	\$509	-	\$579	-
60MB RLL	ST-277	40 ms	Half	\$449	-	\$499	-	\$589
30MB	ST-4038	40 ms	Full	\$559	\$603	-	\$659	-
80MB	ST-4096	28 ms	Full	\$629	-	-	\$729	-

## INBOARD 386/PC

**\*\$895.00**

intel



UPGRADE YOUR XT TO A 386 FOR LESS THAN \$900

- 16 MHZ PROCESSOR REPLACES 8088
- 1 MB MEMORY INSTALLED
- EXPAND TO 3 MB WITH PIGGYBACK CARD
- 5 YEAR WARRANTY

### PCIB 1200

### PIGGYBACK MEMORY BOARDS

- PCIB1210 1 MB INSTALLED **\$649.00**
- PCIB1220 2 MB INSTALLED **\$1195.00**

"JDR MICRODEVICES IS FIRST CLASS TO DEAL WITH, VERY PROFESSIONAL AND FRIENDLY."  
-J.A. COFFIN, ISLESBORO, ME

"YOUR AVAILABILITY AND WILLINGNESS TO ATTEND TO OUR NEEDS WITH PROMPT, COURTEOUS PERSONNEL IS GREATLY APPRECIATED."

-DIANE M. DUBOIS, SAN JOSE, CA

"SHOP-BY-PHONE COMPUTER MAIL ORDER HAS NEVER BEEN MORE ENJOYABLE NOW THAT I HAD THE GOOD SENSE TO CALL JDR -I'M SORRY NOW THAT I WAITED SO LONG."  
-K. BOGGS, PARADISE, CA

# INTERFACE CARDS

## BY MODULAR CIRCUIT TECHNOLOGY

### DRIVE CONTROLLERS

- FLOPPY DISK CONTROLLER \$29.95**
- SINGLE SLOT CONTROL OF 4 FLOPPIES
- INTERFACES UP TO 4 FDD'S TO AN IBM PC OR COMPATIBLE ■ SUPPORTS DS/DD AND DS/QD W/ DOS 3.2
- MCT-FDC

- 1.2 MB FLOPPY CONTROLLER \$69.95**

- ADD VERSATILITY AND CAPACITY TO YOUR XT
- SUPPORTS 2 DRIVES, CAN MIX 360K AND 1.2 MB
- ALLOWS DATA TO FLOW FREELY FROM XT'S TO AT'S
- MCT-FDC-1.2

- FLOPPY/HARD CONTROLLER \$139.95**

- XT SYSTEM SHORT OF SLOTS? THIS CARD FREES ONE UP!
- INTERFACES UP TO 2 FDD'S & 2 HDD'S, CABLING FOR 2 FDD/1HDD ■ SUPPORTS BOTH DS/DD & DS/QD W/DOS 3.2
- MCT-FH

- 286/386 FLOPPY/HARD \$149.95**

- FLOPPY/HARD DISK CONTROL IN A TRUE AT DESIGN
- SUPPORTS UP TO 2 360K/720K, 1.2 MB FDD'S
- SUPPORTS 2 HDD'S USING STANDARD TABLES
- MCT-AFH

- HARD DISK CONTROLLER \$79.95**

- HARD DISK CONTROL AT AN ECONOMICAL PRICE
- SUPPORTS 16 DRIVE SIZES INCLUDING 10,20,30 & 40 MB
- DIVIDE 1 LARGE DRIVE INTO 2 LOGICAL DRIVES
- MCT-HDC

- RLL CONTROLLER \$119.95**

- TRANSFER DATA 50% FASTER
- SUPPORTS UP TO 2 RLL HARD DRIVES
- DESIGNED FOR XT COMPATIBLES
- MCT-RLL

- 286/386 FLOPPY/HARD RLL \$199.95**

- IMPROVE SPEED AND STORAGE OF YOUR AT COMPATIBLE
- SUPPORTS UP TO 2 RLL HARD DISCS AND 2 FLOPPIES
- SUPPORTS 360/720/1.2 MB FLOPPIES IN 5.25" & 3.5"
- MCT-AFH-RLL

### MULTIFUNCTION CARDS

- MULTI I/O FLOPPY CONTROLLER \$79.95**
- A PERFECT COMPANION FOR OUR MOTHERBOARDS
- SUPPORTS UP TO TWO 360K FLOPPIES, 720K W/ DOS 3.2
- SERIAL, PARALLEL, GAME PORT, CLOCK/CALENDAR
- MCT-MIO
- MIO-SERIAL—2ND SERIAL PORT **\$15.95**

- MULTI I/O CARD \$59.95**

- USE WITH MCT-FH FOR MINIMUM OF SLOTS USED
- SERIAL PORT, CLOCK CALENDAR WITH BATTERY
- PARALLEL PORT ADDRESSABLE AS LPT1 OR LPT2
- MCT-I/O

- 286/386 MULTIFUNCTION \$139.95**

- ADDS UP TO 3 MB OF RAM TO YOUR AT
- USER EXPANDABLE TO 1.5 MB OR 3 MB WITH OPTIONAL PIGGYBACK BOARD (OK INSTALLED) ■ INCLUDES SERIAL AND PARALLEL PORT
- MCT-AMF
- MCT-AMF-MC PIGGYBACK BOARD **\$29.95**
- AIO-SERIAL 2ND SERIAL PORT **\$24.95**

- 286/386 MULTI I/O CARD \$59.95**

- USE WITH MCT-AFH MINIMUM OF SLOTS USED
- SERIAL, PARALLEL AND GAME PORTS ■ USES 16450 SERIAL SUPPORT CHIPS FOR HIGH SPEED OPS
- MCT-AIO
- AIO-SERIAL 2ND SERIAL PORT **\$24.95**

### MEMORY CARDS

- 576K RAM CARD \$59.95**
- A CONTIGUOUS MEMORY SOLUTION IN A SHORT SLOT
- USER SELECTABLE CONFIGURATION UP TO 576K
- USES 64K & 256K RAM CHIPS (OK INSTALLED)
- MCT-RAM

- EXPANDED MEMORY CARD \$129.95**

- 2MB OF LOTUS INTEL MICROSOFT MEMORY FOR AN XT
- CONFORMS TO LOTUS INTEL EMS ■ USER EXPANDABLE TO 2 MB ■ CAN BE USED AS EXPANDED OR CONVENTIONAL MEMORY, RAMDISK AND SPOOLER
- MCT-EMS
- MCT-AEMS 286/386 VERSION **\$139.95**

### DISPLAY ADAPTORS

**MONOCHROME GRAPHICS \$59.95**

- TRUE HERCULES COMPATIBILITY SUPPORTS LOTUS 1-2-3
- PARALLEL PRINTER PORT CONFIGURES AS LPT1 OR LPT2 ■ USES VLSI CHIPS TO ENSURE RELIABILITY
- MCT-MGP

- EGA ADAPTOR \$149.95**

- 100% IBM COMPATIBLE PASSES IBM EGA DIAGNOSTICS
- 256K OF VIDEO RAM ALLOWS 640 X 350 IN 16 OF 64 COLORS ■ COMPATIBLE WITH COLOR AND MONOCHROME ADAPTORS ■ HERCULES COMPATIBLE
- MCT-EGA

- COLOR GRAPHICS ADAPTOR \$49.95**

- COMPATIBLE WITH IBM GRAPHICS STANDARDS
- SUPPORTS RGB, COLOR, & COMPOSITE MONOCHROME
- 640/320 X 200 RESOLUTION, LIGHT PEN INTERFACE
- MCT-CG

- MONOGRAPHICS MULTI I/O \$119.95**

- TOTAL SYSTEM CONTROL FROM A SINGLE SLOT!
- CTRL 2 FLOPPIES, SERIAL, PARALLEL, GAME PORT, CLOCK CAL ■ RUN COLOR GRAPHICS SOFTWARE ON A MONOCHROME MONITOR
- MCT-MGMIO

- 286/386 MONOGRAPHICS I/O \$99.95**

- USE THIS "DO EVERYTHING" CARD TO HOOK UP YOUR MONOCHROME MONITOR, PARALLEL PRINTER, MODEM AND JOYSTICK AT THE SAME TIME. THE ONLY OTHER CARD YOUR SYSTEM NEEDS IS A FLOPPY/HARD CONTROLLER.
- AT COMPATIBLE
- 720 X 348 RESOLUTION, 80 & 132 COLUMN TEXT
- PARALLEL, SERIAL & GAME PORTS
- HERCULES COMPATIBLE MONOGRAPHICS
- INCLUDES SOFTWARE FOR RUNNING COLOR GRAPHICS PROGRAMS ON A MONOCHROME MONITOR
- MCT-MGAIO



JDR MICRODEVICES, 110 KNOWLES DRIVE, LOS GATOS, CA 95030  
LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110



RETAIL STORE: 1256 SOUTH BASCOM AVE., SAN JOSE, CA (408) 947-8881  
HOURS: M-F 9-7 SAT. 9-5 SUN. 12-4



COPYRIGHT 1989 JDR MICRODEVICES

**ORDER TOLL FREE 800-538-5000**

Terms: Minimum order \$10. For shipping and handling include \$2.50 for ground and \$4.50 air. Orders over 1 lb and foreign orders may require additional shipping charges—please contact the sales department for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative.

## BUILD YOUR OWN SYSTEM



OVER 20,000 JDR SYSTEMS HAVE ALREADY BEEN BUILT. EASY TO ASSEMBLE IN JUST 2 HOURS WITH A SCREWDRIVER.

### 12 MHz MINI-286 \$1152.70

- 12 MHz MINI-286 MOTHERBOARD
- 512K RAM MEMORY
- MINI-AT CASE WITH POWER SUPPLY
- 84 KEY KEYBOARD
- MONOCHROME MONITOR
- 1.2 MB FLOPPY DRIVE
- FLOPPY HARD CONTROL
- GRAPHICS ADAPTOR

### 10 MHz TURBO 8088 \$636.20

- INCLUDES SERIAL PORT
- 2 PARALLEL PORTS
- CLOCK CALENDAR AND GAME ADAPTOR
- RUNS COLOR GRAPHICS ON A MONOCHROME MONITOR
- MOTHERBOARD
- 256K RAM MEMORY
- 135 WATT POWER SUPPLY
- FLIP TOP CASE
- 84 KEY KEYBOARD
- 360K FLOPPY DRIVE
- MONOGRAPHICS I/O CARD
- MONOCHROME MONITOR

NEW LOW PRICES!

## MOTHERBOARDS

### TURBO 4.778 MHz \$95.95

- XT COMPATIBLE
- NORTON SI 1.7
- 4.77 OR 8 MHz OPERATION WITH 8088 2 AND OPTION AL 8087 2 CO PROCESSOR
- FRONT PANEL LED SPEED INDICATOR AND RESET SWITCH SET SUPPORTED
- CHOOSE NORMAL TURBO MODE OR SOFTWARE SELECT PROCESSOR SPEED

#### MCT-TURBO

MCT-XMB STANDARD MOTHERBOARD \$87.95

### 10 MHz SINGLE CHIP \$99.95

- XT COMPATIBLE
- NORTON SI 2.1
- USES LESS POWER, IMPROVES RELIABILITY
- KEY SELECTABLE SPEED: 4.77 MHz OR 10 MHz
- 2.3 TIMES FASTER THAN A STANDARD
- RESET SWITCH
- KEYLOCK & SPEED POWER INDICATORS SUPPORTED

#### MCT-TURBO-10

### 80286 6/10 MHz \$379.95

- AT COMPATIBLE
- LANDMARK AT SPEED 10 MHz
- NORTON SI: 10.3
- 8 SLOTS (TWO 8-BIT, SIX 16 BIT)
- HARDWARE SELECTION OF 6 OR 10 MHz
- FRONT PANEL LED INDICATOR
- SOCKETS FOR 1MB OF RAM AND 80287
- ONE WAIT STATE
- BATTERY BACKED CLOCK
- ONE KEYLOCK SUPPORTED
- RESET SWITCH

#### MCT-286

### 12 MHz MINI-286 \$339.95

- AT COMPATIBLE
- LANDMARK AT SPEED 13.2 MHz
- NORTON SI 11.6
- 6 MHz, 10 MHz (0.1 WAIT STATE)
- 12 MHz (1 WAIT STATE)
- ZYMOS ASICS FOR FEWER CHIPS, GREATER RELIABILITY
- SUPPORTS 512K 1024K MEMORY
- RECHARGEABLE HIGH CAPACITY Ni-CAD BATTERY
- SIX 16-BIT SLOTS, TWO 8-BIT SLOTS
- MOUNTS IN STANDARD XT CASE

#### MCT-M286-12

MCT-M286 6/10 MHz MINI 80286 BOARD \$299.95

## NEW! MODULAR PROGRAMMING SYSTEM

### MODULAR CIRCUIT TECHNOLOGY


THE IDEAL SYSTEM FOR DEVELOPERS; AN INTEGRATED MODULAR SYSTEM THAT EXPANDS AS YOUR NEEDS GROW. ALL THE MODULES USE A COMMON HOST ADAPTOR CARD SO YOU NEED JUST ONE SLOT TO PROGRAM EPROMS, PROMS, PALS AND MORE.

#### HOST ADAPTOR CARD \$29.95

- A UNIVERSAL INTERFACE FOR ALL THE PROGRAMMING MODULES
- USER SELECTABLE PROGRAMMABLE ADDRESSES
- PREVENT ADDRESSING CONFLICTS
- INCLUDES MENU DRIVEN SOFTWARE PACKAGE
- INCLUDES MOLDED CABLE

#### MOD-MAC

\$29.95



#### EPROM MODULE \$119.95

- PROGRAMS 24 32 PIN EPROMS, CMOS EPROMS AND EEPROMS FROM 16K TO 1024K
- HEX TO OBJ CONVERTER
- AUTO BLANK CHECK PROGRAM VERIFY
- VPP 5, 12, 5, 12, 15, 13, 21 & 25 VOLTS
- NORMAL INTELLIGENT INTERACTIVE, & QUICK PULSE PROGRAMMING ALGORITHMS

#### MOD-MEP

MOD-MEP-4 FOUR EPROM PROGRAMMER \$169.95

MOD-MEP-8 EIGHT EPROM PROGRAMMER \$259.95

MOD-MEP-16 SIXTEEN EPROM PROGRAMMER \$499.95

#### UNIVERSAL MODULE \$499.99

- PROGRAMS EPROMS, EEPROMS, PALS, BI POLAR PROMS, 8748 & 8751 SERIES DEVICES
- PROGRAMS 16V8 & 20V8 GALs (GALLIUM ARSENIDE) FROM LATTICE, NS, SGS
- TESTS TTL CMOS DYNAMIC & STATIC RAMS
- LOAD DISK, SAVE DISK, EDIT, BLANK CHECK, PROGRAM, AUTO, READ MASTER, VERIFY & COMPARE
- TEXT TOOL SOCKET ACCEPTS 3 TO 6" WIDE IC'S FROM 8 40 PINS

#### MOD-MUP



#### DIGITAL IC MODULE \$129.95

- TESTS TTL CMOS, DYNAMIC & STATIC RAM
- AUTO SEARCH FOR UNKNOWN PART NUMBERS
- USER PROGRAMMABLE TEST PROCEDURES

#### MOD-MIC

#### PAL MODULE \$249.95

- PROGRAMS MMI, NS, TI 20 & TI 24 PIN DEVICES
- BLANK CHECK, PROGRAM, AUTO READ MASTER, VERIFY & SECURITY FUSE BLOW

#### MOD-MPL

PAL PROGRAMMING DEVELOPMENT SOFTWARE \$99.95

#### MOD-MPL-SOFT

#### 8748 MODULE \$179.95

- PROG. 8741, 8742, 8748, 8749 & 8750 EPROMS & PROMS
- LOAD DISK, SAVE DISK, EDIT, BLANK CHECK, PROGRAM, AUTO, READ MASTER, VERIFY & COMPARE
- NORMAL & INTELLIGENT PROGRAMMING ALGORITHMS

#### MOD-MMP

#### BI-POLAR MODULE \$259.95

- PROG. AMD, MMI, NS, TI & SIGNETICS BI POLAR PROMS
- LOAD DISK, SAVE DISK, EDIT, BLANK CHECK, PROGRAM, AUTO, READ MASTER, VERIFY

#### MOD-MBP

## EPROM PROGRAMMER

\$129.95

- PROGRAMS 27XX AND 27XXX EPROMS UP TO 27512
- SUPPORTS VARIOUS PROGRAMMING FORMATS & VOLTAGES
- SPLIT OR COMBINE CONTENTS OF SEVERAL EPROMS OF DIFFERENT SIZES
- READ, WRITE, COPY, ERASE CHECK & VERIFY
- SOFTWARE FOR HEX AND INTEL HEX FORMATS



## BARGAIN HUNTER'S CORNER

### 20 MHz DUAL TRACE OSCILLOSCOPE

\$349.95

- PRICE ROLLBACK—REGULARLY \$389.95 OUR MODEL 2000 MAKES FREQUENCY AND PHASE MEASUREMENT QUICK AND EASY. THE COMPONENT TESTER AIDS IN FAST TROUBLESHOOTING. SERVICE TECHNICIANS APPRECIATE THE TV SYNC CIRCUITS FOR VIEWING TV-V AND TV-H, AND THE ACCURATE SYNC, AND V/H SYNC PULSES
- EXCEPTIONALLY BRIGHT 5-INCH CRT
- X-Y OPERATION 110/120V
- 2 YEAR WARRANTY!

MODEL 2000

SPECIAL ENDS 5/31/89



JDR MICRODEVICES, 110 KNOWLES DRIVE, LOS GATOS, CA 95030  
LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110

RETAIL STORE: 1256 SOUTH BASCOM AVE., SAN JOSE, CA (408) 947-8881  
HOURS: M-F 9-7 SAT. 9-5 SUN. 12-4

**ORDER TOLL FREE 800-538-5000**


CONTINENTAL U.S.

Terms: Minimum order \$10. For shipping and handling include \$3.50 for ground and \$4.50 air. Orders over 1 lb and foreign orders may require additional shipping charges—please contact the sales department for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative.

Circle 6 on Reader Service Card (DEALERS: 7)

Buy with

# Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

## Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

## Purchasing Guidelines


- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

This message is brought to you by:

the MICROCOMPUTER  
MARKETING COUNCIL  
of the Direct Marketing  
Association, Inc.  
6 E. 43rd St.,  
New York, NY 10017

**MMC**  
MICROCOMPUTER  
MARKETING COUNCIL  
of the Direct Marketing Association, Inc.



# EDITORIAL INDEX BY COMPANY

Index of companies covered in articles, columns, or news stories in this issue  
Each reference is to the first page of the article or section in which the company name appears

INQUIRY #	COMPANY	PAGE	INQUIRY #	COMPANY	PAGE	INQUIRY #	COMPANY	PAGE
<b>A</b>			1122	EFFECTIVE DATA SOLUTIONS	82	1023	LUNDEEN AND ASSOCIATES	129
	ADDISON-WESLEY PUBLISHING	51	1155	ELECTRIM	65	<b>M</b>		
1064	ADVANCED PROGRAMMING INSTITUTE	209	1030	ELECTROHOME	162	884	MAGMA SOFTWARE SYSTEMS	197
1171	ALANTEC	65	1031	ELITE BUSINESS APPLICATIONS	162	853	MANZANA MICROSYSTEMS	191
1102	ALSOFT	143	1022	EVEREX SYSTEMS	129	1177	MARQ TECHNOLOGIES	65
1166	AMERICAN LIQUID LIGHT	65	<b>F</b>				MATHSOFT	11
1132	AMIABLE TECHNOLOGIES	82		FARALLON	11	1001	MATRIX SOFTWARE TECHNOLOGY	270
	APOLLO COMPUTER	11	1056	FLAGSTAFF ENGINEERING	109	1060	MAXIMUM STORAGE	109
1002	APPLE COMPUTER	11, 270	1125	FORMALSOFT	82	1133	MENTAL AUTOMATION	82
1163	APPLIED ENGINEERING	65	1130	FOUNDATIONWARE	82	1126	MICRO PLANNING INTERNATIONAL	82
1049	ARTISOFT	109	1154	FTG DATA SYSTEMS	65	1024	MICROGRAFX	149
981	ASHTON-TATE	135		FUJITSU AMERICA	11	1141	MICRORIM	82
1150	AST RESEARCH	65	<b>G</b>			1021	MICROSOFT	11, 109, 129, 149
1066	ASTRAL DEVELOPMENT	97		GENERAL ELECTRIC	11	1054	<b>MICROSOLUTIONS COMPUTER PRODUCTS</b>	
	AUTODESK	11	1134	GENERIC SOFTWARE	82	851		191
<b>B</b>			1113	GEOCOMP	82		MICROTEK	11
1127	BANYAN SYSTEMS	82		GO	11	1034	MICROVITEC	162
	BATTELLE	11	1108	GOLD HILL COMPUTERS	82		MIT PRESS	51
1157	BLUE CHIP INTERNATIONAL	65	996	GRAPHAEL	270	1035	<b>MITSUBISHI ELECTRONICS AMERICA</b>	
1151	BONDWELL INDUSTRIAL	65	1114	GRAPHICTEXT APPLICATIONS	82	1119	MODEL SOFTWARE	82
982	BORLAND		<b>H</b>			1128	MODEM CONTROLS	82
1058	BORLAND INTERNATIONAL	109, 135	1032	HEWLETT-PACKARD	149, 162		MONTGOMERY SECURITIES	11
1117	BROOKS/COLE PUBLISHING	82	998	HEWLETT-PACKARD LABORATORIES	270		MOTOROLA	11, 281
<b>C</b>				HITACHI	11	<b>N</b>		
	CALERA RECOGNITION SYSTEMS	11	995	HONEYWELL SYSTEMS AND RESEARCH CENTER	270	1036	NANAO USA	162
	CAMBRIDGE NORTH AMERICA	11	<b>I</b>			1000	NATIONAL INSTRUMENTS	270
1061	CARRIER CURRENT TECHNOLOGIES	97	989	ICONIX SOFTWARE DEVELOPMENT	270	1105	NCR	274
1139	CESS COMPUTERS	82	1170	IDEASSOCIATES	65	1173	NEC AMERICA	65
1040	CHEETAH INTERNATIONAL	109, 281	1059	INFOPRO SYSTEMS	11	1037	NEC HOME ELECTRONICS	
1027	CHUGAI BOYEKI AMERICA	162	987	INFORMATION STORAGE	109	1161	U.S.A.	65, 162
992	CNS	270	1137	INFORMIX SOFTWARE	135		NETWISE	11
1028	COLORGRAPHIC COMMUNICATIONS	162	1033	INOVATIC	82		NEW YORK INSTITUTE OF TECHNOLOGY	11
1164	COMMAND	65	1041	INTECOLOR	162		NEXT	11, 265
1039	COMMODORE BUSINESS MACHINES	11, 65, 109	1044	INTECOP	109, 281		NKR RESEARCH	11
1168	COMPAQ COMPUTER	11, 177	994	INTERACTIVE SOFTWARE ENGINEERING	270	1140	NOSTRADAMUS	82
1065	COMPU COM	97		INTERNAL REVENUE SERVICE	11	984	NOVELL	11, 135
	COMPUTER CHESS ASSOCIATION	11	1003	INTERNATIONAL META SYSTEMS	270	<b>O</b>		
	COMPUTER SCIENCE PRESS	51	1045	INTERSTEL	109	1044	OASIS SYSTEMS/FTL GAMES	109
1111	COMPUTER TIES	82	1136	ISICAD	82	993	OASYS	270
1029	CORNERSTONE TECHNOLOGY	162	<b>J</b>			853	OGIVAR TECHNOLOGIES	177
<b>D</b>				JOHN WILEY & SONS	51	1174	ONSET COMPUTER	65
	DATA GENERAL	11	<b>K</b>			1013	ONTOLOGIC	270
1107	DATAEASE INTERNATIONAL	82	999	KNOWLEDGE GARDEN	270	983	ORACLE	11, 135
1129	DATAPoint	82	1011	KNOWLEDGE SYSTEMS	270	1010	OREGON SOFTWARE	270
	DELL COMPUTER	281	1047	KYOCERA UNISON	65, 109		OSBORNE MCGRAW-HILL	51
1131	DIGITAL COMMUNICATIONS ASSOCIATES	82	1156			<b>P</b>		
1012	DIGITAL EQUIPMENT	11, 270	<b>L</b>			1008	PARCPLACE SYSTEMS	11, 270
1007	DIGITALK	270	1062	LANTANA TECHNOLOGY	97	1052	PAUL MACE SOFTWARE	109
1165	DISTRIBUTED PROCESSING TECHNOLOGY	65	1055	LOGITECH INTERNATIONAL SA	109	1118	PHASE THREE LOGIC	82
<b>E</b>				LSI LOGIC	11		PIXAR	11
	EASTMAN KODAK	11	883	LUGARU SOFTWARE	197	851	PRECISION	221







# READER SERVICE

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

\* Correspond directly with company.

## Index to Advertisers by Product Category

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
<b>HARDWARE</b>							
310	<b>ADD INS</b>	313	<b>INSTRUMENTATION</b>	317	<b>MONITORS</b>	321	<b>PRINTER RIBBONS</b>
16	ALPHA PRODUCTS CO. 326,327	90	DSP 38	408	BERING INFO. CO.,LTD. 96IS-70	38	ACCEL 500 220
31	ATI TECHNOLOGIES 181	96	ELEXOR INC. 320	436	INTRA ELEC. CO.,LTD 96IS-71	322	<b>SCANNERS/DIGITIZERS</b>
411	BLUE CHIP TECHNOLOGY 96IS-36	123	HOOLEON 102	177	MITSUBISHI 124	409	BEST COMMUNICATION 96IS-70
55	B&C MICROSYSTEMS 315	125	HOUSTON INSTRUMENT 93	178	MITSUBISHI 124	104	FLAGSTAFF 108
285	B&C MICROSYSTEMS 315	134	ITAC 126	296	MITSUBISHI ELEC. 188,189	105	FLAGSTAFF 108
56	CAPITAL EQUIPMENT 140	150	LOGITECH 70,71	297	MITSUBISHI ELEC. 188,189	121	HIGH RESOLUTION TECH. 316
70	CONTROL VISION 310	151	LOGITECH 70,71	183	NANAO 176	437	IRIS 96IS-16
417	CUBIX 96IS-17	191	NUMONICS 148	184	NANAO 176	256	TRUE DATA 122
76	DEFINICON SYSTEMS 111	457	THE JOW DIAW ENTERPRISE 96IS-63		* NEC HOME ELEC.(USA) 36,37	323	<b>SOFTWARE SECURITY</b>
89	DIVERSIFIED TECHNOLOGY 324	462	UNITECH 96IS-22	470	TAIWAN VIDEO & MONITOR 96IS-69	406	ALADDIN KNOWLEDGE SYS. 96IS-28
290	DIVERSIFIED TECHNOLOGY 216			246	TATUNG 183	416	CONTROL TELEMETRY 96IS-30
95	EDC GMBH 58	314	<b>KEYBOARDS/MICE</b>	318	<b>NETWORK HARDWARE</b>	210	PROTECH MARKETING 54
425	FORMOSA MICROSYS. INC. 96IS-59	422	EEO LTD 96IS-33	10	3X - USA CORP. 89	219	RAINBOW TECHNOLOGIES 128
432	INES 96IS-32	122	HOOLEON 102	41	BAYTECH 45	220	RAINBOW TECHNOLOGIES 128
433	INTERQUADRAM 96IS-9	123	HOOLEON 102	48	BOCA RESEARCH 125	324	<b>SYSTEMS</b>
434	INTERQUADRAM 96IS-11	125	HOUSTON INSTRUMENT 93	417	CUBIX 96IS-17	402	ABC COMPUTER 96IS-48
435	INTERQUADRAM 96IS-13	134	ITAC 126	419	DATEx SYSTEMS 96IS-15	403	ACER 96IS-52,53
132	IO TECH 152	134	ITAC 126	81	DIGIBOARD 114,115	404	ACME TECH. CORP 96IS-68
133	IO TECH 311	150	LOGITECH 70,71	82	DIGIBOARD 114,115	12	ADVANCED LOGIC RSRCH 90,91
146	LAWSON LABS 320	151	LOGITECH 70,71	186	NATURAL MICROSYSTEMS 32	13	ADVANCED LOGIC RSRCH 90,91
155	MASIS SYSTEMS 324	191	NUMONICS 148	552	NETLOGIC, INC. 96M/AT-7	477	AMERICAN HI-TECH 96SO-2
443	MICRON TECH. INC. 96IS-19	457	THE JOW DIAW ENTERPRISE 96IS-63	190	PERSONAL SPACE COMM. 311	*	AMPRO 134
	* MICROSOFT 289	462	UNITECH 96IS-22	446	RAFFEL 96IS-12	29	AST RESEARCH 21,22,23
176	MIRO DATENSYTEMME 30			448	RINGDALE PERIPHERALS 96IS-29	30	AST RESEARCH 21,22,23
444	NEST TECHNOLOGIES 96IS-67	315	<b>MASS STORAGE</b>	223	ROSE ELECTRONICS 159	478	BELTRON COMPUTER 96SO-13
484	NEWER TECHNOLOGY 96SO-5	15	AK SYSTEMS 316	454	SURE TECHNOLOGY INC. 96IS-51	44	BEST COMPUTER 185
506	NEWER TECHNOLOGY 96NE-6	40	BASF 217	319	<b>POWER SUPPLIES</b>	45	BEST COMPUTER 185
526	NEWER TECHNOLOGY 96PC-10	46	BIOLOGICAL ENGINEERING 146	482	DRS POWER PRODUCTS 96SO-9	536	BUSINESS MICRO SYS. 96MW-2
189	NOHAU 34	112	GENOA 77	483	DRS POWER PRODUCTS 96SO-9	537	BUSINESS MICRO SYS. 96MW-2
190	PERSONAL SPACE COMM. 311	*	* MAXELL CORP. OF AMERICA 73	98	EMERSON COMP. POWER 139	*	CEBIT 89 96IS-46
207	PRINCETON PUB. LABS 175	162	MEGA DRIVE 17	99	EMERSON COMP. POWER 139	414	COM-TEK DATA SYSTEMS 96IS-37
292	QUADRAM 254	163	MEGA DRIVE 17	198	PARA SYSTEMS 41	415	COM-TEK DATA SYSTEMS 96IS-37
293	QUADRAM 254	194	OVERLAND DATA 318	301	SCOPE ELECTRONICS 320	540	COM-TEK DATA SYSTEMS 96MW-3
214	QUA TECH 316	212	QUALSTAR 320	*	SM INDUSTRIES 96SO-10	541	COM-TEK DATA SYSTEMS 96MW-3
215	QUA TECH 316	241	SYSGEN 19	482	DRS POWER PRODUCTS 96SO-9	78	DELL COMPUTER CORP. CII,1
216	QUA TECH 316	249	TELEBYTE TECHNOLOGY 324	98	EMERSON COMP. POWER 139	91	DTK 190
217	QUA TECH 316	261	VERBATIM 55	99	EMERSON COMP. POWER 139	92	DTK 190
221	REAL TIME DEVICES 315			198	PARA SYSTEMS 41	421	EASTERN FAIRYLAND INC. 96IS-71
231	SMIS 52	22	ANNAHEIM AUTOMATION 310	301	SCOPE ELECTRONICS 320	423	ELONEX 96IS-27
455	SYSTEMS WEST 96IS-32	*	* ANTHRO 42			100	EVEREX COMPUTER SYS. 28,29
245	TALKING TECHNOLOGY 315	41	BAYTECH 45	320	<b>PRINTERS/PLOTTERS</b>	101	EVEREX COMPUTER SYS. 28,29
460	TREMONT ENT. CO., LTD 96IS-55	71	COVOX 310	407	ASTA ELEC. SUP. CORP. 96IS-71	109	GATEWAY 2000 59
257	TRUEVISION, INC. 205	467	DATAMAN, LTD 96IS-41	300	ASTA ELECTRONICS SYS 280	*	HERTZ COMPUTER 96NE-7
465	VISIONETICS INC. 96IS-68	420	DIETRICH 96IS-40	41	BAYTECH 45	299	HWA HSIN ELEC. CO LTD 280
311	<b>DRIVES</b>	280	ENGINEERS COLLABORATIVE 313	496	DATAWARE PRODUCTS 96NE-18	429	HWA HSIN ELEC. CO.,LTD. 96IS-67
162	MEGA DRIVE 17	427	GIANTEK TECHNOLOGY 96IS-65	497	DATAWARE PRODUCTS 96NE-18	127	IEEE 184
163	MEGA DRIVE 17	114	GTEK 18	468	GRAPHTEC CORP. 96IS-45	502	LOGIX MICRO COMP. 96NE-16
	* S.P.C. 96NE-2	115	GTEK 18	M6	HOWTEK MAC10,11	503	LOGIX MICRO COMP. 96NE-16
312	<b>HARDWARE PROGRAMMERS</b>	119	HARRIS/3M 164,165	M7	HOWTEK MAC10,11	504	LOGIX MICRO COMP. 96NE-16
35	AVOCET 313	431	IN WIN DEVELOPMENT 96IS-70	152	MANNESMANN TALLY 39	165	MEGATEL 58
51	BP MICROSYSTEMS 324	129	INTECTRA INC. 313	153	MANNESMANN TALLY 39		* NEC INFORMATION SYSTEMS CIII
303	BYTEK COMPUTER CORP. 324	130	INTEGRAND 144	232	SN'W ELECTRONICS 204	485	OMEGA SYSTEMS 96SO-1
304	BYTEK COMPUTER CORP. 324	438	KADOR 96IS-34	278	ZERICON 211	211	PROTEUS TECH. CORP. 27
55	B&C MICROSYSTEMS 315	524	LEINBACH, INC. 96PC-7	279	ZERICON 211	218	RADIO SHACK CIV
285	B&C MICROSYSTEMS 315	173	MICROTECH 322			222	RENEGADE TECH. 8,9
142	KORE INTERNATIONAL 322	447	RCS TECHNOLOGY CORP. 96IS-67			449	SEMI TECH MICRO 96IS-31
		259	TWIX INTERNATIONAL CORP. 322			232	SN'W ELECTRONICS 204
		263	VICTORY ENTERPRISES 140			453	SUN MICROSYSTEMS 96IS-2
		272	XELTEK 318				
		273	XELTEK 318				
		316	<b>MODEMS/MULTIPLEXORS</b>				
		409	BEST COMMUNICATION 96IS-70				

# READER SERVICE

Advertising Supplement included with this issue:  
Jameco Electronics (U.S. and Canada Subscribers)

\* Correspond directly with company.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
511 TAN COMPUTER SVC	96NE-14	426 GAMMA PRODUCTIONS	96IS-18	337	IBM/MSDOS—UTILITIES	494 APPLIED PROG.ELEC.	96NE-9
456 TECHPOWER CO., LTD	96IS-66	169 MICRORIM	84,85	21 ANNABOOKS	315	37 A.C.P.	325
528 TODAY COMPUTERS	96PC-12	170 MICRORIM	84,85	33 ATRON	64	20 A.N. WHOLESAL & RETAIL	320
529 TODAY COMPUTERS	96PC-12	185 NANTUCKET	26	47 BLAISE	33	39 B & B ELECTRONICS	324
459 TOP LINK COMPUTER	96IS-65	445 NOVELL DEVELOPMENT	96IS-6	52 BUMBLEBEE SOFTWARE	54	* BUYERS MART	294-304
253 TOSHIBA COMPUTERS	206,207	* ORACLE	75	* CNS	102	* CALIFORNIA DIGITAL	323
254 TOSHIBA COMPUTERS	206,207	* RAIMA	35	413 COMPUSENSE LTD.	96OS-34	58 COMPACT DISK PRODUCTS	180
461 TRIANGLE DIGITAL	96IS-38	262 VERSASOFT	100	72 CURTIS, INC.	271	538 COMPARE COMPUTERS	96MW-6,7
463 UNITRON INC.	96IS-57			80 DEPARTMENTAL TECH.	203	539 COMPARE COMPUTERS	96MW-6,7
264 VNS	196			107 FUTURE COMPUTER SYS.	103	59 COMPUCLASSICS	119
265 VNS	242,243			108 FUTURE COMPUTER SYS.	103	61 COMPUSAVE	309
269 WELLS AMERICAN (DOMESTIC)	31			113 GOLDEN BOW	138	63 COMPUTER FRIENDS	46
281 WELLS AMERICAN (INT'L)	31			499 GOLDEN BOW SYSTEMS	96NE-20	64 COMPUTER MAIL ORDER	78,79
271 WINTEK	315			522 GOLDEN BOW SYSTEMS	96PC-1	479 COMP. MASTERS OF AUG.	96SO-11
277 ZEOS INTERNATIONAL	56,57			551 GOLDEN BOW SYSTEMS	96M/AT-1	66 COMPUTER SURPLUS STORE	310
				116 HAMMERLY COMP. SERVICES	213	488 COMPUTER TERMINAL	96SO-6,7
				120 HI TECH EQUIPMENT CORP.	318	514 COMP. TERMINAL	96NE-12,13
				401 I X I LIMITED	96IS-40	67 COMPUTERLANE	317
				430 IAR SYSTEMS	96IS-23	68 CONTECH	313
				141 KNOWLEDGE GARDEN	259	86 DISK COTECH	316
				157 MATRIX	233	87 DISKETTE CONNECTION	313
				179 MIX SOFTWARE	291	93 DYNAMIC ELECTRONICS	318
				542 O.S. ASSOCIATES	96MW-3	498 ELEC. DISCOUNTERS	96NE-11
				543 O.S. ASSOCIATES	96MW-3	102 EXECUTIVE PHOTO & SUPPLY	133
				203 PERISCOPE	117	428 GREY MATTER	96IS-44
				294 QUARTERDECK	263	117 HARD DRIVES INT'L	195
				469 SOFTWARE DIRECTIONS	96IS-47	118 HARD DRIVES INT'L	195
				510 SOFTWARE BOTTLING CO.	96NE-19	126 IC EXPRESS	322
				258 TURBO POWER	118	128 INMAC	24
				* VERMONT CREATIVE	10	135 JADE	321
				291 WHITEWATER GROUP	244	136 JAMECO	306,307
				288 ZORTECH	239	501 JASMINE COMP.SYS	96NE-15
						6 J.D.R.	328-332
						7 J.D.R.	328-332
						143 LA COMPUTER	314
						144 LA COMPUTER	314
						M22 MAC FRIENDS	MAC31
						505 MANCHESTER EQUIP.	96NE-10
						441 MAYFAIR MICROS	96IS-43
						161 MEAD COMPUTER	319
						164 MEGASOFT	322
						166 MERRITT COMPUTERS	309
						442 MICRO TECHNOLOGY	96IS-39
						525 MICRO UNIVERSE	96PC-4
						168 MICROPROCESSORS UNLTD.	324
						171 MICROSTAR	312
						172 MICROSTAR	312
						* MICROWAY	147
						174 MICROWAY	187
						180 MONTGOMERY GRANT	141
						181 MR. BOOKS, INC.	60
						182 M.H.I.	305
						188 NITRO MICRO	123
						202 ONLINE STORE	264
						195 PACIFIC COMPUTER	311
						196 PACIFIC COMPUTER	311
						201 PC NETWORK	218,219
						486 PD SOFTWARE HOUSE	96SO-16
						507 PD SOFTWARE HOUSE	96NE-8
						206 PRECISION DATA PROD.	324
						* PRINTERS PLUS	96SO-15
						208 PROGRAMMER'S PARADISE	62,63
						209 PROGRAMMER'S SHOP	112
						508 P.C. LINK CORP.	96NE-5
						527 REASONABLE SOLUTIONS	96PC-5
						224 SABINA INTERNATIONAL	315

## SOFTWARE

### 325 APPLE2/MAC APPLICATIONS Business/Office

42 BDT PRODUCTS	145
43 BDT PRODUCTS	145
M1 COGNITION TECH.	MAC CIII
M2 COGNITION TECH.	MAC CIII
106 FOX SOFTWARE	25
M13 NANTUCKET	MAC33
M15 PARAGON CONCEPTS	MAC35

### 326 APPLE2/MAC APPLICATIONS Scientific/Technical

M3 COOKE PUBLICATIONS	MAC37
M11 MICROSIM	MAC4
M12 MICROSIM	MAC4
M20 NATIONAL INSTRUMENTS	MAC CII
M21 NATIONAL INSTRUMENTS	MAC CII
236 SPSS	153

### 327 APPLE2/MAC-CAD

M18 VERSACAD	MAC CIV
--------------	---------

### 328 APPLE2/MAC-LAN

M5 DOUGLAS ELECTRONICS	MAC8
------------------------	------

### 329 APPLE2/MAC-LANGUAGES

M19 BORLAND INT'L	MAC3
M10 LOGIC PROG.ASSOC.	MAC6

### 330 A2PLE2/MAC-UTILITIES

M8 INVENTION S/W CORP.	MAC13
M9 INVENTION S/W CORP.	MAC13

### 331 IBM/MSDOS APPLICATIONS Business/Office

25 ASHTON-TATE	215
26 ASHTON-TATE	215
103 FTG DATA SYSTEMS	318

### 332 IBM/MSDOS APPLICATIONS Scientific/Technical

24 APTECH SYSTEMS	157
94 ECOSOFT	136
116 HAMMERLY COMP.SERVICES	213
124 HORSTMANN SOFTWARE	224
440 LOGIC PROG. ASSOC.	96IS-24
156 MATHSOFT	67
200 PATTON & PATTON	116
235 SPECTRUM	81
237 STATSOFT	47
238 STSC (STATGRAPHICS)	199
239 SUNFLEX	151
240 SUNFLEX	151
242 SYSTAT	208
243 SYSTAT	208

### 333 IBM/MSDOS—CAD

19 AMERICAN SMALL BUS. COMP.	137
34 AUTODESK	101
65 COMPUTER RESOURCE TECH.	173
270 WINTEK	5

### 334 IBM/MSDOS—LAN

75 DATA TRANSLATION	61
552 NETLOGIC, INC.	96M/AT-7

### 335 IBM/MSDOS—GRAPHICS

252 TORCH TECHNOLOGY	53
----------------------	----

### 336 IBM/MSDOS—LANGUAGES

9 2500 AD SOFTWARE	132
36 AVOCET SYSTEMS	127
49 BORLAND INT'L	69
50 BORLAND INT'L	69
* CALEND	96IS-21
521 COMPUTER TIES	96PC-2
85 DIGITALK	230
97 ELLIS COMPUTING	122
424 FORTH SYSTEMS	96IS-36
116 HAMMERLY COMP. SERVICES	213
138 JENSEN & PARTNERS	121
145 LAHEY COMPUTER	180
148 LOGICAL DEVICES	310
149 LOGICAL DEVICES	310
* MICROSOFT	13
* MICROSOFT	15
* MICROSOFT	106,107
205 POLYTRON	43
295 SAIC	271

## 341 MAIL ORDER/RETAIL

8 2001 SALES	40
518 3-F ASSOCIATES	96PC-3
476 4 GUYS COMPUTERS	96SO-9
519 4 GUYS COMPUTERS	96PC-7
535 4 GUYS COMPUTERS	96MW-4
14 ADVANTAGE SOFTWARE	131
17 ALTEX	308



# WHEN TIME ISN'T ON YOUR SIDE, OUR PORTABLE SHOULD BE.



It's 1 AM. Do you know where this morning's report is?

With an NEC PowerMate® Portable or PowerMate Portable SX by your side, your work is anywhere you want it to be. Which means deadlines revolve around your life. And not the other way around.

Point is, these portable powerhouses give you the advantage of working both at the office and at home. Without ever swapping computers or data.

Plus you get all the features of a full desktop. Like compatibility with all existing

desktop software. And AT-expansion slots that let you customize your system to your needs.

Also, if you're looking to tie into corporate networks and mainframes, both portables support internal modems. With clear, easy-to-read displays that make it easy for you to focus on work. Even at one in the morning.

And when you carry home the PowerMate Portable SX, you're carrying the extra oomph needed to run even the most complex 386 software.

NEC PowerMate Portables are members of a complete line of compatible, high quality personal computers. Each one backed by NEC, a \$22 billion company. Now that's the type of company you want to keep when you're working alone at night.

To find out more about the PowerMate Portables from NEC, call us at 1-800-NEC-INFO (in Canada, 1-800-343-4418).

Because when it comes to work, there's no place like home.



*PowerMate Portable*  
Intel® 80286 microprocessor  
10/8 MHz speed  
memory to 4.6 MB  
EGA resolution on a back lit LCD display

*PowerMate Portable SX*  
Intel 386SX™ microprocessor  
16/8 MHz speed  
memory to 16 MB  
VGA resolution on a gas plasma display


# NEC

**C&C** Computers and Communications

NEC Information Systems, Inc., 1414 Massachusetts Ave., Dept. 1610, Boxborough, MA 01719

Software compliments of Three D Graphics, Inc. and Visual Communication Network, Inc. Intel is a registered trademark and 386SX is a trademark of Intel Corporation. PowerMate is a registered trademark of NEC Corporation. © 1988 NEC Corporation

# Tandy Computers: The broadest line of PCs in America.



## The Tandy® 4000 LX

Get the power  
and performance  
of Intel's 80386  
...at 20 MHz.

To streamline your heavy business workload, turn to the Tandy 4000 LX. With its 32-bit Intel® 80386 microprocessor operating at 20 MHz, the 4000 LX delivers a new level of performance to database management and sophisticated computer-aided design.

Two megabytes of zero wait-state memory make the 4000 LX ready to use with MS® OS/2, as well as MS-DOS® software. With this much memory standard, the Tandy 4000 LX is also ready to use as the

hub of a powerful multiuser office system running SCO™ XENIX® software. And as a network file server in a 3Com® workgroup, the 4000 LX provides 20 MHz performance for exceptionally high-speed data transfer.

The Tandy 4000 LX is highly expandable. Three front-panel device slots and eight expansion slots give power users the flexibility needed in configuring the optimum system. VGA graphics for desktop publishing, an Intel 80387 math

coprocessor for math-intensive applications and SCSI technology for high-performance disk storage are but a few of the many expansion options available.

The Tandy 4000 LX complements our Tandy 4000—a 386™ machine operating at 16 MHz. The 1MB Tandy 4000 is the cost-effective solution for many high-performance applications.

The new generation Tandy 4000 LX. From the best-selling family of PC compatibles made in America.

**Tandy Computers: Because there is no better value™**

Intel/Reg. TM and 386/TM Intel Corp. MS, MS-DOS and XENIX/Reg. TM Microsoft Corp. SCO/TM The Santa Cruz Operation. 3Com/Reg. TM 3Com Corp.

**Radio Shack®**  
**COMPUTER CENTERS**  
A DIVISION OF TANDY CORPORATION

Circle 218 on Reader Service Card  
World Radio History