

BYTE

A McGRAW-HILL PUBLICATION

Northgate's
Upgradables:
CEG
Graphics
Built In
Page 43



Microsoft's all-in-one system now includes a 386 memory manager, disk and performance utilities, a task-switcher, a real text editor, and more

The New DOS

- Readers' Choice Awards
- Unicode: Beyond ASCII
- Remote-Access Computing
- Understanding OS/2
- Device Drivers
- Inside Mac Sound Hardware

- PLUS**
- DRI's Multiuser DOS
 - Tandy's \$399 CD-ROM Drive
 - 5 New Sparcstation Clones
 - Autodesk's AutoShade release 2
 - Motorola's Wireless LAN
 - Farallon's DiskPaper



07

05911

HEMPSTEAD NY
23 KENSINGTON CT
BILL BURNS
9100 000333518 FEB94 MIA 3713

11550

*****5-DIGIT

Lotus 1-2-3 Release 2.3

that simplifies the job of documenting and analyzing worksheet logic.

Of course, you won't just like what Release 2.3 does. You'll like how it feels. It's quick and smooth. With a WYSIWYG (what-you-see-is-what-you-

get) graphical environment that lets you format text, data, and graphics "live" on screen. With the mouse, you can execute


commands, highlight cells

or ranges, open dialog boxes, place and size graphs, change type styles, fonts and point sizes. All with unparalleled speed and ease.

What's more,

Release 2.3 gives you a wide range of printing and reporting capabilities. Including the capacity to place as many live graphs on a worksheet as you'd like.

Along with 96 type style combinations, drop shadows,



With its WYSIWYG graphical environment, you can do all your formatting "live" on screen. Which means you'll always know what your output will look like before you print.

new 3D-effect graphs, drawing and annotation tools, and the most font support, choices of colors and shading available.

Compatibility? As with any 1-2-3 product, it's no problem. Because Release 2.3 will read all of the files you've created on previous versions of 1-2-3, including files you've formatted using Allways™ and Impress™. So you'll preserve all your work, as well as your training.

To order your upgrade direct from Lotus* call **1-800-TRADE-UP, EXT. 1208**. Or see your Lotus Authorized Reseller.

*Please have your credit card and product package ready when you call. In Canada, call 1-800-668-1509.

An unimpressive report is something you'll never have to create again.

Align titles or text across a range of columns—left, right, or center—with one simple command.

You can wrap text around graphs automatically.

Add freehand drawings or symbols to call attention to critical data.


A feature that only 1-2-3 offers to DOS spreadsheet users is the ability to embed as many "live" graphs on a worksheet as you'd like.

Improved, 3D-effect graphs can add even more impact to your report.

Mix bold, italics, underlines, colors, and typefaces to create over 100 text style combinations—more than any other spreadsheet.

Thanks to Auto Compress, you can easily make an entire report fit on one page.

The new Lotus 1-2-3 for DOS



Now you can
upgrade
your spreadsheet
without upgrading
your hardware.

Introducing Lotus

There's a lot to like about the new Lotus® 1-2-3® for DOS Release 2.3.

For starters, it's not just a graphical spreadsheet. It's a fast, graphical spreadsheet for DOS. It's easy to use.

And it works as well on an older XT with just 512K of memory as it does on the newest 486 machine.

It also shares many fea-

tures in common with our powerful 3D spreadsheet 1-2-3, Release 3.1. Including its superb spreadsheet formatting and publishing capabilities and full mouse support. Along with its popular Auto Compress feature that gives you a trouble-free way of making larger worksheets print on a single page.

We've also added new fea-

tures you won't find in other spreadsheets. Like the Viewer (based on Lotus Magellan® technology) which lets you view files before retrieving them and makes file linking as

easy as point and click. And a very helpful Auditor

Lotus 1-2-3 Release 2.3 runs smoothly and quickly no matter what hardware you're running it on.



WHAT'S NEW IN LOTUS 1-2-3 RELEASE 2.3.

- A WYSIWYG graphical environment with live on-screen formatting
- Lotus Magellan viewer technology for fast file previewing, retrieving and linking... all without leaving your active worksheet
- More graph types, including 3D-effect graphs and graph annotation capabilities
- Auto Compress, for a trouble-free way of making larger worksheets print on single page
- Dialog Boxes for an easier, more interactive way of working
- Text-editing for easy on-sheet word processing, including automatic word wrap, even around graphs
- The Auditor for documenting or highlighting your spreadsheet logic
- Improved memory management for building larger worksheets up to 12 MB in size
- New printer drives that support all leading laser and dot-matrix printers
- Context-sensitive, interactive Help and an on-line tutorial

WeCycle Waste Corporation
 The Materials Research Group Recommendation:
 FOCUS: ALUMINUM

This study provides the basis for our most recent recommendation that WeCycle continue to expand its aluminum recycling capacity by another 70% over the next 6 years. The graph to the right shows the increasing proportion of our business provided by the aluminum division during the past three years, now approximately half of all revenues. It is our opinion that, at this rate of growth, aluminum recycling will continue to offer our company its greatest opportunity for expansion over the next decade, and certainly into the 21st century.

WeCycle Waste Corporation


The Materials Research Group Recommendation:

FOCUS Aluminum



This study conducted by the Materials Research Group provides the basis for our most recent recommendation that WeCycle continue to expand its aluminum recycling capacity by another 70% over the next 6 years. The graph to the right shows the increasing proportion of our business provided by the aluminum division during the past three years, now approximately half of all revenues. It is our opinion that, at this rate of growth, aluminum recycling will continue to offer our company its greatest opportunity for expansion over the next decade, and certainly into the 21st century.

Gross Revenues by Product



Glass and Plastics

As can be inferred from the graph to the left, glass and plastics recycling has been holding steady throughout this same period, and has consequently become a smaller proportion of our overall sources of revenue.

Although this group would strongly recommend that WeCycle Waste Corporation do all that is necessary to increase its activities in these areas, our studies have shown that aluminum will become increasingly the material of choice in the shipping, heavy manufacturing and container industries.

Aluminum

It is our opinion that sources of aluminum products will be pressed close to their limits over the next decade.

Therefore, we propose that WeCycle Waste Corporation invest in more aluminum capacity during the next five years in order to take the best advantage of this increasing market demand.

WECYCLE PRODUCT	1989	1990	1991
Aluminum			
East	2,323,426	4,019,527	7,315,539
Central	1,372,347	2,374,160	4,320,972
West	1,726,492	2,986,831	5,436,033
Total	5,422,265	9,380,518	17,072,544
Glass			
East	2,496,721	2,567,821	2,798,925
Central	3,598,757	3,217,693	3,507,285
West	4,217,635	4,471,294	4,873,710
Total	10,313,113	10,256,808	11,179,920
Plastics			
East	2,897,493	3,171,243	3,234,668
Central	1,873,938	1,823,697	1,860,171
West	2,378,942	1,967,421	2,006,769
Total	7,150,373	6,962,361	7,101,608

ALR's LAW

What goes up in
performance must
come down in
price.

The ALR POWERPRO

The concept is as simple as the law of gravity, yet as revolutionary as the theory of relativity... Build a superior system and sell it for an irresistible price. That's exactly what we've done with the ALR POWERPRO VM Series. These systems have everything you could want in a powerful network server or multiuser host. Fast 32-bit processors complemented by a substantial 64-KB cache provide excellent CPU power, while the POWERPRO's ten

slots and large floor-standing chassis give you all the room you'll ever need for customization. Factor in the POWERPRO's 32-bit EISA bus and 32-bit ESDI disk controller (standard on hard drive models), and you have one unbeatable system.



Yet the POWERPRO sells for less than you'd expect for a system of this caliber.

The POWERPRO VM 386/33 with its 33-MHz i386™ processor starts at just \$4995. Or you can select one of our 20-MHz i486SX™, 25-MHz i486™ or 33-MHz i486 models. Just choose the level of power you need today. With ALR's modular *Just Upgrade the CPU!*™ processor upgrade technology, you can upgrade processing power simply by swapping CPU modules.

Prices and configurations subject to change without notice. Verify competitive pricing and configurations with manufacturer. Prices based on U.S. dollars. ALR is a registered trademark of Advanced Logic Research, Inc. All other brand and product names are trademarks or registered trademarks of their respective owners. © 1991 by Advanced Logic Research, Inc.

The only upgradeable EISA-based file server under \$5,000

**Dual Processor
Ready**



Speaking of adding processors, the ALR POWERPRO is also the only affordably priced server/host system to give you an upgrade path to SYSTEMPRO™ compatible dual processing. Just plug in our POWERPRO 33-MHz i486 MP1 and MP2 modules, and the POWERPRO will instantly become a true symmetrical dual processing system. The POWERPRO can truly

deliver mainframe-like computing power for a PC price today!

Who says you have to pay more to get a great system? The ALR POWERPRO sets a new standard for performance, flexibility, and value. To find out more, call:

1-800-BUY-POWR

Available at these selected resellers:



Manufacturer	ALR	Compaq	AST
Model	POWERPRO VM	SYSTEMPRO™	Premium™
CPU	386/33	386/33	386/33TE
BUS Architecture	33-MHz i386	33-MHz i386	33-MHz i386
RAM Standard	5-MB	EISA	EISA
Floppy Standard	1.2-MB	4-MB	4-MB
Storage Bays	4	1.44-MB	1.2-MB
Total Slots	12	11	6
Starting List Price	\$4995	\$11,999*	\$6495
Upgrade Path	20-MHz i486SX 25-MHz i486 33-MHz i486 Dual Processing 33-MHz i486	Dual Processing 33-MHz i486 *Includes 240-MB Hard Drive and VGA controller	25-MHz i486 33-MHz i486

ALR®

Advanced Logic Research, Inc.

9401 Jeronimo Irvine, CA 92718
TEL: (714) 581-6770 FAX: (714) 581-9240

Circle 13 on Inquiry Card (RESELLERS: 14).

World Radio History

BYTE


July 1991 Volume 16, Number 7

COVER STORY

FIRST IMPRESSIONS

The All-in-One DOS

PAGE 36




NEWS

25 MICROBYTES
Weitek's "user interface chip" will speed up Windows performance; IBM is readying the "real" OS/2.

36 FIRST IMPRESSIONS
43 Northgate Slides into CEG
Northgate's SlimLine eases the which-chip anguish.

DiskPaper 1.0, a low-cost way for you and your Mac to explore the potential of the long-promised "paperless office"



CDR-1000, Tandy's \$399 CD-ROM drive brings access to affordable information

52 WHAT'S NEW
Macs and Suns talk to each other, an image program for Windows 3.0 counts objects, and more.

FEATURES

- 108 ASCII Goes Global**
Computer companies and international committees wrestle with making ASCII large enough to cover the globe.
- 123 The Right Graphics Tool for the Job**
Are you using the right graphics programs for your projects?
- 133 1991 Readers' Choice Awards**
Presenting the hardware and software BYTE readers find most useful.

NSTL SUPPLEMENT

- 139 Advanced Desktop Publishing Programs**

STATE OF THE ART

- 158 WIDE-AREA NETWORKING**
Introduction

161 Remote Connections
Remote sites can share common information and send messages to each other, courtesy of a wide-area network.

169 Create a WAN
What you need to know and do to implement a wide-area network in your business.

181 Whither NREN?
What is the government's proper role in providing a National Research and Education Network?

188 A National Vision
U.S. Senator Al Gore explains why we need NREN.

190 Resource Guide: Public Data Networks



- 194 SOLUTIONS FOCUS**
Journey to Faraway LANs
Nine ways to connect remote sites to your local network.
- 210 Five New SPARC-Based Workstations Compete with Sun**
Five non-Sun systems put SPARC's promise to the test.
- 219 Photo-Realism Reigns When AutoShade Meets RenderMan**
The RenderMan extension in new AutoShade brings photo-realism to AutoCAD users.
- 229 Full Ethernet Networking Without a Wire in Sight**
Motorola's Altair LAN leaves Ethernet cabling behind.
- 235 REVIEWER'S NOTEBOOK**
LAN-based UPSes help prevent power problems from disrupting your network.



HANDS ON

- 241 SOME ASSEMBLY REQUIRED**
OS/2 Device Drivers
A practitioner's guide to OS/2 driver development.
- 249 UNDER THE HOOD**
Macintosh Sound Revealed
A look at the Mac's built-in sound capabilities.
- 267 SOFTWARE CORNER**
A Disk-Based Print Spooler
Free timesaving utilities for DOS, Mac, and Unix systems.
- 271 BEYOND DOS:**
LaserJets, Fonts, and Windows
by Mark J. Minasi
Getting fancy fonts from Windows is tricky but doable.
- 277 MACINATIONS**
The Worldwide Macintosh
by Don Crabb
HyperCard makes CD-ROM development easier for small companies.
- 285 THE UNIX /bin**
Survivalist's Guide to Unix
by David Fiedler
Methods of Unix system backup and protection.
- 293 NETWORKS**
AppleTalk over the Internet
by William Sproule and Jon Edwards
Princeton and Penn State interconnect their AppleTalk LANs.
- 303 ASK BYTE**
Keyboard design and a science fiction database.

- 73 USER'S COLUMN**
Dredging Through the Chaos
by Jerry Pournelle
Jerry looks at new CD-ROMs, file utilities, and a multilink database.
- 91 BUSINESS CONNECTION**
Managing the LAN
by Wayne Rash Jr.
LAN management doesn't get enough respect.
- 101 ROUNDTABLE**
Do Computers Save Time?
Computers generate their own impediments to productivity.
- 351 PRINT QUEUE**
Noisy Narcissists, One Genius
Two new books explore the hacker mentality.

- 352 STOP BIT**
The X Attitude
A developer argues for software that looks to the future, regardless of the cost.
- 10 EDITORIAL**
The Best of Spring
- 18 LETTERS**
Readers to vendors: Don't forget our needs.

- READER SERVICE**
- 338 Editorial Index by Company
- 340 Alphabetical Index to Advertisers
- 342 Index to Advertisers by Product Category
- Inquiry Reply Cards: after 344

- PROGRAM LISTINGS**
- From BIX: Call (800) 227-2983
- From Demolink: See ad on page 345
- On disk: See card after 312

INSIDE BYTE

INSIDE **BYTE**

BYTE Topic Index and Author Guide

This index helps you find articles that contain information on each of the listed topics. (The topic list changes each month.) Combined with the table of contents (page 4) and the Editorial Index by Company (page 338), you can identify articles by type, subject, title, author, or product discussed.

APPLETALK

293

ASCII

108

AWARDS

133

BUSINESS SOFTWARE

52, 133

CAD

123, 219

CD-ROM

50, 73, 277

DATABASES

73

DOS

36

DRIVERS

241

DRIVES

50, 73

DTP

123, 139

FONTS

108, 271

486

43

GRAPHICS

123

HARDWARE

43, 52, 133, 210, 249

HISTORY

351

HYPERCARD

277

INTERNATIONAL

108, 351

MAC

48, 249, 277

MATHEMATICS

351

NETWORKING

91, 158, 161, 169, 181, 194, 229, 235, 293

NETWORK MANAGEMENT

91

OPERATING SYSTEMS

36

OS/2

241

POSTSCRIPT

271

PRINTER TOOLS

267

PRODUCTIVITY

101

PROGRAMMING

52, 352

REMOTE ACCESS

91, 194

SECURITY

285

SOFTWARE

52, 133, 194, 267, 352

SOUND

249

386

43

UNIX

210, 285

UPS

235

WIDE-AREA NETWORKING

158, 161, 169, 181, 190, 293

WINDOWS 3.0

271

WIRELESS

229

X WINDOW

352

AUTHORS

Andrews, David **43, 52**
Apiki, Steve **194**
Barron, Janet J. **161**
Brain, Marshall **352**
Crabb, Don **101, 277**
Edwards, Jon **293**
Eglowstein, Howard **229**
Fiedler, David **285**
Fisher, Sharon **181, 194**
Gore, Al **181**
Green, Roedy **161**
Grehan, Rick **194, 303**
Hansen, Jim **36**
Kenner, Hugh **351**
Langa, Fred **10, 101**
Loeb, Larry **101**
Loveria, Greg **219**
Malloy, Rich **101**
Mastrianni, Steven J. **241**
Miastkowski, Stan **50**
Minasi, Mark J. **271**
Nance, Barry **267**
Pournelle, Jerry **73, 101**
Rash, Wayne Jr. **91, 101**
Reekes, Jim **249**
Ryan, Bob **161, 190**
Sheldon, Ken **101, 108**
Smith, Ben **210, 267**
Sproule, William **293**
Stephenson, Peter **169**
Swartz, Carol **52**
Tazelaar, Jane Morrill **158**
Thompson, Tom **48, 101, 249, 267**
Udell, Jon **36**
Van Horn, G. Armour **123**
Wszola, Stan **235**
Yager, Tom **210**



Tri-Star Leads 33MHz 486 PC Pack

Eight Low-Cost Systems Perform Well; Video and Hard-Disk Components Vary

By David Calabrese

"Tri-Star is king of the 33MHz 486 Mountain."

PC WEEK

Analyst's Choice, February 18, 1991

Tri-Star Computer continues to outdistance the pack as America's preferred supplier of high-end 486 Workstations. Read the reviews and you will understand why Tri-Star is the undisputed 486 champ.

"Tri-Star's 486/25 rates honorable mention for its thoughtful design touches, two year warranty and excellent service program."

PC Magazine
Editor's Choice Honorable Mention,
September 11, 1990

"Tri-Star's edge is its good documentation and excellent service policy."

PC Sources
486/33 Lead Review, February 1991

FLASH CACHE 486 COMPUTERS

FEATURES INCLUDE:

- Intel 80486 Processor
- 8MB RAM (Expandable to 16MB On Board)
- 64K High Speed Static RAM Cache
- 210MB 15ms Hard Disk Drive
- 1.2MB 5.25-inch Floppy Drive
- 1.44MB 3.5-inch Floppy Drive
- 1024 x 768 SVGA Adapter w/1MB RAM
- 14" Non-interlaced SVGA Color Display
- Microsoft DOS 4.01 & Windows 3.0
- High Res 400 DPI Three Button Mouse
- Quality 101-Key Tactile Keyboard
- Two Serial Ports and 1 Parallel Port
- Fully DOS, UNIX & Novell Compatible

Circle 287 on Inquiry Card.

FC425i
\$3655

FC433i
\$3895
With EISA BUS add \$500

UPGRADES:

- 16" COLOR DISPLAY \$695
- 20" COLOR DISPLAY \$1695

*Flash Cache 33MHz 386 as above with
4MB RAM & 125MB Hard Drive
—Only \$2595*

ALL FLASH CACHE COMPUTER SYSTEMS INCLUDE:

- ◆ 2 Year Parts & Labor Warranty
- ◆ 60 Day Money Back Guarantee ◆ 12 Month On-Site Service ◆ Overnight Parts Replacement
- ◆ Lifetime Toll-Free Technical Support

All prices and specifications subject to change without notice. We accept MasterCard, Visa & Discover (No Surcharge), AMEX (3% Surcharge), or COD. University & Corporate PO's are welcome. (19610, Net 25). Money back guarantee does not include shipping charges. On-Site service available in most U.S. locations. 2 Year Warranty includes system and keyboard; non-Tri-Star assembled peripheral items such as printers and monitors are covered for 1 Year. All systems have been verified or certified to comply with part 15 of the FCC rules for a Class A or Class B computing device. FCC Class A systems not intended for home use. FastCAD is a registered trademark of Evolution Computing. 386 & 486 are trademarks of The Intel Corporation. Product names mentioned herein may be trademarks and/or registered trademarks of their respective companies.

TRI-STAR
COMPUTER CORPORATION

1.800.678-2799

707 West Geneva, Tempe, Arizona 85282

Tech Support 1.800.688-TECH

Telephone 602.829-0584

Fax 602.345-0110

Monday - Friday 6:00am-6:00pm PST

Saturday 8:00am-3:00pm PST

Why your next should be a

This year, millions of DOS users will move to the kind of graphical computing Apple® Macintosh® personal computers first made popular over eight years ago.

They'll probably need new hardware to handle the demands of the graphical environment. And they'll almost certainly have to buy new programs that take advantage of it.

Before you spend a fortune on all of that, why not invest a few minutes considering a Macintosh? It is the computer that started it all. And it remains the system against which all graphical computers are measured.

Finding out about how Macintosh fits in with the PCs you already own is as easy as picking up the phone. Call 800-635-9550, ext.100, and we'll send you a copy of our new, fact-filled color brochure, *The Apple Guide to Macintosh/MS-DOS Compatibility*. It's free.*

It tells you how you can run Lotus 1-2-3, dBase and other favorite MS-DOS programs on a Macintosh.


How you can easily move information back and forth between Macintosh and your MS-DOS PCs on a standard 3 1/2" floppy disk.

And how you can connect Macintosh with your DOS PCs over a Novell, 3Com, Token-Ring or just about any other kind of network.

You'll see that Macintosh lets you run more than 4,000 graphical programs that all work together in the same consistent, logical way.

You learn the basics of one, you've learned the basics of all of them. No other computer system offers you so much consistency with so many choices.

You'll also discover that Macintosh is the only system in which the hardware, operating system and



DOS computer Macintosh.



applications have been optimized to work together since the very first chip—with no compromise in performance. (Contrast this with a “graphics shell” that can slow other systems to a crawl.)

You'll read about our latest system software breakthrough—System 7—and the exciting new capabilities it brings to Macintosh.

And you'll read about a recent independent study conducted by Ingram Labs, in which Macintosh computers blew the windows off 286, 386sx, 386 and 486 PCs from IBM and Compaq running graphics-based applications.**

Apple Macintosh computers are easy to set up, easy to use and easy to afford. And they come complete with built-in networking; printer, modem and SCSI ports; even built-in video support in most models. (Translation: no hidden costs.)

So pick up the phone. Give us a call. Find out why Macintosh could well be considered the most powerful, flexible, valuable, affordable DOS computer you can buy today.

You'll discover that Macintosh has the power you really want. The power to be your best.*




Free. The Apple Guide to Macintosh/MS-DOS Compatibility. Call us at 800-635-9550, extension 100. Find out how easily Macintosh fits in with all your PCs.



registered trademark of Compaq Computer Corp. MS-DOS is a registered trademark of Microsoft Corp. 1-2-3 is a registered trademark of Lotus Development Corp. dBase is a registered trademark of Ashton-Tate Corporation. Windows 3.0 on time taken to complete graphics-based applications. This ad was written, designed, presented, bagged over, budgeted for, approved, typeset and produced using Macintosh personal computers.

Circle 22 on Inquiry Card.
World Radio History



FRED LANGA

EDITORIAL

BEST OF SPRING

This year's Spring Comdex/Windows World was busier than most for the BYTE editorial team. In addition to our normal duties, we had the happy task of selecting and presenting the Best of Spring awards in an official event cosponsored by the Interface Group, which runs Comdex.

To make the task manageable, we grouped products in several large categories: desktop systems, portables,

peripherals, connectivity, graphics, DOS applications, DOS utilities, Windows applications, and Windows utilities. We also selected an overall Best of Show and named a Rookie of the Year from the new companies exhibiting at the show.

BYTE editors name the best products at Spring Comdex and Windows World

Our criteria were simple but stringent: We looked for new products and new kinds of products that would serve as bellwethers, products that not only deserved notice in their own right, but that exemplified major trends in personal computing.

It was a tall order, but with the participation of the full editorial staff, and with on-site help from columnists Jerry Pournelle, Martin Heller, and Wayne Rash Jr., we chose 30 finalists and 11 winners. Our congratulations to all who won.

Best of Spring Winners

Best Portable: Zenith Data Systems, for its MastersPort 386SL, the first portable using the innovative 386SL chip and exploiting its automatic power-conservation features. (See the June BYTE for a First Impression of the MastersPort.)

Best Peripheral: Citizen America, for its diminutive notebook printer, the PN48: a printer with good-looking output in a package not much larger than some notebook power supplies.

Best Graphics Product: Graphics Vantage from ATI Technologies, a powerful, low-cost board that uses custom driver software and proprietary VLSI chips to accelerate graphics-intensive environments. Windows runs 11 times faster on this board than on some others.

Rookie of the Year: Realizer from Within Technologies: a strong competitor to Microsoft's Visual BASIC (see below).

Best Desktop Systems: Tandy, for its line of affordable, MPC-standard multimedia personal computers.

Best Connectivity Product: Artisoft, for its Central Station, a modem-size device that lets you simply, painlessly, and inexpensively connect a wide variety of devices (e.g., printers, laptops, and modems) onto your LAN.

Best DOS Application: Fox Software, for its blazingly fast FoxPro 2.0 database. (See the April BYTE for a First Impression of FoxPro 2.0.)

Best DOS Utility: Sonera Technologies, for Display-Mate, an \$80 program that exercises, evaluates, and diagnoses your monitor almost as well as \$10,000 worth of custom lab hardware.

Best Windows Application: Lotus Development, for its long-awaited 1-2-3 for Windows, a product that could help make Windows a full-time environment.

Best of Show

Microsoft, for Visual BASIC, which is also Best Windows Utility. This is a milestone product—part of a new wave of visually oriented point-and-click development tools. And in some ways, it's a positive echo from the early days of personal computing: the original BASICs of more than a decade ago that let us build small, quick-and-dirty solutions to immediate problems without the hassle and labor of coding in machine language. Today, Visual BASIC lets us craft quick solutions to the same kinds of problems within the Windows environment without having to resort to C or C++. Instead, Visual BASIC offers the relative ease of a point-and-click operation and the accessibility and obviousness of BASIC.

Visual BASIC isn't the be-all of Windows programming, of course, nor is it meant to be. But it will enable many Windows users to quickly and easily write their own small Windows programs and custom Windows applications, and to fill in the gaps between commercially available Windows products. As such, Visual BASIC will help us all realize far more of Windows' currently underused potential.

Watch for coverage of Visual BASIC and many of these winning products in upcoming issues of BYTE.

—Fred Langa
Editor in Chief
(BIX name "flanga")



Turbo C⁺⁺ C and C⁺⁺ for less than a C note!

Two great compilers for \$99⁹⁵

Turbo C++ is, in fact, two compilers in one. So now you can learn and use *C and C++*.

And with award-winning Turbo C++ you can take advantage of Object-Oriented Programming (OOP) in your DOS applications. OOP is *the* way to program in the '90s. Letting you become more productive than ever.

The Turbo C++ user-friendly environment includes overlapping windows and complete mouse support. And its unique Programmer's Platform™ is a rich integrated environment with tools to edit, compile, link, run and debug C and C++ code.

Easy to learn means easy to grow

Learning Turbo C++ is easy with TCTOUR, the online interactive tutorial. And extensive, context-sensitive Turbo Help® is just a keystroke away, providing working

examples for every library function. You can even copy and paste the example code directly into your programs. So you can get up to speed in C and C++ faster than ever.

And, if you want the ultimate C++ training, get "The World of C++" video training course (available separately).*

The experts agree

BYTE gave Turbo C++ its 1990 Award of Excellence. InfoWorld named it 1990 Product of the Year. And PC Magazine calls Turbo C++ "everything you've always wanted in a C compiler...and more."

"C" for yourself for only \$99⁹⁵!†

To order Turbo C++, see your dealer or call **1-800-331-0877 now**. After all, when it comes to learning C, there's only one compiler worth noting.

B O R L A N D


The Leader in Object-Oriented Programming

CODE MC65

*Call for details. †Pricing is in U.S. dollars. Dealer prices may vary. Offer good in U.S. and Canada only. Copyright © 1991 Borland. All rights reserved. Turbo C++, Programmer's Platform and Turbo Help are trademarks of Borland International, Inc. BI 1400

Circle 39 on Inquiry Card (RESELLERS: 40).

World Radio History



Why you need a 16"

Because the MultiSync® 4D color monitor, with 46% more active display area than a 14" screen, lets you see more of your applications on-screen at one time. The digitally controlled MultiSync 4D also supports high resolution graphics, from VGA up to 1024 x 768 at 70 Hz non-interlaced.

And with Dynamic Beam Focusing, your Windows™ will be clearer from

MultiSync is a registered trademark of NEC Technologies, Inc. Windows is a trademark of Microsoft, Inc. ©1990 NEC Technologies, Inc.

C&C

Computers and Communications

For technical information call 1-800-FONE-NEC. In Canada, 1-800-NEC-INFO.

Circle 202 on Inquiry Card.

MultiSy

edge to edge

Optimized for

have techno

the graphics

So, if you'd

For 46% more information call 1-800-826-2255.

NEC

BYTE

EDITOR IN CHIEF
Frederic S. Langa

PUBLISHER
Ronald W. Evans

HOW TO CONTACT THE EDITORS

MANAGING EDITOR
Anne Fischer Lent

NEWS
New York: *Managing Editor:* Rich Malloy
News Editor: Andrew Reinhardt
Peterborough:
Sr. Ed., Microbytes: D. Barker
Sr. Ed., New Products: Stan Miastkowski
Associate News Editors, What's New: David Andrews, Martha Hicks, Carol Swartz
Editorial Assistant: Amanda Waterfield
San Francisco: *Sr. News Editor:* Owen Linderholm
Associate News Editor: Ellen Ullman
Editorial Assistant: David Silverman
UK/Europe: *Bureau Chief:* Andrew Redfern

BYTE LAB
Managing Editor: Michael Neuhau
Technical Director: Rick Graham
Senior Editor: Dennis Allen
Technical Editors: Alan Joch, Robert Mitchell, Tom Yager
Testing Editors/Engineers: Stephen Apiki, Stanford Diehl, Howard Eglowstein, Stanley Wszola
Lab Assistant: Selinda Chiquoine

STATE OF THE ART
Senior Editor: Jane Morrill Tazelaar
Technical Editor: Robert M. Ryan

FEATURES
Senior Editor: Kenneth M. Sheldon
Technical Editors: Janet J. Barron, Ben Smith

SENIOR EDITORS, AT LARGE
Tom Thompson, Jon Udell

SPECIAL PROJECTS
Senior Editor: Gene Smarte

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS
Don Crabb, David Fiedler, Martin Heller, Hugh Kenner, Wayne Rash Jr.

CONSULTING EDITORS
Jonathan Amsterdam, Nick Baran, Laurence H. Loeb, Trevor Marshall, Mark J. Minasi, Barry Nance, Dick Pountain, Phillip Robinson, Peter Wayner

COPYEDITING
Chief Copy Editor: Lauren A. Stickler
Copy Administrator: Cathy Kingery
Copy Editors: Ellen Bingham, Susan Colwell, Jeff Edmonds, Tom Kevan, Margaret A. Richard, Warren Williamson

EDITORIAL ASSISTANTS
Office Manager: Peggy Dunham
Assistants: Linda C. Ryan, June Sheldon

ART
Director: Nancy Rice
Assistant Director: Joseph A. Gallagher
Art Assistant: Jan Muller
Technical Artist: Alan Easton

OPERATIONS
Director: David Cohen
Production Director: David R. Anderson
Senior Editorial Production Coordinator: Virginia Reardon
Editorial Production Coordinators: Barbara Busenbark, Denise Chartrand
Systems Manager: Sherry Fiske
Applications Manager: Donna Sweeney
Typesetter: Christa Patterson

Advertising Services (603) 924-6448
Client/Creative Services Manager: Linda Fluhr
Senior Client Services Representative: Lyda Clark
Client Services Representative: Dale J. Christensen
Materials Representative: Karen Cilley
Client Services Assistant: Roxanne Hollenbeck
Creative Services Manager: Susan Kingsbury
Production Artist: Lillian J. Wise
Production Coordinator: Rod Holden
Quality Control Manager: Wai-Chiu Li
Operations Coordinator: Christine W. Tourgee

MARKETING AND PLANNING
Director: L. Bradley Browne
Marketing Communications Manager: Pamela Patrakos
Public Relations Manager: Dawn Matthews
Asst. Promotion Manager: Lisa Jo Steiner
Marketing Art Dir.: Stephanie Warnesky
Associate Art Director: Sharon Price
Sr. Research Analyst: Julie Perron
Copyrights Coordinator: Faith Klutz
Reader Service: Cynthia Sands
Marketing Assistant: Carol Sanchioni

CIRCULATION
Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager, Subscriptions: Margaret Liszka
Subscriptions Assistant: Holly Zilling
Newsstand Manager: Vicki Weston
Distribution Coordinator: Karen Desroches
Back Issues: Louise Menegus
Direct Accounts Coordinator: Ellen Dunbar
Direct Accounts Telephone Sales Representative: Karen Carpenter

PERSONNEL
Human Resources Admin.: Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

Publisher's Assistant: Donna Nordlund

FINANCIAL SERVICES
Director of Finance: Claudia Flowers
Business Manager: Kenneth A. King
Assistants: Marilyn Parker, Diane Henry, JoAnn Walter, Jeanne Gatcombe, Jaime Huber, Agnes Perry

ADVERTISING SALES
Associate Publisher/Vice President of Marketing: Steven M. Vito
Administrative Assistant: Carol Cochran
Eastern Advertising Director: Arthur H. Kossack (312) 616-3341
Western Advertising Director: Jennifer L. Bartel (214) 701-8496

NEW ENGLAND
Daniel D. Savage (617) 960-8344

EAST COAST
Kim Norris (212) 512-2845
Ariane Casey (212) 512-2368

SOUTHEAST
John Schilin (404) 843-4782

MIDWEST
Kurt Kelley (312) 616-3328

SOUTHWEST, ROCKY MOUNTAIN
Alison Keenan (214) 701-8496

SOUTH PACIFIC
Ron Cordek (714) 753-8140
Alan El Faye (213) 480-5243

NORTH PACIFIC
Bill McAfee (408) 879-0381
Roy J. Kops (415) 954-9728
Leslie Hupp (408) 879-0381

INSIDE ADVERTISING SALES
Director: Liz Coyman (603) 924-2518
Assts.: Susan Monkton, Vivian Bernier

NATIONAL ADVERTISING SALES
Mary Ann Goulding (603) 924-2664
Patricia Payne (603) 924-2854
Jon Sawyer (603) 924-2865
Barry Echavarría (603) 924-2574

BYTE BITS (2x3)
Mark Stone (603) 924-2695

THE BUYER'S MART (1x2)
Joseph Mabe (603) 924-2666

CATALOG SHOWCASE/INT'L CARDS
Ellen Perham (603) 924-2598

REGIONAL ADVERTISING SECTIONS
Brian Higgins (603) 924-2651
Barry Echavarría (603) 924-2574
Larry Levine (603) 924-2637

BYTE DECK
Ed Ware (603) 924-2596

EURO-DECK
James Bail (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF
See listing on page 341.

DIRECTOR
Stephen M. Laliberte

BUSINESS AND MARKETING
Secretary: Patricia Bausum
Marketing Services Coordinator: Denise A. Greene
Billing Services Coordinators: Tammy Burgess, Donna Healy
Editorial Assistant: Brian Warnock

TECHNOLOGY
Programmer/Analyst: John Spadofora
Systems Consultant: Gary Kendall

BIX, the "BYTE Information Exchange," is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call 800-225-4129; in MA, call (617) 861-9767. International, call NU1310690157800. Then hit the Enter/Return key and enter "BIX" when asked to log in; then enter "BIX.VILLE" when asked for a name. For current fees and more information, call (800) 227-2983 or (603) 924-7881 on voice phone.

We welcome your questions, comments, complaints, kudos, and submissions.
MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.
WEST COAST: 425 Battery St., San Francisco, CA 94111, (415) 954-9718; 15635 Alton Pkwy., Suite 290, Irvine, CA 92718, (714) 753-6140.
NEW YORK: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.
UK/EUROPE: Wimbledon Bridge House, One Hartfield Rd., Wimbledon, London SW19 3RU, England, 011-44-81-543-1234.
ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.
MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.
OTHERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services.
U.S. Fax: Editorial: (603) 924-2550
Advertising: (603) 924-7507
U.K. Fax: 011-44-81-540-3833

SUBMISSIONS

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.
Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

SUBSCRIPTION CUSTOMER SERVICE
Outside U.S. (609) 426-7676; Inside U.S. (800) 232-BYTE. For a new subscription—(800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. In Europe, £29 (U.S. \$50) for fast surface delivery, £41 (U.S. \$70) for air delivery. All other countries, U.S. \$150 for air mail delivery only. Single copy price is \$3.50 in the U.S. and its possessions, \$4.50 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:
Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 27 Congress St., Salem, MA 01970, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 27 Congress St., Salem, MA 01970. Specify ISSN 0360-5280/91, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106, or 18 Bedford Row, Dept. PR, London WC1R 4EJ, U.K.

Copyright © 1991 by McGraw-Hill, Inc. All rights reserved. BYTE and BIX are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

 Member
Audit Bureau of Circulation

MANAGING EDITOR
Tony Lockwood

MICROBYTES DAILY
Coordinator: D. Barker Peterborough, Rich Malloy New York, Nicholas Baran Sandpoint, ID, Jeffrey Bertolucci San Francisco, Laurence H. Loeb Wallingford, CT, Stan Miastkowski Peterborough, Wayne Rash Jr. Washington, DC, David Reed Lexington, KY, Andrew Reinhardt New York, Jan Ziff Washington, DC

DEMOLINK
BYTE program listings are available at (617) 861-9767 (set modem at 8-1-N, 2400 or 1200 bps). Enter Demolink.


OFFICERS OF MCGRAW-HILL, INC.:
Chairman, President and Chief Executive Officer: Joseph L. Dionne, *Executive Vice President, General Counsel and Secretary:* Robert N. Landes, *Executive Vice President:* Walter D. Serwatka, *Senior Vice President, Treasury Operations:* Frank D. Penglaese, *Executive Vice President and Chief Financial Officer:* Robert J. Bahash, *Executive Vice President, Administration:* Thomas J. Sullivan, *Senior Vice President, Corporate Affairs, and Executive Assistant to the Chairman:* Mary A. Cooper, *Senior Vice President, Editorial:* Ralph R. Schulz.

Founder: James H. McGraw (1860-1948).


Automated Test




Analytical Chemistry



Process Control



Audio and Vibration




You can automate your system with 30-year old technology, or . . .

Chromatography



Manufacturing and Production



BRING IT TO LIFE WITH LABVIEW® 2



Tired of wrestling with cryptic text-based programming languages? Then make the switch to LabVIEW 2 on the Macintosh. LabVIEW 2 is the most celebrated application software for data acquisition and instrument control. It recently won the MacUser magazine Editors' Choice award. Five years ago, LabVIEW introduced the combination of front panel interfaces and graphical programming. Today, engineers and scientists around the world use LabVIEW 2 for a broad spectrum of applications.

Unlike other graphical packages, LabVIEW 2 does not sacrifice power and flexibility for ease of use. With LabVIEW 2, you quickly build block diagram programs and add your own blocks to expand upon our libraries. You also create front panel user interfaces and import pictures to customize the panels. Yet LabVIEW 2 virtual instruments run as quickly as compiled C programs. Call us to find out how LabVIEW 2 can bring life to your system.

For a free LabVIEW 2 Demo disk, call:
(512) 794-0100 or
(800) 433-3488
(U.S. and Canada)



© National Instruments Corp. 1991.

Circle 200 on Inquiry Card.

Recycle

Everyone wants more productivity out of their computers.

But not everybody is willing to spend a fortune to get it. That's why Quarterdeck productivity software is outselling everyone else's—including Microsoft's.

DESQview Multitasks and Windows on Your PC

As early as 1982, computer enthusiasts found our products helped them set up their ideal working environment. Since then, step-by-step, we've improved DESQview into what some very knowledgeable people call "the best alternative to OS/2".

Today's DESQview allows you to multitask multiple programs in windows side by side—text programs; graphic programs. But best of all, you don't have to buy a lot of new hardware and software to use it. DESQview works with the PC and the programs you now own.



Over 1,000,000 users multitask their programs with DESQview.


QEMM Breaks the 640K Barrier

Break the 640K barrier in DOS—or in Windows 3.0—and give your DOS programs up to 130K more room within the first megabyte of memory, plus another 96K of video memory, in some instances.

QEMM takes buffers, network drivers, TSRs and other memory-using utilities and moves them into idle areas between 640K and one megabyte.

It's not complicated. It's easy. Just type *Optimize* and QEMM does the rest.


QEMM 386 is included with DESQview 386 to create the optimum operating environment for productivity oriented users of 386, 386SX and i486 PCs.



Number one.

QEMM 50/60 is designed to work in IBM® PS/2™ Model 50 and 60 PCs with specific IBM adapter boards.

QEMM is the #1 selling utility according to distribution sources. In fact, it was the number one selling



software package in the PC industry in April, May and June 1990.



These are some of DESQview's most recent awards



These are some of QEMM's most recent awards

©1991 Quarterdeck Office Systems. IBM and PS/2 are trademarks of IBM Corporation. PC Tools Deluxe is a trademark of Central Point Software. 80286, 386, 386SX and i486 are trademarks of Intel Corporation.

your PC

Manifest Gives You In-Depth Knowledge of Your PC



Our newest utility is Quarterdeck Manifest, the best way to discover everything you ever wanted to know about your PC. Manifest shows you around 'under the hood', pointing out how memory is used, comparing memory speeds, and indicating how you can gain more room for your programs to work.

It can point you to as much as 130K of additional RAM your programs can use. It shows you which memory areas are faster. It even helps you compare add-in memory board performance.

Manifest does for memory what PC Tools Deluxe does for disks. And it's easy to use.



Manifest has been quick to win recognition

QRAM Optimizes the Memory of 8088 and 80286 PCs

Once you know where you can move those memory-hogging utilities, QRAM lets you do it. It even works on 8088, 8086 and 80286 PCs with EMS 4.0 or EEMS memory boards.

QRAM and Manifest help you get every last 'K' out of the hardware you own.


In fact, all our products are designed to give you more productivity out of the system you already have, whether 8088, 8086, 80286, 386SX, 386, or i486.

Quarterdeck Products for Everyday Heroes

Our mission is to protect your investment. Whether your PC is 9 years old or fresh out of the box, our products make it more versatile, more flexible; and help deliver performance dividends from your computer investment. Our products help fine-tune your PC which helps you do your work better, which makes you look good.

A Glimpse of the Future: DESQview/X

We're also looking ahead to the next wave of computer system development: enterprise computing. Our new



DESQview/X allows different computers with different operating systems to work together. Using the advanced X-windows environment, it lets users run programs on remote computers and watch them run in their PCs' windows. DESQview/X will be available later this year.

Quarterdeck products. The best way to get the most out of your PC today. And tomorrow.

Quarterdeck

150 Pico Blvd., Santa Monica, CA 90405 (213) 392-9851 Fax (213) 399-3802

Circle 237 on Inquiry Card.

LETTERS

Coping with Undocumented Features

I am interested in Andrew Schulman's list of undocumented DOS features ("Undocumented DOS," March), but at the same time I have reservations about the enthusiasm with which he advocates actually using them. I propose that it be a matter of professional ethics that if a software company uses an undocumented feature, it must explain in the manual exactly why it was necessary to do it. Let's go a step further: Let's require that if the software developer is not prepared to disclose its source code, it must nonetheless compile and release, ordinarily in the user's manual, a complete inventory of the machine and operating-system resources used. This sort of honesty is essential if software is to be consistently reliable.

Sometimes, the need to use undocumented features is nothing more than lazy programming. For example, one accessory from a software house apparently was an afterthought to the vendor's major program. This accessory program implements scripts by copying them into a batch file and then using an undocumented feature to pass control to that batch file. Quite apart from the issue of compatibility and portability, this is a bad idea because users lose the program's settings, position pointers, and so on whenever they run a script. The company may justify this odd approach by the need to conserve RAM, but that is merely a poor excuse for not designing appropriate overlays and data-swapping mechanisms. If the company had been compelled to explain this approach to users, I'm sure it would have seen the wisdom of going back and doing the job right.

Andrew D. Todd
Springfield, OR

Roundtable Reactions

Your April Roundtable "Whither Innovation?" really pushed my hot button. The comments by Wayne Rash Jr. were right on target. Many PC manufacturers and publishers are so busy trying to be innovative, they've lost sight of what they should really be doing: producing goods and services consumers want and need. Instead, they figure out a way to build a better mousetrap and then try to sell it.

The Next computer is a classic example. Steve Jobs decided that we no longer needed floppy disk drives. Guess what? His customers wanted floppies. WORM (write once, read many times) drives and optical drives

WE WANT TO HEAR FROM YOU. Please double-space your letter on one side of the page and include your name and address. Letters two pages in length or under have a better chance of being published in their entirety. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. You can also send letters via BIXmail c/o "editors."

Your letter will be read, but because of the large volume of mail we receive, we cannot guarantee publication. We also reserve the right to edit letters. It takes about four months from the time we receive a letter until we publish it.



are nice, but for better or worse, the PC world is floppy disk-based and will be for some time to come. Just being innovative isn't enough. Innovation without customer focus is a waste of time and money, two things that are always in short supply.

It's a new world, folks, and it's going to take a whole new way of doing things to survive in it. Our industry is littered with thousands of products that simply don't work. And customers are tired of paying for hare-brained software, hardware, and services. More than anything, they are frustrated when truly needed

features fail to materialize but fluff gets added to products just to increase marketing hype.

Manufacturers must start taking their direction from customers. We won't accept hype and hoopla anymore. We won't accept empty promises. Make sure your idea is something customers want and need and that it completely fulfills those needs. That's how to get innovation back into the PC market.

Sid Phillips
LaGrange, GA

I was really surprised by Wayne Rash's comments about Next in "Whither Innovation?" The new Next computer does come with a floppy disk drive (of course, why would you want to back up a large file on one optical disk when you can put it on 20 floppies?) and, in my opinion, is reasonably priced (\$5000 to \$10,000) for a 15-million-instruction-per-second machine.


The real innovation by Next is in the development environment NextStep, something not readily apparent to nonprogrammers (or those who haven't taken the time to look at Interface Builder). Next is perhaps the first computer company to really understand how important the development environment is to creating breakthrough applications. That's why Lotus came out with Improv on Next first. Fred Langa did mention how slick NextStep is, but I don't agree that it has been overlooked because everyone focuses attention on "the matte-black finish and the shape." It wasn't overlooked by IBM, which licensed NextStep for its RISC System/6000.

It has been overlooked by nontechnical "analysts" because they know nothing about development environments. In fact, the ignorance of these analysts holds back innovation that occurs outside their small sphere of knowledge. It's easier to say Windows is great because it's from Microsoft than to take the time to look under the hood of a Next computer.

James Engel
Burlingame, CA

Bravo! Your eight editors told it like it is in the March Roundtable, "Why Doesn't Software Work?" It's reassuring, although cold comfort, to know that we poor users are not alone in our continuing frustration with incompatible software and hardware and incomprehensible installation and operating instructions.

Your editors, bless them, have articulated for me and



Now developing Windows applications is almost as easy as using them.



Graphical forms and a robust programming language combine to create powerful Windows-based applications.

Finally, there's a fast and simple way to develop executable applications for Microsoft® Windows™ 3.0.


To start, you simply point, click, and drag. In almost no time, you've built a functional Windows interface. Without writing a single line of code.

But writing code is simple, too. You just choose events in the interface, then write the corresponding procedures. So when ButtonNew is clicked, for instance, "Sub ButtonNew_Click" is automatically executed. What's more, you're writing in a language that's easy to use, highly structured, and powerful.

The result: applications that used to take days or weeks can be finished in hours.

This remarkable new system is Microsoft Visual Basic™. To learn more, call (800) 541-1261, Dept. R15. And see just how clear Windows programming can be.

For more information inside the 50 United States, call (800) 541-1261, Dept. R15. Customers in Canada, call (416) 568-3503. Outside the U.S. and Canada, call (206) 936-8661. © 1991 Microsoft Corporation. All rights reserved. Microsoft and the Microsoft logo are registered trademarks and Windows, Making it all make sense and Visual Basic are trademarks of Microsoft Corporation.



Visual design tools provide a graphical way to create graphical applications.

PROGRAMMER'S TIPS

Key Features

- Fast, full-featured programming language.
- Create .EXE files with no royalty or run-time fee.
- Visual design tools for click-and-drag development of graphical applications.
- Sophisticated Windows-based applications can include all standard Windows controls, multiple windows, dialogs, custom menus, drag-and-drop, and programmatic graphics.
- Paste-link and programmable Dynamic Data Exchange (DDE).
- Support for Dynamic Link Libraries (DLLs).
- Online, context-sensitive Help.
- Detailed online tutorial.
- Sample code and full-featured example applications.
- Incorporate bitmap graphics, metafiles, and icons.
- Sophisticated debugging tools.

Visual Basic's interactive Help system is always at your fingertips. In the Code window, select any language keyword and press <F1> to get information on that word's usage and syntax. Hypertext links allow you to jump to related topics. You can even cut and paste code examples into your program.

Microsoft
Making it all make sense

unaccounted others our continuing plea for mercy from those on the other side who simply will not hear and cannot understand why we are in pain. Wayne Rash says that we can "hold [vendors'] feet to the fire," and Jerry Pournelle says that "we don't spend enough time yelling at them. . . . I will do better in future."

Bravo, I say.

Joseph A. Robinson
San Francisco, CA

In the March Roundtable, two of your editors described reports of software compatibility problems with new Macs as "folklore" and "rumors" and blamed them on programmers "violating the Apple standards."

Among the established programs that would not run on the first Mac II were Microsoft's FORTRAN compiler and Columbia University's Kermit. These were not "folklore" or "rumors" but reports by reputable programmers.

Apple standards may have been violated. But in the same issue of BYTE, we are told that correct DOS TSR programs cannot be written without violating DOS standards ("Undocumented DOS" by Andrew Schulman). There may have been similar reasons for violating Apple's standards.

Robert L. Montgomery
Littleton, CO

Fiedler Fan

Let me take this opportunity to thank David Fiedler for his articles in The Unix /bin from May to July 1990—they took the fear out of doing a UUCP. I configured the /usr/lib/Devices and /usr/lib/Systems files holding BYTE in one hand and keeping my fingers crossed on the other. It worked! And by taking the fear out of UUCPing, Fiedler made it possible for me to succeed at learning Unix at the BNU level, at least.

By all means, write about networking, because I discern a real need for general and specific knowledge about this vast and ever-evolving topic. You are so good at giving your readers an overview with just enough specifics without getting overly deep into techie stuff. You usually let your readers see the woods and not get lost in the trees.

Samuel Fivian
Rochester, NY

Another Look at Ethernet

I have just read "Ethernet: Ten Years After" by Rich Seifert (January) and found it to be preposterously inaccurate. Datapoint's ARCnet—the first commercially successful, true LAN—was installed for the first out-of-house customer (Chase Manhattan Bank in New York) toward the end of September 1977. It was announced to the public on December 1, 1977.

I was the system-software designer and implementer of Datapoint's ARCnet. In direct contrast to Seifert's statements, that system was a true token-passing LAN, with a distributed-stars cable topology using coaxial cable (since we, unlike Ethernet, used RG-62 coaxial cable

and BNC connectors, existing 3270 customers found that they were already totally wired for ARCnet; contrast this with the admitted wiring hassles mentioned in Seifert's article). It had a client/server architecture and used (internal) transceivers. Due to our concept of "conjoint networks," we had no need for bridges or routers. We simply allowed selected network workstations and/or file servers to participate directly in up to six LANs at one time. There was no need for complex, slow, or costly bridging or routing. This implementation also provided the ability to absolutely limit (by hardware means) access within and across a group of LANs.

Indeed, by the 1980 date Seifert refers to, Datapoint had already placed production versions of ARCnet in thousands of customer installations worldwide. Contrary to what he states, we used neither point-to-point connections (unless he wants to refer to our connections to our active hubs as such), leased lines, nor 300-bps modems.

It is also outrageous for him to propose that Ethernet's designers started with a blank sheet of paper "where no one had gone before." In fact, Ethernet's principles of operation are heavily based on the Aloha project, developed in the late 1960s and early 1970s at the University of Hawaii, which envisioned a CSMA-type system sent by radio waves (the original radio-wave transmission medium is where the *Ether* in Ethernet comes from). A brief look at the relevant articles published in the various journals of the period will dispel any claims to Ethernet's "unique" and "first" claims.

It is significant that availability of Datapoint's ARCnet as a commercial, production product preceded the publication of the Ethernet specification by almost three years. What is more, the Datapoint ARCnet as shipped to Chase Manhattan Bank was not a product that was tweaked—it was a finished product. That first ARCnet can coexist peacefully and amicably on any Novell (or other) ARCnet system found in commercial use today. The same cannot be said for Ethernet.

Gordon E. Peterson II
Paris, France


Mr. Peterson makes some valid points. I quite agree that ARCnet was a commercially available LAN prior to Ethernet. However, it was then (as it is now) a proprietary, nonstandard system with limited capability. It has never achieved the kind of widespread acceptance that Ethernet (or Token Ring, for that matter) has enjoyed.

Ethernet, of course, was built on earlier work, including not only the Aloha network (a distant relative) but the more relevant Xerox experimental Ethernet prototypes designed in 1975-77 (pre-ARCnet). Even so, when we developed what is now called Ethernet, we really did look forward to the future and did not constrain ourselves by the past. In fact, we changed cables, connectors, physical signaling, frame format, the cyclic-redundancy-check algorithm, addressing, the backoff algorithm, and both the transmit- and receive-state machine definitions from the earlier prototypes.

What made Ethernet successful was open architecture (public standards and easy access to the technology), planning for the future (address space, data rates, and silicon), and rigorous worst-case design.

These are the lessons we can learn from 10 years of Ethernet.—Rich Seifert

Before You Blow \$500 On Lotus 1-2-3, Excel Or Quattro Pro, Read This.



It's the beginning of a revolution.

The affordable spreadsheet revolution. Now every



CA's Computing Architecture For The 90s protects and enhances the value of every CA software solution.

user in America can afford the most advanced spreadsheet technology. The latest breakthroughs. Newest features. Hottest 3-D graphics.

It's all there inside SuperCalc5. With Lotus 1-2-3 compatibility, presentation quality graphics and spreadsheet linking, SuperCalc5 has become one of the most popular, best-selling spreadsheets in the industry.



More than 3,000,000 copies have been sold and unlike some others, SuperCalc5 runs on virtually every type of PC that exists.

If you've been thinking about moving up to a more powerful, full-featured spreadsheet, now's the time. Move up to SuperCalc5 and get everything you've always wanted for hundreds of dollars less than Lotus 1-2-3, Excel or Quattro Pro. For the name of your nearest SuperCalc5 dealer call 1-800-CALC-149.

Do it right now. After all, at this price, why wait?



© 1991 Computer Associates International, Inc., 711 Stewart Avenue, Garden City, NY 11530-4787. Lotus and 1-2-3 are registered trademarks of Lotus Development Corporation. Excel is a registered trademark and Windows is a trademark of Microsoft Corporation. Quattro Pro is a registered trademark of Borland International, Inc.

Circle 66 on Inquiry Card.
World Radio History

dFacts Are In.

DATABASE COMPARISON TABLE	dBASE IV version 1.1	Paradox version 3.5	FoxPro version 1.02
EASE OF USE			
Control Center organizes data, queries, forms, reports, labels, applications on <u>one</u> screen	Yes	No	No
Create applications <i>without programming</i>	Yes	Yes	No
Modern pulldown menus for all Design Tools	Yes	No	Limited
Query by Example (QBE) for easy access to information	Yes	Yes	No
Context specific help by menu item	Yes	No	No
PRODUCTIVITY			
Quick Layout for automatic forms, reports and labels	Yes	No	Yes
Application Generator for quick application development	Yes	Yes	No
Automatic code generation for all Design Tools	Yes	No	No
Automatic maintenance of <u>multiple indexes</u> for ordering data	Yes	No	No
Memo fields for notes, letters, descriptions	Yes	No	Yes
POWER & FLEXIBILITY			
Bold, underline, italic, subscript, superscript text for high impact reports and labels	Yes	No	No
User Defined Functions for extending programming language	Yes	No	Yes
Data input validity checking in forms	Yes	Yes	Yes
Multi-user transaction processing ensures data integrity	Yes	No	No
Number of file formats imported/exported	7	6	3
INDUSTRY STANDARDS			
#1 Selling, #1 Rated multiuser database; over 3 million users (1)(2)	Yes	No	No
Compatible with dBASE III PLUS data and applications	Yes	No	Yes
Compatible versions for DOS, VAX VMS, Macintosh, SunOS and other UNIX platforms (3)	Yes	No	Limited
Structured Query Language (SQL) integrated with programming language	Yes	No	No

(1) dBASE III PLUS and dBASE IV comprise approximately 55% of PC database systems sold (3 times nearest competitor) according to the most recent report by the market research firm Audits & Surveys (Oct. 1990) (2) Software Digest rated dBASE IV #1 among multiuser databases, October 1990 (3) Versions of dBASE IV are shipping for DOS, VAX, and SunOS. Macintosh and other UNIX Platforms are announced.

Based on what our customers tell us, we made a list of some of the most important features to look for in data management software.

Then we compared the new dBASE IV® version 1.1 with two other database products.

As you can see, dBASE IV offers exclusive advantages in

many categories.

For instance, only dBASE IV lets you access all its functions from a single screen. Called the Control Center, this screen lets you manage existing data, and create new tables, queries, reports, forms and labels totally without programming.

When all the facts are on the table, it's easy to see which database software is best.

Of course we aren't the only ones who have come to this particular conclusion.

Software Digest rates dBASE IV version 1.1 the #1 Multiuser Database (Vol. 7, No. 13, Oct. '90).

dTruth Comes Out.

Software Digest RATINGS REPORT
 The Independent Comparative Ratings Report for Selecting IBM PC Business Software

Volume 7 Number 13

MULTIUSER DATABASE PROGRAMS

Ratings Key: 7.0-10.0 (Green) 5.0-6.9 (Yellow) under 5.0 (Red)

Software Digest Rating	Overall Evaluation	Overall Power	Program Name	Version Tested	Performance	Versatility	Error Handling	Ease of Learning	Ease of Use	Memory Requirement	Price	Volume	Purchase Agreement	Page
***	7.0	6.7	dBase IV	1.1	Green	Yellow	Green	Green	Green	450KB	\$795	✓	28	
**	6.8	5.1	Paradox	3.5	Red	Yellow	Green	Green	Green	640KB	\$995	✓	32	
**	6.8	7.1	FoxPro/LAN	1.02	Green	Red	Yellow	Yellow	Yellow	512KB	\$1,095	✓	30	
**	6.4	5.1	DataEase	4.2	Yellow	Red	Green	Green	Green	640KB	\$750	✓	26	
*	5.8	3.6	R:Base	3.0	Red	Yellow	Yellow	Green	Green	520KB	\$995	✓	34	
*	5.7	6.0	Clarion Professional Developer	2.1	Green	Red	Yellow	Yellow	Yellow	512KB	\$845	✓	24	
*	5.7	6.6	Advanced Revelation	2.01	Yellow	Red	Yellow	Yellow	Yellow	640KB	\$995	✓	22	

REPRODUCTION OR QUOTATION, IN WHOLE OR IN PART IS PROHIBITED WITHOUT PRIOR WRITTEN PERMISSION
 All rights reserved. © 1990 by NSTL, Inc., Plymouth Corporate Center, Plymouth Meeting, PA 19482, 800-223-7090

Perhaps the most independent publication in the industry, *Software Digest* accepts no advertising whatsoever. Corporations pay hundreds of dollars a year to receive their monthly reviews—which are considered highly unbiased and objective. Their exhaustive, 75-page report concludes:


“Among the top ranking programs, dBASE IV (version 1.1) is the most well-rounded, with solid performance, versatility, and usability.” Commenting on speed, *Software Digest* points out that “dBASE IV produces all three test reports as fast as or faster than FoxPro/LAN.” As for Ease of Use and Ease of Learning, dBASE IV scored in the Excellent Range as many times as any other multiuser database product tested.

For a free evaluation kit, including competitive details and a free demo disk, call toll-free:

1-800-437-4329 ext. 1416

Better yet, call 1-800-2ASHTON to upgrade to the new dBASE IV now.

The truth is, no other database can do so much to improve productivity.



 Ashton-Tate®

Gratuitous and Offensive?

I had hoped that, in my sixth year of owning and using Amigas in my business, I no longer needed to write letters like this. Unfortunately, it seems that I still do.

I refer to Tom Yager's review of the Video Toaster ("Newtek's Video Toaster Makes Professional Video Affordable," March). Gratuitous and offensive was the subhead "Where Does the Joystick Go?" followed by Mr. Yager's remark "Unfortunately, most current Amiga users don't have what they need to make the best use of the Toaster. This isn't a video toy." I doubt that many current PC or Macintosh owners are equipped to make immediate, full use of a professional video-processing system either, but would Mr. Yager have made the same facetious remark about them?

Neither the editorial nor advertising content of BYTE suggests that the magazine is particularly popular with teenage video-game fanatics. I had hoped that BYTE's editors and reviewers would realize that most of the current Amiga users who do read BYTE are professional and technical users—many of them in the graphics, video production, and multimedia businesses. These readers do not need, nor do they appreciate, such humor at their expense.

What they do need is a level of technical expertise and performance evaluation that Mr. Yager's review did not supply. The Video Toaster's performance was described in a totally qualitative manner without reference to industry technical standards or even to BYTE Lab benchmarks. Remarks, comments, and explanations in the review exposed a somewhat less-than-professional understanding of video technology.

The review failed to do full justice to the capabilities of this excellent device, did not evaluate it according to the technical standards used by its most likely purchasers, and managed to insult those purchasers within the first few paragraphs. Not a great score card for the Multimedia Lab's first attempt!

Alun Whittaker
Sacramento, CA

Nothing facetious about it, the vast majority of Amiga users are not equipped to run the Video Toaster without investing first in a fair amount of additional equipment. I have tremendous respect for the Amiga (I own one). The statement was not a slur on the Amiga or its users, but rather a clarification of the Video Toaster's purpose and market. —Tom Yager

Jerry's Law

In the March Letters, David Fiedler correctly highlights the problems of having "to deal with a completely heterogeneous environment." However, the problem has been recognized for years (even in the prehistoric days of the mainframe). Now, with the past decade's explosion in processing on the desktop, urgency has shifted to LANs and wide-area networks, often containing differing architectures. There are efforts, existing and planned, to handle file-sharing and network management issues. Sharing processor cycles is also being attempted (see "In Praise of Remote Procedure Calls," March).

Success will, of course, involve many more layers of overhead code and processor cycles, but engineers seem able to give us the processor performance, coprocessors, and memory density to handle the need.

On another subject, I have always been a supporter of the "one person, at least one CPU" law of Jerry Pournelle (many of us have held the opinion—Jerry was able to get it into print). Multiprocessors, coprocessors, and true distributed computing make this a law to uphold. The letters by Thomas Adams (extolling traditional centralized computing resources) and Robert Foldi (praising diskless workstations because "these wonderful machines . . . make the life of the network supervisor much easier") are reactionary. File-sharing network schemes and distributed processing networks ought to be perfected. Mr. Pournelle's "law" should be supported. No backsliding should be permitted to the days of central control, which only made the lives of the MIS staff easier. Computing resources (hardware, software, and people) are there to serve the end user, *not* the other way around (i.e., to provide job security for the staff). Jerry, stick to your guns. . . uh . . . logic gates!

John Neubert
Director, Academic Computing
Drew University
Madison, NJ

Bubble-Sort Kudos

Congratulations on maintaining a very informative magazine for all these years. I turn to BYTE for up-to-date information I can't find in any other magazine. In particular, Stephen Lacey and Richard Box deserve a round of applause for actually making a bubble sort worthwhile in "A Fast, Easy Sort" (April).

Taran Rampersad
Ozone Park, NY

FIXES

- In "A Talk with Intel" (April), we misspelled the name of David Vannier of Intel Corp. Our sincere apologies to Mr. Vannier.
- In "An Editor's View," which accompanied the April cover story on Soviet computing, a typographical error stated that "one-tenth of an inch works out to be about .254 mm." The correct figure is 2.54 mm.
- The correct version number for Da Vinci eMail ("Please, Mister Postman," March) should have been 1.70, which costs \$1495 for the DOS, Windows, and OS/2 combination server license. The software also provides native support for MHS (message handling service).
- In the May review "QEMM-386 and 386Max Square Off Under Windows," we inadvertently dropped the last three words. The final sentence should read as follows: "Its VIDRAM utility, which reallocates up to 96K bytes from the EGA and VGA high memory area to conventional memory, is excellent if you're running text-mode applications." ■

INTRODUCING THE NEW GATEWAY 2000 COMPUTERS



NEW MINI DESKTOP 286 AND 386SX MODELS ARE BIG ON PERFORMANCE!

Sometimes the best things come in small packages. This saying definitely applies to Gateway 2000's spunky little 286 and 386SX computers. These systems now come in a space-saving mini desktop model that's sizzling with powerful new features.

The motherboard in the 286 and 386SX systems was custom-designed and manufactured for Gateway 2000 using ASICs (Application Specific Integrated Circuits) to create a cleaner, more reliable board. We integrated the floppy drive controller, the video chip set and the I/O card on the motherboard, to leave five 16-bit slots open in the standard configuration.

The Gateway 2000 286 system operates at 16 MHz, rather than 12 MHz, for better performance. Our 386SX is available as a 16 MHz or a 20 MHz system. The 386SX-20 includes a 32K cache, which makes this system another truly outstanding Gateway price/performer.

HOT-PERFORMANCE 386 AND 486 SYSTEMS ARE IN ICY GRAY, CURVILINEAR MODELS

Although Gateway's 386 and 486 systems look entirely new, we limited changes on the inside to fine-tuning performance and reliability. In the

Midwest, we firmly believe in the adage, "If it ain't broke, don't fix it." And these award-winning, price/performance systems did not need fixing.


All 386 and 486 systems include a fast and reliable IDE (Integrated Drive Electronics) hard drive with built-in cache. For added reliability and lower RF emissions, we've incorporated ASICs in the design of our motherboards whenever the change improved cost/performance. Because our 386 and 486 computers already include the fastest, most reliable video card on the market, the only way we could improve video performance was to increase the size of video RAM. So we did. All Gateway 2000 386 and 486 systems come standard with 1 MB video RAM. We also made our new Crystal Scan 1024NI color monitor standard with these systems. The 1024NI is non-interlaced, giving you a flicker-free video display with up to 1024 x 768 resolution.

INTRODUCING THE AWESOME ANYKEY™

We call our new 124-key programmable keyboard the AnyKey because any key can be programmed to perform any function – anything you can imagine, quickly and easily. Or you can remap the keys to create your own keyboard layout. It's a revolutionary new concept designed to let you talk to your personal computer in a very personal way.

The AnyKey includes a numeric pad and a separate, full-function cursor pad with diagonal keys, plus two sets of function keys located along the top and left side.

The AnyKey's versatility is



rivaled only by its simplicity. You can learn to program it in just a few minutes. If you goof, you can easily reset the keyboard to a normal configuration. And if you hate the idea of programming anything, you'll still love the feel and extra keys on the AnyKey. The AnyKey keyboard is standard with all Gateway 2000 computer systems.

EXPANDED SERVICE HOURS

We've also expanded our telephone technical support hours to provide you with even more flexibility and better service. We're here to help you from 6 a.m. to midnight weekdays and 9 a.m. to 2 p.m. Saturdays.

**NOW
STANDARD**

BETTER-THAN-EVER VALUE

Possibly the most dramatic news about our new product line is price. When a manufacturer introduces a new product line, you expect to see an eruption of price hikes. But then you've come to know Gateway is not like most manufacturers. Prices on systems in our new line are better than ever. And that goes for quality and service too, making the hottest value in the industry even hotter.

LOOKING AHEAD

The introduction of our new product line represents almost a year of design and engineering. But it's just one phase in a process of continuous improvement that we employ at Gateway. Each day, Gateway 2000 employees come to work with one primary goal in mind: to provide you with better prices, performance, quality and service. We're committed to making Gateway 2000 the only logical choice in microcomputers.



8 0 0 - 5 2 3 - 2 0 0 0

GATEWAY 2000 SYSTEMS

16MHZ 286 VGA

- 80286 Processor
- 2 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 40 MB 17ms IDE Drive with 32K Cache
- 16-Bit VGA with 512K
- 14" Crystal Scan 1024 Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 1 PS/2 Mouse Port
- 124 Key AnyKey™ Keyboard
- New MS DOS™ 5.0

\$1395

16MHZ 386SX VGA

- Intel™ 80386SX Processor
- 2 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 40 MB 17ms IDE Drive with 32K Cache
- 16-Bit VGA with 512K
- 14" Crystal Scan 1024 Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 1 PS/2 Mouse Port
- 124 Key AnyKey Keyboard
- Microsoft™ Mouse
- New MS DOS 5.0
- MS Windows™ 3.0

\$1595

20MHZ 386SX CACHE

- Intel 80386SX Processor
- 32K Cache RAM
- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 80 MB 17ms IDE Drive with 32K Cache
- 16-Bit VGA with 512K
- 14" Crystal Scan 1024 Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 1 PS/2 Mouse Port
- 124 Key AnyKey Keyboard
- Microsoft Mouse
- New MS DOS 5.0
- MS Windows 3.0

\$1995

25MHZ 386 VGA

- Intel 80386 Processor
- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 80 MB 17ms IDE Drive with 32K Cache
- 16-Bit VGA with 1 MB
- 14" Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 124 Key AnyKey Keyboard
- Microsoft Mouse
- New MS DOS 5.0
- MS Windows 3.0

\$2295

33MHZ BEST BUYS

- Get our 33 MHz 386 Cache system, same configuration as listed, with a 120 MB IDE hard drive instead of the 200 MB drive.

\$2595

- Same features as our 33 MHz 486 Cache system except this machine has 4 MB RAM, instead of 8, and a 120 MB IDE hard drive, instead of the 200 MB drive in our standard configuration.

\$3445

33MHZ 386 CACHE

- Intel 80386 Processor
- 64K Cache RAM
- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 200 MB 15ms IDE Drive with 64K Multi-Segmented Cache
- 16-Bit VGA with 1 MB
- 14" Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 124 Key AnyKey Keyboard
- Microsoft Mouse
- New MS DOS 5.0
- MS Windows 3.0

\$2995

25MHZ 486 CACHE

- Intel 80486 Processor
- 64K Cache RAM
- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 200 MB 15ms IDE Drive with 64K Multi-Segmented Cache
- 16-Bit VGA with 1 MB
- 14" Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 124 Key AnyKey Keyboard
- Microsoft Mouse
- New MS DOS 5.0
- MS Windows 3.0

\$3495

33MHZ 486 CACHE

- Intel 80486 Processor
- 64K Cache RAM
- 8 MB RAM, Expands to 64 MB
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 200 MB 15ms IDE Drive with 64K Multi-Segmented Cache
- 16-Bit VGA with 1 MB
- 14" Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 124 Key AnyKey Keyboard
- Microsoft Mouse
- New MS DOS 5.0
- MS Windows 3.0

\$3995

The Hottest Value
In The Industry
Just Got Even Hotter!



STANDARD SERVICES

- 30-day money-back guarantee
- One-year warranty on parts and labor
- Free bulletin board technical support
- Toll-free technical support for the life of the machine
- Free on-site service to most locations in the nation
- Replacement parts sent via overnight shipping free of charge
- Leasing options for commercial customers

We custom-build each Gateway 2000 computer to customer specifications. We'll gladly provide you with a quote on your configuration. Due to the volatility of the DRAM market, all prices are subject to change. Prices do not include shipping.

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (CST)
New Expanded Service Hours: 6am-Midnight Weekdays, 9am-2pm Saturdays (CST)



8 0 0 - 5 2 3 - 2 0 0 0
610 Gateway Drive • N. Sioux City, SD 57049 • 605-232-2000 • Fax 605-232-2023

AnyKey, Intel, Microsoft, MS DOS and Windows are trademarks or registered trademarks of their respective companies. © 1991 Gateway 2000, Inc.

NEW
AnyKey Keyboard, Standard
101-key keyboard also available
MS DOS 5.0, Standard
Dramatically Improved Memory Efficiency
Enhanced New Utilities
New User Shell
MS DOS 3.3 or 4.01 also available

Now Toll-Free From Canada!

Weitek's Controller Chip Will Rev Up Windows

Weitek (Sunnyvale, CA) has developed a "user-interface controller" chip that will speed things up for people running Microsoft Windows. Weitek's new chip, the WTL5086, encodes some of the key functions of Windows 3.0's graphical device interface (GDI) in hardware, improving the performance of Windows and Windows applications.

The WTL5086 takes over the BitBlt and line-drawing functions from the Windows GDI. According to Weitek representatives, the chip increases the speed of execution by between five and 26 times. BitBlt and line drawing are the two most common graphical calls made in Windows; as a result, they have the biggest effect on overall performance.

The WTL5086 can also act as a standard VGA chip to work with all non-Windows DOS software. The chip can be used to provide graphics systems with 2048- by 1024-pixel resolution in monochrome mode, 1024 by 768 pixels with 16 colors, or 800 by 600 pixels or 600 by 480 pixels in 256 colors.

The company will sell the chip in a 70-MHz 100-pin package for \$30 each in 1000-unit quantities. Samples are supposed to be ready this quarter, with production volumes scheduled for the third quarter, the company said. A future version, the WTL5186, will run at 80 MHz and will be available for sampling in the third quarter, Weitek officials said. VGA boards using the new controller could show up later this year.

Weitek, known primarily for its math coprocessors, intends to produce further graphics enhancement chips, not all necessarily for the DOS and Windows platforms. The company also plans to produce chips to support two-dimensional and 3-D graphics, audio, still image, and video, all in the next two years.

—Owen Linderholm

IBM Polishing Up 2.0, the "Real OS/2"

As the release date for OS/2 2.0 approaches, IBM is running a major campaign to fire up interest in this 32-bit version of the operating system. Now that IBM has taken the responsibility for 2.0

away from Microsoft, it has a chance to make OS/2 more than a server operating system or development system for Big Blue shops.

The new version is a protected-mode,

OS/2 2.0: THE MAIN POINTS

- Takes advantage of Intel's 32-bit processors
- Runs most DOS applications, all Windows 3.0 applications, all current OS/2 applications, and new 32-bit applications
- Runs DOS and Windows applications faster than under DOS
- Has new Workplace user interface that's more Mac-like, features icons for documents and folders
- Has a set of simple applications, including a spreadsheet, a database, and a sticky pad program
- Has Adobe Type Manager
- Occupies 10 MB to 15 MB of hard disk space
- Costs "less than \$200"; \$99 upgrade for Windows and DOS owners

NANOBYTES

"If you start object-oriented programming today, don't expect to see the benefits of class reuse before two years go by." That is the advice from someone who knows: **Adele Goldberg**, CEO of **ParcPlace Systems** and one of the leading proponents of object-oriented technology.

Goldberg says that it will take eight weeks of OOP "immersion" for experienced COBOL programmers to become productive and six months for them to become comfortable and expert. OOP is not magic, Goldberg said in an interview with BYTE at the recent Monterey Software conference. She bemoaned the fact that object-oriented technology is being advocated by "religious" devotees who have gotten "a little sloppy." OOP shortens coding time but places more emphasis on the analysis and design portions of the development cycle. Still, she conceded that "very few languages make it if there isn't a religious cult behind them." □



IBM has licensed **Micrografx's** (Richardson, TX) **Mirrors** technology, which facilitates **porting Windows applications to OS/2** by remapping Windows calls to Presentation Manager. The two companies will reengineer the OS/2 Graphics Engine to improve its performance, and Micrografx will release various development tools, including a facility that ports Windows device drivers to OS/2. According to Micrografx chairman Paul Grayson, the availability of these tools will offer developers a choice for how they deal with OS/2. □

multitasking operating system that takes full advantage of the 386 instruction set. It uses a flat-memory model to address more than 16 MB of physical memory and up to 512 MB of virtual memory. It supports the High Performance File System, long filenames, and extended file attributes, which are critical in an object-oriented environment. And it sports an upgraded Presentation Manager interface, called the Workplace, that brings true drag-and-drop capability to the desktop.

But the real breakthroughs of OS/2 2.0 are its support for the Windows application programming interface and its vastly improved DOS compatibility mode, which gives you 633 KB of space to run almost any DOS program, except those that use certain extended memory managers. Windows programs run unmodified on top of OS/2 2.0, IBM officials say. According to IBM, these non-OS/2 applications run faster under OS/2 than under DOS. You can run DOS,

Windows, OS/2 1.x, and OS/2 2.0 applications side-by-side in adjoining windows. OS/2 2.0 requires a 386-class processor and at least 4 MB of RAM.

Although official prices for OS/2 will not be available until the product ships (supposedly during the fourth quarter of this year), the company said that the price will probably be below \$200. DOS and Windows users can upgrade to OS/2 2.0 for just \$99.

Reaction from those who have seen OS/2 2.0 has been positive. Many applications vendors have expressed support for the new version and have said that it is the OS/2 that they have been waiting for. "We want this to succeed in a big way," said Lotus CEO Jim Manzi.

Much as Windows scraped along for years until version 3.0 reversed its fortune, so could OS/2 2.0 be the edition that will help OS/2 become "the operating system of the nineties" before the nineties are over.

—Andy Reinhardt

New Architecture Will Let Borland Software Interoperate

Borland (Scotts Valley, CA) is developing a new architecture that will allow interoperability between all its application programs, company officials said at the recent Borland Languages conference. Currently, Borland products share data and have a certain level of interoperability through the Paradox data format; for example, the Paradox Engine lets ObjectVision, Quattro Pro, and Borland languages operate with Paradox. Borland says that it is expanding this architecture to give all its applications access to several different data formats, in addition to Paradox files, and to let them work together closely.

Borland's new architecture will have a bottom layer that acts as a basic data-access layer with mechanisms for access-

ing Btrieve, Paradox, Structured Query Language, and xBase data, as well as spreadsheet data. Above this layer will be an object layer that will consist of Windows dynamic link libraries, which act as drivers and data requesters. It will also include C++ and Turbo Pascal classes and methods, as well as mechanisms, similar to those in the current Paradox Engine, to let Quattro Pro, ObjectVision, and even Sidekick 2.0 access the data layer.

These layers will all reside at different levels in hardware and software, on stand-alone PCs or Novell-based networked systems. Microsoft Windows will act as software glue to hold Borland's software architecture together.

—Owen Linderholm

Quiet Down! Dot-Matrix Printers Lower the Noise

Dot-matrix printers have gotten faster, their output no longer has to look like buckshot, and their prices are hard to beat. But those machine-shop sounds—the rat-a-tat-tat typing and the shrieking carriage returns—can be annoying, particularly in a quiet office environment.

Panasonic (Secaucus, NJ) says that its new Quiet Technology results in dot-matrix printers with a noise level of about 45 dB, or about 10 dB less than its current versions. This is also much lower than the "quiet mode" of competing models, and even lower than inkjet printers like the Hewlett-Packard DeskJet. This drop


NANOBYTES

IBM has cut the price of OS/2. A one-time license fee for OS/2 1.3 Standard Edition now costs \$150, down from \$340. The Extended Edition is now \$690, down from \$830. If you're a registered IBM DOS user, upgrades cost \$99 and \$635, respectively. People who buy version 1.3 between now and year's end can get version 2.0 free. □

The Video Toaster, the "desktop TV studio" from Newtek (Topeka, KS), is now available as a **stand-alone system** rather than as just an add-in card for the Amiga computer. The new model is an OEM Amiga 2000 (with the Commodore and Amiga labels removed) packaged with the original Toaster board and the latest release of the software, which includes a variety of new real-time video effects. It's priced at \$3995 without a monitor. The Toaster (see "Newtek's Video Toaster Makes Professional Video Affordable," March BYTE) provides switching, digital video effects, character generation, color processing, three-dimensional animation, paint graphics, and other types of video trickery. For full-fledged video production, you'll still need a pair of professional video recorders such as the Panasonic S-VHS AG-7750. A company spokesperson said that Newtek is talking with Apple about making the Video Toaster available as a Mac accessory. □

Apple Computer's proposal for radio frequencies reserved for carrying data communications has received support from various other major computer makers, including IBM, Tandy, and NCR. As was reported in the April Microbytes, Apple has requested the FCC to allocate frequencies—40 MHz between 1850 MHz and 1990 MHz—for a new wireless personal communications service called Data-PCS. Basically, this concept will create a wireless LAN for portables positioned up to 150 feet away from a base transmitter. □

Presenting Hollywood. It's where your idea can become a star.



Some presentation packages don't take your ideas very far. And even if they do, chances are pretty good it won't be exactly where you want to go.

PRESENTATIONS MADE SIMPLE.

But now there's Hollywood.™ A whole different kind of presentation tool that makes it easy for anybody to create complete presentations with real star quality. The steps are quick, simple—even

fun. First, Hollywood has an integrated outliner to help you organize your thoughts. Next, you select a look from a variety of exciting templates designed by professional graphic artists. Then Hollywood gives you an overview feature and lets you view and edit your entire presentation as a whole, not just page by page, so even sweeping changes aren't a big deal. And finally, you



can produce your award-winning output in any combination of slides, overheads or hard copy. Or for some real show biz, present it in a lively screen-show format.

Hollywood runs in the Windows™ 3.0 environment and gives you a supporting cast of fully scalable fonts, dynamic special effects, a comprehensive spellchecker and more. And because it's compatible with most popular graphics and spreadsheet software, importing and changing data is easy, too.



★ Sneak Preview! ★

FREE DEMO

For your Hollywood diskette, call: 1800 IBM-7699

In Canada call 1 800 465-1234.

Take the first step. Try Hollywood and give your ideas the big break they deserve.



Desktop Software

IBM is a registered trademark and Hollywood is a trademark of International Business Machines Corporation. Windows is a trademark of Microsoft Corporation ©1991 IBM Corp.

Circle 133 on Inquiry Card.

World Radio History

in decibels might not sound like much, but BYTE Lab tests have shown that a difference of only 2 dB is noticeable.

The most important changes that Panasonic has made to reduce noise are to the printing mechanism. Instead of all the pins on the print head hitting the paper at once, "we use a dispersion method, in which the pins are skewed and fired independently," said P. J. Johnston, product manager for dot-matrix printers. She compared the redesigned pin movements to "the Rockettes kicking in a line," with one leg going up at a time instead of all in unison. This dispersed action makes less noise than all the pins hitting at once, according to Johnston.

"We've also cushioned the pin head as it rides across the carriage," which eliminates some of the carriage-return noise, Johnston said. Panasonic has improved the performance of its printer motors,

too, she said, and used more sound-absorbent plastics in the printer housing.

The first printer to incorporate these noise-reduction features is a successor to the current 1624 model. It's expected to start shipping this month and be priced at "under \$750," Johnston said.

Other companies have also worked to tone down the noise of their printers. Output Technology (Spokane, WA) rates its new EuroLine printers at 48 dB. The print head uses needles instead of hammers, the fan is quieter, and the case has been designed to cut down on vibration. But unlike the new Panasonic, this is a high-end printer, priced at over \$4000.

Dot-matrix devices will never be as quiet as laser printers, but as manufacturers implement new designs, at least the devices won't sound like a synthesis of jackhammers, cats, and chain saws.

—D. Barker

Ricoh Ready to JPEG Compression in Hardware, Software; Uses New Transform

Ricoh (West Caldwell, NJ) is the latest company to join the compression competition, recently demonstrating new Joint Photographic Experts Group-enabling technology that is designed to improve image-squeezing operations in both software and silicon. Ricoh says that its new approach shortens image-compression time by 30 percent compared to competing alternatives and allows for a hardware design that will take up less space on a chip.

The new technology, developed at the company's California Research Center, is based on a proprietary algorithm for implementing the JPEG-compliant discrete cosine transform. DCT is used to break an image into small blocks of 8 by 8 pixels and transform it into a series of two-dimensional waves.

Ricoh's algorithm, called the Generalized Chen Transform, uses no multiplication, substituting more addition steps instead. Since multiplication is an "expensive" operation and addition is a "cheap" one, the image transform is done more quickly, Ricoh says.

Steve Blonstein, Ricoh research manager and inventor of the new technology, said that the increase in transform speed enables the use of less silicon. The transform operation is done in two steps: one for each of the 2-D waves. In conventional JPEG chips, two blocks of silicon are used; one for each transform step. In Ricoh's design, only one block is used. Be-

cause the transform is so fast, the single-transform block can be used again, resulting in less silicon space, Blonstein explained. This space reduction lets JPEG silicon become a "super cell" that can migrate onto large chips of wider functionality, he said.

Blonstein demonstrated the Generalized Chen Transform software on a Mac platform. An image was captured from a video camera and stored on a Mac IIfx in 24-bit TIFF. The image was then compressed and retrieved. At a 30-to-1 compression ratio, Blonstein said, compression took 2.81 seconds. (Ricoh's figures claim 3.5 seconds to compress a 512- by 512-pixel, 24-bit image.) Ricoh's benchmark times include only the JPEG implementation itself: color space conversion (conversion of the incoming image to an internal format), transform, quantization (adjustment of the image to human perception qualities), and Huffman encoding (lossless compression based on statistical analysis). The benchmark time does not include disk-access, file-save, or window-painting time.

Due this summer, the hardware implementation is designed for 30 frames per second at NTSC (broadcast-quality) resolution.

The company says that it is "engaged in licensing talks with a number of vendors" and expects to see products within the next 12 months.

—Ellen Ullman

NANOBYTES


Apple's vice president of Advanced Technologies, David Nagel, testified recently before the Communications Subcommittee of the Senate Committee on Commerce, Science, and Transportation in favor of the Emerging Telecommunications Technologies Act of 1991 (S.218), which proposes to provide radio frequencies for new technologies. □

Cue Network (Irvine, CA), one of the largest providers of nationwide paging services, has announced the LapCom modem, which will let a PC receive E-mail without hooking up to a telephone line. When you want to send E-mail to an associate who's traveling, you just dial an 800 number and upload the message (along with the ID of the person you want to send it to) to Cue's computer. The message is then sent to a satellite and rebroadcast to 270 FM radio stations throughout the U.S. and Canada. The stations broadcast the message using their FM subcarrier at about 9600 bps. Each message carries a unique identifier keyed to an individual LapCom modem, and when the modem receives the message, a light on the modem goes on, signifying that a message is waiting to be read. □

If the Beach Boys had been at the recent Lap & Palmtop show, this gadget would have gotten their attention: the Executive LapMate from SolNetics (Provo, UT). It's an \$89.95 solar-powered recharger for laptop computers. The little 4- by 12-inch solar panel produces about 100 mA of current—enough, SolNetics says, to give you about an extra hour of battery operation. Or, if you must recharge and there are no plugs, it can recharge a battery in about 12 hours, the company says. The Executive LapMate can't run a laptop by itself, but the company says it's working on higher-current models that can. □



Objects At Your Fingertips.



Now, if you want to develop applications for Windows 3.0, there's a fast and easier way to do it with the premiere object-oriented programming language. Smalltalk/V.[®]

With Smalltalk/V Windows, you can explore, prototype, build finished applications and ship them runtime free.

You can tap into applications using DDE so effortlessly you don't have to be a Windows expert to do it.

And with one of the world's most comprehensive class libraries, you can

choose our objects or easily build your own.

But whatever you develop, it will be portable between the Windows, OS/2 and Mac versions of Smalltalk/V.

With so much at their fingertips, more people are solving more problems with Smalltalk/V than any other object-oriented programming system.

At only \$499.95 and no runtime charges, you can solve them, too.

Just call us at (800) 922-8255.

And see why programming Windows has never been easier.

Smalltalk/V Windows

DIGITAL

Join us at the
Smalltalk/V DEV CON
Smalltalk/V Developers Conference '91
September 11-13 1991.
See our ad on page 253

9841 Airport Blvd., Los Angeles, CA 90045 (800) 922-8255 (213) 645-1082 FAX (213) 645-1306

Smalltalk/V is a registered trademark of Digital, Inc. Other product names are trademarks or registered trademarks of their respective holders.

Circle 91 on Inquiry Card.

World Radio History

AMD Now Has a 386SX; Runs Faster, Burns Less Fuel

Advanced Micro Devices (Austin, TX) has added a new player to its roster: its own version of the 386SX chip. Although AMD's clone of the Intel 386 was headline news, this new processor could have a bigger market impact: It's designed for laptop and notebook computers, which represent the fastest-growing class of personal computers.

AMD hopes to beat Intel with speed. The Am386SX runs at 25 MHz, whereas Intel's fastest SX runs at 20 MHz. AMD claims that the clock difference results in a speed boost of about 25 percent over the speed of the Intel chip.

AMD's CMOS chip also consumes less power than Intel's chip, the company says. The Am386SXL can operate in a standby mode that needs only 0.08 mA of current at 0 MHz; AMD says that Intel's lowest consumption rate is 140 mA at 2 MHz. In real life, an Am386SXL-based portable could run on batteries for about an hour longer than a machine using the

Intel chip, AMD says. (This assumes that both systems' other components are comparable in terms of their power use.) AMD's other model, the plain SX, consumes less power than Intel's but hasn't been certified as capable of "stopping the clock," AMD spokesperson David Frink said.

AMD will price its SX "competitively" with Intel's, Frink said. Intel currently sells its 20-MHz SX for about \$90 apiece in quantities of 1000.

Computer developers who want to upgrade their SX machines to the Am386SX "will only have to change the CPU, the DRAM, and the crystal," Frink said. AMD officials would not yet release the names of companies that are evaluating the chip, but at the company's stockholders meeting in May, they showed a Texas Instruments notebook computer in which the Intel 386SX had been replaced with an Am386SX.

—D. Barker

NANOBYTES

Borland (Scotts Valley, CA) will provide support for the xBase language—an emerging nonproprietary dialect compatible with Ashton-Tate's dBase language—at both the data-access and dialect levels of Borland's architecture, president **Philippe Kahn** said at the company's recent Languages conference. This means that Borland will within a year provide some way for all Borland applications and languages to read xBase data, likely in the form of a revision to the Paradox Engine and those portions of the Paradox Engine that are embedded in other applications like Quattro Pro. It also means that Borland will be bringing out a product that can read and execute xBase programs. Borland's ObjectVision already can access dBase files as well as Paradox files. □

We Take The Typical Spreadsheet User and Turn Him Into A Creative Genius.



Baler turns *acceptable* worksheets into *exceptional* worksheets — and saves you time, money, and headaches.

You develop and distribute worksheets to other users. Often enough, someone mistakenly modifies your formulas or macros. Or, they don't own the spreadsheet needed to run your application. Maybe your worksheet takes too long to learn. Sound familiar?

Baler Spreadsheet Compiler software solves your security and simplicity problems — and much more — by turning your Lotus® 1-2-3® worksheets into secure, tamper-proof, self-running programs that can be easily distributed (even sold) to others — cost free.

With Baler's powerful customization tools, "baled" worksheets can shed their spreadsheet appearance. By adding pull-down menus; context sensitive help; custom commands; color, borders, and shading, compiled worksheets can be more versatile, faster, and easier to use than the original.

Baler supports spreadsheet files with .WKS or .WK1 extensions from Lotus® 1-2-3®, Excel® and Quattro Pro®. "Baler", "baled" and "baling" are trademarks of Baler Software Corp. ©Copyright 1990, Baler Software Corp. All rights reserved.

Turn .WK1 format files into stand alone .EXE programs.

Display macro menus and commands as pull-down or pop-up menus.

Tamper-proof your work by making formulas and macros permanently invisible and unchangeable.

Create context sensitive help systems with up to 1600 pages.

- Ask about our:
- FREE 20 Page Guide to Spreadsheet Compiling
 - \$24.95 Trial Package
 - 30-Day Money Back Guarantee

Call 1-800-327-6108

Baler
SPREADSHEET COMPILERS


Baler Software Corporation

1400 Hicks Rd., Rolling Meadows, IL 60008 U.S.A.
708-506-9700 • Fax: 708-506-1808

© 1991 Baler Software Corp. All Rights Reserved

Baler 5.1 - \$495
BalerXE - \$795

Only Spreadsheet Experience Required



We slash interface development time. (and we can prove it!)

NEW!
Graphics &
DOS Extender Support

C-PROGRAMMERS: See for yourself how Vermont Views™ can help you create user interfaces the easy way.

If you want to start saving a *tremendous* amount of time and effort, call for your free Vermont Views demo kit and put us to the test. Vermont Views is a powerful, menu-driven screen designer that comes with a C library of over 550 functions. Which means you can create user interfaces in just a fraction of the time it takes to write the code yourself!

Why try to reinvent the wheel when Vermont Views lets you interactively create pull-down menus, window-based data-entry forms (with tickertape and memo fields), scrollable form regions, choice lists, context sensitive help, and a host of other interface objects.

Vermont Views combines the convenience of a fourth generation language with the power, flexibility, and blinding execution speed of native C code.

Turn your prototype into the application.

Let's face it. With most systems, you have to throw away your prototype when coding begins. Which means you waste precious time

and effort. With Vermont Views, things are a lot different. In fact, the prototype actually *becomes the application*. So menus and data-entry forms are usable in the final application without change. Names of functions for retrieving, processing, and storing data can all be specified as the prototype is created. And that's just for starters.

Here's a truly universal solution. When you create an interface with Vermont Views, you can port it among PC-DOS, OS/2, UNIX, XENIX, and VMS.


Vermont Views can be used with any database that has a C-language interface (most do), and will create interfaces for any roman-based language. Our form-locking version lets you develop quickly and safely on networks and multi-user operating systems, too.

If you need DOS graphics in your applications, we also have the answer. Vermont Views™ GraphEx allows all Vermont Views' windows, menus, and forms to work in CGA, EGA, VGA, and Hercules graphics modes. So you can use your favorite graphics package to create charts, graphs, and other images to enhance text displays.



**Vermont
Creative
Software**

Pinnacle Meadows,
Richford, VT 05476
Phone: (802) 848-7731
FAX: (802) 848-3502




Call for your FREE demo kit!

800-848-1248

(Please mention "Offer 141")

Don't take *our* word for it. Put Vermont Views to the test by calling for your personal, free demonstration kit. Or fax us at (802) 848-3502.



© Copyright 1990
Vermont Creative Software

New IBM Technique Should Raise Production, Cut Costs of Semiconductor Lasers

Semiconductor lasers—which are used in optical storage systems, printers, fiber-optic networks, and CD players—could soon become easier and cheaper to produce, which should lower the prices of computer peripherals that use the tiny devices. An innovative new production technique perfected by scientists at IBM's Zurich Research Lab looks set to tumble the price of semiconductor lasers to a quarter of their original price.

Researchers at IBM have squeezed 20,000 individual lasers onto a round wafer that measures just 2 inches in diameter. This new fabrication technique, called "full-wafer technology," is significantly faster and around 50 percent less expensive, and even in the research labs, it produces a good yield, IBM scientists say. Preliminary research also indicates that the overall reliability and working life span of the laser is enhanced, according to IBM.

The new production process uses a photolithographic technique that is similar to the process used to make electronic semiconductors. A trench some 1/5000 inch deep is etched in the aluminum gallium arsenide crystal. The walls of this trench are then coated to produce the laser mirrors that are needed to amplify the signal.

Another advantage of this technique is that you can test the lasers while they are still a part of the semiconductor wafer. Only when the lasers are complete and tested are they split from the wafer and packaged.

The research team has yet to explore the effect that this technique will have on optical computing. Using this fabrication technique, there is now the possibility of creating an optical processor on a semiconductor substrate without having to use any cumbersome mechanical production techniques. ■

—Andy Redfern


NANOBYTES

An industrial design firm hopes its new trio of computing components will become a household name.



Synapse, the manufacturing division of **Technology Design** (Bellevue, WA), has introduced a PC compatible called **Emily, Julie, and Max**. **Emily**, the keyboard, looks like a spiral notebook, with a wide, sloping front. **Julie** is the 10-inch, VGA-compatible, backlit LCD. It plugs into **Max**, the CPU, which looks like five books standing on end. A 25-MHz 386-based model sells for \$7995 with a 100-MB hard disk drive, a 3½-inch floppy disk drive, 4 MB of memory, and five 32-bit slots. ■

SUPER-TCP™ for Windows



- Multi-document E-mail
- Access to X.400 Messaging
- Object-oriented File Transfer
- Multiple TELNET Sessions
- Network Printing
- NFS Client / Server
- SNMP Agent
- X.25/802.3/802.5 Connectivity
- NDIS & Packet Driver Support
- Sockets API

For More Information Call:

Frontier Technologies Corporation



10201 N. Port Washington Rd.
Mequon, WI 53092
(414) 241-4555
(414) 241-7084 FAX



NOW UPGRADING!

Zortech C++ 3.0

More.



Less.

Zortech C++ for Windows & DOS v3.0

- ◆ The complete solution for DOS, Extended DOS, and Windows 3.0 development.
- ◆ Optimized Native Code C/C++ compilation for DOS and Windows. Debugs C/C++, and Assembler.
- ◆ A 16-bit DOS EXTENDER is supplied, letting you easily create multi-megabyte applications to run on 2/3/486 machines. This extender is ROYALTY FREE. There is absolutely nothing more to pay!

- ◆ Comprehensive development tools are supplied, including Windows.H, so applications may be developed without buying the Microsoft SDK.
- ◆ Hardcopy documentation, licensed from the Microsoft Windows SDK is supplied
- ◆ The WINC libraries (exclusive to Zortech), convert DOS command line programs to true windows applications at the flick of a compiler switch.

Optimized compilers for Windows/DOS
 Windows/DOS Debuggers
 Royalty-free 16-bit DOS Extender
 MS-Windows SDH not required
 Hardcopy Windows Documentation **\$399⁹⁵**
 The WINC Libraries

Zortech C++ Developers Edition v3.0

- ◆ Everything for DOS, Windows, OS/2, and DOS386 development in one box.
- ◆ Contains all the features of Zortech C++ for Windows and DOS v3.0
- ◆ Optimized compiler and debugger for OS/2
- ◆ Optimized compiler and debugger for DOS 386, generating true 32-bit code.

- ◆ Featuring Zortech's LITTLEFOOT™ DOS 386 Extender, requiring just a 9K footprint! Now you can deliver programs with 32-bit speed and performance, and address up to 1Gb ROYALTY FREE. There is absolutely nothing more to pay.
- ◆ Full standard library source code (and more) supplied at no extra charge.
- ◆ Includes the Zortech C++ Tools Library. Over 30 classes for tasks such as file handling, text user interface, etc...with full source code.

Compiles DOS, Windows, OS/2, and DOS386
 Debugs DOS, Windows, OS/2, and DOS386
 Windows SDH not required
 Royalty Free 16-bit DOS Extender **\$699⁹⁵**
 Royalty Free 32-bit DOS Extender
 Library Source Included
 C++ Tools

Zortech C++ Science & Engineering Edition v3.0

- ◆ The powerful and complete solution for numerics.
- ◆ Contains M++, a complete and standardized, multidimensional array language extension to C++. The solution to memory and array handling problems. Easy to use, and concisely documented.
- ◆ Works with Weitek Chips.


- ◆ Built in compiler support for IEEE 748 floating point specification.
- ◆ Support XCEG numerical C extension group.
- ◆ The Zortech numerics guide helps you take full advantage of the enhanced capabilities of the Science & Engineering Edition.
- ◆ Additional M++ modules separately available for statistics, generalized least squares, scientific and more.

Support for DOS, Windows, OS/2, and DOS 386
 M++ Array Language Extension
 Weitek Chip Support
 IEEE 748 Floating Point
 NCEG C Extensions **\$999⁹⁵**
 Zortech Numerics Guide

Zortech, Inc. 4-C Gill St.
 Woburn, MA, 01801
 (617) 937-0696 FAX (617) 937-0793

Zortech, LTD., 58-60 Beresford St.
 London, England, SE18 6BG
 44-01-316-7777 FAX: 44-01-316-4138

Circle 307 on Inquiry Card.



Also Available:

Zortech C++ for UNIX386
 Zortech C++ for Macintosh
 Zortech C++ Database Library
 Zortech Complete C Video Guide
 Zortech C++ Video Course

800-848-8408

People are always looking for affordable ways to make a better impression.



Soon a lot more people will be looking their best. Because now the best features of the HP LaserJet III printer are more affordable.

The new LaserJet IIIP printer features HP's exclusive Resolution Enhancement technology. An innovation that provides 300 dpi print quality superior to that of ordinary laser printers. The PCL5 printer language, with font scaling and HP-GL/2, brings even more to your documents.

Call 1-800-752-0900, Ext. 2255 for your nearest authorized HP dealer. Adobe and PostScript are registered trademarks of Adobe Systems Inc. in the U.S. and other countries. * Suggested U.S. list price. ©1991 Hewlett-Packard Company PE 12109

Fourteen bit-mapped and eight internal scalable typefaces give you thousands of options. And, to make things even more interesting, the LaserJet IIIP produces patterns, shading, spirals, and mirror images. In portrait or landscape.

HP has picked up the throughput speed of this 4 ppm printer. Due to a considerably faster I/O rate, the LaserJet IIIP accepts data as quickly as your PC can transfer it. So you not

only get your output faster, you get your screen back faster. The LaserJet IIIP also has a new 16 MHz processor and PCL5 for on-the-fly typeface scaling and fast vector graphics. These advancements mean this compact printer

Tell them about the new LaserJet IIIP.



requires less time to print than many laser printers with higher ppm rates.

For versatility, the LaserJet IIIP has a multisized paper tray that accepts various sizes of paper and envelopes. An optional Adobe® PostScript® cartridge is available. And, of course, the LaserJet IIIP is compatible with all major software and HP LaserJet accessories.

The good looks you get with the newest HP LaserJet look

even better when you consider the price. Just \$1,595.* For a faxed data sheet, dial (208) 344-4809 from your FAX machine and enter document I.D. number 9600. Now everyone can add a little polish to their work.

HP Peripherals
When it's important to you.



Circle 127 on Inquiry Card.

The All-in-One DOS

JON UDELL

Version 5.0 of DOS incorporates a number of crucial wish-list items

opportunity to enlighten us.”

Suggestions, often contradictory, spewed forth. “Support HPFS [OS/2’s High Performance File System]” but “make DOS smaller.” “Run in protected mode” yet “don’t abandon the 8088.” “Support DPMS [the Windows 3.0 and OS/2 2.0 DOS Protected Mode Interface]” but also “support VCPI [the Phar Lap/Quarterdeck Virtual Control Program Interface].”

Eventually, it became clear that there were really two versions of DOS on the table: the much-improved yet essentially familiar DOS 5.0 we see today, and a high-tech DOS (version 6.0?) whose shape we can dimly discern on the horizon. As participants in the BIX new.dos conference began to receive beta copies of DOS 5.0, anxiety gave way to acclaim. While not yet the high-tech DOS for which many had hoped, the new version incorporates a number of crucial wish-list items. DOS 5.0 merits the BIX power users’ seal of approval—and mine as

well. Spend the hundred bucks, install it, and use it. Unlike the ill-starred version 4.0, DOS 5.0 earns its keep.

Wishes That Didn’t Come True


Let’s get the bad news out of the way first. DOS 5.0 isn’t trimodal like Windows 3.0, it doesn’t exhibit CPU-specific behaviors, and it is neither a VCPI- nor a DPMS-compliant DOS extender. In simple terms, DOS 5.0 doesn’t raise the roof for DOS programs the way Windows 3.0 did for Windows applications. The file allocation table (FAT), eight-dot-three filename, 126-character command line, and paleolithic batch language survive intact. You still can’t move or delete subtrees. Although many users recommended that Microsoft license or imitate 4DOS, J.P. Software’s superior shareware replacement for COMMAND.COM, that didn’t happen.

The care and feeding of TSR programs remains as tricky as ever. The installable file system feature that briefly debuted in version 4.01 has vanished. DOS dynamic link libraries—widely proposed as a way to deliver optional extra features on demand without increasing the size of the base operating system—never materialized. You can’t use Unix-style wild cards. There’s no enhanced or new support for serial devices, tape drives, optical disk drives, or printers, although 2.88-megabyte floppy disk drives are now supported. DOS remains nonreentrant. The INT13 interface hasn’t changed, so DOS still doesn’t know what to do with disks that have more than 1024 cylinders.

Wishes That Did Come True

Relax, there’s plenty of good news. Memory relief tops the list. The kernel has shrunk back down to its pre-DOS 4.0 size, which helps a little, and it will load up in the high memory area (the “A20 wraparound segment” just above the 1-MB boundary), which helps enormously. Virtually all new PCs, and many older ones, can now boost about 40 kilobytes of DOS code (and buffers) out of the precious 640-KB reservoir, thereby achieving a program workspace on the order of 620 KB. Of course, 8088s, lacking extended memory, miss out on this treat. For the rest of the 80x86 family, it’s a wonderful free lunch.

Next on the list comes upper-memory-block management. Version 5.0 includes tools that are equivalent to QEMM-386




and 386Max, so 386/486 users can oust device drivers and TSRs from conventional RAM. The revamped EMM386 .EXE (formerly EMM386.SYS), now a VCPi-compliant EMS emulator, can convert extended memory to UMBs. New DEVICELHIGH and LOADHIGH commands stuff device drivers and TSRs, respectively, into these upper regions. You are already a QEMM-386 or 386Max user? Fear not. Their UMB providers and high-loaders will work with DOS 5.0, no questions asked. But if you operate 386 or better hardware and haven't yet ventured into the weird, wonderful world of post-modern DOS memory management, version 5.0 can be your ticket.

Remember the DOS 4.0 shell? It has taken a detour through Windows and has emerged as a rather useful file manager/program manager/task swapper (see the photo). The file manager—like others of its genre—presents accordion views of the disk hierarchy and supports application-linked documents, drag-and-drop, and mouse-driven copy, move, and delete operations. The program manager, as in Windows and Presentation Manager, offers an alternate view of the machine: not a tree of directories, but a collection of activities supported by groups of programs.

It's the task swapper, though, that really makes the shell. Techno-snobs hate to admit it, but many DOS users don't need true multitasking. They do, however, want to toggle between Lotus 1-2-3 and WordPerfect, or Quattro and dBase. For these users, Windows- or Desqview-style gymnastics can be overkill. Simple task switching may be the appropriate technology. The DOS 5.0 task swapper lacks some of the features of third-party switchers such as Software Carousel. It's disk-oriented rather than RAM-oriented and doesn't cut and paste between sessions. But it gets the job done, and even the rudimentary task switching it offers can make the vanilla DOS environment much more productive.

DOS 5.0 supports large disk partitions (up to 2 gigabytes) directly, without asking you to load SHARE.EXE, as DOS 4.0 did. You're a DOS 3.x user with Disk Manager- or SpeedStor-owned partitions? No problem; install the new version of DMDRVR.BIN or SSTOR.SYS (these come with DOS 5.0), and you'll be on your way.

What about networks? Either the existing drivers plug and play or, as with Net-



The DOS 5.0 shell, which runs in text mode (shown here) or graphics mode, features file and program managers that resemble their Windows counterparts.

Ware and LAN Manager, new ones come in the box. Contrast that with the release of Windows 3.0, when users scrambled to Novell's CompuServe forum for an updated NetWare shell. Microsoft worked closely with thousands of users and dozens of hardware and software vendors for well over a year to make the upgrade to DOS 5.0 painless and hassle-free. The effort paid off. Value-added resellers, consultants, and others who frequently install or upgrade DOS will find the result worth the wait. In addition to a vastly improved manual, which discusses optimization and tuning, several invaluable README files address a variety of specific hardware and software compatibility issues.

New and Improved Commands

DOS commands, both internal and external, now respond to the /? argument with a blurb of description. Not a radical new concept, I'll admit, but a welcome change for traditionally user-hostile DOS. I toured our building and found three or four PCs with yellow stick-on notes documenting the FORMAT command. Good riddance to that embarrassing practice.

FORMAT, by the way, now supports "quick" formatting of previously formatted disks. If you specify /q, FORMAT zeros out the FAT and the directory, but it leaves the data intact—a big time-saver when you're reusing disks that are in good condition. Moreover, if space permits, FORMAT /q saves the original FAT and root directory elsewhere on the disk

so that you can UNFORMAT it. UNFORMAT is a utility that Microsoft licensed from Central Point Software. There are two others.

MIRROR, a TSR, establishes a *deletion-tracking* file (MIRROR.FIL) that records information used by the companion UNDELETE tool. UNDELETE can recover a file whose sectors haven't been recycled. If no MIRROR.FIL exists, UNDELETE (like the Norton undelete tool) snoops the DOS directory and prompts you for the missing first character of each deleted filename. If MIRROR was active, there is no guesswork: the UNDELETE tool grabs complete names from MIRROR.FIL. UNFORMAT uses a hidden

THE FACTS

MS-DOS 5.0
\$99.95 (retail upgrade)

Requirements:
DOS 2.11 or higher, at least 512 KB of RAM, and at least 2.8 MB of free disk space if installing on a hard disk drive.

Microsoft Corp.
1 Microsoft Way
Redmond, WA 98052
(800) 426-9400
(206) 882-8080
fax: (206) 883-8101
Circle 1173 on Inquiry Card.

DR Stays a Step Ahead

Jim Hansen

Digital Research's Multiuser DOS is the first multiuser operating system to reach the marketplace that gives PC users Unix-like performance and file security. Capable of supporting up to 16 concurrent users on 386 and 486 computer systems, it is an operating system that will appeal to small businesses and power users alike.

Installation of Multiuser DOS is smooth and easy. It coexists (in a private directory) with any existing operating system, leaving all your files and your previous operating system intact. Once it's installed, a prompt allows selection of DR Multiuser DOS or any other operating system after a system reset. You must install the copy-protection dongle before you can bring up Multiuser DOS or store files on it. This feature also helps secure your data by letting you remove the dongle and disable the system.

Multiuser DOS can be a cost-effective alternative to networking for many small businesses. Taking the place of the network file server, a medium- to high-performance 386 computer can be used as the host system and supervisor's computer with as many as seven Wyse-compatible terminals connected via a relatively inexpensive serial-port card. An emulator program that is supplied with Multiuser DOS lets you use any vintage PC as a terminal. Ordinary telephone-type cable connects the terminals

to the host computer.

Multiuser DOS can also serve as a single-user system, where each user partition is used to run an independent program or additional copies of the same program. Unlike programs that suspend and save programs to disk or memory buffers when they aren't on-screen, such as Software Carousel, Multiuser DOS executes all active programs on a time-shared basis, whether or not they're in the partition currently shown on-screen. Jumping between partitions is as simple as typing a control-partition number on the numeric keypad. This takes about the same time as refreshing the screen.

A few limitations to Multiuser DOS include serial support for only COM0 and COM1, leaving you in the lurch if you have modem and fax boards assigned to COM2 or COM3. Mouse support is for only Logitech and Microsoft serial mice, and no bus mouse support is available. A particular annoyance is the way the system spooler operates: Output to the system printer is not started until an application program finishes output to the spooler, thus lengthening the time it takes to get a printed copy.

Multiuser DOS is a serious, large, and competent multiuser environment. It provides all the software tools and system resources necessary to manage large-scale system security and resources, but it can't do it for you. As op-

erating systems become more complex, PC coordinators, supervisors, and power users will have to spend more time managing and maintaining their systems...just as mainframe folks have been doing all along.

Jim Hansen is director of engineering at Digi Test Corp. in Amherst, New Hampshire. He can be reached on BIX c/o "editors."

THE FACTS

DR Multiuser DOS \$695

Requirements:

A 386- or 486-based PC, PS/2, or compatible with a hard disk drive and at least 4 MB of RAM. In a multiuser environment, a serial port and a terminal (or a PC emulating a terminal) are required for each user.

Digital Research, Inc.

Box DRI

70 Garden Court
Monterey, CA 93942

(800) 443-4200

(408) 649-3896

fax: (408) 646-6248

Circle 1174 on Inquiry Card.

MIRROR.FIL written by FORMAT/q to recover the root files and directories of an accidentally formatted disk. If you've run MIRROR with the /partn switch, which saves a hard disk's partition table, you can also use UNFORMAT to recover from even more serious trouble.

A number of shareware utilities emulate the Unix shell's command-history and alias capabilities. Finally, DOS itself does so. A small TSR, DOSKEY, maintains a scrollable list of commands, recalls and completes partially typed commands, and supports aliases (macros)

with replaceable parameters.

DIR wins my "most improved DOS command" award. You can now include (or exclude) files matching specified attributes; do an ascending or descending sort by name, extension, size, or date; and display names in lowercase. DIR will traverse subtrees if you specify the /s option, and you can use the DIRCMD environment variable to save your favorite configuration of DIR switches.

EDLIN hasn't gone away, but you'll probably prefer the new EDIT. It's a basic full-screen editor—pun intended, since

EDIT.COM just launches the editor embedded in QBASIC.EXE, a QuickBASIC derivative that comes with DOS 5.0. QBASIC is a throwaway: It has QuickBASIC's hypertextual help, syntax- and module-oriented editing, and a debugger, but it compiles only to memory. Like the venerable GWBASIC, it will rarely be the tool of choice, yet, in a pinch, it can be extremely handy. QBASIC's mouse-sensitive editor makes a nice replacement for EDLIN, and one of the QBASIC demonstration programs, in which gorillas lob exploding bananas, rates a chuckle.

continued



The most basic instinct is not just to build, but to build the best.

Among children, being the best is friendly competition. But among companies, being the best decides critical issues.

Issues such as who will have jobs and who won't. And which companies will survive and which will not.

On a global scale, it even influences which nations will grow economically stronger, and which will stagnate.

With so much at stake, five years ago CalComp initiated a program to assure that our products would be the best and that our employees and factories would be world-class competitive. Now, we can tell you that the program is a success.

Today, CalComp cost-effectively produces the highest quality plotters, printers, digitizers and display systems made anywhere in the world.



In fact, our products are so competitive that half our sales are outside the USA, in the home markets of many of our toughest competitors.

That has favorable balance of trade implications because for every \$1 of components we import, we export \$5.25 in complete, value-added, finished product.

At the customer level, CalComp quality means world-class performance

and commitments to match, with such industry firsts as a 3-year warranty for our new Pacesetter™ plotters, lifetime warranties on our digitizers and a Spare-In-The-Air™ program for our display systems.

So don't ever wonder where in the world the best plotters, printers, digitizers and display systems are made. The answer is here, in America, by CalComp.

To find out more about CalComp's world-class products, call 800-932-1212.

**We draw on
your imagination.™**

CalComp
A Lockheed Company

© 1991 CalComp, Inc. CalComp, P.O. Box 3250 Anaheim, CA 92803. Pacesetter, Spare-In-The-Air and We draw on your imagination are trademarks of CalComp, Inc.

Circle 49 on Inquiry Card (RESELLERS: 50).
World Radio History



**Increased sales.
Increased margins.
Reduced costs.**

The answer to the biggest sourcing and selling hangups in the industry!

Your sales messages and product information could be just a **local telephone call** away from hundreds of thousands of computer and electronics businesses in any of 85 countries world-wide. Place your **new product** information on the network – and let the network spread the word. Our category and free-form text databases are very quick and easy to use, so you can put **your full catalog details** on the network. You can even **buy and sell on the system** via the Tradelink – which works for you 24 hours, 365 days – giving your business a world-wide shop window. A limited number of Tradelink shops are still available – the rent is just \$50 per month. Sell and get paid for your products instantly. And there's no faster way to deliver your software! You can even broadcast long distance Email and fax (with graphics) at local-call rates!

Call your Telephone Company for details of your local pss or Tymnet number, set your modem to 2400N81, dial the number, and enter the User-id: INFOINDEX PASSWORD: IINDEXED, and follow the instructions. If you have an ANSI screen, please use it. Subscriptions in the USA and Europe are free for a limited time only. Just \$36 buys you one hour of connect time. See if you like us – free sample time is available on London (44)71 224 9791 2400N81 - 9600N81. For a brochure, call or fax

THE INDUSTRIAL INFORMATION INDEX

PO Box 2247 London NW1 6BR
Voice tel. (44) 71 224 9990
fax (44) 71 706 0536

40 BYTE • JULY 1991

NEWS

FIRST IMPRESSIONS

Taking the Plunge

I first installed DOS 5.0 on my own 4-MB 386, which had been running DOS 4.01 and Windows 3.0. The SETUP program began by saving my existing DOS to an "uninstall" disk and an archive directory—a nice bit of software etiquette. Then it rattled through the floppy disks, decompressing files and moving them to C:\DOS. I copied over NET5.COM, rebooted, and sailed smoothly along. QEMM-386 still worked its magic, Windows was happy, and I'd gained 40 KB for DOS (and DOS-under-Windows) programs, thanks to a new CONFIG.SYS command (DOS=HIGH) SETUP tacked on for me.

What if you don't already own QEMM-386 or 386Max? There is no DOS 5.0 equivalent to Quarterdeck's OPTIMIZE or Qualitas's MAXIMIZE, so it's up to you to figure out how best to use your UMBs. Put on your propeller hat, fire up EDIT, and experiment. EMM386 takes a more conservative approach than its competitors, but when you tell it explicitly to include all eligible regions, it obliges. Note, however, that the DOS 5.0 high-loading commands work a bit differently than their Quarterdeck/Qualitas counterparts.

DOS=HIGH instructs DOS to allocate for itself the UMBs that are produced by EMM386 (or another provider). LOADHIGH and DEVICEHIGH thus work through, rather than around, DOS. Moreover, any DOS 5.0-aware application can ask for UMB space by way of an extension to INT 21 function 58 hexadecimal (Get/Set Allocation Strategy). I like this approach. Regularizing access to UMBs won't change the world, but it's a step in the right direction.

I've run DOS 5.0 for several months with no compatibility problems—and my machine sees an awful lot of new and exotic software. I've also gotten good results on a variety of other 386, 286, and 8088 PCs.

DOS 5.0 looks like a good all-in-one solution for a group of 2-MB 386s that need to run XyWrite, FoxPro, and Procomm. The users of these machines, relative PC neophytes, seem to like the task-switching shell. With DOS, network drivers, SmartDrive (now included with DOS), and MOUSE.SYS loaded high, and the swapper enabled, each task gets 550 KB of conventional RAM. FoxPro, with 0.75 MB of extended memory to play with, is deliriously happy. (On one machine, a 2-MB 286 that can't convert its extended memory to expanded memory, I gave the extra RAM to RAMDRIVE

.SYS. If you set the TEMP environment variable to a RAM drive, the shell will swap much faster.)

There is one glitch: You can't switch away from Procomm, which in this application talks to an X.25 host by way of Eicon's ITI.SYS. However, DOS 5.0 does define a task-switcher application programming interface that Eicon—and other vendors of DOS communications software—plans to support. The new API resembles Software Carousel's Open Link Extender. An application that subscribes to it will be able to maintain, or at least gracefully suspend, its session with a host.

The only failure I ran into—GeoWorks wouldn't run under DOS 5.0 on my father's 8088-based Zenith—turned out to be a false alarm. As the lengthy and very informative README.TXT explains, some programs needlessly tie themselves to specific versions of DOS. An intriguing new DOS 5.0 device driver and command, SETVER, can satisfy such programs' spurious version checks. After I typed SETVER GEOS.EXE 4.01 and rebooted, GeoWorks behaved properly. DOS 5.0 automatically installs the SETVER driver, along with a table of phony version numbers that you can extend by means of the SETVER command. Incidentally, conspiracy theorists who charge Microsoft with systems/applications collusion should note that the default SETVER table includes entries for Word for Windows and Excel.

The Lowest Common Denominator

Little in DOS 5.0 is new. Products from Digital Research (DR DOS), SoftLogic Solutions (Software Carousel), Quarterdeck, Qualitas, and others, used in combination, have for some time delivered nearly all DOS 5.0's key features. Cynics complain that Microsoft has followed, not led, the crowd. I take a more generous view. DOS 5.0 raises the lowest common denominator, and that is enormously useful.

As an integrator, I like getting all the tools I need in one package, and if that package propagates widely, my job gets much easier. While I'd hoped this version would be the promised high-tech DOS, and am bitterly disappointed that Microsoft didn't put in a more sophisticated command processor/batch language such as 4DOS, on balance I rate DOS 5.0 a solid success. ■

Jon Udell, a BYTE senior editor at large, administers the BYTE editorial LAN. He can be reached on BIX as "judell."

RISC FREE!

Free i860™ Processor and i860/APX Software!


By now, you've probably heard about our industry-first 4860™ MotherBoard that packs the power of the Intel 80486 CPU with the Intel 80860 RISC processor (i486™ + i860 = 4860).

What you haven't heard is that, for a limited time, when you buy a 4860 MotherBoard with 8MB of RAM, Hauppauge will give you an i860 RISC processor and the i860/APX operating system at no additional cost.

Why give you this capability? Because you'll enjoy a level of processor performance never before seen in a PC. Our bet is that you'll be so impressed, you'll come back for more!

A PC Revolution: In the PC environment, the 4860 is a 486-based MotherBoard with the new EISA I/O bus. It runs over 2 times faster than 386 computers and delivers mainframe power for applications including CAD, LAN and desktop publishing. This board is fully compatible with DOS, IBM's OS/2, Novell Netware and SCO UNIX. What's more, Hauppauge's 4860 supports up to 64 MBytes of memory *without* a RAM expansion board.

RISC-Y Business: The i860 processor is ideal in complex applications, performing up to 25 million floating-point operations per second. It adds to the power of the 486, so you can run rings around ordinary PCs.



By adapting Intel's APX (Attached Processor Executive) software to our 4860 MotherBoard, we've created a way to exploit the power of the i860 to give you *practical* multiprocessing. In fact, i860/APX

provides a base for entirely new applications made possible by the advent of the i860 RISC processor.

Technical Features: 25 or 33MHZ
486/860 - 4 Mbytes of high speed RAM expandable to 64 Mbytes shared between i486 and i860 processors
• Socket for optional Intel Turbo Cache 485™ and Weitek 4167 - 7 EISA I/O slots - 64-bit expansion slot for optional high-speed graphic frame buffer - 1 parallel, 2 serial ports and a built-in PS/2-style mouse port.

Enjoy a RISC-free investment. Our 4860 MotherBoard is designed with the world's highest performing microprocessors. So you can have the world's highest performing PCs and workstations.

For more information, call 1-800-443-6284.

Hauppauge Computer Works, Inc.
91 Cabot Court
Hauppauge, New York 11788
Telephone: 516-434-1600
Fax: 516-434-3198
In Europe (49) 2161-17063
In Australia: (7) 262-3122

Hauppauge!

Available at your local computer dealer.

See us at PC Expo, Booth 1628

Trademarks: OS/2: IBM • Intel 386, i486, i860 and Turbo Cache 485™: Intel Corp. • DOS and Xenix: Microsoft Corp. • 4860, 4860 MotherBoard: Hauppauge

Circle 123 on Inquiry Card.

World Radio History

EEF

ELEX ELECTRONIC FILING - THE DOCUMENT IMAGING SYSTEM

The ELEX Electronic Filing System (EEF) is a hardware/software system designed to reduce the frightening volumes of documents that burden businesses on a daily basis. As paper is eliminated, transactions are made in a fraction of the time required by traditional means, costly storage facilities are reduced, data security and integrity is enhanced, and work quality and quantity is increased. These factors all give companies and individuals the competitive advantage they need to excel in the business environment of the 90's.

Filing vs. Archiving

Document image processing is a new technology which has just begun to evolve. The myriad of hardware devices on the market, and the lack of an industry standard protocol for communicating between them, make the integration of an electronic filing system a formidable task. And without an intelligent software to control all aspects of the storage, management, and retrieval of documents, the filing system will be nothing more than a micro-fiche machine in disguise.

With these considerations in mind, EEF was designed as a turn-key solution which relieves the clients of all the intricacies involved in integrating a truly functional electronic filing system. Its flexible design allows continuous and smooth upgrade as the users needs grow and change.

Open Architecture

EEF is designed as a totally open architecture system. Rather than being a closed package, EEF is composed of building blocks defined by their area of electronic filing functionality. These blocks are not bound to specific hardware/software limitations. As such, they can be combined in a variety of

forms on each of the following operating platforms, to achieve optimal satisfaction of an application's specific demands:

- A single user workstation under the DOS or the OS/2 operating system.
- A local area network - Novell NetWare 286 and higher or any MS DOS compatible network.
- A host computer under the UNIX, VAX/VMS or IBM AS/400 system with a PC connection.

EEF

Input
Scanner, Fax, Word Processing, OCR, Host Computer, Etc.
Processing
Document Manager, Retrieval Engine, Hyper-Media, 5GL Image Database Application Generator
Output
Printer, Plotter, High Res. Display, Fax, Host Computer

EEF Applications

The EEF system opens a vast new world of opportunities for you. The possible applications are limitless, and to name a few:

- Automatic Fax Routing
- Work Flow Management
- Banking Signature Verification
- Medical Records Management
- Legal Case Management
- Personnel/Human Resource System
- Insurance Claims Management
- Mortgage/Loan Management
- Contract Management
- Engineering Department

EEF Entry System

For prospective clients wishing to step ahead with Document Imaging solution, we propose an Entry System, encompassing in one package the full range of functions necessary for implementing electronic filing.

The system components are:

Hardware

- Intel workstation with 386 CPU, 8 MB RAM, 500 MB Hard Disk with Disk Caching controller.
- Reflections 1GB Multi-function Optical drive.
- Fujitsu 3096E 400 DPI, 20 PPM scanner with 50 sheets ADF.
- HP Laser Jet III 300 DPI, 8 PPM printer.
- 19" High-resolution (1664x1200) CRT display.
- Hardware compression, image manipulation and video printing technologies.

Software

The EEF software license including:

- 5 GL Document Imaging Solution Generator for quick implementation of filing problems.
- Generic Work Flow Data and Image management system.
- 20 Hours of Prototyping and Application Support Services.

Total cost for the complete Entry system is US \$35,000.

EEF Implementation

Fax your specifications and we will prototype your application within weeks, to demonstrate the ease of development with EEF's 5GL Document Imaging Solution Generator.

ELEX INFORMATION SYSTEMS


USA: 125-127 North 4th Street Philadelphia, PA 19106 USA Tel 215/627-7202 Fax 215/627-2342
EUROPE: 65, Rue de Lausanne 1202 Geneva Switzerland Tel + 41-22-738.11.88 Fax + 41-22-738.11.90

Trademarks: DOS, OS/2, Microsoft Corp; NetWare, Novell, Inc.; UNIX, SCO Corp; AS/400, IBM Corp; VAX/VMS, Digital Equip. Corp.

Circle 101 on Inquiry Card.

Northgate Slides into CEG

DAVID ANDREWS



Northgate's new SlimLine lets you choose which chips you want included in your system

You make your choice and hope that you'll get the most bang for your buck. You also hope that you don't get burned.

Fortunately, Northgate makes the decision easier with its SlimLine SP (Scalable Processor) ISA system. Every SlimLine has the same motherboard design. When you order the machine, however, you get to pick which of the above microprocessors you want included in the system. If you want to upgrade later, you just remove the old CPU module and insert a new one. This modular design isn't anything earthshaking; other manufacturers offer upgrade paths in their modular systems. But when you open up the SlimLine and look at the motherboard, you'll find an Edsun CEG/DAC (Continuous Edge Graphics, D/A converter) chip, which provides superb antialiasing and up to 790,000 colors simultaneously on a standard VGA monitor.

With another chip war brewing, it's getting harder than ever to avoid that look-over-your-shoulder feeling when it's time to buy a new PC. Should you get a system based on an AMD 40-MHz 386 or an Intel 20-MHz 486SX? 25- or 33-MHz 386? 25- or 33-MHz 486? While it's great to have these choices, it's almost like being in the middle of a fireworks stand when you're allowed to buy only one bottle rocket:

Northgate will also make the Edsun chip available as an option if you buy a PC from the company's Elegance SP line of systems. At press time, these systems were still in the early prototype stages and thus not ready for evaluation. By the time you read this, both the desktop and tower modules should be Class B-approved and certified by the FCC. Northgate says that the desktop and upright versions of the Elegance PCs will also share a common motherboard. Thus, Northgate will have to support only two motherboards. Presumably, the company will pass its production and support savings along to its customers.

Preliminary figures from Northgate indicate that you will be able to upgrade from a 33-MHz 386 module to a 33-MHz 486 module for just \$999 (plus the return of the module). This upgrade price is hundreds of dollars less than that of similar upgrades from other manufacturers.

While all the upgrade prices were not yet available, Northgate said that a base 33-MHz 386 module with 2 megabytes of RAM, one floppy disk drive, a keyboard, Super VGA on the motherboard, DOS, a mouse, and Windows (without a hard disk drive, monitor, or processor module) will cost \$1899. A fully configured 33-MHz 386 system with 8 MB of RAM, a 200-MB hard disk drive, a mouse, a Super VGA adapter and monitor, DOS, and Windows will cost \$4499.

Memory Cards Need Not Apply

The first thing you'll notice about the SlimLine is its 4¼-inch height. Northgate achieves this low profile with a card tree that lets you add expansion boards horizontally instead of vertically. When you order a SlimLine, you don't specify just the CPU: You also specify how much RAM you want on the motherboard. You can get from 1 MB to 32 MB of fast-page-mode RAM on the motherboard via SIMMs (up to 64 MB on the Elegance systems). In this way, Northgate eliminates the need for memory cards, although the system does support add-in memory.

When you remove the case, you'll see five expansion slots in the card tree: three full-length 16-bit slots and two half-length 8-bit slots. The card tree is solid and bends reluctantly under pressure. In fact, the entire base of the system seemed solid and didn't have a tendency to sway.

Along with the 32-bit DRAM on the motherboard, Northgate integrates two

PRELIMINARY BYTE BENCHMARK SCORES

For each test, the SlimLine had a 64-KB direct-mapped cache installed. Test results are indexed; for each index, an 8-MHz IBM AT = 1. Higher numbers indicate better performance. N/A = not applicable.

	CPU	Disk I/O	Video	FPU
SlimLine with Intel 33-MHz 386	4.50	2.88	7.44	N/A
SlimLine with AMD 40-MHz 386	5.41	2.92	9.72	N/A
SlimLine with Intel 25-MHz 486	5.15	2.51	16.30	24.88
Tandy 4033LX (33-MHz 386) ¹	3.10	2.49	5.41	N/A
Compaq Deskpro 486/25 ¹	6.40	3.80	16.20	24.80
Gateway 486/25 ¹	6.60	3.50	18.80	24.70
Club American Eagle Series 3/40 ²	5.41	2.76	8.04	N/A

¹ For comparison only.

² The Club American numbers are also based on tests performed on a preliminary unit with an AMD 386 CPU.

serial ports and a parallel port. Other specifications include an integrated 16-bit Super VGA adapter with up to 1024-by-768-pixel resolution, 512 kilobytes of video RAM, an Intelligent Drive Electronics hard disk drive interface, support for a 387 or Weitek coprocessor, and a 150-watt power supply. American Megatrends manufactured the BIOS in the unit I used, but this is subject to change. Overall, the system measures 4¼ by 16½ by 16½ inches.

The unit I looked at also had 4 MB of installed RAM, a 64-KB direct-mapped cache (expandable to 256 KB), two floppy disk drives, a Panasonic PanaSync C1381 Super VGA monitor, a 200-MB hard disk drive, three separate CPU modules, and a mouse. You can easily swap the individual CPU modules. It takes a slight tug to free the board, but not much more. Once in place, the CPU modules connect solid-

ly to the rest of the system.

The three CPU modules of the SlimLine posted respectable results in the BYTE benchmarks (see the table). With the AMD 386 CPU module, the SlimLine posted slightly better numbers than did the Club American Eagle Series 3/40 in its preliminary tests (see "The 486SX Falls Short," June BYTE). Other CPU modules (e.g., the 20-MHz 486SX) were not available for testing. The SlimLine unit I used came with a standard Omni-Key/102 keyboard. There's not much to say about that, except that Northgate has not lost its knack for making a solid keyboard with just the right touch.

CEG: It's Like the Fourth of July

The effect that CEG can have on an image is simply amazing, but not without its caveats. Rob Ryks, vice president of R&D at Northgate, said that many people seem to

think that the CEG chip will accelerate your application. In fact, some applications using CEG drivers may experience a slight increase in display execution time. The CEG chip isn't yet being used in real-time animation.

What the chip does provide is realistic rendering on a standard VGA display. Using Edsun's CEG algorithms, the chip smoothes pixels on the screen and blends colors to eliminate the stair-step effect.

The CEG chip can blend VGA's palette of 256 colors into 700,000 shades.

As of this writing, CEG drivers were available for a limited number of applications (e.g., Lotus 1-2-3 release 2.x, AutoCAD, most Windows 3.0 applications, and for viewing still TARGA images). The benefits of CEG will really pay off when Edsun drivers are available for font technologies such as FaceLift and TrueType.


If your application has a CEG driver, the chip automatically detects it. If your application doesn't have a CEG driver, the chip is disabled by default, and you don't even know it's there. You can toggle between CEG and standard VGA in CEG-supported applications.

With its built-in color-mixing engine, the CEG/DAC chip can blend VGA's palette of 256 colors into more than 700,000 shades. It also provides a perceived resolution of 1024 by 768 pixels in a normal 640-by-480-pixel screen. Basically, if your application supports CEG, you're getting workstation-quality images on standard VGA, without having to take out a second mortgage.



Where There's an NCR Cash Register, There's Help

In a new agreement, NCR has agreed to provide field service for Northgate computers in the U.S. At press time, the

A look inside the SlimLine system reveals the Edsun CEG/DAC chip at the lower left and the sturdy card tree at the right.



A MAP FOR ALL REASONS...



Most business people still view maps as a tool used only for planning things like an RV vacation, or teaching geography to the kids. At Strategic Mapping™ we're helping businesses use maps to enhance their information systems. By linking maps to a database or spreadsheet on a personal computer, we've taken the classic model of an atlas into the 21st century. Now, over 20,000 companies – including many of the Fortune 500 – are using our ATLAS★ Software to help make critical business decisions for a multitude of reasons.

Target Marketing – Companies such as General Foods, Prudential Insurance and American Express are leveraging their sales and marketing program dollars with ATLAS★ Software by focusing on the right customers – in all the right locations.

Sales Territory Management – Sony, 3M and Eastman Kodak use

ATLAS★ Software to manage their sales territories more efficiently – maximizing profits.

Site Selection – Citibank, Kaiser-Permanente, and Pizza Hut are taking the guesswork out of selecting new business locations by using ATLAS★ Software.

Distribution Planning – Federal Express, Miller Brewing and Coca-Cola are radically improving productivity and efficiency with ATLAS★ Software – making certain that deliveries are on time, and on budget.

Research shows that 85% of business databases contain critical location based information, yet most businesses fail to view their information geographically. With ATLAS★ Software, you can visualize your database, and even print high quality map graphics and database reports – adding sizzle to your presentations.

Other PC software programs use maps to display data, but only Strategic Mapping, Inc. provides the combination of power, ease of use and affordability that has made us the leader in desktop mapping since 1984.

Call us today for a free information kit and demo disk. You'll see why we were rated #1 by *PC Week* – and why *MacUser* gave us their 5 mice rating.

CALL: 408/985-7400
FAX: 408/985-0859

Strategic Mapping, Inc.
4030 Moorpark Ave., Suite 250
San Jose, CA 95117


Strategic Mapping is a registered trademark of Strategic Mapping, Inc. ATLAS★ Software is a trademark of Strategic Mapping, Inc. ©1991 Strategic Mapping, Inc. All rights reserved.

Circle 271 on Inquiry Card.



Hassle-Free Printer Sharing

for the HP LaserJet II, IID, III and IIID



"The ServerJet is the smoothest and most practical way I know to share a LaserJet."

Frank J. Dertler, Editor
PC Magazine, 1/15/91

Here's how you and your co-workers can have your own HP LaserJets without breaking the corporate budget.

It's called **SimplAN ServerJet**.

Simply plug the *ServerJet* into the 'Optional I/O' slot of your HP LaserJet. Stretch phone cable, up to hundreds of feet, to each computer. Then, 12 people can simultaneously *whoosshh* documents to the LaserJet at speeds as fast as 115,200 baud.

No more wandering down the hall with floppy in hand.

Or borrowing someone else's LaserJet.

Or wasting time waiting to print.

The *ServerJet* is available in a variety of models with up to 4MB of buffer memory. And because your office may have printers other than HP LaserJets, ASP Computer Products offers a complete line of printer sharing solutions.

To order your *ServerJet* or for more information call ASP at:

800-445-6190



ASP COMPUTER PRODUCTS, INC.

1026 W. Maude Avenue, Suite 305
Sunnyvale, California 94086
Phone: 408-746-2965 • Fax: 408-746-2803

SimplAN & ServerJet are trademarks of ASP Computer Products, Inc. / HP LaserJet is a registered trademark of Hewlett-Packard Co.

NEWS

FIRST IMPRESSIONS

companies were working on a similar agreement covering other countries.

What does this agreement mean if you buy a SlimLine or Elegance PC? According to Northgate, it means that if the town you live in has a grocery store, it should also have an NCR service center nearby. That's because, in addition to fixing PCs, NCR service personnel are responsible for fixing its cash registers, which are used in many businesses. NCR has more than 400 service centers and over 5000 field-service personnel in the U.S. Northgate says that, for major accounts, it will offer a response to a service call in as little as 4 hours.

Northgate also offers 24-hour phone technical support. Just for fun, I called the number at 4:30 a.m. EST with a few questions. The technical people were friendly and helpful.

Decisions: Who Needs Them?

While the competition between AMD and Intel is bound to confuse buyers, in the end it will result in more power at lower prices. It will be interesting to watch what will amount to a tennis match as the two chip-making rivals exchange volleys in the PC marketplace.

Meanwhile, manufacturers like Northgate that make solid, affordable, and, most important, expandable PCs will let you sit back and enjoy the game even more. It's a lot easier to make a purchase decision when you know you can't go wrong. ■

David Andrews is a BYTE associate news editor. You can reach him on BIX as "dave.news."

THE FACTS

NorthGate SlimLine SP

\$1899

CPU modules: 386/25,
\$300; 386/33, \$600; 386/40,
\$900; 486/20, available in
late summer; 486/33, \$1400


Northgate Computer
Systems, Inc.
Northgate Park
7075 Flying Cloud Dr.
Eden Prairie, MN 55344
(800) 548-1993
(612) 943-8181
fax: (612) 943-8331

Circle 1172 on Inquiry Card.

PC MAGAZINE
EDITORS' CHOICE AWARD

IDEK

IDEK — THE FIRST COMPLETE FAMILY OF FST COLOR MONITORS



March 26, 1991
Idek MF-5117

IDEK's MULTIFLAT Series of 17-Inch Color Monitors

IDEK's MULTIFLAT Series of 17-inch Color Monitors take full advantage of the remarkable properties of their Flat Square Tubes (FST) to deliver superior resolution and a sharper image that is easier on your eyes. A glimpse at our 17" Color Monitors reveals their matchless over-scanning capability that delivers a crisp, distortion-free display across the entire screen.

In addition, Automatic Frequency Scanning realizes outstanding performance for business graphics, CAD/CAM applications as well as desktop publishing on your Mac or IBM compatible system.

As you can see below, whether your requirements are simple or complex, IDEK has the Flat Screen Color Monitor that's just right for you. And priced right, too! See for yourself what a difference a Flat Screen Monitor from IDEK can make.

MULTIFLAT Series (17" Flat CRT Monitors)

Model	H. Frequency	Dot	Resolution
MF-5117	20 to 50kHz	0.28	1024 × 768
MF-5217	30 to 57kHz	0.28	1024 × 768
MF-5317 (Coming soon)	30 to 80kHz	0.28	1280 × 1280

MULTIFLAT Series (21" Flat CRT Monitors)

Model	H. Frequency	Dot	Resolution
MF-5021	15 to 38kHz	0.31	1024 × 768
MF-5121	21 to 50kHz	0.31	1024 × 768
MF-5221	30 to 80kHz	0.31	1280 × 1280
MF-5321 (A.R.Panel)	30 to 80kHz	0.31	1280 × 1280
MF-5421 (A.R.Panel)	30 to 80kHz	0.26	1600 × 1280

IDEK also offers its MULTIFLAT Series of 21-inch Flat Screen Color Monitors that deliver the same superior resolution and performance as the other members of the IDEK lineup.



IDEK
Iiyama

IIYAMA ELECTRIC CO., LTD.

Overseas Division

7th Fl., US Hanzomon Bldg., 2-13, Hayabusa-cho, Chiyoda-ku
Tokyo 102, Japan
Phone: (81) 3-3265-6081 Fax: (81) 3-3265-6083

IDEK Europe (Germany)

Neumannstrasse 38, 6000 Frankfurt a.M. 50, Germany
Phone: (49) 69-521 922 Fax: (49) 69-521 927

IIYAMA North America Inc

650 Louis Drive, Suite 120, Warminster, PA 18974 U.S.A.
Phone: (1) 215-957-6543 Fax: (1) 215-957-6551

Circle 135 on Inquiry Card.

DiskPaper Works with Virtual Documents


Wouldn't it be great to use E-mail's fast-as-light capability to send an ad-campaign proposal (complete with color images and special typefaces) to a company? Or to electronically submit a portfolio of artwork to a potential employer? Or to transmit a newsletter (complete with masthead and charts) to subscribers? With Farallon Computing's **DiskPaper 1.0**, you can.

DiskPaper is a Mac utility that lets you create virtual documents whose visual fidelity closely matches the original document. This virtual document can be a file that requires the DiskPaper reader or a self-extracting application with the reader built in. DiskPaper accomplishes this seamless transformation by posing as a printer driver. You simply issue the application's Print command and set some controls on the Printer dialog boxes that appear, and DiskPaper creates a file with print images of the document.

You can select the degree to which DiskPaper duplicates the original file. You can allow text only, letting DiskPaper substitute for any missing fonts, or you can create 72-dot-per-inch page bit maps, so that the file retains the document's pagination and format. If the original file contains 24-bit color images, you can dither them down to 8-bit images using a best-fit color palette (not just the default System palette). You can also save typeface information so that you can print a DiskPaper document. If size isn't a problem, you can add 300-dpi page images to the DiskPaper file for a QuickDraw printer or attach PostScript data for a PostScript printer.

With the appropriate equipment, you can add a brief voice message (the length depends on available memory) to the DiskPaper document. For most Macs, you'll need Farallon's SoundRecorder A/D converter unit and SoundDriver file to add sound to the file; for the Mac IIsi and LC, you simply use the supplied microphone and Farallon's built-in sound circuitry. You can also attach prerecorded sound files.

For sensitive information, you can add a password to the document. In this case, DiskPaper encrypts the virtual document's data to prevent a security breach by someone using a disk editor. To ship a portfolio or issue newsletters without losing control of the information, you disable



the ability to print the file or extract text and graphics from it.

Self-extracting documents require no licensing to distribute. Distributing the DiskPaper reader with files requires licensing, which can be by document (one document only, such as a manual) or by title (a CD-ROM containing multiple documents). Check with Farallon for licensing information.

I tried a beta version of DiskPaper on a Mac IIsi with 8 megabytes of RAM, running System 6.0.5 and equipped with a SuperMac Technology ColorCard/24 and a 13-inch monitor. I also tried it on a Mac IIsi with 5 MB of RAM running System 6.0.7 and equipped with a Radius TPD monitor. Creating a DiskPaper document was just a matter of selecting it in the Chooser and printing it. I printed a variety of files—QuarkXPress 3.0, PageMaker 4.0, FreeHand 3.0, and MacWrite II—with few problems.

The DiskPaper reader shows the document one page at a time, or it lets you use a thumbnail display to get an overview of the document. You can print the pages or zoom in to examine a graphic. If the text-extraction feature is enabled, you can save the document's text to a file or select a portion of text to copy to the Clipboard. Two tools—marquee and lasso—let you select rectangular or irregularly shaped

sections from a document's graphic. I was able to add sounds to the documents using a MacRecorder on the IIsi and a microphone on the IIsi.

DiskPaper lets businesses enhance the power and speed of communications to distribute information. You can send a time-critical document to an office, where it's dispatched over a network to people faster than using overnight mail, copying the pages, and handing the copies out. The utility is also valuable in cases where document fidelity is crucial.

—Tom Thompson

THE FACTS

DiskPaper 1.0
\$149

Requirements:
Mac Plus or higher with 1 MB of RAM and running System 6.0.2 or higher.

Farallon Computing, Inc.
2000 Powell St., Suite 600
Emeryville, CA 94608
(415) 596-9100
fax: (415) 596-9020
Circle 1170 on Inquiry Card.

WATCOM C8.0/386
Optimizing C Compiler and Tools
for 386 Extended DOS

WATCOM C/386
for Windows

Unleash 386 Power on Your Microsoft C Code.

- ❑ Interactive source-level debugger
- ❑ Generates high-performance code for 32-bit protected mode
- ❑ Microsoft source and library compatible
- ❑ Fast, tight code
- ❑ Profiler
- ❑ Protected-mode version of compiler
- ❑ Graphics library
- ❑ 100% ANSI C and SAA compatible
- ❑ Run-time compatible with WATCOM FORTRAN 77/386

Experts Agree on WATCOM C:

"When Novell went looking for a 32-bit compiler for use with the NetWare 386 developer's kit, the company selected WATCOM's...It's clear that Novell chose wisely; this product is a winner."

Fred Hommel, BYTE, December 1989

"WATCOM C/386 is a fantastic new ANSI C compatible compiler for 386-based PC's...If you have written your application in Microsoft C, you will love this compiler."

J. Richard Hines, Electronic Test, December 1989

"Microsoft library- and source-compatibility makes WATCOM C7.0/386 ideal for porting DOS applications to 32-bit native mode. This compiler enables full 386 performance without 640K limitations."

Richard M. Smith, President, Phar Lap Software, Inc.

"WATCOM is definitely the leader in object-level optimizations...For flat-out execution speed, WATCOM C showed shining performance."

Computer Language, February 1989

WATCOM C8.0/386 Professional

• 100% ANSI C optimizing compiler • Protected-mode version of compiler • 386 run-time library object code • Windowed source level debugger • Profiler • Editor • 386 graphics library • MAKE • Linker • Object-code librarian • Object-code disassembler • Supports Phar Lap and ERGO DOS extenders

1-800-265-4555

WATCOM

415 Phillip Street, Waterloo, Ontario, Canada N2L 3X2
Tel. (519) 886-3700 Fax (519) 717-4971

WATCOM C is a trademark of WATCOM Systems Inc.
Trademarked names are the properties of their respective owners.
© Copyright 1990 WATCOM Products Inc.

World Radio History

WATCOM C/386 for Windows

- ❑ Enables 32-bit Windows 3.0 GUI applications
- ❑ Interactive debugger for 32-bit Windows GUI applications
- ❑ Ideal for porting 32-bit Unix applications to Windows
- ❑ 32-bit flat model simplifies Windows memory management
- ❑ Royalty-free run-time license
- ❑ Requires Windows 3.0 SDK, does not require DOS extender



CD-ROM Finally Becomes Affordable

For most of us, the thought of putting a CD-ROM drive in our PC has been an exercise in "someday, maybe." Despite all the hype of unlimited information access and the promises of lower prices, the reality of CD-ROM has been expensive and difficult-to-install drives and a dearth of reasonably priced software.

The software situation has been improving slowly, but low-cost drives were just a dream—until now. The Tandy CDR-1000 sells for \$399 complete, half the cost of other CD-ROM drives.

Not only is the CDR-1000 inexpensive, but it's simple to install. After removing the cover on my PC, I slipped in the drive, checked a few jumpers on the add-in card, connected two cables between the drive and the controller, and put the cover back on the system. At that point, I ran an installation program that installed the Microsoft CD-ROM extensions in my CONFIG.SYS file and tweaked my AUTOEXEC.BAT file.

I was done. The total time was about 15 minutes, and the drive worked flawlessly the first time.

Of course, Tandy had to cut a few corners to keep the price down, but surpris-

ingly few. There are no motor-driven mechanics to slide the CD-ROM cartridge in and out of the drive. In fact, there's no disc cartridge at all, and that's a big plus. You slide out the drive drawer, lift a lid, drop in the CD-ROM, close the lid, and slide the drive drawer back in. It couldn't be simpler. Fewer moving parts mean fewer things to break. And because the CD-ROM doesn't sit in a cartridge (as in all the competing units), you don't have to spend the bucks for extra cartridges or go through the annoying exercise of changing the CDs in a cartridge.

Low cost or not, the CDR-1000 has one great advantage over its competitors: At over 150 kilobytes per second, its data transfer rate is twice what most others can do. That more than makes up for its slow seek time of about 800 milliseconds, especially since CD-ROM applications tend to transfer large amounts of data once they've found its location on the disc. Tandy engineers have designed a custom interface for the CDR-1000, eschewing the usual SCSI port that other CD-ROM drives use. The interface is the key to the drive's performance, delivering data directly to the PC bus.

I shouldn't fail to mention that you can

use the CDR-1000 for the mundane (albeit enjoyable) task of playing music CDs. A headphone jack and volume control on the front panel and phono jacks on the back of the add-in card let you hook up to an external stereo system. A pop-up software utility lets you control the music functions.

Tandy is the 500-pound gorilla of computer retailing. You can't help but pay attention when this corporate giant decides to make a move. This is one situation where the company's size is a distinct advantage. With good reason, Tandy sees a huge potential market for CD-ROM applications. And by pricing the CDR-1000 so low, it has set an example that other manufacturers will be forced to follow, pulling CD-ROM applications from an elite corner and putting them into the mainstream. Software prices are sure to fall as well with volume.

A CD-ROM drive brings a new realm to desktop computing—and perhaps some danger as well. I spent hours browsing through the text and pictures of The New Grolier Electronic Encyclopedia, and I had to be almost dragged away from my computer. ■

—Stan Miastkowski



THE FACTS

CDR-1000
\$399

Requirements:
IBM PC or compatible with a free half-height 5¼-inch floppy disk drive bay and a free 8-bit add-in slot.

Tandy/Radio Shack
700 One Tandy Center
Fort Worth, TX 76102
(817) 390-3300
Circle 1171 on Inquiry Card.

“My Dolch 486™
is awesome. . .”

“Hey, I now own the *perfect portable* that lets me get my work done anywhere. Not just a few files . . . everything I had on my desktop!”

“Powerful? You bet! After I downloaded all my desktop stuff, on it's *200 MB HD*, I still had plenty of room left and it screamed through everything at *11 MIPS!*”

“My Dolch P.A.C. is setting new ‘rules’. It's portable, fast and I still can add *4 full-size internal expansion cards*. Wow!”

“You have to see the brilliant display — I mean really see it. *TFT* is the *latest color technology*, that's fully VGA compatible.”

“Hey! Don't take my word for it. Experts like PC Magazine judged my Dolch P.A.C. to ‘. . . *outclass all other portables*’ and picked Dolch three years in a row as Editors' Choice!”



“Get a Dolch today, choose a 286™, 386SX™, 386DX™ or a 486™ like mine. . . *clearly the best PC you can buy today, and it happens to have a handle.* Get a lot more work done — where and when you want.”

Why Wait? . . . Call today.
(800)538-7506 US; (800) 233-2077 CA
In Canada call Laptech 1-800-561-4527

Dolch.

ROAD-POWER FOR THE BEST OF US



See us at the
Javits Convention
Center of New York
June 25-27, 1991
Booth Number 352

Dolch Computer Systems 372 Turquoise Street • Milpitas, CA 95035 • Tel: 408-957-6575 • Fax: 408-263-6305
™ 286, 386SX, 386DX, and 486 are registered trademarks of Intel Corporation

Circle 96 on Inquiry Card.

World Radio History

Speed, Power, and Compatibility from Atari

Atari is offering what it calls a true 32-MHz, 32-bit computer system. Geared toward applications such as professional graphics, CAD/CAM, and desktop publishing, the TT030 is based on Motorola's 68030 microprocessor. The open-architecture system includes built-in cache memory and a 68882 enhanced floating-point math coprocessor. Its standard 2 MB of RAM is expandable to 26 MB.

Among other features, the system has a 3½-inch floppy disk drive, four serial ports, an internal A24/D16 VME card slot, and an optional hard disk drive. The three graphics modes of the TT030 are 320 by 480 pixels with 256 colors, 640 by 480 pixels with 16 colors, and 1280 by 960-pixel monochrome. The system also includes network-ready hardware and a real-time clock with non-volatile RAM.

Price: \$2399.95 to \$3499.95, depending on configuration.

Contact: Atari Computer, 1196 Borregas Ave., P.O. Box 3427, Sunnyvale, CA 94088, (408) 745-2000; fax (408) 745-2088.

Circle 1271 on Inquiry Card.



The open architecture of Atari's TT030 lets you expand your system as your needs change.

Power in a Cube

Based on AMD's Am386DXL 40-MHz microprocessor, the Cube 386/40 Enhanced System provides 21 percent more power than a 33-MHz system at the same cost, according to Cube Computer. The system is available as the 4¼-inch-high Deskline or the 13-inch-high Desktop.

The Cube 386/40's 4 MB of RAM is expandable to 64 MB, and it has a 64-KB high-speed memory cache. It includes a 104-MB Conner Intelligent Drive Electronics hard disk drive, 3½- and 5¼-inch floppy disk drives, a Trinitron Super VGA non-interlaced 14-inch color monitor, a noninterlaced VGA card with 1 MB of

video RAM, an internal modem, a Microsoft Mouse, and Adobe Type Manager.

Price: \$3690.

Contact: Cube Computer Corp., 150 Clearbrook Rd., Elmsford, NY 10523, (800) 522-2823 or (914) 592-8282; fax (914) 592-3482.

Circle 1272 on Inquiry Card.

Mini 386SX Offers Something New

A fresh design and an all-new interior coupled with a programmable keyboard delineate the minidesktop 20-MHz 386SX cache computer. The Gateway 2000 machine has an integrated floppy disk/Intelligent Drive Electronics (IDE) host adapter and serial and parallel ports that you can disable through the BIOS.

Designed around a backplane and riser card with five 16-bit slots, the 386SX/20 comes with 4 MB of RAM (expandable to 16 MB), an 80-MB IDE hard disk drive (expandable to 200 MB), and a 32-KB RAM cache. It includes 3½- and 5¼-inch floppy disk drives, a VGA chip set with 512K bytes of

RAM on the motherboard, and a color monitor. The daughterboard processor snaps onto the backplane.

Price: \$1995.

Contact: Gateway 2000, 610 Gateway Dr., North Sioux City, SD 57049, (800) 523-2000 or (605) 232-2000; fax (605) 232-2023.

Circle 1273 on Inquiry Card.

Infinity in a Small Space

A 20-MHz Infinity Desktop Computer is available in five configurations from Falco. The machine increases CPU performance by 25 percent over the company's 16-MHz Infinity model.

The 20-MHz Infinity has a built-in 65-W auto-ranging power supply. With the exception of the unit's one parallel and two serial ports, peripheral interfaces are on the motherboard. The unit includes 512 KB of video RAM, 1 MB of expandable RAM, and two three-quarter-length 16-bit bus-expansion slots for LAN, fax, or other cards. A 1.44-MB floppy disk drive is standard on all but the diskless version.

Price: Diskless, \$1016; with one floppy disk drive, \$1098; with 40-MB hard disk drive, \$1635; with 100-MB hard disk drive, \$1954; with 210-MB hard disk drive, \$2404.

Contact: Falco Data Products, Inc., 440 Potrero Ave., Sunnyvale, CA 94086, (408) 745-7123; fax (408) 745-7860.

Circle 1274 on Inquiry Card.



The Cube 386/40 Enhanced System offers workstation performance at a 386 price in its Deskline model.

Scan in Color on Your Mac or PC

With the Niscan Spectra, you can scan color images on your Mac or PC in over 16 million colors in a single pass. The Spectra uses a single color-corrected white-light source to give true color.

Spectra for the Mac's ScanDo/DA software lets you scan directly to a file. The scanner lets you display an entire image on-screen at full resolution or view just part of an image for pre-viewing. Its RS-422 interface connects to the modem port.

Spectra for the PC includes either Color Lab software for Windows or ScanRix software for non-Windows environments. Its RS-232 interface connects to the serial port.

Price: \$899.

Contact: Nisca, Inc., 1919 Old Denton Rd., Suite 104, Carrollton, TX 75006, (214) 242-9696; fax (214) 245-0942.

Circle 1275 on Inquiry Card.

Share a Flat Screen with a Friend

A monochrome graphics terminal, the flat-screen MC6 comes with a keyboard and provides simultaneous connection to two computers. Each user can choose a full-page or split-screen display.

The MC6 is compatible with ANSI, ASCII, and Enhanced PC keyboards. System compatibility includes Unix, VMS, PC MOS, and Concurrent DOS. The terminal has a serial RS-423/RS-422 port, an RS-423 port, and a PC-compatible port. Its 14-inch screen can display in green, amber, or white in full overscan and

Removable Cartridges in Two Capacities

The Infinity 88 Turbo removable cartridge hard disk drive uses 88-MB cartridges and has an average seek time of 20 ms. Its formatted capacity is 85.3 MB, achieved by an increased track density on the hard disk within the cartridge. Features of the Infinity 88 Turbo include external SCSI termination control switches, an external fuse, and a rotary SCSI ID dial. A SCSI controller card is required.

Price: \$1799.

Contact: Peripheral Land, Inc., 47421 Bayside Pkwy., Fremont, CA 94538, (800) 288-8754 or (415) 657-2211; fax (415) 683-9713.

Circle 1278 on Inquiry Card.



DiscXchange is a portable 44-MB external removable cartridge hard disk drive that connects to standard PC parallel printer ports. With an average seek time of 20 ms, DiscXchange includes a temporary device driver that functions as a small TSR program; it instantly assigns a drive designation based on the next available drive or partition, eliminating the need for you to alter the CONFIG.SYS or AUTOEXEC.BAT file on your PC. DiscXchange includes a built-in power supply and one 44-MB cartridge. It also comes with a carrying case and a removable power cord.

Price: \$1649.

Contact: Interpreter Disc Products, Inc., 11455 West 48th Ave., Wheat Ridge, CO 80033, (303) 431-8991; fax (303) 431-9056.

Circle 1279 on Inquiry Card.



This Printer Remembers Your Favorite Fonts

The Facit P5160 laser printer prints at 16 ppm and comes with 1.5 MB of standard memory. You can expand the printer's memory to 4.5 MB in 1-MB increments.

Available with or without Adobe PostScript, the P5160 can support Hewlett-Packard LaserJet Series II emulations. You upgrade it by sliding out the controller board and inserting the appropriate new board.

The P5160 can remember up to four printer configurations of different font sizes, page drawers, and page lengths and can recall them at the push of a button. The standard 250-sheet drawer accepts sheet paper, laser labels, and transparencies as well as letter- and legal-size paper. A second 500-sheet drawer is available, as is a 70-envelope feeder.

Price: \$3799; PostScript model PS-17, \$4349; model PS-35, \$4849.

Contact: Facit, Inc., 400 Commercial St., Manchester, NH 03108, (800) 733-2248 or (603) 647-2700; fax (603) 647-2724.

Circle 1277 on Inquiry Card.

has a 76-Hz refresh rate.

Price: \$679.

Contact: Link Technologies, Inc., 47339 Warm Springs Blvd., Fremont, CA 94539, (800) 448-5465 or (415) 651-8000; fax (415) 651-8808.

Circle 1276 on Inquiry Card.

The MC6 graphics terminal offers simultaneous connection to two users.



Trick Your Mac into Thinking Big

If you've been wishing you could get a 20-inch picture on your 9-inch Mac monitor, you may find the TotalVision board to be just the ticket. From Technology Fusion, TotalVision transforms the internal display of your Mac Classic, SE, or Plus, making your computer think it's working with a larger screen.

TotalVision works in hardware pan, hardware flex, and hardware zoom modes. Its hardware pan feature expands the 512- by 342-pixel display to 1024 by 1024 pixels. As the mouse cursor touches the edge of the 9-inch screen, it pans across the 20-inch virtual desktop at hardware speed. The flex feature lets you see the full 8½-inch page width of documents without having to scroll back and forth; used with the pan feature, it shows a full two pages. Zoom lets you expand any portion of an image.

Price: \$349.

Contact: Technology Fusion, Inc., 1667 Cole Blvd., Suite 400, Golden, CO 80401, (303) 278-1295; fax (303) 278-7215.

Circle 1280 on Inquiry Card.

From Memory Board to Hard Disk in a Flash

An XT- and AT-compatible nonvolatile memory board, Flash Disk uses its DOS driver software to emulate a hard disk drive.



TotalVision changes the Mac's internal display for big-screen benefits.

The board's access time is 250 ns, according to the manufacturer.

Unlike ROM and EPROM boards, Flash Disk can be erased and programmed in the PC. The board's 16 SIMM sockets accommodate up to 16 MB of memory in 1-MB increments or up to 32 MB in 2-MB increments.

The standard two-slot board is available with 16 or eight SIMM sockets. The small one-slot board comes with four SIMM sockets. Read-only jumper-selectable sectors of the board provide data and virus protection.

Price: Without memory: \$695 with four SIMM sockets; \$895 with eight SIMM sockets; \$995 with 16 SIMM sockets.

Contact: Computer Modules, Inc., 2348C Walsh Ave., Santa Clara, CA 95051, (408) 496-1881; fax (408) 496-1886.

Circle 1281 on Inquiry Card.

A nonvolatile memory board, Flash Disk's modularity makes the expansion choice yours.

Ultra VGA on a Half Card

The MicroVGA 452 video controller board is a half-length AT-compatible card. With its XT form factor, the card fits into any PC 16-bit expansion bus slot with bus speeds of up to 12.5 MHz.



The card's Ultra VGA driver increases the usual 16 or 256 colors on a monitor to 742,813, with near-photographic quality, according to the company. It has a 60-Hz refresh rate and 512 KB of video RAM. Software drivers include Super VGA for Windows 3.0 and Ultra VGA for Windows 3.0 and Autodesk applications.

Price: \$395.

Contact: Monolithic Systems Corp., 7050 South Tucson Way, Englewood, CO 80112, (800) 525-7661 or (303) 790-7400; fax (303) 790-7188.

Circle 1282 on Inquiry Card.

SPARC Up Your PC

The SPARC-based Opus Series 500 Personal Mainframe line of add-in boards lets standard PCs run SunOS and MS-DOS applications simultaneously. Sophisticated software engineering and board design allow the equivalent of a Sparcstation to reside on a single AT-size board, according to Opus Systems. The board, which runs in Windows 3.0 and supports Sun View, lets you use Sparcware applications without a high-resolution monitor and with your DOS software.

Price: \$6495 and up.

Contact: Opus Systems, 329 North Bernardo Ave., Mountain View, CA 94043, (415) 960-4040; fax (415) 960-4001.

Circle 1283 on Inquiry Card.

VGA Goes Video


TapeCaster, a half-slot card for your XT, converts your VGA output to NTSC or PAL video. Each version of the card provides a video representation of your monitor's screen as long as your computer is turned on.

The hardware-only approach of TapeCaster provides compatibility with professional-quality studio equipment as well as low-end VCRs. The board processes all VGA video modes to a maximum resolution of 640 by 480 pixels in 24-bit color. TapeCaster requires only power from your computer; it has no communication needs.


Price: \$750.

Contact: Redlake Corp., 15005 Concord Cir., Morgan Hill, CA 95037, (408) 779-6464; fax (408) 778-6256.

Circle 1284 on Inquiry Card.



This is what the
world's most powerful 486
system looks like.



Cylindrical pin and tumbler locks keep unauthorized fingers out of the hardware. (And your data is equally safe, because we've built password protection into the firmware.)

ETMS, Everex Thermal Management System, makes this the first system to solve the high temperature and related reliability problems of current and future processors. A partition separates the cube into two compartments, independently cooled by SmartFans.™ One contains the CPU, one the drives. Baffles funnel cool air where it's most needed. Even the power supply is cool, because at 400 watts, it runs at a fraction of its capacity.

Removable motherboard for instant upgrades, which we'll bring you as new technologies emerge.

All the full-length expansion slots you'll ever need—12 altogether, including 10 EISA slots. The cube is also available in 8 slot ISA configurations.


AMMA, a 256KB write-back caching architecture, forming "two-tier" caching in combination with the 486 chip's 8KB internal cache. It improves the cache hit ratio from 90% to as much as 99%.

Space for four quick release, half-height drives. They're front accessible, behind a hydraulically dampened door—which makes sure your drive heads are reading disks and tapes, not dust, smoke and humidity.

The entire interior of the cube is accessible in seconds through side panels, using thumbscrews.

The 486/33 CPU chip, Intel's hottest. But when hotter chips come around, the cube will be cool enough to handle them. And that includes multiprocessors.

Quick release drive bays accommodate up to four more drives that can be swapped out in less than five minutes.



And this is why.

Conventional system design can't cope anymore. The emerging technology is just too hot for it.

Enter the STEP Megacube.™ Designed from the ground up, the STEP Megacube is a 486™ system unlike any other. It incorporates ideas from the mainframe world, such as its caching architecture and thermal management. And it has performance and features that make it a perfect fileserver. Or a perfect multiuser system. Or a perfect graphics workstation.



A 486/33 CPU combined with Everex's proprietary Advanced Memory Management Architecture (AMMA™) gives it warp speed—20.8 MIPS. Space for eight drives gives it storage that will remind you of the Library of Congress. And twelve expansion slots give it more expandability than you can shake a peripheral at.

And if it happens to be an Everex™ peripheral, you could get a nice performance bonus. Because Everex graphics, networking and controller boards are designed to take full advantage of our STEP™ architecture for even better performance.

Combine all this with up to 64 MB of RAM—enough for the most demanding applications—and you wind up with a computer that can be configured for anything.


Even the future.

You see, the design breakthroughs of

the STEP Megacube eliminate the upgradability problems inherent in other systems. Which means that when the next generation processors arrive—like the 50 MHz 486, just down the road—all you have to do is swap out motherboards. No space problems. No overheating problems.

No obsolescence.

Performance-wise, this is a machine that will be hot long after others are cold and buried. In fact, as of now, there's no end in sight to the STEP Megacube's upgradability path.



The Everex Thermal Management System (ETMS) improves system reliability by reducing internal temperatures.

But really, that shouldn't be much of a surprise. After all, at Everex, our mandate is "Always innovate, never compromise." And that's exactly the approach we took when we built the STEP Megacube.

Granted it doesn't look like your typical 486 system. Fortunately, it doesn't perform like one either. To find out more about what it can do, give us a call.

For a free copy of the STEP Megacube Application Guide, call:

1-800-368-STEP*

Introducing the STEP Megacube.



Macs and Suns As Partners


Bidirectional, peer-to-peer connection between Sun and Macintosh computers is available with Sun-Partner. The software lets Sparcstation and Mac users access and use files on each other's machines in the format and user interface that is native to each platform.

Sun-Partner permits all networked devices (such as printers and database servers) to be available simultaneously to both Sun and Mac computers from either Sun's OpenLook or the Mac user interface. The product creates a peer-to-peer network and supports applications that run on multiple platforms, support standard file formats, are divided or client/server based, or include translators.


Price: \$695 per Sparcstation; LocalTalk card, \$595; IPT's software for the Mac, \$295.

Contact: Information Presentation Technologies, Inc., 5000 North Pkwy. Calabasas, Suite 304, Calabasas, CA 91302, (818) 347-7791; fax (818) 992-5580.

Circle 1290 on Inquiry Card.



Mac screen connected to a Sparcstation with Sun-Partner.



Sun Sparcstation screen connected to a Mac with Sun-Partner.

DDS DAT for AppleTalk and TOPS

A 1.3-gigabyte digital data storage, digital audiotape automatic mass-storage backup and restore system is available for AppleTalk and TOPS net-



works. MacBack DAT also backs up local Mac drives on the network.

MacBack DAT's intuitive menu lets you quickly select the files you want to back up and when you want to back them up. The unit's Autostart automatically carries out your instructions. The MacBack DAT transfers data at an average rate of up to 4.5 MB per minute over a SCSI bus and 2.5 MB per minute over an Ethernet system.

Price: \$4995.

Contact: Advanced Digital Information Corp., 14737 Northeast 87th St., Redmond, WA 98073, (800) 336-1233 or (206) 881-8004; fax (206) 881-2296.

Circle 1291 on Inquiry Card.

A Choice of Adapters

Eight-bit, 16-bit, and Micro Channel 10Base-T adapters for the PC are available from Invisible Software. The Ethernet adapters use twisted-pair cables to

provide a transmission speed of 10 Mbps.

Compatible with Novell NE1000 cards, the Invisible Ethernet 10Base-T/8 8-bit adapter lets you run Novell NetWare and Invisible's own Net/30 operating system. The Invisible Ethernet 10Base-T/16 16-bit Novell NE2000-compatible board is based on VLSI technology. The Invisible Ethernet 10Base-T/A adapter for the Micro Channel bus is NE/2 compatible. Each board includes a standard Ethernet 15-pin D-type connector as well as an RJ-45 connector for twisted-pair Ethernet connections.

Price: 10Base/8 and /16 adapters, \$369; 10Base-T/A adapter, \$469.

Contact: Invisible Software, Inc., 1142 Chess Dr., Foster City, CA 94404, (415) 570-5967; fax (415) 570-6017.

Circle 1292 on Inquiry Card.

An Adapter That's Three in One

The CN950E is a three-in-one adapter for EISA bus-based file servers and workstations. The card supports Ethernet thick and thin coaxial cabling as well as unshielded twisted-pair 10Base-T cabling.

Designed with dual-port, shared-memory capabilities, the CN950E provides data transfer at 10 Mbps. The card's software drivers let you work in a variety of networks, including NetWare 286 and 386, Lan Manager, Vines, and 3+Open.

Price: \$599.

Contact: CNet Technology, Inc., 2199 Zanker Rd., San Jose, CA 95131, (408) 954-8000; fax (408) 954-8866.

Circle 1293 on Inquiry Card.

The World's Fastest Typists Will Be Performing On Our Keyboard At Fall COMDEX, 1991.



The search is on to find the fastest typist in the world.

The Key Tronic first annual World Invitational Type-Off finals will be held in Las Vegas in October. You could be the winner and drive away in a brand new '92 Buick Park Avenue — plus take home \$10,000 cash, a new computer and some great memories of Las Vegas. You could even end up in the Guinness Book of World Records or on national television!

The Key Tronic® KB 101 PLUS™, approved by Professional Secretaries International® has been selected as the "official" keyboard for the Type-Off.

The KB 101 PLUS uses the industry-standard 101-key layout with enhanced

productivity features to help promote high-speed data entry. The KB 101 PLUS is designed for optimal operator comfort — with a low-profile design, adjustable key feel, adjustable legs and a positive tactile feedback. This means consistent touch and low fatigue.

If you or someone you know can make a keyboard smoke, call Key Tronic today and ask for the official entry information packet. This is the computer event of the year, and you can be part of it.

Call 1-800-262-6006

* For Your Official Entry Form.

In Canada 1-800-348-6006.

Outside U.S.A. call 1-509-927-5515.

*Rules of participation included with entry form. Void where prohibited by law.

Circle 152 on Inquiry Card.


World Radio History



 **Key Tronic®**



Tanks for th



e memories.

Vaults for your information. Fortresses for your data. Whatever you call them, Sony rewritable and multifunction optical drives are extraordinarily reliable storehouses for data-intensive applications like image storage, CAD/CAM and network backup.

Our optical drives are tested to exacting specifications. And when you use Sony removable optical media, you're doubly safe, since it's tested to the same high standards as our drives.

So if having reliable access to your data is important to you, trust it to Sony optical products. Because nobody knows the technology better than we do.

For a complete catalog of Sony storage products, call 1-800-433-3422.

SONY[®]

SONY COMPUTER PERIPHERAL
PRODUCTS COMPANY

Answer the Phone While at Your Computer

The TeleDesk PowerPlus Workstation lets Centrex users concurrently combine telephone-call-handling activities with business applications in a Windows 3.0 environment. PowerPlus Workstations are compatible with NetWare as well as with Conveyant's LAN.

Whenever the workstation is in the telephone mode, you can instantly switch to an application that is running by pressing a hot key. When a call comes in, you return the unit to the telephone mode by again pressing the hot key. You can repeatedly switch between the applications without losing your place in either application, according to the company. PowerPlus uses a 386 PC with Windows 3.0 and a proprietary keyboard with an integrated handset.

Price: \$15,000.

Contact: Conveyant Systems, Inc., 2332 McGaw Ave., Irvine, CA 92714, (714) 756-7100.

Circle 1294 on Inquiry Card.

Take Control Remotely

PC-compatible, Remote Power On/Off gives you control over your programs, files, and printers at a remote, unattended location whether the remote system's power is on or off. The telephone-activated power-control unit includes four surge-protected power outlets for the central PC, its monitor, a printer, and a modem.

Remote-computing and



The PowerPlus Workstation lets Centrex users do multitasking under Windows 3.0.

file transfer software bundled with the unit gives users access to the central PC, allowing them to control its operations from afar. When the Remote Power On/Off controller detects an incoming call, it loads automatically and turns the system on. The controller automatically powers down the central system when work is completed.

Price: \$219.95.

Contact: Server Technology, Inc., 2332-A Walsh Ave., Santa Clara, CA 95051, (800) 835-1515 or (408) 988-0142; fax (408) 988-0992.

Circle 1295 on Inquiry Card.

LAN-in-a-Can prefabricated network kits include step-by-step instructions.



Prefabricated Networks Are in the Can

Three prefabricated 10Base-T networking kits make up the new LAN-in-a-Can line of products from Federal Technology. The products include two entry-level networks for three- and six-node networks and a prepackaged expansion kit to expand LAN-in-a-Can networks by groups of two.

The three-workstation kit contains three Exos 105 10Base-T Ethernet controllers, an Exos 5008 eight-port

concentrator, 175 feet of cabling in preassembled lengths, and step-by-step installation instructions. The six-workstation kit includes an additional three controllers and 350 feet of cabling. The expansion kit has two controllers and 100 feet of cabling.

Price: Three-workstation kit, \$1295; six-workstation kit, \$1995; expansion kit, \$549.

Contact: Federal Technology Corp., Exos Product Division, 207 South Peyton St., Alexandria, VA 22314, (800) 255-3967 or (703) 739-0500; fax (703) 739-0572.

Circle 1296 on Inquiry Card.

A Modem That Means Business

A 9600-bps full-duplex modem, the Viva 9642e includes adaptive equalization capabilities that let it continue to perform in spite of weak phone-line signals and high noise levels. Designed for PCs and Macs, the V.32, V.42, and V.42bis modem virtually eliminates disconnects during long-distance calls, according to the manufacturer.

Providing synchronous and asynchronous transmissions, the Viva 9642e supports leased as well as dial-up lines. The device has a small LED screen on the front panel that displays eight status icons, including Modem Ready, Receive Data, Off Hook, and Transmit Data. It comes with Quick Link II communications software.

Price: \$649.

Contact: Computer Peripherals, Inc., 667 Rancho Conejo Blvd., Newbury Park, CA 91320, (800) 854-7600 or (805) 499-5751; fax (805) 498-8848.

Circle 1297 on Inquiry Card.

Programmer's Paradise®


800-445-7899

offers...

THE ULTIMATE IN UTILITIES

RUN YOUR 386 TO THE MAX!

386MAX enhances Windows by running resident programs simultaneously in multiple DOS windows. **386MAX** analyzes millions of possible configurations and chooses the best configuration for your system. And **386MAX** provides an additional 64K of high DOS during resident program loading. **BlueMAX**, the only PS/2 specific memory manager, has all these benefits, plus BIOS compression that increases a PS/2's usable high DOS by up to 250%!



386MAX
LIST: \$130 OURS: ~~\$144~~
SPECIAL! \$99
FAXorder # 1888-0005

BlueMAX
LIST: \$155 OURS: ~~\$155~~
SPECIAL! \$119
FAXorder # 1888-0006

QUALITAS®

The Search is Over.

Magellan 2.0 is an innovative multi-function utility that combines features of a DOS shell, a file management utility and text retrieval software with powerful functionality and an easy-to-use interface. Within this unique environment, you can search for specific information or concepts within files, view your files as if you were in the application that created them, and launch into an application, automatically retrieving the file you want without detouring through DOS. **See for yourself why Magellan 2.0 has received 23 Industry awards.**

LIST: \$195 OURS: ~~\$99~~
SPECIAL! \$79
FAXorder # 4800-0001



Lotus Magellan

The Norton AntiVirus is the clear choice for your PC antivirus needs.

The Norton AntiVirus offers virus detection, prevention and repair in one easy-to-use integrated package with pull down menus and mouse support. Free continuous updates are available through Symantec's 24 hour virus Newline, facsimile service, or BBS. Norton AntiVirus' automatic virus detection runs behind the scenes to alert you of virus infections under Windows 3.0 and DESQview 5.1. The Norton AntiVirus also scans for viruses and repairs infected files on any or all network drives.

LIST: \$129 OURS: ~~\$99~~
FAXorder # 2152-0015



SYMANTEC.



A Division of Voyager Software Corp
1163 Shrewsbury Ave., Shrewsbury, NJ 07702

1-800-445-7899

Corporate: 800-422-6507
(CORSOFT Division)

International: 908-389-9228
Customer Service: 908-389-9229
Canada: 800-445-7899
Fax: 908-389-9227
FAXcetera: 908-389-8173

POLICIES

Phone Orders
Mon-Fri 8:30 AM-8 PM EST, Sat 9:30-2:30 EST. We accept MC, Visa, AMEX. Domestic shipments, please add \$5 per item for shipping/handling by UPS ground. For domestic COD shipments, please add \$3. Rush service available.

Mail or FAX / International / POs
Phone number required with order.

FAXcetera (908) 389-8173

Call from your FAX telephone, and follow the instructions to receive more information on the products featured above!

Corporate Accounts
Call CORSOFT, our corporate sales division. Ask about volume purchase agreements.

Returns
Subject to \$25 processing charge.

* All prices subject to change without notice.



Programmers

MKS TOOLKIT

Does This Look Like UNIX to You? Of course it does, but it's not UNIX, it's the MKS Toolkit, a full emulation of the UNIX operating system. The MKS Toolkit brings the look and feel of UNIX to DOS or OS/2 on your PC. You'll get these powerful tools:



- MKS KornShell
- MKS vi editor
- Awk Programming Language
- Plus over 150 tools including grep, find, tar, ed, and sed.

The MKS Toolkit not only provides an excellent UNIX programming environment, but it is also ideal for new users trying to learn UNIX.

List: \$249 Ours: \$199

FAX orders: # 1824-8888

DR. SWITCH-ASE

Dr. Switch-ASE turns any size dBase language application into a RAM resident (TSR) program. TSR's created with Dr. Switch-ASE occupy only 18K of RAM. Dr. Switch-ASE includes cut, paste, timer, alarm, macro playback and DOS shell functions. Supports Clipper S87/5.0, dBase III PLUS, dBASE IV, FoxBASE+ and all FoxPro versions. Dr. Switch-ASE can use both Expanded and Extended memory and is fully network compatible.

List: \$179 Ours: \$153

FAX orders: # 1824-8888



TOOLS.h++ C++ CLASS LIBRARY

Tools.h++ is "The Standard" in C++ classes. Tools.h++ delivers all the essential classes including Strings, Dates, Times, BTree, complete Collection Classes, Regular Expressions, Linked Lists, Queues, Stacks, & more! All classes support isomorphic persistence. Version 4.0 provides Windows 3.0 DDE & Clipboard support, & DLL compiling. Tools.h++ is a great example of how to write true C++ code with smaller executables, code sharing, & effortless maintenance. Tools.h++ does your dirty work for you!

List: \$199 Ours: \$179

FAX orders: # 2001-0801



WindowsMAKER™ PROFESSIONAL

The fastest way to create Windows applications. Generates the Windows .EXE w/ complete source & production files (no royalties). Point & Click to define the user interface. Animate your design to instantly test its look & feel. Make changes on the fly without compiling. Custom code is preserved during code regeneration. A state-of-the-art programming tool. Supports C++.

List: \$995 Ours: \$795

FAX orders: # 2002-0802



386/486 Development

Intel 386/486 Code Builder	489
Lahey EM/32 w/OS 386	1119
PharLap 386 Dos Extender	439
PharLap 386 VMM	259
Watcom C Prof. 386	1089
Watcom Fortran 386	929
Zortech C++ Devel. 3.0	599

Assembly/Disassembly

Advantage Disassembler	279
ASM Flow Professional	179
MS Macro Assembler 6.0	105
Sourcer w/ BIOS Pre-Proc.	109
Spontaneous Assembly	169
Turbo Debugger & Tools	105
Visible Computers 286	89

Basic Compilers

MS Basic Prof. Dev. Sys.	349
MS Quick Basic	69
Visual Basic	139

Basic Libraries & Utilities

DB/Lib Professional	142
Dialagic	85
GraphPak Professional	129
ProBas	135
ProBas HyperHelp Toolkit	109
ProBas Telecom Toolkit	70
ProMath	94
ProScreen	89
P.D.Q.	129
QuickPak Professional	179
QuickScreen	129
QuickWindows Advanced	119

Guaranteed Best Prices*

C/C++ Compilers

Borland C++	325
Instant C	449
Microsoft C 6.0	339
MS QuickC	69
MS QuickC w/QuickASM	139
Turbo C++	69
Watcom C Professional	419
Zortech C++ 3.0	339
Developer's Edition 3.0	599
Science & Eng. 3.0	849

C/C++ Bundles

Microsoft C w/ PC Lint	419
Pharlap 286 Dos Ext.	749
Window Devel.Toolkit	539
Zortech C++ 3.0 w/ WindowsMAKER Prof.	995

C-Code Generators

C Source w/ Source	479
Logic Gem	105
PRO-C	695

C Communications

BreakOut II	189
C Asynch Manager	139
Essential Comm	259
Greenleaf CommLib	287
Greenleaf ViewComm	319
SilverComm C Asynch	215
View 232	149

C File Management

Btrieve	479
C Data Manager	259
Code Base 4.2	225
c-tree Plus	459
Essential Btree	159
Faircom SQL Server	419
Toolbox, Prof. Edition	935
Toolbox, Special Edition	635

Thousands more products available! If you don't see what you want, call us anyway!

C General Libraries

C Function Library	79
C TOOLS PLUS	109
C Utility Library	199
Greenleaf Functions	179
Greenleaf SuperFunc.	239
Turbo C Tools	109

C Memory Management

"C" EMM	169
HEAP Expander	72
Hold Everything	149

C Screens

C Worthy	359
Greenleaf Data Windows	315
HI-SCREEN XL	129
Panel Plus II	395
Vermont Views	415
Vitamin C	289
VC Screen	125

C- Additional Products

Bar Code Library	319
Clear Plus for C	169
Code Check	479
C-Doc	169
MKS LEX & YACC	197
Objective C	239
Oxygen	CALL
PC Lint	105
PCYACC Professional	459
TimeSlicer	279

C-Translators

BAS-C	339
Commercial	799
286 Version	1029
FOR-C	589
w/Source	849

C++ Libraries/Utilities

3 in 1 for C++	169
C++Views	419
Codebase ++	225
Greenleaf Comm ++	289
M++	265
M++, addit. products	CALL
Rogue Wave Math.h++	179
Rogue Wave Tools.h++	179
TIER	399
Win++	225
Zinc Library	179
w/ source	269

Cobol

Micro Focus COBOL/2	749
w/ TOOLSET	1499
Personal COBOL	129
MS COBOL	629
Realia COBOL	849

Database Development

Clarion Personal	72
Clarion Professional	525
Clear Plus for dBase	169
Clipper	521
D Clip	192
Database Graph. Toolkit	259
dBASE III +	475
dBASE IV	495
dBase IV Devel. Edition	845
dBFast Plus	269
dGE	249
Dr. Switch ASE	153
Flipper	249
FoxBASE	249
FoxPro	489
FUNCKy Library	225
Paradox 3.5	549
QuickSilver	419
R&R Code Generator	129
R&R Report Writer	219
SilverComm	215
Silver Pak	299
Superbase 4	619
UI II Touch & Go	315
UI Programmer II	475

Debuggers

Multiscope Debugger (DOS)	99
Periscope Debuggers	CALL

Documentation

All Clear	229
EasyFlow, Interactive	125
Source Print	74
Tree Diagrammer	74

DOS Extenders

Ergo OS/286 Dev.Kit	629
PharLap 286 DOS Extender	439

Editors

Brief	CALL
KEDIT	125
Multi Edit	89
Multi Edit Professional	159
Norton Editor	85
Sage Prof. Editor	249
SPF/PC	199
Vedit Plus	115
Wylbur	179
EDIX	155

Call FAXcetera (908) 389-8173 for instant additional information on the best selling products highlighted in the green shaded areas.

Embedded Systems

C6 TO PROM	129
Link & Locate	329
Paradigm LOCATE	35

Expert Systems

Best Choice 3	79
Logic Gem	105

Fortran

Lahey F77L	535
Lahey Personal FORTRAN	89
MS FORTRAN	299

Graphic Libraries

Baby Driver	199
Essential Graphics	189
Graf/Drive Plus Developers	119
GrafPrint Personal	59
GrafPrint Plus	119
GSS Graph. Dev. Toolkit	685
Halo	279
Halo Professional	395
Halo Windows Dev. Toolkit	419
Menuet	279
PCX Effects	89
PCX Programmer's Toolkit	199
PCX Text	119
Sunshow Products	CALL
Turbo Geometry Library	179
Victor Image Library	179

Link Profilers

Blinker	225
Charge	89
Plink86 Plus	335
.RT Link Plus	295

DS/2

CASE/PM for C or C++	1895
MS DS/2 Present. Mgr.Tkt.	349
Smalltalk/V PM	395

Pascal

Asynch Library	135
Object Professional	149
Power Tools +	109
Topaz	89
Topaz Multiuser	135
TSR's Made Easy	45
Turbo Magic	169
Turbo Pascal for Windows	169
Turbo Pascal Professional	209
Turbo Pascal 6.0	105
Turbo Plus 5.5	155
Turbo Professional	99
Turbo Vision Toolkit	109

Programmer's Paradise —
For Service, Selection,
and Savings!

Prototyping

Dan Bricklin's Demo II	265
Show Partner FX	355

Version Control/Make

MKS MAKE	119
PolyMake	149
Professional PVCS	419
Sourcerer's Apprentice	399
TLIB	119
5 Station LAN	255

Windows Development

3 in 1 for C	89
ABC Flowcharter	269
Actor	199
Actor Professional	399
dBFAST/Windows	269
dbxSHIELD	549
DialogCoder	479
Drover Toolbox/Wind.	239
InstallSHIELD	369
KnowledgePro Windows	569
LogSHIELD	369
MemSHIELD	369
MS Windows Devel. Tlkit	349
Multiscope for Windows	289
ObjectVision	95
Protoview	625
RFFlow	115
Sage Control Pak	535
Smalltalk/Windows	395
Spinnaker Plus	349
Toolbook	349
Whitewater Res. Tlkt	CALL
WindowsMaker	635
WindowsMaker Prof.	795

The new summer catalogs
are here!
If you haven't received
one, call us today!

Utilities

386 MAX	114
AboveDISC	64
AboveMEM	75
Blue MAX	135
Central Point Backup	69
DIS DOC Professional	225
Dynamic Memory Ctl.	72
HiJaack	139
Hold Everything	159
Info Spotter	69
Label Master	399
MKS TODDLIT	199
Move'em	79
Norton Anti-Virus	99
Norton Commander	99
Norton Utilities 5.0	129
Dpt-Tech Sort/Merge	119
Paranet Turbo	72
PC Tools Deluxe 6.0	95
PreCursor	79
SpinRite II	65
Squish Plus	75
SunShow Image Libry.	CALL
Switch-It	90
Tree86	69
UpShot	89
Zeno	239

Windows Applications

Communications

Crosstalk for Windows	125
Dynacomm Asynch for Windows	189
Faxit for Windows	129
WIN Connect	82
WinFax	49

Environment

Windows 3.0	99
w/ MS Mouse Bus	159

Database & Forms

dBFAST/Windows	269
FormBase	CALL
Object Vision for Windows	95
SQL Windows	1199
Superbase 4 Windows	425

Graphics/Publishing

Adobe Illustrator/Wind.	299
Adobe Streamline/Wind.	269
Arts & Letters	
Graphics Composer	245
Graphics Editor	419
Corel Draw 2.0	389
Micrografx Designer	485
Micrografx Charisma	345
MS PowerPoint	319
OmniPage 386	469
OmniPage Professional	655
PageMaker	499
PC Paintbrush/Windows	53
Publisher's Type Foundry	385
Ventura Publisher	585

Spreadsheet

MS Excel	319
Wingz	339

Guaranteed Best Prices*

Products listed here are backed by the following guarantee. Should you see one of these products listed at a lower price in another ad in this magazine, CALL US! We'll beat the price, and still offer our same quality service and support.

Terms of offer:

- Offer good through July 31, 1991.
- Applicable to pricing on current versions of software listed.
- July issue prices only.
- Offer does not apply towards obvious errors in competitors' ads.

*Subject to same terms and conditions

KnowledgePro WINDOWS

Use KnowledgePro to build fast, royalty free Windows applications in record time. Interactive design tools and a rich object-oriented language combine rapid development with low-level control. Built in hypertext and expert system features let you create smart, easy-to-use solutions. Use DDE to create intelligent front-ends for Windows programs like Excel, Word and Superbase. Add your own extensions with DLLs written in C, or C++.



List: \$695 Ours: \$569
FAX, *cetera* # 1-774-0001

3-in-1 C++ VERSION

The first case tool for window programmers. It consists of a Screen Designer and a C++ Code Generator. The C++ Version emphasizes the window object-oriented design rather than just window programming. The detailed examples discuss the advantages of object-oriented design of data encapsulation, inheritance and dynamic binding. The design difference between C and C++ code provides you an excellent instruction to master object-oriented design.



List: \$199 Ours: \$159
FAX, *cetera* # 3107-0002


Bundle Offer: 3-in-1 C++ and Borland C++
List: \$694 Ours: \$449

ATTENTION CORPORATE CUSTOMERS

Call **CORSOFT** (800) 422-6507

- Select from over 5,000 titles—and we special order too!
- Get quick delivery at great prices on Microsoft, Borland, Lotus...etc. We buy software directly from all the major publishers, and keep plenty of stock on hand. And we're now an authorized IBM software dealer!
- Ask about volume purchase agreements, contracts, and personally assigned inside & outside sales representatives.

CORSOFT is a Division of Voyager Software Corp



A Division of Voyager Software Corp
1163 Shrewsbury Ave., Shrewsbury, NJ 07702

1-800-445-7899

Corporate: 800-422-6507

(CORSOFT Division)

International: 908-389-9228

Customer Service: 908-389-9229

Canada: 800-445-7899

Fax: 908-389-9227

FAX, *cetera*: 908-389-8173

POLICIES

Phone Orders

Mon-Fri 8:30 AM-8 PM EST, Sat 9:30-2:30 EST. We accept MC, Visa, AMEX. Domestic shipments, please add \$5 per item for shipping/handling by UPS ground. For domestic COD shipments, please add \$3. Rush service available.

Mail or FAX / International / PDs

Phone number required with order.

FAX, *cetera* (908) 389-8173

Call from your FAX telephone and follow the instructions to receive more information on the products featured above!

Corporate Accounts

Call CORSOFT, our corporate sales division. Ask about volume purchase agreements.

Returns

Subject to \$25 processing charge.

* All prices subject to change without notice.

Alpha Aims to Empower MIS with RPL

Alpha Software, which made its mark with its Alpha Four relational database for people who don't want to struggle with dBase programming, hopes to have the same effect on the programming world with Alpha RPL (Resident Programming Language).

Alpha RPL lets you create memory-resident applications, integrate diverse DOS applications, and automate complex and repetitive tasks. It does this without requiring strong C or assembly language programming skills. You can use RPL to modernize awkward or outdated user interfaces. Alpha RPL can also read records from DBF files.


The Alpha RPL Mainframe Edition supports HLLAPI (High-Level Language Application Programming Interface), IBM's high-level protocol for mainframe sessions.

Price: \$595; mainframe version, \$995; mainframe run-time version, \$95 to \$149, depending on volume. **Contact:** Alpha Software Corp., 1 North Ave., Burlington, MA 01803, (617) 229-2924; fax (617) 272-4876.

Circle 1298 on Inquiry Card.

Debugger for System 7.0

Icom Simulations' TMON Professional, a multiwindow monitor/debugger, is designed to directly address the needs of System 7.0 developers. In addition to supporting the 680x0 family, the FPU, the paged memory management unit, and full 32-bit addressing capabilities, the tool is compatible with the virtual



With Alpha RPL, you can test procedures without leaving the editor. A pop-up menu, which was created visually, appears near the code that produces it, and which was generated by RPL. All of RPL's tools are memory resident, which means you can debug your RPL programs on top of the applications they are designed to control.

memory and the Process Manager of System 7.0, the company says.

Price: \$249.95; upgrades, \$100.

Contact: Icom Simulations, Inc., 648 South Wheeling Rd., Wheeling, IL 60090, (800) 877-4266 or (708) 520-4440; fax (708) 459-3418.

Circle 1299 on Inquiry Card.

An Alternative to ResEdit

The best things in life are free unless you're a Mac programmer tired of working with ResEdit.

Mathemaesthetics says Resorcerer 1.0 offers two main improvements—a more stable environment and a better user interface—over Apple's free ResEdit utility for editing Mac resource files. Resorcerer protects against the corruption of files and the loss of data by always working with a

copy of the file. Changes aren't committed until you save the file.

Resorcerer contains dedicated editors for over 40 resource types, plus an extendable Custom Resource Editor for editing private and less common resource types. Each editor follows the documented format for each resource and has a single-window interface to make the job easier. The single-window editing environment makes all resources and their attributes available in one window instead of multiple open windows. And all the editors let you back out before committing local changes.

As you'd expect from a product that has to compete with something that's essentially offered for free, there are many other features. Resorcerer requires a Mac Plus with a hard disk drive and System 6.0 or higher.

Price: \$256. **Contact:** Mathemaesthetics, Inc., P.O. Box 67-156, Chestnut Hill, MA 02167, (617) 738-8803.

Circle 1300 on Inquiry Card.

Just One File Does It All

The Andsor 3.2 development system for creating accounting, management, inventory, manufacturing, and other business applications lets you create database applications where everything—procedures, data, screens, and menus—are stored in a single DOS file. The unified environment offers several advantages to developers, including no file restrictions, no memory management problems, no overlays, and better data integrity.

The Andsor system consists of one module that requires about 280 KB of RAM. The environment maintains in memory some of the objects from the disk database. At each moment, this memory object space is a logical subset of the entire object space of the application, the subset most needed at the time. Virtual memory management, combined with caching techniques, continuously adjusts this memory object space, giving you the illusion that each object in the database is always available.

Andsor continuously updates the database as the application executes. You don't have to worry about implementing complicated transaction management with commit/rollback logic.

Although a 286 system is recommended, the company says the application runs fine on an 8088. The system is network ready.

Price: \$285. **Contact:** Andsor Research, Inc., 390 Bay St., Suite 2000, Toronto, Ontario M5H 2Y2, Canada, (800) 766-1141 or (416) 245-8073; fax (416) 240-8473.

Circle 1301 on Inquiry Card.

Testing The F-15 Fighter



The Challenge

Every time he straps in, a military pilot puts his life on the line. He trusts his aircraft to respond instantly in split-second supersonic maneuvers. Constant testing and re-testing of his jet's hydraulic control systems are essential to assuring success—and survival.

The Application

HR Textron's F-15 STS Test Stand takes the computer-controlled hydraulic system that controls a jetfighter's flaps and ailerons through tests that simulate flight situations. A graphical user interface includes test fail dialogue boxes and menu trees that lead the operator through a complex series of diagnostic procedures. Limit-testing, self-calibration and archiving of results are handled by the test stand's integrated database.

The Solution

The system software for the test stand was developed using the db_VISTA III DBMS from Raima. Rich Rutkowski, Director of Engineering for the project, looked at the relational database products available and determined that they fell short of the design specifications. "Only db_VISTA III handled the complex data relationships, and also provided the speed and portability

necessary for this application. We're not close to using all the power and flexibility db_VISTA III has to offer."

Whether in aerospace or in accounting, finance or manufacturing, critical applications demand the unique advantages of db_VISTA III:

- **Speed** — faster access to data
- **Portability** — supports most environments
- **Royalty-free** — increase your profits
- **Source Code Available** — total programming flexibility

Call Raima and find out how db_VISTA III can pass your next application development test.



Over 90,000 missions were flown in the recent Persian Gulf conflict. Allied forces lost only five aircraft to mechanical failure — an incredible record made possible in part by exhaustive, thorough performance testing.

\$195	Special db_VISTA Developer's Edition	Windows
		DOS
		OS/2
Developer license only; not for distribution.		

Call: 1-800-db-RAIMA

(1-800-327-2462)

In Washington State call:
(206) 747-5570

Circle 249 on Inquiry Card.



db_VISTA™ III
Database Management System

Specifications

Relational B-tree indexing. Network data model. Relational SQL query and report writer. Single & multi-user. Automatic recovery. Built-in referential integrity. Supports: MS-DOS, MS Windows, UNIX, SCO UNIX, SunOS, QNX, VMS, Macintosh. OS/2 compatible. Most C Compilers and LANs supported.

Raima Corporation 3245 146th Place S.E., Bellevue, WA 98007 USA (206)747-5570 Telex: 6503018237 MCI UW FAX: (206)747-1991
Raima European Sales Office: 31 3480 31377 Fax: 31 3480 31277 International Distributors: Australia: 61 2 419 7177 Austria: 43 222 8139838 Belgium: 32 2 734 9818 Brazil: 55 11 531 5297 Central America: 506 28 07 64 Denmark: 45 42 887249 Finland: 358 80405350 France 33 1 46 09 27 84 Germany: 49 7022 34077 Italy: 39 49 829 1285 Japan: 81 33 865 2140 Mexico: 52 83 49 53 00 The Netherlands: 31 2503 26312 Norway: 472 448855; 472 384888 Singapore: 65 294 6714 Sweden: 46 13 111 588 Switzerland: 41 64 517475 Taiwan: 886 2 552 3277 Turkey: 90 1 152 05 16 United Kingdom: 44 992 500919 Uruguay: 598 292 0959 USSR: 01 22 35 99 07; 812 292 7210 Copyright ©1991 Raima Corporation. All rights reserved. db_VISTA is registered in the U.S. Patent and Trademark Office.

**THE FOLLOWING PRICES
MAY BE SO SURPRISING,
YOU'LL PROBABLY WANT
TO SIT DOWN.
NEAR A PHONE.**

Tandon Computers cost a lot less than other computers. Here's the surprising part. Tandon Computers also come fully loaded with a number of standard features you won't find on most other machines.

And we didn't stop there. With any Tandon Computer, you also get the support you'd expect from a \$400 million company with fifteen years of manufacturing and design experience. Like prompt delivery, a one year limited warranty, on site service, and helpful toll-free tech support. We even offer a special leasing program. And if for any reason you're not pleased, you get a full refund within the first 30 days.

So if you want a great computer at a great price, why not give Tandon a call right now. After all, you're already sitting next to the phone.

Tandon

TO ORDER DIRECT, CALL NOW:

800-800-8850

FAX 805-529-8408

Tandon reserves the right to amend prices and specifications without notice. Tandon 486, Tandon 386, SL386sx, SL 486, LT/286, LT/386sx, 386sx/N, 286/N, Tandon Tower 386, Tandon Tower 486, PowerPoster, MultiCACHE, MIAT and Tandon LaserPrinter are trademarks of Tandon Corporation. Intel is a registered trademark and 486 is a trademark of Intel Corporation. All other products or services are identified by the trademarks or service marks of their respective companies. ©1991 Tandon Corporation, Moorpark, CA. Monthly lease rates based on length of lease.



\$2,499

LEASE: AS LOW AS \$143/MONTH.

STANDARD CONFIGURATION


Microprocessor and Main Board: Intel® 80386SX running at 16 MHz. Supports optional 80387SX math coprocessor.

Memory: 1MB standard.

Storage: 1.44MB diskette drive. 40MB IDE hard drive. (Upgradeable to 100MB).

Video: Dual panel EL backlit VGA LCD. Supports external monitor.

Order now and receive a WorldPort Pocket Modem (\$89 Value) at no charge.



\$3,495

LEASE: AS LOW AS \$123/MONTH.

STANDARD CONFIGURATION


Microprocessor and Main Board: Intel 80386SX running at 20 MHz. Supports optional 80387SX math coprocessor.

Memory: 2MB standard.

Storage: 1.44MB diskette drive. 30MB IDE hard drive.

Video: Paper white VGA, non-glare CCFT backlit LCD. 32 grey shades. Supports external monitor.

Call for information on our 60MB hard drive model.



\$1,999

LEASE: AS LOW AS \$114/MONTH.

STANDARD CONFIGURATION

Microprocessor and Main Board: Intel 80386SX running at 20 MHz. Supports 80387SX math coprocessor.

Memory: 1MB standard.

Storage: 1.2MB OR 1.44MB diskette drive. 40MB IDE hard drive.

Video: VGA monochrome display.



\$2,999

LEASE: AS LOW AS \$105/MONTH.

STANDARD CONFIGURATION

Microprocessor and Main Board: Intel 80486 running at 25 MHz.

Memory: 2MB standard.

Storage: 1.2MB OR 1.44MB diskette drive.

Video: VGA monochrome display.

Call for information on our SL 486 Upgrade Package and additional options.



\$1,199

LEASE: AS LOW AS \$69/MONTH.

STANDARD CONFIGURATION

Microprocessor and Main Board: Intel 80386SX running at 16 MHz. Supports 80387SX math coprocessor.

Memory: 1MB standard.

Video: VGA monochrome display.

Options: 1.44MB diskette drive. 40MB IDE hard drive. Additional options available. Please call for details.

Call for information on our 286/N Low Profile, Network Station, starting at \$949.



\$3,199

LEASE: AS LOW AS \$112/MONTH.

STANDARD CONFIGURATION

Microprocessor and Main Board: Intel 80386 running at 33 MHz. Supports 80387 or Weitek™ 3167 math coprocessors.

Memory: 4MB standard.

Storage: 1.2MB OR 1.44MB diskette drive. 110MB IDE hard drive.

Video: VGA monochrome display.

Call for information on our 386/25 Desktop.



\$7,299

LEASE: AS LOW AS \$183/MONTH.

STANDARD CONFIGURATION

Microprocessor and Main Board: Intel 80486 running at 33 MHz. Supports Weitek 4167 math coprocessor.

Memory: 4MB standard.

Storage: 1.2MB OR 1.44MB diskette drive. 200MB IDE hard drive. EISA caching SCSI controller available.

Video: VGA monochrome display.



\$7,699

LEASE: AS LOW AS \$190/MONTH.

STANDARD CONFIGURATION

Microprocessor and Main Board: Intel 80486 running at 33 MHz. Supports Weitek 4167 math coprocessor.

Memory: 4MB standard.

Storage: 1.2MB AND 1.44MB diskette drive, 200MB IDE hard drive. EISA caching SCSI controller available.

Video: VGA monochrome display.

Tandon Tower 386/33

\$4,199

LEASE: AS LOW AS \$121/MONTH.

Call for additional specifications.

ATTENTION:
We have a special offer so big it won't fit on this page.
To find out what it is, just pick up the phone.

- 30-Day Money Back Guarantee
- 1-Year Limited Warranty
- 24 Hour Toll-Free, On Call Technical Support
- On-Site Service

- OPTIONS AND CUSTOM CONFIGURATIONS**
- Hard Drives, Diskette and Optical Drives
 - Modems
 - Memory Expansion
 - Coprocessors
 - VGA and Super VGA Monitors
 - Additional Options Available On All Systems. Please Call.

Project Management for the Rest of Us

Symantec's On Target project management program for Windows 3.0 is designed for managers responsible for multiple projects but lacking training in formal project management methods. The program's interface lets you pick a particular event, move it earlier or later in time, and connect it to other events or people.

On Target also has outlining capabilities, similar to those of Excel 3.0. A Force to One Page feature lets you squeeze any chart, no matter how large, onto a single page. As the program does this, it automatically adjusts the font sizes. On Target is LAN-compatible and supports file locking.


Price: \$399.

Contact: Symantec Corp., 10201 Torre Ave., Cupertino, CA 95014, (408) 253-9600; fax (408) 253-4092.

Circle 1302 on Inquiry Card.

Contact Management for All

Diamond Data Management, developer of the network-ready Prospector contact management program, has rewritten the program so that it's suitable for both the office and the laptop. The company says that the program's compact and variable-length file structure lets you store a large number of records in a relatively small space. By being network ready and compact, Diamond Prospector 1.10 lets a business use the same program on the road and at the home base.



On Target draws on familiar metaphors, such as spreadsheets, outlines, and bar charts.

The program has search and sort capabilities and a special video mode for hard-to-read laptop screens. Other features include a built-in word processor and the ability to automatically load a contact's city, state, and area code information when you provide the ZIP code.

Price: \$195.

Contact: Diamond Data Management, Inc., 740 North Pilgrim Pkwy., Elm Grove, WI 53122, (414) 786-9000.

Circle 1303 on Inquiry Card.

Every Keystroke Saved Makes a Difference

Datacap, developer of the Paper Keyboard series of data-entry applications for the Mac and Windows on the PC, now offers a professional version for Windows that increases the number of forms it can process per minute. The new program also has an easier configuration process than the previous version.

Paper Keyboard Pro will process up to 16 pages per

minute by supporting high-speed document scanners such as those from Fujitsu, Canon, Bell & Howell, Ricoh, and TDC, Datacap says. The program also supports lower-end scanners.

The program recognizes constrained handwriting, the type of block-letter printing often used to fill in forms. It combines optical character recognition and handwriting recognition to reduce the time operators spend keying in information during the data-entry process.

After an initial configuration, you can scan in documents and view an image of each completed form, fixing any recognition errors there on the spot. The new Pro version supports Dynamic Data Exchange for the automatic transfer of data.

Datacap says you can use the application for market research and other high-volume data-entry jobs.

Price: \$1495.

Contact: Datacap, 5 West Main, Elmsford, NY 10523, (914) 347-7133; fax (914) 347-7136.

Circle 1304 on Inquiry Card.

Two Programs for the Canadian GST

Great American's Canadian Goods and Services Tax Kit works in the accrual-based One-Write Plus Accounting System 2.06D and the cash-based Money Matters 2.0 accounting program. The kit is for businesses that need to comply with the tax requirements introduced on January 1, 1991.

Price: \$16.

Contact: Great American Software, Inc., 615 Amherst St., Nashua, NH 03063, (603) 889-5400; fax (603) 881-9337.

Circle 1305 on Inquiry Card.

M-USA, developer of the Pacioli 2000 accounting program for the PC, now offers a Canadian Goods and Services Tax version. Pacioli 2000, suitable for single-user or networking environments, includes eight modules in one system: general ledger, debtors accounts, creditors accounts, stock control; invoicing, purchasing, budgeting, and auditing.

Pacioli 2000 has a sample chart of accounts with up to 36 open on-line periods and five costing systems, including first-in/first-out and last-in/first-out. The program supports an unlimited number of users, multilevel password protection, and file and record locking.

Price: \$99.95 Canadian.


Contact: M-USA Business Systems, Inc., 17440 North Dallas Pkwy., Suite 207, Dallas, TX 75287, (800) 668-0454 or (214) 931-0024; fax (214) 407-0914.

Circle 1306 on Inquiry Card.



Your business is safe with us.

Through all of its ups and downs.



We'll help you keep your business rolling. With our 4 megabyte diskettes and 3M Magnus™ 1.35 data cartridges you have a whole new generation of data storage media for high capacity systems. So, whatever format or capacity your data is stored in, we're ready when you are.

That's why more business protects important information on 3M brand diskettes and data cartridges than any other brand in the world. Call 1-800-888-1889 ext. 4 to find out more.

Innovation working for you™

Diskettes and data cartridges require compatible drives. ©3M 1991.
Magnus is a trademark of 3M.

Circle 9 on Inquiry Card.

World Radio History

3M | 
Worldwide Sponsor 1992 Olympic Games
36USC380

Global Lab Counts the Objects

Data Translation says its Global Lab Image program for Windows 3.0 offers image-processing and analysis features normally found on more expensive dedicated image-processing systems. These features include spectrum editing, frequency analysis, and automatic object counting and measurement.

Automatic object counting helps when you need to count and measure tissue cells, defects in wafers, or other objects. After thresholding the image according to gray level, the software automatically counts and measures all objects on the screen. You can select a specific object in an image for measurement, and the program can automatically add numerical labeling and object tracing, to keep track of different objects.

To analyze the structure and shape of objects of interest in images or to remove unwanted detail, common morphological operations such as erosion, dilation, opening, and closing are available. You can customize morphological operators to search for objects based on size, shape, or vertical, horizontal, or tilted orientation. You can also use the program to perform precision frequency analysis, such as fast Fourier transforms, inverse FFTs, and spectrum editing operations.

The program supports the Data Translation Quick-Capture frame-grabber boards for the 286 and the PS/2 Micro Channel architecture.

Price: \$2495.

Contact: Data Translation, 100 Locke Dr., Marlborough, MA 01752, (508) 481-3700; fax (508) 481-8620.

Circle 1307 on Inquiry Card.



ProductOne can read in wireframe models in a variety of formats and shade them with proper perspective and lighting.

Render Engineering Drawings

Initially developed to help NASA visualize Venusian terrain from Earth-based radar data, ProductOne lets you render engineering 3-D models imported from a variety of programs. The program supports DXF, DesignCAD-3D, NASA PDS, LBL, and IMG CAD files, as well as TARGA, PCX, TIF, GIF, and other image file formats, according to its developer. ProductOne requires at least a 286 with a hard disk drive.

Price: \$495.

Contact: Digital ChoreoGraphics, 1763 Orange Ave., Costa Mesa, CA 92627, (714) 548-1969.

Circle 1310 on Inquiry Card.

Jandel Brews Mathematically Precise Java

Java 1.4, a program for capturing, processing, measuring, and analyzing video images, adds image arithmetic for adding, subtracting, and averaging images on the PC. If you save images to disk, you can add, subtract, and average them with the current image in the frame-grabber buffer.

An image bit-map transform feature lets you transfer image pixel intensity modifications to and from the data worksheet and frame-grabber buffer.

Java collects images from a video camera attached to a microscope or mounted on a copy stand and accepts standard composite (RS-170/NTSC) video signal input from any source, plus predigitized computer images such as CAT, MRI, ultrasound, and others.

Price: \$1495.

Contact: Jandel Scientific, 65 Koch Rd., Corte Madera, CA 94925, (800) 874-1888 or (415) 924-8640.

Circle 1308 on Inquiry Card.

A Chemical Bartender for the Lab

You may not want to have a drink of what this bartender pours. But InTend, the "laboratory bartender" for the PC, can at least keep you from crying over failed experiments due to calculation errors. InTend has three main functions: performing chemical and radioactive calculations; maintaining a database of chemicals used in the lab with their vendor and storage location; and storing and displaying hazards and special precautions for each chemical.

With InTend, you can enter the names of chemicals and the final volume and concentration needed, and the program will calculate the amount of each chemical to add. Ingredients can be solid, liquid, or stock solutions. The program handles unit conversions. When the recipe is completed, you can save it for future use.

If you enter any two of weight, volume, or concentration, InTend will calculate the third. Taking into account radiochemical decay, InTend calculates the volume of a radiochemical needed to prepare a stock solution of a specified concentration. It can also calculate the concentration from the number of radioactive counts per minute in a specified volume. You can modify InTend's database of chemicals, radiochemicals, and recipes.

Price: \$150.

Contact: GraphPad Software, 10855 Sorrento Valley Rd., Suite 204B, San Diego, CA 92121, (619) 457-3909; fax (619) 457-8141.

Circle 1309 on Inquiry Card.



ACHIEVE YOUR GOALS

NEC & MANCHESTER

NETWORKING



WE MAKE IT WORK !

MANCHESTER Equipment Company is an authorized Novell Platinum Dealer. Using a NEC PowerMate 386 or 486 as a file server and your choice of members of the NEC PowerMate Family as work stations, you can have a powerful and fully functional network that solves your application needs and is affordable and easy to use.

STORAGE OPTIONS UP TO 2 GIGABYTES
WE PROVIDE FULL TESTING,
INITIALIZATION AND INSTALLATION
LEASING AVAILABLE

SYSTEMS INTEGRATION
NETWORKING
CONNECTIVITY
CAD/CAM
DESKTOP PUBLISHING

See us at the PC EXPO - Booth 204



Authorized NEC Computer and Printer Dealer

MANCHESTER EQUIPMENT COMPANY, INC.

"The Computer Supply and Equipment Experts"

50 MARCUS BOULEVARD ■ HAUPPAUGE, NEW YORK 11788 ■ (516) 435-1199

New York City: (212) 629-6969 ■ Boca Raton: (407) 241-7900 ■ Tampa: (813) 962-8088 ■ Boston: (617) 739-1555

Circle 591 on Inquiry Card.

JULY 1991 • BYTE 72NE-1

On-the-Fly CAD Cost Estimates

DesignBid 3.0—the program that tabulates building material, labor, and other costs as you design—can now automatically generate roof plans according to your parameters. The program generates all intersections of planes, including hips, valleys, and ridges. It also generates gables, dormers, overhangs, and internal edges for courtyards.


With DesignBid, you can choose building materials as you create designs, selecting from a pop-up inventory of items. Materials you select are automatically integrated into the design, and the program calculates cost estimates. If you change the design, the cost estimate changes with it. The new version also supports walk-through and fly-by viewing. It can generate 3-D rendered images from a 2-D drawing.

DesignBid runs on 386 DOS-based and Unix-based systems, as well as the Silicon Graphics, Sun Microsystems, and IBM RISC System/6000 series of computers.

Price: \$5995 to \$25,000.

Contact: Dickens Data Systems, Inc., 3850 Holcomb Bridge Rd., Suite 230, Norcross, GA 30092, (404) 448-6177; fax (404) 448-6878.

Circle 1007 on Inquiry Card.



Multiframe shows a load being applied to a structure in the right window, while showing in the left window an exaggerated deflection shape resulting from the load. The colored bar provides a minimum and maximum scale for the bend.

Mac Structural Analysis and Design

Multiframe, a new 3-D structural analysis and design program for the Mac, offers several interactive and visualization features, including the animation of the structural deflection. Multiframe can render structures in detail, complete with web and flange detail on members. It also produces color overlays of force and stress levels.

Multiframe lets you select areas to display, according to geometry, section type, and other criteria. In addition to the 3-D version, Multiframe is also available in a 2-D version for frame analysis. An optional module that integrates into Multiframe, called Section Maker, is for section-properties design and calculation.

Price: 3-D version, \$1495; 2-D version, \$895; Section Maker, \$395.

Contact: Graphic Magic, Inc., 2-1645 East Cliff Dr., Suite 6, Santa Cruz, CA 95062, (408) 464-1949; fax (408) 464-0731.

Circle 1005 on Inquiry Card.

Landcadd's enhanced version of Quadrangle, a contouring and digital terrain modeling program, now supports breaklines for road and drainage channel design.



Landcadd's Civil Engineering Solution

With its new COGO & Development, Earthworks, and Plan & Profile modules, plus upgrades to its Quadrangle, Site Analysis, and Construction Details

modules, Landcadd wants to be your one-stop civil engineering store for AutoCAD add-ins.

The COGO & Development module (\$895), for designing subdivisions, roads, and commercial sites, includes coordinate geometry routines for horizontal road alignments with offsets, cul-de-sacs, and intersections. Earthworks (\$795) works in conjunction with Quadrangle to produce cut-and-fill calculations using grid-to-grid surface comparisons, including daylight lines, shrink/swell factors, and user-defined subsites. Plan & Profile (\$795) takes entities and trims them to produce the plan portion of a plan and profile sheet. Profiles are generated from triangulated irregular networks, contours, text files, and 2-D alignments. The module calculates area differences between existing and proposed profiles. You can also build sewer-design and transmission-line profiles.

The company has also upgraded Quadrangle (\$795), its contouring and digital terrain modeling program, to include breaklines for designing roads or drainage channels. Site Analysis (\$695) is now available as an Autodesk Development System application for binding with AutoCAD release 11. Construction Details has three subsets: Civil Design (\$395), Site Design (\$495), and Irrigation Design (\$295).

Price: \$2485 for all three new modules.

Contact: Landcadd, Inc., 7519 East Highway 86, Franktown, CO 80116, (303) 688-8160; fax (303) 688-8178.


Circle 1008 on Inquiry Card.

New Desktop Portable

Nova Lite

The take it anywhere, five pound, notebook sized alternative to the laptop. It has the features of the most advanced desktops.

- ★ 286-16 Processor
386SX 16/20 Mhz Available
- ★ Six-layer, fully integrated motherboard, IDE interface
Hard Disk: 20-200 MB
- ★ FOUR MEG Memory Capacity (SIPP's)
- ★ Phoenix BIOS *with*:
Page Interleave Mode
Shadow Ram
Built-in EMS Support
- ★ Eight-bit slot for network or expansion cards.
- ★ Monographics video standard,
VGA, 1024x768 optional



Base unit supplied with: One Meg Ram, HD/FD Ctrlr, 1.44 Floppy, Monographics, One parallel, Two serial ports, reset 80-250V power supply, 82 keyboard, full one year warranty.

Only \$625! Quantity discounts available.

SPECIAL Sleek, over-the-shoulder, canvas and vinyl carrying case free with every computer.

Nova

Call: 1-800-875-7580

Nova Computers 27 West 20th St. New York, NY 10011

Circle 584 on Inquiry Card (RESELLERS: 585).

Zinc Steps Toward Platform Independence

Zinc Software has upgraded its Zinc Interface Library for C++ to let you create DOS text, DOS graphics, and Windows 3.0 applications from a single set of source code. Version 2.0 of the library includes an interactive design tool that creates persistent window objects.

Zinc says the new version is a step toward the company's goal of a platform-independent development tool. With the library, you can concentrate on program development while supporting three platforms from one set of source code. The interactive design tool reduces the time required to create the user-interface segment of the application.

By supporting object persistence, the interactive design tool lets you create an application screen—with menus, windows, input fields, and icons—and then save the objects on a disk.

By supporting three modes from a single source, the library lets you develop for 8086, 286, 386, and 486 systems. The library supports Borland C++ and Zortech C++.

Price: DOS version (supports text and graphics): \$249 with source code, \$199 without; DOS/Windows version: \$399 with source code, \$299 without.

Contact: Zinc Software, Inc., 405 South 100 East, Suite 201, Pleasant Grove, UT 84062, (801) 785-8900; fax (801) 785-8996.

Circle 1009 on Inquiry Card.



With version 2.0 of the Zinc Interface Library for C++, you can support three platforms from a single set of source code.

Graphics Library for C

A new 32-bit, 386 protected-mode extended graphics library supports graphics direct to hardware for a variety of IBM standard modes. Supported modes include EGA, VGA, MCGA, 8514/A, VESA/SVGA, Hercules Graphics Station Card GB1024, Truevision ATVista-4M, and WYSIWYG hard copy to Hewlett-Packard Graphics Language and PostScript devices or files.

Version 7.0 of the libhpgl.lib library supports mixed vector plotting and raster imaging, graphics viewports (i.e., partial screen windowing), user unit scaling, rotatable and scalable labels, and up to 1024-by-768-pixel images with 8-, 16-, or 32-bit graphics cards. The library comes with full source code in C and Phar Lap 386|ASM, plus sample code. Royalties are not charged for distribution of compiled composite code.

The library is available for the following 32-bit C compilers: Intel DPMI 386/486 C Code Builder Kit;

MicroWay VCPI NDP C-386 2.x/3.x; Watcom C 8.0/386; and Zortech DOS 386 C++ 2.1, using the Phar Lap Tools.

Price: \$200.

Contact: Gary R. Olhoeft, P.O. Box 10870 Edgemont, Golden, CO 80401, (303) 279-6345 or (303) 877-3697; "golhoeft" on BIX.

Circle 1011 on Inquiry Card.

C++ Class Libraries

Microtec Research's new Capsule set of reusable C++ class libraries includes general-purpose container base classes, application classes, and stand-alone applications derived from the base classes.

The base classes encapsulate flexible data structures and program blocks for linked lists, circular lists, stacks, queues, keys, data and hash tables, binary trees, graphs, error detection, and registry, the company says.

The application classes and programs illustrate how to use the base classes, and

you can use them in your own applications. Applications include a PostScript graph-display class, a mapping class for string-to-numeric tag conversion, a stand-alone reverse Polish notation stack-based expression evaluator, a sorted-list generator, and a Capsule test suite with test programs for lists, graphs, display graphs, and binary search.

The library is compatible with AT&T C++ 2.1 and compatible source code files on DOS and Unix.

Price: \$495 per CPU.

Contact: Microtec Research, Inc., 2350 Mission College Blvd., Santa Clara, CA 95054, (800) 950-5554 or (408) 980-1300; fax (408) 982-8266.

Circle 1012 on Inquiry Card.

C Library for Novell NetWare

Automation Software Consultants' Network C Library, which features more than 300 functions and provides access to NetWare system services and statistics, now supports Turbo C in addition to Microsoft C. The library provides tools for developing commercial NetWare applications or utilities for a network.

You can access the following services with the library: file and directory management, locking and synchronization, bindery management, accounting, messaging, printing, connection and workstation services, queue management, and transaction tracking.

Price: \$225.

Contact: Automation Software Consultants, Inc., 124 Venice Ave., Cincinnati, OH 45140, (800) 669-0842 or (513) 677-0842.

Circle 1010 on Inquiry Card.

On July 11, 1991 Will You Get Caught In The DARK?



EZCosmos™ 3.0

You will if you're on a cruise ship lounging in the Pacific, courtesy of Future Trends Software. Travel to four breathtaking Hawaiian islands, five ports and witness the solar eclipse off the big island. Or win an Orion space probe telescope, memberships in the Planetary Society and much more in our "Solar Eclipse Extravaganza".

EZCosmos reveals the entire celestial sphere for any date, time and location from 4000 B.C. to 10,000 A.D. You can choose your location from one of 1150 cities around the world, or you can input your own latitude and longitude to see the sky from anywhere on Earth.

EZCosmos displays more than 10,000 celestial objects, including the sun, moon, planets, stars, constellation lines and deep space objects. Find any object and a pop-up window displays its constel-



Continental is proud to be the official airline of the Solar Eclipse Extravaganza.



Zoom in on breathtaking views from our solar system and of deep space.

lation name, common name, magnitude, right ascension and declination, altitude and azimuth, and rise and set times.

Zoom in on binary stars. Verify historical observations. Watch solar eclipse animations. Restrict the skyplot to display just the navigational stars. View the names of the brighter stars and all 88 constellations on the screen, and print your star chart on any dot-matrix or laserjet printer.

EZCosmos 3.0 gives you the universe for only \$69.95. It's available at your favorite software store, or you may order directly from Future Trends Software.

For more information, call:
800-869-3279 - Sales
214-224-3288 - Int'l Sales
214-224-3279 - VOX/FAX
or write to:

Future Trends Software, Inc.
1601 Osprey Dr. Suite 102
DeSoto, TX 75115

© 1991 Future Trends Software, Inc.

IBM/Tandy Compatible: 640K RAM: VGA, EGA, MCGA, CGA, or Hercules® monitor; dual floppy or hard drive required.

EZCosmos is a trademark of AstroSoft, Inc.

Circle 601 on Inquiry Card (RESELLERS: 602).


World Radio History

SpeedEdit for Motif and Windows 3.0

The full-screen SpeedEdit text editor and program development system runs as a native application under the X Window System/Motif for HP-UX and SCO Unix, as well as Windows 3.0. Bradford Business says the system, which is also available for nonwindowed DOS, OS/2, Unix, SunOS, and Hewlett-Packard's MPE and MPE-XL operating systems, lets you easily move among dissimilar environments. The SpeedEdit system for Motif and Windows offers scroll bars, pull-down menus, list boxes, and multiple windows while letting you compile and test applications from inside the editor.

SpeedEdit is language sensitive. If you're writing in C, C++, Pascal, COBOL, FORTRAN, assembly, or Hewlett-Packard's System Programming Language, SpeedEdit performs its text alignment and indentation properly, the company says. SpeedEdit can search and modify groups of files as if they were one file, including search and replace using regular expressions, according to Bradford Business.

Except for the Windows and Motif versions, SpeedEdit runs without a windowing system. However, SpeedEdit can be command driven, menu driven, function key driven, or control key driven. You can redefine control sequences, function keys, commands, and menus. You can also add and enhance menus. Each version, though based primarily on the same source code, is a separate product.



You can compile and test your applications from within SpeedEdit.

Price: For PC-based systems, \$295; for single-user Unix workstations, \$395.
Contact: Bradford Business Systems, Inc., 23151 Verdugo Dr., Suite 114, Laguna Hills, CA 92653, (714) 859-4428; fax (714) 859-4508.
Circle 1013 on Inquiry Card.

A Launchpad for Windows

Cognetic's CodePad editor for Windows 3.0 lets you view and edit multiple source windows with files in overlapping windows. CodePad lets you choose from five fonts to get the one best suited for your eyes and monitor. If you have the Windows Software Development Kit, you can mark Windows system calls in source code, press a hot key, and get SDK hyper-text help for that topic.
Price: \$99.
Contact: Cognetic Systems, Inc., 12534 Pinecrest Rd., Herndon, VA 22071, (703) 476-7154.
Circle 1015 on Inquiry Card.

Visual Programming Plus Database

The VZ Programmer applications development tool incorporates a GUI construction kit, a persistent object management system, and C-/C++-based software component libraries.

Version 2.0 of VZ Programmer for Windows provides cross-platform compatibility with VZ Programmer 2.0 for OS/2 Presentation Manager. It includes a graphical object editor and integrated debugging.

Price: Windows version, \$595; OS/2 version, \$1295.
Contact: VZ Corp., 57 West South Temple St., Salt Lake City, UT 84101, (801) 595-1352; fax (801) 328-4404.
Circle 1016 on Inquiry Card.

Text Editing for PM, Windows, and X Window

Emerging Technology, developer of the EDIX full-screen, character-based editor for DOS, Unix, and VMS, now offers multiwindowing editors for Windows, OS/2 Presentation Manager (PM), and the X Window System running Motif on Sun Sparcstations. The GUI version, called EDIX/gs, supports subprocess execution, multiple editing windows and buffers, regular expression search and replace, keystroke and command record/playback, and customization via the macro processor.

Through subprocess execution, you can write a program in one buffer and capture compiler errors in another. You can edit in up to four windows at once, including the same file simultaneously in four windows. You can edit up to 12 files at once in EDIX/gs buffers, the company says. A proprietary paged memory that sits on top of Windows' and OS/2's memory managers not only lets you edit large files but speeds up performance by up to 10 times in Windows and by 15 percent in OS/2, the company says.

The regular expression search-and-replace facility lets you search for wildcard characters, sets and ranges of characters, anchored strings, and paired patterns such as { and }. The undo/redo commands work on a number of commands.
Price: Windows and PM version, \$245; Unix version, price undetermined [expected to ship in September].
Contact: Emerging Technology Consultants, Inc., 3405 Penrose Place, Boulder, CO 80301, (303) 447-9495; fax (303) 447-9241.
Circle 1014 on Inquiry Card.



**Computer
Sales
Professional**

ORDER NOW (908) 560-1143—OR CALL TOLL FREE

1-800-950-6660



PRO-486/33^{*,25}

**Minicomputer power
at a
386 Price**

\$1950^{*}, \$1795

- Quality - Performance - Service -

Compare the PRO-486 to other systems! You won't find any system that couples such high performance with a lower price. The latest development in high speed computers is now being offered at a special introductory price. Never before has such an outstanding system been so affordable! The **PRO-486** exceeds the performance of any fully

expanded 386 system. The outstanding features will amaze you. But one feature—the low price—won't be around for long. So hurry and order your **PRO-486** today!

*Basic Unit Features

- Intel 25 or 33MHz 80486 Microprocessor with built-in cache and math coprocessor
- 4MB memory standard; expandable to 32MB on the motherboard
- Supports 256Kx9, 1Mx9, and 4Mx9 SIMMs
- Shadow RAM support
- 5¼" 1.2MB and 3½" 1.44MB floppy disk drive
- Two serial and one parallel ports
- Real time clock/ calendar with battery backup
- Eight 16-bit and one 32-bit expansion slots (two 8-bit, six 16-bit, and one 32-bit expansion slots for the 25MHz)
- Baby AT case or Minitower case
- 101-key enhanced keyboard
- Supports LIM/ EMS 4.0
- MS-DOS 4.01
- Windows 3.0

Performance	25MHz	33MHz
Landmark Speed (v. 1.14)	114.1	150.2
Norton SI (v. 5.0)	54.0	71.3
Power Meter (v. 1.5)	11.04	14.60

Package Prices	14" VGA Mono Monitor		GS 14" 1024x768 Color Monitor & VGA Board w/ 1MB	
	25MHz	33MHz	25MHz	33MHz
80MB (IDE) 18ms.	\$2275	\$2435	\$2509	\$2669
200MB (IDE) 14ms.	\$2625	\$2785	\$2859	\$3019

■ Quality

45-Day Money-Back Guarantee. Customer satisfaction is our first priority. So each CS PROFESSIONAL system is backed by a 45-day money-back guarantee. If you're dissatisfied, return your product for full refund, no questions asked.

Compatibility. We also know how important it is that every system is fully compatible. Our team not only uses our past productions to determine what is most useful, but also anticipates future demands to allow every system to be flexible and customized.

Full One-Year Warranty. Every CS PROFESSIONAL system comes with a one-year warranty on parts and service. If a part needs to be replaced, we will ship a replacement part by overnight service (if necessary) - at our expense.

Lifetime Toll-Free Technical Support. Advice and technical support for your CS PROFESSIONAL product are always only a toll-free phone call away.

Great Value. CS PROFESSIONAL has always been devoted to providing you the right system at the right price. Plus, we back it by the price and support that you need and expect. We have compared our systems prices with the Computer Shopper competition, and no one even comes close in price.



Computer Sales Professional

764 Easton Ave., Somerset, NJ 08873

Order Call: 1-800-950-6660 In NJ: 908-560-1143

Fax Orders: 908-356-5005

Business Hours: Mon-Thu 9AM-9PM EST Fri 9AM - 6PM EST

Tech Supp. & Cust. Service: Mon-Fri 9AM-6PM EST



We accept Visa and MasterCard (no surcharge) or prepaid checks • Fortune 1000, government and university PO's are welcome • All money-back guarantees do not include returned freight; shipping charge is non-refundable • Overnight replacement part service is subject to the availability of parts, and the customer must return the failed part within one week at the customer's expense • All returned items must be with a return merchandise authorization (RMA) number and must be in original packaging • Prices and product descriptions subject to change without notice • CS Professional cannot be responsible for errors in typography or photography • 386 & 486 are trademarks of the Intel corporation • Other product names or trademarks shown herein may be the property of other companies.

Circle 582 on Inquiry Card (RESSELLERS: 583).


Prototyping and Development for Windows

ProtoView Development is now shipping version 3.2 of its ProtoView Screen Management Facility and version 1.10 of its ProtoGen Application Generator for prototyping and development of C applications in Windows 3.0. As with previous versions, the new version of ProtoView includes a WYSIWYG screen painter, application screen-flow animation and code generation, a dynamic link library of 175 high-level screen management functions, and a second DLL of data-entry field control objects with source code.

The new version includes enhanced support for Dynamic Data Exchange conversations between ProtoView dialogues and other Windows applications. Customizable toolboxes and palettes let you design sophisticated Windows dialogues and data-entry screens, the company says. Support for Windows 3.0's Multiple Document Interface allows you to display multiple copies of a screen under a common menu.

The screen painter's customizable workbench lets you choose which tools are available at any given time. By loading a new workbench, you can change the set of control objects and tools. You can also establish a set of tools for a given project and distribute the workbench to the individuals working on the project.

Other new features include multiple range checking for data-entry fields, support for bit maps and icons within push buttons, currency control for 26 currencies, and date control for



The ProtoView Screen Management Facility lets you place data-entry fields over a screen image of a familiar form and apply a variety of actions to the individual fields.

six international formats with full validation.

Code generated by ProtoView and ProtoGen is also C++ compatible. **Price:** ProtoView, \$695; ProtoGen, \$199; both, \$894. **Contact:** ProtoView Development Co., 353 Georges Rd., Dayton, NJ 08810, (908) 329-8588; fax (908) 329-8624.

Circle 1017 on Inquiry Card.

Fast Floating-Point C Functions

A library of C functions called Fast Floating Point, for scientific/engineering or windows graphics applications, has library operations that in some cases can rival a math coprocessor in speed, Triakis claims. Based on the sign-logarithmic number system, the library includes trigonometric, logarithmic, integer conversion, and exponential functions; square root operations; and a tool for tabulating virtually any $f(x)$ to single precision, the company says. The integer conversion functions are

provided for fast graphical display.

The package includes two libraries: one for use on any 80x86 processor, and the other for use on the 386 and 486. The functions are compatible with most versions of Microsoft C and Borland C. The company doesn't charge a royalty for the functions.

Price: \$59. **Contact:** Triakis, 1011 Duchess Rd., Bothell, WA 98012, (206) 486-8282; fax (206) 883-2740. **Circle 1019 on Inquiry Card.**

GFA-BASIC for DOS and Windows

GFA says its implementation of GFA-BASIC for Windows 3.0 lets you use the functions of the Microsoft Software Development Kit, obviating the need to write lines upon lines of C code. The GFA-BASIC interpreter, editor, and protected-mode runner for both DOS and Windows are available now. The com-

piler will ship later this fall, the company says.

The DOS and Windows versions are the first of four planned platforms. Versions for OS/2 and Unix will be available later this year, the company promises.

When a GFA-BASIC command creates a graphical window or other action, it will interface with DOS Systems Application Architecture (SAA), Windows, OS/2 Presentation Manager, or X Window System/Motif automatically, GFA says. This implementation provides portability across all platforms.

The Windows version has more than 500 independent commands, plus 400 commands and functions for Windows. The commands let you use the Multiple Document Interface, load bit-map files, use the Clipboard and Dynamic Data Exchange, and run dynamic link libraries. The Windows version also supports EMS and runs in real or protected mode.

The DOS version has over 500 independent commands and more than 70 graphics commands let you include menu bars, windows, alert boxes, and pop-up menus; the commands replace pages of complex coding that would normally be required, the company claims.

Price: For Windows: 286 version, \$449; 386 version, \$495; the compiler will be sent free of charge to registered users when available. For DOS: 8088/286 version, \$249; 386 version, \$295. **Contact:** GFA Software Technologies, Inc., 27 Congress St., Salem, MA 01970, (508) 744-0201; fax (508) 744-8041. **Circle 1018 on Inquiry Card.**

Reasons to buy an LSI PROFESSIONAL COMPUTER

30 Day Satisfaction Guarantee

Satisfied Customers Like...
BOEING
ROCKWELL INTL.
CHRYSLER
ARCO

Toll Free Tech Support

Top Rated MICRONICS Motherboard Options Available

Complete line of 386 and 486 ISA and EISA Systems



Upgrades From 486/386 33MHz Standard System

Standard VGA (640x480, 16 color)	\$250
Super VGA (1024x768, 16 color)	\$400
Super VGA 1MB (1024 at 256 colors)	\$480
Sony 1304/1MB VGA(non-interlaced)	\$800
200MB Hard Drive (IDE 18ms)	\$250
200MB (IDE 15ms)	\$350
336MB (ESDI 16ms)	\$1150
760MB (ESDI 16ms)	\$1950
760MB (ESDI above w/ EISA Controller)	\$2745
760MB (SCSI 16ms)	\$2250
1.2 Gigabyte (SCSI 15ms)	CALL

HD Upgrades are from 100MB...add \$250 addl. to 40MB System
Call For Stand Alone Pricing

STANDARD FEATURES ...

\$2995.00
4MB RAM, 100MB HD, Super VGA

80486 33MHz 32 Bit Intel CPU
4MB RAM-Expandable to 64MB
MICRONICS Motherboard, Phoenix BIOS
64K Cache (expandable to 256K)
Desktop Style Case (Tower Option available)
8 Expansion Slots (ISA 16 bit)
EISA System -- Add \$1000.00 (486 only)
w/ 7-32 Bit EISA slots, 1-16 bit ISA
220W Switching Power Supply

101 Enhanced Keyboard
14" Super VGA Monitor (1024x768)
VGA Card, 512K RAM (1MB, add \$80)
1.2 or 1.44 MB Floppy Drive
100MB 18ms Hard Drive
Serial, Parallel & Game Ports
Full 1 Year Limited Warranty-Parts
2 Years-Labor
486 25 as above, only \$2795.00

MS-DOS 3.3 or MS-DOS 4.01 add \$50.00

All LSI Professional Systems Are FCC Certified

MICRONICS
COMPUTERS INC.
authorized distributor

Complete 386 33MHz System



Configured as 486 above except with
386-33 MICRONICS Mboard, Phoenix BIOS
1MB RAM Expandable to 16MB
8 Expansion Slots. all 16 bit
MonoGraphic Card and 12" Mono Monitor

Our Best Value!
\$1795.00

386 25MHz Laptop

4MB RAM, 40MB, 23ms Hard Drive
Paperwhite VGA, LCD Backlit Display
MS-DOS 4.01 and Windows 3.0 included

\$2995.00

New From MICRONICS made in U.S.A.

386SX 20MHz System

40MB, 1MB, Monochrome

\$995.00

286 12MHz System

40MB, 1MB, Monochrome

\$695.00

Components / Accessories

Logitech Mouseman Serial	\$ 69
Logitech Mouseman Bus	\$ 79
Logitech Trackman Serial	\$ 89
Logitech ScanMan Grayscale	\$315
Logimouse w/Windows 3.0	\$159
Supermouse w/Windows 3.0	\$109
1.2MB Floppy	\$ 75
1.44MB Floppy w/bracket	\$ 79
IDE cntrl. with I/O	\$ 50
UltraStor ESDI 32K Cache	\$175
Ultra EISA/ESDI cntrl.	\$795

Printers

Brother 1324 (24 pin, 9 font)	\$259
Epson LQ510 (24 pin)	\$309
Panasonic 1124 (24 pin)	\$279
Citizen GSX 140 (24 pin)	\$289
Color Kit for Citizen	\$ 50
Laser Printers (incl. toner)	
Brother HL8e (1MB, HPGL)	\$1195
Brother 8V (HP3 comp.)	\$1595

Financing Available O.A.C.

Circle 589 on Inquiry Card
(RESELLERS: 590).

Quality Service and Support Since 1984
Locations Nationwide



Lucky Computer Co.

1701 Greenville Ave #602 Richardson, TX 75081 (214)690-6110 1-800-966-5825
2132 N. Collins Arlington, TX 76011 (817)265-1883 1-800-966-4056
17338 Southcenter Pkwy. Tukwila, WA 98198 (206)575-9060 1-800-367-5825
14220 NE 20th #D Bellevue, WA 98007 (206)643-2673 1-800-336-5825
10773 SW Bvtn.-Hills. Hwy Beaverton, OR 97005 (503)671-0961 1-800-348-5825
4151 Beltline Rd. #120 Addison, TX 75244 (214)702-8588 1-800-966-7687

Hours
Mon-Sat 9am-6pm
C.S.T./P.S.T.

LATE ORDERS Tukwila, WA Location Only (P.S.T.) 10am-9pm Mon-Fri 10am-6pm Sat 12-5pm Sunday

Copyright 1991 Lucky Computer Company. Lucky Star International, MS-DOS, Intel, Microsics, are trademarks of their respective companies. All Prices/Specifications subject to change.

World Radio History


WordStar's \$700 Laptop Bundle for \$295

WordStar's new Laptop Collection includes the WordStar Laptop Edition, Traveling Software's LapLink Special Edition, and Campbell Services' On-Time scheduling software. The WordStar Laptop Edition offers page preview, style sheets, a built-in spelling checker and thesaurus, pull-down menus, TelMerge communications software, a telephone and address list manager, and other features.

The program works on any laptop with 640K bytes of RAM, a CGA or better display, and two floppy disk drives or one floppy and one hard disk drive. **Price:** \$295; \$89.95 for registered users of WordStar. **Contact:** WordStar International, Inc., 201 Alameda del Prado, Novato, CA 94949, (415) 382-8000; fax (415) 883-1617. **Circle 1021 on Inquiry Card.**

Two WordPerfect Utilities

The Top Banana offers 89 general business and office forms for WordPerfect 5.0 and 5.1 in its package called The Forms. Each Forms package is personalized, with your company name, address, and telephone number, when you install it. You can add a black-and-white logo, scanned from your letterhead, for an additional \$29. **Price:** \$89. **Contact:** The Top Banana, Inc., 1501 East Chapman, Suite 261, Fullerton, CA 92631, (714) 525-0454. **Circle 1024 on Inquiry Card.**



The WordStar Laptop Collection supports footnotes, endnotes, indexing, and a table of contents.

Proportionally spaced fonts take up space on your screen. If you're working with large type in WordPerfect, this means you often need to scroll left and write to read a sentence in a paragraph. A new version of ScreenExtender, the utility for WordPerfect 5.0 and 5.1 that eliminates the need to scroll as you edit a proportionally spaced document, is faster and more readable, and requires less memory. Stairway Software says it reduced ScreenExtender's memory requirement from about 84K bytes to about 40K bytes, depending on your video display.

You can choose from up to 25 screen sizes, display up to 128 characters per line, and change screen sizes whenever you want. ScreenExtender 2.0 displays bold-face, underlining, italics, small caps, extra-large type, and other type modes as you edit. **Price:** \$99.95. **Contact:** Stairway Software, Inc., 700 Harris St., Suite 204, Charlottesville, VA 22901, (800) 782-4792 or (804) 977-7770. **Circle 1025 on Inquiry Card.**

It's True: Verity Does Windows

Verity, publisher of the Topic intelligent document-retrieval software for networked computing environments, now supports Windows 3.0 with its front-end client support for Topic databases on DOS, OS/2, Unix, and VMS.

Verity says its Topic and Topic Real-Time programs are based on concept retrieval, where you build a knowledge base of retrievable objects called Topics. Topics intelligently searches and retrieves documents and files that contain relevant information on a particular subject. Topic supports direct manipulation of queries, results, and documents within Windows. **Price:** \$795 per Windows client; other clients: Mac or DOS, \$795; OS/2, \$1000; Unix, \$1500; Topic servers: \$15,600 to \$150,000, depending on the platform. **Contact:** Verity, Inc., 1550 Plymouth, Mountain View, CA 94043, (415) 960-7600; fax (415) 960-7698. **Circle 1023 on Inquiry Card.**

New Windows Word Processor Is Just Write

Symantec's new Windows word processor is designed primarily for executives who need an easy way to create simple memos or sophisticated documents. JustWrite 1.0 has many features found in word processors that retail for nearly \$500, such as multiple columns, graphics, text, table frames, support for Dynamic Data Exchange, and table-of-contents indexing. But one of JustWrite's biggest selling points is its ability to fit into the mix of other word processors and applications in a corporate environment.

JustWrite will automatically detect almost any word processing file format on the market and, likewise, save the document back to its format automatically. This simple import/export feature is designed to help someone who doesn't do a lot of work on a PC.

The program's document templates and style libraries are designed to let you quickly create a professional-looking document. Other features include direct access, query, and sort of Q&A and dBase files; networkable file locking; and a messaging system for sharing documents on Novell, LAN Manager, or 3Com networks.

Price: \$199. **Contact:** Symantec Corp., 10201 Torre Ave, Cupertino, CA 95014, (408) 253-9600; fax (408) 255-0981. **Circle 1022 on Inquiry Card.**




Many solutions and products but it doesn't fit your real requirements. The power of today's desktop lies in the total design effort of the system board. Unleashing the power of the 486 chip with all the customer designed-in spec is our goal.

Our 486 Companion mainboards are the best choice for companies like you who can deliver results at the right time. We envisioned more raw processing power with all the integrated features of high-end and low-end desktops. Our 486-based Companion mainboards are designed just that. To satisfy your value-added solutions at the right cost. With its built-in 64 MB SIMM socket, no RAM card is needed. And

what's more- a reliable SMT system board technology to bring you quality at its best. Now, to be on the market for the real solutions for your system requirements, choose our 486-based Companion mainboards and we will help you be there at the right time.

**RIGHT
FIT
FOR
YOUR
NEED**



G486EB

G486E



JOINDATA SYSTEMS, INC.
14838 Valley Blvd., Suite C,
City of Industry, CA 91746, U.S.A.
Tel: (818) 330-6553
Fax: (818) 330-6865

All brand names and trademarks are the property of their owners.

Circle 588 on Inquiry Card.

World Radio History

Graphing and Analysis Added to GP Manager


Great Plains Software says version 6.0 of its Accounting Series for PCs has a new system manager that incorporates the more-than-70 graphical analysis reports of the Executive Advisor. Previously, the Advisor had only been available as a separate module.

The company says the new system manager, with added graphical reporting, analysis, and a macro key-stroke recorder, functions as the control center for an entire accounting system. When activated, the key-stroke system lets you record transactions and automate repetitive entries and tasks.

You can now customize Great Plains menus to list only important tasks or launch other applications, third-party links, or key-stroke routines. Version 6.0 also adds unlimited budgeting and history, letting you save multiple budgets for current and prior years.

An automatic transaction allocation feature lets you post a single sales account and allocate the information automatically to all departments. This feature allows for unlimited allocation amounts, up to 100 accounts per allocation, and an amount breakdown by percentage, the company says. **Price:** System Manager module: for single user, \$295; for multiuser system with up to four workstations, \$1195; most other modules, \$795 each.

Contact: Great Plains Software, 1701 Southwest 38th St., Fargo, ND 58103, (800) 456-0025 or (701) 281-0550; fax (701) 282-4826. **Circle 1026 on Inquiry Card.**



Num	Column Item	St Period	End Period	Amount From	Size	Offset
1	Account No.				14	Z
2	Description				30	Z
3	Period Amount	Current Period		Current Year	19	Z
4	Period Amount	Current Period		History	19	Z
5	User Defined				19	Z
6	User Defined				19	Z
7	User Defined				19	Z
8	Calc Column 1					
9	Calculation					
10	Calc Column 2					
11	Heading Format					
12	Heading 1					
13	Heading 2					
14	Text					

The Great Plains General Ledger with Financial Report Generator module lets you define financial statements of up to 20 columns.

Entry-Level Windows Accounting

Progressive Solutions says its four-module, entry-level Windows accounting package is powerful enough to accommodate any size general ledger, yet it offers an easy way to do double-entry accounting. The four modules include accounts payable, accounts receivable, general ledger, and a reporting module.

The release will also include an accounting module for novices. This module will have fill-in-the-blank journal entries and documentation covering basic accounting principles.

A collection screen in Progressive Accounting will display current aging data and let you view collection information by customer. A dial-it function will let you dial a customer's phone number for a selected invoice.

Price: \$129.

Contact: Progressive Solutions, 8640 M Guilford Rd., Suite 228, Columbia, MD 21046, (301) 865-3201.

Circle 1028 on Inquiry Card.

Nonaccountants Take Care of Business

A new five-module double-entry accounting package for nonaccountants includes general ledger, accounts reconciliation, financial utilities, accounts receivable, and accounts payable for under \$200.

Called Takin' Care of Business, the program lets you keep multiple years of information on-line for comparison purposes, and you can reprint reports at any time. You can also correct or delete mistakes without entering reversed transactions.

Takin' Care of Business was available previously in stand-alone modules.

Price: \$149.95.

Contact: Hooper Interna-

tional, Inc., P.O. Box 50200, Colorado Springs, CO 80949, (719) 528-8990; fax (719) 528-8997.

Circle 1027 on Inquiry Card.

Value Pack for Cash-Based Businesses

Great American now offers a Business Value Pack for cash-based small businesses. The Pack includes the One-Write Plus Money Matters program for small businesses plus a payroll module. With the Pack, you can produce printed payroll checks, W-2 forms, and tax reports. You can also compute gross wages, federal and state taxes, and FICA deductions. If you buy the pack, the company will send you a \$20 rebate.

Along with the Value Pack, Great American says that a new version of @Accounting, which provides a seamless interface between its One-Write Plus Accounting System and Lotus 1-2-3, now supports Quattro, Quattro Pro, SuperCalc 5, and 1-2-3 releases 2.01, 3.0, and 3.1. The program enables you to seamlessly export data from your accounting program into a spreadsheet for what-if analysis, graphing, and other manipulations. Previously, @Accounting was exclusively compatible with 1-2-3 release 2.2.

Price: \$159.90.

Contact: Great American Software, Inc., 615 Amherst St., Nashua, NH 03063, (603) 889-5400; fax (603) 881-9337.

Circle 1029 on Inquiry Card.

THE UNIX MULTIUSER PLATFORM ONLY \$4,999

UNIX Multiuser Host and LAN/ Client Server


A Powerful Hybrid System Puts Unlimited Expandability in Your Hands.

If you are looking for an inexpensive XENIX/UNIX multiuser solution for your business. DTS's SOLUTION/16 is the right choice. For less than half the price most companies would charge you, you will have an excellent combination of performance, quality and reliability.

All DTS SOLUTION systems come with SCO XENIX/UNIX V/386 operating system loaded and fully tested, even DTS's SPEEDBOARD II intelligent communication controller installed. All you have to do is hook up your terminals or existing PCs.

For \$4,999, DTS's XENIX/UNIX host system SOLUTION/16 includes: INTEL's 33 MHz 80486 CPU, 128K RAM Cache, 4MB RAM, 1.2MB Floppy, 200MB Hard Drive, 120MB Tape Backup Unit, 14" monochrome VGA Monitor, 101 Keyboard, SCO XENIX/UNIX V/386 Operating System and DTS SPEEDBOARD II 8/16 users subsystem. (4 boards can be installed for maximum 64 users)

SOLUTION/16 not only is a perfect multiuser host system for budget-limited departmental workgroups and small businesses, but with slight modifications can also be used simultaneously as a LAN (Local Area Network) file server for medium-sized businesses and those with more departments.



DTS SPEEDBOARD II

- INTEL 80186-16MHz processor
- 128K RAM (512K opt.)
- 8/16 Channels
- 60-38.4K bps
- Modem supported by each channel

■ This is a bargain you won't regret.

Pick up the phone TODAY and take
advantage of our 30-day trial period.



DATATRANS SYSTEMS, INC.

35-28 154th STREET FLUSHING, N.Y. 11354
Tel. 718-445-6970 Fax. 718-461-2822

1-800-368-1688

Circle 586 on Inquiry Card (RESELLERS: 587).

World Radio History

dANALYST GOLD 5.0

The Ultimate Multi-User Borland C & C++ Development Environment For Windows.

Sample C Program Before dANALYST for C

```

1  #define NOTFOUND -10
2  typedef int ArrayType;
3  int binarySearch(ArrayType arr, int low, int high, int val) {
4      int mid;
5      while (low <= high) {
6          mid = (low + high) / 2;
7          if (arr[mid] == val) return mid;
8          else if (arr[mid] < val) low = mid + 1;
9          else high = mid - 1;
10     }
11     return NOTFOUND;
12 }
13
14 int main() {
15     ArrayType arr = {1, 2, 3, 4, 5, 6, 7, 8, 9, 10};
16     int val = 5;
17     int result = binarySearch(arr, 0, 10, val);
18     if (result != NOTFOUND)
19         printf("Found at index %d\n", result);
20     else
21         printf("Not found\n");
22     return 0;
23 }

```

Sample C Graphic Analysis After dANALYST for C

Supports these DBMS Engines

Does complete source code generation with network models, sets or relational DBMS interaction. Not a simple screen painter!

XBASE

Clipper SM87, Clipper 5.0, dBASE III PLUS, dBASE IV, FoxBASE+, FoxPRO/LAN, QuickSilver & DBXL

PARADOX

BORLAND PARADOX C & C++

SEQUIER CODEBASE 4,

COPIA ACCSYS for dBASE & PARADOX, BORLAND PARADOX ENGINE, NOVELL BTRIEVE, FAIRCORN C-TREE, EMERALD BAY, SOFTC, RAIMA db_VISTA III & BUZZWORDS PORTABLE ENGINE.


Pro Video Library Included

- Complete Library Size (Large Model) under 41K.
- Complete User Interface.
- Fast screen I/O.
- Fast keyboard input via the super fast Buzzwords keyboard optimizer.
- Easy to program.
- Seamless integration with 3rd Party Libs.
- Supports DOS, XENIX, UNIX, AIX, XWindows, MOTIF, Microsoft Windows, OS/2, SUN OS, VMS & ULTRIX.
- 386 Specific Video Libs included for DOS.
- Extensive Video Caching done for terminal.
- Supported by the dANALYST Screen Painter & Menu Generator. Included with dANALYST Gold.
- International language support using high bits.
- Mouse support.
- Same code calls for all operating systems.

- One package supports dBASE III Plus, dBASE IV, Clipper SM87, Clipper 5.0, FoxBASE+, FoxPRO/LAN, QuickSilver, DBXL, Paradox, Microsoft C, Borland C++, WATCOM 386, Jensen & Partners C, Metaware High C, Microway C, AT&T C, Novell Network C Compiler, Intel C and Zortech C++.
- Multi-user converter from single-user XBASE applications to Network ready Apps.
- You can create 386/486 specific protected mode applications.
- Creates cross reference of # define locations, variables and functions.
- Source Code Documentor/Indenter/Beautifier for these languages.
- Supports NET LIB for Clipper SM87 and Clipper 5.0.
- Enhanced manual supports all languages including Clipper 5.0.
- Relational Screen Painter and Report Writer can generate portable source code for XBASE, Paradox PAL and C & C++.
- High speed portable video Lib included for C & C++ developers.
- Includes the SoftC DBMS Lib that reads/writes DBF, NDX, IDX and NTX data files & indexes in multi-user mode.
- Color source code analyzer will reformat and indent all sources.
- Professional Edit C/C++ Source Code Editor with multiple screens included.

- Samples for XBASE, Paradox & C Microsoft Windows included. Create programs that will run under DOS, Novell, NET BIOS, XENIX, UNIX, Sun OS, ULTRIX and VMS.
- 8088 and 80386 specific versions included for enhanced speed.
- Screen Shooter included for manual prep.
- All you need is the language interpreter or compiler.
- Supports Pharlap 386, OS/386, RTLINK, PLINK 86, TLINK and others.
- Generate form letters & mailing labels.
- Standardize & reformat source code to your specifications.
- Pre-processor for C fully supported.
- Header .IH processing for optional reformat.
- Tree File chart to represent flow of apps.
- Laser Printer or standard printer supported.
- Multi-user source code is always generated. Code can be run on single-user machine - giving you portability from single-user DOS, Networks or XENIX/UNIX terminal based systems.
- Menu designer creates standard menus, bar menus, pull-down menus or push buttons interfaces.
- Search & Replace menu driven system to scan complete apps for occurrences of various strings like an advanced GREP.
- Create source screens that make calls to Video Libs (Vermont Views, CSCAPE, PRO VIDEO) and all DBMS calls so that complete applications are created, not just video I/O.
- Includes Pro Video Library.

Create Microsoft Windows Source Code Applications!



- Creates complete Windows based relational data base applications with all data entry screens and pop up dialog boxes.
- Outputs total source code from the WinMain() to the last line of the DLL.
- Full compatibility with Borland Paradox Engine 2.0 and Borland C/C++.
- SQL Client/Server Windows database applications for Netware 3.11 using Novell Btrieve & XQL.
- Windows applications can be generated for all supporting DBMS engines.
- MICROSOFT SDK KNOWLEDGE IS NOT REQUIRED TO CREATE WINDOWS SPECIFIC APPLICATIONS.

Screen Shooter & Pixel Pop Included

- Capture Microsoft Windows screens to create slides or transparencies.
- It can capture screens from executing applications to aid in manual creation.
- The capture area can even be block marked so that only a window area will be captured.
- The screens captured can be output as an OBJECT file. This allows users of compilers to produce very fast DEMOs of their software.
- Object files or ASCII Text files created by the Screen Shooter are only as large as the Video Memory required to display that blocked image.
- There are also DISPLAY and PRINT modules included for instant display from languages such as dBASE and "C".
- The ASCII screens can be loaded by PROFESSIONAL EDIT, other editors, or even environments such as Ventura Publisher or Aldus PageMaker.



dANALYST GOLD PRICE LIST	
DOS Character Version	\$395.00
UNIX PLATFORM	
Character & X Windows Versions	\$695.00
Microsoft Windows &	
DOS Character Version	\$495.00
Design royalty free applications price per developer.	



BUZZWORDS INTERNATIONAL

2879 Hopper Rd. • Cape Girardeau, MO 63701
314-334-6317 FAX 314-334-0794

Circle 603 on Inquiry Card.

World Radio History

UP TO NOW OBJECTS WERE MOSTLY TALK. NOW THEY'RE HANDS-ON.

Everybody has been talking about objects. But until now, you had to be a C++ programmer with a big budget to get your hands on them.

Today, information *is* power. And the personal computer is enabling a transition of that power from computer professionals to "information professionals" whose primary expertise is in engineering, management, finance and production.

Until now, the software tools available to information professionals have been based on the notion of rows and columns, rather than on the more natural and powerful idea of objects. This meant these new professionals were left with useful information in a form they couldn't use.

Introducing Mind's Eye. A New Tool For A New Age.

Mind's Eye, the first object-based information management software system allows you to integrate the separate functions of business management principles, financial modeling, graphics and engineering. And Mind's Eye requires no sophistication in a complex computer language.

Instead of relying solely on cumbersome numerical data bases, Mind's Eye lets you translate that jumble of information into recognizable objects which link all the components graphically. So you can see issues and solutions in a comprehensive and coherent overview. Just the way your mind does.

Look at what Peter Coffee said in the March 4th issue of PC Week:

"Mind's Eye is a superior decision-support tool for vertical markets and in-house applications. Users will reap rich returns from their graphics hardware investment. The Mind's Eye screen provides a wealth of interactive feedback, far more than typical mouse/menu designs."

What You Perceive You Can Create.

With the simple point and click of a mouse, Mind's Eye allows you to create a system of objects quickly and easily. Then with its simple, yet powerfully articulate structure, you can describe their properties and relationships.

And the objects you create can be visually amplified with drawings. Pictures.

Or both.

You can also include free-form verbal descriptions of each object. And assemble these

complex data structures into an application for those who maintain the database and derive information and analyses from it.

Mind's Eye allows you to create unlimited "what if" management models in business, manufacturing, engineering, production, quality management and sales beforehand. So you can test your vision. Change variables and analyze those changes. And control down the road what you have in mind now.

But the best thing about Mind's Eye is its simplicity. In an age of increasing complexity, Mind's Eye lets you get back to basics. With its ability to seamlessly link large amounts of complex data into clear, easily accessed graphic objects, pulldown menus and easy-to-read project trees, you'll be able to use your computer the way you should have all along.

Who We Are Depends On Who You Are.

Because Mind's Eye is an extension of the way you personally retrieve, use and manage data, it can be quickly configured to your individual thought processes and tasks, informational needs, management style and corporate or business requirements. Whether you're a design engineer or system engineer or involved in financial modeling, project management, production, process control, quality control or LAN design, there are no limits to Mind's Eye's virtuosity. Or yours.

Our Price Is Something You Won't Object To.


Mind's Eye can now run your PC the way you want it to. At a price that's readily affordable — only \$695.00.

We're so confident that Mind's Eye is everything we say it is, we're offering you the complete Mind's Eye software package — not a demo disk — for a 30 DAY FREE TRIAL.

Call us now at:
800-622-6746

Give us your VISA or MasterCard number and we'll send out Mind's Eye right away. Keep it and we'll bill your charge card. Return it within 30 days, and you're free and clear.

Mind's Eye is IBM AT/PS-2 compatible (80286/80386/80486).
640 K RAM minimum required,
1 MB or more recommended.
EGA/VGA/8514A monitor.
PCDOS/MSDOS 3.X
or higher required.



MIND'S EYE

The power to link perception and reality.


P.O. Box 457, Merrimack, NH 03054-0457 • 800-622-6746 • 603-424-5351 • FAX: 603-424-6303

Manage AutoCAD Drawings

Personal EDMS Plus, a drawing and data management system for AutoCAD, organizes, manages, and tracks drawing files with a log of drawing changes and revision notes. You can attach important design information, descriptions, raster images, and photos to related AutoCAD drawings.

The database's GUI displays and manages AutoCAD drawing files and a variety of raster images. You can link building or site photographs and images of existing blueprints to a related drawing file.

Personal EDMS Plus creates and displays a raster image of each drawing file as part of every drawing



Personal EDMS Plus can display captured photos and video images, such as the photo of Saint Paul's cathedral at right.

record for fast image viewing, ACS Telecom says. **Price:** \$595 with plotter spooling; \$495 without. **Contact:** ACS Telecom,

25825 Eshelman Ave., Lomita, CA 90717, (213) 325-3055; fax (213) 325-3059. **Circle 1032 on Inquiry Card.**

Convert and View AutoCAD Files

AutoSight's Access 3.0 lets you view, convert, and analyze changes in AutoCAD .DWG, .HPGL, .DXF, and .PCX formats. The program enables you to scale images to fit a page. The network version supports password .DWG file locking. The compare/analysis capability lets you quickly check for changes in your CAD drawings, according to AutoSight.

Price: \$495; 10-user network version, \$1395.

Contact: AutoSight, Inc., P.O. Box 362086, Melbourne, FL 32936, (407) 242-5885; fax (407) 255-1052.

Circle 1034 on Inquiry Card.

Finding A Virus Can Be A Hare Raising Experience



Immunize your computer with Dr. Solomon's Anti-Virus Toolkit before they multiply, and multiply, and multiply . . .

- ▶ Inoculates, Eradicates, Annihilates
- ▶ Checks For Over 550 Viruses - 100 More than the Closest Competitor - in Less Time!
- ▶ Includes Network Support
- ▶ Detects Duplicate Infections
- ▶ FREE Year of Quarterly Upgrades
- ▶ V.I.P. Monthly Service Available
- ▶ Backed by Ontrack Technical Support

Just \$279.95 safeguards you with a collection of anti-virus programs. Call today.

1-800-752-1333

International: 612-937-1107 • Fax: 612-937-5815
6321 Bury Drive, Eden Prairie, MN 55346



Exclusive North American Distributor



The Ultimate Connection.

NETWORLD 91 DALLAS

Dallas Convention Center • October 15-17

How many computer trade shows offer you the ultimate opportunity to connect with hundreds of four-star exhibitors showcasing the latest products, programs and services?

And how many provide a Seminar Program with a direct connection to the best in the industry eager to assist with all your networking and connectivity needs?

Only one. *NetWorld 91*. The Ultimate Connection.

For information on advance registration call today.

800-444-3976

NetWorld is produced by Bruno Blenheim Inc., 385 Sylvan Avenue, Englewood Cliffs, NJ • 201-569-8542

NetWorld Expositions in the U.S.A. are owned, produced and managed by Bruno Blenheim Inc.

NetWorld is a servicemark of Novell, Inc. licensed exclusively in the U.S.A. to Bruno Blenheim Inc.

Circle 581 on Inquiry Card.

At this trade show, learn how open systems can make a company go.

Get real answers to real business situations with a broad, user-focused educational program.

Whether your business is small or multinational, at the UNIX OPEN SOLUTIONS '91 Exposition and Conference you'll find the education, training, hardware, software and business applications solutions that can make it more efficient and competitive.

From keynotes to tutorials, the conference program is built for business users and resellers. You'll learn from people who have already implemented open systems solutions within their organizations. Here's a sampling of the educational opportunities:

Plenaries:

- "Putting Down an Open Systems Foundation from the Start"
- "Migration: How Do You Get from Where You Are to Where You Want to Be"

Conference:

- 12 case studies detailing how companies like yours have dealt with a variety of information system issues.
- 30+ conference sessions based upon case histories using open systems in manufacturing/industry.

Tutorials:

- 12 full-day tutorials prepared and presented by the Open Software Foundation and UNIX System Laboratories, Inc.

Power keynotes by SCO and SUN.

Hear Doug Michels of SCO speaking on "UNIX On The Desktop: Now!" and Scott McNealy of Sun Microsystems, Inc., discussing "Open Standards: Power To The People."

Visit a show floor packed with business solutions.

You'll see hundreds of vendors like NCR, SUN, SCO, MIPS, WordPerfect and Interactive Systems plus a special OSI area featuring live demonstrations of vendor-to-vendor interoperability.

At OPEN SOLUTIONS '91 you'll find it all—the education, the products, the applications, the demonstrations, the solutions. It's your unique opportunity to learn how open systems can pay dividends to *your* business.


3743XOF0

UNIX®
OPEN
SOLUTIONS 91
EXPOSITION AND CONFERENCE

Open Systems On The Desktop

September 4-6, 1991
San Jose Convention Center
San Jose, CA U.S.A.

Circle 598 on Inquiry Card.



OPEN SOLUTIONS '91
saves you valuable time
spent searching for
solutions that fit
your needs.

Sign up today!

For attendee information: (617) 449-8938.

For exhibit information:
(617) 449-6600, ext. 4023.

Two for the Road...


VDS International has done it's homework again!
Providing you with one of the best 386SX Notebooks
on the market today—the *Everex Tempo LX!*

"The best notebook PC yet...
looks like other SX notebooks,
EXCEPT this one deserves the
award for best notebook PC yet!...
even such famous names
(Toshiba, Epson, IBM) will be hard
pressed to top the TEMPO LX"

—PORTABLE OFFICE, May, 1991


"...Sharpest, crispest LCD
monochrome VGA image
we've seen..."

—PC WORLD, May, 1991



32 bit Intel® 80386SX with 16Mhz,
1 MB RAM, 21MB Hard Drive and 10" VGA Display

- 1.44MB internal disk drive
- RAM expandable up to 5MB
- Hard Drive expandable up to 40MB
- Lightweight, only 7 lbs. including NiCad battery
- IBM® AT™ compatible, with 82 keyboard
- Small foot print, only 2" x 10" x 12"



Not only have we carefully selected the Tempo LX as
the perfect solution to your computing needs,
we've added the Cannon® BJ-10e Bubble Jet™
printer for a powerful *two-for-the-road* combination.

Extremely quiet 64 nozzle Bubble Jet print head

One Great Package Price \$2750

The "Two-for-the-Road" Package Includes:

- Tempo LX 386SX Notebook & Carrying Case
- Cannon BJ10E Printer and Carrying Case
- MS-DOS 4.01 and Printer connector cable

"Two-for-the-Road" Options:

- 24/96 Modem - the size of a pocket calculator
- 30 Page Auto Sheet Feeder - Adds no weight
- Combo Carrying Case

VDS INTERNATIONAL...where our success is measured by your satisfaction.

We stand for...

Value Delivery Service

Competitive Pricing on National Brands

VDS provides the highest quality national brand
computers and products to our customers for real
computing VALUE!

Free Same Day Shipping within the Continental US

All in-stock products are shipped the same day
when the order is received before 3:00PM EST.
100% on time— GUARANTEED DELIVERY!

No Hard-Sell

Our knowledgeable staff assures you of prompt,
helpful assistance with no hard-selling tactics to
confuse the issue.

Free Warranty Shipping

If your VDS purchase should fail anytime during the
warranty period, we'll pick up the shipping and
handling—ask your sales advisor for details.

Lifetime Technical Support

VDS provides all customer purchase with free, up-
to-date technical support, simply call 313/335-0202.
Your own RMA# is pre-assigned for speedy service.

30 Day Money Back GUARANTEE

Your satisfaction is Guaranteed at VDS,
no hassles, no justification required (valid
30 days from invoice date, only products
with original materials apply).

Order Toll Free 800-321-8565

vds
INTERNATIONAL



• We accept MasterCard® and VISA® and Other Major Credit Cards
Same as Cash.

• We accept Company P.O.'s and offer special Educational Programs. We can export.

All Trademarks listed are the properties of their respective companies.

World Radio History

24 Hour FAX Orders - 313/ 335-0226
Monday through Friday 9:00am—6:00pm EST
Saturday 9:00am—2:00pm EST

Circle 599 on Inquiry Card (RESELLERS: 600).

MYODA LT-5200CD

\$3495 or \$92/mo*

- Intel 386-25
- 32K cache SRAM
- 1MB RAM expandable to 8MB on board using standard DRAMS
- GAS Plasma VGA display 640x480 .16 gray scales
- 40MB CONNER IDE hard drive (large drive also available)
- 1.44/3.5" floppy drive
- Detachable 102-key mechanical KB
- 2 RS-232 serial ports (9PIN)
 - 1 parallel port
 - 1 external floppy
- External VGA CRT port
- Two full size AT extension slots
- 16bit stand slots
- 140W auto switchable 90-260V
- Including carrying case & manuals



\$300 instant rebate

- Free Microsoft Window 3.0
- Free Hi-Res mouse 400DPI
- Free DOS 4.01

"Two Full Size Slots"

MYODA 486-33

\$3195 or \$92/mo*

MYODA 486-25

\$2895 or \$83/mo*

- 4MB RAM
- 1.2MB 5.25 & 1.44MB 3.5 FD
- 200MB hard drive, (17ms) 64K cache IDE
- 16bit SVGA card w/1MB RAM
- 14" SVGA monitor (1024x768) 0.28DP
- 2 serial & 1 parallel ports
- 101 key enhanced keyboard

128K cache option Add:

486-33 \$300

486-25 \$170

14" noninterlaced monitor option on any system Add: **\$150**

- Free Microsoft Window 3.0
- Free Hi-Res mouse 400DPI
- Free Surge Protector
- Free Software

MYODA ALSO OFFERS:

- *Corporate, government, institutional discounts
- *Fast shipping
- *Dealer/VAR programs
- *P.O.s accepted**
- *Terms available**
- *Corporate and Individual leasing plans**
- *Extended warranty program
- *Hundreds of other products in stock networking, CAD, EISA, etc

MYODANOTEBOOKS

386SX-16

\$2095 or \$58/mo*

386SX-20 Please Call!

Packed with all the bells and whistles MYODA notebooks offer world class power at an unbelievable price. 386SX CPU running at 16MHz (20MHz optional), 1MB RAM expandable to 5MB crystal clear & bright screens, Extra powerful battery, and one of the most comfortable keyboards offered "full size keys", All wrapped up in the toughest case available. "At MYODA we don't just sell laptops. We sell quality"



MYODA 286-12

\$1095 or \$32/mo*

MYODA 286-16

\$1195 or \$34/mo*

- 1MB RAM
- 1.2MB 5.25 & 1.44MB 3.5 FD
- 40MB hard drive, IDE
- 16bit VGA 512K
- Quality VGA monitor
- 1 serial & 1 parallel ports
- 101 key enhanced keyboard
- Free Microsoft Window 3.0
- Free Hi-Res mouse 400DPI
- Free Surge Protector
- Free Software

MYODA MYCAD

\$3395 or \$98/mo*

- 486-25 microprocessor
- 4MB RAM, 32bit
- 1.2MB 5.25 & 1.44MB 3.5 drives
- 200MB hard drive, 17ms, 64K cache
- 16bit VGA adaptor w/1MB RAM
- 15" NONINTERLACED monitor
- 12" x 12" digitizer
- CAD software & DOS 4.01



- * Upon credit approval
- We verify all credit cards
- We accept VISA, MC, Discover, money orders, COD
- AMEX please add 5%
- We ship APO/FPO, foreign countries please call
- No sales tax outside Illinois.

- 30 day return policy applies only to Myoda computer systems, other products may have different return policies please call.
- RMA, prior authorization required on all returns. Returns without authorization will not be accepted.
- Prices do not include shipping or DOS
- Software & laser printers are non-refundable.

- Price, availability, description are subject to change without notice.
- All returns must be as new, resalable condition with all original packing materials.
- We are not responsible for typographical errors
- Monthly payment represents lease payment. Your rate may differ. Minimum purchase \$2000. Call for details.

REASONS TO BUY FROM MYODA

1. "IMPECCABLE QUALITY". Myoda strives to bring you only the best combinations of quality name products.

2. "SERVICE WITH A SMILE". At Myoda we are proud of our knowledgeable sales and service staff. And we believe that you will appreciate the difference too.

3. "UNMATCHED PERFORMANCE". Myoda systems are built from the finest, by the best. Just as thousands of other satisfied customers, you will enjoy the dazzling speed & awesome power of your new Myoda system.

4. "BIG ON VALUE". At Myoda we believe in giving you the performance you need, the service you deserve, at the price you like. We constantly, month after month, lead the industry in value. We never charge you extra for using Visa or Mastercard.

5. "ROCK SOLID WARRANTY". Myoda systems go through a rigorous 100 point inspection and 48 hour burn-in before they are shipped out. And we back them up for one full year on everything. THAT'S CONFIDENCE!

6. "TOLL FREE CALLS". Whether you are calling to order a system or just need an answer to a question or need technical support, it is good to know that we are just a phone call away. And, best of all, it won't cost you anything.

7. "30-DAY SATISFACTION GUARANTEE". We are so sure you will like our systems and our friendly service and support that we are offering you a 30 day hassle-free money back guarantee.

8. "CUSTOM CONFIGURATIONS". We recognize that each individual has different computer needs so we will gladly configure any system the way you like it. Just ask and it is as good as done.

9. "MYODA IS STRONG". In an age where companies come and go, at Myoda we are proud of our reputation and success. With offices on three continents and growing each year, we are here to stay. LET US SERVE YOU!

10. "WE VALUE YOUR PATRONAGE". At Myoda we believe in giving our customers their money's worth and then some. We appreciate your confidence in us. That is why we have one of the industry's best repeat buyer rates. People have chosen to buy from Myoda again and again. WHAT CAN WE DO FOR YOU?



MYODA INC.

1053 Shore Road, Naperville Illinois 50563
Tel: (708) 369-5199 Fax: (708) 369-6068

1-800-562-1071


IN PA: 1-800-875-3730

FREE!
CALL FOR OUR COLOR BROCHURE



Circle 594 on Inquiry Card (RESELLERS: 595)

World Radio History



JERRY
POURNELLE

DREDGING THROUGH THE CHAOS

I don't quite know how it happened, but the chaos is getting worse. The Great Hall is almost volumetrically filled with software and hardware, test stands, typing tables, and stuff stacked on the floor. Every flat surface—the desk, tables, tops of monitors, chairs, the steps of the ladders needed to reach the upper bookcases, even the couch—is covered with disorderly piles of stuff. It used to be in some kind of order, but no longer. There's just too much of it.

Now I understand, plenty of you wish you had the problem of too many machines and too much software, especially since I get paid to write about it, so I don't expect much sympathy; but it really is a problem, and lately it has gotten completely out of hand. Today, I could not find—and still haven't found—a software package I had selected to write about. I know it's within 15 feet of where I sit, but for the life of me I can't find it, which means it will have to wait until next month, and by then there will be so much more stuff here that I may never find it. Alas.

Worse: I can't solve this by throwing away everything not worth writing about. I've already *done* that. Every item here has got past my preliminary cut, in which I eliminate things that are too specialized, are too expensive, have no distinguishing characteristics, or look boring. Much of the stuff here really ought to get into a column, mine or another, but I haven't either the room or the time to do all of it.

All of which means that once again it's short-shrift time: a myriad of short reviews. Alas, some items can't be dealt with that way. For some of this stuff, in Damon Runyon's words, "A story goes with it."

I'll do what I can. One thing stands out: if the 1991 recession affects the small computer world, you'd never guess it from looking around Chaos Manor.

It's Three-Sixty

In April, I mentioned Harpoon, the naval war game/simulation based on the Larry Bond game that Tom Clancy used in writing *The Hunt for Red October*. Unfortunately, I listed the wrong publisher for it. It comes from Three-Sixty. The mistake is worth rectifying since Harpoon is a very good naval-warfare simulator, certainly the best I have seen. Now that the Navy has decided that they don't want my 6-foot 5-inch son to go into aviation—it seems there's a good chance the ejection mechanism would take his knees off—and are sending him to surface warfare school, I have even more interest in Harpoon.

When I finally got past Three-Sixty's voice-mail system (the only human I've managed to reach all day; I sometimes think every human being left in the computer world has been replaced by a voice-mail simulacrum), I found that they're going to do a simulation of the B-52H, which is interesting for me: bringing the tail-gunner station into the main cabin from the aft end of the aircraft was the first professional job I had in the aerospace business. The engineers did the work; my job was playing around with the human interface. I'm looking forward to what Three-Sixty will do with this. If it's like Harpoon, it should be great.


American Heritage vs. OED

In the above I wanted to use the word *simulacrum*, but I wasn't sure how to spell it. Alas, neither is the spelling dictionary in Q&A Write, Word Finder, or the hard disk version of *The American Heritage Dictionary*, which I keep on-line and can open in a Desqview window.

I do have it spelled properly: I was able to look it up in the CD-ROM version of the *Oxford English Dictionary*. To do that, I had to get the OED disc down, insert it into the carrier, insert that into the Hitachi CD-ROM reader, open a Desqview CD-ROM window, access the OED software, and finally look up the word. That all took longer than simply walking over to the lecture stand, where I keep a desk copy of *The American Heritage Dictionary*, and look it up there. It didn't take a *lot* longer, however, which actually surprised me.

The moral of the story is that I sure wish I had a good CD-ROM or on-line *complete* version of the *The American Heritage Dictionary*. This isn't the first time I've wanted a word that's not in the electronic versions.

Jerry pulls new CD-ROMs, database programs, and utilities out of the Chaos Manor pileup



Finally, a fast, powerful text editor that integrates your

VEDIT PLUS

favorite programming tools and uses no memory!



- Mouse support
- Pull-down menus
- Columnar blocks
- 1000 Level Undo
- Regular Expressions
- Small 70K, super fast
- DOS, UNIX/XENIX, FlexOS
- Also VEDIT \$69, VEDIT Jr. \$29



FREE Evaluation Copy Call 1-800-45-VEDIT

The new VEDIT PLUS is the productivity breakthrough programmers have been looking for. Run not only popular compilers, but all of your favorite tools from within the editor. When shelling to DOS, VEDIT swaps itself and any desired TSRs out of memory to give you more memory than when you entered VEDIT.

Only VEDIT gives you the advantages of a powerful and flexible editor without giving up the convenience of an integrated environment.

VEDIT offers stunning performance, versatility and ease of use. Completely written in assembly language, it's small and lightning fast. Edit text and binary files of any size, even 100+ megabytes. Installation is trivial; VEDIT.EXE and an optional help file are all you need - no overlays, no configuration files.

Other features include multiple file editing, windows, unlimited keystroke macros, "hot keys", context sensitive help, word processing, automatic indenting and total configurability. VEDIT has been the choice of 100,000 programmers, writers and engineers since 1980.

VEDIT PLUS adds a powerful "off the cuff" macro programming language, complete with source level debugging.

VEDIT PLUS - \$185 for DOS, \$285 for UNIX/XENIX. Call for a free demo today.

Greenview

P.O. Box 1586, Ann Arbor, MI 48106
(313) 996-1299 * Fax (313) 996-1308

USER'S COLUMN

Mind's Eye

I first saw an early version of this program at Comdex last November. I was impressed at the time. Now I have the shipping copy running here, and I'm even more impressed. Mind's Eye is a non-Windows multilink database. That doesn't tell you much, so I'll start over.

Mind's Eye was developed by consultants to the Naval Air Station at Patuxent River. They needed management tools for the commanding admiral, so they developed the following:

Consider a map of the base. It shows every building. Now imagine that you can put that map on-screen. Each building can have a number of attributes: its name or number; when it was built; what it's for; location of fire hydrants and fuse boxes; a scanned image of the building's photograph, displayable on-screen; when it was painted, and what that cost; a repair record; and so forth—whatever you think of.

Those attributes can be entered by hand, or they can be imported from other databases, including Paradox, dBase II, and some popular spreadsheets. Once the data is in Mind's Eye, the database can be searched in the usual manner: all buildings concerned with research and painted after 1983, or whatever. The output can be a traditional list, but it can also be the original base map with the buildings on the hit list highlighted. Click on the building and get the attributes.

There's also a spreadsheet capability built into the program. You can model an industrial process with this. The company did that for one of their demonstrations, modeling a raw materials processing line. Not only can the program show such things as bottlenecks—if you want to increase production, what will be the limiting system—but it can then show you a picture of that machine or installation.

You could use this program to keep employee records, complete with photographs, or fingerprints for that matter.

The neat part about Mind's Eye is that it doesn't take a programmer to get it working. You might need some assistance setting up the scanner and getting scanned images into the machine, but after that, making an object-oriented database is pretty straightforward. I sure wish I had some way to get pictures of all my books and their locations in this. . . .

Mind's Eye doesn't do Windows, but it doesn't have to. It runs fine with Desqview (if you have big Desqview windows). If you need a program like this, you should definitely look this over. Recommended.

Looks Great, Less Filling

Traveling Software has improved LapLink III once again: it comes with new cables that are far lighter and considerably less bulky. I'm still carrying the Zenith Z-386 SX most places, and it's big enough without fat cables. The new "designer cables" come in neat colors (as if you care), but mostly they're thin and light. There's even a 25-foot serial cable that's smaller than the older 6-foot cables were. Otherwise, everything works just about the way you'd expect it to: I've yet to need the LapLink manuals for using LapLink itself.

LapLink III also comes with Traveling Software's Device Driver, which lets two computers share resources, such as hard disk drives or printers; you will need the manual to use that. As a temporary network, though, the LapLink Device Driver works quite well. It's not quite as painless as LapLink—you have to put something into CONFIG.SYS—but it's not needlessly complicated.

We use LapLink III all the time here. I've got a nine-pin cable from the COM1 serial port of my Cheetah 386. It generally connects to the USRobotics Courier HST external modem; I can simply unplug the modem and plug in the LapLink cable to charge up my laptop or squirt stuff over to another machine. When I get a new machine, about the first thing I do is install LapLink so I can transfer my favorite utilities to it.

There's also a three-wire cable set; that is, DeskLink with its cables attaches to the serial port of your machine and has a telephone jack for allowing the cable sets to be connected by ordinary telephone extension wire. This lets us connect downstairs and upstairs machines 50 and 100 feet away. Clearly, all file transfers on a long, thin wire like that are serial.


There aren't many people who don't need LapLink and DeskLink. There's a LapLink Mac version, too.

Corel Driver

I said last time I'd been told that the Corel driver can run both the Pioneer CD-ROM Minichanger and the Pioneer optical read/write disk drive off the same Corel Optical Disk Interface Board. It's all true, and it costs no speed and almost no memory. Also, last time, we had some kind of difficulties with the automatic setup. I don't know what those were. Adding the Minichanger to the optical read/write disk drive running off the Arche Legacy 486/33 turned out to be no problem at all: run the installation program and go to the CD-ROM drive.

continued

Everything You Ever Wanted In UNIX. And Less. \$99.95*



OK. We know it's hard to believe. So just consider this. Coherent™ is a virtual clone of UNIX. But it was developed independently by Mark Williams Company. Which means we don't pay hundreds of dollars per copy in licensing fees.

What's more, Coherent embodies the original tenet of UNIX: small is beautiful. This simple fact leads to a whole host of both cost and performance advantages for Coherent. So read on, because there's a lot more to Coherent than its price.

SMALLER, FASTER... BETTER.

Everybody appreciates a good deal. But what is it that makes small so great?

For one thing, Coherent gives you UNIX capabilities on a machine you can actually afford. Requiring only 10 megabytes of disk space, Coherent can reside with DOS. So you can keep all your DOS applications and move up to Coherent. You can also have it running faster, learn it faster and get faster overall performance. All because Coherent is small. Sounds beautiful, doesn't it?

But small wouldn't be so great if it didn't do the job it was meant to do.

LESS IS MORE!	Coherent For the IBM-PC/AT and compatible 286 or 386 based machines.	Santa Cruz Operation's XENIX 286, Version 2.3.2
No. of Manuals	1	8
No. of Disks	4	21
Kernel Size	64K	198K
Install Time	20-30 min.	3-4 hours
Suggested Disk Space	10 meg	30 meg
Min. Memory Required	640K	1-2 meg
Performance*	38.7 sec	100.3 sec
Price	\$99.95	\$1495.00

*Byte Exec benchmark, 1000 iterations on 20 MHz 386. Hardware requirements: 1.2 meg 5¼" or 1.4 meg 3½" floppy, and hard disk. Does not run on Microchannel machines.

EVERYTHING UNIX WAS MEANT TO DO.

Like the original UNIX, Coherent is a powerful multi-user, multi-tasking development system. With a complete UNIX-compatible kernel which makes a vast world of UNIX software available including over a gigabyte of public domain software.

Coherent also comes with Lex and Yacc, a complete C compiler and a full set of nearly 200 UNIX commands including text processing, program development, administrative and maintenance commands plus UUCP.

CRITICS AGREE: IT'S AN INCREDIBLE VALUE!

"Mark Williams Co. seems to have mastered the art of illusion; Coherent comes so fully qualified as a UNIX clone, you find yourself thinking 'I can't believe it's not UNIX.'"

—Sean Fulton, UNIX Today!, November 26, 1990

"...(Coherent) may be the best thing that has happened to UNIX yet."

—William Zachmann, PC Week, November 5, 1990

"If you want to come as close as you can to real UNIX for a low price, COHERENT can't be beat."

—Warren Keuffel, Computer Language Magazine, November 1990

"If you want a UNIX-like development and learning system for less than \$100... I don't see how you can go wrong with Coherent."

—David Fiedler, BYTE Magazine, November 1990

EXPERIENCE, SUPPORT AND A 60-DAY MONEY BACK GUARANTEE.

Wondering how something as good as Coherent could come from

NEW COHERENT RELEASE 3.1 NOW WITH...

- elvis: vi editor clone
- SCSI (Adaptec AHA 154x series and more on the way) and ESDI support
- UUCP Bulletin Board System
- RAM disk support
- And much, much more!

OVER 20,000 SATISFIED USERS!

nowhere? Well it didn't. It came from Mark Williams Company, people who've developed C compilers for DEC, Intel, Wang and thousands of professional programmers.

We make all this experience available to users through complete technical support via telephone. And from the original system developers, too!

Yes, we know \$99.95 may still be hard to believe. But we've made it fool-proof to find out for yourself. With a 60-day money-back no-hassles guarantee.

You have to be more than just a little curious about Coherent by now. So why not just do it? Pick up that phone and order today.

You'll be on your way to having everything you ever wanted in UNIX. And for a lot less than you ever expected.

1-800-MARK WMS
(1-800-627-5967 or 1-708-291-6700)
FAX: 1-708-291-6750
60-DAY MONEY BACK GUARANTEE!



Mark Williams Company
60 Revere Drive
Northbrook, IL 60062

*Plus shipping and handling. Coherent is a trademark of Mark Williams Company. UNIX is a trademark of AT&T. XENIX is a trademark of Microsoft.

There are a few notes. First, this is a SCSI daisy chain, which means that each device has to have a unique SCSI ID. The Pioneer drives come set as ID=0. Little DIP switches on the back change that; on Corel's advice, I set the Minichanger CD-ROM DIP switches 2 and 3 to ON, making this ID=1.

Also, the SCSI daisy chain requires that the first and last devices (physical first and last, not logical) be *terminated*, meaning that they have some small terminal resistors installed. The middle devices must *not* be terminated. The SCSI card is the first SCSI device (and thus must be terminated). The Pioneer optical read/write disk drive has a small plate on the back; remove it, and the terminator resistors are exposed. That makes it easier to remove its terminal resistors than it would be to get at the ones in the CD-ROM drive, so the optical read/write disk drive became the middle device.

A caution here: you *must* use the Corel driver cable to connect to the Corel SCSI card. The cable furnished with the Pioneer CD-ROM drive comes from an outfit called Future Domain, and using that cable to connect to a Corel card will blow

the drive. The Corel cable is identical to the one used by Apple, and you can use Apple Mac stuff to connect up to Corel; just don't use the Future Domain cable that comes with the Minichanger.

Otherwise, it's straightforward. The result is nifty: six CD-ROMs and the optical read/write disk drive, which can function as either a WORM (write once, read many times) drive or a removable read/write drive, all running off one drive card, and all device drivers in high memory.

The Minichanger is slower than the latest Hitachi CD-ROM (single) drive, and by quite a lot; on the other hand, having six CD-ROMs on-line is quite a thing, and getting at any one of them is as fast as it is with the older Hitachi drive or the Denon drives. In the future, I'll install all this on a 386 server and access it with LANtastic; that will give me six CD-ROMs and the big Pioneer optical read/write disk drive.

All this works with QEMM-386 and Desqview, too.

I've been testing the Pioneer optical read/write disk drive all month, and so far I can't make it glitch. I still can't run

Wing Commander, a disk-intensive program, off the optical disk, but the program is intact: if I copy it from the optical disk to the hard disk, the program runs fine. "Timing errors" is all I can get anyone to say.

But except for Wing Commander, all my other programs (e.g., word processors) run just fine off the optical read/write disk drive. I can live with that. I still want a WORM copy of anything that's really vital, but I'm more inclined to trust optical read/write than I was a month ago. More next month.

Mind you, the same Pioneer drive functions as both optical read/write and WORM (you put a different cartridge in, depending on which you want it to be); and it is *very* convenient having that enormous read/write drive available to hold dictionaries, CD-ROM-access software, and the hundreds of megabytes of stuff that seem to accumulate on all my disk drives.

This all works under DR DOS 5.0. It will also work with MS-DOS 3.3 and 5.0. I presume it would work with MS-DOS 4.0x, but I don't like DOS 4, so I didn't try that.

continued

ABC Flowcharter for Windows

"Simply the easiest way to document procedures."



ABC Flowcharter™ makes drawing and editing flowcharts easier than ever. It's loaded with features that help you make and edit charts in a fraction of the time needed with other flowcharting or drawing programs.

ABC Flowcharter's advanced link feature lets you break complicated procedures into smaller, more manageable steps. Just click on a shape to display a sub-chart or procedure. It's that easy.

Ask your dealer for a demonstration or call 1-800-227-0847 for more information. See for yourself why ABC Flowcharter is quickly becoming the standard flowcharting tool for the Fortune 1000. Retail price \$295.

Roykore™

2215 Filbert St.
San Francisco, CA 94123
415-563-9175

NEW 40 MHz DX & 25 MHz SX COPROCESSORS NOW AVAILABLE

THERE IS ONLY ONE LOTUS. AND ONLY ONE COPROCESSOR RUNS IT FASTEST.

CYRIX.

For most people, the best reason to buy a math coprocessor is to make your software run faster. And the coprocessors that run it fastest are from Cyrix.[™] Because our FasMath[™] coprocessors outperform all others in running Lotus[®] 1-2-3[®] and other leading software by every available measure.

FasMath processors perform floating point operations from five to ten times faster than other coprocessors, thanks to an entirely new, innovative architecture. Which means that everyone's favorite spreadsheet will run up to three times faster with a Cyrix coprocessor.

You'll also find FasMath products are more accurate. Because they compute results to 20 decimal digits of accuracy, instead of the usual seven.

What's more, the FasMath family consumes less power. Which preserves battery life for laptop users. And, across all clock speeds, from our 16, 20, 25 and 33 MHz parts to our newly-announced 40 MHz processors, Cyrix coprocessors are




unmatched in compatibility. They're even backed by a five year limited warranty and a toll-free support hotline.

So call us at 1-800-FASMATH (that's 1-800-327-6284) and we'll send you the unvarnished truth straight from the experts who measure PC performance, including the experts at Lotus Development who test products and certify compatibility. Which should make choosing the math coprocessor that's right for you as simple as 1-2-3.

Cyrix[™]

Cyrix and FasMath are trademarks of Cyrix Corporation. Lotus and 1-2-3 are registered trademarks of Lotus Development Corporation.
©1991 Cyrix Corporation.

Circle 81 on Inquiry Card.
World Radio History



SUBJECT:
V.P., Engineering

PROBLEM:
Your competitor has announced the product.
Your Engineering team isn't even working on it.
Your customers want it now.
What's your answer?

SOLUTION:
MICRONICS

Today, time-to-market is everything. Everyone wants the latest technology. You have to have a product when the demand is hot. And it has to work.


Before investing time and money now, and still miss the window, turn to Micronics for your system board needs.

Dedicated to advanced engineering, Micronics has a full line of 80386 and 80486 ISA/EISA products.

We provide excellent time-to-market and superior design without sacrificing performance or reliability. In fact, we have a proven record with hundreds of thousands of system boards in the field today.

Our own designs, FCC certification, complete compatibility testing and less than 1% field failure rates make Micronics system boards the industry leaders.

Micronics is your answer. Give us a call today.



MICRONICS

The Power

232 E. Warren Avenue
Fremont, California 94539
(415) 651-2300
Fax (415) 651-5666

Impressionism

Whatever else Quanta Press does, they sure work at publicizing their releases. First there arrived a really nice poster about French impressionism. Then came a T-shirt with a silk-screen copy of Van Gogh's *The Siesta*, signed "Vincent." Then some other stuff. Eventually there arrived a CD-ROM, Coate's Art Review, Volume One, Impressionism.

The contents of this thing are wonderful; everyone who has seen this likes the idea of having a library of CD-ROM paintings available. There's a history of impressionism, biographical materials, and a large number of VGA or Super VGA images of impressionist works. The retrieval software is TextWare, and it's right on the CD-ROM; no floppy disk is needed or supplied. There's also a very short tutorial printed in a booklet that comes with the CD-ROM. It's all you need to get up and running, and it took me no more than a few seconds to have Coate's Art Review (text and images from Alfred B. Coate, Ltd., of New York, Paris, London, and Milan) on-screen.

My first attempt to retrieve an image failed, but that was my fault: several batch files are on the CD-ROM, so that you can invoke the program as ATI, TSENG, VIDEO7, etc., if you have a Super VGA card from one of those manufacturers. The first batch file is 2DICE, for Paradise Super VGA, and I hadn't noticed that awful pun, so I invoked the program as 2DICE. The result, of course, was that the vanilla VGA card in the Arche Legacy 386/33 could make nothing of the video image when I tried to get one on-screen. Exiting the program and invoking it as VGA fixed that.

TextWare works, but it's *slow*, and some of it is counterintuitive. That is, if you know what you're looking for, TextWare will find it rather efficiently. Type in *Van Gogh*, and you will quickly have a list of some 30 items. Each item is called a *card*, and it contains about the amount of information you might put on a 5-by-8-inch index card; in addition, a card may have an image attached to it. The biography of Van Gogh has his picture available; press F8, and it will appear on-screen.

That's how I was able to find out the title to the picture on the T-shirt; searching for Van Gogh produced 28 cards. One was entitled *The Siesta*, which seemed to be an appropriate title for what I was wearing, and sure enough, that was it. I learned that the original was painted in oil on canvas in 1889/1890 and hangs in the Musée d'Orsay.


I also used it to search for Renoir, my favorite of that period. The biography tells me that, unlike most of the impressionists, Renoir was popular and successful in his lifetime: people *liked* what he painted. The CD-ROM has about 100 of his paintings on it, some I had never seen or heard of; and while the quality of the image on-screen isn't what you'd get in a good silk-screen reproduction, it's more than good enough to show you what the painting's about—enough that I'm

going to find a good silk screen of a couple of them I didn't know about.

That's the good news.

The bad news is that TextWare will drive you insane if you want to browse. The booklet says that to browse, you type INDEX at the prompt. I don't advise that. The result is a wait of several minutes as the CD-ROM furiously flashes its busy light, and then a list appears that begins by telling me in how many cards the number 1 can be found, and proceeding

VT Emulation Under Windows



Regardless of your PC operating system, KEA has VT emulation and connectivity products to meet your needs. KEA provides KEAterm VT emulation for MS-Windows; ZSTEM VT emulation for MS-DOS and SCO UNIX; the *PowerStation* VT layout keyboard for your PC; and KEALink LAT, TCP/IP and IPX network products for connecting to your VAX or UNIX host.



Tel: (604) 431-0727 Fax: (604) 431-0818 Orders: 1-800-663-8702

KEA Systems Ltd., 3738 North Fraser Way, Unit 101, Burnaby, BC, Canada V5J 5G1
 Copyright © KEA SYSTEMS LTD. 1991. All rights reserved. KEAterm, KEALink, PowerStation, ZSTEM and the KEA logo are trademarks of KEA Systems Ltd.
 All other brand and product names are trademarks or registered trademarks of their respective holders.

TOUGH ACT TO FOLLOW.

Getting more computer for less money is always a good idea. But with today's tight budgets, it's absolutely ingenious.

Just check out the new Dell® 325P. It has a full 25 MHz 386™ DX CPU for better performance than the SX in the Compaq system. There's an optional 32K RAM cache that can boost performance an additional 20%. And it's backed by a service package that's won PC Week's Corporate Satisfaction Poll an

TO ORDER, CALL. PLEASE REFERENCE #11E39
800-283-1170
 HOURS: 7 AM-9 PM CT MON-FRI. 9 AM-4 PM CT SAT.
 IN CANADA, 800-387-5752. IN MEXICO, 95-800-010-0664.

unprecedented
8 times.

All for up to

\$900 less than a Compaq system with a smaller hard drive. Now that should cure your recession depression.

Finally, a poll with reliable information.

Now a bit more about those 8 Corporate Satisfaction Polls. One poll category we dominated is the one called "reliability"—maybe because Dell computers are designed, built and tested under the same roof. And nothing leaves the building until we're sure everything works like it's supposed to, when it's supposed to.

Then you get up to 30 days to use it.

If you aren't completely satisfied, send it back.



THE DELL 325P 25 MHz 386 SYSTEM
 SYSTEM INCLUDES VGA COLOR PLUS MONITOR, 80 MB HARD DRIVE, 2 MB RAM.

THE NEW DELL 325P 25 MHz 386 SYSTEM.

Standard Features:

- Intel® 80386 microprocessor running at 25 MHz.
- Page mode interleaved memory architecture.
- Standard 1 MB of RAM,* expandable to 16 MB on the system board.
- Integrated VGA controller with 1024 x 768 support with optional Dell 256K video RAM kit.
- Integrated hard drive and diskette drive interface.
- Optional 32 KB SRAM cache.
- Socket for Intel 80387 math coprocessor.

- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
 - 3 full-sized 16-bit AT expansion slots available.
 - High-performance IDE 40 MB, 80 MB, 100 MB, 190 MB, and 320 MB hard disk drives.
 - 1 parallel port, 2 serial ports, PS/2 compatible mouse port, all integrated.
 - 85 watt power supply.
 - 12-month On-Site Service Contract.
 - Optional i486 microprocessor upgrade card running at 33 MHz.
- 40 MB VGA Color Plus System \$2,299

Price listed includes 1 MB of RAM.* 80, 100, 190 and 320 MB hard drive configurations also available.

*Performance Enhancements: Within the first megabyte memory 96 KB of memory is reserved for use by the system to enhance performance. Can be optionally disabled. All prices and specifications are subject to change without notice. Dell cannot be responsible for errors in typography or photography. *Source: From the Compaq Computer Corporation price list effective 4/16/91. **Payment based on 36-month, open-end lease. *Leasing arranged by Leasing Group, Inc. In Canada and Mexico, configurations and prices may vary. Dell and Dell System are registered trademarks of Dell Computer Corporation. Intel is a registered trademark and 386 and i486 are trademarks of Intel Corporation. Other trademarks and trade names are used to identify the entities claiming the marks and names of their products. Dell Computer Corporation disclaims any

TOUGH ACT TO SWALLOW.



COMPAQ DESKPRO 386s/20 20 MHz 386SX SYSTEM
SYSTEM INCLUDES VGA COLOR MONITOR, 60 MB HARD DRIVE, 2 MB RAM.
ACTUAL DEALER PRICES MAY VARY.

We'll return your money, no questions asked.

If something goes wrong, it won't wreck your day.

But just for the sake of argument, let's suppose something does go wrong with your Dell computer.

Just call the Dell toll-free technical hotline. We solve 90% of all problems, often in 6 minutes or less.

If it can't be solved over the phone, a trained technician will come to your home or office the next business day with the solution in hand.[△]

But if you just can't wait, don't.

TechFax offers relief for insomniacs.

Say you're pulling an all-nighter and need help. Dell has pioneered a service called TechFax. Anytime, 24 hours a day, you can pick up the phone and call the Dell technical library on our automated TechFax line. Detailed information on your Dell system will be faxed right back to you automatically.


And all this coverage, including a full year of field service, comes at no additional cost.

When your needs change, your computer can too.

Dell offers a number of ways to easily upgrade your system. Including a 33 MHz i486™ processor card to give you the hottest chip on the block. Which means you can get a new computer without getting a new computer.

For sale, for lease, for less.

You can stretch your money even further with the most comprehensive credit, lease[◊] and lease-to-buy plans in the industry. So call us. Or talk to someone selling Compaq systems. But be careful not to choke on the price.



proprietary interest in trademarks and trade names other than its own. [△] Service provided by Xerox Corporation. On-site service may not be available in certain remote locations. Shipping, handling, and applicable sales tax not included in the price. For information on and a copy of Dell's 30-Day Total Satisfaction Guarantee, limited warranty, and Xerox's Service Contract, please write to Dell USA Corporation, 9505 Arboretum Boulevard, Austin, Texas 78759-7299, ATTN: Warranty. ©1991 Dell Computer Corporation. All rights reserved.

Circle 84 on Inquiry Card.

World Radio History

CD-ROM

GUARANTEED LOWEST PRICES!



MULTI MEDIA

NEW

Countries of The World

The Ultimate International Reference Multimedia edition - includes: the full text of 106 country study books, color maps by Hammond, Inc. national anthems (sound!), flags & more... includes historical setting, society, environment, economy, business stats, etc. \$495

Pioneer CD-ROM 6 Pak

6 discs bundled together for only \$395

- U.S. History on CD-ROM • Countries of the World
- Sherlock Holmes • Shakespeare
- Birds of America • Software Potpourri

Six Pack & Minichanger (Save over \$1000) \$1489

U.S. History on CD-ROM

Winner 1991 OPA Best Educational Product Includes the full text of 107 U.S. History books with 1,000 images, tables & maps! Microsoft Windows 3 compatible. *Special with \$50 publisher's rebate - final cost only \$349

CD-ROM BUNDLES !

Get The Philips CM-50 Drive & Any 5 Of These Discs! Only \$597 Save up to \$1200

Add \$100 for NEC CDR-36 Kit, \$400 for Hitachi 1700 Kit

Microsoft Bookshelf all time best seller

U.S. History on CD-ROM full text of 107 books

Illustrated Encyclopedia 21 volumes, VGA

CIA World Fact Book Non classified info

Golden Immortal multi-media game

Between Heaven & Hell practical/perverse

Sherlock Holmes on Disc 221 Baker St. fans

Shakespeare on Disc "complete works"

Software Potpourri • Bible • Movie Database

CD-ROM Drives (ready to run)

Denon DRD-253 Drive SCSI, built in speaker SALE Call

Hitachi 1700S kit (fastest drive) (1750S - \$849) \$799

Also: Pioneer Minichanger, Chicon, CDT, Todd, NEC, WORM & Erasable drives, in-stock at best price - Call !

Multimedia Titles

Desert Storm the full story from Time magazine - Mac	\$39
Mixed Up Mother Goose "fun" educational disc	59
CIA World Fact Book for international "business"	99
Santa Fe or Golden Immortal PC games	99
The Orient illustrated interactive "tour" - Mac	249
Sherlock Holmes or Shakespeare "complete" Call	
Grolier's Encyclopedia 21 volumes, VGA pictures Call	
Nat. Geographic / IBM Mammals pictures & text Call	
Compton's Multi-Media Encyclopedia	895

Libraries / Science / Business

Movie Directory Database/Software Potpourri	\$69
Between Heaven & Hell II even stranger Sale	\$79
Magazine Rack educational/entertaining	89
C Library or Ada or Shareware Grab Bag	89
Time Compact Almanac current events	195
McGraw-Hill Ref. Set 100,000 items; 7,300 articles	245
Speed Dial entire U.S. Yellow Pages on one disc	399
Microsoft Bookshelf best selling CD-ROM disc Best Price	399
Oxford Textbook of Medicine general reference	595
Business Lists on Disc desktop marketing	795
PC-Sig Library new edition, version 9	Call
Oxford English Dictionary over 250,000 headwords!	889
Telephone Directory East or West	995
CDTV Titles	Call

* MORE! Over 300 different titles available *
Money back guarantee Free tech support
CALL - Bureau On-Line CD-ROM Library, FREE access to 12 different CD-ROM Discs






Bureau of Electronic Publishing, Inc.

Dept. P, 141 New Road, Parsippany, NJ 07054

FAX # 201-808-2676

CALL: 800-828-4766
ORDERS

201-808-2700 INFORMATION

USER'S COLUMN

on through numbers up to 1833 and 1879, and presumably beyond that; I gave up, because after several PageDown operations, the system pauses and the busy light flashes, and you've got another long wait.

I once complained about TextWare's index and got a letter from them saying that if I were to type in a letter, the software would take me to that. I felt quite sheepish. I shouldn't have: typing in a letter produces no result whatever.

The pamphlet also says you can exit the index and reenter with a command like "index a," and it will show you the words beginning with *a*. It will, too, provided that you're willing to wait 3 minutes while it builds up the index. Scroll down a few screens, and you can wait another minute while it accesses the disk again. Incredibly boring.

In other words, TextWare soon removes all temptations to simply browse through the disk.

There's another problem. If you press F4 to try to generate a report, you will lock up your system, because TextWare will try to write to the CD-ROM and can't do it. There's no recovery from it but to reset. There is a procedure for changing the filename. It's a bit counter-intuitive: you type "report" instead of a name you want the system to search on. Apparently it traps some keywords.

The text and images on Coate's Art Review are really nice, and if you know what you're looking for—and to some extent you can find out by reading the on-disk history of impressionism—the retrieval software is adequate. I'd sure have liked it better if I could browse.

Trantor T338

Another way to connect a SCSI CD-ROM drive is with the Trantor T338: this is a device smaller than a hand-held calculator. It plugs into the printer port of your PC and has two outputs. One is the normal parallel port, to which you can connect your printer. The other is a SCSI port that will drive Pioneer, Denon, and other true SCSI systems, including the Pioneer Minichanger and optical read/write disk drive.

The result is that you could, if you liked, have your entire work environment with you on trips: take an optical device with you in your checked luggage, connect it to your laptop machine, and have CD-ROM, WORM, and enormous optical cartridges.

Theorist

Of course, every time I get unhappy with the Mac, something like Theorist comes

along. This is a program that might be written for Windows or a special bit-map application system on PCompatibles, but so far that hasn't really been done. That is, you can get MathCAD and other such programs for the PC, but the fact is that the Mac environment really does lend itself to mathematical experiments and programs of this kind.

Theorist is one of those programs that I would have killed for when I was in high school or college. You put in equations pretty well as they look on paper; and whammo!, it solves them. It will also graph the results.

It does matrices. In the 1950s, we spent months writing a program to invert matrices so we could do a factor analysis. This has it all built in: matrices, integrals, summations, statistics. . . .

On the Mac IIfx this runs like the wind. It's a bit slower on a Mac SE, but it's still faster and better than anything I had until very recently.

It's easy to install, easy to use. Theorist is the kind of thing that makes me glad that I do keep a Mac around. Recommended.

Dycam

The gadget of the month is Dycam, but it's a great deal more than a gadget. It's a camera—one you can carry around with you, about the size of the Pentax IQ camera I carry and considerably smaller than a Polaroid. You charge it—its batteries need recharging after you take about 75 pictures—and go shoot. The camera has a 70mm (mild telephoto) lens. It has a pretty small aperture, so you need fairly good light, but there is an automatic flash.

Pictures are stored in the camera's RAM. When you've shot 32 of them, go connect the camera to your Mac or PC serial port and download them. We've got this one connected to the Mac IIfx, and it really works about that simply. The images aren't wonderful, but they're all right. They're plenty good enough to put into a PageMaker file. Roberta intends to use this to get some pictures into the next edition of the LA Opera Association newsletter; she's now the editor. This thing should be a real boon for newsletter producers.

More on this next month, but I can certainly recommend that you give this a look; and if you see me at trade shows with an odd-looking camera, this is it. In the past I used the Polaroid to take snaps of stuff I wanted to remember for the column, but this looks to be just as good—and a very great deal cheaper than Polaroid film.

continued

Pocket Power

The world's first 3.5 inch, Erasable Optical Drive.

Pinnacle Micro, the leader in 5.25 inch optical storage systems, now brings you the first 3.5 inch erasable optical drive.

The new REO-130™ with its small size and quick 30 msec. speed is what the world's been waiting for in optical storage.

Each 3.5 inch disk holds 128 megabytes of valuable data, safe and secure.

You can hold the disk in the palm of your hand. You can put it in your pocket, or drop it in the mail.

If you need to distribute or archive large amounts of data, the REO-130™ is the perfect choice.

The drive system is available in both internal or external versions. Interface kits available for MAC, SUN, DEC, IBM and compatibles.

Pocket sized. Amazingly fast. Large capacity, is optical storage now.

Another first from Pinnacle Micro, the Optical Storage leader.

Call today for the name of your nearest authorized dealer.



The world's fastest 3.5 inch,
Erasable Optical Drive.

 (800) 553-7070

Intergraph Systems, RIT, IBM and Unibus. Microsoft Pinnacle Micro, Inc. Sun Microsystems, DEC, Digital Equipment Corp., IBM, International Business Machines Corporation, Macintosh and Apple Computer, Inc.

PINNACLE MICRO

THE OPTICAL STORAGE COMPANY™

15265 Alton Parkway • Irvine, CA 92718 • In CA (714) 727-3300 • FAX (714) 727-1913

Circle 223 on Inquiry Card (RESELLERS: 224).

Nautilus

It had to happen: a magazine on CD-ROM. Nautilus is the first I've seen.

The one I have is for the Mac. The introductory disc has such things as pictures of the editorial staff, some digitized speech, games, and tips on using the Mac. There's said to be a PC version available later this year.

I do know that I've not regretted the time I have spent playing around with the Nautilus CD-ROMs. Alas, Nautilus is in

one way like my favorite magazine, *The World and I*: everything I have seen so far is pretty good, but there's no way I will have time to read it all. On the other hand, to complain that you get more than your money's worth is a strange complaint indeed. Get the free introductory disc. You won't regret it.

Life and Death II: The Brain

If you have any interest at all in neurosurgery, get this. It will tell you more than

any set of books you'll ever find. The Software Toolworks warns you about 10 times that this is a *game*, and that you must not take anything you read here as authoritative. But the fact is that they give you as much as I got in the medical school classes I took many long years ago. Sure, it's broad-based, and medical students would want a lot more depth; but frankly, I'd give a copy of this to any medical student on the theory that it couldn't possibly hurt.

This program gives you a sort of animated role-playing game in which you can pick a name—naturally, I picked Dr. Frank N. Stein—for your character, who is an intern in a modern hospital. There are classes on various neurological disorders and a neurology textbook, if you need it (you will). You then start getting patients and killing them off, because you are actually in on-the-job training here. My first patient had an allergy. I ordered a CAT scan, and the dye marker that was used killed her. I found myself in the CAT scan room watching the technicians sit around eating pizza and discussing the case.

Don't try anything you learn here at home, but if you're much interested in modern neurology, this is no bad introduction; and if you're not squeamish, it's a fairly interesting game to boot.

MultiScope

If you do programming and you don't know about MultiScope, find out. I confess I don't do as much programming as I used to; you could say "none" and you'd be close to right, alas. Still, I do try to keep my hand in, and I talk to programmers and watch some of what's going on.


I have no problem at all recommending MultiScope as the real programmer's debugger. This program will look at C, FORTRAN, Modula-2 (it came out of the Logitech Modula shop), assembly, Microsoft Pascal, and Microsoft BASIC. It provides run-time and postmortem debug sessions. It will also run remotely so that you can run your code from a distant machine, sort of like a bomb squad keeping a telephone link to a distant blockhouse. It has Windows and character interfaces.

Indeed, it's a bit of a dilemma: most of the programmers I know use this (generally, those who don't have some special reason having to do with programming environment). MultiScope had a few growing pains, but even in its earliest days it was pretty good; now, there's a bug-fix revision that's even better.

If you do serious programming, you want to look at this. Recommended.

continued

BUILD TO SUIT.



Now, you can create, update and print presentation-perfect flowcharts to your specifications — in no time!


Quick to master and a snap to use, Patton & Patton's flowcharting software is the standard of both large and small businesses around the world — and is available through all major software dealers.

See your dealer today! Or, for a "live," interactive demo disk, call: 800-525-0082, ext. 1107.

International: 408-778-6557, ext. 1107.

Works on IBM & 100% compatible PC's, supports CGA/EGA/VGA and over 150 dot matrix and laser printers, with multiple print densities and 10 font sizes. **Creates multi-page charts, portrait or landscape, on most standard paper sizes.** Mouse or keyboard controlled. Supports International Characters.

IBM is a registered trademark of International Business Machines Corporation.



PATTON & PATTON
Software Corporation

Excellence in charting the flow of ideas!

Crunch!

Nothing crunches numbers like the Advanced Math Co-Processors from Integrated Information Technology. They really speed up graphics, CAD/CAE, spreadsheets, and other calculation-intensive applications.

Three models provide a perfect match to your 286, 386, or SX PC, delivering up to twice the performance of other CoProcessors. No wonder hundreds of thousands have been sold. Five-year limited warranty. BYTE-rated. So plug in, and crunch!

Count on iit.SM

**INTEGRATED
INFORMATION**
TECHNOLOGY, INC.

Available at most local dealers.

SM ©1991 Integrated Information Technology, Inc. All rights reserved.

Circle 140 on Inquiry Card (RESELLERS: 141).

ITEMS DISCUSSED

Corel Optical Disk Interface Board\$495
 Corel Systems Corp.
 Optical Products Division
 1600 Carling Ave., Suite 190
 Ottawa, Ontario,
 Canada K1Z 8R7
 (613) 728-8200
 fax: (613) 761-9177
Circle 1154 on Inquiry Card.

DeskLink\$169.95
LapLink Mac\$149.95
LapLink III\$149.95
 Traveling Software, Inc.
 18702 North Creek Pkwy.
 Bothell, WA 98011
 (800) 343-8088
 (206) 483-8088
 fax: (206) 487-1284
Circle 1155 on Inquiry Card.

Dycam\$995
 Dycam, Inc.
 9588 Topanga Canyon Blvd.
 Chatsworth, CA 91311
 (818) 998-8008
 fax: (818) 998-7951
Circle 1156 on Inquiry Card.

Harpoon\$59.95
 Three-Sixty
 2105 South Bascom, Suite 380
 Campbell, CA 95008
 (408) 879-9144
Circle 1157 on Inquiry Card.

Impressionism CD-ROM\$129
 Quanta Press
 2550 University Ave. W, Suite 245N
 St. Paul, MN 55114
 (612) 641-0714
 fax: (612) 644-8811
Circle 1158 on Inquiry Card.

Life and Death II: The Brain\$49.95
 The Software Toolworks
 60 Leveroni Court
 Novato, CA 94949
 (800) 234-3088
 (415) 883-3000
 fax: (415) 883-3303
Circle 1159 on Inquiry Card.

LIST75G.ARC
 registration\$25
 registration and manual\$30
 Buerg Software
 139 White Oak Cir.
 Petaluma, CA 94952
 (415) 991-0644
 fax: (707) 778-8728 (for orders only)
Circle 1160 on Inquiry Card.

Mind's Eye\$695
 Mind's Eye, Inc.
 18 Shangri La Dr.
 Lexington Park, MD 20653
 (800) 622-6746
 (800) 522-2807 (technical support)
Circle 1161 on Inquiry Card.

MultiScope Debuggers
 OS/2\$449
 Windows\$379
 DOS\$179
 MultiScope, Inc.
 1235 Pear Ave., Suite 111
 Mountain View, CA 94043
 (800) 999-8846
 (415) 968-4892
 fax: (415) 968-4622
Circle 1162 on Inquiry Card.

Nautilus
 single disc\$14.95
 monthly subscription\$9.95
 Nautilus
 7001 Discovery Blvd.
 Dublin, OH 43017
 (800) 365-1639 (subscriptions)
 (614) 766-3150
Circle 1163 on Inquiry Card.

Theorist\$399.95
 Prescience Corp.
 939 Howard St.
 San Francisco, CA 94103
 (415) 543-2252
Circle 1164 on Inquiry Card.

Trantor T338\$179
 Trantor Systems, Ltd.
 5415 Randall Place
 Fremont, CA 94538
 (415) 770-1400
 fax: (415) 770-9910
Circle 1165 on Inquiry Card.

LIST
 The shareware of the month is LIST, a file-viewing and browsing utility by Vernon Buerg. It's really nifty. LIST comes in several flavors, all in the same LIST-75G.ARC file available by downloading from BIX or another BBS. You can also order directly from the author. LIST will handle enormous files. It searches for text strings. It filters for ASCII. It prints files. It marks and extracts.

Get this. You won't understand how you lived without it.

Winding Down
 The book of the month is Jack Cohen's *The Privileged Ape, Cultural Capital in the Making of Man* (Parthenon Publishing, ISBN 0-940813-80-7). Jack is the physiology professor who helped Larry Niven and me create the alien in *Legacy of Heorot*; he is one of the most interest-

ing people I've ever met. The book is dense, but if you have any interest in cultural evolution, you will love this.

The computer book of the month is Patricia Hartman's *Paradox 3.5 for Non-programmers* (Windcrest/McGraw-Hill, ISBN 0-8306-3415-0). Even if you're a programmer, you may like it. I strongly recommend Q&A for people who need a very simple flat-file database, and Paradox for those who need a full relational database. This book makes it easier to go from one to the other—and also to tell which you need. Fair warning, it's a bit dry; on the other hand, there are lots of examples.

The game of the month is Secret Missions for Wing Commander. I sure wish Microprose would come out with some updates to Railroad Tycoon; as it is, I still find I play Wing Commander and Railroad Tycoon more than anything

else. On the other hand, there are about 40 games out in the chaos stream, and those are the ones I thought I might like.

This made only a small dent in the stuff. Now I think I am going to fling a bunch of it to make room for more. I'm certainly not participating in the 1991 recession. ■


Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerry."

**“We Chose
PC Tools Because
It Is The Best
Technology On
The Market.”**

*Brad Silverberg,
VP for DOS & Windows
Microsoft*

We couldn't have said it better ourselves.


Introducing PC Tools™ 7.0.




DOS and Windows Backup. Only PC Tools gives you award-winning backup for DOS and Windows in one box. Both programs use the same keystrokes and file formats so you can move to Windows without a hitch.




File Find with Viewers. Locate files across multiple disks by name, content or Novell attribute. View data from 37 popular programs. Launch, copy, rename, delete, and change attributes. Operates from the command line.




Disk Maintenance and Repair. To help avoid disk crashes and optimize data transfer, our DiskFix™ now does non-destructive, low-level reformatting. DiskFix solves dozens of other disk problems as well.




Desktop Manager. Now includes network-compatible workgroup calendars, a dBASE-compatible database. Telecommunications with advanced MCI Mail support, notepads, calculators and more.




DOS and Windows Undelete. Our new Undelete can save erased files in a protected location - on local or network drives. It's all based on the same undelete technology we licensed to Microsoft for DOS 5.0 - only better.



DOS 5.0 Compatible Shell & File Manager. Designed for DOS 5.0 keystroke and menu compatibility, PC Tools 7.0 gives you a powerful system for launching applications and managing your hard disk. Includes viewers for 37 popular programs.



System & Network Information. Reports on over 160 attributes, including video, I/O, Memory, mass storage, and four performance benchmarks. On NetWare, SI displays all servers, usage, users, and Novell groups.



Remote Computing. PC Tools Commute™ lets you take control of another PC, whether you're across town or across the country. Use it over a modem or LAN. You even get remote mouse support for Windows.

The Only Complete Utility For DOS 5 And Windows.

Whether you're running DOS or Windows, on a network or stand-alone, no single utility can protect and manage your data as completely as PC Tools 7.0.


New PC Tools gives you every essential utility in one, integrated package. Like real Windows applications. New remote computing. The only DOS shell with a Microsoft-licensed look and feel. And data recovery that's even better than what we wrote for DOS 5.


Call 1-800-445-4202 for a nearby dealer and get new PC Tools.

What more can we say?

Central Point Software INC.
Making Computing Safer, Simpler, Faster.

Central Point PC Tools, Central Point Commute, Commute and DiskFix are trademarks of Central Point Software, Inc. Names of other products mentioned herein are used for identification purposes only and may be trademarks and/or registered trademarks of their respective companies.





RELIABILITY


Why the pine cone? Because DTK is a lot like the pine. We've manufactured quality motherboards and BareBone® systems, from scratch, for more than ten years. And because we've acquired the wisdom of experience, our products are endowed with built-in reliability. That means you spend your time computing, not waiting for a repairman.

PERFORMANCE

While DTK's computers aren't quite as versatile as the mighty pine with its hundreds of uses, we build quality Novell® Approved file servers for heavy LAN use and workstations with advanced number-crunching and graphics capabilities; in fact, DTK manufactures a full line of PCs, i486™ through 8088. When you invest in a DTK system, you get a fully-compatible workhorse with the power to get your job done quickly.

AFFORDABILITY

Like good pine, your DTK system is value priced! Many DTK users first came to us because of tight budgets. They came back because of our reliability and performance. Of course, every DTK product carries our 100% parts and labor warranty for 12 full months. Our ten-year track record, like the pine cone, assures you that DTK will be around next year, or when you're ready to upgrade to a more powerful model.



DTK Computer Inc. *A Reputation for Success*

17700 Castleton Street, Suite 300 / City of Industry (Los Angeles), CA 91748 / (818) 810-8880 / FAX (818) 810-5233

Los Angeles
(818) 333-7533

San Jose
(408) 436-6363

Houston
(713) 568-6688

Chicago
(708) 593-3080

New York
(201) 417-0300


Miami
(305) 597-8888

©DTK Computer Inc., 1991

Bare Bone is a registered trademark of DTK Computer Inc. Novell is a trademark of Novell Corp. i486 is a trademark of Intel Corp.

Circle 97 on Inquiry Card.

World Radio History



WAYNE
RASH JR.

MANAGING THE LAN

People can do wonderful things working on a LAN, but someone has to be in charge of it: the network manager. The network manager can use a number of important tools to do his or her job. A few personal attributes, such as vast patience, are also necessary. The tools are usually referred to collectively as "network management tools." This is not an area for catchy names.

The range of products that purport to be for network management is very broad. In fact, it covers everything from simple utilities provided free with your network operating system to devices such as Network General's Sniffer that have prices extending well into five figures. The field also includes hardware devices that are built into everything from network interface cards to the little LEDs that appear on the hubs in some LANs.

What's Network Management?

Part of the reason for such a variety of network management devices is that there's no solid description of what constitutes network management. To make matters even less clear, it's a very complex process. For that reason, network managers are likely to buy anything that promises to make their job easier.

The reason for this consternation about the actual meaning of network management is twofold. First, it is indeed a complex job, and it's made more complex because networks are very much a custom product—no two networks are exactly alike. Second, vendors of network operating systems don't include very comprehensive management tools with their software, so the process is a lot harder than it ought to be.

When you look at the way some organizations run their networks, you can see why the description of network management gets even more confused. In some companies, the task of managing the LAN is divided between communications specialists and the help desk. This means that the help desk fields questions about the use of the LAN while the communications specialists do things like replace defunct hubs and search for broken cables. In other companies, these jobs are combined, while in some, the jobs are addressed in only the vaguest of manners.

Management Directions

In an effort to add a little structure to the wilderness of LAN management, I'm going to divide up the LAN management universe. The division will be a bit arbitrary, in that some products will fit into more than one

place. If I'm going to make sense of the field, though, I'll just have to take that risk.

Keeping track of the users. Part of the LAN management process is monitoring the users—deciding what software they should have access to, what software they should not be able to use, and keeping track of who is doing what. Part of this is for security purposes, and part is to maintain copyright integrity. In addition, some software is metered, so that you can only have a certain number of users having access to the software at one time. Often, access is controlled through the use of menus that restrict a user's ability to reach the command level on a network disk.

Helping the users. In most organizations, the network overwhelms users. They use it with great reluctance, and they frequently have problems. This part of network management includes the help desk and perhaps the information center, depending on how your company is organized. Its job is to help the people who use the LAN.

Keeping things running. A LAN is a complex collection of hardware, software, and wiring. Because of this complexity, things sometimes go wrong. Part of managing the network is finding out when something breaks, and fixing the problem before any data is lost. This requires constant monitoring and frequent diagnostic efforts.

Keeping things up-to-date. With everything else you have to do, there's always the daily, weekly, and monthly backups, new users to add, directories to create and kill, and other routine management tasks that only the manager can do.

Managing the Users

For many network managers, the task of network management involves keeping people from using any more

Four key points to network management and why they are important



ITEMS DISCUSSED

Automate Anytime\$149
 Complementary Solutions, Inc.
 4470 Chamblee-Dunwoody Rd.,
 Suite 202
 Atlanta, GA 30338
 (404) 454-8033
Circle 1222 on Inquiry Card.

Close-Up LAN.....\$395-\$1995
 Norton-Lambert Corp.
 P.O. Box 4085
 Santa Barbara, CA 93140
 (805) 964-6767
Circle 1223 on Inquiry Card.

Direct Access Network.....\$595
 Fifth Generation Systems, Inc.
 10049 North Reiger Rd.
 Baton Rouge, LA 70809
 (504) 291-7221
 fax: (504) 295-3268
Circle 1224 on Inquiry Card.

NetRemote\$395
LAN Support Center\$395
 (You need both to get the database)
 Brightwork Development
 766 Shrewsbury Ave.
 Jerral Center W
 Tinton Falls, NJ 07724
 (800) 552-9876
 (908) 530-0440
 fax: (908) 530-0622
Circle 1225 on Inquiry Card.

Network Inspector \$199 per LAN
 Tiara Computer Systems, Inc.
 2700 Garcia Ave.
 Mountain View, CA 94043
 (415) 965-1700
Circle 1226 on Inquiry Card.

Network Management Console \$2295
Advanced Network Management Console \$5500
 SynOptics Communications, Inc.
 501 East Middlefield Rd.
 Mountain View, CA 94043
 (415) 960-1100
Circle 1227 on Inquiry Card.

Remotely Possible.....\$299-\$2299
 Avalan Technology
 747 Washington St.
 Holliston, MA 01746
 (508) 429-6482
Circle 1228 on Inquiry Card.

Sniffer \$24,000
 Network General Corp.
 4200 Bohannon Dr.
 Menlo Park, CA 94025
 (415) 688-2700
Circle 1229 on Inquiry Card.

Wide-Area Network Management System
 Model 1 (50 users) \$5995
 Model 2 (400 users).....\$11,995
 Model 3 (over 400 users).....\$19,995
 cost per node.....\$219
 XcelleNet, Inc.
 1800 Century Blvd., Suite 700
 Atlanta, GA 30345
 (404) 804-8100
Circle 1230 on Inquiry Card.

the network management control access by controlling what you can do through the menu. The advantage of products such as Direct Access Network over the stuff that comes free with the network is that it is usually a lot easier to set up, and it keeps track of usage information better. There are other ways to accomplish this, even through office automation packages such as WordPerfect Office (see "The Growth of Groupware," November 1990 BYTE), which have menus for access and the ability to track usage.

Helping the Users

You must do more than control the users. More often, you'll need to help them. The problem is that the users who most need help are the same ones who are least able to describe the problem they are having with the network. If you plan to help them, you need to see what they are up to when they are having problems.

In a small organization, the network manager can simply stop whatever he or she is doing and visit the troubled user to see what's up. In a larger organization, this is difficult to do. Part of the problem is that the assistance is probably coming from a help desk rather than an individual who is free to move around the company. Also, in some companies, the distances can be fairly significant, making the physical presence of the manager difficult to arrange.

What's really needed when the manager (or the help desk) is working with the users is a way of looking over their shoulder without having to be there. That way, they can see what keys are pressed and see the responses on the screen. In many cases, this ability would solve a user's problems in seconds, increasing productivity for both the user and the manager. This ability also has great potential for informal training, because the manager could take over the user's computer briefly and demonstrate the proper way to accomplish a task.

This is one area in which the third-party marketplace has provided a wealth of products. It seems that nearly everyone who makes a network product also has a product that lets you look at another user's computer remotely. This is probably because they've had to develop such a product themselves in the course of their own testing, and they decided to sell it. Whatever the reason, though, there are plenty of packages available.

All the remote-access packages work in much the same way. The workstation to be monitored must be running some sort of remote-access software. This is a TSR package that provides access to the

of the network than they can avoid. This means that they restrict users to menu access only, and they restrict what can be seen on the menus. In some cases, there is good reason for restricting the users in such a way. Institutions that deal with sensitive information, such as medical facilities and financial services organizations, are good examples of groups in which access to much information is restricted by privacy rules.

Many network operating systems, including Novell NetWare and Microsoft LAN Manager, come with support for menus. If you want to, you can force users into the menu system when they log onto the network, and keep them there until they leave. The problem is that

power users just hate menus and will do anything they can to get away from them, including avoiding the network.

Menu systems also have another reason for their existence: to keep track of who is using what software and how much they use it. In some organizations, this sort of monitoring can take on Orwellian overtones, but more frequently it's simply a way to make sure that the company employees are using only the number of copies of a software package as have been paid for.

A good example of such a package is Direct Access Network from Fifth Generation Systems. It lets your network manager develop custom menus, tracks computer and software usage, and lets

Renowned computer columnist. Industry luminary. Best-selling science fiction writer. Ph.D. in Psychology. Chairman of the Citizens' Advisory Council on Space. Dr. Jerry Pournelle has been a successful evaluator of computing trends for so many years that his first computer is on display at the Smithsonian.

So when Dr. Pournelle writes about a "CD-ROM explosion," and about the Pioneer CD-ROM Minichanger as a surprisingly effective way to help manage that explosion, he writes from experience.


One CD-ROM can hold up to 128,000 pages of information. The Pioneer CD-ROM Minichanger holds up to 6 discs at once – more than 3

We did it with the world's first and only CD-ROM Minichanger.

gigabytes of data – in a compact, reliable, easy-loading magazine. And as Dr. Pournelle reports, "it's surprising how fast you can switch back and forth among them" (*Byte*, Jan., '91).

Why lose time searching for the right disc when it only takes seconds to search across discs to the right piece of data? You can even daisy-chain up to 7 Minichangers from the same controller for access to more than 5 million pages of data.

The Minichanger supports standard ISO 9660 file format



through a SCSI interface for IBM, Macintosh, and other platforms. You can also use it as a CD-Audio jukebox.

PIONEER BUNDLES AN UNBEATABLE SIX PACK

Pioneer is currently selling a six pack of CD-ROMs (valued at \$1,256) for only \$395, less than 1/3 suggested retail price: *Countries of the World* (a valuable tool for businesses, libraries, universities and schools, with up-to-date geographic, economic, and demographic information as topical as the war in Iraq, plus detailed color maps); *US History* (more than 100 books); the complete works of *Shakespeare*; the complete *Sherlock Holmes*; Audubon's *Birds of America* (with color illustrations and actual bird calls); and *Software Potpourri* (including major software programs, a Movie Database, and the complete Bible.)

See the list below for the distributor or dealer nearest you, or call Pioneer at 1-800-LASER-ON. To find out whether you qualify to become an authorized reseller, call Kent Ekberg, Director of Marketing, Pioneer Communications of America, at (201) 327-6400.

Let the final word on the Pioneer CD-ROM Minichanger come from Jerry Pournelle himself: "Recommended."

YOU HAVE TO BE PRETTY QUICK TO SURPRISE JERRY POURNELLE.

 **PIONEER®**

IDEAS THAT BECOME STANDARDS.



INTRODUCING THE FIRST
AND ONLY
CD-ROM MINICHANGER.

All product names are trademarks of their manufacturers.

Distributors: **Bureau of Electronic Publishing** Parsippany, NJ contact: Barry Cinnamon 800-828-4766 / **Bytewide** Lachine, Quebec contact: Robert Elman 514-636-5938
Compact Disk Products New York, NY contact: Frank Graziano 800-634-2298 / **Computer Upgrade Corporation** Anaheim, CA contact: Scott Lamb 714-630-3457
FlexSys Corporation Newburyport, MA contact: Steve Mycko 800-533-7756 / **Gentry Associates, Inc.** Orlando, FL contact: Richard Baker 800-688-2223 Ext. 395
Graphics Technologies, Inc. Edina, MN contact: Stephen Harold 800-999-9382 / **Kintronic, Inc.** Elmsford, NY contact: Bob Mesnik 800-431-1658
Optical Access International, Woburn, MA contact: Neil Salamack 800-433-5133 / **Relax Technology, Inc.** Union City, CA contact: John Milich 415-471-6112

Circle 225 on Inquiry Card.

www.radiolinks.org

network management staff. Normally, this program simply resides in memory and stays out of the way. When the user calls for help, though, the help desk personnel can attach their console to the user in such a way that they can see the user's screen and control his or her keyboard.

The way these things normally work is simple: The user calls up the help desk and explains the problem. Where possible, the help desk staff answers the question, but when the answer isn't obvious

from the description, the help desk staff gives the address of the user's workstation to the program and attaches the console. At that point, they can see the user's screen and watch what's happening. Usually, just watching what the user is typing and seeing what error messages appear is enough to solve the problem.

One product, NetRemote from Brightwork Development, contains a database so that the network management staff can track trouble histories. Others have dif-

ferent features. Avalan Technology's Remotely Possible, for example, works with Microsoft Windows, even to the extent of supporting the use of the mouse remotely. Norton-Lambert's Close-Up LAN will echo host screen images to several computers at once, which can help in LAN-based training. All will let you monitor remote users in trouble.

Getting Physical

While handling users probably takes up more time than any other task for the network supervisor, tracking down problems with the network hardware can be much more vexing. Part of the problem is that LANs can have some bizarre failure modes, not all of which are obviously related to the item causing the failure. The other part of the problem is that the network hardware and operating software are closely related, and it's not always clear which one is causing the problems.


Fortunately, this is one area in which the manufacturers of network hardware can help a great deal. Because the network hardware itself is intimately involved in the running of the network, this is a logical place to locate network management hardware as well. SynOptics was one of the first companies to embed network management capabilities into their hardware, although other companies have followed their lead.

With SynOptics equipment, you can get a complete picture of your network's physical components. Cards in the SynOptics concentrators contain LEDs that allow visual monitoring, while remote monitoring of all equipment is supported by a comprehensive Windows-based package. SynOptics' Network Management Console is capable of diagnosing even catastrophic network failures. It's a superb solution for even the biggest LANs. When coupled with a comprehensive software management package, such as the XcelleNet Wide-Area Network Management System, it should provide a complete management solution.

If your LAN doesn't use SynOptics equipment, you can still keep an eye on its operations. Tiara sells Network Inspector—a monitoring and diagnostic package that supports some of the functions of the SynOptics package, though less completely and with less flexibility. Still, for smaller LANs, it should provide plenty of support.

Finally, there is the ultimate LAN management tool, the legendary Sniffer from Network General. This device, which is a specialized expansion card and special software installed in a Compaq portable, is legendary because it

Are You Being Robbed!?



Don't Be.

Announcing HardLock 2.40

Do you *really* know what goes on with your computer when you're not around? How can you tell if someone's been on it? Truth is, anyone can secretly use your computer without leaving a trace. That means they can access confidential files, change configurations, delete information or copy programs and data - *all without your knowledge.*

And you may have *already* been victimized! Based on the research of a national council, the probability is high for such intrusions. Even simple "built-in" security just isn't enough.

Now *you* have the power to put a stop to all intrusions! Installing **HardLock** will prevent even the most determined intruder from accessing *any* bit of information in your computer.

It's easy, too! Installation is a snap; operation is hands-off; no clumsy hardware to install; all you do is enter a password at boot.

HardLock also gives you *ultra-safe*, continuous protection with its highly advanced technology. No file encryption. No alteration of the FAT (file allocation table). As a result, *no data loss.*

Additionally, you'll enjoy the versatility of the audit trail, floppy drive access control, automatic screen saver (with fireworks) and timed keyboard lock-out, all in one simple utility.

So be safe. Protect your computer and yourself *today* with the proud choice of industry professionals since 1988, **HardLock**. At *only* \$139.95, can you afford not to?

Available Through
Egghead Discount Software
Special Orders

or Dial Direct: (602) 821-9294

637 W. Wagner Ct. • Gilbert, AZ 85234



HardLock 2.40 operates on any computer running DOS 4.01 or below. Uses less than 15K of base memory. Available in the U.S. and Canada. Sentry Software, the Sentry Software logo and HardLock are trademarks of Sentry Software Corporation. ©Copyright 1991, Sentry Software Corporation. All rights reserved.

SSA-1001-HP1

CSS:STATISTICA

CSS/3™ Complete Statistical System with over 1,000 presentation-quality graphs fully integrated with all procedures and on-screen graph customization ■ The largest selection of statistics in a single system; in-depth, comprehensive implementations of: *Exploratory techniques; multi-way tables with banners; nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; logit/probit analysis; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi);* and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Integrated Stats Advisor expert system ■ Extensive data management facilities (powerful spreadsheet with formulas; relational merge; data verification; flexible programming language) ■ Optimized (plain English menus/mouse) user interface: even complex analyses require just few self-explanatory selections (CSS can be run without manual; Quick Start booklet explains all basic conventions) ■ Macros, batch/commands also supported ■ All output displayed in Scrollsheets™ (dynamic tables with pop-up windows and instant graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000) ■ Unlimited size of files; extended precision; unmatched speed (Assembler, C) ■ Exchanges data (and graphics) with many applications (incl. Excel®, Lotus 3®, dBASE IV®, SPSS®) ■ Highest resolution output on practically all printers (incl. HP, Postscript), plotters, recorders, typesetters ■ IBM compatibles, 640k or more ■ Price: **\$595.**

Quick CSS™ Subset of CSS/3: all basic statistical modules (incl. data management) and the full, presentation-quality graphics capabilities of CSS/3 ■ Price: **\$295.**

CSS:GRAPHICS™ A comprehensive graphics/charting system with data management ■ All graphics capabilities of CSS/3 and, in addition, extended on-screen drawing, 19 scalable fonts, special effects, icons, maps, multi-graphics management ■ Hundreds of types of graphs ■ Interactive rotation and interactive cross-sections of 3D graphs ■ Extensive selection of tools for graphical exploration of data: fitting, smoothing; spectral planes; overlaying; layered compressions; marked subsets ■ Unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graphs and add them permanently to menu ■ Import/export of graphs and data, 15 formats ■ Optimized (menu/mouse) user interface; even complex graphs require few keystrokes: all graphs on this page can be produced from raw data in less than 20 minutes ■ Macros, batch/commands also supported ■ Unlimited size of files ■ Highest resolution output on all hardware (see CSS 3) ■ IBM compatibles, 640k or more ■ **CSS:GRAPHICS** is included in **CSS:STATISTICA** (available separately for **\$495**).

Megafile Manager™ Comprehensive analytic data base management system ■ Unlimited size of files (up to 32,000 fields or 8 MB per record) ■ Megafile Manager is included in **CSS 3** and **CSS:STATISTICA** (separately: **\$295**).

CSS:STATISTICA™ A fully integrated system that combines all the capabilities of **CSS/3** and **CSS:GRAPHICS** into a single extremely comprehensive data analysis system ■ Price: **\$795.**

Domestic sh/h \$7 per product; 14-day money back guarantee.


Circle 267 on Inquiry Card.

 **StatSoft™**

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376


Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/4200347; fax: 040/4911310, StatSoft UK (London, UK), ph: 0462/482822; fax: 0462/482855, StatSoft Pacific (Melbourne, Australia), ph: 613-866-1766, fax: 613-866-3318, StatSoft Canada-CCO (Ontario), ph: 416-849-0737, fax: 416-849-0918 Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: Lemax BV 02968-94210; France: Conceptel (1) 45669700; Sweden: AkademiData 018-240035; Spain: ADLINK, SRL: ph: 34-3-459-0722

CSS, CSS/3, CSS:GRAPHICS, Megafile Manager, Quick CSS, STATISTICA, StatSoft, dBase IV, Excel, Lotus, MacDraw, Macintosh, Postscript are trademarks of their respective companies; SPSS is a registered trademark of SPSS, Inc.



STATISTICA/Mac™ A CSS-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Exchanges data with Excel and other applications ■ Price: **\$495.**

Quick CSS/Mac™ A subset of **STATISTICA/Mac**: all basic statistical modules and the full, presentation-quality graphics capabilities of **STATISTICA/Mac** ■ Price: **\$295.**



costs more than some companies can afford, and because there's virtually nothing in physical-layer diagnostics that it can't do. If you manage a really big LAN, a Sniffer is mandatory.

Routine Management

The most difficult part of network management is the one usually thought of as the most simple. Keeping track of the routine actions, from setting up new users to making sure the backups happen, is the one area where there are few flashy tools, little drama, and, perhaps for that reason, little improvement.

If there is an area in which network management falls down, it is in the daily chore of making sure that all the fundamental activities take place. Fortunately, help is on the way, at least for a few of the critical functions.

Backing up the file server is an example of one task that frequently slips unless one staffer is assigned that task specifically and then monitored to see that it happens. One new package that I'll talk about at a later date is Complementary Solutions' Automate Anytime. This product can be set so that a particular

task, such as a tape backup, can be invoked automatically at a given time.

The Management Challenge

The single greatest problem with managing your company's LAN isn't related directly to hardware or software; it's related to personnel. If there is a single pervasive failing among companies that install networks, it is that they refuse to take management seriously. As unlikely as it may seem, it's not at all uncommon for an organization to spend hundreds of thousands of dollars on LAN hardware, and even more on installation, training, and software, and still refuse to assign a full-time employee to keep it running.

The reasons for this vary, of course. Some companies assign a person the task of management but don't allow him or her the time to do the job because network management is considered a collateral duty. Others assign a nontechnical employee to the job, probably to keep costs down. In a few cases, organizations give supervisor privileges to all users, which lets them do anything they like to the network and, in the process, ensures the early demise of any data integrity.

While a small LAN probably doesn't need a full-time administrator, it does need a fully trained and capable person handling the assignment. Big LANs do require full-time administrators and may require many people. Complex networks with remote sites, heavy processing requirements, and mainframe connectivity require more people than a LAN that just supports word processing and E-mail.

LANs exist as a way to transfer and safeguard your company's information. But to do that, they require supervision and help, regardless of size. ■

Wayne Rash Jr. is a contributing editor for BYTE and a principal and technical director of the Network Integration Group of American Management Systems, Inc. (Arlington, VA). He is coauthor of two books for business network users: The Executive Guide to Local Area Networks and The Novell Connection. You can contact him on BIX as "waynerash," or in the to.wayne conference.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

MathType. The best thing for writing equations since chalk.




No programming languages to learn. No codes to remember.

With MathType you create and add equations to your document by using simple point-and-click techniques. All without quitting your word processor.

MathType has an intuitive WYSIWYG (What You See Is What You Get) interface.

Over 175 mathematical symbols and templates, conveniently arranged in pull-down menus.



MathType has pull-down menus containing templates and mathematical symbols. You select the symbols and MathType automatically formats your work.

Other systems make you enter cryptic codes:

WordPerfect: LEFT DLINE (varphi TILDE) k RIGHT DLINE ~<=SUM FROM (N'=K) TO INF (LEFT ...

TEX: \$\$\left\| \text{Vert}(\tilde{\text{varphi}}) \right\| \leq \sum_{n=k}^{\infty} \left\{ \xi_{k-1}^{n+1} + \sqrt{\lambda_{n+1}} \right\}

Ask for your FREE Demo Disk and Brochure for either PC or Macintosh.

Complete Software Packages:
PC/Windows version: \$249
Mac version: \$149

**CALL TODAY
FREE
DEMO
DISK
1-800
827-0685**

With MathType, equation writing is as easy as filling in the blanks.

Now you can create typeset-quality technical documents easily and quickly.



MathType

EQUATIONS FOR WORD PROCESSING
Design Science Inc., 4028 Broadway, Long Beach, CA 90803

1-800-827-0685

MathType is compatible with most Microsoft Windows and Macintosh word processing and desktop publishing applications.

**There
is
something
new
under the
Sun...**

Way under the Sun!

\$10,095*

"CompuAdd's SS•1 looks, feels, and, for all intents and purposes, is the original 12.5-million-instruction-per-second SPARCstation 1 . . ." Byte, December 1990

Compare the CompuAdd SS•1 with the competition and you'll see why it's the new star among workstations. ✱ Why its stellar low price, brilliant 19" Sony Trinitron® monitor, precise opto-mechanical mouse and three red hot internal drive bays make a world of difference between the SS•1 and other workstations.

- ✱ The SS•1 has the same scorching speed, multitasking, graphics and networking capabilities as the original SPARCstation™. In fact, it's 100-percent binary compatible with Sun® workstations. But the SS•1's extra features take it light years beyond the systems it's modeled after!

Whatever your use — CAD/CAM, desktop publishing, mapping, networking or other intensive computing operations — the SS•1 can take you there. ✱ CompuAdd is famous for bringing affordability to PC design and manufacture. Now we've done the same for workstations.



- ✱ It's no wonder the SS•1 burns brighter than the competition.

*CompuAdd SS•1 configured with 8MB RAM, 210MB hard drive, 3.5" diskette drive and 19" color monitor.

Image generated by IDL® scientific visualization software package from Research Systems, Inc., Boulder, CO.

Circle 63 on Inquiry Card.

Shading = Blood perfusion




```

0 bin      512 Feb  6 09:51 mnt
2 bin      512 Jan 30 11:00 sbin
1 root     19 Jan 30 10:49 sys -> ./usr/kow/sys
3 bin      1024 Mar 27 04:15 bnc
22 root    1024 Jan 30 11:15 asr
10 min     512 Dec  9 15:30 var
1 root     1306550 Jan 30 11:43 umark
1 root     1441517 Feb  4 13:41 vmunix.mega

```

Shaded Surfaces



```

in/ceb
; Make cursor visible
L HOME:
Loading table STD_GMM45-II
speed = 185, Vastig = 145, Executing = 39

```


VSAV ISON VASV

CompuAdd SS•1

"Don't feel sheepish if you can't tell the SS•1 and the SPARCstation apart. Neither can SunOS 4.1 . . . No smoke and mirrors here; the SS•1 aces all the tests." *Byte, December 1990*

That's right. There are no tricks with the CompuAdd SS•1 workstation. It's 100-percent binary compatible with the Sun® SPARCstation 1™ and 1+. With the SS•1, you get proven RISC architecture in the box. And big differences all around:

- The price. Our SS•1 costs thousands less than a comparable Sun workstation.
- The monitor. For more precise control over your graphics, the SS•1 features a 19" screen — instead of the 17" you get elsewhere.



When you buy our color monitor, you get a Sony Trinitron® monitor. • The mouse. The SS•1's three-button opto-mechanical mouse is more precise than the optical mouse supplied

by other vendors. • The drives. The SS•1 has three internal bays that can be configured to hold up to three 3.5" SCSI devices or one 3.5" and one 5.25" SCSI device. Still another advantage the competition can't claim. • So whether you're expanding your network or beginning a new one, the SS•1 is the right workstation.

- Because there's no doubt with CompuAdd.

SS•1 Features

- SPARC® 20MHz processor
- 8MB DRAM expandable to 64MB
- 64KB SRAM cache memory (write-through)
- Three 32-bit S-bus expansion slots
- Two internal and one external SCSI ports
- Two serial ports
- Ethernet AUI port
- Audio port and speaker
- High-performance 19" monochrome monitor with frame buffer
- Sun4-compatible 107-keyboard with reduced footprint
- Three-button opto-mechanical mouse
- 100-watt Sony power supply
- Sun SPARCstation 1 and 1+ compatible
- Licensed version of SunOS 4.1, including SunView graphical interface software

SS•1 Base Configuration

\$5495 (66770)

Lease as low as \$191/mo.

SS•1 Featured Configuration

\$9,595 (66772)

Lease as low as \$333/mo.

Products bearing the SPARC trademarks are based on an architecture developed by Sun Microsystems, Inc. SPARC is a registered trademark of SPARC International. FCC Class A for use in business environments only. Not for sale to home consumers.

CompuAdd®

Customer driven, by design.

 **Call 800-456-6008**


Key Code 814

Hours: Monday - Friday 7:00am to 9:00pm CST; Saturday 9:00am to 5:00pm CST
12303 Technology Blvd. Austin, Texas 78727

 800-387-3266  95-800-010-0401  0800-373535  0130-6009  1-40364949

© CompuAdd Corporation, 1991. We accept MasterCard, VISA, Discover, money orders, certified checks and personal checks (please allow ten days for processing), COIs (\$50 minimum order), company and institutional purchase orders (minimum initial purchase \$500, thereafter \$50), and wire transfers. Prices do not include shipping and handling. Please add appropriate local sales tax. Thirty-day money-back guarantee does not include return freight or shipping and handling. Opened software, videotapes, other consumables and shipping costs are nonrefundable. All return items must be accompanied by a return merchandise authorization (RMA) number. Prices and product descriptions are subject to change without notice. CompuAdd is not liable for damage due to omissions or typographical errors. Call 800-666-1872 for a copy of CompuAdd's complete warranty.

Circle 64 on Inquiry Card.



BYTE columnists, staff, and contributors debate the issues

DO COMPUTERS SAVE TIME?

Roundtable is a forum in which **BYTE** editors, columnists, and contributors debate key issues that affect how you purchase and use hardware and software. The “conversations” take place on **BIX**, where you can participate in the round.table conference.

KEN SHELDON: A friend and I got to talking about how much time you can spend customizing your system. It put me in mind of the guys I knew in high school who spent all their time working on their cars but never actually seemed to go anywhere. Then there are the musicians who get so caught up in the technology of their electronic gadgetry that they never make any music.

I wonder if the same thing doesn't happen with computers. Do we spend so much time adjusting the screen colors, setting up batch files, and making sure we have the optimum number of buffers in our **CONFIG.SYS** file that we get less done than if we couldn't do those things? And if that's the case, what can we do about it?

WAYNE RASH JR.: The problem I have is that I keep wondering what **Windows** would look like with different wallpaper or with a different desktop pattern. So I change them, then look at them for a while, then I load the desktop pattern, and maybe modify the **Critters** pattern again, and then pick a different wallpaper to go with it, and when I then find another wallpaper pattern I like, then the desktop has started to look tacky, so I move the icons around on the desktop, and then I rearrange the windows so that they pop open in different areas, and I take an icon and put it somewhere else, and then I decide that maybe the three-dimensional **Excel** pattern might look nicer, so I try that, but it doesn't, so I take a look at the other one, and . . .

Well, you get the idea.

TOM THOMPSON: The whole trick is to set up the desktop and then leave it alone. For example, I've got a number of permanent folders located in specific spots on my desktop. They never move; when I have to add or remove something, I know right where to go. The transient stuff (beta software, software under review, and

articles in progress) goes in another area. It may not work for everyone, but it does for me. Now, if you really want to waste time, check out some of those screen savers.

LARRY LOEB: The deeper question is not whether your desktop is neat but whether it would be simpler not to use the computer at all. For example: I've got to add a column of numbers. Let's say the **Mac** is on already. I could call down a calculator, but I may just use the calculator that's on my watch rather than get up and go to the computer. Now, the calculator on my watch is a computer. It's convenient to use. And it adheres to the principle of zero abstraction inserted between the worker and the work. I just add the numbers. No loading of an operating system or fiddling around with files.

My point is this: Any general-purpose computer will take longer to set up and do useful things than one that is specialized for the work you want to do. Maybe we need more specialized, smaller computers.

DON CRABB: I agree to a point, Larry. That point, unfortunately, is often hard to pin down. Small, individual-function computers are great for very definable tasks like those you delineated, but what happens when you need to ratchet-up your work a notch? With most of these unifunctional devices, you're stuck. You either have to then take your work to a general-purpose computer, do it by hand, or search around for some specific unit that can do the little bit extra—all of which waste time and money. A good example of small, specific computers that have tried to add additional layers of functionality are the **Sharp Wizard** and **Casio B.O.S.S.** series. Each can do more than your calculator watch, and each does less than any general-purpose computer. However, the

DON CRABB
Contributing Editor

FRED LANGA
Editor in Chief

LARRY LOEB
Consulting Editor

RICH MALLOY
Managing Editor, News
& Technology

JERRY POURNELLE
Senior Contributing Editor

WAYNE RASH JR.
Contributing Editor

KEN SHELDON
Senior Editor, Features

TOM THOMPSON
Senior Editor at Large

penalties extracted for this combination include keyboards that are too small to touch-type on, software that is expensive for what it provides, and screens that don't always show enough of what you need to look at.

I would like to see technology move in the direction of true computing building blocks. I would like to see modular systems that can start out as your watch and be built up with new modules to become general-purpose computers. This way

we wouldn't lose the ability to keep with us the smallest necessary subset of the computer that we needed at that moment, yet keep the full computing power available just by plugging into it.

LOEB: I agree that the organizer-style hybrid computer influence is growing. Users must believe that this sort of combo is saving them time or they wouldn't be selling as well as they are. One important point about reduced-function com-

puters (RFC to the acronym-minded) is that they are usually portable—they come to the work wherever it is. You don't have to go to the computer to get work done (computer on a desk is what I mean).

The Z88 I'm using to type this on is an RFC; it has limited software and an eight-line display, but it is very portable and has adequate horsepower for BIX-ing. These buggers can save you time. You may just have to define sharply what tasks you do and optimize the computing solution from what's available.

SHELDON: I think this is related to another aspect of the "Do computers save time?" question. I suspect that each of us has been asked by a noncomputer user if they couldn't save a lot of time by "computerizing" something they do routinely, not recognizing the investment that they already have in their current way of doing things and the sizable investment that would be required to computerize the task.

JERRY POURNELLE: Computers let you do well what you barely could do at all; and yes, they take up time, because they let you do it so much better than you could before. Example: My publisher and I are doing *Spartans*; I turned the book in at the very last minute. He set the type using Ventura Publisher and a Hewlett-Packard LaserJet III printer, proof-read in-house, fixed, accepted last-minute changes from me (on disk, or actually on BIX), and got it all out to the printer.

SHELDON: "Computers let you do well things that you barely could do before." I like that; has the ring of a Pournellian Law in the making. The problem, of course, is that the ability to do so many new things means that there are myriad new ways to get bogged down and tangled up in your tools, or the output from them. That means we have to work smarter; being able to find 1500 references to "DOS extender" on BIX won't help you if you then have to read each one of the entries to find the information you need.

RICH MALLOY: It's true that computers let you do things well that you could not do before. But the other side of the equation is that computers also let you do mistakes that you couldn't do before. Witness everyone's first memo produced under desktop publishing, with its myriad fonts and type styles rendering it almost unreadable.

But I think that the issue here is how

P E R I S C O P E

Professional Software and Hardware-Assisted Debuggers for 80386 & 80486 Systems



Periscope/EM and 386MAX team up to keep Periscope out of the lower 640K...so you can have both quality memory management and a resident debugger.

If you need a debugger but have no room left in the lower 640K of your 386™ or 486™ system, Periscope now has a new SOFTWARE-ONLY solution for you—Periscope/EM.

- Periscope/EM takes advantage of the extended memory you already have, rather than using any memory in the lower 640K.
- No runaway program can corrupt Periscope/EM because it's write-protected.
- You don't have to use a slot since there's no board to install.
- You can add an optional break-out switch to recover from crashes.
- Periscope/EM costs only \$295, half the cost of Periscope Model I, with most of the same functionality.

Periscope/EM requires 386MAX™ or BlueMAX™, version 5.11 or later; a 386 or 486 system with about 300K of extended memory; 32K of memory between 640K and one megabyte; DOS 3.0 or later.

New

Debugging Tools

"I needed a means to debug interrupt handlers where I could really see what was going on. The hardware trace buffer is great. I was able to debug code in 3 days that I have been trying to debug for months!"

...writes Peg Sestrich with Prime Computer, on why she chose Periscope Model IV.


If you need more than your current software-based debugger gives you, Periscope Model IV, with these advanced NEW features, may be just what you're looking for.

- Supports 386 and 486 systems running up to 33MHz with its ICE-like capabilities.
- Real-time hardware trace buffer holds up to 16K CPU events.
- Enhanced analysis and display of trace buffer makes you more productive.
- Periscope/EM functionality, built-in at no extra cost, saves you money.

Just call toll-free 800/722-7006 for details or to order.


The Periscope Company, Inc.

1197 PEACHTREE ST.
PLAZA LEVEL
ATLANTA, GA 30361
404-875-8080
FAX 404-872-1973




Real-time Periscope Model IV, shown with new 33MHz board and 486 pod.

BIG IS OUT.



SMALL IS IN.




Introducing the Falco Infinity Desktop Computer. The Smallest 386SX Desktop.

If you're sizing up desktop computers, you'll immediately see the advantage of the Falco Infinity Desktop. It gives you 386[™]SX power and performance without dominating your desk space.

Half the size of a standard PC, the Infinity Desktop has everything you need on-board: Peripheral interfaces like disk controllers. Memory expansion. Communication ports. And VGA[®] level graphics up to 1024 x 768 resolution. Plus, two AT[®] compatible, 16-bit expansion slots.

It runs DOS[™] 4.0, UNIX[™], OS/2[™] and Microsoft[®]



Windows 3.0. What's more, you can choose from four configurations, including a diskless network node and a full-featured model with 1.44MB floppy and the option of 40, 100 or 200 MB hard drive.

The only thing we left out is the noise. The Infinity Desktop runs so quietly, you'll hardly know it's on.

Whether you work in close quarters or spacious surroundings, the Falco Infinity Desktop covers all your needs. Without covering your desk. And that's about the size of it. To get one for your desk, call us today.

1-800-FALCO4U




The New York Times

Computer Fails On Space Shuttle— Threatening Astronomy Mission Telescope Mechanism Clogged By Lint From Uniforms

NASA's orbiting shuttle Columbia and its astronomy mission was seriously jeopardized yesterday when an on-board computer overheated and failed to function. The apparent cause of the breakdown was lint from the astronauts' and workers' uniforms.

Air ducts that lead to the computers

were inspected by the crew and discovered to have been clogged by lint. The crew, however, had a hand-held vacuum cleaner on-board and quickly and easily removed the large accumulation of lint. The computers



If dust and lint can knock out NASA's computers, it can happen to yours.

One tiny piece of dust, lint or hair can stop a computer, printer, disc drive, fax or other high-tech equipment cold—even computers as sophisticated as NASA's. That means work stops but costs continue. Now a minimum investment in Data-Vac can save expensive downtime—even the cost of a new computer. That's why the most efficient

offices in America use Data-Vac for preventive maintenance.

Data-Vac keeps systems running smoothly—even in outer space. Affordably priced. Satisfaction guaranteed.

Contact your local computer/office products dealer today or

Call 1-800-VAC-1602

(In New York State, 914-357-1600)
Fax: 914-357-1640

METRO DATA-VAC

The Necessary Accessory™

A Division of Metropolitan Vacuum Cleaner Co., Inc.
One Ramapo Ave., P.O. Box 149, Suffern, N.Y. 10901

Data-Vac Your Computer Now—Or Replace It Later

NOW VERSION 4 Full-featured scientific word processing

The screenshot displays several mathematical formulas: $\sum_{n=1}^{\infty} \frac{1}{n^{2k}} = \frac{\pi^{2k} \cdot 2^{2k-1}}{(2k)!} B_k$ and $\int_0^1 \frac{dx}{x \sqrt{1-x^2}} = \cosh^{-1}(x)$. It also shows chemical structures, including one labeled 'Vitamin D₂'. At the bottom, there is a keyboard layout with Cyrillic characters and a menu bar with options: Mark, Edit, Read, Write, Layout, View, Options, New, Print.

ChiWriter

horstmann software

FEATURES

- True WYSIWYG—no encoding or preview mode.
- Easy formula editing is fully integrated into the program
- Multiple Undo and Redo
- Automatic text and formula formatting
- Simultaneous editing of up to 10 documents
- All standard math and scientific symbols included
- Font designer—modify symbols or design your own
- For IBM® PC or compatible systems with 512K memory

HORSTMANN SOFTWARE DESIGN CORPORATION

4 N. 2nd. St., Ste. 500 P.O. Box 1807 San Jose, CA 95109-1807, USA
Phone (408) 298-0828 Fax (408) 298-6157

IBM is a registered trademark of International Business Machines Corporation.

ChiWriter gives you all the features of an advanced scientific word processor and more! The WYSIWYG screen display lets you enter and edit text and scientific notation exactly as you want it on your printout. Add easy math editing, font design, multiple undo and redo, automatic formatting, macros, foreign language capability, spell checker, and support for dot-matrix and laser printers—all for only \$349.95 plus shipping and handling.*

Call today to order your ChiWriter package. Full 30-day money back guarantee. Bankcards welcome.

* Chemistry Fonts \$59.95,
Russian Fonts \$29.95

20% educational discount.

To order, call toll free

1-800-736-8886

ROUNDTABLE

computers allow you to waste time in ways you could not do before. There is sometimes a temptation to create a perfect set of macros that will do everything you need done automatically. Unfortunately, this perfect set of macros must deal with an imperfect world. It is easy to get caught in a trap of constantly modifying the macros to take care of every possible situation, and the result is often a system that overwhelms the underlying software (and yourself) and wastes a great deal of time.

What you must always keep in mind are two factors: how much time the system will save, and how much time it will take to set the system up. If the time saved is not much greater than the time spent for setup, the system is not worth setting up at all.

POURNELLE: Pournelle's Fifth Law: A job not worth doing is not worth doing well.

SHELDON: The latest issue of *Harvard* magazine has an article called "Revenge Theory," which postulates that our high technology is trying to get back at us. Here's a paragraph that relates to our discussion:

"When spreadsheets were laborious, people did them as seldom and as cautiously as possible. Now recalculations can be done much more easily, but at the cost of having to do them much more often, and of learning to use the software."


FRED LANGA: The name is tongue-in-cheek, but the idea's solid. It's an attempt to explain a number of things: For example, a superhighway is built to ease traffic congestion, but because the new highway makes it easier to get around, it actually encourages more driving and increases overall traffic.

Or: Federal Express introduces attention-getting envelopes for low-volume, high-priority overnight mail. Soon, you are getting so many of the envelopes that they lose all urgency. Then along comes faxing of ultra-high-priority messages. Soon, there's a fax glut and you find 35 feet of paper hanging out of your fax machine every morning.


Or, as Ken pointed out: Computers make an onerous task much easier, but instead of freeing up time, we use the time to do more iterations of the onerous task. "Painless revisions" is one of the main benefits of using computers. But if you frazzle yourself by doing 900 revisions of a project up to the minute before deadline, is it really painless? ■



Windows helps FORTRAN users create bigger apps.



The Microsoft Windows graphical environment lets you have multiple windows in your FORTRAN applications. This means that you can resize and scroll input and output displays to view data...



...and to analyze data, simply cut and paste your FORTRAN output into programs such as Microsoft Excel for Windows and you can view it instantly in graphical form.

With the new Microsoft® FORTRAN Professional Development System version 5.1, your existing code taps into the power of the Microsoft Windows™ graphical environment. FORTRAN 5.1's new QuickWin library lets you develop 16-bit apps that access greater memory than ever before – breaking the 640K barrier on 286 and 386 machines.

You can use the FORTRAN QuickWin library to take advantage of multiple I/O windows, multitasking, and cut and paste. Or write FORTRAN routines called from mixed-language Windows apps. And FORTRAN 5.1 has Programmer's WorkBench, with a new CodeView® debugger and Source Browser.

To see the advantages of bigger, multi-windowed 16-bit applications, give us a call at (800) 541-1261, Department R34 and order your FORTRAN update today.

*As used herein, "DOS" refers to MS-DOS or PC-DOS operating systems. © 1991 Microsoft Corporation. All rights reserved. Printed in the U.S.A. Inside the 50 United States, call (800) 541-1261, Dept. R34; outside the 50 United States, call (206) 936-8661. Customers in Canada, call (416) 568-3503. Microsoft, MS-DOS, OS/2, CodeView and the Microsoft logo are registered trademarks and Windows and Making it all make sense are trademarks of Microsoft Corporation.

PROGRAMMER'S TIPS




Key Features

- Create Windows .DLLs in FORTRAN using new or existing code.
- QuickWin Features:
 - QuickWin child windows are easily created using the OPEN statement.
 - User-defined positioning and titles for child windows.
 - Automatically generated scroll bars for output that extends past a single screen.
- CodeView debugger supports DOS*, Windows-based and OS/2® applications.
- Extended CodeView debugger for large DOS programs.
- Complete online documentation for the FORTRAN language and all compile and link switches.
- DOS and OS/2 run-time libraries are compatible with other Microsoft languages.
- Floating-point support includes co-processor, emulation, and alternate math libraries.
- 100% ANSI 77 compatibility and numerous IBM® VAX® and ANSI 8X extensions.
- New BYTE keyword emulates VAX data types.
- Language Extensions include DOUBLE COMPLEX variables, precision and maxexponent inquiries.

- Use the new /MW option with the FL command to invoke the QuickWin library. For example: "FL/MW MYAPP.FOR" is all it takes to make MYAPP a Windows-based program.
- Use the ALLOCATE statement to dynamically size arrays and to access more than 16MB of memory on a 386.™

Microsoft
Making it all make sense™

How to make accommodate every



TOM: "Well, that's an accurate presentation of unit sales, but what I'd like to know is dollar sales..."

Now, you can answer all those "What if ...," "What about ...," and "What would happen ..." questions from every Tom, Dick and Harriet in the room. Instantaneously. In brilliant, photographic-quality color.

With the new In Focus 5000CX LCD projection panel.

Simply place it on your overhead, connect your Macintosh





or IBM compatible computer and you have one of the most powerful and persuasive presentation tools ever seen.

The 5000CX can project nearly 5000 colors at a time. And its 640 x 480 resolution supports all VGA, EGA, CGA and Macintosh video standards.

So you can access all of your computer's software. While you're presenting.

You can project new projections. Revise

your presentation from Dick and Harriet.



DICK: "That was certainly quick. Have you got any data on the actual costs of goods?"

HARRIET: "That's not a pretty picture for the cosmetics division. By the way, do you think you could help me out on this presentation I'm giving tomorrow...."

revisions. And tailor your presentation to accommodate every member of your audience. On the spot.

What's more, you'll never again have the cost or hassle of preparing slides. Or the boredom of presenting yet another set of dull, black and white overheads.

The 5000CX is just one of a complete line of high-performance, portable In Focus color and

monochrome projection panels.

Call 1-800-327-7231 or in Oregon, 503-692-4968 and arrange to see a demonstration of one today.

We promise you a show you won't forget.

InFocusTM
S Y S T E M S

In Focus and the In Focus 5000CX are registered trademarks of In Focus Systems, Inc. All other trademarks or registered trademarks are the property of their respective holders.

Circle 143 on Inquiry Card.

ASCII Goes Global

Two standards aspire to be the “international ASCII,” containing all the world’s written characters. Are they headed for collision, or consensus?

KENNETH M. SHELDON

The world is getting smaller every day. As it does, it’s becoming increasingly evident that ASCII is no longer sufficient for computing on a global scale.

ASCII—the American Standard Code for Information Interchange—is the code that underlies all communication with computer hardware and software—sort of the DNA of computer talk. Each ASCII code—a series of seven 0s and 1s—represents a letter of the alphabet (*a* to *z* in uppercase and lowercase), a digit, a punctuation mark, or an instruction that controls peripheral equipment such as a modem (see figure 1). As a 7-bit code, ASCII has space for 128 characters (2⁷).


In 1977, ASCII was certified by ANSI, and the ISO adopted an almost identical code as ISO 646. The ISO later added a 1-bit extension to ISO 646 that provided space for another 128 characters (2⁸=256). Known as Latin1, this 8-bit code includes letters required by European languages such as French, German, and Spanish (for example, *é*, *ü*, and *ñ*). (Note that while the acronym *ASCII* is often used to refer to an 8-bit code, this is not technically accurate—true ASCII is a 7-bit code.)


Countries in Africa and the Near and Far East adopted ISO 646 and “localized” it to their native character set, or developed similar standards under the auspices of groups such as the European Computer Manufacturers Association (ECMA) and the Japanese Industrial Standards Committee. Several standards evolved to represent the thousands of characters in the various Chinese, Japanese, and Korean writing systems. Individual hardware and software manufacturers also developed their own standards.

For companies doing business internationally, the existence of so many different character-encoding standards was becoming a nightmare. Something had to be done.

A Byte Is Not Enough

In 1983, the ISO began developing a new standard for character encoding, ISO 10646. ISO 10646’s original mandate was to develop a 2-byte (16-bit) character set, with room for 65,536 characters—surely enough for all the characters we’d ever need. The ANSI committee working on the new 16-bit standard hoped to make it compatible with all the current international standards. The first 128








Figure 1: ASCII codes are 7 bits long, so ASCII can represent 128 possible characters. Latin1 (the “European ASCII”) adds a bit, providing for 256 characters. The proposed Unicode is 16 bits long, providing for 65,536 characters. Characters in the ISO 10646 standard would be 4 bytes (32 bits) long, although the standard proposes compaction methods that would let you send only 1, 2, or 3 bytes when the initial byte (or bytes) would be redundant.

characters would be good old ASCII, with other character sets following.

Two problems quickly surfaced, however. First, each of the already-existing international standards included control codes, which controlled peripheral equipment by sending messages such as “carriage return” or “formfeed.” There were a couple of arguments for retaining those codes. Much of the current communication equipment looks for those control codes—essentially parsing the data stream—to decide what to do with the data it receives. Also, removing the control codes would render the new code incompatible with the codes already in use around the world. The problem was this: Setting aside spaces for all characters that could possibly be interpreted as control codes used up 40 percent of the 65,536 available spaces, before any characters had been assigned.

The other problem had to do with the characters in the Chinese, Japanese, and Korean writing systems. Among the

world’s writing systems, these contain by far the largest number and variety of characters. Although these languages do use alphabetic systems, the largest number of characters are *pictographic* (“picture writing”) or *ideographic* (“concept writing”). These terms can be somewhat misleading. The most accurate term for them is *logographic*, or “word writing,” meaning that each character represents a word.

Most Japanese and Korean characters are

derived from Chinese and are referred to as Han characters (from the Chinese Han dynasty). In many (although not all) cases, these characters not only look more or less the same, they also mean the same thing in all three scripts. For example, the character for “water” is identical in Chinese hanzi, Japanese kanji, and Korean hanja scripts.

To save space, the 10646 committee considered developing a unified Han character set, in which no character would appear more than once. The shared Han characters would be listed together, and characters unique to the individual systems would appear separately. This scheme would remove thousands of very similar characters and allow the character sets of all nations to exist in a single 2-byte code. However, although China agreed to this proposal, Japan and Korea objected.

To resolve the issue, the committee decided to include all characters from each of the languages, even when that resulted in the apparent duplication of many thousands of characters. Suddenly, 2 bytes wasn’t going to be enough to contain all the characters in the code.

For over a year, the committee wrestled with expanding the size of the code set. Would 3 bytes be enough? Was 4 too many? Finally, the group decided to go with a 4-byte (32-bit) code set—with enough room for 4 billion characters and codes.

Let’s Get Small

Some in the computer community objected. Four bytes for every character? Didn’t that add a lot of overhead to communications? Instead of sending 1 byte for every character, we’d be sending 4; it would take four times as long to send a text file.

Not so, suggested one member of the committee. Since the first 3 bytes of any alphabet’s assigned codes would be the same, you wouldn’t need to transmit them for each character. For example, the letter *c* in ASCII is 01100011. Under ISO 10646, it would be similar, but with 3 bytes (each of which is 00100000) in front of it:

00100000001000000010000001100011

(In 8-bit code, 00100000 represents a space. Why not just use zeros in those first bytes? Because 00000000, in 8-bit code, is a control code—nul—and the committee had already decided against using any codes that could be misinterpreted as control codes.) Similarly, the letters *a* and *t* would look like their current ASCII counterparts, with the same 24 bits in the 3 high-order bytes.

Committee members suggested several compaction schemes (not to be confused with compression schemes). For example, in the case above, a sending modem could tell the receiving modem, “From now on, assume that the first 3 bytes of every character are 00100000,” and then proceed to send the 8-bit codes for *c*, *a*, and *t*. At that point, the modems would essentially be operating in 1-byte mode. The same technique could be used regardless of what language you were writing in, since all characters in that part of the code would have the same first 3 bytes.

“Too complicated,” said some outside the committee, adding that such schemes could introduce integrity problems. They preferred a scheme in which each code was the same length at all times. The effort to develop a single, international character set was beginning to stall.

Unicode: Back to the Basics

In 1987, Joe Becker and Lee Collins of the Xerox Palo Alto Research Center and Mark Davis of Apple began trying to develop a code that was simpler and more consistent than ISO 10646, yet still incorporated all the characters necessary for

BYTE ACTION SUMMARY

Adoption of a multilingual standard for character encoding will make life easier if you’re doing business internationally. Depending on your computer, you may have to buy new software to take advantage of the standard, although most users won’t see any differences.

international computing. Becker and Collins had worked together on the legendary Xerox Star computer (forerunner of the Macintosh). Among the Star's many innovative features was a 16-bit multilingual coding standard. "After a decade of working with that standard, we knew what we had done right and what we had done wrong," says Becker.

Becker and Collins began to discuss multilingual issues with Davis, manager of the international system software group at Apple. At that time, much of Apple's multilingual efforts were font-oriented, rather than based on the underlying character codes. Meanwhile, Xerox was beginning to move toward publicly available platforms, rather than designing all its own machines and operating systems as it had in the past. Both companies were looking for a public industry-standard coding.

Becker and Collins saw an opportunity to design a new generation of encoding that would take into account their experience with multilingual systems, yet would also involve other companies. To describe the new standard, Becker coined the name *Unicode*, for "unique, universal, and uniform character encoding."

Becker, Collins, and Davis formed the core of the group working to develop Unicode. Representatives of other companies soon joined the discussions: Metaphor Computer Systems, the Research Libraries Group, Microsoft, Sun, Adobe, Claris, Next, and Pacific Rim Connections. Many of the people working on Unicode became members of the ISO 10646 group and worked within that group to influence it in the direction of Unicode. Unicode members also presented the case for a 2-byte coding system to other U.S. and international corporations (including IBM and Microsoft), users groups such as Share (a group for users of IBM mainframes), conferences such as Uniform, and developers' conferences. Unicode was beginning to look like a strong contender in the race to replace ASCII.

In January 1991, the Unicode consortium was incorporated as Unicode, Inc. In addition to the companies mentioned above, Aldus, Go Corp., Lotus, and Novell had joined the ranks. The culmination of the group's efforts was Unicode 1.0—the initial specification for a code intended to someday contain every written alphabet known to humans.

Unicode Principles

Shortly after the formation of Unicode, Ken Whistler of Metaphor (and secretary of Unicode) outlined the code's design goals in a paper presented at Share 76 in San Francisco. Among those goals were the following:

- *Completeness.* Unicode was intended to eventually cover the full range of characters used in text creation, including some alphabets whose characters are not even completely agreed on, as well as "dead" languages like Sanskrit and other linguistic fossils.
- *Simplicity and efficiency.* Every Unicode character code is exactly the same length (16 bits), and each represents a character—there are no control codes or embedded escape sequences to confuse computers or make it harder to parse a stream of characters.
- *Unambiguity.* Each code represents a single character, unambiguously. A problem with reading a single character shouldn't carry forward so that the characters following it become garbled.
- *Correctness.* Every character encoded in the standard should be a real character, recognized by experts in linguistics.
- *Fidelity.* Textual data shouldn't lose anything when it is being converted into or out of preexisting character-

Make Your Best Work Look Its Best!

Name	Definition
Gamma	$\Gamma(z) = \int_0^{\infty} t^{z-1} e^{-t} dt$
Sine	$\sin(x) = \frac{1}{2i}(e^{ix} - e^{-ix})$
Error	$\operatorname{erf}(z) = \frac{2}{\sqrt{\pi}} \int_0^z e^{-z^2} dz$
Bessel	$J_0(z) = \frac{1}{\pi} \int_0^{\pi} \cos(z \sin \theta) d\theta$
Zeta	$\zeta(s) = \sum_{k=1}^{\infty} k^{-s} \quad (\Re s > 1)$

PCT_EX Typesetting Software

For professional publishing and the power to produce high-quality technical documents, scientific notation, mathematical formulas, and tables, rely on PCT_EX to make your work look its best.

The next step beyond standard desktop publishing, PCT_EX is the difference between average and expert. You'll get professional typesetting at amateur prices.

PC MAGAZINE wrote: "(With PCT_EX)... you can achieve incredible precision in formatting text, especially mathematical expressions."

INFOWORLD said: "No non-T_EX-based program has such typographical aesthetics... enormously flexible..."

New PCT_EX 3.0, with double the page-building capacity, is now available. For 386 computers, there's PCT_EX/386 and Big PCT_EX/386.

For a free product catalog and demo diskette call 415/388-8853. See the best for yourself!

Europe: (31) 703237241 • (49) 24167001 • (49) 80248011
(49) 73126932 • (44) 742351489 • (39) 290091773
Asia: (886) 35265521 • Australia: (61) 34599671

PERSONAL
T_EX
INC

12 Madrona
Mill Valley, CA 94941
Fax: (415) 388-8865

PCT_EX is a registered TM of Personal T_EX, Inc. T_EX is an American Mathematical Society TM. Site licenses available to qualified organizations. Inquire about PTI distributorships. This ad was typeset using PCT_EX and Bitstream fonts.

THE MANY CHARACTERS OF UNICODE

Codes	Characters	Examples
65,025 to 65,536 (FE00–FFFFh)	Compatibility area	
59,392 to 65,024 (E800–FDFFh)	User area	
16,384 to 59,391 (4000–E7FFh)	Chinese/Japanese/Korean ideographs Unified Han characters	丰 屯
	Future use	
12,288 to 16,383 (3000–3FFFh)	Chinese/Japanese/Korean auxiliary Alphabets and punctuation	以 の ㄥ
8192 to 12,287 (2000–2FFFh)	Symbols Punctuation, Mathematical operators, technical symbols, dingbats	; π ©
0 to 8191 (0000–1FFFh)	Alphabets English, Latin1, European, Extended Latin, Phonetic, Greek, Cyrillic, Armenian, Hebrew, Arabic, Ethiopian, Devanagari, Bengali, Gurmukhi, Gujarati, Oriya, Tamil, Telugu, Kannada, Malayalam, Sinhalese, Thai, Lao, Burmese*, Khmer*, Tibetan, Mongolian*, Georgian	a ë ¥

Figure 2: Unicode’s first 8192 spaces contain standard alphabetic characters from around the world. (The very lowest Unicode spaces are compatible with the current ASCII standard.) The next block (4096 spaces) is for punctuation, mathematical operators, and various symbols. After that come 4096 spaces reserved for Chinese, Japanese, and Korean nonideographic alphabets and punctuation, and a large space for unified Han characters (see text for explanation). The user area is for users to implement as they see fit under private agreements, and the compatibility area is to help developers convert to Unicode. An asterisk indicates that, while space has been reserved, the actual characters are still to be defined.

encoding standards. When you send an *a*, the receiver should get an *a*.

Of course, no design is going to be perfect and meet all its goals. Says Whistler, “If we were designing a car, we would want it to be high performance and at the same time get great gas mileage; be stylish and yet practical; be rugged and reliable and yet inexpensive; be roomy and luxurious and yet easy to maneuver and park. These criteria may conflict—but that doesn’t mean that automotive engineers must throw up their hands and say it is impossible to design a good car.”

These guidelines led to Unicode, a 16-bit code with room for 65,536 characters. (Note one exception: To maintain compatibility with ASCII, Unicode reserves spaces for the initial control codes of the original ASCII standard, although these codes are not used in Unicode.) Unicode distinguishes between a character’s code and its *glyph*—what it actually looks like. A character’s glyph may change somewhat, depending on the font you use, but the essential shape will always remain the same.

Figure 2 shows how Unicode’s codes are assigned. The first 8192 spaces are allotted to standard alphabetic characters, with spare room for ancient characters that may be added later. (Getting Unicode released in a timely manner meant having to omit some scripts for the time being. “Hopefully, leaving out the Burmese script and Egyptian hieroglyphics for now is not going to seriously inconvenience too many implementers—but gosh, we’d love to include those, too,” says Whistler.)

The next 4096 codes are for punctuation, mathematical operators, technical symbols, shapes, patterns, and even dingbats (decorative characters that can represent religious symbols, smiling faces, chess pieces, and so on). These are followed by

4096 spaces reserved for Chinese, Japanese, and Korean alphabets (as opposed to logographic characters) and punctuation.

The largest portion of the code space has been set aside for the unified Han characters—some 27,000 characters, as specified by the Chinese National Standard GB 13000. There’s also room for future expansion of other code sets, in case linguists decide that additional characters need to be added to preexisting scripts. Finally, Unicode includes 5632 spaces in a private user area, for users to implement as they see fit under private agreements, and 495 code points in a compatibility area designed to help developers convert to Unicode.

A Tale of Two Standards

The advent of Unicode means that there are now two proposed standards for multilingual character encoding, with some significant differences: ISO 10646 stores characters in 4 bytes (although compaction methods would let you use 1, 2, or 3 bytes); Unicode characters are always 2 bytes (16 bits) long. Unicode eliminates duplicate Han characters; ISO 10646 does not. ISO 10646 leaves spaces for all control codes from previously established international code sets—some 28,672 spaces; Unicode reserves spaces only for the 65 control codes in ASCII. ISO 10646 provides codes for accented letters; Unicode provides these codes, but it also assigns a code to each accent mark and creates compound letters by combining the accents with unaccented letters. There are also differences in the way the two standards handle bidirectional text (i.e., writing that flows from right to left, such as Hebrew and Arabic).

What do these differences boil down to? Ken Whistler says it’s basically a disagreement on how to encode characters. “It’s not enough to simply identify a character and give it a number.

continued

Introducing software testing the easy way!

Why every developer needs Ghost — the exciting new tool for testing DOS software *automatically!*

IF YOU WANT TO GET the bugs out of your software and *keep them out*, Ghost is just what you're looking for! It's a breakthrough product that finally makes it practical for developers and testers like you to do extensive, repetitive regression testing throughout the entire development cycle — all automatically!


That's right. At last there's an easy way to end the testing nightmare that's been driving you crazy. No matter what language you program in, Ghost can help you deliver high-quality, reliable software without the hassle. We guarantee it!

Ghost makes exact recordings of your software test sequences and screen displays, so you can rerun them and compare the results automatically whenever needed. Ghost will:

- Document program errors automatically.
- Make testing grow more complete over time.
- Shorten the critical integration and testing phase of development.
- Lessen the chance of that "last-minute fatal bug."
- Make regression testing for new releases a practical reality.

Meet Ghost Jr.

Ghost Jr. is a limited-capability version of Ghost that provides full keyboard and screen recording, but has no playback capability. This low-priced version makes it practical



to give copies to everyone who tests your product — even end users. All the problems they encounter will be documented by Ghost scripts. Think of how this will speed up your debugging and testing cycles!

The price is right and you don't risk a thing!

Ghost costs just \$195 and comes with a 90-day money-back guarantee. Ghost Jr. costs just \$79 and steep quantity discounts are available. Don't miss this chance to end the tedium of software testing. Pick up the phone and order right now!

Ghost at a glance.

Ghost provides you with a way of making *exact recordings of your software test sequences and screen displays in a machine readable form.*

You can then re-execute any set of tests at high speed *without* the manual labor that's normally required.

You can interactively view all the differences found in the screen displays between the two runs, or have them printed out in a handy report.

Requires no program changes or special hardware!
Uses only 16K of memory!

MONEY-BACK GUARANTEE

If you're dissatisfied with Ghost or Ghost Jr. for any reason, return them within 90 days of purchase for a prompt, friendly, no-questions-asked refund.

TO ORDER
or for more information, call toll-free:
(800) 848-1248
International: (802) 848-7731
Fax: (802) 848-3502

Vermont Creative Software, Pinnacle Meadows
Richford, VT 05476 U.S.A.
Please mention Offer 145.

Creators of Vermont Views
with Designer



Vermont
Creative
Software

©Copyright 1991
Vermont Creative Software

Ghost. So good at getting rid of the bugs, it's scary.

Circle 300 on Inquiry Card.

World Radio History

NEW!
RS-232 DATA MONITOR
LETS YOU SEE WHAT'S
ON THE LINE
\$595!



- Diagnose comm problems
- Install new equipment
- Determine baud rates
- Reduce development time
- Troubleshoot faster
- RS-422 option available
- SDLC, HDLC, X.25, BISYNC
- Parity & CRC check
- 40 hours on 9v battery
- 8K buffer with printer dump

BitView shows you bidirectional data in ASCII, EBCDIC, or Hex for async and sync data lines at baud rates from 110 to 64 Kbaud. Now find your comm problems in minutes instead of hours!

Call (212)662-6012 or Fax (212)678-6143
MEASUREMENT & CONTROL PRODUCTS, INC.
 415 Madison Avenue, 22 Fl., New York, NY 10017



ASCII GOES GLOBAL

In the past, it may have been feasible to do this with small character sets, but that's not feasible when what you're trying to do is develop a worldwide international coding standard that will work for all scripts."

Whistler notes that even ASCII, which is fairly stable and understood by everybody, has no coherent concept of a line-ending or paragraph-ending marker. That's why, when you send E-mail with carriage returns and linefeeds in it, different receivers may interpret those characters differently and the message can get garbled. "The other things are architectural issues that are big problems, but they pale against the problem that the entire coding scheme is broken," says Whistler.

Jerry Andersen, a senior programmer with IBM and chairman of the U.S. committee helping to develop ISO 10646, admits that "the emphasis on Unicode has been entirely on a code for the future. The emphasis on 10646 was certainly a code for the future, but there has been also a consideration of migration and compatibility."

International Implications

What effect will a multibyte standard have on the computing industry? Supporters of both Unicode and ISO 10646 hope that such a standard will make it easier to sell systems internationally. The typical workstation vendor sells approximately half its units overseas, according to Unicode board member Bud Tribble, vice president of software engineering for Next. Tribble says that Next sells an English version of its system, a European version that supports 14 languages, and a kanji version for Japan. "This is really untenable for me as a software designer, and also probably for any user who wants to mix languages—which is becoming more and more important." Tribble sees the day when companies will be able to develop an international system that can be shipped to Europe, the U.S., Japan, or China with no modifications other than to the content of the text.

For developers of systems software, the adoption of a multibyte coding standard could mean rewriting a fair bit of code. "Migration of old software to use Unicode is a potentially big cost, but that should only happen in circumstances where there is already a need to deal with multiple character sets," says Whistler. He adds, "Unicode is basically a better character-encoding design, and that will make the cost of original software writing lower than trying to implement on a character set which does not have a good processing code design." Several members of the Unicode consortium have already announced that upcoming versions of their software (including system software from Microsoft and Apple) will implement Unicode, although none have announced specific dates. For users, a multibyte standard will mean new versions of your favorite applications—even if you don't plan to use any non-English characters—although the actual changes required to create those versions could be minimal.

What about hardware? Don't larger character codes mean a need for more RAM and hard disk space? Yes, but not all that much more. According to Bud Tribble, only about 10 percent to 20 percent of the RAM on a running system is used for character storage. "If you have an 8-megabyte system and you're using 7 MB, going to Unicode is going to make you probably have a working set of 7.7 MB, and probably not cause you to go out and buy more memory," he says. True, a pure ASCII text file will double in size—but fewer and fewer files are pure text these days. "For a Word document with some graphics, you would expect a 20 percent to 25 percent increase in the file size," says Tribble. Besides, says Joe Becker, "storage space is getting cheaper and cheaper every year," and the benefits of a multilingual computing system outweigh that expense.

continued



Build your own i486 AT multiprocessor under UNIX. Introducing the APD Bipro: as easy as plugging a second chip!

Up to 1.9 times faster than single i486 AT (standard benchmarks). Today's most reliable biprocessor architecture (2 x i486 33 Mhz) running ATT UNIX SVR4.0. Simple structure: 100% AT compatible. The CPU board includes 2 x i486 sockets and up to 64 MB. shared memory. Also start with one processor (no extra cost compared against standard i486 AT motherboards) for later upgrading (just plug the second chip). AT standard size, 7 slots (ISA bus), 100% tested, professional reliability systems. Immediate delivery.

Basic platforms:.....From 1,749 \$

Complete system :.....From 4,749 \$

Parallel O.S.: APDX® biprocessor version (derived & full compatible UNIX SVR4.0): 999 US \$

Payment by. Visa / American Express



C/ Castelló, 63. 28001. Madrid. Spain.

Or fax to Peter Howarth. Fax nº.: 34--1- 575 88 16.

i 486™, AT, UNIX, VGA are trademarks of their respective companies APD Bipro and APDX are registered of APD S.A.

Power Packed & Built To Last.



XT/SLIM

STANDARD 150 **\$69**

Economical This UL approved, fully tested unit is one of the best generic 150s available. Ideal for basic systems.

SILENCER 150 **\$119**

Ultra-Quiet Stop that irritating noise with the Silencer 150. Its large, low speed, German fan keeps your system 5° to 15° cooler and 84% quieter. Virtually inaudible! Great in the executive suite or home office.


TURBO-COOL 200 **\$169**

High Performance Put AT power and 200% more cooling under the hood of your PC/XT with our UL approved Turbo-Cool 200. Its patented twin fan, sloped-cover design keeps your system 30° to 45° cooler, preventing data errors and other heat-related problems. Perfect for hot rod PCs and Mini ATs!

TURBO-COOL 275 **\$169**

Slim and Powerful Give your Slimline or Mini-Tower computer up to 100% more power and cooling with our low profile, direct replacement Turbo-Cool 275. With a peak capacity of 350 watts, it will easily start even the largest hard drives and peripherals!

Silencer, Turbo-Cool, and InnerSource are trademarks of PC Power & Cooling, Inc. Compaq and Deskpro are registered trademarks of Compaq Computer Corporation.



AT/TOWER

STANDARD 220 **\$99**

Economical This UL approved, fully tested unit is one of the best generic 220s available. Ideal for basic systems.

SILENCER 220 **\$139**

Ultra-Quiet Unrattle your nerves with the Silencer 220. Its high-efficiency, adjustable-speed fan offers 69% less noise with standard cooling. Quieter than most hard drives. Great in the executive suite or home office.

TURBO-COOL 300 **\$189**

High Performance Upgrade your AT/386 with our powerful Turbo-Cool 300. This popular OEM unit features built-in line conditioning, UL/CSA/TUV approval, 2 year warranty, and a high-capacity, adjustable-speed fan that keeps your system 20° to 35° cooler for up to three times longer life. Great value!

TURBO-COOL 450 **\$349**

Maximum Performance The choice of PC professionals, our Turbo-Cool 450 features built-in line conditioning, autoselect input, independent regulation, external DC voltage adjustment, triple-stage output filter, 50cfm cooling fan, UL/CSA/TUV approval, 200,000 Hr. MTBF and 2 year warranty! Ideal for high-end workstations and network file servers.



COMPAQ


CP160 **\$169**

Original Portable Upgrade Double your power with our direct replacement CP160. Allows 286, 386, and hard disk upgrades.

CD270 **\$249**

Deskpro Upgrade The power user's power supply! Our direct replacement CD270 gives your 8086/286/386 Deskpro up to 70% more power and the reliability it deserves. Prevents nuisance rebooting. Advanced design includes autoselect 110V/220V. 2-year warranty.

INTERNAL UPS!



"An excellent product"
— PC Magazine, Nov. 27, 1990

Our UL approved InnerSource is the first AT/386 power supply with a *built-in* UPS. Its auto-recharge battery provides up to 15 minutes of reliable backup power for both your PC and monitor. This integrated protection costs less than a bulky 550VA external UPS, and it saves space, too. A Novell NetWare interface is available. **\$395**

Most orders shipped same day. We accept Visa, MC, COD or PO on approved credit.


PC POWER & COOLING, INC.

31510 Mountain Way, Bonsall, CA 92003 • (619) 723-9513 • (800) 722-6555 • FAX (619) 723-0075

Circle 216 on Inquiry Card (RESELLERS: 217).

World Radio History

RealTime.



New, affordable video frame grabber for IBM computers. ComputerEyes/RT includes everything you need to capture high-resolution 8- or 24-bit color (or 8-bit gray scale) images from any standard composite or S-video source in real time.

VGA and Super-VGA compatible. All popular file formats are supported.

Call today for more information and free demo disk.

Other versions available for IBM PC and Macintosh from under \$250.

Digital Vision, Inc.
270 Bridge St., Dedham, MA 02026
(617) 329-5400
To order call (800) 346-0090

New
24-Bit
Color Video
Frame
Grabber
For Under
\$ 600.

Digital Vision

C O M P U T E R E Y E S TM

ASCII GOES GLOBAL

What benefits? Well, for example, with a single international standard, you could send E-mail to Japan and know that it would arrive without being garbled. Even within the U.S., you could transfer a text file between a Macintosh and a PC compatible without having characters transmogrified in the process.

One way or another, a multibyte encoding scheme appears inevitable. Ed Hart, an engineer in the Applied Physics Lab at Johns Hopkins University, represents Share in the committee developing ISO 10646. Says Hart, "By the mid-1990s, a lot of products are going to have this stuff available."

Bridges and Barriers

The various national committees are now voting on ISO 10646. In April, the working group reporting to the U.S. committee recommended that the U.S. vote against 10646. That's not as negative as it may appear, though, according to chairman Jerry Andersen. "You are required to say, 'Here are the technical changes which, if made, would change my vote to a positive.'"

Besides detailing these changes, the committee made other recommendations, including two possible ways to resolve many of the issues in a single move. The first involves adopting Unicode as a subset of 10646. The second is an ECMA proposal to modify 10646 to resolve outstanding points of disagreement.

In the long run, Andersen thinks the negative U.S. vote will be viewed as constructive, since it could help bring the two standards into line with each other. Unicode certainly seems to have sped up the process of developing a multilingual code. "The original efforts to fix 10646 were getting nowhere," says Whistler. "They're under much more pressure to fix it now, precisely because it looks like Unicode is going to fly."

However, the barriers to adoption of a single multinational standard may be more economic, cultural, and political than technical. "There's a lot of conservative opinion in the world, a lot of nations which aren't at the cutting edge," says Becker. "They are saying, 'I don't want to replace all my computers.' From that point of view, they wish to play it safe." Whistler adds, "Some of the people involved in the standards process are looking to migrate to an international standard without having to change anything."

Cultural issues can be even thornier. "Europe lives and dies by standards because of the language and cultural differences," notes Ed Hart. Cultural issues are particularly sensitive in the Far East; for example, the Japanese standards process is driven in part by the traditionally conservative Ministry of Culture.

Both sides of the character debate agree that having two international standards for character encoding would be bad news. "I believe it will be very difficult for users if they have to work with two codes," says Ed Hart. That's something no one wants. "It's generally conceded by everybody involved that having one standard would be better than having two," says Whistler. "If we have to have two, it would be best to have them as much like each other as possible." ■

Kenneth M. Sheldon is BYTE's senior editor for features. He can be reached on BIX as "ksheldon."

FOR MORE INFO

Unicode, Inc.
1965 Charleston Rd.
Mountain View, CA 94043
Circle 1076
on Inquiry Card.

The Benjamin Group
(public relations
for Unicode)
(408) 988-8933
fax: (408) 988-0831

IT'S 11:35 p.m.
SOMEONE TWO THOUSAND
MILES AWAY JUST SAW
YOUR AD...AND WANTS
MORE INFORMATION, NOW.

HOW DO YOU
SATISFY THIS POTENTIAL
CUSTOMER?

TRY THIS DEMO

1. Pick up the phone connected to your FAX machine and dial:
USA: 708-924-7465 UK: (+44) 672 84242
2. Follow the simple voice instructions, using the phone keypad to respond.
3. You will be asked to press in the code number for FaxFacts:
USA—Press: 889812# UK—Press: 201#
4. Continue to follow instructions being given over the phone.
5. Once all steps are completed, you will be asked to press the "START" or "RECEIVE" button on your FAX.
6. Within seconds, after pressing this button, you will be given information on this instantaneous literature delivery system.

FaxFacts is a product of
Copia International, Inc.

USA: (708) 682-8898
UK: (+44) 672 84535
USA FAX: (708) 665-9841

PC Tools™ and DOS 5.0. They're so good together, it makes you wonder if it's just a working relationship.

No PC should be without DOS 5.0. And no DOS 5.0 user should be without new PC Tools™ 7.0.

Only PC Tools 7.0 builds upon the data recovery actually in DOS 5.0. We know. We wrote it.

It's so good Brad Silverberg, Microsoft's VP in charge of DOS 5.0 said, "We chose PC Tools because it's the best technology on the market."

And now PC Tools 7.0 gives you even more. Like data recovery on networks. Automatic utilization of DOS 5.0's high memory to give your applications more room. Detection of over 600 viruses. And remote computing that actually lets you work on your office PC

from your home PC or laptop.

Only the DOS shell in PC Tools gives you access to undelete, locate, and over 35 file viewers. And since it uses a look and feel licensed from Microsoft, you'll spend your time using our utilities instead of learning them.


PC Tools 7.0 even includes real Windows applications for Backup and Undelete that are data and keystroke compatible with their DOS 5.0 counterparts.

So call 1-800-445-4309 for the name of a PC Tools dealer near you.

And upgrade your upgrade.

Central Point Software INC.
Making Computing Safer, Simpler, Faster.


Central Point PC Tools is a trademark of Central Point Software, Inc. Names of other products mentioned herein are used for identification purposes only and may be trademarks and/or registered trademarks of their respective companies.




Circle 58 on Inquiry Card.

Word Knowledge

Professional developers require



Topaz
by Software Science, Inc.
Write complete applications in Turbo Pascal (incl. 6.0) or QuickPascal with "dBase-like" syntax. Over 400 routines including: creating/managing dBASE files, menus, DialogBoxes, programmable nested BROWSE, 5 powerful ways to locate data, Wordstar-like editor, printspooler, report and code generators, 600 page manual, full-featured Phone Book, and so much more. Library source code available separately.
LIST: \$99 PS Price: \$89
FastFacts 1098-001



WATCOM C 8.0/386 Prof.
by WATCOM
WATCOM C 8.0/386 is 100% ANSI C optimizing compiler/runtime library for Intel's 80386 architecture, generating applications for 32-bit protect mode. Features include: protected mode version of the compiler; VIDEO full-screen source-level debugger; MS library & source-compatibility; execution profiler; high performance linker; graphics library; SAA compatible.
LIST: \$1295 PS Price: \$1155
FastFacts 1044-005

386 DEVELOPMENT

386 Max 5.1	Price	Clipper 5.0	550
386DOS Extender	\$109	dBASE IV	549
DESVIEW 386	479	dFAST/PLUS	315
F77-EM32 + Ergo OS/386	189	dBMAN V	219
FoxBASE+/386	1149	dBXL	179
Metaware High C 386/486	479	Force dBASE Compiler	299
NDP Fortran 386	935	FoxPro	495
QEMM 386	89	FoxBASE + - V2.1	279
WATCOM C8.0 386 Prof.	1155	QuickSilver	429
Zortech C++ 386 Dev.	629		

ASSEMBLY

MS MASM	105	DBMS	
Spontaneous Assembly	179	CLARION Prof. Dev. V2.1	549
Turbo Debugger & Tools	119	D the data language	345
		Magic PC	489
		Paradox V3.5	553
		R:BASE 3.1	595

BASIC & ADD-ONS

BAS-C Commercial	829	DBMS TOOLS & LIBRARIES	
dB/LIB Professional	179	Artful Two	289
Microsoft BASIC PDS	349	BALER Spreadsheet Compiler	399
MS QuickBASIC V4.5	69	CLEAR + for dBASE	179
QuickPak Prof. V3.21	189	CodeBase 4	279
		CodeBase++	279
		Comet Multiport	169
		Comm Tools for Clipper	269
		C Works	649
		dBASE Online	129
		dBX/dBport w/source	895
		dGE 4.0	279
		dQUERY MU	179
		dSalvage Professional	195
		Essential B-tree	149
		Faircom c-tree Plus	529
		FLIPPER Graphics Library	279
		FUNCKY.LIB	239
		Genifer	289
		Net Lib	229
		Novell BTRieve	479
		Pro Clip	185
		R&R for dBASE & Comp.	229
		R&R Code Generator	129
		Scrimmage	139
		UI2 Developer's Release	449

C LANGUAGE COMPILERS

C Video Course	275		
Instant C	479		
Quick C	69		
Microsoft C 6.0	349		
Watcom C Professional	439		

CASE & PROTOTYPERS


Demo II V3.0	239		
EasyCase Plus	279		
EasyFlow	199		
Instant Replay Prof.	575		
Layout	239		
MetaDesign	329		
Pro-C w/Workbench	735		
ProtoFinish	289		
Show Partner F/X	295		

COMMUNICATIONS ADD-ONS

Blast PC Plus	245	DEBUGGERS/ DISASSEMBLERS	
C Asynch Manager 3.0	159	DASM	239
Essential COMM	249	Dis Doc Professional	229
Greenleaf Comm Library	329	Multiscope for DOS	149
HyperACCESS/V	75	Periscope/EM	259
Procomm Plus	99	Periscope I/OK	459
QuickComm	129	Periscope IV	Varies

DBASE

Alpha 4	469		
---------	-----	--	--



HiJaak Release 2.0
by Inset Systems Inc.
HiJaak 2.0 is a graphics conversion and capture utility that translates more than 36 graphics file formats. HiJaak provides batch conversion capability from the DOS command line or from the user interface. Supported formats include GEM, PICT I&II, CGM, HPGL, PIC, DXF, PCX, MAC, TIF, and support for more than 16 group 3 fax devices. A 5K pop-up provides capture function of text screens, graphics screens, and laser printer output.
LIST: \$199 PS Price: \$149
FastFacts 1085-003



NewWave
by Hewlett Packard
Graphical software environment which integrates PC applications. Allows users to link and combine information such as text, numerical data, and graphics from multiple applications. Automatically record work across applications and perform tasks at any time and date. Requires Microsoft Windows 3.0 and 80286/386.
LIST: \$195 PS Price: \$165
FastFacts 3093-001

Act now for a \$25 rebate

Buy HP NewWave between 5/1/91 and 8/30/91, then send this coupon, original product registration card, and your sales receipt to HP Program Awards Center, P.O. Box 59058, Minneapolis, MN 55459-0058. Must be postmarked by 9/6/91.*

Name & Title _____

Company Phone _____

Street address _____

City, state, zip _____

THE PROGRAMMER'S SHOP 1-800-421-8006


more than just products...

NEW
PROGRAMMER'S
SHOP
Product

OpenAda UNIX by Meridian Software


Validated (ACVC) 1.11 Ada compiler. Includes integrated compiler environment, program optimizer, make utility, source level debugger, library manager tools, and more.
Supports AT&T System V UNIX.

For further information call Meridian at 714-727-0700.
To order call: 800-421-8006
LIST: \$299 PS Price: \$279 FastFax 1222-017




Instant-C by Rational Systems

Double your C Productivity with Instant-C, the development companion to Microsoft C. Instant-C combines ultra-fast incremental compiling, flexible debugging and compatibility with your current tools. It recompiles and relinks changes to your program in less than 2 seconds. Its debugging lets you execute a single function or expression, modify your program and continue execution, as well as automatically detecting over 500 errors, including run-time problems such as invalid pointers. After coding, testing and debugging with Instant-C, optimize the final version of your code with Microsoft C. Compatible with Microsoft C and commercial object code libraries.
LIST: \$495 PS Price: \$479
FastFax 127-001



REALIZER™ by Within Technologies

REALIZER™ is the Complete Application Development Environment for Windows. REALIZER™ combines a structured superset of BASIC extended to access Windows object resources with Programmable Application Tools™, such as charts, spreadsheets, forms, animation, and a command scheduler. The integrated debugger, visual form designer, support for DDE, DLLs, and serial communications, and unlimited, royalty-free run-time make REALIZER™ the Windows development solution.
LIST: \$395 PS Price: \$349
FastFax 5022-001




GFA BASIC by GFA Software

Includes 500+ commands for writing BASIC applications under Windows. Supports clipboard, DDE, foreign DLL's, and dialog boxes. Contains standard graphics functions for porting to DOS. Includes math library with algebraic, statistics and trigonometric functions. Supports strings and arrays larger than 64K.
Available for DOS.
LIST: \$395 PS Price: \$349
FastFax 5005-003



Derive 2.0 by Soft Warehouse

Derive, A Mathematical Assistant is a menu-driven symbolic math system. It gives problem solvers the freedom to explore different approaches as it eliminates the drudgery and mistakes of hand calculations. As easy to use as a pocket calculator, Derive does symbolic & numerical equation solving, exact & approximate arithmetic to thousands of digits, calculus, trigonometry, and matrices. Contains a full range of elementary functions and a number of statistical and financial functions. Derive plots expressions in 2D & 3D. This new revised and expanded version also provides programmability.
LIST: \$250 PS Price: \$239
FastFax 140-006



WindowsMAKER™ Professional by Blue Sky Software™

The fastest way to create MS-Windows applications in C. Generates the Windows .EXE w/ complete source & production files (no royalties). Just Point & Click to define the Windows user interface. Lets you animate your design to instantly test look & feel and make changes on the fly without needing to compile. Custom code is preserved during code regeneration. This is the power-user version of the best-seller WindowsMAKER with a lot of added functionality.
LIST: \$995 PS Price: \$895
FastFax 2001-006

SoftProbe 86/TX 295
Source 486 w/BIOS pre-proc. 149
Trapper 189

DEVELOPMENT TOOLS

AIClear 269
ASMFLOW Prof. 179
Buzzwords dANALYST Gold 199
C-DOC 179
Charge 95
CLEAR+ for C 179
Codan 349
INSIDE! 119
Install 219
INSTALIT w/source 239
MKS Make 129
MKS RCS 175
PC-Lint 115
Plink/LTO 439
PolyMake 159
PVCS Professional 439
.RTLINK Plus 419
Source's Apprentice Prof. 459
The Documentor 229
TLIB 5.0 Version Control 125

EDITORS

BRIEF Call
Cheetah 75
dBrief 119
Emacs 279
Epsilon 175
KEDIT 139
Sage Professional Editor 249
SPF/PC - V2.1 195
Vedit + 159

FORTRAN

F77L FORTRAN 549
Microsoft FORTRAN 309
RM/FORTRAN 499
Watcom FORTRAN 77 449

GRAPHICS

Essential Graphics v3.0 349
GFX Graphics Library 139
Graphic 419
graphics-Menu 165
GSS Graphics Dev't Toolkit 699
HALO 279
MetaWINDOW/PLUS 369
PCX Effects 95
PCX Programmer's Toolkit 229
Victor w/source 279
VID and DIG Graphics 249
Z-Phigs Lite 169
Z-Phigs Professional 769

HARDWARE

2C87-20 329
80387-33 675
Boca 1024 VGA 219
FasMath 83D87-16 359
Logitech Mouse 100
Model 200DL UPS 189
Model 450AT UPS 329
ST-251-1 339
ST-4096-1 639

OBJECT-ORIENTED/C++

Borland C++ 379
M++ 279
Smalltalk/V 79


THE PROGRAMMER'S SHOP 1-800-421-8006

The Programmer's Shop is



dBXL by WordTech

A superior alternative to dBASE, dBXL relational database is an easy to use interpretive environment adding extended language (XL) features to the dBASE language. It includes WordTech R&R Relational Report Writer, full dBASE compatibility (files & syntax), and special menus for first time database builders. Also has memory swapping, advanced memo field handling, macros, true windowing multi-dimensional arrays, graphing and EMS support. Requires 440K memory.
LIST: \$249 PS Price: \$179
FastFacts 971-017



ObjectGraphics for Turbo Pascal

by Whitewater Group
ObjectGraphics is a high-level, object-oriented graphics library that extends the capabilities of the ObjectWindows™ class library. It provides a complete object-oriented solution to graphics programming under Microsoft® Windows for Pascal and Actor developers.
LIST: \$195
Introductory Offer: \$99.99
Source Code: \$29.99
FastFacts 800-033

Zinc Interface Library	175
C++ Science & Engineering	895
OTHER PRODUCTS	
BlueMAX	149
Carbon Copy Plus	159
Dan Bricklin's PageGarden	89
Fast!	89
FastBack Plus	159
Flow Charting III	199
Grasp	319
HEADROOM	89
HiJaak	149
LapLink III	129
Link & Locate ++ - ROM MSC	295
Mace Utilities	99
Math Advantage	475
Norton Anti-Virus	119
Norton Utilities 5.0	149
pcANYWHERE IV	159
PC Tools Deluxe 7.0	149
PC-KWIK Power Pak	119
Pre Cursor	89
Remote2	139
SpinRite II	89
System Sleuth Pro	109
TimeSheet Prof.	145
Turbo EMS	89

PASCAL

MetaWare Prof. Pascal	439
Microsoft Pascal	199
Quick Pascal	69
Turbo ASYNCH PLUS	159
Turbo Pascal 6.0	107
Turbo Professional	109

TEXT SCREEN ADD-ONS

C Worthy w/Forms w/ARCH	379
Greenleaf DataWindows	339
HI-SCREEN XL Professional	289
Lexical Resolution	199
MEWEL Window System	279
POWER SCREEN	129
Vitamin C - source, menus	369
VC Screen - painter	139
Vermont Views Obj. + source	819

UNIX/XENIX

C++ for Unix 386	439
Computer Innovations C++	475
db_FILE/RETRIEVE MU	569
ESIX Systems	

ESIX/V Rel4 Dev. (2 user)	1229
ESIX/V unltid	1595
Informix SQL	Varies
Interactive Systems	
Architech Applic. Platform	729
Architech Applic. Developer	1599
Architech Wrkstn Platform	1199
Architech Wrkstn Developer	1850
LPI-FORTRAN	929
M++ for Unix	379
M++ for Unix w/ source	579
Microport V/4 Complete	1425
Norton Utilities for Unix	269
Santa Cruz Operations	
UNIX Operating System	559
UNIX Development System	895
VP/ix	429
XENIX Operating Sys. 386	559
XENIX Develop. Sys. 386	689
WordTech Quicksilver	1295

WINDOWS & OS/2

ACTOR	225
ACTOR Professional	449
BRIEF for OS/2	Call
Case: PM (for C or C++)	1899
Case: W Corporate Version	969
C_talk/Views	419
C-Trieve/Windows	385
dBFAST/Windows	395
Graphics Server SDK	455
Instant Windows	479
KnowledgePro Windows	589
MS Windows V3.0	119
MS Windows DDK V3.0	365
MS Windows SDK V3.0	365
Multiscope OS/2 Debugger	349
Multiscope Windows Debug.	315
Object/1	895
ObjectVision by Borland	379
OS/2 PM Toolkit 1.2	369
ProtoGen	189
ProtoView	675
Smalltalk/V PM	435
Tempo for Windows 1.1	89
ToolBook	349
Windows Maker	715
Windows Maker Professional	895

GET ONLINE WITH

THE PROGRAMMER'S SHOP Electronic Catalog

Browse through The Programmer's Shop Catalog right from Your PC. Get up-to-date product and pricing information for thousands of software programs from leading publishers. Whether you're looking for applications software, programming languages, or development tools, The Programmer's Shop *Electronic Catalog* will meet your needs. NOW ON:

CompuServe


In the Electronic Mall Section, now with no online usage costs. Type GO PS.

BIX

The Byte Information Exchange. To access, call their host computer in the Boston area at 617-861-9767 or via Tymnet. For further information, call 800-227-2983 (in NH and outside the US, call 603-924-7681).


DELPHI

To sign on, dial 1-800-365-4636, when connected press RETURN once or twice, at PASSWORD, type PSC and press RETURN. For more information, call 800-544-4005 or 617-491-3393.



After Dark for Windows by Berkeley Systems

Save screen with over 35 displays - Aquatic realm, Flying Toasters, Logo, Messages, Puzzle, Randomizer, Multimodule, or create custom screen saving art. Also features password protection and sound.
LIST: \$199 PS Price: \$189
FastFacts 3659-001



Sourcerer's Apprentice - Version Control for the Professional by Solution Systems

From the company that brings you BRIEF: version control with single keystroke accessibility from BRIEF. Sourcerer's Apprentice tracks all changes, who made them, when, and why. Easily recreate or combine previous versions of code. Experiment freely. Sourcerer's Apprentice can always bring you back. Teams take note: Sourcerer's Apprentice prevents simultaneous updates to the same files.
LIST: \$499 PS Price: \$459
FastFacts 732-137

THE PROGRAMMER'S SHOP 1-800-421-8006

your source for solutions!




KnowledgePro Windows

by Knowledge Garden Inc.
Use KnowledgePro to build fast, complete, royalty-free Windows applications in record time. Get started quickly with interactive design tools. Use KnowledgePro's rich, OOP language for rapid development capability and low-level control. Give your applications depth with hypertext and hypermedia. Access expert-systems technology to create smart solutions. Use simple DDE commands to write intelligent front-ends for Excel, Word and Superbase. Write DLL extensions to KnowledgePro with low-level languages like C or C++. Work SMART. Order KnowledgePro. PC Magazine "Best of 1990".
LIST: \$549 PS Price: \$489
FastFacts 1419-023




Keyword Commander II

by Logical Solutions
"Its simplicity is completely misleading. On the surface it offers an uncluttered user interface." With Commander II not only will you find a state of the art full feature menu, but also the ability to:
- reorganize the display of your menu
- create up to 8000 user defined information/documentation windows
- update parts of a menu even after an individual user has added functions of their own
- utilize 2K of memory
Being responsible for a network or other groups, can you afford not to try this package? See for yourself.
LIST: \$150 PS Price: \$139
FastFacts 4036-002



Run Your 386™ System to the MAX!

by Qualitas
386MAX (for 386-based machines) and BlueMAX (For 386-based PS/2s) give your system MAXimum performance with Windows™ 3.0 support. Exclusive technologies include FlexFrame, to load more programs into high DOS than any other memory manager, and instancing, which allows many resident programs to run reliably under Windows.
LIST PS FastFacts
386MAX \$130 \$109 123-004
BlueMAX \$155 \$139 123-010



Paradox

by Borland International
Awarded PC Magazine's "Editor's Choice" for LAN database management systems and "Best in its Class" by InfoWorld (among other awards), Paradox is the best choice for all your database management needs and now has SQL connectivity.

With its powerful Query-By-Example (QBE), you can ask complex, ad hoc questions about your data without the need for

programming. Just indicate with a checkmark the examples of data you want and get an immediate answer. Create multi-table forms and reports to solve your business data entry problems. Cross tabs help you pinpoint trends and relationships within the data. And fully integrated presentation graphics are just a keystroke away.

PAL, the Paradox Application Language is a powerful, full-featured development language for programmers to develop mission-critical custom applications. It is part of a complete application development and prototyping environment. Other components include the Data Entry Toolkit for creating sophisticated data entry programs and the Personal Programmer to generate applications without requiring programming.

Paradox is rated #1 in its network capabilities and allows users to read, write, and modify data simultaneously. Automatic record and file locking ensure data integrity in a multiuser environment.

Paradox 3.5 is "SQL-ready" to be used with Paradox SQL Link to access data on mini or mainframe computers. To the Paradox user, the access is transparent - no need for learning SQL! (SQL Link sold separately.)

Whatever your database needs, Paradox is the database you need for immediate power.

LIST: \$795 PS Price: \$550
FastFacts 777-104



Clipper 5.01


by Nantucket Corp.
Clipper's open architecture lends unprecedented freedom to application development. Its language is fully extensible with user-defined functions and new user-defined commands. You can extend the language with routines written in Clipper itself, or integrate code from other languages like C, Assembler, dBASE® and Pascal. Develop applications larger than available memory, without defining overlays. Clipper's compiler generates stand-alone, executable files for cost-free, unrestricted distribution.
LIST: \$795 PS Price: \$550
FastFacts 1139-003

What is FastFacts?

Access literature on any of our products via FAX machine. **FREE!**

Call 617-740-0025 from any fax phone!

Follow the voice computer's instructions and enter your product's code number. Then await your instant print out of product literature.



THE PROGRAMMER'S SHOP

800-421-8006

National Accounts
800-446-1185



90 Industrial Park Road, Hingham, MA 02043 • Canada 800-446-3846 • Mass. 617-740-2510 • FAX: 617-749-2018
Credit card orders processed *only* when product is shipped. All prices subject to change. Int'l. prices will vary.

BY791

Now your soft fonts will be ready and waiting for you...

A yawn. . . A long, heavy sigh. Once again you're ready to print but your soft fonts aren't. Because somewhere in the realm between your computer and LaserJet® printer they're slowly downloading. So you wait.

...instead of the other way around.

At Pacific Data Products we know that there's only one way to get soft fonts that are easy to use and don't require downloading—by storing them in a special type of printer cartridge. That's why we've created the **FontBank Cartridge™** for the HP LaserJet family of printers.

The **FontBank Cartridge** contains a brand new kind of memory where you can store your favorite soft fonts. It's different from your printer's memory because what you store in it doesn't disappear when the printer is turned off. You can even remove the cartridge from one printer and put it in another without losing fonts. So once you've downloaded your soft fonts with our simple installation program, you'll never need to download again. And you'll know exactly which fonts are residing at your printer. No more guessing. No more surprises. Even after the cartridge has been programmed it's easy to add or delete fonts as often as you wish.

The **FontBank Cartridge** requires no extra printer memory and is compatible with virtually all bitmapped soft fonts. If you own a LaserJet III, IIID, or IIIP printer you can use PCL5 scalable fonts. And, we've included printer drivers for today's most popular software applications.

If you'd like your soft fonts ready and waiting for you, call your nearest dealer or contact Pacific Data Products at 9125 Rehco Road, San Diego, CA 92121 (619) 597-4631 FAX (619) 552-0889.

FontBank Cartridge is a trademark of Pacific Data Products, Inc. HP and LaserJet are registered trademarks of Hewlett-Packard Co. All other company and product names are trademarks or registered trademarks of the company or manufacturer respectively. EUROPEAN HEADQUARTERS: Switzerland Tel (41) 22-412650, Fax(41) 22-410682. ©1991 Pacific Data Products, Inc.

See us at PC Esopo, Booth #346

World Radio History

PACIFIC
DATA PRODUCTS

The Right Graphics Tool for the Job

To paint, to draw—perchance to publish? What's the difference between all those graphics programs, and which should you be using for your projects?

G. Armour Van Horn

Suppose you have to do a drawing, or create a floor plan, or design something on your computer. What software do you use? Often, you use whatever you happen to have handy—whatever program you're familiar with that will get the job done. But is it the best tool for the job?

The range of traditional tools for creating illustrations, plans, or publications (e.g., pens, brushes, and rulers) has always been great. The advent of computer graphics tools has complicated matters, however, and software advertising that makes each product look as if it's capable of doing all things for all people hasn't made life easier. No single tool will produce all projects well; it doesn't matter how wonderful your hammer is—you need to cut boards as well as pound nails into them.

There are several categories of tools available for creating graphics elements. Each is analogous to a group of traditional tools, and each has added features that were once done only in the darkroom or at the print shop.

Rasters and Vectors

All software products that produce graphics elements can be divided into those that work with raster images or bit maps (i.e., arrays of dots that have color assigned to each of them) and those that edit or create vectors (i.e., lines).

Raster devices are like a TV screen—every dot is represented by a value in a map of the screen. Paint programs, scanners, and screen-capture utilities all produce raster files. A vector, on the other hand, is a mathematical concept defined by a starting point (expressed as a coordinate set), a direction, and a length. When you draw lines with a pen, you are essentially using vectors; and this is true of drawing programs, CAD programs, and digitizing pads. On a raster device, two side-by-side points on a

diagonal line are actually mapped one full row away; on a vector device, they are mapped side by side.

A program may use all rasters, all vectors, or a combination of the two. Artwork that you scan into your system starts as a raster image and usually ends with raster devices. Most laser printers, including PostScript and Printer Command Language printers and their clones, accept vector information, although it all becomes raster information at the page or imaging drum. Illustration software can include bit maps when printing to such devices. CAD systems that drive plotters or numerical-control machine tools start and end with vectors.

Raster images exist only at one resolution. If the original



image is at 72 dots per inch, it will always have that resolution, even if you display it at another resolution. Resizing a bit map can result in interference patterns (called *moiré*) between the dots in the original and the available dots at the new scale. This happens if the reduction of the image is not an integer proportion (say, one-half or one-quarter) of the original size.

Vector files, on the other hand, are displayed at the resolution of the display device: 72 dpi on-screen, 300 dpi on a laser printer used for proofing, and 1270 dpi or 2540 dpi on an imagesetter. A vector image will always be as well defined as the capabilities of the display or output device.

While raster images may be easier to produce in some circumstances, their commercial use is limited to situations in which you know the final resolution or when you are editing at a much higher resolution.

Painting with Bits



Paint applications work with bit-mapped graphics and can manipulate individual bits or small ranges of bits. These programs (e.g., MacPaint) were the first graphics programs available for microcomputers and were fairly crude (although they've improved over the years).

The output resolution and scalability are generally limited to the resolution of the original image.

Such software is analogous to oil and acrylic paints, pastels and charcoals, and air brushing; in fact, tools such as these are part of the toolbox in paint software. These applications suggest themselves first to any design that would have been rendered in one of these traditional tools (and the files produced are certainly less fragile than pastel sketches). Although illustration software would be a better choice for designing a logo for reproduction, because of scaling difficulties, a paint program would be the quicker way to experiment with a new company logo.

Text handling in paint programs tends to be primitive, but it is still more flexible and easier to use than the way text was traditionally added to drawings—either by photographic methods in the darkroom after the artist was through or by rubbing down transfer lettering. If you're going to add a lot of text to a piece, it's probably best to transfer the graphics to a page-layout program.

Unlike a rendering made by a traditional paint tool, which was usually continuous tone and could be reproduced only after photographic processes reduced it to a halftone, a bit-mapped element already consists of spots on a grid. Scaling it to match output requirements can be a problem, though, and each program imposes its own limitations.

Beyond the high end of paint programs lies image-editing software (e.g., Silicon Beach's

Digital Darkroom, Adobe Photoshop, and Letraset's ColorStudio). These were developed specifically to manipulate the images produced by scanners and to operate at relatively high resolution. The main limitation to their use is that output files are huge and you need the fastest processors to get reasonable performance.

Before computers came along, very few people could do photo retouching. It was handwork requiring a great deal of skill. But image-editing software lets you remove offending objects from scanned photographs or combine elements from two different photographs.

You "lasso" a section with an imperfection and fill that area with smooth color or blend the contents of the area to reduce the impact of the flaw. Travel brochures, for instance, have always had power lines retouched out of photographs—a practice that will probably become more common as more computers are equipped with this software and users gain experience. This capability allows fascinating creative possibilities but has raised some spirited ethical discussion in the newspaper and magazine worlds. Image editing isn't ever going to be a "killer app" like spreadsheets or word processing, but it will sell a lot of disk drives and other mass-storage devices.

Because of the high resolution of these files, you need to choose halftone resolution and angles that do not result in moiré patterns. You may need to do significant experimentation, though, to get the best results.

Drawing a Line



Drawing programs (e.g., MacDraw) work with vector graphics but can import bit maps for tracing (explained below) or as a component to be placed in the graphic. Drawing files are small and relatively simple, and work is scalable, with resolution limited only by the output

device you select.

Most drawing programs on the Mac or under Windows support PostScript output directly and as Encapsulated PostScript (EPS) files, which you can place in layout programs. The Macintosh programs provide excellent handling of unmodified text through fonts installed in the system. The latest versions of these—Adobe Illustrator and Aldus FreeHand—even let you convert fonts to editable outlines. This is handy if, for example, you want to import just a few letters and edit them to create a company logo.

Windows drawing applications (e.g., Corel Systems' CorelDraw, Computer Support's Arts & Letters Graphics Editor, and Micrografx's Designer) include font outlines, but you should treat them as individual graphics elements rather than as type. The result is great flexibility in modifying type shapes, although adding a significant amount of text to an illustration can slow you down when it comes to redrawing the screen and printing the image.

Drawing software works with single drawings; you can use them as single-page layout programs in some cases. You can usually create a page larger than the printer and let the software break the large image into tiles that each fit one page. Software that supports this shows the page breaks on-screen when dealing with drawings larger than a single page. Unfortunately, the actual page sizes are not easily controlled by the artist.

File formats used by drawing programs can be frustrating. You can transfer EPS files between platforms, but you can't edit them—unless and until something called "Editable PostScript" (a proposal made by Adobe's John Warnock) becomes available. Windows programs can pass vector information as Windows metafiles through the Clipboard or as actual files. On

BYTE ACTION SUMMARY

For many one-shot illustration projects, a simple paint program will suffice. Drawing programs are helpful for repeated tasks or those that reuse elements. If you are designing something that you plan to build, you owe it to yourself to consider a CAD package. Desktop publishing and presentation packages are invaluable if you do those sorts of tasks often.

BYTE

A MCGRAW-HILL PUBLICATION

THE
BA
RO

Winner
e BYTE
column

Special In
ate Dis
the Intel
Albert H
et—10
exOS
tic™

Toshiba's

PAGE 127



AT 9ms, THIS SHOULD BE ON THE COVER.

Stop the presses, call the editor. Now you can get more speed, more room, more power, more of everything. Except price.

Presenting the Hardcard II XL™. A 9ms hard drive designed for 286/386 systems.

Now here's the news. *The New York Times* says Hardcard II XL offers "more speed than regular drives for a comparable price."

And the numbers confirm this. 9ms effective access time¹ and 14 MB per second transfer rate² mean your system runs 8 to 9 times faster than standard hard drives. With 50 or 105 MB capacity, you have enough room to run Windows™ 3.0.

There's also a two year warranty and a level of service and reliability our customers (and *PC Magazine**) tend to brag about.

All this for about the same price as the standard old 28ms drive.

Nice cover.

For your nearest dealer, call 1-800-624-5545.

Plus
A Quantum Company


THE 9ms ERA

XL

HARDCARD II XL

*PC Magazine service and reliability survey ranked Plus Development #1. September 25, 1990.

Circle 227 on Inquiry Card.



Tips for Professional Publications

If you're in the business of producing professional publications, here are some criteria to keep in mind when choosing graphics tools.

Input Format

If you are going to start a project from scratch, input format is really not an issue. But if you have large amounts of graphics or text already prepared, their format can and should influence your software choices.

For example, if you have good illustrations available as reflective art (as opposed to slides or film, which must be backlit) and the text is in WordPerfect, your most likely path is to scan the illustrations, touch up scanning artifacts (and possibly add some text) in an image editor, and import the bit maps and text into a desktop publishing package such as Aldus's PageMaker.

Output Needs

Your final output needs may dictate the tool you choose. Illustration software doesn't normally support oversize electrostatic plotters, CAD software doesn't commonly output to slide cameras, and paint programs never operate milling machines. On the other hand, CAD and illustration software can drive vinyl

sign cutters, which are really specially adapted pen plotters.

Modularity

If you're going to reuse images, you should produce them in a format compatible with the greatest number of possible destinations. This makes it easier to use the images for other purposes and makes slower hardware more useful.

For example, if you create a graphic with illustration software using Encapsulated PostScript and place it in a presentation package, it will be available for you to use in other programs. That won't necessarily be true if you create it in the presentation program.

Step and Repeat

One of the classic printer's tasks is to take a single image and reproduce it on a sheet several times: Business cards, bumper stickers, and concert tickets are all printed in this way.

Either bit-map or vector software lets you select and move an object or component, but the vector options let you enter the movement numerically. When this is done in concert with a duplicate or clone command, step and repeat ceases to be an expensive outside process and becomes an easy option in illustration or

CAD software. You can also do it in page-layout software by placing multiple copies of a graphic or text block.

Mass Storage

Computer graphics tools have changed the ease of storing and recycling individual graphics elements. If you have ever priced a 25-drawer, 25- by 37-inch storage unit (Foster Manufacturing lists one at \$1715), you won't whimper about the cost of a 600-megabyte hard disk drive. If you've ever needed to reprint a brochure, only to find that the screened stat of the customer standing in front of his building is dirty (or stolen for some other job)—and the photographer is retired and the customer is in London and the deadline is tomorrow—the ability to resend that file to an imagesetter or export a copy of the scanned and cropped photograph is priceless.

Similarly, cataloging and archiving engineering drawings is more easily accomplished with disk files than with fragile vellum. And multiple revisions do not result in increasingly tattered originals, while the operating system keeps track of revision dates for those who might forget. Don't be chintzy with hard disk storage if you're going to be storing a lot of images.

the Macintosh, the PICT format serves the same purpose. Adobe Illustrator is the closest thing to a cross-platform standard, because it is available on the Macintosh and PC compatibles, and because several other packages read or output files in Illustrator format.

What if you want to incorporate a scanned image of an object (say, a logo) into a drawing program and then manipulate it—change it in some way. You need a tracing tool. Tracing software detects the edges of images in a bit map and generates either Bézier or polygonal curves, which you can then edit using illustration software. This is essentially the way designers used to copy logos from a business card to a brochure, for example; they blew the image up as far as it would go, dropped a sheet of tracing paper over it, and started tracing.

The human eye, though, has a much better ability to discriminate the edges of an image than does the average computer tracing tool. Every variation in a line that the scanner sees produces Bézier control points. Low-contrast images cause the tracing program to find additional shapes that your eye won't even see. Several times, I have scanned an image for tracing and subsequently removed over 95 percent of the points generated by the tracing software. Although the ability to trace a bit

map is very helpful in the course of developing an image, you generally won't be able to use such images directly.

What's the upper limit on what you can do with a drawing program? Suppose you're remodeling your home. For sketching room designs and deciding about furniture placement, illustration software is a natural extension of the proverbial napkin and back-of-envelope drawings. To produce final drawings for a contractor, though, you need a CAD program. Carpenters and building inspectors need that "real world" base.

Designing in the Real World



Like illustration software, CAD software works with vector information, but the coordinates are based on physical entities in the real world (e.g., inches and feet), rather than purely on graphics entities in the hypothetical world of a drawing. Unlike the options mentioned earlier, CAD software is designed to let you extract the vector information to nongraphics equipment—such as drills, mills, and routers—for computer-assisted manufacturing.

Text handling in CAD programs is traditionally dismal, although this is changing, due, partly, to the influence of the

DUE TO THE STRONG GRAPHIC CONTENT OF THIS PROGRAM, USER DISCRETION IS ADVISED.

We don't want to infringe on anyone's freedom of expression.

Limit the number of fonts used to no more than two per presentation. Be consistent and use underlines, italics or bold type for emphasis.

But Charisma gives you so many graphic possibilities in one powerful, Windows-compatible program, we felt a warning was necessary.

Once you try it, you'll understand why. Charisma's extensive word and data charting functions, real drawing capabilities and total user control make it the most complete graphics solution for business. Unfortunately, some people have trouble resisting the temptation to use every Charisma feature on every presentation. That's understandable.

When you have access to 16.8 million colors, more than 40 fully editable fonts, thirteen drawing tools, a library of 2200 clip art images and the ability to turn any graphic element



Break out information logically and understandably with a variety of chart types. Then use the Harmony Palette for a unifying blend of just the right colors.

into a bullet, it's easy to get a little too enthusiastic.


It's just as easy to get overly excited about the way Charisma lets you assemble entire presentations without switching between word processing, graphics and spreadsheet programs. Plus you see the results of your creativity immediately, since Charisma doesn't make you go back and forth between text and graphic



Add visual interest and keep audience attention focused with freeform illustrations or custom edited clip art. One graphic per chart works best.

screens. And with more than 30 import and export filters for graphic formats—including Harvard Graphics—Charisma gives you more power and control than ever before.

But you shouldn't expect any less from a program designed specifically to take full advantage of the Windows environment. Now, even without overdoing it, you can output the most provocative business graphics you've



As you lay out word charts, use a template that provides maximum readability. Add spark to presentations by turning any graphic element, even your company logo, into a bullet.

ever seen to 35mm slides, overheads and handouts. Or make your point with SlideShow, Charisma's on-screen graphics presentation utility that includes dozens of transition effects.

Its strong graphic content prompted *InfoWorld's* Michael J. Miller to say, "Charisma offers the greatest flexibility in creating and editing charts that I've seen."

We think you'll agree.

Call 1-800-733-3729, ext. 5050 (3710 in Canada) for your free working model of Charisma*.



8 0 0 - 7 3 3 - 3 7 2 9

*Allow 4-6 weeks for delivery. Micrografx, Inc. 1303 Arapaho, Richardson TX 75081 - (214) 234-1769 (customers outside North America please dial extension 3710). Micrografx has offices in Los Angeles, Paris, London, Munich, Sydney and Copenhagen. Copyright © 1991, Micrografx, Inc. All rights reserved. Micrografx is a registered trademark, and Charisma is a trademark of Micrografx, Inc. All other products are trademarks or registered trademarks of their respective owners. All visual elements created with Charisma.

ITEMS DISCUSSED

<p>Adobe Illustrator 3.01\$595</p> <p>Adobe Photoshop 1.07\$895</p> <p>Adobe Systems, Inc. 1585 Charleston Rd. P.O. Box 7900 Mountain View, CA 94039 (800) 833-6687</p> <p>Circle 1135 on Inquiry Card.</p> <p>Aldus FreeHand 3.0 ..\$595</p> <p>PageMaker for Macintosh 4.01\$795</p> <p>PageMaker for PC 4.0\$795</p> <p>Aldus Corp. 411 First Ave. S Seattle, WA 98104 (206) 622-5500 fax: (206) 343-4240</p> <p>Circle 1136 on Inquiry Card.</p>	<p>Arts & Letters Graphics Editor 3.1\$695</p> <p>Computer Support Corp. 15926 Midway Rd. Dallas, TX 75244 (214) 661-8960 fax: (214) 661-5429</p> <p>Circle 1137 on Inquiry Card.</p> <p>Charisma 2.0\$495</p> <p>Designer 3.1\$695</p> <p>Micrografx, Inc. 1303 Arapaho Richardson, TX 75081 (800) 733-3729 (214) 234-1769 fax: (214) 234-2410</p> <p>Circle 1138 on Inquiry Card.</p> <p>ColorStudio 1.11\$995</p> <p>Letraset Graphic Design Software 40 Eisenhower Dr. Paramus, NJ 07653 (800) 343-8973 (201) 845-6100</p> <p>Circle 1139 on Inquiry Card.</p>	<p>CorelDraw 2.0\$695</p> <p>Corel Systems Corp. 1600 Carling Ave. Ottawa, Ontario, Canada K1Z 8R7 (613) 728-8200 fax: (613) 761-9176</p> <p>Circle 1140 on Inquiry Card.</p> <p>Digital Darkroom 2.0\$395</p> <p>Silicon Beach Software, Inc. 9770 Carroll Center Rd., Suite J San Diego, CA 92126 (206) 628-2320</p> <p>Circle 1141 on Inquiry Card.</p> <p>Model 502 Classic 25-drawer slim-line cabinet\$1715</p> <p>Foster Manufacturing 414 North 13th St. Philadelphia, PA 19108 (800) 523-4855</p> <p>Circle 1142 on Inquiry Card.</p>	<p>Oasis 1.0\$795</p> <p>Time Arts, Inc. 1425 Corporate Center Pkwy. Santa Rosa, CA 95407 (707) 576-7722 fax: (707) 576-7731</p> <p>Circle 1143 on Inquiry Card.</p> <p>PerForm Pro\$495</p> <p>Delrina Technology, Inc. 1945 Leslie St. Don Mills, Toronto, Ontario, Canada M3B 2M3 (800) 268-6082 fax: (408) 356-9570</p> <p>Circle 1144 on Inquiry Card.</p> <p>PowerPoint for Macintosh 2.01\$395</p> <p>PowerPoint for Windows 2.0\$495</p> <p>Microsoft Corp. 1 Microsoft Way Redmond, WA 98052 (800) 426-9400 (206) 882-8080 fax: (206) 883-8101</p> <p>Circle 1145 on Inquiry Card.</p>
---	---	--	--

Macintosh. Another factor influencing text handling is the growing use of vinyl sign-cutting plotters. These are modified pen plotters, in which a cutting tool is used in place of a drawing pen and pressure-sensitive vinyl is used in place of paper. The plotter cuts letter shapes and symbols in the vinyl. You peel the background away and apply the resulting image to form a sign.

These specialized plotters can be as expensive as laser printers (\$1500 to \$15,000) but can be useful in certain settings. Signs that are produced in large volumes are normally screen printed using art that is blown up from an illustration—a process that involves the expense of photographic film and screen preparation. But if you often need signs in small quantities, the combination of CAD software and a sign cutter could save you money.

CAD software also offers the best and most natural environment for digitizing tablets. If you are using a tablet to perform tasks such as copying objects from blueprints or transferring rough drawings into the computer, CAD software reads exact coordinates, whereas paint software just maps from the sides of the image. (Interestingly, Time Arts' Oasis, a Macintosh paint program, works with digitizing tablets to let you vary the *expression* of your input—such as the width of a line—depending on how hard you press on the tablet.)

CAD software supports the widest range of output devices, and most CAD software (including PC software, programs on most Unix systems, and even CATIA—which runs on IBM mainframes) supports one of two file standards: DXF and IGES. Outside of CAD, only word processing software can transfer files across such a wide range of platforms.

The range of applications for which CAD is used is so great

that, in addition to the general-purpose programs, a host of extensions were written either as stand-alone applications or as additional modules that work within the most popular CAD packages. For example, third-party offerings written in AutoLisp to extend AutoCAD's range constitute a small industry. These include design applications for steam systems, PostScript driver extensions, and ship building.

Now Presenting



If you need to do a single, simple chart or graph, a paint program will probably suffice. For larger, more frequent, or more complex presentations, though, you're better off with a presentation package.

Presentation programs combine limited drawing, word processing, and outlining utilities with strong connections to slide-recorder output. Such software is typically organized as a speech-writing tool with graphics support; each slide is represented as an element in an outline and as a full-screen image.

Generally, presentation packages let you create charts based on the numerical data contained in a worksheet, which looks like a stripped-down spreadsheet. You can import data from a fully featured spreadsheet; or, using spreadsheets that contain graphing tools (e.g., Lotus 1-2-3 or Microsoft Excel), you can import a finished graph as an image. Micrografx's Charisma and Microsoft's PowerPoint are packages that can accept the underlying data or the complete graphics formatting from Excel charts. Whether or not you can import graphics or text from other software depends on the individual program; output to

**"If only we could use UNIX® for
our realtime applications..."**

Dennis Ritchie, legendary developer of the UNIX Operating System, puts it very simply: "The reason the original UNIX operating system was so small and elegant was because we did things that we really wanted to do."*

Although conventional UNIX has grown (literally) beyond Ritchie's original vision, many people still look to this classic OS to do what they want to do.

But not if they want realtime performance. UNIX has unequalled power as a development tool, but you can forget about running realtime apps on conventional UNIX systems. They're simply too big and too slow.

Until now.

Presenting QNX 4.0. The UNIX system that's responsive enough for realtime apps, small enough for PC platforms, flexible enough for transparent networking, and modular enough for the most demanding configurations.

POSIX Means Portable

UNIX systems come in more flavors than ice cream. Which is why IEEE's POSIX standard is now such an important safeguard of portability.

At Quantum, we're committed to the POSIX standard, and we've rewritten QNX to give developers a standard OS interface they can depend on. As a result, QNX is now a true UNIX operating system—but not a conventional one.

Performance At Run Time, Design Time, All The Time

Only QNX combines the performance of a dedicated realtime executive with the time-saving benefits of a rich UNIX development environment—including a host of utilities, an award-winning C compiler, and an optional OPEN LOOK™ GUI package.

QNX is Distributed

The QNX operating system lets you extend the limits of any one microprocessor. Whether you're

running a network of four or 400 machines, QNX makes it all feel like a single computer.

Interprocess communication is network-wide, so every process can transparently access every resource—programs, files, devices, even CPUs—anywhere on the network. And you can set up your network using any mix of Intel-based PCs.

Responsive Tech Support

Only QNX's support hotline can put you in direct contact with the Technical Development team itself. And you'll have access to our 24-hour online conferencing and update system, where the response time to your questions is almost like real time.

"If Only..."

Wherever computers do serious work for serious people, the UNIX operating system has made possible a lot of the "things we wanted to do."

But people who want realtime solutions have been waiting a long time to share in the benefits.

The wait is over.

The logo for QNX 4.0 features the text "QNX" in a large, bold, blue font with a white outline, and "4.0" in a smaller, blue font to its right. The letters are stylized with horizontal lines through them, giving it a digital or technical appearance.

What UNIX was meant to be.

For more information, please phone (613) 591-0931.

Quantum Software Systems Ltd. ■ 175 Terrence Matthews Crescent ■ Kanata, Ontario, Canada ■ K2M 1W8

*"Who is the Real Dennis Ritchie?" UNIXWORLD, January 1991, p. 46.
QNX is a registered trademark and QNX Windows is a trademark of Quantum Software Systems Ltd. UNIX is a registered trademark and OPEN LOOK is a trademark of AT&T.
Intel is a registered trademark of Intel Corporation. © 1991 Quantum Software Systems Ltd.

Circle 235 on Inquiry Card (RESELLERS: 236).

World Radio History

CONTROL UP TO 96 PC FILE SERVERS WITH 1 KEYBOARD AND MONITOR USING...

COMMANDER by cybex



- No external power
- "One-Touch" selection
- Mix PC, PC/XT, PC/AT and PS/2
- "AutoBoot" Feature boots attached computers without operator intervention after power failure
- Shows PC power status
- Mouse support available
- TTL (MOA, CGA, EGA) up to 600 feet away
- VGA up to 400 feet
- Each unit accommodates from 2 to 8 PCs
- Up to 12 units can be cascaded
- Mounting kit available for 19" rack installation

Dealer Program Available

Cybex Corporation

2800-H Bob Wallace Ave. • Huntsville, AL 35805
(205) 534-0011 • FAX (205) 534-0010

PC DESIGN GUIDE TO CHIP SETS

Save weeks of research! **Personal Computer Design Guide** describes over 80 chip sets from more than 40 manufacturers, including the newest chips that integrate the processor. Chips for **desk-tops, lap-tops, workstations, and servers** are included. Use the tables for comparisons and the data sheets for details. You even get the phone numbers to call. We also offer updates, and the first one is included in the purchase price! **Personal Computer Design Guide** is only \$139. Semi-annual updates \$49 each.

FREE We'll include a free copy of the pocket-sized **XT-AT Handbook by Choisser and Foster** when you order this publication if you tell us where you saw this ad. Of course, this \$9.95 value is also available by itself. Or buy five or more for only \$5.00 each.



800-462-1042
619-271-9526



Annabooks
12145 Alta Carmel Ct., Suite 250
San Diego, CA 92128

FAX 619-592-0061

Money-back guarantee

THE RIGHT GRAPHICS TOOL

other packages is generally not supported except through Clipboard functions such as those provided by the Macintosh and Windows—and they tend to limit the size of what you can cut and paste.

Unique to presentation software is the slide-sorter view, in which many reduced slides (sometimes called *thumbnails*) appear on the screen. You can drag each to another position with a mouse, which lets you rearrange a presentation depending on your audience. When you rearrange the charts, the software automatically rearranges the outline. This would be very difficult—if not impossible—to do with paint or illustration software.

Making Pages



Paint and illustration programs may be fine for simple posters, announcements, and so forth. But when you start combining images and text, dealing with multiple columns, or having more than a single page, it's time to move up to page-layout or desktop publishing software.

Desktop publishing software combines limited drawing and word processing tools with powerful typographic capabilities. Most programs support a wide range of file formats for importing graphics and text—with or without formatting codes that you may have added during editing. Exporting files is not as great a concern, and you can usually save your edited text to a separate file for other purposes. Page-layout software is generally output to a laser printer for rough or "proof" copy and to a high-resolution imagesetter for final copy.

Although the most common use of such programs is probably for creating brochures and newsletters, the combination of their file handling facility and text handling precision makes them a natural choice for posters and high-quantity signs. Aldus's PageMaker and its competitors were, after all, designed specifically to support the printing process.

Creating forms is a special kind of desktop publishing. For a one-shot project, you could use an illustration package, but a desktop publishing program would be more versatile. For frequent use, you may prefer a dedicated package such as Delrina Technology's PerForm Pro, which has design capabilities, links to dBase format, and includes other advanced features.

Making Your Choice

For any craftsman, a toolbox is a very personal thing. Your style, your work, your finances, and your ambitions will all affect what goes in your toolbox. Like a carpenter with a hammer, saw, and ruler, you make investments in different tools and commit yourself to keeping those tools and your skills sharp. Before, the range of graphics projects you could "build" had few limitations; now, with computer options, your choices are even greater. Choosing among the options requires an understanding of what each tool can accomplish, how each one operates, and the requirements of the job at hand. If you are involved in publishing professional-looking documents, constraints such as input and output format will necessarily affect your choices. (See the text box "Tips for Professional Publications" on page 126.)

Take some time to make sure you're using the right graphics tool for the project you're doing. Forcing projects into the wrong mold or redoing projects because they no longer meet today's need are hideous wastes of time. Your time is worth more than the cost of buying the appropriate tool. ■

G. Armour Van Horn is a writer and graphics consultant. He can be reached on BIX as "vanhorn."

**AW...
WHAT
THE
HECK!**


**Let's see
the other
guys beat
this Price!**



If there ever was a CAD program out to prove that AutoCAD, CADKEY, VersaCAD, and other \$3000 programs are overpriced, it's DesignCAD!

(MicroCAD News review)

DesignCAD 3D



\$399

We Added...

to DesignCAD 3D version 3.1:
A Basic-like programming language entitled BasicCAD. We added new commands. We added hardware support for dozens and dozens of new

devices. We made hundreds of overall internal enhancements! We improved the manuals, the packaging and the speed!

How much extra did we charge?

Nada. Nothing. Zip. No extra charge at all. Oh, sure...our accountant said we could increase the price. Our lawyer said there was no legal reason not to charge more. A minister said we had no moral obligation to keep the same price! So, why didn't we raise the price for DesignCAD 3D version 3.1? Because...in the Great American Tradition we said "Aw...What the Heck. Let's see the other guys beat this price!" DesignCAD 3D version 3.1 sells for \$399.

Does this include everything?

Yes. We include everything! The programming language, the hardware device drivers (more than 450), built-in shading capability, hidden line removal capability, solid-object modeling capability, translators to-and-from other file formats, are all included!

How can you afford to sell a program like this at such a low price?

This is our most often asked question. We have a simple answer. Volume. We sell thousands of these programs each month! If we were to charge thousands of dollars per copy (like our competitors) we would restrict our sales to the professional trades only. By lowering our price we sell to professional architects and engineers as well as the ordinary individual!

Many ordinary individuals purchase DesignCAD 3D for personal projects. Many people purchase DesignCAD 3D and perform CAD Drafting at nights and on weekends as a second job! People design "dream homes" and "widgets". The uses are limited only by YOUR imagination!

Remember - American Small Business Computers also sells a 2D version of DesignCAD. It costs only \$299! Write or call for FREE brochures that will help you determine which program best suits your need.

 **American**

Small Business Computers, Inc.
327 South Mill Street • Pryor, Oklahoma 74361
(918) 825-4844 • FAX (918) 825-6359

Circle 17 on Inquiry Card.

What makes a Standard?



SINCE MARCH 1990, THE INITIAL LAUNCHING DATE OF THE CARRY-1 BOOK-SIZE DESKTOP COMPUTER, A LINE OF CARRY-1 PRODUCTS: 6000 SERIES, 7000 SERIES, 8000 SERIES, AND 9000 SERIES, HAVE BEEN RELEASED AND IMMEDIATELY RECOGNIZED AS A NEW STANDARD. TODAY, WITH GREAT PRIDE, FLYTECH IS ANNOUNCING ANOTHER EPOCH-MAKING PRODUCT... CARRY-1 9000 DESKSTATION. CARRY-1 9000 DESKSTATION, WHICH IS THE WORLD'S SMALLEST DISKLESS WORKSTATION FOR LOCAL AREA NETWORKS, COMES COMPLETE WITH 80386SX/80286-16/80286-12 MICROPROCESSOR, MATH COPROCESSOR SOCKET, UP TO 4MB RAM, AN EXPANSION SLOT FOR NETWORKING CARD, ONE PARALLEL & TWO SERIAL PORTS, 1024 x 768 VGA/CGA/MGA DISPLAY, 84-KEY MINI KEYBOARD WITH 101-KEY FUNCTIONALITY. THE SYSTEM WEIGHS LESS THEN 5 POUNDS, WITH A FOOTPRINT NO LARGER THAN THE AVERAGE HARD-BOUND BOOK (9.4" x 7.3" x 1.8" OR 240MM x 185MM x 45MM).



FLYTECH GROUP INTERNATIONAL

U.S.A.: TEL # 408-7277373.7277374 FAX # 408-7277375 TAIWAN: TEL # 2-7852556.7827538 FAX # 2-7852371.7837970 GERMANY: TEL # 69-746081.746453 FAX # 69-749375 HONGKONG: TEL # 305-1268 FAX # 796-8427

DISTRIBUTORS AUSTRALIA: SIGMA DATA TEL # 61-2-9573777 FAX # 61-2-... / PARAGUAY: MICROFACE TEL # 21-3258599 FAX # 21-3259354 TEL # (305) 4770222 FAX # (305) 4773206 BELGIUM: CELEM S.A. TEL # 32-41-676434 FAX # 32-41-676515 SOUTH AFRICA: PC MART TEL # 27-11-23-0131 FAX # 27-11-23-3249 CHILE: G & G S.A. TEL # 56-2-2271518 FAX # 56-2-494784 FRANCE: M3C TEL # 33-1-4827-1976 FAX # 33-1-4230-5916 GERMANY: MACROTRON TEL # 49-89-420-8233 FAX # 49-89-423-745 GREECE: ALTEC TEL # 30-1-8832017 FAX # 30-1-8816187 HONG KONG: PARKLY TEL # 852-303-1288 FAX # 852-798-8427 HUNGARY: MINOR TEL # 361-1224-687 FAX # 361-1415-656 ITALY: PRIMA TEL # 39-522-518599 FAX # 39-522-518599 ISRAEL: MLL TEL # 972-3-7515511 FAX # 972-3-7516615 KOREA: MCCOY TEL # 82-2-7436055 FAX # 82-2-7431896 INDIA: UNICORP TEL # 91-11-6831341 FAX # 91-11-631557 BETA TEL # 852-3676153 FAX # 852-7240843 MALAYSIA: COMTEC TEL # 06-3-274-8888 FAX # 60-3-274-9988 MEXICO: TRIONICA TEL # 52-5-2591221 FAX # 52-5-2591447 NORWAY: SECUS TEL # 47-2-722-510 FAX # 47-2-722-515 NETHERLAND: KN TEL # 31-20-6594141 FAX # 31-20-6597436 SINGAPORE: TRANSNIKO TEL # 65-4758408 FAX # 65-4713903 SPAIN: ADACO TEL # 34-185-11652 FAX # 34-185-08093 SAUDI ARABIA: FIFA TEL # 966-9349796 FAX # 966-8335215 SWITZERLAND: EURO SOFTWARE TEL # 41-22-622-020 FAX # 41-22-615-650 UNITED KINGDOM: CENTERPRISE TEL # 44-256-463754 FAX # 44-256-843174

World Radio History

Circle 107 on Inquiry Card.

THE NEW STANDARD

CARRY-1

1991 Readers' Choice Awards

BYTE's readers select the cream of the crop of hardware and software for PC-compatible, Macintosh, and Unix systems

BYTE's readers are among the most knowledgeable in the computer field. That's why, in addition to our annual awards—chosen by our editors and presented each January—we also ask you, our readers, what products you consider to be the best for daily business use.

Here are the winners. This year, we added several new categories to our list, including *Hardware Product of the Year* and *Software Product of the Year*. The winning products range from new releases to tried-and-true standbys—including several products that won a readers' choice award



last year. If you're planning to make a purchase from one of the categories listed, it makes sense to check out the product chosen by our readers as the most useful one of its class.

You'll find a complete list of the winning products, prices, and company addresses on page 134. Note that, because of the speed with which technology overtakes us, several of the products recommended by our readers have been superseded by newer versions. In those cases, we list the price for the most recent version.

The envelopes, please.

READERS' CHOICE HARDWARE

HARDWARE PRODUCT OF THE YEAR
HP LaserJet III



DESKTOP COMPUTER
Northgate Elegance 486/33

MASS-STORAGE DEVICE
Iomega Bernoulli
Transportable

MODEM
Hayes V.42 Smartmodem

MONITOR
NEC MultiSync 4D

NETWORK ADAPTER
Eagle NE 32

NETWORK SERVER
Compaq Systempro 486/33

PORTABLE/NOTEBOOK COMPUTER
Toshiba T1200XE

PRINTER
HP LaserJet III

VIDEO BOARD
Western Digital Paradise VGA
1024-256

READERS' CHOICE SOFTWARE

SOFTWARE PRODUCT OF THE YEAR
Microsoft
Windows 3.0



CAD/DOS
Autodesk AutoCAD 11
CAD/MACINTOSH
Claris CAD 2.0

CONTACT MANAGER/PERSONAL INFORMATION MANAGER
Lotus Agenda 2.0

DATABASE CLIENT SERVER
Novell NetWare SQL

DATABASE MANAGER/DOS
Borland Paradox 3.5

DATABASE MANAGER/MACINTOSH
Claris FileMaker Pro 1.0

DESKTOP PUBLISHER/DOS
Aldus PageMaker for
Windows 3.01

DESKTOP PUBLISHER/MACINTOSH
Aldus PageMaker 4.0 for
Macintosh

DESKTOP PUBLISHER/UNIX
Frame Technology
FrameMaker 3.0

E-MAIL/WORKGROUP
WordPerfect Office 3.01

GRAPHICS/DOS
Corel Systems CorelDraw 2.0
GRAPHICS/MACINTOSH
Adobe Illustrator 3.0

NETWORK OPERATING SYSTEM/DOS
Novell NetWare 386 3.1
NETWORK OPERATING SYSTEM/MACINTOSH
Novell NetWare 1.2

NETWORK UTILITY
Novell LANalyzer

OPERATING SYSTEM/ ENVIRONMENT
Microsoft Windows 3.0

OPTICAL CHARACTER RECOGNITION
OCR Systems ReadRight 2.01

PROGRAMMING LANGUAGE/ PROGRAM DEVELOPER/DOS
Borland Turbo C++ 1.0

PROGRAMMING LANGUAGE/ PROGRAM DEVELOPER/ MACINTOSH
Claris HyperCard 2.0

PROGRAMMING TOOLS
Borland Turbo Debugger and Tools 2.0

PROJECT MANAGER
Microsoft Project for Windows 1.0

SPREADSHEET
Borland Quattro Pro 2.0

UTILITY (Tie)
Central Point PC Tools Deluxe 6.0
Symantec Norton Utilities 5.0

WORD PROCESSOR/DOS
WordPerfect 5.1
WORD PROCESSOR/ MACINTOSH
WordPerfect 2.0 for Macintosh ■

FOR MORE INFORMATION

Note: Versions and prices listed are the latest available at press time.

Adobe Systems, Inc.
Illustrator 3.0, \$595
1585 Charleston Rd.
Mountain View, CA 94041
(800) 344-8335
(415) 961-4400
fax: (415) 961-3769
Circle 1105 on Inquiry Card.

Aldus Corp.
PageMaker for Windows 3.01, \$795
PageMaker 4.0 for Macintosh, \$795
411 First Ave. S
Seattle, WA 98104
(206) 622-5500
fax: (206) 343-4259
Circle 1106 on Inquiry Card.

Autodesk, Inc.
AutoCAD 11, \$3500
2320 Marinship Way
Sausalito, CA 94965
(415) 332-2344
fax: (415) 331-8093
Circle 1107 on Inquiry Card.

Borland International, Inc.
Paradox 3.5, \$795
Quattro Pro 2.0, \$495
Turbo C++ 1.0, \$100-495
Turbo Debugger and Tools 2.0, \$149
1700 Green Hills Rd.
Scotts Valley, CA 95067
(408) 438-8400
fax: (408) 438-0389
Circle 1108 on Inquiry Card.

Central Point Software, Inc.
PC Tools Deluxe 6.0, \$149
15220 Northwest Greenbrier Pkwy., Suite 200
Beaverton, OR 97006
(800) 445-2110
fax: (503) 690-8083
Circle 1109 on Inquiry Card.

Claris Corp.
CAD 2.0, \$899
FileMaker Pro 1.0, \$299
HyperCard 2.0, \$199
5201 Patrick Henry Dr.
Santa Clara, CA 95052
(408) 727-8227
Circle 1110 on Inquiry Card.

Compaq Computer Corp.
Systempro 486/33, \$16,999-\$22,999
P.O. Box 692000
Houston, TX 77269
(800) 231-0900
Circle 1111 on Inquiry Card.

Corel Systems Corp.
CorelDraw 2.0, \$695
1600 Carling Ave.
Ottawa, Ontario,
Canada K1Z8R7
(613) 728-8200
Circle 1112 on Inquiry Card.

Eagle Technology (a business unit of Anthem Electronics, Inc.)
NE 32, \$1295
1160 Ridder Park Dr.
San Jose, CA 95131
(408) 453-1200
Circle 1113 on Inquiry Card.

Frame Technology Corp.
FrameMaker 3.0, \$995-\$2500 (depending on license type)
1010 Rincon Cir.
San Jose, CA 95131
(408) 433-3311
Circle 1114 on Inquiry Card.

Hayes Microcomputer Products, Inc.
V.42 Smartmodem, \$599-\$1199
P.O. Box 105203
Atlanta, GA 30348
(404) 441-1617
Circle 1115 on Inquiry Card.

Hewlett-Packard Co.
LaserJet III, \$2395
19310 Pruneridge Ave.
Cupertino, CA 95014
(800) 752-0900
Circle 1116 on Inquiry Card.

Iomega Corp.
Bernoulli Transportable, \$1259
1821 West 4000 South
Roy, UT 84067
(801) 778-1000
Circle 1117 on Inquiry Card.

Lotus Development Corp.
Agenda 2.0, \$395
55 Cambridge Pkwy.
Cambridge, MA 02139
(617) 426-8500
Circle 1118 on Inquiry Card.

Microsoft Corp.
Windows 3.0, \$149
Project for Windows 1.0, \$595
1 Microsoft Way
Redmond, WA 98052
(800) 426-9400
Circle 1119 on Inquiry Card.

NEC Technologies
MultiSync 4D, \$1499
1255 Michael Dr.
Wood Dale, IL 60191
(800) 366-3632
Circle 1120 on Inquiry Card.

Northgate Computer Systems, Inc.
Elegance 486/33, \$5700
7075 Flying Cloud Dr.
Eden Prairie, MN 55344
(800) 548-1993
Circle 1121 on Inquiry Card.

Novell, Inc.
LANalyzer, \$495-\$2595
NetWare 1.2, \$895-\$5495
NetWare 386 3.1, \$3495-\$12,495
NetWare SQL, \$595-\$1495
122 East 1700 South
Provo, UT 84601
(801) 429-7782
Circle 1122 on Inquiry Card.

OCR Systems, Inc.
ReadRight 2.01, \$495
1800 Byberry Rd.,
Suite 1405
Huntingdon Valley, PA 19006
(215) 938-7460
Circle 1123 on Inquiry Card.

Sun Microsystems, Inc.
Sparcstation 2, \$14,995 (19-inch monochrome)-\$17,995 (16-inch color)
2550 Garcia Ave.
Mountain View, CA 94043
(415) 960-1300
Circle 1124 on Inquiry Card.

Symantec Corp.
Norton Utilities 5.0, \$179
10201 Torre Ave.
Cupertino, CA 95014
(408) 253-9600
Circle 1125 on Inquiry Card.

Toshiba America Information Systems, Inc.
T1200XE, \$3199 (with 20-MB hard disk drive)
9740 Irvine Blvd.
Irvine, CA 92718
(714) 583-3000
Circle 1126 on Inquiry Card.

Western Digital
Paradise VGA 1024-256, \$369
8105 Irvine Center Dr.
Irvine, CA 92718
(714) 932-5000
Circle 1127 on Inquiry Card.

WordPerfect Corp.
WordPerfect 5.1, \$495
WordPerfect 2.0 for Macintosh, \$495
WordPerfect Office 3.01, \$149
1555 North Technology Way
Orem, UT 84057
(801) 225-5000
Circle 1128 on Inquiry Card.



SOFTWARE DEVELOPERS

Rainbow Technologies Protects Software Better.

In More Places. For More Developers. And For More Good Reasons.

For the most solutions, best support and worldwide availability in PC, MAC and LAN software protection, there's no reason to look further than Rainbow Technologies.



THE PRODUCTS

Rainbow Technologies features:

- DOS, OS/2, Windows, UNIX, XENIX and MAC compatibility
- Protection for SPX/IPX and NetBios networked software
- Algorithm and memory devices to suit your application
- The most drivers/interfaces for quick implementation
- Proprietary ASIC designs for confidentiality
- Proven reliability—more than 1.5 million keys installed
- Transparent operation for the end user

1-800-852-8569

Protect your revenues. Call toll free today to plug Rainbow Technologies into your software plans. Evaluation packages are available.

THE COMPANY

Rainbow Technologies provides:

- World class technical assistance
- Custom application engineering
- Toll free Hot Line support
- Delivery in 5 days or less
- In stock availability in 15 countries
- Clear and comprehensive documentation
- The broadest warranty coverage available



RAINBOW TECHNOLOGIES

9292 Jeronimo Road, Irvine, CA 92718
TEL: (714) 454-2100 • (800) 852-8569
FAX: (714) 454-8557 • Apple Link: D3058
Rainbow Technologies, Ltd., Shirley Lodge
470 London Rd., Slough, Berkshire SL3 8QY, U.K.
TEL: 0753-41512 • FAX: 0753-43610

Copyright ©1991 Rainbow Technologies, Inc. All product names are trademarks of the respective holder.

Rainbow Technologies stock is traded on NASDAQ—RNBO

I THOUGHT THIS WAS
QUALITY SOFTWARE-NOW MY SYSTEM'S
JUST
HANGING!



*Don't leave
your customers
HANGING...*



BEFORE YOU SHIP ANY PROGRAM, CHECK IT WITH



BOUNDS-CHECKER™



JANUARY 15, 1991

PAGE 168

FINDS OUT-OF-BOUNDS MEMORY ACCESSES AUTOMATICALLY

Your program may have 10,000 to a million lines of code. It may occasionally hang mysteriously or it may appear to run flawlessly every time. But under DOS, how can you ever be sure that your program is not corrupting memory it does not own? The only way to be 100% sure is to BOUNDS-CHECK before you ship.

To use BOUNDS-CHECKER you build your program with debugging information (we support most compilers including Microsoft, Borland & JPI). Then you just type <BC file-name>. BOUNDS-CHECKER sets up the 386™/i486 for protection and lets your program fly. If your program accesses memory it does not own or overwrites its own code, BOUNDS-CHECKER pops up displaying the offending SOURCE-LINE or instruction.

Programming under DOS is a gamble, so why not stack the odds in your favor--CALL TODAY.

(603) 888-2386

OTHER FINE NU-MEGA PRODUCTS...

The ultimate systems debugger.

Debug:


- Interrupt routines
- Device drivers
- T&SRs
- ROMS
- Applications
- Overlays



Features:

- Break out of a hung program
- Real time Break-Points
- Back-Trace history
- Works with other debuggers

If you are debugging an application, Soft-ICE is seamlessly integrated with BOUNDS-CHECKER so you can easily go back and forth between BOUNDS-CHECKING and debugging: a combination many programming professionals can't live without.



Run CODEVIEW for Windows on a single monitor
CV/1.....\$129

- Runs in a window • No annoying flash •
- Runs on any display that supports windows •

Call by 4:00 PM EST TODAY and ask us to EXPRESS you an info packet. In most cases you will receive it by 10:30 AM tomorrow. (USA only)

All Nu-Mega products require a 386, 386SX or 486. MS-DOS and Codeview are trademarks of Microsoft Corp. 386 is a registered trademark of Intel Corp. Nu-Mega, BOUNDS-CHECKER, Soft-ICE and CV/1 are trademarks of Nu-Mega Technologies, Inc.



P.O. Box 7780 • Nashua, NH • 03060-7780 U.S.A.
(603) 888-2386 • Fax (603) 888-2465

BOUNDS-CHECKER\$249
Soft-ICE\$386


Special Offer
Buy BC & S-ICESave \$100

**30 Day
Money Back Guarantee**

Circle 21 on Inquiry Card.

National Software Testing Laboratories Supplement:

Advanced Desktop Publishing Programs



Only Epson can printing this



Adobe and PostScript are registered trademarks of Adobe Systems, Inc. AppleTalk and Macintosh are registered trademarks of Apple Computer, Inc. HP and LaserJet are registered trademarks of Hewlett-Packard, Inc.

uld take laser far, this fast.

All it took was a little RISC.

Introducing the Epson® EPL-7500 laser printer. One of the first true Adobe® PostScript® laser printers designed around a lightning-fast RISC processor.

The result is *significantly* faster output.

It is also significantly better.

Thanks to true Adobe PostScript — not a clone — the EPL-7500 is able to produce razor-sharp text in 35 scalable fonts, plus equally impeccable graphics. Blacks are blacker and lines are finer, courtesy of the printer's unique MicroArt Printing technology.


The EPL-7500 handles paper as well as it handles text and graphics. A 250-sheet tray comes standard, a second is optional. Also standard are serial, parallel and AppleTalk® interfaces, allowing the printer to work smoothly in both PC and Macintosh® environ-

ments. For even greater versatility, HP® LaserJet® Series II emulation is included.

Of course, not everyone needs a PostScript printer. That's why the Epson laser line also includes the new EPL-7000. Like the EPL-7500, it offers brilliant MicroArt Printing, superior paper handling and HP compatibility. Plus a host of other serious business features, all loaded into an extremely affordable package. Moreover, the EPL-7000 even allows upgradability to the EPL-7500's true PostScript and RISC processing.

With the EPL-7500 and EPL-7000, the engineers of Epson have succeeded in raising the standards for laser printing. Without raising the price.

In fact, a demonstration will quickly and clearly show you why these are the most innovative printers in their class. By far.



The new Epson EPL-7500 laser delivers brilliant PostScript output at blazing RISC processing speeds.


The new EPL-7000 provides serious business performance at a very personal price.



Engineered For The Way You Work™




His Favorite Word Is "No." But CA-Cricket Presents Can Help You Expand His Vocabulary.



World Radio History

It's not just your idea — it's your big chance. So make the most of it with the world's most persuasive desktop



presentation software
CA-CRICKET®
PRESENTS.™

Totally integrated,
fast and easy, CA-
CRICKET PRESENTS
helps you design pro-
fessional, powerful

presentations in minutes.

Start by organizing your thoughts and ideas into a clear, compelling argument with the built-in outliner.

Next choose convenient, predesigned templates and frames or build your own. With

PRESENTS' advanced text, drawing and graphing capabilities you can turn even the

most mundane information into an exciting, impactful presentation.

PRESENTS (which runs under Microsoft Windows and on the Macintosh) also has an innovative

Electronic Light Table that enables you to quickly edit, re-sequence, and polish your presentation to perfection. When you're

done, generate color slides, transparencies, handouts, and speaker's notes with a

click of the mouse.

And then you're ready to load the projector and fire away. That's all it takes to create stunning presentations that will impress anybody.

Even the boss.

For the location of your nearest dealer call 1-800-531-5236.



CA's Computing Architecture For The 90s protects and enhances the value of every CA software solution.



MICROSOFT
WINDOWS



© 1990 Computer Associates International, Inc.,
711 Stewart Avenue, Garden City, NY 11530-4787

Circle 67 on Inquiry Card.

NSTL Review Supplement: Advanced Desktop Publishing Programs

Although they are maturing, desktop publishing applications—even those at the high end of the price and performance spectrum—vary widely in the selection of features they provide. Of the six programs discussed here, none comes close to offering a complete set of tools for all publishing and production needs.

Before purchasing, you must consider carefully what capabilities you need in a desktop publisher, because trying to achieve a particular effect without the proper tools can be frustrating at best. You also must decide if you should use the desktop publisher with other programs (in which case compatibility becomes an issue) or if you want a package that can handle everything—from word processing to graphics creation and formatting. Flexibility and print quality remain the most critical considerations in choosing among desktop publishers.

NSTL limited its evaluation to dedicated desktop publishing programs capable of creating document files of at least 99 pages. The list of packages includes Aldus's PageMaker for Windows 4.0, Logitech's Finesse 3.1, Spinaker Software's PFS: First Publisher 3.0, Timeworks's Publish It 1.21, and Ventura Software's Ventura Publisher DOS/GEM 3.0 and Ventura Publisher for Windows 3.0. Not reviewed are Power Up Software's Express Publisher, which can handle a maximum of 32 pages and therefore could not perform NSTL's long-document tests, and IBM's Interleaf Publisher, which is better suited to workgroup publishing. Quark's QuarkXpress for Windows was not available in time for testing. (For information on these and other suppliers of advanced desktop publishing programs not reviewed here, see the list on page 157.)

About NSTL



National Software Testing Laboratories (NSTL) is an independent organization that tests personal computer and LAN hardware and software. It provides unbiased performance, compatibility, comparison, and usability

testing for personal computer users and vendors. Founded in 1983, NSTL pioneered this use of objective, real-world-based, and comparative methodologies to gain its position as the leading independent testing and evaluation facility in the microcomputer industry.

NSTL publishes test results in *Software Digest Ratings Report*, *Software Digest Macintosh Ratings Report*, *PC Digest Ratings Report*, and *LAN Reporter Ratings Report*. The publications carry no advertising.

NSTL's Commercial Testing Division offers test services on a confidential, contract basis to vendors.

Additional information on NSTL's Commercial Test Division is available from NSTL, Plymouth Corporate Center, Plymouth Meeting, PA 19462, (215) 941-9600.

Ratings Analysis and Procedures

To rank this group of advanced desktop publishing programs, NSTL evaluated each package in five areas: performance, quality of printed documents, versatility, ease of learning, and ease of use. Ratings focus on a program's overall suitability for creating newsletters with intricate designs and graphic elements (program-generated ones as well as imported ones) and book-length documents that stress readability and cross-referencing over formatting and design. Performance benchmarks measure each package's speed at executing routine publishing operations. Quality tests examine both on-screen representation of documents and print quality. Versatility ratings evaluate the programs in five important categories: the range and effectiveness of options affecting page size, document length, and file size; page layout; text handling; graphics handling; and input/output capabilities. Ease of learning and usability tests assess each program's interface, as well as the completeness of its manual and its usefulness for designing and producing documents.

To ensure consistency when evaluating programs on performance and quality, NSTL conducted these tests on a Compaq Deskpro 386s equipped with 4 megabytes of RAM, a 40-MB hard disk drive, an NEC Multisync 2A color monitor, a Microsoft Mouse, Compaq DOS 3.31G, and—where applicable—Microsoft Windows 3.0 with HIMEM.SYS and SMARTDRV.SYS installed. The system was connected to a Hewlett-Packard LaserJet III with 3 MB of printer memory and an HP PostScript Cartridge.

The test program and its attendant test files were installed in a subdirectory in partition D of the system's hard disk. Program defaults were changed only to enhance performance. The CONFIG.SYS file contains the statements FILES = 25 and BUFFERS = 25, unless a product's manufacturer recommended otherwise. For Windows, the CONFIG.SYS file's settings were FILES = 30 and BUFFERS = 10, as recommended in the Windows manual. Printer setups were configured as specified in the applications' installation instructions and used the PostScript header file resident in the printer. Each program downloaded its header file before testing began.

Performance tests were run from a minimal display. All rules, grids, tools, and other display options were hidden to the greatest extent possible. Graphics were hidden unless the test called for a graphics display. For specific tasks, the programs were tested with the same page area displayed in the same view. Only the files necessary to testing were installed; no clip art or template files were copied during installation.

Advanced Desktop Publishing Programs

Product & Supplier	NSTL Rating	Overall Evaluation	Overall Power	Overall Usability	Performance	Quality	Versatility	Ease of Use	Ease of Learning	Price	Memory Requirement	Hard Disk Space Needed	Operating System
PageMaker for Windows 4.0 Aldus Corp. 411 First Ave. S Seattle, WA 98104 (206) 622-5500	★★★★	8.1	7.6	7.6	●	●	●	●	●	\$795, with Adobe Type Manager; \$636, for License Pak	2 MB; 4 MB recommended	9 MB	DOS 3.x or higher
Ventura Publisher DOS/GEM 3.0 Ventura Software, Inc. 15175 Innovation Dr. San Diego, CA 92128 (619) 673-0172	★★★	7.7	6.9	6.9	●	●	●	●	●	\$795, with Bitstream fonts; \$395, single-node network version; \$995, three-node network pack	640 KB; 4 MB with EMS 4.0 recommended	10 MB	DOS 3.0 or higher
Ventura Publisher for Windows 3.0 Ventura Software, Inc. 15175 Innovation Dr. San Diego, CA 92128 (619) 673-0172	★★★	7.1	6.7	6.7	●	●	●	●	●	\$795, with Bitstream fonts; \$395, single-node network version; \$995, three-node network pack	2 MB; 3 MB recommended	1.5 MB	DOS 3.x or higher
Publish It 1.21 Timeworks, Inc. 444 Lake Cook Rd. Deerfield, IL 60015 (709) 948-9206	*	5.8	5.3	5.3	●	●	●	●	●	\$249.95	512 KB with CGA; 640 KB recommended	1 MB (hard disk drive not required)	DOS 3.x or higher
Finesse 3.1 Logitech, Inc. 6505 Kaiser Dr. Fremont, CA 94555 (415) 795-8500	*	5.6	4.9	4.9	●	●	●	●	●	\$179	640 KB	1.5 MB	DOS 2.x or higher; DOS 3.1 or higher for Bitstream fonts
PFS: First Publisher 3.0 Spinnaker Software Corp. 201 Broadway Cambridge, MA 02139 (617) 494-1200	Less than 5.0	3.2	3.1	3.1	●	●	●	●	●	\$149	512 KB; 640 KB recommended	2.5 MB	DOS 3.x or higher (will not operate under DOS 4.01 shell)

RATINGS KEY (On a scale of 0 to 10)

Overall Evaluation ***** 9.0 or higher **** 8.0 – 8.9 *** 7.0 – 7.9 ** 6.0 – 6.9 * 5.0 – 5.9
 All Other Ratings ● 7.0 – 10.0 ● 5.0 – 6.9 ● Under 5.0

Advanced Desktop Publishing Programs

Computer Systems	Supplier Support	Volume-Purchase Agreements	Site Licenses	Strengths and Limitations
286, 386	90-day telephone support, <i>Aldus</i> magazine, forum on CompuServe, Imaging Center Service Bureau program, on-site technical seminars, nationwide training network, discounted or free upgrade program	Yes	Yes	<p>Strengths: Quality of printouts; separate integrated word processing environment; ability to search or replace on text formatting attributes; inclusion of spell checker and Adobe Type Manager; tracking and kerning capabilities; image control and color support; file-linking features; ability to import and export a wide range of file type; good network support because files are compatible across operating environments; ability to do background or queued printing; table editor; maximum page size of 11 inches by 17 inches; tiling option that prints oversize documents in sections</p> <p>Limitations: Inability to use numeric values to precisely size and place page elements; lack of an automatic file backup feature</p>
8088, 286, 836 rec.	Telephone support; 60-day telephone support for upgrades; 900 telephone line; forum on CompuServe; extended support program for individuals and businesses; discounted upgrade program; <i>Ventura Professional</i> magazine	Yes	Yes	<p>Strengths: Quality of printouts; ease of use; inclusion of character- and paragraph-level formatting tags; inclusion of Bitstream fonts; ability to use up to six text/graphics frames as repeating elements; ability to edit repeating frames from any page; document and long-document formatting controls; large hyphenation dictionary; ability to handle drop or inset cap; ability to typeset equations; good network support because files are compatible across operating environments; table editor; maximum page size of 27 inches by 27 inches; tiling option that prints oversize documents in sections</p> <p>Limitations: Learning difficulty; lack of an undo and a screen-capture feature; inability to globally or conditionally perform search-and-replace procedures</p>
286, 386, or 486	Telephone support; 60-day telephone support for upgrades; 900 telephone line; forum on CompuServe; extended support program for individuals and businesses; discounted upgrade program; <i>Ventura Professional</i> magazine	Yes	Yes	<p>Strengths: Quality of printouts; ease of use; inclusion of character- and paragraph-level formatting tags; inclusion of Bitstream fonts; ability to use up to six text/graphics frames as repeating elements; ability to edit repeating frames from any page; document and long-document formatting controls; large hyphenation dictionary; ability to handle drop or inset cap; ability to typeset equations; good network support because files are compatible across operating environments; table editor; maximum page size of 27 inches by 27 inches; tiling option that prints oversize documents in sections</p> <p>Limitations: Learning difficulty; lack of an undo and a screen-capture feature; inability to globally or conditionally perform search-and-replace procedure</p>
8088	Toll-free telephone support; 24-hour 900 line; mail/fax support; forum on CompuServe; free or discounted upgrade program	Yes	Yes	<p>Strengths: Comprehensive collection of predesigned templates; ability to delete master page items page by page; inclusion of polygons and free-form lines in drawing tools</p> <p>Limitations: Inability to insert pages to accommodate imported text; need to establish page orientation before you begin building a document; lack of a screen-capture feature; limited features for creating long documents; lack of automatic kerning and file backup; page-size limit of only 8.5 inches by 14 inches</p>
8088, 286	Toll-free telephone support; newsletter; bulletin board; discounted upgrade program	No	No	<p>Strengths: Fast performance; ease of learning; optional spell checker; inclusion of Bitstream fonts; ability to accept direct scanner input; ability to do background and queued printing</p> <p>Limitations: Lack of expanded/extended memory support and consequent limitation on document size; lack of named-paragraph styles; lack of separate formatting controls for left and right pages; lack of center-justified tab stops; inability to insert pages to accommodate imported text; inability to import Encapsulated PostScript or gray-scale TIFF files; poor selection of long-document features; lack of automatic kerning; page-size limit of only 8.5 inches by 14 inches</p>
8088, 286	Telephone support; discounted upgrade program	Yes	Yes	<p>Strengths: Inclusion of proprietary font-management software; ability to use landscape and portrait orientation in one document; ability to draw free-form lines and rotate and flip graphics</p> <p>Limitations: Print quality; inability to accommodate more than one nonsequential text link; lack of support for expanded/extended memory and consequent limitation on document size; lack of named-paragraph styles; lack of separate formatting controls for left and right pages; limited features for creating long documents; lack of tabs, global and conditional search-and-replace feature, kerning, repeating headers footers, automatic page numbering, object oriented graphics, automatic hyphenation, automatic file backup; accommodates a page size of only 8.5 inches by 14 inches.</p>

About the NSTL Review Supplements

Each month, BYTE evaluates dozens of products in a broad range of categories. We cover a lot of ground, but we are always trying to do more. To that end, BYTE is proud to bring you the NSTL Review Supplement series. As reports become available, BYTE will present the results of product comparisons from the National Software Testing Laboratories, a division of Datapro Research Group and a BYTE sister company. NSTL is one of the world's premier independent hardware and software testing facilities.

These pages are supplemental; nothing has been cut from the regular issue of BYTE to make room for them. And the BYTE Lab will continue its long-standing tradition of producing comprehensive, hard-hitting product comparisons.

Unlike BYTE, NSTL provides a scoring system based on numerical weightings assigned to key attributes such as performance, ease of use, versatility, and overall quality. While some of these ratings are by nature arbitrary, the criteria within the evaluation are consistent for each package and do provide a legitimate means of comparison. Though we've examined NSTL's methodology and results and found them satisfactory, BYTE has not tried to duplicate NSTL's tests. NSTL retains full ownership of the results published here.

Due to space limitations, we could not publish all the data that NSTL provided in its report. Instead, we boiled down the information to its essential core. The full report is available for sale from NSTL (see the text box "About NSTL").

Overall Performance


NSTL's performance benchmarks use short and long documents designed to pinpoint a program's strengths and weaknesses (see the text box "Performance Benchmarks" for test descriptions and performance ratings for each program). The short-document benchmark is a newsletter with three columns of text and graphic elements on every page. In addition to rules and rectangles created within the test program, the file contains two imported Encapsulated PostScript (EPS) graphics, an illustration, and a scanned 256-shade gray-scale image stored as a TIFF file.

The book-length document consists of a title page, table of contents, 11 chapters, and an index. Headers and footers alternate on left- and right-hand pages. There are two variations of the long document. Variation 1 is a single document file; variation 2 consists of a separate document file for each test file. Both variations represent plausible means of creating book-length documents and highlight performance/convenience trade-offs. Large document files generally are more convenient, but they slow down execution time. Separating a document into many small files can be inconvenient—especially in Finesse, PFS: First Publisher, and Publish It, which lack chapter file tracking and

continuous page numbering for chapters saved in separate files. When a program could not achieve the desired effect in creating a document, NSTL used the closest substitute.

Although all six programs can produce documents containing as many as 99 pages, creating NSTL's 70-page document in Finesse, PFS: First Publisher, and (to a lesser extent) Publish It can be tricky and tedious. These programs do not support extended or expanded memory, and Finesse and PFS: First Publisher do not use hard disk space as virtual memory, as Publish It does. Only the portion of the DOS-addressable 640-kilobyte area not used by device drivers and memory-resident programs is available for the program, screen fonts, and the document. (To work around this problem, documents were divided into smaller files.) PFS: First Publisher imposes another restriction: a per-page memory limit of 5000 text characters. During testing, NSTL's short newsletter exceeded this limit, and the test could not be completed.

To derive an overall performance rating, NSTL used a weighted average of scores for the rated benchmarks. Individual test scores were based on the following formula: (Program Time - Average Time) / (Average Time - Best Time). All results were then rescaled to fall within a 0-to-10 scale.



Weight	Criteria
2	Zoom Out/In—Newsletter
2	Got to Page—Newsletter
2	Save Newsletter to Disk
1	Print Page 1, Return of Control
1	Print Page 1, Page Drop
3	Print Page 2, Return of Control
3	Print Page 2, Page Drop
3	Print Page 3, Return of Control
3	Print Page 3, Page Drop
2	Save Book to Disk
2	Print Chapter (Var. 1), Return of Control
2	Print Chapter (Var. 1), Page Drop
2	Print Chapter (Var. 2), Return of Control
2	Print Chapter (Var. 2), Page Drop

Ventura Publisher lowers prices. Ours. And theirs.


Now you can get the long document power of Ventura Publisher® at substantial savings. We've lowered the list price of our PC Editions a full \$100, from \$895 to \$795. And for a limited time, we're also giving you a lower price on extra software that will expand your desktop publishing productivity. Buy any Ventura Publisher Edition from your local dealer and use the coupon below to save money on another valuable package.

Ventura Publisher's automated features make short work of long documents. That's why the more you have to do, the more you need Ventura. To do even more — for less — act now to take advantage of this Special Offer.



Buy our Windows 3.0 Edition, save \$376 on CorelDRAW!
The favorite draw program of PC users. Includes hundreds of type-faces plus clip art. CorelDRAW! retail value: \$695. Your price: \$319.

Buy our Macintosh 3.0 Edition, save \$618 on the new NEC CDR-36 CD Reader and Type Gallery PS. A new world of image and type storage plus new fonts. NEC retail: \$1097. Your price: \$479.



Buy our DOS/GEM 3.0 Edition, save \$179 on VP to the Max and Softkicker. Get spell check, search/replace, thesaurus, and auto-scrolling. VP to the Max/Softkicker retail value: \$298. Your price: \$119.



Buy our OS/2 3.0 Edition, save \$376 on CorelDRAW!
The favorite draw program of PC users. Includes hundreds of type-faces plus clip art. CorelDRAW! retail value: \$695. Your price: \$319.



Name: _____
 Title: _____
 Company: _____
 Address (no P.O. boxes): _____
 City: _____
 State: _____ Zip: _____
 Daytime phone: _____
 () _____

Indicate form of payment enclosed: Check payable to Ventura Software; Purchase order from gov't agency; Credit card — VISA MasterCard American Express

Credit Card # _____ Expires _____
 Cardholder Name _____

Send us this completed coupon with: (1) Dated sales receipt; (2) One original Registration Card per product purchased; and (3) Payment. We'll send you your Special Offer package. 30 day money-back guarantee on all products purchased.

Mail to:
 Ventura Software Inc.
 P.O. Box 289016
 San Diego, CA 92128-9016
 Attn: Special Offer

Order Form

(Quantity of Special Offer packages ordered cannot exceed quantity of Ventura units purchased.)


Ventura Publisher Edition Purchased	Special Offer Package (Sorry, no substitutions)	Special Offer Price	Special Offer Qty. Ordered	Subtotal (Price x Qty.)	Circle Disk Type Required
VP Windows 3.0	CorelDRAW!	\$319	#	\$	5 1/4" 3 1/2"
VP Macintosh 3.0	CDR-36/Type Gallery PS	\$479	#	\$	(3 1/2" only)
VP DOS/GEM 3.0	VP to the Max/Softkicker	\$119	#	\$	5 1/4" 3 1/2"
VP OS/2 3.0	CorelDRAW!	\$319	#	\$	5 1/4" 3 1/2"
Total Price All Special Offer Packages Ordered				\$	
Add tax* in AZ, CA, CT, DC, FL, GA, IL, MA, MI, MN, MO, NJ, NY, PA, TX, VA, WA, Canada				\$	
Shipping/Handling: add \$20 per each Special Offer (\$25 in Canada)				\$	
Please enclose full payment (\$ U.S. only). AMOUNT:				\$	

Good on products purchased April 15-July 31. Coupons must be postmarked by August 15. Allow 2-4 weeks for delivery. This offer cannot be combined with any other promotion and does not apply to purchases of upgrades or Network Nodes. Good in USA and Canada only. *Please remit sales tax or there may be a delay in processing your order.

BYT91

Overall Quality of Display and Printouts


The quality chart summarizes the evaluation of the six products' display quality, document printouts, and document-enhancement capabilities. Display-quality assessments rate a program's ability to display text and graphics on screen. Evaluators judged newsletter printouts for the quality of headline and body text, reproduction of graphics, and tables; book printouts were judged on the quality of text, headers and footers, hyphenation and justification, and creation and maintenance of indexes and tables of contents. (For results from this battery of tests, see the discussion of quality tests and associated graphs included in the "Performance Benchmarks" text box.) The quality rating is a weighted average of scores for individual criteria.



Weight	Criteria
1	Display
2	Newsletter Printout
2	Book Printout
2	Enhancement Capabilities

Overall Versatility


A program's versatility rating is a weighted average of scores for the individual features and categories.



Weight	Criteria
1	Program Parameters
2	Page Layout
2	Text Handling
2	Graphics Handling
2	Input/Output

Overall Ease of Learning


To rate overall ease of learning, testers with varying levels of desktop publishing experience studied the programs' manuals, tutorials, and other learning and reference material and then assessed how easy it was to learn a series of publishing tasks while creating documents. Testers then ranked the programs from best to worst on general ease of learning for all tasks. The ease-of-learning rating is a weighted average of scores for the individual criteria.



Weight	Criteria
2	Manual
2	Program Interface
1	Creation of Newsletter Template
1	Flowing Text and Placing Graphics
2	Paragraph Formatting
1	File Management
4	General Ease of Learning

Overall Ease of Use

After learning the programs, testers evaluated the packages' usability while creating documents. Testers then ranked the programs from best to worst on general ease of use. The ease-of-use rating is a weighted average of scores for the individual criteria.



Weight	Criteria
2	Manual
2	Program Interface
1	Creation of Newsletter Template
1	Flowing Text and Placing Graphics
2	Paragraph Formatting
1	File Management
4	General Ease of Learning

There's more to comparing LaserJet memory boards than just the name.

	Pacific Data Products	Hewlett-Packard
Price	<p>1 MB / \$149</p> <p>2 MB / \$219</p> <p>4 MB / \$399</p>	<p>1 MB / \$230</p> <p>2 MB / \$390</p> <p>4 MB / Not Available</p>
Warranty	Lifetime	One Year
Upgradeability	Fully Upgradeable to 4 MB	Not Upgradeable

Don't settle for less just to buy the HP label. Get more for less with Pacific Data Products **Pacific 4 Memory™** for HP LaserJet IIP, III, IIID, and IIIP printers. With **Pacific 4 Memory** you get 4 MB of memory for not much more than the price of 2 MB from HP. And each board is upgradeable, so you can start with 1 MB of memory then simply install additional memory chips when you need more.

We want you to have the same confidence that we do in our products, so we back each memory board with a lifetime warranty and a full money back guarantee of satisfaction.

To learn how you can get more for less, call your nearest dealer or contact:

Pacific Data Products,
9125 Rehco Rd., San Diego,
CA 92121, (619) 597-3114
Fax (619) 552-0889.



See us at the
Javits Convention
Center of New York
June 25-27, 1991

Booth Number 346



PACIFIC
DATA PRODUCTS


Prices are suggested retail list price effective 1/15/90. Pacific 4 Memory is a trademark of Pacific Data Products, Inc. HP and LaserJet are registered trademarks of Hewlett-Packard Corporation. All other company and product names are trademarks of the company or manufacturer respectively. © 1991 Pacific Data Products, Inc. EUROPEAN HEADQUARTERS: Switzerland
Tel (41) 22-412650, Fax (41) 22-410682.

The Final Analyses

After testing each desktop publishing package in the five categories, NSTL computed two overall ratings. The first establishes a power-versus-usability index by weighting the characteristics relating to power (performance, quality of printed documents, and versatility) and those relating to usability (ease of learning and ease of use) and plotting the scores for each program on a grid (see "Power vs. Usability" on page 156). The second overall rating establishes the top desktop publisher among the six advanced programs tested. NSTL recommends as good buys the products designated with a checkmark (✓).

Overall Evaluation

NSTL's overall evaluation is a weighted average of scores in six areas: the five main evaluation categories plus the testers' general evaluation.



Weight	Criteria
2	Performance
4	Quality of Printed Documents
4	Versatility
3	Ease of Learning
6	Ease of Use
1	Testers' General Evaluation

PAGEMAKER FOR WINDOWS 4.0 ✓

PageMaker's extensive features, high-quality output, and improved performance make it an excellent desktop publisher for general business documents. In every category, PageMaker's features consistently cover a broad range. The new integrated word processing environment, table editor, table-of-contents generator, indexing capabilities, and file linking with link management extend the depth of a very intuitive product backed by excellent documentation.

The program produces tremendously appealing output relatively quickly and with comparative ease. Now that PageMaker offers Macintosh and DOS versions with file compatibility, businesses running both operating systems can transfer files between environments for editing and printing.

VENTURA PUBLISHER DOS/GEM 3.0 ✓

Ventura Publisher's forte is the high degree of control it

provides over formatting and the maintenance tasks associated with routine production of long documents. For technical manuals and other long documents that require automatic numbering of chapters, sections, tables, and figures, Ventura is a better choice than PageMaker.

The DOS/GEM edition produces high-quality output equal to PageMaker's, but the program lacks PageMaker's extensive word processing features and file import/export support. Like PageMaker, Ventura Publisher DOS/GEM (as well as the Windows version) is available in both the Macintosh and DOS formats.

VENTURA PUBLISHER FOR WINDOWS 3.0 ✓

Unless your computing environment demands compatibility with Windows, NSTL recommends the DOS/GEM version of the package over the Windows version. The former's wide array of formatting controls for short and long documents increases learning difficulty, but the flexibility of these controls makes the program easier to use once you learn your way around.

Ventura Publisher DOS/GEM and Ventura Publisher for Windows exhibit more pronounced differences in usability and performance than in features. Specifically, the DOS/GEM version loads its hyphenation dictionary into expanded memory when the program is started; for certain operations, this affords Ventura Publisher DOS/GEM a substantial performance advantage over Ventura Publisher for Windows, which does not employ this technique.

PUBLISH IT 1.21

A reduced feature set and a very simple interface make Publish It comparatively easy to learn, but the program's usability is adversely affected by its lack of key features. One of Publish It's greatest strengths is its collection of predesigned templates; one of its greatest weaknesses is that it doesn't permit changes to a document's basic page-layout characteristics once they are set.

FINESSE 3.1

Like Publish It, Finesse's limited feature set makes the program easy to learn but reduces its versatility, as well as the quality of its on-screen display and its printouts. The program does excel in the performance area, however, quickly saving and printing files that have object graphics or that contain images scanned directly into the program.

PFS: FIRST PUBLISHER

PFS: First Publisher has little to recommend it for dedicated business publishing; users will get comparatively poor output quality and performance, very limited features, and the frustration of trying to implement them. PFS: First Publisher also shares with Finesse a lack of support for expanded and extended memory, which means that the size of a document is limited to the amount of available system memory.

Performance Benchmarks

NSTL used the following short-document benchmarks to establish a performance rating for each of the six desktop publishers.

3500+
extra
images included!



COREL DRAW! on CD-ROM

If You Have Windows 3.0... You Should Have CorelDRAW!

CorelDRAW 2.0. It's the award winning PC graphics package that's easy to learn and use. If you're artistic, you can create your own graphics from scratch with CorelDRAW's powerful drawing tools. In a hurry? Choose from CorelDRAW's collection of over 4000 clipart images and symbols, or use CorelTRACE to automatically trace scanned images and bitmaps. You can even import graphics from other packages and jazz them up in CorelDRAW.

And the CD-ROM version of CorelDRAW comes with over 3500 extra clipart images from ArtRight — a \$2000 value.

Thanks to the large storage capacity of the CD-ROM, we are able to offer top quality images and symbols in uncompressed format, for easy and instant access.

If you don't already have a CD-ROM drive, Corel offers a package that includes CorelDRAW, a high-performance CD-ROM drive and an easy to use CorelDRIVER SCSI interface kit. Corel offers you powerful plug and play solutions for all your CD-ROM needs, as well as access to the hundreds of exciting CDs available.




Ride the CD-ROM and multimedia wave today!



TEL: (613) 728-8200
FAX: (613) 728-9790

Circle 74 on Inquiry Card (RESELLERS: 75).

World Radio History



When you build a better mouse

Microsoft® Mouse devotees number over 6 million, and counting.


Just what kind of mouse inspires people this way?

Well, the kind with a patented ergonomic design and high resolution, 400-points-per-inch tracking.

The kind of mouse that wins the *PC Magazine* Editors' Choice Award and Technical Excellence Award.

Not to mention the Innovation in America Design Award from *Business Week*, the Industrial





e, you build a bigger following.

Design Award from *Industrie Forum* and others.

And incidentally, no mouse works better with another innovation of ours, Microsoft Windows[®] graphical environment version 3.0.

To track down America's num-


ber one mouse, call (800) 541-1261, Department P98.

We'll be happy to point you in the right direction.

Microsoft
Making it all make sense[®]


Short-Document Tests Zoom Out/In

Each program changed from an actual-size view of a page containing a scanned gray-scale image to a full-page view and vice versa; times were averaged. The test was timed until return of program control and was repeated with the graphics hidden.



Go to Page

Each program moved to another page using the Go to Page function; the operation was timed until program control was restored. The page contained line art attached to an EPS file and tracked and kerned text. The test was repeated with the graphics hidden.



Your Microsoft Windows 3.0™ Desktop Publishing Source

Windows 3.0 Desktop Publishing Software	
Adobe Fonts	Call
Adobe Type Manager	65.00
Aldus PageMaker 4.0	509.00
Calera Wordscan Plus	829.00
Corel Draw 2.0	389.00
Eikon Scrapbook +	129.00
Franklin Language Master	79.00
Micrografx Charisma	344.00
Micrografx Designer	469.00
Micrografx Draw Plus	179.00
Micrografx Xport	179.00
Microsoft Word-Windows	329.00
Microsoft Powerpoint	329.00
NBI Legacy	289.00
Reference Grammatik/Win	59.00
Ventura Publisher	549.00
Call for clipart, products not listed...	

JVC Color 2048x1024 Monitors

GD-H6116VFW 16" — \$1495.00

GD-H6120SFW 20" — \$2495.00

Supports: Non-Interfaced, VGA, 800x600, 1024x768, 2048x1024. 20" model meets european standards for low radiation.

FREE. After Dark screen saver.

EPSON ES-300C Scanner — \$1595.00

Supports: 256 Color, B&W, and 256 shades Gray scale. Scanning from 50 to 600dpi. 8.5x11.7 scanning bed.

FREE. Astral/Micrografx Picture Publisher Plus, Cololab, Image-In scanning software.



Call **Today** for the best service and pricing on Microsoft Windows Desktop Publishing products!

(817) 268-1581

**P INFINITE
POSSIBILITIES**

Box 603 - 817 Stratford
Bedford, TX 76095-0603

All brand and product names are trademarks or registered trademarks of their respective companies. Graphics simulate Microsoft Windows 3.0, a product of Microsoft Corporation.



YOUR HARD DISK.



YOUR HARD DISK WITH STACKER.

If you need more megabytes than your hard disk can swallow, don't buy a new drive. Stretch it with Stacker.

Stacker is the fastest, most economical way to safely double your hard disk capacity. Without sacrificing DOS compatibility. It's the new standard in real-time data compression.

- Increase storage 100%
- Compatible with DOS 3.x, 4.x
- Industry's fastest real-time data compression
- Includes disk caching
- Fastest, easiest installation
- Toll-free technical support
- 90-day money-back guarantee

And it's the only product of its kind available in both software and coprocessor versions.

Stacker is fully compatible with Windows 3.0 and all your favorite disk utilities, too. Plus, Stacker includes a powerful disk caching program for added performance.

And when you add the Stacker coprocessor card you also get the fastest data compression in the business.

No wonder there are already over a million satisfied users of Stac's compression technology.

So call today and double your disk capacity tomorrow. You can purchase the Stacker software-only version—perfect for laptops—for only \$149. Or get the entire Stacker high performance system with software and coprocessor card for just \$229.

Order today. Visa, MasterCard, American Express cards accepted.

1-800-522-7822

Or see your local computer/software dealer.

STACKER™

© 1990 Stac Electronics, Carlsbad, CA
Stacker is a trademark and Stac a registered trademark of Stac Electronics




Circle 265 on Inquiry Card (RESELLERS: 266).

World Radio History

Save to Disk


Each program saved the short document under a new name; the operation was timed until program control was restored. Saving the file under a new name ensured that the program saved the entire file, rather than merely updating it.



Print Speed


Each program printed individual newsletter pages; the operation was timed until the return of program control and each page was printed (page drop). The printer was turned on and a trial print was executed to download the PostScript header file prior to benchmark timing. Test results showed the difference between printing in proof mode and quality mode, and differences caused by page content (gray-scale graphics on page 3 and EPS object graphics on page 2). The EPS graphics on page 2 monopolized printer time, and the gray-scale graphics on page 3 monopolized computer time. Page 1, the control page, contained text and graphics (rules and boxes) created within the program.

Spooler programs reduced return-of-control times, sometimes at the expense of longer page-drop times. Programs that included spoolers were tested with and without spooling.



The computing world is a changing place. That's why our new family of universal removable storage products can be easily attached to today's newest systems. Our Parallel Port Interface even connects Bernoulli™ to computers without an expansion slot or SCSI port.

Who says you can't take it with you? The new Transportable and Portable may be lightweight, but they're not light on performance. Bernoulli implements the latest drive enhancements to help you keep pace with your busy schedule.




THE NEW B ANY SYSTEM. ANY

Bernoulli brought worry-free storage to everyone—now you can take it everywhere. Our new Transportable packs all the power and data security of our 44MB removable disk drive into a convenient, AC-powered unit.

PRICES REDUCED UP TO 30%


Here's an inside scoop: get primary and backup storage in one. The Bernoulli Insider fits neatly into leading PC and PS/2 computers. Plus, it gives you unlimited data growth and the security of removable storage.



Long-Document Tests


Reformat Document

Each program globally changed the document's body text from 12-point Times Roman with two points of spacing (leading) to 11-point Times Roman with one point of leading, and vice versa; the two times were averaged. The programs were tested with variation 1 and the first chapter of variation 2.



Create Table of Contents

Each program automatically created a table of contents with accurate page references using 11 tagged chapter titles; the operation was timed until the return of program control. The programs were tested with variation 1 and variation 2. Finesse, PFS: First Publisher, and Publish It do not offer automatic table of contents generation.



BERNOULLI. TIME. ANY PLACE.

You don't have to pamper a Bernoulli. Its patented design flies a flexible disk precisely under the read/write head. Should your system encounter a bump, air impurity, or power loss, the disk simply falls away. The result? Hard-disk performance without the risks.



With all the computing choices out there, why limit your options? Our new universality is a unique innovation that lets you easily attach the same Bernoulli to most any system, giving your data (and budget) protection for tomorrow.


Bernoulli's removable disks are the most rugged available. And we back that up with an unheard-of 5-year Gold Standard Limited Warranty.



BERNOULLI AT A GLANCE

- Disk Configuration - 5.25" half-height 44 MB
- Drive Configurations - single or dual (internal or external) - battery-powered portable.
- Effective Access Time - 22 msec
- Disk Shock - 1,000 Gs
- Mean Time Between Failure - 60,000 hrs.
- Compatibility - DOS, PC, & Ps/2 - Macintosh, OS/2 - Windows, NetWare, UNIX
- Installed Base - 625,000 drives - 3,750,000 disks

InfoWorld Buyers Assurance Seal



For the truly power hungry, the Bernoulli Dual gives you up to 89MB of removable on-line storage with a 22msec effective access time and unlimited off-line capacity. It makes disk-to-disk copies in under three minutes. That's performance for the real world—at a price that's been reduced up to 30 percent.



ANY QUESTIONS?

The rest of the Bernoulli story—including our new, lower prices—is just a phone call away. Dial 1-800-777-4211 for the location of your nearest dealer and we'll rush you a free copy of this limited-edition, 18-page brochure. It's packed with everything you need to know about removable data storage. Any way you like it.




World Radio History

Circle 145 on Inquiry Card (RESELLERS: 146).

Print Chapter 6

Each program printed a three-page chapter located near the middle of the long document; the operation was timed until the return of program control. The programs were tested with variation 1 and variation 2, with and without spooling. The printer was turned on and a trial page was printed to download the PostScript header file before benchmark timing began.



Quality Tests

Display Quality

NSTL evaluated each program's ability to represent final printed output on screen; of particular importance were the display quality of headline text, body text, and imported graphics.

	Finesse	PageMaker Windows	PFS: First Publisher	Publish It	Ventura DOS/GEM	Ventura Windows
Display Quality	7.0	9.5	3.5	5.5	9.3	9.3
Headline Text	3.0	5.0	3.0	3.0	5.0	5.0
Body Text	4.0	5.0	1.0	4.0	5.0	5.0
Page 3 Graphic	2.0	4.0	1.0	3.0	3.5	3.5
Page 2 Graphic	5.0	5.0	2.0	1.0	5.0	5.0

1=Poor
4=Above Average

2=Below Average
5=Excellent

3=Average

Print Quality of the Short Document

NSTL evaluated each program's short-document print-out for the quality of its headline and body text, table formatting, and rendering of imported graphics files.

	Finesse	PageMaker Windows	PFS: First Publisher	Publish It	Ventura DOS/GEM	Ventura Windows
Short Document	6.4	10.0	3.2	8.4	10.0	10.0
Headline Text	3.0	5.0	2.0	4.0	5.0	5.0
Body Text	4.0	5.0	3.0	4.0	5.0	5.0
Page 3 Graphic	2.0	5.0	1.0	3.0	5.0	5.0
Page 2 Graphic	3.0	5.0	1.0	5.0	5.0	5.0
Product List Table	4.0	5.0	1.0	5.0	5.0	5.0

1=Poor
4=Above Average

2=Below Average
5=Excellent

3=Average

Print Quality of the Long Document

NSTL evaluated each program's long-document print-out for the quality of its headline and body text, hyphenation and justification, and headers and footers. NSTL also considered the program's ability to enhance the publishing process with index and table-of-contents generation and by establishing and maintaining cross-references.

	Finesse	PageMaker Windows	PFS: First Publisher	Publish It	Ventura DOS/GEM	Ventura Windows
Long Document	5.2	8.6	3.2	6.2	9.4	9.4
Headline Text	4.0	5.0	3.0	4.0	5.0	5.0
Body Text	3.0	4.5	2.0	4.5	4.5	4.5
Headers & Footers	3.0	4.0	1.0	3.0	5.0	5.0
Hyphenation & Justification	2.0	4.0	1.0	3.0	5.0	5.0
Index Creation & Maintenance	1.0	4.0	1.0	1.0	4.0	4.0

1=Poor
4=Above Average

2=Below Average
5=Excellent

3=Average

Document Enhancements

NSTL evaluated each program's features for enhancing the quality of printed output, including the number of predesigned templates, typeface and page-description language support, kerning and tracking, named-style formatting, hyphenation and justification, numbering and referencing, table formatting, drawing, graphics manipulation, image control, and color support.

Table on following page →

Sometimes the best way to solve a problem is to put two heads together. That's why OCR Systems, Inc. and ZyLAB Corporation—developers of the leading OCR and text search/retrieval products—have teamed up to offer you a special software bundle of their new Windows 3.0 products. ReadRight for Windows and ZyINDEX for Windows will make document management easy for you. Not to mention affordable.

First, Text Recognition . . .

Even the power of Windows 3.0 won't help you to manage your documents while they're still on your desk. But with ReadRight for Windows and your full-page scanner, you can convert your paper documents to text files that you can use in your favorite software applications. ReadRight for Windows is an omnifont OCR product that offers you the highest level of accuracy (99.9%) at an affordable price. And with plenty of features to help you tackle your paper documents.



Like a built-in dictionary that enhances ReadRight's already impressive accuracy. You can even add your own words to a user dictionary. And with the pop-up error checker, you can proof the recognized text against the scanned image without ever looking back at the original document.

ReadRight automatically separates text from graphics, even on pages with complex formats, for faster text recognition. Or if you don't want to put the whole page online, you can clip the paragraphs that you want ReadRight to recognize. You can design templates to quickly process pages with similar layouts. And ReadRight handles stacks of pages, single- or double-sided. You can even defer processing so your computer isn't tied up when you need it.

ReadRight reads practically any page—typewritten, type-set, laser-printed, NLO dot matrix, and fax images. Even text that's bold, underlined, or italics, from 6 to 72 points. And ReadRight outputs the text directly into the formats of your other software applications.

. . . And Then Text Retrieval . . .

Once you've recognized your documents with ReadRight, ZyINDEX for Windows can help you to find those documents when you need them. With ZyINDEX, you can simultaneously search through all of your online documents—200,000 pages or more, even entire networks—with results in less than 3 seconds!



Document Management for Windows.

Prepare your entire drive for searching with just one keystroke. So if you work on a network or with frequently updated text, you don't have to go through long procedures to find new information.

And searching is easy. To find a word, just enter it. All instructions are in plain English on the screen when you need them.

ZyINDEX provides a full set of search techniques. Like Boolean logic (AND, OR, NOT) searches. And wildcards so you can find forms of words—such as "combine," "combination," and "uncombined"—in the same search. You can even do proximity searches to find documents that contain words which you know will appear near each other. Or search by phrases, so if you're looking for "New Jersey," you don't also find "New York" and "New Mexico."

ZyINDEX simultaneously searches text located across multiple subdirectories and drives, regardless of the document format.

Select any document for viewing. Browse or jump from document to document or "hit" to "hit." Scroll through entire documents at will.

ZyINDEX displays every occurrence of your search request and highlights the word, phrase, or date you're looking for. Once found, you can copy and paste, print, and/or report.

. . . For An Unbeatable Combination!

And an unbeatable price. Sold separately, these two products total \$895. But through September 1, you can buy ReadRight for Windows and ZyINDEX for Windows together at a special price of \$595. That's a \$300 savings.

To take advantage of this limited time offer or for further information, call

(800) 233-4627.

Free working demonstration disks are available.

Circle 309 on Inquiry Card (RESELLERS: 310).

ReadRight for Windows™
The #1 OCR Software

OCR Systems, Inc.
1800 Byberry Road, Suite 1405
Huntingdon Valley, PA 19006
(215) 938-7460 Fax (215) 938-7465

ZyINDEX™ for Windows
The #1 Search/Retrieval Software

ZyLAB Corporation
100 Lexington Drive
Buffalo Grove, IL 60090
(708) 459-8000 Fax (708) 459-8054

PageMaker and Ventura Publisher: Composition Techniques

One of PageMaker's greatest compositional strengths is an electronic pasteboard that provides users with quick access to text elements and easy on-screen manipulation of graphics and text. The pasteboard approach lends itself well to the assembly of short documents with varying page specifications—newsletters, brochures, and the like. It gives users a rough idea of how documents will look when printed, and they can then tinker with the placement or formatting of blocks of text and graphics.

Ventura Publisher, on the other hand, offers a style-sheet file that contains page, paragraph, and character information, as well as information about simple graphic elements, such as rules and boxes. The process of breaking out and defining individual elements of a document requires some planning and initial concentration that can be postponed using PageMaker's pasteboard method—hence PageMaker's higher ease-of-learning scores. The payoffs for time spent in planning and document setup in Ventura Publisher are the ease, precision, and flexibility with which you can globally manipulate text and graphics. Ventura Publisher is best for document layouts that vary little from page to page and from production deadline to production deadline. Since the page formatting of book-length documents tends to be simple and requires more powerful global formatting controls, Ventura is at its best when used to produce long documents.

Something Borrowed...

Aldus and Ventura have added elements to make their programs more useful in the other's area of strength, but overall the programs' respective areas of expertise remain largely unchallenged.

Aldus has gradually introduced paragraph-level style sheets in PageMaker, adding a good deal of global formatting control, but this control is less precise than it is in Ventura. Ventura Publisher users can apply formatting hierarchically at document, page, text-block (frame), and character level. More recently, Aldus expanded PageMaker's capabilities to include indexing and creation of tables of contents, but PageMaker's long-document capability still lacks the key elements that distinguish Ventura Publisher.

Ventura has changed its product's preview of facing pages so that it now permits text formatting and editing. Users still cannot move blocks of text or graphics between the facing pages as they can in PageMaker, however.

Vendors of PC-Based Desktop Publishing Software Not Reviewed

Frame Technology Corp.
1010 Rincon Circle
San Jose, CA 95131
(408) 433-3311

Interleaf, Inc.
10 Canal Park
Cambridge, MA 02141
(617) 577-9800

Personal Tex, Inc.
12 Madrona Ave.
Mill Valley, CA 94941
(415) 388-8853

Power Up Software Corp.
2929 Campus Dr.
San Mateo, CA 94403
(415) 345-5900

Quark, Inc.
300 South Jackson St.
Ste. 100
Denver, CO 80209
(303) 934-2211

Unison World
1321 Harbor Bay Pkwy.
Alameda, CA 94501
(415) 748-6670



Desktop Super VGA Color System

- PCI 386SX-20MHz **\$1,545**
- PCI 386-25MHz **\$1,745**
- 4MB RAM • 85MB IDE HD (19ms)
- 1.2 & 1.44MB FD • 16 bit Super VGA Card with 1MB RAM
- 14" Super VGA Color Monitor
- 2 Serial, parallel and game ports • 101-key keyboard
- Case & power supply • DOS 4.01 or 3.3
- Windows 3.0 with mouse • 30 days money back guarantee
- PCI 386-33 **\$1,895**
- same as above configuration • 64K Cache memory
- PCI 486-25 **\$3,095**
- PCI 486-33 **\$3,395**
- same as above configuration • 256K Cache memory
- 200 MB IDE HD (14.5MS)

Notebook 386sx ..\$2,095

- 2MB RAM • 1.44MB FD
 - 40MB HD • Serial or parallel
 - Built-in mouse & scanner ports
 - Ext. keyboard port
 - Ext. monitor port
 - Carrying Case
- Fortune 1000 companies,
Universities and
Governments purchase
orders welcome.
- All systems come with 2
years labor + 1 year
parts warranty.
Free lifetime toll free
technical support.

LCD VGA Portable

- 386SX-20MHz **\$1,595**
- 386-25MHz **\$1,795**
- 386-33MHz **\$1,945**
- 1MB RAM • 1.2MB & 1.44MB FD
- 42MB hard disk
- LCD 640x480 screen
- LCD VGA display
- Serial and parallel
- 86 key detachable keyboard
- 200W power supply
- 9.1" (H) x 7.5" (D) x 16.1" (W)
- 486-25 MHz **\$3,145**
- 486-33 MHz **\$3,645**
- 256K Cache Memory
- 4MB RAM
- 200 MB IDE HD (14.5MS)

Plasma VGA Portable

- 386SX-20MHz **\$1,795**
- 386-25MHz **\$1,995**
- 386-33MHz **\$2,145**
- 1MB RAM • 1.2MB & 1.44MB FD
- 42MB hard disk
- Plasma VGA 640x480 screen
- Plasma VGA card
- Serial and Parallel
- 86 key detachable keyboard
- 200W power supply
- 9.1" (H) x 7.5" (D) x 16.1" (W)
- 486-25 MHz **\$3,445**
- 486-33 MHz **\$3,945**
- 256K Cache Memory
- 4MB RAM
- 200 MB IDE HD (14.5MS)

OFFICE HOURS: MON-SAT 8:30AM-5:30PM PST


Price Subject To Change Without Notice

PACIFIC COMPUTERS

Circle 213 on Inquiry Card.



9945 LOWER AZUSA, TEMPLE CITY, CA. 91780
TOLL FREE 800/346-7207 • FAX: 818/442-9112



WIDE-AREA NETWORKING

Circling the world in 80 days was once considered quite a feat. Today, however, if it takes 80 seconds to move data that far, we lose patience. We have become accustomed to the nearly instantaneous accessibility of information. We have come to expect the miraculous.

As in the movie *Around the World in 80 Days*, where Phineas T. Fogg combined a variety of modes of transportation to accomplish his goal, today's trip around the world, across the country, or throughout your enterprise may involve combining a variety of networks in a variety of ways into a wide-area network (WAN). Some sections of the trip may be through private or proprietary networks, while others take their turn on public data highways.

Wide-area networking includes many different types and levels of connections and provides the means for connecting remote sites—and/or LANs—into a single system across one or more networks. In "Remote Connections," Roedy Green looks at various ways of connecting remote systems—similar or dissimilar, networked or not—into a single network, as well as the pitfalls you can run into when you ignore the fact that they're still physically separate systems. In the text box "You've Been Framed," Bob Ryan describes frame relay, a new technology that significantly improves the throughput speed of X.25 connections.

ISDN is another way to connect remote systems. I know, I know—"ISDN is old hat," and it seems to have atrophied and died on its painfully slow road to market. But take note: There may be life in the old girl yet. A number of major ISDN companies and organizations have at long last signed an implementation agreement. In the text box "ISDN: Is It or Isn't It?" Janet J. Barron examines National ISDN 1.

Actually implementing a WAN within the confines of a multilocation—or even multinational—corporation involves a great deal more than just finding out what connections you can make, however. You need specifics. You need to consider a myriad of details and choices to create the appropriate configuration for your business. In "Create a WAN," Peter Stephenson discusses the five main steps necessary to implement a corporate WAN. In the accompanying piece, "Selecting a PDN," he describes some of the public data network offerings available.

One data network not yet available is the National Research and Education Network. While there is broad-based agreement on the need for such a service, the subject of who should fund and sponsor it causes significant disagreement. In "Whither NREN?" Sharon Fisher looks at this network—its potential advantages and liabilities and opinions for and against it. In the text box "Feeding the Internet," she describes the Internet, a network also devoted to research and education, and NREN's forerunner.

BYTE is also pleased to present the case for NREN as made by its main congressional proponent. In the text box "A National Vision," U.S. Senator Al Gore eloquently explains why the U.S. needs NREN to compete in a global marketplace.

At today's pace of life, 80 days seems too long to wait for anything. Certainly, in a global marketplace, we need the best and fastest communications possible to remain competitively in sync with Germany, Japan, Taiwan, and other nations. Even the values of our respective currencies change constantly.

Wide-area networking can forge the connections to keep us constantly in touch around the world. Then we can reserve *Around the World in 80 Days* for the pure enjoyment of leisurely travel—or for a spot in our video libraries.

—Jane Morrill Tazelaar
Senior Editor,
State of the Art

Remote Connections

BY ROEDY GREEN

161

You've Been Framed

BY BOB RYAN

ISDN: Is It or Isn't It?

BY JANET J. BARRON

Create a WAN

BY PETER STEPHENSON

169

Whither NREN?

BY SHARON FISHER

181

Feeding the Internet

BY SHARON FISHER

A National Vision

BY U.S. SENATOR AL GORE

Resource Guide: Public Data Networks

190



The best got better.




SYSTAT 5.0's new menus make the top-rated statistical program even easier to use.



V 4.1



SYSTAT is the *only* package to receive these three awards.



New Features Menus or commands — your choice • Rewritten documentation includes statistics tutorials • Fast, built-in drivers for SYGRAPH • Global mapping and many new plots • Multi way repeated measures • Means model for missing cells designs • Post-hoc tests • Interactive stepwise regression.

Statistics Basic statistics, frequencies, *t*-tests, post-hoc tests • Multi way crosstabs with log-linear modeling, association coefficients, PRE statistics, Mantel-Haenszel, asymptotic standard errors • Nonparametric statistics (sign, runs, Wilcoxon, Kruskal-Wallis, Friedman two-way ANOVA, Mann-Whitney U, Kolmogorov-Smirnov, Lilliefors, Kendall coefficient of concordance) • Pairwise/listwise deletion of missing values, Pearson correlation, SSCP, covariance, Spearman, Gamma, Kendall Tau, Euclidean distances, binary similarities • Linear, polynomial, multiple, stepwise, weighted regression with extended diagnostics • Multivariate general linear model includes multi way ANOVA, ANCOVA, MANOVA, repeated measures, canonical correlation • Principal components, factor analysis, rotations, components scores • Multidimensional scaling • Multiple and canonical discriminant analysis, Bayesian classification • Cluster analysis (hierarchical, single, average, complete, median, centroid linkage, k-means, cases, variables) • Time series (smoothers, exponential smoothing, seasonal and nonseasonal ARIMA, ACF, PACF, CCF, transformations, Fourier analysis) • Nonlinear estimation (nonlinear regression, maximum likelihood estimation, and more).

Graphics Overlay plots • Drivers for most graphics devices • *Two-dimensional:* Error bars • Scatterplots • Line and vector graphs • Vector, dot, bubble and quantile plots • Bar graphs (single, multiple, stacked, range) • Box plots (single and grouped) • Stem-and-leaf diagrams • Linear, quadratic, step, spline, polynomial, LOWESS, exponential smoothing • Confidence intervals and ellipses (any alpha value) • Smooth mathematical functions • Rectangular or polar coordinates • Log and power scales • ANOVA interaction plots • Histograms (regular, cumulative, fuzzy) • Stripe and jitter plots • Gaussian histogram smoothing • Scatterplot matrices • Voronoi

tessellations • Minimum spanning tree • Maps with geographic projections (U.S. state boundary file included, county and world boundary files available) • Chernoff faces • Star plots • Fourier plots • Pie charts • Contour plots on regularly and irregularly spaced points • Control charts and limits • *Three-dimensional:* Data plots • Smooth function plots • Vector plots • Linear, quadratic, spline, least squares surface smoothing • Typefaces that print in perspective.

Data Management Import/export Lotus, dBase, and DIF files • Full screen data editor • Full screen text editor • Unlimited cases • Missing data, arrays, character variables • Capability to process hierarchical, rectangular or triangular files, irregular length records • Character, numeric, and nested sorts • Merge and append large files • Unlimited numeric and character variable transformations • Subgroup processing with SELECT and BY • Value labels and RECODE statements • Macro processor with programming language, screen control, file manipulation, applications generation, and report writing.

SYSTAT operates on IBM PC's® and compatibles, MS-DOS®, VAX®/Microvax and Macintosh®. Site licenses, quantity prices and training seminars available. No fees for technical support.



SYSTAT. Intelligent software.

For more information call or write: SYSTAT, Inc. 1800 Sherman Avenue, Evanston, Illinois 60201-3793 Tel: 708.864.5670 Fax: 708.492.3567
For international representatives call: **Australia** 61.3.4974755, **Canada** 416.424.1700, **Finland** 358.0.6923800, **France** 33.1.40935000,
Germany 49.61.265950, **Italy** 39.587.213640, **Japan** 81.3.5902311, **New Zealand** 64.71.562675, **Norway** 47.3.892240, **Sweden** 46.8.110620,
Switzerland 41.31.416611, **The Netherlands** 31.3402.66336, **UK:** Letchworth 44.462.482822, London SE 44.81.6926636, London SE 44.0753.841688

Circle 273 on Inquiry Card (RESELLERS: 274).

REMOTE CONNECTIONS

A WAN can turn all your sites into one seamless whole?

Don't you believe it.

ROEDY GREEN

In the broadest sense, a wide-area network (WAN) is a group of computers that are both physically separated by long distances and logically tied together. In the narrowest sense, it is a bridge that connects remote LANs so they look like one big LAN.


In WANs, the three most important factors are speed, speed, and speed. When I was working in a lab doing solar-energy research, we needed to send data to a mainframe computer 30 miles away. My boss wanted to use a modem to send the data by phone line. I argued that this method would be too slow and suggested sending magnetic tapes via the company mail system. But since he was the boss, I did as he asked.

When the programming was complete, I pulled a John Henry: I started up the file transfer by modem, and then I walked out to my bicycle with a tape under my arm and rode the 30 hilly miles to the mainframe. I arrived long before the modem file transfer was completed.

People often think that you only have to connect the two computers to solve such a problem; they fail to realize just how slow modems really are. Figure 1 gives you an idea of the magnitude of the problem.

A WAN has two primary functions: to allow people who are geographically separate to share common information and to let them send messages to each other. To accomplish either of these functions, the appropriate LANs (and their respective computers) must be connected.

There are six main ways to establish these physical connections: dial-up telephone lines, dedicated analog leased






Figure 1: When you compare the transfer rates of modems, disk drives, and even high-speed fiber-optic lines with the internal speed of a 33-MHz 386, you can see how far telecommunications still has to go to clear the bandwidth bottleneck: If the 33-MHz bar were drawn without a break, it would be about 10 inches long. (The numbers shown are approximate theoretical raw speeds in characters per second. The scale shown is roughly 1 inch = 6,600,000 cps.)

lines, dedicated Dataphone Digital Service (DDS) leased lines, packet-switched networks, ISDN, and fiber optics. (X.25 packet-switching is being challenged by frame relay. For more information, see the text box "You've Been Framed" at right. Changes are in the wind for ISDN, too. For more information, see the text box "ISDN: Is It or Isn't It?" on page 166.) In addition, you need a lot of software.

BYTE ACTION SUMMARY

A wide-area network connects remote LANs and ties remote computers together over long distances. Its purpose is to enable the sharing of information among remote users. A WAN can accomplish this whether the computers are similar or dissimilar and whether the protocols are compatible or not. Complexity may be more difficult, but it's not impossible.

The OSI Layer Cake

The Open Systems Interconnection (OSI) Reference model breaks the software puzzle down into seven independent pieces, or layers (see figure 2). This kind of layering is analogous to structured modular programming: It creates a relatively bug-free, easy-to-modify, easy-to-maintain system.

The application layer is the highest level. It interfaces with users, fetches information from databases, and transfers whole files. It is the *raison d'être* of the whole process. The application layer is not in the least concerned with *how* any of this work gets done. It delegates those problems to the next level down, known as the presentation layer. As a capable administrator, the application layer never directly meddles with any layers below the presentation layer. The application layer always accomplishes its ends by making requests of presentation-layer services.

The presentation layer compresses transmissions and encrypts them for security. It foists off the transmission details on the next-lower level, the session layer.

The session layer makes the initial contact with other computers and sets up the lines of communications. It uniquely names all the different players that want to talk with each other. The session layer passes the buck to check for messages received to the next lower level, the transport layer.




Figure 2: The Open Systems Interconnection Reference model breaks software into seven independent pieces to simplify programming, modification, and maintenance. It separates the pieces by functionality.

The transport layer is the auditor in charge of checking that all data is received correctly, end to end, even if it had to be relayed via several intermediate computers. The transport layer may also break long messages into convenient-size packets. It delegates the work of sending the packets to the next lower level, the network layer.

The network layer plans the routing of the packets; they may need to travel over

You've Been Framed

Bob Ryan

In the future, the most important function of a wide-area network (WAN) will be to connect LANs. Presently, you can characterize most wide-area LAN-to-LAN connections in one of two ways: expensive or slow. Frame-relay technology promises a middle path.

Companies with a lot of cash and very few networks to connect can always establish dedicated T1 point-to-point links between all the LANs on the network. Such a circuit-switched network provides high-speed interconnections, but the price is high, not only in terms of cost, but in efficiency and flexibility. For example, adding another network to a six-network mesh would mean establishing six additional T1 connections.

The X.25 Route

Most companies with multiple LANs to connect opt for either public or private X.25 packet-switching networks. X.25 is an international standard for encapsulating data with the routing information necessary to transmit it over a network of X.25-compliant switches. X.25 is characterized by robust error checking that virtually ensures error-free transmission.

The reason for X.25's robustness in error handling can be found in its roots in the 1970s, when the telecommunications infrastructure was primarily analog. Digital switches and fiber-optic channels that provide digital end-to-end connectivity were still in the future, as were vastly improved analog transmission technologies. Robust error handling was a must.

The drawback to this robustness is throughput. Assembling an X.25 packet at the LAN-to-WAN interconnection is a time-consuming process, so much so that the fastest LAN links to an X.25 network are normally 56,000 bps. That, in addition to the fact that X.25 packets are checked for errors at every switch along their route, means that X.25 networks simply don't have the bandwidth to seamlessly interconnect multiple LANs.

Frame-Relay Packets

Frame-relay technology is a recent development in packet switching that recognizes the advances made in the past 20 years in both the communications infrastructure and the processing power that can be brought to bear in network interconnection devices. Sometimes described as a subset of X.25, frame relay actually has its roots in efforts to give ISDN a packet-switching capability. The most exciting benefit of frame-relay networks is that they are expected to provide up to 10 times the throughput of X.25 networks.

In contrast to X.25, which resides in both the network and data-link layers of the Open Systems Interconnection model, frame relay resides within the data-link layer only, thus eliminating much of the X.25 overhead. In fact, the 48 bits used to encapsulate a frame-relay packet is only 20 percent to 25 percent of the overhead of a typical X.25 packet.

As a data-link protocol, frame relay deals with how packets are assembled and routed over a network. Frame relay also deals with multiplexing different data streams. Unlike X.25, which multiplexes individual data streams in the network layer, frame relay uses the link-access protocol of the ISDN D-channel, which performs multiplexing in the data-link layer. By avoiding services handled by the processing-intensive network layer, frame relay speeds up throughput dramatically.

One of the biggest differences between X.25 and frame relay is in error correction. A frame-relay packet is checked for errors only when it is sent to or received from the network. Thus, error checking is relegated to the periphery of the network, which is then free to concentrate on routing packets. Frame relay recognizes the ability of modern interconnection devices to handle error detection and correction (and other functions), freeing the network to move packets more expeditiously.

With frame relay's low overhead requirements, companies can offer T1 interconnections to the network back-

bone. Instead of offering a bandwidth limited by a 56,000-bps interconnection, frame relay offers LAN-to-LAN connections that are 10 percent or more of local LAN speed. The effect is a logical network comprising all the LANs attached to the frame-relay backbone.

Frame Relay Goes Public

Although the frame-relay standard has yet to be finalized, vendors are rushing frame-relay services and products to market based on specifications that have been published by CCITT and ANSI. Any changes required down the road to comply with the final standard will be dealt with through software upgrades.

Many vendors, including AT&T, StrataCom, and Northern Telecom, are currently shipping frame-relay equipment, and many more plan to ship this year. In the services area, WilTel became the first long-haul carrier to make a public frame-relay service available when it began its service in March. CompuServe, GTE/Sprint, and BT Tymnet have announced that they will have public frame-relay services in place by the end of the year.

Even the Bellcore companies, which have invested heavily in switched-multi-megabit data services (SMDS), are taking another look at frame-relay technology, with NYNEX and Pacific Bell committed to testing. Network managers' desire to link their far-flung LANs as soon as possible may adversely affect the acceptance of SMDS, which will lag behind frame relay in the marketplace.

Frame relay will usher in a new era in LAN-to-LAN wide-area connectivity. It will let companies link their disparate LANs into a logical whole while maintaining a level of throughput unattainable with X.25. As LANs become standard in businesses both large and small, frame relay will ensure that geographically separated LANs act together as an integrated whole.

Bob Ryan is a technical editor for BYTE's State of the Art section. You can contact him on BIX as "b.ryan."

Let Me Count the Ways

You don't necessarily have to have a LAN tying two remote computers together to exchange data. There are other methods. Here are some approaches to consider, starting with the simplest.

- *Direct modem-to-modem file transfer:* In the simplest method, you fit each computer with a modem and some general-purpose communications software, such as Procomm. Then you play telephone tag until the two computers connect and you can transfer the file.

You can use a protocol that automatically corrects errors and lets you pick up where you left off if the connection breaks partway through. However, such a protocol isn't intelligent enough to redial on its own if the line is busy.

- *Single-user BBS:* One end of the connection runs unattended with some special software, such as TBBS (eSoft, Aurora, CO) or Wildcat (Mustang Software, Bakersfield, CA). You call into the BBS to either upload or download files, and you communicate with other users by leaving messages or files for them.

The BBS requires less labor than the modem method, since one end runs unattended; if you use scripts, both ends can run unattended. However, you may get a busy signal when you call.

- *E-mail service:* This type of connection acts much like a BBS: You drop off E-mail at an electronic post office, and other users pick it up later. Mail consists of messages and files. However, there are several differences.

An E-mail user interface tends to be simpler than a general-purpose modem

utility. Some E-mail services handle mail in the background so you can continue using your computer for other tasks. E-mail is designed to handle more callers than a BBS, so you rarely get a busy signal. And if you do, most E-mail software automatically reschedules the call for a few minutes later.

However, the biggest difference between a BBS and E-mail is in scope. BBSes are designed for use primarily within a single city. You must call long-distance to use a remote BBS. To use a remote E-mail system, you make a local call to the packet network (e.g., Tymnet in the U.S., Datapac in Canada, Telepak in Sweden, or Telepac in Singapore). The packet network then relays your mail, halfway around the globe if necessary, to the central-post-office computer. Because the packet network is all digital and the E-mail software automatically corrects errors, including disconnects, mail almost always arrives error-free without manual intervention.

However, you cannot hold a real-time conversation with someone on E-mail; you have to exchange mail messages. Also, you must send mail to a particular person or group of people; you can't just post messages for any interested party to read, the way you can with a BBS or conferencing system like BIX. And you can't share a common database.

- *Terminal emulation:* The first CRT capable of sharing a telecommunications line with other terminals, the IBM 3270, was a smashing success; thousands are still in use in many of America's largest corporations.

You often find perfectly capable personal computers pretending to be one of these old 3270 terminals. They careful-

ly emulate all its eccentricities and mask their own native intelligence. It is as if two capable ambassadors from the U.S. and the U.S.S.R. decided to conduct their discourses in baby talk.

The 3270 interface is stable and well understood, however, and you can easily tie into existing mainframe programs designed to work with 3270s. In addition, the terminal itself has evolved over the years so the modern SDLC emulations are more efficient than the old BSC ones.

- *Remote-control software:* With remote-control software, such as PCAnywhere (DMA, Huntington, NY), CloseUp (Norton-Lambert, Santa Barbara, CA), and Carbon Copy Plus (Microcom, Norwood, MA), you can work on problems on a computer anywhere you are without having to go to its particular location.

For example, you can phone a computer, remotely control its keyboard, and see what's on its screen. You can run programs on it—the programs run at full speed—and even reboot it.

Behind the scenes, the software notes changes to the remote screen and sends them to your computer. When you press a key, the software in your computer informs the corresponding software in the remote machine, which in turn fools that computer into thinking that the key was pressed locally.

Suppose you have a LAN with four workstations, and you add one more that sits unattended and is equipped with a modem. In the field, the salespeople have laptops and remote-control software. When they want to use the system, they dial into the dedicated station. They can then use the LAN exactly

several segments to get to their final destinations. It looks for alternative uncongested routes and acts much like an air-traffic controller. However, the network layer just plans the routes; it doesn't actually send any data. That's the job of the next level, the data-link layer.

The data-link layer is also an auditor, in charge of ensuring that each packet travels safely through its route. However,

the data-link layer's concerns are local—one segment of the journey. If a packet arrives garbled, the data-link layer arranges to have it re-sent. In contrast, the transport layer ensures end-to-end delivery.

Finally, the physical layer is at the very bottom of the stack. It mindlessly sends a string of bits from one computer to another. Whether or not the data ar-

rives garbled is not the physical layer's problem. The supervisory work of all the higher levels simplifies the physical layer's job to just shoveling bits.

Some of the different ways you can transfer information between remote computers fit the OSI model, but most do not. The text box "Let Me Count the Ways" above discusses various transfer options.

as if they were sitting at that workstation. The LAN is unaware that the workstation is remotely controlled and treats it like any other attended workstation.

The big advantage of this method is there is no special programming. You just take a normal LAN or stand-alone application and add remote-control software, and, instantly, you can run the application remotely. The disadvantages are that you tie up a computer full-time, doing nothing but answering the phone. Busy signals can slow you down, and you need a direct long-distance connection. But the method works well if you make complex queries.

- *File-server model:* When most people think of a wide-area network, they think of software that links them with a file server on a remote LAN. The software makes the remote file server appear to be local. Unfortunately, this is just about the least efficient way to use your telecommunications resources.

A file server is a brain-dead slave with limited capabilities. It can either fetch some bytes off the disk or store them there. The file server isn't bright enough to do any filtering for you. Consider what would happen if you ran a program to sequentially sift through 10,000 database records, summarizing a select few into a one-page report: The file server would transmit every single record in the database to you over the phone line, insisting that you select the small subset of interest yourself. The file-server approach is appropriate only if you are careful never to request large amounts of disk I/O inadvertently.

- *The time-sharing model:* Time-sharing makes exactly the opposite assumption. It presumes that the central database server is large, powerful, and intelligent. This view usually errs a little

too far in the other direction.

You run a large program remotely on the central computer. This program has only one purpose: to serve one remote user. It is oblivious to all the other users and does no work for them; it sits and waits patiently for you to enter more information. It remembers what you keyed in previously and adjusts itself based on that history.

There are four major drawbacks to this approach. First, the main computer has to run a different program for each remote user, and it must run these programs simultaneously. This requires quite a bit of RAM. There are two primary ways to lower overhead: swap to disk and keep only one copy of a program in RAM while making it look like there are two independent copies. Time-sharing systems tend to bog down with the overhead.

Second, these remote-control programs are largely unaware of what other slave programs are doing. None has a bird's-eye view of the whole. The programs tend to stumble about in the dark tripping over each other, using primitive record-locking mechanisms for coordination.

Third, traditionally, time-sharing paradigms presume you are sitting at a teletypewriter. Thus, they rarely exploit any remote intelligence. And fourth, if the system crashes, it is hard to reconstruct a time-sharing system the way it was just before the crash.

Time-sharing works best for statistical inquiry rather than specific record inquiries or updates. It is not well suited to updating shared databases, but it is the only way to go for ad hoc data analysis. The main advantage of time-sharing is that only the distilled essence of the data needs to be transmitted, since the central computer can read thousands of records and summarize them in a few bytes.

- *Transaction processing:* The airline industry and banks think in terms of transaction processing (TP). Remote stations create a concise request packet describing a discrete unit of work to be done, such as "make a reservation," "deposit \$100," or "ask how many seats are available on the Los Angeles-to-New York flight next Christmas Eve."

The remote station carefully hones the packet down to the bare bones and sends it off. At the central site, packets arrive from a variety of locations. They are routed to the program that specializes in handling their specific transaction type. A specialist program can maintain an overview of what is happening companywide. For example, the program that handles bank deposits can maintain RAM-based running balances for each teller and for the bank as a whole. The central computer then sends back a result packet that is compressed as tightly as possible. The remote station decompresses the information and displays it.

Coordination can be very simple in a TP system. Since only one routine handles all the deposits, it doesn't need to coordinate its efforts with hundreds of other interfering processes. It only needs to coordinate with a single withdrawal-handling routine. As in time-sharing, the TP routines may call on database engines such as Structured Query Language to perform complex inquiries.

TP is an efficient electronic assembly line. It is the method of choice when you have high volumes of repetitive work. It makes optimal use of both the central computer's resources and the transmission lines. Banks love TP because if the system crashes, they can replay a log of the neatly unitized transactions and accurately reconstruct the database the way it was just before the crash.

Proper Protocol

A protocol could be considered a system of etiquette; it is a rigidly formal, very terse language of numeric codes computers use to control the flow of messages between them. There are many different protocols. There are separate ones for each layer in the OSI hierarchy and hundreds of possible variations in them across the different levels. Since OSI's

ascendancy is recent, all the older protocols and many of the newer ones violate its guidelines.

In order for two computers to communicate successfully, they both have to agree on a common set of protocols. If the two computers cannot find a protocol that they both speak, you need a translating device to create a bridge between them.

The protocol match between computers has to be absolutely perfect; if people worked the way computers do, you would need to hire a translator anytime someone in Texas phoned someone in London, just because they have a few small differences in the way they use the English language. I cannot stress the importance of rigidly standard, common protocols enough.

continued

ISDN: Is It or Isn't It?

Janet J. Barron

Because of a number of inherent problems, the coming of ISDN has become an industry joke. During its lengthy evolution, computer users had just about given up hope of its ever becoming a reality. Many have dubbed ISDN the ultimate "virtual technology."

But on February 26, Mike Walter, vice president of sales and marketing for the Corporation of Open Systems (COS), announced a development that may put the "oomph" back into the push to deploy ISDN. The announcement disclosed the commitment of a variety of major ISDN companies and organizations to an implementation agreement called National ISDN 1.

The agreement aims to standardize some of the interfaces, protocols, hardware, and software whose compatibility is essential to making the use of ISDN ubiquitous and transparent (see "The Ultimate Link?" in the July 1988 BYTE). It's called "National" ISDN 1 because certain facets of U.S. and international ISDN environments are not totally compatible. The National ISDN 1 agreement proposes to standardize the ISDN technology across the board in the U.S., but it will not yet address the issue of global compatibility.

Walter states that, with the new agreement, ISDN services "will be widely available by late 1992. Through the implementation of standards, ISDN capabilities, such as the interconnection of personal computers or video trans-

mission, will become as widespread and as easy as placing a voice call is today." The upshot of this agreement is that the technology could finally move forward at a rapid pace. You may at last find yourself able to send and receive voice and data—and even video in a basic form—end-to-end over the telephone that already sits on your desk.

"For the first time, an industrywide consensus has been reached to develop and deliver, by late 1992, ISDN services in the public telephone network based on a standard set of technical specifications and implementation agreements," stated Walter.

Promises, Promises . . .

Analysts predict that by the end of this year, approximately 192,000 ISDN lines will be installed and operating domestically. Unfortunately, many of the users of these lines will not be able to communicate with other ISDN users because of the present incompatibility of equipment among different vendors' switches. This phenomenon is known as *island ISDN*.

The Regional Bell Operating Companies (RBOCs), switch and Customer Premises Equipment (CPE) vendors, standards organizations, and users all have high hopes for the potential that ubiquitous ISDN 1 offers. But is it simply another case of too little, too late? Many believe that ISDN is a technology that should have been put in place at the beginning of the microcomputer age and

that, at this stage of the game, it will receive its "15 minutes of fame" only as a speedy alternative to the modem.

Others say, "not so." ISDN standard technology has already been implemented for digital network-access lines and central-office, switch-to-switch interoperability (ANSI 2B1Q transmission standard and Bellcore Technical References 444 and 448). The goal of National ISDN 1 is to speed up the deployment of ISDN technology across the board.

John Seaholtz, vice president of technology and information services for Bell Atlantic, says, "The word *National* is very important. It reflects the scope of the ISDN deployment. It is nationwide. The number 1 indicates that this is the first foundation set of capabilities and that more will follow." Seaholtz adds, "We support deployment of a common ISDN platform that includes an agreed-upon list of testing tools and procedures—and a timetable for ISDN conformance tests—that reflect the needs contained in the consolidated view."

Necessity, the Mother of ISDN 1

The ISDN 1 agreement proposes to standardize the signaling protocols and messages used between users' equipment and the network and invoke uniform services, such as data connections and call forwarding. In essence, say representatives of COS, a standard ISDN platform will meld the currently fragmented ISDN market to provide the

Apples and Apricots

If you have two LANs that speak the same physical-layer protocol (e.g., Ethernet), you can connect them with a simple low-cost *repeater*. If the two LANs speak the same data-link layer protocol (e.g., IEEE 802.3), then you can connect them with a *bridge*—even if they differ at the physical layer. If the two LANs have a common network-layer protocol (e.g., Novell IPX), you can connect them with a *router*. If two LANs have nothing in common, you must resort to connecting them at the highest (appli-

cation) level with a *gateway*. Finally, a *brouter* is a chameleon device that can act as either a bridge or a router.

A bridge is more expensive than a repeater, because it handles data-link functions and potentially two kinds of physical attachments. A router, in turn, is more expensive than a bridge, because it adds the complexity of the network-layer functions. A gateway is the most complex of all.

The cardinal rule is that the more similar two computers or LANs are, the more efficient, simple, inexpensive, and

generally satisfactory the connection will be. Unfortunately, most of the time you have no choice; the computers that are to be connected are already in place, as stubbornly different as Apples and Apricots.

Efficiency First

Today's linking software can be seductive, creating the illusion that two sites are one—as well-linked as though they were in the same room. However, it is only an illusion. If you take the convenience too seriously, you can find your-

economy of scale necessary to produce affordable, profitable products.

Steve Jones, director of switched services, product management, for Northern Telecom, states, "Currently, ISDN is a proprietary capability—different switches offer different services. What this implementation agreement provides is the potential to buy ISDN right off the shelf. It will take a while for users to be able to buy ISDN devices at Radio Shack, go home, and have the service all ready. But that is the aim of National ISDN 1."

The structure of National ISDN 1 was created by Bellcore, the North American ISDN Users (NIU) Forum, and several key telecommunications firms. Its technical innards are composed of the NIU Forum Implementer's Agreements (IAs) and a number of Bellcore Technical References, or TRs. (For the five most important Bellcore Technical References for ISDN, see the table.)

The IAs generated by the NIU Forum provide for the use of ANSI standard specifications for an ISDN. The IAs were developed and approved by industry and user representatives participating in the individual expert working groups. The IAs exist to expedite the development of ISDN capabilities; to promote interoperability of ISDN communications equipment; and to provide a universal, multivendor implementation. TRs are documents that dictate how a service or a device must be designed for it to work on Bell company networks.

Until the technology specified in these IAs is put into place, companies that offer ISDN products can only provide vendor-specific versions of it, which may or may not be compatible

self in serious trouble.

By way of analogy, a wallet full of credit cards creates the illusion that you have tens of thousands of dollars in cash to spend. This may be convenient, but it is also an illusion—at least in my case. If you took this "virtual money" too seriously and spent it as freely as if it were real money, you'd soon end up in bankruptcy court.

In reality, two sites are linked only by the thinnest of pipes, and you must do your best to avoid clogging them with traffic.

ISDN DOCUMENTATION

Here are the five most important Bellcore Technical References that the National ISDN 1 agreement is based on.

TR268 provides standard signaling between the individual and the public network. This is the foundation for terminal portability.

TR444 and **TR448** define the standard protocols that allow ISDN services to ride on the Signaling System 7 (SS7) network.

TR317 defines the protocols for standard SS7 networking between the Local Exchange Carriers' (LEC's) Local Access Transport Area (intraLATA) switches that, when combined with TR444 and TR448, can deliver ISDN services.

TR394 defines the protocols for standard SS7 networking of interLATA switches that, when combined with TR444 and TR448, provide the interface for ISDN services and the interexchange network.

with products from other companies. The goal of National ISDN 1 is to achieve uniformity of network interfaces and service offerings.

But at the moment, National ISDN 1 is only a concept. There is much to be done before the agreement becomes a reality.

Among the issues to be resolved is concern about ISDN's speed limitations. High-quality video and interactive communication of high-resolution images (digitized video) requires data transfer rates of 50 to 100 kilobits per second. Another issue yet to be addressed is the standardization of ISDN's more sophisticated features. In addition, older equipment that conforms to proprietary applications and standards may not be reconfigurable.

National ISDN 1 industry players have their work cut out for them. They must implement a standard interface between terminal equipment and the public network and speed up the universal deployment of Signaling System 7. SS7

is a common-channel signaling system that allows telephone calls to be set up by packetized signaling in a separate channel outside the voice band.

And then there is the difference between talking a good game and making it all really happen. Susan Schuman, ISDN product manager for Apple, one firm marketing an ISDN software developer's toolkit, says, "A lot of CPE vendors are taking the step, as are some of the RBOCs, but the infrastructure has to be put in place. We *all* have to stand up, make a commitment, and say, 'we're going to do it.' Aggressive implementation plans need to appear, and there must be a public decision that we are moving in this direction. The phone companies have to do more than pay lip service to ISDN—they are very lethargic. I want to be able to call up an RBOC and say, 'I want ISDN.' "

Janet J. Barron is a BYTE technical editor. You can contact her on BIX as "neural."

Traffic Control

The primary technique used to cut down the traffic on a line is to place some intelligence at each end. The smarter the two boxes are, the more terse their communications can be.



For example, if you need to transmit a list of dates, you might send each date as a 10-byte string: 12/31/1991. However, if you have some local intelligence, it can convert this date to unsigned binary days since January 1, 1860, for example; such a date would take only 2 bytes to send. The receiver can easily reconvert the

dates and put the slashes back in if they are needed.

You can use local intelligence and a data-entry language to paint screen displays, generate error messages, and expand numeric codes to meaningful descriptions. You don't need to send all that extra data over the communications lines. By validating keyed data locally, you can further cut down the traffic. Data compression can reduce it even more (see "Lossless Data Compression," March BYTE).

The most effective way to avoid traffic

Take the Express route to Windows Standardization.



Switching from DOS to Windows can be a very smart move. But, as you may have discovered, it's not as easy as putting a package on everyone's desk. ■ That's why we developed hDC Windows Express™, the corporate menu system that puts you back in control of the company workstation. ■ And that's why we're making *Moving to Microsoft® Windows™* available to you for just \$7.95.* This handy guide leads you through the process of standardizing on Windows. ■ For your copy, and a free disk of hDC utilities, call 800.321.4606 today.

hDC Windows Express, the fast painless way to move Windows. It provides:

- ✓ **Standard Windows Menus**
 - Create a company-wide interface
 - Create menus for specific work group needs
 - Integrate DOS and Windows applications seamlessly
 - Implement menus easily over multiple workstations
 - Support multiple users on a single workstation
- ✓ **Comprehensive Network Support**
 - Works with all Windows 3.0 compatible networks
 - Environment variable support allows standard menu to be tailored by department or user
- ✓ **Simplified Network Administration**
 - Create custom network menus easily
 - Edit network menu file—while users are accessing files
 - Reduce training and support costs
 - Site license programs available
- ✓ **Enhanced System Security/Control**
 - Separate Editor program for menu design
 - Password protection
 - Option to disable access to file operations such as move and delete



Suggested U.S. retail price \$99.95

hDC hDC Computer Corporation
6742 185th Avenue NE
Redmond, Washington 98052

*Plus shipping and handling. hDC products are distributed worldwide; call 206.885.3550 for the distributor in your country.

Quote reprinted from PC Magazine, February 1991. © 1991 Ziff Communications Company
© Copyright 1991, hDC Computer Corporation. hDC Windows Express are trademarks of hDC Computer Corporation. Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation.

REMOTE CONNECTIONS

is to store the data nearest to the people who will be using it most. They can then access the data directly, without using the communications lines at all. All too often, managers insist on putting all the data in one place and all the people in another.

But what if two large, geographically separated groups of people both need high-volume access to the same data? One method is to make duplicate copies, one stored locally for each group. But then how do you keep the two copies synchronized?

- You can send changes to both copies. Then you can examine the up-to-date local copy as much as you want without using the link.
- You can make one copy read-only. Then one group can look but not touch. Each night, the read-only copy receives an update of the changes that were made to the other copy. During the day, the read-only group makes do with a slightly stale copy (which can also act as a hot backup if the master copy fails).
- You can allow both groups to update their local copies. However, the first group doesn't see the changes that the second group makes, and vice versa. At night, both groups send their aggregate daily changes to a central site where a batch program merges them. Then the merged changes go back to the groups so that the next day they start out in sync again.

Keep Your Eyes Open

When you start to set up a WAN, it's important to remember that similar computers or LANs are easier and less expensive to connect satisfactorily. You should also bear in mind that common protocols simplify the connection process.

But managing network traffic is the major challenge. You have to find ways of avoiding clogged network arteries. "Rush-hour" conditions will leave everyone steaming and screaming with frustration. Never allow the WAN to seduce you into believing the illusion that all the sites are tied into one seamless whole. Keep one eye on the traffic at all times. ■

Roedy Green, president of Canadian Mind Products in Vancouver, B.C., Canada, builds custom computers and writes custom software for charities. He is the author of the public domain Abundance database and data-entry language (see "Abundance," October 1986 BYTE). You can reach him on BIX as "roedy."

A close-up photograph of an Intel ZEOS 386SX-20 microprocessor mounted on a green printed circuit board (PCB). The chip is black with gold pins and has the Intel logo and model number clearly visible. The PCB is populated with various components, including capacitors and other integrated circuits, with labels like 'U17' and 'C93' visible. The lighting is dramatic, highlighting the intricate details of the microprocessor and the board's traces.

ZEOS[®] just made
every other 386SX
obsolete.

Announcing...



24 HOUR A DAY TOLL FREE TECHNICAL SUPPORT!

Like ZEOS 24 Hour a Day Toll Free Technical Support. Most of our competitors still offer only part time technical support. Yet for the last two years ZEOS technicians have been standing watch for our customers—twenty-four hours a day, 365 days a year. We are *always* here for you, or anyone else using your ZEOS system, *any time* of the day or night.

And that's only the start of your ZEOS Customer Satisfaction Package. Add to it our 30 Day Absolute Satisfaction Money Back Guarantee, One Full Year Limited Warranty and our Express Replacement Policy. You're going to be very satisfied. We don't just say it. *We guarantee it.*

Setting the pace for the industry in performance, in quality and reliability, and in service as well guarantees that when you buy from ZEOS, you are buying the *very best*. Perhaps that's why, in their service and reliability issue, *PC Magazine* discovered that ZEOS 386SX systems were rated #1 by customers. #1 in technical support, #1 in repair services, #1 in customers who would buy again!

So why not give us a call. Your ZEOS product partnership begins the moment you are greeted by your friendly ZEOS Systems Consultant. Calling on years of experience and knowledge, your ZEOS Systems Consultant is prepared to help answer *any* questions you might have. You'll find talking with your ZEOS consultant is just like talking with an old friend who happens to know quite a bit about computers. Good knowledgeable advice!

ORDER YOUR OWN ZEOS 386SX-20 TODAY!

Ordering is easy too. Simply pick up the phone and give us a call now at 800-423-5891. Buying your new ZEOS 386SX is perhaps the best purchase decision you'll ever make! After all, your satisfaction is absolutely *Guaranteed*.

ORDER NOW TOLL FREE: 800-423-5891

DON'T FORGET THE OPTIONS!

As *PC Magazine* said, ZEOS offers "more options than even the most configuration hungry hound could possibly need." Because every ZEOS system is custom built you may choose from a huge selection of hard drives, video packages and many other options. On-site service is available too. Call 800-423-5891 for details.

YOUR COMPLETE ZEOS 386SX-20 ZERO-WAIT HARD DRIVE SYSTEM INCLUDES ALL OF THESE FEATURES. AND MORE!

ONLY \$1295

- Genuine Intel® 80386SX 20MHz CPU. 8/20MHz Dual Speed, Keyboard selectable.
- 512K of High Speed 53ns DRAM providing Zero-Wait performance right up thru a total of 16MB on the motherboard.
- Fast 42MB IDE Hard Drive, Teac® 1.2MB Floppy Drive.
- ZEOS 14" Flat Screen High Res amber monitor with Tilt/Swivel Base.
- Genuine Hercules® Brand graphics controller!
- ZEOS/RS 101 key SpaceSaver Keyboard with pleasant Tactile/Click feel.
- Two High Speed Serial plus One Parallel and One Game port on the motherboard.
- 7-16 and 1-8 bit expansion slots.
- Speed demons appreciate our Shadow RAM/EMS capability, and full 387SX math coprocessor support.
- Includes our 7-bay ZEOS SpaceSaver case. Two cooling fans and 200 Watt power supply for added expandability and reliability. Top notch.
- 30 Day Absolute Satisfaction Money Back Guarantee, Full One Year Limited Warranty and our Express Replacement Policy.
- Wrap it all up with 24 Hour a Day, 365 Day per Year Toll Free Technical and Sales Support on your ZEOS Hotline. You've got a winner!

ORDER NOW TOLL FREE: 800-423-5891

FAX Orders Dial: 612-633-1325
In Minnesota Call: 612-633-4591
Hearing Impaired (TDD): 800-228-5389
Government Orders: 800-245-2449
Outside US and Canada Call:
612-633-6131
MasterCard, VISA, Discover, Am Exp,
Z-Card and COD.
Open 24 Hours a Day, 365 Days a year!



ZEOS 386SX-20.

\$1295!

Be Your #1 Choice!

ZEOS 386SX-20 ADVANTAGES:

VGA color systems feature our high-res ZEOS 1024x768 monitor with the incomparable SpeedStar Plus card!

IT OUT!

ZEOS 386SX-20
combination of
available any-
. Many are of
importance, while
portable yet critical
site satisfaction.
PC Magazine
S 386SX owners
customers Who
gain!" We think
ZEOS is your #1
as well!

Special package savings are available incorporating our most popular upgrades. Many packages include Microsoft® DOS plus Windows and a Mouse!

Everybody loves ZEOS' 24 Hour a Day

Toll Free Technical Support. You can call for advice any time of the day or night, 365 days a year!

Your new system is backed by our 30 Day Absolute Satisfaction Money Back Guarantee,

One Full Year Limited Warranty and our Express Replacement Policy.

Buy with confidence. ZEOS is a strong and rapidly growing public company (NASDAQ Symbol: ZEOS). We've been around since 1981. We'll be around for a long time to come as well.

ZEOS offers you a wide variety of payment options including MasterCard, VISA, Discover, American Express plus our own Z-Card, the ZEOS credit card featuring low consumer rates. Credit terms are also available along with attractive leasing programs to qualified corporate customers. We also ship COD if you wish.

Friendly ZEOS Systems Consultants are available 24 Hours a Day by calling 800-423-5891. You can call any time.

When you add it all up, there's nothing like buying from ZEOS. There is certainly nothing like the incredible ZEOS 386SX-20!

Why not give us a call right now!

CALL NOW TOLL FREE:

800-423-5891

Your new ZE Only Feature for Featu

✓ Incredibly fast *53 nanosecond* DRAM giving true Zero Wait State performance. Your *entire* memory is like one huge cache, operating flat out at full processor speed.

✓ You may expand your system with up to 16 megabytes of memory right on the motherboard!

✓ Speaking of motherboards, your ZEOS 386SX-20 motherboard is designed and manufactured by ZEOS, right here in the USA.

✓ Your new system features the *exclusive* ZEOS seven bay desktop case, smaller than most five bay cases yet plenty of room for future expansion.

✓ *Two* whisper quiet cooling fans move more air through your system increasing reliability and component life. Others seldom offer this important added feature.

✓ Your *entire* system is UL® listed (not just the power supply). Few others offer this security; we wonder why.

✓ Eight slots. One for the video, seven more open providing plenty of room for future expansion. Designed for you!

CHECK YOUR EXCLUSIVE ZE

✓ FCC Class B approved, of course.

✓ Two high speed serial ports, one parallel port and one game port.

✓ Our top quality 200 watt power supply providing you with plenty of power for your present *and* future needs.

✓ ZEOS uses *only* genuine Teac® floppy drives. Accept nothing less.

✓ Monochrome TTL systems feature Genuine Hercules® Brand graphics controllers. Only the best for you.

CHECK

Your new ZE offers a collection of features not found elsewhere. The obvious improvements others are sure to miss are sure to your ultimate satisfaction. No wonder we've been reported ZEOS to be #1 in "Computer World Buy A Computer" you'll agree, it's the choice.

TAKE YOUR PICK!

Choose from 4 great money saving packages.

or specify your own custom configuration!

Your complete ZEOS 386SX-20 system! Package #1.

ONLY \$1295

Your complete 386SX-20 system for only \$1295. Including all the features described in the column to the left. Highlights include:

- Screaming ZEOS 20MHz 386SX motherboard.
- 512K of High Speed 53ns DRAM, 16MB motherboard capacity.
- Ultra-fast 42MB IDE Hard Drive.
- Genuine Teac® 1.2MB floppy.
- Shadow RAM/EMS capability, 387SX support.
- ZEOS 14" Flat Screen Tilt/Swivel Amber Monitor.
- Genuine Hercules® Graphics Card.
- Two Serial, one Parallel and one Game Port.
- ZEOS SuperCase: 2 Cooling Fans, 7 Bays, 200 Watt power supply.
- ZEOS R/S 101 keyboard.
- 30 Day Absolute Satisfaction Money Back Guarantee.
- One Full Year Limited Warranty, with Express Parts Replacement.
- 24 Hour a Day Toll Free Technical Support.

The Incredible Upgrade Package #2

ONLY \$1895

We take Package #1 and upgrade your Editor's Choice system to include:

- Top quality 16-bit high res 1024 VGA color graphics card.
- ZEOS 14" High Res 1024x768 VGA Color Monitor with Tilt & Swivel.
- One full Megabyte of 53ns DRAM.
- Microsoft® DOS 4.01 with Disk Cache Software.



PC Magazine readers rated ZEOS 386SX systems #1!

#1 In Technical Support

#1 In Repair Services

#1 In Customers Who Would Buy Again.

The ZEOS 386SX-20 is your #1 Choice as well!

YOUR #1 CHOICE

From a family of seven PC Magazine Editor's Choice systems. The incredible ZEOS 386SX-20!

Incredible Upgrade Package #3

ONLY \$2095

Now take Two megabytes of memory and a second floppy drive and save even more! Your extras now include:

- Top quality 16-bit high res VGA color graphics card.
- ZEOS 14" High Res 1024x768 VGA Color Monitor with Tilt & Swivel.
- Two full Megabytes of High Speed 53ns DRAM.
- A second Teac floppy drive, 3.5", 1.44 MB.
- Microsoft® DOS 4.01 with Disk Cache Software *plus* Microsoft Windows™ 3.0 and mouse!

Incredible Upgrade Package #4

ONLY \$2295

Want an even bigger hard disk? Package #4 gives you all the extras *plus* our Fast 85MB hard drive. Outrageous savings!

- High Speed 85MB IDE Hard Drive.
- Top quality 16-bit high res 1024 VGA color graphics card.
- ZEOS 14" High Res 1024x768 VGA Color Monitor with Tilt & Swivel.
- Two full Megabytes of High Speed 53ns DRAM.
- A second Teac floppy drive, 3.5", 1.44 MB.
- Microsoft® DOS 4.01 with Disk Cache Software *plus* Microsoft Windows™ 3.0 and mouse!

**ORDER NOW TOLL FREE:
800-423-5891**

Purchase orders subject to approval. All prices and specifications are subject to change without notice. Please call to confirm pricing, specification and warranty details. Microsoft and Windows are trademarks of Microsoft Corporation. Z-Card, SpaceSaver and ZEOS are trademarks of ZEOS International, Ltd., 530 5th Avenue, N.W., St. Paul, MN 55112 USA © 1991.

z, ZERO-WAIT \$1295!

drive interface right on the motherboard. This not only saves you an expansion slot but enables us to provide you with the very latest (and fastest) IDE disk drives as well. Not only that, but your system will also accommodate additional hard drive technologies (including ESDI, SCSI, etc.) should you wish to add them. And your ZEOS Advanced Engineering Advantage

of pure clean power. This isn't some cheap power supply used to keep the price down—this is the *very best*. Because the very best is just what your system deserves. It deserves to live a long time too.

EXTRA COOLING. LONGER LIFE.

That's why you'll receive the unique *patent pending* ZEOS cooling system. This includes not just one but *two* whisper quiet cooling fans. Why two fans? Because we know that if, as an

Performance. Quality. Price. Support.

doesn't stop there.

On the I/O (Input/Output) side, we've freed up another slot for you too. We've taken the celebrated high speed ZEOS I/O card and put it right on the motherboard. The result is two fully software configurable *high speed* serial ports, the parallel port and even a game port *built right into* the motherboard!

ROOM TO EXPAND. POWER TOO.

If you should open up your system you'll see expansion room galore. Because at ZEOS, we always give you room to grow. That isn't just limited to more open expansion slots either. We give you our SpaceSaver case which has *seven* drive bays *yet is smaller* than most full size cases that have only five drive bays. But what of expansion *power*?

Having the room to expand is only part of the story, we give you the *power* to expand as well! Your new ZEOS 386SX-20 will have the best power supply money can buy and this baby will be pumping your system with a full 200 WATTS


example, you lower the ambient interior temperature of your system by 10°C, you can up to double the life of the components inside! Now that's quality. Others don't do it. We do, because at ZEOS providing you with absolute quality and reliability are of primary importance. It's a case of quality. Speaking of which...

The beauty of your ZEOS case is much more than skin deep. The steel ZEOS uses is specified to be 0.20mm thicker than that of cases used by many of our competitors. And the fit is finely crafted to provide a rock solid system while meeting the stringent requirements of our Underwriters Laboratories listings. True, quality touches cost a *little* more but it all adds up to *value*, and *value* is why you're buying a ZEOS system!

Here we have discussed how your new ZEOS 386SX-20 provides you with stellar performance, unequalled quality and absolute reliability. With all of this, what more could there be? From ZEOS lots more.

Your ZEOS 386SX-20!

INCREDIBLY FAST 53ns DRAM



The Incredible New ZEOS 386SX-20!

There is nothing else like it.
And starting complete at only \$1295,
there probably won't be for quite some time.
Come on in and take a look!



That's right! Now you can own the incredible ZEOS 386SX-20 for as little as \$1295. And this is no ordinary computer.

Should you decide to purchase it (and we think you will), you will be acquiring the most advanced personal computer system of its kind. Incorporating the very latest in personal computer technology, your new ZEOS 386SX-20 is quite simply the very best you can buy — at any price. Why?

Pe

FAST MEMORY. INCREDIBLE PERFORMANCE.

For starters, we're including incredibly fast *fifty-three nano-second* DRAM. When we sat down to design this system we polled all the existing technology. We knew that while every 20MHz 386SX processor crunches data at the same rate, making that data available to the processor for immediate crunching is the key. The faster the DRAM (the computer's memory that holds the data for crunching), the faster the data got crunched.

Until now, the best way to get data to a 20MHz processor was to use "cache memory"; the next best is called page/interleaving. Yet a typical cache scheme of say 32K (only 1/16 of a megabyte) holds only a fraction of the memory's data for quick crunching by the processor. The rest of the system's memory is usually only 80 nanosecond (ns) or even slower 100ns DRAM. That's where ZEOS' blazing *53ns memory* comes in.

With the 53 nanosecond memory in your new ZEOS 386SX-20, your system's processor has *instant access* to all the memory in your system — not just a tiny fraction of it. This instant access to *all* your system's memory means your data is available for immediate crunching with absolutely no waiting! Bottom line — an *incredibly* fast computer.

INCREDIBLY FAST. JUST FOR STARTERS!

Incredibly fast indeed! Yet that's only the start of your new high technology ZEOS 386SX system. We've captured the latest in other technologies as well. Take hard drives for instance.

Your new high speed ZEOS 386SX-20 system includes our IDE hard drive interface and floppy

10 Good Reasons To Buy From ZEOS®

Reason #1

"Overall Excellence"

As *PC Magazine* said "Price is always a consideration. So are benchmark test results. But both factors can be deceiving, which is why we consider them in the context of other aspects that will make the difference months and years down the road"

These are the attributes which *PC Magazine* used in awarding ZEOS the coveted Editor's Choice, not once but seven times. And "Overall Excellence" are the very words *PC Magazine* used in describing ZEOS systems comparing them to all others.

Reason #2

Dazzling Performance.

In one recent '386 review, *PC Magazine* awarded ZEOS Editor's Choice. "The ZEOS '386 blows away every other computer... a smart choice" is what they said. And in another recent review, *Government Computer News* said the ZEOS 33MHz '386 is "arguably the fastest MS-DOS and OS/2 micro in the world"

Dazzling Performance is built into every ZEOS system. It's a key component of ZEOS Overall Excellence.

Reason #3

Exceptional Quality.

PC Resource Magazine put it this way, "ZEOS... provides quality comparable with IBM or Compaq and does so for about 70% of the price." ZEOS uses only the very best components. And every system is fully tested and burned-in right in our own labs.

Reason #4

Value.

InfoWorld says, "We find the ZEOS '386 an excellent value. Speed: Excellent. Compatibility: Excellent.

24 HOURS!
ZEOS is Open
24 Hours a Day,
365 Days a Year!
Toll Free!

Value: Excellent"
Personal Computing said, "ZEOS... is the best value we've come across... its performance is right up there with the slickest, most expensive PCs you can buy."

Reason #5

Warranties and Guarantees.

ZEOS believes in its products. That's why we offer each and every customer our 30 Day Absolute Satisfaction Money Back Guarantee, no questions asked. Plus, our One Full Year Limited Warranty and Express Parts Replacement Policy. Optional On Site Service is available too. Call for details.

Reason #6

24 Hour Toll Free Technical and Sales Support.

At ZEOS, the customer is #1. That's why we invented 24 Hour a Day Tech Support. For your convenience. If you buy a product from us we feel we should be there to help, any time of the day or night. Give us a call Toll Free! 800-423-5891. Anytime!

Reason #7

Experience.

Almost unique in the mail order computer industry, ZEOS maintains its own chip level Research and Development staff. In addition to Systems Manufacturing, we also operate our own Board Level Manufacturing facility.

ZEOS has been involved in Research and Development since our incorporation back in 1981. Our strong and experienced Research, Manufacturing and Technical Staff translates into superior factory direct computer systems for you.

Reason #8

A Sterling Reputation.

In magazine after magazine and review after review ZEOS systems are cited for Overall Excellence, for Excellent Value, as the Right Choice and so on. All of this is flattering but the most important thing is this: What do our customers think? Frankly, they love us. The systems and the support. That means more to us than anything.

Reason #9

Easy to Buy.

ZEOS systems are easy to buy. You can pick up the phone any time of the day or night and order your new ZEOS computer. And we accept MasterCard, Visa, Discover, American Express, and Corporate Purchase Orders from Fortune 1000 Companies, Colleges, Universities and Governments. Complete Leasing Programs are available as well.

And now the Z-CARD! It's your very own ZEOS Credit Card and you can apply today. With the Z-CARD you can charge your ZEOS purchases and pay in easy monthly installments. It's just like a Bank Card. Why not apply for your Z-CARD now!

Reason #10

You're Going to be Very Satisfied.

When it comes right down to it, you're going to be very satisfied with your new ZEOS system. Our goal is your complete satisfaction. And that's our commitment to you. To quality. To performance. To reliability and support. To Value. We don't just say it, we *Guarantee it!*

FAX Orders Dial: 612-633-1325
In Minnesota Call: 612-633-4591
MasterCard, VISA,
Discover, AmEx,
Z-Card and COD
Open 24 Hours a
day, 365 Days
a year.

Order Now
Toll Free

800-423-5891



CREATE A WAN

Implementing a corporate WAN is a bit like trying to nail jelly to a wall—
it's pretty slippery, and the end result can be unsatisfactory

PETER STEPHENSON


Now that LANs are commonplace in most medium and large companies, wide-area networks have become the next communications frontier. However, the implementation of a WAN often founders due to a lack of definition and limited product support.

While the issues of interconnecting LANs within an enterprise pose some interesting questions—and occasionally some difficult choices—implementing a corporate WAN is a bit like trying to nail jelly to a wall. It's pretty slippery, you get your hands dirty, and the end result can be unsatisfactory.

To help pin the subject down, I'll begin with a few definitions. When I speak of a *node*, I am referring to a single point of entry for data on a WAN. That could be a LAN, a mainframe, a personal computer, or a terminal. A *site* means a collection of nodes, usually in the same building. And a *campus* is a collection of sites in a compact area, such as a college campus, an office complex, or a military base. Campuses characteristically have one telephone private-branch-exchange system. Sites not having a common PBX, even though they may be physically close to each other (e.g., across the street), are considered separately, because access to their internal phone systems differs.

In the Beginning

LANs constitute a fairly well-defined architecture, complete with specific, generally used protocols, but WANs are far more fuzzy. Basically, a WAN is little more than a group of campuses interconnected over a wide area so that they can move and share information. If you think



that sounds somewhat vague, you're correct. Unlike LANs, with WANs, form follows function.

For example, if I want to transfer a file from my headquarters in New York to a sales office in Des Moines, Iowa, I will

use a primitive WAN. All the file transfers might be accomplished with a simple asynchronous modem connection. The only real difference between that and a network of offices, factories, and field personnel is the size and complexity of the WAN.

WANs are designed and configured to meet particular requirements. To a certain extent, LANs are, too, but your choices are more limited and well-defined with LANs. You can pick Ethernet, Token Ring, or another common protocol. You then define by default the range of media available. Finally, you come down to a set of fairly straightforward hardware decisions. Add a bridge, a router, and a brouter or two, and you're finished. This is oversimplified, but it's accurate for purposes of illustration.

WANs are not nearly as well defined or well structured. Their products seem to be aimed at solving isolated pieces of the WAN puzzle. You are left to assemble it yourself. There's an old adage that says, "In a divorce, the only winners are the lawyers." In a WAN, often the only winners are the integrators who are called in to make everything work. How-

ever, you can take a few steps to limit the confusion.

Step 1: Define the Requirements

This step is not significantly different from planning a LAN in concept, but in scope, it's orders of magnitude greater. First, you must define the sites to be interconnected and the connections between them. At this point, you're not concerned with the nature of these connections, just with the paths themselves. Defining the paths will help you determine the optimum carrier or mix of carriers for your WAN. You can't make a choice until you know the nature of the connections, but you can at least begin to see the options.

Usually, the options for interconnecting a WAN are limited to private or public networks. If the connections are limited, fairly generic, and not constant, a public data network, or value-added network, may be the best bet (see the text box "Selecting a PDN" on page 176). If you have many connections and lots of 24-hour on-line connections, a private network may make more sense. Either way, you will be using the facilities of a

BYTE ACTION SUMMARY

Wide-area networks can connect the various sites of your far-flung enterprise, but the process of implementing a WAN is very confusing. It isn't nearly as well-defined as putting in a LAN. However, there are steps you can take and questions you can answer that will help limit the confusion.

We'd like to expand advantages of the



PDN. Sometimes, you can justify a true private network, which uses dedicated, company-owned transmission equipment, but those times are rare.

For smaller networks, an alternative to PDNs or company-owned systems would be one of the broadband offerings, such as T1. T1 is a circuit-switched system (PDNs are packet-switched) available through most long-distance telephone carriers. Accessing these systems requires far more equipment on your part than accessing a PDN does. All the phone company offers is the transmission facility. Selecting protocols, routing, and access to the network is up to you.

For simple point-to-point WANs with few nodes, T1 or some of the faster media can make a lot of sense. As the WAN becomes more complex, however, you'll benefit by letting a PDN take over the long-distance headaches. T1 circuits are generally dedicated point-to-point connections, terminating at various premises. Also, the price you pay for most T1 lines is based on distance. What you pay for the use of packet networks is based on packet usage. A packet, as PDNs define and charge for them, is

nothing more than a single protocol (e.g., X.25) data frame.

Next, you need to determine the nature of the data that you will be moving over the WAN. Are you going to simply transfer files? Do you have on-line connections (e.g., LAN bridges, terminals on a mainframe, or LAN-to-mainframe connections)? How many of the paths must be on-line simultaneously? How about voice and video? Will you be required to transmit them as well? Do your network paths cross international boundaries? Does the data move in spurts, or is it constantly moving?

What is the nature of the connections between sites? Are the links personal computer-to-personal computer, personal computer-to-LAN, LAN-to-LAN, personal computer- or terminal-to-mainframe, LAN-to-mainframe, or mainframe-to-mainframe? Do you have distributed databases? How about laptop users who need to dial into the system remotely? What platforms that must interconnect are located at each site? What protocols are they using? What operating systems? When are asynchronous connections appropriate, and when must

point-to-point synchronous circuits be established?

Security is also a serious issue. Although you'll need to add security to the WAN to protect data during transmission and ensure that the ports at each node on the WAN have acceptable access control, existing security requirements at a node can materially affect the nature of its connection to the WAN.

Finally, what are the natures of the various campuses that must interconnect? Should you interconnect the sites on the campus or let the WAN provide the interconnections? How much interaction occurs on the campus as compared to long-distance interaction? Depending on its size and nature, you may want to save the cost of networking the campus and let everyone communicate via the WAN.

Step 2: Explore the Options

You need to determine how you would solve specific problems as if each one were the only thing you had to concern yourself with. You don't need to make any choices yet, but you do need to know what the options are and what their costs might be. Here are some generic options

on one of the major ultimate DOS.



for several typical requirements.

File transfer. You can transfer files in various ways (see the text box "Let Me Count the Ways" on page 164). E-mail is potentially the cleanest and most elegant option. However, this approach assumes the existence of a companywide E-mail system that supports file attachments over all the platforms it connects to. When a company uses—as most do—several E-mail systems over a variety of platforms, such file transfers can become very difficult.

LAN-to-LAN connections. These are most often accomplished by the use of bridges, routers, or brouters. Bridges are usually used in multiprotocol environments. Routers are often the best choice for long-distance connections.

When you use routers for the long haul and bridges for the local sites, the physical networks connected by bridges are seen as individual logical networks. For example, if you bridge four physical networks in a building, the people who use those networks will see a single logical LAN. So, if you want individual physical networks on a WAN to appear as a single logical network, you should use bridges.

The main difference between bridges and routers is that bridges pass data on the basis of the data's ultimate destination. They are intelligent, and they can learn the addressing schemes of the networks to which they are attached.

Routers, on the other hand, only know the addresses of the preceding and subsequent routers or sources—where the data came from and where it will go. Because routers don't have to evaluate each packet for its final destination, they often perform better on a busy long-distance WAN than bridges do.

Brouters are a cross between bridges and routers. They are far more complex than either of the others.

A well-thought-out WAN will use a combination of bridges, routers, and brouters. To determine which internetworking device is most appropriate for a particular location, you need to consider the traffic on each path.

Load sharing. This is an option on the more congested network paths. It simply means that the network looks at the traffic on alternative paths and selects the least congested. The data may have to travel over a longer distance, but if the se-

lected path is significantly less congested, the network response will be better. If you select a PDN as your carrier, load sharing is less important, because PDNs already implement it.

Asynchronous dial-in. This is most often an issue when individuals in the field must access the network over phone lines. The subject also becomes relevant when the network is used primarily for file transfer.

Keep in mind the impact of long-distance telephone charges, especially from hotels, where long-distance rates are exceptionally high. If you have a large number of field personnel who must dial in, it may make sense to use a PDN to get to a central modem pool (a collection of modems on a communications server that are accessible to other users on the network).

Most large PDNs have asynchronous dial-in capability from nearly all major cities. Access to the PDNs is a local call. The cost trade-off is between a long-distance charge and the packet rate. PDN charges are based on the number of packets and distance instead of being based on distance and time, as regular telephone



company charges are.

If you choose asynchronous dial-in over a PDN, decide where the dial-in will terminate. You'll probably want a modem pool and a communications server on the network to handle such incoming calls. Then you will want the communications server to have access to other nodes at other sites on the WAN for file transfers and E-mail. That type of system implies a centralized WAN that connects to branches like the spokes of a wheel, with the headquarters at the center.

This configuration is usually best because it makes adding new sites easy. It does not, however, provide alternative paths. If you are developing a truly private WAN (one that doesn't use PDNs for any long-distance connections), you'll want to provide additional transmission paths for network load sharing.

Heterogeneous connections. In this case, I'm talking about LAN-to-mainframe connections or connections between personal computer LANs and clusters of Unix workstations. The rules for interconnecting these different platforms, operating systems, and protocols

on a LAN are not much different from those for doing the same thing over a WAN. The key is to provide whatever level of protocol translation is necessary to allow the various systems to communicate.

With a WAN, the connection options severely limit the link's responsiveness. The speed of a direct connection is much greater than a long-distance carrier's. That limitation can dictate how you use the link. Interestingly, the rules that have always applied to the connection of a terminal to a mainframe over a dedicated communications circuit still apply in a WAN. The difference is that you need to take more devices into account.

In most cases, you will use either a bridge, a protocol converter, or a terminal emulator to make a heterogeneous connection. If it sounds like you need a LAN just to make the outside connections, that can be a good approach for the hub of corporate communications activity. A single LAN containing asynchronous communications servers with modem pools, bridges to other networks, terminal emulators for direct mainframe connections, and connections to main-

frame communications processors can be quite useful.

For example, if you are connecting to an IBM mainframe, you may want to bridge other LANs into a Token Ring that connects directly to a Systems Network Architecture (SNA) front-end processor. If you are connecting to a DEC VAX, you may want to use Ethernet and either DECnet or direct connections. The key is to provide as few layers of communications translation as possible. You should let similar systems talk to each other and try to get them talking to dissimilar systems over a single link.

E-mail. This is perhaps the toughest requirement of all, because most WANs are by default heterogeneous networks, composed of a variety of platforms, operating systems, topologies, and protocols. It's almost impossible to find an E-mail package that will work equally well on all the links.

Well before anyone in the organization considers a WAN, what usually happens is that the mainframe users establish an E-mail network. The Unix users also find a package that suits their needs. Then the LAN users set up their E-mail



system—or systems, because it's normal for a large company to have many LANs, all planned by different groups. Because departmental LANs seem to just spring up, the probability of their using the same E-mail package is minimal.

Then all these people will want connections to outside systems, such as MCI Mail or the Internet. Those connections imply an asynchronous dial-up system. The key is to find a shell that can access a variety of E-mail systems and present the results uniformly. The options are limited or, depending on existing configurations, may be nonexistent. You may be faced with multiple accesses to multiple E-mail systems.

There is no right or wrong way to build a WAN. But because the state of the art in communications is constantly changing, it's important to design the WAN to be able to take advantage of new technology. You should be able to make changes and additions to the WAN without wiping it out and having to start over.

Step 3: Plan the Links

The heart of WAN planning is in communications link design. How will the

sites on the WAN communicate? If you require asynchronous dial-in, will you use regular phone lines or access a PDN? You should lay out the dial-in links first. Designing communications links is an iterative process. You start with what appears to work on a path-by-path basis and then refine your choices as you discover conflicts.

Suppose you decide to use a PDN for the asynchronous dial-in, and eventually you realize that it would make more sense to build your own system and own the communications hardware (assuming that everything is in a compact area and you already own microwave or satellite facilities). In this case, you probably want to rethink the decision to use a PDN for dial-in.

Once you have the asynchronous paths worked out and have decided how to execute them, move on to LAN-to-LAN connections. These are the most complex, because they use internetworking devices. Do you need dedicated channels (each transmission channel is leased by a single user for his or her own exclusive use), or can you get by with shared channels (transmission channels shared by

more than one user, such as nondedicated dial-in ports)?


For most internetworking, the best bet is usually dedicated full-time channels over a PDN, such as BT Tymnet. These are communications links that are the exclusive property of the user, 24 hours a day, seven days a week. It is possible on some carriers to have part-time dedicated channels (e.g., a channel available during business hours five days a week), but there is usually no justification for such an arrangement.

Finally, you need to add the large platform connections (assuming you have several campuses or sites to connect). Ordinarily, there will be a central communications point within a site that everyone at the site can access. In many instances, the large platform computers reside at remote locations, not at headquarters. A dedicated computing center is likely to be located at its own remote site.

Step 4: Select the Vendors

Now you're ready to get down to specifics. You may want to enlist some help at this point, if only from the different

Introducing MS unforgettable features,



With the extra memory, it's the best DOS to run in the Windows environment.

From now on your memory will serve you better. Because with the new MS-DOS® 5, you can free up a lot more K's of conventional memory.

Which means you'll get a lot more room for all your DOS applications, including those you run under the Microsoft® Windows™ graphical environment.

As a matter of fact, on a 286 or higher PC, most of MS-DOS 5 loads right into extended memory, which saves you at least 45K in most configurations.

On a 386™ or 486™, you can free up to 133K of conventional memory. Even more with certain configurations. That's because your device drivers, net-



Installs quickly and easily across different PC hardware, even from a network.

equipment vendors. The most serious issue to be confronted is how to address the various nodes on different platforms at multiple sites. How you approach that issue has a lot to do with how different vendors will implement available protocols. You need to select protocols across the platforms that are as compatible as possible with each other.

For example, if you are using IBM mainframes, you will find it easiest to stay with SNA-compliant systems. These systems have well-established products for interconnecting to LANs (in this case, Token Ring). The issues of addressing are complex and vary significantly from vendor to vendor.

The choice of vendors depends heavily on the complexity of the installation and the breadth of the protocols and addressing schemes to be supported. The best approach is to start with your primary communications vendor to determine what long-distance protocols the WAN will be using and how it will connect to the PDN.

In most cases, the long-distance protocol will be X.25, and the WAN will connect via a packet assembly/disassembly

at a network gateway. If so, that will simplify a lot of the addressing and bridging requirements. You can simply take each site to its gateway, using a communications concentrator, and focus the bridging and routing at the site level. In other words, you can determine how the various sites interconnect from the individual's point of view instead of looking at the subject globally. The PDN will handle issues like load sharing, long-distance routing, and other wide-area concerns.

Assuming that each site or campus is properly internetworked, you now must ensure that you can make the individual connections to the PDN. That includes having your equipment in place and the correct connections back into the campus network. You must also be sure that you have chosen the proper long-distance medium (shared or dedicated channels) to suit your needs.

This last step is actually a check on many of the previous selections. It is easy to lose track of the big picture when you are choosing several long-haul connections. You want to make sure that all the links (including any combinations of car-

riers) will work together.

How do you select vendors for the communications equipment and software you'll need? The short answer is that you must ensure that each internetwork device can communicate with the other devices on the WAN that it must connect to. The details of this task, however, are fuzzy.

If you have designed the WAN as a group of point-to-point connections, using the facilities of a PDN, the job will be easier. No single connection has to be all things to all nodes. In fact, you can send data to the PDN and let the distant end interpret what comes out of the spigot. All you need is a unique addressing scheme that takes into account enough users to cover all the WAN's nodes. This is not usually a serious problem. You just select vendors that provide that addressing flexibility along with the requisite PDN connections, and you've met most of the challenges.

Step 5: Managing the Network

This can be a serious problem, because most of the networks that make up a WAN are not directly compatible. No

DOS 5. Full of including more memory.

work software and TSR's can be loaded high into upper memory.

But there are even more features that make the new MS-DOS 5 such a memorable innovation.

For starters, we added some great new utilities. Like the task swapper, which allows you to switch between applications quickly. And a new shell that makes managing files as simple as dragging a mouse.

There's also online help, undelete, and a full-screen editor with drop-down menus.

To make MS-DOS 5 the most reliable DOS ever, we put it through the largest beta test in PC history. With over 7,000 test sites worldwide.

And now for only \$99.95* you can upgrade



Don't forget you can get the MS-DOS 5 Upgrade at your local dealer.

your current system with the MS-DOS 5 Upgrade.

Just visit your local dealer or call us at (800) 992-DOS5, Dept. Q99, to get a copy of the new Microsoft MS-DOS 5 Upgrade. And see for yourself why no PC should be without it.

MS-DOS System Version	Maximum Free Conventional Memory	Maximum Free Conventional Memory on a Networked PC
3.3	575K	490K
4.01	565K	480K
5.0	621K	613K

The numbers given are specific to a particular 386 system. These numbers may vary on different hardware and software configurations.

Microsoft
Making it all make sense™

*Suggested retail price. © 1991 Microsoft Corporation. All rights reserved. Printed in the U.S.A. Offer good only in the 50 United States. In the United States, call (800) 992-3675 Dept. Q99. For information only: In Canada call (416) 568-3503; outside the U.S. and Canada, call (206) 936-8661. Microsoft, the Microsoft logo and MS-DOS are registered trademarks and Making it all make sense and Windows are trademarks of Microsoft Corporation.

Selecting a PDN

The best way to view a PDN, or value-added network (VAN), is as a data-communications version of the phone company. Instead of carrying voice, PDNs carry data. Like telephone companies, they have different capabilities and cover different geographical areas, and the differences between them are often not really significant.

Selecting a PDN requires a serious look at the available offerings as they relate to your prerequisites. The selection may come down to three criteria: Does the PDN offer the gateway connection you need? Does it cover the geography you need now as well as what you may need in the future? Is the price right?

In addition, some PDNs offer a choice of access protocols, although most use CCITT X.25 as the communications protocol over the network. PDNs are packet-switched networks, as

opposed to circuit-switched networks, using transmission facilities like T1.

A *packet-switched* network routes individual data packets in the most efficient way. As circuit loads change during a transmission, the network reroutes packets to maintain load balance and maximize transmission speed.

A *circuit-switched* network switches entire circuits and cannot change during a communications session. If a circuit path becomes overloaded, system response deteriorates. Also, you must use some routing method to provide load sharing. The phone company doesn't do that for you.

Often, some confusion exists about what constitutes a PDN. While the telephone company provides only the transmission facility, a PDN provides a variety of services. That does not include such additional capabilities as E-mail, BBSes, or conferencing. Systems such

as CompuServe (excluding CompuServe Network Services), GENie, BIX, the Internet, and MCI Mail are not PDNs. They are different services entirely.

A PDN provides the road and a traffic cop. You must put the vehicles on it. However, many PDNs add services beyond those that relate specifically to protocols and other data-handling features. PDNs may include E-mail or access to on-line databases through gateways to providers of other services. These services, however, are not inherent in defining a carrier as a PDN.

In the report "An Overview of Value-Added Networks (VANs)" (Datapro Research, McGraw-Hill, 1990), 82 percent of the 1989 VAN market is attributed to just two providers: US Sprint and BT Tymnet. The rest of the market is divided, relatively equally, among 11 other networks (see the table).

PUBLIC DATA NETWORKS

Different PDNs have different capabilities and serve different geographical areas, but their differences are often insignificant. This table shows which protocols these services support and the number of locations they serve. The PDNs listed here are all dedicated, dial-up networks, unless otherwise noted. Contact information for these services is contained in the Resource Guide on page 190. (●=yes; ○=no; N/A=not applicable.)

Service	X.25	Async	X.75	SNA/SDLC	3270	2780/3780	BSC	X.400	MNP	Locations	Other protocols
ADP Autonet	●	●	○	○	○	○	○	○	○	320 U.S.	N/A
AT&T Accunet	●	●	●	●	●	●	●	○	○	350 U.S.	N/A
BT Tymnet	●	●	○	●	●	○	●	○	○	850+	RJE/HASP, 2946, VIP7700, Polled Async, X.PC
CompuServe Network Services	●	●	○	●	●	○	●	○	●	350 U.S.	5250
Cylix Communications	●	○	○	●	●	○	●	○	○	Dedicated only	Burroughs Sync, Poll Select
GE Information Services	●	●	○	●	●	●	●	○	●	750	SNI, LU 6.2/APPC, XMODEM, X.PC
Graphnet Freedom Network II	●	●	●	●	●	●	●	●	●	1000	ASCII, X.32, Baudot, QLLC
IBM Information Network	○	●	○	●	○	●	●	○	●	276 U.S.	RJE, LU 6.2
Infonet	●	●	○	●	●	●	●	○	○	1200 U.S.	N/A
Infoswitch	●	●	○	●	○	○	●	○	○	88 Canada	X.21, X.26, HDLC
Telecom Canada Datapac	●	●	○	●	○	●	●	○	○	200+ Canada	ISO poll/select
US Sprint Sprintnet	●	●	●	●	●	●	●	●	●	1000+	X.32, 5250, QLLC2, protocol-sensitive channels
WangPac	●	●	●	●	○	○	●	●	●	650 U.S., 4 Canada	X12, XMODEM

The information in this table is courtesy of Datapro Research, Datapro Management of Data Communications (Delran, NJ). For more information, call (800) 328-2776.

INDT

INNOVATION THAT COUNTS!

NEW DIMENSION TECHNOLOGIES
18 CORPORATION ST WEST
WALSALL - WEST MIDLANDS
WS1 4DU - ENGLAND

Phone! **0922 616733**
Fax! **0922 616737**

INTERNATIONAL - CALL

Phone! (44) 922 616733
Fax! (44) 922 616737

softBASE

The ultimate multi-platform xBASE

DISTRIBUTORS & DEALERS REQUIRED

- Full xBASE procedural language implementation.
- Clipper Summer 87 Function & Command sets including dBEDIT, Memoedit(), Lastkey(), Arrays etc.
- dBASE III Plus Functions & Commands.
- foxBASE Plus Functions & Commands including SYS().
- Screen, Label & Report Generator.
- Runtime Compiler for stand-alone applications.
- Extended field types, 'String', 'Packed BCD' & 'Binary'.
- 32 levels of Password Protection & encryption per .DBF.
- Multi-line browsing.
- Transparent USE of COBAL, FORTRAN, CBASIC datafiles.
- Supplied with Full Interpreter version including, 'command line' and 'Assitant'.
- Support of Two Dimension Arrays.
- Unix versions give 256 Work Areas and 1024 files open.
- Full UDF() Support
- Unlimited user license included. No Runtimes fees!
- 400 page reference and user manual.
- SIX months technical support.
- Development systems supplied in DOS/(UNIX/XENIX).

DEVELOPERS EDITION
DOS/LAN 386 UNIX/XENIX Runtimes included.

\$1495

Present porting schedule Inc; SUN Sparc, ICL SPARC, DEC Ultrix and IBM AIX, WINDOWS 3, X Windows and Motif. (All versions identical on all platforms)

IN A BOX™

386-40
MOTHERBOARD

70Mhz SHIPPING!

Baby AT Size Motherboard - USA Made
AMD386-40CPU - Landmark. 70Mhz
64K Cache (expandable to 128K) - 8Mb
direct (expandable to 16Mb) 80387 &
Weitak 3167 support - Speed selectable
40/8Mhz - [5x16 - 1x16/32 - 2x8Bit Slots]
Custom AMI Bios.

\$999 OK
\$1099 4Mb

486-33
MOTHERBOARD

14.5 MIPS

Baby AT Size Motherboard ISA - USA
80486-33CPU - Landmark. 152Mhz
256K Cache - expandable to 32Mb
Weitak 4167 support - Speed selectable
33/8Mhz - [7x16 - 1x16/32 - 1x8Bit Slots]
Custom AMI Bios.

\$2310 OK
\$2110 4Mb

210Mb
HDD 0.3ms Access

0.3ms ACCESS

210Mb 3.5" IDE Hard Disk Drive with
embedded 64K CACHE - IDE CACHE
controller including 1MB RAM giving
average access time of 0.3ms - CACHE
controller upgradable to accept 16Mb
with pluggy-back - 4Mb on standard unit
extra ram = \$75 per 1Mb

\$1099 Inc
1Mb Cache RAM

EXCLUSIVE

486-33 256K CACHE + \$2310

80386-40

Landmark (vr.99) 70Mhz

AMERICAN COMPONENTS

80386-40 AMD CPU 64K Cache
4 Mb 70ns SIMMS Memory
Mini Tower and Power Supply
2 Serial and 1 Parallel Ports
Choice of floppy drive
Super VGA Graphics Card
14" 8514a Colour Monitor 1024 x 768
110Mb 9ms Hard Drive 64K Cache
Keyboard and Mouse

\$3395*

DISTRIBUTORS & DEALERS REQUIRED

Circle 904 on Inquiry Card

BASE STATION

one size fits all for managing WAN components. If you have the luxury of designing the WAN from the ground up, you can settle on a network management protocol, such as a simple network management protocol (SNMP). Then you can install centralized network management.

If you don't have that luxury (and you probably won't), you have two choices. First, you can install as many individual network management systems as you need to cover all the bases. For example, you might use Novell's LANtorn system or one of the other SNMP systems for LAN segments, an SNA system for the IBM mainframes, and DECMcc for the VAX segments. The other option is a universal management system, such as Cabletron's Spectrum (East Rochester, NH). Spectrum is so programmable that it can manage virtually all of a WAN and the sites and nodes on it from a central point.

Regardless of which approach you take, you should use a hierarchical management system. That means that the managers of the various levels of the network (e.g., sites, campuses, regions, and the central location) are responsible for

their own areas. Many of today's WANs are simply too large and complex for a central site to manage alone.

Final Decisions

It's time to implement the grand plan. How do you approach it? The easy answer is usually to configure the central location first. To do that, you'll need to ensure that all the sites and nodes within that group are internetworked and ready to roll. Then establish a central communications control center (if you haven't already).

If you are using a hierarchical system, where the central office communicates with regional nodes that in turn communicate with their branches, turn on the nearest region. Establish the link between the regional communications control center and the central control center. The regional center should implement the same turn-on procedures as the central site, in terms of the nodes and sites connected to it locally.

At this point, a single spoke of the WAN is up and running. Add the branch offices to the region. During this process, identify any problems that arise as

you turn on other regions. Don't forget that you need to continue to operate whatever old system you were running parallel to the WAN until you are satisfied that the WAN is running reliably.

Unless you anticipate significant delays in turning on subsequent sites or regions, don't put one path into production until you can turn them all on. The impact on the staff of the unconnected sites as well as personnel who must process information arriving in a disconnected variety of ways can make day-to-day operations difficult at best.

Planning and implementing a WAN is far from simple. A great many issues—many seemingly contradictory—work together to complicate matters. But if you assess your requirements, analyze your alternatives, plan carefully, and implement methodically, you can interconnect your organization across the city or around the world. ■

Peter Stephenson is a writer, consultant, and lecturer specializing in enterprise networking and information security in Rochester Hills, Michigan. You can reach him on BIX as "pstephenson."

DATA COMPRESSION LIBRARIES™

PKWARE's® Data Compression Libraries™ allow software developers to add data compression technology to software applications. The application program controls all the input and output of data allowing data to be compressed or extracted to or from any device or area of memory.

- All Purpose Data Compression Algorithm Compresses Ascii or Binary Data Quickly with similar compression achieved by the popular PKZIP software, however the format used by the compression routine is completely generic and not specific to the PKZIP file format.
- Application Controlled I/O and memory allocation for extreme flexibility.
- Adjustable Dictionary Size allows software to be fine tuned for Maximum Size or Speed.
- Approximately 35K memory needed for Compression, 12K memory needed for Extraction.
- Compatible with most popular Languages: C, C+, Pascal, Assembly, Basic, Clipper, Etc.
- Works with any 80x86 family CPU in real or protected mode. \$295.00
- No runtime royalties.

RUNNING OUT OF EXPENSIVE DISK SPACE?

PKZIP can help! PKZIP compresses your files to free up disk space and reduce modem transfer time. You can compress a single file or entire directory structures with a single command. Compressed files can be quickly returned to their normal size with PKUNZIP.

Software developers can reduce the number of diskettes needed to distribute their product by using PKZIP. Call for Distribution License information.

The included PKzip utility lets you store compressed files as a single self-extracting .EXE files that automatically uncompresses when run. Only \$47.00



9025 N. Deerwood Dr.
Brown Deer, WI 53223
(414) 354-8699
Fax (414) 354-8559

SmartCache™ Plus: the grow-as-you-go approach to SCSI controllers

START WITH THE BEST ...

DPT's entry level SmartCache Plus board offers unrivaled price/performance for single-user systems. It features ISA or EISA bus mastering, and universal SCSI disk compatibility for all PC operating systems. SmartDriver software supports SCSI-2 peripherals like tape and optical drives.

NOW ADD CACHING!

Get DPT's award-winning caching technology in a plug-in module! Move up to disk caching speed without investing in a new controller. With an integral 512K cache, the module provides up to 5X performance gains for workstations, power users, and small multiuser systems.

ADD MORE USERS, ADD MORE CACHE!

Plug in a 2 MB or 4 MB memory module and accommodate up to 18 users from a single card slot. Ideal for medium-sized networks or multiuser systems.

HOW ABOUT DISK MIRRORING?

DPT's SmartCache mirroring module provides 100% disk fault tolerance by simultaneously writing all data to a second "mirrored" drive. No more data loss or costly system down-time due to disk failures. And unlike software mirroring schemes, fault tolerance is achieved with no performance penalties.

PLUS STILL MORE CACHE, AND THEN SOME ...

Cable over to DPT's 4 MB Cache Expansion Card, then grow your system to 16 MB by adding more plug-in memory modules—enough power for 64-plus users!

DPT has your solution—no matter how you grow. Performance, compatibility and upgradability make SmartCache Plus the only SCSI controller you'll ever need. For details, contact Distributed Processing Technology, 140 Candace Drive, Maitland, FL 32751. Phone (407) 830-5522; FAX (407) 260-5366. In Europe (UK) phone 44 04 884 718 FAX 44 04 884 8892.

The logo for Distributed Processing Technology (DPT) features a stylized graphic of three vertical bars of increasing height on the left, followed by the letters "DPT" in a bold, sans-serif font.

Circle 93 on Inquiry Card (RESELLERS: 94).



World Radio History

Printer Sharing Solutions

5 or 10 Ports



- * **Reliable Automatic Switching**
- * **Easy to Install and Use**
- * **No PC RAM Memory Required**
- * **Toll-Free Technical Support**
- * **45-Day Money-Back Guarantee**



HWP 5 Ports

HWP-256	with 256KB	\$325
HWP-512	with 512KB	\$375
HWP-1000	with 1MB	\$425

User Upgradable Memory:
From 256KB to 16MB buffer

Input/Output Settings – 4/1 or 3/2:
All parallel ports; user configurable as either three inputs to two outputs, or four inputs to one output, buffered auto-switch

Rapid Data Transfer – 100,000 cps:
The HWP uses Direct Memory Access (DMA) for data transfers into the buffer, making the HWP hardware capable of receiving parallel data at the high rate of 100,000 characters per second.


Pop-up Menu or Front Panel Buttons:
Use either the pop-up menu or the front panel switches to select printers, select the next available printer, send multiple copies, clear data, and other functions.

AS-41 5 Ports \$200

Smart Switch – No Pop-up or Buffer:
Four parallel inputs to one parallel output, electronic automatic switch with no buffer

SPPS (not shown) \$100

Interface Converter – No Buffer
Combination serial-to-parallel, or parallel-to-serial interface converter in a single unit; low-power CMOS design derives power from serial connection, no power supply needed; supports 9,600 to 115,200 bps, DIP switch configurable



Save Money by Sharing Office Resources:

The SL is the peripheral sharing solution which enables everyone to share lasers, printers, plotters, and modems. The HWP is ideally suited for sending large graphics files, but is economical enough for any kind of printing within a small workgroup.

Greater access by more users reduces unproductive idle time and the expense of purchasing additional peripherals. With a buffer, all users can simultaneously send print data and quickly release their PCs to continue working.

BUFFALO®

We are the world's largest manufacturer of buffered data switches for PCs which assures your getting the best value and highest performance from our products.

Call For More Information
(800) 345-2356

Fax (503) 585-4505

Buffalo Products, Inc.
2805 19th St. SE, Salem, OR 97302-1520

Circle 399 on Inquiry Card.

World Radio History

SL or SLP 10 Ports

SL or SLP-256	with 256KB	\$495
SL or SLP-512	with 512KB	\$575
SL or SLP-1000	with 1MB	\$675

Two Configurations – Ten Ports Each:
SL – four parallel and six serial ports
SLP – eight parallel and two serial ports
Both include 15 ft. serial null-modem cable

User Upgradable Memory:
From 256KB to 4MB buffer

Any Combination of Printers or PCs:
All ten SL or SLP ports can be software configured as either input or output.

Automatically Routes and Buffers Data:
Automatic switching and queuing of jobs; automatically converts data from parallel-to-serial or serial-to-parallel

115,200 bps PC-to-PC File Transfers:
Transfer files serially between PCs up to 115,200 bps; buffer serial data to the SL several times faster than normal 9,600 bps

Pop-up Menu via Hotkeys or Mouse:
Keyboard selection of printers and many other control functions; pop-up is for convenience, but is not required

Simple Installation:
Plug in your cables; if desired, run the installation software for the pop-up menu

WHITHER NREN?

Everyone agrees that a high-performance network for research and education is vital if the U.S. is to remain competitive in the world economy. The question is, who should provide the network?

SHARON FISHER

To those who prefer to limit the amount of government in their lives, one of the three great lies is "I'm from the government, and I'm here to help." But others believe that for certain large tasks, only an entity with the scope of the federal government can get things done.

These two philosophies are currently in conflict over the U.S.'s future networking needs, or, more precisely, how such needs should be satisfied. One camp proposes a federally funded National Research and Education Network (NREN), comparing it to the interstate highway system, while the other believes that sufficient commercial services already exist to provide such a network.

Ironically, both groups agree that this type of network should end up being provided commercially. The question, then, is whether such a network needs a federally sponsored jump start.

History Behind NREN

The forerunner of NREN is the Internet, a network devoted to research and educational use, the development of which was originally funded by the Advanced Research Projects Agency of the Department of Defense (see the text box "Feeding the Internet" on page 184).

The first step toward a more sophisticated national network was in the late 1980s, when the National Science Foundation funded a high-speed network backbone, NSFnet, linking first 12 and now 16 supercomputer centers around the U.S. (see figure 1). As a result, links between these centers were upgraded to T1 speeds (1.5 megabits per second), and a central-management network-



PS/2[®] MEMORY

Introducing OS/RAM32™ for the Micro Channel™

- ✓ Provides from 2 to 8 Mbytes of fast memory.
- ✓ Works in 16 or 32 bit mode to meet your needs.
- ✓ Provides extended and expanded memory.
- ✓ Fast software for LIM 4.0 included.
- ✓ Automatic configuration for DOS, OS/2 and UNIX.
- ✓ Easy to install. Risk free guarantee. Two year warranty.
- ✓ Add a disk cache and RAM disk using OS/RAM32 to get maximum performance from your computer.
- ✓ Guaranteed compatibility with all of your programs.
- ✓ "Best price performance", says PC Week .

Call today 617-273-1818 or 1-800-234-4CEC

cec Capital Equipment Corp.
Burlington, MA. 01803

PS/2 and Micro Channel are trademarks of IBM

WHITHER NREN?

according to Joel Maloff, former vice president of client services for Advanced Network and Services (ANS), which manages the network along with Merit. In March alone, the network transmitted over 7 billion packets of information.

At the same time, members of government and industry were becoming concerned over what they perceive to be a high-technology lag in the U.S., compared to other countries. In response, in 1989 the President's Office of Science and Technology Policy issued its Federal High-Performance Computing Program report. This report proposed four areas for R&D in technology that could bring the U.S. back to the forefront: high-performance computing systems, advanced software technology and algorithms, basic research and human resources, and a national research and education network.

NREN and Congress

It's this last area, NREN, that has attracted most of the attention. The report proposed a three-step process whereby the federal government would fund a network, based on the Internet and NSFnet, that could eventually transmit data in the gigabit range (more than 1 billion bps), and that would extend not only into the traditional research, university, and government arenas, but even into selected elementary and secondary schools. Once the network was built, it would gradually be commercialized, or run by commercial organizations rather than the government.

Proponents note that the entire program is projected to cost \$988 million in the first year, and a total of about \$2 billion over a five-year period. In comparison, the total funding for science each year is some \$70 billion. Or to put it in more readily understandable terms, the whole project would cost about the same as one B-2 bomber, according to a congressional source.

In response, bills funding the proposed project have been brought to the Senate Committee on Commerce, Science, and Transportation, spearheaded by U.S. Senator Al Gore of Tennessee. In 1990, such a bill unanimously passed the Senate Commerce Committee and the full Senate, but it died in committee in the House of Representatives, mainly due to the lack of a strong champion. Gore resubmitted the bill, now known as S. 272, the High-Performance Computing Act of 1991, to the subcommittee on March 5, and it is slowly working its way through the process (see the text box "A National Vision" on page 188).

operations center was established by the Merit organization in Ann Arbor, Michigan. Merit, with IBM and MCI, won a five-year contract in 1987 to manage the network and oversee upgrades.

The value of such a network is apparent in its staggering growth (see figure 2). For the past three years, the amount of network traffic has grown at an annualized rate of 20 percent per month,




Figure 1: With T1 links between 16 supercomputing centers and a T3 cloud in place, the NSFnet backbone and the associated Internet serve most research and educational institutions in the U.S. (Courtesy of Merit Network, Inc.)

WHITHER NREN?

The Question of Control

But while there's little disagreement that such a network would be useful, there's some argument over whether the federal government should be paying for—and controlling—it. While the national data superhighway comparison is often made, the analogy breaks down when you consider that the infrastructure for such networks already exists in the facilities of organizations like AT&T, US Sprint, and MCI.

"It depends on your view of NREN," says Martin Schoffstall, vice president and chief technical officer for Performance Systems International (PSI), which provides a commercial network service and a portion of the existing NSFnet backbone. "If it's a funding device for the grade schools or the high schools or the local libraries or the community colleges to participate in the Internet, then it is needed. If it means building a big network, owned and controlled by the government or by some contractor, then it probably is not [needed]."

Many believe that the best way for the government to develop a network is to support existing services rather than to build another network. "The Internet, up to now, has been this wonderful social-welfare state," says Geoff Goodfellow, president of Anterior Technology, in Menlo Park, California, which provides E-mail and news feeds. "Not to say that the Internet hasn't been a good thing," Goodfellow adds, "but we're now at that turning point when those commercial carriers can provide the same level of service that the government backbone can. Then it's time for the government, rather than funding the backbone, to put the money in the hands of the subscribers of the network and let them pick the network service provider they wish to go with, along the same lines that they would pick a long-distance carrier."

Commercialization of the Internet

A couple of years ago, the question of commercial use of the Internet would have seemed heretical. Traditionally, its use and access have been free. But as organizations have grown to depend on it more and more, they have not wanted to rely on its somewhat free-form management.

Consequently, a number of organizations are already in the business of providing access to the Internet—and even providing their own networks. Many of the supporters of these organizations believe that the best way to produce an efficient, high-performance network is

PS/2[®] MEMORY

Introducing OS/RAM32plus™ for the Micro Channel™

- ✓ Provides from 2 to 128 Mbytes of fast memory.
- ✓ Works in 16 or 32 bit mode to meet your needs.
- ✓ Provides extended and expanded memory.
- ✓ Fast software and hardware for LIM 4.0 included.
- ✓ Automatic configuration for DOS, OS/2 and UNIX.
- ✓ Easy to install. Risk free guarantee. Two year warranty.
- ✓ Add a disk cache and RAM disk using OS/RAM32plus to get maximum performance from your computer.
- ✓ Free up low memory by moving your drivers and TSR's to OS/RAM32plus. We guarantee compatibility!

Call today 617-273-1818 or 1-800-234-4CEC

cec Capital Equipment Corp.
Burlington, MA. 01803

PS/2 and Micro Channel are trademarks of IBM

through the time-honored American method of competition rather than the time-honored American method of federal subsidies.

The commercial companies providing Internet access include General Atomics, of San Diego, through its CERFnet; PSI of Reston, Virginia; and UUNET Technologies of Falls Church, Virginia. It's worth noting that both CERFnet and PSI-net were originally NSFnet regional networks, with CERFnet covering parts of southern California and with PSI starting out as NYSERnet, the middle Atlantic regional network. UUNET, for its part, has long been in the business of providing commercial access to the Internet.

These groups compete with ANS, which is headquartered in Elmsford, New York, and has offices in Ann Arbor, Michigan. ANS is a nonprofit corporation, funded originally by IBM and MCI, with the mission of supporting research and education networking in the U.S., says Maloff.

"Where ANS fits in is that, several years ago, the NSF ran a solicitation for the management of the NSFnet backbone to upgrade to T1," says Maloff. This contract was won by a consortium of MCI, IBM, and Merit, the University of Michigan-based organization that also runs Michigan's statewide network.

But it was later determined that this type of relationship would not effectively bring the network into the 1990s, Maloff relates, so a new organization was required. "The first concern of industry was that if IBM had the ability to control and dominate it, that was not a good thing. That ruled out a straight partnership or stock corporation."

The result is the current not-for-profit corporation, funded by \$5 million each from MCI and IBM. Both companies

BYTE ACTION SUMMARY

The future of high-performance networking for research and education will soon be decided. Proponents of a federally sponsored network liken it to the interstate highway system. Others claim that commercial services are the best way to implement such a network.

Feeding the Internet

The Internet has a reputation akin to that of a black hole—many people know it exists, but they've never seen it. Over time, however, access to the Internet—and understanding of it—is increasing. Commercial organizations are learning what educational and research institutions have known for years: The Internet is an invaluable information tool.

Technically, the Internet refers only to a particular group of machines with particular capabilities, not to the more numerous group of smaller machines that communicate with it. Some people make a distinction between the terms *Internet* and *internet*, with the latter including all the smaller machines—a difficult distinction to make in speech. In practice, users generally refer to the entire conglomeration as *the net*, as I will here.

Net Assets

People who have access to the net use it for various things, but it all boils down to exchanging information. Generally, net usage falls into four areas: E-mail, news, remote log-ins, and anonymous file transfer protocol (FTP).

Like other E-Mail services, E-mail on the net lets you exchange messages with other people. The difference is the net's scope: Millions of people all over the world are accessible through the net; all you need to know is the address of the recipient. In addition to private messages, the net also supports dozens of mailing lists on various topics, as well as social lists not tied to a particular topic.

News, also known as Usenet or net-news, consists of public messages that are differentiated into various newsgroups. News is similar to the sort of public exchange you can find on a BBS. Again, the difference is in the scope and breadth of participation. There are hundreds of newsgroups, ranging from

technical topics on nearly every facet of computer science (the comp. groups) to various social and recreational subjects (soc. and rec.) to conferences of regional interest (e.g., ba. for the San Francisco Bay Area).

E-mail and news are available throughout the net. Remote log-in and anonymous FTP, however, are available only on systems directly connected to the Internet proper. Remote log-in, as the name implies, lets you log in to one Internet system from another remote Internet system (remote log-in is also known as *telnet*, after the name of the command that provides this function).

Anonymous FTP is similar to remote log-in. It lets an organization set up an anonymous guest account and place in it files and archival information that the organization is willing to disseminate freely. For example, many text files about the Internet and software that lets you connect to it from non-Unix systems are available through anonymous FTP. Another popular service is directories listing the sorts of services that are available through anonymous FTP itself; often the only way to get such information is through word-of-mouth—or “word-of-computer”—by way of news and E-mail.

A more recent innovation is Internet Relay Chat, which allows two people on the Internet to communicate in real time. While this eliminates the drag resulting from exchanging mail messages, it is still limited by the typing speed of the participants.

Managing the Net

The net has been called the world's largest anarchy. While the Internet is managed by a two-tier system of national and regional organizations, links to the net are far less closely monitored. New systems are supposed to register their names with regional mapping coordinators, but the lists are individually main-

tained, and new information sometimes takes a while to disseminate.

The backbone of the network is the National Science Foundation network (NSFnet). The next tier consists of regional, or midlevel, networks. As the name implies, the regional networks were originally defined to cover a specific geographic area, but over time, these networks have grown and may overlap in some places. Connections to a regional network can be over links ranging from 2400 bps to 1.5 megabits per second. These networks are run by a variety of organizations, ranging from commercial vendors to state-chartered groups.

Informal relationships take over below the regional networks; any machine on the net has the capability of providing feeds to any number of other machines, assuming it has the storage and transmission capacity to do so. Although there are costs—generally telephone charges—associated with providing feeds, organizations usually consider them to be part of normal network overhead. Because the point of the net is to provide for the exchange of information to as many sites as possible, being a good net citizen means being willing to provide feeds for others. Additional feeds also improve network reliability by providing multiple communications paths.

Ties That Bind

The net consists of computers of many different architectures, using many different communications links to exchange information. That it works is a testament to the ability of TCP/IP to link heterogeneous computers and to the people who volunteer their time and effort. The overwhelming majority of machines on the net run this ancient, creaking—but functional and widely supported—communications protocol.

Generally, systems call each other up

have a seat on the eight-person board of directors, although neither can ever have more than one. In addition, the original agreement between Merit and NSF for management of the existing NSFnet has been assigned to ANS as well (with the engineering portion then subcontracted back to Merit).

The result, too, is that portions of the

NSFnet backbone have already been upgraded to 45-Mbps T3 speeds, Maloff says. The T3 infrastructure (now referred to as a *cloud* rather than a backbone, to indicate its redundant, nonlinear nature) is managed by ANS.

ANS, at this point, consists of the NSFnet backbone and its own commercial service.

At present, organizations that use the NSFnet backbone—which includes ANS—are not supposed to use the network for commercial traffic, only for traffic in support of research and education.

In other words, although commercial organizations like Sun Microsystems or Apple Computer can be on the network,

at administrator-defined intervals to exchange information. Some of the information that system A gives to system B may be for system B; some may be for system C, which communicates with system B; some may be for system D, which communicates with system B through system C.

Until a few years ago, you had to be much more knowledgeable about the paths between sites than you do now and often had to specify the route by which a message would travel, using almost legendary trivia for the most efficient path.

These days, due to the innovation of domain addressing, you can generally use the address format *userid@organization name*. The organization name may be of several forms. For example, a name with the suffix .com is a commercial company (e.g., Sun or Apple). The suffix .edu signifies an educational institution. And .gov means a governmental group. In other cases, especially in the lower hierarchies, the organization name may show a further regional breakdown.

Issues of Content

Because at least some of the Internet is funded directly or indirectly by various government agencies, people (including, but not limited to, congressional representatives) sometimes take exception to the types of information transmitted over the network. Technically, all messages transmitted over the Internet should be related to research and education. In practice, sometimes the only relationship the information has to these areas is that someone working at an educational or research site is sending or receiving it. To some people, that's justification enough; others disagree. Generally, the one hard-and-fast rule is that commercial messages are not allowed, but even *commercial* is ill-defined. Unless complaints are filed, the net usually keeps chugging along.

The problem arises when people take exception to some of the things transmitted over the network. Such complaints are usually lodged against social news or files available through anyony-

mous FTP. However, longtime net users point out that newsgroups for social topics were originally set up to help focus the discussion in the technical newsgroups: The social topics keep tangential material out of the technical discussions.

The net has so many layers of redundancy that it's nearly impossible to shut down some forms of traffic. While it's unfortunate when a major site ceases transmission of some newsgroups, the newsgroups continue to be available from many other sites, some of which are unlikely to ever be controlled by people who feel the need to halt such messages.

Gaining Access

You can access the net in many different ways. If you're employed by a company that has any sort of government, research, or education ties, you may find that you're on the net already or that access to it can be made readily available to you. Such organizations are also the most likely to have bona fide Internet access. The person to ask about this is the network or system administrator.

If an organization doesn't have any sort of net access and you can't convince your managers how useful it would be, you can consider becoming a net node yourself. To do this, you need two major components (besides a computer): software and a *feed*. The feed is your link to the net.

Software is available in many forms for many systems, including PCs, Macintoshes, and Unix systems, often in various sorts of freely available programs. Yet setting up and maintaining a node is complicated and can require all sorts of ancillary equipment (e.g., large hard disks and high-speed modems).

Once you have the software, you still need someone to talk to. This someone is your feed. Generally, it's preferable to find a feed within your local calling area to save on phone bills. In some areas, such as Boston or San Francisco, finding a feed may not be difficult; in more remote areas, it may be harder. It's a good idea to have more than one

feed, in case one of the systems feeding yours goes down.

Each region usually has a coordinator, who keeps track of existing systems and the systems they're connected to. Once you obtain your feed, you will need to register your system with the coordinator to ensure that other systems on the net know about you.

Once you're established on the network through the benevolence of the person or organization supplying your feed, you are honor-bound to consider similar requests made to you in the future. The Golden Rule is highly regarded in the net community.

If you don't have the equipment or the inclination to become a network node, you can use one of the increasing number of public-access Unix systems to acquire an Internet E-mail address and some sort of news feed. If all you need is an occasional E-mail exchange with somebody on the net, you may not have to look further than your current on-line information system. Nearly every commercial on-line system, including CompuServe, MCI Mail, and Apple-Link, offers E-mail exchange with the net. All you need to know is the right way to address the message.

Aside from system manuals and postings made to the news.announce newsgroups, the best source of information on using the net and setting up your own node is *Unix Communications* by The Waite Group (Howard W. Sams & Co., 1987). For a more theoretical discussion of the net, see *The Matrix: Computer Networks & Conferencing Systems Worldwide* by John Quarterman (Digital Press, 1989.)

Beyond the Internet

The Internet is an institution in transition. It is moving away from its traditional form, which was geared toward research institutions, to a greatly expanded shape in the future.

Tomorrow's Internet will reach into the commercial sector and into educational institutions on a broader basis. It may even enter the realm of elementary and high schools.

they are not allowed to use the network for commercial services. For example, a number of PC vendors use services such as BIX to provide technical support to their customers; on the NSFnet, this is not allowed.

These particular restrictions are in place because of commercial information and networking vendors' concern

that a federally subsidized network could compete with them unfairly. "The concern with commercial use over the NSFnet is that commercial organizations will be using the facilities that are subsidized by the federal government," Maloff explains.

Maloff indicates that work is under way to loosen these restrictions, but that

the final determination rests with NSF. "If, in fact, there are ways to be able to fairly cost and allocate costs back to the appropriate place, there is less of a concern [about competition and commercial use]," he says. "We want to eliminate, if possible, the chilling effect that some of these policies have. Folks are worried about whether they are in

HOW HARVEY BECAME AN OFFICE HERO!

WHO WORKS WHEN



Harvey discovered the secret to happier employees was better scheduling. So he purchased *Who Works When*, a PC software package that helped him create employee work schedules better and faster than manually.

Harvey discovered that using *Who Works When*, he could spend less time on scheduling, yet do better work. You can too!

Time-Saving Features:

- Create 20 departments and 26 shifts to schedule up to 200 employees per file.
- Select from Job Code, Station and Team parameters to define your staffing needs.
- Manually edit the on-screen schedule to "fine tune" your assignments.
- Design Work Patterns up to 16 weeks long to track rotating shift and/or station assignments.
- Produce 1- to 6-week schedules and carry them forward indefinitely.
- Print 11 different schedules, reports and lists to keep you informed and your employees up to date.

30 Days for \$30.00!

Skeptical? Then try before you buy! Call us for details on our 30-day trial period offer.

Free InfoDisk!

TO ORDER CALL TOLL FREE

1-800-782-1233



P.O. Box 3705, Bellevue, WA 98009
Tel: (206) 451-0537
Fax: (206) 455-4895

WHITHER NREN?




Figure 2: The success of the NSFnet backbone is borne out by the phenomenal growth in traffic the network has experienced in the past two years. (Courtesy of Merit Network, Inc.)

compliance with the acceptable-use policies."

Policing the Internet

In practice, making acceptable-use determinations is very difficult to do when up to 45 Mbps can be transmitted, each routed a different way depending on destination and network traffic, and when neither service organizations nor users are interested in having the service organization check every data packet and determine whether it's acceptable traffic.

Consequently, there's a question even now about just how much of a restriction there really is on commercial use of the NSFnet backbone. "The use rules, for the most part, are illusory," says Goodfellow. "Enforcement is really a problem unless you look inside the information itself, and no one's willing to do that." Maloff concurs, noting that ANS has not, to date, taken any action regarding any breaches of the acceptable-use policy.

In an attempt to eliminate the problem, several commercial services banded together this spring to set up an alternative backbone that would not use NSFnet links and consequently would not have to follow acceptable-use policies.


The Commercial Internet Exchange allows all users of AlterNet (UUNET's service), CERFnet, and PSInet to exchange Internet traffic directly at no additional cost. This would mean that CERFnet users could communicate with AlterNet or PSInet users without having to traverse the NSFnet backbone at all.

Moreover, the organizations said, the agreement means that they can continue to provide service even if the NSFnet backbone were to fail completely—a point of vulnerability, after the 1988 Internet Worm incident, of which many users are aware. The three commercial services claim they provide nearly 100 percent of the commercial TCP/IP- and Open Systems Interconnection-based internetworking services in the U.S.

Another possibility is that NSFnet's purpose may be redefined, says Douglas Van Houweling, vice provost for information technology at the University of Michigan and chairman of the board of ANS. "It's entirely possible to imagine the net being targeted to serving the research and education community, including the library community, but not restricted in terms of the type of traffic it can carry in service to that community." In other words, the network would be able to support commercial services like Dialog as long as the customers were in the research and education community.

Content is a subset of the issue of who should control the network, says Van Houweling. "The current environment is one that works because of the cooperation among a very large group of organizations all over the world," he says. "We need to continue that highly decentralized, cooperative model of organization delivering the network."

"Quite a few people have suggested that we need some agency or organization that is 'in charge,'" Van Houweling



The TI TravelMates. They're making a hit coast to coast.



The new look of power.

Editors across the country are praising the performance, size and weight of the Texas Instruments TravelMate™ 2000 and 3000 notebook computers.



"The TravelMate is as close as you can get to the ultimate portable." — *BYTE*, November 1990.

"Now TI assumes the lead in performance/pound/price measure of a notebook." —

PC Magazine, December 11, 1990.*

"Not until you hold this computer in your hands do you begin to understand what sets it apart from the pack." —



PC Computing, December 1990.**

Both TravelMate models are only 8½" x 11" in size, including a hard disk drive,  and feature a 10" diagonal  VGA display and comfortable full-function keyboard.

With the TM 2000 you get 286™ processing in a computer

that's 1.4" thin and 4.4 lbs. light. The TM 3000, meanwhile, packs 20MHz 386™ SX power into a mere 1.8" and 5.7 lbs.



Find out how to take the new look of power with you coast to coast. Or wherever your work takes you.

For the name of the dealer nearest you, call 1-800-527-3500.



TEXAS INSTRUMENTS

TravelMate is a trademark of Texas Instruments Incorporated. 286 and 386 are trademarks of Intel Corporation. *Reprinted from *PC Magazine*, December 11, 1990. Copyright © 1990 Ziff Communications Company. **Reprinted from *PC Computing*, December 1990. Copyright © 1990 Ziff Communications Company. TravelMate 2000 has earned the following awards: 1990 *PC Magazine* Editor's Choice Award (October 16, 1990); 1990 *PC Magazine* Award for Technical Excellence; *BYTE* Award of Excellence; 1990 *PC World* Best Buy. TravelMate 3000 has earned the following awards: 1990 *PC Computing* Most Valuable Product; 1990 *BYTE* Award of Merit.

A National Vision

U.S. Senator Al Gore

Of the many things that distinguish human beings from other living creatures, one of the most important distinctions is our ability to deal with symbols in the world around us, to share them with each other, to manipulate them, and, in the process, to gain understanding about how to transform the real world. Human beings communicate with symbols. Yet the way we exchange pieces of information changed dramatically with the scientific and technological revolution and with the computer, the steam engine of this revolution.

Because of computer technology and related developments, the global civilization prematurely heralded many times in this century is now a palpable reality. And this global civilization provides the framework within which every problem, every challenge, and every opportunity must be defined.

Business executives must consider the global marketplace. Scientists must think about their global scientific discipline. In 1991, no one operates in a vacuum. This developing global civilization is based on shared knowledge in the digital form. Digitized information is now the lingua franca of the entire world. Those companies, those universities, and those nations best able to deal with information in that form turn out to be most successful.

It used to be that how well one nation competed with another depended on the transportation infrastructure. Nations with deep water ports that could house large steamships prospered more than nations unable to exploit the technology of ocean transportation. Experience taught that canals, railroads, and highways have a tremendous impact on a nation's ability to succeed in commerce.



Today, there is a new infrastructure challenge. We have a lot more information than we can use or move. The problem is not all that new; the nineteenth-century philosopher John Stuart Mill was said to be the last man who knew everything. Since then, no matter if it's law, business, science, or government, people in every field must resign themselves to the fact that a great deal will take place completely outside their awareness. They must develop strategies to become, at the very least, familiar with a summary of what is happening.

The process that began early in the scientific revolution has become a major problem. Fields of specialization are becoming narrower and narrower as the amount of information continues to metastasize and double every several months.

I coined the word *exformation* to describe all the information that exists

outside our awareness. For example, the Landsat satellite is capable of taking a complete photograph of the entire Earth's surface every two weeks. The information contained in the photographs taken over the last 18 years is invaluable to farmers, environmental scientists, geologists, educators, city planners, and businesses. Yet more than 95 percent of those images have never been seen by human eyes. They are left to decay in their digital silos. While our nation craves knowledge and new information, vast silos of data are going unused.

Part of the problem is how information is presented. An analysis of the human brain, in computer terms, shows we have a low bit rate, but very high resolution. The telephone company decided several years ago that seven numbers were the most people could remember, and then added the three-digit area code. Yet absorbing information bit by bit is difficult. Human beings cannot do it very well. On the other hand, billions of bits of information can be absorbed instantly if they are arrayed in a meaningful pattern, where each bit relates to every other bit. A mosaic such as this can be absorbed quickly, because human beings have very high resolution: a great ability to understand pictures or graphs.

Luckily, just as this fantastic problem of exformation, or silos of data, presented itself, a wonderful new tool, the computer, appeared. Long touted for organizing data into a form that makes it possible for us to absorb its meaning, the computer also permits us to search through vast fields of data to find those bits that have special relevance.

There is one big obstacle, however: We do not have the national infrastruc-

continues. "I believe that we do need an organization that draws together the involved service providers with the diverse user community to set overall objectives for the NREN. But that is very different than saying that group should be in charge."

Creating the Future

At this point, there are two major actions that will help to determine the future and

form of NREN. The first is the success or failure of the NREN funding bills that are currently before the Congress. It's always difficult to predict when such actions might hit the floor. It is possible that this decision will have already been made by the time this article appears in print.

The second is a little further in the future. Merit's contract with the NSF for running the NSFnet backbone expires in

October 1992. "What will happen after that will be determined in part by what the NSF concludes is the follow-on activity to the current cooperative agreement," says Eric Aupperle, president of Merit Network, in Ann Arbor, Michigan.

To provide for an orderly transition, a preliminary decision may be made as early as the end of this year, Aupperle says. Such a decision might be a continu-

ture needed to provide the processing capacity to deal with these vast amounts of data. Pictures, especially moving pictures and graphics, require such densely packed information bits that to transmit them requires connecting lines with a very large and high-speed capacity.

The demand for these new transmission networks—the high-capacity connection lines, fiber-optic cables with special switches, software, and algorithms that make it possible to transmit these densely packed data sets, pictures, and moving graphics—is not readily apparent because the sophisticated, new communications services and products are not yet widely offered beyond a few specialized groups. And why? Because the network is not there—a classic chicken-and-egg problem. If the infrastructure existed, it would be in great demand. But because it doesn't exist, that demand is not apparent.

Just as the interstate highway system made sense for a postwar America with lots of new automobiles clogging crooked two-lane roads, a nationwide network of information superhighways—high-speed, fiber-optic networks—now is needed to move the vast quantities of data that are creating this information gridlock.

Once the network is in place, the nation will make fantastic use of it. A school child, instead of coming home to Nintendo, could plug into the Library of Congress every afternoon and explore a universe of knowledge, jumping from one subject to another, according to the curiosity of the moment. A doctor in Carthage, Tennessee, could consult with experts at the Mayo Clinic in Minnesota on a patient's CAT scan to avert an emergency. Teams of scientists and engineers working on the same problem in different locations could work together in a co-laboratory if their supercomputers were linked.

Today, a climate modeling team wishing to share the results of work in progress has to download the work onto

a magnetic storage medium, take it with them on an airplane and travel to whatever location the other team is working in, and then upload their model and the work in progress so that they can talk about it and share the work. Researchers should not have to do that. Yet because they do, work is not shared.

We are missing out on work in progress, this ability to search through data, configure it into a meaningful form, and communicate the result. Work in progress is now so important it has emerged as a third basic form of knowledge creation: inductive reasoning, deductive reasoning, and computational science. If there are only two ways to create knowledge and you discover a third, that's important. We excel at inductive and deductive reasoning, but the third, which is going to revolutionize the entire world, we're not yet using effectively. We need to start.

Yogi Berra once said, "What we have here is an insurmountable opportunity." Supercomputers that today sell for \$20 million will, within four to five years, cost only a few thousand dollars. Almost every medium-size business in America will want one.

One of the real secrets to productivity is figuring out new ways to distribute information-processing capacity and to coordinate the results of the distributive work. New business management techniques, theory Z, and quality-control circles are just corporations discovering that their most valuable asset is the unused brain power on the assembly line.

Consider "America's Funniest Home Videos," one of the top-rated TV shows in America. Tapping into the unchanneled creativity of people with home-video cameras all over the U.S., the show receives 20,000 tapes a week and searches through each one, looking for the one that contains a diamond. It was the number-one show in America last year. This was not possible until the technology of home-video cameras was sufficiently ubiquitous to enable enough people to participate.

Just as democracy was impossible until the printing press empowered enough people with civic knowledge to participate in the process, computers now provide people all over the U.S. with a brand-new ability to use their creativity to change the world around them, in ways they never before envisioned.

Eleven years ago, I first proposed a nationwide network of fiber-optic data highways to link supercomputers and digital libraries throughout our nation. This legislation, the High-Performance Computing Act, now pending before Congress, would not only create the network needed, it would also create digital libraries, stimulate the development of more powerful supercomputers, and increase the number of trained scientists and engineers capable of helping us to make the best use of supercomputers. Whereas current information lines transmit 56,000 bits of information per second, this network will accommodate several billion bits per second—an entire *Encyclopaedia Britannica* every second.

One thing is certain: The information revolution is changing our lives, and we need to prepare ourselves to cope with its promise and potential. Our challenge is to process data into information, refine information into knowledge, extract from knowledge understanding, and then let understanding ferment into wisdom.

Steam locomotives weren't much use until railroad tracks were stretched across our land, and that didn't happen until the federal government made it possible. Supercomputers are the locomotives of the information age, but we haven't laid down the tracks. It's time to drive the digital golden spike.

Al Gore is a U.S. senator from Tennessee. You can contact him at the Senate offices in Washington, D.C. In addition, BYTE welcomes your comments on this text box. You can reach us on BIX c/o "editors."

ation of the current scheme, passing control to ANS, setting up a competitive bid between ANS and whatever other commercial organizations might feel qualified, or something else. "Among the possibilities are, rather than funding an organization like Merit, using NSF dollars that would be available to provide funding to the regionals to acquire backbone services from whomever," he explains.

Once all the issues have been settled, then the NREN—in whatever form it eventually takes—will indeed be able to become the broad-based network that it was originally intended to be. "We haven't really yet become a market-driven community," says Maloff. "We have been technology-driven. At the point where we become more concerned with the secondary-school teacher in the middle of North Dakota or the astrono-

mer who no longer has to once a month fly into a city to pick up a set of tapes, then we'll be a real community with real needs. Until then, we are an esoteric kaffeeklatsch." ■

Sharon Fisher is a San Francisco-based freelance writer specializing in data communications. She can be reached on the Internet as slf@well.sf.ca.us, and on BIX as "sharonfisher."

Industrial Control Systems
LAN Terminals
Diskless Systems

ROMDISK™

For the IBM PC, XT,
AT PC DOS* or MS DOS*

PCF-1 • New Multi-Megabyte Disk Emulator

- For diskless systems, solid-state reliability and speed
- Flash File System or battery-backed SRAM read/write technology for ISA bus operating under MS DOS.*
- Up to seven 1 MB Flash or SRAM SIMMs for up to 7MB capacity on a 9 inch board with 0.3 watts of standby
- I/O mapped—high performance—write Flash at hard disk speeds—95Kb/sec and erase 4MB/10 sec. Read and write SRAM at I/O bus speed
- Single or Dual mode—to provide Autobooting and Flash File System or SRAM read/write
- PCF-1 with one 1MB SIMM, \$895 with one 1MB SRAM, \$995, 1MB Flash SIMMs \$395, 1MB SRAM SIMMs, \$495
- Other ROMDISK models provide up to 1.44MB capacity with autobooting in EPROM, Flash and SRAM technologies

CURTIS, INC.
2837 North Fairview Ave. • St. Paul, MN 55113
612/631-9512 • Fax 612/631-9508

* IBM PC, XT, AT, PS/2 and PC DOS are trademarks of IBM; MS DOS is a trademark of Microsoft

Protects while you type!



- **Remains in Place** while you use your computer.
- **Avoids Costly Repairs.** Protects delicate electronics from dust, spills, smoke, ashes, staples.
- **Soft, Flexible,** retains normal keyboard feel.
- **Washable, Durable High-Tech Polymer** lasts years.
- **Hundreds of Models.** SafeSkin is available for most PCs, laptops, workstations and clone keyboards.
- **Office • Home • Factory • Classroom • Laboratory**

List Price \$29.95. Please call or write for free color brochure. Dealer inquiries encouraged.

SafeSkin®

KEYBOARD PROTECTOR

Merritt Computer Products, Inc.
5565 Red Bird Center Dr., Suite 150 • Dallas, Texas 75237
(214) 339-0753 • FAX (214) 339-1313

RESOURCE GUIDE

Public Data Networks

Like public telephone systems, public data networks mix communications from many customers over the same network. The difference is that PDNs route packets of data instead of voice communications. The companies below provide data-communications services to large and small businesses.

ADP Autonet

175 Jackson Plaza
Ann Arbor, MI 48106
(313) 995-6501
fax: (313) 995-6458

Circle 980 on Inquiry Card.

AT&T

12490 Sunrise Valley Dr.
Reston, VA 22096
(703) 689-6000
fax: (703) 689-5176

Circle 990 on Inquiry Card.

BT North America, Inc.

2560 North First St.
San Jose, CA 95131
(408) 922-0250
fax: (408) 922-7030

Circle 982 on Inquiry Card.

CompuServe

Network Services Division
5000 Arlington Centre Blvd.
Columbus, OH 43220
(614) 457-8600
fax: (614) 457-0348

Circle 984 on Inquiry Card.

Cylix Communications

800 Ridge Lake Blvd.
Memphis, TN 38120
(901) 761-1177
fax: (901) 766-0229

Circle 985 on Inquiry Card.

GE Information Services

401 North Washington St.
Rockville, MD 20850
(301) 340-4000
fax: (301) 340-5390

Circle 986 on Inquiry Card.

Graphnet

329 Alfred Ave.
Teaneck, NJ 07666
(201) 837-5100
fax: (201) 833-3888

Circle 987 on Inquiry Card.

IBM Information Network

3405 West Dr. Martin Luther
King Jr. Blvd.
Tampa, FL 33607
(813) 878-3000

Circle 988 on Inquiry Card.

Infonet

2100 East Grand Ave.
El Segundo, CA 90245
(213) 335-2600
fax: (213) 335-2699

Circle 989 on Inquiry Card.

Sprint International

12490 Sunrise Valley Dr.
Reston, VA 22096
(703) 689-6000
fax: (703) 689-5176

Circle 990 on Inquiry Card.

Telecom Canada

410 Laurier Ave. W,
Room 1160
Ottawa, Ontario,
Canada K1P 6H5

(613) 560-3010

fax: (613) 563-9540

Circle 991 on Inquiry Card.

Unitel Communications, Inc.

(Infoswitch)
3300 Bloor St. W
Toronto, Ontario, Canada
M8X 2W9
(416) 232-6365

Circle 983 on Inquiry Card.

Wang Network Services

One Industrial Ave.
Lowell, MA 01851
(800) 926-4722
(508) 549-5000

fax: (508) 967-7020

Circle 992 on Inquiry Card.

WitTel

1 William Center
Tulsa, OK 74172
(918) 588-3210
fax: (918) 588-5100

Circle 993 on Inquiry Card.

Inclusion in the resource guide should not be taken as a BYTE endorsement or recommendation. Likewise, omission from the guide should not be taken negatively. The information here was believed to be accurate at the time of writing, but BYTE cannot be responsible for omissions, errors, or changes that occur after compilation.

**“THE MOST
POWERFUL
COMPUTERS
ARE THE
ONES PEOPLE
ACTUALLY
USE.”**

—Apple Computer

First off, let's get one thing straight. We totally agree with Apple.[®] A truly powerful computer is measured in how often it's used.

IF YOU LISTEN TO APPLE, THIS IS THE MOST POWERFUL COMPUTER IN THE WORLD.

But while Apple has taken great strides in making the personal computer more useful, we've gone substantially farther.

Introducing the T2000SX notebook computer.

Quite simply, the T2000 SX is a more useful personal computer because it allows you to work how you want to work. When you want to work. And where you want to work.

Painstakingly engineered with you clearly in mind, the T2000SX will help you work more efficiently than ever before.

Virtually every feature you can find on a desktop computer, you will



Our technologically superior battery can be fully recharged in a mere ninety minutes. find on the T2000SX: An 80386™ SX processor with a math coprocessor socket, VGA compatible display, 1 MB (expandable to 9MB) of 80 nsec RAM, a 60 MB hard disk with 19 msec access time and 1.5 MB/sec data transfer rate.



The T2000SX has a 60MB hard disk with 19 msec access time.

But more important than the specs themselves, is the way the T2000SX lets you use them. Which is more often.

Our fluorescent side-lit screen provides even distribution of light. (Actual size.)

Welcome to the next generation in personal computing.

Because the T2000SX can fit easily into a briefcase (it weighs a scant 6.9 pounds), you can take it anywhere you go and use it in more ways than you can imagine.

Need to make revisions to a



Our internal AutoResume back up battery automatically saves your work if your main battery runs out.

business proposal? The T2000SX gives you the freedom to do it from a train. The client wants an estimate on costs? You can give it to him right then and there— wherever there is.

No more wasting time running

back to the office. Because the office is always with you.

But just in case there's something



Our user-installed memory card allows you to add up to 8 MB of memory yourself.


back at the office you still need, you can get back to it with our optional built-in modem. Which supports industry standard error corrections and data compression (CCITT V.42, V.42bis, MNP® 5). It even supports cellular data communications via our optional smart cable adapter.

The T2000SX also has a unique feature you won't find on any other computer in the world. It is called AutoResume.

AutoResume: Think of it as a bookmark for your computer.

AutoResume automatically saves whatever you're working on whenever you turn the computer off. And it lets you go directly to the program you were using last when you're ready to start up again. So you don't have to reboot, restart your application and reload your files.

AutoResume



The T2000SX has an optional modem that allows data communications via a cellular phone.

also helps save on battery life and it allows you to change batteries without losing an ounce of information.

As for batteries, the T2000SX touts the latest in battery technology—Nickel Hydride. Nickel Hydride delivers 22% more watt-hours per pound than NiCad and it doesn't suffer from memory effect.

In keeping with the Toshiba tradition, the T2000SX also offers superior ergonomics. Like full-size, standard-spaced keys on a keyboard which has a full set of 12 dedicated function and 8 cursor control keys. And a VGA compatible, reversible black on white or white on black high resolution display.

Okay, let's wrap this thing up.

These are just a few of the reasons why we believe the T2000SX is the most useful, and therefore, most powerful computer in the world. And why PC Week Labs said, "the T2000SX offers performance comparable to the LTE 386s/20, plus many of the design features that have made Toshiba a market leader in portable PCs."

PC WEEK

We invite you to learn more about the T2000SX and Toshiba's best-selling line of portable computers by calling us at 1-800-457-7777 for a complete information kit.

In closing, we'd like to thank you for reading our ad.

We'd also like to thank our friends at Apple for giving us such a wonderful endorsement.

In Touch with Tomorrow
TOSHIBA

Circle 283 on Inquiry Card.

World Radio History

JOURNEY TO FARAWAY LANs

Here are nine ways to connect remote sites to your local network


STEVE APIKI

You have two options for providing remote access to your network. You can expand the network to include the remote sites by using remote bridges, or you can give remote users their own processors on the network and turn their PCs into remote terminals. Remote bridges extend your network by running network traffic out to remote sites. But remote bridges must communicate over slow leased-line or dial-up connections, where throughput is measured in kilobits, rather than megabits, per second. For most applications, you'll get better performance if you run software on a local processor under remote control. The remote PC becomes a terminal to the local processor, swapping only screen and keyboard data over the asynchronous connection.

This month, BYTE examines nine products that accommodate multiple inbound sessions on your LAN. Four are hardware-based solutions that offer each remote user a processor on the LAN: Alloy's PC-Slave/286, Cubix's QL 3001, Evergreen's FlexComServer 100, and J&L's Chatterbox 6000. Novell's NetWare Access Server and LANmaster's IncomServ give remote users virtual 8086 sessions on a 386-based host. Two packages—The Software Link's PC-MOS 4.1 and Alloy's 386/MultiWare 2.03—offer the same capability as an adjunct to their multiuser DOS capability. (IGC was updating this capability for VM/386 at press time.) Finally, the Telebit ACS 2.20 redirects incoming sessions to available workstations on the LAN.

Each of these products represents the fastest, most powerful configuration the vendor provides; Cubix and J&L are the only vendors currently selling 386SX hardware. See table 1 for a summary of all these products. To find out how these products are faring in the real world, see the text box "Reports from the Front" on page 204.

Networks are an invaluable tool for compiling and sharing information. Unfortunately, access to central databases extends only as far as your physical network. For employees in satellite offices or in the field, much of the benefit of shared network information is lost unless they're able to connect to the central LAN.



■ WHAT REMOTE-ACCESS SERVERS DO

These products let many remote users dial into a single communications server and control network sessions running on a locally connected host processor or virtual machine.

■ LIKES

Remote users gain access to local databases and other shared information on the LAN. Centralized access makes the network administrator's job easier.

■ DISLIKES

Software-based products break down if you run the wrong applications, and performance slows quickly as you add users. Hardware products are more stable but more expensive.

■ RECOMMENDATIONS

Novell's NetWare Access Server software is economical and reliable for running typical business applications. Where speed is the first criterion, J&L's Chatterbox 6000 comes out on top.

Common Ground

You could offer computing sessions to remote users simply by installing several PCs on your network, attaching modems to them, and designating them as available for remote access. Remote users would call in and take over the entire machine, using remote-control software, such as Carbon Copy or Co/Session. But dedicating big, boxy PCs becomes unwieldy if you need to put more than one or two in an office or computer lab, and having unattended PCs in distributed locations on your network can create security and maintenance problems.

The products reviewed here let you centralize dial-in access to your LAN while avoiding many of the space and maintenance problems associated with using multiple PCs. All provide at least some management and security features for administering remote computing sessions.

With so many different designs that claim to accomplish the same task, it's hard to come up with common ground on which to compare them. But regardless of the specific needs of your application, you'll want reliable operation, low total-system cost, and high performance. You

PRODUCT SUMMARY—DIAL-IN LAN PRODUCTS

Table 1: Although these products include hardware, software, and stand-alone and plug-in solutions, each attempts to provide dial-in users with as many host resources as possible.

Product	Description	Price (four-user) ¹	Network OS support	Dial-in session resources				
				Processor	Screen type	Available conventional memory ²	Expanded-memory support	Extended-memory support
Alloy PC-Slave/286	Processor card with 1 MB of RAM and CGA; includes remote-control PC software	\$4929	NetWare 2.1 and higher	12-MHz 286	CGA text and graphics	486 KB	No	No
Alloy 386/MultiWare 2.03 and 386/MultiNode	Multuser operating system with network connection software and terminal interface boards; includes terminal software	\$1734 ³	NetWare 2.1 and higher	Virtual 8086	Color text	486 KB	Yes	No
Cubix QL 3001	Processor card with 1 MB of RAM and VGA	\$5580	NetWare 2.1 and higher	20-MHz 386SX	VGA text and graphics	533 KB ⁴	256 KB ⁵	Option ⁵
Evergreen Systems FlexComServer 100 and CP-2286 Processor Kits	Communications server that includes system software, processor cards, and network card; includes remote-control PC software (pcAnywhere IV/LAN)	\$8185	NetWare (all versions but ELS Level I)	12-MHz 286	CGA text and graphics	600 KB	200 KB ⁵	Option ⁵
J&L Information Systems Chatterbox 6000	Stand-alone unit that includes system software, processor cards, and remote-control PC software (Co/Session) ⁶	\$8780	NetWare, NetBIOS LANs	20-MHz 386SX	VGA text and graphics	472 KB	Option ⁵	Option ⁵
LANmaster IncomServ 2.10	Desqview-based software system for sharing a 386 system among several remote users; includes remote-control software (IncomReach) and multiport serial card	\$2999	Any	Virtual 8086	Color text	441 KB	Yes	No
Novell NetWare Access Server 1.01	Multitasking software system for sharing a 386 system among several remote users	\$1995 ⁷	NetWare 2.12 and higher	Virtual 8086	VGA text and graphics	463 KB	Yes	No
The Software Link PC-MOS 4.1 and PC-MOS Gateway 2.3	Multuser operating system with network connection software	\$890 ³	NetWare 2.15 and higher	Virtual 8086	CGA text and graphics	533 KB	Yes	No
Telebit Telebit ACS 2.20	Software that allows remote users to call into a central PC and take over other workstations on the local LAN; includes remote-control software and multiport serial card	\$3995 ⁸	NetWare, NetBIOS LANs	Host system-dependent	Host system-dependent	435 KB	Host system-dependent	Host system-dependent

Note: All these products support remote task reboot and task reboot on disconnect.

¹ Price for a four-user system. See also table 2, which includes cost breakdowns and a list of additional equipment required to set up a complete system.

² This figure assumes 60 KB used for NetWare IPX and resident shell.

³ Price includes a five-user software license.

⁴ Available memory using Co/Session; actual memory available depends on remote-control software used.

⁵ Tested configuration; more memory can be added to card.

⁶ Versions of Chatterbox shipped after our tests include pcAnywhere IV/LAN as remote-control software.

⁷ Listed price is for a 15-user system—the only package offered.

⁸ Price is for an eight-user configuration—the smallest system offered.

include remote-control software, I used Triton Technologies' Co/Session 5.0.

I tested each system using the most advanced graphics emulation supported. (Note that the conventional memory figures that are given in table 1 do not necessarily reflect this configuration; each system was configured for optimal memory use, which usually means CGA or

more limited graphics.)

The most critical test is the FoxPro database application (figure 1a), which measures performance as a whole. This script repeatedly finds and updates entries in a collection of three related databases, which total just under 1 MB. It views each edit by popping up a window between changes.

Figure 1b shows what happens to performance as you add more sessions. I ran BYTE's CPU benchmark with one connection and then added users, up to a total of four. Our benchmarks turn off the automatic timer between iterations. Desqview-based systems switch tasks while the timer is off, distorting the performance curve in their favor.

continued

RECENT STUDIES SHOW THAT 50% OF THE PEOPLE WHO STORE VITAL DATA ON DISKS ARE GOING TO LOSE IT.



It's no joke. A survey conducted among computer users recently revealed that *half* of them have lost time and money because of accidental data loss.

Perhaps that explains why so many people have felt compelled to make the jump.

From other disks to Verbatim®

After all, no other disks in the world guard against accidental data loss better than ours.

Take our DataLifePlus® disks, for example. They're the only disks on earth protected by an exclusive Teflon® coating. Which means you can actually wipe fingerprints, dust, even pencil shavings off the recording surface. Without wiping out your valuable data.

Even more remarkable is our 5¼-inch Rewritable Optical Disk. It has the capacity to store twelve file drawers full of paperwork. Yet because it uses

laser technology, it's virtually incapable of losing data. Verbatim also offers high performance data cartridges, color disks and more.

And all of our products are certified 100% error free and backed by a lifetime warranty.

So next time, insist on Verbatim.

Because trusting your data to anybody else would definitely be a step in the wrong direction.




Teflon® is a DuPont registered trademark.

Circle 297 on Inquiry Card (RESELLERS: 298).

World Radio History

Alloy PC-Slave/286



PC-Slave/286 cards are single-board computers; each PC-Slave/286 has a 12-MHz 286 CPU with 1 MB of RAM and built-in CGA. These cards do not support extended or expanded memory applications. The PC-Slave/286 cards sell for \$1195 each. With supporting software, a four-user package comes to \$4929. Unlike Cubix and J&L Information Systems, Alloy doesn't offer a 386SX processor board.

The host computer can be a file server

or a bridge. In effect, the machine's expansion bus becomes a small LAN segment that services the processor cards. I installed the PC-Slave/286 boards in a NetWare external bridge. Alloy recommends that you install no more than two PC-Slave/286 cards in a system because the boards have high power requirements and generate considerable heat. If you need to install more than two cards, you will need Alloy's XBUS4/AT expansion unit (\$995), which adds four slots to the host system and has its own power supply and cooling fans.

Like diskless workstations, slave processor cards boot from floppy disk image files that go in the LOGIN directory of the NetWare server. As each slave boots from the server, it launches the host component of Link-PC, which waits for a caller to activate a session. When you connect to a board, you simply see a DOS

prompt. Link-PC doesn't require passwords or provide any security beyond that required by the NetWare log-in. Alloy includes a NetWare value-added process, called SLVRESET, that lets you reset individual slave cards from the NetWare console.

If remote users are running Macs, Alloy offers Mac-Attach, which gives Mac users a monochrome, text-only terminal session with a PC-Slave host. The software is functional, but it isn't compatible with MultiFinder, so it won't work with System 7.0.

The PC-Slave/286 system ran reliably, but it performed more slowly than I expected. The BYTE CPU benchmark showed that slow memory accesses hampered the PC-Slave/286 cards on our tests. You can boost speed significantly by sacrificing CGA text—the FoxPro benchmark ran almost twice as fast as the published results when I used the monochrome terminal driver.

Alloy 386/MultiWare 2.03



ADOS-based multiuser operating system, 386/MultiWare gives remote users a virtual 8086 session on a 386 host. When combined with 386/MultiNode, it provides each session with access to any NetWare LAN. 386/MultiWare allows remote users or attached terminals to share the resources of a single 386 PC. Remote users have access to host memory (including EMS memory) and disk drives. 386/MultiWare coexists with DOS and is very easy to install.

Connecting terminals or modems requires some additional hardware; I connected dial-in users using two IMP-2 serial I/O boards from Alloy. The IMP-2 boards handle screen manipulation for the remote terminals. Because the IMP-2s handle color-text screens only, remote users can't have access to any graphics capability on the host machine.

installation program builds an IPX.COM based on a built-in list of supported network cards and parameters, which you supply (the canned list covers most common network interface cards). Once you have done this, each session can connect and log into the NetWare LAN via the usual IPX-NETx log-in sequence.


At \$1734 (including IMP hardware, MultiWare, and MultiNode), MultiWare is one of the cheaper solutions straight out of the box. Even with the additional required hardware, MultiWare is a bargain compared to most other products in this review.

The MultiWare system is also very stable—I wasn't able to crash the system. But I was running only MultiWare-approved applications; if a remote user runs something that tries to put the processor in protected mode or to generate

graphics, the system may lock up.

Performance drops off quickly as you add users. Figure 1a shows this dramatically, but it overstates the effect a bit. MultiWare allocates processing time unevenly among sessions. If two remote sessions launch simultaneously, one will get most of the processing time, and the other will get almost none. During tests with more than one user, the first session finished quickly, but because it held onto its share of the processor time, the other sessions took much longer to complete. Alloy is working on software that will allow MultiWare users to tailor performance parameters.

Cubix QL 3001



The QL 3001, although similar in philosophy to Alloy's PC-Slave/286 card, features considerably more powerful hardware: a 20-MHz 386SX processor, VGA, and 1 MB of memory (with SIMM sockets for up to 16 MB). Each card, which includes support software, sells for \$1845. (Cubix also sells a 286-based card for \$1040 and a 16-MHz 386SX card for \$1395.)



Even This Is More Confining Than Clipper.

Just as the vast expanse of the American West gave its settlers a new perspective on opportunity, Clipper's open architecture lends unprecedented freedom to application development.

Unlike fixed systems, Clipper never forces you to "make do". Its language is fully extensible with user-defined functions and new user-defined commands. You can extend the language with routines written in Clipper itself, or integrate code from other languages like C, Assembler, dBASE® and Pascal. Odds are, you already have knowledge you can use with Clipper!

But if a customizable language isn't enough, there's even more elbow room. Database and I/O drivers can be supplemented or replaced. Even Clipper's linker knocks down barriers by allowing you to develop applications larger than available memory, without defining overlays! And when you're done, Clipper's compiler generates stand-alone, executable files for cost-free, unrestricted distribution.

So, don't let the bounds of fixed systems fence you in. Unleash your imagination in the wide-open spaces of Clipper. To find out more, give us a call today.

Clipper 5.0

The Application Development Standard

213/390-7923

Ask For Department-A

 **nantucket**

Circle 199 on Inquiry Card.

Nantucket Corporation, 12555 West Jefferson Boulevard, Los Angeles, CA 90066, 213/390-7923 FAX: 213/397-5469 TELEX: 650-257-125. Nantucket, the Nantucket logo and Clipper are registered trademarks of Nantucket Corporation. Other brand and product names are used for identification purposes only and may be trademarks or registered trademarks of their respective holders. Entire contents copyright © 1990 Nantucket Corporation.

ESTIMATED TOTAL COST COMPARISON FOR FOUR-USER REMOTE-ACCESS SYSTEMS

Table 2: These figures represent what you could expect to pay to construct a four-user dial-in system using each of these products on your existing NetWare LAN, including all necessary hardware and software. Prices for peripheral equipment you'll need (shown in gray) are estimates.

Alloy PC-Slave/286		Alloy 386/MultiWare and 386/MultiNode		Cubix QL 3001		Evergreen Systems FlexComServer 100 and CP-2286 Processor Kits	
Four PC-Slave/286 boards @ \$1195	\$4780	386/MultiWare (five-user) Remote-control software	\$1734	Four QL 3001 boards @ \$1395	\$5580	Base FlexComServer	\$2195
Remote-control software	149	Two IMP-2 boards @ \$495	990	Network card	250	Two CP-2286 cards @ \$2995	5990
XBUS4/AT expansion unit	995	386 system with 4 MB of RAM	3000	Remote-control software	780		
Network card	250	Hard disk drive	500				
		Network card	250				
TOTAL COST	\$6174	TOTAL COST	\$6623	TOTAL COST	\$6610	TOTAL COST	\$8185

Notes: Cost estimates do not include NetWare, modems, cables, or remote PCs.
 † Workstations can be primarily for local use but must be available when remote users connect.


I installed four QL 3001 cards in a NetWare external bridge. Cubix doesn't specify a limit on the number of boards you can install, but going beyond four will tax the power supply of most systems.

As with the PC-Slave/286, the four cards form a network segment of their own that bridges to the physical network. Because of the overhead of packet routing on the NetWare bridge machine and because all four cards share the same connection to the network, remote users experience a slight performance degradation when multiple sessions try to access the file server simultaneously. Nevertheless, the QL 3001 turned in an excellent performance on our database benchmark. Only the Chatterbox 6000 fared better.

Cubix includes memory management software and an excellent set of utilities for monitoring and controlling the system. The memory manager can free up conventional memory by loading the network driver and shell into high memory. QLCONN lets you view and control a session taking place on a QL 3001 board from any workstation on the LAN, and QLSTATUS lets you get the status of any processor and reset it from another workstation. Because these are workstation utilities, you can run them from a remote system connected to a second QL 3001. This is useful if a session hangs and the local site is unattended (e.g., during off-hours).

The QL 3001 boards ran every application we have without a hitch, including Windows 3.0 with VGA graphics. If high performance is critical, check out the QL 3001 cards.

Evergreen FlexComServer 100



The FlexComServer 100 is a plug-and-play alternative to installing processor cards on your LAN. It consists of a 16-MHz 286 system bundled with Cubix processor cards, a network card, a floppy disk drive, and all the software you need to get a dial-in system up and running. Evergreen Systems also bundles a copy of DMA's pcAnywhere IV/LAN remote-control software. I tested the FlexComServer 100 (\$2195) with two Cubix CP-2286 dual-286 processor

cards (\$2995 each). Evergreen was working to support the Cubix QL 3001 boards as we went to press.

Installation is easy. All you need to do is clear a space on the floor, set down the PC-tower-size FlexComServer, and attach your network cable and modems. You can connect a monitor and keyboard to the system (it includes a monochrome video adapter), but these aren't required.

On start-up, the FlexComServer loads CPAUDIT, a value-added process that continuously polls each processor to determine whether it is still active. If one fails to respond after a certain number of requests, CPAUDIT will reboot that processor.

Evergreen bundles management software (CPCONN) that runs from network workstations and lets you monitor the status of each processor, view sessions, and reboot them if necessary. CPCONN is similar to Cubix's software but slightly more sophisticated in its handling of status information. It also lets you configure pcAnywhere IV/LAN for each processor.

With the CP-2286 cards, which include 12-MHz 286 CPUs with CGA display circuitry, the FlexComServer 100 turned in respectable times on our benchmarks. pcAnywhere IV/LAN's fast screen handling gave the FlexComServer an edge on the screen update tests.

You'll pay considerably more for the FlexComServer than you would if you rolled your own system using processor cards and a clone AT machine. However, the system ran reliably, and its added management tools are outstanding.

ESTIMATED TOTAL COST COMPARISON FOR FOUR-USER REMOTE-ACCESS SYSTEMS (CONT.)

J&L Information Systems Chatterbox 6000		LANmaster IncomServ 2.10		Novell NetWare Access Server		The Software Link PC-MOS 4.1 and PC-MOS Gateway 2.3		Telebit ACS 2.20	
Chatterbox—one 20-MHz 386SX	\$3095	IncomServ 386 system with 4 MB of RAM	\$2999	Access Server	\$1995	PC-MOS (five-user)	\$595	Telebit ACS (eight-user)	\$3995
Three 20-MHz 386SX boards @ \$1895	5685	Hard disk drive	3000	WNIM+ serial card	895	PC-MOS gateway	295	Dedicated PC workstation	1000
Four network cards @ \$250	1000	Network card	500	386 system with 4 MB of RAM	3000	Four EmuLink licenses @ \$199	796	Network card	250
			250	Network card	250	Maxspeed serial card	595	Four 386SX systems @ \$2000 ¹	8000
						386 system with 4 MB of RAM	3000		
						Hard disk drive	500		
						Network card	250		
TOTAL COST	\$9780	TOTAL COST	\$6749	TOTAL COST	\$6140	TOTAL COST	\$6031	TOTAL COST	\$13,245


J&L Chatterbox 6000

While software solutions like 386/MultiWare go to great lengths to emulate several PCs on a network, J&L Information Systems tackles the problem from a different angle. The Chatterbox 6000 is simply a large tower system that can contain just about all the hardware you'd find in six stand-alone PCs, including network cards, video graphics, and disk drives. In addition to simply providing centralized access to several PCs, the Chatterbox 6000 adds status lights, front-panel reset switches, and management software, all of which make it considerably easier to manage than a stack of PCs.

The Chatterbox 6000 consists of 20 AT bus slots on a backplane fed by a single power supply. The slots are divided into six clusters—one cluster has five slots, and the others have three. Except for power lines, each cluster has no connection with the others. You must use one slot in each cluster for a processor card and one for a network card. That leaves the remaining slots available for a memory board, a hard disk drive controller, or other add-in boards. The case also includes room for four half-height or six third-height externally accessible disk drives.

The Chatterbox's front panel features an array of LEDs that describe the modem status and network status for each processor card. The Chatterbox also provides hardware reset switches for each processor on the front panel.

I tested four 20-MHz 386SX processor cards in the Chatterbox. These cards (13 3/4 by 7 inches) are considerably big-



ger than standard AT cards but are complete PCs on a card. In addition to the processor and chip set, each has a serial port, a floppy disk drive controller, a keyboard connection, and 1 MB of

RAM. If you have very high memory requirements, you can upgrade each processor card to include up to 8 MB of RAM.

You can set jumpers on the processor cards to make them reboot on one of several modem signals, so they can automatically reboot on modem conditions (e.g., if the remote user hangs up). A VGA daughtercard plugs into the side of the main processor board. With four of these processor cards (\$1895 each), the Chatterbox 6000 rings up at \$8780.

To make the Chatterbox 6000 a dial-in communication server, you need to add a network card for each processor. You can add network cards with boot PROMs to configure the processors as diskless workstations, or you can add floppy or hard disk drives so that the processors boot up locally.

I installed the Chatterbox 6000 in a diskless boot configuration. J&L bundles remote-control software with the Chatterbox. My system came with Co/Session, but J&L began bundling pcAnywhere IV/LAN with the Chatterbox as we went to press.

Once remote users connect, they can expect the performance of a dedicated 20-MHz 386SX PC. The only bottleneck is the speed of the remote connection. The Chatterbox did well on the single-user tests and easily bested the other products when I added two or more sessions.

Although it's one of the most expensive solutions, the Chatterbox is also the fastest and the most stable. Its all-hardware approach to multiple sessions and session isolation makes it a fast and robust product.

continued

Reports from the Front

Sharon Fisher

Many organizations are finding unique ways to support remote computing sessions on their LANs. Along the way they've had to overcome a few unexpected hurdles. Most see their current solutions as transitional, pending the arrival of more sophisticated client-server applications. Here are three stories from the front lines.

A Library Goes On-Line

The Loma Linda University Medical Center Library uses Cubix bridge systems to provide remote access to an extensive CD-ROM information network. According to campus network coordinator and medical library/information center director Paul Kittle, doctors, students, and other staff dial into the Total Online Medical Material Integration (TOMMI) system to gain access to more than 27 gigabytes of data from medical databases and on-line medical journals. The data resides on 42 CD-ROM disks in six CBIS CD servers.

Remote PC and Mac users run PC MacTerm II and pcAnywhere III remote-control software to connect to Cubix 12-MHz 286 processors with 1 megabyte of RAM and EGA display capabilities. Remote users log onto a NetWare 2.15 file server and then can access the CD servers.

Two 286 host machines each support six 9600-bps sessions on Cubix 2286a boards. Traffic requirements dictated that the Cubix bridge computers and the CBIS CD-ROM servers sit on their own 10Base-T LAN segment rather than attach directly to the library's ARCnet. Kittle bridged the 10Base-T and ARCnet segments; a second bridge connects the 10Base-T LAN to the university's fiber distributed data interface (FDDI) backbone, which allows direct access to the CD-ROM information network for users on LANs at other campus locations.

Kittle divided the processor boards between two bridge machines to spread the network traffic between two nodes and avoid a single point of failure. He

also found that adding more processor boards overheated the host computers. "The cards got really hot when I first installed them," he says. "I ended up having to space them one slot apart to improve circulation."

The six CD server towers, two Cubix bridge machines, and 12 modems all sit in Kittle's 8- by 10-foot office. With 12 connections to maintain, using stand-alone machines was out of the question. Kittle considered both NetWare Access Server and J&L's Chatterbox before settling on Cubix. "The pricing on the Access Server was what hurt me. The Cubix boards were more practical. I didn't have to worry about space and didn't have to buy more network cards and maybe extra hub and cabling if I used the Chatterbox. I wanted maximum punch for minimum dollar."

Kittle is waiting for Cubix to introduce a processor board with extended VGA so that his users can take advantage of medical journal illustrations. He acknowledges that transmission of these screens back to a remote host can take several minutes—even at 9600 bps—but says that doctors are willing to wait if it saves a trip to the library.

Natural Gas Network

Natural Gas Clearinghouse (NGC) depends on its Advanced Revelation database at its Houston headquarters to track the sale, purchase, and movement of natural gas. To accommodate users in the company's Chicago, Denver, and Pittsburgh offices, Information Center Supervisor Warren Ashworth installed NetWare Access Server (NAS) on three 33-MHz 386 systems.

Up to 18 remote users connect to the 280-MB database simultaneously via NGC's wide-area network (WAN) or dial-up connections. Most users connect to the NAS machines through their local NetWare LAN. A Racal-Vadic or Symplex statistical multiplexer then aggregates and compresses session traffic and sends it over a 56,000-bps or 9600-bps leased line to the Houston office. The statistical multiplexer in Houston

demultiplexes the traffic and routes it directly to the ports on one of the three NAS machines. Each NAS machine has five ports connected to the multiplexer; a sixth connects to a 9600-bps modem to allow dial-up connections.

Novell claims that NAS supports up to 15 sessions, but this did not work with users running Advanced Revelation. "When you're slicing that many sessions on one 386, NAS just isn't very effective," Ashworth says. He minimized the problem by assigning users to a specific NAS port and dividing the heaviest users among the three NAS machines.

Having multiple servers improves performance and still takes less space than using a dedicated host PC for each remote user. They also make NAS less cost-effective. "We're not able to fit as many sessions on one 386 as we would like," Ashworth says, "but we're able to get the same level of performance we had with our 12-MHz PCs running pcAnywhere."

Ashworth is pleased overall with NAS and plans to add more servers to his growing network. Ultimately, he hopes to migrate the database to a less network-intensive client-server architecture. Remote users could then launch the database directly through remote bridges rather than using a remote-control product such as NAS.


Internal Revenue Service

The Internal Revenue Service's southeast regional headquarters in Atlanta uses J&L's Chatterbox 6000 to let remote users run a variety of applications from NetWare file servers.

The NetWare 2.15 LAN has three Chatterbox 6000s, each with six 12-MHz 286 processors, that serve 30 remote users. Remote users run 9600-bps sessions through the Treasury Consolidated Data Network, a private X.25 WAN, using Triton Technologies' Co/Session.

Users in remote offices run a wide variety of applications on the LAN, including several database applications,

LANmaster IncomServ 2.10



WordPerfect, dBase IV, and Lotus 1-2-3, says Stephen J. Foley, regional telecommunications specialist. Foley has fully automated establishing remote sessions; remote users don't even see Co/Session menus, and Co/Session unloads itself automatically when the work has been done.

Foley started out using Novell's NetWare Communications Server, which supports inbound sessions using pcAnywhere III and requires a dedicated PC for each session. "We got tired of stacking up PCs for people to connect to," Foley says. "The Chatterbox puts everything in one box."

For the most part, Foley is satisfied with performance. "The average response time is about what you'd get if you were running an old 8088 PC," he says. "The CGA graphics take about twice as long as they would on an 8088, but we do very little with graphics."

Foley sees several advantages to the Chatterbox versus NAS. "We felt that it was better to have a dedicated processor for each user. When you're sharing a processor with NAS and a process locks up, you have to reboot the entire server." With the Chatterbox, Foley can reset individual processors. The Chatterbox is also network operating-system independent, while NAS supports only NetWare LANs.

Remote users could run some applications on their own PCs, but centralizing the applications provides for better control, Foley says, because many remote users are computer novices. Since the sessions run over a private WAN, Foley doesn't incur any extra cost to keep users on-line. Still, Foley sees the current setup as transitional. "This is an interim solution until we can develop a more robust distributed processing environment."

Sharon Fisher is a San Francisco-based freelance writer specializing in data communications. You can reach her on CompuServe as 76012,1147, on the Internet as slf@well.sf.ca.us, and on BIX as "sharonfisher."

IncomServ is a Desqview-based multitasking environment that gives several remote users virtual sessions and access to expanded memory on a local 386-based host system. The four-user package, which contains Desqview, QEMM, a multiport serial card, and LANmaster's host and remote software, costs \$2999.

Unlike the other products reviewed, IncomServ does not provide each dial-in user with a unique NetWare log-in. Instead, the host system has a single log-in that all dial-in users must share. Therefore, users calling into an IncomServ host all have common access rights to network servers. This approach makes IncomServ more flexible than other products. It's not NetWare specific and should work with any LAN. However, security becomes impossible to manage if you need to have remote users with broad network privileges.

Remote users dial into the IncomServ host using IncomReach remote-control software. I had some problems getting IncomReach to work with our test Telebit modems, and the software allows for


only minimal reconfiguration. LANmaster said that it was aware of some compatibility problems with Telebit modems. I wouldn't recommend using IncomReach with anything other than a true Hayes modem.

Once the remote users connect, they see a log-in menu that requests an ID and password, followed by a utilities menu for file transfers and a preconfigured menu of applications that the network administrator has made available. All interaction between remote users and applications goes through this menuing system unless the administrator makes DOS itself a menu option.

The menu system may make IncomServ easier for occasional users, but it takes up a sizable chunk of memory in each session. You can free up some memory by using QEMM to load programs and device drivers into upper memory. LANmaster recommends that you use a CGA video adapter in the host system and make the upper video memory-address space available to QEMM.

IncomServ delivered excellent performance for a single user. Performance dropped quickly as I added sessions but was still acceptable with three users running. Unfortunately, IncomServ tended to crash when I added a fourth user even though the host system's 4 MB of RAM satisfied IncomServ's minimum memory requirement. Problems ranged from locking up the entire host to execution errors with error messages from the IncomServ software. Overall, I found IncomServ too unsteady to count on with more than three simultaneous sessions.


Novell NetWare Access Server 1.01



Novell's answer to the problem of remote access is NetWare Access Server, a Desqview-based software product that uses a 386 computer as a host for up to 15 remote sessions. NAS, which includes remote-control software for both PCs and Macs, costs \$1995. To accommodate four users, you'll also need to install Novell's four-port WNIM+ board (\$895) in your host system. NAS includes all the server software,

Rack & Desk PC/AT Chassis

Integrand's new Chassis/System is not another IBM mechanical and electrical clone. An entirely fresh packaging design approach has been taken using modular construction. At present, over 40 optional stock modules allow you to customize our standard chassis to nearly any requirement. Integrand offers high quality, advanced design hardware along with applications and technical support *all at prices competitive with imports. Why settle for less?*



Rack & Desk Models

Accepts PC, XT, AT Motherboards and Passive Backplanes

Doesn't Look Like IBM

Rugged, Modular Construction

Excellent Air Flow & Cooling

Optional Card Cage Fan

Designed to meet FCC

204 Watt Supply, UL Recognized

145W & 85W also available

Reasonably Priced

Now Available
Passive Backplanes



INTEGRAND

RESEARCH CORP.

Call or write for descriptive brochure and prices:
8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

TELEX 5106012830 (INTEGRAND UD)

FAX 209/651-1353

We accept Bank Americard/VISA and MasterCard

IBM, PC, XT, AT trademarks of International Business Machines.
Drives and computer boards not included.

REMOTE COMPUTING

remote-control software, and a new version of IPX.OBJ that allows the access server to handle multiple log-ins from a single IPX address.

Novell was finishing an update to version 1.01 as I prepared this review. The new version, which should be out by the time you read this, will provide support for third-party serial cards and make available another 80 KB of conventional memory.

I booted the NAS machine from a floppy disk on my 25-MHz 386 host system. The ideal machine for NAS is a high-powered 386 or 486 with a floppy disk drive, CGA, and lots of memory. Novell recommends at least 1 MB plus 750 KB for each user; you'll need more if you run expanded-memory applications. As with LANmaster's IncomServ, you'll want to make as much high memory available as you possibly can.

The NAS host has a console interface that lets the network administrator configure access server parameters, view sessions on the host, and reset sessions. Sessions don't exist before users dial in, so there is no waste of clock cycles or RAM on unused sessions. When a user connects, NAS starts up a session and hands control over to the remote user by firing up ANYWNAS, a bundled version of the host component of pcAnywhere III.

Remote users run the bundled On-

LAN/PC software (pcAnywhere III); remote Macs use OnLAN/Mac. OnLAN/Mac maps the Mac keyboard to the PC keyboard in an intuitive fashion and handles cut-and-paste operations between the local Mac and the remote session. I ran it successfully with a beta version of System 7.0. OnLAN/Mac also features color screen emulation, which, although attractive, is harder to read than monochrome mode.

When remote users make a connection, they see a greeting message, followed by a NetWare log-in prompt. Users log into the server using NetWare user IDs and passwords. If the log-in process fails, NAS breaks the connection. You can configure NAS to restrict access only to NetWare accounts that have passwords. This clean, simple interface between remote user and network is one of NAS's strong points.

NAS is fast with one user connected but slows down predictably as you add to the load. Novell claims NAS is usable with up to eight users, but the limit was closer to four on our test 386 system. NAS was dependable when running clean applications, but ill-behaved applications can bring down all the sessions on the server. If you intend to run standard, well-behaved applications, NAS's stable operation, good console utilities, and good user interface make it a worthwhile solution.

The Software Link PC-MOS 4.1

```

LPTDRU .SYS      990  8-16-98 13:05 *
STANDIO .SYS     674  8-16-98 13:05 *
MESHET .COM     41,453  8-16-98 13:05 *

DiskID not found      74,986 bytes   6 Files   4,485,888 Bytes remaining

[C:\GATEWAY]:
[EE]NDIR

filename.ext      size  ----updated---- attr  cto user  ----created----
LOGON             (directory)                1-05-91 17:33
PUBLIC            (directory)                1-05-91 17:33
MAIL              (directory)                1-05-91 17:33
STOR              (directory)                1-05-91 17:33
TEMP              (directory)                3-11-91  9:11
USER              (directory)                3-11-91  9:39

DiskID SYS         8 bytes   6 Files   157,437,952 Bytes remaining

[EE]Subst
You are user S_APIKI attached to server WOLBB, connection 13.
Server: WOLBB in running NetWare 386 V3.10 Rev. A.
Login time: Thursday April 10, 1991 8:21 am
  
```

Like 386/MultiWare, PC-MOS is a multitasking, multiuser operating system that lets several users establish computing sessions on a single 386 or 486 host system. PC-MOS Gateway offers PC-MOS clients access to NetWare. Each client can connect to the PC-MOS host and then establish its own log-in on a NetWare LAN.


Unlike MultiWare and Desqview,

which run on top of DOS, PC-MOS is a complete operating system in itself. Although PC-MOS is designed to be DOS-like to both applications and users, the operating-system commands are somewhat different, and, according to The Software Link, some applications may not run properly without modification. Most DOS applications, including those that require expanded memory, will run without problems. The applications that I used over the

course of this review, including Xy-Write, FoxPro, dBase, Quattro Pro, and Lugaru's Epsilon editor, all worked fine.

Once PC-MOS is installed, any user can add tasks and switch among them with relative ease. You can assign each task a security level, serial port, and terminal type, and you can view remote tasks with a host task that has sufficient

D U R A L I N E™



IBM and AS/400 are registered trademarks of International Business Machines.

RUGGED. If you ask a lot from your line printers, you'll like DuraLine. It's a workhorse, built for the long-haul. Ask any owner! Plus we back you up with a one year warranty. And nationwide on-site service by NCR,* or convenient Factory Express Service.

FAST. At 240 lines-per-minute, DuraLine finishes your high volume printing jobs fast! Spreadsheets, reports, multi-part forms. DuraLine prints them all... fast! And its hushed operation lets you put it right at your fingertips, convenient for multiple users.

LAN-TOUGH. DuraLine is tough enough to handle LAN workloads. Connect DuraLine to your server or workstation, or mount your preferred interface safely inside the printer and connect directly to the wire. Special DuraLine models for IBM System 3X, AS/400, and 3270 environments.

DuraLine is the workhorse you've been looking for. Call today for the name of a reseller near you.

800-468-8788

For GSA Pricing: 800-633-9433

E. 9922 Montgomery Drive, Suite #6
Spokane, WA 99206-4199



* Over 375 sites available nationwide and Canada.

**Call me I'm interested,
circle 323 on Inquiry Card.**



THE LAN WORKHORSE

security privileges. However, no task can have a larger memory partition than the initial start-up task. To boost each task's memory, you need to tune memory allocations within the first megabyte, just as you would with QEMM and Desqview.

Remote users run PCEmuLink, The Software Link's terminal emulation package for PCs. PCEmuLink is tricky to set up, but once installed it's easy to automate. A third software package, PC-MOS Gateway 2.3, connects PC-MOS clients to a NetWare LAN. PC-MOS Gateway consists of several device drivers, a new version of IPX.OBJ, and an executable program called MOSNET. Most of the installation process involves creating a version of IPX that can install as a PC-MOS device driver. Installing the network software in this way allows all the memory partitions to share a physical connection to the network.


To connect to the NetWare LAN, remote users dial into the PC-MOS host using PCEmuLink. Depending on security levels, PC-MOS may require a user ID and password. Next, users launch the MOSNET program to connect to the

server; MOSNET has the same effect as running a DOS shell like NET3. Each task can log into and out of the server as required, and each task has a separate NetWare log-in.

I found PC-MOS a reliable, if somewhat sluggish, solution for connecting remote users to NetWare. But at \$595 for five users plus \$295 for PC-MOS Gate-

way, it's the least expensive solution I tested. Because PC-MOS is not DOS-based, remote users could run into compatibility problems in environments where they're running a wide variety of applications. In most cases, where remote users will run just a few applications, PC-MOS is a good, low-cost alternative.

Telebit ACS 2.20



Telebit ACS's way of providing remote connectivity is unique. The product (formerly PACS Plus from ParaData) is a software package that centralizes asynchronous connections on one PC and then redirects remote-control sessions to available PCs across the network. The modems, pooled at a local communications server, work with both dial-in and dial-out sessions. Telebit ACS dynamically allocates modems between inbound and outbound

Attention U.S. BYTE Subscribers

Watch for the next **BYTE DECK** mailing that will be arriving in your mailbox soon!

Use this as a fast, convenient tool to purchase computer products and services. It's loaded with essential hardware and software products that you should be aware of when making your buying decisions...and it's absolutely FREE!


If you have a computer product or service, and would like to reach 275,000 influential **BYTE** magazine subscribers, please give Ed Ware a call today at (603) 924-2596.

**BYTE
DECK**

Here's what a **BYTE Deck** advertiser has to say:

*"Ten years ago we advertised in the very first **BYTE Deck**—the number of sales leads we received was enormous! The **BYTE Deck** was so successful for us, that we have continued to use it over the past ten years!"*

Lisa Tarpoff, Marketing Manager, Heath Company, Benton Harbor, MI





IBM PS/2



OUR PS/2 REPLY

HOW WE TOOK A BRIGHT IDEA AND MADE IT EVEN BRIGHTER.

When you compare Reply's™ fully compatible systems with similar IBM® PS/2® systems, the differences are illuminating. The fact is, our Reply provides more features, better performance and greater flexibility.

Take for instance our brighter modular system design with 5BY5™ architecture (5 slots, 5 bays), user-upgradeable TurboProcessor™ modules and 1024 x 768 integrated video—all in the same small footprint as the IBM Model 70.

What's more, our partnerships with technology leaders like IBM, Chips and Technologies®, Conner Peripherals®

and Microsoft® mean we offer unmatched product compatibility. And what's truly bright is our systems are fully upgradeable from 386SX™ through i486™.

Plus, with IBM OEM agreements, Reply integrates up to 50% actual IBM hardware and software options at the factory. Further proof of Reply's overall quality and full PS/2 compatibility.

So if you're looking for PS/2 compatibles with the look, feel and quality you expect from IBM—at prices that are equally radiant—discover a brighter shade of blue from Reply.



PC Week Analyst's Choice Model 32 486, 3/11/91



A Brighter Shade of Blue

Reply, 5BY5 and TurboProcessor are trademarks of Reply Corporation. IBM and PS/2 are registered trademarks of International Business Machines Corporation. All other trademarks and registered trademarks are the property of their respective companies.

Circle 322 on Inquiry Card.

World Radio History

sessions. For processing power, Telebit ACS relies on idle processors (i.e., other workstations) on the LAN. The eight-user version, the smallest configuration Telebit sells, costs \$3995.

Telebit ACS requires that you dedicate a workstation as the communication server. An intelligent multiport serial card handles I/O processing, so the host machine can be a slow PC. But because the serial card requires access to low-memory addresses, you must install it in a workstation that has exactly 512 KB of RAM.

The communication server boots up and launches Telebit ACS from the network. Initially, no processors are available for remote control. You must make workstations available on the network by running the host software, which registers each host machine with the communications server. In this way, modems and host processors are available through the communications server in a many-to-many matching. As long as there is one free modem and one free processor, remote users will be able to connect.

When remote users dial in (using a bundled copy of Remote2), Telebit ACS presents them with a list of available host machines. The names in the list are logical assignments and can be configured for each workstation. Remote users will also have access to any local drives on the host, so host PCs should not contain any private data.

Telebit's management software allows you to view the status of sessions in progress and gather communications statis-

tics from the communication server's console. A separate utility lets you run the console program from any workstation on the LAN.

Performance is completely dependent on the type of workstation that is available for takeover. On our test LAN, four 386SXes running Remote2 demonstrated excellent performance. But Remote2 and Telebit's host TSR program together take up nearly 90 KB of RAM; with both these and the network driver loaded, memory can become quite scarce. You will certainly want to install memory management software if you are running large applications.

Telebit ACS requires that you have workstations on the network that you can afford to use for remote access. The cost comparison chart (see table 2) includes the price of four full workstations. However, Telebit ACS is really designed to take advantage of idle workstations already in place. The company says that most Telebit ACS users have batch files that automatically register a PC when the system logs off the network and unregister it when a local user logs on.

Telebit ACS is not appropriate for every environment. If your users have confidential data on workstations, Telebit ACS's pooling approach is probably going to meet with some resistance. However, if you have dial-out needs to match your dial-in requirements and are likely to have workstations available when remote users require them, Telebit ACS can be an efficient, cost-effective solution.

Remote Picks

Almost every product in this review performed well. Depending on your mix of performance and cost requirements, you probably could come up with several excellent solutions from among the packages presented here.

Remote-access installations fall into two categories. The first is general-purpose, where users may run one of many applications. The second type is used primarily for a single program (e.g., software that updates a database).

If you run a network where users are likely to run untested applications, or if you have no control over what users run, none of the software solutions is bullet-proof enough to meet your needs. In a general-purpose environment, only independent processors offer the session isolation needed to ensure reliability; that means added hardware. For these users, J&L's Chatterbox 6000 has the most reliable configuration, plus excellent speed.

On the other hand, if your dial-in users will be running only one or a few applications (as most probably will), a software solution can be safe and economical. Of these, Novell's NAS offers the best combination of management tools. It also ran reliably. And while it may seem like an unlikely candidate for running DOS applications on NetWare, PC-MOS is a fine alternative if low cost is a high priority. ■

Steve Apiki is a testing editor for the BYTE Lab. You can reach him on BIX as "apiki."

COMPANY INFORMATION

Alloy Computer Products, Inc.
(PC-Slave/286;
386/MultiWare;
386/MultiNode)
165 Forest St.
Marlborough, MA 01752
(800) 544-7551
(508) 481-8500
fax: (508) 481-7711
Circle 1400 on Inquiry Card.

Cubix Corp.
(QL 3001; ComCube
Station)
2800 Lockheed Way
Carson City, NV 89706
(800) 829-0550
(702) 883-7611
fax: (702) 882-2407
Circle 1401 on Inquiry Card.

Evergreen Systems, Inc.
(FlexComServer 100)
120 Landing Court, Suite A
Novato, CA 94945
(415) 897-8888
fax: (415) 897-6158
Circle 1402 on Inquiry Card.

J&L Information Systems
(Chatterbox 6000)
9238 Deering Ave.
Chatsworth, CA 91311
(818) 709-1778
fax: (818) 882-1424
Circle 1403 on Inquiry Card.

LANmaster
(IncomServ)
1401 North 14th St.
Tempe, TX 76501
(800) 441-6189
(817) 771-2124
fax: (817) 771-2379
Circle 1404 on Inquiry Card.

Novell, Inc.
(NetWare Access Server)
122 East 1700 South
P.O. Box 5900
Provo, UT 84606
(800) 638-9273
(801) 379-5900
Circle 1405 on Inquiry Card.

The Software Link, Inc.
(PC-MOS; PC-MOS
Gateway for
Novell NetWare;
PCEmuLink)
3577 Parkway Lane
Norcross, GA 30092
(800) 766-5465
(404) 448-5465
fax: (404) 263-6474
Circle 1406 on Inquiry Card.

Telebit Corp.
(Telebit ACS)
1315 Chesapeake Ter.
Sunnyvale, CA 94089
(800) 835-3248
(408) 734-4333
fax: (408) 734-3333
Circle 1407 on Inquiry Card.

Suddenly, Obsolescence Is Obsolete!

Now! Northgate® Brings You The Only Affordable Upgrade Concept—Scalable Processing Architecture (SPA™)!



How many computers do you see here? Three? Guess again.

These platforms represent FIFTEEN new high-performance Northgate SPA systems! Every one of these systems is field upgradable to faster processing speeds by simply replacing one power module. It's easy — you can even do it yourself!

Northgate brings you this technology for a fraction of the price others charge for upgrades. Skeptical? Look!



Suppose you started out with a 386/25 MHz system. This module delivers that power and performance in your choice of SlimLine™, Elegance Desktop or Elegance Vertical Power Platforms. Want to Upgrade in the future? We'll buy your 25 MHz module back and send you the more powerful upgrade module. Every power module has 64K RAM cache included ... all for an unbeatable price!



Upgrade to 386/33:
send us your 386/25
module and ONLY ... **\$349⁰⁰**



Upgrade to 386/40:
send us your 386/25
module and ONLY ... **\$649⁰⁰**




Upgrade to 486SX/20:
send us your 386/25
module and ONLY ... **\$749⁰⁰**



Upgrade to 486/33:
send us your 386/33
module and ONLY ... **\$999⁰⁰**

Now! Northgate Smashes The Upgrade Cost Barrier!



Here's How Scalable Processing Architecture (SPA™) Works!

The challenge facing our R&D department was: Create a total system concept that makes on-site upgrading fast and affordable while maintaining award-winning Northgate performance.

Northgate did it! Our engineers designed the SPA Main System Board (see photo) with a slot where one of five power modules — including cache and coprocessor socket — easily plugs in. 64K cache standard (256K optional).

A proprietary Cache Management Chip on the Main System Board senses what processor is on the module and automatically lets all the other parts know who's in control. Plug in the power module, "fire it up" and thrill to the new performance. Incredible? You bet it is! Your data remains intact.

Never before has the computer world been presented with the options, flexibility and economies of Scalable Processing Architecture. It's a Northgate original, developed to meet the wants and needs of computer users like you.

SPA eliminates your future equipment concerns. And secures the value of your investment. Want to equip your department with lower cost 386 systems with an eye toward moving into 486 processing in a year or so? SPA is your only low cost, high performance answer.

Three Platforms, five Power Modules ... fifteen systems in all! Northgate has an SPA system to meet every application. Start by selecting the platform you need. Space-saving SlimLine, full size

Elegance Desktop, or for use as a file server choose the Elegance Vertical Power platform. All three accept any of the five power modules: 386/25, 33, 40, 486SX/20 and 486/33 MHz.

100% field upgradable ... dollars back, too! Some others make you send your system back for upgrading. What a time waster! Northgate SPA systems can be upgraded right in your office or home. You can even do it yourself with just a screwdriver (detailed instructions provided). Want a coach? Call Northgate Tech Support any time day or night. (We're here 24 hours a day, 7 days a week.) One of our experts will guide you through it. Phone call and service are free! *And anytime you upgrade, we'll pay you real dollars for your old module!*

You Can't Make A Mistake With A Northgate!

Northgate is here to serve you all day, every day! You get industry-leading tech support, full parts/labor warranties — one year on systems, five years on *OmniKeys*. And our free overnight shipment of replacement parts policy. Now... 5000 technicians out of 400 locations nationwide are on call to service Northgate systems — **FREE for one year!**

Northgate takes the risk out of buying direct — **30 day No Risk Trial!** We'll custom configure your SlimLine or Elegance SPA. Use it for 30 days. If you have even a shadow of doubt about your purchase, we'll buy it back for every penny you paid. No questions asked!

Call today and we'll help you select the Northgate SPA platform and processor option that best meets your needs: 386/25, 33 & 40 MHz, 486SX/20 or 486/33 MHz in SlimLine, Elegance Desktop or Elegance Vertical Power cases. Add hard drives — 40MB to 1.2GB. Monitor options include 14" VGA Mono or Color, 14" SVGA, 16" Nanao SVGA, 19" NEC SVGA. Get more RAM, extra floppies, a modem, a fax card and more. And every system gives you an affordable upgrade path. You just can't make a mistake with Northgate!

*Now Compatible
With Novell® 3.1!*

*Two Main System
Boards... Three Cabinet
Styles... Five Power Modules.
Northgate Gives You The Choice
Of 15 Upgradable New Systems!*

Compare Northgate's 386/33 To 486/33 Upgrade Price With ALR, AST and Dell!

Northgate Upgrade Price: \$999.00! That's right. You can soar all the way from a 386/33 to a 486/33 for only \$999.00 with processor trade in.† Now lets take a look at what the other guys charge. Ready for an eye-opener?

AST Suggested Retail AFTER Processor Trade In \$3695.00! Sounds a little pricey doesn't it? But that's the figure AST tells their dealers they should charge to upgrade a 386/33 with 2MB of memory to a 486/33 with 4MB of RAM. Over **THREE AND A HALF TIMES** Northgate's price!

ALR Suggested Retail \$2495! Want to make an ALR 386/33 into a 486/33 Business VEISA? You can get a piggy-back module that will take you there, but it's not cheap. An ALR dealer will charge you up to \$2495.00 for the favor. **TWO AND A HALF TIMES** Northgate's price!

DELL \$1999.00! Their sales reps will tell you "there's a lot of value here at Dell." It doesn't show in their prices. You'll fork over \$1999.00 to upgrade a Dell 386/33 to a 486/33. If you paid the \$299.00 they charge for 32K cache in your Model 325P, kiss it goodbye! Dell's 486/33 has **NO** external cache memory capability and they won't buy back the module or the now worthless cache card! And these guys made a big to-do over Compaq's high prices!

SlimLine™ SPA Platform Features:

- 2MB of RAM on motherboard; expandable to 32MB
- 64K SRAM read/write-back cache
- Edsun Continuous Edge Graphics (CEG)
- 1.44MB 3.5" floppy disk drive (1.2MB 5.25" optional)
- Small footprint (16.5" square x 4.25" high) SlimLine case with room for two exposed and one internal half-height devices
- Three full-length 16-bit and two half-length 8-bit slots
- Integrated IDE hard drive and floppy drive controllers
- Integrated 16-bit SVGA
- One parallel and two serial ports
- Intel and Weitek math coprocessor support
- 150 watt power supply
- *OmniKey* keyboard
- MS-DOS 3.3, 4.01 or 5.0 and GW-BASIC installed
- QA Plus Diagnostic and utility software
- Microsoft® Windows™ and mouse
- FCC Class B certified

Elegance Desktop or Vertical Power SPA Platform Features:

- 2MB of RAM on motherboard; expandable to 64MB
- 64K SRAM read/write-back cache
- 1.44MB 3.5" floppy disk drive (1.2MB 5.25" optional)
- 16-bit SVGA adapter
- Desktop Case with 200 watt power supply and room for three exposed and two internal half-height devices; OR Vertical Power Case with 220 watt power supply and room for three exposed and four internal system half-height devices
- 8 expansion slots
- One parallel and two serial ports
- Intel and Weitek math coprocessor support
- *OmniKey* keyboard
- MS-DOS 3.3, 4.01 or 5.0 and GW-BASIC installed
- QA Plus Diagnostic and utility software
- Microsoft® Windows™ and mouse
- FCC Class B certified

SlimLine SPA Platform **\$1899⁰⁰**

Elegance Desktop SPA Platform **\$2199⁰⁰**

Elegance Vertical Power SPA Platform **\$2349⁰⁰**

Charge it to your Big 'N' Credit Card Or Lease It At Low Monthly Rates!

CALL TOLL-FREE 24 HOURS EVERY DAY **800-345-8709**

Major corporations, volume purchasers and government agencies call National Business Accounts: **800-545-6059**

Fax your order! **800-323-7182**

Notice to Hearing Impaired: Northgate has TDD capability. Dial 800-535-0602.



"Smart Tools For Business"™
7075 Flying Cloud Drive, Eden Prairie, MN 55344

Circle 207 on Inquiry Card.

World Radio History

CODE B03

© Copyright Northgate Computer Systems, Inc. 1991. All rights reserved. Northgate, SlimLine, ChemiKey and the Northgate 'N' logo are trademarks or registered trademarks of Northgate Computer Systems. 80486 is a trademark of Intel. All other products and brand names are trademarks or registered trademarks of their respective companies. Prices and specifications subject to change without notice. Northgate reserves the right to substitute components of equal or greater quality as performance. All items subject to availability. We support the ethical use of software. To report software copyright violations, call the Software Publishers Association's 'Let's Protect Publishers' at 1-800-388-3838. * ALR, AST and Dell prices quoted May 14, 1991. † Price dependent on market conditions and price at time of upgrade.

HARDWARE

Five New SPARC-Based Workstations Compete with Sun

TOM YAGER

Sun Microsystems started the SPARC revolution with its own systems, so it's no surprise that the first batch of non-Sun SPARC systems are showing up with nearly identical features. The SPARC chip is a processor developed by Sun that promises to become a standard processor commodity for Unix, just as Intel's 80x86 processors have in the DOS world.

To compare how well the so-called SPARC clones perform, I selected a representative set of SPARC systems, based mostly on their availability. The group included systems from Solbourne Computer, Opus Systems, CompuAdd, Mars Microsystems, and RDI Computer. Each system was hooked into the BYTE Unix Lab's network and was run with a variety of system and applications software. The new BYTE Unix benchmarks were run as well (for details, see the text box "BYTE Updates Unix Benchmarks" on page 213).

A SPARC-compliant workstation can be expected to include a SCSI port, an Ethernet port, two serial ports, audio I/O, an integrated mouse, and a Sun-style keyboard. The typical display is either monochrome or 1152- by 900-pixel, 256-color graphics. A high-density, 3½-inch floppy disk drive is also standard.

Peripheral devices are connected externally to the SCSI bus or internally via Sun's SBus. SBus cards are smaller than postcards and generally have no DIP switches or jumpers to set. Unlike the ISA bus, the SBus doesn't require you to know anything about the board's interrupt vector, port number, or memory-buffer address; SBus boards are "plug and play," mostly configuring themselves into your system. If special drivers


are required, you can load them dynamically into SunOS without rebuilding the Unix kernel.

The Solbourne S4000

Solbourne Computer has more experience with SPARC-compatible systems than anyone besides Sun. The review unit I tested was pretty well decked out: It came with a 16-inch color monitor, 40 megabytes of memory, and two 200-MB floppy disk drives. The price of this configuration is \$20,095. The S4000 is unique among the systems I reviewed due to its maximum memory capacity: With an expansion card, the S4000 can be taken to 104 MB.

The value that Solbourne adds to the base SPARC configuration is significant and comes in three forms: software, accelerated graphics, and file I/O performance. Solbourne's port of SunOS release 4.0 includes all the pieces licensed by Sun (and discussed above) plus some extras that Solbourne throws in, giving the S4000 an edge over some other SPARC systems. Release 4.0 is a couple of releases behind Sun and can cause minor compatibility problems with applications built with 4.1 or higher libraries.

Solbourne's OS/MP 4.0 (*MP* refers to Solbourne's multiprocessing extensions, not used in the S4000) is most notably augmented with the inclusion of Solbourne's own X Window System server and accompanying tools. The X server itself (based on X Window 11 release 4) is remarkable only in that it's included with the S4000. More thrilling by far is Solbourne's *swm* window manager. In a single application, Solbourne has managed to build in both OSF/Motif and Open Look behavior. The behavior is user-configurable, and the emulation is quite



good. In addition, *swm* offers a virtual desktop—a logical screen that can be many times larger than the physical display. To move the physical screen to a different area on the logical screen, you simply move a dotted-line box around in a special window. The window provides a bird's-eye view of the logical screen, complete with window positions and sizes marked by properly scaled rectangles. Nice.

To accompany *swm*—and, presumably, to offset Sun's own DeskSet tools for OpenWindows—Solbourne provides a number of graphical front-end applications to frequently used programs: debugging, revision control, appointment scheduling, file management, E-mail, Usenet news reading, message sending, and X Window font editing and window property querying. Tools like these make life easier for those who, like me, live with their workstations throughout the entire workday.

Finally, Solbourne makes its standard software offering complete with its Object Interface toolkit. This C++ class library lets developers write graphical applications that are GUI independent. Presently, OSF/Motif and Open Look interfaces are supported. It's a little ironic that the toolkit is standard but a C++ compiler is not.

On the performance side, the S4000



again distinguishes itself by including, as standard, enhancements to color graphics and file I/O. The color configuration includes an accelerated graphics card that speeds X Window and SunView performance noticeably. I will not try to quantify that improvement (X Window benchmarking tends to be unpredictable), but it easily outclasses the typical SBus color frame-buffer boards.

The S4000 also earned my admiration for its file I/O performance. Solbourne's claim to fame is as a vendor of high-speed servers, and the company quietly borrowed some of that fast I/O technology for the S4000. The performance numbers were so good that I think this machine qualifies not only as a graphics workstation, but as a file server as well. An S4000 with a string of external SCSI devices (the case has only enough room for two 3½-inch drives) would make a formidable and supremely affordable file server. For installations that can't afford a stand-alone file server, the S4000 is an excellent choice; you can use a single system as a desktop unit and as a file server for a reasonably sized cluster of systems.

The Opus Personal Mainframe 5000 Opus Systems has made a name for itself by providing upgrade kits that give your PC the speed of more powerful computers. The PM 5000 (although *Personal*

Mainframe is a slight overstatement) is Opus's first SPARC-compatible system. Packaged in the familiar, tall pizza box, the PM 5000 is a Sparcstation-1 design: three SBus slots, room for 64 MB of SIMM memory, and the typical SPARC system array of I/O devices and ports. Opus manufactures its own system board and does its own operating-system development, giving it a Solbourne-like edge over some of its competition.

The review configuration was a PM 5000 with 16 MB of memory, a 207-MB hard disk drive, a 150-MB internal tape drive, and a 19-inch color monitor. The price for this configuration is \$12,995. Opus's SunOS-compatible operating system, OpusOS, is a port of SunOS 4.1, ensuring a high level of compatibility with even the most recent applications. Opus also offers an X Window plus OSF/Motif GUI product and plans to provide Sun's Open Windows 2.0 as soon as SunSoft makes it available. Opus's software, like the others, lacks Sun and Solbourne tools and enhancements (e.g., the graphical debugger and mail tool).

The unique range of hardware options available, however, makes the Opus offering special. You can purchase the PM 5000's motherboard, called the Opus Engine, separately. (More than a dozen companies plan to release SPARC systems based on Opus's motherboard.)

■ **WHAT SPARC-BASED WORKSTATIONS ARE**

Fast, inexpensive Unix workstations that are compatible with Sun Microsystems' SPARC RISC systems.

■ **LIKES**

Plenty of variety in standard features and packaging, while still remaining true to SPARC's promise of binary application compatibility.

■ **DISLIKES**

A couple of systems showed great potential that wasn't fully realized at the time of the review. The RDI BriteLite portable SPARC system performed as promised, but with an LCD screen too small to run many commercial Unix applications without frustration. The Mars Mariner 4i added DOS compatibility with a real 386 processor and ISA bus but took away the SPARC-standard SBus.

■ **RECOMMENDATIONS**

The Solbourne S4000 was the best system overall, incorporating enhancements in file and graphics I/O performance and adding applications to the standard configuration. The CompuAdd SS-1 was the price leader, delivering excellent SPARC compatibility for a very competitive price.

■ **PRICE**

CompuAdd SS-1: \$9695
 Mars Mariner 4i: \$14,110
 Opus Personal Mainframe 5000: \$12,995
 RDI BriteLite: \$10,800
 Solbourne S4000: \$20,095

Opus also makes the PM 500, a complete SPARC system on a PC-compatible card (see photo 1). This card, installed in a PC-compatible system, allows DOS and SPARC applications to run side by side. You use hot keys to switch between Unix and DOS. The card has a SCSI controller on-board (for performance and compatibility, since you can't use your PC's hard disk for Unix), and it even includes two SBus slots for expansion

SPARC CLONES COMPARED



The Solbourne S4000 was a standout in the BYTE benchmark test results due to its performance in the Arithmetic and File Copy tests. For more details on the tests, see the text box "BYTE Updates Unix Benchmarks" at right.




Photo 1: The Opus PM 500 is a complete SPARC system on a PC-compatible card.

up its stockpile of value-added software, but its variety of configuration options makes Opus Systems a serious contender in this category.

The CompuAdd SS-1

Of the systems I reviewed, the CompuAdd SS-1 has the least added value. This system is very basic, with neither standard X software nor a set of productivity-enhancing tools. The SS-1's operating system is the Opus SunOS 4.1 port. The review unit was shipped with 16 MB of memory, a 16-inch color display with a Trinitron monitor, and a 210-MB hard disk drive. At \$9695, the price is the best of the lot.

The SS-1 is probably typical of future SPARC-compatible systems: It provides basic SPARC functionality at a competitive price. Taken with the systems I reviewed, it fares a little worse than the others because of its lack of added value. What CompuAdd brings to this party, however, is its marketing savvy and support structure. CompuAdd has done well with its PC-compatible systems, mostly through direct sales to end users.

The Mars Mariner 4i

This company's name (Mars Microsystems) somehow makes you expect interesting things, and the Mariner 4i delivers. As with the Solbourne S4000, the 4i's added value is plentiful and obvious. Unfortunately, though, some of this added value limits the machine's compatibility with other SPARC systems.

The heart of the 4i's unique hardware is something familiar to many BYTE readers: an ISA bus. It's not just an ornament; everything in the 4i is built around the ISA bus, excluding the SPARC-standard SBus. The great advantage to ISA is, ostensibly, the ability to plug in common and inexpensive PC peripherals. Of course, using those peripherals is another matter. Unless someone (such as Mars) writes a driver for you, you'll have to create your own. As for whether ISA-bus devices can get along with SPARC, the 4i makes a convincing case on its own: The disk drive controller is an Adaptec AHA-1542 ISA board—the most popular PC SCSI controller.

The main reason for including an ISA bus in the 4i is this machine's dual-purpose architecture. Like Opus's PM 500 plug-in card, the 4i can run both DOS and SunOS programs. DOS programs run in a VGA or Super VGA window, but only under SunView (for now). An X version of the VGA window service is planned but was not available in time for this review.

The 4i's DOS-in-a-window runs on an optional 386 coprocessor board, supporting even protected-mode programs. I ran Windows 3.0 and a number of other DOS programs to test the system's DOS compatibility. Because of the system's ISA bus, real VGA, and real 386, I encountered only minor problems with certain software that tried to take direct control of one of the PC-specific devices (e.g., the keyboard or the mouse). The

cards. (One can be occupied by a color frame-buffer board—not included as standard.) Opus also offers this card installed in self-contained cases, ranging from a conveniently sized squat tower to a full-size tower case with lots of hard disk drive bays.

I've spent as much time with the Opus PM 5000 system as I've spent with the Sun Sparcstation IPC that is my main work system. For the several months I've had them, both have run around the clock without any involuntary downtime or data loss. The same may well be true of the other systems in this review, but it was the PM 5000's solid performance and reliability over that length of time that convinced me of SPARC's bright future. Opus's intimate knowledge of SPARC hardware and software gives it an edge in problem solving and product support. The company would do well to beef

BYTE Updates Unix Benchmarks

Ben Smith

The BYTE Unix benchmarks that we published in March 1990 in an article by that name were expected to fill our needs for several years. In only a few months, we began to see that Unix workstation performance was going to make our benchmark design questionable. The flaw was that the benchmarks timed a fixed number of loops; if there were too few loops, the duration of the test was too short to be reliably timed. Perhaps we could have increased the number of loops and been safe for another few years. But when the IBM RISC System/6000 produced results in the hundredths of seconds, it became obvious that we needed to redesign our benchmarks.

Now the work on version 3 is complete. The new design increases precision on faster workstations, because we turned the measurement upside down: Instead of counting the time to execute a fixed number of loops, we now count

loops executed in a fixed period of time. The results are then massaged into easily digested numbers: loops per second and loops per minute.

Because this marks a drastic change in the testing methodology, these new benchmarks mean new baselines and indexes. We took advantage of the opportunity by ringing in a baseline system that more accurately represents the state of the Unix market: the Sun Sparcstation IPC. So every Unix benchmark table or graph you see will have its baseline index generated by a 25-MHz, LSI logic-based SPARC system with 24 megabytes of memory.

We also changed the benchmark tests that are used to generate the new index:

- Double-precision arithmetic
- Dhrystone 2 without register variables
- Spawning a process (exec1())
- File copy throughput in 5 seconds
- Pipe-based context switching

- The shell script with eight concurrent scripts running

Instead of just summing up the indexes of each test to get the overall index, we use the average. This means that the baseline value is 1 instead of 6 (a bit easier to compare). Remember to take the overall index with a barrel of salt. Although it's tempting to view an overall index of 3 as meaning "three times the performance of the baseline," it doesn't mean that at all. You need to look at the individual test results to understand a system's performance characteristics.

The benchmarks are freely available from BIX and on the Usenet. Thanks to the many users who sent suggestions for version 2, we all have a much better set of tools for benchmarking Unix systems.

Ben Smith is a BYTE technical editor. He can be contacted on BIX as "bensmith."

well-behaved applications worked just fine and with the performance one expects from a 386.

There is significant potential here, as with the Opus PM 500, for applications that run under Windows or some other familiar PC interface while calling on the more powerful SPARC CPU to get the job done. However, if you have expensive caches of DOS software, you can more immediately move up to SPARC power without cutting your ties to the older technology.

The Unix side of the 4i is much like that of the other systems. It runs on a 25-MHz Cypress CPU. The review unit was shipped with 16 MB of memory, a 207-MB hard disk drive, a 150-MB internal tape drive, and a 19-inch color monitor. The system's operating system is Tatum's port of SunOS 4.0, subject to the same minor compatibility problems as those of the Solbourne system. At review time, Mars had no shipping X port, but one is promised.

The 4i is the only system in this group about which I have serious misgivings. There are already dozens of SBus expan-

sion boards, and the size and the ease of installation of these boards is part of SPARC's formula for success. I can understand making the ISA bus available, but not at the expense of the SPARC-standard SBUS.

To its credit, however, the 4i is an innovative design. I'd add SBUS to it, but even in its current state, it will be a machine to watch. Perhaps its DOS compatibility will help pull in some nervous PC users.

The RDI BriteLite

Even for people who don't need them, miniature systems seem to attract an incredible amount of attention. People have been waiting for RDI Computer's product to appear. Now that I've had a chance to see it, the most significant comment I can make is, "They did it."

This is no laptop. It out-hefts the formidable Mac Portable for weight and awkwardness. What the BriteLite has is compatibility. I'd rate it more compatible with the Sun IPC than any other system here, because the BriteLite uses a real Sun IPC motherboard. RDI packaged

this 25-MHz system into a case with a flip-up LCD screen, a 120-MB hard disk drive, 8 MB of memory, a downsized keyboard (still with all of Sun's special keys), and a 2-hour battery. All the IPC's original ports are available in the back of the machine (and there's a pair of SBUS slots inside).


In the reviewed configuration, the BriteLite's LCD screen has a resolution of 640 by 480 pixels. Since the Sun standard is a 1152- by 900-pixel resolution, the BriteLite's LCD screen can display roughly the upper-left quarter of the entire screen area. RDI supplied me with a floppy disk that had a virtual screen handler on it. With that program, you can run programs that use the full Sun resolution, but scrolling is not automatic. Typing text in a window larger than the screen is an ordeal, at best. The BriteLite includes a connector for a Sun-compatible monitor that operates at full resolution. But if you are going to have to plug in a monitor, why not simply carry Sun's own IPC?

I have seen the BriteLite with a full-resolution LCD screen at trade shows,

GTEK INC.

Intelligent Serial Coprocessor

► **PCSS-8I**




- On Board Processor Handles Serial Communication Tasks
- 32K-128K *Dynamemory*™
- Eight Ports Per Board
- High Performance - Low Cost
- DOS, SCO™XENIX®, SCO™UNIX® Drivers Included

Full 1 Year Warranty!

Solid State Disk Emulator

► **PCDI-4**




- Rugged Solid State Disk Emulator
- Disk Access Times In The Nanoseconds
- Up To 16 Megabytes Of Non-Volatile Memory
- On Board Bios - Plug And Play

Full 1 Year Warranty!

(E)Prom Programmer

MODEL 9000



- Quick Pulse & Intelligent Algorithms
- Programs Eproms (up to 4Mb), EEproms And MPU's
- Up To 57K Baud
- *Ultra Fast!*

Full 1 Year Warranty!

Order 800-282-GTEK (4835)

GTEK INC.

OEM & Dealer Inquiries Welcomed!

DEVELOPMENT HARDWARE & SOFTWARE
P.O. Box 2310 • Bay St. Louis, MS 39521-2310 U.S.A.
Fax 601-467-0935
Mississippi & Technical Support 601-467-8048

All Registered Trademarks are sole property of their respective companies.

FIVE NEW SPARC-BASED WORKSTATIONS

COMPANY INFORMATION

CompuAdd Corp.
12303 Technology Blvd.
Austin, TX 78727
(800) 688-6380
fax: (512) 250-2528
Circle 1132 on Inquiry Card.

Mars Microsystems, Inc.
Stonewood Commons
101 Bradford Rd.
Wexford, PA 15090
(412) 934-1040
fax: (412) 934-1060
Circle 1133 on Inquiry Card.

Opus Systems
329 North Bernardo
Mountain View, CA 94043
(415) 960-4040
fax: (415) 960-4001
Circle 1131 on Inquiry Card.

RDI Computer Corp.
6815 Flanders Dr.
San Diego, CA 92121
(619) 558-6985
fax: (619) 558-8943
Circle 1134 on Inquiry Card.

Solbourne Computer, Inc.
1900 Pike Rd.
Longmont, CO 80501
(800) 356-8765
fax: (303) 772-3646
Circle 1130 on Inquiry Card.

but it wasn't shipping at the time of this review. Even with the magical scrolling software, I found the BriteLite's 640- by 480-pixel display unusable for any but the simplest activities. Virtually all SunOS programs expect the standard resolution, and so do I.

Salespeople, software developers, network troubleshooters, and others who need a SPARC system that can be set up and taken down in a hurry will benefit from the BriteLite, but I can't recommend the unit with the smaller display. While 640 by 480 pixels may be fine for Microsoft Windows, it's no match for X Window or even SunView.

One last curiosity that RDI plans to release in the future is Companion, a Macintosh emulator. RDI and Companion's developer are still working out licensing details, but it will be a small thrill to sit at a Unix workstation and see a Mac screen pop up in a window.

Nobody's Perfect

Every system I looked at had at least some warts, ranging in size from tiny to basketball-size. It's common these days to pull out any Brand-X PC from its box and expect it to run every DOS program ever written. That's a small wonder; PC vendors have had a decade to get it right. Considering the age of Sun's SPARC licensing program, I was mightily impressed by the quality of the best of these machines.

Which machine is the best? The Solbourne S4000's added value makes it, in some ways, a better machine than even the real thing (Sun). The file I/O performance suits this machine to file serving, and the accelerated graphics makes it a

perfect desktop graphics machine. I would like to see Solbourne do a SunOS 4.1-compatible operating system, but that lack didn't dampen my interest in the machine.

The runner-up was a closer race, but I give second place to the Opus PM 5000. The offering of a PC add-in SPARC board figured into the decision; but mostly, I strongly believe that a company that develops its own hardware design and operating-system port is in a better position to serve its customers and react to changes. Opus's technical-support staff breezed through every test I put it through.

I cannot really recommend the RDI BriteLite with its 640- by 480-pixel resolution, although it is usable with a full-size display. It was the only portable SPARC system available at the time of this writing.

The Mars Mariner 4i's lack of an SBus is a disappointment. It may, however, satisfy those who need a high degree of DOS compatibility.

The CompuAdd SS-1 basic SPARC system is just that: basic. That's not a flaw, but when the market is defined by added value, a machine that is no more (and a little less) than other entries in the same category might get overlooked. CompuAdd's track record in aggressive marketing, responsive support, and price competition may serve it well. I had no qualms about the quality of its product. ■

Tom Yager is a BYTE Lab technical editor and author of Applications Programming with PC UNIX (Addison-Wesley, 1991). He can be reached on BIX as "tyager."

Discover Parallel Processing

Quadputer™

The Microway Quadputer is the world's most popular PC Transputer development environment. It can be purchased with two to four Transputers and one to four megabytes of RAM per processor. The Quadputer runs all the popular Transputer development software, all of which is available from Microway. It is compatible with our Monoputer™ which provides 1 to 16 megabytes of RAM and a single T800, our Videoputer™ which comes in VGA and higher resolution versions and is powered by a memory mapped pair (T800 and 34010), and our Linkputer™ whose cross bar switching network can dynamically link up to 32 Transputers. Finally, all Microway Transputer products can be used with our Number Smasher-860 to provide out-of-this-world numeric performance!

For more information, please call 508-746-7341.

Microway

The World Leader in PC Numerics

Corporate Headquarters, Research Park, Box 79, Kingston, MA 02364
TEL 508-746-7341 • FAX 508-746-4678
U.K. - 32 High St., Kingston-Upon-Thames, 081-541-5466 • Italy 02-74.90.749
Holland 40 836455 • Germany 069-75-2023 • Japan 81 3 222 0544

World Radio History

Number Smasher® 860

The highest performance coprocessor card to ever run in a PC, Number Smasher-860 delivers up to 80 million single precision floating point operations per second at 40 MHz and produces over 10 Linkpack megaflops. The board comes standard with an ISA interface, two Transputer Link Adaptors that allow it to interface with a Microway Quadputer or Videoputer, your choice of our NDP Fortran, C or Pascal for the 80860, plus 8 megabytes of high speed memory.

NDP Fortran-860, C-860 and C++-860

Microway NDP 860 Compilers make it easy to recompile your favorite mainframe, 80386 or PC application for the 80860. The resulting code runs on our XTEND-860™ environment under DOS, UNIX or XENIX.



INTRODUCING MOBY BRICK™

**486 Power, 500 MB Hard Disk, 32 MB RAM.
Now You Can Have It All—Wherever You Go!**

Now there is no reason to compromise between power and portability. Moby Brick combines the best attributes of desktops and laptops.

As a desktop, Moby Brick offers blazingly fast performance and enormous storage capacity. It has the same award winning design and nearly silent operation as the original 386SX Brick.

Yet when you need your PC away from the office, Moby Brick's versatility offers an alternative to the limitations of laptops and the hassle of multiple machines. It's simple—at your frequent destinations, keep a full-size keyboard and color monitor and just carry the Brick in between. For travel, add the LCD display module to convert Moby Brick into a full featured AC portable.



Massive Power and Storage

Moby Brick is only about the size of a ream of copy paper and weighs 8.9 lbs., yet it packs full desktop power with either a 20 MHz 486SX or 33 MHz 486DX processor with up to 32 MB RAM. The new Intel 486SX is faster than a 33 MHz 386DX; the 486DX is twice as fast and includes a built-in numeric coprocessor. A modular processor board allows easy upgrades from the 486SX to the 486DX at any time.

Bricks use fast, reliable IDE Conner hard disks ranging from 44 MB up to 510 MB. The unique BIOS integrated disk cache (up to 8 MB) offers lightning quick access times. The bus is selectable between 8 MHz (AT standard) or 10 MHz which improves video, disk and network performance. Other standard features include a 2,400bps modem, 3.5" 1.44 MB floppy, 180 pin docking connector and an ISA 16-bit internal half length expansion slot. The "Stretch" Brick, which is 7" longer, accepts one full and one half length card. The rugged aluminum case with shock

absorbing rubber corners is available in granite or beige along with color coordinated keyboards and monitors.


Extraordinary Graphics

Moby Brick features built-in 16-bit Super VGA graphics with 1 MB RAM. Maximum resolution is 1024 x 768 non-interlaced. The Edsun CEG (optional at no extra charge) provides antialiasing to double the apparent resolution and provides 32,000 simultaneously displayable colors for stunning photo-realistic graphics. Now you can say good-bye to the jaggies, even on low resolution 640 x 480 monitors or overhead LCD projectors. Fast, HI-RES drivers for all major applications are provided, including a Display List Driver for Autocad.


Good to Go

The innovative Ergo design provides perhaps the best benefit—versatility. You can use the same Moby Brick as a fast, quiet, stylish desktop at each of your regular destinations, such as your home and office. The optional Docking Terminal provides instant hook-up of all cables as well as a second 16-bit 3/4 length

6:25 a.m. You can start your day before heading to the office. An hour of quality work time before the onset of office interruptions (or at home in the evening) can be the most productive time of your day. With up to 510 MB of storage you can keep everything with you. All your files, addresses, even the ones you didn't think you needed, are at hand.



8:35 a.m. Drop the Brick into its Docking Terminal and everything is instantly connected. Since you're on the same computer you can immediately start where you left off at home. No files to transfer, no floppies to switch. The expansion slot in the Docking Terminal can be used for your network adapter, saving the internal option slot in the Brick for functions you need off-site such as a fax board.



1990
FINALIST



33-1-47917100



49-8142-50031




44-602-452228



41-22-621572

World Radio History



expansion slot. The matching VGA LCD display module (available in August) turns Moby Brick into a portable, go anywhere solution. The LCD features a 64 gray scale controller and the latest Sharp thin film, super twist, backlit LCD technology.



Innovative Software

The Brick's system software has features not available in any other PC. (You might expect this from Ergo, since we're a leader in DOS Extender software with customers like Borland, Fox, and Cadam.) This includes a reprogrammable BIOS with user tunable keyboard control, password protection, and non-volatile owner identity. Updates to the latest release are just a phone call away. This BIOS also includes an integrated disk cache that is significantly faster than add-on software caches. System and video shadow RAM are provided, plus a (192K) block of high memory above 640K for loading high TSRs, networks and other resident utilities.

All Bricks include the new DOS 5.0, and your choice of Windows 3.0 plus Adobe ATM with 13 fonts, a Logitech mouse or DESQview/386 with QEMM. Whichever environment you choose, your Brick will come fully set up, fine-tuned and ready to go. There's even on-line Hypertext manuals for the Brick and DOS. All Bricks are 100% IBM AT-compatible and support DOS, OS/2, UNIX, X/Windows and Novell.

Factory Direct Value

Bricks are available directly from Ergo—the same people who design, manufacture and support them. As a result, they sell for very attractive prices. However, a good deal is only one of the reasons you'll enjoy doing business with Ergo. We offer unlimited toll-free technical phone support, overnight repair service, a one year warranty and a no nonsense, 30 day satisfaction guarantee.

Call 1-800-633-1925 to order your Brick today or for information on the complete Ergo product line (8 a.m. to 8 p.m. EST.) For immediate information via FAX (24 hrs) call 1-800-The Brick.

\$3,995

486SX MOBY BRICK

20 MHz Intel 486SX
4 MB RAM, exp to 32 MB
120 MB 19ms cached hard disk

\$4,995

486DX MOBY BRICK

33 MHz Intel 486DX
4 MB RAM exp to 32 MB
120 MB 19ms cached hard disk



\$2,995

386SX BRICK

20 MHz Intel 386SX
4 MB RAM exp to 8 MB
120 MB 19ms cached hard disk


Standard Features (Brick and Moby Brick)

- 1024 x 768 Super VGA adapter supports EGA, CGA, MDA monitors
- Integrated cached IDE hard disk controller with up to 8 MB cache size
- 2,400bps Hayes compatible modem
- 2 serial, 1 parallel port
- Reprogrammable Ergo BIOS with video and system shadow RAM, full diagnostics
- 3.5" 1.44 MB Teac floppy
- One 16-bit half length internal expansion slot, plus Docking Terminal port
- Worldwide compatible ext AC power supply 2.5 lbs 2.5 x 4 x 6
- Rugged aluminum case with rubber corners and liquid heat sink technology
- Choice of Granite or Beige
- 8.4 to 8.9 lbs, 3.3 x 7.9 x 11.3" 486 or 386SX
- Ergo MS-DOS 5.0 plus your choice of: Windows 3.0 with Adobe ATM, Mouse, or DESQview/386 with QEMM Manifest, Tree86

Options

44 MB 24ms hard disk	deduct	\$400
212 MB 16ms hard disk	add	\$600
510 MB 13ms hard disk	add	\$1,500
Additional RAM (SIPs) per MB		\$100
Docking Terminal w/ 16-bit slot		\$395
VGA LCD module & adapter		\$995
101 keyboard-beige or gray		\$109
120 MB ext tape backup		\$495
5.25" ext 1.2 MB floppy		\$239
Additional Power Supply		\$195
Brick Bag		\$99
14" 1024x768 non-interlaced color SVGA monitor		\$495
15" 1024x768 non-interlaced color SVGA monitor		\$895
17" 1024x768 non-interlaced color SVGA monitor (shown above)		\$1,395

2:52 p.m. Take your Brick to the client to deliver presentations that can't be matched by hard copy. They wanted to see what a few changes would look like. No problem, you have the whole design on the Brick. With the power of a 486, it looks easy. A PC as handy as the Brick can really change the way you work.



TO ORDER, CALL
1-800-633-1925
Or to receive information
via FAX, 24 hrs.
1-800-THE-BRICK



COMPUTING
One Intercontinental Way,
Peabody MA 01960
(508) 535-7510 FAX: (508) 535-7512

Circle 320 on Inquiry Card.

47-2-327700

61-2-744-0772

65-441-2688


SX/Now! Processor Upgrade

Don't replace your system...

For Windows, for OS/2, for today's software, you need 386SX processing power. With Kingston's SX/Now!™ you can replace the processor on your 286 based computer—not the entire system.

...upgrade your processor!

By combining a 16 or 20MHz 386SX processor with 16KB of cache memory and an onboard clock, SX/Now! increases system performance by over 250%—without taking an expansion slot!



Fully compatible

SX/Now! is fully compatible with your system's hardware and software. And it is covered by Kingston's five year warranty.

Cost-effective performance

So, to get the speed and processing power your software requires, choose the cost-effective solution, SX/Now! from Kingston.

Manufactured by

Kingston
TECHNOLOGY CORPORATION™

(800) 835-6575

(714) 435-2600

FAX (714) 435-2699

17600 Newhope St. Fountain Valley, CA 92708

All trademarks and registered trademarks are of their respective companies.

**Circle 154 on Inquiry Card
(RESELLERS: 155).**

APPLICATION

Photo-Realism Reigns When AutoShade Meets RenderMan

GREG LOVERIA



AutoShade, with its RenderMan extension, created this photo-realistic kitchen scene. Note the light sources emanating from the windows and overhead fixtures, and the resulting reflections in the refrigerator and floor tiles.

The most anxious moments for any CAD engineer or designer come when he or she shows the final wireframe drawings to clients or a project manager. After a few grunts and nods of approval, someone invariably asks, "How will it look when it's finished?"

Since 1987, AutoShade has helped AutoCAD users answer this question by letting them apply solids attribute shading directly to their wireframe drawings. Autodesk's AutoShade upgrade takes CAD drawings a step closer to realism. The \$1000 version 2 includes Pixar's RenderMan extension, which lets AutoCAD users create photo-realistic images in 16.8 million (24-bit) colors from their wireframe models and drawings. This may help expand Autodesk's end-user markets into company art and desktop publishing departments or even into the realm of fine arts. Bundled with version 2 is AutoFlix—a frame/cel animation

utility—and with a little ingenuity, the software could find applications in video productions.

Although version 2 performed as advertised (RenderMan's 24-bit images looked striking), the software is not simply "load-and-go." I struggled just to install it correctly. And while some might characterize the program's intricacies as "flexible," these intricacies could easily confuse new users. In my case, however, the end results proved worthy of the efforts put forth.

RenderMan Realism

Some early algorithms now used in Pixar's RenderMan source code were initially formulated at Lucasfilm's Industrial Light and Magic division. Today's RenderMan lets you assign three-dimensional object surface properties from "shaders" such as wood, marble, plastic, and glass. You can modify shaders

for matte or glossy finishes and create new shader properties and settings from scratch or from scanned images. Standard RenderMan features include anti-aliasing, texture mapping, depth-of-field cue, motion blur, and 3-D transparency. Besides Autodesk, Pixar has licensed RenderMan to other OEMs, including CADkey, Intergraph, and Truevision.


In addition to the RenderMan extension, AutoShade 2 enhancements include smooth shading of mesh objects and new scripting commands. You also can now adjust light settings using the VLIGHT command. Version 2 offers resizable surface-property and light icons. And using the Finish command, it's possible to assign reflective-lighting attributes (ambient, diffuse, and specular) for individual surfaces.

The software has relatively stiff system requirements: 4 megabytes of RAM, a 386 or 386SX system with a math coprocessor, and DOS 3.3 or higher to implement Phar Lap's 386|DOS-Extender. The installation manual (more than 100 pages) recommends 6 MB of RAM for optimal performance. When the system memory fills, the software pages temporary files to the hard disk, which should have at least 20 MB of free space.

I tested AutoShade in single- and dual-monitor configurations with AutoCAD releases 10 and 11 using a Zeos International 486/25 tower with 8 MB of RAM, DOS 4.01, a 344-MB SCSI hard disk drive, and a Weitek WTL4167 math coprocessor, which, when enabled, improved RenderMan speeds by about 30 percent. For VGA and Autodesk Device Interface testing at 1024-by-768-pixel by 8-bit resolutions, I used a Relisys RE-1520 and, later, an Optiquet 3000 multisync monitor. Diamond Computer's SpeedStar and Definicon's CADRace CEG display card, both 1-MB Super VGA adapters, sped 256-color AutoCAD regenerations. The Super VGA cards use Panacea's display-list drivers and Definicon ADI drivers, respectively.

In a dual-monitor configuration, I performed 16- and 24-bit render testing using Truevision's TARGA 16 and AT Vista adapters with a Relisys RE-5155 RGB analog monitor at the TARGA-required 15.75-kHz horizontal scanning frequency. Pointing devices included a Microsoft Mouse and a Summagraphics 1201 digitizer pad with a four-button puck.

Autodesk's single-monitor system drivers for the main workspace display



Screen 1: I captured this screen of a 3-D wireframe kitchen sample model, shown here within AutoCAD. Note the plan and perspective camera views, the AutoShade/RenderMan menu selections, and light-source placement. (File-to-slide conversion courtesy of Image Center)

area range from CGA monochrome monitors to Super VGA 256-color displays using manufacturer-specific ADI drivers. Output-rendering device drivers for dual-monitor systems include Hercules graphics, Orchid TurboVGA, and Truevision's 16-, 24-, or 32-bit TARGA adapters. The company ships a Null driver for rendering AutoShade script batch-mode files directly to the hard disk. Rendered-output resolutions (determined by display device) range from VGA through Super VGA resolutions to 512- by 482-pixel by 16-, 24-, or 32-bit color using TARGA adapters or the null-rendering device. AutoShade saves rendered images to RND, TGA, and TIF rendered-output file formats.

Installation Blues

I initially ran AutoShade with AutoCAD release 10. Installation was simple (I just typed INSTALL and answered a few questions) but time-consuming; it takes about 30 to 45 minutes to uncompress files from the eight 3½-inch floppy disks to the hard disk.

As with most software, environment and path settings are critical. After installation, I started the program, but errors stating "Cannot find RMAN.EXE" prevented the program from executing. After calling Autodesk, I discovered that the installation program does not automatically set all environment variables. In addition, for release 10 operation, the entire contents of the SHADE2\ACADSUPT subdirectory must be manually copied into the main ACAD subdirectory to replace existing Lisp files. This is noted 27 pages into the installation manual, but I had overlooked it. Given the lengthy installation procedure, these problems should have been addressed automatically. The subdirec-

tory contents problem did not appear when installing for AutoCAD release 11.

Shading and Rendering

Both AutoShade 2 and the RenderMan extension are postprocessors—that is, AutoCAD is used first to create 3-D entities and define and place cameras, lights, surface finishes, and scenes as ACAD blocks. In release 10, the ASHADE.LSP routine loads manually from the command prompt as MENU ASHADE; this is automatically loaded in release 11.

AutoShade supports two types of light sources: point lights, which radiate light 360 degrees like uncovered light bulbs, and directed lights, which emit parallel beams in one direction. The VLIGHT command sets light intensities and light target/distance coordinates. In RenderMan, you can add spotlights, which function much like directed lights but emit directional beams in cones. Spotlights allow full control over cone delta angles, RGB light colors, shadowing, light intensity, and shadow perimeter drop-off.

You can set and position any number of cameras using AutoCAD *x,y,z* point coordinates and the VCAMERA function. The cameras appear as blocks within the drawing. The CAMVIEW command provides orthographic projection from the camera angle; DVIEW then sets distance and zoom ranges of perspective scene views. Camera focal lengths for setting the field of view are just about boundless: I experimented using ranges from 1 mm to 1500 mm. Setting a long camera focal length such as 300 mm allows zooming in on specific drawing targets (see screen 1).

Clipping (or cropping) allows you to specify how much of the drawing will be encompassed in an imaginary box with

WHAT AUTOSHADE 2 DOES

It provides a relatively low-cost way to shade AutoCAD 3-D models and wireframe drawings. With the Autodesk RenderMan extension, you can create photo-realistic renderings of your 3-D AutoCAD models in full 24-bit (16.8 million) color. With AutoFlix, you can create moving FLI animations of your renderings at Super VGA resolutions.

LIKES

Smooth shading of mesh objects, extensive light settings, and resizable surface-property and light icons. The RenderMan extension offers PC users the same photo-realism technology used by professional animators and film producers.

DISLIKES

Program installation and setup procedures can be difficult, if not downright frustrating. The complexity of the software may intimidate some users and requires a high degree of patience, as well as DOS and AutoCAD knowledge.

RECOMMENDATIONS

For photo-realism in AutoCAD, choose AutoShade 2 for some of the best images we've seen come off a desktop PC system.

PRICE

For new users (includes RenderMan and AutoFlix), \$1000; upgrade from version 1, \$500; version 2 upgrade without the RenderMan extension, \$100.

FOR MORE INFORMATION

Autodesk, Inc.
2320 Marinship Way
Sausalito, CA 94965
(415) 332-2344
fax: (415) 331-8093
Circle 1221 on Inquiry Card.

walls known as *clipping planes*. When you alter clipping values, the clipping planes move in or out and are measured from camera line of sight to a target point along the camera view plane. You change values from a pop-up dialog box. When you have adjusted values properly, this box lets you view, shade, and render inner cross sections and cutaway views of models.

continued

From the start, VGA was missing one important thing: Video.

VideoVGA brings high quality, recordable video into the Video Graphics Adapter picture. It's true that all VGA boards allow PC users to display graphic images on their monitors. Great, but then what? The printed hard copies or slides—even at their sharpest—just sat there. All too often, so did the audience. VideoVGA takes you to the next step, which can also be a giant leap for your presentations and training.

It's not just a VCR. It's a printer.

If you can shoot it on video, or can create it with your PC, then VideoVGA lets you record it to videotape or videodisc. You can even overlay graphics on live or recorded video. And because of VideoVGA's advanced encoding, the video output is a high-quality NTSC signal, not a fuzzy substitute. Your audience can see the difference, so don't blur a good message with poor output quality.

Your software shines with VideoVGA.

VideoVGA lets you get even more from your software. It's fully compatible with Windows-based presentation and graphics packages, as well as animation, CAD and other VGA software. Whatever you're using to create PC images, you can merge them with video for an extremely persuasive link.

Expand your input options.

The advanced genlock capability of VideoVGA syncs with a broad range of video sources. Cameras. Discs. Recorders. If it's a video source, VideoVGA can sync with it precisely.

Video. Brought to you by Truevision.

While we're not surprised if you've never heard of Truevision, you might be surprised at how often you've seen our work. Truevision TARGA+ graphics engines are the industry standards. They've created professional graphics and animation for board rooms and national broadcasts since 1985.

Now, Truevision gives you what most Video Graphics Adapters can't. Video. Truevision VideoVGA.



7340 Shadeland Station, Indianapolis, IN 46256
INTERNATIONAL: Canada 416/940-8727 France 33-1-3-952-6253 Italy 39-2-242-4551
U.K. 44-628-77-7800 West Germany 49-89-612-0010 Other international 617 / 229-6900

World Radio History



Single Slot Solution

VideoVGA combines recordable video output with VGA capabilities in a single slot configuration. It is available in two versions: 512K or 1MB.

Circle 288 on Inquiry Card (RESELLERS: 289).

Call
800-858-TRUE
For more information

©1991, Truevision, Inc.

KNAPCO

YES !!! for 1991 KNAPCO DELIVERS THE POWER OF EMERSON UPS POWER



EMERSON MODELS

WATTAGE LIST	NOW
MODEL 10 150Va. \$149.	\$149.
MODEL 20 300Va. \$199.	\$199.
MODEL 30 500Va. \$299.	\$299.
MODEL 40 800Va. \$539.	\$539.
MODEL 50 1400Va. \$699.	\$699.

1 KVA. THIN - LINE SW 1000 \$698. \$319.

TRUE ON LINE MODELS

PC ET \$798.	\$479.
NEW 1 KVA \$1495.	\$1195.
NEW 1.5 KVA \$1995.	\$1395.
NEW 3.0 KVA \$5495.	\$3999.

AccuCard NOW \$199.

INTERNATIONAL TRANSFORMERS

220v. / 110v. STEP up / down

50 WATT. TRANSF	\$ 11.
80 WATT. TRANSF	\$ 19.
100 WATT. TRANSF	\$ 28.
200 WATT. TRANSF	\$ 34.
300 WATT. TRANSF	\$ 40.
500 WATT. TRANSF	\$ 59.
1000 WATT. TRANSF	\$ 89.
1500 WATT. TRANSF	\$ 98.
*2000 WATT. TRANSF	\$116.
*3000 WATT. TRANSF TAPS	\$197.

INTERNAT. 220V. POWER CENTER & SURGE SUPPRESSOR

8 OUTLETS, 6 ft. Cord

RETAIL \$59.95
\$29.95

VOLTAGE REGULATORS & CONDITIONERS
TVR 300 300 WATT 110 / 220v. \$259 **\$128.**
TVR1000 1000 WATT 110 / 220v. \$649 **\$196.**

** Above with STEP UP OR DOWN TRANSFORMERS
MY 2K 2000 WATT 220v. ONLY \$429. **\$239.**
VR2KD 2000 WATT 110 / 220v. \$649. **\$379.**

MY5 500 WATT (110V. REGULATOR) \$ 99.

NEW WE HAVE THE BEST PRICE

AUTOMOBILE INVERTERS (110V. MOBILE POWER FOR YOUR VAN OR CAR) POWERS LAB-EQUIPMENT, FAX MACHINES, LAPTOPS, PORTABLE TELEPHONES, NINTENDO COPY MACHINES, TYPEWRITERS \$79.

813-449-0019

FAX 813-449-0701 A-1
USA 800-827-4718

KNAPCO

QUALITY DISTRIBUTION FOR 45 YEARS
1201 HAMLET AVE.

CLEARWATER FL. 34616

PHOTO-REALISM REIGNS



Screen 2: This collection of 3-D bottles shows various RenderMan surface shaders, including swirling, transparency, and wireframe shader attributes. (Images courtesy of Autodesk/Pixar)

Selecting RenderMan from the AutoCAD pull-down menus will load the RMAN.LSP routines. The RMSETUP command allows selection of preset rendering attribute blocks for scenes, such as slow or fast rendering for high- or low-quality renderings, as well as object color correction and antialiasing attributes.

Surface Control

RMPROP is perhaps the most often used (albeit complex) command in RenderMan. It controls surface-property attributes and their application of texture maps, known as *surface shaders*, to 3-D entities. You also use RMPROP to modify, assign, and create AutoCAD blocks for scene atmosphere densities and color, as well as object displacement values, opaqueness, and object rendering rates. To assign surface attributes, the software assigns a block name first to the shader and then to a 3-D entity using the AutoCAD Color Index hierarchy.

When using ADI drivers for 256-color Super VGA display in AutoCAD, it's easy to select shader assignment colors by clicking on an object directly; otherwise, you have to refer to an external color index.

Once you select a shader assignment color, you choose a surface shader from a few of the 30-plus possibilities, including glass, clouds, marble, wood, plastic, metal, carpet, and granite (see screen 2). You can extensively modify surface shaders, although some of the modification commands appear cryptic at first.

The procedure can be complex and drops you out of AutoCAD's GUI to a DOS text-prompt/command-line process. On the low side, I sometimes used at least 20 different commands to modify the surface shaders. The "Enter scalar 'Ka'" and "Enter scalar 'Ks'" shader

modifier prompts refer to ambient and specular light properties, respectively, but you must look in the manual to discover this. Some shaders, such as wood, let you set frequency of the grain swirl patterns as well as repetitiveness of the overall texture map. You also assign shader smoothing or matte attributes during this procedure. Once assigned, a shader AutoCAD block is created and placed anywhere in the drawing for reference.


Before exiting AutoCAD, you create a film-roll file of the edited drawing via the FILMROL command while the *internal* ASHADE or RMAN.LSP routines are still loaded. Film-roll files contain 3-D objects, surface finishes, and all camera and lighting attributes needed for the external AutoShade-RenderMan rendering programs. SHADE2, at the command prompt, invokes a batch file that sets additional environment variables and paths for the shading and rendering processes and starts the external AutoShade program.

Viewing Results


The external AutoShade workspace is a point-and-shoot GUI with pull-down menus and pop-up dialog boxes. Once you load film-roll files, you tap the F2 key within AutoShade to view plan or camera/scene perspective wireframe drawings that detail camera and light placements.

To view shaded scenes, you simply press the F3 key, which invokes the Fast Shade option for previews and rough drafts. F4 invokes the Full Shade feature, where full smoothing and lighting attributes are applied. You can save shaded scenes as RND files. I was particularly impressed with AutoShade's stereoscopic image feature, which generates shaded scenes in stereo pairs using an


WHAT MAKES A BEST SELLER A BEST SELLER?




A great plot begins with a great idea, easily translated through every phase of design with Generic CADD 5.0.



Deadline pressure is a thing of the past. Designs can be quickly edited and annotated to produce final working drawings.



No matter the complexity, symbols keep your work flowing uninterrupted. Tap our professional libraries or create your own symbols.



Need to fit a conventional design in a nonconventional space? Revise and improve in less time with Generic CADD's one-stop convenience.

A GREAT PLOT.

Ask any of over 250,000 users of Generic CADD.™ They've discovered CADD that's powerful without being complicated. And professional without being pricey.

Our latest version, Generic CADD 5.0, is just \$495. It's a complete design and drafting program backed by a support team that's drawing rave reviews.

Call us at 1-800-228-3601 for our free full-color CADDalog® and portfolio of CADD drawings.

You'll see every plot has a great ending.



Generic
SOFTWARE
An Autodesk Company

IT DOESN'T GET ANY EASIER.

interocular angle-displacement algorithm. You can view the stereo image's full 3-D depth (without special glasses) using "crossed-eye fusion." It sounds terribly corny, but it does work. (A file called 3D_SCENE.ZIP has been uploaded to the "multimedia.listings" area on BIX for those who wish to experiment further with crossed-eye fusion.)

To create final 24-bit photo-realistic scenes, you invoke the RenderMan extension from within the AutoShade GUI. Fortunately, any object's surface shader assignment can be changed by object color, and any shader's attributes can be modified from pop-up dialog boxes; otherwise, you'd have to exit and reenter AutoCAD to perform any modifications.

AutoShade transfers film-roll file data and scene attributes to RenderMan via RIB (RenderMan Interface Bytestream) files. Autodesk RenderMan automatically creates and compiles a RIB file for its use at rendering time, or a preexisting RIB file can be used that allows cross transfer of image-rendering data between software and systems using Pixar's RIB specifications. Compared to other shading and ray-tracing programs,

the actual RenderMan ray-tracing process is extremely fast, and the resulting images are spectacular.

With AutoFlix, users can also create kinetic animations, interactive movies, and model walk-throughs using RenderMan image frames compressed to 320-by 200-pixel by 8-bit Animator FLI files. AutoFlix comes with its own tutorial manuals and could warrant a stand-alone review on its own merits. Due to space constraints, AutoFlix can't be detailed here; I can only mention that it's unique.

CAD users contemplating photo-realistic imaging should note that AutoCAD is a prerequisite for generating film-roll files to use AutoShade 2 or the Autodesk RenderMan. Also, numerous other 24-bit ray-tracing packages are available, such as the \$995 Big D ray tracer from Graphics Software or the QRT shareware ray-tracing program that functions using command-level instructions. Another alternative solution to achieving 24-bit rendering and animation is Autodesk's own \$2995 3D Studio software (see "Low-Cost 3-D Animation Materializes for PC Users," April BYTE).

Patience Pays Off

As with any Autodesk product, AutoShade's documentation and tutorials are superb, but judging from the complexity of the software, questions are bound to arise. End-user support issues are resolved by Autodesk authorized dealers, not Autodesk directly, so be certain to purchase the software from dealers with a high degree of CAD knowledge.

Judging from the detailed 24-bit renderings achieved, my overall rating of the software would have to be excellent, especially at this price. If you're an AutoCAD user with some patience, AutoShade with Autodesk's RenderMan extension should be your software choice for photo-realistic imaging. ■

ACKNOWLEDGMENT

I'd like to acknowledge Bryan Ellis for his assistance with the AutoShade installation and configuration procedures.

Greg Loveria is a computer graphics and desktop publishing consultant, animator, and technical writer in Binghamton, New York. He can be contacted on BIX as "loveria."

Get the Most Out of Windows™ 3.0

... with these four incredible products from Management Information Sciences

LinkRight™ - Easy to use communications software

- XonXoff, Scripts, & More. . .

LinkRight Royalty Free Source Code

ReportRight™ - Reports & Graphs in minutes

- Reads dBase™, Lotus™, & More . . .
- Novell™ Btrieve®, Netware SQL Comp.

ReportRight Royalty Free Source Code

Purchase one or more of our products from an authorized dealer and get a **15% rebate** direct from MIS!

Australia/New Zealand
Ozzie Discount Software
(03)521-2222

Germany
Sinersoft
(61)265-1046

US
Soft Warehouse
(800)962-4054

US
Software City
(800)222-0918

US
Aust. CodeWks
(512)258-0785

Info/Dealer Nearest You
(800)487-1398
(415)961-9504 FAX

*Send original receipt to address in the manual. Offer ends 9/4/91. ReportRight & LinkRight are Trademarks of Management Information Sciences, Inc. All other trademarks acknowledged. © 1991, Management Information Sciences, Inc.

Introducing an inexpensive solution to America's savings crisis.



Complete Backup Solutions

\$419	\$519
120MB	250MB
<small>Suggested retail prices</small>	

- Irwin SX Tape Drive
- Irwin Tape Cartridge
- Central Point Backup
- Coupon to save \$99 on PC Tools Deluxe

You've always wanted to own a tape drive. Unfortunately one small thing has always stood in your way. Your savings account.

Well, now you can buy an internal tape drive that can back up from 40 to 120 megabytes for as little as \$419.* Or a whopping 80 to 250 megabytes for just \$519.*

Our Irwin SX Series™ Tape Backup Systems are ready to go right out of the box. Unlike others, they're complete systems— with all the hardware and software you need—as well as a tape cartridge.

But that's not all. Every Irwin SX drive comes bundled with Central Point Backup™ software. This award-winning program works with a wide array of IBM AT, PS/2 and compatibles.

Whether you choose an internal or an external system, you can back up a 40 megabyte hard drive in less than 12 minutes.




Visual file selection, unattended backup and mouse support are just a few of the features that make this the favorite backup utility of over one million PC users.

To save you even more money, we also include a coupon that lets you buy Central Point PC Tools Deluxe™ for just \$50. A \$99 savings from its usual \$149 price tag.

So if you want to back up on tape without emptying your bank account, pick up an SX Series system at your nearest Irwin dealer.

Or, call 800-BACKUP1 for more information. And we'll help end your savings crisis.

In more ways than one.



IRWIN
An Archive® Company

*Manufacturer's Suggested Retail Price. ©1991, Irwin Magnetic Systems, a subsidiary of Archive Corporation. 2101 Commonwealth Blvd., Ann Arbor, MI 48105-1561. Irwin and the Irwin logo are registered trademarks and the SX Series by Irwin is a trademark of Irwin Magnetic Systems, Inc. Central Point Backup and PC Tools Deluxe are trademarks of Central Point Software, Inc. All other trademarks or registered trademarks are the property of their respective holders.

Circle 147 on Inquiry Card.
World Radio History

IMAGINE THE WORLD'S FASTEST GRAPHICS PC COSTS ONLY \$6,000.

\$6,000 has never bought so much PC before. Because while graphics is this machine's heart, networking is its soul.

Introducing the DECpc™ 433 Workstation. It's a 486DX PC. It's a graphics PC with workstation performance. And it's an entirely new breed of business machine: the network PC.

The DECpc 433's revolutionary design allows your Ethernet network to take the place of a slew of expensive peripherals. So the engineers at Digital could add more of what you really need in a PC. Like graphics as rich as those of richly priced workstations.

The DECpc 433's built-in video controller gives you 1280 x 1024 resolution — far beyond super VGA. For crisper,

more detailed graphics. And cleaner, brighter windows. In fact, the DECpc 433 Workstation can run any VGA software at twice the size of standard VGA.

When it comes to speed, well, the DECpc 433 Workstation is

GRAPHICS AT ITS HEART, NETWORKING AT ITS SOUL.

wired for it. You can rip through all your favorite DOS, OS/2, Microsoft Windows, and even X Windows applications. From desktop publishing to databases, imaging to computer-aided design.

But your work won't just go faster than ever, it will be

easier than ever. Because the DECpc 433's built-in Ethernet networking can put your company's entire network at your command. For massive file storage. Seamless printer sharing. E-mail. And more.

Put the built-in networking, the graphics and the 486DX power together, and you've got a PC so revolutionary, you won't find anything like it. Money-wise. Performance-wise. Or any other-wise.

Think of it this way. At \$6,000, the DECpc 433 is half the cost of a traditional PC with comparable performance. So why keep dreaming about everything you need in a PC? Just call 1-800-343-4040, ext. 352. Or your local Digital Authorized **digital**™ Distributor.

NETWORK PERSONAL

© DIGITAL EQUIPMENT CORPORATION, 1991. THE DIGITAL LOGO AND DECpc ARE TRADEMARKS OF DIGITAL EQUIPMENT CORPORATION. 486 IS A TRADEMARK OF INTEL CORP.

NOW QUIT DREAMING.



COMPUTING FROM DIGITAL.


OS/2 IS A TRADEMARK OF INTERNATIONAL BUSINESS MACHINES. X WINDOW SYSTEM IS A TRADEMARK OF MASSACHUSETTS INSTITUTE OF TECHNOLOGY.

How to spend less time thumbing through books and more time thumbing through results.

New Mathcad 3.0

New Mathcad 3.0 crunches, graphs, updates, and documents your work in real math notation. Automatically.

New symbolic capabilities are available with a simple menu pick.



New Windows 3.0 interface makes calculation fast and effortless.

New Electronic Handbooks give instant access to hundreds of standard formulas. Just click 'n' paste.

It's the fast, efficient, comprehensive way to do technical calculations.

Move those reference texts off your desk. Put that calculator back in your pocket. And save that cryptic spreadsheet for your budgets and bookkeeping.

It's time to get problems out of the way and make room for answers. With new Mathcad 3.0, the major new upgrade to the world's best-selling math software.

It's the all-in-one solution with a singular purpose: to put results in your hands as quickly and thoroughly as possible.

New Mathcad is a workhorse that handles everything from simple sums to matrix manipulation. Effortlessly, naturally.

Simply type your calculations into the live document, just like you'd write them on a scratch pad. And let Mathcad do the work for you. It performs the calculations. Graphs in 2-D or 3-D. Automatically updates results each time you change a variable. And prints out presentation-quality documents, complete with equations in real math notation, even scanned-in graphics.

Newly upgraded Mathcad 3.0 now has Electronic Handbooks for instant access to

hundreds of standard formulas, useful data, even entire calculations. Just click 'n' paste them from a hypertext window into your documents, ready to use.

When you need to simplify a formula, Mathcad's symbolic calculation capabilities are available with a simple menu pick.

There's no arcane programming language to learn, so you can do integrals, Taylor series, infinite sums, and more—all with point 'n' click simplicity. The symbolic answer can be used for both numerical calculations or further symbolic transformation.

You'll also find improved equation editing, enhanced graphing features, and more documentation options. So why waste time working with problems? Join the 120,000 users that get results—with Mathcad.

- New easy to learn and use Microsoft Windows 3.0 interface
- New easy to use symbolic calculations
- New Electronic Handbooks with hundreds of built-in solutions
- Optional Applications Packs with adaptable templates for Electrical, Mechanical,

Civil and Chemical Engineering, Statistics, Advanced Math, and Numerical Methods

- Differentials, cubic splines, FFTs, matrices and more
- Enhanced 2-D and 3-D graphics
- Improved presentation-quality documentation

also available

For a FREE Mathcad demo disk, or upgrade information*, call 1-800-MATHCAD (or 617-577-1017, Fax 617-577-8829). Or see your software dealer.

Available for IBM® compatibles, Macintosh computers, and UNIX workstations.

TM and ® signify manufacturer's trademark or registered trademark respectively.

1-800-MATHCAD


*Free upgrades available for those who purchase Mathcad 2.5 for DOS from 5/1/91-6/30/91. Call for details.

The answer is Mathcad®

MathSoft, Inc.
201 Broadway, Cambridge, MA 02139 USA



Mathcad 2.5
3-14-89 issue.
Best of '88
Best of '87



HARDWARE

Full Ethernet Networking Without a Wire in Sight

HOWARD EGLOWSTEIN

It happens in every network installation: There's one pesky location that's simply too hard to reach with conventional wiring. Or perhaps you're setting up a temporary network and simply have no need for permanent wires. Do you have to keep those nodes off the network? Motorola doesn't think so.

The Altair wireless Ethernet is a system of radio transceivers that extend a thin- or thick-wire 10-megabit-per-second Ethernet system where no LAN has gone before. Altair differs from WaveLAN, NCR's lower-frequency, 2-Mbps wireless LAN (see "WaveLAN: A Network with No Strings Attached," June BYTE) in that it uses a hub system and operates in the 18-gigahertz region of the radio band.

An Altair "microcell" consists of a Control Module that manages the flow of information to and from each User Module. The CM typically connects to the system file server, host, or main Ethernet backbone, while the UMs get placed near workgroup clusters (see the figure). To cover wider areas, you simply use more microcells as needed. Altair units can be set to one of a few frequencies, and their restricted range allows two microcells to coexist in tight areas.

Beam Me Up, Scotty

Motorola based the Altair on long-proven packet radio techniques. To picture how this works, imagine yourself at a cocktail party. Conversations are going on around you, and you want to ask a question. You wait until everyone is quiet and then jump in and ask. If no one else starts talking at the same time, your question will be heard and someone can answer you. If someone else does start talking at the same time, you'll smile, wait a bit, and listen for another chance to talk.

To make conversation easier, imagine that your host puts a large clock on the wall. Everyone agrees to start talking only at 15-second intervals. That way, if you start your question at the same time as someone else, you will have to wait until the 15 seconds are up before trying again. The advantage here is that you spend less time competing and more time talking. (An outsider listening in might



The Altair system. Shown here are the Control Module (CM) and two User Modules (UM). The grillwork hides a special six-sector microwave antenna. The back panel has connections for power, thin and thick Ethernet, and, on the CM, a special RS-232 cable for UM security registration. Installation can be as simple as placing the unit on your desk and connecting the Ethernet cable.

BYTE ACTION SUMMARY

■ WHAT ALTAIR DOES

Substitutes microwave radio technology for wired Ethernet connections.

■ LIKES

Convenient hookup; totally transparent operation; connects through any Ethernet card and cable—no special adapter required.

■ DISLIKES

The price may be high for some installations; network response is slowed on some networks.

■ RECOMMENDATIONS

Well-suited for environments where running standard cabling is impractical.

■ REQUIREMENTS

Workstation with thick- or thin-wire Ethernet connector; network environment restricted to within 200 feet of Control Module.


■ PRICE

Control Module, \$3995; each User Module, \$3495.

■ FOR MORE INFORMATION

Motorola, Inc.
Altair Product Operations
3209 Wilke Rd.
Arlington Heights, IL 60004
(800) 233-0877
(708) 632-4723

Circle 1231 on Inquiry Card.



A typical Altair topology isn't totally wireless: You cable up to four workstations to each User Module, which then makes a line-of-sight connection to the Control Module. You cable the Control Module to your file server, host, or network backbone. Motorola suggests mounting the modules high to avoid obstructions.

think you're all a bit loony, though.)

The first scenario describes the Aloha protocol, named at the University of Hawaii, where it started as a packet radio network protocol in the 1970s. Altair uses a variation of the second scenario, "slotted" Aloha, to manage communications between the UMs and CM. If a workstation has an Ethernet packet to send, it sends it to the UM, which requests a slot, waits for confirmation from the CM, and then sends the data.

With so many radio signals running around, you also want to be sure that no one outside the microcell can pick up the signals. When a UM is powered up, it identifies itself to the CM by its Ethernet address and picks up the CM's scrambling key. Any packet going between the UM and the CM is scrambled using a combination of the frame sequence number and this key. For added security, you can give the CM a list of up to 32 UMs

authorized to operate in the microcell. Any other UM trying to exchange packets in the microcell will be ignored.

Between microcells, Altair relies on properties of the microwave medium. Low-power microwaves (in this case, 25 milliwatts) have little penetration power. Motorola suggests a maximum range of 130 feet in open air, or 40 feet through up to three interior walls. An exterior or load-bearing interior wall will kill the signal. Two microcells on the same floor can coexist as close as 200 feet apart, but microcells on adjacent floors can't see each other, since the microwaves won't penetrate the floor.

Nothing Like Being Wired

Connecting an Altair microcell couldn't be simpler. The test network came with the CM and three UMs. I started in the Unix lab by simply disconnecting some existing thin Ethernet cabling and re-

placing it with Altair units. The CM went to the primary host, and groups of workstations connected to the UMs.

Typically, the CM sits in the geographic center of the microcell, on top of a cubicle wall. In our test network, the distances from UM to CM ranged from 2 feet to about 10 feet. To get a better idea of Altair's range, I moved the units to a temporary Novell network and placed one of the UMs on a rolling cart with a long extension cord. The system worked flawlessly from 102 feet when unobstructed. When a metal pushcart rolled through the transmission path, the UM's status light blinked, indicating a communication failure. However, the network recovered without any loss of data.

In theory, Altair's 10-Mbps transfer rate shouldn't present any limitation to today's PCs. In fact, a test on the Unix LAN with TCP/IP protocol showed a file copy across the network to run at 56 kilobytes per second, both wired and wireless. Novell NetWare was different.

When NetWare operates, each transmitted packet requires a response. On a wired system, this response happens quite fast. Altair's radio protocol adds to each packet a bit of overhead that can slow down the network considerably. I copied some large files to and from a NetWare 386 file server over a wired link at 194 KBps, and then over Altair. With the added overhead, the best I could get was 69 KBps. I then ran some applications over the link and found the performance to be noticeably slowed but acceptable. Motorola says that typical users will see little or no speed degradation running Novell, but from my brief time with the system, I'm not sure I'd agree.

The Altair is ideally suited for situations in which you can't run cabling through a wall or simply don't want to run anything permanent. One beta tester I spoke with is considering the Altair technology to equip a facility that will be occupied for only six months.


But Altair technology doesn't come cheap. The CM unit costs \$3995, and each UM sells for \$3495. If you place the maximum of six workstations on a UM, you can drop the per-node cost to approximately \$700. Industry estimates of wiring Ethernet systems range from \$200 to \$1000, depending on the situation. For tough wiring situations, the Altair may do more than save you money—it also could be your only solution. ■

Howard Eglowstein is a testing editor in the BYTE Lab. He has a B.S. in architecture and design from MIT. You can reach him on BIX as "heglowstein."

LOOKS LIKE A JOB FOR MINUTEMAN.

Spikes. Surges. Overvoltage. Undervoltage. Brownouts. These things happen. And they can do irreparable damage to your equipment and data. Unless you're protected with Minuteman Uninterruptible Power Supplies.

Minuteman protects all your equipment and data. All the time. In fact, in the event of power failure, it will safely and automatically shut down your network, using your operating system or our own software. Even if you're not there.



There's a Minuteman to fit your needs, large or small. Including 220-volt international models. And we ship orders the same day they're received.

So call us. You can't stop disaster from striking. But you can keep it from hurting you.

1-800-238-7272

See Us At
PC EXPO



International Models: 220v 240v
Novell approved UPS monitor boards



STANDBY UPS MODELS

300 VA to 2300 VA

Sinewave output: 1 msec Transfer

ON-LINE UPS MODELS

500 VA to 10,000 VA

Static by-pass standard

True on-line sinewave outputs

UNATTENDED SHUTDOWN

Via your operating system or our software, interfacing:

Novell 286 VAP and 386 NLM

ELS Level II

AIX for IBM RS6000 Version 3.1 & up

AIX for IBM RT Version 2.2.1 & up

3COM

LAN Manager

Banyan Vines

AT&T 3B2

AT&T UNIX 386 Version 3.2

SCO UNIX 386 Version 3.2 & up

SCO XENIX 386 Version 2.3.2 & up

SCO XENIX 286 Version 2.2.1 & up

Sun OS Sun 4 Version 4.03 & 4.10 & up

Sun SPARC Version 4.03 & 4.10 & up

SUN OS Sun 3 Version 4.01 & up

DEC VMS Version 5.1 & up

Custom configuration any system



MINUTEMAN
UNINTERRUPTIBLE POWER SUPPLIES

© Para Systems, Inc. 1455 LeMay Drive, Carrollton, Texas 75007 Phone: 214-446-7363 FAX: 214-446-9011

Circle 214 on Inquiry Card.

World Radio History



Pretty



Mission Critical Workstation 1448: Combines a CRT and CPU into one rugged NEMA-4 system with 9 option slots and 2 drive bays. A complete 386SX system from \$7395.

products and systems are specifically engineered for those brutal industrial environments that eat pretty PCs for breakfast.

Durability built in from scratch

To ensure maximum durability we design and manufacture from scratch practically everything that goes into our systems, like passive backplanes which we pioneered for microcomputers in 1983. These backplanes accommodate a full complement of convenient, plug-in components, all compatible with Compaq DeskPro.[®] They're why our Mean Time To Repair (MTTR) is a phenomenal 10 minutes.

You won't find passive backplanes—or lower MTTR—in any of the leading office PCs.

A PC that looks good in your office won't look good for long out in the plant.

Heat murders microprocessors. Dust decimates disk drives. Vibration victimizes video cards.

Any or all can wreck your entire operation.

The Texas Micro line of rugged, reliable ISA Bus

More options mean more choices

We also build industrial-strength option cards to handle myriad functions, in addition to our 286, 386SX,[™] 386DX[™] and 486[™] CPU cards in a full range of processor speeds. Our CPU card designs use Very Large Scale Integrated circuits and programmable array logic devices to reduce component counts by 50–60% which enhances reliability and resistance to physical stress. Ultimately, the design contributes to our remarkably long Mean Time Between Failures (MTBF): 70,000–100,000 hours, calculated against the MIL Standard Handbook 217E.

You won't find that kind of card selection—or MTBF—among the leading PC makers.

We pretest, test, and then retest

You won't find them torturing their systems like we torture ours either. Not only do we perform extensive "shake, rattle and roll" tests on each new design, we pretest all our systems before they leave our dock. We burn them in at 55C/131F for 48 hours straight



Mission Critical Rackmount 3014 & 8014 (above) each has 14 option slots, 3 drive bays. For computing where desktops die. A complete 386SX 3014 system from \$4395. A complete 386SX 8014 system from \$4675. Without monitors.



Tough.

just to make sure they can take the heat.

What's more, we shock mount our disk drives to stand up to vibrations surpassing Richter scale proportions and we use only high-reliability power supplies that can go for 100,000 hours MTBF.

Our guarantee is your guarantee

With all this reliability designed into our products, is it any wonder that we guarantee better support than any of the other leading PC makers? Every system comes with a full one-year, on-site warranty. Theirs don't. We also offer a toll-free number for technical and sales information, a regional network of sales engineers and engineering support for system integration.

Why the competition is no competition

	Backplane architecture	Shock mounted drives	48 Hr burn-in at 131 degrees	Total ISA slots	100,000 MTBF Power supply	Built like an M1A1	Manufacturers SRP
Compaq 386SX Model 84	No	No	No	5	No	No	\$3699
Texas Micro 2003	Yes	Yes	Yes	10	Yes	Yes	\$3950

Both systems similarly configured with 2MB RAM, Texas Micro-104MB hard drive, COMPAQ-84MB hard drive, 1.2MB floppy, VGA graphics, keyboard, monitor not included, purchase price discounts may vary by quantity and reseller.

Tough systems at gentle prices

The leading office PCs may look prettier than ours. But our industrial-strength systems are designed to be more reliable, and to do it for no more money than it costs for the fancy office system.

Which makes a Texas Micro PC look a whole lot better in two places where it really counts:

Your production line and your bottom line.



Mission Critical Benchtop 2003: With 10 option slots and 2 drive bays the 2003 makes desktop computing possible in extreme environments. A complete 386SX system from \$3950 without monitor.

For technical or sales information, call:

1-800-627-8700

TEXAS MICRO

10618 Rockley Road, Houston, TX 77099 • Tel 713-933-8050, Fax 713-933-1029

Texas Micro™ is a trademark of Texas Microsystems, Inc. All other trade names referenced are the service-mark, trademark, or registered trademark of the respective manufacturer.

Circle 279 on Inquiry Card.

World Radio History

THE WORLDWIDE LEADER IN DATA PROTECTION OFFERS THESE FOUR EXCITING PRODUCTS




ICELOCK

IceLock is an exclusive software protection device which allows any software reseller—from developers to distributors to corporate users—to protect the programs they sell or use from software piracy. IceLock is a small "dongle" which plugs into any serial or parallel port on the computer—and yet still leaves the port open for peripherals. Software can be used like a book: copies of programs can be kept in many places but only run on computers that have the exclusive ICE device. IceLock encodes existing EXE and COM files.



POWERWATCH

PowerWatch works with any UPS to provide guaranteed software and hardware shutdown during a power failure before the UPS batteries are exhausted. This eliminates the possibility of UPS failure when battery time is exceeded. It saves your files, exits your programs and logs out of the network. Available to MS-DOS, XENIX and UNIX users. Compatible with all major networks.



FILELOCK

FileLock is a combination of hardware and software to protect sensitive data. FileLock inserts into any serial or parallel port to allow secured data to be accessed from within an application. FileLock maintains a library of secure files and it compresses secured files.

See us in America at

TRACKER™ FIVE

personal contact management software



Booth 2104

Tracker™ Five is an "intelligent" cardfile system which dramatically simplifies the storage, retrieval, up-dating and access of information on clients, customers, and contacts.

And, because *Tracker™ Five* can be a TSR (terminate and stay resident) system, it means that no matter what else you're working on, one hot-key brings *Tracker™ Five* to the screen, ready to help you write a note, schedule an appointment in your calendar, or retrieve a vital piece of information in an instant.

Distributorships available, call or fax:


313 R/E Ltd. 43 Argov Pl. Nanuet N.Y. 10954 Tel. 1 (800) UD 313 RE
Tel. 1-(914) 623-1630. Fax (914) 623-7180

WORLDWIDE SUPPORT

Australia: (62) 310728 Fax (62) 961815
Denmark: (042) 804200 Fax (042) 804131
Malaysia: (03) 719 8299 Fax (03) 717 6558
Belgium: (013) 771902 Fax (013) 777372
Italy: (02) 6698 1094 Fax (02) 6700 705
Netherlands: (020) 5861 411 Fax (020) 5861568
United Kingdom: (0600) 5829 Fax (0600) 72179

World Radio History
Circle 8 on Inquiry Card.

Server-Based UPSes Promise Order During Power Problems



The Para Systems (top) and Zentao UPSes monitor power conditions and alert network workstations if a power failure occurs.

In the beginning, the rule was one person, one computer, and one uninterruptible power supply (UPS)—a simple setup. If the power failed, the user simply stopped working, saved his or her files, and shut down the computer.

Today, thanks in part to the proliferation of LANs, the situation is more complicated. The computer in question may be a network server with several workstations running off it. The server may be in a remote location where a user does not constantly monitor it; thus, a UPS that simply powers one workstation or the server on a LAN is not sufficient. If the power fails, other workstations on the LAN would not know if anything were amiss. Only after the UPS battery power was depleted would the failure be apparent. By then, network operations would cease, and files could be damaged or destroyed.

Network Ready

This month's Reviewer's Notebook takes a return look at network-ready, standby UPSes that provide the usual power-backup capabilities and some extra capabilities for networks (see "Smart UPSes Alert LANs to Power Problems," May BYTE). For this review, I have selected the Para Systems Minuteman AT800 and the Zentao UPS 750L. Each supports servers running NetWare 386

and provides power-monitoring software. The Minuteman has a power rating of 800 volt-amperes while the UPS 750L is rated at 750 VA. Both UPSes use sealed lead-acid batteries (gel cells).

These UPSes connect to the server or workstation via a serial or special interface port. A TSR monitoring program running on the server or workstation checks the port for a signal from the UPS that the power has failed. If a voltage sag or power failure does occur, the monitoring program is alerted. Should the power failure continue beyond a preset time, the program sends a message to all the workstations on the LAN, instructing users to save their files and log off.

The UPS sends continuous updates to the monitoring program on the batteries' condition. When the batteries are just about completely exhausted, the program sends a message to all the workstations to log off immediately. The program then closes all the files on the server and sends a signal to the UPS to shut down. This "active" status of the UPS protects computers that are unattended or in remote locations.

Minuteman AT800

The front panel of the Minuteman includes a set of six LEDs that display normal AC operation, battery status, AC failure condition, overload condition, AC

BYTE ACTION SUMMARY

- **WHAT LAN-BASED UPSes DO**
Combined with "smart" software, they inform network users about a power failure, broadcast log-off messages, and automatically shut down the network server. By monitoring battery levels and power quality, they can help head off damage from faulty power conditions.
- **RECOMMENDATIONS**
The Para Systems Minuteman AT800 offers a simple interface, easy-to-install software, and good documentation. However, the BYTE Lab's choice for best UPS in this category still goes to American Power Conversion's entry (see "Smart UPSes Alert LANs to Power Problems," May BYTE).
- **PRICE**
Minuteman AT800, \$879; Network Manager for Novell NetWare 2.x and 3.x and AT&T Unix System V release 2.3.2, \$109

UPS 750L, \$469; UPS Monitoring Kits: UPSC-02 for MS-DOS, \$149; UPSC-04N for Novell NetWare 3.x, \$299; and UPSC-04X for AT&T and SCO Unix, \$299.

FOR MORE INFORMATION

Para Systems, Inc.
P.O. Box 815188
Dallas, TX 75381
(800) 238-7272
(214) 446-7363
fax: (214) 446-9011
Circle 976 on Inquiry Card.

Zentao Corp.
231 West Grand Ave.
Bensenville, IL
(708) 350-9040
fax: (708) 350-9049

Circle 977 on Inquiry Card.

fault condition (i.e., low or excessively high voltage), and fuse condition. The back panel has four 120-VAC output receptacles and a UPS monitoring interface.

The Minuteman uses its own Network Manager package as the monitoring program. Network Manager resides on a Novell server and executes as a background task. You can load it as either a value-added process or a NetWare loadable module (NLM), depending on the NetWare version running on the server. Network Manager communicates with the UPS through an RS-232 serial port on the server.

The Network Manager installation program prompts you for the serial-port selection, the length of time the UPS uses the battery before shutting down the server, the wait time before the UPS signals a power failure, the amount of time from when the program detects a low-battery condition until it sends a message and executes the Novell DOWN command to shut off the server, and the grace period after the server is shut down until the Network Manager turns off the UPS.

The Network Manager performed well on the BYTE Lab's test LAN. During the power-off test, the program sent the appropriate warning messages to the workstation. After the specified time had elapsed, it closed all the files, and the UPS shut down.

The documentation for both the Minuteman and Network Manager is well written and easy to follow.

UPS-750L

Designed to sit under your monitor, the UPS 750L has a main power switch, an alarm reset, and separate power switches for the computer and monitor. Two LED bar graphs show the load level and the battery condition. Separate LEDs show power and UPS operation. Like the Minuteman, the UPS 750L's back panel has two 120-VAC output receptacles and a UPS monitoring interface.

The UPS 750L comes with the SafeWare Intelligent UPS Monitoring Kit. SafeWare uses an 8-bit interface card, which you install in the server or workstation, and an NLM monitoring program running on the server to connect to the UPS. A DB-9-to-DB-15 cable connects the server to the UPS.

The SafeWare installation program copies several files onto the server's hard disk in a user-specified subdirectory. Other files are copied to the SYS:SYSTEM subdirectory. The installation program then appends the system log-in script. Next, you type LOAD INSTALL

in on the server machine to access the Novell Installation Options menu so that you can edit the AUTOEXEC.NCF file. You can enter the commands LOAD UPS TYPE=STANDALONE PORT=231 DISCHARGE=5 RECHARGE=1 to set the parameters for the UPS into AUTOEXEC.NCF and save the file. These commands determine how much time passes after a power failure before the program sends a message to the workstations, and the amount of time before the batteries are completely depleted that the UPS will shut down. On rebooting the server, the UPS.NLM module will run as the monitoring program.

Another TSR, SW.EXE, has to run on every workstation connected to the UPS. The combination of the NLM monitoring program, the SW.EXE program, and a _PROFILE.PAR file also lets you store the shutdown commands for any programs running on a workstation.

Like Network Manager, SafeWare performed well on the BYTE Lab tests. Unfortunately, after the tests were completed, the UPS indicated an overload condition and stopped working. I attribute the failure to the rough handling the unit received when it was shipped from the manufacturer in Taiwan.

The UPS 750L's documentation was not as well written as the Minuteman's. The installation instructions for SafeWare were not well organized, and the manual had several spelling errors.

Zentao claims that new monitoring software that does not use a special interface card but runs through a serial port will soon be available.

Sags and Holdups

The primary function of a UPS is to keep your computer running when the utility power fails. To test this, I charged the battery in each UPS for several days. I then connected each UPS to a network server computer. Next, I installed a variable transformer between the UPS and the utility power to control the voltage and to simulate brownouts and power failures. For the tests, I ran each UPS on a two-station Ethernet LAN running Novell's NetWare 386 version 3.1.

The power load that a computer presents to a UPS depends on the equipment installed in the server or workstation. For these tests, the server was a Zeos 486/33 with an EISA bus, 4 megabytes of RAM, a 319-MB SCSI hard disk drive (a Seagate ST4376N) and controller, 5¼-inch 1.2-MB and 3½-inch 1.44-MB floppy disk drives, a tape backup drive and controller card, a Novell NE-2000 thin-wire Ethernet network-adaptor

card, a VGA card, and a Zeos 12-inch VGA color monitor. The computer was powered by a PC Power and Cooling 450-watt power supply; the monitor was rated at 120 VAC 1.2 A, which equals a 144-W load. This provided a maximum load of 594 W on the UPS.

The workstation not powered by the UPS was an IBM AT with a Mylex LNI390A thin-wire Ethernet network-adaptor card.

My first test determined the "trigger" voltage where the UPS would switch over from the utility to battery power in the event of a brownout or voltage sag. At the start of the test, the voltage to the server was 120.5 VAC. When I lowered the voltage, the Minuteman was triggered at 106.1 VAC and the UPS 750L at 103.5 VAC.

The next test measured the holdup time (i.e., the amount of time the UPS powers the server in the event of a power failure). The Minuteman ran for 17 minutes, 1 second, and the UPS 750L ran for 21 minutes, 50 seconds before automatically shutting down.

Ready and Waiting

The Minuteman's best features are its four AC outlets, well-written documentation, simple installation, and good performance with Novell's NetWare. However, it requires a dedicated serial port for the monitoring program.


The UPS 750L provides a more convenient size and design, slightly better holdup time, and good performance with Novell's NetWare. It also costs less. Unfortunately, it has only two AC outlets, requires a slot in the server for its interface card, is not easy to install, and lacks well-written documentation.

So which should you choose? It's a close call; both these UPSes can protect your network server. I prefer the Minuteman AT800 because it is easy to install. But taking into consideration the UPSes that the BYTE Lab looked at in May, American Power Conversion's Smart-UPS 900 edges out these latest competitors, despite its higher price of \$999. The Smart-UPS 900 has a smart-boost feature for dealing with brownouts, six AC outlets, and PowerDoctor software that allows you to monitor the UPS in real time. ■

—Stan Wozola

Reviewer's Notebook provides new information—including version updates, new test data, long-term usage reports, and reader feedback—on products and product categories that have been previously reviewed in BYTE.

WHY SOFTWARE COMPANIES ARE CHOOSING HARDLOCK™




Developers Say. . .

"Since the Hardlock uses an algorithmic response chip, I am assured of the highest level of protection. Also, the optional programmable memory means I can keep custom configurations in Hardlock rather than in a file. I can protect my .EXE or .COM files directly and/or incorporate Glenco's high level language interface routines into my software. And, I feel confident I'll have Glenco's support if I use other programming languages."


Accountants Say. . .

"Hardlock provides our company with a healthier bottom line. Since our software can't be copied, our revenue has steadily increased. The unique programming board allows us to program the Hardlock in seconds. This ensures optimum delivery schedules from Glenco and a lower inventory cost for us. Hardlock's field programmable feature means a single Hardlock can protect more than one product."



End Users Say. . .

"Hardlock allows me to backup my software investment. I just plugged Hardlock into the printer card, connected the printer cable, and forgot about it. Since Hardlock doesn't require a battery, I am assured of reliability and no down time."



Actual size shown.

Hardlock — programmable, algorithmic response and memory option — all in one

GLENCO ENGINEERING INC.
SERVING THE SOFTWARE INDUSTRY SINCE 1979

270 Lexington Drive
Buffalo Grove, Illinois 60089-6930
(708) 808-0300 FAX 808-0313
1-800-562-2543

HARDLOCK™ The Preferred Protection System!

1-800-562-2543

H A R D L O C K

For a distributor in Europe contact, FAST Electronic GmbH 49-89-539800-20 FAX 49-89-539800-40

Circle 116 on Inquiry Card.

World Radio History

InfoWorld And *BYTE* Readers Go To The "Polls." Both Agree...

Northgate® Elegance 486™/33™ Voted "Desktop Computer Of The Year"!



Northgate
Technology Leads
Again... Now
Compatible With
Novell® 3.1!

Who ever thought a direct marketing company could take away *InfoWorld*'s highest honor from IBM®, Compaq® or Apple®! They dominated the voting for a decade. But when the 1990 election was over, so was their dynasty! And a new champion was crowned: Northgate Elegance 486/33.



Then, *BYTE* Readers Voted Elegance "Desktop Computer of the Year"!

Shortly after *InfoWorld* readers spoke, *BYTE* readers went to the polls. They overwhelmingly voted for Northgate, saying they'd rather have Elegance 486/33 on their desktop than any other!



PC Magazine Adds To The Glory. Elegance Wins "Editors' Choice"!

"A sure winner in its class," raved *PC Magazine*. The editors just couldn't say enough great things: "Clear documentation, excellent service policies, top name components and fine performance."††



When Industry Experts And Users Speak Out, Northgate Gets The Vote!

There are two different kinds of Northgate buyers: (1) The repeat customer who knows he'll be treated first rate with Northgate and doesn't hesitate buying again and again; (2) The first time buyer who calls Northgate because he just hasn't found the right vendor despite all his shopping and comparing.

At Northgate, the search ends. And it ends with the buyer finding what he truly wants. A company that cares for him. Who won't let him down no matter what. When Northgate makes a commitment, you can count on it. We deliver!

"Northgate stops at nothing to please its customers."* Sounds like a company slogan, doesn't it? But we didn't say it; *PC Magazine* did! In their "Service and Reliability Survey," the editors also said: "Northgate is the hands-down winner when it comes to customer loyalty."**

We don't just build computers, we build trust. To earn your business, we work harder. Smarter. Longer. In fact, our 24-hour, 7-day-a-week toll-free technical support inspired Dr. Jerry Pournelle to call it: "the standard other mail order computer companies must match."***

We were the first to offer free overnight shipment of replacement parts — more proof that your needs come first at Northgate. Of course, our systems are backed by a full one-year parts/labor warranty; 5 years on *OmniKey*® keyboards.

The nation's largest computer repair service company with 5,000 technicians now serve you from over 400 locations. On site service is FREE for one year!



Elegance 486/33
Base System Prices Start From Only:
\$454900 Or as low as \$14000 per month†

Elegance 486/25
Base System Prices Start From Only:
\$364900 Or as low as \$11500 per month†

Elegance 386/33
Base System Prices Start From Only:
\$229900 Or as low as \$7000 per month†

Elegance 386/25
Base System Prices Start From Only:
\$199900 Or as low as \$6500 per month†

From your very first phone call to Northgate ... you'll know you're dealing with a company that forever puts you first!

Use Elegance RISK FREE for 30 days! If your Northgate doesn't get your vote, we'll buy it back at full price. No questions asked!

Northgate Elegance Base System Features:

- ◆ Intel® 486/33 MHz processor
- ◆ 64K SRAM read/write-back cache
- ◆ 4MB RAM; expands to 8MB on motherboard (16MB total RAM with 32-bit memory card) (1MB RAM on 386 Base System)
- ◆ 1.44MB 3.5" floppy drive (1.2MB 5.25" optional)
- ◆ Weitek® coprocessor support
- ◆ One 32-bit, six 16-bit and one 8-bit slots
- ◆ One parallel and two serial ports
- ◆ Desktop case with 200 watt power supply OR optional Vertical Power case with 220 watt power supply
- ◆ Award-winning *OmniKey* keyboard
- ◆ Hercules compatible monochrome video adapter
- ◆ MS-DOS 4.01 and GW-BASIC installed
- ◆ Microsoft® Windows™ 3.0 and mouse
- ◆ FCC Class B certified; Novell certified

Design your own configuration! Northgate's award-winning 486/33 and 25 MHz systems come in a wide range of configurations to suit your particular needs. Add hard drives — 40MB, 80MB, 100MB, 200MB, 1.2GB. Monitors — 14" VGA Mono or Color, 14" SVGA, 16" Nanao SVGA, 19" NEC Super BIG VGA. Also available is our Award-Winning Elegance line of 386/33 and 25 MHz systems. Call Northgate for specifics!

Call Toll-Free 24 Hours Every Day
800-345-8709

Major corporations, volume purchasers and government agencies call National Business Accounts: **800-545-6059**
FAX your order! 800-323-7182

Notice to the hearing impaired: Northgate has TDD capability. Dial 800-535-0602.

Call For More Information On Our 486/33 And 486/25 EISA Systems!



"Smart Tools For Business"™
7075 Flying Cloud Drive, Eden Prairie, MN 55344

C++ Your 386, 486 & i860!

The key to taking full advantage of your Intel 32-bit CPU is a MicroWay globally optimized compiler. The latest, NDP C++, is ideally suited to writing numerically intensive applications or encapsulating your human interface to take maximum advantage of new GUIs, such as Windows 3.1. C++ makes it possible for the user to define his own types and specify how they get handled by the compiler. For example, where all C compilers automatically extend floats to double, thus slowing up coprocessors like the 3167 and 4167, NDP C++ handles single precision library calls with no loss of speed. In addition, it is possible to define new types, and their operators, like complex numbers and matrices. Running on top of NDPWIN™, our 32-bit Windows Extender,

NDP C++ can be used to manage sophisticated human interfaces through its ability to simultaneously address all of the memory available under Windows and access the Windows SDK.

NDP C++ is AT&T release 2.1 compatible. Since C is a subset of C++, this means NDP C++ can also compile C programs, and it, in fact, passes all the Plum Hall ANSI C conformance tests.

MicroWay's compilers come with the features you need to simplify porting to the 32-bit mode of the 386, 486, or i860, including a 99% VAX/VMS compatible FORTRAN and a dual dialect C which is UNIX System V and ANSI compatible. Each NDP compiler is designed to take

maximum advantage of 32-bit protected mode operation, including the 4 gigabyte address space of the processor, plus access to coprocessors from Intel, Weitek, and Cyrix.

If you're burning up a lot of VAX or Cray time, you should seriously consider the Number Smasher-860. It delivers super-computer throughput, running in an ISA or EISA bus, for about the price of a 486 system. With Number Smasher-860 and NDP C-860 or NDP Fortran-860, you can recompile all of your C or FORTRAN programs and run them in any 286, 386, or 486 system.

For more information, please call MicroWay's Sales Department at (508) 746-7341.

386, 486 and i860 Compilers

Our NDP compilers generate globally optimized, mainframe quality code that runs on the 386, 486 or i860 in protected mode under UNIX, XENIX, SunOS, extended DOS or NDPWIN™, our 32-bit Windows Extender. The compilers address 4 gigabytes of memory and support the Intel, Weitek, and Cyrix coprocessors. Applications can mix code from all four compilers and assembly language. ClearView, our full-featured, windowing, symbolic debugger, works with DOS versions of NDP 386 and 486 compilers.

NDP Fortran™ is a full F77 with F66 and DOD extensions that is 99% VMS compatible. Also contains new F90 features.

NDP C™ runs in two modes—K&R with System V and MS C extensions or 100% ANSI as validated by Plum Hall.

NDP Pascal™ is a full ANSI/IEEE Pascal, with extensions from C and BSD 4.2 Pascal.

NDP C++™ is an AT&T v.2.1 compatible C++ compiler that contains a full ANSI C compiler as a C++ subset. NDP C++ 386/486..... \$1195

NDP Fortran, C or Pascal Pricing

i860 versions include toolset and run on DOS, UNIX, XENIX, SunOS, Windows or OS/2 \$1995
 386 DOS versions include NDP Tools ... \$895
 NDPWIN versions include NDP Tools ... \$895
 486 DOS versions include NDP Tools ... \$1195
 UNIX/XENIX 386/486 versions ... CALL
 NDP VMEM Virtual Memory Manager \$295

NDPWIN-SDK interfaces Microsoft Windows SDK so that it can be called by 32-bit languages (Available 3rd Quarter, 1991)..... \$1495

ClearView™ 3/486 Symbolic Debugger: \$395

NDP-CrossRef™ Our full function cross reference utility that produces comprehensive data and function listings. Available for all NDP compiler versions..... \$195

NDP Plot™ \$325
 NDP/FFT™ NDP or 80x87 version... ea. \$250
 Halo Professional \$595

NDP/NAG™ This subset of the NAG mainframe libraries has 172 routines for differential equations and eigenvalue problems, matrix operations, fitting curves, statistics and regression analysis 386 Version: \$895

Number Smasher-860™

Number Smasher-860 is the highest performance coprocessor card ever to run in an ISA or EISA bus or as part of a transputer system. Delivers up to 80 million floating point operations per second at 40 MHz and produces over 12 double precision Linpack megaflops. The board comes standard with an ISA interface, 8 meg of high speed memory, two transputer link adapters, and your choice of NDP Fortran, C++, C, or Pascal for the i860 running under DOS, UNIX, XENIX or SunOS 33 MHz: \$6995
 40 MHz: \$9200 32 MB version: add \$4000

860 Vectorizer includes PSR VAST-2 which converts a FORTRAN program into a new program which calls the Intel Vector library. Includes the Intel Vector Library and MicroWay's i860 Profiler \$1495

860 Vector Library — Written for Intel, the library includes over 400 vector primitives that take advantage of the i860's cache, dual instruction mode, and pipelined multiplier accumulator \$495

NDP/NAG-860 is a MicroWay port of the NAG workstation library to the i860. \$1495

NDP/HALO-860 includes HALO Professional and an interface library which makes HALO directly callable by the i860 \$995

SX Your AT!

PC Week's "Analyst's Choice" for 386SX accelerators, FASTCache-SX is the ideal Windows platform for your AT.

FASTCache-SX™ — Most cost-effective accelerator on the market today. This 3/4-length, 16-bit card plugs into your I/O channel and 286 socket, speeding up all applications by a factor of 2 to 4. Runs all 386 applications, OS/2 and Windows 3.0. Features a 16 or 20 MHz 386SX, a 486-style 32K cache (expandable to 64K) and a math coprocessor socket. 16MHz: \$495 20 MHz: \$595 Cable: \$95

FASTCache-SX/Plus™ — The "Windows Solution" — combines the FASTCache-SX accelerator with up to 8 megabytes of extended memory. The 20 MHz Plus occupies a 16-bit slot and can be purchased with memory and/or a coprocessor. The 0K price is \$695. Cable: \$95

Journal of Numeric Data Processing

The Journal of Numeric Data Processing, published by MicroWay, is dedicated to numeric issues including new code generation techniques and languages, RISC devices that run in PCs, getting the most out of your coprocessor (from the 8087 to the i860), parallel processing, and more. Call for your free issue.

MicroWay 486/T™ Workstations

Custom-built to user specifications, our 486 system provides a 32-bit, ISA or EISA environment for running DOS, UNIX, XENIX, and OS/2 applications. Delivers exceptional performance for 2-D and 3-D visualizations, software development, compute-intensive applications, and CAD/CAM programs. Generates 13 Mega-Whetstones with a Weitek 4167 and 14 to 8 double precision Linpack megaflops with a 40 MHz Number Smasher-860.

Parallel Processing

MicroWay's ongoing R&D is based on the INMOS T800, T9000, and Intel i860. We recently achieved 90% efficiency and 132 megaflops running two i860s. Our T800 products are T9000 object compatible, making them ideal development platforms for this new superscalar RISC processor.

Quadputer™ — This board for the AT or 386 can be purchased with 1 to 4 transputers and 1 or 4 meg of memory per transputer. Two or more Quadputers can be linked together to build transputer networks from \$1845

Monoputer™ — Includes one T800 and up to 16 meg of RAM from \$1295

Math Coprocessors

WEITEK, INTEL, CYRIX

4167-25/33 \$995/\$1295
 3167-20/-25/-33 \$495/ \$795/ \$995
 mW3167 Micro Channel-25/33 .. from \$1295
 mW3167/80387 Board \$200
 80387-16SX \$280 80387-20SX .. \$300
 80387-16 .. \$285 80387-20 .. \$345
 80387-25 .. \$439 80387-33 \$540
 80287XL .. \$180 287Turbo-20™ \$300
 Cyrix SX 16MHz: \$230 SX 20 MHz: \$255
 20 MHz: \$279 25 MHz: \$359 33 MHz: \$429
 EMC87 33 MHz \$595

MicroWay

World Leader in PC Numerics

Corporate Headquarters: P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341
 32 High St., Kingston-Upon-Thames, U.K., 081-541-5466

USA FAX (508) 746-4678 Germany 069 75 2023 Holland 40 836455 Italy 02-74.90.749 Japan 81 033 222 0541

OS/2 DEVICE DRIVERS

OS/2 device drivers continue to be a limiting factor in the acceptance and use of OS/2. DOS drivers abound, but OS/2 drivers are scarce as hen's teeth—for a variety of reasons. OS/2 drivers are more complicated than DOS drivers. They've got to handle context switching and priorities and accommodate dual-mode operation (real versus protected)—issues foreign to many DOS programmers. In this article, I'll describe how to build an asynchronous RS-232 terminal driver for OS/2 in C, complete with interrupt handler and timer support (the code you'll need to build this driver is available on BIX; see page 5 for details). Once you've seen how that's done, you'll have the basic understanding you need to write OS/2 drivers for other types of devices.

The Nature of the Beast

OS/2 device drivers, like other multitasking drivers, shield applications from the physical characteristics of I/O devices (e.g., timing or I/O port addressing). An application in need of I/O service transmits a request to the OS/2 kernel, which in turn calls a driver. The device driver handles all the hardware details, such as register setup, interrupt handling, and error checking. When the request is complete, the device driver massages the data into a format recognizable by the application. It sends the data or a status indication to the application and notifies the kernel that the request is complete. If the request cannot be handled immediately, the driver may either block the requesting thread or return a Request Not Done status to the kernel. Either way, the driver then relinquishes the CPU so that other threads can run.

DOS device drivers do not have a direct OS/2 counterpart. They are simple single-task polling drivers. Even interrupt drivers under DOS poll until interrupt processing is complete. DOS device drivers support one request at a time, and any subsequent requests from the DOS kernel will cause the system to crash.

In contrast, an OS/2 driver must manage overlapping requests from different processes and threads, and it must therefore be reentrant. It must also handle interrupts from the device and interrupts from a timer handler. In addition, the OS/2 driver must oversee switches from protected mode to real mode. It must accomplish these operations in an efficient manner, allowing other threads to gain access to the CPU, and, most important, it must do all these tasks reliably. Because it operates at ring 0, the OS/2 driver is the only program that has access to critical system functions (e.g., the interrupt system and timer). The driver therefore must be a trusted program, because any error in the driver can cause a fatal system crash.

OS/2 device drivers must also be bimodal, which means they must operate in real mode and protected mode. The interrupts must continue to be processed, and the requests must be completed, even if the user switches from the OS/2 prompt to the DOS compatibility box and back. They must be able to deinstall when requested, releasing any memory used by the driver to OS/2. Additionally, OS/2 drivers may support device monitors, programs that monitor data as it is passed to and from the driver. Fortunately, OS/2 offers a wide range of system services called Device Helper routines, or DevHlps, to provide this functionality.

Tools of the Trade

Designing an OS/2 device driver requires a thorough understanding of the role of a device driver, as well as a solid working knowledge of the OS/2 operating system and design philosophy. Debugging OS/2 drivers can be difficult, even with the proper tools. The OS/2 device driver operates at ring 0 with full access to the system hardware. However, it has almost no access to OS/2 support services, except a handful of DevHlp routines. Many driver failures occur in a real-time context, such as in the midst of interrupt handling. It may be difficult or impossible to find a driver problem using normal debugging techniques. In such cases, it is necessary to visualize the operation of the device driver and OS/2 at the time of the error to help locate the problem.

The most important tool for driver development is the driver debugger. Generally, I use the kernel debugger from Microsoft, which comes with the Device Driver Development Toolkit, or DDK. Several other companies offer good driver development tools. A more complete version of this article in book form and a complete C-callable DevHlp library can be purchased from PSS. PentaSoft offers a C-callable interface to the DevHlp routines. OS Technologies offers a driver debugger that is OS/2 version-independent. And FutureWare offers a driver debugger and a C-callable interface to the DevHlp routines.

I write all my device drivers, including the interrupt and timer handlers, in Microsoft C 6.0. A device driver written in C can be written in approximately half the time it would take to write the same driver with the Microsoft Macro Assembler. In special cases, especially when writing drivers for very fast devices or where performance is extremely critical, it only makes sense to write a few subroutines in assembly language. Mostdrivers, however, work fine when written in C.

A practitioner's guide to development of an asynchronous RS-232 terminal driver for OS/2 in C

continued

A MESSAGE To OUR SUBSCRIBERS

FROM TIME TO TIME we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE MAGAZINE

ATTN: SUBSCRIBER SERVICE

P.O. Box 555

HIGHTSTOWN, NJ 08520



SOME ASSEMBLY REQUIRED

Anatomy of an OS/2 Device Driver
OS/2 drivers receive requests from the OS/2 kernel. When the driver is originally opened with a DosOpen call, the kernel returns a handle to the program that requested access to the driver. This handle is used for subsequent access to the driver, and the driver name is no longer used (or needed).

When an application makes a call to a driver, the kernel intercepts the call and formats the driver request in a standard driver data structure, called the *request packet*. The request packet contains the data and pointers that the driver uses to honor the request. In the case of a DosRead or DosWrite, for example, the request packet contains the physical address of the caller's buffer. In the case of an I/O control operation (IOctl), the request packet contains the virtual address of a data and parameter buffer. Depending on the request, the data in the request packet will change, but the length and format of the request packet's header re-

main constant. The kernel passes the driver a bimodal pointer to the request packet. This bimodal, or tiled, address is a pointer valid in either protected mode or real mode, because the processor may be in either mode when the driver is called.

How does the kernel know which driver to send the request to? Drivers are loaded by the OS/2 initialization code at boot time, and the kernel keeps a list of the installed drivers by name. Before a driver is used, it must be DosOpened from the application. The DosOpen specifies an ASCII-Z string with the device name as a parameter. The kernel compares this name with its list of installed drivers, and if it finds the name, it calls the Open section of the driver Strategy section to open the device. If that operation succeeds, the kernel returns a handle to the application to use for future driver access. The ASCII-Z name is never used again while the device remains open. The device handles

Listing 1: *The OS/2 kernel and device drivers communicate by way of request packets.*

```
typedef struct ReqPacket {
    UCHAR   RPlength;
    UCHAR   RPunit;
    UCHAR   RPcommand;
    USHORT  RPstatus;
    UCHAR   RPreserved[4];
    ULONG   RPqlink;
    union {
        UCHAR   avail[19];
        struct {
            UCHAR   units;
            PPFUNCTION DevHlp;
            char far *args;
            UCHAR   drive;
        } INIT;
        struct {
            UCHAR   units;
            OFF      finalCS;
            OFF      finalDS;
            FARPOINTER BPBarry;
        } INITExit;
        struct {
            UCHAR   media;
            PHYSADDR buffer;
            USHORT  count;
            ULONG   startsector;
            USHORT  reserved;
        } ReadWrite;
        struct {
            UCHAR   media;
            PHYSADDR buffer;
            USHORT  count;
            ULONG   startsector;
            USHORT  sysfilenum;
        } CReadWrite;
        struct {
            UCHAR   subcode;
            ULONG   reserved;
        } Shutdown;
        struct {
            USHORT  sysfilenum;
        } OpenClose;
        struct {
            UCHAR   category;
            UCHAR   function;
            FARPOINTER parameters;
            FARPOINTER buffer;
        } IOctl;
        struct {
            UCHAR   char_returned;
        } ReadNoWait;
        struct {
            UCHAR   media;
            UCHAR   return_code;
            FARPOINTER prev_volume;
        } MediaCheck;
        struct {
            UCHAR   media;
            FARPOINTER buffer;
            FARPOINTER BPBarry;
            UCHAR   drive;
        } BuildBPB;
        struct {
            UCHAR   count;
            ULONG   reserved;
        } Partitionable;
        struct {
            ULONG   units;
            ULONG   reserved;
        } GetFixedMap;
    } s;
} REQPACKET;
```



\$19.95

"Power C is a heavy-weight contender - at a bantamweight price"

Stephen Davis
- PC Magazine

"On sheer audacity for price-performance ratio, we loved Mix's products"

Tim Parker - Computer Language



\$19.95

"The Ctrace debugger is where Mix really shines. It is magnificent."

David Weinberger
- Computer Shopper



MDX
software

Power C

combines a high-performance C compiler with superb documentation, at a price that brings chuckles from over 50,000 satisfied customers. That's because Power C performs favorably against compilers costing 10 times as much. And you can't buy a compiler that's more reliable or easier to use - at any price. Perhaps that's why Power C has won Computer Shopper's Best Buy award for three years running.

- compatible with ANSI C standard
- integrated Make utility
- library of over 450 functions
- IEEE software floating point
- supports 8088/286/386/486 CPU
- memory resident program support
- supports 8087/287/387 math chips
- small/medium/large memory models
- mixed model with near/far/huge
- allows arrays larger than 64K
- CGA, EGA, VGA & Hercules graphics
- 650 page manual with tutorial

\$10.00

Power C Library Source

includes our Power C assembler, plus the C and assembly language source code to over 450 functions in the Power C library. Unlike our competitors, who charge \$150.00 or more for library source code, we've made ours very affordable.

\$10.00

Power C BCD Business Math

includes binary coded decimal floating point routines and financial functions to calculate interest, depreciation, etc.. BCD routines are used for dollars and cents calculations to eliminate inaccuracies caused by rounding.

Power C requires DOS 2.0 or later, 320K memory, 720K disk space. Master C requires DOS 3.0 or later, 384K memory, hard disk.

Power Ctrace

combines state-of-the-art technology with a friendly interface, making it very easy to find and correct your programming mistakes. No time consuming edit/compile cycles are needed to track down bugs. Simply compile your program once with the trace option, and Power Ctrace does the rest. Multiple windows display your C source code, the values of all your program variables, program output, watch points, and assembly instructions. Put Power Ctrace to work for you, and we guarantee that you'll be a more productive C programmer.

Order line:

1-800-333-0330


Technical Support:

1-214-783-6001

Fax: 1-214-783-1404

Mix Software, 1132 Commerce Drive,
Richardson, TX 75081

Get a FREE copy of Master C (limited time offer)



\$44.95
value
FREE

Published by the highly acclaimed Waite Group, Master C is a revolutionary book/disk package that turns your PC into a C instructor. Master C teaches you, quizzes you, notices problems you are having, and recommends action. In a pilot study at IBM, students using Master C retained 19% more knowledge than students who learned from a lecturer. Now you can receive this \$44.95 package absolutely FREE when you purchase all four Power C products described above. Just ask for the Master Pack.

"Master C eschews flash for elegant competence, and it works!"

Jeff Dunteman - PC Techniques

60 day money back guarantee

Name _____
Street _____
City _____
State _____ Zip _____
Telephone _____

Please send me a free brochure

Paying by: Check Money Order
 MC Visa Amex Discover
Card # _____ Exp _____

Disk Size: 5 1/4" 3 1/2"


Product(s) (Not Copy Protected)

Power C (\$19.95) \$ _____
 Power Ctrace (\$19.95) \$ _____
 Power C Library Source (\$10) \$ _____
 Power C BCD Business Math (\$10) \$ _____
 Master Pack (\$59.90) \$ _____
(includes all of the above plus Master C)
Add Shipping \$ _____
(\$5 USA - \$10 Canada - \$30 Foreign)
Texas Residents add 8.25% Sales Tax \$ _____
Total amount of your order \$ _____

Circle 196 on Inquiry Card.

World Radio History

The Real Power In DOS LANs Is Invisible.



Surprised? You shouldn't be. Because whenever it gets down to nitty-gritty comparisons of power and performance, our small-business LAN easily takes all-around honors. Every time.

Our Net/30 2.0 software, for instance, is fastest and easiest to use. Plus we alone offer expanded memory managers as standard. So instead of eating into your conventional memory, you can load network and TSR programs separately and actually add to your 640K DOS capacity.

There's more:

	MainLan™	Lantastic™	Invisible
Server RAM (Ethernet)	50K*	75K*	-64K*
Real Time Diagnostics	-	-	Standard
Boot ROM	-	\$99. Option	Standard
Memory Managers	-	-	Standard
Free Support	90 Days	90 Days	Unlimited
Hardware Upgrades	-	-	Standard
Group Security	-	Standard	Standard

*Comparison based on a 386 with 4MB RAM.

Isn't it time we talked? Call
415-570-5967 for answers and literature.



INVISIBLE
SOFTWARE

1142 Chess Drive, Foster City, CA 94404 FAX 415-570-6017

Distributed Worldwide:

ERGOS GmbH
Bernd Stehle
Bergstrasse 7
D 5200 Sieburg
Germany
Phone: 022 416 3075
Fax: 02241-63078

Pancom Systems PTY Ltd.
Ian Walker
80 Anzac Highway
Everard Park 5035
Australia
Phone: 618 371-1893
Fax: 61-8-3711893

Netcom AB
Arne Nilsson
Box 14166
104 41 Stockholm
Sweden
Phone: + 46 - (0)8 - 661 30 79
Fax: + 46 - (0)8 - 661 33 79

OASIS Srl
Mario Perrotta
Via Roma 108/E
20060 Cassina De' Pecchi (MI)
Italy
Phone: 392 9530 0405
Fax: 392 9530 0420

Sainfo
Sonja Potter
Salamancha 25.28020
Madrid, Spain
Phone: 341 279 4979
Fax: 341 571 1275

SPI United Kingdom Ltd.
Rosemary Stone
22 Horseshoe Park
Pangborne Reading RG8 7JW
Berkshire, England
Phone: 44 734 844081
Fax: 44-734-843053

ACE
Rupert Seidel
Igneiz Reider Kal 13A
A-5020 Salzburg
Austria
Phone: 436/622-5620
Fax: 436/622-3238

SOME ASSEMBLY REQUIRED

are usually assigned sequentially, starting with 3 (0, 1, and 2 are claimed by OS/2). However, the handle value should never be assumed. The ASCII-Z device name is located in the device driver header.

The OS/2 Request Packet

An OS/2 device driver consists of a Strategy section and optional Interrupt and Timer sections. The Strategy section receives requests from the kernel in the form of a request packet (see listing 1). The Strategy section verifies the request and, if possible, completes the request and sends the result back to the kernel. If the request cannot be completed immediately, the driver optionally queues up the request to be completed at a later time and starts the I/O operation if necessary. The kernel calls the Strategy section directly by finding its offset address in the device header (see listing 2).

The first entry in the request packet is the request-packet length, filled in by the kernel. The second parameter is the unit code. When a driver supports multiple logical units, the value stored here selects among them. The third field is the command code. The command code is filled in by the kernel. This is the code used by the `switch` statement in the Strategy section to decode the type of request from the kernel. The next field is the status word returned to the kernel. This field will contain the result of the driver operation along with the Done bit to notify the kernel the request is complete (this is not always the case; the driver may return without the Done bit set). To make things easier, I use a union to access specific types of requests and place the request-packet structures in an include file.

Building the Device Header

A simple OS/2 device driver consists of one code segment and one data segment, although more memory can be allocated if necessary (by means of DevHlp routines). The first data that appears in the data segment must be the device-driver header.

The device-driver header (see listing 2) is a fixed-length, link-list structure that contains information for use by the kernel during INIT and normal operation. The first entry in the header is a link pointer to the next device the driver supports. If no other devices are supported, the pointer is set to -1L. This terminates the list of devices supported by this driver. If the driver supports multiple devices, such as a four-port serial board or multiple-disk controller,

Now available on CD-ROM!

CORELDRAW!

PC Graphics for Everyone!



SUPERSALE



It's FAST
It's FUN
It's POWERFUL



Amazing special effects

- envelope (warp) text and graphics
- simulate 3D with perspective function
- extrude to give depth to text/graphics
- blend between shapes and/or colors

Incredible type control

- over 150 fully scalable outline fonts
- see exact fonts on-screen
- paragraph and multi-column text
- import ASCII text files
- fit text to a curve
- create your own fonts or symbols

Superb value

- over 4000 symbols and clipart images
- dotted and dashed line styles
- over 80 arrowheads
- dozens of vector and bitmap patterns
- free Pantone* license
- 24 bit color supported
- 31 import/export filters
- CoreTRACE - batch autotrace utility
- MOSAIC - visual file manager
- WFNBOSS - typeface converter



Call customer service: (613) 728-8200 for information and a free demo disk
*Pantone, Inc.'s check-standard trademark for color reproduction and reproduction materials.
Requires MS-WINDOWS 3.0

Circle 72 on Inquiry Card (RESELLERS: 73).

World Radio History

Listing 2: The driver header tells OS/2 that a driver exists, names the driver, and points to the driver's code segment.

```
DEVICEHDR devhdr = {
  (void far *) 0xFFFFFFFF,
  (DAW_CHR | DAW_OPN | DAW_LEVEL),
  (OFF) STRAT,
  (OFF) 0,
  "DEVICE1"
};
```

Listing 3: The device attribute word, embedded in the driver header, defines special device characteristics.

```
#define DAW_CHR      ~0x8000
#define DAW_IDC      0x4000
#define DAW_IBM      0x2000
#define DAW_SHR      0x1000
#define DAW_OPN      0x0800
#define DAW_LEVEL    0x0080
#define DAW_GIO      0x0040
#define DAW_CLK      0x0008
#define DAW_NUL      0x0004
#define DAW_SCR      0x0002
#define DAW_KBD      0x0001
```

the link is a far pointer to the next device header.

The next entry in the device header is the attribute word (see listing 3), followed by a one-word offset to the driver Strategy section. Only the offset is necessary, because the driver is written in the small model with a 64-kilobyte code segment and a 64-KB data segment (this is not always true; in special cases, the driver can allocate more code and data

space if needed).

The succeeding entry is an offset address to an interdriver communications routine if the driver supports IDC. (The DAW_IDC bit in the device attribute word must also be set; otherwise, the AttachDD call from the other driver will fail.)

The last field is the device name, which must be eight characters in length. Names with fewer than eight characters

must be padded with blanks. Remember, any mistake in coding the device-driver header will cause an immediate crash and burn when booting.


Providing a Register Interface to the C Driver

OS/2 device drivers are normally written in C, using the small model, which means 64 KB of data and 64 KB of code (code and data space may be increased in special cases). The driver .SYS file must load the data segment before the code segment. When you write an OS/2 driver in C, you must provide a mechanism for putting the code and data segments in the proper order, and you must also provide a low-level interface to handle device and timer interrupts. Because the device header must be the first item that appears in the data segment, you have to prevent the C compiler from inserting the C start-up code before the device header. You may also have to provide a method of detecting which device is being requested for drivers that support multiple devices. The small assembly language program in listing 4 takes care of these requirements. The `_actused` entry

OOP Async Tools for Turbo Pascal 6.0 with ZMODEM and Data Decompression

Async Professional is a full-featured object-oriented communications toolkit that enables you to build powerful async applications faster and easier. Async Professional has all the standard features you'd expect of an async toolbox. Plus the robust ZMODEM transfer protocol, data decompression tools, and both object-oriented and procedural calling interfaces.

You get ■ interrupt driven buffered I/O to 115K baud ■ ZMODEM, Kermit, XMODEM, YMODEM protocols ■ ZIP and LZH data decompression ■ automatic flow control—XON/XOFF, CTS/RTS, DTR/DTS ■ COM1- COM8 support with up to 4



ports open at once ■ 16550 buffered UART support ■ hardware interrupt sharing on PS/2 ■ ANSI terminal emulation ■ modem control including Hayes, V.32, V.42, and MNP5.

Hot Example Programs Too!

Demo programs include a powerful multi-window comm program with menus, text editor, and mouse support, built using Object Professional, and a simple comm program that depends on no other products.

Powerful Async Debugging

Event logging and tracing options create a time-stamped audit trail of all async interrupts and characters sent or received. You'll debug your

application faster without the need for special debugging hardware.

Full Source, Documentation

Async Professional includes complete documentation, pop-up help, free technical support on CompuServe and by telephone direct from the authors. You get full source code and pay no royalties.

"Async Professional is an excellent series of routines...and very complete. It's better than anything I've seen in Pascal, C or assembler."

Richard Wilkes, Author, TAPCIS

Async Professional, only \$139.

Call toll-free to order. 1-800-333-4160




Satisfaction guaranteed or your money back within 30 days. Add \$5 per order for standard shipping in U.S./Canada. Inquire about other shipping options. Includes both 5.25" and 3.5" disks. Registered LiteComm owners call for special upgrade offer. OOP units require Turbo 5.5 or 6.0; non-OOP units require Turbo 5.0 or later.



9AM-5PM MST Monday through Friday, USA & Canada.
For more information call (719) 260-6641, fax to (719) 260-7151, or send mail to CompuServe ID 76004,2611
TurboPower Software PO Box 49009 Colorado Springs, CO 80949-9009
© TurboPower Software 1991

Computing Know How

Books that increase your productivity— without the hardware investment



PC System Programming *Best Seller*

An encyclopedia of PC technical and programming knowledge. Features parallel working examples written in Pascal, C, Assembly and BASIC. Explains how to use extended and expanded memory, hard disks, PC ports, mouse drivers, graphics and sound. Also explains memory layout, DOS operations, fundamentals of BIOS and TSR programs. Includes complete appendices. 920 pages and 2 companion disks with over 1 MB of programs.
#B036 ISBN 1-55755-036-0 \$59.95 with 2 companion disks.

Turbo Pascal System Programming

Find out how to use Turbo for system programming tasks; writing TSRs; using SAA windowing and implementing expanded and extended memory. Learn how Turbo generates machine code, handles the mouse, scans the keyboard, uses UNITS and OOPS, performs fast screen display and more. 750 pages with 2 disks of more than 800K of source code.
#B124 ISBN 1-55755-124-3 \$44.95 with 2 companion disks.

BASIC Programming Inside & Out *Best Seller*

In-depth coverage for all BASIC, QuickBASIC, GW-BASIC and Turbo BASIC programmers. Explains how to use sound and graphics; create help screens and pulldown menus; manage windows in BASIC; use ML with BASIC; create business presentation graphics; program serial and parallel interfaces. It has dozens of demo programs and routines you can easily adapt to your own programs. 600 pages with companion disk.
#B084 ISBN 1-55755-084-0 \$34.95 with companion disk.

Programming VGA Graphics

Learn techniques for writing by using the flexible and powerful VGA hardware and software. Includes new, unique DOS commands to perform dozens of VGA functions. Turbo Pascal and BASIC extensions for VGA display modes. 670 pages with 2 companion disks.
#B099 ISBN 1-55755-099-9 \$39.95 with 2 companion disks.

Upgrading & Maintaining Your PC

Shows you how to turn your PC into a high performance machine. Describes what you'll see when you open the "hood" and how all of the parts work together. You'll see how to add a hard drive, increase memory, upgrade to a higher resolution monitor, or turn your XT into a fast AT or 386 screamer without having to be an electronics wizard. 240 pages.
#B092 ISBN 1-55755-092-1 \$24.95

Tips & Tricks for your PC Printer

Takes the hassle out of working with your PC printer. Learn to use the many features that are built into the popular printers, but rarely used because they're so difficult to understand. The companion disk has several practical printer utilities: on-line printer HELP, printer control aid, printer font editor and more. 400 pages with companion disk.
#B075 ISBN 1-55755-075-1 \$34.95 with companion disk.

Laser Printer PowerTools

Learn about built-in and add-on fonts, the whys and hows of graphics, the Page Control Language (PCL). Covers Hewlett Packard LaserJet Series III and all HP-compatible laser printers. Includes companion diskette with printer utilities, downloadable fonts and more.
#B075 ISBN 1-55755-075-1 \$34.95 with companion disk.

Includes Version 6

QuickBASIC Toolbox

Packed with powerful, ready-to-use programs and routines to help you write your own programs faster and better. Topics include: complete routines for SAA interfacing; pull-down menus; windows; dialogue boxes and file requesters and BASIC Scanner program for printing completed project listings. 260 pages with companion disk.
#B104 ISBN 1-55755-104-9 \$34.95 with companion disk.

Batch File PowerTools *Best Seller*

Boost your computing productivity with this package for making truly powerful batch files. Includes dozens of new batch commands for writing time-saving, easy-to-use "power" batch files. Companion disk contains powerful "Batch BASIC" commands for writing even more useful batch programs. 240 pages with companion disk.
#B102 ISBN 1-55755-102-2 \$34.95 with companion disk.

PC File Formats and Conversions

For every PC user who ever wanted to know how to exchange file formats. Describes file formats for major software applications in detail. Use IMPORT/EXPORT functions in many applications. Includes conversion program. 280 pages with companion disk.
#B059 ISBN 1-55755-059-X \$34.95 with companion disk.

PC Assembly Language: Step by Step *Best Seller*

Teaches you PC assembly and machine language from the ground up. You'll learn at your own pace using the unique simulator which shows you how each instruction works as the PC executes it. 420 pages with 2 companion disks. Also includes evaluation versions of A86 Assembler and D86 Debugger.
#B096 ISBN 1-55755-096-4 \$34.95 with 2 companion disks.

Need information fast? Send us your name and fax number (or address if you prefer) and we will send you more information.

In US & Canada Order Toll Free 1-800-451-4319 EXT. 27

For fast delivery Order Toll Free 1-800-451-4319 ext. 27, or FAX (616) 698-0325

Yes, please rush the following items Yes, please rush your free PC catalog
Apply to my: Visa Master Card Am. Express / I have enclosed a check / M.O.

___ Assembly Language Step by Step	\$34.95	___ Programming VGA Graphics	\$39.95
___ BASIC Programming Inside & Out	34.95	___ QuickBASIC Toolbox	34.95
___ Batch File PowerTools	34.95	___ Turbo Pascal System Prg.	44.95
___ LaserPrinter PowerTools	34.95	___ Tips & Tricks/ PC Printer	34.95
___ PC File Formats & Conversions	34.95	___ Upgrading & Maintaining your PC	24.95
___ PC System Programming	59.95		

In US and Canada add \$5.00 postage and handling. International orders add \$13.00 per book (surface rate). For Fast International Courier service (except Asia, India, Africa and South America) add \$30.00 per book.

Card#: _____ Expires: _____

Signature: _____

Name: _____

Address: _____

City: _____ State: _____

Zip: _____ Phone#: _____ Dept. B7

Available at B Dalton Booksellers, Waldensoftware, and Software Etc. and at other bookstores nationwide. In the UK contact Computer Bookshops 021-706-1188. In Canada contact Addison Wesley 416-447-5101.

Abacus

Dept. B7, 5370 52nd Street SE, Grand Rapids, MI 49512

Orders: 1-800-451-4319 • Phone: (616) 698-0330 • Fax: (616) 698-0325

Circle 10 on Inquiry Card (RESELLERS: 11).

point prevents the C start-up code from being inserted before the driver data segment. The segment-ordering directives ensure that the data segment precedes the code segment.

Note the `_STRAT` entry point. How does this get called? Remember, this is the address that is placed in the driver's data-segment device header. The kernel, when making a request to the driver, looks up this address in the device header and makes a far call to it. The assembly language routine then calls the C mainline. Thus, the linkage from the kernel to the driver is established.

Why is there a push 0 at the beginning of the `_STRAT` routine? That's the device number. Each device supported by the device driver requires a separate device header, and each device header contains an offset address to its own Strategy section. Using the assembly language interface, the routine pushes the device number on the stack and passes it to the driver Strategy section for service.

The Strategy Section

The Strategy section is nothing more than a big switch statement (see listing

5). Common driver requests, such as `DosWrite` and `DosRead`, have standard function and return codes. The driver may ignore any or all of these requests by returning a Done status to the kernel. This tells the kernel that the request has been completed. The status returned to the kernel can also include error information that the kernel returns to the calling program.

Note that in the case of a standard driver function, the kernel will map the error value returned from the driver to one of the standard return codes. It is therefore impossible to pass any special return codes to the application via a standard driver request. If you attempt to do so, the kernel will intercept the special return code and map it to one of the standard return codes. The only way to return a special code to the application is by means of an `IOctl` request. `IOctls` are used for special driver-defined operations (e.g., port I/O). `IOctls` are accessed when the application issues a `DosDevIOctl` call with the driver's handle. This flexibility allows the driver writer to customize the device driver to fit any device. For instance, if you had a serial

driver that monitored bus traffic and reported the occurrence of one or more special characters, you could use an `IOctl` read and pass back the character in the return code.

Listing 5 shows the skeleton of a Strategy section. Note the switch on the request-packet command. Several standard driver functions have command codes predefined in `OS/2`. The driver writer can act on or ignore any of the requests to the driver. Although it would not make sense, the driver could ignore the Open command, issued by the kernel in response to a `DosOpen` call. Or, more logically, the driver can refuse to be deinstalled by rejecting a `Deinstall` request.

The `INIT` call is made only once, during system loading in response to a `DEVICE=` in `CONFIG.SYS`. The call is made in the `INIT` mode from ring 3, but with I/O privileges. The `INIT` routine is where you would insert the code to initialize your device, such as configuring a UART or sending a disk to track 0.

The very first thing you *must* do in the initialization code is to save the `DevHlp` entry-point address in the driver's data segment. This is the only time the

continued on page 348

Where do you go for help when you're the expert?


BIX—the online service for people who know Unix.

- Get quick answers to tough coding questions
- Interact with other UNIX developers
- Download source code, utilities and other programs
- Keep up with the latest UNIX developments
- Send and receive private e-mail with binary attachments
- Chat with other UNIX users in real time

All for just \$39 for three months plus \$3 per connect hour weeknights and weekends or \$6 per connect hour weekdays.

Register now! Just have your modem dial 800-225-4129 or 617-861-9767 and subscribe on-line. It's easy, at the login prompt enter `bix` and at the Name? prompt, enter `bix.unix`.

BIX One Phoenix Mill Lane, Peterborough, NH 03458
800-227-2983 or 603-924-7681



NRI's new at-home training gives you the computer, the software, and the hands-on skills to start a high-paying career as a computer programmer

Now NRI gives you hands-on experience in computer programming with a powerful IBM XT-compatible computer system and software you keep. One easy step at a time, you build full-featured, powerful programs in BASIC, Pascal, C, and COBOL—today's hottest computer languages. One easy step at a time, you train to be a high-paid computer programmer!

Your NRI training includes a computer, modem, and invaluable programming software you keep


Unlike any other course, NRI's at-home training in Computer Programming gives you hands-on experience with a powerful, IBM XT-compatible West Coast 800 ES computer system, including 2400 baud internal modem, 640K RAM, disk drive, and invaluable programming software—BASIC, Pascal, C, and COBOL—all yours to keep.

With NRI, you get the skills and the confidence, the computer and the software to build real-world, working programs for a wide variety of business, personal, and professional applications . . . in all, everything you need to step into today's top computer programming jobs.

No previous experience necessary

No matter what your background, NRI ensures you get the know-how you need to take full advantage of every exciting opportunity in computer programming today.

With your experienced NRI instructor always available to help, you quickly cover the fundamentals, then



Rick Brush
Programmer/Analyst
NRI Schools

move on to master all four of today's key computer languages—BASIC, Pascal, C, and COBOL—step by easy step. Before you know it, you have what it takes to handle any programming problem you're likely to encounter in your professional career.

Now, as never before, you can succeed as a computer programmer

The best news comes from the Bureau of Labor Statistics: As a programmer trained in a variety of computer languages you

can land the programming position of your choice—even make it on your own as an independent programmer. There's no doubt about it—with NRI's complete, at-home, four-language training in Computer Programming, you can write your own ticket to success in this high-paying, top-growth computer career field!

See other side for highlights of your NRI hands-on training in BASIC, Pascal, C, and COBOL →

SEND CARD TODAY FOR FREE NRI CATALOG



Your NRI training in computer programming includes an IBM XT-compatible West Coast 800 ES computer with internal modem, 640K RAM, disk drive, monitor, and programming software—BASIC, Pascal, C, and COBOL—all yours to keep!

YES! Please rush me my FREE catalog describing NRI's at-home training in Computer Programming.

- | | |
|--|--|
| <input type="checkbox"/> Computer Programming | <input type="checkbox"/> Bookkeeping and Accounting |
| <input type="checkbox"/> Computers and Microprocessors | <input type="checkbox"/> Travel Careers |
| <input type="checkbox"/> TV/Video/Audio Servicing | <input type="checkbox"/> Paralegal |
| <input type="checkbox"/> Telecommunications | <input type="checkbox"/> Writing |
| <input type="checkbox"/> Robotics | <input type="checkbox"/> Desktop Publishing and Design |
| <input type="checkbox"/> Basic Electronics | <input type="checkbox"/> Word Processing |

Name _____ (Please print) _____ Age _____

Address (No P.O. Box numbers please) _____

City _____ State _____ Zip _____

For career courses approved under GI Bill check for details.


Accredited Member National Home Study Council

5401-011


Now, with NRI, you can learn to program in today's hottest computer languages— BASIC, Pascal, C, and COBOL




You start with BASIC, an extremely popular language used for graphics, teaching, personal, and small business applications.



Next, you master Pascal, a multipurpose language often used to develop software for computer-aided design (CAD).



You move on to C—hands down, today's hottest computer language—used for everything from systems programming to artificial intelligence.



You wrap up your training in programming with COBOL, the language of business and the most widely used computer language in the world.

NRI's new at-home training in Computer Programming starts by walking you step by step through the fundamentals, easing you into programming with brilliantly detailed instructions, charts, and diagrams.

In no time at all, you have a complete understanding of the programming techniques used every day by successful micro and main-frame programmers. And then the fun really begins.

With your personal NRI instructor on call and ready to help, you use the computer system included in your training to actually design, code, run, debug, and document programs in BASIC, Pascal, C, and COBOL. Then, following easy-to-read instructions, you use your modem—also included—to “talk” to your instructor, meet other NRI students, even download programs through NRI's exclusive programmers network, PRONET.

Send for your FREE catalog today

For all the details about NRI's at-home training in Computer Programming, send the postage-paid reply card today. Soon you'll receive NRI's fascinating, information-packed, full-color catalog.

Open it up and you'll find vivid descriptions of every aspect of NRI training. You'll see the IBM XT-compatible computer included in your course up close in a special, poster-sized foldout section. And, best of all, you'll find out how your NRI training will make it easy for you to build a high-paying career—even a business of your own—in computer programming.

If the card is missing, write to NRI at the address below.

IBM is a registered trademark of the IBM Corporation

NRI
School of Computer Programming

McGraw-Hill Continuing Education Center
4401 Connecticut Avenue
Washington, DC 20008



SEND CARD TODAY FOR FREE NRI CATALOG



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

NRI SCHOOLS

McGraw-Hill Continuing Education Center


4401 Connecticut Avenue NW
Washington, D.C. 20077-3543

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



World Radio History

MACINTOSH SOUND REVEALED



When it was first introduced in 1984, the Mac broke all manner of conventions. Its GUI, composed of windows, menus, and icons, was the Mac's most obvious departure from conventional PCs. Not so obvious—unless you happened to activate the wrong on-screen button and trigger a beep sound—was that the Mac was vocal: Built-in circuitry gave it remarkable sound-reproduction abilities.

With the introduction of the Mac IIx and Mac LC, the Mac no longer serves as simply a playback device: You can record sounds from either an input jack or a microphone. While the Mac's original sound capability made it useful for some limited multimedia work, this recording feature opens up all sorts of new applications. With a Mac IIx or LC or other suitably equipped Mac, you can record voice mail, add emphasis to a presentation, or annotate documents.

Several features give the Mac an edge over other systems when it comes to making sound. First, its sound resolution uses 8 bits of data, rather than the 1-bit sound of, say, a PC compatible. Second, the Mac's sound hardware is built in—there's no need to install an expansion board. Third, you can count on the sound capability being there when you need it: Sound playback is an integral part of the computer. Finally, the Mac has a Sound Manager, a set of related calls dedicated to sound manipulation, similar to the army of QuickDraw calls that handle graphics. The Sound Manager lets you

generate sound or music through a standard programming interface. Therefore, by using the Sound Manager, any Mac application yields consistent acoustic results, whether it runs on a Mac IIx (which uses a custom sound chip) or the Mac Plus's five-year-old design (which uses a programmable array logic chip).

This article takes a closer look at the Mac's sound capabilities and the Sound Manager that controls it all. First, however, you need a firm understanding of sound itself and how a computer uses it.

Catching the Wave: Digital Sound

Sound is the transmission of mechanical energy by pressure waves through a medium such as air or water. A simple sound wave (*waveform*) can be visualized as a sine wave. The pressure density of the medium at a given moment is the wave's *magnitude*. The wave's *amplitude* is the largest magnitude in a periodic wave. Periodic waves are made by objects, such as a tuning fork or a bell, whose vibrations repeat at specific intervals. So, a waveform's *period* is the length of time for one complete repetition of the wave, and the waveform's frequency is the rate at which it repeats or cycles. Frequency is measured in cycles per second, or hertz.

Equipment such as a microphone can convert pres-

New capabilities make the Mac—always a top performer in sound—even better

sure waves into analog voltages that correspond to the pressure intensity of the waves (i.e., a low pressure generates a low voltage, while a high pressure results in a high voltage). These voltages can be sent over a wire and converted back into mechanical energy by a speaker. The speaker cone travels in proportion to the amount of voltage it receives, so a high voltage causes a large movement in the speaker cone, creating a high-pressure wave, while a low voltage causes little speaker cone movement and so produces a low-pressure wave. This is roughly how early telephones operated (nowadays, portions of them operate digitally).

However, computers deal not with analog voltages but with bits. Many types of A/D converter (ADC) circuits can convert (or digitize) a microphone's voltages into bits. A 1-bit sound system is only capable of two magnitudes: on or off. The more bits you use to record a sound, the more magnitudes you can represent. As mentioned earlier, the Mac's sound cir-

cuitry can handle 8 bits of information, so it can reproduce 256 magnitudes or levels, creating a decent copy of the waveform. These digital values are sent to a D/A converter (DAC) circuit, which converts them to voltages that drive the Mac's speaker, reproducing the wave.

So far, so good. But because sound is a phenomenon based on time as well as magnitude, things get a bit more complicated. To reproduce a sound accurately, you have to sample (digitize) it at twice the source's highest frequency. This frequency is termed the *Nyquist frequency*, from a theory by Shannon and Nyquist that states that this number of samples is required to completely represent a waveform. Put another way, you have to sample a 10-kHz sound at 20 kHz to accurately copy the signal. The rate at which sound samples are captured or played in an interval is known as the *sample rate*.

You also have to play back the data at the same rate to reproduce the frequency of the original waveform. For example,

if you play a tone at half the rate at which it was sampled, you halve the frequency—an undesirable action if you want an exact reproduction of the tone. Thus, the maximum sound frequency that a computer can handle becomes a factor of how fast it jams bits into the DAC circuits. Even the PC can exploit sound's time-based nature to generate a wide variety of tones: It accomplishes this by turning its speaker on and off at different rates. The Mac Plus, SE, and Classic's sound circuitry can pump out samples at a maximum rate of 22.2545 kHz.

To put the Mac's sound ability in perspective, here's how it stacks up against familiar acoustic devices. A quality analog home stereo system can reproduce frequencies of up to 16 kHz, the upper limit of an average person's hearing range. Digitally reproducing the stereo's frequency range requires a 32-kHz sampling rate. A digital CD player uses 16-bit samples with a 44.1-kHz sample rate. This provides 65,535 sound levels and





Figure 1: This block diagram shows the "classic" sound design in the Mac Plus, SE, and Classic. The sound buffer data is interleaved with the Sony disk speed buffer. The Sound cdev sets the digital volume value.




THE NEW MICRO-CAP III.™ SO YOU CAN TEST-FLY EVEN MORE MODELS.

It wasn't easy. But we did it. Made the long-time best-selling IBM® PC-based interactive CAE tool even better.


Take modeling power. We've significantly expanded math expression capabilities to permit comprehensive analog behavioral modeling. And, beyond Gummel Poon BJT and Level 3 MOS, you're now ready for nonlinear magnetics modeling. Even MESFET modeling.

Analysis and simulation is faster, too. Because the program's now in "C" and assembly language. That also means more capacity — for simulating even larger circuits.


As always, count on fast circuit creation, thanks to window-based operation and a schematic editor. Rapid, right-from-schematics analysis — AC, DC, Fourier and transient — via SPICE-like routines. The ability to combine digital/analog circuit simulations using integrated switch



Transient analysis



Schematic editor



Monte Carlo analysis

models and parameterized macros. And stepped component values that streamline multiple-plot generation.

And don't forget MICRO-CAP III's extended routine list — from impedance, Nyquist diagrams and BH plots to Monte Carlo for statistical analysis of production yield. The algebraic formula parsers for plotting virtually any function. The support for Hercules, CGA, MCGA, EGA and VGA displays. Output for plotters and laser printers.

Cost? Still only \$1495. Evaluation versions still only \$150. Brochure and demo disk still free for the asking. Call or write for yours today. And see how easily you can get ideas up and flying.

spectrum

1021 S. Wolfe Road
Sunnyvale, CA 94086
(408) 738-4387

Circle 264 on Inquiry Card.

World Radio History




Figure 2: The introduction of the Mac II brought a new sound circuitry using the Apple Sound Chip, which supports stereo sound. Since the ASC implements much of the classic design's software in silicon, it provides complex sound generation using little CPU overhead.

can accurately play back frequencies of up to 22 kHz. Remember that the Mac uses 8-bit samples and a 22.3-kHz sample rate to produce signals with 256 levels and a maximum frequency of 11 kHz.

A modern phone system uses digital sampling and multiplexing techniques to pack numerous conversations onto a single wire. It digitizes these signals using 8-bit samples at an 8-kHz sample rate. So while the Mac's sound system poses no threat to CD manufacturers, its acoustic qualities are far better than what you get with a telephone.

A Blast from the Past: Classic Sound

A review of the original Mac 128K's 1984 hardware design is in order here, since the Mac Plus, SE, and Classic still use it. For simplicity's sake, I'll refer to this design as "classic." Figure 1 shows a general block diagram of the classic sound circuitry. The sound buffer resides in main memory and holds the digital sound samples. This buffer is 370 words

long, but because the sound buffer is interleaved with the Sony disk buffer, only the high byte (even address) of every word contains sound data. The buffer's low bytes store values that control the motor speed for a single-sided floppy disk drive.

The sound circuitry scans this buffer at a fixed rate, reading out the data. The circuitry converts these digital values into square waves, where each wave's width is proportional to the value read. This train of square waves is a pulse-width-modulated signal. A Sony sound chip converts the PWM signal into a voltage whose magnitude at a given instant is determined by the pulse width. A 3-bit volume-control value in the versatile interface adapter chip adjusts the final amplitude of the output signal. You set this volume-control value through the eight detents on the Sound cdev's volume control. The sound is also routed to an external jack that provides a high-level (8 volts, peak-to-peak) signal.

Why is the sound buffer 370 bytes in size? Because the sound and video circuitry are tightly interrelated in the classic design. The Mac's screen-refresh rate (i.e., the time it takes to completely paint the screen with an image) is 60.15 Hz. The 512- by 342-pixel screen is composed of 342 horizontal scan lines. After the video circuits paint a scan line from left to right, the monitor's electron beam is blanked and slewed back to the left side of the screen to start a new scan line.

During this *horizontal blanking interval*, the sound circuits fetch a byte. When the beam reaches the screen's bottom, it is slewed invisibly to the top, making 28 additional horizontal retraces as it goes. This is a total of 370 horizontal blanking intervals per screen refresh, thus accounting for the sound buffer's size.

The jump to the top of the screen is called the *vertical blanking interval*. During the VBL, the sound software copies the application's data into the sound buffer. This synchronizes the sound-buffer updates to the hardware's buffer scans. In addition, it explains the classic design's maximum 22-kHz sample rate: Since the screen-refresh rate is 60.15 Hz, the effective sound sample rate becomes 370×60.15 , or 22,255 bytes per second.

A Sound Driver, as described in *Inside Macintosh, Volume 2*, was used to operate the classic hardware. It supported three sound-generation modes: square-wave, four-tone, and free-form.

The square-wave mode produced square waves to make simple sounds, like beeps. The four-tone mode created four different sounds simultaneously, each with a different waveform, phase, and frequency. Waveforms were 256 bytes in length and stored in the sound buffer. Digital waveform values were stored as offset binary, where a wave's zero-crossing is represented by the value 128, the largest negative amplitude has a value of zero, and the largest positive amplitude has a value of 255. The free-form mode simply played what was in the sound buffer. The Sound Driver allowed you to alter the rate at which the sound buffer's waveforms were "sampled" and so change the frequency of the sound. The latter technique is similar to the PC's trick of creating different tones by switching the speaker at different rates.

But as its name implies, the Sound Driver was a device driver. This provided a sort of consistency in that its use was similar to writing I/O to a disk or a serial port. Unfortunately, this meant that to play sounds, you had to be adept at handling device drivers. The Sound

DIGITALK AND BYTE MAGAZINE PRESENT...



September 11-13 1991
Universal City Hilton & Towers
Universal City (Los Angeles) CA

Smalltalk/V DEV CON

Smalltalk/V Developers Conference '91

Featuring:

- Technical Sessions
- Industry Speakers
- Panel Discussions
- Birds of a Feather
- Product Demos
- Smalltalk/V Tools Exhibits

For reservations and full details phone 1 800 922-8255.

**THE SOFTWARE YOU LOVE
IS NOW THE CONFERENCE
YOU'LL NEVER FORGET.**

COMING SOON TO UNIVERSAL!

Outside of the U.S. phone (213) 645-1082 or fax (213) 645-1306.

Circle 92 on Inquiry Card.

World Radio History

Who Helps Apple II Pros...

- Get quick answers to tough coding questions
- Interact with other Apple II developers
- Download source code, utilities, and other programs
- Keep up with the latest Apple II developments
- Send and receive private e-mail with binary attachments
- Chat with other Apple II developers in real time

BIX - The on-line service for people who know the Apple II.

All for just \$39 for three months plus \$3 per connect hour weeknights and weekends or \$6 per connect hour weekdays*.

Don't wait, register now! Just set your communications program for full duplex, 2400 or 1200 baud, 7 bits, even parity, 1 stop bit. Have your Visa, MasterCard or American Express card ready. With your modem, call 800-225-4129 or 617-861-9767 and subscribe on-line. It's easy, at the login prompt enter **bix** and at the Name? prompt enter **bix.appleii**.

*Connect fees are for access via BT Tymnet and are subject to change.

BIX

800-227-2983 or 603-924-7681

UNDER THE HOOD

MACINTOSH SOUND CAPABILITIES			
Macintosh	Sound hardware	Remarks	
 Mac Plus  Mac SE  Classic	PWM	No stereo support	
 Mac II, Ibx, Ifx  Mac IIcx, IIci  Mac Portable	ASC	Stereo on external jack; left channel only on internal speaker	
 Mac SE/30  Mac IIsi	ASC	Stereo on external jack and internal speaker; IIsi has sound input	
 Mac LC	Custom ASIC	Stereo not supported; has sound input	

Figure 3: A summary of the Macintosh family's sound output capabilities. The Sound Manager provides consistent acoustic results on each computer, and it supports sound input on the Mac IIsi and LC.

Driver supported some high-level calls, but these relied on low memory globals. These calls began to fail when Multi-Finder started maintaining separate copies of the low globals during task switching. Finally, the Sound Driver could make huge demands on the CPU: While the square-wave mode took only 2 percent of the processor's time, the free-form mode could use 20 percent, and the four-tone mode required 50 percent.

The New Wave

With the introduction of the Mac II in 1987, Apple eliminated most of the limitations to the classic design. The solution was twofold. First, a custom Apple Sound Chip (ASC) replaced most of the classic software. This off-loaded sound generation from the CPU onto dedicated silicon while providing new capabilities such as stereo sound. A new Sound Manager took over the Sound Driver's job and provided an easy-to-use interface.

Figure 2 shows a diagram of the new sound circuitry. The ASC generates and sends two PWM signals (one for each stereo channel) to separate Sony sound chips. For all Macs using the ASC except the SE/30 and the IIsi, only the left channel's output is sent to the internal speaker; for the SE/30 and IIsi, both channels are combined at the speaker. The sound

jack for all ASC-equipped Macs supports both stereo channels, and the output is 1.5 V peak-to-peak, or standard line level.

The ASC normally supports an output sample rate of 22 kHz; it can even manage a 44-kHz sample rate, but not without disturbing other time-critical interrupts. It contains 2 kilobytes of internal data buffers that replace the classic design's sound buffer; thus, it uncouples sound-buffer updates from the VBL. These buffers can be configured as either two 1-KB buffers or four 512-byte buffers that support monaural or stereo sound. The ASC reads a value in these buffers every 44.93 microseconds—the same sample rate as the classic horizontal blanking interval.

Many of the sound functions that exist as ROM code in the classic software are implemented in the ASC's hardware. The ASC supports the same three Sound Driver modes: square-wave, four-tone (now called *wave-table*), and free-form (now called *sampled-sound*). Square-wave and wave-table waveforms can be stored in the ASC's buffers, and you can program the ASC to loop through the data cyclically to produce a signal. The ASC can adjust the frequency of a stored waveform by sampling the stored waveform at different rates. Since the ASC

The Ultimate Fusion Of Capacity And Speed



The HS (High-Speed) Family of Fast SCSI Drives

It's a fact: Even the most powerful computer systems and networks can be bottlenecked by slow disk drives. As applications get more complex, files get larger, and network traffic increases, disk drive speed becomes more critical to overall system performance. That's why a Micropolis HS Series drive, boasting an unprecedented effective access time as low as 3.9 milliseconds, should be the next drive you install. With drive performance up to 300% faster, you'll see the difference.

And after testing 15 high-capacity disk drives, BYTE magazine agrees: "Based on performance alone, we chose the Micropolis 1684 (HS Drive) as the top drive..."

NetWare Ready™

Now you can enjoy the assurance of being Novell® NetWare Ready on Micropolis HS Series drives at no additional cost. Our 180 MB and 380 MB (and soon our 760 MB, 1.2 GB and 2.0 GB) SCSI drives are all 100% NetWare Ready — right out of the box.



Micropolis PC PAKs™: The Performance Advantage

As a professional installer, you'll appreciate the convenience and cost advantage of our exclusive, pre-tested Performance Advantage Kits (PC PAKs) for PCs. Each PC PAK contains all you need to give your system the Micropolis power and performance edge, including SCSI host adaptor or ESDI controller, documentation, software, everything right down to the cables and mounting rails. And, of course, worldwide installation and applications support are included.

Micropolis. A Tradition of Quality
In 1983, we introduced our first high-

capacity 5¼ inch disk drive. Since then, we've shipped over 1,000,000 300+ MB drives, and our customers have come to rely on us for making fast, high-capacity drives that are known for their reliability. Backed by a full FIVE

YEAR warranty* and a team of dedicated technical support experts, our drives simply store more data, run faster and last longer than anyone else's.

To find out more about the Micropolis line of high-capacity, high-performance disk drives, or to locate the reseller nearest to you, please call:

1-800-395-3748
1-800-395-DRIVE

MICROPOLIS

For the Ultimate Fusion of Capacity and Speed


21211 Nordhoff Street, Chatsworth, CA 91311
818/709-3300 FAX 818/709-3396

*Limited warranty, restrictions apply, contact Micropolis for details. All trademarks and registered trademarks are the property of their respective owners.

Circle 321 on Inquiry Card.

World Radio History


Handle your memory hogs while preventing system lockups.



Only \$395 for 4MB,
\$595 for 8MB of add-in memory!

The larger your computer's memory, the greater the frequency of system lockups due to random bit errors. Parity+Plus is the only PC-AT add-in memory board that uses mainframe technology Error Detection and Correction (EDAC) to prevent lockups when running

- + Compatible with DOS, OS/2, UNIX/XENIX, Windows 3.0.
- + Directly provides extended memory for your PC-AT.
- + Compatible with the LIM EMS 4.0 expanded memory standard by using included software.
- + Easy installation.
- + Five-year limited **Parity+** factory warranty.
- + 15-day money back guarantee.
- + Same day shipping available.



memory-intensive programs like Windows®, spreadsheets, databases, desktop publishing, and CAD-CAM.

- + On-board Error Detection and Correction prevents system lockups because it *corrects* bit errors during memory access.

To place your order or for more information, call MEMREL toll-free at **800-255-2328** or fax orders to 602-483-8139. VISA and MasterCard accepted with no surcharge.



- 2MB with EDAC \$295
- 4MB with EDAC \$395
- 8MB with EDAC \$595
- 16MB with EDAC \$895

Manufacturer's suggested list price. Prices subject to change due to the volatility of the DRAM market.

MEMREL™
CORPORATION

Reliable memory for personal computers

UNDER THE HOOD

handles these operations itself, this eliminates the processor overhead that the classic design requires.

In the sampled-sound mode, the ASC buffers act as a first-in/first-out buffer. At 22 kHz, the 1-KB buffer will empty in 46 milliseconds. When the ASC samples half of the buffer, it triggers an interrupt that signals the Sound Manager to send more data to the FIFO buffer. As long as the Sound Manager begins to fill the buffer before it empties (another 32 ms), there won't be a gap in the sound.

The original version of Sound Manager was shipped in System 5.0 to support the new ASC hardware in the Mac II-class computers. Unfortunately, the Sound Manager was not included as part of the operating system for non-ASC machines such as the Mac Plus or Mac SE. This made it difficult to develop sound software that operated across the entire product line. When System 6.0 was developed, the Sound Manager was ported to all machines and so closed the gaps in the programming interface.

Although the version 6.0 Sound Manager solved some problems, other features weren't complete—wave-table support for non-ASC Macs was lacking, and stereo capability was not included for ASC Macs. As part of System 7.0, an enhanced Sound Manager fixes bugs in the previous release and adds new features; it was actually introduced in System 6.0.7 to support the Mac IIsi and LC's built-in sound-input hardware (see figure 3).

New and Improved

The Sound Manager is now responsible for all generated sounds. Even SysBeep, formerly an operating-system utility call, has been incorporated into it. The Sound Manager is designed to be hardware-independent. It achieves this by using special code resources called *synthesizers*. Synthesizers are stored in the System file as resource type *snth*, and they function like device drivers in that they process Sound Manager requests and drive the hardware appropriately.

Each of the three supported sound modes has its own synthesizer. The Sound Manager actually has six synthesizers: three for ASC-equipped Macs (one for each sound mode), and three for classic-design Macs. The Sound Manager uses the synthesizer appropriate for the Mac type and the sound mode.

I've already described the three operating modes that the synthesizers support. To summarize, the square-wave synthesizer operates essentially as before. The wave-table synthesizer uses stored waveforms, but waveforms are

15425 N. Greenway-Hayden Loop, Suite A-100 • Scottsdale, Arizona 85260-9817 • (602) 483-1983

© 1991 MEMREL Corporation. Parity+Plus is a registered trademark of MEMREL Corporation. All other products mentioned are trademarks or registered trademarks of their respective manufacturers. A copy of the warranty may be obtained from MEMREL at the address above.

One Word About Your Hard Disk Controller

SLOW

One Word About the PSI hyperSTORE Controllers

FAST

Intelligent Mass Storage Controllers

Virtually all applications are disk bound. Today's PCs have over 60 times the power of their ancestors of just ten years ago, while hard disk performance has only just tripled. This makes mass storage the PC's worst bottleneck. PSI has eliminated this bottleneck with the hyperSTORE Caching Disk Controller, a sort of mass storage co-processor. The hyperSTORE

does for disk-intensive programs what a math co-processor does for number-crunching software. Databases, file servers, multiuser systems, and other disk-hungry applications start screaming . . . frustrated users stop screaming! Call (800)486-FAST now to find out more about PSI's line of intelligent controllers. All you have to gain is time.

hyperSTORE FEATURE HIGHLIGHTS

- Data access in 0.28ms or less, at 3-4MB/sec
- Works in any 286, 386, or i486 system
- Simultaneously control any drive interface: *MFM, RLL, ESDI, SCSI, or AT/IDE*
- Controls up to 28 physical disk drives
- 0KB to 20MB of SIMM-based cache memory
- Supports all PC-based operating systems: *DOS, Windows, UNIX/Xenix, Netware, etc.*
- Data mirroring option for fault tolerance
- **NO DEVICE DRIVERS REQUIRED**

PSI

Perceptive Solutions, Inc.

DALLAS · SAN FRANCISCO · SYDNEY
800-486-FAST · 214-954-1774 · Fax: 214-953-1774

Europe and Northern California: 415-284-9505 · Fax: 415-284-3238

Botswana and Southern Africa: (02) 313-020 · S.P.S. Pty. Ltd., Gaborone

Australia/New Zealand/Micronesia: (02) 318 2337 · Fax: (02) 319 3069

©1990 by PSI. All rights reserved. hyperSTORE and the PSI logo are trademarks of Perceptive Solutions, Inc., 2700 Flora Street, Dallas, Texas 75201 - USA. Other brand and product names are trademarks or registered trademarks of their respective companies. Specifications are subject to change. Ad Code: 870221.

"Normally, it's a bit hard to pick the most impressive item at Comdex [Spring 1990], . . . This time it was easy, . . . the hyperSTORE/1600."

-Dr. Jerry Pournelle, Byte Magazine, September 1990

"The real-world result will be blazing record handling from within a data file as well as unstopably fast program loads."

-Bill O'Brien, PC Magazine, February 13, 1990

"PSI has created the power user's ultimate Lego set for disk controllers: the hyperSTORE/1600"

-Alfred Poor, PC Magazine, June 12, 1990

"Not only is it the fastest controller available, it's the most flexible, too."

-Byte Awards, Byte Magazine, January 1991



RapidFACTS · (900) 776-3344 · Doc# 8101 · Detailed specifications faxed directly to you 24 hours/day. \$4.95 billed to your phone.

For US & Canada inquiries circle 218, International inquiries circle 219 on Inquiry Card.

World Radio History

Announcing the

BYTE EURODECK

The First Computer Postcard Deck Targeting the Exploding European Market!!!

By the end of 1992, the European Community will be a \$14 trillion market. In fact, behind the US, it's the largest microcomputer market in the world!

If you are a BYTE subscriber in Europe, watch for the new EURODECK coming to you soon! The BYTE EURODECK contains a selection of state-of-the-art products important to you and your business.

Advertisers!
The BYTE EURODECK offers you a unique direct mail approach to increasing sales in this fast-paced computer market.

Circulation of the BYTE EURODECK is targeted to 50,000 computer buyers in over 20 countries in Western Europe. Take full advantage of the benefits of the upcoming unification of Europe in 1992! For information on the next BYTE EURODECK, **call Jim Bail today at 603-924-2533!**

Companies outside of North America, please contact your local representative.

UNDER THE HOOD

now 512 bytes in length to fit within the ASC's internal buffers. The sampled-sound synthesizer plays both recorded sounds and computed sounds; it plays them at the original rate or at a different frequency on request.

Recorded sounds are played from memory or a file; they are either sound resources of type `snd` or an Audio Interchange File Format file. Sound resources are stored in a file's resource fork; they contain a header of descriptive information and either Sound Manager commands (see below) or sampled-sound data stored as offset binary. As a resource, sounds can be cut and pasted to other applications or documents. An AIFF file stores sound data in a file's data fork in a format other applications can use or for export to other computers.

To create sounds, you issue sound commands to the Sound Manager. These commands let you load wave tables, play a waveform and change its pitch, play a sampled sound and change its pitch, change a playing sound's amplitude, or stop playing a sound. To give you an idea of the scope of these commands, the Mac's default beep sound is an `snd` resource that issues a series of commands that set the frequency and amplitude of a square wave, play it for an interval, and then play this interval repeatedly while lowering the wave's amplitude to zero.

The Sound Manager normally places commands into a queue called a *channel*. Certain commands can bypass the channel—say to play something immediately or to flush the channel of pending commands. Under System 7.0, the Sound Manager can operate more than one sampled-sound channel concurrently: Different applications place commands in their respective channels, and the Sound Manager mixes the sounds. Note that this capability applies only to the sampled-sound synthesizer. The square-wave and wave-table synthesizers run the ASC in a different mode that can't be used while the sampled-sound synthesizer operates. Only ASC-equipped Macs can support multiple sound channels.

The limits of the multichannel sampled-sound feature are a function of the Mac's processing power. A Mac II can handle several channels of stereo sound without degrading system performance, while a Mac Portable can only support one channel before performance lags. The System 7.0 Sound Manager performs load-balancing for sound operations; that is, it determines whether there is adequate processor time available to honor CPU-intensive requests. If there is insufficient processor time, the Sound

Developers: Lock Up Your Profits

Windows 3.0
Support Available

We have the key for protecting your software profits and your copyright.

Software piracy's a crime! What it can do to a developer's profit margin is shameful. The cost of development and marketing products demands you receive the revenue you are entitled to. We have the solution.

- Custom hardware and software for each developer
- Encrypted interrogation routines and debug disablers. Over 140 language interfaces available.
- Available active read/write memory and on-board microprocessor provide the ultimate protection
 - Keys for PC "compatibles," Macintosh, UNIX and RS-232C standard
 - Total compatibility, reliability and end user satisfaction

We have the key.
Call us for more information
or a demonstration package.

1-800-843-0413



In EUROPE:
MICROPHAR, 122 Ave. Ch. De Gaulle 92200,
Neuilly-Sur-Seine, FRANCE, Tel: 33-1-47-38-21-21 Fax: 33-1-46-24-76-91

For Distributors in:

- * BELGIUM, E2S (091 21 11 17)
- * GERMANY, AUSTRIA: Microphar GmbH (06223 - 73730)
- * HUNGARY, Polyware Kft (76-22-307)
- * ITALY, Siosistemi (030 24 21 074)
- * PORTUGAL, HCR (1 56 18 65)
- * SCANDINAVIA, Microphar Nordic (45 53 51 70 33)
- * SPAIN, Hal 2000 (032 37 31 05)
- * SWITZERLAND, SAFE (024 21 53 86)
- * THE NETHERLANDS, Infotic (015 15 88 37)
- * UNITED KINGDOM, Clearsoft (091 378 91 91)

PROTECH
MARKETING, INC

9600-J Southern Pine Blvd.
Charlotte, NC 28217

Tel: 704-523-9500 FAX: 704-523-7651

Hours: Mon-Thurs: 8:30-7:00, Fri: 8:30-5:30 ET
Open late to better serve our west coast clients.

Se Habla Español

WRITE US... SO THEY WON'T CALL YOU

Many people enjoy receiving information about products or services in their homes by telephone.

But if you want fewer phone calls from national advertisers, we can help.

Telephone Preference Service can effectively reduce phone calls from national advertisers. And, it's absolutely FREE.

Just send us your name, full address, area code and phone number. We'll tell participating national advertisers to remove your name from their calling lists.

After all, they only want to talk to people who want to listen.



Telephone Preference Service

Direct Marketing Association
11 West 42 Street
P.O. Box 3861
New York City, NY 10163-3861

PUT dBASE® ON TOP

Dr. Switch-ASE puts dBASE on top. On top of the charts, spreadsheets, word processors or on top of DOS. Right where it belongs, on top of any graphics or text program when you need it. Neatly tucked away when you don't. Dr. Switch-ASE turns any dBASE language program into a 16-20K RAM resident program. So now you can have dBASE power at the touch of a key, anywhere, anytime and from any program.

dBASE TSR's, easy as ASE

With Dr. Switch-ASE you don't have to be an Assembly language whiz or a C code maven to create TSR's. The Doctor includes an integrated cut & paste feature for transferring data between programs. It also supports both Expanded and Extended memory and is fully network compatible.

The doctor speaks your language

Dr. Switch-ASE supports all of the dBASE dialects. So it works directly from Clipper®, dBASE III PLUS®, dBASE IV®, FoxBASE + * and FoxPro®. No need to learn a new dBASE syntax and no new environments to wrestle with.

When the doctor's in, dBASE is on top.

**Call and place
your order today!
212-787-6633**

**DR. SWITCH-ASE
\$179.95***



Black & White International Inc.
P.O. Box 1040
Planetarium Station
New York, NY 10024-0541

Dr. Switch, Dr. Switch-ASE, Dr. Switch-OnCall and Dr. Switch-TSRM are trademarks of Black & White International, Inc. All others are trademarks or registered trademarks of their respective holders.

* Plus Shipping/Handling: U.S. orders add \$6.00 for 2nd Day Air, \$3.00 for Ground, Canadian and foreign orders add \$8.00. COD add \$3.50. NY residents add sales tax. All payments U.S. funds/U.S. Banks only!

† Includes royalty-free runtime version.



UNDER THE HOOD

Manager tries a less-demanding form of the operation; for example, a command to open a channel of stereophonic sound might instead create a channel of monaural sound. This way, the Sound Manager can produce the best-quality sound on any hardware configuration.

If you've ever digitized sounds, you know that the higher the sample rate, the more data is sampled, and the larger the file required to hold the data. One minute of data sampled at 22 kHz occupies more than 1.3 megabytes of disk space. The Sound Manager has a set of routines that compress and expand audio data to help minimize the storage problem.

Known collectively as Macintosh Audio Compression and Expansion, these routines compress sound data at ratios of 3 to 1 and 6 to 1 on all Macs. The MACE routines can expand the compressed audio on the fly (real-time expansion) or into a separate buffer (buffered expansion) for playback later. Real-time expansion makes heavier demands on the CPU than buffered expansion does. The compression/expansion algorithms introduce some signal degradation, so the 3-to-1 compression ratio is recommended for high-quality sounds, and the 6-to-1 ratio for voice data only.

Play and Record

The enhanced Sound Manager lets you play one or more sampled sound files continuously from a hard disk while other applications run. Only Macs equipped with ASCs support this routine. The file can be either snd resources or AIFF. This play-from-file routine double-buffers the data to reduce RAM usage. The capability could support, for instance, background music for a presentation.

On the Mac IIsi and LC, the Sound Manager lets you record sounds through an audio input jack at the computer's rear. You plug in a microphone or a sound source (e.g., a CD player). Any application can then call the Sound Manager to display a sound-recording dialog box. From this box, you can stop, pause, or play back the recording. Recordings are sampled at 11 or 22 kHz with 8-bit resolution. If a stereo signal is input, the two channels are mixed before they're digitized. The sound can be stored as an snd resource or as an AIFF file.

The Mac IIsi's sound input consists of the input jack and the preamplifier, an ADC, a switched capacitor for filtering, a serial-to-parallel converter, a dedicated 1-KB FIFO buffer, and control logic that the Sound Manager uses to operate the circuitry. As the FIFO buffer reaches the halfway mark with captured audio



BEYOND TURBO

ANNOUNCING **PASCAL+**TM

A High Performance Option For Turbo Pascal Users

We agree that Borland Turbo Pascal® is a great street machine. But when your applications demand the ultimate in performance, the **Stony Brook Pascal+** optimizing compiler has the extra power you need — and an unbeatable list of standard features.

DON'T CHANGE A LINE OF YOUR CODE

It couldn't be easier to trade up to Pascal+. We're 100% language-compatible with Turbo Pascal V6. **You don't change your Turbo Pascal programs at all.** Just compile with Pascal+ and get:

- Execution speeds up to 100% faster
- Code size up to 30% smaller

You get fully optimized code with **NO** difference in your program's operation!

ELIMINATE ROADBLOCKS

Pascal+ comes fully equipped to handle ANY programming problem you encounter. Unlike Turbo Pascal, we produce standard Microsoft® objects, support all memory models, and give you complete control over procedure-calling and parameter passing conventions.

INSTANTLY LINK TO OTHER LANGUAGES

With Pascal+ it's easy to interface with code written in any other language. This means, for instance, that you can have immediate access to millions of lines of commercial library code written by and for C programmers.

Turbo Pascal and Turbo C are registered trademarks of Borland International, Inc. Microsoft and Windows are registered trademarks of the Microsoft Corporation. Stony Brook Software and Pascal+ are trademarks of Gogesch Micro Systems, Inc.

Circle 268 on Inquiry Card (RESELLERS: 269).

AND WE DO WINDOWS!

Stony Brook Pascal+ comes with full support for Microsoft Windows 3.0.

We provide the interface units, and you use the windows API exactly as you would with Microsoft C.

In fact, anything you can do with Microsoft® C or TurboC®, you can do with Stony Brook Pascal+!

So get on the track with Stony Brook Pascal+. You'll qualify for races you never could enter before.

CALL NOW OR WRITE FOR INFORMATION

800/624-7487 • 805/496-7429 Fax • 805/496-5837 Outside U.S.

Stony Brook
SOFTWARE

187 E. Wilbur Rd., Suite 9, Thousand Oaks, CA 91360
Makers of Stony Brook Professional Modula-2 and QuickMod

SAVE \$100! WITH OUR SPECIAL INTRODUCTORY OFFER!

Buy directly from us by 7/31/91 and pay only:

\$295	plus shipping, U.S. & Canada	\$395 after offer expires
\$375	Incl. shipping, outside U.S. & Canada	\$475 after offer expires

Hot PlugTM means Continuous data availability.

Find out how to get it...

Continuous data availability is essential for mission critical applications, and you get it by dramatically increasing storage fault-tolerance.

Disk Array technology can provide that, but only if properly implemented. Just like with Fords and Ferraris, with arrays, there's a world of difference you need to be aware of.

Free booklet, free knowledge.

It's all in a document prepared to help you evaluate disk array technology in terms of your specific needs.


Learn why mirrored and duplexed systems do not provide continuing I/O during repair.

Discover how properly implemented array technology allows you continuous data availability WHILE YOU REPLACE a drive, controller, or power supply that has failed.

Identify different array implementations and

architectures and find out why some designs provide little or no improvement in performance or data availability.

Know important facts about storage fault-tolerance, continuous data availability, and disk array technology, and exactly what a true disk array is capable of.



Then consider the fault-tolerant advantages of Hot PlugTM

Hot PlugTM is available only on the Intelligent Array Subsystem (IAS) from CORE.

In the event of a failed drive, controller or power supply, the CORE Intelligent Array Subsystem continues to respond to I/O requests from the host, automatically formats the

replacement drive and rebuilds the "lost" data. So, you'll never have to down the Array or the host to replace a Hot PlugTM component.

In other words you stay in business.

The CORE Intelligent Array Subsystem is available in capacities of 1.3, 2.6 and 4.0 GB. And it is ideal for on-line transaction processing and other environments where data loss and downtime is simply intolerable.

The IAS features high-modularity architecture — multiple Hot PlugTM controllers and Hot PlugTM power supplies, a 5 year warranty on the disks and a one year warranty on the chassis.

Data transfers up to 20MB/sec. Capacity to 112GB per server. And the CORE IAS easily supports multiple hosts running multiple operating systems. So call us today for your free copy of "The Truth About Total Data Management".



Intelligent Array SUBSYSTEM



COREwest 213/595-8966 • COREeast 201/348-3330 • COREsouth 407/997-6055 • COREmid-Atlantic & Federal Sales 301/258-8818
CORE International (U.K.) Ltd. 0344 861776 • Headquarters & International Sales 407/997-6055 • Fax 407/997-6009
CORE International, CORE, Hot Plug, are trademarks of CORE International, Inc. Other trademarks are the property of their owners. Copyright 1991 CORE International Inc.

Circle 70 on Inquiry Card (RESELLERS: 71).

World Radio History

Northgate® SlimLine™ 386/33 MHz

Computer For The 90's That Gives You More!

Just
\$179900*
Base System
Including Edsun
CEG Graphics!


- More Power!
- More Performance!
- More Features!
- More Quality!
- More Service!
- More Support!
- Simply More Computer
Than Your Money Can Buy
From Any Source!
- Ideal As A Network
Workstation, Too!

Actual Unretouched Photo!


Look!
You get
our exclusive
OmnKey®
keyboard!

(ULTRA model shown
available as option)

Now! Northgate Puts Revolutionary Edsun CEG Graphics On Your Screen!



Until now, standard VGA images left lots of room for improvement. Jagged edges . . . wrinkled lines that should be straight . . . and just "ho-hum" clarity. (Actual photo)



Same image with Edsun RAM DAC chip technology! Smooth curves and edges. Razor-sharp clarity. Techies call this "anti-aliasing." You'll call it "Incredible!" (Actual photo)

More power, less space! Northgate enhanced the power of Intel's 386/33 chip with 64K of SRAM cache to make quick work of the toughest tasks you can create. All in a package that barely peeks over a 3.5" disk!

SlimLine's "space miser" secret lies in our unique motherboard. We've integrated the works. A 16-bit VGA adapter with 512K video memory, IDE hard drive interface and up to 16MB of 32-bit DRAM. *And we still had room for five internal expansion slots.*

Say goodbye to "jagged" graphics . . . Northgate is first to bring CEG technology to the computer industry! We engineered SlimLine 386/33 with the revolutionary Edsun RAM DAC chip. This ingenious device emulates 24-bit color and 2048 x 2048 resolution. The days of standard VGA monitors displaying 16 colors from a palette of 256 are gone for good!

Same monitor with Edsun technology will display over three-quarters of a million colors!

Northgate "extra mile" service and support! You get a full one-year warranty on system parts and labor. Toll-free technical support — around the clock, every day. Plus FREE field repairs for one year by the nation's largest computer service company.

And our "ace in the hole" . . . grab the nearest phone and call us now. We'll send SlimLine 386/33 to you risk free for 30 days. If SlimLine isn't everything we say it is — and more — we'll buy it back. No questions asked.

SlimLine 386/33 Starting At ONLY **\$1799⁰⁰*** Or as low as \$55⁰⁰ per month†

Northgate SlimLine™ Features:

- 33 MHz 80386 Processor (Not An SX!)
- 64K Of 20NS RAM Cache
- Edsun CEG Graphics
- 1MB RAM On Motherboard; Expandable To 16MB
- SlimLine "Space Miser" Case — Only 15" x 15" x 4.25"!
- World-Famous OmniKey/101 Keyboard
- 1.44MB Floppy Drive (1.2MB Optional)
- Five Internal Expansion Slots
- Integrated 16-Bit SVGA Adapter With Up To 1024 x 768 Resolution; 512K Video Memory
- MS-DOS 4.01 And GW-BASIC Installed
- One Year Parts/Labor Warranty; 5 Years On Keyboard
- Award-Winning Northgate Documentation
- FCC Class B Certified

* Design Your Own Configuration!

Start with the base price shown and add your choice of drives, memory, cache, keyboard and video options. Your Northgate sales rep will work with you to create the system to precisely match your applications.

CALL TOLL-FREE 24 HOURS EVERY DAY **800-345-8709**

Major corporations, volume purchasers and government agencies call **800-545-6059**

National Business Accounts: **800-545-6059**
Notice to Hearing Impaired: Northgate has TDD capability. Dial 800-535-0602.



7075 Flying Cloud Drive, Eden Prairie, MN 55344

© Copyright Northgate Computer Systems, Inc., 1990. All rights reserved. Northgate, SlimLine, OmniKey and the Northgate "N" logo are registered trademarks of Northgate Computer Systems. All other products and brand names are trademarks and registered trademarks of their respective companies. Prices and specifications subject to change without notice. Limited offer subject to change without notice. Northgate reserves the right to substitute components of equal or greater quality or performance. We support the ethical use of software. To report software copyright violations, call the Software Publishers Association's Anti-Piracy Hotline at 1-800-388-PIR8. †When charged to your Big "N" Card, 18% A.P.R.

Circle 208 on Inquiry Card.
World Radio History

CODE B06

Windows 3.0 DLL
Now Included!
ROYALTY FREE

Objective dBASE programmers try C++


Use CodeBase++ with C++ to build multi-user, dBASE compatible programs. Take advantage of object orientated programming to quickly create maintainable, readable software.

dBASE Compatible

Use CodeBase++ classes to access and change the data, index and memo files of dBASE IV and III. Use other classes to manipulate strings, sort at high speed, perform date arithmetic, evaluate dBASE expressions, manipulate linked lists and manage memory.

Portable

Port your programs between DOS, Microsoft Windows, and OS/2. Keep all the profits as you distribute your programs royalty free.



Fast

Watch as your C++ programs execute much faster than corresponding dBASE, Clipper or FoxPro programs. Be surprised at the small executables and low memory requirements. Examine the C++ source code, which is completely included, to learn good object orientated programming techniques.

Order Today

Order today at \$295 and discover why Sequiter Software Inc. and most dealers offer a 60-day money back guarantee.

SEQUITER 
SOFTWARE INC.

Call (403) 448-0313

Fax (403) 448-0315

P.O. Box 5659, Station L, Edmonton, Alberta, Canada T6C 4G1

Circle 257 on Inquiry Card.
World Radio History

A DISK-BASED PRINT SPOOLER

If you have Windows or OS/2, you already have a print spooler. If your PC is on a network, you almost certainly have a print spooler. And you have a print spooler if you've installed a memory-expansion card in your PC. Your word processor may even have a background print option that turns it into a print spooler. So who cares about yet another print spooler? Doesn't everyone have Windows?

No. There are millions of PCs running applications that print long listings and reports without help from either Windows or a network. Often, these applications take absolute control of the computer until the printer finishes. And, ironically, the spool utilities that come with memory cards often take up too much memory. The free software offered this month is intended to solve just such problems.

"Spooler" is a disk-based print spooler. Its print buffer is a disk file on your hard disk drive; you specify the size of the buffer when you start Spooler. It can even print to a disk file—useful for those times when you need to see the output but don't want to waste printer paper. Spooler is a small TSR program that takes up about 6 kilobytes of RAM, and you need DOS 2.0 or higher and a hard disk drive.

Three free programs for print spooling, system switching, and archiving

It comes with a separate SpoolCtl utility for changing parameters on the fly.

Using Spooler

When you run Spooler, the program creates a file SPOOL.FIL in the current directory. If you indicate that output should go to a file rather than to the printer, the output file is also written in the current directory. When you tell Spooler to remove itself from memory, it automatically deletes SPOOL.FIL.

You specify Spooler's options on the command line. The parameters are as follows: buffer size (in kilobytes); print priority (a number from 1 to 10, with 1 giving the most attention to the foreground application and 10 the most to the printer); a Y or N to indicate whether Spooler should insert formfeeds between printouts; and, optionally, the name of an output file if you want to "print to a disk file."

For example, you might invoke Spooler with `spooler 500 2 n` to create a 500-

KB buffer/spool file, set a background priority of 2 (out of a range of 1 to 10), and say "don't insert formfeeds between printouts." Another example: `spooler 50 5 y printer.fil` would create a 50-KB disk buffer, use a priority of 5, insert formfeeds between printouts (if the last character of a printout isn't already a formfeed), and then write all the material out to PRINTER.FIL instead of to the printer.

Run the SPOOLCTL.EXE utility to change the print priority or the formfeed switch, or to cancel the printout. You can also use SpoolCtl to remove Spooler from memory or to just bypass Spooler.

Programming Techniques

I used Microsoft Macro Assembler 5.1 to write SPOOLER.ASM, and Turbo C 2.0 to write SPOOLCTL.C. You'll need the BIOS.INC and DOS.INC files supplied with MASM to assemble Spooler. If you want to understand more about how it works, you'll find the book *Undocumented DOS* (Addison-Wesley, 1990) an invaluable reference.

Spooler may not be the "prettiest" utility in the world, but you may find it useful for those times you impatiently wait for the printer to release its grip on your PC so you can get back to work. ■

MAC/Tom Thompson

System Picker Gives You a Choice

With the release of Apple's System 7.0, MacFolk find themselves caught in that shadowy twilight zone where they occasionally have to retreat to System 6.0.x because of a few ornery—but essential—Mac applications.

If you have a spare hard disk drive, the solution is to load System 6.0.x on one drive and System 7.0 on the other. The Jekyll-and-Hyde Mac OS switch becomes just a matter of changing the startup disk and rebooting. For those who have only a single hard disk drive, the System Picker 1.0b5 utility saves the situation.

With both operating systems on a hard disk drive, System Picker first locates and then lets you set which System Folder—and thus which OS—boots the Mac. You can select how many folders deep it searches while looking for a System Folder. System Picker is free and was written by Kevin Aitken at Apple.

UNIX/Ben Smith

Making shar.Z Files


The question: How to toss a collection of files around as a single file so that it can be broken back out into its individual components. The Unix answer is shar, the shell archiver. Unlike the many file archiver programs that require the archiver for unarchiving (i.e., breaking the bundle into its parts), a shar file is actually a Bourne shell script, so running the script performs the breakout.

There are shell scripts that make shar files, but the best programs are C programs. Michael Kersenbrock's version is very extensive. Work done by D. Wecker includes a switch for unsharring on systems that don't have the Bourne shell.

Combine shar with compress, the compression program that uses the Lempel-Ziv algorithm, and you have the programs that produce the format used for distributing most of the freely available Unix software.

Editor's note: You can obtain source code (and executables, when available) of Software Corner programs via Demolink and BIX. They are also available in a variety of disk formats. See page 5 for details. We solicit your contributions for this column. If you've written a program or utility that you think others might find useful, let us know. We'll pay \$50 for any program we use. Write to: Software Corner, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Introducing the DBMS runs like a mainframe.



Admit it .

Don't you get just a twinge of envy when you see a Mac user having fun while getting the job done?

You're not alone.

Millions of users who needed the power of the PC but wanted the ease-of-use of a Graphic User Interface (GUI) just splurged on Windows and the expensive hardware needed to get the most out of it.

But you don't have to do that.


Because now there's FoxPro®2.0.

Why should the rich have all the fun.

FoxPro 2.0 gives you the ease-of-use of a Graphic User Interface on your character-based DOS PC.

Use pull-down menus to open multiple windows (in DOS) and see all the data you need to see at once. Build easy-to-use screens for entering and viewing data just by picking-and-clicking to place menus, buttons, checkboxes and scrolling lists anywhere you want them. Create sophisticated, elegant reports without the usual pain. Then assemble

that acts like a Mac and In DOS.



everything into your own custom applications.

Without writing a single line of programming code.

But that's only the tip of the iceberg.

Beneath its Mac-like interface, FoxPro delivers all the power and

technology needed for your database management systems in the 1990s.

Our new memory management techniques let you work with the memory you have now while speeding up your applications.

Our new compound indexes are less than a quarter the size of those in competitive products and far, far faster.

Our new Relational Query-By-Example (RQBE) is a simpler, interactive interface to the information you need.

Our new Rushmore™ query optimization† accesses that information two orders of magnitude or more faster‡ than ever before.

You'll like being able to seamlessly use the SQL SELECTs that RQBE creates in any of your applications. (And the new UPDATE, INSERT and CREATE TABLE commands, too.)


And you'll love the fact that to the rich development environment we've always had, we've added a project manager that keeps track of all the needed files and any changes, then automatically builds your application or .EXE files. An API that lets you dynamically link to libraries you write in C or assembler with a single FoxPro command. A BROWSE

FOR that's the basis for an entire application itself.

Fourth Generation Language (4GL) tools that make adding event-driven code to fully relational screens, menus, reports and labels a snap.

And we've made our networking even better than when NSTL said: " ... multiuser databases fall into two general performance categories: FoxPro/LAN and all the others ..."

There isn't a DBMS in existence with the power of FoxPro.



The bigger your business, the bigger your investment.

So we've maintained downward compatibility with your existing systems, and you can use FoxPro 2.0 to run your current dBASE (and Fox) applications on your present character-based DOS PCs.

While you develop better, faster database management systems using all the advanced power of FoxPro 2.0 to satisfy your future information processing needs.

To get the most out of your investments, call and ask about our Upgrade-Any-DBMS-for-\$195 offer.

Call now for your FREE demo disk.

FoxPro 2.0 runs on a 512K XT yet in extended mode uses every bit of power in a 386 or 486. To try it yourself, call Fox Software for a free copy of our fully-featured demo or the name of your nearest dealer.

You'll be amazed at what FoxPro 2.0 can do for you. In DOS.

**Call 1-800-837-FOX2 or
1-419-874-0162 today.**

(Ask for Offer BYT-701)

FoxPro 2.0

The complete power trip.™

† Patent applied for. ‡ A PC and FoxPro beat a mainframe and DB2 with a million-record, 200 megabyte database! * Quote from Software Digest Ratings Report, Vol. 7, Issue 13 (Oct. 1990) refers to FoxPro 1.02. Software Digest is a registered trademark of NSTL, Inc. Upgrade price valid only in U.S.A. and Canada. FoxPro™ Fox Holdings Inc. © Fox Holdings Inc. 1991.

See the Future.

The FLEXSCAN® 9070U has been designed to offer maximum CAD/CAE performance in the PC environment.

Our 16" flicker-free display is ideal for creating 3-D projections, and the 20kHz-50kHz horizontal scan range allows PC CAD capabilities at resolutions of up to 1024 dots × 768 lines. In the CAD/CAE field, non mutual image interference in dual monitor systems is an important issue. Our advanced deflection yoke eliminates mutual interference with 15cm distance between both units as opposed to the regular requirement 60cm and thus allows you to take full advantage of dual systems.

The FLEXSCAN's ergonomic design minimizes static, glare, and magnetic radiation to provide the most user-friendly environment possible.

Other monitors meet the standards.
FLEXSCAN® sets them.

NANAO®

NANAO USA CORP.


23510 Telo Ave., Suite 5
Torrance, CA 90505 USA
Phone (213)325-5202
Fax (213)530-1679

Circle 197 on Inquiry Card
(RESELLERS: 198).



FLEXSCAN 9070U

16" (15V), 0.28mm dot pitch CRT
Scan Frequency: Automatic Adjustment
H: 20kHz-50kHz
V: 50Hz-80Hz
Front-mounted controls for easy access
2 Video inputs for professional use
VGA, Hi-Res-VGA (up to 1024 × 768),
EGA and Mac II compatible

MARK J.
MINASI

LASERJETS, FONTS, AND WINDOWS

I am tired of the PostScript crowd having all the fun. I mean, I've got industry-standard Hewlett-Packard LaserJets—the original, a Plus, a II, and a III—but now that I'm using Windows, I'm font-hungry. I want that pucky capital Y that Palatino users have. So I look to PostScript, or something like it. Yes, PostScript printers are a lot cheaper these days, but I've got a bunch of LaserJets. What, I wondered, can I do? I've tried waiting for them to die, but HP equipment has this annoying habit of immortality. So I needed more fonts. As it turned out, it's a long road—longer than I expected.

Now, under Windows, you can't just buy a font for your printer—you also need one for the screen. Otherwise, once you've selected Avant Garde for your text, Windows can't show you that text in Avant Garde, as it needs a screen font to match the printer font. If Windows does not have Avant Garde, it looks at the fonts that it does have and picks the closest-looking typeface, which may end up looking ridiculous.

Did you ever wonder why the Notepad insists on printing text in Courier? It's because the application is written to use the system screen font. When Windows tries to print, it matches the printer fonts to the already-selected screen font. Courier is the closest match it can find.

In the case of Notepad, the programmer's font choice (for the screen) drives the system's decision to use a particular font on the printer. Most applications work the other way around: The developer lets the user choose a desired printer font, and Windows picks the closest available screen font. If you haven't got an Avant Garde screen font, it's still possible to create documents on the printer using Avant Garde. However, most of the value of Windows is gone, because what you see on the screen is markedly different from what you get on the printer.

So, if you're planning to get more

fonts by buying one of those "25,000 fonts in one" cartridges, ask the vendor: Does the cartridge come with a driver to tell the Windows LaserJet printer driver about all the fonts the cartridge contains? Does it also come with screen fonts to match the printer fonts?

One that does is Pacific Data Products' latest zillion-in-one cartridge, PacificPage PE. Designed for the LaserJet III, it has 14 font families, ships with Windows drivers, and has a retail price of \$399. (A font family is something like Times Roman. One font family generally consists of four typefaces: normal, bold, italic, and bold italic. Dingbats and other symbol fonts generally have only one font in the family.)

Teach your old (or new) LaserJet to do PostScript tricks



You Say Raster, I Say Vector

Windows knows about two kinds of fonts: *stroke* (also called *vector*) and *bit map*. Stroke fonts are simplistic fonts composed solely of line segments. They have no filled-in areas, and the font designer must represent curves as collections of many tiny line segments. The Modern, Script, and Roman (not Times Roman) typefaces are the examples that come with Windows. Stroke fonts don't look great, but they do have one virtue: Because they're composed of line segments, they're infinitely rescalable.

In other words, the bad news is that they look lousy; the good news is that they can easily be made to look lousy in any size you like. Another plus is that the set of line segments that describe a typeface is fairly small, so an entire typeface can be stored in little disk space. No one sells add-on stroke fonts for Windows.

Bit-map fonts look really good, but they must be produced by a font-generation program. The most common example of a bit-map font generator is Bit-stream Fontware—the Dutch and Swiss typefaces you get with Word, WordPerfect, or almost any word processor these days. The idea is that you buy a file that describes a typeface like Palatino, Helvetica, Courier, or whatever. Then you run it through a *font engine*—a program that reads this file and generates the font in a specific size, producing a bit map that represents the typeface in only that size.

Font generation requires a ton of calculations to size and resize characters, so it takes time and benefits tremendously from a math coprocessor. Fortunately, it need be done only once for each size font. And the result is good-looking type.

Bit-map fonts have two disadvantages. First, they take up a lot of space on your disk. I use 10-, 12-, 14-, 18-, and 24-point fonts, leading to a font file that's over half a megabyte in size—and that's

in only one typeface! Second, you have only the sizes that you pregenerated. If you have 10 and 12 points pregenerated, and you find that you'd like to use some 11-point text under Word for Windows, you have to drop everything and run the font-generation program, which creates the 11-point font, taking up more space on the disk.

Bitstream and competitors have programs that supplement their font engines so they will produce screen and printer fonts simultaneously. (Bitstream's Wysi-font is an example.) When buying soft fonts, be sure the vendor offers a Windows screen-font generator.

So it looks like the way to match PostScript's range of fonts is to buy a bunch of soft fonts and generate the sizes you desire. Unfortunately, this is impractical. Try to match the 35 PostScript typefaces and pregenerate bit maps in a few popular sizes, and you're talking about filling 30 MB of disk space.

A better answer, I thought, would be the approach that is used by PostScript itself: *outline fonts*. Outline fonts combine the best of stroke and bit-map fonts. They're compact to store, come in all

When buying soft fonts, be sure the vendor offers a Windows screen-font generator.

sizes, and look great.

Outline fonts are like stroke fonts in that they are described in a manner that allows resizing, but the description is richer. Rather than being restricted to line segments, outline fonts are described with Bézier curves or quadratic B-splines and can contain filled-in areas. There is still a font engine, as in the bit-map fonts, but it's hooked into Windows. When a program needs, say, 14-point Bodoni, the engine springs into life and

generates the bit map for 14-point Bodoni. But it's only a temporary bit map.

There's the potential weakness of outline fonts. If you use a particular size outline font (e.g., 12-point Times Roman) all the time, you waste a lot of CPU time because its bit map must be generated every time you use it, rather than just doing it once, as in the case of pure bit maps. In reality, however, most outline-font schemes are smart enough to cache bit maps, greatly reducing this possible problem.

So outline fonts are the answer, right? All I need to do is get a set of font description files, install an outline font engine, and I'm in business? Well, not quite. You see, Windows doesn't support outline fonts. (OS/2 does, but that's another story.) Windows 3.1 with TrueType will, when it arrives late this year or next year. But today's Windows does not support them.

There are a few add-on outline engines (e.g., Bitstream FaceLift, Adobe Type Manager, and Zenographic Supertext), but they fall far short of the mark. They tend to work acceptably inside a Windows application, but try to transfer rich



Impressive any way
you look at it.

text between applications and the fonts seem to disappear, converting everything to Times Roman or Helvetica.

If You Can't Beat Them...

Until TrueType appears, the answer seems to be: If you can't beat them, join them. Make the LaserJet speak PostScript. There are three approaches to that; two are hardware answers, and one is a software answer. The software solution is to install any one of several PostScript TSR program interpreters (e.g., Freedom of Press, GoScript, or PreScript). But PostScript TSRs tend to suffer from speed, memory hungriness, and a lack of Windows-awareness.

On the hardware end, you can buy either a PostScript cartridge for your printer or an add-in board for your PC. Most add-in boards are fairly expensive but fast. I use the QMS JetScript board in a LaserJet II. The JetScript used to cost almost \$2000, but HP offered it to LaserJet II owners last year for only \$500. It involves a board in the laser printer, one in the PC, a cable between them, and some software. Again, a fast solution, but not a simple one.

The last and probably the best approach is to get a PostScript cartridge. Pacific Data Products first cracked the code needed to figure out how to put PostScript compatibility into a regular LaserJet II cartridge with PacificPage. Since then, Adobe and HP have also come out with PostScript cartridges for the LaserJet II. The Adobe cartridge is quite good and can be found for \$280.

For the LaserJet III, PacificPage PE will do PostScript. You can get turbocharged PostScript from your LaserJet III with PacificPage XL, a combination of the PE cartridge and an add-in accelerator board that fits in the LaserJet III memory slot. That combination is new and lists at \$999. I haven't seen it yet, but the company claims that it speeds up printing by eight times.

So I got a PostScript cartridge. And you know what? It turns out that the PostScript crowd doesn't have all the fun.

Once you install the generic LaserWriter printer driver, you discover that WYSIWYG has WYSI-went. You can't see Century Schoolbook, Avant Garde, Park Avenue, or a bunch of other fonts. Then it dawned on me that the screen

fonts had to come from somewhere. As a PostScript printer is a printer with a bunch of scalable fonts and a font engine, so too must be the Windows screen drivers! So you're back to buying Adobe Type Manager, or FaceLift, or the like. (By the way, if you buy Pacific Page, the company will send you a free ATM-like program that will make your screens match your cartridge-equipped printer.)

Don't misunderstand—you can get great PostScript printer output without those programs, but the screen won't resemble the printed output very much. Ah, well.

So there you have the many ways to skin the font cat in Windows. Simple, eh? Hmmm, how cheap *can* I find a Mac Classic, anyway? ■

Mark J. Minasi is a managing partner at Moulton, Minasi & Company, a Columbia, Maryland, firm specializing in technical seminars. He can be reached on BIX as "mjminasi."


Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



Sure, you're into computers, but how do you get your dog, or your house, or your company into one? A Canon Still Video Imaging Kit may provide your answer.

As easy as taking a snapshot, it lets you convert any three-dimensional object into a digitized image, ready for use in programs like PageMaker™, Quark®, Photoshop™ and Persuasion™.

Impressed? Call us for a free brochure and dealer locations at 1-800-221-3333 ext. 313.



Canon
STILL VIDEO

© 1991 Canon U.S.A., Inc.
One Canon Plaza, Lake Success, NY 11042

Enjoy extended payments with the Canon Credit Card. Ask for details at participating Canon dealers and retailers. Available only in the U.S. Brand and product names are trademarks of their respective holders.

Circle 51 on Inquiry Card.



PROFESSIONAL LEVEL COMPUTERS

Custom built and integrated for you.

ACCOUNT EXECUTIVES

Trained professionals who will assist you in configuring your Professional Level Computer System. Your personal contact before, during and after your purchase.

PAYMENT

Visa, MasterCard, AMEX, Company Leasing, Approved Purchase Orders, C.O.D., Individual Financing

FLOPPY DRIVES

Chinon or TEAC

MONITORS

ACT, TWE, Viewsonic, Sony, Seiko, Nanao, Mitsubishi, NEC

SOFTWARE

Configured, installed, tested. Microsoft, DOS, Windows 3.0, Wordperfect, Lotus, Quarterdeck, Adobe, Corel, Aldus, Unix, Novell, SCO

NETWORKING

Novell, Unix, Xenix. Completely configured file-servers and workstations. Software loaded, hard drives configured, network cards installed and tested, cabling prepared.

SUPPORT

1-800, Toll-Free Technical support for the lifetime of your system. Trained technicians capable of troubleshooting, diagnosis and integration assistance. System Engineers also available.

WARRANTY

One year, on-site warranty through Texas Instruments, with 9- to 24-hour response time (the best in the industry!), highly trained on-site technicians, one year parts and labor, air shipment of replacement parts. Extended warranties also available.

GUARANTEE

30-Day Satisfaction Guarantee. No fine print. No penalties. No restocking fee. No shipping costs.

MOTHERBOARDS

286-16, 386SX-16, 386-SX20&25&33 Cache, 486-25&33 ISA Cache, 486-25&33 EISA Cache

ACCESSORIES

Mouse, Trackballs, FAX Cards, Modems, Keyboards

DIGITIZERS, PLOTTERS, SCANNERS

Summasketch, Kurta, Calcomp, Roland, HP, Houston Instruments, Mitsubishi

VIDEO CARDS

Diamond Speedstar (TSENG 4000), STB, Orchid, Artist, Vermont, Video 7, ATI, Cardia

PRINTERS

Dot Matrix, Laser, Inkjet, Panasonic, Texas Instruments, Canon, NEC, QMS, Star

CONTROLLERS

Western Digital, Ultrastor, Adaptec, DPT, Always, IDE, ESDI, SCSI

MEMORY

70ns or 80ns SIMM, SIP, DRAM
1MB - 64MB

HARD DRIVES

Seagate, Maxtor, Conner, Micropolis



THE POSSIBILITIES
ARE ENDLESS



Automated
Computer
Technology Corp.

PROFESSIONAL LEVEL
PERFORMANCE

Automated Computer Technology Corporation • 10849 Kinghurst, Houston, TX 77099 • (713) 568-1778

ACT offers this complete integration at competitive prices. Who else can combine this level of performance, customization, service and support? No one. Call (800) 521-9237 for more information.

SUPERIOR SERVICE AND SUPPORT

Custom Performance Integrations. . .




ACT 386SX™-20 CACHE SYSTEM

- Intel 386SX-20MHz CPU
- 32K Cache Memory
- 2MB RAM (exp. to 32MB)
- 1.2MB & 1.44MB Floppy Drives
- 89MB IDE Hard Drive (19ms)
- 2 Serial Ports/1 Parallel Port
- AMI Bios
- Enhanced 101 or 102 Keyboard
- ACT SVGA Monitor (1024x768, .28mm d.p.)
- Super VGA Video Adapter w/512K
- Choice of Tower or Desktop Case
- Microsoft DOS 4.01
- Free Delivery
- Wide Variety of Custom Options



\$2,195



ACT 386™-33 CACHE SYSTEM

- Intel 80386-33MHz CPU
- 64K Cache Memory
- 4MB 80ns RAM
- 1.2MB & 1.44MB Floppy Drives
- 210MB IDE Hard Drive (15ms)
- 2 Serial Ports/1 Parallel Port
- AMI Bios
- Enhanced 101 or 102 Keyboard
- ACT SVGA Monitor (1024x768, .28mm d.p.)
- Super VGA Video Adapter w/1MB
- Choice of Tower or Desktop Case
- Microsoft DOS 4.01
- Microsoft Windows 3.0
- Microsoft Serial Mouse
- Free Delivery
- Wide Variety of Custom Options

"ACT's 33MHz mini-tower is a class act all the way around. The ACT 386-33FC is a well-made machine with easy drive access, good performance, and impressive attention to construction detail. This computer is easy to recommend."
PC MAGAZINE
 December 25, 1990

\$3,195



ACT 486™-33 CACHE SYSTEM

- Intel 80486-33MHz CPU
- Cache: 128K (ISA) 256K (EISA)
- 4MB System RAM
- 1.2MB & 1.44MB Floppy Drives
- 210MB IDE Hard Drive (15ms)
- 2 Serial Ports/1 Parallel Port
- 8 ISA Slots or 8 EISA Slots
- Enhanced 101 or 102 Keyboard
- ACT SVGA Monitor (1024x768, .28mm d.p.)
- Super VGA Video Adapter w/1MB
- Choice of Tower or Desktop Case
- Microsoft DOS 4.01
- Microsoft Windows 3.0
- Microsoft Serial Mouse
- Free Delivery
- Wide Variety of Custom Options

\$4,595

ISA 128K Cache

\$5,795

EISA 256K Cache
Up to 64 MB



386SX™ NOTEBOOK LAPTOP

- Intel 386SX CPU
- 6.9 pounds including battery
- 1MB System RAM (exp. to 5MB)
- 1.44MB Floppy Drive
- 20MB, 40MB, 60MB Conner HD Options
- Backlit VGA Display w/external port
- Microsoft DOS 4.01, Microsoft Windows 3.0
- Logitech Serial Mouse
- Free Carrying Case and Delivery

SX-16 **\$2,495**

20MB Hard Drive

SX-20 **\$3,095**

40MB Hard Drive



Automated Computer Technology Corporation

10849 Kinghurst, Houston, Texas 77099
 Telephone (713) 568-1778 • FAX (713) 568-1779

ACT Now Toll-Free

1-800-521-9237



Lease Terms, Qualified P.O.'s Accepted.
 Dealer and VAR inquiries welcomed.
 International Inquiries Invited.

© 1991 Automated Computer Technology Corporation. All rights reserved. Other product names and trademarks used for comparison may be the property of other companies. Prices and specifications are subject to change without notice. A.C.T. cannot be held responsible for errors in photography or typography. The equipment above is FCC Class A or Class B approved. NOVELL, UNIX, XENIX, OS/2 and TI are all trademarks of their respective corporations. Texas Instruments on-site service is available in most U.S. and Canada locations. The numbers 386 and 486 are trademarks of Intel Corporation. MANLOVE 4402

Circle 26 on Inquiry Card (RESELLERS: 27).

World Radio History

Graphical User Interface CLEARING HOUSE

Specializing in products for Microsoft Windows and OS/2 graphical environments

G.U.I. CLEARING HOUSE - PM / Windows Catalog

File Edit Search Order!

WINDOWS APPLICATIONS

Development Tools

ACTOR 3.1 Professional	NEW
ADEPT Expert Application Builder.....	595
Black ICE (Pro Icon Editor)	149
Borland C++.....	339
Borland ObjectVision.....	99
Borland Turbo Pascal/Windows.....	199
Bridge 2.0 Tool Kit.....	629
C-TRIEVE/Windows (Coromandel).....	349
C++/Views.....	469
CASE:W 3.0	459
CASE:W Corporate Edition	895
Graphics Server SDK.....	379
Knowledge Pro Windows.....	629
Lasertalk PC.....	309
Microsoft SDK for Windows 3.0.....	349
Multiscope for Windows 3	299
ObjectGraphics (WhiteWater).....	call
Personal Case.....	179
PowerLibW.....	265
ProtoView.....	595
ProtoGen.....	409
Pubtech BatchWorks.....	89
SmallTalk V/Windows	369
SpeedEdit for Windows	255
ToolBox (Drover).....	249
The Whitewater Resource Toolkit.....	call
WindowsMAKER (Candlelight)	695
WindowsMAKER Professional	NEW
WinTrieve.....	call
VZ Programmer/Windows	535
Zortech C++ Compiler.....	179

Database/Forms

Access SQL (SPI).....	1279
Chart Builder for Superbase.....	169
dBFast/Windows.....	309
ERwin.....	729
FormWorx Forms Publisher.....	199
INTEGRA SQL (Coromandel).....	609
JetForm.....	399
MARVIN Image Database.....	2395
Omni5/Windows.....	759
PerForm Pro.....	call
Q+E ver 2.5, single user.....	139
Superbase 2 ver 1.2.....	249
Superbase 4 ver 1.2.....	469
ThinX.....	399

Engineering/Planning

ABC Flowcharter (Roykore).....	199
Brainceal (Neural Net)	229
Design/IDEF.....	2795
DesignView.....	749
DRAFIX Windows CAD.....	459
MathType	199
MetaDesign, diagramming tool.....	329
Milestones, Etc (Kidasa).....	139
Project for Windows.....	469



1-800-522-4624

International, call (203) 426-4624
Monday - Friday 9:00am to 8:00pm EST

GUI Clearing House is the only national reseller specializing exclusively in Windows and OS/2 Presentation Manager environments. This specialization is necessary in order to properly serve you, our customer, in this rapidly evolving market. Our goal is to provide you with the finest customer service in the industry and to ensure that the products you select are the correct ones for your application.

When you call GUI Clearing House, you will be greeted by one of our friendly, knowledgeable sales staff who will take the time to talk with you to understand your specific requirements. To further assist you, we maintain a staff of technical consultants available to answer in-depth technical questions on products; and to help customers in identifying applications to meet their needs.

Please Note: The applications listed in this ad represent only a small sample of the Windows and OS/2 Presentation Manager products available through GUI Clearing House. Call us for pricing on any Windows or OS/2 application. We'll promptly get pricing and availability for you. **CALL TODAY!**

PUMP-FLO, pump analysis.....	179
RFFlow, flowcharting.....	119
SPACETEK:Facility Planner.....	call
Topdown Project Planner (Ajida).....	249

Connectivity

Business Session for Windows.....	269
cc:MAIL for Windows.....	449
DaVinci eMAIL for Windows.....	959
DaVinci eMAIL 8 User.....	339
DynaComm (Windows)	259
DynaComm Elite	399
EXTRA! for Windows	379
Faxit! for Windows.....	179
MicroPhone II.....	259
Net Magic (US version)	609

Network Courier	CALL
Remotely Possible	NEW
TERM for Windows.....	179
Windows Workstation	559
WinComm.....	139
WinTerm.....	409

General/Productivity/Utilities

Adobe Type Manager.....	59
Asymetrix Toolbook.....	309
BeckerTools 2.0.....	119
Distinct Back-up.....	119
File Shuttle XPRESS	129
File F/X	119
HP New Wave	139
IceWorks	79
Icon Pak II.....	89
Intermission	42
More Windows	89
PackRat 3.0.....	299
PackRat Network (3 User).....	579
Personal Librarian.....	859
PLUS for Windows (Spinnaker)	179
Publisher's Powerpak.....	69
PubTech File Organizer	159

PubTech Text Editor	69
SmarText (Samna).....	409
Straight Line	89
Whiskers	29
WideAngle/Windows.....	99
Windows/On The World.....	409
Windows Shopper's Guide	16

>> HOT NEW PRODUCTS <<

Black ICE	149
Brainceal	229
File Shuttle XPRESS	129
Remotely Possible	call
VentanaDRAW	149

Publishing/Graphics

Adonis Clip-Art Window Shopper	42
Aldus PageMaker.....	499
Archetype DESIGNER	795
Arts & Letters Graphics Editor.....	509
CA Cricket Graph v1.3.....	159
CA Cricket Presents.....	349
Corel DRAW! 2.0.....	399
DoDOT! (screen capture/convert).....	139
Image-In Full Pak	679
Image-In Scan & Paint.....	139
Image Prep	269
Import for Windows.....	259
Instant ORGcharting	NEW
Micrografx Charisma.....	349
Micrografx Designer 3.01.....	469
Microsoft Office for Windows.....	call
Picture Publisher.....	489
PowerPoint for Windows.....	335
Publisher's PaintBrush.....	NEW
PubTech Multi-Tack.....	139
Scrapbook+ 2.1 (Eikon)	129
Ventura Gold Series for Windows.....	559
WordScan Plus (Calera)	795

PM APPLICATIONS

Active Life for OS/2.....	139
Aldus PageMaker for OS/2.....	579
Asymetrix ToolBook for OS/2	NEW
CASE:PM for C or C++	1875
CASE:PM for MicroFocus Cobol.....	2375
ChipChat (Cawthon)	279
Collage PM.....	179
Corel Draw! for OS/2	call
DeScribe.....	529
Excel for OS/2.....	349
FeeLance for OS/2.....	499
HyperACCESS/5 for OS/2.....	169
Lotus 1-2-3/G.....	579
Micrografx Designer.....	509
Multiscope for OS/2	349
Nexpert Object, PM Runtime.....	929
Object-1/PM (MDBS).....	895
OS/2 PM Softset (Microsoft).....	129
OS/2 PM Toolkit (Microsoft).....	409
PackRat for PM.....	339
PackRat PM Network (3 User).....	579
Perspective for OS/2	259
Q+E/PM ver 2.5.....	139
Relish	139
RT-Graphics (FSI).....	959
SmallTalk V/PM	339
SpeedEdit for OS/2.....	255
SpeedEdit for PM	255
Syros Plus/PM (Sytron).....	259
VZ Programmer/PM	1225
WideAngle for PM	119
Wingz.....	359
Word for OS/2	call
WordPerfect 5.0 for OS/2.....	339
WinPRO/PM (Xian).....	379
Zortech C++ OS/2 Compiler Option.....	139

HARDWARE, etc.

Image Scanners

Logitech ScanMan 256/PC-AT.....	329
Microtek scanners.....	call


Boards

ATI 8514/Ultra 512K.....	489
ATI 8514/Ultra 1MB.....	659
ATI 8514/Ultra+VGA 512K.....	579
ATI 8514/Ultra+VGA 1MB.....	759
Squeeze Graphics Adapter.....	NEW
Intel SatisFAXtion board.....	call

MultiMedia Products

Guide 3 (Owl Int'l).....	439
IconAuthor (AimTech).....	call
Super VideoWindows.....	599
VideoLinX:FRAMEBUFFER.....	1119
Erasable Optical Drives.....	call

GUI Clearing House offers a full line of hardware items selected to augment the Windows, Presentation Manager, and MultiMedia based platforms. If you don't see a particular item, just ask...we will promptly obtain pricing and availability for you. Call us TODAY!



DON CRABB

THE WORLDWIDE MACINTOSH

With a simple introductory screen, *Svinga*, a HyperCard stack, introduces the subject matter, the country of Zimbabwe:

“*Svinga* describes a country which harbors the greatest waterfall, the largest mammal, the tallest mammal, the fastest animal, and much, much more. . . .”

“*Svinga* is a Zimbabwean word for a stack of firewood, which seemed a great name for a HyperCard-based Zimbabwean information resource,” explain *Svinga*’s authors, Paul Messiter-Tooze, Maulosi Nyakuwa, and Tony Mechin. *Svinga* is a CD-ROM that holds a HyperCard Home stack that branches to other resource stacks. These stacks provide text, graphics, spoken language, and music that explain the country of Zimbabwe in an entertaining and effective way.

Working away in their small company, Media Technology of Harare, Zimbabwe, *Svinga*’s authors have done a great job with limited resources. All their development work was conducted in HyperCard 1.2.2 on a Mac Plus with a SyQuest Technology removable hard disk drive. This is nothing special in terms of hardware or software, but it does speak volumes about how useful the Mac can be for specialized development purposes. You don’t need a Mac IIfx and a full set of MPW languages to get good work done.

Once the *Svinga* stacks were written and debugged, the authors produced a premaster WORM (write once, read many times) CD-ROM with the help of Meridian Data, 5615 Scotts Valley Dr., Scotts Valley, CA 95066, (408) 438-3100. The authors sent the final version of the stack on a SyQuest cartridge, along with the music tracks recorded as

digital audio (16-bit, 44.1-kHz) on Beta-max tape, to be mastered by CD-ROM, Inc., in Golden, Colorado.

Besides all the good things that the *Svinga* disk has to say about HyperCard development, it also points out that multimedia developers can bring their projects to fruition on CD-ROM with just a little bit of perseverance. After all, Harare is hardly next door to Scotts Valley or Golden.

Because HyperCard 1.2.2 was used, the card size is fixed at the standard 512-by-342-pixel size and cannot be changed. Although you can use HyperCard 2.0v2 to run the stacks (as I did), you will not get any of the features of 2.0 (e.g., resizable, scrollable windows; color PICT windows; or other visual aids that would enliven the stack), as shown in the screen shot.

Still, the developers have done a great job in using the full measure of the tools given them in HyperCard 1.2.2, and they’ve made sure that the CD-ROM can be run off any compatible player that is


hooked to a basic Mac Plus.

The stacks include information on Zimbabwe’s history, geography, infrastructure, agriculture/fisheries/forestry, mining and geology, economics, animals, national parks and tourism, and arts and culture. You even get a quickie time calculator that converts your local time to Zimbabwe time, as well as a special section that discusses the Southern African Development Coordination Conference. The SADCC is an economic grouping of nine countries: Zimbabwe, Zambia, Malawi, Botswana, Angola, Mozambique, Lesotho, Swaziland, and Tanzania.

This is just a quick example of the kind of stuff that *Svinga* includes. While it’s not always ultrahigh-quality info (these guys didn’t have Grolier’s CD-ROM budget), it’s always different enough that you’ll keep navigating through the hypertext until you find the gem that you want. While *Svinga* is anything but a HyperCard tour de force, it shows off the practical aspects of this software on even the

A CD-ROM from Zimbabwe proves that interesting applications are possible even with limited resources





The Svinga stack in operation.

most basic Macintosh.
Nice job, Media Technology.

**Software of the Month:
Earthquest 2.0**

If you haven't gotten your fill of informational HyperCard stacks with Svinga and want to expand your scope a bit, give Earthquest 2.0 a try. The beauty of Earthquest is that it's both a personal learning tool and a tool that teachers can use in classes from grade 5 through sophomore year in college.

Rather than separate study into traditional disciplines, Earthquest combines natural history, ecology, geography, sociology, political history, economics, and other topical areas into a unified presentation. In fact, Earthquest does one of the best jobs I've yet seen at giving a worldwide viewpoint to topics that typically are much more parochial in their scope.


For teachers and schools interested in Earthquest, lab packs are available at a reduced price. Keep in mind, however, that these Earthquest stacks don't like to live on small, underpowered Macs: You'll be disappointed with anything less

HERE'S YOUR AFP-TO-NFS GATEWAY!

Announcing Helios' EtherShare™ 2.0, our enhanced Mac/Unix file server that's fully System 7.0 compatible. It's the one, remember, that lets you do system administration from any Macintosh on your network. Now anyone running any of the standard flavors of DEC Ultrix, Sony NEWS OS, AIX RS-6000 or Sun OS can take advantage of these newly added features:

- AFP-to-NFS Gateway
- Easy Macintosh system administration
- Integrated Unix mail and terminal services
- Enhanced file and printing accounting systems
- Printer load balancing, including unlimited spooling queues

... All for about \$100 per session!



What used to be extra-cost options are now standard in EtherShare 2.0. These include File, Print, Mail, and Apple-Talk™ Phase II. And now we're including Helios Terminal with VT100 and VT320 emulation along with our Unix terminal services program.

Two new options are also available: AppleTalk Tunnel and a Developers' Toolkit with sample source code.

We've prepared a full e-mail package of information about EtherShare 2.0 for you. Just dial up our CompuServe® number

74730, 1004 and we'll get it to you.

Contact our National Sales Manager, Paul Lucero at 998 West Lynn Way, Suite 4, Cupertino, CA 95014. Phone 408-255-2503; AppleLink: Helios, USA; or send him e-mail on Internet: lucero@apple.com.



Death Taxes Software Piracy



We can save you from one of them.

Sorry. Death we can't do anything about. As for taxes, when you use our product you'll probably wind up paying more. But software piracy: there we offer some help. Our family of software protection devices (dongles) have improved unit sales for over 2,000 companies around the world. Our products can be used in the MS-DOS, OS/2 and Macintosh environments.

Build Your Own Custom Protection Environment

Use our patented "dual-locking" ASIC chip as the basic building platform. Next, add options like: on-the-fly read/write memory, write-once or multiple-write locking codes, and encryption shells. Then add your

own programming creativity to build a protection environment best suited to your product.

Users attach the device to their parallel port, and programs won't run without it. Back-up copies, hard disk and LAN operation are not interfered with.

Your Intellectual Property Belongs To You

And if you don't protect it, who will? Our products offer the most equitable way to protect your interests without sacrificing the rights of your customers. Call us today for information and demonstration units.

Macintosh is a trade mark of Apple Computer Inc., Activator, Mactivator are trade marks of Software Security, Inc. illustration: detail from Michelangelo's Last Judgement



Software Security

1011 High Ridge Road
Stamford, CT 06905
203-329-8870



Fax 203-329-7428
BBS 203-329-7253
AppleLink™ D2379

1-800-333-0407 ext. 102

AUSTRALIA 619 316 2873 • EUROPE 44 932 821 230 • FINLAND 358 0 505 33 55
ITALY 39 2 21 30 450 • NETHERLANDS 31 34 026 77 77 • NORWAY 47 2 44 88 55
SWITZERLAND 41 1 341 9550 • UK 44 784 430 060 • USSR 71 70 50

Circle 260 on Inquiry Card.

than a Mac SE/30 or a Mac II. A color display will let you display icons and internal MacroMind Director movies in their full glory. Like most of the rest of the Mac world, Earthquest makes it clear that the default Mac has become a hard disk drive-equipped 8-bit color Mac II with a paged memory management unit installed.

Tip of the Month:

Inexpensive Desktop Publishing

"Macintosh software often costs too much." For the most part, I have to agree with this common complaint. One Chicago-area company, Timeworks, has a different idea about software pricing, though. It specializes in software for the average user. With its excellent desktop publishing (DTP) system, called Publish It Easy, Timeworks proves that inexpensive doesn't have to mean underpowered.

Unlike the high-priced DTP programs (PageMaker, FrameMaker, and QuarkXPress, to name just three), Publish It Easy for the Mac lists for just \$249.95. Street prices bring it in well under \$200.

Like the more expensive applications, Publish It Easy can combine text and

graphics on a page to form a multiple-column, multiple-section document. In fact, I found laying out pages easier with Publish It Easy than with PageMaker, and I have been using PageMaker for years. The program can incorporate text from your favorite word processor (e.g., Word, WordPerfect, Works, MacWrite 5.0 and II, and WriteNow) and graphics from your favorite graphics program (Illustrator, MacPaint, SuperPaint, FreeHand, FullPaint, and many others) into your DTP document. It can also edit scanned images so that they look sharp or have some special visual effect added to them. You can even wrap text around irregularly shaped objects, something that it took PageMaker four versions to get right.

Publish It Easy manipulates text in many other ways. It can justify text along a horizontal or vertical orientation, so you can create vertical headlines that look professionally keylined.

The application includes a complete native word processor with a 112,000-word spelling checker and a 240,000-word thesaurus. Thus, you don't have to own another word processor to create

your text, which saves you more money.

In addition to the text features, Timeworks throws in a whole slew of graphics features. You get a complete set of drawing and painting tools (you can even use spot color on your document and have it print out as spot color separations), so you can create your own document graphics. The graphics tools even let you airbrush at resolutions of from 72 to 2540 dots per inch, so you can produce very high-quality copy from your laser printer as well as from a service bureau's image-setter.

Publish It Easy can print to any printer that supports either Apple's QuickDraw and Color QuickDraw or Adobe's PostScript page-description languages. In practical terms, this means that you can use Publish It Easy now on your low-quality printer and upgrade to a higher-resolution printer without having to buy any more software or change your original document.

One of Publish It Easy's best features is its libraries and *proxies*. This oddly named feature lets you experiment with your document design. You can try different page styles and layouts instantly

BYTE BACK ISSUES FOR SALE

	1990	1991
January	<input type="checkbox"/>	<input type="checkbox"/>
February	<input type="checkbox"/>	<input type="checkbox"/>
March	<input type="checkbox"/>	<input type="checkbox"/>
April	<input type="checkbox"/>	<input type="checkbox"/>
May	<input type="checkbox"/>	<input type="checkbox"/>
June	<input type="checkbox"/>	<input type="checkbox"/>
July	<input type="checkbox"/>	<input type="checkbox"/>
August	<input type="checkbox"/>	<input checked="" type="checkbox"/>
September	<input type="checkbox"/>	<input checked="" type="checkbox"/>
October	<input type="checkbox"/>	<input checked="" type="checkbox"/>
November	<input type="checkbox"/>	<input checked="" type="checkbox"/>
December	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Inside the IBM PCs	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Issues Available

1990-'91 BYTE Issues \$6.00*

The above prices include postage in the US. *Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery). European customers please refer to Back Issue order form in International Advertising section of book.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:

BYTE Back Issues, One Phoenix Mill Lane, Peterborough, NH 03458
(603) 924-9281

Check enclosed Charge: VISA MasterCard

Card # _____

Exp. Date _____

Signature _____

Name _____


Address _____

City _____


State _____ Zip _____

All orders must be prepaid. Please allow four weeks for delivery.

SELECT 3 BOOKS for only \$4⁹⁵



9339 \$29.95
Counts as 2




The two most comprehensive computer book clubs have joined forces to bring you the largest selection of business and personal computing references available... at savings up to 50% off publishers' prices!



327H \$36.95
Counts as 2



3616P \$17.95



881307-7P \$22.95



042632-5 \$39.95
Counts as 2



3116P \$18.95



2870P \$16.95



881714-8P \$24.95
Counts as 2



3237P \$24.95
Counts as 2



006551-9 \$17.95
Counts as 2



9309P \$28.95
Counts as 2



15002P \$22.95



3170P \$26.95
Counts as 2



3418P \$26.95



053614-7 \$49.95
Counts as 2



3440P \$18.95



053923-5P \$24.95
Counts as 2



2879P \$22.95



15008P \$24.95



3049 \$37.95
Counts as 2



3578P \$16.95



2951P \$18.95



9335P \$19.95
Counts as 2



3382P \$29.95



056565-1P \$29.95



881255-0P \$24.95



3534P \$27.95
Counts as 2



9258P \$29.55
Counts as 2




3720 \$26.95



10041P \$29.95



3537 \$36.95
Counts as 2



15038P \$28.95
Counts as 2

The Computer Book ClubSM with the BYTE Book Club[®]

Membership Benefits

The Computer Book Club and the BYTE Book Club have joined forces to bring you the largest selection of business and personal computing titles available today.

- **Big Savings** In addition to this introductory offer, you keep saving substantially with members' prices of up to 50% off the publishers' prices.
- **Bonus Books** Starting immediately, you will be eligible for our Bonus Book Plan, with savings of up to 80% off publishers' prices.
- **Club News Bulletins** 15 times per year you will receive the Book Club News, describing all the current selections—mains, alternates, extras—plus bonus offers and special sales, with scores of titles to choose from.
- **Automatic Order** If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the reply form provided. You will have at least 10 days to decide. As a member, you agree to purchase at least 3 books within the next 2 years and may resign at any time thereafter.
- **Ironclad No-Risk Guarantee** If not satisfied with your books, return them within 10 days without obligation!
- **Exceptional Quality** All books are quality publishers' editions especially selected by our Editorial Board.

All books are hardcover unless number is followed by a "P" for paperback

A shipping/handling charge and sales tax will be added to all orders.

If card is missing, use this address to join:

©1991 The Computer Book Club with the BYTE Book Club, Blue Ridge Summit, PA 17294-0820



3525P \$21.95



3006P \$29.95
Counts as 2



3428 \$26.95



3417P \$24.95
Counts as 2



15013P \$26.95
Counts as 2



2959 \$31.95

People are talking about us.

F77L-EM/32 & Lahey Ergo OS/386

Port mainframe programs as large as 96MB to 386/486's with this 32-bit DOS-Extender compiler. The Winner of *PC Magazine's* 1988 Technical Excellence Award just got better. New Version 4.0 includes: Programming Tools, Popular Fortran 90 features, Virtual Memory Support, DESQview Support, New Documentation and Free Unlimited Runtime Licenses. F77L-EM/32 \$995 OS/386 \$395

F77L

The fastest real-mode compiler available. F77L can take advantage of your 386 PC by generating 32-bit instructions. New Version 5.0 includes: Fortran 90 features, Weitek support, and Video Graphics. \$595

Lahey Personal Fortran 77

Version 3.0: Full ANSI 77, Editor, Debugger, Linker, Library Manager, Microsoft and Borland C interfaces. A great learning tool at an unbeatable price. \$99




When people talk about FORTRAN the name mentioned most often is



Contact us to discuss our products and your needs. (800) 548-4778
Lahey Computer Systems, Inc. P.O. Box 6091, Incline Village, NV 89450
Tel: (702) 831-2500 FAX: (702) 831-8123

F O R T R A N I S O U R F O R T E

BACKPACK. IT'S A DRIVE OF A DIFFERENT COLOR.



Add a diskette drive without horsing around inside your computer — just plug Backpack into your parallel port! Connect your printer to the Backpack drive. No tools. No hassles. No interface cards. Backpack works with IBM and compatibles including PCs, XT's, AT's, PS/2's, PS/1's, and laptops. It's available in 5.25"



and 3.5" and comes complete with everything you need. So don't horse around inside your computer, add an external drive the easy way—plug in a Backpack! Hard Disk models and tape backup available soon.

MicroSolutions
Computer Products

132 W. Lincoln Hwy., DeKalb, IL 60115
815-756-3411 Fax: 756-2928

Visit us at booth #470 at PC Expo

HANDS ON/MACINATIONS

and see their results, yet you don't have to settle on a particular layout until the document is finished. To help make this "what-if" feature even more useful, the program includes five levels of Undo. If you make a mistake or change something inadvertently, you can always go back and fix it. The application tracks all the changes you make to a document up to five levels deep, which will save most of us from destroying our documents.

Publish It Easy isn't perfect. There may be good reasons why you need some of the specific tools in expensive DTP programs. But for many home and small-business computer users, it offers all the DTP power that will ever be needed. While Publish It Easy doesn't replace the high-priced DTP programs, it should give users of them something to think about. And if you are a bargain hunter like me, you'll find that Publish It Easy does just about everything a DTP program should do, and does it well. ■

Don Crabb is the director of laboratories and a senior lecturer for the computer science department at the University of Chicago. He is also a contributing editor for BYTE. He can be contacted on BIX as "decrabb."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

ITEMS DISCUSSED

Earthquest 2.0 \$79.95
Earthquest, Inc.
125 University Ave.
Palo Alto, CA 94301
(415) 321-5838
fax: (415) 322-3817
Circle 1151 on Inquiry Card.

Publish It Easy 2.0 \$249.95
Timeworks, Inc.
444 Lake Cook Rd.
Deerfield, IL 60015
(800) 535-9497
(708) 948-9200
fax: (708) 948-7626
Circle 1152 on Inquiry Card.

Svinga 1.0 \$99
CD-ROM, Inc.
1667 Cole Blvd.,
Suite 400
Golden, CO 80401
(303) 231-9373
fax: (303) 231-9581
Circle 1153 on Inquiry Card.

Northgate® Sets New Service Standards!

More Than 5000 Trained Technicians Out Of 400 Locations Are On Call Nationwide To Service Your Northgate Systems!

Northgate brings Field Tech Support to a new plateau. If you think our service was outstanding before, take a look at what we've done now...

We Contracted With The Nation's Largest Computer Service Company!

Why? To serve our customers with the best the industry has ever seen. Each technician has at least two and a half years of intensive training on all types of computers and peripherals.

Northgate computers are internationally renowned for quality and reliability. But, every now and then one does require an in-person visit from "the doctor." Who better to come calling than one of these skilled pros?

Here's how it works. A customer's first contact is on the phone with a friendly, talented Northgate Technician. (Any time day or night, 24 hours a day, 365 days a year.) Ninety-five percent of the time, questions are answered and apparent problems are remedied right over the phone. Need a part? We'll ship it overnight at our expense. When it arrives, call Tech Support and we'll help you every step of the way.

If, indeed, a service call is required, a technician will show up at your office or home the next day to replace the part.

All this at NO EXTRA COST to you for one full year!

That's right! "House-call" service on-the-house! Not a bad deal at all, especially when you check out what you get from the other guys.



Compare! You'll find those who claim on-site tech support and service. Some charge quite handsomely for it. Free or not, few (if any) offer this caliber of support. After a little "sleuthing" you'll realize Northgate now delivers more than twice the facilities available from any other service.

Northgate on-site service brings even more value to our systems. From our fabulous new SlimLite™ 386SX™ Notebook to 486™ EISA's... and all the ones on the drawing board in our R&D lab. It's the perfect enhancement to a legendary commitment that earned Northgate the first-ever Service and Support Award from the Microcomputer Marketing Council.

Not to mention that our service and support has helped us capture a room full of trophies including our most recent triumphs. *InfoWorld's* "Desktop Computer of the Year" and *BYTE's* Readers' Choice for "Desktop Computer of the Year."

Risk Free Trial! Give Northgate a call (on us) for a no-obligation Pre-Purchase Consultation. Then give our systems a whirl for 30 days. We expect you'll be completely satisfied. If not, call our 800 number and let us know. We'll buy your system back. No questions. No hassles.

CALL TOLL-FREE 24 HOURS EVERY DAY

800-345-8709

Service Vendor Name Available Upon Request.

Major corporations, volume purchasers and government agencies call
National Business Accounts: **800-545-6059**

Notice to the Hearing Impaired: Northgate has TDD capability.
Dial 800-535-0602.



"Smart Tools for Business"™

7075 Flying Cloud Drive, Eden Prairie, MN 55344

I • N • T • R • O • D • U • C • I • N • G

3270 Coax for UNIX

CLEO's 3270LINKix™ provides complete, cost-effective mainframe connectivity for your UNIX systems via coax.

You just plug in a coax board (our own or any IRMA3 or IBM advanced coax adapter or compatible), load the software, and

Works with your IBM or IRMA coax boards

link to your mainframe through a remote or channel-attached IBM 3174/3274 controller.

3270LINKix provides full emulation of IBM 3278 monochrome display terminals (models 2-5) and 3279 color terminals (models 2A, 2B, 3A, and 3B), in CUT or DFT mode.

You also get full IBM 3287 printer emulation (LU Types 1 and 3) for your UNIX-attached ASCII printers.

UNIX systems supported include SCO's UNIX System V/386, AT&T's UNIX System V/386,



Interactive Systems' 386/ix, and others.

Features include:

- Application Program Interface (HLLAPI 3.0)
- IND\$FILE file transfer for CMS, TSO, and CICS
- Up to five sessions, with support for remote or channel-attached SNA, in DFT
- User-configurable keyboard mapping
- Easy menu-driven configuration and interface


5 sessions, for remote or channel-attached SNA, in 1

To learn more, call us today at 1-800-233-2536. Or write to us at 3796 Plaza Drive, Ann Arbor, Michigan 48108. Fax: 313/662-1965.

CLEO 
CLEO Communications®
A Division of Interface Systems, Inc.

AVAILABLE WORLDWIDE!

In Europe call Sintec Peripherals Ltd. in Slough, England, at +44-753-811888 (fax: +44-753-811666).

DAVID
FIEDLER

SURVIVALIST'S GUIDE TO UNIX

Call me paranoid. Or accuse me of expecting the worst. It's just that, after working with computers for nearly 25 years, I've seen and heard things that would make your hair stand on end (mainly because some of them involve direct lightning hits!). The list includes everything from experienced system administrators who refused to back up their system to novices who were "just looking around" and erased their /bin directory.

There are various ways of surviving hardware or software problems with Unix. I'm writing this for system owners, but that doesn't stop you from protecting yourself if you're a user on a large system. You can always make sure your own files are backed up, and it wouldn't hurt to bug the system manager or administrator to make sure that other precautions are being taken.

Lawyers, Guns, and Money

You might want to sue someone or shoot your computer when it finally fails you—and it will—but often, the guilty party can be found by peering into the nearest mirror. Sure, maybe it wasn't your fault the disk crashed, but haven't you noticed the funny noises it's made lately? Have you regularly cleaned around the cooling fan intakes to make sure that air can flow through the computer without interruption? And you always make verified backups, right?

OK, I'm not perfect, either. But I have managed to get into a routine of regular daily backups, and Friday afternoons generally find me quite agitated unless I've already done my weekly backup. If you find it hard to remember, you might use your calendar file or other scheduling program to provide additional help, or even the at or cron facilities on Unix. You can even just load up a tape in the evening and run the backup from cron in the wee hours of the night, unless you need multiple tapes.

Or you could simply lose all your data. That will surely remind you for the next time.

The Great Backup Question

One of the biggest problems with Unix is deciding which backup strategy to use. There are three main backup programs: cpio, tar, and volcopy. My favorite is cpio because it can be used fairly efficiently to back up an entire file system, yet you can use it to restore single files, if necessary. And it can also be used to reorganize an active file system's data blocks for faster disk access (by remaking the file system and then restoring the cpio backup of that system).

Listing 1 is a shell program I use for daily backups of recently changed files, using cpio and a 60-megabyte cartridge tape. The find command lets you choose how many days of files you want to back up (I use three on Monday to get the weekend files). The uppercase C option used for cpio selects an optimum blocking factor, while lowercase c ensures that the tape can be read on another machine portably, if necessary. I point this out because c once enabled me to transfer all the files on my failed system to a machine with an entirely different architecture. I needed it only one time, but it was there.

The second program, tar, is a favorite of many old administrators. However, I like it best for dumping a few files to a floppy disk, rather than doing entire backups. Since it deals with an entire file system at a time, volcopy can be used to restore a single file only if you have a spare disk partition that's at least as large as the partition that was backed up originally.


Perhaps the optimum backup strategy might be to do monthly backups of each file system using both cpio and volcopy, weekly cpio incremental backups of the entire system (to be saved until the following month), and daily cpio incre-

mental backups of all files that have changed. This is a reasonable compromise that I have found useful, and I've had to do my share of restores, so I know it is workable.

All these backup programs have undergone some changes over the years, and many are now available in publicly available versions. In particular, a program called pax (for portable archive exchange, but also peace in Latin) by Mark Colburn was sponsored by The Usenix Association; it reads and writes both cpio and tar files in a portable way. There have also been programs posted to Usenet (i.e., tar_aids and fixcpio)

**Systems fail, and
without a good backup,
your data will too.
Protect both.**





■ Good news from the BIX community:

You can read and talk with Jerry Pournelle about the unedited text of his *Computing At Chaos Manor* column—weeks before *BYTE* hits the newsstands—on your computer. (Why settle for writing letters to him *after* the fact, when you have a shot at influencing his thinking—and maybe the content of the column itself?) You can also take part in a variety of other discussions with Jerry—on such subjects as computers, science, space exploration and habitation, cognitive psychology, natural and man-made disasters, education, and mathematics. Any of which discussions could work its way into his next column or book. You can even cast your vote with Jerry for the best and worst products of the year. And download 147 programs—free. All it takes is a subscription to BIX. Call our special Customer Service number for more information: 1-800-227-2983 (in NH, call 603-924-7681).

BIX

Listing 1: A shell script for daily backups of all recently changed files.

```
days=$1
echo "running backup for last ${days:=1} day(s) -- kill if wrong"
sleep 1
cd /
find . -type f -depth -mtime -$days -print |\
#
#   uncomment next line to stop backup of Usenet news
#   grep -v "usr/spool/news" |\
#
cpio -movcaC 10240 -K 60000 > /dev/rct0
```

that attempt to recover damaged tar or cpio tape files.

Some commercial backup programs are available. Skipping the more extensive (and expensive) software intended for large and/or networked installations, I've worked briefly with two: BRU from Enhanced Software Technologies and Lone-Tar from Lone Star Computer Services. Both programs can do compression of files being backed up, both can recover from media errors, and both have far too many possible options to use without careful study of the manual. If you're interested in this type of program, I suggest contacting the vendors and seeing which set of capabilities you prefer, as they differ slightly.

Of course, the best defense is not to need backups at all. Many frustrating file restoration sessions seem to be preceded by improper use of the `rm` command, which is why I recommend that you replace it with its equivalent, `del` (see "The Free Software Hit Parade," August 1990 *BYTE*). This will let you undelete files without having to spend time on a file restore or money in an attempt to recover something that's otherwise really gone.

Another good thing to do is use the `fseek` program on a regular basis. Although many of today's Unix versions check a flag bit to decide whether to actually run `fseek` on a file system, running it manually occasionally may catch errors that have crept in unknowingly.

When the Bits Hit the Fan

Sometimes things really go wrong. If it's "just" a simple disk failure, an emergency boot floppy disk might save the day...if you've made one in advance. Such a precaution can let you avoid re-loading the entire root file system from floppy disks (see "Tricks of the Unix Gurus," March *BYTE*).

But if it's more serious, you may wish you had an extra copy of those full `vol-`copy monthly backups somewhere.

That's why you should keep them somewhere else: anywhere but in the same building as your computer. That way, you won't be totally out of business in case of earthquake, mudslide, fire,

COMPANY INFORMATION

B&B Electronics
4000 Baker Rd.
Ottawa, IL 61350
(815) 434-0846
fax: (815) 434-7094
BBS: (815) 434-2927
Circle 1146 on Inquiry Card.

Enhanced Software Technologies, Inc.
5032 South Ash Ave.,
Suite 107
Tempe, AZ 85282
(602) 820-0042
fax: (602) 491-0865
Circle 1147 on Inquiry Card.

The Gawain Group
Data Rescue Division
139 Noe St.
San Francisco, CA 94114
(415) 626-7581
Circle 1148 on Inquiry Card.

The Insurance Agency, Inc.
2929 North High St.
Columbus, OH 43202
(800) 848-3469
(614) 262-0559
fax: (614) 262-1714
Circle 1149 on Inquiry Card.

Lone Star Computer Services
13987 West Annapolis Court
Mt. Airy, MD 21771
(800) 525-8649
(301) 829-1622
fax: (301) 829-1623
Circle 1150 on Inquiry Card.

February 25, 1991. *InfoWorld* reports:

SlimLine™ 386SX/20... "Fastest In Its Class!"

Northgate® Outpaces Compaq, AST, ALR, Dell, CompuAdd And A Half Dozen More!

When *InfoWorld's* tough testers rounded up 386SX/20's for an exhaustive battery of head-to-head comparisons, there was no doubt about the leader. SlimLine cruised to an incredible 8.5 rating. Eleven other companies sent their best. None scored higher than 7.9. A few barely broke 6.5.*

"Northgate packs a lot of speed into SlimLine 386/20SX," they reported, "fastest in its class!"

How did Northgate "thump" the competition? By following our corporate philosophy: "Every system we sell must be a winner." Before we entered the SX race, we designed our own motherboard with a full 64K RAM cache into both our 16 AND 20MHz entries. And, this incredible speed comes in a space-saving case only 4.25" high!



InfoWorld says: "Exceptional support policies!" No wonder. Northgate gives you toll-free 24 hour technical support, one year parts and labor warranty and overnight shipment of replacement parts. And now, you get a FREE year of on-site service from the nation's largest computer service company.



There you have it. Right on the heels of Northgate Elegance™ 486™/33 being voted *InfoWorld's* "Desktop Computer of the Year" and BYTE's Reader's Choice Award for "Desktop Computer of the Year," another Northgate system (backed by the same legendary support) thrashes the competition in the SX20 arena.

Prove it to yourself... use SlimLine 386SX RISK FREE for 30 days! If it isn't everything you expect, we'll buy it back. No questions asked!

SlimLine 80386SX Features:

- Intel® 80386SX/20 MHz processor
- 2MB of RAM on motherboard
- 64K SRAM read/write-back cache
- 1.44MB floppy disk drive
- Small footprint (16.5" x 16.5" x 4.25" high)
- SlimLine case with room for two exposed and one internal half-height devices
- Integrated 16-bit SVGA with up to 1024 x 768 resolution; 512K video memory
- Intel math coprocessor support
- 150 watt power supply
- Front mounted reset and high/low speed controls
- OmniKey® keyboard
- MS-DOS 4.01 and GW-BASIC installed
- Microsoft® Windows™ 3.0 and Microsoft mouse
- On-line user's guide to MS-DOS 4.01
- QA Plus diagnostic and utility software
- FCC Class B certified



Design Your Own System!

Northgate will custom build your system to meet your most demanding needs. Add hard drives — 40, 80, 100 and 200MB available. Monitor options include 12" VGA monochrome, 14" VGA and SVGA and 16" SVGA. More memory, floppies, a modem ... it's up to you! Call for details!

SlimLine 386SX/20

\$1699⁰⁰ Or as low as \$55⁰⁰ per month†

386SX/16 as configured above:

\$1499⁰⁰ Or as low as \$45⁰⁰ per month†

EASY FINANCING: Use your Northgate Big N. VISA, MasterCard. Or, lease it — up to five-year terms available.

CALL TOLL-FREE 24 HOURS EVERY DAY **800-345-8709**


Major corporations, volume purchasers and government agencies call National Business Accounts: **800-545-6059**

Notice to the hearing impaired: Northgate has TDD capability. Dial 800-535-0602.



"Smart Tools For Business"™
7075 Flying Cloud Drive. Eden Prairie, MN 55344

© Copyright Northgate Computer Systems, Inc. 1991. All rights reserved. Northgate, OmniKey, SlimLine and the Northgate "N" logo are registered trademarks of Northgate Computer Systems, Inc. 80386SX and 80486 are registered trademarks of Intel. All other products and brand names are trademarks and registered trademarks of their respective companies. Prices and specifications subject to change without notice. Northgate reserves the right to substitute components of equal or greater quality or performance. All items subject to availability. We support the ethical use of software. To report software copyright violations, call the Software Publishers Association's Anti-Piracy Hotline at 1-800-388-PIR8. *InfoWorld, February 25, 1991. †When charged to your Northgate Big N card. 18% A.P.R.



Who Helps Windows 3.0 Pros?

- Get quick answers to tough coding questions
- Interact with other Windows 3.0 Developers
- Download source code, utilities and other programs for Windows 3.0
- Keep up with the latest Windows 3.0 developments
- Send and receive private e-mail with binary attachments
- Chat with other Windows 3.0 users in real time

BIX - The online service for people who know Windows 3.0

All for just \$39 for three months plus \$3 per connect hour weeknights and weekends or \$6 per connect hour weekdays.*

Don't wait, register today! Just set your telecommunications program for full duplex, 2400 or 1200 baud, 7 bits, even parity, 1 stop bit, or 8 bits no parity, one stop bit. Have your Visa, MasterCard or American Express card ready. With your modem, call your local BT Tymnet number.** At "xxx[x]" enter a lower case "a" then at "Please log in" enter "bix" -- at "Name?" enter bix.windows and complete on-line registration. You'll be on BIX immediately.

*Connect fees are for access via BT Tymnet and are subject to change.

**Call 800-336-0149 for your local access number. BIX handles billing for BT Tymnet connect fees.

BIX

One Phoenix Mill Lane
Peterborough, NH 03458
800-227-2983 or 603-924-7681

HANDS ON/THE UNIX /bin

flood, robbery, or a UFO landing on your house. Here in California, we have to worry about all this stuff.

Another smart idea might be to get computer insurance. For years, I've had a reasonably priced Safeware policy from The Insurance Agency. This covers my computer, its peripherals, the software I've paid for, and even backup tapes. The insurance paid for itself when a power surge permanently snarfed a daisy-wheel printer (remember those?). And it covers the equipment no matter what it's used for. This is an important point for people who work at home, since most homeowners' insurance will not cover computers used for business.

Speaking of surges, I'm going to assume that you have, at the very least, a surge-protective power strip on your computer. It's also a good idea to get some protection for your modem from the noise and spikes that can be found on telephone lines.

For the ultimate in protection, you can also get devices that protect each of your serial ports (try B&B Electronics for these and other serial-port specialties). The most inexpensive protection of all is a ground-checking device, from your local hardware store, with three LEDs that indicate that your electrical ground is indeed grounded. Then you can sleep safely through thunderstorms.

Need Help? Call the Equalizer


Lone Star also sells a program called Buttsaver. This is supposed to be able to restore files that have been erased, by scanning the free list. Obviously, on busy systems, you may have little chance of restoring the file completely intact, but it is a good start. Unfortunately, Buttsaver isn't yet available for an SCO Unix system, so I couldn't test it.

If all else fails, you can always call Jim Joyce at The Gawain Group. He has restored erased files and file systems that have lost their superblock, and he has other horror stories. He uses a combination of proprietary software, imagination, and many years of experience to get Unix people out of tight spots. ■

David Fiedler has been a consultant and writer on Unix topics for over a decade and has started several Unix publications. His company, InfoPro Systems, produces corporate image and marketing videos for high-tech firms. You can reach him on BIX as "fiedler."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Just When The Competition Thought It Was Catching Up.



The New Series 1300.™

Defining the Next Standard for Storage.

Storage Dimensions' Series 1300. More speed, more capacity and more reliability than any storage systems you've ever used.

At the heart of every Series 1300 model is a drive mechanism with remarkable specifications. 11.5 ms average seek time and 5400 RPM spindle motor to dramatically improve access to your data. 1.3 gigabytes formatted capacity. And MTBF ratings that can be measured in decades. But it takes more than just numbers to set a new standard.

Mainframe Capacity and Performance.

It's what you do with the numbers that counts. Our Series 1300 has transformed them into storage solutions with unparalleled performance and reliability. We applied our fully integrated, systems engineering

approach to the design. We added our advanced 16- and 32-bit bus master adapters. And we incorporated the latest performance innovations in our device drivers to nearly double the work your system can do.

Our Series 1300 is available today for NetWare,® OS/2,™ UNIX® and Macintosh,® in subsystem capacities from 1.3 to 5.2 gigabytes. To build systems to over 36 gigabytes. Now those are numbers — mainframe level numbers — your systems can *really* put to work.



Stay Ahead of the Pack.


Cutting edge technology. Innovative design. Comprehensive systems focus. Three reasons our Series 1300 is the latest example of how the Number One company in network and desktop storage stays in front. Call toll free (800) 765-7895. Storage Dimensions, 2145 Hamilton Avenue, San Jose, CA 95125.

 **STORAGE DIMENSIONS**

© 1991 Storage Dimensions. Series 1300 is a trademark of Storage Dimensions.

Circle 270 on Inquiry Card.

Northgate® SlimLite™!



- Six Pounds Of SX20 Power!
- Brightest, Sharpest Screen You've Ever Seen In A Notebook!
- PLUS A Keyboard You'll Think Is Right Off Your Desktop!

A Great Notebook MUST (1) Be Lightweight and Small; (2) Have a Super Readable Display; (3) And Have a Desktop Quality Keyboard!

Northgate got all three just right... as well as a whole lot more you'll learn about in this ad.

But, for ALL the facts, we'll send you the actual User's Guide that comes with the computer. Free! Simply phone one of our sales reps. That's free too!

Then you'll know exactly what you're getting when you phone to place your order.




FAST FACTS: SlimLite is made for easy toting. A nifty 11.7" x 8.25" x 1.9", it tucks easily in your briefcase. Plenty of room for extra batteries, AC adapter, mouse PLUS your business essentials.

SlimLite won't bog you down either. Just 6.1 lbs. including battery. AC adapter weighs half that of others. Lots smaller, too.

Turn on SlimLite and settle back for the most enjoyable portable computer experience of a lifetime.

RAZOR SHARP READABILITY:

Sparkling bright sidelit LCD display with plenty of contrast. Experts say it's the very best they've ever seen. Supports a true 32 shades of gray (Windows Solitaire addicts, you'll actually see differences between black and red suits). Other systems claim 32 shades but just don't seem to measure up to SlimLite. Compare before you buy!



SLIMLITE DOUBLES AS A DESKTOP!

Neat Trick. Unique Northgate holder lets you set up SlimLite as a desktop "mini-tower." Slide it into the optional stand, connect your full size keyboard and monitor and printer. Presto! You have a powerful desktop computer. You can even communicate around the world with the optional 2400 baud internal modem.



TEST SLIMLITE RISK FREE! Order SlimLite now and give it a workout for 30 days. If SlimLite doesn't deliver everything you expect, return it. We'll buy it back for every penny you paid. No questions. No hassles. We're betting that once you use SlimLite, you won't want to be without it.

KEYBOARD CAUTION: Before you buy a notebook check out the keyboard. Beware those that have lots of FN key functions. Many systems require using these in conjunction with other keys. They substitute for separate keys.


Excessive FN key use slows down your typing, can be confusing and downright aggravating.

SlimLite has separate PG UP, PG DN, HOME and END keys ... And independent inverted "T" cursor keys. You'll feel like you're typing on your office desktop.

The typing keycaps are full size and comfortable. Keyboard quality you expect only of Northgate.

Northgate SlimLite Features:

- System dimensions: 11.7" x 8.25" x 1.9"; battery: 4.87" x 2.73" x 0.68"; AC adapter: 5.32" x 2.71" x 1.75"
- System weight 6.1 lbs with battery; AC adapter 0.8 lb.; battery 1.05 lbs.
- 84-key keyboard emulating 101
- 9" diagonal LCD screen; supports 32 shades of gray; VGA 640 x 480
- 386SX/20MHz processor
- 80387SX coprocessor support
- 3MB RAM; expands to 5MB
- 20MB hard drive with auto parking; 40MB and 60MB drive options available
- 1.44MB 3.5" floppy drive
- LED indicators for power on/battery low, charging, caps lock, num lock and hard drive access
- External VGA monitor and keyboard ports
- 9-Pin serial port; parallel port
- Supports internal 2400 baud modem (optional)
- One-year parts/labor warranty
- Toll-free technical support — 24 hours a day



TOP: Rechargeable Ni-Cad battery weighs 1.05 lbs. BOTTOM: "AC Pack," tiny and weighs well under a pound.

POWER E-X-T-E-N-D-E-R: You'll get an amazing two and a half hours of continuous real time work with SlimLite. Ingenious power-down feature saves energy, lets you resume working where you stopped. The rechargeable battery is a wondrous power module, one of the smallest, lightest ever made. Two of them will get you through a coast-to coast flight. SlimLite recharges WHEN in use with AC adapter. External battery charger available.

RIGHTSIDE UTILITIES: The 1.44Mb 3.5" floppy drive is positioned where it should be — up front — for easy use. To charge battery or to use AC power, plug the adapter into the jack provided. It's in back to keep cords out of your way.



Northgate SlimLite ONLY \$2999⁰⁰

CALL TOLL-FREE 24 HOURS EVERY DAY 800-345-8709

Major corporations, volume purchases and government agencies call National Business Accounts: **800-545-6059**

Fax your order! 800-323-7182

Notice to the Hearing Impaired: Northgate has TDD capability. Dial 800-535-0602.



LEFTSIDE CONNECTORS: Behind a hinged side panel, SlimLite has ports for external VGA monitor and keyboard plus a 9-pin serial port, parallel port and phone jack plug.



7075 Flying Cloud Drive, Eden Prairie, MN 55344

© Copyright Northgate Computer Systems, Inc. 1991. All rights reserved. Northgate, SlimLite and the Northgate "N" logo are registered trademarks of Northgate Computer Systems. 80386SX is a trademark of Intel. All other products and brand names are trademarks and registered trademarks of their respective companies. Prices and specifications subject to change without notice. Northgate reserves the right to substitute components of equal or greater quality or performance. All items subject to availability. We support the ethical use of software. To report software copyright violations, call the Software Publishers Association's Anti-Piracy Hotline at 1-800-388-9188.

More and more business people are making the same connection...



that for affordability, reliability and efficiency, LANtastic™ is the networking solution

Doctors, lawyers, accountants, butchers, bakers and pottery makers... more and more business people are connecting their PCs with Artisoft's LANtastic. In fact, our network has gained such a following that it was just awarded the 1991 LAN Times Reader's Choice for peer-to-peer network operating systems. And we couldn't be prouder.

After all, we designed LANtastic to make the productive power of a full-featured LAN accessible to anyone who wanted to streamline their computer operations. And whether you're connecting two PCs or 30 or 200, you can rest assured that you are buying into a product that will grow as you grow, with a commitment to developing innovative products that anticipate the needs of business people like yourself.

Just look at how smart our network is... While many networks gobble up huge amounts of

your PC's RAM, which usually means that you'll have to purchase extended memory, LANtastic leaves you plenty of room for even your most RAM-hungry applications. In fact, it's the most RAM-efficient LAN you'll find — taking as little as a mere 12K per workstation and 40K per server.

LANtastic saves you money, too. For as little as \$209* per PC, you'll have everything you need to get your network up and running. Plus, you can share all those expensive peripherals — not buy more of them. Better yet, because LANtastic is a peer-to-peer network, you won't have to spend thousands on a dedicated server machine.

But most important, it makes networking so easy that you'll soon be taking it for granted. You'll be able to edit and proofread your co-worker's documents without leaving your desk. Balancing your books will be easier because your

entire accounting department can share the same data base. Inventory management will be completely streamlined because everyone on the network can access inventory records and track products from when they are received as raw material, to when they are shipped as finished products.

In fact, the only regret you may have after you buy LANtastic is that you didn't install it last year, last month, even last week. Don't wait any longer. Call 602-293-6363 or fax 602-293-8065 and put the power of LANtastic to work for you.

LAN TIMES
**READERS
CHOICE**
1991



The Tiny RAM Network

 **ARTISOFT**
Revolutionizing Connectivity

*Based on manufacturer's suggested retail price for a 10-computer LAN using LANtastic 2Mbit adapters. Cost is slightly higher for smaller networks.
©1991 by ARTISOFT, Inc. All rights reserved. LANtastic is a trademark of Artisoft, Inc.

575 E. River Road, Tucson, Arizona 85704

Circle 23 on Inquiry Card.

APPLETALK OVER THE INTERNET

A recent experiment at Princeton and Penn State Universities demonstrates that you can use the Internet to connect AppleTalk networks and AppleShare file servers. Using products such as Shiva's FastPath and Cayman Systems' GatorBox to encapsulate AppleTalk traffic in Internet Protocol packets, Princeton and Penn State have created an experimental AppleTalk wide-area network between the two campuses over a T1 (1.544-megabit-per-second) connection. In so doing, we have found that it's possible to connect campus AppleTalk networks in ways that make collaboration and sharing of data far easier than ever before.

The wide-area AppleTalk network (WAAN) allows universities and other users of the Internet to share existing AppleTalk resources quickly and inexpensively over existing network links. All the software required to become a WAAN participant (K-Star, GatorShare, and/or Kinetics Internet Protocol [KIP]) is either in the public domain or ships with the Shiva FastPath or the Cayman GatorBox AppleTalk gateways. Most research universities are already using the Internet for machine-to-machine communications, so no additional networking links are required.

The experiment has demonstrated how AppleShare simplifies access to remote files. Usually, Macintosh users who want to access a file on the Internet must go through a mainframe or minicomputer, download the file, and then edit and convert it. Instructions for doing this are often cumbersome and difficult for those who aren't regular users of large computer systems. Even users with direct Mac-to-Internet connections must have some knowledge of Internet file transfer protocols, and they often have to edit, concatenate, and convert the files in order to use them.

AppleShare presents even the beginning user with a simple paradigm for file

transfer. Users need only select the desired file servers from the Chooser; the file server then becomes an extended part of the user's Desktop. With the WAAN, users on one campus can use the Chooser to select file servers and public folders at other institutions. Resources at other sites appear as additional AppleTalk zones; users simply select their choices from a far larger sample.

The WAAN Advantage

WAAN users can transfer files in an intuitive, easy way. University researchers and faculty can share and disseminate text and data files with far more ease than would otherwise be possible. In addition, a multicampus file server can provide almost any type of information to any Mac on any connected campus. A single university or repository can provide public-domain or other specialized files on a server for easy access. A freely shareable file server might include applications, documents, sound, and graphics. Retrieval of software becomes something that all users—not just those in the know—can do with a click and a drag.

Adding to the public domain would become easier.

Users at universities and other institutions on the Internet gain the ability to share, review, and discuss papers, work, diagrams, scanned images, and the like. The WAAN can also provide connections to resources such as networked CD-ROMs. Finally, the WAAN shows how far we currently can push AppleTalk. Today's resources are already sufficient to allow impressive results.

AppleTalk Extended

The WAAN uses AppleTalk encapsulated in UDP/IP to link AppleTalk LANs by way of the Internet. Once an institution has connected to the WAAN, users can access all AppleTalk resources published by other AppleTalk sites, including AppleShare file servers and LaserWriter printers.

The AppleTalk protocol is designed for small, linear networks. For example, you can connect two AppleTalk networks over an Ethernet using AppleTalk gateways. Every 10 seconds, the gateway sends out a Routing Table Management

Two universities put their networks together to come up with an innovative wide-area-network scheme



Protocol (RTMP) packet containing information about the networks connected to that gateway.

AppleTalk requires broadcast packets to exchange routing information, but an IP route will not forward such packets back to a different network. Therefore, the information must be encapsulated inside a UDP/IP packet.

Interconnection Options

There are two ways to interconnect AppleTalk networks over a UDP/IP link. The first works with both the Shiva FastPath and the Cayman GatorBox. The second method uses built-in features of the Cayman GatorBox.

With the first option, all sites need the administrator software, KIP, and a Unix host on which to run the software. KIP was developed at Stanford University to allow the original Kinetics FastPath to route AppleTalk between subnetworks. The software originally came in two pieces: gw.srec, the code that ran on the FastPath, and atalkad, the administrative daemon that runs on the Unix host; gw.srec has since been replaced by K-Star on the FastPath, and GatorShare on

The WAAN makes it difficult to limit access to licensed software.

the GatorBox. The atalkad daemon is still required and is available via anonymous ftp from "Rutgers.EDU."


The atalkad daemon passes routing information to allow gateways to learn about each other. Since routers don't forward broadcast packets, AppleTalk gateways must download static routing information to communicate. The atalkad daemon provides this information.

The GatorBox and FastPath manuals describe configuration details, including setting the gateway's IP address, the broadcast address, and the IP address of

the Unix host running the atalkad daemon. Next you create the atalkatab file, which contains information about all the gateways on the networks, as well as the AppleTalk network numbers.

You configure a gateway with the information needed to talk to the atalkad daemon and then boot it up. The gateway queries the daemon to send the information. The daemon builds a table of AppleTalk addresses that are related to the IP address and sends the table to the gateway. Then the gateway queries for the zone names associated with the AppleTalk address and stores this information in a table.

For example, a Princeton user in the zone named PUCit87 pulls up the Chooser and selects a LaserWriter in the zone PSU.cac.mpw at Penn State. The Mac sends the request to the gateway, which looks up the network number associated with that zone and finds the IP address of the gateway to which it should send this packet. The gateway then stuffs the original AppleTalk packet inside a UDP packet, which it sends along to the IP address 128.118.3.128. The Penn State gateway then unstuffs the packet and forwards the



Give Us Your Toughest Peripheral Sharing Problem


...or your simplest! Master Switch, the intelligent data switch from Rose Electronics, can handle it. The Master Switch series is so versatile and sophisticated, peripheral sharing becomes easy.

Anyone who appreciates ease-of-operation and technologically-advanced capabilities knows the Master Switch is the right choice...for sharing printers, plotters, modems, and any device with a serial or parallel port. Here's why:

- Any combination of serial or parallel ports
- Easy selection of peripherals
- User-expandable memory up to 4 megabytes
- Simultaneous access to all devices
- Rated 'fastest switch' by PC Magazine
- Advanced features include job queue, port contention, data collection, job control menu, initialization strings, pop-up menus, and many more
- Complete technical support; one-year warranty

The Low-Cost LAN Alternative
With our MasterNet software, the Master Switch provides many convenient LAN functions, such as E-mail, file transfer, and directory access.

Designed and manufactured in the USA. Field-proven in thousands of applications. The Master Switch answers any peripheral sharing challenge. Choose the intelligent data switch that handles your most complex needs, yet is easy to set up and operate... choose Master Switch.



ROSE ELECTRONICS
(800) 333-9343
FAX (713) 933-0044 • (713) 933-7673
P.O. Box 742571 • Houston, Texas 77274
Call for complete information and our catalog of Switching and Sharing Solutions. Dealer inquiries welcome.

Maynard®

An ARCHIVE® Company

Now shipping with 90m media. Store up to 2 GB on MaynStream DAT™ systems.



MaynStream®. It's the DAT your data deserves.

Looking for the ultimate backup for Local Area Networks or standalone workstations? The MaynStream DAT system from Maynard is the answer. It's the only True Computer Grade DAT™ backup system.

MaynStream DAT for Networks.

Our DAT systems include Novell-certified MaynStream software for DOS and OS/2 to back up your entire network, including file servers and all workstations. On-disk tape cataloging quickly locates backed up files and restores them to any network location faster than ever before. And it's the perfect

backup for NetWare 286 and 386, 3Com and more.

MaynStream DAT for Reliability and Performance.

Unlike other DAT products which use adapted audio mechanisms, MaynStream DAT's design actually extends the life of your tapes and drive through special electronic control of tape speed, motion and tension. This advanced design also increases reliability by eliminating drive belts and mechanical mode changes. With MaynStream systems, your backup doesn't become a backlog—it can

transfer at an amazing 11 megabytes per minute, and using the fast file restore feature (FFR), search for files at 200 times normal tape speed.

MaynStream DAT for Capacity.

Finally, MaynStream DAT stores up to 2 gigabytes of data on one 90-meter, computer grade, DDS standard, DAT cassette.

For demanding backup requirements, your data deserves MaynStream. From the company that's backing you in every way. For more information, call Maynard.

(800) 237-4929

Maynard Electronics, Inc.
Marketing Communications
36 Skyline Drive
Lake Mary, Florida 32746
(407) 263-3500 (USA)
(44) 494-473-434 (UK)

Circle 172 on Inquiry Card (RESELLERS: 173).

MaynStream DAT is a trademark and Maynard and MaynStream are registered trademarks of Maynard Electronics, Inc. True Computer Grade DAT is a trademark and Archive is a registered trademark of Archive Corporation. All other product names herein may be trademarks or registered trademarks of their respective companies.

original packet to the LocalTalk network. The LaserWriter replies to the gateway at Penn State, which reverses the process.

The second method uses the GatorBox and is much simpler. The GatorShare software lets network administrators at different sites exchange IP addresses of GatorBoxes and download the configurations to them. GatorShare then forms the tunnel. The principle is the same: AppleTalk packets are encapsulated in IP pack-

ets and sent to the proper IP address. However, you don't need an atalkad, a Unix host, or an atalkatab file, and you can include and exclude networks based on network number. We used KIP when we first established the link between Penn State and Princeton. The link is now up with the GatorBox.

Current Difficulties

One problem with our WAAN is that it doesn't scale to very large networks. The

original KIP code was limited to 64 routes and 32 zones. Princeton has over 75 routes and 64 zones, and several sites are much larger. The limits are due to the size of the tables in the KIP code, as well as the packet size that AppleTalk can handle. Another annoyance is that, for the moment, Internet resources appear alongside local resources.

Because of the 64-route limitation, each Internet site must limit the number of zones it exports. Of course, no site has to import all zones available to it.

We have worked out a naming convention that eases the problem somewhat. Export zones begin with capital letters (e.g., PU-zonename is a Princeton zone; UR-zonename is a zone at the University of Rochester). Nonetheless, the numbers of resources will grow, and member institutions will be forced to limit exported and imported resources.

The Future of AppleTalk over IP

We expect to make efforts to ease these difficulties. The Internet Engineering Task Force now has a MacIP group (which includes members of the Internet Community, as well as engineers from Apple, Cayman, and Shiva) to standardize and support WAANs and AppleTalk tunneling through foreign networks.

The task force is addressing several key WAAN issues. The first concerns *network hiding*. A site with several dozen zones might not want to add several dozen additional zones from another site. Indeed, it's possible that, in connecting to a WAAN, an organization might inherit hundreds or even thousands of new zones. Scrolling through a multitude of zones in the Chooser would be time-consuming, as well as process- and memory-intensive.

Another important reason for limiting zone information is the level of traffic. Most connections at a local site are high-speed, short-distance networks such as Ethernet. Most off-site connections today are no faster than T1 links, and even as slow as 9600 bps. Sending routing information for 70 zones would overwhelm such links.

Security is another issue. We need to limit the number of zones available in the WAAN. Princeton makes several public clusters available to students, faculty, and staff. The WAAN makes it more difficult to limit access to licensed software or to track what these users are doing.

The GatorBox software filters packets based on network number in order to limit the zones that are shared across the WAAN. Each site constructs a list of the networks to include or exclude. When a

PC-AUDIT
Get it out of your system!

- **PC-AUDIT** completely automates the process of finding out which software and how many copies are installed on user machines
- **PC-AUDIT** compiles data from thousands of PCs and produces reports that facilitate:
 - Financial Audits
 - Software Purchase Strategy
 - Program Usage Tracking
 - Elimination of Unauthorized Software Usage
- Quickly query a group of users to find out:
 - Program Names, Manufacturers, Version Numbers, and Number of Copies Installed on Audited PCs for all software programs
 - Relevant Hardware, Operating System Information for each user, including PC Type, Processor Type, Graphics Adapter Type, Presence of Co-Processor, & DOS Version

Cost: \$195.00 plus nominal run-time fee per audited PC.
To order or request a sample diskette (\$10.00), call 1-800-874-7115.

PC-AUDIT copyright 1991 by GREG LEWIS PRODUCTIONS INC.

Up to date. Down to earth.

Changing the world. UNIX is changing the world of computers, the world of business — quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.

The information you need. That's why you need *UNIXWORLD* — the magazine that keeps you up to date on the rapidly changing world of open systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the world's

biggest high-tech companies. Easy-to-understand programming tips and tutorials that can help you and your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

The whole UNIX-verse.

UNIXWORLD's in-depth features go beyond dry technical facts, to show how the pieces fit together — to tell you what's important about the advances and the strategies that are changing your world. And *UNIXWORLD* consistently offers the freshest, most down-to-earth writing you'll find in any computer publication.

Subscribe and Save. Subscribe today, and receive the next 12 issues of *UNIXWORLD* for just half the regular newsstand price. Save even more by ordering for two or three years. You can't lose — every subscription to *UNIXWORLD* comes with a no-risk guarantee.*

1 year \$18.00 (save 50%)
2 years \$32.00 (save 55%)
3 years \$42.00 (save 60%)

**Subscribe now! Call toll-free:
1-800-257-9402 Ext. 29**

UNIXWORLD
McGraw-Hill's Magazine of Open Systems Computing

If you're into UNIX, you need *UNIXWORLD* MAGAZINE.

UNIX® is a registered trademark of AT&T. UNIX WORLD is not affiliated with AT&T.

**UNIXWORLD*'s no-risk guarantee: If not satisfied, cancel and receive a full refund for the balance of your subscription.
A McGraw-Hill publication

World Radio History

packet is sent across the tunnel, the GatorBox at the receiving end looks at the source network. If the network number isn't in the list of networks to include (or if it is in the list of excluded networks) the GatorBox discards the packet. If the source network is authorized, the packet goes through.

There's just one problem with this scheme. Users on a network that isn't allowed to go through other sites will still see the foreign WAANs. However, the

users will see only empty zones, since the lookup packets are dropped before they can be answered. The GatorBox scheme also does not prevent a link between two GatorBoxes from becoming bogged down by excess traffic. If many users at one end start doing lookups, the packets still get passed and dropped at the other end of the link. It would be better if the local box did the processing.

The MacIP task force is also working on network number conflicts. It might

seem unlikely that two or more large sites that want to connect would have one or more identical network numbers, but many institutions have numbered their networks starting from 1.

The current plan allows gateways to remap network numbers at remote sites to a local range of numbers. For example, when a local gateway receives a packet from another network, it looks in a table to find which network numbers are free on the local side. If the remote source number is in use locally, the gateway changes it. The local gateway simply reverses the operation when replying. The scheme requires a bit of coordination on the part of the routers, and it requires processing time.

Finally, the task force is exploring the exchange of routing information. An AppleTalk router sends an RTMP packet every 10 seconds. The bandwidth required for these routing packets makes it impractical for slow network links. It may be possible to link the routes between sites statically, thereby reducing the need for routing information. Then you'd only have to send routing information when shutting down or bringing up a link, or when link information (e.g., the zone name) changes. Gateways might then send each other an occasional "tick-*le*" to make sure that connectivity is still being maintained. ■

Editor's note: Several working papers on WAANs are available from the MacIP Task Force via anonymous ftp to "apple.com" in the pub/macip directory.

To participate in the WAAN, an institution must have at least one Unix-based computer that's connected to the Internet. It must run the atalkad administrative daemon (a part of the KIP software), and it must be connected to a Cayman GatorBox or a Shiva FastPath running either KIP, K-Star, or GatorShare. If you are interested in becoming a member, send Internet mail to the WAAN administrator at "waan-request@nisc.nyser.net."

William Sproule is a network programmer for systems and technical support at Princeton University. Jon Edwards is assistant to the vice president for computing and information technology. They can be reached over the Internet at "sproule@princeton.edu" and at "jedwards@princeton.edu," respectively, or on BIX c/o "editors."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Never buy another ribbon!

Over 180,000 sold

Shipping \$5.50



Universal Cartridge MacInker shown with Epson cartridge

\$75.00


Universal Cartridge (includes one adapter)	75.00
Multicolor Adapter (specify printer)	40.00
Epson only MacInker™ model 271EP	45.00
Imagewriter only MacInker model 234IM	45.00
Universal Spool MacInker	75.00
Heat Transfer Adapter	25.00
Extra Ink Bottle, Black	3.00
Colored Ink Bottle	4.00
Pint	18.50
Extra Reservoir	6.00

All units come with bottle of ink, meter, reservoir, reservoir cover. Go color!! Single & multi-color, standard and heat transfer cartridges available: red, green, blue, brown, purple, yellow, orange, white, silver and gold. Indelible and OCR ink cartridges available.

Over 24,000 printers supported. Better than new print quality. Extended printhead life thanks to lubricated ink. Average cartridge can be re-inked 60-100 times at 5 cents/re-inking. Multicolor adapters re-ink multiband cartridges. Documented customer savings of up to \$30,000/year. Detailed free catalog.

MacBond Iib

Jet-Master




\$299.00

Automatic Ribbon Welder. Make your own ribbons! Bulk ribbon available, any type; single, multicolor, heat transfer and others.

Save hundreds of \$\$! Recharge your ink-jet cartridges—single or multicolor. Most ink-jet printers supported.

HP Desk-Jet kit (black) ...24.95
HP Think Jet29.95

Other brilliant colors available



Scanners - gray scale and color

Full page Scanner: sheet fed or hand held!! Don't type it, scan it with Character 400P. Eliminate costly, time consuming labor by reading printed material into your computer. Character 400P is FULL PAGE. Use it as a HAND SCANNER to read directly from books or with the AUTOMATIC SHEET FEEDER (no extra charge). Scan in forms, agreements, contracts, financial reports, or use it to organize an efficient, electronic data file of clippings and images. 100-400 dpi selectable resolution. Supplied complete with PC interface, cable, LightPaint image software.

Character 400P\$599.00 Perceive OCR s/w\$99.00

Finally, great color scanning for your PC. PS 3000 features 300 dpi resolution with full 24-bit color (16 million colors). Functions also as a 256 gray-level scanner for black & white photos. Fully HP Scanjet compatible for use with OCR software. Complete with Picture Publisher software & cable (VGA required or better). PS-3000\$999.00

Word Scan OCR software\$300.00



Modems - Fax/Modems - Fax/Phone Switch

LightSpeed 2400LE, 'Editor's Choice', PC Magazine - 'Best Buy', MacUser, 2400 baud modem, error free with MNP class 5, software, cable, free introductory services.

LightSpeed 2400LE159.00
Bullet 9600 bps, V.32, MNP 5479.00
Bullet 9600 bps, V.42/V.42bis MNP 5549.00
MicroModem, 2400 bps pocket modem 149.00



Run a phone plus answering machine and a fax machine on a single phone line and save \$\$\$! Installs in 2 minutes, very easy to use, error proof89.00
Pocket Fax/Modem249.00
Send/Receive, 9600 bps as fax, 2400 bps as a modem, with software and cable.

Diskette Doubler

Increase 3.5" disk capacity to 1.44 Megs with this ingenious and simple device. **Only \$15.00!**

Computer Friends, Inc.
14250 NW Science Park Dr.
Portland OR 97229

Satisfaction or 30 day refund - Prompt shipment - Major credit cards and COD. PO's from nat'l accounts - Shipping charges \$5.50 or actual cost + \$2.00 handling

Order Toll Free 1-800-547-3303

In Oregon (503)626-2291

Fax (503)643-5379 Telex 4949559 CF

PC-MOS

The Multiuser DOS Platform For The '90s

The 386 and now the 486 microprocessors have focused a lot of attention on the multiuser, multitasking possibilities of advanced PCs. A myriad of software and hardware manufacturers are promising a new age of multiuser options in the '90s.

But when you take a closer look, only one solution focuses on the features you want and anticipates the capabilities you need to use your PCs to their greatest potential. That solution is PC-MOS™ from The Software Link, the first DOS-compatible, multiuser, multitasking operating system.

A Network Alternative

The advantage to the PC-MOS shared processing solution is its ability to maximize the available memory on your PC, taking full advantage of extended memory and sharing it with up to 25 users on inexpensive terminals or monitors. You can share data with the same speed and integrity of a network solution without the expense of network cards and the waste of under-utilized PCs. And no additional investment is required to get the multitasking capabilities inherent in PC-MOS.

A Network Enhancer

For affordable network expansion, PC-MOS servers can be connected to other servers with The Software Link's LANLink or with the PC-MOS

PC-MOS is a trademark of The Software Link. All other products referenced are trademarks of their respective companies. Prices, policies and specifications subject to change without notice.

GATEWAY™ to Novell's NetWare®. This connectivity lets a business configure its automation systems for departmental efficiency and expand affordably as needs grow with LANs or even WANs.

DOS Compatible

The PC-MOS alternative is clear: DOS compatibility means your users can continue to use all the popular software packages. And that means no investment loss, no retraining and no limitations in available applications.

An Unbeatable Solution

The next decade of shared processing will be clouded with choices. Only one operating system was first to offer you DOS-compatible, multiuser, multitasking solutions. Only one operating system continues to provide unbeatable multiuser solutions for over 150,000 users. PC-MOS from The Software Link. Call today and set your computing sights on a more productive horizon.



THE SOFTWARE LINK

1-800-766-LINK

3577 Parkway Lane, Norcross, GA 30092


(404) 448-5465 FAX: (404) 263-6474 TELEX: 4996147 SWLINK

VARS and RESELLERS:

Ask about our Sales Support Program

GSA Schedule/GSOOK 90 AGS6448

Circle 280 on Inquiry Card (RESELLERS: 281).




Perfectly

Electronic and Computer Products to Break All Performance Barriers

Whether you are driving a screaming racing machine down the track, propelling an electronic design toward market or revving up a business dependent on personal computers... it's all about performance. At Jameco, we dynamically tune our products, customer support, quality assurance, and competitive pricing—to make sure your purchases do exactly what you want them to do... perform.

Jameco's wide product choices give you the inside track. Select from a full price/performance lineup... from the most advanced computing tools available, to mid-range, to starter systems. Select from our catalog of over 4000 Jameco products. And, our comprehensive customer support keeps things running smoothly for everyone from power users, to corporate managers, and to the hobbyist. Our technically expert staff members answer your questions by phone and discuss your needs, starting with your purchase plans and continuing through the life of the product.

The Jameco crew has spent 16 years synchronizing distribution of quality electronic components, computer products, and test and measurement equipment. We track the latest technology,




Jameco 12MHz 80286 Computer Kit

- 512KB RAM (expandable to 4MB)
- 200 Watt power supply
- 101-key Keyboard • Multi I/O Card
- Toshiba 1.44MB, 3.5" Floppy Drive
- DR DOS 5.0 and AMI diagnostic software

\$549.95/JE2812A

Video monitor/adaptor not included




Jameco 25MHz 80386 Motherboard



Teac 1.2MB Floppy Disk Drive



Logitech Mouse



Orchid 32MB Memory Card



Jameco 33MHz 64KB Cache 80386 Computer Kit

- AMI Motherboard with 64KB cache, 80486 upgradeable, 4MB RAM (expandable to 32MB)
- 300 Watt power supply
- 6 half-height drive bays
- 101-key Keyboard • Multi I/O Card
- Toshiba 1.44MB, 3.5" Floppy Drive
- DR DOS 5.0 and AMI diagnostic software

\$1999.95/JE3833A


Video monitor/adaptor not included



Please refer to Mail Key 1 when ordering

Terms: Prices are subject to change without notice. Items subject to availability and prior sale. Complete list of terms/warranties is available upon request.

Tuned



buy globally for the best quality and value, thoroughly prequalify each vendor and product, and constantly test products received into stock.

Our customers buy with confidence because of Jameco's consistent quality, wide selection, latest technology, solid customer support, and competitive prices. Shift into high gear and join our large family of satisfied customers from big and small businesses, schools and universities, government and individuals.

Break through the electronic and system performance barrier. Call Jameco for a complete product catalog or to place an order 24 hours a day. Or, stop by our catalog-store/headquarters located in Belmont, CA, serving Silicon Valley and the Stanford technology park area.

JAMECO
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS

1355 Shoreway Rd.
Belmont, CA 94002
(415) 592-8097
FAX: (415) 592-2503

Jameco 16MHz 80386SX Computer Kit

- 2MB RAM (expandable to 8MB)
- 200 Watt power supply
- 101-key Keyboard • Multi I/O Card
- Toshiba 1.44MB, 3.5" Floppy Drive
- DR DOS 5.0 and AMI diagnostic software

\$999.95/JE3816A


Video monitor/adaptor not included



Memory Chips



LED Displays



Global Specialties
Design Station




Potentiometers

Centronics Connectors



Microprocessors

A WORKSHOP ON FAULT TOLERANT UNIX SOFTWARE.



DOT THE
I's
AND ASK THE
Y's
C



At long last. Your chance to become acquainted with DUAL DISC MIRROR and MULTI DISC

MIRROR. The awesome twosome that has changed the world, by eliminating data loss and system down-time. We invite you to attend and participate in the How's and Why's at the workshop on 'Fault tolerant UNIX software' to be held in Oosterhout, Holland on October 4, 1991.

So send in your comments and suggestions for this TwinCom meeting, led by people who are in the trenches, solving today's business and technical problems. Invited guest speakers include such people

as Government officials (Austria Bundespost), prominent users (Motorola Communications USA, Health-Base Holland) and banking experts (Union Bank of Switzerland).

If we need to further convince you if this exciting workshop could be important to you, please contact TwinCom International BV, TwinCom USA or one of our distributors. They also provide you with information about the spectacular week-end arrangement in Amsterdam. Our babies welcome you.

**TWIN
COM** Professional Program Products


USA: TwinCom USA, 5220 Hollywood Ave, Shreveport LA 71109. Tel: 800 234 8088 or 318 635 9275. Fax: 318 635 5319.
Europe: TwinCom International. Slotlaan 15, 4902 AD Oosterhout, The Netherlands. Tel: 31 1620 23936. Fax: 31 1620 35088.

AN INVITATION.

ASK BYTE

Who Moved My Key Caps?

I have been trying to find information on the origins and development of the key layout on keyboards for personal computers. Obviously, computer keyboards evolved from teletype machines, which in turn were engendered by typewriters. Additionally, I'm interested in the differences between the QWERTY version and the Dvorak and foreign-language versions—why and how they came to differ from ours.



H. S. Rodgers
San Diego, CA

I checked the local library and dug through a pile of encyclopedias. Armed with a bit of background material, I then checked the U.S. Patent depository and looked up the original typewriter patents. With that and some other tidbits I found here and there, this is what I got:

As you point out, the computer keyboard layout is clearly rooted in the standard typewriter QWERTY layout. When Christopher Sholes patented the typewriter in 1868, it had an alphabetic layout. A few years later, the Remington company bought the rights and produced the first commercial typewriter in 1873. By then, the key layout had been changed to the QWERTY that we all know and love. Why? No one seems to know.

One popular theory is that it slowed typists down so they couldn't type faster than the mechanism could keep up. Unfortunately, there's no factual evidence to back this up. According to Grolier's, the key layout was changed to make it easier for Remington to sell machines to its customers. It's hard to imagine why anyone would prefer the QWERTY layout, but it certainly would make it hard for a Remington user to switch to a competitor's typewriter.

August Dvorak studied the English language and realized that it was silly to put so many common letters in such dumb places on the keyboard. He rearranged the key caps to move the most-often-used letters to the home row, distribute the typing effort evenly between the left and right hands, and put the most-often-used letters under the strongest fingers.

That gets us past typewriters, and as you point out, computer keyboards obviously evolved from typewriters. All I can tell you about computer keyboard layouts is what I learned when designing Multimate's Business Advantage keyboard a few years back. I ran into an interesting study, attributed to IBM, that talked a bit about the function keys on the PC, XT, and 84-key AT keyboards.

Prior to the IBM PC, many terminal manufacturers placed function keys anywhere they wanted. The study suggests that most people who used computer terminals in the late 1970s were primarily doing data entry. The numeric keypad on the original PC made it easy to enter numeric data with the right hand. With the function keys together on the left, the left hand could easily control all the program functions without the right hand moving from the numeric keypad.

Word processing had become a primary PC application by the time the AT was shipped in 1985. The new keyboard had a bigger Return key, and the Escape key was

moved out of harm's way. The study goes on to talk about key heights, angles, click, and so forth. Of course, the new standard is the 101-key keyboard. Escape is more or less back where it belongs, and the dedicated cursor pad is in a good spot. I have to assume that the function keys were moved to the top of the keyboard just to be annoying.

I wasn't able to dig up anything on the foreign-language keyboards. Big computer companies like IBM, DEC,

and Wang do research on this stuff all the time. Perhaps someone would care to shed some light on this?

—H. E.

Going Back in Time

We have a DOS date problem that consistently causes confusion on our network. During log-in, the PC's DOS clock synchronizes to the server's clock. Following log-in, the PC's clock runs independently of the server's.

In general, most PC clocks remain fairly well coordinated with the server's clock. The problem is that PCs that remain logged in for several days will sometimes slip a day. That is, the time will be correct, but the date will not have advanced. This has become an annoying problem, since several of our mission-critical applications automatically insert the date from the local PC's DOS clock.

I remember reading somewhere that slipping dates in DOS can be caused by TSR programs (e.g., network drivers) interfering with the date change that should occur at midnight. The time is not affected because it is continuously updated.

Am I interpreting the problem and its cause correctly? Is there any fix, and will the problem continue under DOS 5.0? We have been able to find very little information on this subject. Any help would be greatly appreciated.

James F. Remillard
Woods Hole, MA


DOS handles date and time functions in a software-maintained clock. A continuous hardware timer triggers an interrupt, which in turn updates a 4-byte counter in low memory. Another location stores the overflow flag, which indicates that the time has run over midnight.

For DOS to realize the date has changed, it must see the overflow flag. A number of DOS versions have confirmed bugs in the code that handles this flag. One source on BIX suggests that the date and time management happens every time your application requests keyboard input from DOS. If your application is busy running at midnight without checking the keyboard, there's a chance that the date software simply isn't getting a chance to update itself.

There are several fixes. The obvious one is to rely on the CMOS hardware clock for your date functions. If you're on an AT, use INT 1Ah, functions 2 and 4, to read the time and date, respectively. The CMOS clock is a real clock, not subject to any DOS errors. Another

OUR PC OFFERS YOU LESS

"The Megatel PC/+i
is ideal for
embedded solutions"



► Uses Less Power

- Power consumption under 2 watts
- Uses +5 volts only

► Uses Less Space

- Only 4" x 6" x 0.5"

► Less Cost

- Highest feature per square inch ratio

► Less Time to Market

On board features include:

- PC Compatible 10 MHZ processor with 704K DRAM
- Floppy, SCSI and Video/ LCD Controllers
- 2 PC Compatible RS-232 Serial Ports (COM 1, COM 2)
- One RS-485/RS-232 Multi-protocol Serial Port (HDLC, SDLC, ASYNC)

For a list of our international distributors contact our head office.

125 Wendell Ave.
Weston, Ont. M9N 3K9
Fax: (416) 245-6505

(416) 245-2953

megatel®

ASK BYTE

possibility is a replacement for the standard DOS clock software. BIX and other BBSes often carry device drivers that fix the DOS clock bugs.

I can't speak for DOS 5.0. I haven't tried it myself, and bugs like that often take a while to surface anyway. There's a good chance that the existing software patches won't work under DOS 5.0. If you can, modify your applications to use the CMOS clock. That should fix you right up.—H. E.

I, Database

I am hoping to develop a CD-based library of the writing of various authors, primarily works of fantasy and science fiction. Each CD would cover the works of a single author, including short stories, articles and essays related to the genre, novellas, novels, and biographical or autobiographical works.

For these reasons, I would like to solicit your suggestions on the selection of hardware and software needed.

I realize that this project will require a significant investment of both time and money on my part, but it has developed a grip on me that I can't deny. This is a chance for me to repay this medium for all the years of pleasure it has given me, and at the same time give something to future generations of readers in the form of books, stories, and artwork that might otherwise be lost to them. Any suggestions that you can make to aid my preparation would be greatly appreciated.

Earl Baker
Jefferson City, MO

I admire your devotion to this labor of love, but I urge caution before making a substantial investment in hardware and software.

It would be very interesting to have a single source for the works of such authors as Isaac Asimov, Arthur C. Clarke, or BYTE's own Jerry Pournelle. However, I would first investigate whether there is a market that will pay back such an investment in time and effort. CD-ROMs such as you suggest would appeal to a limited number of readers, libraries, or universities.

*I suggest you do a little more research and see if you can start a new career in the CD-ROM publishing industry, rather than going the do-it-yourself route. For an introduction to CD-ROMs, see *The CD-ROM Chronicles Audio CD*, available for \$18.95 from Meridian Data, Inc. (5615 Scotts Valley Dr., Scotts Valley, CA 95066, (408) 438-3100; fax (408) 438-6816).*

You can also contact these publishers of CD-ROMs:

*Quanta Press
2550 University Ave. W, Suite 245N
St. Paul, MN 55114
(612) 641-0714
fax: (612) 644-8811*

*World Library, Inc.
12914 Haster St.
Garden Grove, CA 92640
(800) 443-0238
(714) 748-7197
fax: (714) 748-7198*

—S. W. ■

SPEED TEST YOUR PC

You've seen the Landmark Speed Rating advertised by many major PC manufacturers, now you can have your own copy of the Landmark System Speed Test™. Accurately measure CPU, math, and video speeds to make an informed purchasing decision, determine the best PC for the job or maybe just win some bets in the office on whose PC is really faster! Includes the Landmark AT CMOS RAM Setup program to update your system configuration on-the-fly. **BYTE Special \$19 + \$3 ship/handle.**



PC WON'T BOOT? THEN JUST KICKSTART IT!


Don't replace your motherboard, don't call service, use KickStart 2™. When serious hardware problems occur, nothing gets you up and running as fast. KickStart 2 measures power within 2.5% on all four voltages, shows Power-On Self-Test (POST) failure codes, and features on-board ROM-based diagnostics allowing you to determine and remedy the problem quickly, easily, and inexpensively!

Built-in serial and parallel I/O allows for testing via modem, or simply logging results to a remote terminal, printer or laptop. You can configure your own test routines and store them in KickStart 2's battery backed-up CMOS RAM saving valuable setup time. Includes serial and parallel loopback plugs and Landmark JumpStart AT ROM BIOS for testing PCs that don't issue POST codes. KickStart 2 tests your system regardless of O/S (even UNIX).

On-board switches, LEDs, and digital displays allow complete control over testing in systems lacking video or disk (ideal for motherboard or system burn-in).

KickStart 2 is the ultimate SECURITY CARD too! With both supervisor and user levels of password protection, you can prevent unauthorized use of your PC and accidental running of destructive tests. Regularly \$599, **BYTE Special, SAVE \$\$\$ CALL NOW.**

"KickStart 2 system diagnostics board helps users check out virtually every aspect of a PC's hardware system... the board is a worthy investment for computer maintenance." David Claiborne, PC Week - December 24, 1990.



KickStart 2 is ideal for permanent installation. It eliminates the need for an I/O card, provides remote and on-site diagnostic capabilities for quick repair time and offers a solid hardware based solution to unauthorized access with impenetrable password protection.

SLASH DOWNTIME AND OPERATING PROBLEMS

With PC Probe™ you'll save time and money when your PC starts acting up. In one easy-to-use package you get Diagnostics, Benchmarks, Performance Enhancement Utilities, and System Information. Combined, this arsenal of tools will keep your system up and running at peak performance and remove the mystery about what's inside.

PC Probe diagnostic testing quickly isolates the source of hardware problems, even locating bad RAM chips. It tests system board, RAM, video, keyboard, com ports, floppy drive, hard drive, Ethernet card and more. Run PC Probe tests in batch mode or single pass, remote or on-site.

PC Probe allows you to increase your hard drive data transfer rate by determining optimum interleave and changing it, prevent catastrophic data loss by performing data revitalization, reformat the hard drive, run external programs, display and edit CMOS RAM on-the-fly, prevent accidental hard drive data destruction with passwords, diagnose problems with device drivers installed.

The 200 page on-line manual has built-in table of contents, topic/text search, and troubleshooting tips. PC Probe comes with dual size floppies and 9 & 25 pin serial/parallel port loopback plugs. For PC XT, AT, 386, 486 and compatibles using DOS 2.0 or higher. Regularly \$149, **BYTE Special \$134 + \$6.75 shipping and handling.**

CONFUSED BY TECHNICAL COMPUTER JARGON?

Finally, with a single keystroke, you can define virtually every computer term known in a matter of seconds. This award-winning, easy-to-use utility, defines over 4200 computer terms and concepts for you without having to leave the program you're in.

The Computer Glossary™ (a software version of the best-selling book by Alan Freedman) installs as an application or hot-key accessed TSR. The definitions are written in concise, standard English. Plus, The Computer Glossary provides colorful industry "backgrounders" fascinating to the beginner and expert alike.

Get the most out of your software, manuals and computer magazines, buy The Computer Glossary and become a true POWER USER. Runs under DOS or MS-DOS 2.0, or later, with 32K of RAM and 1.4 MB of hard disk space on IBM PC, XT, AT PS/2 and compatible computers. Regularly \$59, **BYTE Special, SAVE \$\$\$ CALL NOW.**

Call (800) 683-6866

Fax (813) 443-6603 • Voice (813) 443-1331
CA, WA, NV, HI, OR, AK use (800) 678-3600

Visa • MC • Amex • CODs Accepted • Dealer Inquiries Welcome



LANDMARK/SuperSoft
First in PC Testing... Since 1981

703 Grand Central Street • Clearwater, Florida 34616

Copyright © 1981-1991. Landmark, SuperSoft, PC Probe, AlignIt, KickStart, JumpStart, ROM POST, and Service Diagnostics are trademarks and registered trademarks of Landmark Research International Corp. All Rights Reserved. Other names are trademarks of their associated owners.

THE 5 MINUTE SOLUTION TO FLOPPY DRIVE FAILURE

With AlignIt™ you can clean, diagnose, and align your floppy drives in minutes without a scope. Patented technology requires only a screwdriver to perform ANSI-accurate alignments (.3 mil).

AlignIt is ideal for corporate users with 2 or more PCs because it includes a "GOLO STANOARD" feature so you can align all your PCs to the same in-house standard, guaranteeing that all your floppies are perfectly interchangeable between PCs.

80% of all floppy drive failures can be fixed with AlignIt, so don't replace your drive, save time and money instead.

Includes dual size floppies, (both high and low density) and no-mess pre-lubricated cleaning diskettes (both sizes) good for 180 uses. Replacements and single drive size versions available. For all PCs and compatibles. Regularly \$249 (single size \$149) **BYTE Special, SAVE \$\$\$ CALL NOW.**

HARD CORE TESTING FOR PROFESSIONALS

Landmark/SuperSoft Service Diagnostics™ is ideal for professionals requiring the most exhaustive diagnostic test capabilities. Each module is CPU specific, including PC, XT, AT, 386/486, and PS/2. Since 1981 major manufacturers like Wang, Xerox, Prime, Sony, DEC, NEC, and NCR have relied on Service Diagnostics to tackle their toughest operating problems.

Intended for professional service and repair technicians, Service Diagnostics is also easy to use for the novice. Clear, concise on-line help and intuitive menus make finding system problems a breeze. Tests all CPUs, math chips, all memory, floppy, fixed and non-standard disk drives, standard/non-standard printers, system board, video, com ports and all keyboards. Utilities include low-level reformat, log bad sectors, edit bad sector table; the partition editor allows you to set up multiple partitions; back-up program transfers hard disk image on unformatted floppies and allows for restore after reformat.

Ideal for UNIX and other operating systems, the self-booting version doesn't require DOS. The manual offers troubleshooting tips to the component level. Also available in a complete Kit including: all CPU specific software, dual size floppy alignment software (see AlignIt), and PC/XT & AT ROM POSTs. **Winner of the PC Magazine Editor's Choice Award in August 1990.**

HOW TO DEBUG A DEAD PC

Need an inexpensive solution for dead or problematic PCs and motherboards? Try KickStart 1™ or JumpStart ROM POST™, two quick and easy to use debugging tools.

KickStart 1 test card shows power status on all four voltages and binary PORT 80 Power-On Self-Test codes. The manual translates error codes for easy failed circuit isolation. Regularly \$99, **BYTE Special, SAVE \$\$\$ CALL NOW.**

JumpStart ROM POST is a plug-in chip designed to replace your motherboard BIOS for testing purposes. Tests include CPU register and logic, 8087 math coprocessor, 8253 timer, 8237 DMA controller, 8259 interrupt controller, parity error and memory refresh logic, erroneous maskable/non-maskable interrupt detection, display adapter (MDA, CGA, EGA), keyboard, keyboard controller, floppy controller, drive A: read Base memory at normal & slow refresh rates, and POST checksum. Display of motherboard switch configuration. Regularly \$199 (AT version) \$99 (XT version), **BYTE Special, SAVE \$\$\$ CALL NOW.**



"SuperSoft's Service Diagnostics: The Kit is a technicians dream, with all the tools necessary to accurately analyze all phases of computer operations... It is well worth its performance potential." Bill O'Brien, PC Magazine - August, 1990.



- Service Diagnostics XT/AT Kit.. Reg. \$595, **SAVE \$\$\$ CALL NOW**
- Service Diagnostics PS/2 Kit.. Reg. \$495, **SAVE \$\$\$ CALL NOW**
- XT ROM POST... Regularly \$99, **SAVE \$\$\$ CALL NOW**
- AT ROM POST.. Regularly \$199, **SAVE \$\$\$ CALL NOW**
- Individual pricing available on all kit components, please inquire.

Circle 159 on Inquiry Card.

World Radio History

Colin Chivers prefers that his nightmares show up on the



silver screen, not his computer screen.



When you're an Oscar-award winning Special Effects Director with \$20 million on the line, there's one demon you never want to see.

A floppy disk that flops.

So Colin Chilvers, the special effects genius behind "The Legend of Hell House," "The Rocky Horror Picture Show," three "Superman" movies, and director of TV's "War of the Worlds," and the "Moonwalker/Smooth Criminal" video, takes no chances.

He relies on Sony, the worldwide innovators who developed the 3.5" floppy disk format.

Because it takes more than talent and money to make a major movie fly. And each of his multi-million dollar productions features vast computer generated data. From script writing and production schedules to shot lists, insurance and crew sheets.

If Chilvers loses just one of these vital bytes, he knows it could cost him his single-minded vision.

So avoid nightmares. Specify Sony floppy disks and data cartridges.

No director can risk a flop. And neither can you.



SONY.

Circle 262 on Inquiry Card.

2 parallel, 2 serial, 1 board

Quatech DSDP-402 for PC-AT has two parallel ports, and two serial ports for any combination of RS-232, 422, and 485 communication. DSDP-100, two parallel and two RS-232 ports, available at lower cost.

For order info, call:
1-800-553-1170

Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

Circle 240 on Inquiry Card.

Eight Serial Ports One Board

Quatech's ES-100 provides eight RS/232 serial ports in a single AT slot. RJ-11 modular connectors. 16450 UARTS are standard. Optional buffered 16550 UARTS. PC-AT, ISA, or EISA compatible. Priced below \$500! Quantity Pricing Available!

Call for our PC Interface Handbook:
1-800-553-1170

Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

PC-AT is a trademark or
registered trademark of IBM Corp.

Circle 241 on Inquiry Card.

RS-422/RS-485 Boards for AT, Micro Channel

RS-422/RS-485 asynchronous serial communication boards from Quatech available in 1 to 4 ports for PC-AT and compatibles and 1 to 4 ports for PS/2 Micro Channel.

Call for our free
PC Interface Handbook:
1-800-553-1170

Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

PC-AT, Micro Channel, and PS/2 are trademarks or registered trademarks of IBM Corp.

Circle 242 on Inquiry Card.

Synchronous Communication Boards for AT

Quatech synchronous/asynchronous serial boards for PC-AT and compatibles support RS-232, RS-422, and RS-485 communication.

Call for our free
PC Interface Handbook:
1-800-553-1170

Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

PC-AT and PC are registered
trademarks of IBM Corp.

Circle 243 on Inquiry Card.

Communications Data Acquisition



"PC-AT (ISA) Interfaces"



"PS/2 Micro Channel Interfaces"

Q QUATECH

Phone: (216) 434-3154 • FAX: (216) 434-1409
TELEX: 510-101-2726

PC-AT, PS/2 and Micro Channel are
registered trademarks of IBM Corporation.

Circle 244 on Inquiry Card.

Digital I/O Board

Single-slot Quatech PXB-721 for PC-AT has 72 digital I/O lines. Connect three choices of data acquisition modules. Supports Labtech Notebook™

Call for our free
PC Interface Handbook:
1-800-553-1170

Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

LabTech Notebook is a trademark of
Laboratories Technologies Corp.

Circle 245 on Inquiry Card.

PXB-160 16-BIT TRUE PARALLEL DIGITAL I/O

- Two eight bit ports
- Latched I/O
- DMA and I/O Modes
- Handshakes for 16 Bit I/O Transfer
- Programmable timer for Interrupt or DMA Transfer
- External interrupt and data transfer request inputs
- List Price Below \$400.00

Call the Order Line
1-800-553-1170

Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

Circle 246 on Inquiry Card.

100KHz- 16 Bit Data Acquisition



DAQ-16!! Complete 16 bit data acquisition system on a card! Converts 286/386/486 personal computers into full featured high performance data acquisition systems for laboratory and plant floor applications.

Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

To Order call **1-800-553-1170**

PC and Micro Channel are registered trademarks of IBM

Circle 247 on Inquiry Card.
World Radio History

Wave Form 20MHz - 32K \$1290

The WSB-100 Wave Form Synthesizer Board from Quatech has the best set of numbers in the market. With speed to 20MHz and a 32K memory at \$1290, it's making waves in more ways than one. The WSB-100 is also a star performer as a digital pulse/word generator with the optional digital module.

Call for our free
PC Interface Handbook
1-800-553-1170





Q QUATECH

662 Wolf Ledges Parkway
Akron, OH 44311

Circle 248 on Inquiry Card.


BYTE

PRODUCT SHOWCASE



CATALOG SHOWCASE

Best Power Technology, Inc.




Learn how to solve your power problems – FREE!

Get rid of the power problems that harm your electronic equipment and ruin your data. How? Send for our FREE literature! Our all-new catalog tells what poor-quality power does to your equipment. It explains why poor power makes your equipment fail. And it shows you how to save money on equipment repair and downtime. Send for your copy – today! Contact: Best Power Technology, Inc., P.O. Box 280, Necedah, WI 54646.

Telephone (608) 565-7200, ext. 2183
Toll-free 800-356-5794, ext. 2183

Circle 36 on Inquiry Card

Hooleon



CUSTOM KEYBOARD PRODUCTS
Improve productivity and reduce training time by having your software commands color-coded and imprinted on your keyboard. Custom keys, SnapCap™ Keycaps, custom imprinted keytop and keyfront labels, templates, plus new macro devices and custom keyboards. WordPerfect and 5250 Emulation KeyCaps for IBM 101-keyboard; relegendable keys for IBM®, Cherry®, Wyse® and KeyTronic®; Keytop Label kits for WordPerfect™, DisplayWrite™, Data Entry and language conversions. Call for FREE catalog.

1-602-634-7515 Fax 602-634-4620
Order Hotline 1-800-937-1337

Circle 129 on Inquiry Card

Intel Development Tools



Choosing the right architecture for your embedded design is one of the most important decisions you face today. For successful embedded microcontroller development, Intel offers you a complete line of emulators, compilers, debuggers and much more for the MCS®-51, MCS®-96, i960™, x86, Intel386™, and Intel486™ families of Intel architectures.

Call or write us for your free copy of our Development Tools Catalog.

Intel Corporation, Development Tools, 5200 N.E. Elam Young Parkway, JF1-15, Hillsboro, OR 97124.

1-800-874-6835 or Fax 503-696-4633

Circle 142 on Inquiry Card.

Lyben Computer Systems



Computer Supplies and Accessories at Discount Prices


Over 4000 Items
93% of Orders Shipped Same Day
Many Hard-to-Find Items
30-Day Return Policy

A Unique catalog company with a personal touch. Circle inquiry number to receive a free 100-page Introductory Catalog with special offers. Our regular catalog is 228 pages.

1-313-649-4500 Fax 313-649-2500
1150 Maplelawn • Troy, MI 48084

Circle 168 on Inquiry Card

National Instruments



Free 488-page full-color catalog describing instrumentation hardware and software products for personal computers and workstations. Application software for data analysis and presentation and for collecting data using instruments and plug-in boards. Features GPIB interfaces, data acquisition and DSP boards, driver level software, signal conditioning and VXI controllers.

1-512-794-0100 Fax 512-794-8411

Circle 201 on Inquiry Card

TigerSoftware



The Industry's hottest DOS and Windows 3.0 catalog. Packed with dozens of new and hard-to-find software, hardware, peripherals and accessories to increase productivity and enjoyment of your PC. Includes Free Upgrades on selected products and Free Federal Express Shipping. Contains CD-Rom, Scanners, PalmTop PCs and more for home and office.

1-800-888-4437 Ext. MQ88
International: 305-443-8212 Ext. MQ88
Fax: 305-444-5010

Circle 328 on Inquiry Card.

BYTE Catalog Showcase



Advertisers:

The Catalog Showcase is the most effective low-cost way to promote your product line to 500,000 technically sophisticated, knowledgeable buyers of computer products!

Call Ellen Perham for more details.
603-924-2598 Fax 603-924-2683

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

Effective January 1, 1991.

RATES: 1 issue—\$675 3 issues—\$625 6 issues—\$600 12 issues—\$525
Prepayment must accompany each insertion. VISA/MC Accepted.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum), descriptive text (250 characters is recommended, but up to 350 characters can be accommodated), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call Joseph Mabe at 603-924-2656. FAX: 603-924-2683.

ACADEMIC COMPUTING

Transputer Education Kit

For the student, Professional or hobbyist
Introductory price: \$346.
Includes ready-to-use PC add-in board with 20-MHz 32-bit T400 transputer, 1Mb of RAM, PC Interface (PC, XT, AT, or 386 compatible), and an 8-bit parallel I/O port (for optional hardware experiments). Also includes: Occam2 and C compilers (and assembler), demo, example, and diagnostic programs; and 1500 pages of documentation (including schematics). Can be interconnected with other Kit boards or with less expensive Add-On-Processor boards.

Computer System Architects

950 N. University Ave., Provo UT 84604
(800) 753-4CSA (801) 374-2300 FAX (801) 374-2306

Inquiry 701.

ACCESSORIES

RADIOACTIVE?

Plot it on your PC with The RM-60 RADIATION MONITOR. Serial or printer port. Detects: ALPHA • BETA • GAMMA • X-RAY. MicroR, 1000 times the resolution of standard geiger counters. Excellent for tracking RADON GAS. Find sources. New: Version 2.6
Plot: • Background • Cosmic Rays • Clouds • Foods
Call/Write for PC MAGAZINE review. • TSR • GM Tube
VISA/MC/EURO Phone orders. Not satisfied? Full refund.

Tel/Fax: (302) 655-3800

Aware Electronics Corp.

P.O. Box 4299, Wilmington, DE 19807 \$149.50

Inquiry 702.

CUT RIBBON COSTS!

Re-ink your printer ribbons quickly and easily. Do all cartridge ribbons with just one inkler! For crisp, black professional print since 1982. You can choose from 3 models:
Manual E-Zee Inkler — \$39.50
Electric E-Zee Inkler — \$94.50
Ink Master (Electric) — \$189.00

1000s of satisfied users. Money-back guarantee.

BORG INDUSTRIES

525 MAIN ST., JANESVILLE, IA 50647
1-800-553-2404 In IA: 319-987-2976

Inquiry 703.

KEYBOARD, VIDEO, MOUSE

Extension with EXTENDER
Splitting with COMPANION
Switching with COMMANDER
Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard and monitor.

CYBEX CORPORATION

2800H Bob Wallace Ave., Huntsville, AL 35805
Phone 205-534-0011 Fax 205-534-0010
See our ad on page 130

Inquiry 704.

HEWLETT PACKARD

Buy — Sell — Trade

Laser Jet III/II	Color Pro (7440)
Laser 2000 2 Meg/4 Meg upgrades	HP-7550A
Desk Jet	Draft Pro DXL/EXL
Rugged Writer	Draftmaster I/II
Electrostatic Plotters C1600 (O Size) C1801 (E Size)	
Science Accessories Corporation Sonic Digitizers	
36" x 48" (2750)	60" x 72" (3175)

T. E. Dasher & Associates

4117 Second Ave. S., Birmingham, AL 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833

Inquiry 705.

ARTIFICIAL INTELLIGENCE

Software Engineer Do Your Own Windows!

At last a LISP programming environment which takes advantage of a GUI and protected mode on the PC. Software Engineer™ for Windows™ 3.0 is a complete programming environment. It includes a LISP-aware text editor, allowing quick, easy and interactive Windows development. Software Engineer supports DDE, GDI, the clipboard, dialog boxes and menus. Software Engineer is priced at \$249.95

Raindrop Software Corporation

845 E. Arapaho, Suite 105, Richardson, Texas 75081
(214) 234-2611 Fax (214) 234-2674

Inquiry 706.

BAR CODE

LABELING SOFTWARE

On EPSON, IBM, OKI dot matrix or LaserJet. Flexible design on one easy screen. Any format/size. Up to 120 fields/label. 18 text sizes to 3" readable at 100'. AIAG, MIL-STD, 2 of 5, 128, UPC/EAN, Code 39. File Input & Scanned logos/symbols (PCX)—\$279. Other programs from \$49. 30-day \$3 back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(408) 458-9938 (800) 345-4220

BAR CODE READERS

For PC, XT, AT, & PS/2, MacIntosh, and any RS-232 terminal. Acts like 2nd keyboard, bar codes read as keyed data. With steel wand—\$399. Top rated in independent reviews. Works with DOS, Xenix, Novell, Alloy, -ALL software. Lasers, magstripe, & slot badge readers. 30-day \$3 back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(408) 458-9938 (800) 345-4220

PORTABLE READER

Battery-operated, handheld reader with 64K static RAM, 2x16 LCD display, 32-key keyboard, Real-Time-Clock. Wand or laser scanner. Program prompts and data checking through its own keyboard. Easy data transfer by RS-232 port or PC, PS/2 keyboard. Doubles as On-Line Reader. 30-day \$3 back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(408) 458-9938 (800) 345-4220

PRINT BAR CODES/BIG TEXT FROM YOUR PROGRAM

Add bar codes and big graphics characters to your program. Print from ANY MS-DOS language. Bar codes: UPC, EAN, 2 of 5, MSI, Code 39. Epson, Oki, IBM dot matrix text up to 1/2". LaserJet up to 2". Font cartridges not required. \$179—\$239. 30-day \$3 back.

Worthington Data Solutions

417A Ingalls St., Santa Cruz, CA 95060
(408) 458-9938 (800) 345-4220

BAR CODE

BAR CODE READERS

Keyboard emulation for PC/XT/AT & PS/2's, all clones and any RS-232 Terminal. Transparent to your operating system. Available with Steel wands, Lasers, Slot & Magstripe Readers. Same day shipping, 30-day money-back guarantee. One-year warranty. Reseller discounts available.

AMERICAN MICROSYSTEMS

2190 A Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE PRINTING SOFTWARE

- MS/PC DOS SYSTEMS
- 9 & 24 PIN DOT MATRIX
- H-P LASER JET/PLUS/SERIES II
- MENU-DRIVEN or MEMORY RESIDENT
- CODE 39, I 2/5, UPC A/E, EAN 8/13
- BIG TEXT & BAR CODE SOFTONTS

AMERICAN MICROSYSTEMS

2190 A Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

PC-Wand Bar Code Solutions

Bar codes are easy using our FULL line of readers & printers. They plug & play with your existing CPU/printer/terminals/software systems in your office, store, truck, factory or warehouse. ITS' bar code DOS programs print on matrix or laser printers. 30 day refund, 1 year warranty. OEM/VAR/Dealer discounts.

International Technologies & Systems Corp.

655-K North Berry St., Brea, CA 92621-Western USA
13 Welwyn Court, Richmond, VA 23229-Eastern USA
(800)228-9487 (714)990-1880 (804)741-6725 (FAX)990-2503

Inquiry 707.

PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost-effective data entry. They emulate your keyboard, so scanned data looks just like it was typed in! Choose from stainless steel wand, laser gun, card slot reader, and magnetic stripe scanner. Also, powerful Bar Code and Text printing software. Great warranty. Generous dealer discounts.

Seagull Scientific Systems

15127 N.E. 24th, Suite 333, Redmond, WA 98052
206-451-8966

Inquiry 708.

BAR CODE READERS

Among the best and most widely used bar code decoders. Reads all major codes (39, I 2/5, S 2/5, UPC/EAN/JAN, CODABAR, MSI). Connects between keyboard and system. IBM, PS/2, MAC, DEC-VT compatible. OS & software independent. Same day ship. 2 Year Warranty (pen incl).

Large Reseller Discounts

Solutions Engineering

4705 Langdrum Lane, Bethesda, MD 20815
(800) 635-6533 (301) 652-2738

Inquiry 708.

THE BUYER'S MART

BAR CODE

DATA INPUT DEVICES

Bar Code, Magnetic Stripe Readers & SmartCard Encoder/Reader for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. UPC & 39 print programs, magnetic encoders, & portable readers are also available.

TPS Electronics

4047 Transport, Palo Alto, CA 94303
415-856-6833 Telex 371-9097 TPS PLA
1-800-526-5920 FAX: 415-856-3843

Inquiry 709.

CAD/CAM

STOP

... spending your time on math codes!

The "CAD/CAM Developer's Kit" series has all the 2D and 3D functions that you need for CAD/CAM applications intersect... trim... transform... display... lines, arcs, ellipses, NURB splines... and much more!

CALL (617) 628-5217 FOR INFO

Building Block Software, PO Box 1373, Somerville, MA 02144

Inquiry 715.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE Computerowners coverage provides replacement of hardware, media and purchased software. As little as \$49 a year covers accidents, theft, power surges and more. One call does it all. Call 8 am-10 pm ET. (Sat. 9 to 5)

TOLL FREE 1-800-848-3469

(Local 614-262-0559)

SAFEWARE, The Insurance Agency Inc.

Inquiry 721.

CROSS ASSEMBLERS

CROSS ASSEMBLERS

Universal Linker, Librarian
Targets for 42 Microprocessors
Hosts: MS-DOS, UNIX, VAX VMS

ENERTEC, INC.

BOX 1312, 811 W. Fifth St.
Lansdale, PA 19446

Tel: 215-362-0966 Fax: 215-362-2404

Inquiry 722.

VARIANT MICROSYSTEMS

BAR CODE READERS DELIVER

WAND/LASER/MAGNETIC CARD CONNECTIVITY
• Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2 and portables.

• RS232 wedges for WYSE, Link, Kimtron terminals
• Bar code and label printing software
• Full two-year warranty

• 30-Day Money-Back Guarantee

• Extensive VAR/Dealer Discounts

3140 De La Cruz Blvd., Suite 200/Santa Clara, CA 95054/(408) 980-1880
800-666-4BAR FAX: (415) 623-1372

Inquiry 710.

BASIC CLIP MUSIC

300 Songs & Sounds + 180 Pg. Book

The *ENTER-tainer* makes your PC a fun jukebox and teaches you many ways to be creative with computers. Its fun musical projects are great for beginners, yet it teaches even pros how to put music in their QB or C apps. Source code is included. **Pay no royalties.** Needs basic 2.1 or later. Specify 3.5" or 5.25" disks. \$45 + \$4 s&h (Europe, Canada & Mexico s&h=\$8, others=\$11, 1st class air). For fast visAMC orders, call:

(800) 727-4140 Money-back guarantee. You'll love it!!
PDI Music Software, E. 906 Sanson, Spokane, WA 99207 (509) 483-2114

Inquiry 711.

CAD

AutoCAD Users Seek Professional Help! GT Express Professional™

• AutoCAD® DLP software for VGA • Instant zooms, pans & redraws • Flexicon™ menuing system • VGA & Super VGA
• 256 colors • 1024 x 768 • Create your own Flexicon menus!
• Includes Flexicon Developer's Kit •

Only \$395

Call ARTIST Software for a FREE demo
1-800-999-9678

Inquiry 712.

CAD/CAM

STEPPER MOTOR CONTROL FROM A PRINTER PORT

NEW Indexer LPT™ software **\$249**
VERSION 2.0 VISA/MC

• Controls up to six motors simultaneously
• Linear and Circular Interpolation.
• New features to accommodate machine control.
• Easy-to-use DOS device driver. Super Manual.
• CAD-CAM interface available.

Ability Systems Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX (215) 657-7815

Inquiry 713.

If you've been muttering...

DXF SUX

... here's the solution!

The "CAD/CAM Developer's Kit/DXF" has all the C Functions you need for programs that read and write DXF files. Full Release 10 support... unlimited file size... insert explosion... ALL entity types!

CALL (617) 628-5217 FOR INFO

Building Block Software, PO Box 1373, Somerville, MA 02144

Inquiry 714.

312 BYTE • JULY 1991

DRAFTeasy • ONLY \$399

• Professional 3D CAD software •

• "Common-sense" menus • Unmatched ease of use • Written in Assembler • Very fast and compact • Powerful features only rivaled by software costing \$1000's • DXF compatible • Programmer's interface for BASIC, Pascal and C • *TRY IT FOR ONLY \$10 • Manual, tutorial, and working copy (SAVE/PLOT disabled) provided*

COMPUTERS ETC.

4600 Chippewa Suite 204, St. Louis, MO 63116
Phone: 314-351-2513 Fax 314-351-7258

Inquiry 716.

CD-ROM

CD ROM, Inc.

RETAIL/WHOLESALE

CD-ROM • WORM • MO • CDI DRIVES
IBM/MAC CD-ROM & CDD DISCS

QUALITY PRODUCTS AND SERVICES AT COMPETITIVE PRICES
FREE CATALOG

TEL. 303-231-9373

1667 COLE BLVD., SUITE 400, GOLDEN, CO 80401
FAX: 303-231-9581, CIS: 72007,544
VISA/MC/AMEX/GOV'T. Pds

Inquiry 717.

NIMBUS

Your complete source for CD-ROM implementation including disc replication, search and retrieval software and application design. Find out just how easy it is to put your data into the media of the '90s

Nimbus Information Systems

1-804-985-1100

Box 7427, Charlottesville, VA 22906

Inquiry 718.

CD-ROM DRIVES & SOFTWARE

FOR THE IBM COMPATIBLE

New & refurbished drive kits from \$395 • Over 20 software titles
Starting from \$35

SPECIAL: RBBS-IN-A-BOX#3 \$95

Over 15,000 shareware and PID programs on one disc.
NEW FOR 1991

TOLL FREE 1-800-ROM-DISC

Free Shipping on Software

S & S ENTERPRISES

PO. Box 552, Lemont, IL 60439

Inquiry 719.

COMMUNICATIONS

SDLC OR X.25 SUPPORT

Use Sangoma hardware and software to provide cost effective, robust and easy-to-use SDLC or X.25 links from MS-DOS, UNIX, PC-MOS, etc.

All real time communication functions performed by intelligent co-processor card.

Full function SNA emulation packages also available.

Sangoma Technologies Inc.

(416) 474-1990

Inquiry 720.

CROSS ASSEMBLERS

CROSS ASSEMBLERS

Universal Linker, Librarian
Targets for 42 Microprocessors
Hosts: MS-DOS, UNIX, VAX VMS

ENERTEC, INC.

BOX 1312, 811 W. Fifth St.
Lansdale, PA 19446

Tel: 215-362-0966 Fax: 215-362-2404

Inquiry 722.

CROSS ASSEMBLERS/SIMULATORS

New unique full-function simulators for the 8096 and 80C196 controllers, featuring ALL MODES of interrupts, plus the HSI, HSO, and A/D functions.

We also support the 8048/49, 8080/85, 8051/52, and Z80 controllers with excellent, reasonably priced Cross Assemblers and Simulators.

Lear Com Company

2440 Kipling St., Ste. 206, Lakewood, CO 80215
(303) 232-2226 FAX: (303) 232-8721

Inquiry 723.

CROSS DISASSEMBLERS

PROFESSIONAL PC SOFTWARE NEW: SPARC CROSS-DISASSEMBLER

★ ANALYTIC CROSS-DISASSEMBLERS W/AUTO LABEL GENERATION
★ RELOCATABLE MACRO CROSS-ASSEMBLERS
SUPPORT FOR 8051, 8048, 8080/5, Z80/180, Z8000, 6800, 6805, 6809,
68HC11, 68000, 6301, 6305, 1800, 6500, 65C02, 9900, OTHERS
★ Z80-8080-8086 SOURCE TRANSLATION UTILITIES
ORDER TODAY: (408) 773-8465

LOGISOFT PO BOX 61929, SUNNYVALE, CA 94086
FAX: (408) 773-8466

Inquiry 724.

DATA RECOVERY

CRASHED?

Your valuable data can be recovered!

• 95% success rate • Fast turnaround
• Priority service available • Servicing Novell, DOS, Macintosh, Unix, Xenix, OS/2, Bernoulli and more!

ONTRACK DATA RECOVERY, INC.

Keeping you in business is our business.

612-937-5161 • 1-800-872-2599

Inquiry 725.

DATA RECOVERY

Data lost from 1/4" cartridges or 1/2" tape can be recovered almost every time. We have helped Banks, Insurance Companies, Telephone Companies, Commodity Dealers, Hospitals, Software Houses, Government Departments. *The list is endless.*
We charge a small fixed fee for investigation and then on a time and materials basis.

The CICPAK Cartridge Interchange People

Vogon Enterprises Ltd.

94 Easthampstead Road, Wokingham, Berkshire RG11 2JQ ENGLAND
Tel 44 + (0)734-784511 or -890042 Fax 44 + (0)734-890040

Inquiry 726.

DATA/DISK CONVERSION

CONVERTING YOUR DISKETTES? ENTRUST THEM TO US!

2500 Word Processor & Computer formats, 3 1/2", 5 1/4", 8" Disks, Mag Tapes, Mag Cards, Cartridges & Cassettes, Custom Conversions, Programming & Applications Development

DISK DUPLICATION
OCR SCANNING SERVICES
HIGH VOLUME LASER PRINTING

Call us for Quality, Best Prices and Quickest Turnaround Time.

COMPANY COMPENDIA, INC., 55 E. Washington St., #237, Chicago, IL 60602 TEL: 312-419-8771 FAX: 312-419-1390

Inquiry 727.

INCOMPATIBLE COMPUTERS?

We transfer files between incompatible computers, dedicated word processors and 9-track tape. Thousands of formats are supported, including cartridge tapes. We're committed to customer satisfaction and quality conversions at affordable prices. Call for a free quote today!

• 24-hour turnaround available •

Disk Interchange Service Company
2 Park Drive • Westford, MA 01886 • (508) 692-0050

Inquiry 728.

THE #1 CHOICE In disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry—world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411

(612) 588-7571 or (612) 520-2345
FAX: (612) 588-8783

Inquiry 729.

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 3000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Call for more info. Introducing OCR Scanning Services.

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B
Buffalo Grove, IL 60089 (800) Convert

DATABASE MGMT SYSTEMS

SQL DBMS FOR DEVELOPERS

OCELOT2—THE SQL is a DBMS library and precompiler for writing 3GL applications with embedded SQL. It's like having IBM's DB2 on your PC! **OUR GUARANTEE:** This is the fastest, most powerful micro DBMS you can get anywhere at any price or your money back. Get referential integrity, get dynamic SQL, get OCELOT2—THE SQL!

• Requires 320KB RAM, DOS 3.1 & up, compatible BASIC/PASCAL/COBOL compiler
• Windows compatible version available

ORDER YOURS TODAY!—Prices start at \$195.00

OCELOT COMPUTER SERVICES INC.
#1502, 10025—106 Street, Edmonton, AB, Canada, T5J 1G7
(403) 421-4187

Inquiry 730.

DISK DRIVES

IBM PS/2 HARD DRIVES

30MB	MOO 30, 30-286	\$350
30MB	MOO 50Z, 55SX	450
60MB	MOO 50Z, 55SX, 70	695
120MB	MOO 50Z, 55SX, 70	795

New, genuine Big Blue Product with 1 yr. Warranty.
Call NOW—Same Day Shipping till 5 p.m.

COMPUTER TECHNIQUES

Merritt Island, FL 32953-3484
Phone (407) 453-8783

Inquiry 731.

DOS MULTITASKING

Multitasking for DOS

- MultiDos Plus—the fastest multitasking DOS shell.
 - Fully DOS compatible
 - Tailored for real-time operation
 - 4 years of proven reliability with thousands installed
 - 30-day money back guarantee (\$15 restocking fee)
- Call our BBS for free demo (508) 650-9552
Complete software package only \$99 + \$2 S&H

Nanosoft Inc.

13 Westfield Road, Natick, MA 01760
(800) 678-2141 (508) 651-0091 FAX: (508) 655-8860

Inquiry 732.

DUPLICATION

SOFTWARE DUPLICATION

- DISKETTE & TAPE
- CUSTOM PRINTING
- CUSTOM PACKAGING
- FULFILLMENT

MEGASOFT, INC.

P. O. Box 710, Freehold, NJ 07728
(800) 222-0490 (908) 462-7628

Inquiry 733.

EDUCATION

DESERT STORM GRAPHICAL DATABASE

- Great for Schools, Business, & Government!
- Middle East Almanac w/Maps, Weapons Index

Money Back Guarantee

\$29.95 Check/MO PC/EGA/640K

Advanced Software Products

301 N. Harrison, Suite #165, Princeton, NJ 08540
(609) 584-2005

Inquiry 734.

B.S. & M.S. In COMPUTER SCIENCE

The American Institute for Computer Sciences offers an In-depth correspondence program to earn your Bachelor of Science and Master of Science degrees in Computer Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, Data File Processing, Data Structures & Operating systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence.

AMERICAN INST. for COMPUTER SCIENCES

2101-BY Magnolia Ave. South, Ste. 200, Birmingham, AL 35205
800-767-2427 205-323-6191

Inquiry 735.

AUTHORING SYSTEM

Develop educational programs, limited only by your imagination. Include animation, graphics, sound, variable tracking, multiple branching, and more. Create stand-alone EXEs. Easy to use. No royalties. For IBM/Compatibles.

RIDGEWOOD SOFTWARE

P.O. Box 409, Glenview, IL 60025
(800) 243-4724

Inquiry 736.

ENTERTAINMENT

DISCOVER AMERICA'S ONLINE ADVANTAGE! ODYSSEY BBS

- Designed for America's unique business and relaxation needs! • Low-cost local access numbers covering 850 cities in the US, Canada, Europe, and Pacific Rim countries! • Over 10,000 downloadable files! • Online stock quotes and financial databases! • Online Flight and Travel information, scheduling and reservations! • State-of-the-art E-mail features! • Live Online Chat with other users! • "Bulletin board" style Forums! • Interactive, multiplayer online games! • Matchmaker database! • And much, much more!

We also can provide your company with national BBS services.
Call (818) 358-0936 for details!
Information and Signup By Modem (818) 358-6968 [3/12/24 Baud, 8/N/1]

Inquiry 737.

ENTERTAINMENT

Go, NEMESIS, Go

Go - a Zen game. So appealing, it has endured 4,000 years. So useful, governments study it.

NEMESIS Go Junior entices novices of any age. NEMESIS Go Master Deluxe satiates the addicted. Chaos Manor User's Choice Award (BYTE/1990)

Toyogo, Inc. (800) 869-6469

P.O. Box 25460-Y, Honolulu, HI 96825-0460
(808) 396-5526 fax: (808) 396-4126

Inquiry 738.

FAULT TOLERANCE

No*stop Network

No*stop Network, the only Level 3 Fault Tolerant software product that allows MIRRORING SERVERS and CONTINUOUS PROCESSING in any PC/LAN. Supports Novell, Microsoft, IBM, Banyan, etc. Any server environment—DOS, OS/2, Unix, Wang, DEC, etc.

Nonstop Networks Limited

20 Waterside, New York, NY 10010
212-481-8488

Inquiry 739.

FINANCIAL SOFTWARE

BrainMaker:

"The most fascinating computer software I've ever seen...learn about this stuff." *John Dvorak, PC Mag.* Predicts stocks, bonds, sales, inventories. Comprehensive documentation. Menus. Only \$195! Certified by Intel and Micro Devices

Free Brochure: 916/477-7481
California Scientific Software

Inquiry 740.

FLOW CHARTS

FLOW CHARTING 3

FRIENDLY • High resolution print outs... dot matrix or laser

FAST • Multi-page charts... portrait or landscape

FLEXIBLE • Import/export capabilities

• 35 shapes, 10 fonts, 4 line styles

ONLY \$250

Call for free demo disk!
PATTON & PATTON 800-525-0082 ext. 1307
Software Corporation 485 Cochrane Ct., Morgan Hill, CA 95037
See our ad on page 84.

Inquiry 741.

WINDOWS FLOWCHARTER \$129

RFFlow 2.0 is a professional drawing tool for flowcharts & org charts. Requires Microsoft Windows 3.0. 100 shapes auto adjust in size. Diagonal lines and curves. Auto line routing and re-routing. Click on a shape to bring up a sub-chart. Move charts to other apps. via the Clipboard. Call for free trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538
Phone: (303) 663-5767 FAX: (303) 669-4889

Inquiry 742.

G.I.S.

Digital Quad Maps

Local Street Maps, State Maps, and World Maps in DXF, PCX, PICT, PIC, or TIF Formats. Gigabytes of Map data available

Micro Map & CAD™

(303) 988-4940

Inquiry 743.

JULY 1991 • BYTE 313

THE BUYER'S MART

GRAPHICS

EGAD Screen Print

Prints contents of VGA, EGA, CGA displays on variety of dot-matrix, inkjet, and laser printers. Prints in gray tones or color. Crop box lets you print any region of the screen. Enlarge graphics 1 to 4 times (reduction too). Setup program for picking printer codes, etc. \$35.00 Postpaid. Call or write for free catalog.

LINDLEY SYSTEMS

4257 Berwick Place, Woodbridge, VA 22192-5119
(703) 590-8890

Inquiry 744.

THE MANDELROT SYSTEM

You've been dazzled by the demo screens & read about this amazing system in magazine write-ups. Go for the actual programs to explore & graph the most amazing mathematical findings yet. User-friendly menu-driven programs to generate, analyze, & graph any coordinates you desire. Tracks all coordinates previously generated for you. All previous explorations available for immediate screen display. 1 year subscription to THE MANDELROT UPDATE newsletter. Source for posters, pictures, slides, tee-shirts, etc. Easily understood description of what mandelrot is. Samples of pre-generated sets to get you started quickly. INTRODUCTORY PRICE OF ONLY \$39.95 + \$3.05 S&H

Technical Programming Institute (800) 3 MANDEL—ORDERS ONLY
P.O. Box 1221 (800) 362-6335—ORDERS ONLY
Cedar Glen, CA 92321 (714) 337-4714—TECHNICAL INFO

Inquiry 745.

HARD DRIVE REPAIR

HARD DRIVE REPAIR

ALSO
DATA RECOVERY
FAST TURN!! CALL FOR DETAILS
H&W micro labs, inc.
528-C Forest Parkway, Forest Park, GA 30050
404-366-1600

Inquiry 746.

HARDWARE

COMPLETE COMPUTER SYSTEMS

1 Year Warranty • Components also at Reasonable Prices
Standard System Features include: 1Meg of Ram, 1.2 Floppy, Case, Power Supply, Monitor, Keyboard, 2 Serial Ports, 1 Parallel port, Floppy and Hard Drive Controller, Mono-Graphics Card. And, if ordered by 6/30/91, Get MS-DOS 4.01 Free! 286-12MHz System \$625, 386sx-16MHz System \$1025, 386-25MHz System (No-Cache) \$1325, 286-16MHz System \$675, 386sx-20MHz System \$1125, 386-33MHz System (64K Cache) \$1525, 486-25MHz System (256K Cache) only \$2575; System Upgrades Add: VGA Mono \$75, VGA Color \$275; Hard Drives Add: 40 Meg \$249, 80 Meg \$479, 106 Meg \$529, 200 Meg \$895. We feature a LANDMARK Diagnostics Products. Call for Prices.

Blackburn & Wright • 42257 6th Street West, Suite 302 • Lancaster, CA 93534
Phone (805) 940-5200 (800) 235-8533 Fax (805) 940-5202

Inquiry 747.

PRE-OWNED ELECTRONICS, INC.

THE Independent provider, serving the Dealer,
Professional, Corporate, Government, and
Educational Buyer since 1985

APPLE® II & MACINTOSH®
SYSTEMS • PARTS • EXCHANGE REPAIRS
Call for a Catalog 800-274-5343

Int'l: 617-275-4600 • Fax: 617-275-4848
205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 748.

IBM® & Macintosh®

Parts • Systems • Add-ons

Shreve Systems

This month's Special!

3804 Karen Lane
Bossier City, LA 71112

PS/2 55SX-031

\$2099.00

International 318-742-2700

800-227-3971

FAX 318-742-2799

Inquiry 749.

314 BYTE • JULY 1991

HARDWARE/COMPUTERS

Everything you want . . .

. . . to make life easier. TDS2020 is an ideal way to save time and money designing equipment. Use as a High Performance 16-bit Control Computer or 500A Data Collection Module. Attach LCD & keyboard. Use internal 10-bit multichannel A to D converter, D to A, 4 counter-timers, multitasking, interrupts, parallel & serial I/O, non-volatile clock and up to 512K bytes. NV-RAM/EEPROM/FLASH memory. \$299 and its TDS9092 brother \$179 (25 qty). Call or fax for details.

The Saelig Company

1193 Moseley Road, Victor, NY 14564
Phone (716) 425-3753 Fax (716) 425-3835

Inquiry 750.

HARDWARE/CONTROLLERS

MICROPROCESSOR TRAINING SYSTEMS

Learn how to program and troubleshoot microprocessor systems the easy way. EMAC offers stand alone and PC/Terminal based systems. Uses simple 8085 architecture. Monitor Operating System allows simple step, breakpoints, register modification & more. Upload/download programs from PC and store in battery backed RAM. Intel devices include 8255, 8253, 8251, 8259, 8279, A/D & D/A. Manuals, Lab books, and Cross assemblers available. Prices start at \$449.00

(618) 529-4525 EMAC INC. (618) 457-0110 FAX
P.O. Box 2042, Carbondale, IL 62902

Inquiry 751.

STEPPER

3 MOTOR CONTROL FROM SERIAL PORT

3 Channels of Stepper/DC motor/2.4A PWM per card. Half step, S curve accel. to 5000 steps/sec. RS232 3 wire or RS485 2 wire. Simple, powerful ascii command set. 4 cards (12 motors)/port. On board switcher provides power for logic from motor supply of 7-30 vdc. High output I/O and A/D converters also available. All boards 4" x 5 1/2" \$245 single qty, \$210/10+

STRADA AUTOTECH INC. P.O. Box 188, Elgin,
Ont. Canada K0G 1E0 TEL: (613) 359-1029

Inquiry 752.

IMAGE DATABASE

IMAGE SOFTWARE & TOOLKITS for High Resolution PC Imaging

The Advanced Image Toolkit \$250.00, SUNSHOW "C" Language Toolkit \$250.00, Database Professional \$99.95, SHOWCASE Image Database \$595.00, SUNSHOW Image Converter \$395.00, SUNSCAN Digital Scanner \$299.00. Resolutions to 1024x768x256. Scaling, Clipping, Format Conversions, Printing, Merge Images with Text, Merge Multiple Images, Device Drivers, more. Practical Imaging Applications from Cutting Edge Software Engineering.

Sun Country Software Publishers
7102 Iliff Road Southwest, Albuquerque, NM 87105
505-873-2220 Mad Max BBS 505-877-8354 505-873-4443

Inquiry 753.

INTERNATIONALIZATION

DEVELOPERS—GOING INTERNATIONAL???

Proven string externalization utility gets your C source code package ready for international markets.

Prompts/messages extracted for editing, translation, or encryption. Redefined prompts act as if compiled.

DOS, Unix, Mac, etc.
Complete Turn-key Translation Service Also Available
Limited Object Code License \$149.95 No Royalties
Limited Source Code License \$249.95 VA residents add sales tax.

Network Dynamics, Inc.
2225 S. Henry Street, Suite L2 Williamsburg, VA 23185, USA
Phone: (804) 220-8771 FAX: (804) 220-5741

Inquiry 754.

INVENTORY MANAGEMENT

dfELLER Inventory

Business inventory programs written in modifiable dBASE source code.

dfELLER Inventory \$150.00

Requires dBASE II or III, PC-DOS/CPM

dfELLER Plus \$200.00

with History and Purchase Orders

Requires dBASE III or dBASE III Plus (For Stockrooms)

Feller Associates

550 CR PPA, Route 3, Ishpeming, MI 49849

(906) 486-6024

Inquiry 755.

LANS

The \$25 Network

Try the 1st truly low-cost LAN

- Connect 2 or 3 PCs, XT's, AT's
- Uses serial ports and 5-wire cable
- Runs at 115K baud
- Runs in background, totally transparent
- Share any device, any file, any time
- Needs only 14K of RAM

Skeptical? We make believers!

Information Modes

P.O. Drawer F, Denton, TX 76202
817-387-3339 Orders 800-628-7992

Inquiry 756.

No'stop Network

No'stop Network, the only Level 3 Fault Tolerant and Backup software that allows MIRRORING SERVERS and CONTINUOUS PROCESSING in any PC/LAN. Supports Novell, Microsoft, IBM, Banyan, etc. Any server environment—DOS, OS/2, Unix, Wang, DEC, etc.

NONSTOP NETWORKS LIMITED

20 Waterside, New York, NY 10010
212-481-8488

Inquiry 757.

LANS/SOFTWARE

NETRUNNER

the low cost remote control program

- Control remote computer across LAN or WAN.
- Running on NetBIOS, IPX/SPX, RS-232, and modem.
- All in one package.
- Background file transfer.
- Selective keyboard locking.
- Remote execution.
- \$19.95 per user, \$24.95 Starter's Kit (2 users)
\$99.95 unlimited users.

Crystal Computing Corporation

3140 De La Cruz Blvd. Suite 200, Santa Clara, CA 95054
Tel: (408) 748-0685 Fax (408) 748-0879

Inquiry 758.

LAPTOP COMPUTERS

SAVE ON LAPTOPS

Toshiba • Sanyo • Tandon • Sharp • NEC
Zenith • Epson • Leading Edge • Fora
TI • Panasonic • Everex • Bondwell
Packard Bell • Altima • Mitsubishi • ALR

• We ALSO carry a full line of accessories •

Computer Options Unlimited

12 Maiden Lane, Bound Brook, NJ 08805

CALL: (800) 424-7678 For info: 908-469-7678

9-9 M-F 9-5 Sat. 6 days Worldwide sales

Inquiry 759.

IBM CONVERTIBLE

MEMORY—128K \$79 256K \$225 384K \$295
MODEMS—Standard \$75 Enhanced \$175
CRT ADAPTER—for monitors \$99
SERIAL/PARALLEL ADAPTER—\$120
MONITORS—Monochrome \$115 Color \$349
COMPACT Carrying Case \$39
ENHANCED LCD—\$79 BATTERY—\$89
HARD DRIVES—20 Meg—\$495 40 Meg—\$695

MORE ACCESSORIES AVAILABLE COMPUTER RESET

P.O. Box 461782, Garland, TX 75046
Phone (214) 276-8072 BBS & FAX (214) 272-7920

Inquiry 760.

LAPTOP PERIPHERALS

LAPTOP POWER ADAPTERS

AC and DC input

TOSHIBA INTERNAL CARDS

Fax/modems: 9600/2400bps, software, acoustic port Modems, exp: 2400 bps, acoustic or serial port Modem, dedicated: 2400 bps (notebooks, T31&3200SX) Serial IO cards: RS232, RS422, SCSI, HPLI, barcode

Contact us for more information:

PRODUCT R&D Corporation (Calif.)

805/546-9713 Fax 805/546-9716

Inquiry 761.

MARKET RESEARCH

JAPANESE LANGUAGE SYSTEMS FOR SALE

Purchase direct from Tokyo, Japanese language systems/typesetters/software unavailable elsewhere! NEC, Toshiba, IBM Japan, Apple Japan, others. Speedy quotations and delivery. Service and support contracts for up to 5 years. Fax for information in English: +81-3-3498-6510.

LINC JAPAN, LTD.

1-10-7 Shibuya, Shibuya-ku, Tokyo 150, Japan
PH: +81-3-3409-6510 FAX: +81-3-3498-7280

Inquiry 762.

MEMORY CHIPS

Call For LOWEST PRICES on Chips!

DRAMs	SIMMS/SIPPS
64K x 1-12, 10	256K x 9-10, 80, 70, 60
64K x 4-80	1MEG x 8-10, 80, 70
256K x 1-15, 12, 10, 80, 70, 60	1MEG x 9-10, 80, 70, 60
256K x 4-80	4MEG x 8-80
1MEG x 1-10, 80, 70, 60	4MEG x 9-80
INTEL/CYRIX/IT MATH CO'S	PS/2 TYPE SIMMS
80287-8, 10	Model 30 286
80387-SX, 16, 20, 25, 33	Model 50, 55, 60, 70, 80

CALL DRAM COMPANY (800) 488-DRAM
P.O. Box 590127 • S.F., CA 94159 • (415) 398-2987

Inquiry 763.

MODEM/SECURITY

WORLD FIRST MULTI-FUNCTION MODEM

All these functions built-in in one unit:
1. DES ENCRYPTOR: Scramble data to protect from wire-tapping or illegal search and seizure. 2. REMOTE CONTROL: (with X10) You can send commands to control power of computer or 256 remote location devices without special wiring. 3. TWO CHANNELS MULTIPLEXER: works like 2 modems in one. 4. MODEM 2400 Baud, External, Hayes compatible & MNP5
Limited time and quantity offering. Order now while supply lasts. Prepaid \$245 each. Add \$80 for X10 set. Shipping \$20

HBC P.O. Box 3197, Santa Clara, CA 95055 (408) 736-4560

Inquiry 764.

OPERATING SYSTEMS

MULTITASKING MSDOS

IXOS is an MSDOS extender that converts functions in your program to independent tasks. Written in C and MASM. Stop scanning keystrokes, A/D and comm completion. For R/T, industrial control, data acq., etc. \$100 incl. source. Circle inquiry # for free doc.

Schnelder Software Systems

3430 List Place, #1006
MINNEAPOLIS, MN 55416
612-926-7979

Inquiry 765.

OS/2 UTILITIES

OS/2 HPFS Disk Utilities

Utilities designed for the OS/2 High Performance File System (HPFS) including HPFS386

Optimize fragmented files. Add file comments.
Recover erased files. Alter file attributes.
Alter file dates. Customize directory displays.
Locate files. Long filename and EA support

GammaTech

P.O. Box 70, Edmond, OK 73083 (405) 359-1219

Inquiry 766.

PRINTER DIAGNOSTIC

NEW!! PC PRINTER DIAGNOSTIC

The first software-based Printer Diagnostic targeting PC printers. **PRINTER-TECHNICIAN™** currently tests over 275 different models of dot matrix, laser, ink jet, thermal & daisywheel printers from 8 of the largest manufacturers. Includes parallel & serial interface tests. Provides:
• Reduced mean time to diagnose printer problems. • Quick identification when software (not hardware) is the issue. • Greatly improved first-time-fix rate. • Rapid printer installation certification. If you are troubleshooting and repairing printers, you need **PRINTER-TECHNICIAN**. **ORDER TODAY! \$244.** Plus S&H and CA Sales Tax where applicable.

Call (415) 456-2200 or fax (415) 456-2244

Windsor Technologies, Inc., 130 Alto St., San Rafael, CA 94901

Inquiry 767.

PRODUCT MANAGEMENT

KeepTrack! of Bug Reports

New tool gives instant access to information about pending bug reports/suggestions on the products you maintain or support. Eases planning of new releases. No more paperwork, lost reports or hunting for customers' example files. Multiple users (development, marketing, QA) can independently categorize, prioritize, and rearrange records.

KeepTrack! \$495 (£495 non-US)

3L Ltd., Peel House, Livingston EH54 6AG, United Kingdom
Tel. +44 506 41 59 59 Fax. +44 506 41 59 44

Inquiry 768.

PROGRAMMERS TOOLS

HYPERINTERFACE™ II

Menu Creator™ — An interactive WYSIWYG editor to generate a menu-driven user interface for your software.
Screen Creator™ — An interactive WYSIWYG editor for quick and easy screen design and a screen database manager for your software. **Advanced Library** — Extended capability for data entry for your programs. **FORTRAN, Pascal, C, BASIC** supported.

Avanpro Corp.

P.O. Box 969, Pacific Palisades, CA 90272
(213) 454-3866

Inquiry 769.

FULL-SCREEN FILE COMPARISON

Easily see the differences between two text files. Visual Compare displays a full-screen, scrolling display of a composite file consisting of the common lines in one color and the differing lines from the two files in two other colors. \$30 for DOS or OS/2; \$45 for both. Free postage. CA residents add sales tax. 30-day money-back guarantee. Prepay by check. Free demo.

Whitney Software, Inc.

P.O. Box 4999, Walnut Creek, CA 94596
(415) 933-9019

Inquiry 770.

PUBLIC DOMAIN

FREE SOFTWARE FOR IBM®/clones

TRY US! GET 15/5.25" or 6/3.5" Disks full of our best selling software-FREE. Great games, programmer's utilities, business, educational, and desktop publishing. Pay only \$5.00 shipping/handling. Credit cards only. Call Today!

SMC SOFTWARE LIBRARY 619-931-8111

Inquiry 770.

UNIX SOFTWARE

GNU, X Windows & More!

Search our on-line catalog of Unix public domain software using keywords to find what you want quickly. Place your order on-line, and it is shipped to you on either Unix or DOS media—no costly downloading time. Just \$2/MB for tapes (\$75 minimum order) or \$750/MB for floppies (\$50 minimum).

SOFTPUB™ (818) 784-2070

(300, 1200, 2400 baud; 8 bits; 1 stop bit; no parity)

Inquiry 771.

FREE CATALOG

FOR IBM PD AND SHAREWARE
SELECTED PROGRAMS

LATEST VERSIONS

Low as \$1.50

SOFTSHOPPE, INC.

TEL: 800-829-2378 • 313-761-7638

FAX: 313-761-7639

P.O. Box 3678, ANN ARBOR, MI 48106

Inquiry 772.

SECURITY

FIGHT PIRACY!

Since 1988, companies worldwide have been choosing Az-Tech security products. If you demand the strongest protection available, why not choose one of these "proven leaders":

- EVERLOCK Copy Protection
- EVERTRAK Software Security
- EVERKEY Hardware "Key" Software Security

For IBM and Compatibles. 30 day money back guarantee. Free info and demo disk available.

Az-Tech Software, Inc.

305 East Franklin, Richmond, MO 64085

(800) 227-0644 (816) 776-2700

Fax: (816) 776-8398

Inquiry 773.

THE ULTIMATE COPY PROTECTION

- Completely Menu Driven *Quite Simply*
- Defeats all Hardware/Software Copiers *The Best*
- No Source Code Changes *Ways To*
- Multiple Layering *Protect Your Valuable*
- No Damaged Media *Software Investment*
- Full Hard Disk & LAN Support
- Unlimited Metering, FREE Demo Disk

STOPVIEW™ STOPCOPY PLUS™ (800) 879-2224

BBI COMPUTER SYSTEMS, INC. (301) 871-1094
14105 Heritage Lane, Silver Spring, MD 20906 FAX: (301) 460-7545
Canadian residents call: (800) 667-5657

Inquiry 774.

Cop's CopyLock II

The professional software protection with TRUE Machine Install. Option Board safe. Supports OS/2, Windows and Trace.

LINK Computer

Int'l: +45 31232350 Fax +45 31238448

US/CAN: 800-344-2545 Fax 408-923-7061

Inquiry 774.

BIT-LOCK® SECURITY

Piracy SURVIVAL 8 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. PARALLEL or SERIAL port-transparent security device. Complemented by economical KEY-LOCK™ and multifeatured COMPU-LOCK™ including countdown, timeout, data encryption, and multiproduct protection. (Dos/Unix/Mac). Also, access control.

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
(303) 770-1917

Inquiry 775.

HANDS OFF THE BOARD® 1/2 SIZE SECURITY BOARD

Stop floppy boot — Require password to boot PC
Real-time disk encrypt — prevent boot sector virus
Prevent DOS FORMAT/FDISK and low-level formats
Set hard disk READ ONLY or turn ON/OFF
Turn floppies, printers and COM ports ON/OFF
IBM XT, AT Bus — DOS V3.0+ — \$149.95 + \$5.00 S/H

SYSTEMS CONSULTING INC.

P.O. BOX 11209, Pittsburgh, PA 15238
(412) 781-5280

Inquiry 776.

SOFTWARE/ACCOUNTING

dBASE BUSINESS TOOLS

- GENERAL LEDGER
- ORDER ENTRY
- JOB COSTING
- BILL OF MATLS
- PAYROLL
- PURCH ORD/INVENTORY
- ACCOUNTS REC/VABLE
- JOB ESTIMATING
- SALES ANALYSIS
- ACCOUNTS PAYABLE

\$99 ea. + S&H

DATAMAR SYSTEMS Cred. Card-Check-COD

8586 Miramar Place

San Diego, CA 92121

(619) 452-0044

Inquiry 777.

THE BUYER'S MART

SOFTWARE/ACCOUNTING

Network Multi User

Integrated Accounting Systems Complete office management for non accountants. Behaves in Windows. Easy install, easy setup, easy use. Applications for homes, professionals, retailers and manufacturing firms. Starting from \$149 + \$50 each workstation. Call for orders, demos or brochures.

IDEA Computers, Inc. (Since 1982)
300 Jackson Street, Richmond, TX 77469
(713) 342-5846

Inquiry 778.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, much more! Designed for the PS/2*, PC, XT, AT or compatibles. PC's from \$395 LAN version available
FREE 30 day trial

Computer Keys Tel: 206/776/6443
21929 Makah Rd., Fax: 206/776-7210
Woodway, WA 98020 USA: 800/356-0203

SOFTWARE CONTRACTS

Worried about contracts or handling rights in software? The two volume looseleaf **Software Legal Book** text and forms can help—from employee agreements through VAR distribution. \$170

For brochure use reply card or call.

Shafer Books 914-271-6919

Inquiry 779.

SOFTWARE/CHEMISTRY

Software For Chemists

- PERIODIC PLUS™—chemical database reference
- Chemical/Thermo properties of 105 elements
- 2D, 3D color graphics, Structures, History
- Organic Spectroscopic Data, Conversion Tables
- Environmental & more. Dos, 30 day Guar \$99.95

SPECTRAL INTELLIGENCE CORPORATION

30 E. Swedesford Road, Malvern, PA 19355
215-889-1349 FAX 215-889-1630

Inquiry 780.

SOFTWARE/ENGINEERING

Analog Circuit Simulation

- PC and Macintosh CAE
- Schematic Entry
- SPICE Simulator
- Model Libraries
- Monte Carlo Analysis
- Plotting/Graphics Output

Intusoft has a complete simulation system including everything from schematic entry through Spice simulation using extended memory to interactive waveform processing. Starting at \$95 for IS-SPICE, the complete system sells for just \$315.

Intusoft

Call for your FREE Demo and information kit. P.O. Box 710, San Pedro, CA 90733 0710
(213) 833-0710 FAX (213) 833-9658

Inquiry 781.

Interactive Design/Simulation Analog Circuit Simulation

ECA-2 Electronic Circuit Analysis offers the best Monte Carlo and Worst-Case analyses with all of this and MORE included:
• AC, DC, Transient • Full Nonlinear Simulator
• Fourier, Temperature • On Line, Real Time Graphics
• Sine, Pulse, PWL, SFFM, and Exponential Plots
• Generators • FREE Demo

Tatum Labs, Inc.

3917 Research Park Dr., B-1, Ann Arbor, MI 48108
(313) 663-8810

Inquiry 782.

316 B Y T E • JULY 1991

SOFTWARE/GRAPHICS

The Ultimate CAD/CAM Engine

TurboGeometry Library 3.0. The most complete tool box of 2D & 3D routines available today! Over 300 routines. Surfacing, Solids, Hidden line, Volumes, Areas, Transforms, Perspectives, Decomp, Clipping, Tangents & more. 30 day guar., \$199.95 w/resource S&H Incl. Foreign \$225.00. MS/PC DOS 2.0+. Turbo Pascal, Turbo C, MSC, MIX C, Zortec C+-. VISA/MC, PO, Chk, USA funds only.

Disk Software, Inc.

2116 E. Arapaho Rd., #487, Richardson, TX 75081
(214) 423-7288, (800) 635-7760, FAX (214) 423-7288

Inquiry 783.

RAINDROP™

FAST, compact PrtScr Utility for end users AND developers. Hardcopy as fast as 10 secs. Average binary size - 6 kbyte. 14 video graphic standards. Scale, rotate, colorize and more. 'CALL' from user-written programs. Complete 9- & 24-pin dot-matrix, inkjet, and laserjet library \$44.95+\$3 s/h.

ECLECTIC SYSTEMS

8106 St. David Ct., Springfield, VA 22153
(703) 440-0064 Fax (703) 455-8965

Inquiry 784.

PEN PLOTTER EMULATOR

FPLLOT turns your printer into an HP pen plotter. Fast hi-res output, no jagged lines. Vary line width, color. Screen preview with zoom and pan. Stand-alone, background, and device driver modes. Works with most CAD and graphics programs. Supports most printers. New version 3. \$119+\$3 S&H. 30 day money back. VISA/MC/Check/MO.

FPLLOT Corporation

24-16 Steinyard St., Suite 605, Astoria, OR 97103
718-545-3505

Inquiry 785.

WhichGraph?

WhichGraph™ provides expert advice and guidance on selection and style of business or statistical graphs & maps. Features: consult & browse modes; hypertext descriptions of techniques, definitions of terms, and online example graphs; pull down menus; detailed report. \$149.95/s/h (VISA, MC, AMX, POW, Check)

Idea Works Inc.

607 Jackson Columbia, MO 65203
1-800-537-4866 FAX 1-314-875-5812
Outside USA: 1-314-875-5827

Inquiry 786.

GOBS

GRAPHICAL OBJECTS USER INTERFACE TOOLKIT

Small, power-packed GUI toolkit library supports: • moveable, resizable windows • dialog boxes • conventional RAM, EMS, XMS or disk backup memories • drop down & pop-up menus • scrollable lists • button & icon menus. Contains an interactive, "FORMS DESIGNER," "ICON EDITOR" & manuals. Versions available for Turbo Pascal 6.0, Turbo C 2.0 & Borland C++ 2.0 w/support for BGI or METAWINDOW graphics libraries.

NOW ONLY \$145.00

(Special Offer — Source code for Forms Designation Editor \$25.00)
ISI - Identification Solutions Inc.
1-800-568-2700 (US) 1-613-228-2700 (CAN) Fax: 1-613-228-2702

Inquiry 787.

GRAPHICS PRINTER SUPPORT

AT LAST! Use the PrtSc key to make quality scaled B&W or color reproductions of your display on any dot matrix, laser, or inkjet printer (incl. Postscript) in up to 64 shades of gray or 256 colors. GRAFFPLUS also creates PCX & TIFF files. Supports Windows 3.0 or DOS application graphics - EGA, VGA, Super VGA, Hercules screens. Linkable/OEM versions available.

Jewell Technologies, Inc.

130 Nickerson St., Suite 105, Seattle, WA 98109
1 (800) 284-2574 (206) 285-6860

Inquiry 788.

SOFTWARE/GRAPHICS

FORTRAN GRAPHICS

GRAFMATIC - FORTRAN callable graphics Library for creating 2-D and 3-D graphics, contour plots and solid models. PRINTMATIC and PLOTMATIC provide high resolution FORTRAN callable printer and plotter drivers for your graphics. NO ROYALTIES. \$249.95 ea.

Supports Microsoft/Lahey/RM FORTRAN compilers.
Jewell Technologies, Inc.
130 Nickerson St., Suite 105, Seattle, WA 98109
1 (800) 284-2574

Inquiry 789.

SOFTWARE/LANGUAGES

IntegrAda

Standard Air Force PC Ada Compilers & environments for MS-DOS and UNIX. Integrated programming systems include validated Ada compilers, language sensitive editors, complete libraries and other Ada programming tools. FREE demo.

AETECH, Inc. From \$495

380 Stevens Ave., Ste. 212 Solana Beach, CA 92075
(619) 755-1277 Fax: (619) 755-7540

Inquiry 790.

DRUMA FORTH-83

Break the 64K barrier without speed/pace penalty. Powerful, attractively priced. 83 Standard.

- IBM+ automated memory management
- Full OS interface, extensive utilities
- On-line documentation, ASCII/block files
- Other products: windows, modules, profiler
- IBM PC/XT/AT including 386 compatibles

FREE learn/utility disks with purchase

DRUMA INC.

6448 Hwy. 290 East E103, Austin, TX 78723
Orders: 512-323-5411 Fax: 512-323-0403

Inquiry 791.

SOFTWARE/MATHEMATICS

OPERATIONS RESEARCH @ \$149 for your IBM or Compatible

LP88—Linear programs up to 3000 rows by 15000 columns
BLP88—Bounded LPs up to 2500 rows by 12500 columns.
MILP88—Mixed-integer linear programs up to 800 by 4000.
TSA88—Transportation problems up to 1200 sources/sinks
NLP88—Nonlinear programs up to 800 by 4000
TPR088—Shortest path and travelling salesman problems.
Student/Demo Package—Reduced capacity versions for students. Manual on diskette. No site license required.

Turbo Pascal Units—Compiled ORMS procedures for developers.
Eastern Software Products, Inc.
P.O. Box 15328, Alexandria, VA 22309, (703) 360-7600, Fax (703) 360-7654

Inquiry 792.

MATH EDITING FOR THE PC

$$x_i^j = \sum_{k=0}^{\infty} [x_k^{2+k} (i)] + \left(\frac{j}{\alpha \pm \beta x} \right)$$

- MathEdit constructs math equations to be inserted into WordPerfect, Word, WordStar, and others
- WYSIWYG interface—no codes need to be learned.
- MathEdit—\$199

K-TALK COMMUNICATIONS

30 West First Avenue, Suite 100
Columbus, Ohio 43201
(614) 294-3535

Inquiry 793.

MATHEMATICIANS—ENGINEERS

Have you ever seen functions of a complex variable? Would you like to really understand differential operators like div, grad and curl? How about a peek into the fourth dimension? Call or write for information on our latest PC and Macintosh software.

Lascaux Graphics

4949 East Glenn, Tucson, AZ 85712
1-800-338-0993

Inquiry 794.

SOFTWARE/PACKAGING

SAVE SAVE SAVE SAVE LET'S TALK LABELS

We do disk labels (5¼" & 3½")
• Better • Faster • Cheaper •
Because we specialize in disk labels... Let's Talk

We also have Tyvek Sleeves
Mailers • Binders • Vinyl Pages
We are a complete software packaging service.
Free Catalog

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069
513-777-8586

Inquiry 795.

SOFTWARE/SCIENTIFIC

FREE CATALOG

A great selection of scientific software products for plotting, non-linear curve fitting, chemical equilibrium, simulation, statistics, symbolic algebra, and more. Prices range from \$150-\$1000. Call:

1-800-942-MATH

MicroMath, Salt Lake City, UT 84121-0550

Inquiry 796.

VT_EX: Scientific Desktop Publishing

• Equations • Tables • Graphics • Scalable Fonts • Supports most printers • WYSIWYG previewer • Foreign Languages • Special Symbols • Font Effects • Indices • Only \$299
"TEX of Tomorrow"—Notices of AMS, March 1991.

MicroPress, Inc.

68-30 Harrow Street, Forest Hills, NY
Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 797.

Real-Time Graphics & Measurement/Control Tools

TurboC, Microsoft C, Turbo Pascal

Send for datasheets on our NEW Real-Time Graphics and Measurement/Control Tools for Turbo C/C++ and Turbo Pascal.
Process Control Bargraphs Thermocouple Linearization
Fast Scrolling Graphs Polynomial Curve fitting
Real-Time Meters PID Control
Annunciator Panels 32,768 point FFT's
Real-Time Mouse Support 19,2KB RS-232 Communications

Quinn-Curtis

21 Highland Circle, Needham, MA 02194 USA
Tel. (617) 449-6155 Fax (617) 449-6109

Inquiry 798.

HI-SPEED DATA ACQUISITION FOR WINDOWS 3.0

DRIVERLINX™

• Real-time, multitasking, multiuser DLL device driver
• Language - and hardware-independent data-acq. interface to all OEM supported hardware
• Includes C source to a digital oscilloscope application

SCIENTIFIC SOFTWARE TOOLS, INC.

30 E. SWEDESFORD RD., MALVERN, PA 19355
(215) 889-1354

Inquiry 799.

SOFTWARE/SECURITY

H Y P E R - L O C K

If you search for a powerful copy protection system, you also can have privileges of HYPER-LOCK.

• Protects on standard diskettes • Full hard disk support
• LAN support • No source code required • Cannot be copied by any means • And/Or password protection • Sub-programs protection techniques • Cost effective • FREE demo disk

GUVEN COMPUTER LTD.

Talimyeri sk. 7/3 Macka/Istanbul TURKEY
(90) 1-136 10 07 Fax: (90) 1-160 36 46

Inquiry 800.

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and file types including Btrieve and dBASE. Unlimited file sizes, multiple keys and much more! MS-DOS \$149. OS/2, XENIX, UNIX \$249.

(702) 588-3737

Opt-Tech Data Processing

P.O. Box 678 — Zephyr Cove, NV 89448

Inquiry 801.

SOFTWARE/TRANSLATORS

FORTRAN77-to-Structured C TRANSLATOR

FORTRAN PROGRAMMER'S ASSISTANT II converts spaghetti FORTRAN into neat, maintainable C code. Runtime library source and C tool set included. This re-engineering package makes your conversions a snap and significantly reduces your conversion costs and future maintenance costs. It Plus can upgrade your old FORTRAN to structured FORTRAN. Version for C++ also available. Easy to use. At low prices. Go Assistant III/Plus. Save time & effort. Please call, or write for more information.

MICROTOOLS

Box 2745-B, Santa Clara, CA 95055, U.S.A.
(408) 296-3478 Fax (408) 243-7688

Inquiry 802.

SOFTWARE/VOICE/FAX

MULTI-VOICE® TOOLS

Multi-Voice Tools is a complete development toolkit for Pascal or "C" to access all the features for most speech processing boards available today. It helps you write MULTI-LINE VOICE APPLICATION systems in minutes. A number of programming examples are provided. All programs and libraries are delivered with source code.

Oialogic, Rhetorex, Pika, VBX, \$599, Watson (Single Line), \$99. ALSO AVAILABLE: FAX Programmer's Toolkit (\$199). Based on CAS specifications. Visa/MC accepted.

ITI Logiciel

4263 Christophe-Colomb, Montreal, Quebec, Can. H2J 3G2
TEL (514) 597-1692 FAX (514) 526-2362

STATISTICS

NCSS 5.x Series — \$125

Easy-to-use menus & spread sheet. Multiple regression. T-tests, ANOVA (up to 10 factors, rep. measures, covariance), Forecasting, Factor, cluster, & discriminant analysis. Nonparametrics. Cross Tabulation. Graphics: histograms, box, scatter, etc. Reads ASCII/Lotus. Many new add-on modules.

NCSS

329 North 1000 East, Kaysville, UT 84037
Phone: 801-546-0445 Fax: 801-546-3907

Inquiry 803.

TRANSLATION

Tradoc translates and localizes your software and hardware documentation into the following languages:

+ French + Russian
+ Spanish + Arabic
+ German + Italian

Turnkey service: Desktop Publishing, typesetting and printing of your brochures and manuals.

205 Gibson Rd., Annapolis, MD 21401
(301) 267-8655

Inquiry 804.

UNINTERRUPTIBLE POWER

HOW TO PROTECT YOUR COMPUTER And Make It Last Longer

FREE money-saving literature tells you how to protect your computer and make it last longer with an uninterruptible power supply. 500VA through 18KVA models from the world's largest manufacturer of single-phase UPS.

Best Power Technology, Inc.

P.O. Box 280, Necedah, WI 54646
Toll-Free (800) 356-5794, Ext. 2143
Telephone: (608) 565-7200, Ext. 2143

Inquiry 805.

UPS

TAKE THE BYTE OUT OF POWER LINE DISTURBANCES.

- Power protection for your PC or Network.
- Risk FREE Offer.

Call for FREE UPS Selection Guide SOLA

1717 Busse Rd., Elk Grove Village, IL 60007
Phone: 1-800-TRY-SOLA

Inquiry 806.

UTILITIES

A Difference That Must Be Seen! Diff*It™

△ Faster resync algorithms. △ Multiple wildcard filename parsing. △ Mouse support. △ Mixed file difference output. △ Unlimited file sizes. △ Scrollable split screen display. △ Configurable compare algorithms. △ Command line interface. △ Pop-up menu interface. △ Line, Word and Hex compare. △ Fast terse modes. △ Batch file drive-able. Requires IBM PC or 100% compatible, 256KB memory, DOS 2.0 or higher, floppy or hard disk. 30-day money-back guarantee. \$129.95 (215) 666-6104

Double R Software, Inc.

Rd 1 Fifth Ave., Valley Forge Manor, Phoenixville, PA 19460

Inquiry 807.

COPY AT TO PC—BRIDGE-IT 3.5

"CPYAT2PC" RELIABLY writes 360KB floppies on 1.2 MB drives, saving a slot for a second hard disk or tape back-up. Only \$79.00 + SH
"BRIDGE-IT 3.5" is a DEVICE DRIVER supporting 3½" 720KB/1.44MB drives for PCXT/AT without upgrading DOS/BIOS. Only \$49.00 + SH
BRIDGE-IT 3.5 BUNDLED WITH INTERNAL 1.44MB DRIVE AT \$139.00 + SH

MICROBRIDGE COMPUTERS

655 Sky Way Suite 220, San Carlos, CA 94070
1-415-593-8777(CA) 1-415-593-7675 (FAX)
1-416-826-0320 (CANADA) 1-800-523-8777
0908-260-188 (UK) 04745/7312 (FRG)

Inquiry 808.

RAM CRAM BE DAMN

386/486 users can triple your systems' performance and free up conventional memory at the same time.

PC-Kwik® Power Pak

Multisoft Corporation
15100 S.W. Koll Parkway
Beaverton, OR 97006
Phone: (503) 644-5644
FAX: (503) 646-8267
Or call:
(800) 950-5945
for a recorded message
available 24 hours per day.

Inquiry 809.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!
Call Joseph Mabe for more information

603-924-2656

or

Fax: 603-924-2683

Inquiry 810.

DOS-SHELL GENERATOR

Create a customized, "point-and-click" interface that hides in less than 9K. A Norton Commander work-alike example is provided. Mi-Shell package includes Forth-like script language, editor & debugger.

TO ORDER
Mi-Shell
CALL
\$100 800-542-0938

OPENetwork, 215 Berkeley Place, Brooklyn, NY 11217
VOICE: 718-398-3838 BBS: 718-638-2239

Inquiry 811.

UTILITIES

Recover deleted files fast!

Disk Explorer now includes automatic file recovery. You type in the deleted file's name, Disk Explorer finds and restores it. Disk Explorer also shows what's really on disk; view, change or create formats, change a file's status, change data in any sector. MS-DOS \$75 U.S. Check/Credit card welcome.

QUAID SOFTWARE LIMITED
45 Charles St. E. 3rd Fl.
Toronto, Ontario, Canada M4Y 1S2
(416) 961-8243

COPYWRITE

CopyWrite
Removes
Copy Protection
No more diskettes,
manuals or
codewheels.
1000's of products copied.

US \$75

QUAID SOFTWARE LIMITED
45 Charles St. E. 3rd Fl, Dept B.
Toronto, Ontario, Canada M4Y 1S2
(416) 961-8243 Fax (416) 961-6448

Why You Want BATCOM!

BATCOM is a batch file compiler that transforms your .bat files to .exe files to make them faster. BATCOM extends DOS with many new commands so you can read keyboard input, use subroutines, and much more. In addition, BATCOM protects your source code. No royalties! Only \$59.95. Order today!

Wenham Software Company
5 Burley St., Wenham, MA 01984
(508) 774-7036

Inquiry 812.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!
Call Joseph Mabe for more information

603-924-2656

or

Fax: 603-924-2683

Inquiry 813.

WORD PROCESSING

Replace Proofreading

Key, edit, or proof any file on your PC with WordProofer™, then import to your application. New two-pass proofing is faster, more accurate than proofreading or document comparators. Single \$295. Multicopy discounts. Network version.

Computer Keys 800/356-0203
21929 Makah Rd. 206/776-6443
Woodway, WA 98020 Fax: 206/776-7210


FARSI / GREEK / ARABIC / RUSSIAN

Hebrew, all European, Scandinavian, plus either Hindi, Punjabi, Bengali, Gujarati, Tamil, Thai, Korean, Viet, or IPA. Full-featured multi-language word processor supports on-screen foreign characters and NLQ printing with no hardware modifications. Includes Font Editor. \$355 dot matrix; \$150 add'l for laser; \$19 demo. S/H in U.S. incl'd. Req. PC, 640K, graphics. 30-day Guarantee. MCVISA/AMEX

GAMMA PRODUCTIONS, INC.
710 Wilshire Blvd., Suite 609, Santa Monica, CA 90401
213/394-8622 Tlx: 5106008273 Gamma Pro SNM

Inquiry 814.

318 BYTE • JULY 1991



"We're looking for retired managers who want to get back into action."

Harold W. McGraw, Jr.,
Chairman,
McGraw-Hill, Inc.

I'm a volunteer supporter of the International Executive Service Corps, a not-for-profit organization with a vital mission:

We send retired U.S. managers overseas to help businesses in developing countries, which often respond by increasing their imports of U.S. goods. In fact, developing countries consume about 40 percent of U.S. exports.

As an IESC volunteer, you would not get a salary. But you would get expenses for you and your spouse, plus a world of personal satisfaction.

IESC leads the field in this kind of work. We've done over 9,000 projects in 81 countries. We could have a project that's just right for you. To find out, send this coupon to: Harold W. McGraw, Chairman, McGraw-Hill, Inc., P.O. Box 10005, Stamford, CT 06904-2005.



International Executive Service Corps

It's not just doing good.
It's doing good business.



A Public Service of
This Publication

Dear Mr. McGraw: Tell me more about becoming an IESC volunteer. I am a recently retired manager or technician—or am about to retire—from a U.S. company. I'm free to accept an overseas assignment. I understand that volunteers receive expenses for themselves and their spouses, but no salary.

Name _____

Address _____

City _____ State _____ Zip _____

M2

THE FASTEST 80486 & 80386/40 MHz 15 Mips, FASTER THAN EVEREX STEP & ALR

15 Mips! 1895 Qty 1

80486
40MHz
AVAILABLE

NEW BABY SIZE

SYSTEM BOARD

MODEL	CACHE	MIPS	OK	4M
486/33	64K	15.2	1595	1795
486/25	64K	11.4	1295	1495
386/40	64K	9.8	795	995
386/33	64K	8.3	695	895
386/25	64K	6.2	595	795

*256K Cache Available

SUPER TOWER



\$335
Qty. 5

- 5 Half Ht. Drive Bay
- 2 Full Ht. Drive Bay
- 250 Watt UL/Power Supply
- Dual Fans
- Double Security Lock
- Wheels / Caster
- Front Display Panel
- Excellence For UNIX & NOVELL Server
- UPS Optional

TECHNOLOGY POWER ENT., INC.

FEATURES

- 64/256K Write Back Cache
- Burst Mode Design
- Shadow Ram on Video & Bios
- 64MB 32 Bit Memory Expansion
- Baby size with Eight Expansion Slot
- Unix, OS/2 & Novell 100% Compatible
- One Year Full Warranty
- Made in USA

Complete Desktop System with
1.2 MB Floppy, HD/Floppy Controller,
101 Keyboard and 4MB Memory

MODEL	BASE	MONO	VGA
486/33	2195	2370	2645
486/25	1895	2070	2345
386/40	1395	1570	1845
386/33	1295	1470	1745
386/25	1195	1370	1645

*FCC, UL & CSA Approval
*Tower Add \$200 & Hard Disk Available

MONITOR

VGA	315.00
MULTISCAN	415.00
SUPER VGA	345.00

UNIVERSAL 3 1/2-5 1/4 KIT

FLOPPY	5.00
HARD DISK	5.00

INTEL MATH-CO

80387-20	345.00
80387-25	435.00
80387-33	540.00


DRAM

4M x 9 - 80	300.00
1M x 9 - 80	59.00
1M x 9 - 70	69.00

HARD DISK

MAXTOR IDE 40MB	263.00
TOSHIBA IDE 100MB	486.00
MAXTOR IDE 200MB	869.00

47273 Fremont Blvd., Fremont, CA 94539
Tel: 415-623-3818 Fax: 415-623-3840



COMPUCOM

9,600-38,400 bps MODEM...\$169

NOW you can afford a **SPEEDMODEM™**. The **CHAMP™** has a raw speed of 300 - 9600 bps and 4:1 data compression for throughput up to 38,400 bps. Dynamic Impedance Stabilization provides robust performance on noisy telephone circuits. The **COMBO™** adds 9600 bps send/receive, full-featured **FAX** with **VOICE MAIL** upgrade...total communications capability—only \$279. Both come with a 30-day money back guarantee, 5-year warranty and made in USA. **BYTE** magazine said our 2400bps modem was "a real deal!"...well we've done it again! See for yourself... *3/89p.102

408732-4500 **CALL NOW 800 228 6648** Fax 408732-4570

VOICE MASTER KEY® SYSTEM II

VOICE RECOGNITION & SPEECH RESPONSE
FOR IBM PC/XT/AT/386, PS/2, LAPTOPS, COMPATIBLES



FOR PRODUCTIVITY, PRESENTATIONS, SOFTWARE DESIGN, ENTERTAINMENT, LANGUAGE TRAINING, EDUCATION, MORE...
SPEECH/SOUND RECORDING AND PLAYBACK. Desktop Audio sound editing allows you to create custom sound applications. Variable sample rate (to 20 KHz) and compression levels. A four-voice music synthesizer is included also!
VOICE RECOGNITION TSR utility allows you to add voice command keyboard macros to your CAD, desktop publishing, word processing, spread sheet, or entertainment programs. Up to 64 voice commands in RAM at once—more from disk.
HARDWARE SYSTEM contains built-in speaker with separate volume and tone controls, external speaker and headphone jacks. Enclosure made of sturdy vinyl-clad steel. Attaches to parallel printer port without affecting normal printer operation (U.S. Patent 4,812,847). Headset microphone, printer cable, 9 volt AC adapter (110 volt UL/CSA listed), and comprehensive user manual included.

QUALITY THROUGHOUT. MADE IN USA. ONLY \$219.95

ORDER HOTLINE: (503) 342-1271 Mon-Fri, 8 AM to 5 PM PST

Visa/MasterCard, company checks, money orders, CODs (with prior approval) accepted. Personal checks subject to 3 week shipping delay. Specify computer type when ordering. Add \$5 shipping charge for delivery in USA and Canada. Foreign inquiries contact Covox for C&F/CIF quotes. OEM configurations available.

30 DAY MONEY BACK GUARANTEE IF NOT COMPLETELY SATISFIED.

CALL OR WRITE FOR FREE PRODUCT CATALOG



COVOX INC.
675 Conger Street
Eugene, Oregon 97402

TEL (503) 342-1271
FAX (503) 342-1283
BBS (503) 342-4135

ANNOUNCING: AN ADVANCE IN 9-TRACK OF VERY SMALL PROPORTIONS.



Overland Data's OD3210, the smallest autoloading 9-track tape drive in the world.

While everyone else is downsizing and simplifying computers and peripherals, 9-track tape drive manufacturers have somehow managed to buck this trend with drives that are huge and heavy or awkwardly manual loading.

Too bad for them. Introducing the OD3210, designed and built by Overland Data to bring 9-track into the modern office. It's incredibly compact. Portable. Whisper quiet. Uses only 45 watts. And is extremely reliable. No other drive has fewer moving parts. Best of all, it's surprisingly affordable.

The OD3210 comes with a two year warranty, expert toll-free support, and the ODI Special Service Program. So call us. And find out why some of the best advances are the smallest ones.

See us at PC Expo, booth #1480

1-800-PC9-TRAK
(1-800-729-8725)

Bus. Phone: 1-619-571-5555 • FAX: 1-619-571-0982

OVERLAND DATA
San Diego, CA

DISKETTE DUPLICATOR

OVER 300 DISKS PER HOUR



SIMPLE AND FAST FROM \$1595.

TEL: (416) 503-3335

FAX: (416) 252-4084



Workstations

External SCSI Drives


286/386/486, Macintosh, Silicon Graphics, Sun, IBM RS6000, VAX, NeXT....

Half Shell size 1.4"x5.5"x7.5" weight 2.5 lb
Hard Drives 20MB to 120MB

Hermit Crab size 2.8"x5.5"x7.5" weight 4 lb
with additional shock mount
Hard Drives 20MB to 120MB

A-Hive Jr size 2.2"x7.1"x7.1" weight 6 lb
Hard Drives 20MB to 400MB
Tape Drives 50MB to 600MB
Floppy Drives 720K to 3MB

A-Hive size 4.3"x9.6"x9.9" weight 11 lb
Hard Drives 20MB to 1GB
Cartridge Drive 44MB
Tape Drives 50MB to 1.3GB



Tulin Corporation

2156H O'Toole Ave., San Jose, CA 95131

Tel: 408-432-9025

Fax: 408-943-0782

**NEW FREE 272 PAGE DATA ACQUISITION
& CONTROL HANDBOOK FOR IBM PC/XT/
AT, PS/2 AND COMPATIBLE COMPUTERS**

**NEW 1991
HANDBOOK**



- A/D BOARDS
- SIGNAL CONDITIONING
- COMMUNICATION
- INDUSTRIAL CONTROL
- PC INSTRUMENTS
- SCIENTIFIC SOFTWARE

***SEND TODAY FOR YOUR FREE 272 PAGE METRABYTE
DATA ACQUISITION & CONTROL HANDBOOK**

KEITHLEY METRABYTE

440 Myles Standish Blvd., Taunton, MA 02780
(508) 880-3000 TLX: 503989 FAX: (508) 880-0179

Circle 315 on Inquiry Card.

Protect Your Copies of **BYTE**

NOW AVAILABLE: Custom-designed library files or binders in elegant blue simulated leather stamped in gold leaf.

Binders—Holds 6 issues, opens flat for easy reading.
\$9.95 each, two for \$18.95, or four for \$35.95.



Files—Holds 6 issues.
\$7.95 each, two for \$14.95, or four for \$27.95.



Order Now!

Mail to: Jesse Jones Industries,
Dept. BY, 499 East Erie Ave.,
Philadelphia, PA 19134

CALL TOLL FREE (24 hours):
1-800-825-6690

Please send _____ files; _____ binders for BYTE magazine.

Name: _____

Enclosed is \$ _____
Add \$1 per file/binder for postage and handling. Outside U.S.A. add \$2.50 per file/binder (U.S. funds only please).

Address: _____
(No Post Office Box)

Charge my: (minimum \$15)

City: _____

____ American Express
____ Visa _____ MasterCard
____ Diners Club

State: _____ Zip: _____

Satisfaction guaranteed. Pennsylvania residents add 6% sales tax.
Allow 5-6 weeks delivery in the U.S.

Card # _____

Exp. Date _____

Signature _____





PS/2 model 55SX-60 meg	2595
PS/2 model 70-60 meg	3195
PS/2 model 65SX-60 meg	3325
PS/2 model 70-A21	4725
PS/2 model 95-320 meg	14950
*** Monitor Extra ***	



DeskPro Models

286E-40/120 meg	1775/1895
386S-20 MHz 120 meg	2375
386/20E-120 meg	2795
386/25E-120 meg	4085
386/33L-320 meg	7885
*Call for other models - Monitor Extra *	

NOVELL SPECIALS

Ver. 2.2 - 5 user	599
Ver. 2.2 - 50 user	2345
Ver. 3.11 - 20 user	2345
Ver. 3.11 - 100 user	4685
Ver. 3.11 - 250 user	8375

LOW PRICES SINCE 1983

International Orders
We Honor Manufacturer's Warranties
Call for details

LAPTOP

Texas Instruments TM2000	1995
Texas Instruments TM3000	2995
AST Exec. 386SX/20-40 meg	2975
Compaq LTE/286-40 meg	2750
Compaq LTE/386-60 meg	4995
Sharp 6220-20 meg	1995

CALL FOR OTHER BRANDS

LAPTOP MEMORY

2 meg Toshiba 3100SX	160
2 meg Toshiba 5200	165
2 meg Toshiba 3200SX	165
1 meg Compaq SLT/LTE	180



Everex System I CALL

Everex Step 386SX-2 meg
40 meg VGA card and monitor

Everex System II CALL

Everex Step 386/33-4 meg
150 meg VGA card and monitor

* Call for models & configurations *

AGI COMPUTER

AGI 386SX-1 meg	1595
40 meg VGA card and monitor	
CALL FOR OTHER MODELS	



Bravo 386SX-40 meg	1625
Bravo 386SX-120 meg	1895
Premium 386/25-120 meg	3595
Premium 386/33-200 meg	4345
Bravo 486/25-120 meg	3575
Premium 486/33-200 meg	6450

All AST Systems have VGA Card
and two megs memory - monitor extra
Call for other models

DISKS

DYSAN 5.25 HD/3.5 HD	13/26
MAXELL 5.25 HD/3.5 HD	12/25
Minimum 10 box order	

WE STOCK
Toshiba
AST

CITIZEN
OKIDATA
EPSON

HITACHI
TALLGRASS
ARCHIVE

NEC
ALR
WYSE

HOUSTON INSTRUMENTS
MICROSOFT
SUMMAGRAPHIC

INTEL
PC MOUSE
CALCOMP

HARD DISKS

CONNER	
CP3044 40 meg	260
CP3104 100 meg	425
CP30104 120 meg	475
CP3204F 220 meg	775

MAXTOR	
XT8760E 676 meg	1895
XT8760S 676 meg	2150

Call for Optical and
W.O.R.M. Drives

Call for other brands

SOFTWARE SPECIAL

dBase IV	455
Wordperfect 5.1	260
Aldus Pagemaker	495
Ventura Publisher	525
Clipper	535
WordStar 6.0	190
EasyExtra	40

PACIFIC DATA PRODUCTS

P. Page II	345
P. Page IIP	355
P. 1-2-4 Mem II	140
P. One Meg IIP	145
P. 25 in One	250
P. Headlines	245



NOVELL
Authorized
Dealer

LAN BOARDS

8 bit Arcnet	110
16 bit Arcnet	220
8 bit Ethernet	190
16 bit Ethernet	275
8 port Active Hub	325
Token Ring Card	399
Tokenhub 4-port	355
Call for other LAN Accessories	

SPECIALS

HP Scan Jet	1425
Hp Paint Jet	965
Lotus Ver. 3.1	365
Kodak 150P	345
Canon BJ 10	345
Intel Satisfaxtion	425
Okidata 391	615
Epson LQ 1050	625
HP-7475 Plotter	1495
IBM Token-Ring	655
Panasonic 1124	299
Intel 80387-33	565

LASER PRINTERS

HP Laser IIID	2550
HP Laser 3P	1025
HP Laser III	1575
Panasonic 4450	1395
NEC 2 Model 90	1695
NEC 2 Model 290	2675
TI PS17	1595

MOOEMS

Everex 2400 Int/Mnp	179	
Hayes 2400B	315	
Hayes 9600B	875	
USRobotics Hst/Dual	1150	
More in stock		Call

Corporate Accounts
Welcome

**Call for Volume
Discounts**
Consultants Call
for Pricing
**Exports
Available**

Computerlane

Outside California: 1-800-526-3482
Inside California: 818-884-8644 • FAX: 818-884-8253

22107 Roscoe Blvd., Canoga Park, CA 91304 • 1/2 Block west of Topanga
Hours: Monday - Friday 9 - 6 Saturday 10 - 6

Compaq is a Registered Trademark of Compaq. IBM is a Registered Trademark of International Business Machines.

ALL QUOTED
PRICES ARE CASH
PRICES ONLY

Visa and MasterCard
3% higher,
American Express
5% higher

Prices subject to change
without notice.

*Quantities are limited

H. Co. Computer Products

America's Largest Selection of Memory

Orders: 1-800-726-2477 Ext 202
Tech Support: 1-714-833-3364

Information: 1-714-833-3222
FAX: 1-714-833-3389

17922 Sky Park Circle #F
Irvine, CA 92714



Part # EQ	Works With	PRICE
78X8955 (128K)	PS/2 25	\$ 19.00
1057035 (512K)	PS/1	\$ 75.00
1057036 (2MB)	PS/1	\$ 215.00
30F5348 (512K)	30/286	\$ 39.00
30F5360 (2MB)	30/286	\$ 125.00
6450603 (1MB)	50Z, 55SX, 70-EG1, 70-121, P-70	\$ 79.00
6450604 (2MB)	50Z, 55SX, 70-EG1, 70-121, P-70	\$ 135.00
6450608 (2MB)	70-A21, A61, B21, B61	\$ 139.00
34F2933 (4MB)	55SX, 65SX, 55LS, 65LS, 34F3077	\$ 329.00
6450375 (1MB)	80-041	\$ 97.00
6450379 (2MB)	80-111, 311	\$ 167.00
6451060 (4MB)	80-A21, A31, A61	\$ 379.00
6450902 (2MB)	90, 95	\$ 229.00
6450128 (4MB)	90, 95	\$ 425.00
6450605 (2-8MB)	70, 80	\$ 415.00
34F3077 (2-16MB)	70, 80	\$ 405.00
6450609 (2-16MB)	50, 50Z, 55SX, 60, 65SX	\$ 425.00



Model	Memory Added	Part # EQ	PRICE
BRAVO 486/25	2MB SIMM	500718-004	\$ 205.00
PREMIUM 386SX/16, SX20 & 386/25, 33	1MB MODULE	500780-003	\$ 89.00
	4MB MODULE	500780-004	\$ 499.00
	8MB KIT		
PREMIUM 386C, WKST & BRAVO	1MB KIT	500510-007	\$ 79.00
	4MB KIT	500510-008	\$ 270.00
PREMIUM 286	512-2MB BD	500394-001	\$ 289.00
Fastram	512 UPGRADE	500510-001	\$ 55.00
Fastram Kit	2-8MB BD	500586-001	\$ 629.00
Adv. Fastram	2MB UPGRADE	500510-002	\$ 130.00
Adv. Fastram Kit	1MB KIT	500510-003	\$ 89.00
PREMIUM 386	4MB KIT	500510-004	\$ 289.00

MATH CO-PROCESSORS



(Up to 50% faster than Intel)

Part#	PRICE
83S87-16	\$ 259.00
83S87-20	\$ 299.00
83D87-16	\$ 269.00
83D87-20	\$ 299.00
83D87-25	\$ 389.00
83D87-33	\$ 459.00



(Up to 50% faster than Intel)

Part#	PRICE
2C87-8	\$ 149.00
2C87-10	\$ 159.00
2C87-12	\$ 179.00
2C87-20	\$ 229.00
3C87SX-16	\$ 249.00
3C87SX-20	\$ 269.00
3C87-20	\$ 289.00
3C87-25	\$ 359.00
3C87-33	\$ 449.00

Call for Intel Prices

LAPTOP MEMORY

Model	Memory Added	Part # EQ	PRICE
T1000SE_XE & 2000SX	1MB KIT	PC14-PA8311U	\$ 187.00
	2MB KIT	PC14-PA8312U	\$ 277.00
	4MB KIT		\$ 689.00
	8MB KIT		\$ 1,189.00
T1200XE	2MB KIT	PC-PA8306U	\$ 169.00
T1800	2MB KIT	PC8-PA8302U	\$ 159.00
T3100SX	1MB KIT	PC15-PA8308U	\$ 169.00
	4MB KIT	PC15-PA8310U	\$ 395.00
	2MB KIT	PC9-PA8341U	\$ 169.00
T3200SX	2MB KIT	PC12-PA8307U	\$ 169.00
	4MB KIT	PC12-PA8309U	\$ 395.00
T3200	2MB KIT	PC6-PA7137U	\$ 275.00
T5100	3MB KIT	PC7-PA8310U	\$ 189.00
T5200, 5200C, 8500	2MB KIT	PC10-PA8313U	\$ 189.00
	8MB KIT		\$ 989.00



Model	Memory Added	Part # EQ	PRICE
DP 386/33, 486/25, 33 & Systempro	2MB MODULE	115144-001	\$ 149.00
	8MB MODULE	116561-001	\$ 950.00
DP 386/20e, 20, & 25e, 25	1MB BOARD	113644-001	\$ 159.00
	4MB BOARD	113645-001	\$ 409.00
	1MB MODULE	113131-001	\$ 105.00
	4MB MODULE	113132-001	\$ 285.00
DP 386s/16	1MB BOARD	113633-001	\$ 155.00
	4MB BOARD	113634-001	\$ 409.00
	1MB MODULE	113646-001	\$ 109.00
	4MB MODULE	112534-001	\$ 315.00
DP 286N, 386N & 386SX/20	1MB MODULE	118689-001	\$ 99.00
	2MB MODULE	118689-001	\$ 149.00
	4MB MODULE	118690-001	\$ 459.00
	OK BOARD	118700-001	\$ 99.00
DP 386/16	1MB BOARD	108069-001	\$ 279.00
	2MB BOARD	108069-W/71	\$ 390.00
	4MB BOARD	108070-001	\$ 589.00
	8MB BOARD	108070-W/72	\$ 899.00

CHIPS

STANDARD SIMMS

Part#	PRICE
256 X 8-10	\$ 17.00
256 X 9-10	\$ 18.00
256 X 9-80	\$ 19.00
256 X 9-70	\$ 21.00
1 X 8-10	\$ 50.00
1 X 8-80	\$ 50.00
1 X 9-10	\$ 55.00
1 X 9-80	\$ 54.00
1 X 9-70	\$ 58.00
4 X 9-80	\$ 239.00
4 X 8-80	\$ 219.00

DRAM

Part#	PRICE
1 X 1-10	\$ 5.50
1 X 1-80	\$ 5.75
1 X 1-70	\$ 6.00
256-10	\$ 6.85
256-80	\$ 1.95
256-70	\$ 2.20
256 X 4-10	\$ 5.50
256 X 4-80	\$ 6.00
4464-10	\$ 2.50
4464-80	\$ 2.50
4164-10	\$ 2.00

LASER PRINTER MEMORY

Model	Memory Added	Part # EQ	PRICE
H.P. LASERJET IIP, III, IID	1MB MODULE	H33474B	\$ 85.00
	2MB MODULE	H33475B	\$ 146.00
	3MB MODULE	H33476B	\$ 196.00
	4MB MODULE	H33477B	\$ 246.00
H.P. LASERJET II, IID	1MB MODULE	H33443B	\$ 85.00
	2MB MODULE	H33444B	\$ 146.00
	4MB MODULE	H33445B	\$ 246.00
H.P. DESKJET	256K MODULE		\$ 115.00
IBM 4019, 4019e	1MB MODULE	1039136	\$ 149.00
	2MB MODULE	1039137	\$ 189.00
	3.5MB MODULE	1038675	\$ 275.00
OKI LASER 400	1MB MODULE	70014701	\$ 179.00
	2MB MODULE	70015801	\$ 249.00
OKI LASER 800, 820	1MB MODULE	70016501	\$ 169.00
	2MB MODULE	No # Available	\$ 249.00
	4MB MODULE	No # Available	\$ 359.00
PANASONIC 4450	1MB MODULE	KXP440	\$ 180.00
PANASONIC 4420, 4450I	1MB MODULE	KX443	\$ 150.00
	2MB MODULE	KX441	\$ 169.00
	4MB MODULE	No # Available	\$ 289.00
CANON LBP-4	1MB MODULE	S63-2240	\$ 189.00
	1MB EXP	S63-2230	\$ 189.00
CANON LBP-8II	1MB BOARD	S63-1300	\$ 99.00
	2MB BOARD	S63-1880	\$ 149.00
	4MB BOARD	No # Available	\$ 269.00
APPLE LASERWRITER	1MB KIT	M6005	\$ 89.00
	4MB KIT	M6006	\$ 299.00
EPSON EPL6000	2MB MODULE	IBS401	\$ 199.00
	4MB MODULE	IB401/4	\$ 329.00
TI MICROLASER	1MB MODULE	2559810-8001	\$ 89.00
TOSHIBA PAGELASER 6	2MB MODULE		\$ 219.00
	4MB MODULE		\$ 349.00
QMS PS410	1MB UPGRADE	2600090-903	\$ 169.00
	2MB UPGRADE	2600090-902	\$ 229.00
	4MB UPGRADE	2600090-901	\$ 349.00



Model	Memory Added	Part # EQ	PRICE
Powermate SX Plus	1MB BOARD	APC-H850E	\$ 279.00
	2MB BOARD	APC-H851E	\$ 479.00
	4MB BOARD	APC-H852E	\$ 759.00
	8MB BOARD	APC-H853E	\$ 1,299.00
Powermate SX/20			Call
Powermate 386/20	2MB BOARD	APC-H655E	\$ 499.00
Powermate 386/25	2MB BOARD	APC-H655X	\$ 499.00
	8MB BOARD	APC-H656X	\$ 1,399.00
	8MB BASEBOARD	APC-H657X	\$ 1,449.00
Powermate 386/25S	2MB KIT	OP-410-8103	\$ 249.00
	8MB KIT	OP-410-5202	\$ 699.00
Powermate 386/33E 486/25E	2MB MODULE	OP-410-5101	\$ 379.00



Model	Memory Added	Part # EQ	PRICE
MAC Classic	1-3MB BD	M6361LL/A	\$ 119.00
	2MB KIT	M0514LL-A	\$ 109.00
MACIci, IIsi	1MB KIT	M0291LL-A	\$ 79.00
MACIci	2MB KIT	M0514LL-A	\$ 199.00
MACIci, IIsi	4MB KIT	M0292LL-A	\$ 229.00
MACIci	8MB KIT	M0513LL-A	\$ 799.00
MACIci, IIsi	16MB KIT	No # Available	\$ 1,099.00
MACIciIix	4MB KIT	M0376LL-A	\$ 249.00
	16MB KIT	No # Available	\$ 1,199.00
MAC SE, SE30, Plus, II, IIfx, IIfx	4MB KIT	M02707	\$ 229.00

LIFETIME WARRANTY ON ALL MODULES

TERMS:

1. We accept P.O.s from universities, government agencies, and qualified firms.
2. MC, VISA, COD, prepay and approved P.O.s only.
3. We accept international orders.
4. We accept orders through the Fax.
5. 15% restocking fee on returns within 30 days. No refunds after 30 days.
6. No software return.
7. All prices are final after sale.

Trademarks are registered with their respective companies. Prices are subject to change.



We Stock Memory for 99% of the Available Computers & Printers

Ask for Upgrades not Listed

We Will Match or Beat any Legitimate Advertised Price.

We Carry Floppy Drives.

Orders: 1-800-726-2477 Ext 200

Circle 131 on Inquiry Card (RESELLERS: 132).

Memory Upgrade Boards for Laser Printers

"For the First Time, Cut Out the Middle Man, Buy Direct from the Manufacturer"

**NOW YOU CAN AFFORD TO BUY AMERICAN!
YOU CAN'T BEAT OUR PRICES OR OUR QUALITY.**

**HEWLETT
PACKARD
II, IID, IIP, III, IIID**

1MB \$69 2MB \$111
3MB \$153 4MB \$195

**TEXAS INSTRUMENTS
MICROLASER &
MICROLASER PS**

1MB \$59

**PANASONIC
4420/4450i**

1MB \$79 2MB \$119
3MB \$159 4MB \$199



**OTHER
LASER PRINTER
BOARDS AVAILABLE:**
OKIDATA: 400/800
IBM: 4019/4019E
EPSON: EPL-6000
TOSHIBA:
PAGELASER 6

At GP Digital, Inc., we have some of the highest standards in the industry. That's because Made in the U.S.A. means something to us: Higher Quality and Reliability together with exceptional value (plus a lifetime replacement warranty!)

- Lowest Memory Pricing in the U.S.A.
- All Boards Manufactured in the U.S.A.
- Lifetime Replacement Warranty.
- We Offer Quality Service, Warranty and Technical Support.
- Same Day Shipping.
- PO's from Qualified Firms, Universities & Government Agencies, Fortune 1000.
- Dealers Inquiries Welcome.
- International Orders Accepted.
- 100% Compatible or your Money Back.
- We Accept Visa/MC.
- Follow your Package every step of the way!
- We Ship COD.
- 20% Restocking Fee on all Non-Defective Returns and Refused Orders. Authorization # Required.
- Se Habla Espanol.

gpd DIGITAL

1-800-452-7557
1-818-718-7557
Fax
1-818-718-1680

9611 Canoga Avenue, Chatsworth, California 91311

UNICORN - YOUR I.C. SOURCE & MUCH, MUCH MORE!

**Laser Diode
(visible-red)**

- Output: 3 mW (max.)
- Current: 85-100 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 670NM
- Lens Required
- Data Sheet & Application notes inc.



**Laser Diode
(visible red)**

- Output: 5 mW (max.)
- Current: 65-100 mA
- Op. Volt.: 1.75-2.2V
- Wavelength: 780NM
- Lens Required
- Data Sheet & Application notes inc.



**Laser Diode
(visible red)**

- Output: 4 mW (max.)
- Current: 20 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 670NM
- Lens Required
- Data Sheet & Application notes inc.



**Laser Diode
(visible red)**

- Output: 5 mW (max.)
- Current: 60 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 670NM
- Lens Required
- Data Sheet & Application notes inc.



**Laser Diode
(Infra-red)**

- Output: 85 mW (max.)
- Current: 85-100 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 820NM
- Lens Required
- Data Sheet inc.



STOCK # PRICE
LS9200 \$49.99

STOCK # PRICE
LS022 \$19.99

STOCK # PRICE
SB3200 \$89.99

STOCK # PRICE
LS9211 \$69.99

STOCK # PRICE
SB1053 \$9.99

**Collimator Pen
(Infra-red)**

- Output: 2.5 mW (max.)
- Current: 90-150 mA
- Op. Volt.: 2.2-2.5V
- Wavelength: 820NM
- Data Sheet inc.



Laser Pointer

- Output: 3.5 mW
- Wavelength: 670NM
- Power Supply: 2xAAA Batteries (included)
- Beam: Approx. 3" @ 100 yards
- Quantity Discounts Available



Power Supply

- Input: 115/230V
- Output: +5v @ 3.75A
- +12v @ 1.5A
- 12v @ 4A
- Size: 7" L x 5 1/4" W x 2 1/2" H



STOCK # PRICE
LB1052 \$39.99

STOCK # PRICE
LSPOINT \$199.99

STOCK # PRICE
PS1003 \$19.99

**Disc Drive & Computer
Cleaning Kit**

Not just a drive cleaner-but a complete computer cleaning kit. Includes swabs, head cleaning fluid, anti-static cleaner, screen wipes and cleaning diskette.



**Disc Drive Head-
Cleaning Kit**

Includes cleaning fluid and head-cleaning fluid



**Anti-Static
Screen Wipes**

For static-sensitive applications. Dispenser packs, individually wrapped.



STOCK # PRICE
SB1099 3 1/2" Kit \$6.99
SB1100 5 1/4" Kit \$6.99

STOCK # PRICE
SB1105 3 1/2" Drive Kit \$1.99
SB1106 5 1/4" Drive Kit \$1.99

STOCK # PRICE
SB1104 Dispenser pack of 25 wipes \$1.99
SB1106 Dispenser pack of 100 wipes \$1.99



10010 Canoga Ave., Unit B-8 • Chatsworth, CA 91311
OUTSIDE CALIFORNIA: (800) 824-3432 (Orders Only)
IN CALIFORNIA: (818) 341-8833
ORDER BY FAX: (818) 998-7975

Minimum Order \$15.00 • 24-hour ordering available

EPROMS

STOCK #	1-24	25-99	100+	STOCK #	1-24	25-99	100+
1702	4.59	4.36	3.92	2764A	3.49	3.32	2.99
2708	6.49	6.17	5.55	TMS2564	5.79	5.50	4.95
2716	3.29	3.13	2.82	27C64	3.29	3.13	3.28
2716-1	3.79	3.60	3.24	27128-20	4.99	4.74	4.27
TMS2716	5.79	5.50	4.95	27128	4.79	4.55	4.09
27C16	3.99	3.79	3.41	27128A	4.79	4.55	4.09
2732	4.19	3.98	3.58	27C128	4.79	4.55	4.09
2732A-2	3.79	3.60	3.24	27256-20	5.29	5.03	4.53
2732A	3.69	3.51	3.16	27256	4.79	4.55	4.09
2732A-4	3.19	3.03	2.73	27C256	4.29	4.08	3.67
TMS2532	5.79	5.50	4.95	27512-20	6.49	6.17	5.55
TMS2532P	1.99	1.89	1.70	27512	5.99	5.69	5.12
27C32	3.79	3.60	3.24	27C512	5.99	5.69	5.12
2764-20	4.29	4.08	3.67	27C1024	12.99	12.34	11.11
2764	3.99	3.79	3.41	68764	13.99	13.29	11.96
2764A-20	3.99	3.79	3.41	68766	12.99	12.34	11.11

DYNAMIC RAMS

STOCK #	1-24	25-99	100+	STOCK #	1-24	25-99	100+
MK4027	.59	.56	.50	4464-100	2.99	2.84	2.56
4116-120	1.39	1.32	1.19	4464-120	2.79	2.65	2.39
4116-150	.99	.94	.85	4464-150	2.29	2.13	1.96
4116-200	.89	.85	.77	41256-60	2.99	2.84	2.56
4116-250	.59	.56	.50	41256-80	2.79	2.65	2.39
4164-100	1.89	1.80	1.63	41256-100	1.99	1.89	1.70
4164-120	1.69	1.61	1.55	41256-120	1.89	1.80	1.63
4164-150	1.59	1.51	1.36	41256-150	1.79	1.70	1.53
4164-200	1.39	1.32	1.19	511000-70	6.49	6.17	5.55
4416-120	1.99	1.89	1.70	511000-80	5.99	5.69	5.12
4416-150	1.79	1.70	1.53	511000-100	5.49	5.22	4.70

BLAST YOUR MESSAGE THRU!

VOICE MAIL • TELEMARKETING CALL PROCESSING

Let Powerline transform your PC/XT/AT/386 into a multi-line voice processing command center. Have your computer intelligently process your sales, inquiries and messages. Complete package.

Single Line (BigmOut) . . . \$295.00
Multi-Line \$895.00

(Developer/OEM packages available)
 VISA • MC • AMEX • COD

Call: (415) 522-3800
 FAX: (415) 522-5556

TALKING TECHNOLOGY, INC.
 1125 ATLANTIC AVE., ALAMEDA, CA 94501

1990 TALKING TECHNOLOGIES INC

Circle 275 on Inquiry Card.

9-Track Tape Subsystem
 for the IBM PC/XT/AT

Now you can exchange data files between your IBM PC and any mainframe or mini-computer using IBM compatible 1600 or 6250 BPI 9-Track tape. System can also be used for disk backup. Transfer rate is up to 4 megabytes per minute on PCs and compatibles. Subsystems include 7" or 10 1/2" streaming tape drive, tape coupler card and DOS compatible software. For more information, call us today!

QUALSTAR

9621 Irontdale Ave., Chatsworth, CA 91311
 Telephone: (818) 882-5822

Circle 234 on Inquiry Card.

VIDEO FRAME GRABBERS

MODEL	RESOLUTION	
HRT 256-4	256 x 256 x 4	495
HRT 256-8	256 x 256 x 8	795
HRT 512-8	512 x 512 x 8	995
HRT 512-24	512 x 512 x 24	1995

- IBM PC/XT/AT COMPATIBLE
- DIGITIZE IN REAL TIME
- COMPOSITE VIDEO IN
- 24 BIT RGB OUT except model HRT 256-4
- 16 level gray scale out
- SOFTWARE LIBRARY OF IMAGE ANALYSIS ROUTINES
- FREE SOFTWARE UPGRADES TO REGISTERED OWNERS
- FULL CREDIT ON UPGRADE PURCHASE IN FIRST YEAR RETURN OLD BOARD AND JUST PAY DIFFERENCE

HRT HIGH RES TECHNOLOGIES
 P.O. BOX 76
 LEWISTON, N.Y. 14092
 PHONE 416-497-6493 FAX 416-497-1636

Circle 128 on Inquiry Card.

IMAGING CARDS

- Complete software
- Real time grab/display
- PC/XT/AT/386 compatible

CV-512 Advanced 8 bit board. 512 x 480 or 256 x 240 (4 images), in/out LUTS. 4 inputs. "ping pong" buffers, 24 bit RGB output \$795

CV-02 256 x 240 x 8 bits. 2 inputs, cursor. 24 bit RGB output \$495

CV-03 6 bit CV-02. 8 bit output \$395

Control Vision

P.O. Box 596, Pittsburg, Kansas 66762
 800 292-1160, 316 231-6647

Circle 69 on Inquiry Card.

UNIVERSAL PROGRAMMER

\$475

PAL	EPROM
GAL	8748/49
PROM	87C51...
EEPROM	87C751

5ns PALs
4 Meg EPROMs
16 bit EPROMs

Parts added at your request.

FREE software updates on BBS.
 Powerful menu driven software.
 Call - (201) 994-6669

Link Computer Graphics, Inc.
 4 Sparrow Dr., Livingston, NJ 07039
 FAX: (201) 994-0730

Circle 161 on Inquiry Card.

200 MHz Logic Analyzer

- 200 MHz max sampling rate
- 24 Channels Timing and state
- 16K samples/channel
- 16 Levels of triggering
- 3 External Clocks and 12 Quality lines
- Variable, TTL, ECL threshold levels
- FREE software updates on 24 Hour BBS

\$ 799-LA12100 (100 MHz)
\$1299-LA27100 (100 MHz)
\$1899-LA27200 (200 MHz)

Price is complete Pods and Software included

Call - (201) 994-6669

Link Computer Graphics, Inc.
 4 Sparrow Dr., Livingston, NJ 07039
 FAX: (201) 994-0730

Circle 162 on Inquiry Card.

BUILT-IN UPS

220/230 WATTS DC
 100 WATTS AC

\$365

The **POWER SOURCE** replaces the power supply in your AT/386/486. Its auto-recharge battery powers PC and monitor for up to 15 minutes. Surge suppression. Audible alarm. Full-size and Baby models. Desktop and Tower versions. Call today for immediate delivery!

PUISSANCE INC.
 35 Basswood Ave., Agoura CA 91301
 (818) 707-3613 Visa/MC/PO
 "PUISSANCE means POWER"

Circle 233 on Inquiry Card.

803X/5X Development System
 Best Price/Performance

IN CIRCUIT EMULATOR	\$495
8K-64K Emulator Memory • Single Step 64,000 Break Points • 12MHz Internal & External Clock 1.5K Trace Buffer • One POD Supports 8031, 32, 51, 52	
ASSEMBLER	\$100
Full Arithmetic & Logical Operation Support. Unlimited levels of Macros, includes files and conditional assembly. Intel, Motorola compatible output files.	
SIMULATOR	\$100
User defined 40 windows monitor all the operations performed by microprocessor, Trace files builds up history.	
EPROMS/8751/52 PROGRAMMER	\$250
Programs 24, 28, 32 Pin EPROMs and 40 Pin 8751, 87C51, 8752.	
COMPLETE SYSTEM	\$795

ams 1-800-972-3733

Advanced Microcomputer Systems, Inc.
 1321 N.W. 64th Place, Fort Lauderdale, FL 33309
 PHONE: 305-975-9515 • FAX: 305-975-9698

Circle 18 on Inquiry Card.
 WorldRadioHistory

9 Track Tape Subsystem
 for PC/XT/AT/386/PS2

Best Quality • Lowest Prices
 800/1600/3200/6250 BPI
 CALL 1-800-266-4827

Laguna Data Systems
 26941 Cabot Road
 Laguna Hills, CA 92653
 Tel: 714-367-0497, Fax: 714-367-0508

Circle 157 on Inquiry Card.


PROTEUS

...CAUSING A SEA CHANGE IN AFFORDABLE INSTRUMENTATION

As the Greek God Protéus could assume many forms, so can our Protéus. With various software modules and corresponding adapters, Protéus can transform itself into a Universal Device Programmer, Data Logger, Universal Controller, Programmable Power Supply, Universal Device Tester and PCB Tester.

The New Wave in Instrumentation Begins with Bold Features:

- Standard IBM-PC parallel printer port; Optional detachable IBM-PC compatible computer for stand-alone operation; Built-in Power Supply.
- Flexible yet powerful Algorithm Development System supporting Symbolic Pinout Mapping allows customization of all applications according to specific needs. Add new programming algorithms, implement On-Board Programming, create custom test programs.
- Up to 296 overcurrent protected mixed analog & digital pins/channels; Voltage Source & Sink,
- Universal Programmer supports virtually all devices on the market and features: True Self Calibration/Diagnostics, Programmable Current Generator, Part Insertion Sensing, Continuity Test, True State Machine Testing, Handler Interface; Adapters for Gang, PLCC, etc...



PROGRAMMER



ALGORITHM DEVELOPMENT



DATA LOGGER



CONTROLLER



POWER SUPPLY



TESTER



from \$995

[Basic Unit with Programming Adapter supporting up to 40 pin devices; Detachable computer shown in photo not included.]



750 North Pastoria Avenue, Sunnyvale, CA 94086 USA

Circle 46 on Inquiry Card.

(408) 730-5511
FAX (408) 730-5521

DISTRIBUTORS WANTED

BELOW DEALER COST

*We Guarantee Lowest Pricing

MEMORY SPECIALS

ZENITH MEMORY

• 2MB Modules • For Zenith 2248, Z286LP & Z386SX
• Compatible with Zenith part #Z-605-1
LIST 499⁰⁰ YOUR PRICE 199⁰⁰ each

TOSHIBA SPECIAL

• 2MB upgrade • For Toshiba T-1200XE, T1600, T3100E, T3100SX, T-3200SX, T5100, T5200 & T8500 (Specify Model)
LIST 499⁰⁰ YOUR PRICE 149⁰⁰

AT MEMORY BOARD

• Boca AT Plus (Brat 80) • OEM packed • 5 year warranty
• 0-8Meg uses 1Meg X 1 - 120NS Dips
• Conventional expanded & extended memory
• Supports Dos, OS2 & Lim 4.0/EMS
OK BOARD ONLY 2MEG 4MEG 8MEG
109⁰⁰ 219⁰⁰ 449⁰⁰
Brat 90 same except uses 1Meg X 9 Simm
129⁰⁰ 249⁰⁰ 349⁰⁰ 499⁰⁰

PS2 50/60 BOARD

AST ADVANTAGE/2
• Comes w/2Meg expandable to 8Meg using SIMMS
• Works with IBM PS2 Model 50/60 • SuperPak utility software
LIST 499⁰⁰
QTY. 1: 99⁰⁰ QTY. 50: 94⁰⁰ QTY. 100: 84⁰⁰
AST ADVANTAGE
• For PC-AT, 128K exp. 3MB, 2 serial, 1 parallel & SuperPak software, free SideKick
LIST 399⁰⁰ YOUR PRICE 79⁰⁰

COMPAQ (BOARDS & MODULES)

Compaq Model	Memory Added	Compaq Equip. Part #	Your Low Price
DESKPRD 286	512K Kit	113012-001	59 ⁰⁰
DESKPRD 286N 386N	1MB Module	118688-001	79 ⁰⁰
386SX/20	2MB Module	118639-001	149 ⁰⁰
	4MB Module	118690-001	389 ⁰⁰
DESKPRD 386/16	1MB Board	108069-001	278 ⁰⁰
	2MB Board	108069 W/71	348 ⁰⁰
	1MB Kit	108071-001	129 ⁰⁰
	4MB Board	108070-001	598 ⁰⁰
	4MB Kit	108072-001	318 ⁰⁰
DESKPRD 386s	1MB Board	113633-001	158 ⁰⁰
	4MB Board	113634-001	289 ⁰⁰
	1MB Module	113646-001	104 ⁰⁰
	4MB Module	112534-001	279 ⁰⁰
DESKPRD 386/20, 25 286E	1MB Module	113131-001	99 ⁰⁰
DESKPRD 386/20e/25E	4MB Module	113132-001	238 ⁰⁰
DESKPRD 386/33, 486/25	1MB Board	113644-001	158 ⁰⁰
SYSTEMPRD	4MB Board	113645-001	399 ⁰⁰
	2MB Module	115144-001	158 ⁰⁰
	8MB Module	116561-001	899 ⁰⁰
	32MB Module	116568-001	5495 ⁰⁰
PORTABLE III	512K Kit	107331-001	389 ⁰⁰
	INTFC. BD	107808-001	99 ⁰⁰
	EXP. BD	107811-001	249 ⁰⁰
	2MB Kit	107332-001	128 ⁰⁰
SLT/286	1MB Module	110235-001	158 ⁰⁰
	4MB Module	110237-001	649 ⁰⁰
LTE/286	512K Board	110777-001	199 ⁰⁰
	1MB Board	110781-001	128 ⁰⁰
	2MB Board	110781-002	178 ⁰⁰
PORTABLE 386/20	1MB Kit	107851-001	228 ⁰⁰
	INTFC. BD	107707-001	88 ⁰⁰
	4MB Board	107653-001	698 ⁰⁰
	4MB Ext. Board	107654-001	799 ⁰⁰
SLT/386S	1MB Module	108303-001	134 ⁰⁰
	2MB Module	108304-001	324 ⁰⁰

SIMM MODULES

Description	120NS	100NS	80NS	70NS	60NS
256 x 9 IBM	14 ⁰⁰	17 ⁰⁰	26 ⁰⁰	26 ⁰⁰	26 ⁰⁰
1Meg x 9 Apple	57 ⁰⁰	57 ⁰⁰	59 ⁰⁰	71 ⁰⁰	75 ⁰⁰
1Meg x 9 IBM	55 ⁰⁰	49 ⁰⁰	54 ⁰⁰	69 ⁰⁰	74 ⁰⁰
4Meg x 9 IBM	—	—	249 ⁰⁰	299 ⁰⁰	319 ⁰⁰

TOSHIBA MEMORY

Toshiba Model	Memory Added	Toshiba Equip. Part #	Your Low Price
PORTABLE 200SX	1MB BD	PC14-PA8311U	198 ⁰⁰
T1000SE & XE/LE	2MB BD	PC14-PA8312U	288 ⁰⁰
PORTABLE T1200e	2MB BD	PC13-PA8306U	178 ⁰⁰
PORTABLE T3100SX	2MB BD	PC8-PA8302U	158 ⁰⁰
PORTABLE T3100E	2MB Kit	1PC9-PA8341U	158 ⁰⁰
PORTABLE T3100SX	2MB BD	PC15-PA8308U	158 ⁰⁰
	4MB BD	PC15-PA8310U	458 ⁰⁰
PORTABLE T3200	3MB BD	PC6-PA7137U	298 ⁰⁰
PORTABLE T3200SX	2MB Kit	PC12-PA8307U	158 ⁰⁰
	4MB Kit	PC12-PA8309U	458 ⁰⁰
PORTABLE T5100	2MB BD	PC7-PA8304U	178 ⁰⁰
DESKTOP T8500	2MB Kit	PC10-PA8304U	168 ⁰⁰
PORTABLE T5200	8MB Kit	PC10-PA8319U	995 ⁰⁰

ZENITH MEMORY

Zenith Model	Memory Added	Zenith Equip. Part #	Your Low Price
Z386/33/37E/25/20	1MB Module	Z43800ME	89 ⁰⁰
	4MB Module	Z43800MK	389 ⁰⁰
Z386/25/33	1MB Module	Z43600ME	88 ⁰⁰
	2MB Module	Z43800MG	148 ⁰⁰
Z248, Z286LP, Z386SX	2MB Module	Z-605-1	148 ⁰⁰
TURBO SPRT 386/386e	1MB Kit	ZA3034ME	258 ⁰⁰
	4MB Kit	N/A	579 ⁰⁰
SUPER SPRT SX	2MB Kit	ZA180-64	278 ⁰⁰
	2MB Kit	ZA180-87	278 ⁰⁰
SUPER SPRT 286	1MB Kit	ZA180-66	178 ⁰⁰
286e SX	2MB Kit	ZA180-64	324 ⁰⁰

BOCA MEMORY BOARDS

BOCARAM XT 0-2 Meg Board. Uses 256K D-RAM. Included: Software for diagnostics, printspooler & LIM EMS 4.0 Memory Driver. OK—99⁰⁰ 2Meg—219⁰⁰
BOCARAM 502 0-2Meg Bd. Works w/PS/2 50, 50Z & 60 D wait state ram. Uses 1Meg D-RAM. OK—99⁰⁰ 2Meg—199⁰⁰
BOCA AT PLUS (BRAT 80) OK-8Meg Bd. 4.0 LIM Compat. New 5 Year Warr. Conventional, Expanded & Extended Memory. Supports DOS, OS2, LIM/EMS & EEMS. OK—112⁰⁰ 2Meg—219⁰⁰ 4Meg—319⁰⁰ 8Meg—499⁰⁰

IBM PS/2 (BOARDS & MODULES)

IBM PS/2 Model	Memory Added	IBM Equip. Part #	Your Low Price
PS/2 25/286	512K Kit	30F5348	39 ⁰⁰
30-286, 50 & 60	2MB Kit	30F5360	129 ⁰⁰
PS/2 50Z & 55-SX, 65SX	1MB SIMM	64S0603	69 ⁰⁰
	2MB SIMM	64S0604	129 ⁰⁰
	(Above Installed on Expansion Bd 1497259)		338 ⁰⁰
55SX & 65SX	4MB Module	34F2933 or 87F 9977	369 ⁰⁰
	(Above Installed on System Bd)		319 ⁰⁰
50, 50Z, 55SX & 60, 65SX	2-8MB Board	1497259 or 6450609	499 ⁰⁰
70 E61, 061, 121	1MB SIMM	64S0503	79 ⁰⁰
PS/2 70-A21 AX1, BX1	2MB SIMM	64S0604	129 ⁰⁰
PS/2 80-041	1MB Module	64S0375	108 ⁰⁰
PS/2 80-111, 121, 311, 321	2MB Module	64S0379	168 ⁰⁰
80-A21, A31	4MB Module	64S1060	338 ⁰⁰
PS/2 ALL 70s & 80s	2-8MB Board	64S605 OR 34F3011	398 ⁰⁰
	2-14MB Board	34F3077 OR 64S0802	478 ⁰⁰
90, 95 & P75	1MB Module	64S0802	648 ⁰⁰
	4MB Module	64S0128	289 ⁰⁰

5 YEAR WARRANTY RAM CHIPS (DIPS)

Description	150NS	120NS	100NS	80NS	70NS
64 x 1	1 ⁰⁰				
64 x 4	1 ⁰⁰	2 ⁰⁰	2 ⁰⁰	3 ⁰⁰	—
256 x 1	1 ⁰⁰	1 ⁰⁰	1 ⁰⁰	1 ⁰⁰	2 ⁰⁰
256 x 4	—	5 ⁰⁰	6 ⁰⁰	7 ⁰⁰	8 ⁰⁰
1 Meg x 1	—	4 ⁷⁵	4 ⁹⁵	5 ⁴⁹	5 ⁸⁵

LASER JET MEMORY

Model	Memory Added	HP Equip. Part #	Your Low Price
HP II & IID	2MB Module	33444B	138 ⁰⁰
	4MB Module	33445B	228 ⁰⁰
HP3 & IID	1MB Module	33474A/B	98 ⁰⁰
HP IIP	2MB Module	33475A/B	138 ⁰⁰
	4MB Module	N/A	238 ⁰⁰
CANON LBP4	1MB Module	N/A	199 ⁰⁰
811, 811R, 811T	1MB Module	N/A	98 ⁰⁰
	2MB Module	S63-1880	148 ⁰⁰
	4MB Module	N/A	238 ⁰⁰
IBM LASER MODEL 4019	1MB Board	1039136	148 ⁰⁰
	2MB Board	1039137	198 ⁰⁰

OVERSTOCKED CLEARANCE

150 MEG TAPE BACKUP

• Manufactured by the Best Wangler; part #150PK
• Compatible with MS DOS, NOVELL, SCD Xenix, pick operation systems • Complete kit - controller cable & manual • FREE SYTOS SOFTWARE
LIST 1495⁰⁰ QTY 1: 699⁰⁰ ea QTY 10: 669⁰⁰ ea QTY 50: 619⁰⁰ ea

200 WATT POWER SUPPLY

• Direct AT Replacement • UL Appr. 110/220V • 4 Drive Connectors
List 99⁰⁰ Your Price 49⁰⁰
150 Watt for XT 49⁰⁰ 10 for 46⁰⁰ each

2 YEAR WARRANTY HAND SCANNER

• MARS 128 New 5" • 3MS/Line w/out distortion
• Compat. w/PageMaker (1.0), Ventura Pub (1.0), Windows Paint (MSP) COMPLETE • Includes internal card scan utility software, manual halo DTP software • Free PC Paint software
LIST 249⁰⁰ QTY 1: 119⁰⁰ QTY 50: 108⁰⁰ QTY 100: 98⁰⁰

2 YEAR WARRANTY MODEMS

• Fully Hayes Compatible • Monitor Speaker with Volume Control
• 2400/300 Baud Transmission Rate • Addressable COM 1,2,3,4
• Compatible w/IBM PC, XT, AT & Compatibles • 2 Yr. Manu. Warr. Internal.
• Full Duplex Operation • Complete w/Software • Auto Dial/Auto Answer
69⁰⁰ External 89⁰⁰

1 YEAR WARRANTY COMPUTER SYSTEMS

BASE INCLUDES: AT Style Case - 200Watt Pwr, 1.2Meg Floppy, IDE Cont. 1Meg memory - 101Keyboard, 12" Monitor • 1 Yr. Warr. - tested & Complete
80286 - 12MHz 55⁰⁰ 80386 - 25MHz 118⁰⁰ OPTIONS
16MHz 61⁰⁰ 80386 - 33MHz 139⁰⁰ DDS 4.01 69⁰⁰
80386 - 16MHz SX 85⁰⁰ 80486 - 25MHz 225⁰⁰
Will build what you want • Call for different set ups

1 YEAR WARRANTY MONITORS

14" VGA MULTISCAN 1024 X 768 28 Dot • New 1 Yr. Warr. 389⁰⁰
14" VGA DEMO 640 X 480 31 Dot • 3 Mo. Warr. • Looks New 289⁰⁰

DAISY WHEEL PRINTER

• 12CPS Letter Quality
• Manufactured by Silver Reed
• IBM Centronics Parallel Interface
• New 90 day warranty
List 1149⁰⁰ Your Price 79⁰⁰
Ribbon 8⁰⁰ 6 ft. Cable 9⁰⁰

10 & 20 MEG HARD DRIVES

• MFM ST506 compatible • Works on 8 or 16 bit controller • 1/2 height 5 1/4"
10Meg - List 15⁰⁰ Your Price 6⁰⁰
20Meg - List 24⁰⁰ Your Price 10⁰⁰
Controller - 59⁰⁰ 30Meg - List 299⁰⁰ Your Price 129⁰⁰

84KEY KEY BOARD

• New 1 Yr. Warr. • Works on XT, AT & 386's • Low Cost. High Quality by Mitsumi 101Key 45⁰⁰
List 79⁰⁰ Your Price 19⁰⁰

CONNER HARD DRIVES

MODEL	SIZE	ACCESS TIME	INTERFACE	DRIVE
CP3044	40Meg	25msec	IDE	\$239 ⁰⁰
CP3104	104Meg	23msec	IDE	\$438 ⁰⁰
CP3104A	125Meg	19msec	IDE	\$472 ⁰⁰
CP3204	204Meg	23msec	IDE	\$699 ⁰⁰

CONTROLLERS

IDE Controller HD/Floppy 39⁰⁰
16 Bit WD Controller 2-1 109⁰⁰ 8 Bit WD Controller HD only 59⁰⁰
FOR FLOPPYS: Super Floppy Controls 1.2, 360K, 720K & 1.44 Drives 69⁰⁰

FLOPPY DRIVES

360K - 5 1/4" - 54⁰⁰ • 720 - 3 1/4" - 54⁰⁰ • 1.2Meg - 5 1/4" - 79⁰⁰ • 1.44Meg - 3 1/2" - 79⁰⁰
All floppies are PC compatible & can be replacements for other manufacturers
1 year warranty • 5 1/4" mounting add 5⁰⁰

71 MEG HARD DRIVE

• MiniScribe 3085 • 6 month warranty
• MFM - 20MS - 1/2 Height 5 1/4"
• Works off XT or AT Hard Drive Controller
List 899⁰⁰ Your Price 349⁰⁰ AT Controller Hard Only 29⁰⁰

INTEL COPROCESSOR

• Don't settle for a copy • Buy the real thing • 5 year warranty
8087-10Mhz - 8088 BASED MACHINE: QTY 1/VTY 10: 8087-10Mhz - 8088 BASED MACHINE: QTY 1/VTY 10: 80287-6, 6MHz - 8086 BASED MACHINE: QTY 1/VTY 10: 80287-10, 10MHz - 8086 BASED MACHINE: QTY 1/VTY 10: 80387-16, 16MHz - 80387-25, 25MHz - 80387-33, 33MHz - 80387-40, 40MHz - 80387-50, 50MHz - 80387-60, 60MHz - 80387-80, 80MHz - 80387-100, 100MHz - 1199⁰⁰/112⁰⁰

FAX CARD w/2400 BAUD MODEM

• Automatic Group III Digital Fax • Bkx operation • Send text, screen images, scan pages • Hayes compat. modem built on Fax 9600/7200/4800/2400
• Software-telephone cord
• New factory sealed List 695 Your Price 149⁰⁰

1 YEAR WARRANTY SEAGATE HARD DRIVES

MODEL	SIZE	ACCESS TIME	INTERFACE	DRIVE	WC/CONTROLLER
ST157A	44MB	28msec	IDE	\$219	\$259
ST251-1	42MB	28msec	MFM	\$229	\$299
ST117N	60MB	24msec	SCSI	\$335	\$469
ST296N	65MB	28msec	SCSI	\$319	\$459
ST1096N	84MB	24msec	SCSI	\$375	\$499
ST1102A	84MB	20msec	IDE	\$369	\$479
ST4096	80MB	28msec	MFM	\$499	\$579
ST144R	122MB	28msec	RLI	\$579	\$649
ST1144R	125MB	20msec	IDE	\$459	\$499
ST1162N	142MB	1			

MEMORY UPGRADES

IBM PS/2, APPLE
AST, COMPAQ
HEWLETT PACKARD
ZENITH, SUN MICRO
STANDARD SIMMS
LAPTOP MEMORY
(NEC, TOSHIBA, APPLE, COMPAQ)
LASER PRINTER MEMORY
(HP, CANON, TEC ENGINE)
NO RISK, BEST PRICE, BEST QUALITY

**ADD ON
AMERICA**

A DIVISION OF ROHM CORPORATION
433 N. MATILDA AVE. SUNNYVALE, CA 94088
TEL (408) 746-1590 FAX (408) 746-1593

1-800-292-7771

Circle 12 on Inquiry Card.

Data Acquisition Processor™



Onboard Intelligence For IBM PC/XT/AT/386

- 16 MHz 80C186 for general processing
- 20 MHz DSP56001 for digital signal processing
- Sustained digital signal processing of 10 MIPS
- FFT and FIR filtering without programming
- Acquires analog and digital inputs to 235K s/s
- Buffers and processes input data as required
- Updates analog or digital outputs to 250K s/s
- Over 100 commands without programming
- Custom commands may be written in C


Call for **FREE** Demo Diskette

**MICROSTAR
LABORATORIES**

(206) 453-2345
2265 116th Ave. N.E.
Bellevue, WA 98004
FAX (206) 453-3199

Circle 195 on Inquiry Card.

IEEE 488.2



Hardware for IBM PC/AT,
Micro Channel, Sun,
Macintosh, DEC,
and NeXT.

Software for DOS,
UNIX, VMS, menu-driven
and icon-driven environments.

IEEE 488 extenders, analyzers,
converters, analog I/O, and digital I/O.

Call for your free IEEE catalog

IOtech

IOtech, Inc. • 25971 Cannon Road
Cleveland, Ohio 44146 • (216) 439-4091

Circle 144 on Inquiry Card.

E/EPROM \$180

Buy your
E/EPROM
programmer from a
company with over
12 years experience
in providing both
hardware and
software tools.

Order today,
call 800-
448-8500



- Expert technical support
- HEX file utilities included
- Supports EPROM and EEPROMs to 32 pins
- NMOS and CMOS devices to 1 MBit
- 4, 8, and 16 socket models available
- IBM PC/XT/AT/386 compatible
- 1 year warranty

**AVOCET
SYSTEMS, INC.**

120 Union St., Rockport, ME 04856
Outside US 207-236-9055 • FAX 207-236-6713
The source for quality embedded-system tools

Circle 30 on Inquiry Card.

ROM Based AT Systems



Single Board Computer

- Run DOS and AT object code from ROM. Serial, Video, Flop, keybd., Printer, options.
- NEC V53 uP, runs AT Code, 12MHz, SI:15. Use standard Pc/At cards on backplane.
- 4MB Ram, 2MB Rom, 512K Sram-battery. 5 Serial, 2 Parallel Ports, Clock, Watchdog.
- \$379-q 100

303-444-7737 **KILA**

Fax 303-786-9983 655 Hawthorn Ave Boulder CO 80304

Circle 165 on Inquiry Card
(RESELLERS: 166).

ICs PROMPT DELIVERY!!!

SAME DAY SHIPPING (USUALLY)
QUANTITY ONE PRICES SHOWN FOR MAY 19, 1991

Memory for almost ALL computers

DYNAMIC RAM

4M Board for hp LJ's w/2MB	\$148.00
SIMM 4Mx9	80 ns 190.00
SIMM 1Mx9	60 ns 60.00
SIMM 1Mx9	80 ns 52.00
4 Mbit	4Mx1 80 ns 28.00
4 Mbit	1Mx4 80 ns 40.00
1 Mbit	1Mx1 80 ns 5.50
41256	256Kx1 100 ns 1.95
41256	256Kx1 120 ns 1.75
44256	256Kx4 100 ns 6.20
4464	64Kx4 100 ns 1.95

EPROM

27C4001	512Kx8	150 ns	\$49.00
D28F010	128Kx8	150 ns	24.00
27C1000	128Kx8	150 ns	14.50
27C512	64Kx8	120 ns	7.50
27128	16Kx8	250 ns	3.40

STATIC RAM

1 Mbit	128Kx8	100 ns	\$15.00
62256LP	32Kx8	100 ns	6.50

OPEN 6 1/2 DAYS, 7:30 AM-8 PM; SHIP VIA FED-EX ON SAT.

SAT DEL ON FED EX ORDERS RECEIVED BY 24:00 S. PRIORITY MAIL. THE \$2 \$6.25 PER 4 LB FR. \$1 \$17.00 PER 1 LB. COD AVAILABLE. MasterCard VISA or UPS CASH COD. MICROPROCESSORS UNLIMITED, INC. 2400 S. PRIORITY AVE., BEGGS, OK 74421. (918) 267-9691. No minimum order. \$1 for packing materials. Shipping and insurance extra.

Circle 186 on Inquiry Card.

PLD Design Software

Get Started with CUPL™ for only
\$149.95




Now you can have a PLD Starter Kit that gives you all the horsepower that the CUPL PLD compiler offers, at a fraction of the cost. For more information, call 1-800-331-7766 or 305-974-0967.

**LOGICAL
DEVICES, INC.**

Circle 163 on Inquiry Card
(RESELLERS: 164).

Program Your Chips

In Sets of 4 for \$495.00



Special offer Now Includes:

Free UV eraser, CUPL starter Kit and a \$300.00 Factory Rebate with the PDT-1 EPROM, EPLD, Micro Programmer. **LOGICAL DEVICES, INC.** 1-800-331-7766

Circle 165 on Inquiry Card
(RESELLERS: 166).

SuperSound.

LOW-COST, EASY

Digital Audio
Authoring
Workstation

Developers: for Windows 3.0 / DOS
Create SoundBlaster, Covox, Disney
Sounds, Import Mac, Amiga Sounds

IBM-PC DIGITAL VOICE / SOUND
from only \$20 User's Player \$239 - \$640 Developer's Kit

Pro Quality Software / Hardware
- in use worldwide, even Japan!

- 30 Day Money-Back Guarantee if not Satisfied
- JUST LIKE HAVING A CASSETTE TAPE RECORDER IN A PC.
- Fastest, easiest Editors with the most features for the price.
- Quick, simple hardware / software installation.
- Use for Foreign Language training / communications.
- For Business: Training, Slide Shows - with Grasp, ShowPartner, FIX...
- For Engineering: Function Gen., Clear Voice Alerts, Storage Scope...
- For Fun: Create Your Own Sounds For Games, Alter Your Voice by Silicon Shack Ph:408-446-4521 FAX: 408-374-4412

5120 Campbell Ave. #112, San Jose, CA 95130.
Technical Info./Orders: 800-969-4411
Ask for FREE PRODUCT CATALOG.

In Far East: Baywave Japan, Inc. Tel:(03)972-5391 FAX: (0)3959-1214
OEM Developers: Add QUALITY audio hardware to your product

Circle 258 on Inquiry Card.

Version 3!

8051/8052 BASIC COMPILER

Saves Time And Money

- Compatible with all 8051 variants.
- Supports floating point, integer, byte and bit data types.
- Code runs 50 times faster than BASIC-52 interpreter.
- Flexible memory mapping options.
- Trace command for debugging.
- Improved error reporting.

\$295.00

Upgrades: Vers. 1 to Vers. 3—\$125.

Vers. 2 to Vers. 3—\$75.

603-469-3232 • FAX: 603-448-3530



Binary Technology, Inc.

Main Street • P.O. Box 67 • Mardouh NH 03370

Circle 37 on Inquiry Card.

16-BIT RESOLUTION ANALOG-TO-DIGITAL CONVERTER 12,000 SAMPLES/SEC for IBM PC, XT & AT SINGLE PIECE PRICE \$475

We manufacture a broad line of data acquisition and control hardware and software for Apple and IBM computers.

Call for quotes on custom hardware or complete systems.

LAWSON LABS, INC.

74 4th AVE. W.N.
KALISPELL, MT 59901
800 321-5355 or 406 257-5355
FAX 406 257-5572



Circle 160 on Inquiry Card.

ADVANTECH

Industrial & Lab Automation with PCs

1991 PC-BUS Data Acquisition & Control Reference Guide

Total Solution for PC-based Industrial and Lab Automation



- A/D, D/A, DIO
- Signal Conditioning
- RS232/422/485
- Industrial PCs
- 286/386/486 CPU Cards
- RAM/ROM Disks
- Application Software

Free 120 page reference guide for quality minded, budget conscious engineers.

408-293-6786

1310 Tully Rd., #115, San Jose, CA 95122 FAX 408-293-4697

Circle 16 on Inquiry Card.

8051 68HC11 EMULATORS



For info call:

Australia	(02) 654 1873
Austria	(0222) 38 76 38
Benelux	+31 1858-16133
Canada	(514) 689-5889
Denmark	(42) 65 81 11
Finland	90-452 1255
France	(01) 69 412 801
Germany	08131-25083
Great Britain	0962-73 3140
Israel	(03) 484832
Italy	(011) 7710010
Korea	(02) 784 7841
New Zealand	(09) 392464
Portugal	(01) 81 50 454
Scandinavia	+46 40922425
Singapore	(065) 284-6077
Spain	(93) 217 2340
Switzerland	(01) 740 41 05
Taiwan	(02) 7640215
Thailand	(02) 281-9596

NOHAU CORPORATION
51 E. Campbell Ave. • Campbell, CA 95008
(408) 866-1820 FAX (408) 378-7869

Circle 206 on Inquiry Card.

MAXELL • SONY VERBATIM • BASF

100% CERTIFIED • LIFETIME WARRANTY

Each as low as	Blank	Formatted
5.25" DS/DD	\$.39	.49
5.25" DS/HD	.54	.84
3.5" DS/DD	.59	.79
3.5" DS/HD	.99	1.29

Mix 'N Match Quantity of 300 in bulk
Includes Tyvek sleeves and label kits

800-222-0490

NJ: (908) 431-5300 • FAX: (908) 462-5658

• 24 Hour Shipment •

MEGAsoft

PO Box 710, Freehold, NJ 07728

Circle 176 on Inquiry Card.

Is your laptop still chained to an electrical outlet? Are you frustrated by limited battery life? Solution...

Executive LapMate®

SOLAR Laptop Charger



↳ 4"x12" solar panel collects outdoor and indoor light and changes it into DC electricity (14.5 volts @ 100 milliamps).

↳ Adds up to ONE EXTRA HOUR of computer use when 'boosting' a charged laptop during a remote work session.

↳ Delivers a complete, portable recharge to any 12-volt laptop computer in approximately 12 hours.

↳ Eliminates the hassles of special adapters and downconverters for the international traveler.

↳ FREE power - anywhere under the sun and is not harmful to the environment.

For total laptop portability at only \$89.95, call: 800-336-6644

SolNetics Corporation,
590 South 100 West, Suite 7, Provo, Utah 84601 U.S.A.

Circle 261 on Inquiry Card.

486/33 WORKSTATION

Made in U.S.A.

EXP 486Pro Series

The EXP486Pro, the New Performance Leader in Personal 486 Systems.

- Intel 80486.33 CPU
- 256KB external cache
- 4MB memory (70ns), upto 32MB on board
- Shadow RAM for video & system BIOS
- Weitek 4167 numeric coprocessor socket
- AMI BIOS
- 1 2MB or 1 44MB Floppy disk drives
- 200MB(16ms) HDD with 64K cache
- 2 serial and 1 parallel port
- 101 Keytronics keyboard
- Desktop case

1 year on-site service (U.S. & Canada)

\$2995

486 33 Motherboard with CPU	\$1595
486 25 Motherboard with CPU	\$1395
386 33 Motherboard with CPU	\$ 795

Call for other Motherboards and Custom Configurations

Dealer Inquiries Welcome

JEMINI Electronics TEL (408)727-9986
3448 De La Cruz Blvd. FAX
Santa Clara, CA 95054 (408)727-7687

Circle 150 on Inquiry Card.

MULTIMEDIA BOARDS HIGH RESOLUTION REAL TIME VIDEO CAPTURE/DISPLAY

*VM24 24 bit 16 Million Colors

*VMBW 8 bit 256 Gray Levels

Both 512 x 480 Resolution
And NTSC In/Out

*VGATVH Outputs Your

640 x 480 VGA screen to
VCR or TV

IBM AT/386 compatible

1 Year Warranty

30 Day Money Back Guarantee

EECS

1753 Mass. Ave. Cambridge, MA 02140

Tel: 617-498-9838 FAX: 617-491-6808

Circle 98 on Inquiry Card.

WE MAKE YOUR ELECTRONIC DREAMS BECOME REALITY

Don't want to work 9 to 5 the rest of your life?
Take a chance on YOUR IDEA.

**CALL TODAY.
WE PROVIDE:**

- Hardware Design
- Board Layout and Manufacture
- Parts Selection and Purchase
- Product Testing
- ASIC Design and Delivery
- Reasonable Rates

EECS

1753 Mass. Ave. Cambridge, MA 02140

Tel: 617-498-9838 FAX: 617-491-6808

Circle 99 on Inquiry Card.

The Mother of All Boards!

RELAY CARD


- 8 Individually Controlled Relays
- SPDT Form C
- LEDs for status



\$179

\$190 COMPLETE TELEPHONE CONTROL

- FCC registered interface
- Audio input and output
- On hook/Off hook
- Incoming ring detect
- Touch Tone Dialer
- Touch Tone Decoder
- Call Progress (Ring, Busy, Dial Tone)



SMART STEPPER MOTOR CONTROL

- Microprocessor control of 4 Unipolar Stepper Motors
- Selectable speed, direction, acceleration ramps
- English like command language



\$299

FAST 12 BIT A/D

- Conversion time: 10µS
- 8 Analog Inputs
- Range: 0-5V Nominal
- Resolution: 12 bit



\$179

STEPPER MOTOR

- Size 23 • 60 oz-inch
- 1.8° Step



SPECIAL

\$45

SUPER VALUES!

Card Carrier	\$108
PC Adapter	\$ 69
Power Supply	\$ 12
Standard Cable.....	\$ 24
Odin Software.....	\$129
Cover.....	\$ 49
Temperature Sensor....	\$ 12

DIGITAL I/O CARD

- Three 8 Bit I/O ports
- Direct or Strobed I/O
- 0/5V TTL Levels

\$72

DIGITAL INPUT

- Latched Version Available
- Read Switch Closures
- Optical Isolation
- 8 Inputs

\$65

Please Call for any Custom Design or:

- Sensors
- Counters
- D/A Output
- Telephone Functions
- System Integration
- Software

Compatible with:

- IBM
- Apple
- Commodore
- Tandy
- Microchannel
- Dell
- Or Any RS-232 Port!

Free Catalog!

- 1 Year Warranty
- Established 1976
- Orders shipped Immediately*
- All Cards Made in USA
- VISA, MC, Prepaid Check and C.O.D.
- Approved Purchase Orders

ALPHA

TO PLACE ORDERS CALL:



1-800-221-0916

303 Linwood Avenue, Fairfield, CT 06430 USA Call (203) 259-7713 or Fax (203) 254-0169


*By UPS Ground in continental USA

6809 Single Board Computer

6809 MPU, 2 serial ports, 4 parallel ports, RAM, EPROM, real-time clock, watchdog timer, 44-pin 4.5" x 6.5" PCB
EXPANSION MODULES: RAM, EPROM, CMOS RAM/battery, analog I/O, serial I/O, parallel I/O, counter/timer, IEEE-488, EPROM programmer, floppy disks, cassette, breadboard, keyboard/display.



Circle 303 on Inquiry Card.



New Schematic and PCB Software

With support for extended and expanded memory, HiWIRE II can handle your most demanding schematic and PCB designs quickly and easily. The unique HiWIRE editor allows you to display and edit schematics and PCBs simultaneously, using the same commands for each. HiWIRE II is \$995, and is guaranteed.



1801 South Street, Lafayette, IN 47904
 (800) 742-6809 or (317) 448-1903

Circle 304 on Inquiry Card.

Network testers now cost only \$179 to \$479

Get rid of trial and error! Now, any user and any professional can buy attractively priced testers which will find many faults in the shortest possible time. They are so easy to use, you can't fail - even if you don't use them every day. Ask for Catalogue no. 90.

Now you can get PC interface cards with optical isolation

This is always important where high reliability and protection against varying potential levels and distant lightning strikes are required. W&T cards are compatible with normal ones, and are available for RS232, RS422 and 20mA. Ask for Catalogue no. 50.

Fax enquiries to 1-305-351-9099

W&T Products Corp.
 2209 NE 54th Street
 Ft. Lauderdale, FL 33308
 Phone 1-800-628-2086
 Fax 1-305-351-9099



Circle 302 on Inquiry Card.

Adapter Boards for PS/2's & XT/AT's



Add Parallel, Serial, or Special Ports for IBM Models 50, 55, 60, 70, 80

- 100% compliance to MCA spec
- Quantity and dealer discounts available

Parallel Port	\$129	Dual Serial	\$199
Dual Game Port	\$129	Dual RS-422/485	\$295
Serial Port	\$145	Quad Serial	\$295
Dual Parallel	\$189	GP1B IEEE488	\$379
Parallel + Serial	\$189	Quad RS422/485	\$495

XT/AT Adapters			
LPT/Serial Conv.	\$189	GP1B IEEE488	\$199

EZBarcode Readers for PS/2, PC/XT/AT, & Mac/ADB

- Keyboard/Wedge or Serial I/O
- Free Barcode Printing Software
- Plastic, Metal, CCD, Laser Wands
- Mag-stripe and Barcode swipe options
- Low cost: Unit one-prices from \$219

1-800-533-6116

Method Systems, Inc.

3511 Lost Nation Road • Willoughby, CH 44094 • 216-542-2100

Circle 182 on Inquiry Card.

Cross-Assemblers from \$50.00

Simulators from \$100.00

Cross-Disassemblers from \$100.00

Developer Packages from \$200.00(a \$50.00 Savings)

Make Programming Easy

Our Macro Cross-assemblers are easy to use. With powerful conditional assembly and unlimited include files.

Get It Debugged—FAST

Don't wait until the hardware is finished. Debug your software with our Simulators.

Recover Lost Source!

Our line of disassemblers can help you re-create the original assembly language source.

Thousands Of Satisfied Customers Worldwide

PseudoCorp has been providing quality solutions for microprocessor problems since 1985.

Processors

Intel 8048	RCA 1802/05	Intel 8051	Intel 8096/106K
Motorola 6800	Motorola 6801	Motorola 6841/11	Motorola 6805
Hitachi 6301	Motorola 6805	MOS Tech 6542	WDC 65C02
Rockwell 65C02	Intel 8080/85	Zilog Z80	NSC 800
Hitachi HD64180	Mot. 68k/810	Zilog Z8	Zilog Super 8

• All products require an IBM PC or compatible.

For information Or To Order Call:

PseudoCorp

716 Thimble Shoals Blvd, Suite E

Newport News, VA 23606

(804) 873-1947

FAX:(804)873-2154

Circle 232 on Inquiry Card.

MADE IN U.S.A.

ESDI

64K CACHE CONTROLLER for PC/AT 286/386/486s

Completes an ESDI Command in 25µs!!
 Beats Any Other Controllers in Price/Performance.
 Special Introductory Price



\$135

Supports:

- 10,15, 20 & 24 Mhz ESDI Drives
- 64K CACHE Buffer
- DOS, XENIX, UNIX, NOVELL & OS/2
- Onboard BIOS with color EDIT WINDOW for Auto Format & Defect Management
- Programmable Head/Cylinder Skew
- RD1415 & IF-3F17, 07 Switchable
- > 528 MB up to 1 GBytes under DOS
- > 1024 Cylinders
- 1:1 Interface
- 56-Bit ECC
- Choice of Spare Sectors
- Power Sequencing
- State-Machined ESDI Interface
- SMT & Compact Size
- 1.44M, 1.2M, 720K & 360K Floppies

1 Year Warranty 30 Days Money Back Guarantee
 Quantity Discounts Available



Maple Systems, Inc.
 2380 Gume Dr., Suite B
 San Jose, CA 95131

Tel: (408) 456-0355 Fax (408) 456-0356

Circle 170 on Inquiry Card.

DATA ACQUISITION

- Systems for Lab, Factory & Field
- PC Software Included
- Serial, Modem, & Bus
- Stand Alone Ability
- Laptop & Handheld
- PC & MAC Cards
- Inexpensive
- OEM & VAR
- RTU's

FREE CATALOG & DEMO DISK!

Manufacturers of Measurement & Control systems for Laboratory, Industrial & Field applications. Specialists in Battery Powered systems.



Call for applications info: (201) 299-1615
 PO Box 246 Morris Plains, NJ 07950 U.S.A.



Circle 102 on Inquiry Card.



REMOTE ACCESS

Office & Home Computers Network/Servers • Remote Booting

- Call-in & activate computer On or Off with touch-tone code.
- 1-10 Selectable rings with answer machine compatibility.
- Increase security, Save energy, Extend hardware/disk life.
- Compatible w/all communications & remote control software
- Additional Multi-Unit Remote Control options available.
- U.L. listed - FCC Registered - Fully Guaranteed.

\$129.95-\$4.00 S/H 24 Hour Ordering **1-800-266-1733 EXT. 140**

FAX ORDERS TO: **1-818-879-2643**


Vant Systems, Inc. 5210 Lewis Rd., Bldg. 8, Agoura Hills, CA 91301

Circle 295 on Inquiry Card.

World Radio History

There is a Difference.
 Lifetime Free Updates

EP-1
 \$349



A programmer is not just another programmer. That is why BP Microsystems is committed to bringing our customers the highest quality programmers at an affordable price. A good example of this commitment is the EP-1 EPROM Programmer. The EP-1 supports virtually every 24- or 28-pin E/EPROM. And, all of our programmers include lifetime free software updates and an unconditional money back guarantee.

BP MICROSYSTEMS

1-800-225-2102

(713) 461-0430

Circle 41 on Inquiry Card.



UNIVERSAL MEMORY PRODUCTS

**NATIONAL LEADER
IN EXPANSION
MEMORY!!!**

BLOWOUT SPECIALS

MICRON PS/2
2-8MB
EXPANSION BOARD FOR
MODELS 50, 50Z, 55SX, 60, 65SX
W/2MB \$295 W/4MB \$405

NEW!!!
BOCARAM AT PLUS
1X9 SIMM VERSION
OKB \$129 W/2MB \$239

COMPAQ
LTE 386S/20
4MB MODULE
\$985

PROCOM
PS/2 50 & 50Z
120MB 19MS
ZERO SLOT HARD DRIVE KIT
\$849

AST
RAMVANTAGE
UP TO 3MB FOR AT'S
EXTENDED BACKFILL TO 640KB
W/128KB \$49

ORCHID
RAMQUEST 8/16
FOR PC/XT/AT
OKB \$189 W/2MB \$297
RAMQUEST 16/32
FOR PS/2'S
2-8MB W/SERIAL & PARALLEL
16 & 32 BIT MCA BUS
W/2MB \$389

POSTSCRIPT
FOR HP LASERJET
\$359
MODELS 2D, 2P, 3, 3D

EXPANSION BOARDS

ORCHID TECHNOLOGY
RAMQUEST 8/16
UP TO 32MB LIM 4.0 HARDWARE & SOFTWARE
FOR PC/XT/AT USES 256KB, 1 OR 4MB SIMM
OKB \$189 W/2MB \$297
RAMQUEST 16/32
2-8 MB FOR PS/2
LIM 4.0 HARDWARE & SOFTWARE WITH SER & PAR PORT
FOR MOD 50, 50Z, 55SX, 60, 70, 80
FULLY SUPPORTS 16 & 32 BIT MEMORY
PRINT SPOOLER/RAM DISK/DISK CACHE
OKB \$289 W/2MB \$389

BOCA RESEARCH
BOCARAM AT PLUS
\$119 W/2MB \$227
2-8MB USING 1X1 DRAM OR 1MB SIMM
BOCARAM AT IO PLUS
\$159 W/2MB \$269
UP TO 4MB WISER & PAR PORT
BOCARAM 30 \$129
UP TO 2MB FOR PS/2 MOD 25 & 30
BOCARAM XT \$119
UP TO 2MB EXPANSION FOR PC/XT

AST RESEARCH
6 PAK 286 \$119 W/2MB \$227 W/4MB \$335
INCLUDES HEADROOM SOFTWARE
RAMPAGE PLUS 286 \$339 W/4MB \$550
UP TO 8MB FOR AT'S LIM 4.0 HARDWARE & SOFTWARE
RAMVANTAGE \$49 W/128KB
BACKFILLS AT'S TO 640KB & UP TO 3MB EXT. MEMORY

MICRON TECHNOLOGY
2-8MB EXPANSION BOARD
FOR PS/2 50, 50Z, 55SX, 60
W/2MB \$295 W/4MB \$405

EVEREX
RAM 3000 \$ 99 UP TO 3MB FOR AT'S
RAM 8000 \$225 UP TO 8MB FOR AT'S
LIM 4.0 HARDWARE & SOFTWARE

INTEL
FOR PC/XT/AT
ABOVE BOARD PLUS8 W/2MB \$559
ABOVE BOARD PLUS W/512 \$390
FOR PS/2
ABOVE BOARD 2 PLUS \$349
FOR MOD 50, 50Z, 55SX, 60, 65SX
ABOVE BOARD MC32 \$449
FOR MOD 70 & 80

COMPAQ
DESKPRO 386 20/25 20E/25E 386S
1MB MODULE \$109 4MB MODULE \$299
4MB EXPANSION BOARD \$495
NEW LTE 386 S/20 4MB \$990
PORT. 386/20 4MB \$710
1.44 & 1.2 MB 1/3 HEIGHT FDD
FOR DESKPRO \$129

LASER PRINTERS

HP LASERJET
HP II & IID, IIP & III
1MB \$ 89 2MB \$149 4MB \$245

PACIFIC DATA
POSTSCRIPT CARTRIDGE \$385

IBM
4019 & 4019E
1MB \$139 2MB \$189 3.5MB \$269

PANASONIC
4420 & 4450I
1MB \$109 2MB \$169 4MB \$279

CANON
LBP 4
1MB \$189 2MB \$229 4MB \$319
LBP 8
1MB \$119 2MB \$159 4MB \$259

EPSON EPL 6000
1MB \$119 2MB \$159 4MB \$259

TOSHIBA PAGELASER 6
1MB \$119 2MB \$159 4MB \$259

VIDEO GRAPHICS CARDS
ORCHID PRODESIGNER IIS
W/512KB \$289 W/1MB \$319
ORCHID PRODESIGNER IIMC FOR PS/2
W/512KB \$399 W/1MB \$499
BOCA SUPER VGA
W/512KB \$149 W/1MB \$179

PROLAB SCANNERS
256 COLOR
100-400 DPI W/WINDOWS SOFTWARE
\$499
256 GRAY SCALE
\$299

LAPTOPS
TOSHIBA LAPTOP
T1200SE/XE, T1600, T3100E, T3100SX,
T3200SX, T5100, T5200 2MB \$169
T1000SE/XE/LE, T200SX 2MB \$289
T3100SX, T3200SX 4MB \$467

MEGAHERTZ
LAPTOP MODEMS TOSHIBA/COMPAQ/OTHERS
2400BAUD \$149 W/MNP5 \$209
2400 MODEM/9600 FAX FOR TOSHIBA \$407

MEMORY

PS/2 MODULES
6450604 2MB MOD 50Z, 55SX, 70E611121 \$139
6450608 2MB MOD 70A21 \$149
6450603 1MB PS/2 SIMM \$ 69
6450372 2MB FOR 6450367 \$249
6450375 1MB FOR MOD 80-041 \$135
6450379 2MB MOD 80-1113111 \$209
34F2933 4MB PS/2 SIMM \$390
30F5360 2MB KIT MOD 30-286 \$149
6451060 4MB MOD 80-A21131 \$495
6450128 4MB MOD 90 & 95 \$419
6450902 2MB MOD 90 & 95 \$195

PS/2 EXPANSION BOARDS
6450609 W/2MB 2-8MB MOD 50, 50Z, 55SX, 60 \$460
6450605 W/2MB 2-8MB MOD 70 & 80 \$460
34F3077 W/2MB 2-14MB MOD 70 & 80 \$485
34F3011 W/4MB 4-16MB MOD 70 & 80 \$690
6450185 W/1MB 1-13MB MOD 50, 55SX, 60 \$425

PROCOM PS/2 DRIVES
200MB MDL 50/50Z \$1375 320MB SCSI EXT \$2500
80MB SCSI EXT \$ 745 1.2MB EXT FDD \$ 269
100MB SCSI EXT \$ 985 MC SCSI ADAPTER \$ 269
200MG SCSI EXT \$1457 650MB EXT CD-ROM \$ 747

MATH CO-PROCESSORS
NEW!!! ULSI
FASTER, LOWER COST LIFETIME WARRANTY
30 DAY MONEY BACK GUARANTEE
US83C87-16 \$275 US83C87-33 \$465
US83C87-20 \$309 US83C87-16SX \$265
US83C87-25 \$379 US83C87-20SX \$295

CYRIX
83D87-16 \$279 83D87-33 \$494
83D87-20 \$319 83S87-16 \$275
83D87-25 \$399 83S87-20 \$319

INTEL
80387SX-16 \$299 80387-33 \$559
80387-20 \$359 80387-10 \$799
80387-25 \$459

SINGLE MEMORY
SIMM/SIPP MEMORY
1X9-70 \$59 256X9-70 \$23
1X9-80 \$55 256X9-80 \$19
1X9-100 \$53 256X9100 \$17
4X9-80 \$275 256X9-120 \$15
4X9-70 \$295

DRAM MEMORY
1MBX1-70 \$5.90 256X1-100 \$2.10
1MBX1-8 \$5.75 256X1-120 \$1.90
1MBX1-100 \$5.50 256X1-150 \$1.70
256X4-80 \$5.75 64X4-80 \$3.00
256X4-100 \$5.50 64X4-100 \$2.75
256X4-120 \$5.25 64X1-150 \$1.10
256X1-80 \$2.50 64X1-120 \$1.50

HOURS MON - FRI 7AM - 5PM SAT 8AM - 2PM

800 678.8648 714 258.2018 CA 714 258.2818 FAX

UNIVERSAL MEMORY PRODUCTS 15411 RED HILL AVENUE SUITE B TUSTIN, CA 92680

NO SURCHARGE ON VISA/MASTERCARD. AMEX ADD 4% PURCHASE ORDERS ACCEPTED FROM QUALIFIED FIRMS 20% RESTOCKING FEE ON ALL NON-DEFECTIVE RETURNS PRICES SUBJECT TO CHANGE

**ONE YEAR
WARRANTY**

AMT INTERNATIONAL

**LOWEST PRICES
SAME DAY
SHIPPING**

2393 QUME DRIVE, SAN JOSE, CA 95131

(408) 432-0552 • (408) 432-1790 • Fax: (408) 944-9801

COMPUTER SYSTEMS

AMT 486-25/33 MHz w/128K Cache

4MB RAM
200 MB / IDE HARD DISK
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
FULL TOWER CASE
w/230 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$2649/2949

AMT 386-33 MHz w/64K Cache

1MB RAM
40 MB HARD DISK
INTEL 386-33 MHz CPU
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
MINI-TOWER CASE w/200 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$1399

AMT 386-25 MHz w/40 MB Hard Disk

1MB RAM
40 MB HARD DISK
INTEL 386-25 MHz CPU
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
AT CASE w/200 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$1049

AMT 386SX-16 MHz w/40 MB Hard Disk

1MB RAM
40 MB HARD DISK
INTEL 386SX-16 MHz CPU
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
AT CASE w/200 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$859

**COMPUTER SYSTEMS: VGA MONITOR AND VGA
16 BIT CARD (1024 x 768) \$425**

MEMORY UPGRADES

COMPAQ MEMORY

DeskPro 286-E, 386-20/20E/25	
1MB 113131-001	\$125.00
4MB 113132-001	\$330.00
DeskPro 286N, 386N and 386SX	
2MB 118689-001	\$200.00
4MB 118690-001	\$545.00
DeskPro 386S	
1MB 113646-001	\$125.00
4MB 112534-001	\$315.00
DeskPro 386-33, 486-33 & SystemPro	
2MB 115144-001	\$200.00

AST MEMORY

Bravo-286, Workstation, 386SX	
512K Kit 500510-010	\$59.00
2MB Kit 500510-002	\$150.00
Premium 386-16/20C	
1MB Kit 500510-007	\$95.00
4MB Kit 500510-008	\$275.00
Premium 386-20	
1MB Kit 500510-003	\$150.00
4MB Kit 500510-004	\$350.00
Premium 386-SX/25/33 & 486-25	
1MB 500718-002	\$80.00

HEWLETT-PACKARD MEMORY

Vectra QS/16S	
1MB D1540A	\$112.00
4MB D1542A	\$325.00
Vectra QS/20PC, RS/25PC and 20C	
1MB D1640A	\$126.00
4MB D1642A	\$325.00
Vectra 486PC	
1MB D2150A	\$115.00
4MB D2151A	\$390.00

IBM PS/2 MEMORY

Models 30-286, Exp. Board 1497259	
512 K Kit 30F5348	\$54.00
2MB Kit 30F5360	\$175.00
Models 70-E61/121, 55SX, 65SX	
1MB 6450603	\$95.00
Models 70-E61/121, 50Z, 55SX, 65SX	
2MB 6450604	\$179.00
Models 55SX, 65SX, 34F3077 & 34F3011	
4MB 34F2933	\$370.00
Models 70-A21	
2MB 6450608	\$150.00
Models 80-141	
1MB 6450375	\$145.00
Models 80-111/311	
2MB 6450379	\$220.00
All Models 70 and 80	
2-8MB w/2M 6450605	\$489.00
2-14MB w/2M34F3077	\$500.00
4-16MB w/4M34F3011	\$925.00
Models 50, 50Z, 55 SX & 60	
2-8MB 1497259	\$599.00

LASER PRINTER MEMORY

Hewlett-Packard Laser Jet IIP, III & IID	
1MB 33474B	\$110.00
2MB 33475B	\$150.00
4MB 33477B	\$215.00
Hewlett-Packard Laser Jet II & IID	
1MB 33443B	\$110.00
2MB 33444B	\$150.00
4MB 33445B	\$215.00
IBM Laser 4019 and 4019e	
2MB 1039137	\$369.00
3.5MB 1038675	\$469.00
Canon LBP-8II, 8IIR, 8IIT	
2MB S63-1880	\$225.00
4MB Part #N/A	\$439.00

LAPTOP AND PORTABLE MEMORY

TOSHIBA MEMORY	
1MB Model 1000SE/XE	\$265.00
2MB Model 1000SE/XE	\$325.00
2MB Model T1200XE	\$230.00
2MB Model T1600	\$230.00
2MB Model T3100E	\$175.00
2MB Model T3100SX	\$175.00
4MB Model T3100SX	\$395.00
2MB Model T3200SX	\$175.00
4MB Model T3200SX	\$395.00
2MB Model 5100	\$215.00
2MB Model T5200, T8500	\$185.00
8MB Model T5200, T8500	\$960.00

ZENITH MEMORY	
1MB SuperSport 286 & 286E	\$199.00
2MB SuperSport 286 & 286E	\$350.00
2MB SuperSport SX/Alpha	\$350.00
2MB SuperSport SX/Beta	\$350.00

COMPAQ MEMORY	
1MB Portable LTE 286	\$175.00
2MB Portable LTE 286	\$225.00
1MB SLT-286	\$225.00
4MB SLT-286	\$775.00

NEC MEMORY	
1MB Prospeed 286	\$270.00
2MB Prospeed 386	\$400.00

ZENITH MEMORY

Zenith Z-386/20/25/33 & 33E	
1MB ZA36/3800ME	\$100.00
4MB ZA3800MK	\$525.00
Zenith Z-386/20/25/25 & 33	
2MB ZA3600MG	\$199.00
Zenith Z-386 SX	
2MB Z 605-1	\$225.00

MATH COPROCESSORS

INTEL	
8087-5MHz	\$80.00
8087-2 8MHz	\$116.00
8087-1 10MHz	\$155.00
80287-6 6MHz	\$130.00
80287-8 8MHz	\$185.00
80287XL 8/10MHz	\$185.00
80287XTL 12 MHz (Laptop)	\$210.00
80287-10 10MHz	\$185.00
80C287-12 12MHz	\$196.00
80387SX-16	\$285.00
80387SX-20	\$310.00
80387DX-20	\$340.00
80387DX-25	\$425.00
80387DX-33	\$525.00
WEITEK	
3167-20 20MHz	\$300.00
3167-25 25MHz	\$350.00
3167-33 33MHz	\$500.00
4167-25MHz	\$556.00
4167-33MHz	\$700.00

CYRIX	
83087-16 16MHz	\$260.00
83087-20 20MHz	\$295.00
83087-25 25MHz	\$360.00
83087-33 33MHz	\$440.00
83SX87-16 16MHz	\$235.00
83SX87-20 20MHz	\$260.00

IIT	
8C87-8	\$80.00
8C287-10	\$95.00
8C287-12	\$115.00
8C287-20	\$145.00
8C387-20	\$250.00
8C387-25	\$325.00
8C387-33	\$355.00

AMD	
80C287-10	\$99.00
80C287-12	\$120.00

DRAM

DRAM 1MGXI		DRAM 84X4		DRAM 256X4	
1 MGXI-120NS \$5.00	4164-15 \$1.50	256X4-120NS \$5.00		256X4-100NS 5.50	
1 MGXI-100NX 5.25	4164-12 1.99	256X4-80NS 5.75		256X4-80NS 5.75	
1 MGXI-80NX 5.50	4164-10 2.50			256XI-STATIC COL	
1 MGXI-70NX 5.75				51258P-10 \$2.99	
1 MGXI-60NX 7.50				AAA 2800-08 3.00	
				AAA 2800-07 3.25	
				AAA 2800-60 3.50	
				1X4-80 ZIPP 35.00	
				1X4-80STT ZIPP 39.00	
				1X4-70STT ZIPP 39.00	
DRAM 64X1		DRAM 256X1			
4164-150 \$2.00	256XI-150NS \$1.79				
4164-120 2.50	256XI-120NS 1.99				
4164-100 2.75	256XI-100NS 2.00				
4164-80 3.00	256XI-80NS 2.25				
	256XI-70NS 2.35				
	256XI-60NS 3.99				

SIMM MODULES

IBM TYPE		256x9-10	14.00
Add \$2.00 for SPPS		256x9-80	16.00
4Mx9-80	\$200.00	256x9-60	18.00
1Mx9-60	60.00	APPLE-MAC	
1Mx9-10	45.00	1Mx8-70	\$50.00
1Mx9-80	49.00	1Mx8-10	\$40.00
1Mx9-70	51.00	1Mx8-80	\$45.00
256x9-70	18.00	4x8-80	\$190.00

MACINTOSH UPGRADE

1Meg IIfx	\$90.00
4 Meg IIfx	300.00
1Meg Mac Portable	290.00
3Meg Mac Portable	750.00
1Meg Mac SE; II; IICL	90.00
512K Mac LC VRAM	145.00

CPU CHIPS

80386DX-16	\$199.00	80286-8 (PLCC)	15.00
80386DX-20	225.00	80286-10 (PLCC)	18.00
80386DX-25	250.00	80286-12 (PLCC)	20.00
80386DX-33	300.00	82385-20	60.00
80386sx-16	150.00	82385-33	75.00
80386sx-20	160.00	V-20-8	6.00
80486DX-25 (B6)	700.00	V-20-10	10.00
80486DX-33 (B6)	825.00	V-30-10	10.00

DYNAMIC RAMS

4Mx9	80ns	\$ 175.00
PS2	2M 604/608	\$ 105.00
1Mx9	80ns	\$ 49.00
1Mx8	80ns	\$ 45.00
256x4	100ns	\$ 5.45
✓ 1Mx1	100ns	\$ 4.95
41464	100ns	\$ 2.40
✓ 41256	100ns	\$ 2.10
2800	80ns	\$ 3.25
4164	120ns	\$ 1.85

*For quality discount, high-speed parts, SHIP... Please Call!

■ MATH COPROCESSORS	387SX-16	16 CYR/K	\$190.00
3C87-33	33MHz		\$335.00
3C87-25	25MHz		\$295.00
3C87-20	20MHz		\$240.00
3C87-16	16MHz		\$215.00
387SX-20	20MHz		\$215.00
■ V-20	20MHz		\$ 8.5/15
2C87-20	20MHz		\$110.00
2C87-12	12MHz		\$ 85.00
2C87-10	10MHz		\$ 80.00
D80287XL	8MHz		\$180.00

I.C. EXPRESS

15140 Valley Blvd. City of Industry, CA 91744
Customer service: (818) 333-8880 FAX: (818) 369-1236
ORDER: (800) 877-8188 (Mon.-Fri. 8-5 PST)

Prices shown for cash. Mail/Order/VISA add 3%. Prices are subject to change.
Minimum order \$10.00. Shipping & Handling: UPS Ground \$6.00. Air \$9.00 (1 lb.)
All merchandise is 100% GUARANTEED with prompt delivery.

Circle 134 on Inquiry Cord.

Instant Microcontroller



Instant C Programming

Don't use a microprocessor, use a SmartBlock™ microcontroller module to build your custom controller. Our low cost Dynamic C™ makes programming a snap. 3.5 x 2.5 inch module includes microprocessor, memory, time/date clock, EEPROM, watchdog, serial ports and more. As low as \$59 in quantity. The efficiency of a custom design without the headaches.

Z-World Engineering

1340 Covell Blvd., Davis, CA 95616 USA

Tel: (916) 753-3722

Regular Fax: (916) 753-5141

Automatic Fax: (916)-753-0618

(Call from your fax, hear computer voice, use touchtone dial to request desired data sheets.)

Circle 311 on Inquiry Cord.

DEC/TEK Terminal Emulation

EM4105

- Tektronix 4105/4010/4014
- DEC VT320, VT220, VT102
- 16 color VGA/EGA support
- PostScript, HP Laserjet, plotter high resolution hardcopy
- Pan/Zoom, mouse support
- Extensive network support

EM320

- DEC VT320, VT220, VT102
- True 132 column display
- Remappable keyboard
- KERMIT, Xmodem file transfer
- DOS hot key (only 170 Kbit)
- Extensive network support

Diversified Computer Systems, Inc.

3775 Iris Avenue, Suite 1B
Boulder, CO 80301 (303) 447-9251
FAX 303-447-1406

All Trademarks Acknowledged

Circle 95 on Inquiry Cord.

New SUPERPRO™, UNIVERSAL PROGRAMMER



WITH FREE MULTIMETER ONLY \$795

- programs • PAL, EPLD, GAL, PEEL, FPL (up to 68 pin PLCC)
- E(E) PROM, Flash EPROM up to 4 Mbits (40 pins)
- Microcontroller, Bipolar PROM.
- Tests TTL/CMOS Logic, D/S Memory Device.
- High speed parallel interface card to PC/XT/AT/386
- Pull-down Menu driven, Library Operating software.
- Fast Device update on user's request
- 40-pin Gold ZIF Socket
- Lifetime Free Updates (BBS)
- User Device Library Generator (optional)

TOLL FREE 1-800-541-1975 764 San Alejo Ave.
Sunnyvale, CA 94086
TEL (408) 745-7974
FAX (408) 745-1401

Circle 305 on Inquiry Cord.

Little Giant™ New! Tiny Giant™ C Programmable Controllers

We have miniature controllers with parallel I/O, solenoid drivers, A/D and D/A converters, clock, watchdog, LCD interface, RS485 serial, built-in power supply and much more! Use them to control anything. Our \$195 interactive Dynamic C™ development system makes software development easy. These units have high performance and serious software support. We also have design-your-own-board core modules as low as \$59.



\$159
(Tiny Giant Digital, qty. 1)

Z-World Engineering

1340 Covell Blvd., Davis, CA 95616 USA

(916) 753-3722

Regular Fax: (916) 753-5141

Automatic Fax: (916) 753-0618

(Call from your fax, hear computer voice, use touchtone dial to request desired data sheets.)

Circle 312 on Inquiry Cord.

X.25 QLLC ADCCP SDLC HDLC PAD

- C source code
- ROM-able
- Full porting provided
- No OS required




GCOM, Inc.
1776 E. Washington
Urbana, IL 61801
(217) 337-4471

Specialists in Computer Communications
FAX 217-337-4470

Circle 114 on Inquiry Cord.

Circle 47 on Inquiry Cord.

LOW COST INTERFACE AND DATA ACQUISITION / CONTROL CARDS FOR PC/XT/AT



RS-485/422 Card [PC485] \$95/125

- Serial Async. Communication up to 4,000B; 2 or 4 wires; NS16450 UART.
- Can be configured as COM1-COM4; Maximum Baud Rate 56KB.
- Flexible configuration options. RTS or DTR control of transmission direction.
- Full/Half duplex operation. Supports hardware handshaking (RTS/CTS).
- Dual drivers/receivers/handlers for devices. Compatible with most comm. software.
- High speed version available (supports baud rates up to 256KB/s) - \$165

Dual-Port RS-485/422 [PCL743] \$175

- Two independent channels / UARTs; 2 or 4 wire operation. Max. Baud 56KB.
- Dipswitch configurable as COM1-4 (IRQ2-7). On board terminator resistor.

IEEE-488 Card [PC488A/C] \$145/445

- Includes DOS Device Driver and sample Communication program in BASIC
- Additional sample programs in C, Pascal & Assembly - \$50.
- IRQ (1-6), DMA channel 1 or 2. Up to 4 boards per computer.
- Compatible with most IEEE-488 Software packages for IBM-PC.
- I/O Addresses and Control Registers compatible with NBS GPIB-PC/IL.
- PC488C card version with Built-In Bus Analyzer hardware and software. (Allows Real Time 488 Bus Data Capture in background operation mode.)

Digital I/O & Counter [PCL720] \$175

- 32 Digital Input and 32 Digital Output Channels, 3 channel programmable counter/timer. User configurable clock source. Breadboard area.

144 Bit Digital I/O [PCL722] \$345

- 144 lines (24 bits x 6 ports) of TTL compatible digital I/O. Output buffers sink 24mA, source 15mA. Interrupt handling capability up to 32 multiple channels.

Relay & Isolated D/I [PCL725] \$240

- 8 Relay actuator outputs; 8 Opto-isolated digital inputs. Relay driver circuits.
- LED indicators for activated relays. On board signal conditioning.

10 Channel Counter [PCL830] \$345

- 10 Independent 16 bit up/down counters. Programmable frequency output.
- 16 bit TTL input and 16 bit TTL output ports. Selectable interrupt channel.

6 Channel 12 bit D/A [PCL726] \$495

- Output Ranges: 0 to +5V, 0 to +10V, ±5V, ±10V or sink 4-20mA.
- Settling time: 10µs. Linearity: ±1/2bit. Voltage output driving capacity: ±5mA.
- Digital I/O: 16 digital inputs and 16 digital outputs; TTL compatible.

12 Bit A/D & D/A [PCL711s] \$295

- A/D converter: 8 single ended channels; Device: AD754; Conversion time less than 25µsec; Input range: ±5V. Software Trigger Mode only.
- D/A converter: 1 channel; 12 bit resolution; 0 to +5V/10V Output Range.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- External Wiring Terminal Board with mounting accessories included.
- Utility Routines and Demo Sample Programs for BASIC and Quick-BASIC.

12 Bit A/D & D/A [PCL812] \$395

- A/D converter: 16 single ended inputs; Device: AD574; Conversion time less than 25µsec; Built-in programmable pacer; Input ranges: ±10V, ±5V, ±1V.
- D/A converter: 2 channels; 12 bit resolution; Output Range 0-5V.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- Counter: 1 channel programmable interval counter/timer; Uses Intel 8254.
- DMA and interrupt capability. Utility software for Basic included.

12 Bit w/ Pgm Gain [PCL812pg] \$450

- A/D converter: 16 single ended inputs; Device: HA1574; Conversion time less than 25µsec; Built-in programmable pacer; Input ranges: ±10V, ±5V, ±2.5V, ±1.25V, ±0.625V, ±0.3125V.
- Software Programmable Multiple Input Ranges: ±10V, ±5V, ±2.5V, ±1.25V, ±0.625V, ±0.3125V.
- D/A converter: 2 channels; 12 bit resolution; Output Range 0-5V.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- Counter: 1 channel programmable interval counter/timer; Uses Intel 8254.
- DMA and interrupt capability. Utility software for Basic included.

Fast 12 Bit A/D/A [PCL718] \$785

- A/D converter: 16 single ended or 8 differential channels; 12 bit resolution; Programmable scan rate; Built-in Interrupt and DMA control circuitry. Conversion speed 60,000 samples/second (standard), 100,000 samples/sec (optional).
- Input ranges: Bipolar: ±10V, ±5V, ±2.5V, ±1V, ±0.5V; Unipolar: 0 to 2.1V, ±0.5V.
- D/A converter: 2 channels; Resolution: 12 bits res; Settling time: 5µsec; ±5V.
- Digital I/O: 16 OUT, 16 IN; TTL compatible; All I/Os TTL compatible.
- Counter: 16 bit prog. interval counter/timer; Uses Intel 8254; Pacer clock.
- Software: Utility software for BASIC and QuickBASIC included. Supported by LabDAS, ASYST, LABTECH1, UnkelScope

Fast 12 Bit w/ Pgm Gain [818] \$875

- A/D converter: 16 single ended or 8 differential channels; 12 bit resolution; Programmable scan rate; Built-in Interrupt and DMA control circuitry. Conversion speed 100,000 samples per second.
- Software Programmable Input ranges: Bipolar: ±10V, ±5V, ±2.5V, ±1V, ±0.5V; Unipolar: 0 to 2.1V, ±0.5V.
- D/A converter: 2 channels; Resolution: 12 bits res; Settling time: 5µsec; ±5V.
- Digital I/O: 16 IN, 16 OUT; TTL compatible; All I/Os TTL compatible.
- Counter: 16 bit prog. interval counter/timer; Uses Intel 8254; Pacer clock.
- Software: Utility software for BASIC and QuickBASIC included. Supported by LabDAS, ASYST, LABTECH1, UnkelScope

Stepper Motor Card [PCL838] \$395

- Capable of independent and simultaneous control of up to 3 stepper motors.
- Programmable speed from 1 to 10,000 pps. Steps per command 1 to 55355.
- I/O switch selects the I/O port base address and max. rate. 24 bit TTL I/O ports.
- Crystal based timing; All control signals opto-isolated.

Circle 48 on Inquiry Cord.

MC / VISA / AMEX

Call today for datasheets!



B&C MICROSYSTEMS INC.
750 N. PASTORIA AVE., SUNNYVALE, CA 94086 USA
TEL: (408) 730-5511 FAX: (408) 730-5521 BBS: (408) 730-2317

JULY 1991 • BYTE 333

DEVELOPER'S TOOLS

NICE-51 satisfies you, who expects excellent functions, attractive price and easy to use. What a surprise, now you have it!

8051 IN-CIRCUIT EMULATOR NICE-51

PC BASED FROM \$950

- Up to 12 MHz Real-Time without intruding Interrupt, Serial Channel, I/O or Code Space
 - Built-in programmer for EPROM & 8751
 - Handles Binary, Hex & Symbolic file and down-loads data to external RAM
 - With full screen editor, SPF, Code, External data, Internal data and Bit address can be directly viewed and edited
 - Complete menu-driven software without any tedious commands
 - 16 K trace buffer, 48 Bit wide with ADDR, DATA, P1, P3 and status signals
 - 64 K H/W breakpoint
 - Extra 10 function keys operate routine tasks
- Call us today for complete product line
Immediate technical support upon your phone call
• 1-year warranty and 30 days money-back guarantee



TRIBAL MICROSYSTEMS

Tel: (415) 623-8859 Fax: (415) 623-9925
44388 S. Grimmer Blvd. Fremont CA 94538

DEVELOPERS' TOOLS

TPT-100 \$145.- POCKET IC TESTER

- Tests TTL (74/54), CMOS (40/45) and DRAM
- 9V battery operated
- LCD display
- Search unknown IC



TRE-200 \$295.- 8/16 BIT ROM/RAM EMULATOR (PC based)

- 8 or 16 Bit
- ROM: 2764, 128, 256, 512
- RAM: 6264, 62256
- Fast download load
- Screen edit
- Disassembler for 6 MPUs



TLK-PLD PLD Learn Kit \$85.- TLK-GAL GAL Learn Kit \$85.-
TLK-PEEL PEEL Learn Kit \$85.- TLK-8051 8051 Learn Kit \$85.-

- Enable beginners to design their own PLD/PEEL/GAL/MPU within a short period of time.
- Design & Experiments manuals and Experiment PCB Kit

Call us today for complete product line

- 1-year warranty 30 days money back guarantee

TRIBAL MICROSYSTEMS

Tel: (415) 623-8859 Fax: (415) 623-9925
44388 S. Grimmer Blvd. Fremont CA 94538

DEVELOPERS' TOOLS

The Total Solution Programmer

The best-selling Programmer since 1985
Appreciated by over 50,000 users worldwide

TUP-300 Universal Programmer & Tester (PC based) from \$595.-



- 40 Pin ZIF socket can be expanded up to 68 Pin for 8 to 68 Pins DIP or PLCC chips
 - Programs 20 to 68 Pin PDIP (PAL, CPAL, IFL, GAL, PEEL, EPD, EPD1), EPROM (up to 16 Mbit), EEPROM, Serial PROM, Special PROM, Bipolar PROM & MPU (8741, 4248, 49, 8051, 51FA, FB, FC, 521, 541, 252, 751, 752, 552, 451, 8796, 97, 68705, 286E, 11/21, TMS7742, TMS77C82, 8755A, ...)
 - Tests TTL (74/54), CMOS (40/45), SRAM, DRAM, SRAM, DRAM and SIM DRAM
 - Full screen edit, HEX to OBJ, 2-way or 4-way Binary File Splitter and Shuffler, 6 MPU Disassemblers
 - 34 various adapters (4 sockets: ROM/RAM, PLCC, ... from \$95
 - Other high quality programmer cards at low cost available from \$119
- UV Eraser (UV 32) for 32 pcs at \$95
- Call us today for complete product line
- 1 year warranty, 30 days money back guarantee
 - 1 year free software updates and Customer Support
- Distributors are Welcome

TRIBAL MICROSYSTEMS

Tel: (415) 623-8859 Fax: (415) 623-9925
44388 S. Grimmer Blvd. Fremont CA 94538

Circle 284 on Inquiry Card.

Circle 285 on Inquiry Card.

Circle 286 on Inquiry Card.

DOS IN ROM!

ALWAYS WAITING FOR A PROMPT? SPEED UP WITH MVS ROM DRIVE!
-BOOT 0.1 SEC
-1/2 SIZE CARD
-ANY PGMS, DOS
-LANS, CONTROL
64K... \$95
360K... 200
1.44M... 300



8088 SINGLE BOARD COMPUTER

PC ON A CARD!
1. DEBUG ON PC
2. TEST SBC RAM
3. BURN EPROM
-BATTERY, SOLAR
-5YR WARRANTY
-62 PIN PC BUS
-2PAR, 3SER, RTC
-LCO/KBO PORTS
MVSBC1... \$95
MVB10S... 60
PC CABLE... 50
PC CARD... 85



Circle 180 on Inquiry Card.

World's most popular, expandable, flexible Multi-User Online Bulletin Board System \$59

The Major BBS®
STARTER SYSTEM FOR 2 LINES
Includes electronic mail, teleconferencing, file upload/download, SIG messaging & file areas, classified ads, and much more!

CALL NOW
(305) 583-5990

GALACTICOMM
VISA / MasterCard / American Express

Circle 113 on Inquiry Card.

FREE CATALOG

RS-232C INTERFACE & MONITORING EQUIPMENT CATALOG

WRITE or CALL for YOUR FREE COMPREHENSIVE B & B ELECTRONICS CATALOG TODAY! Pages and pages of photographs and illustrated, descriptive text for B&B's complete line of RS-232 converters, RS-422 converters, current loop converters, data switches, data splitters, short haul modems, surge protectors, and much, much more. Most products meet FCC Part 15J. Your RS-232 needs for quality, service and competitive prices will be more than met by B&B ELECTRONICS. Manufacturer to you, no middleman! Money-back guarantee! Same-day shipment! One-year warranty on products! Technical support is available.




Order direct from manufacturer TODAY & SAVE!

Write For Your FREE Catalog Today!

B & B electronics
MANUFACTURING COMPANY
4000 Baker Road P.O. Box 1040 • Ottawa, IL 61350
Phone: 815-434-0846

Circle 34 on Inquiry Card.



Intelligent SCASI CONTROLLERS FOR ISA & MCA

"The Only DCBs to Consider for NetWare!"

NEW! PROCOMP F-DCB for NetWare has on-board boot & floppy support.

DRAVADD & DRANLM deliver extra hard disk drive & erasable optical drive performance under NetWare.

Works today with NetWare 2.15, 2.2, 3.1, and 3.11 (and OS/2, DOS and UNIX).

Create fully NetWare Ready compatible drives using DCBSET 5.



Phone: (216) 234-6387
FAX: (216) 234-2233

Reps and Distributors wanted.
6777 ENGLE ROAD, CLEVELAND, OH 44130

Circle 228 on Inquiry Card.

HYPERCROSS - asm * Multi-Target Macro Cross Assembler

Fast One Pass "Library Driven" Execution.
PC-asm Style Directives and Expressions.

PROCESSORS SUPPORTED:

8048	6801	1800	7800	320C1X	Z8
8051	6805	6502	70XXX	320C2X	Z80
8085	6809	65816	TMP4300	TMS370	Z180
8086	6811	COP400	TCP4600	TMS7000	Z280
8096	68000	COP800	TMP4700	TMS9900	SUPERB 64180

Popular Vendor Style Input Source Code Syntax Rules.
Six Run Code Format Choices & Program List Option.

Host: IBM PC or Compatible (PC-DOS/MS-DOS).

STANDARD SYSTEM: \$249.00 US

Macro Cross Assembler, 31 Processor Libraries, Sample Programs, Single User License, User Manual, 3 1/2 or 5 1/4 Diskette Option, US Shipping & Handling.

BASE SYSTEM: \$129.00 US

Directive Subset, No Macros, 23 Processor Libraries.

K & M Associates (404) 971-2649
P.O. Box 670054

Marietta, GA 30066 * Trademark Hypersys Corp.

Circle 156 on Inquiry Card.

QICPAK Cartridge & Tape Conversion

Vogon's QIC-02 and SCSI PC-based solutions provide access to the widest range of Micro, Mini, Mid-Range and Mainframe Cartridge and Tape Data, with options for user developed software.

Cartridge/Tape Formats 1/4" - (QIC-11 to QIC-525) DOS/UNIX (TAR, RBAK), S/3X, AS/400 (READ and WRITE).

1/2" - IBM/ANSI Labelled/Unlabelled
3480 - IBM Labelled
DAT - IBM formats and UNIX Systems.

Interchange Facilities

Conversion from one type of cartridge or tape to another, Media duplication, DOS Data to IBM or UNIX Systems, IBM or UNIX Systems to DOS. Used by Accountants/Auditors, COM Bureaus, Conversion Companies, Software Houses, PCB Manufacturers and Many Others Worldwide.

In the USA contact Computer Peripherals Unlimited on 602-774-3101 or FAX 602-773-9183

VOGON

VOGON ENTERPRISES LIMITED
94 Easthampton Road, Wokingham,
Berkshire RG11 2JD England
Tel: 44 +0 (7) 34 784511/890042 * FAX: 44 +0 (7) 34 890040



Circle 301 on Inquiry Card.

MEMORY!

WHY SHOULD YOU BUY FROM FIRST SOURCE INTERNATIONAL?

"In this day and age, it is rare to find a company that delivers price and service! The fact that your company backs up its products, on top of excellent prices and service is extraordinary!" - Customer, Robert C. Hamlin, VA

FIRST SOURCE INTERNATIONAL, INC.

"The Only Source for Computer Memory!"

WE ACCEPT INTERNATIONAL ORDERS AND PO'S!

3 DAY INTERNATIONAL DELIVERY VIA FEDERAL EXPRESS, UPS OR DHL!

- ✓ ALL USER INSTALLABLE
- ✓ QUALITY PRODUCTS
- ✓ GREAT PRICES
- ✓ SUPERIOR SERVICE
- ✓ UNLIMITED SELECTION
- ✓ EXCEPTIONAL WARRANTY
- ✓ FREE TECHNICAL SUPPORT
- ✓ FLEXIBLE PAYMENT OPTIONS

CALL 714-588-9866 OR FAX 714-588-9872 24 HOURS-A-DAY!



YOUR CHOICE OF QUALITY MEMORY PRODUCTS MANUFACTURED BY: KINGSTON, PARAGON, AND APRICORN

IBM MEMORY

Model PS/1		
512K Kit	1057035	\$79.00
2MB	IBM PN N/A	\$219.00
Models 30-286, Exp. Board 1497259		
512K Kit	30F5348	\$39.00
2MB Kit	30F5360	\$129.00
Models 70-E61/121,502,555X,655X		
1MB	6450603	\$69.00
2MB	6450604	\$139.00
Model 70-A21		
2MB	6450608	\$149.00
Models 55SX, 65SX, 34F3077 & 34F3011		
4MB	34F2933	\$299.00
Model 80-141		
1MB	6450375	\$99.00
Models 80-111/311		
2MB	6450379	\$159.00
Models 80-A21/A31		
4MB	6451060	\$289.00
Models 90, 95 and P75		
1MB	6450902	\$199.00
4MB	6450128	\$429.00
Expansion boards for all models 50 and 60		
2-8MB w/2M	1497259	\$399.00
2-16MB w/2M	6450609	\$429.00
Expansion boards for all models 70 and 80		
2-14MB w/2M	34F3077	\$399.00
4-16MB w/4M	34F3011	\$519.00

COMPAQ MEMORY

DeskPro 286-E, 386-20, 20E/25		
1MB	113731-001	\$109.00
4MB	113132-001	\$289.00
DeskPro 386S/16		
1MB	113246-001	\$119.00
4MB	112534-001	\$319.00
DeskPro 286N, and 386N		
OK Board	118700-001	\$109.00
DeskPro 286N, 386N, 386SX/20		
1MB	118788-001	\$89.00
4MB	118790-001	\$399.00
DeskPro 386N, 386SX, 20		
2MB	118789-001	\$149.00
DeskPro 386-33, 486-33 & SystemPro		
2MB	115144-001	\$149.00
8MB	116561-001	\$959.00
DeskPro 386-20e and 25e		
1MB Board	113544-001	\$179.00
4MB Board	113545-001	\$359.00
DeskPro 386S		
1MB Board	113533-001	\$189.00
4MB Board	113534-001	\$369.00
DeskPro 386/16 (Populate in this order)		
1MB Kit	106071-001	\$129.00
1MB Board	108069-001	\$289.00
2MB Board	108069/71-001	\$389.00

LAPTOP MEMORY

COMPAG		
Portable 386/20		
1MB	\$279.00	
4MB	\$819.00	
Portable LTE 286		
1MB	\$129.00	
4MB	\$599.00	
Portable III		
SLT-286	1MB	\$169.00
	4MB	\$599.00
SLT-386	1MB	\$169.00
	2MB	\$279.00
	4MB	\$599.00
TOSHIBA		
Model 1000SE, XE, LE, 2000SX		
1MB	\$189.00	
2MB	\$279.00	
4MB	\$469.00	
8MB	\$1199.00	
Model 1000LE, 2000SX		
2MB	\$169.00	
4MB	\$169.00	
2MB	\$169.00	
4MB	\$399.00	

BRAND NEW!

Hewlett-Packard LaserJet IIIsi		
1MB	\$89.00	
4MB	\$329.00	
Brother HL-8		
1MB	\$159.00	
2MB	\$199.00	
Canon LBP-4		
1MB	\$199.00	
2MB	\$349.00	
Canon LBP8-III		
1MB	\$199.00	
2MB	\$339.00	
3MB	\$479.00	
Compaq LTE386/20		
1MB	\$399.00	
4MB	\$649.00	

WE WILL BEAT ANY ADVERTISED PRICE! - WHY CALL ANYONE ELSE?

PRINTER MEMORY

Hewlett Packard LaserJet IIP, III, IIIP and IIID		
2MB	33475B	\$149.00
4MB	33477B	\$249.00
Hewlett Packard LaserJet II and IID		
2MB	33444B	\$139.00
4MB	33445B	\$239.00
IBM Laser 4019 and 4019e		
2MB	1039137	\$169.00
3 5MB	1038675	\$249.00
Canon LBP-8II, 8IIR, 8IIT		
2MB	563-3870	\$139.00
4MB	PN N/A	\$239.00
Panasonic 4450, 4450I and 4420		
2MB	KX-P441	\$169.00
4MB	PN N/A	\$269.00
Toshiba Page Laser 6		
2MB	LS6-NB0090	\$169.00
Okilaser 400, 800 and 820		
2MB	OKI PN N/A	\$169.00

Laser printer memory also available for:
 Texas Inst. QMS Epson Canon
 Apple Brother AT&T TEC

SIMMS

IBM		DRAM	
1MBX1		256KX4	
4Mx9-80	\$269.00	1MX1-10	\$5.50
1Mx9-10	\$52.00	1MX1-80	\$6.00
1Mx9-80	\$53.75		
1Mx9-70	\$56.25		
256x9-10	\$15.00	256KX4-10	\$5.50
256x9-80	\$16.00	245KX4-80	\$6.00

AST MEMORY

Premium 386C and 386-16		
1MB Kit	5005-10-007	\$69.00
4MB Kit	5005-10-008	\$239.00
Premium 386-20		
1MB Kit	5005-10-003	\$89.00
4MB Kit	5005-10-004	\$269.00
Bravo 386-SX, WS/286, 386 and /2		
2MB Kit	5005-10-002	\$129.00
4MB Kit	5005-10-008	\$239.00
Premium 386-SX/16/25/33 & all 486 models		
1MB	500718-002	\$69.00
Premium 486		
2MB	500718-004	\$179.00
Premium II 386SX/20 & 386SX/16		
1MB	500780-003	\$79.00
4MB	500780-004	\$399.00
8MB	PN N/A	\$779.00

HEWLETT-PACKARD MEMORY

Vectra QS/16S & ES, 12PC		
2MB Kit	D1354A	\$129.00
Vectra QS/16S and RS/20PC		
1MB Kit	D1540A	\$79.00
4MB Kit	D1542A	\$259.00
Vectra QS/20PC, RS/25PC, 20C and 25C		
1MB Kit	D1640A	\$79.00
4MB Kit	D1642A	\$259.00
Vectra 486 PC		
1MB Kit	D2150A	\$89.00
4MB Kit	D2151A	\$399.00
Vectra 486PC and 386/25 PC		
8MB Kit	D2152A	\$899.00
Vectra 386/25 PC		
2MB Kit	D2381A	\$149.00

ZENITH

Model T3200SX		
2MB	\$169.00	
4MB	\$399.00	
Model T3200SXC		
2MB	\$179.00	
4MB	\$409.00	
Model T3200		
3MB	\$279.00	
Model T5100		
2MB	\$169.00	
Model T5200, 5200C, 8500		
2MB	\$169.00	
8MB	\$999.00	

SilmsPart		
1MB	\$199.00	
Silms. SupersPart SX, 286E		
2MB	\$219.00	
Silms. SupersPart 286E		
4MB	\$499.00	
SupersPart 286, 286E		
1MB Kit	\$129.00	
SupersPart SX		
2MB A or B	\$199.00	
TurbosPart 386E		
1MB	\$199.00	
4MB	\$569.00	

NEC

ProSpeed 286, 386SX/16		
1MB	\$219.00	
4MB	\$569.00	
ProSpeed SX/20		
1MB	\$219.00	
4MB	\$529.00	
ProSpeed 386		
2MB	\$279.00	
8MB	\$1079.00	

Many other brand name laptop and notebook memories available!

Panasonic Sharp Everex
 Texas Inst. Packard Bell Sanyo
 Leading Edge Hewlett Packard AST

ZENITH MEMORY

Zenith Z-386/20/25/33 & 33E		
1MB	ZA36/3800ME	\$79.00
4MB	ZA3800MK	\$399.00
Zenith Z-386/25 & 33		
2MB	ZA3600MG	\$149.00
Zenith Z-386 SX		
2MB Kit	Z-605-1	\$129.00
Zenith TurboSport 386e		
4MB	ZA-3034-MK	\$569.00

EXPANSION BOARDS

Everex RAM 3000 Deluxe

Up to 3MB of base, expanded and/or extended memory. EMS 4.0 compatible with no wait states. Uses 256Kx1 Dram

with 512K: \$139.00

BocaRam/AT Plus

Up to 8MB for any AT or 16 bit compatible machines running up to 33MHz. Offers all types of memory. Provides a maximum of 8MB LM/EMS 4.0. Uses 1x1 Dram or 1x4 SIMM modules

2MB with DRAM's: \$239.00

2MB with SIMM's: \$259.00

NEC MEMORY

Powertate SX		
2MB Brd.	APC-H855	\$569.00
4-8MB Brd	APC-H853	\$849.00
8MB Brd	NEC PN N/A	\$1429.00
Powertate SX Plus		
1-2MB Brd	APC-H850E	\$239.00
2MB Brd	NEC PN N/A	\$399.00
4-8MB Brd	APC-852E	\$669.00
Powertate SX/20		
2MB CPU	OP-410-8101	\$239.00
2MB CPU/OK	OP-410-8100	\$299.00
2MB Brd	OP-410-8102	\$239.00
2MB Kit	OP-410-8103	\$179.00
Powertate 386/20		
2MB Kit	APC-H655X	\$429.00
Powertate 386/25		
2MB	APC-H655E	\$429.00
8MB	APC-H656X	\$1329.00
8MB Base	APC-H657X	\$1329.00
Powertate 386/25S		
2MB Kit	OP-410-5201	\$239.00
8MB Kit	OP-410-5202	\$759.00
Powertate 386/33E and 486/25E		
2MB	OP-41-5101	\$299.00

TOLL FREE FROM ANYWHERE IN THE U.S. OR CANADA
ORDER NOW! 1-800-535-5892

VISA
MasterCard
AMERICAN EXPRESS

WE ACCEPT VISA, MASTERCARD AND AMERICAN EXPRESS!
 • No surcharge on Visa or Mastercard. AmEx odd 4%.
 • Terms: AMEX Visa, Mastercard C.O.D. P.O.s
 • 20% Restocking fee on all non-defective returns and refused orders. Return Authorization # required.
 • Manufacturers part numbers are for your convenience, all products are third party. 100% compatible or full refund!
 • Prices and availability subject to change.
 • We will beat any advertised price! valid only on identical brands. offer not good for SIMMs or DRAM.

INT'L 011-714-588-9866
 U.S. 800-535-5892
 FAX 714-588-9872

MAIL ORDERS TO:
FIRST SOURCE INT'L INC.
 36 ARGONAUT, STE 140
 ALISO VIEJO, CA 92656

FOLLOW YOUR PACKAGE EVERY STEP OF THE WAY!

FEDERAL EXPRESS **DHL** **WORLDWIDE EXPRESS** **UPS**

FAST, INEXPENSIVE AND DEPENDABLE DELIVERY ANYWHERE IN THE WORLD! CHOOSE THE CARRIER TO FIT YOUR DELIVERY NEEDS AT LOW RATES. INFORMATION FOR TRACKING SHIPMENTS IS READILY AVAILABLE AT YOUR REQUEST!

Save BIG on Computer Products

DRIVES AND BACKUPS

Canner Hard Drives				
3000	42MB	3.5" IDE	28ms	\$209
3100	104MB	3.5" SCSI	25ms	425
3104	104MB	3.5" IDE	25ms	399
3200	209MB	3.5" SCSI	19ms	699
3204	209MB	3.5" IDE	19ms	699

Seagate Hard Drives			
ST225	20MB	65 MS	189
ST225 KIT	20MB	w/Cont. XT	229
ST238 RLL	30MB	RLL XT w/Cont.	239
ST251-1	40MB	28 MS 1/2 HT	259
ST4096	80MB	28 MS*	499
* 2 Year Warranty			

Seagate Swift & Wren Drives				
Micropolis				
1355	1.59MB	ESDI FH	28MS	499
1558	338MB	ESDI FH	18MS	1299
1568	676MB	ESDI FH	16MS	1599

Plus Development Hard Drive Cards			
20MB/40MB	Hard Card	499	\$529.99
80MB	Hard Card II	469.99	
50MB/105MB	Hard Card IIXL	359.99	599

Optical Drives			
Worm External	5.25" 940MB Drive	2299	
Worm Internal	5.25" 940MB Drive	2099	
External	5.25" 1GB Drive	NEW	2799

Mountain Internal Tape Backups			
40MB	XT or AT	259	
80MB	AT	499	
150MB	AT	1099	

Archive Tape Back-up			
40MB	Internal XT or AT	249	
80MB	Internal AT	359	
150MB	Internal AT	899	

Toshiba			
CD ROM	600MB AT External	699	
CD ROM	600MB PS/2 MCA	899	

FLOPPY DRIVES

Toshiba Disk Drive Kits			
ND 04D	1/2 HT 360K (PC/XT)	\$59	
ND 08DEG	1.2MB (PC/AT)	75	
ND 356T	3.5" 1.44MB AT Kit	75	

Sony Disk Drives			
3.5"	720K (PC/XT/AT)	59	
3.5"	1.44MB Slimline	59	
3.5"	1.44MB	65	

MOUSE DEVICES

Logitech Mouseman Serial			
Right Handed		\$69.99	
Logitech Trackman Serial		79.99	

Microsoft			
Bus or Serial w/Paintbrush		95.99	
Microsoft Mouse Serial		79.99	

Mouse System			
White Mouse Bus/Ser.		59.99/49.99	
Omnimouse II			
w/Paint Bus/Ser.		49.99/35.99	
PC Trackball Bus/Serial			
w/Designer DOS		59.99/44.99	

SCANNERS

Logitech Scanman Plus (PC)	\$169
Logitech Scanman Plus (PS/2)	219
Complete Page Scanner	575
Panasonic Flatbed I, II, and III	CALL
Epson Desktop Color Scanner	1199

SOFTWARE

Carbon Copy Plus	\$117.99
Direct Access V5.0	59.99
Formtool Gold V3.0	55.99
Horvard Graphics	260.99
LetterPerfect	129.99
MS Excel V3.0 for Windows	299.99
PC Tools V7.0	109.99
Objectvision	89.99
ProCom Plus V2.0	65.99
ProWrite/Profile/Free Video	149.99
Quicken V4.0	36.99
SoundBlaster	147.99
Word Perfect 5.1	235.99

MATH COPROCESSORS

Intel Math CoProcessors			
8087	(5MHz)	\$85	
80872	(6/8 MHz)	119	
80871	(10MHz)	149	
80287XL	(6,8,10MHz)		179
and 80C287	(12MHz)		
80287XLT	Compaq LTE/286,		
and Tandy 2800		179	
80387SX	(16MHz)	279	
80387SX	(20MHz)	299	
8038716	(16MHz)	309	
8038720	(20MHz)	349	
8038725	(25MHz)	439	
8038733	(33MHz)	549	
80487SX	(20 MHz)	475	
Cyrilx Math CoProcessors			
83D87-16	(16MHz 80386)	275	
83D87-20	(20MHz 80386)	299	
83D87-25	(25MHz 80386)	389	
83D87-33	(33MHz 80386)	475	
83S87-16	(16MHz 80386SX)	245	
83S87-20	(20MHz 80386SX)	269	

CHIPS AND SIMMS

256K (all speeds)	CALL
1MB (all speeds)	CALL
Simms Modules (all speeds)	CALL

ACCELERATOR/UPGRADE BOARDS

Sota			
286i Accelerator	\$209		
386SI Accelerator	359		
Express 386SX 16MHz Upgrade	359		
Express 386SX 20MHz Upgrade	475		

MEMORY UPGRADES FOR IBM

Legend IBM™ Compatible PS/2			
Memory Upgrades			
529795	512K 30-286	\$49	
529802	2MB 30-286	125	
529810	1MB 70-E61, 70-121	79	
529828	2MB 70-E61, 70-121	129	
529836	2MB 70-A21	129	
529844	1MB 80-041	99	
529852	2MB 80-111,80-311	159	
Legend Memory available for Toshiba			
Laptops, AST, HP, Mac & Others. CALL			

BOARDS

Intel Aboveboard			
Above Board Plus w/512K	\$289		
Above Board Plus w/2MB	399		
Above Board 2 Plus for PS/2			
models 50, 50Z & 60 w/512K	325		

AST Boards			
SixPak Plus w/384K	225		
SixPak 286 w/512K	175		

Boca Boards			
Boca I/O 2 Ser., 1Par.	49		
Boca AT Plus Ø K	109		
Boca AT Plus 2MB	225		
Boca VGA Basic	79		
Infoclip Expanz Board	149		

NETWORKING PRODUCTS

NE1000 Anthem 8-bit Ethernet	134.99
NE2000 Anthem 16-bit Ethernet	169.99
3COM 3C503 Etherlink II PC/XT/AT	219
SMC Arcnet PC-130 8-bit board	99.00
SMC Arcnet PC-130E 8-bit board	119.99

PACKARD BELL America grew up listening to us. It still does.

EASIER THAN EVER TO USE! Includes PB Desktop, an easy-to-use Window type environment offering quick access to programs. Built-in tutorial.

FULL YEAR ON-SITE WARRANTY*

PB FORCE 820 SERIES

- 80386SX, 20 MHz
- 2MB RAM Exp. to 16MB
- 4 Exp. Slots (3 16-bit, 1 8-bit)
- 4 Mass Storage (3 external, 1 internal)
- 3.5" 1.44MB & 5.25" 1.2MB FDD
- 16-bit Extended VGA with 1024 x 768 res. & 512K mem.
- I/O Ports: 2 Ser., 1 Par., 1 Mouse, 1 VGA, & 1 PS/2 Kb.
- Enhanced 101 Keyboard
- Built-in 2400B Internal Modem included (model 820H & 820HF) & FaxBoard (model 820HF)
- Includes: Mouse & Keyboard
- Sfwr: MS-DOS 4.01, GW-Basic, PB Desktop, LotusWorks w/templates and Prodigy

PB FORCE SX16

- 80386SX, 16MHz
- 44MB Hard Drive
- 1MB RAM exp. to 5MB
- 3.5" 1.44MB FDD
- 800 x 600 Super VGA built-in
- Enhanced 101 KB
- 2400 B Modem built-in
- Incl: Mouse & Keyboard
- Sfwr: MS-DOS 4.01, GW-Basic, PB Desktop, LotusWorks & Prodigy

Computers - 1 year on-site. Monitors - 1 year on-site when purchased at the same time as a PB Force system (limit 1 monitor per system). Not affiliated with any former Bell System entity.

TRONICS MODEMS

▲ 100% Hayes Compatible
▲ 2 year warranty

2400 Baud Internal w/software	\$79
2400 Baud Internal w/V.42 & software	115
2400 Baud External no software	99
2400 Baud External w/V.42 no software	139

DISKETTES		ELK-TEK	maxell.	SONY	3M	M Verbatim.
3 1/2" DSDD	6.50	7.99	7.50	7.99	7.99*	
3 1/2" DSHD	12.99	14.99	13.99	15.99	15.99*	
5 1/4" DSDD	3.99	5.50	5.50	5.99	5.99*	
5 1/4" DSHD (IBM AT)	7.50	9.99	9.99	9.99	9.99*	

* Preformatted at no extra charge.

In addition to the above, we stock preformatted & color diskettes.

DATA CARTRIDGES

Regular	DC1000(Mini)	14.50	Pre-formatted 3M	DC600 HC/lotamal™	\$25.50
DC100A(Mini)	15.99		DC6150/Zeta™	28.00	
DC300XL/P	20.00		DC2080 (Mini)	16.99	
DC600A	21.00		DC2120 (Mini)	20.99	
DC6150	22.50		DC1.35G Magnus	36.99	
DC6250	26.99		2000 Tape		
DC6320	29.00		Drive Cleaner	19.99	
DC6525	34.00				

Call for Large Quantity Pricing Call for Wholesale Pricing on 3M Computer Tape

LASER PRINTERS

Okidata Laser 400*	\$639
EPL 7000** (with FREE font) NEW	799
EPL 7500** NEW	1999
4420* 8pgs/min.	789
4450* 11pgs/min.	1199
4455* 11pgs/min.	1999

DOT MATRIX PRINTERS

EPSON	
LQ200** NEW	229
LX810**	159
LQ510**/1010** NEW	249/359
FX850**/1050**	289/399
LQ850**/1050** NEW	449/579
LQ850**/Color/2550/Color	549/849
DFX5000/8000	1289/2199

1180**/1695**	159/399
1123**/1624**	225/349
1124**/1654**	289/569

OKIDATA

320* / 321*	319 / 459
390+* / 391+*	459 / 639
393+* / 393C+	979 / 1049

Dicaink Ink Jet Printers
150+ Parallel* / Serial* 329 / 339
*1 Yr. Warranty **2 Year Warranty

HP LASERJET PACIFIC

ENHANCEMENTS	
25-IN-1 Font Cartridge	\$259
1MB Memory Board IIP/III/IIID	109
2MB Memory Board IIP/III/IIID	159
PacificPage XL PostScript	799
Postscript Cartridge for IIP/IIID/III/IIID	349
Postscript Cartridge w/2MB	
Memory Board for LaserJet II	349

MODEMS AND FAX BOARDS

Hayes and Hayes Compatible	
Hayes Internal	
2400 Baud No Software	\$239
2400 Baud with Software	299
9600 Baud V.42 w/Software	499
Compatibles (including software)	
Practical Peripherals 2400 Baud	119
Practical Peripherals 2400 V.42	169
Practical Peripherals 2400 IBM PS/2	199
NEW Internal Practical Peripherals	
2400 Send/FAX	139
Hayes External (no software incl.)	
2400 Baud	329
2400 Baud Packet Edition	129
9600 Baud V.42/V.42 Ultra	499/649
External Compatibles	
Practical Peripherals 2400SA	169
Practical Peripherals 2400SA V.42	199
Practical Peripherals 9600SA	459
Intel 9600 Baud with Software	499
All U.S. Robotics High Speed Models	CALL
Freecom Fax Boards	
Fax 96 Board	119
Fax 1-Liner Board	179
Intel SotisFAXion Fax Board	399

Practical Peripherals 2400BPS
Pocket Modem, "Credit Card Size" 99.99

MONITORS

Panasonic	
C1381 14" Color SVGA	\$349
Packard Bell	
8551VG 14" VGA Color (.51mm)	199
8541VG 14" VGA Color (.41mm)	239
8539VG 14" VGA Color (.39mm)	269
8529VG 14" VGA Color (.31mm)	299
8528SV 14" SVGA Color (.28mm)	349
NEC	
Multisync 2A/3D Color	449 / 619
Multisync 4D/5D Color	999/2275
Sony	
1304HG 14" Multisync Color	629
1320 14" VGA Color	449

We Stock All Your Power Product Needs

CORPORATE CUSTOMERS INVITED
We offer large bid opportunities. DUNS # 09-718-0517
OPEN ACCOUNTS -Net 30 terms available to D&B
accounts rated 2A1 or better, actual freight charges FOB Skokie, IL
Phone (as above) fax orders to Major Accounts 708-677-7168, mail
P.O.'s (as above) to Dept. C1132.
PREPAID ACCOUNTS -Use Visa, MasterCard, check, money order (no
cash or c.o.d.'s please). When ordering by mail please call in advance
for shipping and handling charges. Shipments to IL add 7% tax.
Minimum order \$15.00.
7/91

ET VALUeline
WHERE MORE THAN JUST THE PRICE IS RIGHT

7350 North Linder Avenue, Skokie, Illinois 60077
800-395-1000 In IL: 708-677-6770
ET Valuline is the telemarketing and mail order department of Elek-Tek, inc.

Write for free catalog.
Prices subject to change; products subject to availability.
Not responsible for printing or typesetting errors.
RETURN POLICY - All sales are final except defectives which will be
replaced with identical merchandise only. Computers and large
peripherals - 3 work days after delivery; most small items, 30 calendar
days, after which manufacturer's warranty applies. No returns will be
accepted without an RMA number. Other returns subject to 15%
restocking charge. ALL ELEK-TEK MERCHANDISE IS BRAND NEW,
FIRST QUALITY AND COMPLETE.
BY0711L

EDITORIAL INDEX BY COMPANY

Index of companies covered in articles, columns, or news stories in this issue
Each reference is to the first page of the article or section in which the company name appears

Company, Page # Inquiry

A		
Addison-Wesley, 267		
Adobe Systems, 123, 134, 271	1105	
	1135	
ADP Autonet, 190		980
Advanced Digital Information, 58	1291	
Advanced Micro Devices, 25		
Advanced Network and Services, 181		
Advanced Research Projects Agency, 181		
Aldus, 123, 134, 139	1106	
	1136	
Alloy Computer Products, 194	1400	
Alpha Software, 66		1298
Andsor Research, 66		1301
ANS, 181		
Anterior Technology, 181		
Apple Computer, 161, 181, 249, 267, 293		
Apricot, 161		
Artisoft, 10		
Ashton-Tate, 25		
AT&T, 161, 181, 190		981
Atari, 52		1271
ATI Technologies, 10		
Autodesk, 134, 219	1107	
	1221	
Avalan Technology, 91		1228
B		
B&B Electronics, 285	1146	
Bell Atlantic, 161		
Bellcore, 161		
BIX, 169		
Borland International, 25, 134	1108	
Brightwork Development, 91	1225	
BT North America, 190		982
BT Tymnet, 161, 169		
Buerg Software, 73		1160
C		
Cabletron Systems, 169		
Casio, 101		
Cayman, 293		
CD-ROM, 277	1153	
Central Point Software, 134	1109	
Citizen America, 10		
Claris, 134	1110	
CNet Technology, 58	1293	
Commodore Business Machines, 25		
Compaq Computer, 134	1111	
Complementary Solutions, 91	1222	
CompuAdd, 210	1132	
CompuServe, 161, 169, 190	984	
Computer Modules, 54	1281	
Computer Support, 123	1137	
Conveyant Systems, 62	1294	
Corel Systems, 73, 123, 134	1112	
	1140	
	1154	
Corporation of Open Systems, 161		
Computer Peripherals, 62	1297	
Cube Computer, 52	1272	
Cubix, 194	1401	
Cue Network, 25		
Cylix Communications, 190	985	
D		
Data Translation, 72	1307	
Datacap, 70	1304	
Datapro Research, 169		
DEC, 169, 303		
Delrina Technology, 123	1144	
Diamond Computer, 219		
Diamond Data Management, 70	1303	
Digital ChoreoGraphics, 72	1310	
Digital Research, 36	1174	
DMA, 161		
Dycam, 73	1156	
E		
Eagle Technology, 134	1113	
Earthquest, 277	1151	
Enhanced Software Technologies, 285	1147	
eSoft, 161		
Evergreen Systems, 194	1402	
F		
Facit, 53	1277	
Falco Data Products, 52	1274	
Farallon Computing, 48	1170	
Federal Technology, 62	1296	
Fifth Generation Systems, 91	1224	
Foster Manufacturing, 123	1142	
Fox Software, 10		
Frame Technology, 134, 139	1114	
FutureWare, 241		
G		
Gateway 2000, 52	1273	
GE Information Services, 190	986	
General Atomics, 181		
GENie, 169		
Graphnet, 190	987	
GraphPad Software, 72	1309	
GTE/Sprint, 161		
H		
Hayes Microcomputer Products, 134	1115	
Hewlett-Packard, 25, 101, 134, 271	1116	
Howard W. Sams, 181		
I		
IBM, 25, 169, 181, 303		
IBM Information Network, 190	988	
Icom Simulations, 66	1299	
Infonet, 190	989	
Information Presentation Technologies, 58	1290	
Intel, 25		
Interleaf, 139		
Internet, 169		
Interpreter Disc Products, 53	1279	
Invisible Software, 58	1292	
Iomega, 134	1117	
J		
J&L Information Systems, 194	1403	
Jandel Scientific, 72	1308	
Joint Photographic Experts Group, 25		
L		
LANmaster, 194	1404	
Letraset Graphic Design Software, 123	1139	
Link Technologies, 53	1276	
Logitech, 139		
Lone Star Computer Services, 285	1150	
Lotus Development, 10, 134	1118	
Lucasfilm, 219		
M		
M-USA Business Systems, 70	1306	
Mars Microsystems, 210	1133	
Mathemaesthetics, 66	1300	
Mayo Clinic, 181		
MCI, 169, 181		
Meridian Data, 303		
Merit Network, 181		
Microcom, 161		
Micrografx, 25, 123	1138	
Microsoft, 10, 25, 36, 123, 134, 219, 241, 267	1119	
	1145	
	1173	
Mind's Eye, 73	1161	
Monolithic Systems, 54	1282	
Motorola, 229	1231	
Multimate, 303		
MultiScope, 73	1162	
Mustang Software, 161		
N		
National Science Foundation, 181		
Nautilus, 73	1163	
NCR, 25		
NEC Technologies, 134	1120	
Network General, 91	1229	
Newtek, 25		
Nisca, 53	1275	
Northern Telecom, 161		
Northgate Computer Systems, 43, 134	1121	
	1172	
Norton-Lambert, 91, 161	1223	
Novell, 25, 134, 169, 194	1122	
	1405	
NYNEX, 161		
O		
OCR Systems, 134	1123	
Opus Systems, 54, 210	1131	
	1283	
OS Technologies, 241		
Output Technology, 25		
P		
Pacific Bell, 161		
Pacific Data Products, 271		
Panacea, 219		
Panasonic, 25		
Para Systems, 235	976	
ParcPlace Systems, 25		

BYTE's International Direct Response Postcards

Advertise your computer product to BYTE's highly responsive International readers: 134,000 technically advanced business buyers (of which 95,000 are located in Europe).

Bound into the Pan-European/International section of BYTE each month, the **International Direct Response Postcards** is a quick way to obtain hot prospects and big sales. Each postcard is perforated so it can be easily torn out and returned to you via mail or fax.

Expand your horizons into this valuable marketplace.

The Pan-European marketplace is preparing to greatly expand trade in 1992. And **BYTE's International Direct Response Postcards** presents the perfect opportunity to test your product in this marketplace and to get your company positioned in the minds of the major buyers.

To learn more about this advertising opportunity, in the United States, contact:

Ellen Perham
603-924-2598
603-924-2683 (fax)

in Europe, contact: **Uwe Kretzschmar**
44 81 545 6268
44 81 540 3833 (fax)

BYTE



JULY 1991 • B Y T E 339

Penn State University, 293		
PentaSoft, 241		
Performance Systems International, 181		
Personal Tex, 139		
Phar Lap Software, 219		
Pixar, 219		
Power Up Software, 139		
Prescience, 73	1164	
Princeton University, 293		
PSI, 181		
PSS, 241		
<hr/>		
Q		
Quanta Press, 73, 303	1158	
Quark, 139		
<hr/>		
R		
Radio Shack, 161		
RDI Computer, 210	1134	
Redlake, 54	1284	
Regional Bell Operating Companies, 161		
Remington, 303		
Ricoh, 25		
<hr/>		
S		
Senate Committee on Commerce, Science, and Transportation, 181		
Server Technology, 62	1295	
Sharp, 101		
Shiva, 293		
Silicon Beach Software, 123	1141	
Simon & Schuster, 351		
Solbourne Computer, 210	1130	
SolNetics, 25		
Sonera Technologies, 10		
Sony, 249		
Spinnaker Software, 139		
Sprint International, 190	990	
Stanford University, 293		
StrataCom, 161		
Summagraphics, 219		
Sun Microsystems, 134, 181	1124	
Symantec, 70, 134	1125	
	1302	
SynOptics Communications, 91	1227	
<hr/>		
T		
Tandy/Radio Shack, 10,25, 48	1171	
Technology Design, 25		
Technology Fusion, 54	1280	
Telebit, 194	1407	
Telecom Canada, 190	991	
Texas Instruments, 25		
The Gawain Group, 285	1148	
The Insurance Agency, 285	1149	
The Software Link, 194	1406	
The Software Toolworks, 73	1159	
Three-Sixty, 73	1157	
Tiara Computer Systems, 91	1226	
Time Arts, 123	1143	
Timeworks, 139, 277	1152	
Toshiba America Information Systems, 134	1126	
Trantor Systems, 73	1165	
Traveling Software, 73	1155	
<hr/>		
U		
Unicode, 108	1076	
Unison World, 139		
Unitel Communications, 190	983	
University of Michigan, 181		
US Sprint, 169, 181		
UUNET Technologies, 181		
<hr/>		
V		
Ventura Software, 101, 139		
<hr/>		
W		
Wang, 303		
Wang Network Services, 190	992	
Weitek, 25, 219		
Western Digital, 134	1127	
Wiltel, 190	993	
Within Technologies, 10		
WordPerfect, 134	1128	
World Library, 303		
<hr/>		
X		
XcelleNet, 91	1230	
<hr/>		
Z		
Zenith Data Systems, 10		
Zentao, 235	977	
Zeos International, 219		

READER SERVICE

* Correspond directly with company.

ALPHABETICAL INDEX TO ADVERTISERS

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
* 313 R/E LTD	72IS-64A-B	65 COMPUKOM	319	113 GALACTICOMM	334	170 MAPLE SYSTEMS, INC	330
8 313 R/E LTD	234	419 COMPUSAVE	72IS-53	431 GAMMA PRODUCTIONS	72IS-20	* MARK WILLIAMS	75
401 3EST - USA	72IS-60	86 COMPUTER ASSOCIATES	21	* GATEWAY 2000	24A-D	171 MATHSOFT, INC	228
9 3M	71	67 COMPUTER ASSOCIATES	138	* GATEWAY 2000	72IS-32A-B	582 MAXIMUM STORAGE	72MW-9
10 ABACUS	247	325 COMPUTER FRIENDS	298	114 GCOM, INC	333	563 MAXIMUM STORAGE	72MW-9
11 ABACUS	247	420 COMPUTER QUICK	72IS-50	115 GENERIC SOFTWARE	223	172 MAYNARD	295
402 ABTECH INC	72IS-51	582 COMPUTER SALES PROF	72NE-7	588 GIT CO., LTD	72NE-11	173 MAYNARD	295
403 ABTECH INC	72IS-51	583 COMPUTER SALES PROF	72NE-7	608 GIT CO., LTD	72PC-5	* MCGRAW-HILL PUBL ONLINE (INT'L)	307
625 ABTECH INC	72SO-9	* COMPUTER SOLUTIONS NW	72IS-64C-D	832 GIT CO., LTD	72SO-5	174 MEASUREMENT & CONTROL	114
626 ABTECH INC	72SO-9	68 COMPUTERLANE	321	116 GLENCO ENGINEERING, INC	72SO-7	175 MEASUREMENT & CONTROL	114
12 ADD ON AMERICA	327	* COMPUTER/BYTE BOOK CLUB	280A-B	117 GREENVIEW	74	442 MEGADATA	72IS-26
13 ADVANCED LOGIC RESEARCH	2,3	* COMPUTER/BYTE BOOK CLUB	281	118 GREG LEWIS PRODUCTIONS	298	443 MEGADATA	72IS-26
14 ADVANCED LOGIC RESEARCH	2,3	421 CONCORD COMPUTER CORP	72IS-27	119 GREG LEWIS PRODUCTIONS	298	178 MEGASOFT, INC	328
404 AGC ELECTRONICS CORP	72IS-29	422 CONCORD COMPUTER CORP	72IS-27	432 GREY MATTER	72IS-37	177 MEGALOT COMPUTER CORP	304
405 ALADDIN KNOWLEDGE SYS LTD	72IS-21	69 CONTROL VISION	324	120 GTEK	214	178 MEMREL	258
552 ALPC	72MW-18	* COPIA INTERNATIONAL LTD.	116	121 GTEK	214	179 MEMREL	258
553 ALPC	72MW-16	70 CORE INTERNATIONAL	283	122 GUI CLEARINGHOUSE	276	180 MERRIMACK VALLEY SYS	334
15 ALPHA PRODUCTS	329	71 CORE INTERNATIONAL	283	123 HAUPPAUGE	41	181 MERRITT COMPUTER PROD	190
406 AMDS LTD	72IS-26	74 COREL SYSTEMS CORP	147	124 HDC	168	612 METAWARE	72PC-9
16 AMERICAN ADVANTECH	328	75 COREL SYSTEMS CORP	147	125 HDC	168	182 METHOD SYSTEMS	330
17 AMERICAN SMALL BUSINESS COM	131	72 COREL SYSTEMS CORP	245	126 HELIOS USA	278	183 MICRO SOLUTIONS COMP PROD	282
18 AMS	324	73 COREL SYSTEMS CORP	245	127 HEWLETT PACKARD PERIP	34,35	* MICROCOMPUTER MKTG CNCL (INT'L)	337
19 AMT INT'L	332	76 COVOX	319	128 HIGH RES TECHNOLOGIES	324	184 MICROGRAFX	127
20 ANNABOOKS	130	77 COVOX	319	129 HOOLEN	310	185 MICRONICS	78
407 AOC INT'L CORP	72IS-54	78 CURTIS, INC	190	130 HORSTMANN S/W DESIGN INC	104	321 MICROPOLIS	255
21 APD	114	80 CYBEX CORP	130	131 H.CO.COMPUTER PRODUCTS	322	186 MICROPROCESSORS UNLTD.	327
22 APPLE COMPUTER	8,9	79 CYBEX CORP (INT'L)	180	132 H.CO.COMPUTER PRODUCTS	322	* MICROSOFT	19
23 ARTISOFT	292	81 CYRIX	77	133 IBM-GRAPHICS SOFTWARE	27	* MICROSOFT	104A-B
313 ASHTON-TATE	22,23	82 DATA VAC	104	134 IC EXPRESS	333	* MICROSOFT	105
314 ASHTON-TATE	22,23	586 DATATRANS SYSTEMS	72NE-13	433 IDIOMA/COM	72IS-60	* MICROSOFT	148,149
33 ASP COMPUTER PRODUCTS	46	587 DATATRANS SYSTEMS	72NE-13	135 IYAMA ELECTRIC	47	* MICROSOFT	170-175
408 ATICO	72IS-59	628 DATATRANS SYSTEMS	72SO-7	609 IMPLEMENTS	72PC-15	195 MICROSTAR LAB	327
26 AUTOMATED COMPUTER TECH	274,275	629 DATATRANS SYSTEMS	72SO-7	136 INDUSTRIAL INFO INDEX	40	* MICROWAY	215
27 AUTOMATED COMPUTER TECH	274,275	423 DATAVISION AG	72IS-41	434 INEX TECHNOLOGY	72IS-38	* MICROWAY	240
28 AVIEW TECHNOLOGY	262	83 DELL COMPUTER (N.A.)	CII	137 INFINITE POSSIBILITIES	150	592 MIND'S EYE	72NE-15
29 AVIEW TECHNOLOGY	262	65 DELL COMPUTER (N.A.)	CIV	138 INFINITE POSSIBILITIES	150	593 MIND'S EYE	72NE-15
30 AVOCET SYSTEMS, INC	327	84 DELL COMPUTER	80,81	143 INFOCUS SYSTEMS	106,107	613 MIND'S EYE	72PC-11
31 AXIOMATIC COMPUTER CORP	320	* DELL COMPUTER	352A-B	139 INTEGRAND RESEARCH CORP	206	614 MIND'S EYE	72PC-11
32 AXIOMATIC COMPUTER CORP	320	556 DERBYTECH COMPUTERS	72MW-20	140 INTEGRATED INFO TECH	85	198 MIX SOFTWARE	243
34 B & B ELECTRONICS	334	557 DERBYTECH COMPUTERS	72MW-20	141 INTEGRATED INFO TECH	85	444 MKS	72IS-6
46 B&C MICROSYSTEMS	325	630 DERBYTECH COMPUTERS	72SO-16	142 INTEL CORP	310	445 MKS	72IS-6
47 B&C MICROSYSTEMS	333	831 DERBYTECH COMPUTERS	72SO-16	435 INTERNATIONAL SOFTWARE DIST	72IS-52	446 MOTOROLA/UDS	72IS-9
48 B&C MICROSYSTEMS	333	87 DESIGN SCIENCE	96	436 INTERSYS, INC	72IS-42	447 MOTOROLA/UDS	72IS-9
35 BALER SOFTWARE	30	88 DESIGN SCIENCE	96	437 INTERSYS, INC	72IS-42	448 M-TRADE (J.K.) LTD	72IS-31
36 BEST POWER TECH INC	310	* DIGITAL EQUIPMENT	226,227	319 INVISIBLE SOFTWARE	244	564 MYODA, INC	72MW-15
37 BINARY TECHNOLOGY	326	69 DIGITAL VISION	116	144 IO TECH	327	565 MYODA, INC	72MW-15
* BIX	248,254,266,268	90 DIGITAL VISION	116	145 IOMEGA	152,153	594 MYODA, INC	72NE-20
* BIX	72IS-62	91 DIGITAL VISION	116	146 IOMEGA	152,153	595 MYODA, INC	72NE-20
450 BIX	72IS-10,11	92 DIGITAL VISION	253	147 IRWIN	225	197 NANAQ	270
450 BIX (INT'L)	80,81	93 DISTRIBUTED PROCESSING TECH	179	438 IXI LTD	72IS-24	198 NANAQ	270
38 BLACK & WHITE INT'L	260	94 DISTRIBUTED PROCESSING TECH	179	148 JADE COMPUTER	197	199 NANTUCKET	201
409 BLAISE COMPUTING	72IS-16	95 DIVERSIFIED COMPUTER SYS	333	149 JAMECO	300,301	200 NATIONAL INSTRUMENTS	15
39 BORLAND INTERNATIONAL	11	96 DOLCH COMPUTER SYSTEMS	51	439 JC INFO SYSTEMS	72IS-15	201 NATIONAL INSTRUMENTS	310
40 BORLAND INTERNATIONAL	11	97 DTK COMPUTER, INC	96	6 JDR MICRODEVICES	348,347	202 NEC MONITORS	12,13
41 BP MICROSYSTEMS	330	98 EECs	326	7 JDR MICRODEVICES	348,347	554 NETWORK 91 DALLAS	72MW-19
399 BUFFALO PRODUCTS (N.A.)	180	99 EECs	326	150 JEMINI ELECTRONICS	326	581 NETWORK 91 DALLAS	72NE-17
42 BUREAU OF ELECTRONIC PUBL	82	424 EIZO CORP	72IS-2	* JP SOFTWARE	72IS-64A-B	607 NETWORK 91 DALLAS	72PC-16
43 BUREAU OF ELECTRONIC PUBL	82	100 ELEK-TEK	337	151 KEA SYSTEMS, LTD.	79	627 NETWORK 91 DALLAS	72SO-11
* BUYERS MART SECTION	311-316	101 ELEX INTERNATIONAL	42	315 KEITHLEY/METRAYTE	320	203 NEVADA COMPUTER	326
555 BUZZWORDS INT'L	72MW-14	425 ELEX INTERNATIONAL, INC	72IS-19	152 KEY TRONIC CORP	59	204 NEW DIMENSION TECH LTD	177
603 BUZZWORDS INT'L	72NE-14	102 ELEXOR, INC	330	440 KEYCRAFT	72IS-38	205 NEWPORT SYSTEMS	168
* BYTE BACK ISSUES	72IS-32	* ELONEX	72IS-49	* KILA	327	206 NOHAU CORP	328
* BYTE BACK ISSUES	280	* EPSON	136B,137	154 KINGSTON TECHNOLOGY CORP	218	* NORTHGATE	208C
410 BYTE BITS	72IS-60	320 ERGO COMPUTING	218,217	155 KINGSTON TECHNOLOGY CORP	218	207 NORTHGATE	208D,209
* BYTE CARD DECK	208	426 ESIX COMPUTER, INC	72IS-45	316 KNAPO	222	327 NORTHGATE	238,239
326 BYTE EURODECK	258	427 EUTRON	72IS-22	317 KNAPO	222	208 NORTHGATE	264,265
* BYTE IDRC	339	103 EVEREX SYSTEMS	55-57	158 K&M ASSOCIATES	334	* NORTHGATE	283
411 BYTE PUBLICATIONS	72IS-63	* EVEREX SYSTEMS	56A-B	157 LAGUNA DATA SYSTEMS	324	209 NORTHGATE	287
45 BYTE PUBL/DEMOLINK	345	428 FAIRCOM	72IS-25	158 LAHEY	262	210 NORTHGATE	290,291
* BYTE SUB MESSAGE	242	429 FAIRCOM	72IS-25	159 LANDMARK/SUPERSOFT	305	584 NOVA COMP/COMPUTERS FIRST	72NE-3
* BYTEWEEK/NEWSLETTER	338	104 FALCO DATA PRODUCTS	103	160 LAWSON LABS	326	585 NOVA COMP/COMPUTERS FIRST	72NE-3
49 CALCOMP, INC	39	430 FAST ELECTRONIC GMBH	72IS-40	181 LINK COMPUTER GRAPHICS	324	* NR/MCGRAW-HILL	248A-B
50 CALCOMP, INC	39	105 FIRST SOURCE INT'L	335	182 LINK COMPUTER GRAPHICS	324	211 NU-MEGA TECHNOLOGIES	136
51 CANON STILL VIDEO	272,273	106 FIRST SOURCE INT'L	335	183 LOGICAL DEVICES	327	566 OFM COMPUTER SYS	72MW-13
52 CAPITAL EQUIPMENT	162	107 FLYTECH TECHNOLOGY	132	184 LOGICAL DEVICES	327	567 OFM COMPUTER SYS	72MW-13
53 CAPITAL EQUIPMENT	163	108 FOX SOFTWARE	268,269	185 LOGICAL DEVICES	327	588 ONTRACK COMPUTER SYS	72MW-16
56 CENTRAL POINT SOFTWARE	67	324 FRONTIER TECH	32	186 LOGICAL DEVICES	327	589 ONTRACK COMPUTER SYS	72MW-16
57 CENTRAL POINT SOFTWARE	66,69	558 FUJIKAMA USA, INC	72MW-3	187 LOTUS DEVELOPMENT CORP	C11,1	590 ONTRACK COMPUTER SYS	72NE-16
58 CENTRAL POINT SOFTWARE	117	559 FUJIKAMA USA, INC	72MW-3	441 LOYALTY FOUNDER ENTER	72IS-64	615 ONTRACK COMPUTER SYS	72PC-13
412 CLARION SOFTWARE	72IS-17	573 FUTURE TRENDS SOFTWARE	72MW-5	560 LUCKY COMPUTER	72MW-1	616 ONTRACK COMPUTER SYS	72PC-13
413 CLARION SOFTWARE	72IS-17	574 FUTURE TRENDS SOFTWARE	72MW-5	581 LUCKY COMPUTER	72MW-1	635 ONTRACK COMPUTER SYS	72SO-14
* CLEO COMMUNICATIONS	284	601 FUTURE TRENDS SOFTWARE	72NE-5	589 LUCKY COMPUTER	72NE-9	636 ONTRACK COMPUTER SYS	72SO-14
414 COBALT BLUE	72IS-38	602 FUTURE TRENDS SOFTWARE	72NE-5	590 LUCKY COMPUTER	72NE-9	323 OUTPUT TECHNOLOGY	207
415 COMPLEX, INC	72IS-39	619 FUTURE TRENDS SOFTWARE	72PC-7	610 LUCKY COMPUTER	72PC-7	212 OVERLAND DATA	319
416 COMPLEX, INC	72IS-39	620 FUTURE TRENDS SOFTWARE	72PC-1	611 LUCKY COMPUTER	72PC-7	213 PACIFIC COMPUTER	157
417 COMPLEX INTERNATIONAL, INC	72IS-60	640 FUTURE TRENDS SOFTWARE	72SO-1	633 LUCKY COMPUTER	72SO-3	* PACIFIC DATA	122
* COMPUADD	97	641 FUTURE TRENDS SOFTWARE	72SO-1	634 LUCKY COMPUTER	72SO-3	* PACIFIC DATA	145
63 COMPUADD	98,99	111 G P DIGITAL	323	168 LYBEN COMPUTER SYSTEMS	310	214 PARA SYSTEMS	231
64 COMPUADD	100	112 G P DIGITAL	323	169 MANAGEMENT INFO SCIENCES	224	215 PATTON & PATTON	84
80 COMPUADD (INT'L)	CII/CIV	483 GAIN SYSTEMS, INC	72IS-38	* MANCHESTER EQUIP. CO	72NE-A,B	216 PC POWER & COOLING	115
418 COMPUCLASSICS	72IS-12	484 GAIN SYSTEMS, INC	72IS-38	591 MANCHESTER EQUIP. CO	72NE-1		

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
217	115	249	67	274	160	639	7250-13
218	257	250	135	275	324	* UNIXWORLD	296A-B
219	257	251	135	276	68,69	* UNIXWORLD	297
220	102	* REASONABLE SOLUTIONS	72IS-64A-B	617	72PC-3	458	UP-SAFE IND CORP
221	102	322	208A	454	72IS-61	459	USA SOFTWARE
222	111	252	294	277	319	295	VANT SYSTEMS, INC
223	83	253	76	278	187	460	VDS INTERNATIONAL
224	83	551	72MW-7	* TEXAS MICROSYSTEMS	232A-B	571	VDS INTERNATIONAL
225	93	255	94	279	232,233	572	VDS INTERNATIONAL
226	178	256	94	280	299	599	VDS INTERNATIONAL
227	125	257	266	281	299	600	VDS INTERNATIONAL
228	334	258	327	328	310	296	VENTURA SOFTWARE
* PROCOMP USA, INC	72IS-64C-D	259	262	* TOSHIBA AMERICA INFO SYS	191	297	VERBATIM
229	63-65	* SOFTLINE	72IS-35	283	192,193	298	VERBATIM
* PROGRAMMER'S SHOP	118-121	260	279	455	72IS-60	299	VERMONT CREATIVE S/W
230	259	261	328	284	334	300	VERMONT CREATIVE S/W
231	259	263	60,61	285	334	301	VOGON ENTERPRISES LTD
232	330	262	306,307	286	334	* WATCOM PRODUCTS	49
233	324	264	251	287	7	302	WIESEMANN & THEIS GMBH
234	324	265	151	288	221	303	WINTEK CORP
235	129	266	151	289	221	304	WINTEK CORP
236	129	267	95	318	320	305	XELTEK
237	16,17	637	7250-15	290	246	* ZEOS INTERNATIONAL	168A-J
240	308	638	7250-15	291	302	307	ZORTECH, INC
241	308	268	261	292	323	309	ZYLAB/OCR SYSTEMS
242	308	269	261	456	72IS-30	310	ZYLAB/OCR SYSTEMS
243	308	270	289	457	72IS-5	311	Z-WORLD
244	308	271	45	* UNIQUE	72IS-64C-D	312	Z-WORLD
245	308	451	72IS-58	293	331		
246	308	452	72IS-47	570	72MW-17		
247	308	453	72IS-47	596	72NE-18		
248	308	273	160	618	72PC-14		

* Correspond directly with company.

BYTE ADVERTISING SALES STAFF:

Steven M. Vito, Associate Publisher/V.P. of Marketing, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-9281
 Arthur Kossack, Eastern Advertising Director, Two Prudential Plaza, 180 North Stetson Ave., Chicago, IL 60601, tel. (312) 616-3341
 Jennifer L. Bartel, Western Advertising Director, 14850 Quorum Drive, Suite 380, Dallas, TX 75240, tel. (214) 701-8496
 Liz Coyman, Inside Advertising Sales Director, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-2518

NEW ENGLAND
 ME, NH, VT, MA, RI, CT, ONTARIO
 CANADA & EASTERN CANADA
 Dan Savage (617) 860-6344
 Patricia Payne (603) 924-2654
 McGraw-Hill Publications
 29 Hartwell Avenue
 Lexington, MA 02173
 FAX: (617) 860-6999

EAST COAST
 NY, NJ, DE, PA
 Kim Norris (212) 512-2645
 Ariane Casey (212) 512-2368
 Patricia Payne (603) 924-2654
 McGraw-Hill Publications
 1221 Avenue of the Americas—
 28th Floor
 New York, NY 10020
 FAX: (212) 512-2075

SOUTHEAST
 NC, SC, GA, FL, AL, TN, VA,
 MS, AR, LA, DC, MD, WV, KY
 John Y. Schilin (404) 843-4782
 Patricia Payne (603) 924-2654
 McGraw-Hill Publications
 4170 Ashford-Dunwoody Road
 Suite 520
 Atlanta, GA 30319
 FAX: (404) 252-4056

MIDWEST
 IL, MO, KS, IA, ND, SD, MN,
 WI, NE, IN, MI, OH
 Kurt Kelley (312) 616-3328
 MaryAnn Goulding (603) 924-2664
 McGraw-Hill Publications
 Two Prudential Plaza
 180 North Stetson Ave.
 Chicago, IL 60601
 FAX: (312) 616-3370

**SOUTHWEST,
 ROCKY MOUNTAIN**
 CO, OK, TX
 Alison Keenan (214) 701-8496
 Barry Echavarría (603) 924-2574
 McGraw-Hill Publications
 14850 Quorum Drive
 Suite 380
 Dallas, TX 75240
 FAX: (214) 991-6208

NORTH PACIFIC: San Francisco, CA
**NORTHERN CA, OR, ID, MT,
 WY, NORTHERN NV**
 Roy J. Kops (415) 954-9728
 McGraw-Hill Publications
 425 Battery Street
 San Francisco, CA 94111
 FAX: (415) 954-9786

NORTH PACIFIC: Campbell, CA
**SILICON VALLEY, HI, WA, AK,
 W. CANADA**
 Bill McAfee (408) 879-0381
 Leslie Hupp (408) 879-0381
 McGraw-Hill Publications
 1999 South Bascom Ave.
 Suite #210
 Campbell, CA 95008
 FAX: (408) 879-9067

SOUTH PACIFIC: Los Angeles, CA
**LOS ANGELES COUNTY, AZ,
 NM, SOUTHERN NEVADA**
 Alan El Faye (213) 480-5243
 Jonathan Sawyer (603) 924-2665
 McGraw-Hill Publications
 3333 Wilshire Boulevard #407
 Los Angeles, CA 90010
 FAX: (213) 480-5249

SOUTH PACIFIC: Costa Mesa, CA
**ORANGE COUNTY,
 SAN DIEGO COUNTY, UT**
 Ron Cordek (714) 753-8140
 Jonathan Sawyer (603) 924-2665
 McGraw-Hill Publications
 15635 Alton Parkway
 Suite 290
 Irvine, CA 92718
 FAX: (714) 753-8147

BYTE BITS (2x3)
 Mark Stone (603) 924-2695
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

The Buyer's Mart (1x2)
 Joseph Mabe (603) 924-2656
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

Regional Advertising
 Brian Higgins (603) 924-2651
 Barry Echavarría (603) 924-2574
 Larry Levine (603) 924-2637
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

BYTE Deck
 Ed Ware (603) 924-2596
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

EURO-DECK
 James Bail (603) 924-2533
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

Catalog Showcase
**BYTE International Direct
 Response Postcards**
 Ellen Perham (603) 924-2598
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

Peterborough, NH Office
 Inside Sales FAX: 603-924-2683
 Advertising FAX: 603-924-7507

International Advertising Sales Staff:

Uwe Kretzschmar, European Advertising and Marketing Manager, BYTE Publications, McGraw-Hill Publishing Co., Wimbledon Bridge House, One Hartfield Road, Wimbledon, London, SW19 3RU, England, Tel: 44 81 543 1234, Fax: 44 81 540 3833

**GERMANY, SWITZERLAND,
 AUSTRIA**
 Uwe Kretzschmar (44 81 545 6268)
UNITED KINGDOM
 Roz Weyman (44 81 545 6269)
 McGraw-Hill Publishing Co.
 Wimbledon Bridge House
 One Hartfield Road
 Wimbledon, London SW19 3RU
 England
 Tel: 44 81 543 1234
 FAX: 44 81 540 3833
 TELEEX: 892191

BENELUX
 Ellen Pardede
 Batenburg 103
 3437 AB Nieuwegein
 The Netherlands
 Tel: 31 34 02 49496
 FAX: 31 34 02 37944

FRANCE, ITALY
 Zena Coupe, Amanda Blaskett
 A-Z International Sales Ltd.
 70 Chalk Farm Road
 London NW1 8AN
 England
 Tel: 44 71 284 3171
 FAX: 44 71 284 3174

ISRAEL
 Dan Ehrlich
 Ehrlich Communication
 International
 P.O. Box 11297
 Tel Aviv 61112
 Israel
 Tel: (972) 3 449823
 FAX: (972) 3 5468168

JAPAN
 Masaki Mori
 McGraw-Hill Publishing Co.
 Overseas Corp.
 Room 1528
 Kasumigaseki Bldg.
 3-2-5 Kasumigaseki,
 Chiyoda-Ku
 Tokyo 100, Japan
 Tel: 81 33 581 9811
 FAX: 81 33 581 4018

SINGAPORE
 Jocelyn Domingo
 Seavex Ltd.
 400 Orchard Road, #10-01
 Singapore 0923
 Republic of Singapore
 Tel: 65 734 9790
 Telex: RS35539 SEAVEX
 FAX: 65 732 5129

HONG KONG
 Stephen Marcopoto
 Seavex Ltd.
 503 Wilson House
 19-27 Wyndham St.
 Central, Hong Kong
 Tel: 852 868 2010
 Telex: 60904 SEVEX HX
 FAX: 852 810 1283

TAIWAN
 Summer Chien
 Tina Lai
 Acer TWP Corp.
 2 Fl., No. 19-1, Lane 231
 Fu-Hsin North Road
 Taipei, Taiwan R.O.C.
 Tel: 886 2 713 6959
 Fax: 886 2 715 1950

AUSTRALIA
 Ian McDonald
 Hugh Anderson Pty. Ltd.
 119 Market Street
 South Melbourne
 Australia
 Tel: 613-696-5411
 FAX: 613-696-5692

David Strike
 Seavex Ltd.
 64 Victoria Street
 Box 109, North Sydney
 NSW 2060
 Australia
 Tel: 612-922-2977
 FAX: 612-922-1100

KOREA
 Jeon-Gwon Seo
 DoeBee International Limited
 Center Building (Byulgwan)
 1-11 Jeong-dong, Choong-ku
 C.P.O. Box 4557
 Seoul, Korea
 Tel: 822-776-2096
 Telex: 787-27117
 FAX: 822-755-9860

READER SERVICE

* Correspond directly with company.

INDEX TO ADVERTISERS BY PRODUCT CATEGORY

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
HARDWARE							
926	ADD-INS	305 XELTEK	333	29 AVIEW TECHNOLOGY	262	628 DATATRANS SYSTEMS	72SO-7
15 ALPHA PRODUCTS	329	312 Z-WORLD	333	135 IYAMA ELECTRIC	47	629 DATATRANS SYSTEMS	72SO-7
48 B&C MICROSYSTEMS	325	929 INSTRUMENTATION		143 INFOCUS SYSTEMS	106,107	84 DELL COMPUTER	60,81
47 B&C MICROSYSTEMS	333	102 ELEXOR, INC.	330	197 NANA0	270	* DELL COMPUTER	352A-B
48 B&C MICROSYSTEMS	333	160 LAWSON LABS	328	198 NANA0	270	83 DELL COMPUTER (N.A.)	CIII
52 CAPITAL EQUIPMENT	162	182 LINK COMPUTER GRAPHICS	324	202 NEC MONITORS	12,13	85 DELL COMPUTER (N.A.)	CIV
53 CAPITAL EQUIPMENT	163	174 MEASUREMENT & CONTROL	114	935 NETWORK HARDWARE		558 DERBYTECH COMPUTERS	72MW-20
69 CONTROL VISION	324	175 MEASUREMENT & CONTROL	114	23 ARTISOFT	292	557 DERBYTECH COMPUTERS	72MW-20
89 DIGITAL VISION	116	195 MICROSTAR LAB	327	33 ASP COMPUTER PRODUCTS	46	630 DERBYTECH COMPUTERS	72SO-16
90 DIGITAL VISION	118	201 NATIONAL INSTRUMENTS	310	399 BUFFALO PRODUCTS (N.A.)	180	631 DERBYTECH COMPUTERS	72SO-16
93 DISTRIBUTED PROCESSING TECH.	179	455 TRIANGLE DIGITAL SERV LTD	72IS-60	* CLEO COMMUNICATIONS	284	* DIGITAL EQUIPMENT	226,227
94 DISTRIBUTED PROCESSING TECH.	179	285 TRIBAL MICROSYSTEMS	334	415 COMPEX, INC.	72IS-39	96 DOLCH COMPUTER SYSTEMS	51
98 EECs	328	930 KEYBOARDS/MICE		416 COMPEX, INC.	72IS-39	97 DTK COMPUTER, INC.	90
99 EECs	328	408 ATICO	72IS-59	70 CORE INTERNATIONAL	263	100 ELEK-TEK	337
424 EIZO CORP.	72IS-2	152 KEY TRONIC CORP.	59	71 CORE INTERNATIONAL	263	320 ERGO COMPUTING	216,217
105 FIRST SOURCE INT'L	335	* MICROSOFT	148,149	78 CURTIS, INC.	190	* EVEREX SYSTEMS	55
106 FIRST SOURCE INT'L	335	931 MASS STORAGE		80 CYBEX CORP.	130	* EVEREX SYSTEMS	56A-B
111 G P DIGITAL	323	70 CORE INTERNATIONAL	263	324 FRONTIER TECH	32	103 EVEREX SYSTEMS	56,57
112 G P DIGITAL	323	71 CORE INTERNATIONAL	263	172 MAYNARD	295	104 FALCO DATA PRODUCTS	103
120 GTEK	214	430 FAST ELECTRONIC GMBH	72IS-40	173 MAYNARD	295	107 FLYTECH TECHNOLOGY	132
121 GTEK	214	157 LAGUNA DATA SYSTEMS	324	280 THE SOFTWARE LINK	299	558 FUJIKAMA USA, INC.	72MW-3
123 HAUPPAUGE	41	170 MAPLE SYSTEMS, INC.	330	281 THE SOFTWARE LINK	299	559 FUJIKAMA USA, INC.	72MW-3
128 HIGH RES TECHNOLOGIES	324	582 MAXIMUM STORAGE	72MW-9	936 PRINTERS/PLOTTERS		483 GAIN SYSTEMS, INC.	72IS-38
140 INTEGRATED INFO TECH	85	583 MAXIMUM STORAGE	72MW-9	17 AMERICAN SMALL BUSINESS COMP	131	484 GAIN SYSTEMS, INC.	72IS-38
141 INTEGRATED INFO TECH	85	172 MAYNARD	295	49 CALCOMP, INC.	39	* GATEWAY 2000	24A-D
144 IO TECH	327	173 MAYNARD	295	50 CALCOMP, INC.	39	* GATEWAY 2000	72IS-32A-B
439 JC INFO SYSTEMS	72IS-15	181 MERRITT COMPUTER PROD	190	* EPSON	136B,137	588 GIT CO., LTD.	72NE-11
154 KINGSTON TECHNOLOGY CORP.	216	321 MICROPOLIS	255	127 HEWLETT PACKARD PERIP	34,35	608 GIT CO., LTD.	72PC-5
155 KINGSTON TECHNOLOGY CORP.	216	212 OVERLAND DATA	319	137 INFINITE POSSIBILITIES	150	632 GIT CO., LTD.	72SO-5
177 MEGATEL COMPUTER CORP.	304	218 PERCEPTIVE SOLUTIONS, INC.	257	138 INFINITE POSSIBILITIES	150	131 H.CO.COMPUTER PRODUCTS	322
178 MEMREL	256	219 PERCEPTIVE SOLUTIONS, INC.	257	323 OUTPUT TECHNOLOGY	207	132 H.CO.COMPUTER PRODUCTS	322
179 MEMREL	256	223 PINNACLE MICRO	83	* PACIFIC DATA	122	436 INTERSYS, INC.	72IS-42
180 MERRIMACK VALLEY SYS	334	224 PINNACLE MICRO	83	* PACIFIC DATA	145	437 INTERSYS, INC.	72IS-42
182 METHOD SYSTEMS	330	225 PIONEER	83	937 SCANNERS/IMAGE PROCESSORS		* KILA	327
185 MICRONICS	78	227 PLUS DEVELOPMENT	125	51 CANON STILL VIDEO	272,273	441 LOYALTY FOUNDER ENTER	72IS-84
186 MICROPROCESSORS UNLTD.	327	234 QUALSTAR CORP.	324	139 INTEGRAND RESEARCH CORP.	206	580 LUCKY COMPUTER	72MW-1
* MICROWAY	215	282 SONY (N.A.)	306,307	938 SOFTWARE SECURITY		581 LUCKY COMPUTER	72MW-1
* PACIFIC DATA	145	270 STORAGE DIMENSIONS	289	* 313 R/E LTD	72IS-64A-B	589 LUCKY COMPUTER	72NE-9
220 PERISCOPE CO., THE	102	454 TEAC	72IS-61	427 EUTRON	72IS-22	590 LUCKY COMPUTER	72NE-9
221 PERISCOPE CO., THE	102	318 TULIN CORP.	320	116 GLENCO ENGINEERING, INC.	237	610 LUCKY COMPUTER	72PC-7
240 QUATECH	308	932 MISCELLANEOUS		588 ONTRACK COMPUTER SYS.	72MW-18	611 LUCKY COMPUTER	72PC-7
241 QUATECH	308	405 ALADDIN KNOWLEDGE SYS LTD	72IS-21	589 ONTRACK COMPUTER SYS.	72MW-16	633 LUCKY COMPUTER	72SO-3
242 QUATECH	308	21 APD	114	596 ONTRACK COMPUTER SYS.	72NE-16	634 LUCKY COMPUTER	72SO-3
243 QUATECH	308	31 AXIOMATIC COMPUTER CORP.	320	615 ONTRACK COMPUTER SYS.	72PC-13	* MANCHESTER EQUIP. CO.	72NE-A-B
244 QUATECH	308	32 AXIOMATIC COMPUTER CORP.	320	616 ONTRACK COMPUTER SYS.	72PC-13	591 MANCHESTER EQUIP. CO.	72NE-1
245 QUATECH	308	46 B&C MICROSYSTEMS	325	635 ONTRACK COMPUTER SYS.	72SO-14	564 MYODA, INC.	72MW-15
246 QUATECH	308	76 COVOX	319	636 ONTRACK COMPUTER SYS.	72SO-14	565 MYODA, INC.	72MW-15
247 QUATECH	308	77 COVOX	319	230 PROTECH MARKETING	259	584 MYODA, INC.	72NE-20
248 QUATECH	308	81 CYRIX	77	231 PROTECH MARKETING	259	595 MYODA, INC.	72NE-20
258 SILICON SHACK	327	82 DATA VAC	104	250 RAINBOW TECHNOLOGY	135	204 NEW DIMENSION TECH LTD.	177
265 STAC	151	120 GTEK	214	251 RAINBOW TECHNOLOGY	135	* NORTHGATE	208C
266 STAC	151	121 GTEK	214	252 ROSE ELECTRONICS	294	207 NORTHGATE	208D,209
277 TECHNOLOGY POWER ENT.	319	134 IC EXPRESS	333	255 SENTRY SOFTWARE CORP.	94	327 NORTHGATE	238,239
288 TRUEVISION	221	140 INTEGRATED INFO TECH.	85	256 SENTRY SOFTWARE CORP.	94	208 NORTHGATE	264,265
289 TRUEVISION	221	141 INTEGRATED INFO TECH.	85	260 SOFTWARE SECURITY, INC.	279	* NORTHGATE	283
460 VDS INTERNATIONAL	72IS-67	145 IOMEGA	152,153	939 SYSTEMS		209 NORTHGATE	287
297 VERBATIM	199	146 IOMEGA	152,153	402 ABTECH INC.	72IS-51	210 NORTHGATE	290,291
298 VERBATIM	199	147 IRWIN	225	403 ABTECH INC.	72IS-51	584 NOVA COMP/COMPUTERS FIRST	72NE-3
302 WIESEMANN & THEIS GMBH	330	316 KNPACO	222	825 ABTECH INC.	72SO-9	585 NOVA COMP/COMPUTERS FIRST	72NE-3
311 Z-WORLD	333	317 KNPACO	222	626 ABTECH INC.	72SO-9	566 OFM COMPUTER SYS.	72MW-13
927 DRIVES		206 NOHAU CORP.	328	13 ADVANCED LOGIC RESEARCH	2,3	587 OFM COMPUTER SYS.	72MW-13
70 CORE INTERNATIONAL	263	261 SOLNETICS CORP.	328	14 ADVANCED LOGIC RESEARCH	2,3	213 PACIFIC COMPUTER	157
71 CORE INTERNATIONAL	263	275 TALKING TECHNOLOGY	324	552 ALPC	72MW-18	322 REPLY CORP.	208A
78 CURTIS, INC.	190	285 VANT SYSTEMS, INC.	330	553 ALPC	72MW-18	258 SILICON SHACK	327
100 ELEK-TEK	337	297 VERBATIM	199	22 APPLE COMPUTER	8,9	637 STERLING TECH., INC.	72SO-15
172 MAYNARD	295	298 VERBATIM	199	408 ATICO	72IS-59	638 STERLING TECH., INC.	72SO-15
173 MAYNARD	295	933 MODEMS/MULTIPLEXORS		28 AUTOMATED COMPUTER TECH	274,275	276 TANDON COMPUTERS	68,69
183 MICRO SOLUTIONS COMP PROD.	282	85 COMPUCOM	319	27 AUTOMATED COMPUTER TECH	274,275	617 TANGENT	72PC-3
223 PINNACLE MICRO	83	113 GALACTICOMM	334	* COMPUADD	97	278 TEXAS INSTRUMENTS	187
224 PINNACLE MICRO	83	442 MEGADATA	72IS-26	63 COMPUADD	98,99	* TEXAS MICROSYSTEMS	232A-B
* PROCOMP USA, INC.	72IS-64C-D	443 MEGADATA	72IS-26	84 COMPUADD	100	279 TEXAS MICROSYSTEMS	232,233
263 SONY MICROSYSTEMS	60,81	446 MOTOROLA/UDS	72IS-9	60 COMPUADD (INT'L)	CIII	* TOSHIBA AMERICA INFO SYS.	191
928 HARDWARE PROGRAMMERS		447 MOTOROLA/UDS	72IS-9	60 COMPUADD (INT'L)	CIV	283 TOSHIBA AMERICA INFO SYS.	192,193
30 AVOCET SYSTEMS, INC.	327	228 PROCOMP	334	582 COMPUTER SALES PROF.	72NE-7	287 TRI-STAR COMPUTER	7
41 BP MICROSYSTEMS	330	934 MONITORS		583 COMPUTER SALES PROF.	72NE-7	456 UNICOTT TECHNOLOGY CORP.	72IS-30
120 GTEK	214	404 AGC ELECTRONICS CORP.	72IS-29	421 CONCORD COMPUTER CORP.	72IS-27	571 VDS INTERNATIONAL	72MW-11
121 GTEK	214	407 AOC INT'L CORP.	72IS-54	422 CONCORD COMPUTER CORP.	72IS-27	572 VDS INTERNATIONAL	72MW-11
161 LINK COMPUTER GRAPHICS	324	28 AVIEW TECHNOLOGY	282	586 DATATRANS SYSTEMS	72NE-13	599 VDS INTERNATIONAL	72NE-19
165 LOGICAL DEVICES	327	935 MONITORS		587 DATATRANS SYSTEMS	72NE-13	600 VDS INTERNATIONAL	72NE-19
166 LOGICAL DEVICES	327	404 AGC ELECTRONICS CORP.	72IS-29	940 UPS		* ZEOS INTERNATIONAL	168A-J
284 TRIBAL MICROSYSTEMS	334	407 AOC INT'L CORP.	72IS-54	36 BEST POWER TECH., INC.	310	316 KNPACO	222
286 TRIBAL MICROSYSTEMS	334	28 AVIEW TECHNOLOGY	282	317 KNPACO	222	214 PARA SYSTEMS	231
				216 PC POWER & COOLING	115	217 PC POWER & COOLING	115
				233 PUISSANCE, INC.	324	458 UP-SAFE IND CORP.	72IS-34

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

* Correspond directly with company.

Inquiry No.	Page No.
SOFTWARE	
941 APPLE/MAC APPLICATIONS— Business Office	
67 COMPUTER ASSOCIATES	138
942 APPLE/MAC APPLICATIONS— Scientific/Technical	
171 MATHSOFT, INC	228
200 NATIONAL INSTRUMENTS	15
943 IBM/MSDOS APPLICATIONS— Business Office	
* 313 R/E LTD	72IS-64A-B
555 BUZZWORDS INT'L	72MW-14
66 COMPUTER ASSOCIATES	21
* COPIA INTERNATIONAL LTD	118
425 ELEX INTERNATIONAL, INC	72IS-19
431 GAMMA PRODUCTIONS	72IS-20
124 HDC	168
125 HDC	168
133 IBM-GRAPHICS SOFTWARE	27
167 LOTUS DEVELOPMENT CORP	CII, 1
169 MANAGEMENT INFO SCIENCES	224
205 NEWPORT SYSTEMS	186
222 PERSONAL TEX	111
253 ROYKORE	76
271 STRATEGIC MAPPING	45
296 VENTURA SOFTWARE	143
309 ZYLAB/OCR SYSTEMS	155
310 ZYLAB/OCR SYSTEMS	155
944 IBM/MSDOS APPLICATIONS— Scientific/Technical	
37 BINARY TECHNOLOGY	328
* COMPUTER SOLUTIONS NW	72IS-64C-D
423 DATAVISION AG	72IS-41
87 DESIGN SCIENCE	96
88 DESIGN SCIENCE	96
91 DIGITALK	29
573 FUTURE TRENDS SOFTWARE	72MW-5
574 FUTURE TRENDS SOFTWARE	72MW-5
601 FUTURE TRENDS SOFTWARE	72NE-5
602 FUTURE TRENDS SOFTWARE	72NE-5
619 FUTURE TRENDS SOFTWARE	72PC-1
620 FUTURE TRENDS SOFTWARE	72PC-1
640 FUTURE TRENDS SOFTWARE	72SO-1
641 FUTURE TRENDS SOFTWARE	72SO-1
115 GENERIC SOFTWARE	223
130 HORSTMANN S/W DESIGN INC	104
438 IXI LTD	72IS-24
315 KEITHLEY/METRABYTE	320
440 KEYCRAFT	72IS-38
158 LAHEY	282
183 LOGICAL DEVICES	327
164 LOGICAL DEVICES	327
* MICROSOFT	19
* MICROSOFT	104A-B
* MICROSOFT	105
* MICROWAY	240
211 NU-MEGA TECHNOLOGIES	136
215 PATTON & PATTON	84
222 PERSONAL TEX	111
249 RAIMA	87
264 SPECTRUM S/W	251
287 STATSOFT	95
273 SYSTAT	160
274 SYSTAT	160
* WATCOM PRODUCTS	49
303 WINTEK CORP	330
304 WINTEK CORP	330
945 IBM/MSDOS APPLICATIONS— Miscellaneous	
237 QUARTERDECK	16, 17
253 ROYKORE	76
271 STRATEGIC MAPPING	45
946 IBM/MSDOS APPLICATIONS— Word Processing	
309 ZYLAB/OCR SYSTEMS	155
310 ZYLAB/OCR SYSTEMS	155
947 IBM/MSDOS — CAD	
17 AMERICAN SMALL BUSINESS COMP	131

Inquiry No.	Page No.
18 AMS	324
115 GENERIC SOFTWARE	223
948 IBM/MSDOS — COMMUNICATIONS	
95 DIVERSIFIED COMPUTER SYS	333
324 FRONTIER TECH	32
113 GALACTICOMM	334
151 KEA SYSTEMS, LTD	79
448 M-TRADE (U.K.) LTD	72IS-31
228 PROCOMP	334
290 TURBOPOWER SOFTWARE	246
457 UNIPALM LTD	72IS-5
964 IBM/MSDOS — DATABASE	
108 FOX SOFTWARE	268, 269
949 IBM/MSDOS — GRAPHICS	
72 COREL SYSTEMS CORP	245
73 COREL SYSTEMS CORP	245
74 COREL SYSTEMS CORP	147
75 COREL SYSTEMS CORP	147
101 ELEX INTERNATIONAL	42
133 IBM-GRAPHICS SOFTWARE	27
184 MICROGRAFX	127
288 TRUEVISION	221
289 TRUEVISION	221
299 VERMONT CREATIVE S/W	31
950 IBM/MSDOS — LAN	
425 ELEX INTERNATIONAL, INC	72IS-19
118 GREG LEWIS PRODUCTIONS	296
119 GREG LEWIS PRODUCTIONS	296
319 INVISIBLE SOFTWARE	244
951 IBM/MSDOS — LANGUAGES	
409 BLAISE COMPUTING	72IS-18
39 BORLAND INTERNATIONAL	11
40 BORLAND INTERNATIONAL	11
603 BUZZWORDS INT'L	72NE-14
414 COBALT BLUE	72IS-38
428 FAIRCOM	72IS-25
429 FAIRCOM	72IS-25
612 METAWARE	72PC-9
592 MIND'S EYE	72NE-15
593 MIND'S EYE	72NE-15
613 MIND'S EYE	72PC-11
614 MIND'S EYE	72PC-11
196 MIX SOFTWARE	243
199 NANTUCKET	201
232 PSEUDOCORP	330
268 STONY BROOK SOFTWARE	261
269 STONY BROOK SOFTWARE	261
307 ZORTECH, INC	33
965 IBM/MSDOS — SPECSHEETS	
35 BALER SOFTWARE	30
952 IBM/MSDOS — UTILITIES	
6 313 R/E LTD	234
401 3EST - USA	72IS-60
38 BLACK & WHITE INT'L	260
58 CENTRAL POINT SOFTWARE	67
57 CENTRAL POINT SOFTWARE	88, 89
58 CENTRAL POINT SOFTWARE	117
412 CLARION SOFTWARE	72IS-17
413 CLARION SOFTWARE	72IS-17
91 DIGITALK	29
117 GREENVIEW	74
* JP SOFTWARE	72IS-64A-B
159 LANDMARK/SUPERSOFT	305
226 PKWARE, INC	178
257 SEQUITER SOFTWARE	266
953 OTHER APPLICATIONS— Business Office	
444 MKS	72IS-6
445 MKS	72IS-6
954 OTHER APPLICATIONS— Word Processing	
309 ZYLAB/OCR SYSTEMS	155
310 ZYLAB/OCR SYSTEMS	155
955 OTHER — CROSS DEVELOPMENT	
426 FAIRCOM	72IS-25

Inquiry No.	Page No.
429 FAIRCOM	72IS-25
114 GCOM, INC	333
609 IMPLEMENTS	72PC-15
142 INTEL CORP	310
158 K&M ASSOCIATES	334
300 VERMONT CREATIVE S/W	113
956 OTHER — LAN	
126 HELIOS USA	276
957 OTHER — LANGUAGES	
426 FAIRCOM	72IS-25
429 FAIRCOM	72IS-25
958 OTHER — UTILITIES	
117 GREENVIEW	74
959 EDUCATIONAL/ INSTRUCTIONAL	
10 ABACUS	247
11 ABACUS	247
20 ANNABOOKS	130
* BYTE BACK ISSUES	280
* BYTE BACK ISSUES	72IS-32
410 BYTE BITS	72IS-60
* BYTE CARD DECK	208
* BYTE SUB MESSAGE	242
* BYTEWEEK/NEWSLETTER	336
* COMPUTER/BYTE BOOK CLUB	280A-B
* COMPUTER/BYTE BOOK CLUB	281
92 DIGITALK	253
* NRI/MCGRAW-HILL	248A-B
291 TWINCOM	302
960 MAIL ORDER/ RETAIL	
12 ADD ON AMERICA	327
406 AMDS LTD	72IS-28
16 AMERICAN ADVANTECH	326
19 AMT INT'L	332
26 AUTOMATED COMPUTER TECH	274, 275
27 AUTOMATED COMPUTER TECH	274, 275
34 B & B ELECTRONICS	334
42 BUREAU OF ELECTRONIC PUBL	62
43 BUREAU OF ELECTRONIC PUBL	82
* BUYERS MART SECTION	311-318
46 B&C MICROSYSTEMS	325
47 B&C MICROSYSTEMS	333
48 B&C MICROSYSTEMS	333
416 COMPUCLASSICS	72IS-12
419 COMPUSAVE	72IS-53
325 COMPUTER FRIENDS	298
420 COMPUTER QUICK	72IS-50
68 COMPUTERLANE	321
* COMPUTER/BYTE BOOK CLUB	280A-B
* COMPUTER/BYTE BOOK CLUB	261
421 CONCORD COMPUTER CORP	72IS-27
422 CONCORD COMPUTER CORP	72IS-27
556 DERBYTECH COMPUTERS	72MW-20
557 DERBYTECH COMPUTERS	72MW-20
630 DERBYTECH COMPUTERS	72SO-16
631 DERBYTECH COMPUTERS	72SO-16
95 DIVERSIFIED COMPUTER SYS	333
100 ELEK-TEK	337
* ELONEX	72IS-49
558 FUJIKAMA USA, INC	72MW-3
559 FUJIKAMA USA, INC	72MW-3
432 GREY MATTER	72IS-37
122 GUI CLEARINGHOUSE	276
129 HOOLEON	310
134 IC EXPRESS	333
434 INEX TECHNOLOGY	72IS-36
148 JADE COMPUTER	197
149 JAMECO	300, 301
6 JDR MICRODEVICES	346, 347
7 JDR MICRODEVICES	346, 347
150 JEMINI ELECTRONICS	326
315 KEITHLEY/METRABYTE	320
316 KNAPCO	222
317 KNAPCO	222
156 K&M ASSOCIATES	334
168 LYBEN COMPUTER SYSTEMS	310
* MARK WILLIAMS	75
176 MEGASOFT, INC	328
* MICROCOMPUTER MKTG	CNCL
(INT'L)	337
564 MYODA, INC	72MW-15

Inquiry No.	Page No.
565 MYODA, INC	72MW-15
594 MYODA, INC	72NE-20
595 MYODA, INC	72NE-20
203 NEVADA COMPUTER	326
* NORTHGATE	208C
207 NORTHGATE	208D, 209
327 NORTHGATE	238, 239
208 NORTHGATE	264, 265
* NORTHGATE	283
209 NORTHGATE	267
210 NORTHGATE	290, 291
229 PROGRAMMER'S PARADISE	63-65
* PROGRAMMER'S SHOP	116, 121
* REASONABLE SOLUTIONS	72IS-64A-B
259 SNW COMP & ELECT	262
* SOFTLINE	72IS-35
637 STERLING TECH, INC	72SO-15
638 STERLING TECH, INC	72SO-15
451 SURAH, INC	72IS-58
277 TECHNOLOGY POWER ENT	319
328 TIGER SOFTWARE	310
292 UNICORN ELECTRONICS	323
293 UNIVERSAL MEMORY	331
459 USA SOFTWARE	72IS-23
571 VDS INTERNATIONAL	72MW-11
572 VDS INTERNATIONAL	72MW-11
599 VDS INTERNATIONAL	72NE-19
600 VDS INTERNATIONAL	72NE-19
* ZEOS INTERNATIONAL	168A-J
961 MISCELLANEOUS	
9 3M	71
313 ASHTON-TATE	22, 23
314 ASHTON-TATE	22, 23
326 BYTE EURODECK	258
* BYTE IDRC	339
411 BYTE PUBLICATIONS	72IS-63
45 BYTE PUBL/DIEMOLINK	345
46 B&C MICROSYSTEMS	325
47 B&C MICROSYSTEMS	333
48 B&C MICROSYSTEMS	333
435 INTERNATIONAL SOFTWARE DIST	52
554 NETWORK 91 DALLAS	72MW-19
581 NETWORK 91 DALLAS	72NE-17
607 NETWORK 91 DALLAS	72PC-16
627 NETWORK 91 DALLAS	72SO-11
253 ROYKORE	76
551 SCAN-TECH 91	72MW-7
452 SWFTE INT'L LTD	72IS-47
453 SWFTE INT'L LTD	72IS-47
* UNIQUE	72IS-64C-D
570 UNIX OPEN SOLUTIONS '91	72MW-17
598 UNIX OPEN SOLUTIONS '91	72NE-18
618 UNIX OPEN SOLUTIONS '91	72PC-14
639 UNIX OPEN SOLUTIONS '91	72SO-13
* UNIXWORLD	298A-B
* UNIXWORLD	297
297 VERBATIM	199
298 VERBATIM	199
301 VOGON ENTERPRISES LTD	334
962 ON-LINE SERVICES	
* BIX	248
* BIX	254
* BIX	286
* BIX	286
450 BIX	72IS-10, 11
* BIX	72IS-62
450 BIX (INT'L)	80, 81
433 IDIOMAVI-COM	72IS-60
136 INDUSTRIAL INFO INDEX	40
* MCGRAW-HILL PUBLONLINE (INT'L)	307
963 OPERATING SYSTEMS	
417 COMPEX INTERNATIONAL INC	72IS-60
426 ESIX COMPUTER, INC	72IS-45
* MARK WILLIAMS	75
* MICROSOFT	170
* MICROSOFT	171
* MICROSOFT	172
* MICROSOFT	173
* MICROSOFT	174
* MICROSOFT	175
235 QUANTUM SOFTWARE SYS LTD	129
236 QUANTUM SOFTWARE SYS LTD	129

REQUEST FREE PRODUCT INFORMATION BY FAX

Just fax this page to 1-413-637-4343. Your request for information will be processed *immediately!*

- 1** Circle the numbers on Inquiry Card below which match the inquiry numbers assigned to items of interest to you.
- 2** Check off the answers to questions "A" through "E".
- 3** Print your name, address, and fax number clearly on the form.
- 4** Remove this page or copy this page clearly and fax it to the number above.

Fill out this coupon carefully. PLEASE PRINT.

Name _____

Title _____

Company _____

Address _____

City _____

State/Province _____ Zip _____

Country () () _____

Phone Number _____ Fax Number _____

A. What is your primary job function/principal area of responsibility? (Check one.)

- 1 MIS/DP
- 2 Programmer/Systems Analyst
- 3 Administration/Management
- 4 Sales/Marketing
- 5 Engineer/Scientist
- 6 Other

B. What is your level of management responsibility?

- 7 Senior-level
- 8 Middle-level
- 9 Professional

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 Yes 11 No

D. What operating systems are you currently using? (Check all that apply.)

- 12 PC/MS-DOS
- 13 DOS + Windows
- 14 OS/2
- 15 UNIX
- 16 MacOS
- 17 VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 1-25
- 19 26-50
- 20 51-99
- 21 100 or more

JULY 1991

Inquiry Numbers 1-495

Inquiry Numbers 496-990

Inquiry Numbers 991-1479

1	2	3	4	5	6	7	8	9	10	11	496	497	498	499	500	501	502	503	504	505	506	991	992	993	994	995	996	997	998	999	1000	1001
12	13	14	15	16	17	18	19	20	21	22	507	508	509	510	511	512	513	514	515	516	517	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012
23	24	25	26	27	28	29	30	31	32	33	518	519	520	521	522	523	524	525	526	527	528	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023
34	35	36	37	38	39	40	41	42	43	44	529	530	531	532	533	534	535	536	537	538	539	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034
45	46	47	48	49	50	51	52	53	54	55	540	541	542	543	544	545	546	547	548	549	550	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045
56	57	58	59	60	61	62	63	64	65	66	551	552	553	554	555	556	557	558	559	560	561	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056
67	68	69	70	71	72	73	74	75	76	77	562	563	564	565	566	567	568	569	570	571	572	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067
78	79	80	81	82	83	84	85	86	87	88	573	574	575	576	577	578	579	580	581	582	583	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078
89	90	91	92	93	94	95	96	97	98	99	584	585	586	587	588	589	590	591	592	593	594	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089
100	101	102	103	104	105	106	107	108	109	110	595	596	597	598	599	600	601	602	603	604	605	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100
111	112	113	114	115	116	117	118	119	120	121	606	607	608	609	610	611	612	613	614	615	616	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111
122	123	124	125	126	127	128	129	130	131	132	617	618	619	620	621	622	623	624	625	626	627	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122
133	134	135	136	137	138	139	140	141	142	143	628	629	630	631	632	633	634	635	636	637	638	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133
144	145	146	147	148	149	150	151	152	153	154	639	640	641	642	643	644	645	646	647	648	649	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144
155	156	157	158	159	160	161	162	163	164	165	650	651	652	653	654	655	656	657	658	659	660	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155
166	167	168	169	170	171	172	173	174	175	176	661	662	663	664	665	666	667	668	669	670	671	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166
177	178	179	180	181	182	183	184	185	186	187	672	673	674	675	676	677	678	679	680	681	682	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177
188	189	190	191	192	193	194	195	196	197	198	683	684	685	686	687	688	689	690	691	692	693	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188
199	200	201	202	203	204	205	206	207	208	209	694	695	696	697	698	699	700	701	702	703	704	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199
210	211	212	213	214	215	216	217	218	219	220	705	706	707	708	709	710	711	712	713	714	715	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210
221	222	223	224	225	226	227	228	229	230	231	716	717	718	719	720	721	722	723	724	725	726	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221
232	233	234	235	236	237	238	239	240	241	242	727	728	729	730	731	732	733	734	735	736	737	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232
243	244	245	246	247	248	249	250	251	252	253	738	739	740	741	742	743	744	745	746	747	748	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243
254	255	256	257	258	259	260	261	262	263	264	749	750	751	752	753	754	755	756	757	758	759	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254
265	266	267	268	269	270	271	272	273	274	275	760	761	762	763	764	765	766	767	768	769	770	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265
276	277	278	279	280	281	282	283	284	285	286	771	772	773	774	775	776	777	778	779	780	781	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276
287	288	289	290	291	292	293	294	295	296	297	782	783	784	785	786	787	788	789	790	791	792	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287
298	299	300	301	302	303	304	305	306	307	308	793	794	795	796	797	798	799	800	801	802	803	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298
309	310	311	312	313	314	315	316	317	318	319	804	805	806	807	808	809	810	811	812	813	814	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309
320	321	322	323	324	325	326	327	328	329	330	815	816	817	818	819	820	821	822	823	824	825	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320
331	332	333	334	335	336	337	338	339	340	341	826	827	828	829	830	831	832	833	834	835	836	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331
342	343	344	345	346	347	348	349	350	351	352	837	838	839	840	841	842	843	844	845	846	847	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342
353	354	355	356	357	358	359	360	361	362	363	848	849	850	851	852	853	854	855	856	857	858	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353
364	365	366	367	368	369	370	371	372	373	374	859	860	861	862	863	864	865	866	867	868	869	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364
375	376	377	378	379	380	381	382	383	384	385	870	871	872	873	874	875	876	877	878	879	880	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375
386	387	388	389	390	391	392	393	394	395	396	881	882	883	884	885	886	887	888	889	890	891	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386
397	398	399	400	401	402	403	404	405	406	407	892	893	894	895	896	897	898	899	900	901	902	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397
408	409	410	411	412	413	414	415	416	417	418	903	904	905	906	907	908	909	910	911	912	913	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408
419	42																															

Free Software From Top Publishers Online!

Preview the latest software instantly through **BYTE DEMOLINK**—It's easy, all you need to access BYTE DEMOLINK is a PC, a modem and a telecommunications program and the latest demo software is at your fingertips!

Software Available on DEMOLINK:

Free Demos!

 **ASQ**
ASQ 1.3 from Qualitas is a memory management tutorial and system analyzer which teaches you about your system's hardware, configuration and memory. ASQ 1.3 analyzes your system and suggests ways to improve it.
Select the file asq.exe

 **BYTE Information Exchange**
Sample the on-line service for people who know computers. The demo includes interaction from conferences and a sample of BIX's electronic mail system.
Select the file name bixdemo.exe

 **C++/Views**
An object-oriented development environment for MS DOS Windows 3.0 based on C++ from CNS Inc. Includes over 75 C++ classes (with complete source) and development tools such as class browser, dialog code generator and class documenter.
Select the file cviews.exe

 **CommonView 2
Illustrator Diskette**
Glockenspiel CommonView 2 is a C++ application framework for quick development of applications portable between Microsoft Windows, Presentation Manager, OSF/Motif and HP New Wave.
Select the file comview2.exe

 **C-scape**
The Oakland Group's C-scape is a programming tool for C programmers. It is a powerful, object-oriented interface management system that includes a function library and a screen designer. The C-scape library is an extensive collection of functions for working with windows, data entry screens, input validation, menus, text editing and hypertext context-sensitive help.
Select the file cscape.exe

 **DBASE IV**
Version 1.1 for DOS from Ashton-Tate Corp., provides tools to develop and implement solutions to a wide range of PC data management needs from list management to complete accounting and inventory applications for both stand-alone and networked systems.
Select the file db4demo.exe

 **Nemesis Go Master**
Go is an easy-to-learn strategy game which is the national game of Japan. Go is considered a philosophical and analytical tool, in addition to being an addicting game.

 **Nemesis Go Junior**
Ideal for novices and Go Master is intended for the serious Go student. Both are from Toyogo Inc.
Select the file gojr.exe for MS DOS Go Junior
Select the file gomast.exe for MS DOS Go Master
Select the file gojr.bin for Macintosh Go Junior
Select the file gomast.bin for Macintosh Go Master

 **KnowledgeSEEKER**
First Mark Technologies' KnowledgeSeeker combines artificial intelligence with statistical analysis techniques to link directly into dBASE, spreadsheet or ASCII files, turning data into information.
Select the file kseeker.exe

 **Look&Feel Screen Designer**
An interactive screen editor that generates C source code for the screens or saves them in a file callable at runtime—by The Oakland Group.
Select the file lndemoz.exe

 **Lotus Magellan 2.0**
Lets you find, view, and use all the information on your PC. You can view files as they appear in your favorite program.
Select the file magellan.exe


 **Quattro Pro 2.0**
Borland's powerful spreadsheet with features including flexible 3D consolidation, macro building and debugging. Full mouse support, pull-down menus, 132 character-wide display, and 32 resizable windows provide modern user interface.
Select the file quattro.exe

 **THINK**
From Thinking Software Inc., the Think demo includes an A.I. tutorial which will introduce you to Expert Systems, Neural Networks and Natural Language. The demo actually talks through your PC speaker demonstrating the Thinking Software SoundBytes Toolkit which allows you to add speech synthesis to your programs.
Select the file think.exe

Be the first to evaluate the latest software for just the cost of a phone call! To connect with **BYTE DEMOLINK, call the office nearest you today!**

BYTE DEMOLINK Free Demo Download
617-861-9767*

*Call the nearest DEMOLINK office anytime. Telecom settings: 2400 or 1200 baud, 8 data bits, 1 stop bit, and no parity. Enter DEMOLINK at the prompt.
Chicago 312-616-1071 Denver 303-220-0328 Los Angeles 213-383-9856 New York 212-797-5620 San Francisco 415-434-4510 Toronto 416-960-3187 Washington, DC 202-463-4920



JDR Microdevices®

ORDER TOLL-FREE 800-538-5000

- BUY WITH CONFIDENCE FROM JDR!
- 30-DAY MONEY BACK GUARANTEE
- 1 YEAR WARRANTY
- TOLL-FREE TECH SUPPORT



DYNAMIC RAMS

PART#	SIZE	SPEED	PINS	PRICE
4116-150	16384x1	150ns	16	1.49
4164-150	65536x1	150ns	16	1.59
4164-120	65536x1	120ns	16	1.89
4164-100	65536x1	100ns	16	1.99
TMS4464-12	65536x4	120ns	18	3.49
41256-150	262144x1	150ns	16	1.85
41256-120	262144x1	120ns	16	1.89
41256-100	262144x1	100ns	16	1.99
41256-80	262144x1	80ns	16	2.19
414256-100	262144x4	100ns	20	6.95
414256-80	262144x4	80ns	20	7.95
1MB-120	1048576x1	120ns	18	6.89
1MB-100	1048576x1	100ns	18	6.95
1MB-80	1048576x1	80ns	18	7.95
1MB-70	1048576x1	70ns	18	8.95
1MB-60	1048576x1	60ns	18	9.95

SIMM/SIP MODULES

PART#	SIZE	SPEED	FOR	PRICE
41256A9B-80	256K X 9	80ns	SIMM/PC	21.95
421000A8B-10	1MB X 8	100ns	SIMM/MAC	64.95
421000A9B-10	1MB X 9	100ns	SIMM/PC	64.95
421000A9B-80	1MB X 9	80ns	SIMM/PC	69.95
421000A9B-60	1MB X 9	60ns	SIMM/PC	89.95
256Kx9SIP-80	256K X 9	80ns	SIP/PC	21.95
256Kx9SIP-60	256K X 9	60ns	SIP/PC	25.95
1MBx9SIP-10	1MB X 9	100ns	SIP/PC	64.95
1MBx9SIP-80	1MB X 9	80ns	SIP/PC	69.95

intel MATH CO-PROCESSORS

	PART#	SPEED	PRICE
• Manual	8087	5 MHz	89.95
• Software guide	8087-2	8 MHz	129.95
• 5 Year Warranty	8087-1	10 MHz	169.95
	80287-XL	12 MHz	199.95
	80387-16	16 MHz	359.95
	80387-20	20 MHz	399.95
	80387-25	25 MHz	499.95
	80387-33	33 MHz	649.00
	80387-SX	16 MHz	299.95
	80387-SX20	20 MHz	399.95

CYRIX CO-PROCESSORS

STATE-OF-THE-ART TO SAVE YOU LONGEVITY WORRIES!
MANUAL & SOFTWARE GUIDE. FULL 5-YEAR GUARANTEE!

83D87-16	16 MHz	\$299.95	83D87-33	33 MHz	\$549.00
83D87-20	20 MHz	\$319.95	83587-16 (SX)	16 MHz	\$269.95
83D87-25	25MHz	\$419.95	83587-20 (SX)	20 MHz	\$329.95

UPRIGHT CASE

\$249⁹⁵

- FOR STANDARD, FULL SIZE AND MINI-MOTHERBOARDS
- 250 WATT POWER SUPPLY
- MOUNTS FOR 3 FLOPPY AND 4 HARD DRIVES
- TURBO AND RESET SWITCHES
- SPEED DISPLAY, POWER, DISK LEDS
- MOUNTING HARDWARE, FACEPLATES AND SPEAKER INCLUDED

CASE-100 \$249.95

MORE CASES...

CASE-200	UPRIGHT HOLDS 11 DRIVES	\$499.95
CASE-120	MINI-UPRIGHT W/200 WATT PS	\$199.95
CASE-70	FULL-SIZE 286-STYLE CASE	\$89.95
CASE-50	MINI-SIZE 286-STYLE CASE	\$59.95
CASE-FLIP	FLIP-TOP 8088-STYLE CASE	\$39.95
CASE-SLIDE	SLIDE TYPE 8088-STYLE CASE	\$39.95
CASE-JR-200	MIN-SIZE CASE WITH 200W PS	\$149.95


REPLACEMENT POWER SUPPLIES...

PS-135	135 WATT PS FOR 8088 (110/220V)	\$59.95
PS-150	150 WATT PS FOR 8088 (110/220V)	\$69.95
PS-200X	200 WATT PS FOR 8088 (110/220V)	\$89.95
PS-200	200 WATT PS FOR 286/386 (110/220V)	\$89.95
PS-250	250 WATT PS FOR 286/386 (110/220V)	\$129.95

EPROMS

PART#	SIZE	SPEED	Vpp	PINS	PRICE
2716-1	2048x8	350ns	25V	24	4.95
2732A	4096x8	250ns	21V	24	3.95
2764	8192x8	450ns	12.5V	28	3.95
2764-250	8192x8	250ns	12.5V	28	3.95
2764-200	8192x8	200ns	12.5V	28	4.49
27128A-200	16384x8	200ns	12.5V	28	4.95
27256	32768x8	250ns	12.5V	28	4.95
27C256	32768x8	250ns	12.5V	28	5.95
27512	65536x8	250ns	12.5V	28	5.95
27C101-20	131072x8	200ns	12.5V	32	17.95

YOUR MOTHERBOARD CONNECTION!



16MHz MINI 386-SX

- NORTON SI 15.3 • LANDMARK AT SPEED 20.8
- USES 16MHZ INTEL 80386SX CPU - EXPANDABLE TO 8MB ON BOARD - AMI BIOS - CHOOSE FAST OR WAIT STATE OR 1 WAIT STATE FOR ECONOMICAL USE OF SLOWER RAM - FIVE 16-BIT AND THREE 8-BIT EXPANSION SLOTS - CHIPS & TECHNOLOGY NEW ENHANCED ADVANCED TECHNOLOGY (NEAT) CHIPSET - SOCKETED FOR 80387SX CO-PROCESSOR - 8.5" X 13" SIZE FITS IN MINI-286 AND FULL-SIZE 286 CASES

MCT-386SX \$399.95
MCT-386SX-20 20 MHZ VERSION \$499.95



12MHz MINI 286


\$199⁹⁵



MODULAR CIRCUIT TECHNOLOGY

- NORTON SI 14.0 • LANDMARK AT SPEED 15.9
- EXPANDABLE TO 4MB ON-BOARD USING SIMMS - FIVE 16-BIT AND THREE 8-BIT SLOTS - 8.5" X 8.75" SIZE FITS MINI-286 AND FULL-SIZE 286 CASES

MCT-M286-12 \$199.95



25MHz CACHE 486

\$1995

- LANDMARK AT SPEED 114!
- HIGH-PERFORMANCE MOTHERBOARD FOR CAD/CAM/CAE WORKSTATION, LAN SERVERS, MULTI-TASKING, MULTI-USER OR XENIX APPLICATIONS - INTEL 80486 CPU WITH INTERNAL MATH CO-PROCESSOR AND 8K CACHE - 128KB CACHE MEMORY ON BOARD - EXPANDABLE TO 16MB ON BOARD USING 1MB X 9 SIMMS OR 256K X 9 SIMMS (8KB INSTALLED) - SOCKETED FOR WETEX 4167 MATH CO-PROCESSOR - EIGHT 16-BIT BUS SLOTS - AMI BIOS - SOFTWARE SELECTABLE SPEEDS - FULLY COMPATIBLE WITH OS/2, NOVELL, DESQVIEW, XENIX, WINDOWS AND WINDOWS 3.0

MCT-486MB25 25 MHZ VERSION \$1,995.00
MCT-486MB33 33 MHZ (LANDMARK = 151.0) \$2,495.00

MORE MOTHERBOARDS...

- MCT-M386-25 25 MHZ MINI-386 \$799.00
- MCT-386MBC-33 FULL SIZE 33MHZ CACHE 386 \$1,195.00
- MCT-386MBC-25 25 MHZ CACHE 386 \$999.00
- MCT-C386-33 33 MHZ CACHE MINI-386 \$1,299.00
- MCT-C386-25 25 MHZ CACHE MINI-386 \$1,199.00
- MCT-M286-20N 20 MHZ 286 W/NEAT CHIPSET \$399.95
- MCT-M286-16N 16 MHZ 286 W/NEAT CHIPSET \$289.95
- MCT-M286-12N 12 MHZ 286 W/NEAT CHIPSET \$269.95
- MCT-TURBO-10 10 MHZ 8088 \$99.95

PROTOTYPE CARDS



8-BIT SOLDERLESS 8088 BREADBOARD WITH DECODE \$799⁹⁵

- ADDRESS DECODING LOGIC, DATA BUFFERING, 2 LSI CIRCUITS FOR PROGRAMMABLE DIGITAL I/O & COUNTER-TIMER FUNCTIONS - LOGICALLY GROUPED - ACCESSES ALL I/O SIGNAL CONNECTIONS - CLEARLY LABELLED BUS LINES - ACCEPTS UP TO 24 FOURTEEN-PIN IC'S - ACCEPTS 9, 15, 25 OR 37-PIN D-SUB CONNECTORS

PDS-601	ABOVE CARD WITHOUT DECODE	\$79.95
PDS-600	ABOVE CARD WITHOUT DECODE	\$49.95
PDS-611	16-BIT BUS BREADBOARD WITH DECODE	\$89.95
PDS-610	ABOVE CARD WITHOUT DECODE	\$59.95

MORE PROTOTYPE CARDS:

- FR 4 EPOXY GLASS LAMINATE WITH GOLD-PLATED EDGE-CARD FINGERS AND SILK SCREENED LEGENDS
- JDR-PR1 8 BIT WITH +5V AND GROUND PLANE \$27.95
- JDR-PR2 AS ABOVE, WITH I/O DECODING LAYOUT \$29.95
- JDR-PR2-PK PR2 BUFFERING/DECODE PARTS KIT \$8.95
- JDR-PR10 16-BIT WITH I/O DECODING LAYOUT \$34.95
- JDR-PR10-PK PR10 BUFFERING/DECODE PARTS \$12.95
- EXT-80286 286 COMPATIBLE EXTENDER CARD \$39.95

DATARASE II EPROM ERASER \$39⁹⁵

- CONVENIENT POCKET-SIZE!
- ERASES ALL SIZES OF EPROM UP TO 4 AT A TIME
- WALL PLUG POWER SUPPLY

DATARASE II
REQUEST OUR FREE 100-PG CATALOG FOR OUR ENTIRE DEVELOPERS LINE!

MCT'S MODULAR PROGRAMMING SYSTEM

USE 1 SLOT TO PROGRAM EPROMS, PROMS, PALS & MORE!

HOST ADAPTOR CARD/CABLE \$299⁹⁵

- UNIVERSAL INTERFACE FOR THE PROGRAMMING MODULES - SELECTABLE ADDRESSES PREVENT CONFLICTS MOD-MAC

UNIVERSAL MODULE \$499⁹⁵

- PROGRAMS EPROMS, EEPROMS, PALS, BI-POLAR PROMS, 8748 & 8751 SERIES DEVICES, 16V8 AND 20V8 GALs (GENERIC ARRAY LOGIC) FROM LATTICE, MS, SGS - TESTS TTL & CMOS IC'S, DYNAMIC AND STATIC RAM - LOAD DISK, SAVE, DISK, EDIT, BLANK CHECK, PROGRAM, AUTO, READ MASTER, VERIFY & COMPARE - TEXTBOOK SOCKET FOR 3"-6" WIDE IC'S (8-40 PINS) MOD-MUP \$499.95
- MOD-MUP-EA 4-UNIT ADAPTOR \$99.95

EPROM MODULE \$119⁹⁵

- PROGRAMS 24 32 PIN EPROMS, CMOS EPROMS & 16K TO 1024K EEPROMS - HEX TO OBI CONVERTER - AUTO BLANK CHECK/PROGRAM/VERIFY - VPP 5, 12.5, 12.75, 13, 21 & 25 VOLTS - NORMAL, INTELLIGENT, INTERACTIVE & QUICK PULSE PROGRAMMING ALGORITHMS
- MOD-MEP \$119.95
- MOD-MEP-4 4-EPROM PROGRAMMER \$169.95

OTHER PROGRAMMING MODULES...

- MOD-MPL PAL PROGRAMMING MODULE \$249.95
- MOD-MMP MICROPROCESSOR PROGRAMMER \$179.95
- MOD-MIC DIGITAL IC & MEMORY TESTER \$129.95
- MOD-MBP BI-POLAR PROM PROGRAMMER \$259.95

PAL DEVELOPMENT SOFTWARE \$99⁹⁵

- ENTRY LEVEL CUPL PAL DEVELOPMENT KIT.
- MOD-MPL-SOFT

TERMS: Minimum order \$10.00. For shipping & handling include \$5.00 for ground and \$7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR MICRODEVICES, INC. Modular Circuit Technology, Littlefoot, Minifoot and Superfoot are trademarks of JDR MICRODEVICES, INC. Copyright 1991 JDR MICRODEVICES.



JDR Microdevices®

2233 SAMARITAN DRIVE, SAN JOSE CA 95124

BUY WITH CONFIDENCE FROM JDR!

- 30-DAY MONEY BACK GUARANTEE
- 1 YEAR WARRANTY
- TOLL-FREE TECH SUPPORT



101-KEY
\$69⁹⁵

101-KEY WITH 12 FUNCTION KEYS • 286/386/486 COMPATIBLE
BTC-5339 \$69.95
FC-3001 101-KEY, 12 F-KEYS & CALCULATOR \$74.95
BTC-5060 84-KEY WITH 10 FUNCTION KEYS \$59.95

COLOR HAND SCANNER!

\$599

• 400 DPI 16-COLOR DITHER MODE
 • 200 DPI 16-SHADE GRAY-SCALE MODE
 • MONO MODE FOR B&W LINE ART AT 100, 200, 300 OR 400 DPI
 • Z-SOFT PC PAINTBRUSH VI PLUS
CHS-4000 \$599.00
HS-3000 32 GRAY SCALE SCANNER W/PAINT \$179.95
OCR-SOFT CARETS OCR SOFTWARE \$99.95

LOGITECH PRODUCTS

LOGC9 SERIAL MOUSE \$98.95
LOGC9-P SERIAL MOUSE W/PAINTSHOW \$109.95
LOGC9-WIN SERIAL MOUSE W/WINDOWS 3.0 \$149.95
LOGB9 BUS MOUSE \$89.95
LOGB9-P BUS MOUSE W/PAINTSHOW \$104.95
TRACKMAN SERIAL TRACKBALL \$99.95
TRACKMAN-B BUS TRACKBALL \$99.95

2400 BAUD MODEM

\$79⁹⁵

• 2400/1200/300 BAUD OPERATION
 • HAYES AT COMMAND SET COMPATIBLE • PROCOMM COMMUNICATIONS SOFTWARE • COM1 THRU COM4
MCT-241 \$79.95
VIVA-FAXM 2400 BPS INT. WITH FAX SEND \$89.95

VIVA 2400 BAUD MODEM

\$119⁹⁵

• 2400/1200/300 BAUD OPERATION • HAYES AT COMMAND SET COMPATIBLE • EXTENDED S-REGISTER PROGRAMMING • SPEAKER & 2ND PHONE JACK • STD RS-232C INTERFACE
VIVA-24E \$119.95
VIVA-24MNP ERROR CORRECTING VERSION \$149.95
PCEM7296 INTEL 9600 BPS EXTERNAL MODEM \$549.00

PROMETHEUS MODEMS

PRO-96EF 9600 BPS EXTERNAL WITH FAX \$629.00
PRO-MAXI 2400 BPS INTERNAL W/9600 FAX \$199.95
PRO-241 2400 BPS INT. WITH PROCOMM \$99.95
PRO-24MNP 2400 BPS INT. W/ERROR CORR. \$129.95
PRO-24EMNP 2400 BPS EXT. W/ERROR CORR. \$159.95
PRO-24E 2400 BPS EXTERNAL \$139.95
PRO-24ME 2400 BPS MINI-EXTERNAL \$99.95
PRO-EFXM-96 2400 BPS MINI-EXT. W/FAX SEND .. \$169.95

Seagate HARD DRIVE KITS

20 MB \$239 **30 MB \$269**

KITS INCLUDE HARD DRIVE, DRIVE CONTROLLER, CABLES & MANUAL



Seagate HARD DRIVES

21 MB \$199 **84 MB \$369**
41 MB \$239 **125 MB \$529**

FORM	MODEL	SIZE	FORMAT	AVG. SPEED	PRICE
3-1/2"	ST-125A	21.4MB	IDE	28MS	\$219
5-1/4"	ST-225	21.4MB	MFM	65MS	\$199
3-1/2"	ST-138A	32.1MB	IDE	28MS	\$229
3-1/2"	ST-138N	32.1MB	SCSI	40MS	\$259
3-1/2"	ST-138R	32.1MB	RLI	40MS	\$249
5-1/4"	ST-238	32.7MB	RLL	65MS	\$219
5-1/4"	ST-251-1	43.1MB	MFM	28MS	\$249
3-1/2"	ST-157A	41.6MB	IDE	28MS	\$239
3-1/2"	ST-157N	48.6MB	SCSI	40MS	\$299
5-1/4"	ST-277-1	65.5MB	RLL	28MS	\$289
5-1/4"	ST-4096	80.2MB	MFM	28MS	\$569
5-1/4"	ST-296N	84.9MB	SCSI	28MS	\$369
3-1/2"	ST-1102A	81MB	IDE	19MS	\$429
3-1/2"	ST-1144A	125MB	IDE	19MS	\$529
3-1/2"	ST-1201A	180MB	IDE	15MS	\$799

NOTE: 3-1/2" MODELS REQUIRE ST-MHW TO MOUNT IN 5-1/4" SLOT

MONITORS

NEC-MULTI-3D

\$649

• 1024X768 RESOLUTION • 28MM DOT PITCH • COMPATIBLE WITH 8514A, SUPER VGA, APPLE MAC II, VGA, EGA & CGA

NEC-MULTI-3D \$649.00
JDR-MULTI 14" MULTISYNCH MONITOR \$429.95
CM-1440 SEIKO 14" DUAL FIXED FREQUENCY \$599.00
CM-1450 SEIKO 14" NON-INTERLACED VERSION \$749.00
VGA-MONITOR 14" VGA MON.TOR \$379.95
MONO-VGA 14" PAPERWHITE VGA MONITOR \$139.95
EGA-MONITOR 14" EGA MONITOR \$339.95
GM-1489 14" SCREEN MONOCHROME \$139.95
MONO-SAMSUNG 12" FLAT SCREEN \$129.95
VGA-PKG 14" VGA MONITOR & CARD 640X480 RES \$499.00

1024 X 768 VGA PACKAGE

\$599

RELYSIS 9514 MONITOR

• UP TO 1024 X 768 RESOLUTION
 • 1:1 ASPECT RATIO AT 640 X 480 & 1024 X 768 • 28 DOT PITCH
 • 14" NON-GLARE SCREEN
 • VGA, EGA, CGA, MDA, HGC COMPATIBLE
1024 X 768 INTERFACE CARD
 • 8/16-BIT 8088/286/386/486 COMPATIBLE
 • 512K VIDEO RAM EXPANDABLE TO 1MB
 • AUTO MODE SWITCHING • 256 COLORS FROM 262,000
 • WINDOWS 3.0 COMPATIBLE • INCL. SOFTWARE DRIVERS
VGA-PKG-1024+ \$599.00



MODULAR CIRCUIT TECHNOLOGY INTERFACE CARDS

1.44MB FLOPPY CONTROLLER

\$49⁹⁵

• 8088/286 COMPATIBLE
 • SUPPORTS 2 FLOPPIES (360K, 720K, 1.2MB & 1.44MB)
 • USER SELECT AS PRIMARY OR SECONDARY (3RD OR 4TH) FLOPPY
MCT-FDC-HD \$49.95
MCT-FDC-HD4 4 FLOPPY VERSION \$59.95
MCT-FDC FLOPPY CONTROLLER \$29.95
MCT-HDC HARD DRIVE CONTROLLER \$79.95
MCT-RLL RLL HARD DRIVE CONTROLLER \$89.95
MCT-IDE IDE HARD DRIVE CONTROLLER \$39.95
MCT-ESDI 16-BIT ESDI DRIVE CONTROLLER \$149.95



SYSTEM DIAGNOSTICS CARD

\$49⁹⁵

• WORKS WHEN SOFTWARE CANNOT
 • 286/386/486 COMPATIBLE
 • PLUG INTO SLOT, READ LED DISPLAY AND CHECK YOUR BIOS MANUAL FOR ERROR CODE
 • VIEW LEDS ON-BOARD OR ON BACK-PANEL
PCODE \$49.95
PCODE+ INCLUDES QA+ VERSION 3.12 \$69.95
MCT-EEMS 16-BIT EEMS CARD \$149.95
MCT-AEMS 16-BIT EMS CARD (USES 1MB DRAMS) \$129.95
MCT-AEMS-256 USES 41256 DRAMS \$129.95
MCT-EMS 8-BIT EMS CARD 2MB CAPACITY \$129.95
MCT-RAM 8-BIT 576K RAM CARD \$49.95



16-BIT FLOPPY/HARD CONTROLLER

\$149⁹⁵

• 1:1 INTERLEAVE FOR IMPROVED PERFORMANCE
 • CONTROLS 2 HARD DRIVES AND 2 FLOPPY DRIVES
 • CONCURRENT OPERATION OF 1 FLOPPY/1 HARD DRIVE
MCT-AFH \$149.95
MCT-AFH-RLL 16-BIT F/H RLL CONTROLLER \$199.95
MCT-IDEFH IDE F/H CONTROLLER \$69.95
MCT-SCSI-FH SCSI F/H CONTROLLER \$79.95
MCT-IDEIO 16-BIT IDE MULTI I/O CARD \$89.95
MCT-AIO 8-BIT 286/386 MULTI I/O CARD \$59.95
MCT-IO 8-BIT 8088 MULTI I/O CARD \$59.95



8/16-BIT VGA

\$149⁹⁵

• 8088 OR 286/386/486 PC COMPATIBLE • 800 X 600 IN 16 COLORS • 256K VIDEO RAM • SUPPORTS ANALOG AND TTL
MCT-VGA \$149.95
MCT-VGA-8 8-BIT VERSION \$149.95
MCT-VGA-1024 1024 X 768 VGA \$169.95
MCT-VGA-1024+ 1024 X 768 IN 256 COLORS \$199.95
MCT-MGEIO MONO MULTI I/O, IDE F/H CARD \$129.95
MCT-MGP MONOGRAPHS/PRINTER CARD \$49.95
MCT-CGP CGA GRAPHICS FOR RGB MONITOR \$49.95
MCT-EGA EGA CARD WITH 256K RAM \$149.95



\$99⁹⁵

1.44MB HIGH DENSITY 3-1/2" DRIVE

• 80 TRACKS • 135 TPI
 • READ AND WRITE 720K DISKS, TOO
 • INCLUDES ALL NECESSARY MOUNTING HARDWARE

FDD-1.44X BLACK FACEPLATE \$99.95
FDD-1.44A BEIGE FACEPLATE \$99.95
MF355A 3-1/2" MITSUBISHI 1.44MB, BEIGE \$129.95
MF355X 3-1/2" MITSUBISHI 1.44MB, BLACK \$129.95
FDD-360 5-1/4" DOUBLE-SIDED DD 360K \$69.95
FD-55B 5-1/4" TEAC DOUBLE-SIDED DD 360K \$89.95
FDD-1.2 5-1/4" DOUBLE-SIDED HD 1.2M \$89.95
FD-55G/FV 5-1/4" TEAC DOUBLE-SIDED HD 1.2M \$99.95



BARGAIN HUNTER'S CORNER

IF YOU HAVEN'T MOVED TO VGA YET, NOW IS THE TIME!

\$379⁹⁵

8/16 BIT VGA MONITOR & CARD PACKAGE

• INCLUDES VGA COLOR MONITOR AND 8/16 BIT VGA CARD
 • CONFIGURES FOR 8-BIT OR FASTER 16-BIT OPERATION
 • 640 X 480 IN 16 COLORS; 320 X 200 IN 256 COLORS
 • 1:1 ASPECT RATIO IN 640 X 480 MODE
 • AUTO MODE SWITCHING FOR VGA, EGA, CGA, MDA & HGC
 • 256K VIDEO RAM • INCL. POPULAR SOFTWARE DRIVERS
VGA-PKG \$379.95

OFFER EXPIRES JULY 31ST 1991



CUSTOMER SERVICE 800-538-5001
TECHNICAL SUPPORT 800-538-5002
LOCAL/INTERNATIONAL 408-559-1200
BBS (9600/2400/1200) 408-559-0253

TOLL-FREE FAX ORDERS
800-538-5005

ORDER TOLL-FREE **800-538-5000**
MON.-FRI. 7 A.M. TO 5 P.M., SAT. 9 A.M. TO 3 P.M.

800-538-5000

Listing 4: *The device header has to be the first item in the driver's data segment. The start-up routine shown here handles that requirement.*

```
; C startup routine,
one device
    EXTRN _main:near
    PUBLIC _STRAT
    PUBLIC _acrtused
_DATA    segment word public
         'DATA'
_DATA    ends
CONST    segment word public
         'CONST'
CONST    ends
_BSS     segment word public
         'BSS'
_BSS     ends
DGROUP  group CONST, _BSS,
         _DATA
_TEXT    segment word public
         'CODE'
         assume
             cs:_TEXT,
             ds:DGROUP,
             es:NOTHING,
             ss:NOTHING
         .286P
_STRAT   proc    far
_acrtused:
         push    0
         jmp     start
start:
         push    es
         push    bx
         call   _main
         pop     bx
         pop     es
         add     sp,2
         mov    word ptr es:[bx+3],ax
         ret
_STRAT   endp
_TEXT    ends
end
```

Listing 5: *The driver's Strategy section is essentially a switch statement. The driver may implement or ignore requests passed to it from the kernel on behalf of applications.*

```
int main(PREQPACKET rp, int dev)
{
    switch(rp->RPcommand)
    {
        case RPINIT:
            return INIT(rp);
        case RPREAD:
            return (RPDONE);
        case RPWRITE:
            return (RPDONE);
        case RPINPUT_FLUSH:
            return (RPDONE);
        case RPOUTPUT_FLUSH:
            return (RPDONE);
        case RPOPEN:
            return (RPDONE);
        case RPCLOSE:
            return (RPDONE);
        case RPIOCTL:
            switch (rp->
                s.IOctl.function)
            {
                case 0x00:
                    /
                    return (RPDONE);
                case 0x01:
                    /
                    return (RPDONE);
            }
        case RPDEINSTALL:
            return(RPDONE | RPERR |
                ERROR_BAD_
                COMMAND);
        default:
            return(RPDONE);
    }
}
```

address is valid. It must be saved, or it is lost forever. The address of the DevHlp entry point is passed in the INIT request packet (see listing 1). The initialization code performs two other functions. First, it issues the sign-on message to the screen that the driver is attempting to load. Second, it finds the segment address of the last data and last code item, and it sends them back to OS/2. OS/2 uses the code- and data-segment values to size memory. If a driver fails installation, it must send back zeroes for the CS and DS registers so that OS/2 can use the memory space it occupied.

One of the most common techniques in OS/2 driver design is for the Strategy section to request service from the device and wait for a device or timer interrupt to signal completion of the request. The fragment in listing 6 shows an implemen-

tation of this scheme for the Read function of my sample serial communications driver. In this case, the Strategy section starts the I/O and issues a Block DevHlp call, which blocks the calling thread. When the device interrupt signals that the operation is done, the interrupt section runs the blocked thread, completing the request. To protect against the request's never being completed (e.g., in the case of a down device), the Block call can contain a time-out parameter. If the time expires before the completion interrupt occurs, the Strategy section can send the proper error back to the kernel.

Another way to time-out a device is to use the SetTimer DevHlp routine. You can attach a timer handler to the OS/2 system clock and have the handler run the blocked thread after a specified number of ticks.

The commands allowed by the Strategy section are up to the device driver writer. You can process only the commands you wish to act on and let the others simply pass by sending a Done status back to the kernel. You may instead wish to trap the illegal function calls and return an ERROR_BAD_COMMAND message to the kernel. Keep in mind, however, that the kernel frequently issues its own commands to the driver without your knowledge. For example, when the user of the application that opened the driver types a Control-C, the kernel checks the application's list of open drivers and issues a Close request to each one. In general, I've found it easier to ignore all the requests I'm not waiting for and just flag them as done.

In the simplest of drivers, the Strategy section can only contain an Open, Close, and Read or Write request. In a complicated driver, such as a disk driver, the Strategy section may contain over two dozen standard driver functions and several additional IOCTL calls. IOCTL calls are actually Strategy functions, but they are broken down one step further to provide more detailed or device-specific operations. For instance, a driver might send a list of parameters to an I/O port to initialize it and return the input value of a status port with the status of the initialization.

A Sampler of Standard Driver Functions

INIT (code 0x00). This function is called by the kernel during driver installation at boot time. The INIT section should initialize your device, such as setting the baud rate, parity, stop bits, and so forth on a serial port or checking to see if the device is installed by issuing a status request to the device controller. This INIT function is called in a special mode in ring 3 with some ring 0 capabilities.

The driver may turn off interrupts, but they must be turned back on before returning to the kernel. The INIT code may perform direct port I/O without protection violations. Usually, the driver writer will allocate buffers and data storage during initialization, to be sure the driver will work when installed. Because the initialization is being performed in ring 3, the system can check to make sure the buffer and storage allocations are valid and the segments are owned by the driver. If not, the driver can remove itself from memory, freeing up any previously allocated space for other system components or another driver. Because initialization is done only once during system boot-up, it is not critical to opti-

mize the section. Do all your initializations here, as it may be time-prohibitive or even impossible to do initialization during normal driver operation.

Media Check (code 0x01). This function is called by the kernel prior to disk access, and it is therefore valid only for block devices. The kernel passes the driver the media ID byte corresponding to the type of disk it expects to find in the selected drive.

BuildBPB (code 0x02). When the block driver gets a Build Bios Parameter Block call, it must return a pointer to the BPB that describes the mass-storage device.

Read (code 0x04). The application calls the Read section by issuing a DosRead with the handle obtained during the DosOpen. The Read routine may return one character at a time, but more often it returns a buffer full of data. How the Read function works is up to the driver writer. The driver returns the count of characters read and stores the received data in the data segment of the application. Read returns a standard driver return code.

Nondestructive Read (code 0x05). In response to this request, the driver must get the first character in the driver buffer and return it to the caller. If no character is present, the driver must return immediately with the proper error bits and Done bit set.

Input Status (code 0x06). The driver must clear the Busy bit in the request packet if one or more characters are in the driver's buffer, or set it if no characters are present. This is a Peek function to determine the presence of data.

Flush Input Buffer(s) (code 0x07). This function should flush any receiver queues or buffers and return a Done status to the kernel.

Write (code 0x08). This is a standard driver request called by the application as a result of a DosWrite call. The application passes to the driver the address of data to write (usually in the application's data segment) and the count of characters to write. The driver writes the data and returns the status to the application along with the number of characters that were actually written. Write returns a standard driver return code.

Write with Verify (code 0x09). The driver writes data as in the Write function code above, but it verifies that the data was written correctly.

Output Status (code 0x0a). The driver must set the Busy bit in the request packet if an operation is in progress, or clear it if the transmitter is free.

Output Flush (code 0x0b). The driver

Listing 6: The implementation of the standard Read function initiates I/O and then calls the Block DevHlp routine to suspend the calling thread. When the device signals that I/O is complete (by way of an interrupt), the corresponding interrupt handler (not shown) uses the Run DevHlp to resume the calling thread and complete the request.

```

case RPREAD:                /* 0x04 */
/*
Try to read a character out of the queue. If none is
available, then Block until the interrupt routine can get a
chance to add a character to the queue, and Run this thread.
*/
ThisReadRP = rp;
com_error_word=0;          /* start off with no errors */
ReadID = (ULONG) rp;
if (Block(ReadID, -1L, 0, &err))
    if (err == 2)          /* interrupted */
        return (RPDONE | RPERR | ERROR_CHAR_CALL_INTERRUPTED);
/*
We have a single character (in inchar) from the queue.
Move it to the user buffer, and while we are here, take
any other characters available, up to the number of characters
requested in the Read packet. Return the final count to
the caller. This will always be one or more.
*/
if (rx_queue.qcount == 0) {
    rp->s.ReadWrite.count=0;
    return (RPDONE | RPERR | ERROR_NOT_READY);
}
i=0;
do {
    if (TransDD2App(&inchar, /*xfer characters to
                               user buffer*/
                    (FARPOINTER) (rp->s.ReadWrite.buffer+i),
                    1))
        return(RPDONE | RPERR | ERROR_GEN_FAILURE);
}
while (++i < rp->s.ReadWrite.count
        && !QueueRead(&rx_queue, &inchar));
rp->s.ReadWrite.count = i;
QueueINIT(&rx_queue);
return(rp->RPstatus);

```

must flush the output queues and buffers and return a Done status to the kernel.

Device Open (code 0x0d). This function is called as a result of the application issuing a DosOpen call. The kernel makes note of the DosOpen request, and if it is successful (done with no errors) the kernel sends back a handle to the application to use for subsequent driver service. The driver writer can use this section to initialize a device, flush any buffers, reset the buffer pointer, initialize the character queues, or anything necessary for a clean starting operation.

Device Close (code 0x0e). This function is called as a result of the application doing a DosClose with the correct driver handle. It's a good idea to make sure the application closing the driver is the same one that opened it, so save the process ID of the application that opened the driver and make sure the closing PID is the

same. If not, reject it as a bogus request. You should make all your devices quiescent at this time.

Removable Media (code 0x0f). The driver receives this request when an application generates an IOCTL call to category 8, function 0x20. Instead of calling the IOCTL, the kernel issues this request. The driver must set the Busy bit of the request-packet status if the media is nonremovable, or clear it if it is removable.

Generic IOCTL (code 0x10). This is a special type of function call. It is very flexible, as the data passed to the driver is stored in two buffers owned by the caller. These buffers may contain any type of data; the format is up to the driver writer.

The first and second parameters of an IOCTL are the address of the application program's data buffer and parameter buffer, respectively. The parameter

buffer might contain a list of USHORTs, UCHARs, or pointers. The data buffer parameter might be a data buffer address in the application program, where the driver would store data from the device.

IOctls can extend the range of status information that drivers can convey to applications. Suppose, for example, a driver needed to report to an application that the data was in ASCII or binary format, or that a parity error was detected while receiving it. Here an IOctl would be the answer. The reason? The kernel messages return codes from standard function calls to fit within the standard error definitions. The IOctl, however, will pass back codes to the application exactly as they were set in the driver. In several drivers that I have written, the DosRead and DosWrite sections of the Strategy routine are commented out and never used. I use IOctls for the reads and writes to allow the driver to communicate directly with the application without interference from the kernel.

PrepareForSysShutdown. This function tells the device driver it should post any open buffers to their devices before the system powers down. This occurs when you select Shutdown from the Desktop window.

COMPANY INFORMATION

FutureWare, Inc.
78 Temple Ave., Suite 15
Hackensack, NJ 07601
(201) 343-3921
Circle 1002 on Inquiry Card.

Microsoft Corp.
One Microsoft Way
Redmond, WA
(800) 227-6444
Circle 1004 on Inquiry Card.

OS Technologies
532 Longley Rd.
Groton, MA 01450
(508) 448-9653
Circle 1000 on Inquiry Card.

PentaSoft
17541 Stone Ave. N
Seattle, WA 98133
(206) 546-0470
Circle 1001 on Inquiry Card.

PSS Corp.
290 Brookfield St.
South Windsor, CT 06074
(203) 644-4764
Circle 1003 on Inquiry Card.

Listing 7: The completion of an I/O request can be triggered by a device interrupt or by means of a timer. Here's a sample timer routine.

```
void timer_handler()
{
    if (ThisReadRP == 0)
        return;
    tickcount--;
    if(tickcount == 0) {
        ThisReadRP->RPstatus=
            (RPDONE |
             RPERR | ERROR_NOT_READY);
        Run ((ULONG) ThisReadRP);
        ThisReadRP=0L;
        tickcount=MIN_TIMEOUT;
    }
}
```

The Interrupt Section

When OS/2 calls your interrupt handler, it does so with interrupts disabled, so any extended time spent in the interrupt handler could cause performance problems. When activated in response to the receipt of data, the interrupt handler must store the data and exit quickly. In the case of character devices, the OS/2 DevHlp library supports fast reads and writes to circular character queues. For block devices, interrupt handling is fast because the interrupt is usually caused by a DMA completion or disk seek completion. For block devices, data is ordinarily transferred to the user buffer using DMA, eliminating the need to transfer data during the interrupt processing. On a DMA transfer, the driver can exit once the DMA controller starts so that other threads can run. When the DMA completes, it generates a DMA completion interrupt that activates the driver's interrupt handler.

The interrupt handler routine is not difficult to write or understand, but it can be very difficult to debug. Errors that occur in the interrupt handler frequently appear only in a real-time context, when the interrupt handler is active in response to a hardware interrupt. You can't do a printf() from the interrupt routine or inspect variables with an application debugger, such as CodeView. You must use the OS/2 KDB (Kernel Debugger) supplied with the DDK or a similar debugger. Even with the KDB, a breakpoint will halt the program, and further interrupts may pass undetected while you decide what to type next. Because of this pause in execution, you lose the real-time context of the program, which may be the root of the original problem. In the end, there's no substitute

for the ability to visualize the correct operation of the interrupt handler.

The Timer Handler

In an OS/2 driver, you can hook the system timer interrupt with a call to the DevHlp library SetTimer function. You pass OS/2 a near pointer to your timer handler, and for each system timer tick, OS/2 calls your timer handler routine and any other timer handler that had been previously registered (see listing 7).

If no data appears within one or two 32-millisecond time ticks, the driver assumes that data input has stopped or at least paused. If a valid Read request is pending, it sends back the data to the blocked Strategy section by issuing a Run request with the same ID used to block the requesting thread. The Strategy section becomes unblocked, gets the data from the receiver queue, and sends the data to the application's data buffer.

Do You Really Need a Device Driver?

Maybe not. OS/2 1.x allows programs with I/O Privilege (IOPL) enabled to do direct register I/O to a device. If the device is a parallel card or digital switch, a driver may not be necessary. You can set or clear bits using IN and OUT instructions, and as long as the device is not time critical, such a method will be sufficient.

Yet devices that generate interrupts, require asynchronous service, or operate in a time-critical environment must use a device driver. Take a serial device, for example. It would be difficult or impossible to read data from the device using the IOPL method. By definition, asynchronous data may come in at any time. Because OS/2 may be running another thread at the time the data appears, your chances of missing data are excellent. But an interrupt driver could continue to read and buffer the incoming data until the OS/2 scheduler ran your thread.

Optionally, you can allow interrupts to preempt the current running thread and run your thread immediately. You need not wait for the scheduler to run it. This sort of preemptive multitasking sets OS/2 apart from other multitasking systems, like Unix. In Unix, the currently running program retains the CPU until it exhausts its time slice. It cannot be preempted based on an event, such as a device interrupt. That's why OS/2 is my choice for time-critical applications. ■

Steven J. Mastrianni is an independent consultant in South Windsor, Connecticut, who specializes in OS/2 device drivers. You can contact him on BIX as "smastrianni."

Noisy Narcissists, One Genius

What makes one genius into a criminal and another into a Nobel Prize winner?

Question: What intellectual quality is shared by Herbert A. Simon, Robert T. Morris Jr., Kevin Mitnick, Markus Hess, and Hans Huebner?

Answer: Remarkable native talent for attacking abstract problems plus the drive to make use of that talent.

Q: Why might Herbert A. Simon prefer to see his picture in a different gallery?

A: Because, while Simon is a Nobel laureate (1978, economics) and a father of AI, the others are chiefly remembered for run-ins with cops and courts. Morris got hit with \$150,000 in fines and legal fees plus 400 hours' community service for unleashing the 1988 Internet worm. Mitnick served a year for fooling around with DEC's files. Hess paid 10,000 marks and was sentenced to 20 months (reduced to probation) for his traffic with the KGB; he was the hacker in the caper Cliff Stoll recounts in *The Cuckoo's Egg*. Huebner (aka Pengo, German nickname of a penguin in a video game) won nonprosecution by informing on accomplices in espionage, notably Hess.

Q: So what force pointed Simon toward glory, the rest toward, ah, embarrassment?

A: That is the question two books invite us to ponder. Simon has published *Models of My Life* (Basic Books, 1991, \$26.95); Katie Hafner and John Markoff tell the story of the others in *Cyberpunk* (Simon & Schuster, 1991, \$22.95).

Briefly: Cyberpunk feasts on dreams of glory, nothing more. "I alone know that I am the world's greatest hacker!" And as Eve in a rush of guilty knowledge just had to tell Adam, so Pengo and Morris likewise had to tell friends, which was their undoing. For your fragile dream loses allure if the knowledge that *you* alone know about it cannot be shared.

Cyberpunk is worth a quick browse, quick enough to mute the cacophonies of its sledgehammer prose. Herbert Simon's *Models of My Life*, though, is a book to savor sentence by sentence. "On the cool days of late summer, whitecaps advanced across the deep blue lake, driven by a sharp wind that twanged the flagpole near the dock and rocked the moored rowboats in cadence with the twanging."

That's not an economist's boilerplate, nor yet just fancy writing. It's the voice of a man who treasures correlations, such as rowboats a-rock in cadence with a twanging. Narcissists aren't open to such outwardness; the domain they toy with is the enclosed system, Unix or Pacific Bell or VMS, imperfect like all human-made things and rife with the holes, trapdoors, forbidden portals, that no system operator has a suspicion of.

Simon lives, by his own account, in two worlds. One is the world in which we can all share observations. Systematize those, and we have the domain of science. The other is personal: a lifelong maze, in which he's repeatedly chosen some branching path that, in forgoing some unknown possibilities, opened others. He was diligent in pursuing the opened ones,

and their sum is the track of his life.


Thus, about 1935 he took a fateful branch. Color blindness had steered him out of biology; distaste for an accounting course meant dropping economics for political science, although he never mislaid the economics. He found himself doing "my first piece of scientific work," a college assignment. "A standard topic in studies of organizations is the budget process, which in this case involved the division of funds between playground maintenance, administered by one organization, and playground activity leadership, administered by another."

It was soon obvious that the "global rationality" of classical economics wasn't in play. Global rationality says, consider the playground concept, an arena in which resources will be optimized. But reality says, consider the smaller horizons of two bodies, the maintenance folk and the activities folk. Each wants more money, and the ideal big picture vanishes. That led Simon to "bounded rationality," "a label for the computational constraints on human thinking."

"When people don't know how to optimize, they may very well be able to... find good enough solutions. And good enough solutions can often be found by heuristic search through the maze of possibilities." That, two decades later, became AI. "A research problem I found in 1935 has lasted me for a half century. I have never had to find another." That funded bodies guard their own funds he'd have found entirely natural, he remarks, save for the economic training with which it conflicted. And no merely press-trained cynic, deeming it obvious, would have broken through to bounded rationality and to AI.

That's a subtle theme, common sense impinging on a faulty orthodoxy. For the orthodoxy, after all, was not framed by idiots. Its framers, too, had obeyed the bounded rationality of their discipline as it was defined; they, too (notably Milton Friedman), have since merited Nobel prizes. Hence, for Simon, that large question, How do decisions (including academic decisions) get made? The ensuing "search through the maze of possibilities" was something a computer might accomplish. The first computer Simon got his hands on was John von Neumann's JOHNNIAC (1955), with a 4096-word memory. If it was more than intriguing gadgetry—no, a necessary aid—that was thanks to the playground assignment he'd confronted at 19. (And bless the Chicago teacher who assigned it!)

Now 75, he's written a book as subtly structured as any of his theorems. The two pages I've been paraphrasing come very late, resonating, thus, with 370 pages we've already read. I was tempted to say, whet your appetite with the last chapter, "The Scientist as Problem-Solver." I'm now convinced that *Models of My Life* needs to be experienced the way it's laid out: straight through. A sense of the maze, of large wholes achieved for the alert mind by serendipitous branching: That's something the *Cyberpunk* crew underlines by contrast. ■



MARSHALL
BRAIN

STOP BIT

THE X ATTITUDE

I have a Unix workstation in my office, and I love it. It has a CPU that runs at 12 million instructions per second, 12 megabytes of RAM, a big swap disk, and 8 gigabytes of server space on the network. Of course, it runs the X Window System. But even with all this hardware, X Window is just "acceptable."

I have a Mac SE next to my workstation. Even though the workstation trounces the Mac at number crunching (it's 40 or 50 times faster), the two are neck and neck when it comes to windows and graphics. Ask both machines to draw 10,000 random line segments, and they finish about the same time.

A pig of a program can look pretty and sleek, given time and good hardware

What is going on here? Why would anyone design a system like X Window, such a pig when it comes to hardware resources? How did the designers get away with this? Why have people embraced the X Window environment?

X Window is successful for many reasons: It's free, it's portable, and it works. But more important, X Window is designed to offer some very nice capabilities, despite the fact that these capabilities require lots of hardware. I call this design philosophy "the X attitude," and its central tenet is, "The hardware will catch up shortly." This attitude has broad implications for software designers everywhere.

Everything about X Window is a pig. Its disk and RAM requirements are unbelievable. For example, if I want to build a little "hello world" program, I use the Motif widget set and write 10 lines of code. The executable file for this one little program consumes over a megabyte of disk space!

The network traffic generated by an X workstation is unbounded. X Window is *network transparent*, which means that I can run a simulation program on a supercomputer and get its graphical results displayed on my workstation. But X terminals can run a drawing program the same way. Every time I move the mouse 1 pixel while drawing a line, the terminal dumps a *button motion event* packet onto the network, and the computer at the other end has to send back commands to redraw the line—in real time.

You can see that X Window has tremendous hardware demands. What's interesting is that in 1984, when X Window was conceived, no normal person had hardware that could handle these loads. The 128-KB Mac

came out in early 1984, and the IBM AT later in the year. But the designers of X Window were in a completely different world. It's as though they said to themselves, "Let's not clutter our minds with the constraints of today's hardware. The hardware will catch up with us in a few years." With the X attitude, you simply ignore hardware limitations and let the design proceed uninhibited. In a world where hardware is advancing by leaps and bounds every year, this is the smart thing to do.

The primary advantage of the X attitude is this: It is incredibly freeing from a creativity standpoint. No longer are designs constrained by today's realities.

It is educational to look for the X attitude (or its absence) in other products, like PostScript. It epitomizes the X attitude: It works, it is portable, and it is powerful. It is also a pig. It wants lots of MIPS and RAM, even though it was designed when these were expensive. It has been successful despite its prodigious appetite because of its amazing capabilities.

Then there's OS/2. Its designers ignored the X attitude. They initially stuck with the old 16-bit 286 architecture instead of looking ahead to the future. The design was constrained and limited by this decision, and OS/2 has paid dearly for it. There is a lesson here.

What do you do if you are a software designer and you want to make use of the X attitude? Buy the biggest, fastest machine you can find. Load it to the gills with memory, give it a few gigabytes of highly cached disk space, and connect the fastest graphics coprocessor you can find. Sure it costs \$50,000 now, but in three years it will be a small-footprint entry-level machine.

Now use this monster for a month. Write some good code, and watch it scream. Let your mind wander. What kind of software would you design for a machine like this? What are the possibilities that open up? Which nagging limitations fall by the wayside? Now you have the right attitude! Program toward the future, not for the past. The hardware vendors will love you. ■

Marshall Brain is a faculty member at North Carolina State University and is the author of An Introduction to Motif Programming (due from Digital Press in 1992). You can reach him on BIX c/o "editors."

Stop Bit is a forum for informed opinion on personal computing topics. The opinions expressed are those of the author and not necessarily those of BYTE. Your contributions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

This nagging recession has persisted for some time but now relief is finally in sight.

Because Dell has just reduced the prices on various 286, 386™ SX, 386 and i486™ desktops and 386SX laptops up to \$900. And although our prices are now extraordinarily low, our quality and reliability remain extraordinarily high.

Our service and support program isn't hard to swallow either.

Dell's toll-free technical support hotline solves 90% of reported problems over the phone usually in 6 minutes or less. You can also get system information 24 hours a day via our innovative TechFax line. Or log on to our electronic bulletin

HERE'S THE SUPPORT YOU'LL GET.

- ~ Toll-free technical support hotline for the life of your system.
- ~ One full year of on-site service included in the system price.△
- ~ Self diagnostic software.
- ~ 24-hour TechFax line for instant access to Dell technical information.
- ~ On-line Bulletin Board to communicate with Dell technical staff and other Dell users.

board that lets you see other users' questions. And, better yet, Dell's answers. If this still doesn't clear up the problem, a trained technician will be at your desk-side usually by the next business day.△

This is all pretty easy to take when you consider Dell phone support is always free and the system price includes a one year on-site service contract.

Perhaps this is why we come so highly

recommended. Dell has won PC Week's Corporate Satisfaction Poll for PCs, laptops and servers an unprecedented eight times.

TO ORDER, CALL. PLEASE REFERENCE #11EG1.
800-388-3355
 HOURS: 7AM-9PM CT MON-FRI 8AM-4PM CT SAT
 IN CANADA 800-387-5752. IN MEXICO 95-800-010-0664.

You deserve credit.

Back to this recession issue. If you don't want to buy a Dell computer outright even at these prices, just lease^o one for as little as \$51 a month. We make available the most comprehensive credit,

operating lease and lease-to-buy programs in the industry.

There's even a Dell Direct Advantage

MasterCard with a credit limit of up to \$15,000 and a way to earn points toward Dell products with everything you buy.

When you just can't take any more high prices, call us.

If you've had your dose of high

computer costs, this is a perfect time to buy or lease one. Just describe what you need and we'll help you configure the right system. Which we'll custom build, test and ship to you with a 30-day no questions asked money back guarantee and one-year limited warranty.



So, call us today.

Because a deal like this is nothing to sneeze at.

COUGHING UP TOO MUCH? TAKE ONE OF THESE.



DELL SYSTEM® 433P
 WAS \$5,199
NOW ONLY \$4,299
 Lease: \$156/month**
 • Intel® 80386 microprocessor running at 33 MHz.
 100 MB VGA Color Plus System \$4,299
 Price listed includes 4 MB of RAM,* 200 and 320 MB hard drive configurations also available.



DELL SYSTEM 333D.
 WAS \$3,399
NOW ONLY \$3,299
 Lease: \$123/month**
 • Intel® 80386 microprocessor running at 33 MHz.
 40 MB VGA Color Plus System \$3,299
 Price listed includes 1 MB of RAM,* 80, 100, 200, 330 and 650 MB hard drive configurations also available. 25 MHz systems also available starting at \$2,699.




DELL SYSTEM 325P.
 WAS \$2,499
NOW ONLY \$2,299
 Lease: \$96/month**
 • Intel 80386 microprocessor running at 25 MHz.
 40 MB VGA Color Plus System \$2,299
 Price listed includes 1 MB of RAM,* 80, 100, 200 and 320 MB hard drive configurations also available. 33 MHz systems also available starting at \$2,499.



DELL SYSTEM 316SX.
 WAS \$1,999
NOW ONLY \$1,799
 Lease: \$68/month**
 • Intel 80386SX microprocessor running at 16 MHz.
 40 MB VGA Color Plus System \$1,799
 Price listed includes 1 MB of RAM,* 20, 80, 100 and 200 MB hard drive configurations also available.



DELL SYSTEM 320LT.
 WAS \$3,699
NOW ONLY \$3,199
 Lease: \$119/month**
 • Intel 80386SX microprocessor running at 20 MHz.
 40 MB, 1 MB RAM* \$3,199
 20 and 120 MB hard drive configurations also available. 16 MHz systems also available starting at \$2,499.



DELL SYSTEM 210.
 WAS \$1,549
NOW ONLY \$1,349
 Lease: \$51/month**
 • 80286 microprocessor running at 12.5 MHz.
 20 MB VGA Monochrome System \$1,349
 Price listed includes 1 MB of RAM,* 40, 80 and 100 MB hard drive configurations also available.

*Performance Enhancements: Within the first megabyte of memory, 384 KB (433P), 128 KB (316SX, 320LT, 316LT and 210), 96 KB (333D, 325D, 333P and 325P) of memory is reserved for use by the system to enhance performance. Can be optionally disabled on all except 320LT and 316LT. All prices and specifications are subject to change without notice. Dell cannot be responsible for errors in typography or photography. **Payment based on 36-month, open-end lease. ^oLeasing arranged by Leasing Group, Inc. In Canada and Mexico, configurations and prices may vary. Dell and Dell System are registered trademarks and SmartVu is a trademark of Dell Computer Corporation. Intel is a registered trademark and 386 and i486 are trademarks of Intel Corporation. Other trademarks and trade names are used to identify the entities claiming the marks and names or their products. Dell Computer Corporation disclaims any proprietary interest in trademarks and trade names other than its own. [△]Service provided by Xerox Corporation. On-site service may not be available in certain remote locations. Shipping, handling and applicable sales tax not included in the price. For information on and a copy of Dell's 30-day Total Satisfaction Guarantee, limited warranty, and Xerox's Service Contract, please write to Dell USA Corporation, 9505 Arboretum Boulevard, Austin, Texas 78759-7299, ATTN: Warranty. ©1991 Dell Computer Corporation. All rights reserved.

PC
MAGAZINE
EDITORS' CHOICE
1-15-91

PC
MAGAZINE
EDITORS' CHOICE
1-29-91

Our 25 MHz 386™ Dell System® 325D beat 14 other 25 MHz computers including Compaq's 386/25e, to win *PC Magazine's* Editors' Choice award. And our 33 MHz 386, Dell System 333D beat 22 others to gain an Editors' Choice award in the 33 MHz category.

So if you think these awards are noteworthy, turn the page and take note of our prices.

TO ORDER, CALL. PLEASE REFERENCE #11EG1
800-388-3355
HOURS: 7AM-9PM CT MON-FRI 8AM-4PM CT SAT
IN CANADA 800-387-5752. IN MEXICO 95-800-010-0664.



A WIN WIN SITUATION.



\$4,199

LEASE: \$152/MO**


THE DELL® 333D 33 MHz 386 SYSTEM
SYSTEMS INCLUDE: VGA COLOR PLUS MONITOR, 200 MB HARD DRIVE, 4 MB RAM,* ISA BUS TYPE.

\$3,799

LEASE: \$138/MO**

THE DELL 325D 25 MHz 386 SYSTEM
SYSTEMS INCLUDE: VGA COLOR PLUS MONITOR, 200 MB HARD DRIVE, 4 MB RAM,* ISA BUS TYPE.

A NO WIN SITUATION?



\$6,899[†]

ACTUAL DEALER PRICES MAY VARY.

THE COMPAQ 386/33L 33 MHz 386 SYSTEM
SYSTEMS INCLUDE: VGA COLOR MONITOR, 120 MB HARD DRIVE, 4 MB RAM, EISA BUS TYPE (386/33L), ISA BUS TYPE (386/25e).

\$5,599[†]

ACTUAL DEALER PRICES MAY VARY.

THE COMPAQ 386/25e 25 MHz 386 SYSTEM
SYSTEMS INCLUDE: VGA COLOR MONITOR, 120 MB HARD DRIVE, 4 MB RAM, EISA BUS TYPE (386/33L), ISA BUS TYPE (386/25e).

PC Magazine doesn't give out its Editors' Choice Awards lightly, in fact, winning one is almost like winning an Olympic gold. Winning two in a row, which is what two of Dell's 386 systems did in January, is like putting up a new world's record at the same time.

About the closest you'll get to a gold with Compaq is the kind of money you'll have to shell out to buy one of their 386 systems.

And if you also consider that we've won 8 golds in *PC Week's* Customer Satisfaction Polls of corporate customers, who do you think wins when you buy a Dell PC? For more details, look inside.

THE DELL SYSTEM 333D 33 MHz 386 AND
THE DELL SYSTEM 325D 25 MHz 386.

Standard Features: • Page mode interleaved memory architecture. • Standard 1 MB of RAM,* optional 2 MB or 4 MB of RAM expandable to 16 MB on system board. • Integrated: VGA controller with 1024 x 768 support, hard drive and diskette drive interface, 1 parallel port, 2 serial ports, and PS/2 compatible mouse port. • 64 KB (333D) or 32KB (325D) SRAM cache. • SmartVu™. • Advanced System Diagnostic Display. • 6 industry standard expansion slots (five 16-bit, one 8-bit). • High-performance hard drive 40-650 MB.

TO ORDER, CALL. PLEASE REFERENCE #11EG1
800-388-3355
HOURS: 7AM-9PM CT MON-FRI 8AM-4PM CT SAT
IN CANADA 800-387-5752. IN MEXICO 95-800-010-0664.



[†]Source: Compaq Computer Corporation published price list effective 4/16/91.

Circle 85 on Inquiry Card.