

HIS LUCKY NUMBER WON
HIM THIS \$15,000 SPACE-AGE
THUNDERBIRD APOLLO



**YOUR
LUCKY NUMBER MAY
ALREADY HAVE WON YOU
THIS BREATHTAKING
\$18,165 MASERATI**



OR A HAWAII
VACATION FOR TWO
OR A PANASONIC
HOME VIDEO RECORDER SYSTEM
OR A SUPERB STEREO SYSTEM
OR A HONDA MOTOR BIKE
OR ONE OF 9,166 FABULOUS PRIZES IN
LAFAYETTE'S UNPRECEDENTED



- ★ Over 15 Feet Long!
- ★ Just 45" High!
- ★ Up to 174 MPH!
- ★ Air Conditioned!
- ★ Hemi-Headed V-8 Engine!
- ★ Electric Windows!

**DRIVE IT AWAY
IF YOUR LUCKY NUMBER (ENCLOSED)
IS THE GRAND PRIZE WINNER
IN LAFAYETTE'S**

\$122,165 SANTA FANTA-STAKES!

**THE ONLY WAY TO WIN IS TO ENTER
—DO IT NOW!**

Details on center pages of this catalog

LAFAYETTE RADIO ELECTRONICS

111 Jericho Turnpike, Syosset, L.I., New York 11791

STORES

NEW YORK	NEW JERSEY	MASSACHUSETTS	CONNECTICUT	WASHINGTON, D.C.	PENNSYLVANIA
Brooklyn	Newark	Boston	Hamden	(Area)	Philadelphia
Jamaica	Paramus	Natick	W. Hartford	Falls Church, Va.	Pittsburgh
Lynbrook	Plainfield	Saugus		Mt. Rainier, Md.	King of Prussia
Manhasset					Monroeville
Scarsdale					
Syosset					

SATISFACTION GUARANTEED OR YOUR MONEY BACK—See Center Insert.

Index See Center Flap

"Associate Stores" From Coast to Coast

PRIZES, PRIZES, 9,166 OUT-OF-THIS-WORLD PRIZES...AND YOU MAY ALREADY HAVE WON THE MAGNIFICENT MASERATI OR ONE OF THESE OTHER FABULOUS PRIZES – JUST IN TIME FOR HOLIDAY ENJOYMENT!

NOTHING TO BUY—NO STRINGS ATTACHED!

If you're one of 5 runner-up winners, choose between a 7-day vacation in Hawaii for two or a Panasonic home video recorder, with T.V. camera and monitor T.V.!



Everything's included, from luxurious round-trip jet transportation to leis to luaus. A glorious sun-filled holiday of surfing, swimming, sightseeing in a vacation paradise!



Records up to one full hour of TV programs—or your own live material. Complete with TV camera, view finder, tripod, monitor TV set, microphone and ten 2400 foot rolls of video tape!

If you're one of 10 third prize winners, you can pick your prize...Lafayette's new stereo home music center or a Honda motor bike!



Solid state stereo home music center includes 50 watt FM stereo receiver, 4-speed McDonald automatic record changer, Cassette cartridge tape recorder, 2 Criterion 150 stereo speakers, stereo headphones, microphone and ten 60-minute Cassette tape cartridges. Can record and then play back phono records or radio programs! See pages 124 and 37 for full description.



Most exciting pair of wheels in town for the young-at-heart! Flaming red and white, classic step-through design. Gets up to 170 miles on a gallon of gas.



50 Panasonic Portable TV-Radio Combos

Has a built-in FM/AM radio and an automatic timer!

100 Pairs of Extra-Wide Angle Binoculars

Hard-coated prism lenses, doubles the field of ordinary binoculars!




500 Polaroid Swingers

Takes and develops its own pictures!

1,000 Solid-State Intercom Systems

Battery-powered 4-station system with remote tone call!




2,500 \$10 Lafayette Gift Certificates

Redeemable by mail order or at any Lafayette store!



and Five Thousand Lafayette \$5 Gift Certificates

Robert McLean of Mt. Kisco, N.Y., young winner of the \$15,000 Thunderbird Apollo in Lafayette's last Fanta-Stakes!



DELUXE LAFAYETTE "STAR-FIRE® VI" 6 BAND 18 TRANSISTOR AM/FM/SW/VHF PUSHBUTTON PORTABLE RADIO

6 Thrilling Bands

- AM- 535-1605KC
- FM- 88-108MC
- VHF 147-176MC Police
- SW-1 1.6-4.5MC Marine
- SW-2 4-10MC International
- SW-3 10-23MC International

NO MONEY
DOWN **79⁹⁵**
with
Batteries
and Earphones

RECEIVES:

- POLICE BROADCASTS
- LOW BAND MARINE WEATHER
Plus
NEW 162.55 MC. REGIONAL
WEATHER BUREAU FORECASTS

- Operates on 4 "D" Type Batteries or 117 VAC with Optional AC Adapter
- Two 4" Wide Range Hi Fi Speakers for Magnificent Sound Reproduction

The world is at your fingertips with the powerful Star-Fire VI. 18 Transistor and 7 diode solid state circuitry provides extremely high sensitivity. Two 4" wide range Hi Fi speakers offer magnificent sound reproduction. Cover has worldwide shortwave time zone chart. Booklet with listings of shortwave stations throughout the world included. Monitor police radio calls on the 147-176 MC VHF band—other outstanding features: AFC to eliminate drift on FM, eight ivory pushbutton controls, tone control, pushbutton pilot lamp to illuminate dial at night, luxurious genuine black leather cabinet with die cast front, and earphone jack. Supplied with earphones and 4 "D" type batteries, 12x9½Hx4½D. Imported. Shpg. wt., 18 lbs. 99 K 3526WX \$5 monthly. Net 79.95


Extra "D" Batteries, 4 required.
99 K 6256 Net ea. .15

AC Adapter for Star-Fire VI, 1/2 oz.
17 K 3801 Net 5.95

Telescoping Antennas for
FM, SW, and VHF Reception



Tuning/Battery Strength
Meter



Built-in Compass Point Indicator
to Help Locate Your Position
at Sea as a Radio Finder
Indicator



Electronic Bandspread
Fine Tuning Control for
Precise Station Selection

Star-Fire VI Speaks All the Languages of the World!



Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

Lafayette Cat. No. 6B1 3



LAFAYETTE

Stereo Tape Recorder



Complete with dynamic microphone, 4-connecting cables, 2-rubber reel cops, 7" empty take-up reel.

RK-810 Superb Quality Solid State Portable Recorder

FEATURING 4 —Track Stereo Playback*
—Track Monaural Record/Playback

For Vertical or Horizontal Operation

89⁹⁵ NO MONEY DOWN


- 3-Speeds: 1 7/8, 3 3/4, 7 1/2 IPS
- Record/Playback VU Level Meter
- 5-Position Selector Control for Rewind, Stop, Run, Fast Forward and Pause for Instant Editing
- 2-Heads: 1/4 Track Lamination-Type Record/Playback, 1/4 Track Double Gapped High Efficiency Erase
- 3-Digit Tape Counter with Reset Button

Engineered to provide virtually every tape recording feature. Successor to our best selling and widely acclaimed Model RK-137 series recorders, the all-transistor Model 810 now has an improved audio output of 2.5 watts. Easy-to-operate, the unit features: positive acting 5-position motor control which includes a "pause" setting to stop tape instantly for editing; push-button safety record switch to insure against accidental tape erasure; speed selector and pushbutton channel selector.* In addition to 4-track mono record/playback, the RK-810 plays back stereo tapes when used with a second channel external amplifier containing a tape head input. Takes 7" reels. Housed in an attractive textured solid vinyl case with built-in accessory compartment and carrying handle. For 110-120 v., 60 cycles AC. Imported. Shpg. wt., 18 lbs;
99 K 1527WX \$5 Monthly Net 89.95

7" reel of 1800' Lafayette Mylar Base Recording Tape. Shpg. wt., 1 1/4 lbs.,
28 K 0106 Net 2.49

SPECIFICATIONS

Response: 40-15,000 cps at 7 1/2 ips, 40-10,000 cps at 3 3/4 ips. Wow and Flutter: Less than 0.25% rms at 7 1/2 ips; less than 0.35% at 3 3/4 ips. Signal to Noise Ratio: 42 db. or better. Bias and Erase: 60 kc. Crosstalk: 55 db or better. Sensitivity: Mike, 0.6 mv; Aux, 200 mv; External speaker, 16 ohms. Motor: 4-pole. Power Output: 2.5 watts. Dimensions: 11 1/4" W x 12 1/4" H x 6 3/4" D. Stereo headphone output jacks.



OUTSTANDING FEATURES

- 1 Heads—Separate record/Playback, Erase
- 2 Built-in 5" x 3" Speaker
- 3 5-Position Selector Control
- 4 Pause Position for Instant Editing
- 5 Record/Playback VU Level Meter
- 6 Master Volume and Tone Control
- 7 Channel Selector Button
- 8 Record Safety Button
- 9 Stereo Tape Head Output Jacks
- 10 2 Inputs (Mike & Aux)
- 11 External Speaker Jack
- 12 3 Digit Counter with Reset Button
- 13 Push-Pull Speed Selector



LAFAYETTE

Stereo Tape Recorder



Complete with 2 dynamic microphones, 4-connecting cables, 2-rubber reel caps, 7" empty take-up reel

RK 815 3-Speed Solid State Portable 4 Track Stereo Recorder

Superbly Styled...with These Outstanding Features



1/4-Track Lamination-Type Record/Playback Stereo Head



1/4-Track Double-Gapped High Efficiency Erase Head



Illuminated VU Meter Indicates Record/Playback Level for Top Stereo Sound Results



2 Record Safety Buttons for Left and Right Channels — Prevent Accidental Erasures



5-Position "Selector" Control Knob for Rewind, Stop, Run, Fast Forward and Pause for Instant Editing

Our lowest price for a stereo high fidelity portable tape recorder with professional features. It is built for portability and ease of operation. Solid-state circuitry permits instant play or record. Features three speeds, 1 7/8, 3 3/4 and 7 1/2 ips plus smooth running 4-pole motor. Uses quality laminated 4-track record/play head with double gap erase head for thrilling stereo and mono records, sound-on-sound, sound-with-sound for voice language training and sound effects. Two built-in 5" x 3" full range speakers, plus output jack for external speakers or stereo headphones. Easy-to-operate pushbutton controls for VU meter, "Pause" for editing and cueing, safety-interlock to prevent accidental tape erasure and Mike/Aux input selector. Takes 7" reels. Housed in a handsome textured solid vinyl case with built-in accessory compartment and carrying handle. For 110-120 v., 60 cycles AC. Imported. Shpg. wt., 22 lbs. 99 x 1532WX \$7 Monthly

Net 129.95

7" reel of 1800" Lafayette Mylar Base Recording Tape. Shpg. wt., 1 1/4 lbs. 28 K 0106

Net 2.49

Vertical or Horizontal Operation

Only **129⁹⁵**

NO MONEY DOWN

- 4-Track Stereo and Monaural Record/Playback
- 3 Tape Speeds—1 7/8, 3 3/4 and 7 1/2 IPS
- Sound-with-Sound
- Sound-on-Sound
- Separate Tone and Volume Controls for Each Channel
- 3-Digit Tape Counter

SPECIFICATIONS

Frequency Response: ±3 db, 40-15,000 cps at 7 1/2 ips; ±3 db, 40-10,000 cps at 3 3/4 ips **Wow and Flutter:** under 0.25% rms at 7 1/2 ips; under 0.35% at 3 3/4 ips. **Signal-to-Noise:** Better than 45 db. **Bias & Erase Frequency:** 60 kc. **Cross Talk:** Better than 55 db. **Power Output:** 5-watts maximum. **Input Sensitivity:** Mike, 0.2 mv; Aux., 100 mv. **Monitor Output:** 16-ohm speaker or low impedance stereo headphones. **Solid-State Circuitry:** 10 transistors, 4 diodes. **Dimensions:** 11 1/2" W x 12 1/4" H x 6 3/8" D.


Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

Lafayette Cat. No. 681 5



LAFAYETTE

Stereo Tape Recorder



Complete with
 2 dynamic microphones,
 4-connecting cables,
 2-rubber reel cops,
 7" empty take-up reel.

RK-840 4-Track Solid State Stereo Pushbutton Recorder

169⁹⁵

NO MONEY DOWN

- 4-Track Stereo and Monaural Record/Playback
- All-Transistor Stereo Circuitry with 6-Watts Output Power
- Sound-with-Sound
- Sound-on-Sound
- Automatic Shut-off
- 3 Tape Speeds: 7½, 3¾ and 1½ IPS
- Stereo Headphone Monitoring Facilities
- Direct Record from Record Player with Magnetic Pickup
- 3 Digit Tape Counter with Pushbutton Reset

Designed to satisfy even the most critical music listeners. Delivers magnificent stereo performance. Can be operated either vertically or horizontally. Records and plays back stereo and monophonic tapes at three tape speeds, 7½, 3¾ and 1½ ips plus direct record/playback from a record changer or turntable with magnetic phono cartridge. Also features sound-on-sound, sound-with-sound; front panel jack for stereo headphone monitoring. Uses a rugged 4-pole motor for smooth tape operation and features automatic shut-off at end of tape. Easy-to-use controls include: 5-position single lever motor control with "pause" and instant reset digital tape counter for precise editing, cutting and tape indexing; volume controls for each channel, master tone control, and separate, safety interlocking record buttons. Two VU meters assure accurate indication of record/playback levels. Hi-Fi sound is provided by 2 full-range 5" speakers. Takes up to 7" reels. In black leatherette covered wood case. Size: 15¾"W x 14"H x 7¾"D. For 105-125 v, 60 cycles AC. Imported. Shpg. wt., 27 lbs. 99 K 1529WX \$9 monthly Net 169.95

7" reel of 1800' Lafayette Mylar Base Recording Tape. Shpg. wt., 1¼ lbs. 28 K 0106 Net 2.49

SPECIFICATIONS

Frequency Response: ±3 db, 40-18,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¾ ips. Wow and Flutter: less than 0.2% rms at 7½ ips; less than 0.3% rms at 3¾ ips. Signal-to-Noise: 48 db or better. Bias & Erase Frequency: 96 KHz Crosstalk: over 58 db. Power Output: 6-watts. Input Sensitivity: 2-Mike phono, 0.2 mv, 0.7 mv; 2-Aux, 100 mv. Outputs: 2-external amplifier; 2-external speaker; stereo headphones. Solid-State Circuitry: 12 transistors, 4 diodes.

1/4-Track Lamination-type Record/Playback Stereo Head

1/4-Track Double-Gapped High Efficiency Erase Head

5-Position "Selector" Control Knob for Record, Stop, Run, Fast Forward, and Pause for Instant Editing

Two Studio-Type Record/Playback VU Level Meters

2 Record Safety Buttons for Left and Right Channels Prevents Accidental Erasures

Individual Volume Controls for Each Channel



LAFAYETTE
Stereo Tape Recorder



Complete with
2 dynamic microphones,
4-connecting cables,
2-rubber reel caps,
7" empty take-up reel

RK-860 Professional 4-Track Solid State Stereo Recorder

219⁹⁵

NO MONEY DOWN

- 4-Track Stereo and Monaural Record/Playback
- All-Transistor Stereo Circuitry with Powerful 12-Watts Output
- Sound-on-Sound
- Sound-with-Sound
- Sound Monitoring
- 3 Tape Speeds: 7½, 3¾ and 1⅞ IPS
- Automatic Shut-Off
- Stereo Headphone Monitoring Facilities
- 5-Position Control Plus 5-Position Selector Knob
- Direct Record/Playback from Record Player with Magnetic Pickup

1/4-Track Lamination-type Record/Playback Stereo Head.



1/4-Track Double-Gapped High Efficiency Erase Head.



2 Studio-Type illuminated Record/Playback VU Level Meters.



3-Digit Tape Counter with Pushbutton Reset.



2 Record Safety Buttons for Left and Right Channels Prevents Accidental Erasure.



Individual Volume and Tone Controls for Each Channel



Microphone-Aux and Mag Phono Selector Button.



You will be proud to own this magnificent performing stereo recorder—fabulous performance, superb quality and brilliant styling. Records and plays back stereo and monophonic tapes at three speeds, 7½, 3¾ and 1⅞ lps. Features sound-on-sound and sound-with-sound plus direct stereo disc to tape copying through the special magnetic phono inputs. Also records directly from FM stereo tuners. Automatic shut-off at end of tape. Easy-to-operate controls include: 5-position lever motor with "pause", instant reset digital tape counter for precise editing, cueing and tape indexing, dual volume and tone controls, pushbutton monitor speaker switches and safety interlocking recording buttons. Has two full range 5 x 7" speakers. Takes up to 7" reels. Housed in beautiful black leatherette covered wood case with silver metal trim. May be placed horizontally or vertically. Size: 15¼"W x 14"H x 7¾"D. For 105-125v. 60 cycles AC. Imported. Shpg. wt., 29 lbs. 99 K 1530WX \$11 Monthly Net 219.95 7" reel of 1800' Lafayette Mylar Base Recording Tape. 28 K 0106 Shpg. wt., 1¼ lbs. Net 2.49

SPECIFICATIONS

Frequency Response: ±3 db, 30-22,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¾ ips. Wow and Flutter: less than 0.15% at 7½ ips; less than 0.25% at 3¾ ips. Signal-to-Noise: 53 db or better. Bias & Erase Frequency: 96 KHz Crosstalk: over 60 db. Power Output: 12-watts. Input Sensitivity: 2-Mike, 0.2 mv, 0.7 mv; 2-Aux, 100 mv. Outputs: 2-external amp; 2-external speaker; stereo headphones. Equalization: NAB for 7½ & 3¾ ips; RIAA for magnetic phono. Solid-State Circuitry: 14 transistors, 8 diodes.

Get The Tape Recorder You Want Now! No Money Down

Lafayette Cat. No. 681 7



LAFAYETTE

Tape Recorder



Optional Dynamic Mikes

14 95⁰⁰

Deluxe RK-960 "Automatic Reversing" Solid State Stereo Tape Recorder

INSTANTANEOUS AUTOMATIC OR MANUAL REVERSING IN RECORD OR PLAYBACK MODE

ONLY **299⁹⁵**

NO MONEY DOWN

- Dual Capstan Drive with Dual Drive Motors
- Sound on Sound, Sound with Sound, and Sound Monitoring
- Bi-Directional Recording and Playback
- 4-Track Stereophonic or Mono Record/Playback
- Solid State Amplifier Circuitry—12 Watts Music Power
- 4-Heads • 3-Speeds 1 1/2, 3 3/4, 7 1/2 ips
- Two Sensory Switches for Automatic Tape Reversing System

LAFAYETTE'S RK-960 TAPE REVERSING SYSTEM WORKS ON 1-MANUAL AND 3-AUTOMATIC REVERSING POSITIONS IN EITHER RECORD OR PLAYBACK MODE.



REVERSE POSITIONS

- 1) **MANUAL**—Same as any tape recorder, but permits manual reverse at any point by depressing a button. Sensing metallic foil is disregarded.
- 2) **AUTOMATIC 1**: Tape moves in one direction and stops at end of tape where sensing metallic foil is located.
- 3) **AUTOMATIC 2**: Single Reverse—Tape playing or recording from either left or right reel feeds to opposite take-up reel, reverses itself at the end of the tape where metallic sensing foil is located and then feeds back to starting reel and automatically stops.
- 4) **AUTOMATIC 3**: Continuous Reverse—Tape continues changing (reversing) its direction at each end of the tape where the metallic sensing foil is located.

Our most versatile, exciting and revolutionary stereophonic tape recorder... designed to give the highest standards of performance and dependability. The Model 960 features "Full Automatic Reversing". Makes professional quality recordings from AM, FM, FM Stereo broadcasts, phonograph (direct from magnetic or ceramic P.U. cartridge). With microphones you can record "live" any program material you desire. Records and plays 4-track stereo or mono at 7 1/2, 3 3/4 and 1 1/2 ips. Two self-contained 5 x 7" wide-range hi-fi speakers provide optimum stereo separation. Two 4-pole induction capstan drive motors assure ultra-smooth, quiet drive. Feather-touch pushbutton operated splenoids control all

tape motion modes. Also has instant reset digital tape counter; 2-studio type VU meters; stereo headphone jack; 6-Inputs: 2-microphone/Magnetic P.U., 2-auxiliary, microphone and Auxiliary/Magnetic P.U. selector button. 4-outputs: 2-extension speaker; 2-external outputs. RIAA phono curve equalization. Housed in a handsome black leatherette covered wood cabinet with silver metal trim. 22 x 15 1/2 x 8 1/4"D. Imported. Shpg. wt. 44 lbs.
 99 K 1548WX \$15 Monthly Net 299.95
 99 K 4588 Optional Dynamic Mike Net 14.95
 7" reel of 1800 ft. Mylar Base Recording Tape with reversing sensing foils. Net 2.69
 28 K 0118

SPECIFICATIONS

Solid-State Circuitry: 22 transistors, 32 diodes. Record/Play Frequency Response: 30-22,000 Hz \pm 3db at 7 1/2 ips; 40-16,000 Hz \pm 3db at 3 3/4 ips. Wow and Flutter: Less than 0.25% rms at 3 3/4 ips. S/N Ratio: 50db or better. Harmonic Distortion: Less than 1.5%. Bias/Erase Freq.: 96 kc. Crosstalk: Better than 60 db. Equalization: 7 1/2 ips, NAB; 3 3/4 ips, RIAA. Input Imped.: Mic., 10K ohms; Mag., 45K ohms; Aux., 500K ohms. Output Imped.: Ext. spkr., 8-ohms; Headphones, 8-ohms. Heads: Two 1/4-track lamination type stereo record/playback; two 1/4-track double-gapped high efficiency erase heads. For 110-120V., 60 Hz, AC.


ONLY
199⁹⁵
 No Money
 Down

 with 4-connecting cables,
 2-rubber reel caps,
 7" empty reel

Optional Dynamic Mikes

14⁹⁵
 ea.


Deluxe RK-920 "Automatic Reversing" Solid State Stereo Tape Deck

LAFAYETTE'S RK-920 TAPE REVERSING SYSTEM WORKS ON 1-MANUAL AND 3-AUTOMATIC REVERSING POSITIONS IN EITHER RECORD OR PLAYBACK MODE.

MANUAL AUTOMATIC



REVERSE POSITIONS

- 1) **MANUAL**—Same as any tape recorder, but permits manual reverse at any point by depressing a button. Sensing metallic foil is disregarded.
- 2) **AUTOMATIC 1**: Tape moves in one direction and stops at end of tape where sensing metallic foil is located.
- 3) **AUTOMATIC 2**: Single Reverse—Tape playing or recording from either left or right reel feeds to opposite take-up reel, reverses itself at the end of the tape where metallic sensing foil is located and then feeds back to starting reel and automatically stops.
- 4) **AUTOMATIC 3**: Continuous Reverse—Tape continues changing (reversing) its direction at each end of the tape where the metallic sensing foil is located.

Deluxe 4-track automatic reversing tape transport system with full record and playback provisions. Automatic "computer type" sensing permits directional selection in either record or playback mode. In addition to automatic reversing, the RK-920 features a top performing stereo preamp, perfectly matched for use with high quality basic amplifiers. You can record "live" from microphones, or from auxiliary sources such as receivers, tuners or phonographs, and playback at either 1 1/2, 3 3/4 or 7 1/2 ips. The tape transport is powered by two separate 4-pole induction capstan drive motors to assure ultra-smooth accurate speed. Feather-touch push-button controls allow you to

change operational modes instantly or preset the unit to automatically reverse itself. Instant pause control assures smooth, professional editing during recording sessions. Two professional VU meters are provided for visual monitoring of signal levels from either tape or auxiliary audio source. Housed in a beautiful brown leatherette covered wood case. 17 x 15 1/2 x 8 1/4"D. Imported. Shpg. wt. 38 lbs.
 99 K 1554WX \$10 Monthly _____ Net 199.95
 99 K 4588 Optional Dynamic Mike Net 14.95
 7" reel of 1800 ft. Mylar Base Recording Tape with reversing sensing foils. Net 2.69
 28 K 0118 _____ Net 2.69

SPECIFICATIONS

Solid-State Circuitry: 14 transistors, 27 diodes, Frequency Response: 30-22,000 Hz ± 3 db at 7 1/2 ips; 40-18,000 Hz ± 3 db at 3 3/4 ips. Wow and Flutter: Less than 0.2% rms at 3 3/4 ips. S/N Ratio: 50db or better. Harmonic Distortion: Less than 1.5%. Crosstalk: Better than 58 db. Equalization: 7 1/2 ips, NAB; 3 3/4 ips, RIAA. Input Imped.: Mic., 10K ohms; Aux., 500K ohms. Output Imped.: Ext. amp., 3K ohms; Heads: Two 1/4-track lamination type stereo record/playback; two 1/4-track double-gapped high efficiency erase heads. For 110-120V., 60 Hz, AC.

- Automatic and Continuous Reverse in Record or Playback
- Bi-directional Recording and Playback in Connection with External Amplifier and Speaker System
- Built-in Solid State Stereo Record/Playback Pre-amplifier
- 4-Track Stereophonic or Monophonic Recording/Playback in connection with External Amplifier
- Two Sensory Switches for Automatic Tape Reversing System
- Automatic Shut Off Switch
- Sound-on-Sound, Sound-with-Sound
- 3-Digit Tape Counter with Push Button Reset
- Horizontal or Vertical Operation
- Two Large Illuminated VU Meters



LAFAYETTE

Stereo Tape Decks

LAFAYETTE'S Finest Solid State



Model 820
2-Head 4-Track
Stereo Record-
Playback Tape Deck

109⁹⁵

No Money Down

Complete with
4 connecting cables,
2 rubber reel caps,
7" take-up reel.

Model 830
3-Head 4-Track
Stereo Record-
Playback Tape Deck

159⁹⁵

No Money Down

Complete with
4 connecting cables,
2 rubber reel caps,
7" take-up reel.

Optional Dynamic Mikes
for Recorder Models
820 and 830

7⁹⁵
ea.

Deluxe Professional
Model RK-880 3-Head
4-Track Stereo
Record/Playback Tape Deck

249⁹⁵

No Money Down

Complete with
4 connecting cables,
2 rubber reel caps,
7" take-up reel.

Optional Dynamic
Mikes



14⁹⁵
ea.

EXCLUSIVE FEATURES

- Record/Playback Selector Button for VU Meters
- 4 Playback Tape Equalizations for All 3-Speeds
- 4 Recording Tape Equalizations for All 3-Speeds
- 2 Variable Record Bias Controls for Optimum Recording With any Brand of Tape



Stereophonic Tape Decks



RK-820 SOLID STATE 4-TRACK STEREO RECORD/PLAYBACK TAPE DECK

- 4-Track Stereo and Monaural Record/Playback
- 3-Speeds: 7½, 3¼ and 1½ IPS.
- Built-in Solid-State Record/Playback Stereo Preamplifiers

- Records 4-Track Stereo or Mono from FM, AM, FM Stereo Radio or Phono Sources, Live from Mikes
- Sound-with-Sound, Sound-on-Sound

Low-priced stereo tape deck of uncompromising quality. It is the successor to our famous, best selling Model RK-650 stereo tape deck which was acclaimed by high fidelity critics. With this improved deck you can add the brilliance of 4-track stereo tape reproduction to your music system. Features instant "on" solid-state stereo record/play preamps with dual illuminated VU meters for accurate record/play level settings. Single-lever control selects fast-rewind, stop, run and fast-forward plus "pause" for precise editing. Automatic end-of-reel shutoff. Digital tape counter with fast pushbutton zero reset. Ideal for editing, cueing and indexing tape selections. Rear panel preamp outputs, auxiliary inputs and front panel mike input jacks are all readily accessible for easy hook-up. Frequency Response: ±3 db, 40-18,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¼ ips. Wow and Flutter: less than 0.15% rms at 7½ ips; less than 0.25% rms

at 3¼ ips. Signal-to-Noise: 50 db or better. Bias & Erase Frequency: 96 KHz. Crosstalk: over 60 db. Inputs: (Each Channel) microphone, 0.9 mv, 10K ohms; auxiliary, 300 mv, 500K ohms. Outputs: (Each Channel) external amplifier, 0.9 mv @ 3K ohms. Takes 7" reels. In sturdy utility base ready to play, or install in custom installation. Size: 11¾W x 9¼H x 5¼"D. Imported. For 117 V, 60 cycles AC. Shpg. wt., 18 lbs.

99 K 1528WX \$6 monthly	Net 109.95
Deluxe Oiled Walnut Wood Base for RK-820. Shpg. wt., 4 lbs.	
24 K 1214W	Net 9.95
Dynamic mike. Shpg. wt., 1½ lbs.	
99 K 4602	Net 7.95
7" Reel of 1800' Lafayette Mylar Base Recording Tape.	
28 K 0106	Net 2.49

RK-830 SOLID STATE 3-HEAD 4-TRACK STEREO RECORD/PLAYBACK TAPE DECK

- Tape and Input Source Selector Switch for Tape and Input Source Monitoring
- 3-Speeds: 7½, 3¼ and 1½ IPS
- Sound-on-Sound—Sound-with-Sound

- 2 Studio-Type Record/Playback VU Meters
- 4-Track Stereo and Mono Record/Playback
- Record and Playback Stereo Preamps
- 3-Head Tape Transport with 4-Pole Motor

Now, from Lafayette, a 3-head 4-track stereo tape deck at a sensible low, low, price. Enjoy thrilling sound-on-sound and sound-with-sound plus complete 4-track stereo and monophonic record and playback facilities. Operates vertically or horizontally with styling to match any custom hi-fi music system. Single lever control selects fast-rewind, stop, run, and fast forward plus "pause" for precise editing and cueing. Other professional features include: dual illuminated VU meters for accurate record/playback settings; digital tape counter with pushbutton reset; individual record safety buttons; monitor switch for tape and input source monitoring; separate record volume controls; automatic shut-off at end of play and rugged 4-pole motor. The stereo preamps have low level inputs for microphones; high level for radio, TV, phono. Outputs for external amplifier. Frequency Response: ±3db, 40-18,000 Hz at 7½ ips; ±3 db 40-12,000 Hz at 3¼ ips. Wow and Flutter: less than 0.15% rms at 7½ ips; less than

0.25% at 3¼ ips. Signal-to-Noise: —50db or better. Bias and Erase Frequency: 96 KHz. Crosstalk: over 60 db. Inputs (each channel): microphone, 0.9 mv @ 10k ohms; auxiliary, 300 mv, 500k ohms. Outputs (each channel): external amplifier, 0.9 mv @ 3k ohms. Takes 7" reels. Solid-state complement: 12 transistors, 6 diodes. In sturdy utility base, ready to play. Size: 11¾W x 9¼H x 5¼"D. For 110-120v, 60 cycles AC. Imported. Shpg. wt., 18 lbs.

99 K 1534WX \$8 monthly	Net 159.95
Deluxe Oiled Walnut Wood Base for RK-830. Shpg. wt., 4 lbs.	
24 K 1214W	Net 9.95
Dynamic Mike. Shpg. wt., 1½ lbs.	
99 K 4602	Net 7.95
7" Reel of 1800' Lafayette Mylar Base Recording Tape.	
28 K 0106	Net 2.49

DELUXE PROFESSIONAL RK-880 3-HEAD SOLID STATE 4-TRACK STEREO RECORD/PLAYBACK TAPE DECK

- Full Facilities for Stereo/Mono Record from Dynamic Mikes, Record Player with Magnetic Pick-Up, FM Stereo Tuner, and Playback through an External Amplifier and Speakers

- Sound-with-Sound, • Sound-on-Sound
- Separate Record and Playback Solid State Stereo Preamps
- 4-Pole Hysteresis Synchronous Motor—No Speed Deviation

The finest Lafayette stereo tape deck ever offered. Our ultimate performer, suitable for use with the very best in hi-fi components. Features professional variable bias and equalization controls to effect the optimum combination of extended frequency response, low distortion and high signal-to-noise ratio with virtually any recording tape. Three heads for 4-track stereo and mono record and playback plus sound-on-sound and sound-with-sound. Monitor directly from tapes or source. Separate record and monitor volume controls for left and right channels. Has 4 built-in solid-state stereo preamps; dual record-playback VU meters; digital tape counter with zero-reset button; hysteresis-synchronous motor and separate safety record buttons. Single-lever controls selects fast rewind, stop, run and fast-forward plus "pause" for precise editing. Front panel stereo headphone output jack. Frequency Response: ±3 db, 30-22,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¼ ips. Wow and Flutter: less

than 0.15% at 7½ ips; less than 0.25% at 3¼ ips. Signal-to-Noise: over 53 db. Bias & Erase Frequency: 96 KHz. Variable Bias: 0.3 ma to 1.5 ma. Cross-talk: over 60 db. Equalization: (playback) 4 position 50, 70, 90 and 140 μ/sec; (record) 4 position 20, 16, 12 and 8 kc. Inputs: (both channels) mike —0.4 mv @ 10 k ohms; mag. phono —2.0 mv, 50 k ohms; Aux. —200 mv, 500 k ohms. Outputs: (both channels) external amp., low impedance headphones. Handsome oiled walnut wood cabinet. Size: (in case) 15¾W x 13H x 7¾"D; 11¾W x 11¾H x 7"D. For vertical or horizontal operation. 110-120 v., 60 cycles. Imported. Shpg. wt., 25 lbs.

99 K 1531WX \$12.50 monthly	Net 249.95
Deluxe Dynamic Microphone with stand and lavaller.	
99 K 4588 Shpg. wt., 3 lbs.	Net 14.95
7" Reel of 1800' Lafayette Mylar Base Recording Tape.	
28 K 0106	Net 2.49

DELUXE RK-142V PORTABLE TAPE RECORDER

- Solid State Circuitry
- Records Directly From Any Audio Program Source
- 2 Speeds—3¾ and 7½ ips.
- Built-in 4 x 6" Wide Range Speaker
- Output Jack for External Speaker
- Record Level Indicator
- Pause Control for Easy Editing

Only **59⁹⁵**

NO MONEY DOWN

\$5 MONTHLY

ACCESSORIES INCLUDED

Dynamic microphone, shielded connecting cable with clip leads, empty 7" reel.

SPECIFICATIONS

TAPE SPEED: 7.5 and 3.75 ips. **S/N RATIO:** -42 db or better at 7.5 ips tape speed. **REWIND TIME:** 5 min. for 7" reel. **FAST TAKE-UP TIME:** 3 min. for 7" reel. **RESPONSE:** Record playback response essentially flat with tone at max. treble. **WOW-FLUTTER:** 0.2% or better at 7.5 ips; 0.3% at 3.75 ips. **POWER OUTPUT:** 2 watts. **CONTROLS:** on/off-tone; volume, record interlock button, speed selector, motor shift control with pause feature.



Improved model of our best selling RK-142 series of tape recorders. Has every convenience and feature for monophonic hi-fi recording! Now—operates vertically or horizontally at speeds of 3¾ and 7½ ips; takes up to 7" reels giving a maximum of 4½ hours of recording time on a 1/2 Mil 2400 ft. reel. Separate safety record pushbutton prevents accidental erasures. A specially designed lever-type switch controls Fast Forward, Rewind, Play/Record and Pause operation. Also has record level meter, and

capstan drive to assure recording of high quality. Jacks provided for microphone, phono and extension speaker. With large 4 x 6" full range Hi-Fi speaker, dynamic microphone and patch cord. Finished in attractive ebony scuff-resistant material. For 117V., 60 cycles AC. Imported. Size: 13½W x 10½"H x 6¼"D. Shpg. wt., 18 lbs.

99 K 1541WX \$5 Monthly Net **59.95**

7" reel of 1800' Lafayette Mylar base tape. **28 K 0106** Net ea. **2.49**

New LAFAYETTE RK-77 SOLID STATE CORDLESS 4-TRACK STEREO TAPE RECORDER

- TAKES UP TO 7" REELS
- 3-SPEEDS
- BATTERY OR AC OPERATION
- 4-Track Stereo or Monaural Record and Playback
- 2 Large Studio Type VU Meters
- Push-button Operation
- 3-Digit Tape Counter with Push-button Reset

139⁹⁵ **NO MONEY DOWN**

Comes with 2 dynamic mikes, 1 patch cord, 1 empty 7" take-up reel.

A handsome companion for people on the go...be the hit of your party! Brilliantly performing, push-button operated, stereophonic tape recorder...plays and records anywhere. Operates on self-contained batteries or on standard 117V., 60 cycle AC house current. Records and plays 2 and 4-track mono, and 4-track stereo tapes at three speeds, 7½, 3¾ and 1½ ips; records and plays up to 6 hours 24 minutes on 7" reel of 1800' tape at 1½ ips. Separate color-coded record and lock button to prevent accidental erasure; dual VU type recording level meters. Individual tone and volume controls for each channel, permits adjustment of volume to suit your personal listening taste. Two built-in 6 x 3" dynamic speakers give you true stereo hi-fidelity sound. Luggage type case finished in attractive ebony scuff-resistant material. Imported. Size: 14½ x 16 x 7"D. wt., 26 lbs. **99 K 1546WX \$7.50 Monthly** Net **139.95**
99 K 6256 "D" batteries for above—8 required Net ea. **.15**
7" reel of 1800' Lafayette Mylar base recording tape. **28 K 0106** Net ea. **2.49**

SPECIFICATIONS

TAPE SPEED: 7½, 3¾ and 1½ ips. **S/N RATIO:** More than 38 db at 7½ ips. **REWIND TIME:** 3 min. for 7" reel. **FAST TAKE-UP TIME:** 3 min. for 7" reel. **POWER OUTPUT:** 2 watts. **INPUTS:** (Each Channel) microphone 50K ohms; auxiliary 470K ohms. **OUTPUTS:** (Each Channel) extension speaker 8 ohms.



The Recorder
For The
"Swinging Sixties"



LAFAYETTE RK-30 SOLID STATE AC AND BATTERY OPERATED TAPE RECORDER

Only **37⁹⁵** No Money Down

Complete With: dynamic mike, patch cord, batteries, 3" take-up reel, 3" reel of tape.

- Constant Speed Capstan Drive
- Piano Key Type Pushbutton Controls
- Remote Control from Dynamic Microphone
- Two Speeds—3¾, 1½ IPS
- ARL—Automatic Record Level Control
- Up to 2 Hr. Record/Play Time on 3¾" reel

Lightweight, compact, combines modern solid state circuitry, true AC-DC portability and ease of operation. Ideal for recording and playback at home, in the office, in school or outdoors at the beach or sporting events. Capstan drive assures constant speed recording thus permitting playback of tapes on any dual track reel-to-reel recorder at 3¾ or 1½ ips. Dynamic mike has remote start/stop switch, prevents tape waste. Other features include: easy-to-use piano key controls for rewind, stop, play plus pushbutton safety record switch; ARL—Built-in automatic record level to keep loud tones from distorting; record level meter and battery life indicator;

self-contained dynamic speaker and jack for external speaker. All controls are accessible with cover on. Built-on 117 v., 60 cycle AC power supply or four "C" batteries. In handsome case with metal carrying handle, 9¾W x 2¾H x 9¼"D. Imported. Shpg. wt., 7 lbs.

99 K 1538L \$5 monthly	Net 37.95
99 K 6257 Extra "C" cell battery (4 required)	Net ea. .14
20 K 0109 3" reel of 300 ft. Lafayette Tape, 1/2 lb.	Net .69



MINIATURE BATTERY OPERATED SOLID STATE RECORDER

- Complete with Lapel Microphone, Earphone, Batteries and 3" Take-up Reel
- ONLY **16⁹⁵**

A compact battery-operated tape recorder. Ideal for oral note taking, homework, dictation and all-around family fun. Can record and play back in any position—even with the lid closed. Positive action controls (Rev., Stop, Play, Rec.) and volume. Crystal mike has lapel clip for inconspicuous use. Motor is powered by 2 "C" type cells, amplifier by one 9-volt battery. Housed in rugged metal case with carrying handle. Total recording time approximately 24 minutes. Complete with built-in speaker, earphone for personal listening, batteries and 3" empty take-up reel. Size 3¾ W x 7¼ L x 2¼ H. Imported. 3 lbs.

27 K 1005L	Net 16.95
99 K 6257 Extra "C" cell battery (2 required)	Net ea. .14
99 K 6021 Extra 9-volt battery (1 required)	Net .21
28 K 0109 3" reel of 300 ft. Lafayette Tape, ½ lb.	Net .69



5" AC AND BATTERY OPERATED PORTABLE SOLID STATE RECORDER

- Record Level Indicator
 - 2 Speeds—3¾, 1½ IPS
 - Complete with: Dynamic Mike, Earphone, AC Adapter, Batteries
- ONLY **49⁹⁵**

One of the easiest recorders to use. Lightweight, it operates on 4 "D" batteries or 117 volts AC. Excellent frequency response provides good voice and music reproduction. Efficient 3½" PM speaker combined with a variable tone control tailor the sound to your taste. Capstan drive for both 1½ and 3¾ ips assure constant tape speed. Sensitive dynamic microphone has start/stop switch for remote operation. Features full pushbutton operation, plus jacks for external speaker/earphone, microphone, AC adapter, and auxiliary input. Size: 10¾ x 10 x 3½". Imported. Shpg. wt., 7 lbs.

27 K 1018W \$5 Monthly	Net 49.95
99 K 6256 Extra batteries (4 required)	Net ea. .15
28 K 0102 5" reel of 900' Lafayette tape wt., 1/2 lb.	Net .99

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan No Money Down

Lafayette Cat. No. 691 13



LAFAYETTE

Cassette Recorder

LAFAYETTE "PRO-540" SOLID STATE CASSETTE STEREO TAPE DECK



No Money Down
ONLY **99⁹⁵**

with 60 Minute Cassette Tape,
2 Connecting Cables and Base

NEW!

Simple To Use No Tape Threading

- Records: 4 Track Stereo, 2 Track Monaural
- Playback: 4 and 2 Track Stereo and Monaural
- 3-Digit Tape Counter, Single Push Button Reset
- Automatic Shut Off Switch
- Solid State Stereo Record/Playback Pre-amplifier

An exciting new tape recording home entertainment concept from Lafayette. You can now create your own private music library on new cassette cartridges as well as play pre-recorded stereo and monaural cassettes with the superb Lafayette "PRO-540" stereo tape deck through your existing hi-fi system. No more threading and reel turnover problems. Simple to use—just snap in the cassette and you are ready to play or record 4-track stereo or mono at 1 7/8 ips. Makes amazingly clear voice and music recordings due to a unique jam-proof tape drive system—tape speed is constant and smooth. Records and playback up to 120 minutes per cartridge using both tracks. Exceptional features of the "PRO-540" are a full set of pushbutton controls for all tape modes; Record, Play, Fast-Forward, Rewind, Pause, Stop, Cassette Ejector; plus a 3-digit, pushbutton reset tape counter and a sensitive VU meter. Other features include: Stereo/Mono

Deluxe Pushbutton Operation

- Large Illuminated VU Meter For Record/Playback Level
- Push Button Controls (Record, Play, Fast-forward, Rewind, Pause, Stop, Cassette Ejector)
- Record Safety Button



Optional
Mikes **7⁹⁵** ea.

Input selector switch; 2-Mike, 2-Aux., inputs; 2-External Amplifier outputs; 1/4 track lamination type stereo record/play head; 1/2 track double gapped high efficiency erase head. Frequency Response: 20-12,000 cps. S/N ratio: better than 45 db. Wow/Flutter: less than 0.25%. Overall distortion: less than 1.5% at -4 VU. Channel separation: better than 35 db. Erase ratio: better than 60 db. Bias/Erase Freq., 96 Kc. Sensitivity: Mike., 0.1 mv; Aux., 300 mv; Ext. Amp., 1 v. Impedance: Mike., 200 ohms; Aux., 500 K ohms; Ext. Amp., 3 K ohms. For 105/120V., 50/60 cps AC. Size: 5 3/4" W x 4 1/4" H x 8 7/8" D. Imported. Shpg. wt., 6 lbs.

- 99 K 1553WX \$6 Monthly "PRO-540" Net 99.95
- 99 K 4602 Dynamic Mike for "PRO-540." 1 1/2 lbs. Net 7.95
- 99 K 1540 Lafayette 60 minute Cassette Cartridge Net 1.35
- 28 K 0120 Lafayette 90 minute Cassette Cartridge Net 2.20



NEW

DELUXE BATTERY OPERATED SOLID STATE PORTABLE CASSETTE RECORDER

Only **49⁹⁵**
No Money Down

Complete with carrying case, shoulder strap, ear phone, remote control mike with case, batteries, and 60 minute tape cartridge.

- Pushbutton Controls—No Tape Threading
- Operates On AC With Optional Adapter

Beautifully styled and engineered capstan drive cassette recorder designed to operate on batteries or 117VAC current (with optional AC adapter). Perfect for "on-the-go" recordings at home, school or office. Makes fine-quality voice and music recordings. Uses easy drop-in cartridge loading; no tape threading necessary. Records up to 120 minutes (both tracks) at 1 7/8 ips. Separate controls for Fast Forward/Rewind, Stop/Play plus safety record switch. Permits perfect recordings with level meter that also checks batteries. 7-transistors, 1-diode, 2 thermistors, external speaker jack, remote control jack, large 2 3/4" dynamic speaker. Size: 8 3/4" x 5" x 2 1/4" H. Imported. Shpg. wt., 3 lbs.

- 27 K 1019L \$5 monthly Net 49.95
- 27 K 1020 AC Adapter For Above Shpg.wt., 1/2 lb. Net 4.95
- 99 K 6257 Extra "C" Batteries—5 req Net ea. .14
- 99 K 1540 60 Minute Cassette Cartridge Net 1.35

Last Minute Exciting Release



Delivery November 15, 1967 Genuine Oiled Walnut Veneer Cabinet

NEW! LAFAYETTE "Criterion IV" Solid State Professional Hi-Fidelity FM Radio

Only
69⁹⁵
No Money Down

- Advanced Solid State Circuitry; 17 Transistors, 5 Diodes
- Tuned RF FM Stage and 4 IF's for Superb Sensitivity and Selectivity
- Tape Recorder Inputs and Outputs
- Magnificent Sound Quality from a Special Self Contained 5" High Compliance Acoustic Suspension Speaker System

The Lafayette Criterion IV is a professional high fidelity FM radio especially designed to reproduce the full-range brilliance of FM broadcasting in your home. Handsomely styled and compact, the Criterion IV measures only 14½" x 9" x 8¼" H, yet its sound quality is astonishing. Advanced solid state circuitry with 17 transistors and 5 diodes provides FM performance equal to that of expensive FM receivers. Tuned RF and 4 IF stages assure superb sensitivity and selectivity—bringing in the most distant stations without distortion, noise, or drift. Superb sound quality is provided by a powerful 5" full range, high compliance speaker with a massive magnet assembly mounted in a completely sealed and damped enclosure, utilizing the acoustic suspension principle to extend low frequency response down to 50 cycles. Equipped with a built-in FM antenna system, the Criterion IV need only be connected to a standard 117 VAC outlet to place it in operation. In addition to this the Criterion IV is equipped with an accessory input to permit high quality reproduction from external program sources such as a record player or changer (with ceramic/crystal cartridge), or, a tape recorder. A special tape output

jack lets you record all programs reproduced through this radio with an external tape recorder. Provisions are also included for the connection of an 8-ohm external speaker for remote operation, and the use of an external FM antenna to allow the finest reception in all fringe areas. Vernier tuning knob and planetary dial assure precise and accurate tuning across the complete 88 to 108 MC dial. SPECIFICATIONS: 17 Transistors, 5 diodes, tuned RF FM stage, 4 IF's, 6 watts music power at 8 ohms, sensitivity 2.5 μv at 30db quieting. Front Panel Controls: Tuning, Volume, Bass, Treble, FM-AUX Selector Switch, Main-Remote Speaker Selector Switch. Protective output fuse. Finished in beautiful oiled walnut wood veneer. For 110-120 50/60 cycles AC. Imported. Shpg. wt., 12½ lbs.

99 K 3525 W \$5 monthly Net 69.95

12 Ft. External Speaker Cable. RCA phono plug on one end, stripped and tinned on other end. Imported. Wt. ½ lb.
99 K 0088 Net 69.95

DELUXE FM INDOOR ANTENNA



- Up to 10 Times More Effective than Built-in Antennas

The Model FM1000 features ¼-wave 4-section precision arms; ¾-wave induction coil; 12-position station direction control and a special noise filtering circuit for extremely effective performance. Weak stations are strengthened and reflected signals and background-noise are blocked out. Low silhouette slim-line styling. Shpg. wt., 3 lbs.

6⁹⁵

18 K 1217 Mahogany Net 6.95
18 K 1219 Walnut Net 6.95

WINEGARD FM-355 FM SUPERCHARGER

Only **11⁹⁷**

- Gives You 8 Times More FM Signal



Greatly improves FM and FM stereo reception. Transistorized booster-amplifier adds +17 db gain (8 times more signal) to incoming signal. Ideal for fringe and deep fringe areas. 300 ohm input and output. Bandpass: 88-108 mc. Operates on 110-120 VAC 60 cycles. Shpg. wt., 1 lb.
18 K 6064 Net 11.97



LAFAYETTE

Phonographs

Combines Magnificent Sound



Model LS-28
Solid State
Portable Phono
Only

64⁹⁵

No Money
Down

UL Listed.
Made In U.S.A.




Model LS-24
Stereo Phono

The "Mini" Look For
Maximum Space Saving
Efficiency

ONLY

49⁹⁵

No Money Down
Made in U.S.A.



Deluxe Model LS-33 Solid State Stereo
Hi Fi Portable Phono—Luxurious styled
16 Lafayette Cat. No. 681

99⁹⁵

No Money Down

UL Listed. Made In U.S.A.



& Refreshing New Styling

MODEL LS-28 SOLID STATE STEREO PORTABLE PHONO

- Solid State Stereo Amplifier with 3 Controls
- BSR 4 Speed Automatic Intermix Changer
- 4 Wide Range Hi Fi Speakers
- Diamond LP Needle

Exciting...refreshing new look in phonograph styling. Exquisitely designed drop-down hide-away changer tray. Detachable "swing-out!" speaker enclosure which can be spaced apart to achieve magnificent full dimensional stereo realism. BSR 4 speed automatic record changer handles all size records and will intermix 12" and 10" records of the same speed in any sequence. Automatic shut-off after last record has been played. Tone arm is equipped with a VACO CN 75 wide range stereo turnover cartridge with diamond LP needle. Powerful solid state amplifier provides exciting stereo realism—3 audio control functions. Separate volume controls for left and right channel plus a tone control. Each detachable speaker contains 2—4" extended range speakers. Wood case is covered in handsome washable, scuff-resistant metallic olive proxylin coated material. For 110-120 volt, 60 cycles AC. Dim.: 21½"W x 16"H x 7¼"D. UL Listed. Shpg. wt., 24 lbs.

24 K 0250WX \$5 Monthly	Net 64.95
24 K 0220 45 RPM Spindle for LS-28	Net 1.49
24 K 0254 Replacement Dual Needle for LS-28	Net 1.69

"MINI" MODEL LS-24 4-SPEED AUTOMATIC STEREO PHONO

- Exciting BSR 4-Speed Automatic "Mini" Stereo Changer
- 8 Transistor Solid State Stereo Amplifier
- Diamond LP Needle

Bold modern design...a truly outstanding performing stereo phono in a sleek cabinet of compact proportions, beautifully styled with drop-down compartment which folds away for maximum space saving efficiency. Features all new BSR 4-speed stereo automatic "Mini changer", with automatic shut-off. Plays all size records. Intermixes 12" and 10" records of the same speed. 2 separate 4" wide range speakers are acoustically balanced and spaced for true stereophonic full-dimensional sound. Powerful 3 control 8 transistor solid state stereo amplifier; volume left, volume right, and tone. Equipped with stereo turnover cartridge with diamond LP needle. Elegant sandalwood (cordovan grain) with brown grill cloth. For 110-120V 60 cycles AC. Size: 27¼"L x 10¾"H x 6½"D. Shpg. wt., 19 lbs.

24 K 0252WX \$5 Monthly	Net 49.95
24 K 0256 45 RPM Spindle for LS-24	Net 1.49
24 K 0238 Replacement Dual Needle for LS-24	Net 1.75

DELUXE MODEL LS-33 SOLID STATE STEREO HI-FI PORTABLE PHONO

- Luxurious Styling—Emphasizes The Beauty of Your Phono
- Solid State Circuitry—10-Watt Stereo Amplifier
- GARRARD 4-Speed Automatic Intermix Changer
- 4 Speakers—Two 8" Woofers, Two 3½" Tweeters Offer Exquisite Tone
- 4 Controls—Loudness, Balance, Bass, Treble
- Detachable Speaker Enclosures • Diamond LP Needle

Our finest performing and best selling stereo phonograph. Luxuriously styled. Engineered with a fully solid-state circuit that offers "instant-on" and dazzling sound reproduction. Stereo amplifier gives 10 watts of power and has 4 controls—Loudness, Balance, Bass, Treble. Each detachable wing contains one 8" heavy-duty woofer and one 3½" tweeter plus a built-in 7' extension cord for wall-to-wall full-dimensional sound. Garrard 4-speed automatic intermix changer will handle all sizes and all speeds of both stereo and mono records. Intermixes different size records of the same speed. Automatic shut off. Wide range Vaco CN72D turnover stereo cartridge is equipped with a diamond stylus for LP and stereo records, and a synthetic sapphire stylus for standard 78 RPM records. Housed in beautiful all-wood case with simulated walnut and black scuff-resistant Pyroxylin coated material. Speaker grill is brown and gold. For 110V 60c AC. Size: 21¼"L (with speaker wings open extends to 42") x 12½"D x 14¾"H. UL Listed. Shpg. wt., 40 lbs.

24 K 0227WX \$5 monthly	Net 99.95
45 RPM Spindle for above	
24 K 0217	Net 3.80
24 K 0254 Replacement Dual needle for LS-33	Net 1.69

Phonographs Are Available on Easy Pay Plan—No Money Down

Our Best Manual Phono

19⁹⁵

UL Listed
Made in U.S.A.



DELUXE L-10B 4-SPEED SOLID STATE MANUAL PHONO

- Speaker Front-Mounted for Full-Tone Sound Dispersion
- Instantaneous ON
- Built-in 45 RPM Adapter Disc

Plays monaural records of all speeds...33½, 45, 16⅔ and 78 RPM...all sizes 12", 7", 10". PM type speaker is set in front grille for full-tone sound dispersion. 2 controls—on/off Vol., tone. Manual turntable has foam rubber mat. Tone arm is equipped with Vaco dual turnover cartridge with 2 synthetic sapphire needles. Attractive two tone, blue and white washable Pyroxylin coated fabric. Dim.: 12¼"L x 10"D x 5" high. 110-120V. 60 cps. AC. UL Listed. 24 K 0248W Shpg. wt., 9 lbs. Net 19.95



DECORATOR STYLED LS-18 AUTOMATIC PORTABLE PHONO

37⁹⁵

Made in U.S.A.
UL Listed.

- BSR 4-Speed Mini Automatic Intermix Changer With Automatic Shut-Off
- Plays 16⅔, 33½, 45, 78 RPM Records
- Powerful Solid State Amplifier

Deluxe, automatic, portable monaural phonograph with all new modern styling. Features exquisitely designed drop down hide-away changer tray. New BSR 4-speed automatic "MINI" record changer plays all speeds: 16⅔, 33½, 45, and 78 RPM records—all sizes 7", 10", 12". Intermixes 12" and 10" records of the same speed in any sequence. Precision engineered solid state amplifier. Separate tone and volume controls, on-off reject switch. Acoustically balanced 4" wide range speaker for clear tone with rich resonance. Dynamically balanced tone arm comes equipped with turnover cartridge with dual synthetic sapphire stylus. For 110-120V, 60 cycle AC. Size: 15¼"W x 16"H x 7¾"D. UL Listed. Wt. 15 lbs.

24 K 0249WX \$5 Monthly	Net 37.95
24 K 0256 45 RPM Spindle for LS-18	Net 1.49
24 K 0238 Replacement Needle for LS-18	Net 1.75

Lafayette Cat. No. 681 17

LSC-40 Solid State Stereo Modular Hi Fi Phono System



- 4 Speed Automatic Lafayette Stereo Record Changer with Diamond LP Needle
- 2 Rich Sounding 2 Way Speaker Systems
- Stereo Headphone Jack For Private Listening
- Stereo Tape Outputs—Stereo Tuner Input

A true solid state 3 piece stereo hi-fi phono outfit with speaker systems that can be widely spaced for the utmost stereo effect. Features magnificent sound and striking appearance. Has tape outputs so that any program or record being reproduced through the amplifier can be recorded thru the Aux/Radio inputs on a stereo tape recorder. Also includes main and remote speaker outputs, stereo headphone jack, and tuner inputs for use with monophonic FM or AM tuners, and FM stereo tuners. Powerful solid state stereo amplifier has 4 controls (balance, volume, bass, treble) as well as 4 Selector switches (on/off, Stereo/Mono/Tuner, remote/main speakers). Lafayette 4 speed automatic stereo changer plays 7", 10", and 12" records, and is elegantly designed with gold plated overarm, plus a gold inlay on the tone arm. Features: dial your own intermix, automatic shut off, stereo turnover cartridge with diamond LP needle. 2 rich sounding shelf size Lafayette Minuette/II speaker systems. Each contains 5 x 7" woofer, a 2½" tweeter, brilliance level control and has a full frequency range of 80 to 19,500 cps. Speaker Dim.: 6"W x 15⅞"H x 9⅞"D. Amplifier/Changer Dim.: 19⅞"W x 14½"D x 3¾"H. (7½" overall height to top of spindle). Superbly crafted oiled walnut wood cabinetry. For 117V 60 cps AC. Shpg. wt., 48 lbs.

24 K 0251WX \$5 Monthly Net 99.95
 Plastic Dust Cover for Lafayette LSC-40.
 24 K 2301WX Shpg. wt., 2 lbs. Net 7.95
 21 K 0202 45 RPM Spindle Net .99



ONLY
99⁹⁵
 NO MONEY DOWN
 Featuring Superbly Crafted Oiled Walnut Wood Cabinetry
 Made in U.S.A.



DELUXE LAFAYETTE LS-44 SOLID STATE PORTABLE AM / FM / FM STEREO HI-FI MUSIC CENTER

- 149⁹⁵** U.L. Listed NO MONEY DOWN
- 4-Speed Garrard Automatic Intermix Stereo Changer
 - 12-Watt Stereo Amplifier
 - Solid State AM/FM/FM Stereo Tuner
 - Four Speakers—Two 6" Woofers, Two 3½" Tweeters
 - Stereo Tape Output—Input
 - Automatic Shut-Off

Handsomely designed, deluxe solid-state, stereo hi-fi Music Center featuring an all-transistor, dual 12-watt, stereo amplifier with instant-on performance. AM/FM/FM stereo tuner and a Garrard 4-speed intermix record changer. Plays 16, 33⅓, 45, and 78 RPM records. Intermixes all size records of the same speed. Tunes in FM stereo broadcasts—for thrilling full-dimensional realism as well as static-free FM broadcasts and standard AM broadcasts. Features AFC (Automatic Frequency Control) to prevent drift on FM. Each detachable speaker wing contains one 6" woofer and one 3½"

tweeter for rich, clean sound reproduction. Space-age styled case with hideaway changer is finished in black with a simulated walnut trim. Includes stereo turnover cartridge with diamond LP stylus. Size 23¾W x 15H x 13"D. For 110-120V 60 cycles AC. UL listed. Shpg. wt., 37 lbs.
 24 K 0228WX \$8.00 Monthly Net 149.95
 24 K 0217 45 RPM Spindle for above phonograph Net 3.80
 24 K 0255 Replacement Needle for LS-44 Net 1.69

18 Lafayette Cat. No. 681

Phonographs Are Available on Easy Pay Plan—No Money Down



LAFAYETTE

Stereo Receiver



Model LR-99

35 TRANSISTORS 17 DIODES

30 Watt Solid State AM/FM Stereo Receiver

Famous Lafayette quality at an astonishing low price. Just place the LR-99 in a convenient place in your home, add two speakers and enjoy top-notch AM, FM and Stereo FM Broadcasts as well as outstanding record and tape reproduction. The versatile control panel allows you to optimize sound quality to your taste. The tuner section features the dependable "Stereo Search" circuit to audibly signal the presence of FM stereo broadcasts; five FM IF stages; excellent selectivity, stereo separation and rejection of signal interference. A total of 52 high quality semiconductors assure cool running, instant play operation, with protective circuit against accidental shorts or overloads. Additional features: smooth tuning with fly-wheel weight knob and signal strength tuning meter; illuminated slide rule dial; front panel stereo headphone jack permits private listening of your favorite stereo broadcasts or records; 2-position action rocker switch to allow choice of output from either main or remote speakers. Controls include: Individual Bass and Treble and concentric Volume/Balance. Sturdy rocker switches for Stereo Filter; AC Power; Loudness, Mode (stereo/mono) and Stereo Search. Beautifully styled gold finish extruded aluminum panel with attractive two-tone knobs and simulated walnut grain metal case. 13 1/2" W x 4 7/8" H x 10" D. For 117v, 50/60 Cps AC. Imported. Shpg. wt., 20 lbs. 99 K 9191WX \$6.50 Monthly Net 119.95

- ★ 30 Watt Stereo Amplifier At 8 Ohms
- ★ Tone Type Stereo Search Indicates Stereo Broadcast
- ★ 5 IF and Limiting Stages
- ★ Fused Output Transistors

Only **119⁹⁵** with walnut case
No Money Down

- Illuminated Signal Strength Type Tuning Meter Fine Tunes AM & FM Stations
- Switchable Loudness Control
- 5 Position Selector Switch
- Remote Speaker Switch for Main or Extension Speakers
- Positive Action Rocker Switches
- 2 Auxiliary AC Outlets (1 Switched)

TUNER SECTION

FM: 3 Gang Tuning Condenser. IHF Sensitivity: 3µv. Image Rejection: 55db. IF Rejection: 80db. Capture Ratio: 3.5db. S/N —55db. Stereo Separation: 32db at 400 cycles. Antenna: 300 ohms balanced 75 ohms unbalanced, built-in FM antenna.

AM: 3 Gang Tuning Condenser. Image Rejection: 50db. Antenna: Built-in Ferrite bar.

SPECIFICATIONS

Power Output: 30 watts total music power at 8 ohms. Frequency Response at 1 watt: 20 to 20,000 cycles ±2db. Harmonic Distortion (at 1 watt): 0.5%. Hum/Noise: —50db on Magnetic Phono. Input Sensitivity: Magnetic phono, 3 mv. Ceramic phono, 80 mv; Auxiliary, 250mv. Output Impedance: 4, 8 & 16 ohms; low impedance stereo headphone jack.

AMPLIFIER SECTION



LR-99

*Choice of Stereo Cartridge

Pickering V-15/AC-3

Empire 888

Shure M44-7



Garrard 40MKII



Criterion 50

LAFAYETTE Model LR-99 30 Watt Solid State AM/FM Stereo Receiver **119.95**
 Garrard Model 40 MKII 4 Speed Automatic Record Changer **44.50**
 *Pickering V-15/AC-3 Diamond Needle Stereo Cartridge With Stylus Brush **24.95**
 Garrard Base for Automatic Changer (Walnut and Ebony Color with Silver Trim) **4.95**
 Garrard Molded Plastic Dust Cover for Changer **4.95**
 2-LAFAYETTE "Criterion 50" Wide Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) **59.90**
Total 259.20

Complete 30-watt AM/FM stereo system above with * choice of Pickering V-15/AC-3, Empire 888 or Shure M44-7 stereo cartridge with diamond stylus; 50 ft. clear polarized speaker cable. Shpg. wt., 88 lbs.
21 K 9406WXM \$11 Monthly Net 219.95

30 WATT MATCHED STEREO SYSTEM WITH LR-99 AM/FM STEREO RECEIVER

SYSTEM PRICE Only **219⁹⁵** No Money Down

SAVE 39.25

From Individual Catalog Prices

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

Lafayette Cat. No. 681 19

LAFAYETTE

Stereo Receiver



Model
LR-500T

4  **+ 2 FET's + 29 Transistors + 17 Diodes**

60 Watt Solid State AM/FM Stereo Receiver

ONLY **179⁹⁵**

No Money Down

- ★ With New Revolutionary IC's
- ★ 60 Watts Of Flawless Stereo Output Power
- ★ Fused Output Transistors
- ★ Exclusive Front and Rear Panel Tape Output Jacks

SPECIFICATIONS

Tuner—4 Gang Tuning Condenser. FM Sensitivity (IHF): 1.8µv. Stereo Separation: 35db @ 400 cps. S/N Ratio: 67db. Capture Ratio: 1.5db. Cross Modulation Index: 90db. Antenna Impedance: 300 ohms balanced. 3 Gang Tuning Condenser for AM. Amplifier—60 watts @ 4 ohms; 50 watts at 8 ohms. Freq. response: 22-20,000 cps ±1db. HD @ rated output: less than 1%. Power Bandwidth: 25-35,000 cps. Inputs: phono high; phono low; Tape Head; Auxiliary. Output Impedance: 4-16 ohms.

- Automatic FM Stereo Switching and Stereo Indicator Light
- Illuminated Tuning Meter for Accurate FM/AM Tuning
- Speaker Mode Switch Activates Main and/or Remote Speakers
- Front Panel Stereo Phone Jack

Employing space-age technology in its design, the LR-500T incorporates 4 revolutionary Integrated Circuits and 2 high-performance Field Effect Transistors in the FM section to provide dramatic improvements in FM stereo reception. And, because of the amazing reliability of these new devices, you are assured of this superior performance for many years to come.

AM broadcast reception is improved to let you hear your favorite AM stations with maximum possible fidelity. And all program sources are superbly reproduced through the audio section, 4 rugged silicon output transistors delivering 60 watts of stereo music power with full fidelity assure you of stunning realism. And there's every needed control for complete flexibility of operation, plus a full range of stereo inputs to accommodate virtually any external program source. You get outputs for stereo tape recording (both front and rear of unit for convenience), provision for 4, 8 or 16 ohm main and remote speakers, plus a stereo headphone receptacle. There's a distinctively styled brushed gold extruded aluminum front panel with matching knobs and, at no extra cost, you get a vinyl-clad heavy gauge metal enclosure with the stimulated look of rich walnut woodgrain. Size: 15W x 12D x 5"H. For 117V 50/60 cps AC. Imported. Shpg. wt. 20 lbs. 99 K 0182WX \$9 Monthly Net 179.95




LR-500T

*Choice of
Elliptical Cartridge
Pickering
V15/ACE-3
Shure M32E
Empire 808E



Garrard 40MKII



Criterion 50

60 WATT MATCHED STEREO SYSTEMS WITH LR-500T

SYSTEM
PRICE

269⁹⁵ No Money Down

SAVE 54.25

From Individual Catalog Prices

LAFAYETTE Model LR-500T 60 Watt Solid State AM/FM Stereo Receiver	179.95
Garrard Model 40MKII 4-Speed Automatic Record Changer	44.50
*Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus	29.95
Garrard Base for Automatic Record Changer (Walnut and Ebony Color with Silver Trim)	4.95
Garrard Molded Plastic Dust Cover for Changer	4.95
2-Famous Lafayette "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut)	59.90
Total	324.20

Complete stereo system above with *choice of Pickering V-15/ACE-3, Empire 808E, or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Includes 50' clear, polarized speaker cable. Shpg. wt. 88 lbs.

21 K 9409WXM \$13.50 Monthly Net 269.95

Same system as above except with 2-Lafayette "Criterion 150" completely sealed and damped acoustic suspension speaker systems instead of "Criterion 50". Shpg. wt. 66 lbs.

21 K 9411WXM \$17 Monthly Net 305.95

YOU SAVE \$58.25 from individual catalog prices!



LAFAYETTE
Stereo Receiver

Model
LR-1000T

4  **INTEGRATED CIRCUIT** + 2 FET's + 31 Transistors + 17 Diodes
Deluxe 120 Watt Solid State AM/FM Stereo Receiver

with new revolutionary "IC's" and FIELD-EFFECT Transistors.

- Center Channel Output
- High/Low Phono Sensitivity Switch
- Each Channel Separately Fused plus Main Power Fuse
- Exclusive Front and Rear Panel Tape Output Jacks

Exceptional component quality incorporating the new space age miracle "IC's", plus FET's in the tuner front end section assure you of outstanding selectivity, improved capture ratio, and unconditional stability. Every performance feature that you'd expect to find, along with many extras has been included to obtain the superb character of sound which suits your personal listening taste: Separate Bass, Treble, and Volume controls plus a Balance control; Tape Monitor, Loudness Compensator, Mode and Selector switches; precision vernier Tuning control; Signal Strength Tuning meter, and automatic FM stereo indicator light. Complete input and output facilities have been designed for easy installation and connection to any quality program source or external components. Complete with a professionally brushed gold extruded aluminum front panel and simulated walnut grained metal case. For 105-120V., 60 cps AC. Size: 15 7/8" x 4 3/4" x 11 1/2" D. Imported.


99 K 0183WX Shpg. wt., 22 lbs. \$11 Monthly Net 219.95

Only **219⁹⁵** WITH CASE
No Money Down


- ★ 120 Watts of Sterling Stereo Output Power
- ★ Automatic FM Stereo Switching
- ★ Interstation Muting Control
- ★ Built-in FM Antenna plus Loopstick AM Antenna

SPECIFICATIONS

Tuner—4 Gang Tuning Condenser. FM Sensitivity (IHf): 1.65µV. Stereo Separation: 38db @ 400 cps. S/N Ratio: 68db. HD @ 100% Modulation: 0.4%. Capture Ratio: 1.5db. Cross Modulation Index: 90 db. Antenna Impedance: 300 ohms balanced. 3 Gang Tuning Condenser for AM. Amplifier—120 watts @ 4 ohms; 95 watts at 8 ohms. Freq. Response: 22-20,000 cps ±1db. HO @ rated output: less than 1%. IM Distortion @ rated output: 0.4% Power Bandwidth: 22-40,000 cps. Inputs: Phono high; phono low; Tape Head; Auxiliary. Output Impedance: 4.16 ohms.



Criterion 50



Garrard SL55



LR-1000T

*Choice of
Elliptical Cartridge
Picking
V15/ACE-3
Shure M32E
Empire 808E

- LAFAYETTE Model LR-1000T 120 Watt Solid State AM/FM Stereo Receiver 219.95
 - Garrard SL55 4-Speed Synchro-Lab® Automatic Turntable 59.50
 - *Picking V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus 29.95
 - Garrard Base for Automatic Turntable (Walnut and Ebony Color with Silver Trim) 4.95
 - Garrard Molded Plastic Dust Cover for Turntable 4.95
 - 2-Famous Lafayette "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90
- Total 379.20

Complete stereo system with * choice of Picking V-15/ACE 3, Empire 808E or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Complete with 50" clear polarized speaker cable. Wt., 95 lbs.
21 K 9415WXM \$17 Monthly Net 319.95

Same system as above except with 2-Lafayette "Criterion 150" completely sealed and damped 2-way acoustic suspension speaker systems instead of 2-"Criterion 50" speaker systems. Shpg. wt., 71 lbs.
21 K 9416WXM \$19 Monthly Net 355.95
YOU SAVE 63.25 from individual catalog prices!

120 WATT MATCHED STEREO SYSTEMS WITH LR-1000T

SYSTEM ONLY
PRICE **319⁹⁵** NO MONEY DOWN

SAVE 59.25

From Individual Catalog Prices



With Revolutionary New
...and Field Effect Transistors



4 IC's + 2 FET'S + 41 TRANSISTORS + 40 DIODES

**LR-1500T
150-WATT DELUXE
SOLID STATE AM-FM
STEREO RECEIVER**

ONLY **279⁹⁵** With Walnut Grain Case

NO MONEY DOWN

★ Pat. Pend. Protective Circuitry for Audio Stages

- IHF FM Sensitivity 1.5 μ v
- Massive, Regulated Power Transformer Insures Proper Tuner/Amplifier Operation
- Built-in AM and FM Antennas
- Exclusive Front and Rear Panel Tape Output Jacks
- Automatic Stereo FM Switching
- Adjustable Automatic Interstation Muting

Lafayette's finest deluxe solid state AM/FM stereo receiver! In addition to its complement of fine quality transistors the LR-1500T includes 4 revolutionary new Integrated Circuits (IC's) and 2 high-performance Field Effect Transistors to provide truly sterling FM stereo reception. You'll hear more stations—the weak as well as the strong, with amazing, noise-free clarity! Utilizes a complete set of automatic and manual controls such as: Automatic FM stereo/mono switching; sharp, adjustable Muting circuit to silence the receiver when tuning between stations; dual system speaker switch permits enjoyment of stereo in one or two rooms separately or simultaneously; direct tape monitor switch and a center channel low level output for monaural amplifier and speaker. AM rf section has a separate 3-gang tuning condenser and rf stage. Incorporates built-in FM and AM antennas plus connections for external local and distant FM and AM antennas. Features a handsome gold anodized extruded aluminum front panel with matching knobs and includes an attractive vinyl-clad metal enclosure finished with the simulated look of rich walnut wood-grain. For 117V., 50/60 cycles AC. Imported. Size: 16 $\frac{3}{4}$ x4 $\frac{9}{16}$ x14 $\frac{1}{4}$ "D. Shpg. Wt., 32 lbs. 99 K 0190WX \$13.50 Monthly. Net 279.95

SPECIFICATIONS

FM SECTION: 4 Gang Tuning condenser, Sensitivity: 1.5 μ v IHF. Capture Ratio: 1.25 db. Selectivity: 40 db. Total Har. Dist. @ 400 cps: 0.3%. Stereo Separation: 40 db @ 400 cps. Antenna Impedance: 300 ohms balanced. **AMPLIFIER SECTION:** Power: 150 Watts (IHF) @ 4 ohms, 120 watts @ 8 ohms. Total Harmonic Distortion @ rated output: under 1%. Frequency Response: 20-20,000 cps \pm .75 db. Output Impedances: 4, 8, and 16 ohms.




LR-1500T

150 WATT DELUXE STEREO SYSTEM With LR-1500T

ONLY **495⁹⁵**
No Money Down
SAVE 83.25

From Individual Catalog Prices!



"Criterion 3X"

- Lafayette LR-1500T 150 Watt Solid State Stereo Receiver 279.95
- Garrard Model SL65 4-Speed Synchro-Lab® Automatic Turntable with Dynamically Balanced Tone Arm 79.50
- *Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus 29.95
- Garrard Base for Turntable (Walnut and Ebony Color with Silver Trim) 4.95
- Garrard Molded Plastic Dust Cover for Turntable 4.95
- 2-Famous Lafayette "Criterion 3X" Deluxe 3-Way Sealed and Damped Acoustic Suspension Speaker Systems (Oiled Walnut) 179.90
- TOTAL 579.20**



Garrard Model SL65

Complete system with *choice of Pickering V-15/ACE-3, Empire 808E or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Includes 50 ft. clear polarized speaker cable. Shpg. wt., 115 lbs. 21 K 9402WXM \$24 Monthly Net 495.05

30 WATT MATCHED STEREO PHONO SYSTEMS with LA-224T SOLID STATE STEREO AMPLIFIER



SAVE 33⁸⁵

From Individual
Catalog Prices

SYSTEM PRICE

Only **149⁹⁵**

No Money Down



- Lafayette Model LA-224T 30-Watt Solid State Stereo Amplifier..... 59.95
- Garrard Model 40 MK II 4-Speed Automatic Record Changer..... 44.50
- Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush..... 24.95
- Garrard Base for Record Changer (Walnut and Ebony Color with Silver Trim)..... 4.95
- Garrard Molded Plastic Dust Cover for Changer..... 4.95
- 2 Lafayette "Criterion 20A" 2-Way Ducted Port Shelf Speaker Systems (oiled walnut) 44.50

TOTAL 183.80

Complete 30 watt stereo system above with * choice of Pickering V-15/AC-3, Shure M44-7 or Empire 888 diamond needle stereo cartridge. The Lafayette LA-224T 30 watt stereo amplifier offers 30 watts of strikingly pure sound reproduction, and sufficient power to drive virtually any speaker system. Garrard 40MKII 4-speed automatic turntable features oversized turntable; cast aluminum, counter balanced tonearm; intermix automatic operation; 4-pole shaded "Induction Surge" motor. Lafayette "Criterion 20A", ultra-compact 2-way, 2-speaker system. Provides quality sound reproduction through the use of a powerful 5" woofer equipped with a large magnet structure and voice coil, plus a back loaded mid-range/high frequency speaker. Includes an L/C crossover network. Enclosure is beautifully finished in oiled walnut. Complete with 50 ft. clear polarized speaker cable. Shpg. wt., 42 lbs.

21 K 9403WXM \$8 Monthly Net 149.85

Same system as above except with 2 Lafayette "Criterion 50" 2-speaker 2-way ducted port bookshelf and/or floor speaker systems (oiled walnut) instead of "Criterion 20A's". Shpg. wt., 82 lbs.

21 K 9404WXM \$9 Monthly Net 163.95


You Save 25.25 from individual catalog prices!

- Choice of Stereo Cartridge

 Pickering V-15/AC-3

 Empire 888

 Shure M44-7



"Criterion 20A"

ALTERNATE SPEAKER SYSTEM

"Criterion 50"

30 WATT SOLID STATE STEREO AMPLIFIER MODEL LA-224T

All Solid State...

Cool, Instantaneous Operation
19-Transistors, 8-Diodes

ONLY 59⁹⁵
NO MONEY
DOWN

- IHF Music Power 30-Watts Total at 8 Ohms
- Frequency Response 30-20,000 cps at 1-Watt ± 2 db
- Complete With Attractive Complementary Case
- Stereo Headphone Jack on Front Panel
- Tape Recorder Output Jacks

SPECIFICATIONS

Power Output: 30-watts IHF; 15-watts per channel. Frequency Response: 30-20,000 ± 2 db at 1-watt. Harmonic Distortion: 1% or less. Hum and Noise: Mag phono -50db; Tuner/Auxiliary -65db. Sensitivity: (Mag input) 3mv at 1-watt; tuner/auxiliary 250mv. Crosstalk: 45db at 1,000 cps.

Offers strikingly pure sound reproduction, and ample power for most speaker systems. All the characteristics of a quality Hi Fi amplifier have been incorporated into the LA-224T. Attractive slim styling permits unrestricted placement of this unit in the home. 30-watts power supplied through the use of 19-transistors, 8-diode circuitry for instant, cool operation, low current drain, minimum distortion and noise, excellent frequency response. A full complement of front panel controls have been provided for maximum stereo capability. Dual Concentric Volume, Bass and Treble controls allow independent level control over each channel. Mode switch controls mono, or Stereo operation. Selector switch determines external music source: Phono; Tuner; or Auxiliary positions. An additional switch has been provided for speaker or headphone listening. Rear panel features an AC convenience outlet and tape recorder output jacks for recording through your tape recorder; complete with paired input jacks for Magnetic, Crystal or Ceramic cartridges. Speaker outputs for all 4, 8, and 16 ohm impedance speakers. Attractive, brushed aluminum, gold anodized, extruded front panel with complimentary metal case. Size: 10 $\frac{1}{2}$ "W x 3 $\frac{3}{4}$ "H x 7 $\frac{1}{4}$ "D. Shpg. wt., 9 lbs. For 110 to 125V 50/60 cycles AC. Imported.

99 K 0167WX \$5.00 monthly Net 59.95

Hi-Fi Systems Are Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 681 23



LAFAYETTE

Stereo High Fidelity

85 WATT SOLID STATE STEREO AMPLIFIER

20 Transistors and 4 Diodes for Rich Performance

Model LA-85T
ONLY

99⁹⁵

with
case

NO MONEY DOWN



- All Solid State
- 42.5 Watts Per Channel
- Cool & Instant Operation
- Tape Record Inputs
- Front and Rear Tape Output Jacks
- 9 Versatile Controls
- Brushed Aluminum, Gold Anodized Extruded Front Panel

- Simulated Walnut Wood Grain Case
- Direct Coupled Output Matches 4, 8 or 16-Ohm Speakers
- Fused Output Transistors
- 2 AC Convenience Outlets (1 Switched)
- Front Panel Stereo Headphone Jack
- Remote/Main Speaker Selector Switch
- Loudness Control and Switch

Quality solid state stereo pre-amplifier and dual channel 85 watt amplifier on one integrated chassis. Compact 13" x 3 3/4" x 9 1/4" size and minimum of heat make for easy installation anywhere. Instant play, no waiting for warm-up are characteristic of this quality transistorized amplifier. The fully transistorized circuitry incorporated in the LA-85T provides for a very low degree of hum, noise, and microphonics normally encountered with ordinary tube amplifiers. 4 stereo inputs accept stereo/monaural phono, tape head, tuner, and aux. Speaker outputs for 4, 8, or 16 ohm impedance, plus convenient front and rear outputs for direct stereo taping. Controls include: Bass and Treble tone controls, separate dual concentric volume control for each channel, Mode switch selects R/L input, Mono, Stereo, Reverse and Tape Monitor. Selector switch selects any of 4 different program sources. For 110 V AC 50/60 cycles. Shpg. wt., 14 lbs. 89 K 0187WX \$5 Monthly Net 99.95

SPECIFICATIONS

HF Music Power: 85 Watts at 4 ohms total, 42.5 watts per channel, 60 watts into 8 ohms; Frequency Response: 22 cycles—20,000 cps \pm 1 db., Harmonic Distortion: less than 1% at rated output, .2% at 1 watt at 1 Kc. Channel Separation: 65 db at 1Kc. Hum and Noise: tape head and phono —57db, aux and tuner —75db. Input Sensitivity: aux and tuner 270mV, tape head and phono less than 2.5mV. High Frequency Filter: —10db 10Kc. Tone Controls: 25db range at 50 cycles, 24db at 10Kc. Loudness Control: +11 db at 50 cycles +3.5db at 10Kc.

85 WATT MATCHED STEREO SYSTEMS WITH LA-85T


COMPLETE SYSTEM

214⁹⁵

No Money
Down

SAVE 29⁹⁵

From Individual Catalog Prices



LA-85T

- Lafayette Model LA-85T 85 Watt Solid State Stereo Amplifier 99.95
- Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
- *Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus 29.95
- Garrard Base for Automatic Changer (Walnut and Ebony Color with Silver Trim) 4.95
- Garrard Molded Plastic Dust Cover for Changer 4.95
- 2-Lafayette Famous "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90

Total 244.20


Complete 85-watt stereo phono system above with * choice of Pickering V-15/ACE-3, Empire 908E, or Shure M32E stereo cartridge with high compliance elliptical diamond needle. Complete with 50' clear polarized speaker cable. Shpg. wt., 88 lbs. 21 K 9418WXM \$11 Monthly Net 214.95

Same system as above except with 2-Lafayette "Criterion 100A" deluxe 2-speaker 2-way speaker systems with ducted port and beautiful walnut finish on 4 sides instead of 2-"Criterion 50". Shpg. wt., 92 lbs.


21 K 9419WXM \$12.50 Monthly Net 241.95
You save 32.25 from catalog individual prices!



Garrard
Model
40MKII



"Criterion 50"



"Criterion 100A"

125 WATT SOLID STATE STEREO AMPLIFIER

Enjoy The Richness Of Superb Stereophonic Sound!



Model LA-125T

Only
129⁹⁵
With Case

No Money Down

20 Transistors,
4 Diodes

- All Solid State
- 62.5 Watts Per Channel
- Protective Transistor Output Fuses
- Heavy Duty Transformer Operated Power Supply
- Direct Coupled Output Matches 4, 8, or 16 Ohm Speakers
- Simulated Walnut Wood Grain Case

- Remote/Main Speaker Mode Switch
- Remote Speaker Terminals
- Brushed Aluminum, Gold Anodized Extruded Front Panel
- Tape Output Jacks, Front and Rear
- Front Panel Stereo Headphone Jack
- Front Panel Microphone/Musical Jack

Deluxe Lafayette solid state 125 watt single chassis pre-amplifier and amplifier. Its incredible 13" x 3 7/8" x 9 1/4" size and cool transistorized circuitry make it ideal for any location in your home. Produces a full 125 watts of audio power from 20-20,000 cps \pm 2db with virtually no faltering at either end of the response range. The circuitry incorporated within the LA-125T will provide years of trouble free operation. Concentric Balance/Volume, Treble, and Bass Controls provide easy adjustment on both channels. Four "rocker" type switches for Low Filter, High Filter, Loudness Switch for tonal balance at low volume levels, Tape Monitor Switch for monitoring tape while recording and playing tape back through amplifier. Three quality multi-position rotary switches for Speaker Mode, Amplifier Mode, and Program Source Selector. Front panel also has provisions for

Stereo Headphones, Tape Output, and Microphone or Musical input. The rear panel provides you with 12 inputs (6 inputs per channel), and 2 outputs for tape recording direct through amplifier. The 12 stereo inputs include: Magnetic, Ceramic phono cartridge; Tape Head input for direct connection to tape deck that does not have a playback preamplifier; Tuner; Auxiliary; and Tape Input for connection of a tape deck that has its own preamplifier. Left and Right Speaker connections permit the use of 4, 8, or 16 ohm speakers. Special remote speaker terminals are provided for remote placement of speakers anywhere in your home. Protective fuses prevent damage to output transistors from accidental speaker terminal shorts. For 117 volts AC, 60 cps. Maximum power consumption 115 watts. Shpg. wt., 12 lbs. 99 K 0185WX \$7 Monthly... Net 129.95

SPECIFICATIONS
 IHF Music Power: 125 watts at 4 ohms, 62.5 watts per channel, 95 watts at 8 ohms. Frequency Response: 22-20,000 cycles \pm 1 db at 1 watt. Power Bandwidth: 25-35,000 cycles. Harmonic Distortion: at 1kc, less than 1% at rated power; .2% at 1 watt. Channel Separation: 65db at 1kc. Hum and Noise: Aux and tuner —75db, tape head, phono and microphone —56db. Input Sensitivity: aux and tuner, 270mV; tape head, 2.5mV; phono (cer), 80mV; phono (Mag), 2.2mV, L 7mV, Mic/Guitar 6mV. Low Frequency Filter: —17db at 20 cycles. High Frequency Filter: —10db at 10Kc. Loudness Switch: +11db at 50 cycles; +3.5db at 10Kc. Tone Controls: 25db at 50 cps, 23db at 10Kc.

125 WATT MATCHED STEREO SYSTEMS WITH LA-125T

SAVE 32²⁵
From Individual Catalog Prices

COMPLETE SYSTEM


241⁹⁵
No Money Down



LA-125T

- Lafayette Model LA-125T 125 Watt Solid State Stereo Amplifier 129.95
- Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
- *Picking V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus 29.95
- Garrard Base for Automatic Changer (Walnut and Ebony Color with Silver Trim) 4.95
- Garrard Molded Plastic Dust Cover for Changer 4.95
- 2-Lafayette Famous "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90

Total 274.20




* Choice of Elliptical Cartridge




Garrard Model MK-011

ALTERNATE SPEAKER SYSTEM



"Criterion 200A"



"Criterion 50"

Above 125 watt stereo phono system with * choice of Picking V-15/ACE-3, Empire 808E, or Shure M32E stereo cartridge with high compliance elliptical diamond needle. Complete with 50' clear polarized speaker cable. Shpg. wt., 88 lbs. 21 K 9424WXM \$12.50 Monthly Net 241.95
 Same system as 21 K 9424WXM except with 2-Lafayette "Criterion 200A" 3-speaker 3-way ducted port speaker systems (oiled walnut finish) with brilliance and presence controls, instead of "Criterion 50" speaker systems. Wt., 102 lbs. 21 K 9425WXM \$17 Monthly Net 313.95
 You save \$40.25 from catalog individual prices!


Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

Lafayette Cat. No. 681 25



SAVE \$20.00

was **99.95**
674 catalog



SALE!

NOW ONLY
79⁹⁵
with case

No Money Down

LA-60T

• 60 Watts at 8 Ohms

60 WATT SOLID STATE STEREO AMPLIFIER

Quality solid state stereo pre-amplifier and dual channel 60-watt amplifier on one integrated chassis. Compact size and minimal heat permits easy installation. Controls are designed for maximum flexibility. Selector switch permits selection of tape head, phono, tuner or auxiliary inputs; mode switch permits selection of Right or Left channel only. Stereo or Mono operation or reversing of channel outputs; heavy duty rocker switches for Power Off/On, Loudness compensator, Monitor (tape) and Speakers Off/On for headphone listening; concentric Balance Volume, Bass and Treble controls for precise aural balance. Rear panel features: Inputs for Magnetic or Ceramic

cartridge, tape head for direct connection to a tape deck, and tuner; outputs for tape playback and Left-Right channel speaker connections for 4, 8 and 16 ohm speakers. Electronic short circuit protection against accidental shorting at speaker terminals. IHF Music Power. 60 watts at 8 ohms; 30 watts per channel; Frequency response: 30-40,000 cps at 1 watt ± 2 db; Harmonic Distortion: .3% at 1 watt at 1KC. Complete with walnut grained metal case and gold anodized extruded aluminum front panel. Size 13Wx3 $\frac{3}{4}$ Hx9 $\frac{3}{4}$ D. Shpg. wt., 15 lbs. Imported. For 110 to 125V, 50/60 cycles A.C. 99 K 0165WX \$5.00 monthly **Net 79.95**

BUY THIS 60 WATT STEREO SYSTEM AND

- LAFAYETTE LA-60T 60 Watt Stereo Amplifier **79.95**
- Garrard 40 MK11 4-speed Automatic Record Changer **44.50**
- *Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush **24.95**
- Garrard Matching Base for Record Changer **4.95**
- Garrard Molded Plastic Dust Cover for Changer **4.95**
- 2 Lafayette "Criterion 50" 2-Way Wide Range Ducted Port Bookshelf and/or Floor Speaker Systems (Oiled Walnut) **59.90**

TOTAL 219.20

Above Stereo System with *choice of Pickering V-15/AC-3, Empire 888 or Shure M44-7 diamond needle stereo cartridge, complete with speaker cables. Shpg. wt., 38 lbs. 21 K 9437WXM \$9.00 Monthly **Net 179.95**

SAVE 39.25 MORE

From Individual Catalog Prices



2-"Criterion 50"

SYSTEM PRICE 179⁹⁵

Garrard 40 MK11

and Field Effect Transistors

4 IC'S + 2 FET'S + 10 TRANSISTORS + 12 DIODES

For Superb Performance

ONLY 99⁹⁵
No Money Down

LT-425T

DELUXE SOLID STATE AM/FM STEREO TUNER



Tune more stations than you ever thought possible before! Unprecedented clear reproduction of weak as well as strong stations with least outside noise interference! 2 FET's used in the separately shielded front end section provide a high degree of overload capability, minimum cross-modulation, and stronger image rejection. 4 IC's are used in the IF amplifier section for hard limiting, excellent temperature stability, and increased reliability. Each of these Lafayette type IC's contains 5 transistors, and 2 resistors. Front panel controls include: Tape output jack; AM/FM selector switch; meter function selector switch; Muting control; Filter In/Out; Mono/Stereo Mode switch; Power Off/On; and Tuning control. The LT-425T, with its handsome brushed aluminum gold anodized extruded front panel, and simulated walnut wood grain case makes it ideal for any decor. Size: 13x3 $\frac{7}{8}$ x9 $\frac{1}{2}$ ". For 110V., 60 cycles AC. 99 K 0184WX Imported. Shpg. wt., 11 lbs. \$5 Monthly **Net 99.95**

SPECIFICATIONS. FM SECTION: 4 Gang Tuning Condenser. **FM Sensitivity, IHF:** 1.6 μ V. Signal-to-Noise Ratio: 68db (400 cycles 100% mod., 1 mv input); Harmonic Distortion @ 100% Modulation, 0.4%. **Image Response:** 85db. **Selectivity:** 40db; **Capture Ratio:** 1.5db; **MPX Channel Separation:** 38db at 400 cycles. **Cross Modulation Index:** 90db. **External Antenna Impedance:** 300 ohms (balanced). **AM SECTION:** 3 Gang Tuning Condenser. **IHF External AM Antenna Sensitivity, 15 μ V.**

- All Solid State
- Front Panel Tuning / Zero Center Meter For Accurate Tuning of Stations
- Fully Automatic Stereo Indication
- Muting Control For Elimination of Noise Between Stations While Tuning
- Noise Filter Minimizes Static Interference
- Built-In AM/FM Antennas
- Front and Rear Panel Tape Output Jacks

LAFAYETTE "STEREO 20" 20-Watt Solid-State Stereo Amplifier



Deluxe Styling... High Quality Sound!

Made In U.S.A.

39⁹⁵



**SPECIAL HI-FI
SYSTEM
QUOTATION**

**Select Your
Own System
and
SAVE**

**MAIL THE
CARD
TODAY**

**No Charge
No Obligation**

Name _____ please print

Address _____

City _____ State _____ Zip _____

Select Your Own Hi-Fi System and Get Lafayette's Special Low Price

A component hi-fi music system must consist of, at least, all of the following:

Receiver or Amplifier plus Music Source (changer, turntable, tuner or tape deck) and Hi-Fi Speakers.

HOW MANY	COMPONENT	MFR'S NAME AND MODEL
	RECEIVER or AMPLIFIER	
	Case for Above	<input type="checkbox"/> Walnut <input type="checkbox"/> Metal <input type="checkbox"/> No Case
	TUNER	
	Case for Above	<input type="checkbox"/> Walnut <input type="checkbox"/> Metal <input type="checkbox"/> No Case
	CHANGER or TURNTABLE	
	Cartridge	
	Base for Above	<input type="checkbox"/> No Base
	Dust Cover for Above	<input type="checkbox"/> Yes <input type="checkbox"/> No
	45-rpm Spindle for Above	<input type="checkbox"/> Yes <input type="checkbox"/> No
	SPEAKER	
	Wood finish, if in enclosures _____	
	OTHER ITEMS _____	

681

EO 20

tte II


odel AC-55

681 27



Popular Hi-Fi Stereo Phono Music System

Complete Stereo Phono System
Only **72⁹⁵** No Money Down



featuring

Lafayette Stereo/10 Solid State Stereo Amplifier
Lafayette AC-44 4-Speed Automatic Stereo Record Changer with Oiled Walnut Base and Attractive Plastic Dust Cover
Two Lafayette Minuette II Speaker Systems

An ideal music system for the Hi-Fi beginner or as a second system in the den, bedroom, or office. You get the following fine components: A Lafayette Stereo/10 solid state amplifier designed to provide clean, smooth response. Features include separate volume controls for left/right channels and a tone control. The Lafayette Model AC-44 4-speed automatic record changer plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45 and 78 RPM records; automatic shut-off, intermix of 7, 10, and 12" records, and automatic locking tone arm with stereo turnover cartridge and stylus brush. Deluxe oiled walnut base and attractive plastic dust cover. Two rich sounding Lafayette Minuette II 2-way speaker systems each containing a 5x7" woofer and 2 $\frac{1}{2}$ " tweeter mounted in a beautiful compact genuine oiled walnut wood base-reflex bookshelf enclosure. Size 6"Wx15 $\frac{1}{8}$ "Hx9 $\frac{1}{4}$ "D. With speaker connecting cable. Shpg. wt., 33 lbs.
21 K 9436WXM \$5 Monthly Net 72.95

LAFAYETTE STEREO/10 SOLID STATE AMPLIFIER

- Left/Right Channel Volume Controls
- Front Panel Phono/Tuner Switch For Selection of Phono or Tuner Input

COMPACT SIZE, BIG PERFORMANCE! Ideal amplifier for Hi-Fi beginners, or use it in a second system for the living room, den, bedroom or business. Perfect for limited-space installation; bookshelf or end table. For use with record players, AM, FM and FM MPX tuners. Completely transistorized to provide clean, cool operation. Output stages couple directly to the speakers for smooth frequency response and low distortion. Input stages are designed to present a high impedance, resulting in an excellent low frequency response when used with high impedance crystal or ceramic phono cartridges. Front

- Variable Tone Control (Bass/Treble)
- Selector Switch for Monaural or Stereo Operation


panel features: Separate volume controls for Left/Right channels; tone control for Bass and Treble; Individual slide switches for mode input (1-Stereo/Mono operation), (1-Phono/Tuner input); power On/Off slide switch. Rear panel features: Right/Left channel inputs for phono and tuner; Right/Left channel taps for 8-ohm speakers. Beautifully finished in neutral gray and aluminum. Size: 7 $\frac{1}{2}$ "W x 2 $\frac{1}{4}$ "H x 5 $\frac{5}{8}$ "D. For 105-125V 50/60 cycles AC. Imported. Shpg. wt., 4 lbs.
99 K 0161 Net 22.95

Deluxe **SCOTT** Stereo Hi-Fi Music Systems

65 WATT FM STEREO MUSIC SYSTEM FEATURING NEW SCOTT 342B RECEIVER

Complete System
324⁹⁵
No Money Down


YOU SAVE 68.45
From Individual Catalog Prices




Scott 342B FM Stereo Receiver

A superb selection of stereo components make up this outstanding system—and you get a big savings of 68.45 from individual catalog prices. Features the Scott 342B 65-watt FM stereo receiver (less enclosure); Garrard Model 40 MK-11 4-speed automatic turntable with deluxe Garrard base; choice of elliptical stereo cartridge; Pickering V15/ACE-3, Empire 808E, or Shure M32E; and 2 Lafayette Criterion 50 2-way speaker systems (see page 36 for complete description of the Criterion 50's). All connecting cables included. Shpg. wt., 86 lbs. 21 K 5439 WXM, \$17 monthly **324.95**

Scott Model 342B 65 watt FM stereo receiver (less case).
21 K 5421WX Shpg. wt., 25 lbs. \$12.50 monthly **Net 255.00**



2 Lafayette Criterion 50 Speaker Systems



Garrard 40 MK-II

Choice of Elliptical Cartridges

Pickering V15/ACE-3	Empire 808E	Shure M32E

90 WATT AM-FM STEREO MUSIC SYSTEM FEATURING NEW SCOTT 384 RECEIVER

Complete System
499⁹⁵
No Money Down


YOU SAVE 94.30
From Individual Catalog Prices



Scott 384 AM/FM Stereo Receiver

Spectacular performance and savings when you buy this superb performing Hi-Fi Music System. Features Scott's powerful Model 384 90 watt AM-FM stereo receiver (less enclosure), new deluxe Garrard Model SL65 4-speed synchro-Lab automatic turntable and deluxe base, choice of outstanding stereo elliptical cartridge: Pickering V15/ATE-3, Empire 888E, or Shure M-44E; and 2 Lafayette Criterion 150 Acoustic suspension speaker systems (see page 37 for complete description of the Criterion 150's). All connecting cables are included 21 K 5437WXM Shpg. wt., 106 lbs. \$24 monthly **Net 499.95**

Scott Model 384 90 watt AM-FM stereo receiver (less case).
21 K 5424WX Shpg. wt., 26 lbs. \$19 monthly **Net 369.95**



2 Lafayette Criterion 150 Speaker Systems



Garrard Model SL65

Choice of Elliptical Cartridges

Pickering V15/ATE-3	Empire 888E	Shure M44E


SPECIAL EICO PURCHASE

EICO Model ST-70K

70-WATT STEREO AMPLIFIER KIT

SAVE \$20.00 On This Widely Acclaimed Hi-Fi Kit

Eico's famous amplifier kit consists of 2 35-watt amplifiers and a complete stereophonic hi-fi control center on one chassis. Stereo inputs in switched sets including: 2 magnetic phono (one for turntable, one for changer); tape head, preamplified tape, FM-AM stereo tuner, FM-FM Multiplex and Auxiliary. Controls: Level with balance check switch and loudness/level switch; bass, treble, six-position mode selector, blend, tape speed, tape monitor, scratch, and rumble. Output: 4, 8, and 16 ohm speaker. Third channel output available. Specifications: IM distortion—2% at 70-watts. Harmonic Distortion—1/2% at 70-watts. Frequency response—± 1/2 db, 20-20,000 cps. For 110-120V 50/60 cycles AC. Shpg. wt., 35 lbs. 21 K 2508WX \$5 monthly **Net 79.95**



SALE 79⁹⁵ was **99⁹⁵**
No Money Down 1967 catalog 670



Fisher

OUTSTANDING STEREO MUSIC SYSTEMS featuring FISHER'S NEW SOLID STATE RECEIVERS with SPACE AGE MICROCIRCUITRY

75 WATT FM STEREO MUSIC SYSTEM featuring the NEW FISHER 200-T FM STEREO RECEIVER



NEW! FISHER 200-T

COMPLETE SYSTEM

314⁹⁵

No Money Down

YOU SAVE 63.91

From Individual Catalog Prices


Our lowest price for a dazzling Fisher hi-fi stereo music system. You save 63.91 from individual component catalog prices. This quality system consists of the new Fisher 200-T 75-watt FM stereo receiver with space age microcircuitry (less case), Garrard Model 40 4-speed automatic turntable with Garrard base, choice of elliptical cartridge: Pickering V15/ACE-3, Empire 808E, or Shure M32E, and 2-Lafayette "Criterion 20A" speaker systems. (See page 36 for complete specifications of the 20A speaker). All connecting cables are included. Shpg. wt., 70 lbs.
21 K 3324WXM \$17 Monthly Net 314.95

Model 200-T 70 watt solid state FM stereo receiver (less case), 21 K 3318WX \$12.50 Monthly Shpg. wt., 22 lbs. Net 254.96



Garrard Model 40

2-Lafayette "Criterion 20A" Speaker Systems



DELUXE 90 WATT AM/FM STEREO MUSIC SYSTEM featuring the NEW FISHER 550-T AM/FM STEREO RECEIVER

COMPLETE SYSTEM

489⁹⁵

No Money Down

YOU SAVE 75.79

From Individual Catalog Prices

Superb stereo reproduction plus big savings of 75.79 on this superb performing stereo hi-fi music system featuring the new Fisher 550-T 90-watt AM/FM stereo receiver (less case). Deluxe system also includes the new Garrard Model SL55 4-speed Synchro-Lab automatic turntable with synchronous motor, base, and choice of stereo elliptical cartridge: Pickering V15/ACE-3, Empire 808E, or Shure M32E, plus 2-Lafayette "Criterion 100A" 2-speaker, 2-way systems (see page 36 for complete description of the "Criterion 100A" speakers). Includes all connecting cable. Shpg. wt., 104 lbs.
21 K 3325WXM \$24 Monthly Net 489.95

Model 550-T 90 watt AM/FM stereo receiver (less case), Shpg. wt., 29 lbs.
21 K 3319WX \$19 Monthly Net 382.46



NEW FISHER 550-T



2-Lafayette "Criterion 100A" Speaker Systems



Garrard SL55




FAMOUS K-10 "SPACEXPANDER" ELECTRONIC REVERBERATION SYSTEM

71⁵⁵

No Money Down

add a new dramatic sound to your listening pleasure with one simple control.

Add concert hall realism to your listening area. Supplies the reverberation normally heard in an acoustically perfect concert hall. Samples sound output from amplifier, and reinjects the same sound after a short time delay thus adding the reverberation effect. May be used with any mono or stereo home music system using separate pre-amplifiers or tape monitoring facilities. Connects to any signal from 0.2 to 5.0 volts. Simple to operate and easy to install. Tubes: 2-12AX7, 1-7247 plus a selenium rectifier. Size: 9"x11"x6 7/8"H. Shpg. wt., 8 lbs.
21 K 3650 \$5 monthly Net 71.55



Made in Great Britain by a Famous Manufacturer Especially for LAFAYETTE



2 DELUXE 4-SPEED MODELS WITH HEAVY-DUTY 4-POLE BALANCED MOTOR



<p>MODEL AC-55</p> <p>SALE!</p> <p>27⁹⁵</p> <p>less base With Ronette 105 Stereo Cartridge and Diamond LP Needle Installed</p> 	<p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p> <p>*</p>	<p>MODEL AC-66</p> <p>37⁹⁵</p> <p>less base With Famous PICKERING PAC-1 Diamond Needle Magnetic Stereo Cartridge Installed</p> 
--	--	---

DELUXE 4-POLE 4-SPEED AUTOMATIC STEREO CHANGERS

- Plays 16 $\frac{3}{4}$, 33 $\frac{1}{3}$, 45, and 78 RPM Records
- Intermixes up to 10 Records of the Same Speed
- Heavy 11" Turntable Platter
- Automatic Locking Slim Low-Mass Tone Arm with Full Range of Stylus Pressures

- Built-In Record Stylus Brush
- Heavy-Duty 4-Pole Resiliently Mounted and Shaded Motor
- Automatic Shut-Off After Last Record Has Been Played

MODEL AC-55 4-SPEED AUTOMATIC STEREO RECORD CHANGER: Deluxe new precision Lafayette 4-speed automatic record changer made in England. Heavy duty 4-pole resiliently mounted and shaded motor and an 11" oversized turntable. Beautiful pearl grey and charcoal trim. Plays 16 $\frac{3}{4}$, 33 $\frac{1}{3}$, 45 and 78 RPM records—both stereo and monaural. Removable center spindle permits manual use of the changer. Intermixes up to ten records—7", 10", 12"—of the same speed. Built-in stylus brush cleans the needle each time the tone arm returns to the rest position. Muting suppressor mechanism eliminates noise during change cycle of records. Automatic shut-off after last record. Automatically locking, slim, low mass tone arm offers a full range of easy to adjust stylus pressures. Specifications. Wow: .1% to max. .18%, Flutter: 0.8%, Rumble, -32DB reference 100 cps at 1.4 CM/SCC. For 110-120 VAC 60 cps. Size:

7 $\frac{1}{8}$ "H x 14 $\frac{1}{4}$ "W x 12 $\frac{1}{2}$ "D. 4 $\frac{7}{8}$ " above mounting surface, 3" below. Complete with 2 audio cables and line cord, and famous Ronette 105 stereo ceramic turnover cartridge with diamond LP stylus and 3 mil synthetic sapphire. Built-in 45 RPM centerpiece for manual play. Less Base. Made in England. Shpg. wt., 15 lbs.
21 K 0147W Net 27.95

MODEL AC-66 4-SPEED AUTOMATIC RECORD CHANGERS. Same deluxe features, dimensions, color and specifications as above Model AC-55, but includes famous PICKERING PAC-1 diamond needle magnetic stereo cartridge installed instead of Ronette 105. Less base. Shpg. wt., 15 lbs.
21 K 0148W \$5 monthly Net 37.95

LOW PRICED 4-SPEED STEREO AUTOMATIC RECORD CHANGER

- Made in Great Britain
- 4 Speeds—16 $\frac{3}{4}$, 33 $\frac{1}{3}$, 45, and 78 RPM
- Intermixes Records of Same Speed
- Built-In Stylus Brush

MODEL AC-44

ONLY
19⁹⁵
 less base



Lafayette Model AC-44 is a fine 4-speed automatic record changer made in England offering outstanding performance at a low, low, price. Plays 16 $\frac{3}{4}$, 33 $\frac{1}{3}$, 45, and 78 RPM records automatically or manually (when you remove the center spindle). Intermixes up to ten records—7", 10" and 12" of the same speed. Heavy, precision turntable delivers no noticeable hum, rumble, or wow. Features automatic locking tone arm, built-in 45 RPM centerpiece for manual play, stylus brush, Ronette ceramic stereo turnover cartridge, automatic shut-off after last record has been played. Color: pearl grey and charcoal trim. Dim.: 7 $\frac{1}{8}$ "H x 14 $\frac{1}{4}$ "W x 12 $\frac{1}{2}$ "D. 4 $\frac{7}{8}$ " above mounting board surface, 2 $\frac{1}{4}$ " below. For 110-120 VAC 60 cycles. Made in England. Shpg. wt., 12 lbs.
21 K 0146W Net 19.95

ACCESSORIES FOR LAFAYETTE MODELS AC-44, AC-55, AC-66 RECORD CHANGERS

Deluxe Recessed Oil Walnut Wood Base. Shpg. wt., 2 lbs.
24 K 1213W Net 3.95

Attractive Plastic Dust Cover. Shpg. wt., 1 lb.
24 K 0247W Net 3.95

45 RPM Automatic Spindle. Shpg. wt., 1/2 lb.
21 K 0149 Net 1.95



To Speed Your Mail Order — Please Give Your Zip Code Number

Lafayette Cat. No. 681 31

NEW GARRARD Synchro Lab Automatic Turntables



Gives you the best features of both Induction and Synchronous type motors

SAVE UP TO \$39.94

From individual catalog prices when you purchase an elliptical cartridge for only 1 cent more with a Garrard Turntable listed on this page. See listing under each turntable.



Shure M32E
25.00

Pickering V15/ACE-3
29.95

Empire 808E
29.95

Shure M44E
34.50

Pickering V15/ATE-3
39.95

Empire 888E
39.95



SL-95
Less Cartridge
and Base

129⁵⁰

SL-95
with Choice of
Elliptical Cartridge,
Less Base

129⁵¹

PROFESSIONAL SL-95 AUTOMATIC TURNTABLE with choice of Stereo Elliptical Cartridge

Garrard's finest 3-speed Automatic Stereo Transcription Turntable for flawless reproduction of 33½, 45, and 78 RPM records. Advanced ultra-low mass one piece tonearm of lightweight aluminum with Aframosia wood insert for low resonance damping; gyroscopic gimbal pivots for minimal friction; adjustable counterweight; and stylus force adjustment dial with 1/4 gram audible/visible settings from 0-5 grams. Adjustable movable weight anti-skating control calibrated in 1/2 grams. Full 12" turntable. Combined manual and cueing control. Auto-Rise record safety platform for automatic play. Automatic spindle and manual rotating spindle. All connecting cables. For 110-130V 60 cycles AC. Dim.: 15-13/16"W x 14 1/4"L, above motor board 4 3/4", below 3". Shpg. wt., 13 lbs. Less base. Imported from England.

21 K 3788WX SL-95 only Net 129.50
21 K 4001WXM SL-95 plus Pickering V15/ATE-3 Net 129.51
21 K 4002WXM SL-95 plus Empire 888E Net 129.51
21 K 4003WXM SL-95 plus Shure M44E Net 129.51



SL-75
Less Cartridge
and Base

109⁵⁰

SL-75
with choice of
Elliptical Cartridge
Less Base

109⁵¹

SL-75 AUTOMATIC TRANSCRIPTION TURNTABLE with choice of Stereo Elliptical Cartridge

Brilliant 3-speed automatic stereo transcription turntable with professional features: low mass twin-braced extruded aluminum tone arm for freedom from resonance. Stylus pressure set with precision "optical" knob, clearly marked 0 to 5 grams in 1/4 gram increments. Adjustable counterweight. Interchangeable cartridge clips. Adjustable anti-skating control calibrated in 1/2 grams. Patented automatic spindle. Anti-static mat with safety grooves. Combined manual and cueing controls. Auto-Rise retractable record safety platform. Automatic and rotating manual spindle. Connecting cables. For 110-130V 60 cycles AC. Dim.: 15 13/16"W x 14 1/4"L, above motor board 4 3/4", below 3". Shpg. wt., 13 lbs. less base. Imported from England.

21 K 3789WX SL-75 only Net 109.50
21 K 4004WXM SL-75 plus Pickering V15/ATE-3 Net 109.51
21 K 4005WXM SL-75 plus Empire 888E Net 109.51
21 K 4006WXM SL-75 plus Shure M44E Net 109.51



SL-65
Less Cartridge
and base

79⁵⁰

SL-65
with choice of
Elliptical Cartridge
Less Base

79⁵¹

SL-65 AUTOMATIC TURNTABLE with choice of Stereo Elliptical Cartridge

Exciting automatic turntable with tubular, dynamically balanced, counterweight-adjusted tonearm. Stylus pressure set with precision knurled optical type knob. Cast, balanced oversized turntable. Cueing and pause lever control. Automatic anti-skating assembly. Plays 16 2/3, 33 1/3, 45, and 78 RPM records. Intermix operation. Automatic and manual spindles. Connecting cables. For 110-130V 60 cycles AC. Dim.: 15 1/2"W x 13 1/2"L, above motor board 4 3/4", below 2 7/8". Shpg. wt., 11 lbs. less base. Imported from England.

21 K 3790WX SL-65 Net 79.50
21 K 4007WXM SL-65 plus Pickering V15/ACE-3 Net 79.51
21 K 4008WXM SL-65 plus Empire 808E Net 79.51
21 K 4009WXM SL-65 plus Shure M32E Net 79.51



SL-55
Less Cartridge
and base

59⁵⁰

SL-55
with
choice of
elliptical cartridge
less base

59⁵¹

SL-55 AUTOMATIC TURNTABLE with choice of Stereo Elliptical Cartridge

Excellent compact model, featuring lightweight tubular tone-arm, with fixed counter balance weight, stylus pressure indicator with gram markings. Cueing lever control. Oversized turntable with decorative mat. Four accurate speeds: 16 2/3, 33 1/3, 45, and 78 RPM. Automatic intermix operation when desired. Handsomely styled automatic control panel. Connecting cables. For 110-130V 60 cycles AC. Dim.: 14 7/8"W x 13 3/4"L, above motor board 4 3/4", below 2 7/8". Shpg. wt., 11 lbs. less base, imported from England.

21 K 3791WX SL-55 only Net 59.50
21 K 4010WXM SL-55 plus Pickering V15/ACE-3 Net 59.51
21 K 4011WXM SL-55 plus Empire 808E Net 59.51
21 K 4012WXM SL-55 plus Shure M32E Net 59.51

GARRARD Automatic Turntables & Accessories

GARRARD MODEL 40 WITH CHOICE OF CARTRIDGES

Model 40/II less cartridge and base 44⁵⁰	Model 40/II with choice of Conical Cartridge less base 44⁵¹	Model 40/II with choice of Elliptical Cartridge less base 49⁵⁰
---	---	--

See turntable - cartridge listing below

4 speed automatic intermix stereo turntable—16 $\frac{1}{2}$, 45, and 78 RPM. Counterweighted cast aluminum tone arm. Automatic intermix operation when desired. Handsomely styled unitized control panel with separate positions for manual and automatic play. Simple, convenient stylus pressure adjustment. Oversized turntable with decorative mat. Garrard 4-pole shaded "Induction Surge" motor, with dynamically balanced rotor, shielded from hum. Size: 14 $\frac{1}{4}$ L x 12 $\frac{1}{2}$ D. Requires 4 $\frac{3}{4}$ " above and 2 $\frac{1}{4}$ " below motor board. Complete with all connecting cables. Less base. For 110-130 volts, 60 cycles AC. Shpg. wt., 11 lbs. Imported from England.

21 K 3756W Model 40/MK-II	Net 44.50
21 K 4013WM Model 40/MK-II plus Pickering V15/AC-3	Net 44.51
21 K 3767WM Model 40/MK-II plus Empire 888	Net 44.51
21 K 3788WM Model 40/MK-II plus Shure M-44-7	Net 44.51
21 K 3788WM Model 40/MK-II plus Pickering V15/ACE-3	Net 49.50
21 K 4014WM Model 40/MK-II plus Empire 808E	Net 49.50
21 K 4015WM Model 40/MK-II plus Shure M32E	Net 49.50
21 K 4016WM Model 40/MK-II plus Shure M32E	Net 49.50

GARRARD MODEL 30 STEREO AUTOMATIC TURNTABLE

39⁵⁰
less base

No Money
Down



Complete with Ceramic
Diamond Stylus Stereo
Cartridge

- Fine Garrard Built Motor
- Automatic Intermix Operation

Garrard 4-speed automatic stereo turntable designed especially for use in low priced hi-fi systems, and perfect for replacement in consoles and phonographs. Features oversized, weighted turntable, one piece cast aluminum tone arm, ultra compact size. Plays 16 $\frac{1}{2}$, 33 $\frac{1}{2}$, 45 and 78 RPM records. Intermix automatic operation when desired. Two spindles—short for manual, center drop for automatic play. With ceramic cartridge, diamond stylus. All connecting cables. Dim.: 14 $\frac{1}{4}$ " x 12 $\frac{1}{4}$ " above motor board 4 $\frac{3}{4}$ ", below 2 $\frac{1}{4}$ ". Shpg. wt., 10 $\frac{1}{4}$ lbs. For 110-130VAC, 60 cps. Shpg. wt., 11 lbs. less base. Imported from England.

21 K 3792W Net 39.50

ACCESSORIES FOR GARRARD AUTOMATIC TURNTABLES AND PLAYERS

- (A) Garrard Simulated Ebony and Walnut Base with Silver Trim. Shpg. wt., 2 lbs.
21 K 3793W For SL75 and SL95 Net 5.95
21 K 3781W For SL55, SL65, 60, 50, 40, 30, 20 series Net 4.95
- (B) Power-Matic Bases: Automatically turns off amplifier when last record has played. Switch permits use of amplifier without changer. For 110 VAC 60 cps. Shpg. wt., 6 lbs.
21 K 3794W For SL65, SL55, 40, 30, and 20 series Net 14.95
21 K 3795W For SL75, and SL95 Net 15.95
- (C) Garrard Crystal Clear Styrene Dust Covers. Can be used in place while playing a stack of records. Shpg. wt., 1 $\frac{1}{2}$ lbs.
21 K 3785W For SL75, SL95, Lab 80 70 Series Net 5.95
21 K 3764W For SL55, SL65, 60, 50, 40, 30, 20 Series Net 4.95
- (D) Lafayette Wood Mounting Boards—Unfinished, Shpg. wt., 1 $\frac{1}{2}$ lbs.
24 K 1218W For SL75, and SL95 Net 1.30
24 K 1209W For SL55, SL65, 60, 50, 40, 30, 20 Series Net 1.30
- (E) Extra-plug in Shells with all mounting accessories. Wt., 6 oz.
21 K 3728 For SL55, SL65, 40 and 20 Series Net 1.75
21 K 3798 For SL75 Net 1.75
21 K 3796 For SL95 Net 1.75
- (F) 45 RPM Spindles, Shpg. wt., 10 oz.
21 K 3787 For SL55, SL65, 60, 50, 40, 30 Series Net 3.80
21 K 3787 For SL75 and SL95 Net 3.80



Your Choice Of

CONICAL CARTRIDGE FOR ONLY 1^c MORE OR
ELLIPTICAL CARTRIDGE FOR ONLY \$5.00 MORE
WITH THE PURCHASE OF THE GARRARD 40 (SEE
LISTING)

FAMOUS NAME STEREO CARTRIDGES



V15/ACE-3


*Elliptical Stylus

as low as
9⁹⁵



SHURE M447

ADC 220 21 K 1323L 9.95	EMPIRE 888 21 K 3418L 24.95
GRADO BTR 21 K 4131L 9.95	EMPIRE 808E* 21 K 3470L 29.95
GRADO BTE* 21 K 4132L 19.95	EMPIRE 888E* 21 K 3457L 38.95
PICKERING V15AC-3 21 K 5376L 24.95	GE-VR-1000-3E* 21 K 3849 18.75
PICKERING V15ACE-3* 21 K 5377L 29.95	SHURE M44-7 21 K 8218L 19.95
PICKERING V15ATE-3* 21 K 5374L 39.95	SHURE M32E* 21 K 8239L 25.00
PICKERING XV-15/AME* 21 K 5375L 49.95	SHURE M44E* 21 K 8236L 34.50



Hi-Fi Components Are Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 681 33

Portable, AC, and Battery Operated Phonographs

PANASONIC "RIDGWOOD" AM-FM STEREO PHONO SYSTEM

Model RE767 AM-FM Stereo Table Radio with 2 Matched Speaker Systems in Beautiful Walnut Cabinetry.

99⁹⁵

Model RD7673 4 Speed "MINI" Automatic Record Changer Mounted on Walnut Wood Base with Plastic Dust Cover.

39⁹⁵



MODEL RE767 AM-FM STEREO TABLE RADIO. For those who appreciate fine modular design, and rich stereo sound reproduction. Separate full-range 6½" speakers in matched walnut wood cabinetry permit placement anywhere in the room for true sound separation. AM/FM stereo radio provides 10W music power output; AFC on FM for drift-free reception. Illuminated FM stereo eye. Ferrite core AM antenna, line cord FM antenna. 34 solid state devices. Dim.: Radio—17" x 3½" x 10", Speakers—8¼ x 8¼ x 8½". Imported. Shpg. wt., 24 lbs.

24 K 4106WX \$5 monthly

Net 99.95

MODEL RD7673 4-SPEED "MINI" AUTOMATIC RECORD CHANGER. Magnificent companion for Model RE767. Changer is mounted on a walnut wood base and includes a beautiful plastic dust cover. Dim.: 16½"W x 9½"D x 9"H (with dust cover). Imported.

24 K 4107W Shpg. wt., 12 lbs.

Net 39.95

LAFAYETTE L-5A 4-SPEED MANUAL PHONO

14⁹⁵

Made in U.S.A.

- Monaural Phono Plays both Stereo and Monaural Records of All Speeds.

- Large 4" Speaker




Ideal phono for the youngster in your family. Plays up to 12" monaural and stereo records at 16½, 33½, 45 or 78 RPM. A single lever selects any speed. "Feather-light" retractable tone arm is equipped with a single crystal cartridge. Volume control with on-off switch. Built-in 45 RPM record adapter. Fine quality 4" speaker. Attractive blue and white leatherette covered case. For 110-120 volts, 60 cycles. Size: 12W x 9¾D x 5"H. Shpg. wt., 8 lbs.

24 K 0253W

Net 14.95

LAFAYETTE SOLID STATE PORTABLE AM RADIO/PHONOGRAPH



Only **19⁹⁵**

with earphone

- Compact, Lightweight—Travels with You Anywhere

- Operates on 4 "D" batteries or 117 VAC with Optional Adapter

Handsome, compact portable record player with built-in AM radio. Perfect for picnics, beaches, or anywhere you go. Plays 33½ and 45 RPM records. Tone arm features crystal turnover cartridge. Large 4" speaker for fine fidelity. Entire unit is housed in a 2-tone blue and white high impact plastic case. Includes earphone for private listening. Dim.: 12¾"W x 8¼"D x 2¾"H. Less batteries. Imported. Shpg. wt., 5 lbs.

99 K 3529

Net 19.95

24 K 3201 AC Adapter for above Radio/Phono. wt., 6 oz. Net 4.95

99 K 0256 "D" Batteries for above Radio/Phono, 4 req. Net ea. .15

imc HI-FI BOXER FAN

14⁸⁵

- Sturdy Metal Construction



Exceptionally low-noise fan for cooling hi-fi equipment. Slow rotating 5-blade impeller delivers 50 cfm, enough air to exhaust the average enclosure 10 to 30 times per minute.

to minimize thermal drift and increase equipment life. Airflow is reversible. Has heavy non-warp all metal frame and motor mounting acts as an efficient sink, adding life to motor and bearing. Pre-lubricated for years of maintenance-free operation. Only 4¼" square by 1½" deep, fits any cabinet. Easy to install. Comes with complete mounting kit including special heavy duty brackets for mounting versatility, hardware, grommets, shock-absorbing spring mounting pad, A.C. power cord and clip on plug, template and instruction sheet. Rated 115 VAC, 1 phase, 60 cps.

24 K 4301 Shpg. wt., 2 lbs.

Net 14.85

STEREO VU BALANCE METER

11⁹⁵

- Two Meters in One
- Balances Stereo Systems



Ends the problem of balancing your stereo system. Two precisely damped loudness meters provide a continuous comparison of speaker levels. Scales calibrated in "Volume Units" and percent. 1.2 volts input sensitivity for 0 VU or 100 percent indication. The special calibrating switch and 20 db attenuation controls permit exact matching of channels. Greater than 8,000 ohm impedance permits connecting to output circuits without loading. The entire unit is housed in an attractive plastic case 6"W x 3¼"H x 2¾"D. Imported.

99 K 5038 Shpg. wt., 3 lbs.

Net 11.95

34 Lafayette Cat. No. 681

Phonographs Are Available on Easy Pay Plan—No Money Down

FAMOUS LAFAYETTE F-767 STEREO PHONES

Widely Acclaimed by Hi-Fi Critics
For All Audio Enthusiasts



- Air-Cushioned Headband
- Soft Foam Rubber Ear Cushions for Maximum Comfort and Bass Response
- High Sensitivity

Only
11⁸⁸



Our famous best selling quality stereo headphones, widely acclaimed by Hi-Fi critics, offer outstanding stereo sound reproduction to the listener. Extremely comfortable headband is covered with an air-filled vinyl bag which serves as a gentle cushion. Soft foam rubber ear pads keep out external noise and provide maximum bass response. Sensitivity is very high — a signal power of 1 to 2mw will produce adequate listening volume. Two specially designed full range 2½" speakers are precisely matched to each ear cup. Complete with attached stereo phone plug, overload cylindrical junction box for connection of the headphones to equipment which does not have stereo phone jacks. 5 ft. cord, and instructions. Frequency Response: 30-15,000 cps. Impedance: 8 ohms per phone. Imported. Shpg. wt., 2½ lbs.
99 K 0035 Net 11.88

LAFAYETTE 8X STEREO HEADPHONES

LAFAYETTE'S Lowest Price
Quality Stereo Hi-Fi Headphones

The moment you put this headset on you will be enveloped in glorious stereo sound with the best "seat" in the house. You needn't sit in one special place to achieve the best stereo effect. Wonderfully comfortable too. Soft rubber cushion earcups block out most external noise. Lightweight vinyl covered headband adjusts to fit easily . . . lets you listen comfortably to your favorite programs hour after hour without fatigue. The big 2" transducers in each earcup bring to your ears smooth, full fidelity sound and complete stereo separation. The headset weighs only 11 oz. Frequency response: 35 to 15,000 cps. Output: 100 mw. Matches 8 or 16-ohm impedance. Supplied complete with 5-ft. cord and standard ¼" phone plug. Imported. Shpg. wt., 1¼ lbs.

99 K 0180

Net 7.95



Only
7⁹⁵

Accessories for LAFAYETTE Stereo Headphones

A STEREO HEADPHONE REMOTE CONTROL BOX. Designed to connect 1 or 2 stereo headphones to an existing system without the need of continually disconnecting speakers. Separate volume controls are provided for each side of the headset. Speaker muting switch permits using stereo headphones and speakers together, or stereo phones only for private listening. Impedance: 4-16 ohm. 4¼Wx1¼"Hx1¾"D. Imported. Shpg. wt., 1¼ lbs.

99 K 0036

Net 4.95



A Remote Control Box

4⁹⁵



B 25 Ft. Stereo Headphone Extension Cord

2²⁹

B 25 FT. UNIVERSAL STEREO HEADPHONE EXTENSION CORD. Listen to stereo through your favorite stereo headphone anywhere in the room. Ideal for use with Lafayette, Koss, Superex, Jensen, Sharpe and many other headsets. Flexible 3-conductor cable. With a ¼" 3-circuit plug on one end, a 3-circuit jack on the other end. Imported. Shpg. wt., 1 lb.

99 K 0116

Net 2.29

LAFAYETTE "MINUETTE/II" 2 WAY HI-FI SPEAKER SYSTEM

- 2 Speakers—5" x 7" Woofer, 2½" Tweeter
- Shelf Size 6"W x 15¾" x 9¾"D
- Genuine Oiled Walnut Finish On 4-Sides
- Brilliance Control


Lafayette "Minuette/II" Hi-Fi Speaker System will bring music to any room in your home—and for a remarkably low cost. Designed for use where space is at a premium—ideal for the small apartment or listening area. Expand your stereo system to other areas of your home . . . easily used in the den, kitchen, patio or bedroom. Employs a specially designed 5x7" woofer, electrical crossover at 8,000 cps, plus a 2½" tweeter in a ducted-port brass reflex type enclosure. Provides an exceptionally fine musical quality yet measures only 6Wx15¾"Hx9¾"D. Small enough to fit anywhere. Superb oiled walnut finish on 4 sides, allows placing speaker horizontally or vertically. Frequency response: 80 to 19,500 cps. Features adjustable level control for brilliance. Impedance 8 ohms. Rated at 10 watts. Imported. Shpg. wt., 8 lbs.

99 K 0171W

Net 14.95

Set of Two For Stereo—
SAVE 1.40

Net 28.50



Only
14⁹⁵ 2 For
28⁵⁰
BUY 2 FOR STEREO
SAVE 1.40




LAFAYETTE
Speaker Systems

Professional Styling... Brilliant

5 Year Guarantee

A Lafayette quality product that is guaranteed against defects in material and workmanship for 5 years. If this unit fails to operate due to such defects, simply return it prepaid with your original sales slip or order. Lafayette will repair it without charge including return transportation.

LAFAYETTE "Criterion® 20A" THE "MINIATURIZED" SPEAKER SYSTEM!



22⁹⁵
2 for 44.50

Only 5⁷/₈x11¹/₄x7¹/₈"


- 20 Watt Power Handling Capacity

Hardly bigger than a table radio, yet offers astonishing high fidelity reproduction! The rich, deep-down bass must be heard to be believed—gives you excitingly real sound—fits anywhere . . . on a bookshelf . . . table . . . even on a wall! Comes finished on all four sides in a rich, hand-rubbed oiled walnut veneer, tastefully framed in an ebony and gold picture frame molding with white gold acoustic grille material. A powerful 5" woofer equipped with a large magnet and voice coil provides high efficiency and power capability. A 6 db per octave L-C crossover network transfers power to a newly developed 4" mid-range/high frequency unit which provides brilliant highs. Power Rating: 20 watts program material. Frequency Response: 45 to 20,000 cps. Crossover Frequency: 2800 cps. Nominal Impedance: 8 ohms. Imported. Shpg. wt., 8 lbs.

99 K 0160W

Net 22.95

LAFAYETTE "decor-ette® V" SLIM 5-SPEAKER 3-WAY SYSTEM



34⁹⁵
2 for
68.50

No Money
Down


- Frequency Response 50-18,000 cps
- Power Handling Capacity: 25 Watts
- Four Specially Engineered 6¹/₂-inch Low Resonance Speakers—One 2¹/₂-inch Cone Type Tweeter Designed to Achieve Optimum Performance in a Thin Type Audio-panel Enclosure Only 4¹/₄ Inches Thick

A dazzling 5-speaker system—magnificently styled and offered in an ultra-slim enclosure only 4¹/₄" deep. Four 6¹/₂" low resonance woofers assure rich deep-down bass. A 2¹/₂" cone-type tweeter provides sparkling reproduction of the mid-range and highs. Overall response of this system is 50-18,000 cps. Enclosure is finished in a rich hand rubbed oiled walnut veneer with matching picture frame molding. System may be used for floor mounting, bookshelf, or even wall mounting. Supplied complete with matching legs. Dimensions: 21³/₄Hx17⁵/₈Wx4¹/₄"D. Power handling capacity: 25 watts program material. Nominal impedance: 8 ohms. Imported. Shpg. wt., 17 lbs.

99 K 0008WX \$5 Monthly

Net 34.95

LAFAYETTE "Criterion® 50" TRUE 2-WAY BOOKSHELF SYSTEM



29⁹⁵


- 20-Watts Power Handling Capacity
- 8" Woofer Plus 4" Tweeter
- Highly Efficient—Perfect for Low Power Amplifiers

A true 2-way bookshelf-type speaker system that offers impressive hi-fi sound, yet measures only 19Wx8⁵/₈Dx10³/₄"H. Contains two separate speakers — you get an 8-inch woofer and a 4-inch tweeter to provide realistic wide-range reproduction. An acoustically "tuned" enclosure, fully lined, assures smooth, resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer and tastefully framed in an ebony and gold picture frame molding with white and gold acoustic grill material. Truly, an outstanding buy at this low price. For use with low-power stereo amplifiers — but rated at 20 watts program material for use with larger amplifiers. Designed for vertical or horizontal placement. Overall response: 35-18,000 cycles. 3000 cps electrical crossover. Nominal impedance: 8 ohms. Imported. Shpg. wt., 28 lbs.

99 K 0128WX Criterion 50

Net 29.95

LAFAYETTE "Criterion® 75" 2-WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM



Only
39⁹⁵

No Money
Down

- Power Handling Capacity—30 Watts
- 6" Woofer plus 3" Tweeter
- Solid 3/4" Construction
- High Frequency Brilliance Control
- Crossover—Electrical 25,000 Cycles

Outstanding, compact, 2-way bookshelf speaker system mounted in a completely sealed and damped enclosure. Uses the acoustic suspension principle to extend low frequency response down to 30 cps for deep rich bass. Powerful 6¹/₂" woofer features a mass loaded cone especially matched to the enclosure. Closed back, 3" cone type tweeter prevents speaker interaction and provides high frequency coverage to 20,000 cps. A 2,500 cycle crossover network is built-in with an external brilliance control to adjust the output level of the tweeter for proper balance of volume between the high and low frequencies. Can be connected to amplifiers with a power output as low as 3 watts, or as high as 30 watts per channel. Impedance: 8 ohms. Styled in hand rubbed, oiled walnut finish on four sides. Acoustic grill is set off with contrasting ebony and gold picture frame molding. For vertical or horizontal placement. Size: 15 x 8¹/₄ x 7¹/₄". Imported. Shpg. wt., 7¹/₂ lbs.

99 K 0192WX \$5 Monthly

Net 39.95

Wide Range Sound Reproduction

5 Year Guarantee




A Lafayette quality product that is guaranteed against defects in material and workmanship for 5 years. If this unit fails to operate due to such defects, simply return it prepaid with your original sales slip or order. Lafayette will repair it without charge including return transportation.

LAFAYETTE "CRITERION 100A" DELUXE 2-SPEAKER 2-WAY SYSTEM

44⁹⁵
2 for
88.88

No Money
Down



- Powerful Handling Capacity—30 Watts
- Powerful 10" Woofer with 1 lb. Magnet Plus 4" Tweeter
- Overall Response 30-19,000 Cycles


Top quality, moderately priced speaker system that delivers really "big" sound. A powerful 10-inch woofer provides smooth bass response down to 30 cycles. A 4-inch Cone-type tweeter provides reproduction of the mid-range and high frequencies (to beyond audibility) and is of the closed back type to prevent interaction with the 10-inch woofer. Smooth transition is achieved by means of electrical crossover at 2800 cycles. Features high frequency brilliance control. Enclosure is a bass-reflex type using a ducted port to provide proper acoustic tuning and has a beautiful walnut finish on 4-sides. Dimensions are 21½" W x 11¾" H x 10½" D. Overall frequency response: 30-19,000 cycles; nominal impedance: 8 ohms; power handling capacity: 30 watts program material. Shpg. wt., 30 lbs. 99 K 0148WX \$5.00 Monthly Imported. Net. 44.95

DELUXE LAFAYETTE "Criterion® 200A" 3-Speaker 3-WAY SYSTEM

ONLY

69⁹⁵

No Money Down



- Power Handling Capacity—40 Watts
- 12" Woofer With 1 LB Magnet
- 3" Dome-Type "Super" Tweeter
- 8" Closed Back Midrange Unit
- Response 25-25,000 cps
- "Tuned" Enclosure with Tube-Type Ducted Port
- 2 Controls—Brilliance Presence

One of our finest speaker systems—manufactured to rigid specifications and designed to provide full, wide-range response... from a low 25 cycles all the way up to 25,000 cycles! The Criterion 200 employs 3 separate speakers to provide performance that will satisfy even the more critical listener. 12" woofer with a 1 lb. magnet and 2½" diameter voice coil provides deep, solid bass... reproduces low-frequency instruments with thrilling realism! A superb 8" mid-range speaker and a back-loaded 3" metallic dome-type "Super" tweeter provide flawless reproduction of the mid-range and high frequencies. Features high frequency brilliance range presence control at rear of cabinet. Enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer, attractively framed in an ebony and gold picture-frame molding with white and gold acoustic material. Dimensions 24Wx14Hx12"D. Overall Frequency Response: 25 to 25,000 cps. Crossover Frequencies: 700 and 5,000 cps. Impedance: 8 ohms. Power Handling: 40 watts program material. Imported. Shpg. wt., 35 lbs. 99 K 0149WX \$5 Monthly Net 69.95

Exciting LAFAYETTE "Criterion® 150" 10" Acoustic Suspension Speaker System

49⁹⁵
No Money
Down

- Power Handling Capacity—40 Watts

- Overall Response—20-20,000 cps.

Professional Quality 2-Way System Mounted in a Completely Sealed and Damped Enclosure


High quality, excellent performance, and handsome decorator styling keynote the exciting Lafayette "Criterion 150" Speaker System. It utilizes the famous acoustic suspension design principle to develop extended bass with velvet smooth high frequency response in a cabinet of compact proportions. The system's main working element is a special 10" high compliance woofer with a massive magnet structure for powerful deep bass response down to 20 cps. 3½ inch tweeter extends high frequency response to beyond audibility for thrilling clarity and wide angle dispersion. Built-in (L.C) Electrical Crossover Network is adjusted for 2000 cps. Features High Frequency brilliance control on rear of cabinet. Power Handling Capacity: 40 watts. Impedance: 8-ohms. Luxurious oiled walnut veneer enclosure with gold frame molding and beige grille. Shelf size: 19 W x 11 H x 9" D. Imported. Shpg. wt., 17 lbs. 99 K 0181WX \$5 Monthly Net 49.95

SUPER LAFAYETTE Criterion® 3X 12" 3-WAY ACOUSTIC SUSPENSION SPEAKER

ONLY
89⁹⁵

No Money Down

- Power Handling Capacity 50 Watts
- Designed For Use with The Highest Quality Component Amplifiers and Receivers
- Overall Response 20-25,000 CPS
- Separate Midrange and High Frequency Controls



Superb 3-way speaker system for the critical listener seeking greater realism in reproduced sound. Uses the renowned acoustic suspension principle to extend low frequency response down to a low 20 cycles... gives you the deep, powerful bass that is so necessary to proper musical enjoyment. Heart of the system is a special 12" high compliance woofer with long-throw voice coil. Midrange frequencies are flawlessly reproduced by a 6½" cone driver which employs a sealed back to avoid interaction with the woofer and to prevent air leakage from the enclosure. 3" metallic, dome-type super tweeter provides brilliant, peak-free reproduction of the highs. Electrical 1200 and 6000 cps. L-C network ensures smooth crossover between all speaker units. Separate midrange and high frequency level controls. Fully air-tight enclosure is solid ¾" construction filled with fiber glass to prevent resonance. Rich, hand-rubbed oiled walnut veneer. Attractive frame of ebony and gold with new snap-off nubby grille cloth panel. Impedance: 8 ohms. Size: 23x13½x11¾" deep. Imported. Shpg. wt., 32 lbs. 99 K 0176WX \$5 Monthly Net 89.95

Deluxe Solid State Tape Recorders and Tape Decks

SECURITY-TYPE ATTACHE CASE PORTABLE AC/DC RECORDER WITH BUILT-IN AM/FM RADIO



139⁹⁵

No Money Down

- You Can Record With Lid Closed
- Use With Optional FM Wireless Mike

An excellent combination of an FM/AM radio and a 5" 2 speed tape recorder, housed in a security-type attache case. Features remote control operation switch on the outside of the case. Can record with microphone placed inside the case with the lid closed. The FM radio can be used with an optional FM wireless mike (see listing below). Operates on 6 "D" cell batteries (included), or 117VAC with built-in AC adapter. Convenient push button operation. Recording level is kept constant by the ALC (Automatic level control). The ALC can be turned off if desired. Direct listening/recording from the FM/AM radio. A maximum of 4 hours 16 minutes of record/playback time is possible on a 5" reel of recording tape at 1 1/2 ips. (2-hours 8 min. at 3 3/4 ips). SPECIFICATIONS: 13-transistors; Radio—freq. range FM 88-108MC, AM 535-1605KC; Recorder—freq. resp. 100-1000cps, 2-speeds, 3 3/4, 1 1/2 ips; capstan drive; double track recording system; 3x5" speaker. (117 or 220V.) Dim. 3 1/2"x16 1/4"x12". Imported. Shpg. wt., 13 lbs.

27 K 7203WX \$7.50 Monthly Net 139.95
 FM Wireless Mike for above; Shpg. wt., 1 lb.
 44 K 4301 Net 20.95
 99 K 6256 Extra "D" batteries—6 req. Net 15

Complete With Dynamic Mike, 5" reel of tape, Take Up Reel, Telephone Pick-up, Patchcord, Earphone and Batteries.

CONCORD F-20 BATTERY OPERATED "SOUND CAMERA"

ONLY

19⁷⁵

with Mike

- Up to 30 Minutes Recording Time



Really portable—the F-20 goes anywhere: to school, in a briefcase, on a trip. Features reliable solid state circuitry, "flux-field" head for wide frequency response and variable speed control. Records up to 30 minutes on standard 2 1/2" reel. Easy finger-tip control of transport functions. Includes dynamic microphone, built-in speaker, empty reel and earphone jack. Uses penlight cells (see below). Size: 6 1/2 x 2 1/2 x 4 1/2". Imported. Shpg. wt., 4 lbs.

27 K 3510L Net 19.75
 27 K 3505 195 ft. reel of tape Net 30
 Batteries for F-20 (4 required)
 99 K 6258 Net ea. .10

SONY MODEL 250-A SOLID STATE STEREO TAPE DECK



PLASTIC DUST COVER FOR MODEL 250A

ONLY 3.95

SALE!
129⁵⁰

- Beautiful Walnut Finished Base
- 4 Track Mono and Stereo Record and Playback
- Two VU Meters

A completely transistorized stereo tape deck with a black and brush satin chrome finish on a walnut base. Includes 4 track mono as well as 4 track stereo playback and record. Features true Capstan drive, FM stereo inputs, pause control, automatic shut off and tape counter. Also an automatic tape lifter for longer head life. Specifications: Speeds—7 1/2 and 3 3/4 ips., Response 50-15,000 cps ±2db, S/N better than 50db. Flutter and Wow less than 0.15%. Takes reels up to 7". Input from two mikes. 117V 60 cycle AC. Imported. Shpg. wt., 19 lbs. Dim. 14 1/2"Wx11 3/4"Dx 6 1/2"H.

27 K 6008WX \$7.50 monthly Net 129.50
 27 K 6015 F96L mike for 250-A 1 lb. Net 10.50
 27 K 6019W Plastic dust cover for 250A. 2 lbs. Net 3.95

NEW! SONY 230 SOLID STATE "STEREO COMPACT" PORTABLE TAPE SYSTEM



219⁵⁰

No Money Down

- Complete Input Facilities For Connection Of Magnetic Phono Cartridge or Tuner
- 4-Track Stereo/Mono Record and Playback

Portable 4-track stereophonic record and playback tape system featuring built-in solid state stereo control center with 20-watt stereo amplifier. Complete input and switching facilities for the connection of external stereo hi-fi components such as magnetic phono cartridge, tuner-radio, TV, PA and mike. Two lid-integrated full range speaker system that may be separated up to 15 feet; three speeds 7 1/2, 3 3/4, and 1 1/2 ips; left, right and stereo speaker modes; retractomatic pinch roller for unequalled threading ease; tone control; stereo headset jack; automatic sentinal end-of-reel shut off; sound with sound; digital tape counter; takes reels up to 7"; two VU meters. Output, external speakers (2), line output 2; stereo headphone. 17x9 1/2x14"D. Imported. Shpg. wt., 32 lbs. For 117 VAC 60 cps. Includes 2 Sony F-45 cardioid dynamic mikes.
 27 K 6028WX \$11.00 Monthly Net 219.50

Deluxe Solid State Cassette Cartridge Recorders

FAMOUS NORELCO MODEL 150 BATTERY OPERATED PORTABLE CARTRIDGE CARRY-CORDER™

ONLY
69⁵⁰

No Money Down

COMPLETE WITH: Mike, Deluxe Carrying Case and Mike Pouch, tape cartridge & Patch cord.

A marvel of tape recorder engineering. Extremely light weight—weighs less than 3 lbs. including batteries. Carry it everywhere... ideal for students, salesmen, busy executives. Records voice and music on 2 tracks at 1 7/8 ips with perfect fidelity. Fully transistorized for instant record/playback. No warmup. Easy to use. Single master control starts, stops, winds and rewinds tape. Microphone has remote switch for start-stop. 300 ft. triple-play tape cartridge provides up to 1 hour play-/record time, can be removed at any time—no need to wind or rewind tape. Uses 5 "C" size flashlight cells. Has recording level/battery life meter. Can be used with external amplifier, headphones. Complete with mike, patch cord, vinyl carrying case, 1-tape cartridge and separate microphone pouch. Size 7 3/4 x 4 1/2 x 2 1/4". Imported. Shpg. wt., 4 lbs.

27 K 4804L \$5.00 monthly Net 69.50

Accessories for Norelco 150

99 K 6257 "C" Type Battery, 5 required Net ea. .14

99 K 1540 LAFAYETTE 60 Minute tape cartridge. Wt., 4 oz. Net 1.35

27 K 4808 AC Adapter. Shpg. wt., 1 lb. Net 19.90

Universal Car-Mount For Carry-Corder. Easy to hookup—Does not use car battery. Mounts under dash. Enables self-contained carry corder to be played thru car radio. You can easily remove Carry-Corder and take it with you wherever you go. 1 1/2 L x 3 D x 5 1/2" W Imported. Wt., 3 lbs.

27 K 4815L Net 24.95



"SONYMATIC 100" AC/DC CASSETTE-CORDER

- Operates on Batteries or 117VAC
- Battery Level and Recording Modulation Meter
- A.R.C. (Automatic Recording Control)

Another great performer from Sony—all solid-state, portable, AC or battery operated Cassette-Corder! Compact and rugged enough to be carried anywhere. No tape threading, just insert a cassette cartridge and you are prepared to record or play-back 60-minutes of voice or music. Features: Push-button controls for record, Fast Forward, Forward (Play), Rewind and stop; separate controls for Tone and Volume; push-button lid release and cassette ejector; dual purpose battery level and recording meter; auxiliary high level input for recording from radio, television, telephone pickup or other high level source; monitor output for earphone listening. Also features: Built-in 117VAC converter for complete flexibility of battery or household current operation. Uses 4 "C" cell batteries. Imported. 5" W x 9 1/4" L x 2 1/2" D. Shpg. wt., 5 1/2 lbs.

27 K 6021WX \$5 Monthly Net 99.50

Accessories For Sonymatic 100

BP-9 Rechargeable Nickel-Cadmium Batt. Pack. Shpg. wt., 2 lbs.

27 K 6022 Net 14.95

27 K 6023 FS-5 Foot Switch. Shpg. wt., 1 lb. Net 6.95

99 K 1540 Lafayette 60 Minute Tape Cartridge wt. 4 oz. Net 1.35

99 K 6257 Extra "C" Type Batteries (4 req.) Ea. Net .14



Only
99⁵⁰

No Money Down

Complete with batteries, dynamic mike with remote control switch, leather carrying case and 60 minute tape cartridge

NEW MERCURY SOLID STATE STEREO PLAY/MONAUURAL RECORD AUTOMOBILE CASSETTE TAPE RECORDER

ONLY

109⁹⁵

No Money Down

COMPLETE WITH: 2 Matching Speakers with chrome grills, gimbal mounting bracket, dynamic mike with remote control switch, 60 minute cassette cartridge

- Simple To Use—No Tape Threading
- For 12 Volt Neg./Pos. Ground Automobile

Deluxe automobile tape recorder enables you to playback stereo cassette tapes as well as RECORD MONAURALLY. Uses the Cassette Tape system: Loads instantly, records and plays back for up to 2 hours. Simple to use—no tape threading. Cassettes can be inserted or removed at any time without winding or rewinding tape. Features: all solid state circuitry, automatic level control for recording, remote control microphone with retractable spiral cord, night light, universal Gimbal type mounting bracket that fits all cars on dash or console, and 2 five inch full range speakers with chrome grills. Specifications: Tape Speed, Capstan drive—constant 1 7/8 ips; Power Output 6 Watts; Independent volume, balance, and tone controls. Imported. Size. 7" x 6 1/2" x 2 1/2". Shpg. wt., 6 lbs.

27 K 3608WX \$6 monthly Net 109.95

99 K 1540 Lafayette 60 Minute Tape Cart. Wt. 4 oz. Net 1.35



MODEL AP8300

Deluxe Car Stereo Tape Players

"DIMENSION 48" 4 & 8 TRACK CAR STEREO PLAYERS



Only
119⁹⁵
No Money Down

"Dimension 48" with
Built-in FM Radio

Insert Tape Cartridge thru
FM Dial Opening



"DIMENSION 48" Less Radio

"DIMENSION 48" less
FM Radio and speakers

79⁹⁵

NO MONEY DOWN

"DIMENSION 48"
with Built-in FM
Radio Less Speakers

119⁹⁵

NO MONEY DOWN

- For All 12 Volt Neg/Pos Ground Cars
- Plays Both 4 & 8 Track Stereo and Monaural Tapes

- Fully Automatic—Instant Operation
- Electronic Program Selection

"DIMENSION 48" Less Radio

Outstanding, compatible stereo tape player. Plays both 4 and 8 track stereo and monaural tapes. Features fine tuning control—takes over where the recording engineer leaves off. Permits the listener to "tune out" undesirable crosstalk, even in worn or defective cartridges. Panel mounted thumb-wheel control adjusts the playback head to precision alignment with the recorded tracks. Offers superb tape reproduction. Fully automatic—tapes play instantly—no extra switches or levers to select choice of cartridge—removal of cartridge from player automatically turns unit off. High styling enhances

decor of your car. Features Electronic Program selection—channel automatically transfers at end of program. Selector bar permits instant change of tracks (program), illuminated dial indicates the channel that is playing, separate tone and volume controls. Dust-proof door seals cartridge opening when player is not in use. 12 transistors, 2 thermistors, 4 ohm output. Peak audio output 8 watts (4 per channel). Size: 1½"H x 7¾"W x 8"D. For 12-volt neg./pos. ground cars. Less speaker. Imported. Shpg. wt., 12 lbs. 17 K 7423WX \$5 Monthly

Net 79.95

"DIMENSION 48" with BUILT-IN FM RADIO

Same deluxe compatible stereo tape player with FINE TUNING CONTROL as above, but includes an outstanding performing FM radio (with provisions to receive FM stereo broadcasts with an optional multiplex adapter. See listings below). Handsomely styled in black and chrome, this compact unit measures only 1½"H x 7¾"W x 8"D. Ingenious design permits the hiding of the tape cartridge opening with the illuminated FM slide rule dial. When the cartridge

is out, this unit looks like an attractive FM radio. Insertion of the tape cartridge through the dial opening converts the unit into a tape player. With 19 transistors, 5 diodes, 4 thermistors. Less speakers. Imported. Shpg. wt., 13 lbs. 17 K 7430WX \$6.50 Monthly Stereo FM Multiplex Adapter for above. Shpg. wt., 3 lbs. 17 K 7433 \$5.00 Monthly

Net 119.95

Net 29.50

SPEAKER KITS FOR "DIMENSION 48" AND ALL OTHER CAR STEREO TAPE PLAYERS

2 3 x 5" CUSTOM MATCHING SPEAKER SYSTEMS

Only **8⁹⁵**

2—3 x 5" heavy duty ceramic speakers mounted in plastic housings will mount underdash, underseats, on kick panels, doors, or rear package shelf. Includes all necessary cables, mounting hardware and self adhering tape. Shpg. wt., 3 lbs. 17 K 7424W

Net 8.95


LAFAYETTE CUSTOM IN-DOOR SET OF 4 SPEAKERS and MATCHING GRILLS

8⁹⁵



Get that full, rich stereo sound from your car tape player. Ready for quick installation. Improves the sound and performance of any car tape player. Kit includes: Four 4¾" extended range 8-ohm PM speakers; four round custom mount plastic speaker grills; all necessary hookup wire with solderless connectors; mounting hardware and easy-to-follow instructions. Imported. Shpg. wt., 3 lbs. 99 K 6286

Net 8.95



ALTERNATOR NOISE FILTER

Alternator Noise Filter for "Dimension 48," and all other car stereo tape players. 17 K 7422

Net 1.25



CARRYING CASE FOR AUTO TAPE CARTRIDGES

Keep tape cartridges for your car neat, orderly, dust free. Compact 9x6x6" case stores 10 tapes of any standard brand. 2 lbs. 28 K 2012

Net 2.65

Car and Home 8 Track Tape Recorders, Players

UNIQUE ROBERTS MODEL 1725-8L
COMPATIBLE STEREO RECORDER




339⁹⁵ No Money Down

RECORD ON, AS WELL AS LISTEN TO,
THE "STEREO 8" CARTRIDGES ON A
REEL-TO-REEL RECORDER

- 4 Track Stereo and Monaural Reel-To-Reel Record and Play
- 8 Track Stereo Cartridge Record and Play

Exciting compatible transistorized reel-to-reel/cartridge recorder plays 8 track stereo 8 cartridges as well as record 8 track cartridge from mike, tuner, and simultaneously record tapes being played on the reel-to-reel portion of this recorder. 8 track cartridges plug in to play or record—no threading. Reel-to-reel portion of recorder features 2 heads, 3 speed 7 1/2, 3 3/4, 1 7/8 ips automatic shut-off, 3 place digital index counter, pause lever, and record interlock, 5x7" extended range speakers. Outputs for 2 external speakers and stereo headphone. Reel size: 7". With 2 dynamic microphones. For 110 VAC 60 cycles. Size 15 1/4 x 7 1/2 x 13 3/4". Shpg. wt., 40 lbs. Net 339.95

"AUTOMATIC" 8-TRACK SOLID STATE
HOME CARTRIDGE STEREO TAPE DECK



Only

69⁹⁵
No Money Down

Beautiful Walnut Wood and
Leatherette Grained Cabinet

- Permits You to Play "Stereo 8" Tape Cartridges thru the Amplifier and Speakers of Your Present Home Hi-Fi System

Fully transistorized, 8 track home cartridge player with built-in dual pre-amplifiers. Plays all "Stereo 8" track endless-play pre-recorded tape cartridges through any stereo amplifier having an "auxiliary" or "extra" flat response input jack. Plays instantly when cartridge is inserted. Features visual channel indicator, and automatic or manual switching of channels. Tape speed: 3 3/4 ips. Imported. Size: 11Wx9 1/2 Dx 4 1/2" H. For 115V., 60 cycles AC. Shpg. wt., 14 lbs. 17 K 2606WX \$5.00 monthly Net 69.95

HERB ALPERT & THE TIJUANA BRASS
8 TRACK STEREO TAPE CARTRIDGES

Only **5⁹⁵** ea.



Stock No.	Title	Net
28 K 2101	Going Places	5.95
28 K 2102	Tijuana Brass—Vol. II	5.95
28 K 2103	Lonely Bull	5.95
28 K 2104	South of the Border	5.95
28 K 2105	What My Love	5.95
28 K 2106	Whipped Cream & Other Delights	5.95
28 K 2107	S.R.O.	5.95
28 K 2108	Sounds Like	5.95

NEW "CUSTOM CONVERTIBLE" SOLID STATE 4 AND 8 TRACK TAPE PLAYER FOR VOLKSWAGEN CARS

Plays 4" or 8 track cartridges and converts to
an FM or AM radio with Optional Plug-in Tuner
Cartridge Modules.

Designed for custom mounting in Volkswagen cars. Truly a magnificent innovation in sound entertainment. The custom Convertible for Volkswagen cars is a solid state 8-track tape player that can also play any 4-track cartridge by means of a "patented adapter (included)". Also converts to an AM or FM radio with optional solid state plug-in FM or AM tuner cartridges. Unit automatically senses if a tape or cartridge is being inserted, and instantly starts playing. For 12 volt neg. ground system. Complete with 2 speakers. Dim.—7 1/4" L x 6 3/4" W x 2 3/4" D. Imported. Shpg. wt., 12 lbs. 17 K 2611WX \$5 Monthly Net 79.95

6 Volt Converter. Permits player to be used in VW Cars with 6 Volt Systems. Shpg. wt., 4 lbs. 17 K 2612 Net 14.95

SOLID STATE PLUG IN RADIO CARTRIDGES

AM TUNER MODULE—5 semi-conductor devices. Slide rule illuminated dial. Shpg. wt., 1 lb. 17 K 2609L Net 24.95

FM TUNER MODULE—8-transistors, 3-diodes, built-in AFC, slide rule illuminated dial. Shpg. wt., 1 lb. 17 K 2610L \$5 Monthly Net 49.95



4" and 8 track
cartridges

Only
79⁹⁵

with 2 Speakers
No Money Down

- For 12 Volt Neg. Ground Cars

NEW 8-TRACK CARTRIDGE MYLAR RECORDING TAPE



New continuous loop 8-track cartridges containing 150 ft. of 1 Mil Mylar lubricated recording tape. Fit all standard 8-track recorders and players. With UNI-tension pressure pads, precision molded tape guide. Shpg. wt., 6 oz. 28 K 1031 Net 2.79

8 TRACK HEAD TAPE CLEANING CARTRIDGE



A must for removing coating deposits from tape heads to restore high frequency response and volume. For use in any 8-track player accepting 8-track cartridges. Easy to use and reuse. Simply run the cartridge for a short period. Shpg. wt., 8 oz. 28 K 1292 Net 1.49

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

Lafayette Cat. No. 681 41

Portable Playtape Tape Cartridge Players



JUST INSERT
THE CARTRIDGE—
PLAYS INSTANTLY
ANYWHERE



ONLY
19⁹⁵
Less Batteries

ONLY
29⁹⁵
Less Batteries

PLAYTAPE MODEL 1310 MUSIC-MACHINE

DELUXE NEW MODEL 1403 SOLID STATE PLAYTAPE AM/RADIO CARTRIDGE PLAYER

Portable, battery-operated 2-Track Tape Cartridge Player. So easy to use—even a child can operate this marvelous player. Powerful all solid-state circuitry delivers rich, pleasing sound instantly when you insert the cartridge. Each tape plays for 10 to 12 minutes. Get together—have a party anytime—player operates on just 4 low-cost "C" type batteries. Only 2 controls—Volume and Track Selector. Features high impact plastic case with built-in carrying handle. Uses 3 1/4 x 3 x 1/2" pre-recorded magnetic tape cartridges sealed in shatter-resistant plastic cases (see listing below). Size: 10 x 6 x 2 3/4". Less batteries. Imported. Shpg. wt., 3 lbs.

Be the "smash hit" of your group with this exciting new portable solid state AM Radio-Tape Player. Listen to your favorite AM radio programs as well as play exciting tapes of your choice. Tape player mechanism is the same as in the Model 1310. Insert a tape cartridge in the side of the radio/player. Plays instantly anywhere. Radio features a large dynamic speaker, separate volume controls, Tone control, and Selector switch. Operates on 4 "D" batteries (not included) or AC with optional adapter. Dim.: 9 1/4 x 8 1/4 x 3 1/4". Shpg. wt., 3 1/2 lbs. Imported.

27 K 1702L Net 19.95
"C" Type Batteries for above (4 req.)
99 K 6257 Net ea. .14

27 K 1802L Net 29.95
99 K 6256 "D" batteries for above (4 req.) Net ea. .15
27 K 1804 AC Adapter for Model 1403—6 oz. Net 3.95


POPULAR PRE-RECORDED 2-TRACK TAPE CARTRIDGES FOR ABOVE PLAYERS **1³⁹** ea.

27 K 1805L Herb Alpert—Lonely Bulls
27 K 1806L Herb Alpert—Whipped Cream and Other Delights
27 K 1809L Herb Alpert—Going Places
27 K 1810L Herb Alpert—SRO
27 K 1807L Herb Alpert—What Now My Love
27 K 1808L Herb Alpert—South of the Border
27 K 1811L Baja Marimba Band—For Animals Only
27 K 1704L LOVING SPOONFULS—Daydream, There She Is, 2 other selections.
27 K 1705L LOVING SPOONFULS—Do You Believe in Magic, My Gal, plus 2 others.

27 K 1746L ANIMALS—Roberta, House Of The Rising Sun, plus 1 other.
27 K 1703L ANIMALS—It's My Life, I'm Craving, plus 2 other selections.
27 K 1707L HERMAN'S HERMITS Vol. I—Hold On, I Got A Feeling, plus 2 other selections.
27 K 1708L HERMAN'S HERMITS Vol. II—Leaning On A Lampost., plus 3 others.
27 K 1719L HERMAN'S HERMITS Vol. III—I'm Henry VIII I Am, Can't You Hear My Heartbeat, plus 2 more.
27 K 1759L HERMAN'S HERMITS Vol. IV—I'm Into Something Good, plus 3 other selections.

27 K 1709L RIGHTEOUS BROS.—Soul and Inspiration, Hey Girl, plus 2 other selections.
27 K 1714L CONNIE FRANCIS—Everybody's Somebody's Fool, plus 3 other selections.
27 K 1835L THE MAMA'S And THE PAPA'S Vol. II—Got A Feelin', plus 3 other selections.
27 K 1713L BOBBY RYOELL—Wild One, Kissin' Time, Volare, Sway.
27 K 1706L BLUES PROJECT—Catch The Wings, The Way My Baby Walks, plus 2 other selections.
27 K 1711L FANTABULOUS STRINGS—Thunderball, Goldfinger, What's New Pussycat.

LAFAYETTE TAPE SPLICER



1⁹⁸

- Two Operations—Cuts & Trims
- Clean Splices in Seconds
- For Monaural or 2 and 4-Track Stereo
- Splicing Tape Supplied

A sturdy precision instrument for professional use in all splicing and editing applications. Gives clean, quick cuts on all tapes without losing a significant portion of the sound track. Splicing tape fed from below will not foul and waste tape. Sharp long lasting blades provide trouble-free operation. A must for professionals and demanding audio hobbyists. Imported. Shpg. wt., 3/4 lb.
99 K 1535 Net 1.98

TELEPHONE PICKUP FOR RECORDING TELEPHONE CONVERSATIONS



1⁴⁹

Induction telephone pick-up for cradle or upright phones. Picks up conversations without wire tapping or special circuitry. Simply place phone base on pickup and connect leads to high impedance input of an audio amplifier or directly to a tape recorder. Imported. Shpg. wt., 8 oz.
99 K 1034 Net 1.49



- For Indexing and Cueing

42 Lafayette Cat. No. 681

1200 FT. 1 1/2 MIL MYLAR RECORDING TAPE



As Low As **69c**

LOTS OF 25

Lafayette brings you this 1 1/2 mil mylar base quality recording tape at an unbelievable low price. This 1 1/2 mil mylar tape features the exceptional strength and resistance to heat, cold, humidity and abrasion that are characteristic of mylar. 7" reel. Shpg. wt., 1 lb.

28 K 0113 1-2, ea. .95 3-9, ea. .82
10-24, ea. .74 25 up, ea. .69

1200 FT. LEADER TAPE ON 7 INCH REEL

Lafayette brings you this jumbo reel of leader tape at a tremendous savings over the cost of leader tape customarily available in 100 ft. quantities. 1 1/2 mil mylar tape. 1200 ft. x 1/4" wide on 7" clear plastic reusable reel. Individually boxed. Shpg. wt., 1 lb.
28 K 7701 Net 2.79

Lafayette Stocks a Complete Line of Tape Accessories

LAFAYETTE RECORDING TAPES

LAFAYETTE'S FAMOUS MONEY-BACK GUARANTEE

YOU BE THE JUDGE!

Lafayette's tape is made by outstanding nationally known manufacturers. It is first quality, splice free, red oxide coated, with full frequency response, uniform output and no "drop-outs." Resistant to moisture, heat, cold and abrasion.

We guarantee absolute satisfaction or your money back. If for any reason you are dissatisfied, return the tape at once and we will refund your money less only transportation charges. You are the sole judge.



LAFAYETTE ACETATE RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. Lbs.	Net Per Reel		
					1-4	5-24	25 Up
28 K 0102	600	5"	1 1/2	1/2	.99	.90	.85
28 K 0103	900	5"	1	3/4	1.20	1.10	.99
28 K 0101	1200	7"	1 1/2	1	1.59	1.49	1.35
28 K 0104	1800	7"	1	1 1/4	1.90	1.80	1.79

LAFAYETTE MYLAR® RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. Lbs.	Net Per Reel		
					1-4	5-24	25 Up
28 K 0105	1200	5"	1/2	3/4	1.75	1.58	1.42
28 K 0106	1800	7"	1	1 1/4	2.49	2.25	2.13
28 K 0107	2400	7"	1/2	1 1/4	3.10	2.79	2.51

LAFAYETTE TENSILIZED MYLAR® TAPES

Stock No.	Feet	Reel	Mils	1-4	Net Per Reel		
					5-24	25 Up	
28 K 0109	300	3"	1/2	.69	.63	.59	
28 K 0110	600	3 3/4"	1/2	1.20	1.09	.99	
28 K 0111	1200	5"	1/2	2.25	2.03	1.83	
28 K 0108	2400	7"	1/2	3.69	3.39	3.05	

*Mylar is the registered DuPont trademark for its polyester film.

LAFAYETTE RECORDING TAPE FOR AUTOMATIC REVERSING TAPE RECORDERS

• Ideal for the Lafayette RK-920 and RK-960 Recorders

These tapes are specifically intended for tape recorders providing automatic reversing of tape. Each tape has a green color coded leader, a red color coded trailer, and a metal sensing strip at each end to activate the automatic reversing mechanism in tape machines having this feature. This tape may also be used on machines which do not reverse tapes. This superb tape is of the same excellent quality, provides all of the features, and carries the same money-back guarantee as the other Lafayette recording tapes on this page. Average shipg. wt., 1 lb.

Stock No.	Feet	Reel	Description	Net Per Reel		
				1-4	5-24	25 Up
28 K 0116	1200	5"	1/2 mil mylar	1.99	1.84	1.67
28 K 0117	1200	7"	1 1/2 mil acetate	1.84	1.73	1.62
28 K 0118	1800	7"	1 mil mylar	2.69	2.54	2.39
28 K 0119	2400	7"	1/2 mil tens mylar	3.84	3.62	3.25

LAFAYETTE BULK TAPE ERASER



11.75
Standard Model

22.95
Professional Model

PROFESSIONAL MODEL

- Completely Erases Tape
- Two Erasing Coils
- Erases up to 1" Tapes
- Erases 1/4" Tapes in One Operation—No Reversing
- For 3", 5", 7" or 10 1/2" Reels

A carefully designed and precisely manufactured tape "degausser" for complete erasing of tapes. Just place the tape reel on spindle of demagnetizer, slowly rotate 2 or 3 turns, take off, and that's all. Reduce tape hiss to the level of new 'virgin' tape. Two completely separate coils are used for doubly-effective erasures, even of large, 10 1/2" reels. Will erase 1" wide tape. An extra powerful unit for heavy-duty use—draws over 9 amperes. Can be used to demagnetize tape, magnetically stripped film, plus tools and watches. Has a heavy, custom finished case, a rugged non-magnetic top, heavy duty on-off switch and power cord. Has built-in fuse. Pilot light prevents accidentally leaving it turned on. Size 6 1/4 x 7 1/8 x 3 1/2". 105-125V, 60 cycle. Imported. Shpg. wt., 14 lbs.

99 K 1516 Professional Model Net 22.95

STANDARD MODEL

Similar to professional model for all size reels but handles only standard size 1/4" tapes or smaller and reel must be turned over once. Has separate spindle positions for 10 1/2" and 3, 5, and 7" reels; non-magnetic bakelite plate for reel rest. One powerful coil consumes 5 amps. Metal case 7 1/4 x 4 1/4 x 3 1/2". Imported. Shpg. wt., 9 lbs.

99 K 1518 Net 11.75

LAFAYETTE TAPE HEAD DEMAGNETIZERS DELUXE MODEL WITH 3 REMOVABLE POLE PIECES



3.95

Has 3 complete sets of removable pole pieces: straight, 45° and 90° for quick easy use with any tape head. Removes magnetism that accumulates in every tape head insuring optimum signal-to-noise ratio. For 110 Volt 60 cycle. Shpg. wt., 1 lb.

28 K 0903 Net 3.95

MODEL WITH SWITCH

Pencil shaped head demagnetizer with one extending probe. Styling allows you to reach all heads in all positions. Features switch control... no need to leave unit on constantly. Turn on when needed and off to conserve unit's life. Operates on standard 110-120V 60 cycle AC. Imported. Shpg. wt., 1 lb.

99 K 1533 Net 2.49

LAFAYETTE CASSETTE CARTRIDGES



As Low As

1.35

60 Minute Cassette. Records and plays up to one hour (2 tracks) at 1 1/2 ips. Imported. Shpg. wt., 4 oz.

99 K 1540 Net 1.35

90 Minute Cassette. Records and plays up to 90 minutes (2 tracks) at 1 1/2 ips.

28 K 0120 Net 2.20

120 Minute Cassette. Records and plays up to 2 hours (2 tracks) at 1 1/2 ips.

28 K 0121 Net 2.98

LAFAYETTE DYNAMIC 1kc & 10kc GENERATOR



An essential transistorized instrument for the serious minded tape recordist who demands peak performance of his tape deck or recorder. The 1000 cps signal adjusts the bias in recorders having such adjustments to provide improved performance, particularly with reference to the brand and type of tape used. The 10 kc signal aligns the azimuth of the recording head. Puts out at least 1 volt with frequency tolerance of ± 1%. .5% distortion, and 50 ohm output impedance. 4 ft. cables with phone plug terminations. Self-power by 9V. battery. (Not supplied). 3 1/2 x 1 1/2 x 1 3/4".

99 K 1549 Shpg. wt., 1 lb. Net 14.95

99 K 6021 9V. battery for above Net .21

Lafayette Cat. No. 681 43

To Speed Your Mail Order - Please Give Your Zip Code Number



Camera Only
49⁹⁵
 SAVE When You Buy
 Complete Outfit
115⁹⁵
 No Money Down

LAFAYETTE SUPER 8 REFLEX ZOOM MOVIE CAMERA

- Fully Automatic CdS Electric Eye
- Thru The Lens Viewing
- Sharp f/1.8 Zoom Lens

Take perfectly exposed movies with this reflex camera. Automatic CdS electric eye Meter automatically adjusts lens diaphragm for correct exposure from ASA 25 to 100. Fast f/1.8 zoom lens zooms from 12 to 30mm for wide angle normal and telephoto shots; sharp focus from 5 ft. to Infinity without adjustment. Reflex viewfinder lets you see the exact picture area that will go on the film; eyepiece adjusts to your eyes. Signal system in the viewfinder warns of inadequate light conditions. Other outstanding features include: easy loading, continuous run 50 ft. Kodapak Super 8 cartridge for 50% larger image area; smooth battery-powered electric drive enclosed in the grip handle; built-in type A filter...continuous film run; footage counter; film-type and aperture indicator windows and movie light socket. Imported. Shpg. wt., 2 1/2 lbs.

99 K 7209L \$5 Monthly	Net 49.95
15 K 1610 Camera Case for above	Net 3.95
99 K 6258 Extra Batteries for above (4 req.)	Net ea. .10

COMPLETE ZOOM MOVIE CAMERA OUTFIT

Everything you need for movie making and showing fun. Matched components consists of Lafayette Zoom f:1.8 automatic CdS Reflex camera—fully automatic 500W brilliance projector with f:1.4 lens, automatic Reel-to-Reel threading, single knob control for Forward and Rapid Rewind. 400 ft. capacity. Projector includes self-contained case—outfit also includes: 1-camera case; 1-roll Kodachrome II film with free processing; 1-extra 400 ft. reel and can; 1-Batman cartoon; 1-30 x 40 Inch folding tripod screen; 4-batteries for camera; 1-650W Sealed Beam movie light. Shpg. wt., 23 lbs.

15 K 9015WXM \$6.50 Monthly (Complete Outfit)	Net 115.95
Projector only used in above outfit.	
15 K 7806WX Shpg. wt., 15 lbs.	Net 49.95

THESE New Super 8 Cameras
 Use KODAK Instant Load Film
 Cartridges—Shoot 50 Feet
 Without Touching Film

Camera Only
79⁹⁵
 SAVE When You Buy
 Complete Outfit
159⁹⁵ No Money
 Down
 \$8 Monthly

DELUXE SUPER 8 REFLEX AUTO POWER ZOOM MOVIE CAMERA

- Thru-The-Lens CdS Electric Eye
- 3.5 To 1 Power Zoom
- Two-Speed Operation
- Fast f/1.8 Lens



Take brighter, sharper movies with this deluxe super 8 power zoom reflex camera. Instant loading film cartridge eliminates complex film threading or reversing... may be run a full 50 ft. continuously. Thru-the-lens CdS electric eye automatically controls the lens opening according to light conditions. Electric film drive motor does away with bothersome hand winding. Super fast f/1.8 cinetor 3.5 to 1 zoom lens may be manually or automatically operated. Warning signal shows in viewfinder under insufficient light conditions. Exceptional features include footage counter, reflex thru-the-lens viewfinding, built-in "A" type filter, battery tester, focusing eyepiece, full range film speed, safety lock, light bar receptacle, cable release socket, pistol grip, and die-cast aluminum body with hinged doors. Focuses from 6' to inf. Two Speeds: 18 and 24 FPS. Imported. Shpg. wt., 4 lbs.

15 K 7807L \$5 Monthly	Net 79.95
15 K 1610 Camera Case for Above	Net 3.95
99 K 6258 Batteries for Above (4 required)	Net ea. .10

Complete Power Zoom Movie Camera Outfit

Everything you need for movie making and showing fun. Matched components consists of Power Zoom Super 8 f:1.8 camera—fully automatic 500W brilliance projector with f:1.5 Zoom Lens, automatic Reel-to-Reel threading thru gate, single knob control for Forward, Reverse, Still and Rapid Rewind. 400 ft., capacity. Projector includes self contained case—outfit also includes: 1-camera case; 1-roll Kodachrome film with free processing; extra 400 ft., reel and can; Mr. "Magoo" cartoon; 1-30 x 40 inch folding tripod screen; 4-batteries for camera; 1 Light Bar, 2 Bulbs. Shpg. wt., 23 lbs.

15 K 9017WXM \$8 Monthly	Net 159.95
Auto Zoom Projector Only	
Full feature, forward, still and reverse. Shpg. wt., 16 lbs.	
15 K 7808WX \$5 Monthly	Net 74.95

LAFAYETTE SUPER 8 MOVIE CAMERA

- Fully Automatic Electric Eye Sets Exposure
- Battery Drive Motor
- Fast f:1.8 Lens

SALE 19.95

Cut 5.00

Features instant loading Kodapak Super 8 mm cartridge film, allowing continuous 50 ft. run without reversing film. Highly sensitive selenium-type electric eye automatically adjusts lens for proper exposure, ASA 25 to 64. Side window shows f-stop used, Fast f/1.8 fixed focus lens keeps everything in sharp focus from 6 ft. to infinity. Bright, viewfinder provides clear field of view . . . Includes red low light level signal to warn of underexposure. Built-in (A) Filter automatically disengages when daylight type cartridge is inserted. Camera includes pistol grip handle which holds 4-penlight batteries, safety lock to prevent accidental exposure, built-in movie light socket and film footage counter. Imported. Shpg. wt., 2 lbs.

99 K 7208L

Net 19.95

15 K 1610 Camera Case for above

Net 3.95

Extra Batteries for above (4 req.)

99 K 625B

Net ea. .10

YASHICA SUPER 8-25 REFLEX ZOOM

- Automatic CdS Electric Eye

Completely automatic camera. Sleek, compact Yashica Super 8-25 features instant loading, fully automatic exposure, electric film drive and the brilliant Yashinon f/1.8 reflex zoom lens with a 2½ to 1 ratio—12 to 30mm. Incorporates an exposure warning system in the viewfinder, which indicates over- or under-exposure, as well as the lens opening. The selenium exposure system is automatically set by the cartridge for ASA 25 and 40. Other features include a battery check, diopter—adjustable eyepiece, footage counter, 18 fps speed and single frame cable release socket and molded pistol grip with attached wrist strap for comfortable shooting. Imported. Shpg. wt., 3 lbs.

15 K 3622L Model Super 25 . . . \$5 monthly

Net 71.95

99 K 625B Batteries for above (4 req.)

Net ea. .10

YASHICA SUPER 8-40 POWER ZOOM

- Behind-the-Lens CdS Meter, 2-Speeds
- Fast f/1.7 Lens—4:1 Zoom Ratio with Grip

Instant loading through use of Kodapak Super 8 film cartridge with continuous 50 ft. run. Sharp 4:1 ratio power zoom f/1.7 lens focuses from 3' 9" to infinity. Insufficient light warning signal and f-stop visible in bright viewfinder. Electric drive motor operates on penlight batteries. Other features include shutter lock, automatic or manual diaphragm operation, battery tester, focusing eye-piece, built-in filter wrist strap and remote control. Convenient fold-under grip holds batteries. Speeds: 18 and 24 frames per second and signal frame for special effects and tilting. Imported. Shpg. wt., 3 lbs.

15 K 3633L \$6 Monthly.

Net 109.95

99 K 625B Batteries for above (4 req.)

Net ea. .10

BAUER C1 SUPER 8 REFLEX ZOOM

- CDS meter behind the lens
- Fast f/1.8 4-1 zoom lens
- 3-speeds—with grip

Instant loading. Instant filming Super 8 camera features: Through-the-lens reflex viewing. Famed Bauer Vario f/1.8 zoom lens with CDS cell mounted behind the lens for unerring accuracy. Three speeds (12, 18 and 24 fps) plus single frame. Built-in type "A" filter and permanent hand grip. Battery driven motor. Contoured rubber eyepiece. Rubber sunshade. Other benefits of The Bauer Super 8 (drop-in cartridge loading, viewfinder shows if batteries are sufficiently charged and if light is sufficient for shot, focusing from 3 ft. to infinity and auto footage counter). Imported from West Germany. Shpg. wt., 3 lbs.

15 K 3710L \$8 monthly

Net 159.95

99 K 625B Batteries for above (4 req.)

Net ea. .10



YASHICA
71.95
No Money Down

BAUER
159.95
No Money Down

YASHICA
109.95
No Money Down

129.95

DeJUR DUAL PROJECTOR FOR BOTH SUPER AND STANDARD 8



DUAL PROJECTOR
FOR BOTH SUPER
AND STANDARD 8

99.95

(A) DUAL PROJECTOR

MODEL DP-888. Dual 8 projector shows all 8mm movies either thru the built-in viewer, or by brilliant screen projection. Switch converts projector from standard 8 to super 8 film. Features automatic threading and loading, automatic instant-start, automatic light coordinator which turns off room lights when projection lamp goes on, single frame projection, variable speed forward and reverse, rapid rewind and ultra-sharp zoom projection lens. 400 ft. reel capacity. Built-in film cutter. Sturdy die-cast aluminum construction. For 110 volts 50/60 cycles AC. Shpg. wt., 20 lbs.

15 K 5206WX \$7 Monthly

Net 129.95

(B) DUAL PROJECTOR

MODEL DP-77. Cool running compact projector with advanced engineering features provides high brilliance from movies taken with any 8 mm camera . . . super or standard 8 mm. Zoom lens assures sharp color reproduction. Selection of Super or standard 8 mm film is made by the flick of a switch. Other quality features include reel-to-reel threading, multiple speed control plus instant forward/reverse and rapid rewind, single frame stills, built-in film trimmer, automatic room light receptacle. Rugged motor is factory lubricated for years of operation. 400 ft. reel capacity. 20 lbs.

15 K 5207WX \$5 Monthly

Net 99.95

Buy Your Camera Now on Lafayette's Easy Pay Plan

Lafayette Cat. No. 681 45



**YASHICA LYNX
5000 35MM**

75⁹⁵
with case

**No Money
Down**

- Sharp Super-fast f/1.8 lens
- All-in-one Finder
- Two-Stage CdS Meter

Set the needle in the finder and SHOOT! The LYNX-5000 combines an easy-to-operate match needle CdS exposure meter with a super-speed f/1.8 lens and a high speed (up to 1/1000 sec.) shutter. Features a split-image focus rangefinder, sensitive two-stage CdS meter with on-off switch and ASA range 10-800. Viewfinder lets you set perfect exposure without removing eye from finder as you compose and focus. Complete with black leather case and strap. Imported. Shpg. wt., 3 lbs.

15 K 3613L \$5 monthly Net 75.95



**MIRANDA "FVT"
35 MM SLR**

159⁹⁵
with case

No Money Down

- Thru the Lens CdS Spot Meter
- Sharp 50MM f/1.9 Automatic Lens

Versatile SLR provides virtually perfect exposure control using a sensitive thru-the-lens CdS meter. Accurate spot micro-screen simplifies focusing. Speed variable from open to 1/1000th sec. Pentaprism SLR design permits brilliant thru the lens viewing. Quick-change mount accepts both bayonette and screw mount lenses. Other features include single stroke film advance, double exposure prevention, X and FP flash sync., and self resetting counter. Focuses down to 17". Meter range ASA 6-3200. (EVA 4-18) Imported.

15 K 3716L Shpg. wt., 3lbs. \$8 Monthly Net 159.95
15 K 3713L Above, less CdS meter (Model "FV") Net 134.95



TARON "AUTO EE" 35MM

52⁹⁵
with case

No Money Down

- CdS Electric Eye
- Fast 45MM f/1.8 Lens

Perfect exposures assured by crosscoupled automatic electric eye and shutter mechanism... no needles to line up. Quality features include rapid film advance, automatic counter, built-in self timer, bright viewfinder, and warning signal for over or under exposure. 45 mm f/1.8 coated and color corrected lens focuses from 30" to infinity with range finder. Meter range: ASA 10-400. Speeds: B, 1 to 1/500th sec. X synch. Complete with black leather case and strap. Imported. Shpg. wt., 3 lbs.

15 K 7205L \$5 Monthly Net 52.95



KOWA "SET" 35MM SLR

Only
99⁹⁵
with case

No Money Down

- Behind-The-Lens CdS Meter
- Fast f/1.8 50MM Lens

Versatile SLR utilizes a behind-the-lens CdS exposure system. Exposure set needle is visible in viewfinder. Features include pentaprism viewfinder, microdiaphragm focusing, accurate leaf shutter, automatic reset film counter, self-timer with lock, 180° rapid advance lever, double exposure prevention, and accessory shoe. Speeds: Time, 1 to 1/500th sec. M or X synch. Meter range: ASA 10-800. (Ev 3-17). Imported. Shpg. wt., 2 lbs.

15 K 6304L \$5 Monthly Net 99.95



YASHICA "TL-Super" 35 MM SLR


- Thru-The-Lens Light Readings
- Speeds To 1/1000th—Self Timer

184⁹⁵
with case

No Money Down

Yashica "TL-Super" SLR features a fast 50 mm f/1.7 6-element lens and curtain-type focal plane shutter for sharp, clear pictures. Advanced "twin cell" behind-the-lens CdS meter uses simple match needle system. Fine features include pentaprism viewing, automatic return mirror with lockup, self timer, single stroke film advance, automatic X-PP sync., and flash/accessory shoe. Speeds: B, 1 to 1/1000th sec. Meter Range: ASA 25-800 (EV 2-18). Imported. Shpg. wt., 4 lbs.

15 K 3634L \$10 Monthly Net 184.95



500 WATT SLIDE PROJECTOR

26⁹⁵

- Quiet Fan Cooled Operation
- Automatic Slide Changer
- Color Corrected 4 Inch f3.5 Lens.

Designed for simplicity of operation and ease of maintenance. 500 watt lamp assures sharp brilliant pictures. Projects any 35 mm, Bantam, 127, or instantamatic slides. Does not require slide trays. Loads up to 40 slides and allows intermix of different size slides. Uses standard projection lamp. Compact—5¾Hx14Lx8½"W. For 105/120 volts 50/60 cps. Shpg. wt., 7½ lbs.

15 K 8401 Net 26.95



**FRONT PHOTO FOCUS
MONOCULAR**

**MAKES YOUR CAMERA TELE-
PHOTO—Brings Distant Objects
From 6 to 8 Times Nearer**

**ENLARGES
THIS**



TO THIS

11⁹⁵

Take-super-telephoto pictures with your single lens or twin-lens reflex camera. The front focus system is specially made for on-camera operation. There is no need to miss those once-in-a-lifetime shots. Increases focal length of your camera lens 6X, 7X or 8X depending on model selected (i.e. 50mm lens plus 8X monocular equals 400mm telephoto). Rugged, lightweight construction—weight only 7½ ounces; is only 5 inches long. Includes series VI adapter ring and leather case. Imported. Shpg. wt., 1 lb.

99 K 7072 6x30 mm Net 11.95

99 K 7073 7x35 mm Net 12.95

99 K 7074 8x30 mm Net 12.95

— SUBMINIATURE CAMERAS — PROJECTOR

Minolta

"16 II" SUBMINIATURE CAMERA. An extremely easy-to-operate, palm-size camera. Sliding camera in and out of built-in case advances film, cocks, shutter, counts exposure and prevents double exposure—all automatically. 6 shutter speeds from 1/30 to 1/500 sec. plus "B". Takes B & W pictures, color prints or color slides that fit any 35mm projector. Direct viewfinder shows picture exactly as it will appear on film. Lens opening from f/2.8 to f/16. With Case. Imported. Shpg. wt., 1 lb.

15 K 3418L	Net 29.95
MINOLTA 16 II Accessories. Av. Shpg. wt., 6 oz.	
15 K 3421 Baby BC Flash with Capacitor and Case	Net 4.95
15 K 3422 Bracket for Flash and Tripod Mtg.	Net 1.95
15 K 3423 Aux. Lens Set—2 closeup, 1 distance, 1 Y filter	Net 4.49
15 K 3424 Color Filter Set—1 ea. 1A, 80A, 81B	Net 4.49

FILM FOR "16 II"—All are 20-exposure magazines. Shpg. wt., 3 oz.

15 K 3417L Kodak Panatomic X	Net .90
15 K 3419L Kodachrome II	Net 1.25
15 K 3418L Kodak Tri-X	Net .90
15 K 3450L Ektacolor Negative (color prints)	Net 1.49

MINI-"16" COLOR SLIDE PROJECTOR. Compact, lightweight projector to match Minolta and other 16 mm Sub-miniature cameras. Sharp 40 mm Rofkor F/2.5 lens. Includes deluxe vinyl carrying case, standard slide carrier and 75 watt projector lamp. For 110-120 volts AC-DC. Imported. Shpg. wt., 3½ lbs.

15 K 3435	Net 29.95
-----------	-----------



ONLY
29⁹⁵
EACH

YASHICA atoron WITH BUILT-IN LIGHT METER

Now you can have the sharpest, clearest pictures ever indoors and out, from the all new lightweight (4 oz.) Atoron camera, finished in brushed aluminum and chrome. Programmed exposure, with shutter speeds 1/45th to 1/250th seconds. Lens openings from F/2.8 to F/16. EV numbers 8.5 to 16. Built-in semi-automatic light meter operates by aligning control wheel film speed marker with exposure meter needle. Yashinon 18 mm universal focus lens with extreme depth of field. Film is loaded thru sliding panel on bottom of camera. Retractable pressure plate assures accurate frame alignment by pulling on film advance. Optical finder with close-up parallax markings. Built-in meter, with medium yellow UV filters that zip into place with a flick of your finger. Comes complete with screw-in, cordless flash, supple black leather case, brushed flexible chain with belt clip, and 80B and ND4 snap on filters. Shpg. wt., 1½ lbs. Imported.

15 K 3625L \$5 Monthly	Net 84.95
------------------------	-----------

ULTRAMINIATURE CAMERA USES "MINOX-TYPE" PRELOADED DROP-IN 9.5MM CARTRIDGE

Only **84⁹⁵**



PRELOADED FILM FOR ATORON NO MONEY DOWN	
Av. Shpg. wt., 2 oz.	
15 K 3626L Pkg. of 2, 36 Exposure ASA 125 B&W	Net 1.98
15 K 3627L Pkg. of 2, 36 Exp. XT-Pan ASA 25 B&W	Net 1.98
Pkg. of 2, 36 Exp. Kodachrome II ASA 25 Color Slides	
15 K 3628L	Net 3.29
Pkg. of 2, 36 Exp. Extacolor ASA 80 Color Slides	
15 K 3629L	Net 2.49
32 K 4892 Battery for above (2 req.)	Net ea. .27

ELECTRIC EYE INSTANT LOADING FLASHCUBE CAMERA OUTFIT

17⁹⁵

- Uses Kodak 126 Cartridge Film




Automatic electric eye sets perfect exposures every time, sharp preset lens—no focusing. Features instant loading film cartridge, double exposure prevention. Accepts flashcube which automatically rotates. Outfit includes camera, flashcubes, 2 batteries, color film and wrist strap.

15 K 7810L Shpg. wt., 4 lbs.	Net 17.95
Texon case with strap. Holds camera, 2 rolls film, 2 sleeves flashcubes. Shpg. wt., 1/2 lb.	
15 K 1611	Net 2.49

INSTA-CUBE CAMERA OUTFIT

- Uses Kodak 126 Cartridge Film
- With Drop-Front Case

11⁹⁵



Takes clear, sharp pictures every time. Features instant loading cartridge film. Flashcube automatically rotates after film advance. No complex settings or focusing, no double exposure. Kit contains drop-front case with strap, camera, 2 flashcubes (8 flashes), 2 batteries and 1-126 Kodapak® Verichrome Pan film cartridge. Shpg. wt., 4 lbs.

15 K 3301L	Net 11.98
------------	-----------

baia MARK II REVIEWER-EDITOR



11⁹⁵

- Single Sprocket Drive • 3¼" x 2¼" Viewing Screen

Compact Super 8 mm viewer with prismatic shutter magnifies picture more than 300 times. Features slip-in film loading that eliminates threading. Uses single sprocket drive to assure no skipping or film wear. Features automatic framing and focusing, fold-away out type one step splicer, folding 400-ft. capacity rewinds, and a convenient frame marker. Complete with a supply of Mylar splice tape and Uniflex Splicer. Shpg. wt., 4 lbs.

15 K 3637 For super 8 mm	Net 11.95
Same as above but for standard 8 mm.	
15 K 3638 Shpg. wt., 4 lbs.	Net 11.95

KODAK

As Low As
16⁹⁵


- Instant Loading
- Accepts Flashcube —Rotates it Automatically

INSTAMATIC CAMERA COLOR OUTFIT



Model 104 Outfit. Features the simple to operate Kodak Instamatic 104 camera. Instant film loading with snapshot or slide cartridges. Prefocused lens for perfect exposures. Accepts Flashcubes for 4 flash shots without touching a bulb. Double exposures prevention. Kit includes camera with wrist strap, Kodacolor-X film cartridge, 1 flashcube, and 2 AAA batteries. Shpg. wt., 4 lbs.

15 K 2630L	Net 16.95
Model 154 Outfit. Similar to above. Camera features spring motor which automatically advances film and rotates flashcube.	
15 K 2631L	Net 26.95
Compartment case for above; Texon material with strap. Holds camera, 2 rolls film, 2 flashcube sleeves. Shpg. wt., 1/2 lb.	
15 K 1611	Net 2.49



NOT A KIT
Completely
Wired

LAFAYETTE CdS EXPOSURE METER

15⁹⁵

- Professional Quality Ultra Sensitive—Measures Moonlight, Candlelight, Bouncelight


Now you can achieve correctly exposed photographs from the light of a single candle with this versatile, low cost Lafayette meter. Ultra-sensitive CdS photocell meter utilizes dual light ranges to accurately measure light intensity including extremely low light levels for night or available light photography. Operates comfortably with one hand. A single slide switch controls light range and automatically moves the proper scale into position for easier readings. Measures reflected and incident light with built-in hemispheric diffuser. The meter can be adjusted with a click stop switch to three angles of light acceptance; 15° telephoto, 45° standard and 75° wide angle matching your readings to the camera lens and scene being photographed. Reflex viewfinder with frame markers provide precise area readings for 15° and 45°. Has battery test and "off" position to prolong battery life. External zero adjustment and two mercury batteries (included) assure accuracy over long continuous use. Cushioned jewel mechanism and high impact case, 4 3/8 x 2 1/2 x 1 3/8" D. With soft leather case. Imported. Shpg. wt., 13 oz.

99 K 7197L Net 15.95
13 K 1609 Hard leather eveready case strap. Wt. 6 oz. Net 3.95

SPECIFICATIONS

Sensitivity: Low Range, 0.44 to 110 footcandles; High Range, 110 to 28,000 footcandles. ASA Film Speed Range: 6 to 12,000 (1° to 12°). Diaphragm Stops: f/0.5 to f/64. Shutter Speeds: 1/4000 second to 30 minutes. Movie Scale: 4 to 128 frames per second. EL-LVS Scale: -12 to +22. Acceptance Angle: 15° Tele, 45° Std., 75° Wide Angle. Color Response: 5,600 Angstroms (peak). Photocell Type: Cadmium Sulphide. Batteries: 2 Mercury.

LAFAYETTE TRANSISTORIZED ELECTRONIC STROBE FLASH




16⁹⁵

- Lightweight & compact
- Fully Transistorized
- Operates On 4 Economical "Z" Cell Batteries

Now you can have a high-powered transistorized electronic flash that operates from standard AC house current or 4 economical "Z" cell batteries. Compact and feather-weight—no power pack is required. Flash duration of 1/2000 seconds for fast pictures. Recycling time: 6 to 8 seconds; color temperature: 5800° Kelvin. Guide number dial for F stop on back. Mounts either vertically or horizontally. Fits any camera shoe. Complete with AC cord, camera cord, and batteries. Imported. Shpg. wt., 2 lbs.

99 K 7184 Net 16.95
99 K 6258 Extra batteries for above (4 req.) Net ea. .10

ULTRABLITZ CORNET "100" ELECTRONIC FLASH



24⁹⁵

- Operates on Batteries or AC
- Fully Transistorized
- Re-cycling Time 5-12 Seconds
- With AC Cord

Featuring compact design and quality transistorized circuitry. Uses two "C" type batteries or AC. Solid state circuit for low battery drain and constant high intensity output. F-stop computer, retractable pc cord and "hot center contact" for cameras with "hot shoe." Guide No's: Kodachrome II (ASA 25) 44; (ASA 64) 63; Tri-X (ASA 400) 176. Color temp: 5,600° K. Angle of illumination: Vertical; 50°. Horizontal; 58°. Ready light indicator. Imported. Shpg. wt. 2 1/2 lbs.

15 K 3715 Net 24.95
99 K 6293 Alkaline Batteries for above (2 req.) Net ea. .35

LAFAYETTE CdS EXPOSURE METER



Only 9⁹⁵

- Super Sensitive CdS Meter
- Push-Button Battery Test Circuit
- ASA 6 to 12,000

An extremely sensitive Cadmium Sulfide exposure meter. Perfect for all types of photography either indoors or outdoors. Perfect for all high or low level lighting. May be held in the hand, around the neck, or attached to camera. Film sensitivity scale: ASA6 to 12,000. Exposure time scale 8 sec. to 1/1000 sec. Lens aperture f/1 to f/32. Light value scale (EV): LV4 to 17. Movie scale 8 to 64. Measures reflected or incident light. Complete with mercury battery, leather carrying case and carrying/neck cord. Shpg. wt., 1 lb. Imported

99 K 7186. Net 9.95

ELEVATOR TRIPOD



- Tri-Tilt Head
- Velvet Smooth Panning

As Low As 6⁹⁵

For any small camera — 35mm, reflex or movie. Compact and lightweight... folds to 16", extends to 47" plus 7" with geared center elevator. Single action tilt/pan and 180° swing over for vertical and horizontal format pictures. Positive lock, folding crank. Chrome plated brass legs. Weighs 31 Oz. Imported. Shpg. wt., 2 1/2 lbs.

"PRO" ELEVATOR TRIPOD

Deluxe model for heavier cameras. Aluminum construction. Completely rigid to full height. Extends to 46 1/2", gear drive elevator adds 10". Closes to 22". Pans 360°, tilts 180°. Positive leg stops, rubber tipped feet. Imported. Shpg. wt., 2 1/2 lbs.

15 K 7202 Net 11.95

DELUXE LENTICULAR SCREEN



As Low As

11⁹⁵

Specially-designed, optically-correct lenticular screen is free of glare, sheen and hot spots. Amazing sharpness and color rendition. Durable vinyl fabric resists fire and fungus. Sturdy chrome tripod legs. Screen is 40x40". Shpg. wt., 12 lbs.

15 K 5005W Net 11.95

Same as above. Extra Large 50" x 50" Super Screen—Ideal for New Super 8 Movies. Shpg. wt., 14 lbs.

15 K 5021W Net 18.95

GLASS BEADED SCREEN

Fine grain glass beading for extra brilliance excellent viewing. Heavy-duty folding tripod adjustable to various heights. Large 30"x40" size. Shpg. wt., 10 lbs.

15 K 5003 Net 6.95

Camera Accessories and Film

DROP FRONT "PRO"-BAGS

The perfect accessory bag for professionals or camera bugs. Heavy duty bags will hold movie, reflex, 35 mm and press cameras, flash guns, bulbs, meters and a host of other items. Constructed of durable vinyl material, with red corduroy lining and non-jam zipper. Leather loops, hand strap and front key lock.

15 K 1606 PRO 11 Size: 11x9½x5¼". Shpg. wt., 2½ lbs. Net 8.95
 15 K 1607 PRO 13 Size: 13x10x6". Shpg. wt., 3 lbs. Net 9.95
 15 K 1608 PRO 16 Size: 16x7x9½". Shpg. wt., 3½ lbs. Net 13.95



SUPER 8 MOVIE LIGHT

• Fits All Super 8 Models

Compact, powerful 650 watt tungsten sealed beam lamp will provide sparkling, bright indoor movies. Features top mounting and switch on power cord. Will fit all new super 8mm cameras plus all standard 8mm cameras with tripod socket on top, with 6½ ft. cord and exposure guide. Shpg. wt., 3½ lbs. Net 8.95

5⁹⁵



COMBINATION GRIP AND BOUNCE FLASH BRACKET

3²⁹

Useful combination of grip and standard utility bracket. "Bounce Flash" bracket with lock allows easy multi-angle flash operation for electronic strobes or standard flash guns. Bracket is also useful for holding exposure meters and other camera accessories. Molded pistol handle affords solid grip. Permits ultra safe carry for your valuable camera. Imported. Shpg. wt., 1 lb.

99 K 7190

Net 3.29



DELUXE ZOOM MOVIE CASE

6⁹⁵

• Adjustable Shoulder Strap
 • Nickel Plated Hardware, Aluminum Valance Across Top For Added Strength


Holds substantially any super 8 camera with attached hand grip. Made of exquisite black vinyl material, firm core and fully lined, with french stitching. Ample space also provided for camera accessories; film, lens filters. Size: 11 x 10¼ x 3¾. Shpg. wt., 2 lbs. Net 6.95



LAFAYETTE FLASH CUBE GUN

Only 2⁴⁹

• Update Your Camera to Use Flash Cubes



Now any camera can use the new flash-cubes! Simple, trigger mechanism revolves the cubes with automated convenience. BC type unit for low battery drain. Compact unit takes one 15 volt battery. Push button battery tester light neon-bulb, to indicate battery condition. Easy to read ASA exposure table. 7½" Sync-cord with PC Connector fits most cameras. Imported. Shpg. wt., ½ lb.

99 K 7199

32 K 4835 15 Volt Battery (1 req.)

Net 2.49

Net .81

LAFAYETTE BOUNCE BC FLASH

3⁹⁵

• For Straight or Bounce Flash
 • Compact, with Vinyl Case

A versatile bounce BC flash gun with many outstanding features. Swivels for intermediate to full bounce light. Reflector completely folds for easy carrying. Positive shoe lock. Accepts


AG-1, M2, M3, M5 and 25 bulbs. Used bulbs are disposed of by a spring action bulb ejector. Bright neon circuit testlight indicates that circuit is fully energized and ready to "shoot." Completely retractable PC cord. Useful exposure indicator dial. Complete with vinyl case. Less Battery. Imported. Shpg. wt., 1 lb.

99 K 7187

99 K 6027 Battery for above

Net 3.95

Net .59



WESTINGHOUSE FLASHBULBS

BUY IN QUANTITY AND SAVE

Stock No.	Lamp Type	Pkg. Quan.	Per Pkg.	In Lots of 3 ea.
15 K 4724	AG-1	12	1.19	1.05
15 K 4725	AG-1B	12	1.19	1.05
15 K 4722	AG-3B	12	1.49	1.35
15 K 4727	M2	12	1.25	1.10
15 K 4726	M2B	12	1.25	1.10
15 K 4728	M3	12	1.49	1.35
15 K 4729	M3B	12	1.49	1.35
15 K 4730	5	12	1.48	1.35
15 K 4731	5B	12	1.49	1.35

Av. Shpg. wt., 8 oz.

FLASHCUBES

Package of 3, 4-shot flashcubes. Shpg. wt., 5 oz.

15 K 2632

Net 1.79



• Highest Quality
 —Pre-Tested
 Insure every shot

KODAK FILM with PROCESSING INCLUDED

• Slides Returned Mounted, Ready for Viewing or Showing! • Convenient, direct-mail "mailers" in every roll • A full number of prints guaranteed for Kodachrome and black and white.

After the complete roll has been filmed, put it into the mailer, drop into a mailbox and in a few days your finished films are delivered postpaid to your door. You get 3½" square or 3½x5" giant prints with Kodachrome and Black and White (except CX-135 which is 2½x3½"). Should you get less than the full number of prints or printable negatives per roll, you will receive coupons for additional FREE prints. DO NOT MAIL FILM TO LAFAYETTE RADIO.



Av. Shpg. Wt., 6 oz.

KODACHROME MOVIE FILM-TYPE II

ASA Index 25 Daylight—40 "A" Indoor

Stock No.	Film Size	Description	Net
15 K 4703L	KR459	8mm, 25 ft. Double roll, Daylight	3.25
15 K 4704L	KR459	8mm, 25 ft. Double roll, "A" Indoor	3.25

KODAPAK MOVIE FILM FOR SUPER 8

15 K 4705L	KA-464 Super 8mm 50-ft. Cartridge, Indoor/Outdoor	Net 3.75
------------	---	----------

KODACHROME 35MM, TYPE II AND X

Type II ASA index 25 Type X ASA index 64

15 K 4706L	KR135-20	35mm, Type II, 20 Exp.	2.80
15 K 4707L	KR-135-36	35mm, Type II, 36 Exp.	4.25
15 K 4708L	KX135-20	35mm, Type X, 20 Exp.	2.80
15 K 4709L	KX135-36	35mm, Type X, 36 Exp.	4.25
15 K 4710L	KX126	Instamatic Cartridge, 20 Exp.	2.80

FOR COLOR SNAPSHOTS

15 K 4711L	CX-127	127 indoor/outdoor, 12 Exp.	3.15
15 K 4712L	CX-120	120 indoor/outdoor, 12 Exp.	3.15
15 K 4713L	CX-620	620 indoor/outdoor, 12 Exp.	3.15
15 K 4714L	CX-126	Instamatic cartridge, 12 Exp.	3.29
15 K 4715L	CX-135	35mm Indoor/Outdoor, 20 Exp.	3.99

Prices & Specifications Subject to Change Without Notice.

Lafayette Cat. No. 681 49

DAY AND DATE CALENDAR WATCH

Only **9⁹⁵**

SWISS MADE

- Automatically Changes the Day and Date
- Sweep Second Hand
- With Expansion Band



Tell time, day, and date at a glance with this elegantly styled, Swiss made men's calendar watch—day and date change automatically at midnight! Beautiful shock protected gold tone case with matching expansion band. Handsome white dial face with bright gold numerals with red date and day, provide a smart dressy appearance. Features precision Swiss movement and unbreakable mainspring for years of accurate, dependable service. Also has convenient sweep second hand. Shpg. wt., 8 ozs.
13 K 3121LT Mail order see note below Net 9.95

SELF WINDING 17 JEWEL AUTOMATIC DAY AND DATE CALENDAR WATCH

29⁹⁵ SWISS MADE

- Elegant Expansion Band

Just set it—forget it! Winds itself automatically. Precision, Swiss made 17 jewel watch is shock resistant and antimagnetic. Tells time, date, and day, which changes automatically. Beautiful gold tone case with stainless steel back and matching expansion band. Has attractive white dial face with gold numerals and red date and day, sweep second hand. Shpg. wt., 8 ozs.
13 K 3122LT Net 29.95
Mail order see note below.



17 JEWEL CALENDAR WATCH

15⁹⁵ SWISS MADE

- Changes Date Automatically

Handsome, accurate timepiece featuring a 17 jewel precision Swiss movement with unbreakable mainspring. Housed in bright chrome case with stainless steel back and expansion band. Date changes automatically every day. Has attractive white dial face with numerals, luminous hands, and convenient sweep second hand. Shock resistant, anti-magnetic construction. Wt. 8 oz.
13 K 3120LT Net 15.95
Mail order see note below.



17-JEWEL WRIST ALARM WATCH

29⁹⁵ SWISS MADE

- Automatic Reminder Anytime/Anyplace

Elegantly styled wrist alarm has a dependable 17-jewel Swiss movement in a water and shock-resistant case. Features a radium dial and hands with raised gilt figures; sweep second hand; genuine leather strap; unbreakable mainspring; anti-magnetic. Shpg. wt., 8 ozs.
Stainless Steel Case
13 K 3114LT Net 29.95
Gold Tone Case
13 K 3115LT Net 29.95
Mail order see note below.



17-JEWEL DOUBLE-BUTTON CHRONOGRAPH WATCH

29⁹⁵ • Precision Movement

- Ideal for Sports—Science—etc.

17-jewel movement with unbreakable main spring. Features tachometer to measure speed and telemeter to measure distance of sound. Radium dial and hands; raised gilt figures; anti-magnetic; genuine leather strap; sweep second hand. Shock and water-resistant case with chrome stainless steel back. Shpg. wt., 1 lb.
13 K 3113LT Net 29.95
Mail order see note below.





ATTENTION MAIL ORDER CUSTOMERS—ON ALL ITEMS SHOWN ABOVE WITH STOCK NUMBERS ENDING IN "T" PLEASE ADD 50¢ FOR POSTAGE AND SPECIAL HANDLING—NO C.O.D.

CORDLESS ELECTRIC PENDULUM CLOCK

11⁹⁵ • Operates A Year on Flashlight Battery

Fresh new approach to an old favorite—Battery operated with a swinging pendulum. Pendulum is both decorative and an integral part of the time keeping mechanism. Wood case is birch finished with ebony roman numerals, ornate hands and decoration on white track for easy readability. No cord, plug, or winding key. Operates for a year or more on one "D" cell. 13 3/4 Hx8 3/4 Wx1 1/2" D. Shpg. Wt., 3 lbs.
13 K 3050W Net 11.95
99 K 6256 Battery for above15



CORDLESS ELECTRIC PENDULUM CLOCK

14⁹⁵

- Operates a Year on Flashlight Battery

Handsome pendulum clock in walnut finished hardwood with contrasting ebony line design. Features unique two piece construction with smart, trim hands on a white dial face. Sleek golden pendulum is an integral part of the precision time keeping mechanism. No cord, no plug, never needs winding! Dimensions: 21 1/2 x 10" W. Shpg. wt., 6 lbs.
13 K 3051W Net 14.95
99 K 6256 Battery for above Net .15

SPORTSMAN'S WATCH

SWISS PRECISION CRAFTED

- Pressurized Waterproof Case
- Automatic Daily Calendar

Handsome wristwatch especially designed for the sportsman who is apt to get his watch wet — fishermen, hunters, or skin divers. Hermetically sealed pressurized waterproof case provides maximum protection for precision timing under adverse conditions. Movable outer bezel permits easy timing of events, parking meter time, or elapsed submerged time. Swiss crafted anti-magnetic

As low as **11⁹⁵**

- Parking Meter Time
- Luminous Marker and Hands

shock protected movement features automatic daily calendar, unbreakable mainspring, and sweep second hand. Luminous hour markers and hands for high visibility. Polished chrome case, stainless back, and comfortable waterproof strap. Imported. Shpg. wt., 8 oz. 13 K 3118LT Net 11.95
Same as above but with 17 jewel movement. 13 K 3119LT Net 18.95

An Automatic Underwater Watch That Indicates Elapsed Diving Time.



Mail Order See Note Below

PRECISION-SWISS STOP WATCHES

(A) 1/10 SECOND TIMER

Designed for close timing. Large hand registers 1/10 of a second, up to 30 seconds; small hand reads minutes, up to 15. Start, stop, and continue from crown; instant zero, 7 Jewel movement. Chromium plated case. Shpg. wt., 8 oz. Imported.

13 K 3103LT Mail Order — See Note Below Net 9.95

Same as 13 H 3103 (above) except 1 jewel. 13 K 3102LT Mail Order — See Note Below Net 8.50

(B) 1/5 SECOND TIMER

Second hand registers 1/5 of a second and completes turn in 60 seconds. Small hand indicates up to 30 minutes. Side slide starts and stops hands. Fast resetting dependable 7-jewel movement. Shpg. wt., 8 oz. Imported.

13 K 3104LT Mail Order — See Note Below Net 16.95

Same as 13 H 3104 (above) except 1 jewel. 13 K 3105LT Mail Order — See Note Below Net 9.50


- Accurate Jeweled Movements
- Unbreakable Main Spring
- Anti-Magnetic Hair Spring



As Low As

8⁵⁰

(A)



(B)


- Ideal for Sports

ATTENTION MAIL ORDER CUSTOMERS—ON ALL ITEMS SHOWN ABOVE WITH STOCK NUMBERS ENDING IN "T" PLEASE ADD 50c FOR POSTAGE AND SPECIAL HANDLING—NO C.O.D.

Lafayette Techni-Timer

ONLY **7⁹⁵**

- Makes Any Appliance Completely Automatic
- No Special Wiring—Just Plug In
- Handles Loads Up To 1875 Watts
- Turns Lights And Appliances On and Off
- Can Be Set To Skip-A-Day
- 1 Year Guarantee



The Lafayette Techni-Timer makes practically everything electrical automatic. Turns radios on and off. Does not have to be reset each night. Defrosts refrigerator, controls roaster, electric blanket, fans, coffee-makers, phonographs, etc. Turns your home lights on and off automatically while you're away. Repeats cycle every 24 hours—no need to reset. Minimum ON time 15 minutes, maximum ON time, 23-hours. Minimum OFF time 1-hour, max. OFF time, 23-hours 45 minutes. Easy-to-read, 24-hour dial. Can be set to skip-a-day operation and controlled manually without automatic reset. Attractive design. For shelf, table or wall mounting. With 6 ft. cord, plug and receptacle for equipment to be controlled. Highest quality—we will repair any defect due to material or workmanship within 1 year without charge. Simply ship timer to Lafayette pre-paid. 5Wx4Hx2½"D. For 110V 60 cycles AC. Shpg. wt., 2 lbs. UL/CSA listed. 13 K 0140 Net ea. 7.95

24-HOUR ELECTRIC WORLD CLOCK

8⁹⁵

- 8" Overall diameter
- Adjustable for Various Time Zones

Self starting, accurate electric clock. Tells world-wide and local time. Calibrated in hours—1 to 24, minutes and seconds—1 to 60. Black dial with white graduations. Chrome plated case. UL listed, 110-120 V. 60 cyc. AC. 13 K 2602 Shpg. wt., 1½ lbs. Net 8.95



(A) EXECUTIVE WEATHER CONSOLE

- Thermometer • Barometer • Hygrometer


Early American motif with luster gold bezels, spun gold dials and twin-arrow red points. Rich, red velvet color background, antique white outer case with cortico crest and gold eagle. Measures temperature, humidity and air pressure. For wall hanging. 11½Wx5¼"H. Shpg. wt., 3 lbs. 13 K 1605 Net 9.50

Desk Weather Station. Similar to above less portico crest and gold eagle. With desk mount. 13 K 1609 Net 9.50

(B) DOUBLE THERMOMETER-BAROMETER-HYGROMETER

- Complete Weather Station

Combination weather station, has spun gold dials on solid walnut wood grain wall panel. Thermometer features fahrenheit and centigrade scales. Hygrometer gives humidity readings on percentage and "dry, moderate, humid" scales. Barometer shows air pressure in inches and millibars. 5½Wx20"H. 13 K 1608 Shpg. wt., 2 lbs. Net 14.95



TV LAMP CLOCK

9⁹⁵

Ideal for use on a TV cabinet, in the kitchen or baby's room. Provides soft illumination and precise time. Attractive sturdy plastic case with gold trim. Size: 4x7x3¾" Deep. Shpg. wt., 3½ lbs. UL listed, 110 V. 60 cycles. 14 K 6001 Walnut Net 9.95
14 K 6002 White Net 9.95



Depend on Lafayette for Complete Stocks, Lowest Prices, Fastest Service

Lafayette Cat. No. 681 51

SMITH-CORONA "Figurematic" Portable Electric Adding Machine



Only
66⁹⁵
No Money Down



- Totals up to \$999,999.99
- "Hand-Span" Keyboard with Sensitive Key Response
- Lightweight and Compact

A fast-figuring electric portable that adds, subtracts and multiples. Full-featured construction with 10 keys, Add-Subtotal, Subtract-Total, and Repeat. "Clear" and digital indicator are combined. Lists 7 columns of figures. New, easy-load ribbon cartridge gives thousands of extra prints. Easy to carry—the cord tucks in, stylish dust cover snaps on, built-in retractable carrying handle comes out, and away it goes. Ideal for everyone who figures—at work, home, in-between. Overall 7x9x13". For 110-115 volts, 60 cycles, AC. Shpg. wt., 10½ lbs.

15 K 4007WX \$5 Monthly Net 66.95

Adding tape for above 2½" wide. Net ea. .29
15 K 4006

SMITH-CORONA



CORONET ELECTRIC TYPEWRITER

134⁹⁵
No Money Down

SMITH-CORONA



DELUXE ALL-ELECTRIC ADDING MACHINE

- With Direct Credit Balance
- Adds 8 Columns
Totals 9 To
\$9,999,999.99

110⁹⁵
No Money Down

Type Easier Electrically! Makes up to 10 clear carbons . . . repeats dots, dashes, spacing, the letter X, and underlines. Full sized 88 character keyboard features impression control dial and touch selector. Amazing accelerator action gives faster type bar action for a snappier, livelier touch. Packed with such effort saving features as the page gage and quick set margins. Equipped with exclusive forward-glide top deck. Strong steel frame construction. Perfect for every member of the family. Trimline luggage type carrying case. Shpg. wt., 26 lbs.

15 K 4004WX Pica-Star Mist Blue \$7.50 Monthly Net 134.95
15 K 4008WX Pica-Tan \$7.50 Monthly Net 134.95

Model 890-N precision-engineered add, subtract, and multiply. Credit balance provides ability to total negatives while adding up positive sales profits. Features "Hand-Span" keyboard—king size add bar—keyboard correction key—visible column indicator—electrified total, sub-total, subtract and repeat keys. Easy-feed paper chute for quick loading. Charcoal grey. Size: 8x12x5¾". For 115V. AC. UL Listed. Shpg. wt., 14 lbs.

15 K 4010WX \$7 Monthly Net 110.95

Model 890—Similar to above. Less credit balance feature, with deluxe vinyl-clad steel carrying case. Shpg. wt., 16 lbs.
15 K 4005WX \$6.50 Monthly Net 103.95

brother



42⁹⁵

PORTABLE TYPEWRITER

- All Steel/With Case

Echelon 44 typewriter contains a full 88 character office keyboard—4 characters more than standard typewriters (+ = !). Features two-color plus stencil position, variable line spacer, erasure table and paper support arm, half-space ratchet, touch adjustment, hand set margins, paper bale scale, jam release key, measuring scale holder, line drawing aperture and comfort sloped keyboard. Popular pica type. All steel with case. Size: 14½x15x6¾". With case. Shpg. wt., 15 lbs.

15 K 1706WX \$5 Monthly Net 42.95

Echelon 66—Same as above but with tabulator key.

15 K 1707WX Net 47.50



57⁹⁵

DELUXE

PORTABLE TYPEWRITER

- Full Featured/With Case

Echelon 88 full featured deluxe compact portable typewriter with key set tabulator and full 88 character keyboard. Features include convenient "touch" control, variable line spacer, two-color ribbon plus stencil position, automatic and manual ribbon reverse, erasure table and paper support arm. Jam release key, synchronized measuring scale and card holder provide additional typing comfort. All steel with carrying case. Pica type. Size: 16¾x18x7¾". Shpg. wt., 19 lbs.
15 K 1708WX \$5 Monthly Net 57.95



brother



73⁹⁵

DELUXE

HOME/OFFICE TYPEWRITER

- Deluxe Molded Case
- All Steel

Echelon 99 full 88 character home/office typewriter features pushbutton key set tabulator, pushbutton 2 color ribbon selector, jam release key, rapid paper advance lever, synchronized measuring scale and card holder. Has automatic and manual ribbon reverse, line finder, line drawing aperture, and segment shift. 88 pica type characters. With deluxe carrying case. 88 Pica characters. Size: 16¾x18x7¾". Shpg. wt., 23 lbs.
15 K 1709WX \$5 Monthly Net 73.95



52 Lafayette Cat. No. 681

Depend on Lafayette for Everything in Electronics

Selected Solid State Portable Car Radios

DELUXE PANASONIC RF-880 RADAR-MATIC 3 BAND FM/AM/MB PORTABLE CAR RADIO

USE IT AS A PORTABLE—INSTALL IT IN YOUR CAR

89⁹⁵

With 4 "D" Batteries
and Earphone

- Automatic Electronic Tuning
- 18 Transistors, 13 Diodes
- Full Size 5" Speaker

Amazing 3 band radio features Automatic Electronic Tuning. Just touch and it's tuned. Receives standard AM and FM broadcast bands as well as 1.6 to 4.5 Mc Marine band. 5" dynamic speaker provides outstanding sound reproduction. Powerful 2.5 watt audio output for auto use. Has telescoping FM swivel antenna, ferrite-core AM antenna, tone control, AFC for drift-free FM reception, illuminated slide rule tuning dial, DX-Local switch, and earphone jack. Optional car mounting bracket with lock and 2 keys (for 6 or 12 volt reverse polarity). Size: 10¹/₂" x 7¹/₄" x 3³/₈". Imported. Shpg. wt., 6 lbs. 17 K 3046L \$5 Monthly **Net 89.95**

Model AS-303 Universal Mounting Bracket with lock for auto use. (6 or 12 volts reverse polarity.)

17 K 3047 Shpg. wt., 2 lbs. **Net 14.95**
99 K 6256 Extra "D" batteries for above (4 req.) **Net ea. .15**

NEW! FM/AM PORTABLE CAR RADIO

ONLY **44⁹⁵**
No Money Down

Complete With Car Bracket With
Lock and Key, Batteries, AC Line
Cord, Earphone

Versatile "multi-purpose" AM/FM 12 Transistor Radio designed to provide outstanding reception anywhere. Used as an AM/FM car radio, it locks into its specially designed under-the-dash bracket and operates thru the car's electrical system (6 or 12 volts pos./neg. ground). Slips easily out of bracket for use outdoors—and plays on 4 "C" Batteries (included). For indoor use, it operates on regular 117VAC household current with the AC line cord provided. Pushbutton band selector controls. AFC for drift free FM reception. Ferrite Bar AM antenna, telescoping FM antenna, large 4" speaker, and wood grain finished front panel. 9W x 6³/₈H x 2¹/₂"D. Imported. Shpg. wt., 5 lbs.

17 K 5301WX \$5 Monthly **Net 44.95**
99 K 6257WX Extra "C" batteries (4 req.) **Net .14 ea.**



Install In Any 6 or 12 Volt Car or Boat System, Use As A Portable, or On 117VAC 60 cps With Built-In AC Line Cord

QUALITY TV SETS FOR HOLIDAY GIFTS

11 INCH* PORTABLE UHF/VHF TV SET

Only
77⁹⁵
No Money
Down

*Viewable
Picture
Measured
Diagonally

- 82 Channel
UHF/VHF
Reception



SONY MODEL TV-700U PERSONAL PORTABLE UHF/VHF SOLID STATE TV SET

SALE!
114⁹⁵
SAVE 5.00

With AC Power Cord,
Ear Phone, Sun Visor

- 7" Viewable Picture
Measured Diagonally




Handsome, lightweight, "personal" television for true portability! 82-channel reception lets you enjoy all stations, present and future. 110° aluminum picture tube produces rich blacks and whites, and brilliant highlights. Advanced IF circuit employs frame grid tube design for optimum reception in prime and fringe areas. Separate UHF and VHF tuning, plus VHF fine tuning control allows accurate station selection on all channels. Complete with built-in 4" dynamic oval speaker, VHF telescopic unipole antenna, and a rear mounted UHF loop antenna. For 117VAC., 60 cps. Imported. 13³/₈ x 13³/₈ x 10¹/₂"D.
17 K 5302WX Shpg. wt., 19¹/₂ lbs. \$5 Monthly **Net 77.95**

Operates on 117V 60 cycle AC, its own rechargeable battery, or 12V DC car/boat battery. Built in telescopic antenna for both UHF and VHF. Keyed AGC for bright, sharp picture, black screen for outdoor viewing. Has built-in telescopic antenna and wide-range speaker. With power cord, earphone, sun-visor, and front cover. 9"H x 7³/₈"W x 9⁵/₈"D. Imported. Shpg. wt., 8 lbs.
17 K 3043WX \$6.50 monthly **Net 114.95**
Model BF/7 564. Shoulder rechargeable battery pack. **Net 22.95**
17 K 3229 Shpg. wt., 3 lbs.
Model DCC-2AW. Car battery cord. 12V. Wt., 1/2 lb. **Net 14.95**
17 K 3230

Enjoy Your Portable Radio Now... No Money Down

Lafayette Cat. No. 681 53

PORTABLE RADIOS MAKE IDEAL HOLIDAY GIFTS



DELUXE LAFAYETTE SOLID STATE AC-DC FULL SIZE AM PORTABLE RADIO


ONLY **14⁹⁵**

With batteries and earphone

- Operates On 4 "C" Type Batteries Or 117 VAC With Built-In Line Cord
- Large 4" Speaker For Magnificent Sound Reproduction

Tremendous performer—carry it with you, or use it at home. Advanced solid state circuitry and large 4" speaker provide magnificent performance. Handsomely styled black leatherette case with handle. Operates up to 500 hours on 4 "C" batteries (included) or just plug into any 117 VAC with built-in cord. Ferrite rod antenna and earphone jack for private listening. Imported. Size: 9x6x2⁷/₈". Shpg. wt., 7 lbs.

99 K 3528L Net 14.95
 99 K 6257 Extra "C" batteries for above (4 req.) Net ea. .14



POWERFUL LAFAYETTE SILICON TRANSISTOR SEMI-POCKET AM RADIO

ONLY **8⁹⁵** In gift box with battery, vinyl case, and wrist strap

- Powerful Superheterodyne Circuit Uses Silicon Transistors

Elegantly styled and precision made semi-pocket portable radio. Powerful superheterodyne circuit utilizes silicon transistors for exceptional reception on the entire AM broadcast band. Features automatic volume control circuit. Exceptional tonal quality from push-pull audio output circuit and 2¹/₄" dynamic speaker. Ferrite core antenna. Earphone jack for private listening. Powered by inexpensive 9V battery. Black with silver and walnut grain trim. Size: 4¹/₂ x 3 x 1³/₈". Imported. Shpg. wt., 2 lbs.

17 K 0143L Net 8.95
 99 K 6021 Extra Battery for above... Net .21




DELUXE LAFAYETTE SOLID STATE POCKET AM RADIO

ONLY **5⁹⁵**

In gift box complete with earphone, carrying case and battery

Attractive styled Solid State pocket AM radio. Super sensitive superheterodyne circuit pulls in stations near and far. Large 2¹/₄" dynamic speaker has full tonal quality. Operates on low cost 9 volt battery. Earphone jack for private listening. Measures 4¹/₂ x 2²/₈ x 1¹/₈". Black with walnut grain trim. Imported. Shpg. wt., 1 lb.

17 K 0162L Net 5.95
 Extra 9 volt battery for above radio Net .21
 99 K 6021



HITACHI "MINI" SOLID STATE STEREO FM AND FM/AM PORTABLE RADIO

Only **74⁸⁹** No Money Down

With 2 Earphones and Batteries

Complete radio listening enjoyment—glorious stereo FM, static-free FM, and standard AM is yours with this superb portable. Features advanced solid state circuitry, 17-transistors, 13-diodes, and 2-thermistors. 2 full range 4" electronically balanced speakers, one in each extension enclosure. Can be spaced for best full dimensional stereo realism. Stereo Flasher pinpoints stereo FM broadcasts. Continuous Yone control; Pushbutton Band Selector; separate tuning and volume controls. External telescopic rod antenna for FM, built-in Ferrite core antenna for AM. 2 earphone jacks can also be used for external speakers. Tuner output terminals. Deluxe leatherette covered cabinet with chrome grille and carrying handle. Operates on 4 "C" batteries (included) or AC with optional adapter. Dim. (closed) 9⁵/₈" W x 5¹/₂" H x 3⁷/₈" D, opens to 19¹/₂" W. Imported. Shpg. wt., 6 lbs.

17 K 2406XL \$5 Monthly Net 74.89
 17 K 2407 AC Adapter. Shpg. wt., 6 oz. Net 4.89
 99 K 6257 Extra "C" batteries (4 req.) Net ea. .14

- Swing Out Extension Speakers

EXCITING & VERSATILE SPECIALTY RADIOS!



Handsomely Styled

DELUXE LAFAYETTE "3-in-1" SOLID STATE FM/AM CLOCK RADIO-LAMP

49⁹⁵

NO MONEY DOWN

- It's A Deluxe AM/FM Radio
- It's A Full Feature Telechron Clock
- It's A 3 Position High Intensity Lamp

One of the most dramatic solid-state radios we have ever offered. Marvel of space-age electronic design. You'll be amazed at all the features. Ideal for home or office use. Outstanding performing AM/FM clock radio features: large 3½" dynamic speaker powered by 15 semiconductors, built-in AFC lock to prevent drift on FM, slide rule dial for precision tuning. Full Feature Telechron clock with sleep switch permits you to wake up to beautiful music at a preset time. The high intensity lamp is adjustable to three intensities, and the arm adjusts to any angle. Lamp comes complete with #93 bulb. Elegantly styled beige plastic base with genuine Rosewood trim. FM line cord antenna. Size: 9 x 6¾". For 117v, 60 cps AC. Imported. Shpg. wt., 5 lbs. 17 K 0139L \$5 monthly Net 49.95



NEW!

ONLY

11⁹⁵

NEW LAFAYETTE SOLID STATE AM RADIO AND HIGH INTENSITY LAMP WITH PEN HOLDER

- Fully Adjustable Lamp With Hi-Lo Switch
- Powerful Solid State AM Radio
- Low Profile Cabinet

Sensational concept—use for enjoyment and convenience. Contemporary styled solid state AM radio combined with a high intensity lamp and pen-holder serves many uses. Powerful solid state AM radio is encased in a low profile, high impact plastic cabinet finished in black and walnut grain. Large 2" speaker, built-in loopstick antenna. High intensity lamp has hi-lo switch (uses #93 bulb), and has a 12" chrome finished adjustable stem. With bulb. For 117 VAC 60 cps Dim: 4¼x6x2". Imported. Shpg. wt., 2½ lbs. 99 K 9201 Net 11.95



NEW!

LAFAYETTE SOLID STATE AC AND BATTERY OPERATED AM-WEATHER TABLE RADIO

ONLY
16⁹⁵

- Operates On Batteries Or 117 VAC
- Twin Dynamic Speakers For Rich Tonal Balance
- Exciting Space Age Styling

With earphone, battery, UL listed AC line cord

Absolutely one of the most amazing radios you can own . . . besides providing superb standard AM reception through twin dynamic speakers, this handsome radio serves as a quality weather instrument. Accurately made thermometer measures temperature; hygrometer measures percentage of humidity in the air. Radio also features superhetrodyne circuitry and AGC (Automatic Gain Control). Operates on a single 9 volt battery or 117 VAC household current with accessory UL listed AC line cord. Earphone jack for private listening. Dim: 3¾x11¾x6". Imported. Shpg. wt., 4 lbs. 99 K 7503WX Net 16.95

99 K 6021 Extra 9 volt battery for above Net .21



NEW!

Bold "Mod" Look

Hippy

SOLID STATE AM
PORTABLE RADIO

14⁹⁵

with batteries
and earphone

An attractive, compact, personal AM portable radio accented with an exciting "Mod" design pattern. All solid state circuitry. Magnificent tonal quality. Hi-Low Tone selector button. Complete with battery, earphone, and matching "serape" strap. Size: 5¼ x 2¾ x 1¾". Imported. Shpg. wt., 3 lbs. 17 K 7831L Net 14.95

AM-FM Hippy Portable — Same as above, but includes FM band as well as AM. Size: 5¼ x 2¾ x 1¾". Imported. Shpg. wt., 4 lbs. 17 K 7832L Net 24.95

99 K 6021 Extra 9 volt battery for above Net .21

Make Lafayette Your One Dependable Source for Everything in Electronics

Lafayette Cat. No. 681 55



LAFAYETTE

Portable Radios

EXCITING SOLID STATE MULTI-BAND AM/FM PORTABLE RADIOS



LAFAYETTE AC/DC 15 TRANSISTOR 3 BAND AM/FM/SW PORTABLE


- Operates on 4 "C" Batteries or 117VAC with Built-in Line Cord

Superb 3 band portable...tunes the standard AM broadcast band (550-1600KC), FM Band (88-108MC) and the 4-12MC International Shortwave Band. For exciting world wide listening pleasure. Provides magnificent tone from large 3½" speaker; powered, 15 transistors and 5 diodes. Built-in AFC circuitry to prevent drift on FM. Features high/low tone control switch, slide rule dial for precision tuning. Built-in ferrite antenna for AM reception, telescopic antenna for FM and SW. Texon leatherette finished case in black, with handle and chrome trim. With batteries and earphone for private listening. For 117V AC 60 cps or operates on 4 "C" batteries. Size: 11"W x 7"H x 3¼"D. Imported. Shpg. wt., 8 lbs.

99 K 3527L Net 29.95
99 K 6257 Extra C Batteries—4 req. Net .14

Only **29⁹⁵** with batteries, earphone

With AC Adapter, Earphone, Batteries, and Telephone Amplifier Jack



With batteries and earphone, carrying strap

DELUXE LAFAYETTE "MINI" FM-AM PORTABLE

LAFAYETTE STAR-FIRE® II SOLIO STATE AC/DC FM-AM PORTABLE RADIO WITH BUILT-IN TELEPHONE AMPLIFIER

Only **24⁹⁵** • Large 4" Speaker Offers Life-Like Hi-Fi Sound Reproduction • Full Size: 9x6½x3½"

- Superbly Styled Die Cast Front
- Slide Rule Dial with Logging Scale for Precise Tuning


Supersensitive, power-packed beauty provides sparkling performance on both FM and AM and measures only 2⅞"W x 4¾"H x 1½"D. Advanced solid state superheterodyne circuit gives you real pulling power of stations both near and far. Built-in AFC circuitry to prevent drift on FM. Features slide rule dial and logging scale for precise tuning. Large 2¼" dynamic speaker reproduces voice and music with fine tonal balance. Ferrite rod antenna for AM, telescoping antenna for FM. Superbly styled and constructed die cast front. Powered by single 9-volt battery. Includes earphone for private listening, battery, and handy carrying strap. Imported. Shpg. wt., 3 lbs.

99 K 3530L Net 24.95
99 K 3532 Telephone Pick-up with plug. Wt. 4 oz. Net .99
99 K 6257 Extra "C" Batteries (4 required) Net ea. .14

Take advantage of this exciting new concept in radio design...be the proud owner of a superb performing FM-AM portable radio that can also be used as a telephone amplifier with any telephone pick-up. Operates on 4 "C" type batteries or use in the home with economical accessory AC adapter which connects to 110-120 volt house line. Features 1 RF and 3 IF stages for extremely high sensitivity and selectivity. AFC circuit make drift on FM virtually non-existent. Built-in carrying handle is recessed to hold 33" telescoping antenna. Built-in ferrite antenna for AM. Luxurious break-resistant black plastic case with chrome trim. Complete with earphone for private listening, AC adapter, batteries, telephone amplifier jack. Imported. Shpg. wt., 3½ lbs.

MONITOR THE HEARTBEAT OF YOUR CITY WITH THE NEW LAFAYETTE VHF AM/POLICE AND AM/AIRCRAFT RADIOS

With these outstanding performing radios you can listen to: Local and State Police, Fire Departments, U.S. Weather Bureau Stations, Civil Defense, Emergency & Public Services, Aircraft control towers, Aircraft in flight.



2 Police Models: Choice of 147-174 MC (High) or 30-50 MC (Low) VHF bands.

LAFAYETTE "AIR MASTER" 10 TRANSISTOR AM AND AIRCRAFT PORTABLE RADIO

21⁹⁵

- 108-136MC VHF Aircraft Band
- 540-1600KC AM Band
- Listen to Jets in Flight
- Slide Rule Logging Scale for Precise Tuning

with batteries, earphone, carrying strap

Listen to the exciting frequencies of aircraft communications in your home, car, or office on the 108-136MC aircraft band. Monitor aviation control tower transmissions, listen to planes in flight, get their landing patterns and weather reports. You are actually with the pilot as he receives instructions for take-offs and landings. Also includes AM band. Features large 3" speaker, slide rule dial with logging scale, ferrite rod AM antenna, telescoping VHF antenna. Operates on 4 "AA" batteries (included) or on 117V AC with optional AC adapter. Earphone for private listening. 10 transistors, 4 diodes, 1 thermistor. Size: 7"W x 4 1/8"H x 2 1/8"D. Imported. Shpg. wt., 4 lbs. 99 K 3523L Net 21.95

17 K 3802 AC Adapter for above. Wt. 6 oz. Net 4.95
99 K 6258 Extra "AA" batteries (4 required) Net ea. .10

24⁹⁵ EACH


with batteries, earphone, carrying strap

NEW! LAFAYETTE "GUARDIAN" AM AND POLICE PORTABLE RADIOS

- 147-174MC or 30-50MC VHF POLICE Bands
- 540-1600KC AM Band
- U.S. Weather Bureau VHF stations *

147-174MC High Band Police and AM Radio. Listen to the drama of everyday life with this exciting radio. Monitor local and state police, as well as fire departments, 162.55 and 163.275 U.S. Weather Bureau stations, civil defense, and emergency public services. Includes standard AM band. 2 RF stages and 4 IF stages. Ferrite rod AM antenna, telescoping VHF antenna. Large 3" speaker. Handsome black case with silver trim. Earphone jack for private listening. Operates on 4 "AA" type batteries (included) or 117V AC with optional AC adapter. 11 transistors, 4 diodes, 1 thermistor, 7Wx4 1/8x2 1/8". 99 K 3522L imported. Shpg. Wt., 4 lbs. Net 24.35

30-50MC Low Band Police and AM Radio, as above but tunes 30-50MC. 99 K 3534L Net 24.95
17 K 3802 AC Adaptor for above radios. Wt., 6 oz. Net 4.35
99 K 6258 Extra "AA" batteries (4 required) Net ea. .10



29⁹⁵

with batteries and earphone

LAFAYETTE AC/DC AM AND POLICE PORTABLE

Deluxe portable operates on batteries or 117V AC household current with built-in AC line cord. Tunes 145 to 175MC police band, 540 to 1600KC AM broadcast band. Powerful 17 semiconductor solid state circuitry. Slide rule dial. AFC lock prevents drift on VHF band. Large 3 1/2" dynamic speaker. Handsome black leatherette case. Ferrite core AM antenna, telescoping VHF antenna. Imported. Dim.: 8 3/4"x3"x5 1/4". 17 K 0160L Shpg. wt., 4 lbs. Net 29.95

Lafayette AC/DC AM and Aircraft Portable — Same deluxe features and dimensions as above radio but tunes 108 to 135MC aircraft band and 540 to 1600K AM band. Imported.

17 K 0161L Shpg. wt., 4 lbs. Net 29.95
99 K 6257 Extra "C" battery (4 req.) Net .14



49⁹⁵

with batteries and earphone

No Money Down

4 BAND AM/FM AIRCRAFT/POLICE RADIO

Deluxe 4 band radio powered by 12 transistors, 7 diodes and 1 thermistor. Covers aircraft band 107-136 MC, police band 148-174 MC, standard AM 540-1600KC and FM 88-108MC. Features push button nightlight, squelch control, AFC lock for drift free FM reception, vernier tuning with 10 to 1 ratio for pinpoint selectivity, 4" speaker, local-distance switch for easy tuning of weak stations. Plays on 6 "C" cell batteries (incl.) or electric home current with optional AC adapter. With earphone. Imported. Dim.: 7"Hx10 1/4"Wx3 3/4"D. 17 K 6932L Shpg. wt., 8 lbs. Net 49.95

17 K 6933 AC Adapter for above. Wt., 1/2 lb. Net 3.95
99 K 6257 Extra "C" batteries(6 req.) Net .14

THRILL TO SHORT WAVE AND VHF RADIO LISTENING



A LAFAYETTE
5-Band 16 Transistor
Shortwave and
Aircraft Portable
59⁹⁵ with earphones
and batteries

NO MONEY DOWN

B LAFAYETTE
11 Band 18 Transistor
AM/FM Shortwave Portable
99⁹⁵ with earphones
and batteries

NO MONEY DOWN



See What the Critics Say
"Lafayette Globepacer. Here's a lot of receiver
for a very low price. I rate this one as the best buy."
Popular Science, Jan. '67

C Deluxe NORDMENDE 15 Band Globetraveler II AM/FM/SW Radio

For Use As A Portable, Home
Radio, Auto Radio, Boat Radio

179⁹⁵ NO MONEY
DOWN

15 TRANSISTORS 12 DIODES



TUNING RANGE

AM Standard Broadcast	540-1600Kc
FM Broadcast Band	88-108Mc
MB Marine Band	1.5-3.5Mc
LW Weather-Navigation	145-420Kc
80 meter band	3.61 to 3.84 MCS
61 meter band	4.60 to 4.89 MCS
59 meter band	4.84 to 5.13 MCS
49 meter band	5.90 to 6.26 MCS
41 meter band	6.96 to 7.40 MCS
31 meter band	9.35 to 9.90 MCS
25 meter band	11.50 to 12.16 MCS
19 meter band	14.85 to 15.70 MCS
16 meter band	17.38 to 18.35 MCS
13 meter band	20.95 to 22.10 MCS
11 meter band	25.15 to 26.58 MCS

WITH THESE DELUXE MULTI-BAND PORTABLE RADIOS

A LAFAYETTE 5-BAND 16-TRANSISTOR SHORTWAVE AND AIRCRAFT PORTABLE

- Receives: AM, SW, FM, Marine Band, & Aircraft VHF
- Superb Tonal Quality

One of the most versatile multi-band portable radios we've ever offered. You can listen to standard AM and FM broadcasts, thrilling international shortwave programs on the 4 to 12 MC band, marine navigation and weather reports on the 1.6 to 4.5 MC band, and lastly tune in the aircraft band (108 to 135 MC) and hear pilots and aircraft control towers. Marvelous reception from large 6" x 4" full range speaker powered by 16 transistors, 5 diodes, and 1 thermistor. Twin ferrite and telescopic antennas assure superb sensitivity on all 5 bands. Features Fine Tuning Control, AFC Lock, Dial Light, and continuous Tone control. Richly styled padded black leatherette cabinet. Earphone for private listening. Also includes Phono input jack for play phonograph thru the radio. AC Jack for playing radio on 117 VAC 60 cycle household current with optional AC adapter. Size: 11 x 7 1/2 x 3 1/4". Shp. wt., 6 lbs. Imported.

17 K 0140L \$5 monthly Net 59.95
 Extra "D" Batteries 4 required Net ea. .15
 99 K 6256 Net 4.95
 17 K 0141L AC Adapter for above Net

B LAFAYETTE GLOBEPACER 11 BAND 18 TRANSISTOR AM/FM SHORTWAVE PORTABLE

- FM/AM/Marine/Long Wave and 7 SW Bands
- Operates on 6 "C" Cell Batteries or 117V AC with Optional AC Adapter
- Electronic Fine Tuning (Bandspread)
- 69" Retractable Telescopic Antenna

Worldwide radio listening pleasure and excitement is yours with this superb portable. FM for live performance fine music realism (88 to 108 MC). AM for news, sports, weather and music (540 to 1600 KC). MARINE for ship-to-shore and marine weather reports (2-4 MC). LONGWAVE for fixed station aeronautical and marine (150 to 400 KC). INTERNATIONAL SHORTWAVE (seven bands) (4.2 to 9 MC, 5.9 to 6.3 MC-bandspread, 9 to 12 MC, 9.5 to 9.8 MC-bandspread, 11.7 to 11.9 MC-bandspread, 15 to 15.4 MC-bandspread, 17.7 to 17.9 MC-bandspread. Horizontal slide rule dial with rotating cylindrical dial scale for precise and accurate tuning. Electronic fine tuning (bandspread) for ultimate accuracy in shortwave band tuning. Features tone control and AFC to eliminate drift on FM. For improved audio reproduction, extended side band reception can be switched in to produce hi-fi sound by means of a "HI-FI-DX" switch. Large ferrite bar antenna for LW and MW bands, and a multisection whip for SW and FM bands. Large 4" full range speaker for outstanding sound reproduction. 18 Transistors, 9 diodes, and 1 thermistor. Separate jacks for external antenna, earphone, AC (with optional adapter), speaker and phone. Size 13 x 8 x 5" With batteries, external antenna wire and earphone. Imported. Shpg. wt., 10 lbs. 17 K 6915WX \$5 Monthly Net 99.95


Extra "C" batteries, 6 required. Net ea. .14
 99 K 6257 Net 4.95
 AC Adapter for playing radio on 117AC. Net
 17 K 6916 Net

C DELUXE NORMENDE 15 BAND GLOBETRAVELER II AM/FM/SW/RADIO

- Portable Radio for Home, Auto, Boat—Goes Anywhere
- 15 Transistors, 12 Diodes

The deluxe 15-band Globetraveler II AM/FM/SW radio offers a wide variety of features making it adaptable for portable, home, auto, or marine operation. The entire world of radio listening pleasure and excitement is at your finger tips. Includes standard AM broadcast band, FM, Marine Band, LW Weather-Navigation Band and 11 shortwave bands. Outstanding features: NEW! Built in AC and compartment for AC cord, NEW! Drum dial for all 11 shortwave bands, and NEW! I. F. Bandwidth switch. 6 x 9" full range speaker. Separate jacks for earphone, external speaker, phonograph, tape recorder, and separate amplifier. A built-in ferrite antenna for AM, a telescopic antenna for FM, and an additional telescopic antenna for SW increases its sensitivity and selectivity. Also includes tuning meter and battery tester, AFC on FM, noise filter on AM and SW. Separate bass and treble controls. 15 transistors and 12 diodes. Wood cabinet covered with scuff-proof black vinyl. 12 1/4 W x 8 1/2 H x 4" D. Imported. Shpg. wt., 12 lbs. 17 K 7208WX \$9 Monthly Net 179.95

Universal 6 or 12 volt car boat mounting Bracket with lock 4 lbs. Net 22.95
 17 K 7209W Net 29.95
 Size "D" Flashlight Batteries, 5 required Net .15
 99 K 6256 Net



5 BAND AM/FM/MARINE/SW PORTABLE

49⁹⁵ • 12 Transistors, 7 Diodes, 1 Thermistor
 • Electronic Band Spread
 • AFC For Drift Free FM Reception

Handsome 5 band portable radio in rugged Texas case. Bands: AM (540-1600K) FM (88-108MC) Marine/Weather (1.7-4.7MC) International Shortwave (4.5-12MC, 11-22MC). Electronic band spread for fine tuning, vernier control for pinpoint selectivity, AFC switch for drift free FM reception, local-distance switch for easy tuning of weak stations, tone control, push button nightlight, 3 1/4" x 4 3/4" speaker, earphone attachment, plays on 4 "C" cell batteries included or electric home current with optional AC adapter. Dimensions: 9" H x 7" W x 3" D. Shpg. wt., 7 lbs. Imported.

17 K 6930L \$5 Monthly Net 49.95
 17 K 6931 AC Adapter for above Net 3.95
 99 K 6257 Extra "C" batteries—4 req. Net ea. .14

10-TRANSISTOR MARINE/AIRCRAFT/AM SOLID-STATE PORTABLE

Covers: AM Broadcast Band:54-160 KC
 Marine Band:2 to 6 MC
 VHF Aircraft Band:108-135 MC



with earphones and batteries **32⁹⁵**

No Money Down

Listen to aviation control towers, monitor aircraft frequencies, hear marine weather reports as well as standard AM broadcasts. Large 3 1/2" full-range speaker offers fine sound reproduction. Slide rule tuning dial. Operates on 4 nightlight batteries as well as 110 VAC house current with optional AC adapter listed below. Beautiful black leather-like plastic cabinet. Dimensions: 6 1/4 x 4 1/4 x 2 1/2". Imported. 17 K 7816L Wt., 5 lbs. Net 32.95
 AC Adapter. Wt., 1/2 lb. Net 3.95
 17 K 7817L Net 3.95
 Extra Batteries, 4 required Net ea. .10
 99 K 6258

Smartly Styled Top Performing Solid State AM/FM Table Radios



B The Longest Solid State AM-FM Table Radio we have ever offered.

32⁹⁵
No Money Down



A AM-FM
Table Radio
In Oiled Walnut
Wood Cabinet

34⁹⁵
No Money Down

A LAFAYETTE SOLID STATE TWIN-SPEAKER FM-AM TABLE RADIO

- Beautiful Oiled Walnut Wood Cabinet
- Twin 4" Full-Range Speakers
- AFC Lock Prevents Drift on FM

Superb Lafayette twin-speaker FM-AM table radio offers magnificent performance and handsome styling. Two large 4" speakers provide room filling high-fidelity sound with exceptional clarity. Powerful 16-semiconductor circuit has an output of 1 watt. Automatic Frequency Control (AFC) lock prevents drift on FM. Has big slide rule dial for precision tuning. Four controls: Selector (AM-FM-FM-AFC), On/Off Volume, Tone, and Tuning. Handsome oiled walnut veneer wood cabinet and rich grill cloth. Size: 6 $\frac{1}{2}$ " x 14 $\frac{1}{8}$ " x 4 $\frac{7}{8}$ ". For 105-120 VAC, 50/60 cycles. Imported. Shpg. wt., 7 lbs.

17 K 0110W \$5 monthly Net 34.95

B LAFAYETTE 2 FOOT LONG SOLID STATE AM-FM TABLE RADIO

- Decorator Styled Walnut Wood Grain Plastic Cabinet
- 2 Large 6 x 4" Speakers Provide Outstanding Sound
- Built-in AFC For Highly Stable FM Reception

Lafayette 2 band solid state AM-FM table radio of unique slim design which will become a conversation piece in your home. Two 6" x 4" speakers reproduce rich full-frequency sound on both FM and AM. Supersensitive Ferrite coil AM antenna brings in distant stations clearly while an attached FM cord antenna is provided to assure clear FM reception. Continuous variable tone control permits bass and treble adjustments to your taste. Automatic frequency control circuit (AFC) eliminates the need for constant retuning of FM stations due to drift. 13 solid state devices. Large slide rule dial has logging scale and smooth tuning mechanism for instant station selection. Size: 24 $\frac{1}{2}$ " x 6 $\frac{1}{4}$ " x 5". For 117 VAC, 60 cps. Shpg. wt., 8 lbs. Imported.

17 K 0163WX \$5 Monthly Net 32.95




C 3 BAND
Table Radio **39⁹⁵**
No Money Down

C 3-BAND SOLID-STATE FM/AM/SW TABLE RADIO

- 2 6 x 4 Dynamic Twin Speakers
- Precision Slide Rule Dial with Logging Scale
- Functional Indicator Lights

Smartly styled 3-band FM/AM/SW table radio. All solid-state circuitry features instant on operation. Listen to thrilling SW broadcasts as well as brilliant FM and standard AM broadcasts. 2 6 x 4" dynamic twin speakers offer outstanding sound reproduction. AFC control prevents drift on FM. 4 controls: On/Off volume, Tone, Tuning, and 4-Position Selector (AM, FM, FM-AFC, SW). Function indicator lights for mode of operation. Attractive plastic walnut grain cabinet with plasticouvered speaker grill. Size: 21 $\frac{1}{4}$ " x 8 $\frac{1}{8}$ " x 7 $\frac{3}{4}$ ". For 110-120V 50/60 cycles. Imported. Shpg. wt., 8 lbs.

17 K 7814W \$5 monthly Net 39.95



ⓓ Panasonic Model 7487

59⁹⁵

No Money Down



NEW!



ⓔ Deluxe 24 Transistor FM-AM Stereo Table Radio

59⁹⁵

No Money Down

NEW!



SOLID STATE AM TABLE RADIO

9⁹⁵

- Large 3 1/2" Dynamic Speaker
- Attractive Low Profile Styling
- UL Listed

Ideal second radio for your home. Perfect for the kitchen or children's room. Attractive low profile style. Large 3 1/2" dynamic speaker is powered by 7 semi-conductors. Offers instant-on operation. UL listed. For 110 VAC, 60 cps. Size: 8 3/4" x 4 1/4" x 3". Shpg. wt., 3 lbs. **17 K 6929**

Net 9.95

61 Lafayette Cat. No. 681



PERSONAL SOLID STATE FM-AM TABLE RADIO

22⁹⁵

- With Jewelry or Cigarette Compartment
- Earphone Jack for Private Listening

Marvel of space-age electronics—exciting, bold new concept in radio styling. Beautiful AM and FM radio listening. Solid state circuitry offers instant-on operation. Sensitive superheterodyne circuit for maximum selectivity with high sensitivity. Large 2 1/2" speaker for superb sound reproduction, 9 transistors, 4 diodes. Built-in ferrite antenna for AM, cord type antenna for FM. withearphone. For 110 VAC, 60 cps. Imported. Shpg. wt., 3 lbs. **17 K 7830**

Net 22.95

ⓓ PANASONIC 7487 FM/AM TABLE RADIO

- 18 Solid State Devices
- Tuned RF Stage for FM
- Matched 6 1/2" and 2 1/2" Dynamic Speakers

Unique walnut wood design. A special panel door opens to permit access to tuning controls. Closed, it's a fine piece of furniture. Features true rich sound with matched 6 1/2" and 2 1/2" dynamic speakers. Big 3W output. Continuous tone control. Automatic Frequency Control prevents drift on FM. Tuned RF stage for FM. Built-in FM and AM antennas for fine receptivity. Easy-to-see color band tuning, simply turn a knob and the FM dial lights up. Turn again, to light up for AM tuning. Size: 18 3/4" W x 9 1/2" H x 6 1/2" D. UL listed. For 110 VAC 60 cps. Imported. Shpg. wt., 11 lbs. **17 K 3044WX \$5 monthly** Net 59.95

ⓔ DELUXE FM-AM STEREO TABLE RADIO

- 24 Transistors, 5 Diodes
- Stereo Indicator Light
- 2 Acoustically Balanced Wide Range Speakers

Enjoy breathtaking stereo FM reception as well as standard FM and AM broadcasts with this luxurious 24 transistor stereo table radio. Two acoustically matched 6" x 4" wide range speakers provide brilliant music reproduction. Includes these deluxe features normally found only in more expensive Hi-Fi receivers: Stereo Indicator Light, separate bass and treble controls, balance control, 3 way selector knobs (FM-FM/Stereo-AM), Tuning knob, Mono-stereo slide switch, radio-phono slide switch (inputs for phono or tape are provided on the rear of the cabinet), and precision slide rule dial. Built-in AFC circuitry prevents drift on FM and FM stereo. High efficiency ferrite antenna for AM, cord antenna for FM. Attractively styled plastic cabinet with louvered grills and silver trim. For 110 VAC, 60 cps. Size: 22 1/4" x 8" x 6 1/2". Imported. Shpg. wt., 12 lbs. **17 K 7829WX \$5 monthly** Net 59.95

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

Solid State Clock Radios



B AM CLOCK RADIO **24⁹⁵**



A FM-AM CLOCK RADIO **39⁹⁵**
NO MONEY DOWN

DELUXE LAFAYETTE CLOCK RADIOS

In Beautiful Walnut Veneer Cabinets

A LAFAYETTE FM-AM CLOCK RADIO

One of the finest FM-AM clock radios we have ever offered. Powerful 15 semi-conductor solid state circuit has an undistorted output of 1 watt—gives you instant sound without any warm-up time. Continuous tone control plus slide rule dial for precision tuning. AFC lock prevents drifting off stations while listening to FM. Large 4", wide-range dynamic speaker for magnificent rich sound. Full Feature Telechron clock has a lighted dial for telling time in the dark. Sleep Switch lets you fall asleep to music (can set sleep switch up to 60 minutes), and after you are asleep radio can automatically turn itself on at a preset time. If you then wish to catch an extra few winks of sleep, just press the snooze button and the radio will turn off for 10 minutes. Radio is housed in a beautiful walnut veneer cabinet with a brushed gold control panel. Built-in FM and AM antennas. Dim. 6 $\frac{1}{2}$ "x14 $\frac{1}{2}$ "x4 $\frac{7}{8}$ ". Operates on 117V AC 60 cps. Imported. Shpg. wt., 6 lbs.
17-K 0107W \$5 Monthly Net 39.95

B LAFAYETTE AM CLOCK RADIO

Handsomely styled with all the features of the above FM-AM clock radio, but without FM. Dim: 11 $\frac{1}{4}$ "x6 $\frac{1}{4}$ "x4 $\frac{3}{4}$ ". Operates on 117V AC 60 cps. Imported. Shpg. wt., 5 lbs.
17-K 0108W Net 24.95



C AM-FM CLOCK RADIO **29⁹⁵**

C LAFAYETTE AM-FM CLOCK RADIO

ONLY **29⁹⁵**

- Handsome, Slim-Line Styling
- Full Feature Telechron Clock With Sleep Switch

An elegantly styled clock radio to enhance any decor while providing magnificent performance. 14 semi-conductor solid state circuitry offers instant sound without any warm-up. AFC lock prevents drift on FM stations. Slide rule dial for precision tuning. Large 4" speaker for rich sound. Full feature telechron clock with 60 minute sleep switch lets you fall asleep to music and automatically turns radio on at a preset time. Also features an alarm to wake you up. Beautiful black and white plastic cabinet. Size: 10 $\frac{3}{4}$ "x5 $\frac{3}{4}$ "x3 $\frac{3}{4}$ "D. Imported. Shpg. wt., 3 lbs.
17-K 0142W Net 29.95

D DECORATOR STYLED AM/FM CLOCK RADIO

ONLY **34⁹⁵**

- Full Feature Telechron Clock
- Compact AM/FM Radio

Beautiful to look at as well as to listen to. 15 semi-conductor solid state circuit give you "Instant-on" operation. Full feature Telechron clock with alarm. Radio can turn off automatically and turn itself on at a preset time. Large 2 $\frac{1}{2}$ " dynamic speaker for full rich tonal quality. Built-in ferrite AM antenna plus separate FM Lead antenna. Exquisite styling. White with silver and blue trim. Size: 7 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ ". Imported. Shpg. wt., 3 lbs.
17-K 7828 \$5 monthly Net 34.95



D

**A DREAM-COME-TRUE
MASERATI GRAN TURISMO CAR...
A ONCE-IN-A-LIFETIME
HAWAIIAN VACATION FOR TWO...
OR A PANASONIC
HOME VIDEO RECORDER OUTFIT...
A FABULOUS STEREO SYSTEM
WITH TAPE RECORDER...OR A
DASHING HONDA MOTOR BIKE...
PORTABLE PANASONIC
TV-RADIO COMBOS...
WIDE-ANGLE BINOCULARS...
INTERCOMS...POLAROID SWINGERS...**

9,166 Prizes Worth a Whopping \$122,165

THAT'S LAFAYETTE'S

SANTA FANTA-STAKES!

**ENTER NOW! FIND OUT IF
YOU'VE ALREADY WON A PRIZE!**

**Your Order Blank Has Your Lucky Number
...Return It Today...**

center insert

**HOW WOULD YOU LIKE TO GET
BEHIND THE WHEEL OF THIS
MASERATI GIBLI GRAN TURISMO,
PRICED AT \$18,165?**

*It's yours to keep, if your lucky number is the
Grand Prize Winner in Lafayette's Santa Fanta-Stakes!*

You've never seen anything so gorgeous, and if you're the winner, you'll have the only one for miles around! Air conditioned, electrically operated windows, powerhouse hemi-head V-8 engine that zooms it along at a top speed of 174 miles per hour!



FIVE WINNERS WILL HAVE THIS CHOICE—YOU MAY BE ONE!



A HAWAIIAN VACATION FOR TWO *OR* A PANASONIC HOME VIDEO RECORDER OUTFIT

TEN WINNERS WILL PICK-A-PRIZE—YOU MAY BE ONE!



A STEREO SYSTEM WITH TAPE RECORDER *OR* A HONDA MOTOR BIKE




**50 PANASONIC
PORTABLE TV-RADIO COMBOS**



**100 PAIRS OF
WIDE ANGLE BINOCULARS**



**500 POLAROID
SWINGERS**



**1000 SOLID STATE
INTERCOM SETS**



**2,500 LAFAYETTE
\$10 GIFT CERTIFICATES**

**AND FIVE THOUSAND
LAFAYETTE
\$5 GIFT CERTIFICATES**

**ENTER LAFAYETTE'S \$122,165 SANTA FANTA-STAKES—
DO IT NOW—HERE'S HOW**

Simply print your name and address on the Lucky Number Order Blank opposite. Your merchandise order from this catalog goes on the same Order Blank, but you can enter Lafayette's \$122,165 Santa Fanta-Stakes whether you order or not. Mail your Order Blank in the reply envelope provided, or bring it in to any of the 20 Lafayette stores listed on the page adjoining order blank.

Fanta-Stakes mail entries must be post-marked no later than December 11, 1967. Entries received after December 18, 1967, will be disqualified. Prize-winning numbers have been computer-selected by Computer Applications, Inc., an independent computer service organization whose programmed decisions will be final. Winners will be notified by mail. No substitutions will be made for any prize offered. Employees of Lafayette Radio Electronic Corporation, its subsidiaries, associate stores, advertising agencies and their families are not eligible. This offer is subject to all federal, state and local regulations, and is void wherever prohibited by law.

**AND EVERYBODY—INCLUDING YOU—CAN BE A WINNER
WITH THE MERCHANDISE OFFERED ON THE NEXT PAGE!**

LAFAYETTE'S BONANZA SPECIALS

Place a \$10 order from this catalog (or our 1968 catalog 680)—and you're entitled to purchase one of these terrific bargains. A \$25 order entitles you to buy two items—or two of one item. But no more than two items to a customer.



SELF-WINDING 17-JEWEL CALENDAR WATCH \$17.95

Swiss-made automatic and self-winding watch—but you can also wind it by hand! Sweep second hand, raised gilt figures. Automatically changes date every day. Waterproof, shock-resistant, anti-magnetic, unbreakable main spring. Gold-tone case, matching expansion band, stainless steel back. Shipped prepaid and insured from factory. No COD's.

13K3123Y

Lafayette's Sensational Price \$17.95




LADIES PENDANT WATCH \$7.95

Beautifully delicate, with diamond shaped, gold-tone case. Matching chain. Genuine Swiss movement, unbreakable main spring. Raised gilt figures. Shipped prepaid and insured direct from factory. No COD's.

13K3124Y

Lafayette's Sensational Price \$7.95



21-VOLUME ILLUSTRATED WORLD ENCYCLOPEDIA \$29.95

More than 100 educational specialists created this fine reference source. Youngsters can use it from junior grades through high school. Beautifully library-bound volumes, with over 10,000 illustrations. Publishers 10-year Library Consultation Service. Shpg. wt. 30 lbs. Will be sent shipping charges collect. No COD's.

10K 1501TWX

Lafayette's Sensational Price \$29.95



ROTO-BROIL 4-SPEED BLENDER \$14.95

Wonderfully versatile! Four speeds let you stir, whip, mix and blend. Solid-state push-button controls. Rubber legs. Gleaming white finish, stainless steel blades remove quickly for easy cleaning. 56-oz. graduated mixing container. Complete with 2-oz. measuring cup, recipe and instruction book. Shipped from Syosset, wt. 7 lbs. Add shipping charges.

15K3801W

Lafayette's Sensational Price \$14.95

These 4 items are listed on the order blank—just check what you want!


OFFER EXPIRES DECEMBER 18, 1967...ORDER NOW!

BIG SOUND



ONLY
99⁹⁵

No Money
Down



Drums-Bongos

6-PC. "COMBO" DRUM OUTFIT

- 6-Ply Construction Thru-Out
- Double Lug—Separate Tension Rods
- With 14" Cymbal—Cow Bell—Toneblock—Sticks—Brushes
- Double Spring "Fast-Action" Bass Drum Pedal

A quality 6 piece drum outfit for the beginner or advanced musician. Outfit contains an 8" x 12" Tom Tom, a 14" x 20" bass drum, both with double lug separate tension rods, and a 5½" x 14" separate tension snare drum. Bass drum features a fully adjustable "fast" action pedal and chrome plated cow bell. All drums have plastic heads, feature triple flanged rims and chrome plated hardware. Other items include a 14" cymbal with fully adjustable cymbal holder that will adjust to any height or angle, disappearing spurs, sticks, and stick holder, a flat base snare drum stand, and a universal adjustable rail mount console for "ride" of Tom Tom. Bright sparkle finish. Shpg. wt. 50 lbs. **13 K 2450WX \$5 Monthly — Net 99.95**

8-PC. PROFESSIONAL DRUM OUTFIT

- Solid 6-Ply Construction Thru-Out
- Double Lug—Double Tension
- 4 Drums—including Floor Tom Tom, 14" Cymbals, Brushes, Sticks, High Hat Stand, Fast Action Pedals, Cow Bell, Tone Block
- Plastic Heads—Sparkle Finish

A Deluxe, professional quality drum outfit, complete with all the most wanted accessories, that meets the demand for sound and quality in every way. Each drum has completely adjustable tension rods for quick and easy tuning. Set consists of 14" x 20" Bass Drum with 8-separate tension beaver-tail lugs, spurs, cymbal holder, console tom-tom mount, and internal muffler. A 5½" x 14" Snare Drum—8 tension, speedy throw-off, and internal muffler. 16" x 16" Floor Tom Tom—6 tension with internal muffler. 8" x 12" 6 tension Tom Tom with muffler. Drums have coated plastic heads, celluloid covered for bright sparkle finish, and deluxe flat-base snare and Hi-Hat stands. Complete with 3 14" cymbals, 2 deluxe fast action foot pedals, cow bell, tone block and a complete set of brushes and sticks. Shpg. wt. 77 lbs. **13 K 6616WX \$9 Monthly — Net 179.95**



ONLY **179⁹⁵**

No Money Down

PROFESSIONAL SNARE DRUM KIT

ONLY **32⁹⁵**

NO MONEY DOWN

- Complete With Stand, 10" Cymbal, Brushes, Sticks

An exciting 14 x 5½" 6 tension, 6 ply snare drum with metal snares, tone modulator, speedy throw-off, flanged hoops, rolled chrome plated rims, plastic head, and nickel plated hardware. Attractive celluloid sparkle finish. Complete with deluxe flat base chrome stand, 10" cymbal, sticks, brushes, and instruction book. Imported. **13 K 8705W \$5 Monthly — Net 32.95**



PROFESSIONAL TUNABLE BONGOS

- Fast, Unobstructed Hand-Playing

ONLY **13⁵⁰**

Pure white perfect calfskin heads for best rhythm effect and authentic tone. Sparkling color finish. Sturdy construction full flanged counter loops with heavy chrome plated hardware. Four tuning-lugs on each bongo. Head sizes: 7¼" and 6½". Overall 7" deep. Complete with Tuning Key. Imported. Shpg. wt., 5 lbs. **13 K 8704W — Net 13.50**

13 K 8704W — Net 13.50

13 K 8704W — Net 13.50

Musical Instruments Are Available on Easy Pay Plan

Lafayette Cat. No. 681 63

SLEEK
SOLID BODY
Electric Guitars

FOR

BIG BEAT

SOUND

See Page 69 For
Money Saving Outfits

ONLY
29⁹⁵

ONLY
39⁹⁵
NO MONEY
DOWN

ONLY
49⁹⁵
NO MONEY
DOWN



LAFAYETTE

Guitars

**(A) 2 PICK-UP CUTAWAY SOLID BODY
ELECTRIC GUITAR**

- True Vibrato Tailpiece
- Steel Reinforced Adjustable Neck
- Volume and Tone Controls

Solid-body, double cutaway, electric guitar. Has friction free adjustable chrome bridge; compression tremolo; dual adjustable pickups with individual Off/On switches; and rugged chrome plated machines. Thin, fast action, steel reinforced neck is laminated and features a 21 fret rosewood fingerboard with 8 distinctive, white inlaid position markers. Beautiful lacquered body has inlaid highly polished chrome plate. Beveled contour body is finished in a glittering sunburst shade. Complete with neck strap and cord. Size: 38½"H x 12"W x 1¼"D. Imported. Shpg. wt., 10 lbs.

19 K 2451WX Net 29.95

Solid Molded Vinyl Case. Net 8.95

99 K 9143WX Shpg. wt., 3 lbs. Net 8.95

**(B) LAFAYETTE 3 PICK-UP LARGE BODY
ELECTRIC GUITAR**

- True "Vibrato" Torsion Bar
- Detachable, Adjustable, Steel Reinforced Neck
- Double Cutaway, Beveled Body

Swingin', 3 magnetic pickup guitar features slim, fast, blond neck, 6 chrome machine heads, 7 "pearl" inlay markers and 20 frets on a rosewood fingerboard. Adjustable bridge, volume, tone and rhythm controls plus individual pickup switches and heavy chrome tremolo bar. Highly polished pick guard resists scratches. In gleaming hand rubbed shaded finish on fine mahogany stock. Complete with neck strap and cord. Size: 40"H x 14"W x 1½"D. Imported. Shpg. wt., 12 lbs.

99 K 9139WX \$5 Monthly Net 39.95

Solid Molded Vinyl Case Net 8.95

99 K 9143WX Shpg. wt., 3 lbs. Net 8.95

**(C) LAFAYETTE 4 PICK-UP LARGE BODY
ELECTRIC WITH "VIBRATO"**

- Genuine Mahogany Body-Contour Cut Back
- 4 Controls, 6 Switches, 4 Pick-ups
- Adjustable Steel Reinforced Neck

Stick! solid! professional sounding 4-pickup guitar with fast, slim neck, 6 machine heads, plus adjusting screws for each string. 7 "pearl" markers and 20 frets, on rosewood fingerboard. Adjustable bridge, 2 volume controls, 2 tone controls, plus slide switches for channel 1 and 2 with selection of mic 1 or 2, solo or rhythm positions. Heavy duty tremolo bar and chrome pick guard plus input jack. Hand rubbed, shaded finish on select mahogany. Complete with neck strap and cord. Size: 41"H x 14½"W x 1½"D. Imported. Shpg. wt., 13 lbs.

99 K 9140WX \$5 Monthly Net 49.95

Solid Molded Vinyl Case Net 8.95

99 K 9143WX Shpg. wt., 3 lbs. Net 8.95

D LAFAYETTE "ULTRA-SLIM" 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR

- "Hi-Response" True Vibrato Tailpiece
- Steel Reinforced, Adjustable Neck
- Adjustable Bridge—Celluloid Bound

Handsomely styled double cut-away electric guitar with dual pickups for solo or rhythm work. Narrow high-speed adjustable neck is steel reinforced for extra strength and features a 21 fret finger board inlaid with white position markers. Also has sturdy tremolo tailpiece, laminated arched top and back, volume and tone controls plus 3-position selector switch for choice of pickup. Individual precision machine heads. Hand-rubbed shaded sunburst finish. 16W x 42H x 2"D. Imported. Wt., 14 lbs. 99 K 9921WX \$5 Monthly Net 49.95
Sturdy Case For Above Guitar. Shpg. wt., 4 lbs. 13 K 6601WX Net 8.95

E DELUXE 2 PICK-UP "SLIMLINE" HOLLOW BODY ELECTRIC GUITAR

- Hard Maple—Steel Reinforced Adjustable Neck
- Individual Volume and Tone Controls
- Custom Designed Tremolo Tailpiece

Custom crafted, professional quality instrument! Features a 21 fret, oval rosewood fingerboard with mother-of-pearl inlaid position blocks, plus side position markers and triple bound edges. Has two ultra-sensitive, hermetically sealed, solid coil pickups with adjustable height control, and individual volume and tone controls. 3-position lever switch selects bridge pickup for solo, and forward pickup for rhythm work, or, permits use of both pickups simultaneously. Large handsome celluloid bound body is shaped and contoured for optimum sound response. Beautifully flamed high-gloss polyestric finish. 16Wx42Hx2"D. Imported. Shpg. wt., 16 lbs. 13 K 6602WX \$5 Monthly Net 79.95
Sturdy Case With Plush Lining For Above. 13 K 6603WX Shpg. wt., 4 lbs. Net 10.95

F DELUXE 12-STRING 2 PICK-UP "SLIMLINE" HOLLOW BODY ELECTRIC GUITAR

- Fully Adjustable Compensating Bridge
- Steel Reinforced Adjustable Neck
- 4-Controls plus Switch For Exciting Musical Sounds and Effects

Ultra sleek, double cutaway, thin-line instrument for the professional guitarist. Two adjustable, supersensitive, hermetically sealed pickups. Separate volume and tone controls for individual pickups; 3-position selector switch for Solo/Rhythm and Super Bass sounds. The body is of selected flame grained woods and contoured both front and back for perfect body comfort. Slim fast-action neck is steel reinforced and features a 21 fret oval rosewood fingerboard with mother-of-pearl inlaid position blocks plus side position markers and triple bound edges. Also has Universally adjustable bridge, custom designed tailpiece. Beautifully flamed high-gloss polyestric finish. 16Wx44Hx2"D. Imported. Wt., 18 lbs. 13 K 6604WX \$5 Monthly Net 89.95
Sturdy Case With Plush Lining For Above. 13 K 6605WX Shpg. wt., 4 lbs. Net 12.50

DELUXE HOLLOW BODY Electric Guitars


FOR

BIG DYNAMIC SOUND

ONLY
49⁹⁵
NO MONEY DOWN

ONLY
79⁹⁵
NO MONEY DOWN

ONLY
89⁹⁵
NO MONEY DOWN





LAFAYETTE

Amplifiers

Deluxe, Powerful Musical

**80
WATT**

For Electric Bass
and Guitar



(A) "PIGGY BACK" BASS AMPLIFIER ONLY 136⁹⁵

**65
WATT**



**(B) "REVERB"-"TREMLO" ONLY 149⁹⁵
2 CHANNEL AMPLIFIER**

**40
WATT**



(C) TREMOLO 2 CHANNEL AMPLIFIER ONLY 99⁹⁵

**30
WATT**



(D) TREMOLO TWIN-SPEAKER AMPLIFIER ONLY 79⁹⁵

Universal Dolly For Amplifiers



Use with any amplifier larger than 21½" long and 10" deep. Steel ball bearings on 3" casters with "T" nut, 3/4" securing screw. Perfect for Lafayette 40 watt, 65 watt and 80 watt base amps. Shpg. wt., 4 lbs.
13 K 0149W Net 11.95

Instrument Amplifiers

(A) 80 WATT "PIGGY BACK" BASS AMPLIFIER

- Powerful 15" Special Design Jensen Speaker with 27 oz. Magnet
- Projects "Big Bass Sound"
- Excellent For Use With Regular Guitar, Accordion and Combo-Organ
- "Easy Reach" Extruded Brushed Aluminum Control Panel will handle up to 3 instruments

Fabulous, full base sound with a minimum of distortion. Specially designed durable 15" Jensen speaker has a wide range response; Has 3 inputs: bass, high and low. Two slide switches for "deep," or "sharp" reproduction. Treble, bass, and volume controls: Neon pilot lamps. Fuse and 3-position switch for power off/standby/on. Super 80-watt peak power chassis uses 5 tubes, 2 dual purpose tubes for 7 tube performance, and all solid state rectifier circuit. Heavy duty transformers provide greater output. Two units; 3/4" wood amplifier/speaker cabinet, and "piggy back" amplifier which sits neatly on top of speaker cabinet. Cabinets have attractive gray and silver accoustical cloth. Ribbed vinyl carrying handle. Speaker cabinet size: 23 1/2"H x 22 L x 11 1/2"D. Amplifier: 7 1/4"H x 18 1/2 L x 10 1/2"D. For 117V AC 50/60 cycle. Shpg. wt., 58 lbs.

13 K 0140WX \$7.50 Monthly _____ Net 136.95
13 K 0149W Dolly for above amplifier _____ Net 11.95

(B) 65 WATT "REVERB"—"TREMOLO" TWIN-SPEAKER 2 CHANNEL AMPLIFIER

- Hammond "Reverb" Unit For Echo-Like Effect
- Pulsating "Tremolo" For "Go-Go" Effect
- 2-12" Heavy-Duty Special Design Jensen Speakers
- Extruded Aluminum "Slanted" Front Panel

Remarkable reproduction, finest craftsmanship, make up this 65 watt peak amplifier. Produces "Tremolo" and "Reverb" effects separately or simultaneously. Has two superb 12" Jensen musical instrument speakers. 7 tubes, 5 dual tubes provide 12 tube design. Tremolo has "speed" and "intensity" controls. Reverb has "intensity" control. 4-inputs for "normal" or "bright", handles up to 4 instruments. Separate volume and tone controls for channel 1 and 2. Input jacks for remote control of "reverb" and "tremolo". 3-position switch for power on/off/standby. Output and power transformer for heavy-duty operation. Sturdy wood cabinet, covered in black textured scuff-resistant vinyl. Size: 31 3/4"H x 23 L x 10"D. Shpg. wt., 63 lbs.

13 K 0144WX \$8 Monthly _____ Net 149.95
Dual Foot Switch for remote control of tremolo and reverb.
13 K 0150 _____ Shpg. wt., 1 lb. _____ Net 4.95
13 K 0149W Dolly for above amplifier _____ Net 11.95

(C) 40 WATT TREMOLO TWIN SPEAKER 2 CHANNEL AMPLIFIER

- Tremolo For Pulsating Sound
- 2-12" Heavy-Duty Special Design Jensen Speakers
- Two Channel, 4 Instrument Inputs
- Extruded Aluminum "Slanted" Front Panel

Get faithful reproduction of every note. Has special heavy-duty Jensen speakers. AC chassis utilizes 6 tubes, 3 dual purpose tubes provide 9 tube design. 4 instrument inputs provide outstanding versatility. Two channel 40 watt peak amplifier. Has 2 volume and 2 tone controls. Features a remote control foot switch jack for colorful tremolo operation, plus 2 tremolo controls—speed and intensity; on/off/standby switch; pilot light and carrying handle. Sturdy wood case covered in shimmering black vinyl. Size: 31 3/4"H x 23 L x 10"D. For 117 volt AC operation. Shpg. wt., 50 lbs.

13 K 0145WX \$5 Monthly _____ Net 99.95
Foot Switch for remote control of tremolo. Shpg. wt., 1 1/2 lbs.
13 K 0151 _____ Net 2.99
13 K 0149W Dolly for above amplifier _____ Net 11.95

(D) 30 WATT TREMOLO TWIN-SPEAKER AMPLIFIER

- 2-10" Jensen Music Series Speakers
- Extruded Aluminum "Slanted" Front Panel
- 3 Inputs
- Foot Switch Jack For Remote Control of Tremolo

Features two built-in heavy duty Jensen 10" speakers for clean reproduction of every musical note. Three instrument inputs. Four controls: two for volume and tone, two for speed and intensity of tremolo. Foot switch jack for remote control of Tremolo. 30 watt peak AC amplifier chassis utilizes 4 dual tubes equivalent to an 8 tube circuit, plus solid-state rectifiers for reliable operation. Sturdy wood cabinet covered in luxurious black vinyl. Size: 28 H x 17 1/2 L x 9 3/4"D. For 117 volts AC 60 cycles. Shpg. wt., 33 lbs.

13 K 0146WX \$5 Monthly _____ Net 79.95
Foot switch for remote control of tremolo. Shpg. wt., 1 1/2 lbs.
13 K 0151 _____ Net 2.99

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

15 WATT TREMOLO AMPLIFIER

- Big 12" Jensen Speaker
- 3 Instrument Inputs
- Extruded Aluminum "Slanted" Control Panel

ONLY
57⁹⁵
NO MONEY DOWN



An efficient 15-watt peak tremolo amplifier with big 12" specially designed speaker by Jensen. Provision for three instrument inputs. Jack provided for tremolo foot switch. Handy carrying handle. Controls: volume, tremolo speed, tone. AC chassis utilizing 4-tube circuitry. 4 dual purpose tubes used to provide 7 tube design. Handsome brushed aluminum slope mounted control panel for "easy reach". Sturdy wood cabinet covered in luxurious black vinyl. On-Off switch activates pilot light. Size: 17 3/4"H x 16 1/2 L x 10"D. For 117 volts 50/60 cycles AC. Shpg. wt., 23 lbs.

13 K 0147WX \$5 monthly _____ Net 57.95
Foot Switch for remote control of Tremolo. Shpg. wt., 1 1/2 lbs.
13 K 0151 _____ Net 2.99

SOUND EFFECTS

LAFAYETTE "FUZZ SOUND"

- Make your guitar or bass produce the harmony of several wind instruments!

14⁹⁵



Add more instruments to your small combo with the "Fuzz" Sound! Create a wide variety of synthesized tones such as those produced by a baritone, or bass saxophone. Battery powered, it easily connects between your guitar, or bass and the amplifier and is operated by an On/Off foot switch. Has two variable control knobs; one for regulating the "fuzz" effect and one for volume and intensity. A supplementary On/Off switch is combined with the volume control to conserve battery life. Fully transistorized, the unit is built for heavy duty use and operates on a single penlight battery. A rugged metal case protects inside circuitry. Overall size: 5 1/2 L x 3 1/2 W x 2 1/2" over. H. Imported. Shpg. wt., 1 3/4 lbs.

99 K 9199 _____ Net 14.95
99 K 625g Battery for above _____ Net 1.10

LAFAYETTE SOLID STATE "ECHO-VERB" REVERBERATION

- "Add-on" Reverb Unit for any Musical Instrument Amplifier or P.A. System

21⁹⁵

Simulates the full sound top artists get! Compact, lightweight, transistorized reverb unit creates a new dimension in audibility to overcome dull, flat ordinary sound. Can be used with any instrument amplifier, or P.A. system. Minutes to connect, the "Echo-Verb" may be used for sound effects. Has inputs for mike and/or instrument—plus a foot switch input to cut reverb in or out from a remote location, pilot light and a reverb mix control that lets you select whatever intensity of reverb you desire. With reverb mix control in the "Off" position, standard sound will be heard from the amplifier. With on/off switch. For 117v., 50/60 cycles AC. Size: 3 3/4"H x 11 1/2"W x 6 1/2"D. Imported.

99 K 9202WX Shpg. wt., 5 lbs. _____ Net 21.95
Foot Switch for Remote Control of "Echo-Verb"
13 K 0151 Shpg. wt., 1 1/2 lbs. _____ Net 2.99

Lafayette Cat. No. 661 67



LAFAYETTE

Amplifiers

MUSICAL INSTRUMENT AMPLIFIERS



A NO MONEY DOWN **49⁹⁵**



B NO MONEY DOWN **39⁹⁵**



C **29⁹⁵**

(A) 10-Watt Tremolo/"Reverb" Amplifier

- Tremolo Speed Strength Controls
- "Reverb" Control
- Top Mounted Controls for "Easy-Reach"

A deluxe "Reverb" amp that no guitarist, professional or novice, should be without. Smart, sturdy vinyl covered wood cabinet, with carry handle and attractive grille cloth. Top mounted controls: Off/On/Volume control with indicator lamp, tone controls, reverb control; tremolo with intensity and speed controls. Inputs for 2 instruments plus specially designed 8" speaker for that "swingin'" sound. Powerful 10 watt amplifier has AC isolation through a heavy-duty power transformer. Size: 18½" x 15½" x 6"D. Imported. Shpg. wt., 14 lbs.
99 K 9141WX \$5 Monthly Net 49.95

(B) Portable 8-Watt Solid State Tremolo Amplifier

- Self-Contained Battery Pack/Or May Be Operated On Household AC

Lightweight transistorized guitar amplifier for use anywhere. Heavy-duty cabinet with handle, covered in black vinyl. Front panel controls: Pilot light, On/Off switch, 2 inputs for 2 guitars, 4 controls: Tremolo has "depth" and "speed"; Tone and Volume. Built-in speaker designed for that "big" sound. Back panel has input for foot operated tremolo switch, plus switch for battery or AC operation. Takes 8 batteries. Size: 14" x 11¾" x 6"D. Imported. Shpg. wt., 12 lbs.
99 K 9142WX \$5 Monthly Net 39.95
99 K 6256 Net ea. .15
 FOOT-OPERATED REMOTE CONTROL for tremolo
13 K 0151 Shpg. wt., 1 lb. Net 2.99

(C) 5-Watt Heavy-Duty Basic Amplifier

- Top Mounted Controls for "Easy Reach"
- Separate Volume & Tone Controls
- Two Instrument Inputs

A dynamically designed 5-watt straight AC musical instrument amplifier. Top mounted controls and panel for "easy reach" operation. Separate volume and tone controls. High-quality speaker is specially designed for full brilliance of tone and long trouble-free life. AC isolation achieved through a rugged power transformer. Sturdy wood cabinet covered in beautiful black leatherette. Inputs for two instruments. Pilot light with on-off switch. Uses no-slip rubber feet and useful carrying handle. Size: 11" x 13" x 6¼"D. For 117 volts 50/60 cycles AC. Imported. Shpg. wt., 11 lbs.
99 K 9101W Net 29.95

"Budget-Priced" Solid State Amplifier


19⁹⁵

- Two Instrument Inputs
- Volume and Tone Controls

All-transistor design provides 5 watts of peak music power with cool-running "instant-on" operation. Two instrument inputs, tone and volume controls, on-off switch, 6" speaker for top sound. Smart, sturdy cabinet covered in scuff-resistant black vinyl. Size: 15¾" x 13¼" x 6¾". For 117 volts, 50/60 cycles AC. 10 lbs.
13 K 0153W Net 19.95

Lafayette Entertainer Microphones

12⁹⁵



(D) DUAL IMPEDANCE DYNAMIC MIKE

- Omni-Directional—With Plug

A superb dynamic microphone designed for high quality applications. Dual Impedance—high 50K ohms, or low 250 ohms. Omni-directional, 100-10,000 cps. Features pop-proof wire mesh grille. Modern attractive chrome plated frame. Equipped with on-off switch. Mike tiltable thru 90° arc. For all standard 5/8" -27 floor stands. Size: 7¾" x 1½" Dia. with 20 ft. detachable cable and phone plug. Imported. Shpg. wt. 2 lbs.
99 K 4619 Net 12.95

(E) Deluxe Ball Dynamic Mike

- For Hand and Stand Use

Modern design features dual impedance—High 50K ohms, or low 250 ohms. Omni-directional, 100-10,000 cps. Has on-off switch. Ball screen insures against "pop" and wind blast. Die-cast, finished in satin aluminum. Size: 6¼" long, max. diam. of ball 2½". Complete with detachable 20 ft. cable and phone plug. Black metal desk stand and adapter for any 5/8" -27 floor stand. Imported. Shpg. wt., 2 lbs.
99 K 4620 Net 15.95

Atlas Mike Floor Stand

Model MS-10C. Features "Full-Grip" clutch mechanism for fast quiet adjustments. Includes self-leveling, plus "anti-tip" points. Chrome plated tube. Terminates in a 5/8"-27 thread. 10" base, finished in gray shrivel. Assures max. stability. Height adj., 35-63".
44 K 1003 Shpg. wt., 10 lbs. Net 6.90



WHEN YOU BUY A COMPLETE OUTFIT

YOU SAVE UP TO **26²¹**

FROM INDIVIDUAL CATALOG PRICES

Each electric guitar outfit consists of a guitar, amplifier, case plus —neck strap, pick-up cord, extra set of 5 flat-wound steel strings, 8 assorted picks, 16 page instruction book with chords, illustrated fingering positions, and "strum-along" favorite songs, plus instruction record. Each outfit includes Tremolo foot switch except those marked with *.

SOLID-BODY ELECTRIC GUITAR OUTFITS

See Page 64 for Guitars—Pages 66 to 68 for Amplifiers

Outfit No.	Guitar	Pick-up	Amplifier	Watts	Shpg. Wt.	Net
13 K 9035WXM*	13 K 2451WX	2	99 K 9101W	5	25	65.50
13 K 9036WXM	13 K 2451WX	2	99 K 9142WX	8	26	76.95
13 K 9037WXM*	13 K 2451WX	2	99 K 9141WX	10	27	83.50
13 K 9038WXM	13 K 2451WX	2	13 K 0147WX	15	37	93.50
13 K 9039WXM	13 K 2451WX	2	13 K 0146WX	30	47	113.50
13 K 9040WXM*	99 K 9139WX	3	99 K 9101W	5	26	74.50
13 K 9041WXM	99 K 9139WX	3	99 K 9142WX	8	27	85.95
13 K 9042WXM*	99 K 9139WX	3	99 K 9141WX	10	28	92.50
13 K 9043WXM	99 K 9139WX	3	13 K 0147WX	15	38	102.50
13 K 9044WXM	99 K 9139WX	3	13 K 0146WX	30	48	121.95
13 K 9045WXM	99 K 9139WX	3	13 K 0145WX	40	65	139.95
13 K 9046WXM	99 K 9140WX	4	99 K 9142WX	8	28	94.95
13 K 9047WXM*	99 K 9140WX	4	99 K 9141WX	10	29	101.50
13 K 9048WXM	99 K 9140WX	4	13 K 0147WX	15	39	111.50
13 K 9049WXM	99 K 9140WX	4	13 K 0146WX	30	49	130.95
13 K 9050WXM	99 K 9140WX	4	13 K 0145WX	40	66	148.95
13 K 9051WXM	99 K 9140WX	4	13 K 0144WX	65	79	195.95

DELUXE HOLLOW-BODY ELECTRIC GUITAR OUTFITS

See Page 65 for Guitars—Pages 66 to 68 for Amplifiers

Outfit No.	Guitar	Pick-up	Amplifier	Watts	Shpg. Wt.	Net
13 K 9052WXM*	99 K 9921WX	2	99 K 9141WX	10	42	102.95
13 K 9053WXM	99 K 9921WX	2	13 K 0147WX	15	51	112.95
13 K 9054WXM	99 K 9921WX	2	13 K 0146WX	30	61	132.50
13 K 9055WXM	99 K 9921WX	2	13 K 0145WX	40	78	149.95
13 K 9056WXM	99 K 9921WX	2	13 K 0144WX	65	90	197.50
13 K 9057WXM	13 K 6602WX	2	13 K 0146WX	30	63	161.50
13 K 9058WXM	13 K 6602WX	2	13 K 0145WX	40	80	179.50
13 K 9059WXM	13 K 6602WX	2	13 K 0144WX	65	92	225.95
13 K 9060WXM	13 K 6604WX	2	13 K 0146WX	30	65	171.95
13 K 9061WXM	13 K 6604WX	2	13 K 0145WX	40	82	189.95
13 K 9062WXM	13 K 6604WX	2	13 K 0144WX	65	94	236.50

"VALUE" CUTAWAY SOLID-BODY ELECTRIC GUITAR OUTFITS

29⁹⁵

Less Amplifier

44⁹⁵

No Money Down

Complete with 5 Watt Amplifier

Save 5.00 On Outfits With Amplifier.

- Ideal For The Beginner—Everything You Need Including A Beginner's Record Course and Book To Start You Off Right

Lively "electric" sound with this finely constructed guitar. Magnetic pick-up with separate tone and volume controls. Steel reinforced mahogany neck with 21 frets and white inlay markers. Individual machines, adjustable bridge, guard plate in black celluloid with white trim, and string holder bar neck plate. High gloss finish. Size: 37½ L x 11¼ W x 1¼" D. Complete outfit includes: guitar, heavy lined zippered bag with button-down pouch, extra set of strings, neck strap, connecting cord, self-instruction book and record. Shpg. wt., 8 lbs.

13 K 9753WX Less Amplifier **Net 29.95**

ELECTRIC GUITAR OUTFIT PLUS AMPLIFIER

Includes electric guitar outfit above plus 5 watt solid state amplifier 13 K 0153W on page 68. Shpg. wt., 16 lbs.

13 K 9034WXM \$5 monthly **Net 44.95**

Lafayette Cat. No. 681 69



"Value"
Cutaway Solid-Body
Electric Guitar Outfits



SOLID and HOLLOW BODY ELECTRIC BASSES FOR

BIG BASS

SOUND

ONLY
44⁹⁵

NO MONEY
DOWN

- Steel Reinforced "Slim Line" Neck

ONLY
64⁹⁵


NO MONEY
DOWN

- Long Slim—Adjustable Steel Reinforced Neck

ONLY
89⁹⁵

NO MONEY
DOWN

- Hard Maple, Steel Reinforced Adjustable Neck
- Double Cutaway Thin-Line Body



**LAFAYETTE SOLID BODY
ELECTRIC BASS**

**LAFAYETTE 2 PICK-UP
SOLID BODY ELECTRIC BASS**

**DELUXE 2 PICK-UP
HOLLOW BODY ELECTRIC BASS**

Beautifully designed, solid body, electric bass guitar. Produces exacting tonal qualities needed for precise bass work. Finely crafted, solid mahogany body is contoured and delicately beveled around the outer edges. "Slim-Line" removable/adjustable neck is made of steel reinforced maplewood, and features a fast action 20 fret finger board with 6 dual position white inlay markers. Also has individual volume and tone controls; fully adjustable bridge; handsome pick guard; and 4-chrome plated machine heads for precise tuning. Comes complete with cord. Size: 47" x 15½" x 1¼". Imported. Shpg. wt., 15 lbs.
99 K 9920WX \$5 Monthly _____ Net 44.95

Sturdy case for above. Shpg. wt., 4 lbs.
13 K 6606WX _____ Net 10.95

ELECTRIC BASS OUTFIT: Includes 99-9920WX bass, 13-0148WX 80 watt bass amplifier, 13-6606WX case, neck strap, cord plus "Modern Electric Bass Guitar Method" book. Shpg. wt., 77 lbs.

13 K 9030WXM \$9 Monthly _____ Net 175.95

70 Lafayette Cat. No. 681

Large, deluxe slimline electric guitar constructed of select mahogany woods, with hand-rubbed shaded finish and a highly polished inlaid steel plate to protect working surfaces. Features 4-chrome plated machines; celluloid bound rosewood fingerboard with 20 frets and 6 distinctive, white inlay position markers; 2-powerful magnetic pick-ups with individual Standby/On controls; adjustable bridge; plus tone and separate volume controls. A smooth styling bevel and thumb rest complements the shaped and contoured body for maximum playing comfort. With neck strap and cord. Size: 46" x 15½" x 1¼". Imported. Shpg. wt., 15 lbs.
99 K 9123WX \$5 Monthly _____ Net 64.95

Sturdy case for above. Shpg. wt., 4 lbs.
13 K 6607WX _____ Net 10.95

2-PICK-UP ELECTRIC BASS OUTFIT: Includes 99-9123WX Electric Bass, 13-0148WX 80 watt Bass Amplifier, 13-6607WX case, neck strap, cord, plus "Modern Electric Bass Guitar Method" book. Shpg. wt., 78 lbs.

13 K 9031WXM \$10 Monthly _____ Net 192.50

Produces deep bass tones with brilliant cadence! Features adjustable mute control; 2-perfectly balanced adjustable solid coil pick-ups; individual tone and volume controls for each pick-up; 3-position toggle switch for solo/rhythm work; fully adjustable compensating bridge; individual cast-chrome covered precision machines; and custom designed tailpiece. A 20 fret fingerboard made of oval rosewood features 7-mother-of-pearl inlay position blocks, side position markers and triple bound edges. The beautiful flame-grained hardwood body is celluloid bound and protected by a pick guard. Size: 46" x 16" x 2". Shpg. wt., 18 lbs.
13 K 6608WX \$5 Monthly _____ Net 89.95

Sturdy case with "push lining" for above.
13 K 6609WX Shpg. wt., 4 lbs _____ Net 12.50

2-PICK-UP HOLLOW BODY ELECTRIC BASS OUTFIT: Includes 13-6608WX electric bass, 13-0148WX 80 watt bass amplifier, 13-6609WX plush case, neck strap, cord, plus "Modern Electric Bass Guitar Method" book. Shpg. wt., 79 lbs.

13 K 9032WXM \$11 Monthly _____ Net 217.95

Musical Instruments Are Available on Easy Pay Plan—No Money Down

RICH TONE Acoustic Guitars



• Steel Reinforced Adjustable Neck

ONLY
79⁹⁵

NO MONEY DOWN

VIOLIN SHAPED 2 PICK-UP ELECTRIC BASS

• Arched Body—Celluloid Bound

Combines the pure, brilliant bass tones of electric, with the rich accent of an acoustic guitar. 2" deep hollow body is delicately arched and bound with decorative celluloid both front and back. Features a 22 fret rosewood fingerboard with 10 inlay white position markers; 2-magnetic pick-ups; tone and volume controls; chrome plated trapeze tailpiece; adjustable bridge; enclosed bass tuning machines; three instantaneous slide switches—play either pick-up individually or both together. Bright guard plate with thumb rest. Sparkling sunburst finish. Size: 43L x 13W x 2"D. Shpg. wt., 12 lbs.

13 K 6610WX \$5 Monthly Net 79.95
Sturdy case with "Push" Lining for above.

13 K 6611WX Shpg. wt., 4 lbs. Net 12.50

VIOLIN SHAPED ELECTRIC BASS OUTFIT: Includes 13-6610WX Bass, 13-0148WX 80 watt Bass Amplifier, 13-6611WX Plush Lined case, neck strap, cord, plus "Modern Electric Bass Guitar Method" book. Shpg. wt., 75 lbs.

13 K 9031WXM \$11 Monthly Net 208.95



ONLY
19⁹⁵

• Everything You Need Including A Beginner's Record Course And Book



ONLY
18⁹⁵



ONLY
24⁹⁵

(A) 7 PIECE "BEGINNER'S OUTFIT"

Nicely finished with open headpiece and pinless bridge. Can be used either as nylon string classic or steel string Folk guitar. Steel reinforced neck. Guitar has hardwood body with Blonde top. Highly polished finish with design around sound hole. Comes complete with Nylon and extra set of steel strings. Vinyl zippered carrying bag, neck cord, pick, instruction book and record course. Imported. Shpg. wt., 9 lbs.

13 K 6612WX

Net 18.95

Guitar only. Similar to above. With strings. Shpg. wt., 7 lbs.

13 K 6724WX

Net 14.95

(B) CONCERT SIZE CLASSIC GUITAR

Magnificent sounding classic guitar! It's graceful, allegro tonal quality is pure and brilliant. 19 fret fingerboard allows optimum fingering. Sound hole features a mosaic decoration. Has fixed Spanish style bridge, 6-precision tuning machines with plastic roller, slotted headpiece, and a steel reinforced neck. Custom crafted mahogany sides and back, with a beautiful white spruce top. Shpg. wt., 10 lbs.

13 K 6613WX

Net 18.95

Sturdy case for above. Shpg. wt., 4 lbs.

13 K 6614WX

Net 7.95

(C) GRAND CONCERT CLASSIC GUITAR

Beautifully detailed concert size classic guitar! Features a steel reinforced rosewood neck with 19 fret fingerboard, and a fan-braced finest quality spruce top. Both front and back of the large handsome body are individually shaped and contoured for ultimate performance. Also has rosewood pinless bridge, 6-side position markers, heavy-duty precision machine heads with rollers, open headpiece. Highly polished maple grained sides and back.

13 K 6615WX Shpg. wt., 10 lbs. Net 24.95

Sturdy case for above wt., 4 lbs.

13 K 6614WX

Net 7.95

SETH THOMAS METRONOMES

(D) ELECTRONIC METRONOME

Precision instrument, contains 2 complete electronically calibrated beat systems; audible and visual, 40 to 208 beats per minute. Single knob control, calibrated radial dial plus neon light. Wooden cabinet, operates on 115 V AC 60 cycles.

13 K 4453 Walnut. Shpg. wt. 3 lbs. Net 17.95

13 K 4454 Mahogany. Shpg. wt. 3 lbs. Net 17.95


(E) KEYWOOD METRONOME

The original Seth Thomas metronome, from America's first and only manufacturer of keywood metronomes. A useful aid in music and dancing instruction, or wherever beat timing is important. Adjustable pendulum permits selection of beat tempo from 40 to 208 beats per minute. Selected hardwood case finished in walnut. Height 8 5/8", Base 4 1/2".

13 K 4450 Net 12.75

13 K 4452 Above but mahogany finish Net 12.75

17⁹⁵



12⁷⁵

To Speed Your Mail Order — Please Give Your Zip Code Number


Lafayette Cat. No. 681 71

LAFAYETTE Wireless Remote Control

For Lamps, T.V., Hi-Fi, Household Appliances
For 2 Channel Operation

As Low As

14⁹⁵



- A Lafayette Exclusive
- Turns Lights and Appliances On and Off From Anywhere In Your Home—By Remote Control
- Simply Plug Appliances In and Operate
- Use Two Separate Zones of Operation

Lafayette wireless remote control permits remote operation of electrical devices in two separate areas from anywhere in your home or shop. Simply plug in the transmitter and place the receivers at remote locations, also plugged in. The switches on the transmitter will turn any appliance plugged into the receivers on or off. Perfect for operating appliances, lamps, viewing TV, or listening to hi-fi in bed. Transmitter and receivers operate on standard house current. Receivers accept any 105 to 120 volt device up to 500 watts per channel. Supplied with dual channel transmitter and one receiver for channel A. Imported. Shpg. wt., 1 1/4 lb.

99 K 9193 Dual Channel Transmitter and Receiver	Net 19.95
99 K 9194 Channel B Receiver	Net 10.95
99 K 9195 Extra 2 channel Transmitter	Net 9.95

SINGLE CHANNEL WIRELESS REMOTE CONTROL UNIT

Similar unit as above but for single channel operation of appliances up to 300 watts. Shpg. wt., 1/2 lb.

99 K 9118 Complete Transmitter & Receiving Unit	Net 14.95
99 K 9122 Extra Receiver	Net 9.95
99 K 9178 Extra Transmitter	Net 5.95

LAFAYETTE 5-WAY HIGH INTENSITY LAMP



5⁹⁵

- Hi-Lo-Off Selector Switch
- Adjustable Telescoping Arm



Spot Light



T.V. Light



Night Light



Wall Light

Beautifully designed, transformer powered, telescoping Hi-Intensity lamp featuring HIGH and LOW switch. Telescopes from 3 1/2" to 11 1/2". May be used as a desk and wall light, spot and TV lamp. Use as a night light when closed. Shade swivels 360° with an arc of 180°. Shade and base are richly finished in black. Uses #93 bulb. Overall height 13" Imported. Shpg. wt., 2 1/2 lbs.

99 K 9198	Net 5.95
32 K 6684 Replacement Bulb	Net .32

LAFAYETTE HIGH INTENSITY LAMP



3⁹⁵

- Hi-Low-Off Selector Switch
- Sleek Modern Styling!

Ideal for desk or wall mounting. Lamp shade turns in any direction, giving an ample uniform, non-glare beam of light. Sturdy hinged arm extends to 14 inches, folds flat against a hi-impact base. On and off switch plus 6 ft. cord. Gold finish lamp shade and arms; ivory base. Uses #93 bulb. 117 volts, 50/60 cycles. Imported. Shpg. wt., 2 lbs.

99 K 9114	Net 3.95
32 K 6684 Replacement Bulb	Net .32

"LONDON" 5-WAY LIGHT

12⁹⁵


- High Intensity Lamp
- High-Low Intensity Switch



SPOT LIGHT



NIGHT LIGHT




WALL LAMP

A unique high-intensity lamp efficiently suiting a variety of purposes. May be used as a desk and wall light, night light, spot, and TV lamp. Features two stylish cylinders with chrome arm and wall bracket—practical as well as attractive. Reflector rotates full 180°

for maximum high intensity illumination wherever required. Uses #93 bulbs supplied. Shpg. wt., 2 lbs.	Net 12.95
12 K 4550	

LAFAYETTE ELECTRONIC LIGHT DIMMER CONTROL



- Full Range—Total Darkness To Maximum Brightness

Easy to use. Dimmer is continuous from off to full illumination. Push on or off at any light level. Operates lamps up to 600 watts @ 120 VAC only.

12 K 0101	Net 6.95
-----------	----------

LAFAYETTE AUTOMATIC PHOTO-ELECTRIC ILLUMINATOR

Only **4⁴⁹**


- Automatic Light Switch
- Lights On At Sunset—Off At Sunrise



Photo-electronic, light-sensitive switch turns lights on and off at dusk and dawn. You need never come home to a darkened house. Just plug it in for protection from prowlers—illuminate outdoor areas—any place you require automatic illumination. Measures only 3 3/4" x 2 1/2" x 2 3/4". Use on 117-volt AC only. Maximum 300 watts lamp load. Instruction included. Imported. Shpg. wt., 1 lb.

99 K 9084	Net 4.49
-----------	----------

Drafting & Drawing Supplies



(A) 13 1/4" VECTØRLOG® SLIDE RULE
For Communications Engineers and Physicists

- Laminated Bamboo Construction • P, P', and Q Scales • For Direct Vector Addition • Hyperbolic Sine and Tangent Scales; Two Sine Scales—One Marked in Degrees, One Marked in Radians • 5 Log Log Scales Plus a Voltage DB Scale • Complete with Belt Carrying Loop and Leather Case • With 10" Scale

The Lafayette VECTØRLOG Slide Rule provides a new concept in scientific calculation, incorporating scales and arrangements designed for quick-easy-manipulation. Twenty-seven (27) scales incorporate the many problems encountered in Electrical Engineering and Physics. The unique P, P', and Q scales allow direct right angle vector addition. No longer are several settings required to obtain right angle vector sums—these scales work in the same manner as the C and D for multiplication. The two Hyperbolic Sine and one Hyperbolic Tangent Scale, the voltage db scale, and the five Log Log scales, provide maximum coverage of these dynamic fields. VECTØRLOG is the result of extensive tests for ease of manipulation. Several of these features are: C and D scales on both the front and back of the rule; Sine scales in both degrees and radians, removing the necessity of bothersome conversion of units; A problem-tested location of scales; and adjustment screws to allow variable tension on the slide. Scales include: (FRONT) Tr-1, TR-2, P', P, Q, ST, S-1, S-O, C, D, LL01, LL02, LL03, LL1'; (REAR) Sh-1, Sh-2, DF, A, B, Cl, CF, Th, C, O, LL3, LL2, db. With instruction book, leather carrying case, and belt carrying loop. Imported. Shpg. wt., 1 1/2 lbs.

99 K 7102 Net 16.95

(B) 13 3/4" DELUXE LOG LOG DUPLI DECIMAL TRIGONOMETRIC SLIDE RULE

- With 11" Scale
- 25 Scales with 8 Log Log Scales
- Extended Range Avoids "Going Off Scale"
- Extra P Scale Simplifies Computations
- Two Color Scales

A log log dupli decimal trigonometric slide rule contains 25 scales including 8 Log Log Scales. Troublesome end-for-end resetting is eliminated by extensions of C and D scales. Twin set of Log Log scales run from 1.001 to 100,000 and .999 to .00001, enlarging the scale by one scale length each compared with ordinary log slide rules. Extra features include P scale which enables direct "readout" of cosine value. Scales include LL01, LL02, LL03, DF, CF, Cl, C, D, LL3, LL2, LL1, L, K, A, B, S, ST, T, C, D, OI, P, and LLO. With instruction book, saddle leather case. Imported. Shpg. wt., 1 1/2 lbs.

99 K 7055 Net 15.95

(C) 12 1/2" LOG LOG DUPLI TRIG SLIDE RULE

- With 10" Scale

Specially selected, laminated, non-hygroscopic bamboo. Scales machine engraved on white plastic in permanently accurate calibrations. Adjusting screws permit varying tension on slide. 21 scales including C, O and Cl on both sides. LLO and LLOO scales refer to B scale. All other scales coordinate and refer to O scale. Scales are L, LL1, DF, CF, Cl, C, D, LL3, LL2, LLO, LLOO, A, B, K, Cl, C, D, S, ST and T. Scale characteristics permit multiplication, division, proportion, inverse proportion, reciprocals, cotangents, squares, square roots, cubes, cube roots, logarithms, tangents, sines, PI factor multiplication and division, powers and roots of numbers less than 1, powers and roots of numbers greater than 1, logarithms to base "e." Shpg. wt., 1 1/2 lbs. Imported.

99 K 7031 Net 11.95

(D) TECHNICAL DRAFTING SET

- Center Wheel Adjustment
- Professional Quality
- Made in W/Germany of Nickel Plated Brass

Contains 6 1/2" self-centering compass, one leg knuckle joint with divider, pencil, pen parts and lengthening bar; 6 1/2" self-centering divider; spring bow divider 4 1/2", center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 4 1/2" with center wheel adjustment and interchangeable needle point; two 5 1/2" ruling pens; extra handle for pen and pencil parts; adjustment tool; lead case and leads; and spare-parts kit, all in velvet lined snap closing case. Shpg. wt., 1 1/2 lbs.

99 K 7003 7.40

(E) draftette® PORTABLE DRAFTING MACHINE

- Precision Instrument

DRAFTETTE 9-B—sketch draft, design, draw diagrams and schematics like a professional. A new DRAFTETTE which gives you all the advantages of a T-square, triangle and protractor in a compact, easy to operate portable drafting machine. Constructed of anodized aluminum, features tubular arms, 360° protractor, one-piece 6" x 9" scale calibrated in 16ths-1/4-1/8. Mounted on a lightweight 16" x 21" drawing board, completely assembled ready to use. Shpg. wt., 4 lbs.

15 K 7401 Net 14.95

DRAFTETTE #117 similar to above with 4 x 6" scale, calibrated in 16th, 1/4 and 1/8 or 10/50ths (eng.) and Metric Full 360° protractor. Mounted on 11 x 17" hardwood board. Shpg. wt., 3 lbs.

15 K 7406 Net 8.39

TACRO SET



- Complete with Three Nibs

A top quality drawing pen for all lettering and drawing work. Uses both India and drawing inks. Precision point for constant flow lines. Comes with 3 color coded nibs. Fine (Size 0, Grey nib). Light Medium (Size 1 Yellow nib). Very Broad (Size 3, Blue nib). Shpg. wt., 8 oz.

15 K 8002 Net 4.49

AUTOMATIC ELECTRIC PENCIL SHARPENER

- Automatic Stopper When Pencil Is Sharpened
- Heavy Duty Electric Motor

13⁹⁵

Ideal for student, artist, draftsman, business firms... anyone who needs sharp writing or drawing points. Powerful sharpener gives a needle point instantly. Unit even sharpens charcoal and pastel pencils. Sensitive micro switch automatically stops motor when pencil is sharpened. Carefully machined precision ground cutters last indefinitely. Neat, easy cleaning is achieved with convenient push out receptacle drawer. Simple and safe for even a child to use. Constructed of sturdy die cast metal with heavy duty 115 volt AC motor. UL Listed. Imported. Shpg. wt., 2 1/2 lbs.

15 K 1705 Net 13.95



LAFAYETTE Automotive Test Equipment



6½" DWELL
TACHOMETER
28⁵⁰

- Tunes up Electronically, Any Car Ever Made
- Three Dwell Scales
- Giant 6½" Easy-to-Read Scale
- Use to Adjust Carburetors
- Use to Adjust Points

Made in U.S.A.

A complete ready-to-use Dwell Meter and Tachometer which will operate on any car ever made. Tests cam Dwell angle and engine RPM on 4, 6 or 8 cylinder cars, 6 or 12 volt right on the engine. Giant 6½" easy-to-read meter makes it simple for anyone to adjust points and carburetors to insure maximum gas economy and quiet engine running. RPM readings are also essential to properly service automatic transmissions. Three dwell angle scales are provided: 0 to 45 degrees, 0-60 degrees, and 0 to 90 degrees. This instrument is suitable for dwell angle adjustment on all foreign and domestic cars. Dual range tachometer 0 to 1000 rpm for precise carburetor adjustments. 0 to 5000 rpm, suitable for making all other tests at high engine speeds. Complete with instruction manual. Shpg. wt., 4 lbs.

11 K 0101W

Net 28.50

3½" DWELL TACHOMETER



16⁹⁵

- Tune Up Electronically Any Car Ever Made
- 3½" Double Jeweled D'Arsonval Meter
- For 4, 6 or 8 Cylinder Engines
- For 6 or 12 Volt Systems
- Point Resistance Check

Made in U.S.A.

Electronically tune your car! This Dwell-Tachometer permits setting the carburetor for maximum efficiency, gas economy and greater power; indicates the correct point gap setting electrically (even if the points are pitted or corroded); permits setting points with the distributor cap off and engine cranking, and permits setting points on "Window" distributors with engine running. It also locates defective spark plugs; permits correct engine RPM setting for automatic transmission adjustments, throttle linkage and idle adjustment. RPM scale: 0-30 8-cylinder dwell: 5-45°; 6 cylinder dwell: 20-40°. 4 cylinder readings obtained by doubling 8 cylinder scale reading. Two-color scale. Small and compact—measures only 6¼x3¾x2". Shpg. wt., 2 lbs.

11 K 0105

Net 16.95



TUNE UP KIT
10⁸⁸

- Tunes Engine For Maximum Efficiency
- For Accurate Ignition Timing of Any Engine

A complete kit to tune up the important systems of your car, truck or marine engine. Permits maximum efficiency for more economical operation. Kit includes compression tester, vacuum fuel pump tester and deluxe timing light with remote starter switch. Compression tester locates valve, ring, piston and cylinder troubles. Big 2¼" dial is calibrated 0-300 lbs. pressure. Vacuum and fuel pump tester checks pressure and suction of fuel pump and vacuum system. 2¼" dial calibrated in 0-30 inches and 0-3 lbs. Comes with rubber tubing for easy connections. Brilliant prefocused timing light features remote starting switch. For 6, 12 or 24 volt systems.

11 K 4209 Shpg. wt., 5 lbs.

Net 10.88



DYNAMIC AUTO-MATE
AUTO ANALYZER

- No Installation—Plugs in Cigarette Lighter
- Checks Battery, Generator/Alternator, Regulator
- Color-Coded, Self-Explanatory Dial

9⁹⁵

Now you can check the electrical systems of your car from the front seat without digging into the parts of the engine. Plug furnished with large dial meter fits cigarette lighter and tests battery condition, current produced by alternator or generator and proper voltage regulator setting. Measures current flow in the electrical system during starting and running with color coded meter. Permits positive identification and isolation of electrical trouble. For 12v negative systems. Shpg. wt., 1 lb.

11 K 7250

Net 9.95



Only
4⁸⁸
Each

(A) KEYLESS MOTOR START. Starter switch with on/off switch—cranks, starts, stops engine from outside car or truck. Completely bypasses ignition and key. No need for second man to turn key in ignition while tuning up engine. With on/off switch and starter spring loaded switch for continuous cranking or starting. Circuit breaker (no fuses to replace) to protect distributor points and ignition system. For all 6 or 12 volt systems. 11 K 4230 Shpg. wt., 1 lb. Net 4.88

(B) BATTERY CELL TESTER. For all batteries. Tests battery cells under load—accurately up to 80 amp load on battery during tests. Eliminates problems of no-load testing. Three color dial reads "bad," "weak," and "good." Tester indicates ability of battery to deliver power—locates corroded cables, loose connections, etc. Three foot long leads enable checking any battery, regardless of battery location in car. 11 K 4231 Shpg. wt., 1 lb. Net 4.88



Only
5⁷⁵

TIMING LIGHT WITH
REMOTE STARTER

- Starts Engine From Outside

Deluxe neon prefocusing light. Cranks engine from the outside—checks points, bearings and tappets. The remote starter is also useful in testing the fuel pump, generator, compression and electrical system. For 6, 12 or 24 volt systems. Shpg. wt., 1½ lbs. 11 K 4208 Net 5.75

"Custom Styled" Automotive Gauges



14⁹⁵



19⁹⁵



26⁹⁵

3/4" ELECTRONIC TACHOMETER

- Heavy Chrome Die Cast Case
- For Regular or Transistor Ignition
- 0-8,000 RPM • 6 or 12 Volts

An attractive 3/4" illuminated black and white face tachometer with precision 0-8000 RPM scale and adjustable shift indicator. Factory calibrated solid-state circuitry and durable, vibration-proof chrome zinc die cast construction assure steady, accurate readings throughout the entire range. Can be used with transistor ignition systems. Has 360° universal mount slim line case for easy dash mounting on compacts or on steering wheel column. Comes complete with installation kit. For 6 or 12 volt positive or negative ground. Shpg. wt., 2 lbs. 11 K 4233 For 8 Cylinders Net 14.95
11 K 4234 For 6 Cylinders Net 14.95

3/4" TRANSISTORIZED TACHOMETER


- For 6 and 8 Cylinder
- Deluxe Chrome Die Cast Case
- Convenient Shift Set Needle

Rugged, precision engineered Tach features low power drain transistor circuitry, black and white illuminated dial face, and handsomely styled 3" long vibration-proof chrome die-cast housing. Tach also boasts a built-in shift set needle, adjustable steering column ring, and 360° universal mount. Will operate with transistor or regular ignition systems, 6 or 12 volt positive or negative ground. Easily mounted on or under dash, on console, or on steering column. Reliable indication permits better use of engine power—a must for the demanding driver. Shpg. wt., 2 1/2 lbs. 11 K 4235 Net 19.95

3/4" 270° "WIDE-SWEEP" TRANSISTORIZED TACH

- Precision 0-10,000 RPM Scale For 6 or 8 Cylinder

Our finest tachometer features a wide sweep 3/4" illuminated black and white scale, precision D'Arsonval movement calibrated to 2% accuracy, and a shift set needle with 270° swing. Equal divisions between graduated markings for pin-point accuracy over the entire range. This handsomely styled instrument is virtually unaffected by vibration. Has deluxe 3" long chrome zinc die cast housing and 360° universal mounting for dash, console, or steering column mounting. For transistor or regular ignition systems at 6 or 12 volt positive or negative ground. Shpg. wt., 2 1/2 lbs. 11 K 4236 Net 26.95



As Low As **6⁹⁵**

GAS SAVER VACUUM GAUGES

(A) DELUXE 3/4" TWIN VACUUM GAUGE Automatically shows miles per gallon. Instrumented driving saves up to 40% of your gasoline dollars by showing you how to drive for the best economy or power. Also checks your engine constantly by measuring its manifold pressure on a clear, four color illuminated dial. 360° universal mounting, zinc die cast case, T connector, 6 ft. vacuum tubing, steering column mount ring and instructions. Fits any car. 11 K 4205 Shpg. wt., 2 1/2 lbs. Net 11.95

(B) "BULLET" VACUUM GAUGE Shows most efficient engine speed. 2" meter in chrome bullet housing. Illuminated dial indicates maximum engine efficiency. Warns of leaky intake and exhaust systems or improper adjustment of valves, tappets, and timing. Fits any car. 11 K 4222 Shpg. wt., 1 lb. Net 6.95

DELUXE 3/4" OIL-AMMETER-WATER PRESSURE GAUGE

- All Electric—No Tubing

End guess work and space problems with this beautiful three-in-one gauge. Illuminated dial face gives accurate individual readings of oil pressure, amperage, and water temperature. Amp. gauge reads —60 to +60, oil pressure registers 0 to 80 lbs., and water temperature is indicated from 100° to 220°. Fits all 12 volt negative or positive ground alternator or generator electrical systems. Handy 360° universal mount and durable chrome zinc die cast case. Supplied with wire, adjustable mounting ring, and senders.

11 K 4203 Shpg. wt., 2 1/2 lbs. Net 19.95
OIL AND AMMETER GAUGE
Similar to above, less water temperature gauge. 11 K 4204 Shpg. wt., 2 lbs. Net 14.95



As Low As **14⁹⁵**

DELUXE OIL-AMP-TACH CUSTOM PANEL

- Features "Tilt Gauges" For Multi-Direction Mount
- 2" Illuminated Dials
- Accurate 0-8000 RPM Tach

22⁹⁵

Deluxe Oil-Amp-Tach instrument features 2" meters with tubes that tilt meter to face driver. Solid-state 0-8000 RPM Tach with shift needle. 60+30+0-30-60 ammeter clearly shows charging or discharge rate. 0-80 lb. oil gauge with standard 1/4" PT connector. Full chrome panel 3/4"

skirt with beautiful black leatherette finished pod for top or under dash use. For all 8 cyl. 6/12V. Neg./Pos. gnd. Complete with wiring and instructions. Shpg. wt., 2 1/2 lbs. 11 K 4237 Black Inlay Net 22.95
11 K 4238 Walnut Inlay Net 22.95



Depend on Lafayette for Quality Auto Accessories at Low Prices

Lafayette Cat. No. 681 75

Custom Horns-Accessories-For Your Car



HORN
10⁹⁵


- Chrome Plated Bell
- With Horn Button

A real joy for the sports car enthusiast. An authentic motor driven horn approved as an exact reproduction in sound and appearance by members of antique car, hot rod, and horseless carriage clubs the world over. Chrome plated bell with black wrinkle painted housing. With horn button, wire, bracket and instructions. Shpg. wt., 1 lb.

11 K 3001 6-volt	Net 10.95
11 K 3002 12-volt	Net 10.95
For Compacts and Sports Cars	
11 K 3007 12-volt	Net 10.95
11 K 3008 6-volt	Net 10.95

NEW! AUTO/MARINE BATTERY CLOCK

OPERATES UP TO 1 YEAR ON SINGLE "C" CELL




ONLY
10⁹⁵

- Attractive Case—Chrome Bezel—Sweep Second Hand

A smartly designed and ruggedly constructed battery-operated clock designed for use in the car and cabin cruiser. Use it as a desk clock or take it with you on trips. Chrome bezel, with bright easy-to-read white face, has black markings and features a second hand sweep hand. Employs a unique fiber mesh fastening arrangement on its base. Can be positioned on any metal, wood, plastic surface, including padded dashboards and yet is readily removable. Light in weight, only 13 ounces, this attractively styled conversation piece is mounted in a sturdy 3 1/4 x 3 1/2 x 2 1/2" gray plastic case. Wt., 1 lb.

11 K 1750	Net 10.95
99 K 6257 Battery for above	Net .14

CAR VACUUM CLEANER



Only
5⁹⁵

- Plugs Directly Into 12 Volt Cigarette Lighter Outlet
- Compact, Easy-to-Handle—Stores Conveniently in Trunk

Portable and powerful! Cleans upholstery, carpeting, ash trays, under mouldings—top handle for easy handling. Sucks up dust, dirt and lint into a removable container. Designed to give trouble-free service. Complete with 13 foot cord, On/Off switch and two attachments—a utility pick-up and a long nozzle to reach hard to get at places. Power source: 12V., DC battery. Imported. Shpg. wt., 2 lbs.

11 K 1350 Net 5.95

CUSTOM-FIT HEADREST

7⁵⁰

- Makes Any Car Seat a Contour Chair!
- Adjustable Slip-on

Now you can make your car seat really comfortable with this advanced design headrest. Helps prevent whiplash too. Dorsal cantilever design keeps headrest snug against back of neck and head. Locks to seat automatically. 3 Knobs, finely calibrated gives 4-way adjustment to custom fit any individual, chair or car seat. Full 5" vertical adjustment; 4" forward and back. Looks like original equipment. Made of soft vinyl plastic with molded wing rests.

11 K 1201 Black only. Shpg. wt., 2 lbs. Net 7.50

76 Lafayette Cat. No. 681

NEW! "FIAMM" ELECTRO COMPRESSOR AIR HORNS



- Chrome Plated Brass Trumpet
- Range of 1/2 Mile
- Loud—Clear—Continental Tone

19⁹⁵

Custom quality chromed trumpets with loud clear, piercing, continental tone. Range up to 1/2 mile. Ideal for use on trucks, sports cars, emergency vehicles, buses, boats, etc. Compressor pumps air to trumpets instantly when horn is pressed—there's no waiting for pressure to build up. Supplied with Town and Country Selector Switch which enables use of original horns for city driving. Complete with: 2 horns (7" & 9"), compressor, fittings, horn relay, and all necessary hardware. For 12 volts only. Shpg. wt., 6 lbs.

11 K 8250 Net 19.95

MUSTANG HORN FOR ALL CARS

- Whinnies like a Wild Mustang



9⁹⁵

You've seen a mustang—now hear a mustang! Compact size horn "whinnies like a wild mustang" when you press the horn button in the car. Adds a new dimension of life to your Mustang or other make automobile. Conveniently mounts anywhere under the hood. Fits any car. Available in 6 or 12 volt negative ground models. Complete with horn button control, wire, and all necessary mounting hardware. Black enamel finish with chrome plated grill. Dimensions: 5" x 5 1/2" x 6". Shpg. wt., 4 lbs.

11 K 4452 For 12 volt negative ground Net 9.95

11 K 4451 For 6 volt negative ground Net 9.95

DELUXE REVOLVING BEACON

5⁹⁵

- Plugs Into Cigarette Lighter Outlet
- Rotates Like a Lighthouse Beacon



A red warning light that rotates 360 degrees and flashes in all directions. Suction mount holds the beacon firmly in place. Signals for help for miles around: creates a safety zone during a traffic emergency. For use on autos, boats, trucks, docks, etc. For 12 volt use; complete with cigarette lighter adapter plug. Shpg. wt., 2 lbs.

11 K 1304 Net 5.95

BLUE TURRET LENS

Converts Revolving Beacon for use by emergency vehicles, volunteer fire depts., CD units, etc. Shpg. wt., 1 lb.

11 K 1305 Net .95

LAFAYETTE HOT CAR-GO



3⁴⁹

- Starts Wet or Cold Motors Instantly
- Saves Battery and Gasoline
- Installs Easily and Quickly
- 6 and 12 Volt Cars

Avoid excess wear and tear on your motor and battery—Install Lafayette's Hot Car-Go. Provides 5 times the normal spark for fast starting in any weather, and automatically disconnects when engine is running. Will not damage plugs or distributor. Simple to install—instructions included. Imported. Shpg. wt., 1 lb.

99 K 8511 Net 3.49

Depend on Lafayette for Complete Stocks, Lowest Prices, Fastest Service

Capacitive Discharge Ignition System

With Silicon Controlled Rectifier

- Quick, Easy Installation
- Constant Spark to 10,000 RPM
- Extremely Low Input Power—Less Load On The Engine

39⁹⁵

Combines all the advantages of capacitive discharge with those of solid state circuitry. Patented circuitry eliminates point bounce problems and positively fires plugs regardless of point condition. Fast rise time spark prevents fouling from three to ten times. Point contacts last indefinitely. Eliminates mis-firing, reduces oil contaminants, prolongs engine life. Provides smoother and more efficient operation at all speeds; constant spark up to 10,000 RPM; with dramatically improved acceleration and economy. Provides faster, easier starting in all weather. Reliability and performance proven on thousands of military, commercial and private vehicles from Alaska to Cape Town. Unit operates with all commercial and original equipment tachometers. Installs immediately with two simple connections to the existing coil, leaving the standard system intact. No temperature limitations—mounts anywhere. Requires only a very small amount of input power—reduces load on engine and electrical load. For 12 volt negative ground system only. Shpg. wt., 2½ lbs.

No
Money
Down




11 K 8450 \$5 Monthly

Net 39.95

REAR WINDOW DEFROSTER/DEFOGGER KIT

Only **16⁹⁵**



- Enjoy The Convenience and Safety of Clear Rear Vision
- Adjustable Louvers Direct Air Where Needed

Rear window defrosting kit with giant defrosting capacity—50 cu. feet of warm air per minute quickly defrosts and defogs rear window regardless of weather. Unit is easily installed in trunk; coes not interfere with spare tire or luggage space. Adjustable louvers to direct flow of air are recessed; will not interfere with vision or rear deck space. Dash switch controls defroster operation. Improves heating and air conditioning operation of car by increasing air circulation. Kit includes heavy duty motor, defroster hoses, adjustable louvers, switch, wiring, templates, and installation instructions. Fits all cars, (except station wagons, convertibles, and rear engine cars) for 12 volt electrical system.

11 K 1250 Shpg. wt., 5 lbs. Net 16.95

10- AMP BATTERY CHARGER

SCHAUER

- For 6 & 12 Volts
- With Meter
- Automatic Circuit Breaker

16²⁵



Model C-6612. Heavy-duty 10-amp charger for 6 or 12 volt battery, which will bring the battery to full charge in 2 to 3 hours or less. Equipped with an automatic circuit breaker for overload protection. Selector switch for changing voltage. Accurate ammeter show rate of charge entering battery. Rugged steel case with gold colored finish and two-tone brushed aluminum. Complete with cables. 117V AC, 60 cps. Shpg. wt., 12 lbs.

11 K 5519 Net 16.25

SURE-FIRE 3-AMP BATTERY CHARGER

- For Both 6 & 12 Volts
- Built-in Meter
- Automatic Reset Circuit Breaker

8⁴⁹



Full 3-amp battery charger for quick starts in all weather. Edge view color-d meter shows actual rate of charge and indicates battery condition. Reset circuit breaker gives automatic overload protection. Vented steel case; may be wall mounted. 6 ft. battery leads with 50 amp clips. Size: 6x4½x5¾". For operation from 105-125 Volt, 60 cycle AC. UL Listed. Shpg. wt., 5 lbs.

11 K 7604 Net 8.49

REAR WINDOW DEFROSTER/DEFOGGER KIT



- Front or Back Windshield
- Plugs into Cigarette Lighter
- Suction Cups Mount in Seconds



Infra-red electric windshield defroster utilizes the concept of penetrating infra-red instant heat to quickly melt away mist, ice, and snow. You no longer have to wait for car to warm up before cleaning windshield—just plug it into your cigarette lighter, and start defrosting windshield immediately. Complete with 12 foot cable for reaching back windshield. Two suction cups make mounting fast and easy. Length: 15". Shpg. wt., 1 lb.

11 K 1307 Net 2.75

CAR DEFROSTER GUN AND SCRAPER

2⁹⁹

Made of hi-impact red plastic with 10 foot cord and plug. 200 watt heat capacity gun plugs into cigarette lighter. For 12 volt cars only. Imported. Shpg. wt., 1 lb.

11 K 1402 Net 2.99



SCHAUER

BOOSTER-CHARGER

- 12 Volt Combination Battery Charger and Booster
- 50 Amp Booster
- 10 Amp Charger

29⁹⁵



Model J-412

Perfect for starting cars with discharged 12 volt batteries. Develops a boost charge up to 50 amperes when attached to AC line and battery, sufficient to turn over the average engine. Charges 12 volt batteries at 10 ampere rate in 2½ to 3 hours. Temperature controlled circuit breaker protects rectifiers and charger. Size: 9½x5½x5½". UL listed. Shpg. wt., 13¾ lbs.

11 K 5515 Net 29.95

TRIPP LITE 150-WATT TRANSISTORIZED INVERTER

32⁹⁵

Model PV-150

- Delivers 117 Volts 60 Cycle A.C. At 125 Watts Continuous
- 3 to 4 hours of Portable Operation on One T.V. Charge

A low-cost transistorized inverter which changes 12-volt DC to 115-volt 60 cycle AC. Delivers 150-watts continuously; 175-watts intermittently for shavers, recorders, radios, TV and many other appliances. Has on-off switch and replaceable fuse. Rugged construction. Size: 5x5x3½". Shpg. wt., 5½ lbs.

11 K 8950 \$5 Monthly Net 32.95



A 3rd Dimension In Sound



Only **22⁹⁵** Complete with 6x9" speaker and chrome grill.

DELUXE LAFAYETTE SOLID STATE CAR REVERBERATION SOUND SYSTEM

- For 12 Volt Negative Ground AM and FM Auto Radios—Convenient Under Dash Mounting

✓ Deluxe solid state tuneable reverberation unit converts your present car radio into a magnificent sound system offering concert hall realism. Beautifully styled to enhance the decor of your car. Consists of the tuneable amplifier control unit which easily mounts under the dash panel of your car by means of adjustable brackets. 6 x 9" dynamic speaker and chrome grill for rear seat mounting, and all connecting cables. Includes simple instructions for connecting the reverb unit to your regular car radio system and for separate rear seat speaker. Reverberation is an entirely different approach to sound reproduction. Normal sound reproduction from

- Tuneable . . . Electronic Tuning Control. "Custom Fits" the Sound to your Car, to your Ear.

a single source has a flat, one dimensional effect; with proper sound delay thru "REVERBERATION" tones are created with a truly third dimension for concert hall originality. The LRE unit features complete sound control—simplified controls permit balance of sound between front and rear seat speaker. Verb-A-Tone control adjusts the amount of reverberation to your taste. Specifications for 12 volt negative ground cars, peak audio output—4 watts, 2 transistors. Size: 1 7/8 x 4 x 9". Shpg. wt., 5 lbs.

17 K 0109

Net 22.95

LAFAYETTE TRUNK-MOUNTED AUTOMOBILE REVERB SOUND SYSTEM

- For all 12-volt Negative Ground AM & FM Auto Radios
- Simple—Easy Installation
- Solid State Circuitry


Only **18⁹⁵**

Made in U.S.A.

Lafayette trunk-mounted Automobile Reverberation sound system consists of a solid state amplifier chassis with the reverberation unit, under dash control plate with on-off switch, fader control, and interconnecting cables. Includes simple instructions for connecting the reverb unit to your regular under dash speaker, and to a separate rear seat speaker (if your auto does not have a rear seat speaker, see Lafayette's complete listing of rear speakers in our annual catalog 680, page 260). Mounts conveniently in the trunk of your car. For all 12-volt negative ground AM or FM auto radios. Dim.: 8 1/2 x 4 x 2". Wt., 3 lbs.

17 K 0111

Net 18.95



DRIVER ALERT Warns of Traffic Zones!

29⁹⁵



- Gives Advance Warning
- Miniature and Completely Transistorized

- Clips Easily on Sunvisor
- Rugged Printed Circuit
- Complete With Long Life Mercury Batteries

Miniature electronic detector gives an audible warning whenever it intercepts a radar beam. Dual-Band circuit detects all commonly used police radar speed meters and traffic control devices to promote safer driving. Miniaturized and completely transistorized. Top quality components; printed wiring; 8 transistors; two 1,000 hour mercury cell, self-testing batteries (equivalent to 35,000 miles of driving at 35 M.P.H.) Magnesium case eliminates radio. TV and other interference. Weighs only 13 ozs., measures 3 5/8" W x 2 1/4" x 3 1/4" D; clips to sunvisor. Complete with batteries, sunvisor clip. Instructions included. Shpg. wt., 1 1/2 lbs.



11 K 4201

Net 29.95

*This item not intended for resale in States where its use is forbidden in motor vehicles by public regulation.

ON-GUARD PROFESSIONAL SIREN-OPERATED BURGLAR ALARM

27⁹⁵



- Loud, Police-type Siren Gives 3-Way Protection—All Doors, Trunk and Hood
- Pick-Proof On-Off Key Lock Mounts on Outside of Auto
- Complete—Easy To Install

Get 24-hour protection on your car, station wagon or truck with this complete burglar alarm system. The sharp penetration sound of the police-type siren will scare thieves away. The siren blasts off when anyone opens a door, the hood or trunk. The alarm can be shut off only with the alarm key. Complete system includes siren with trumpet, 4 door switches, hood switch, trunk switch, 2 brackets, electrical lock with 2 keys, wire, mounting hardware, instructions and 2 warning decals. For 12-volt cars only. Shpg. wt., 3 lbs.

11 K 6201

Net 27.95

SALE! Slim Decorator Styled Underdash Car Radios

DELUXE SOLID STATE AM/FM CAR RADIO

- For 12 Volt Negative Ground
- External 5" x 7" Speaker

Complete auto radio entertainment in one compact unit. All solid state circuitry gives superb sound quality on both AM and FM bands. This trim unit features a continuously variable tone control, FM Multi-plex plug for adaption to FM stereo, and an external 5 x 7" heavy duty speaker for crisp, clear tone. 11 transistors, 1 thermistor, 8 diodes, RF stage, AVC, and AFC. Dimensions: 1 7/8 x 4 x 9". For 12 Volt Negative Ground. Shpg. wt., 6 lbs.

17 K 741B \$5 Monthly Net 57.50



SALE 57⁵⁰ No Money Down

DELUXE SOLID STATE AM CAR RADIO

- For 6 or 12 Volts Negative or Positive Ground

Superb quality in a completely self-contained universal AM radio. Features all-transistor circuitry for instant action, continuously variable tone control, built-in speaker, and slide rule dial for fast accurate tuning. AVC assures stable, fade-free reception of distant stations. Sensitivity: 10 mv; peak audio out: 2 watts; speaker: 3 1/2" round; 6 transistors, 2 diodes. Size: 1 7/8" x 4 1/2" x 9". For 6 or 12 Volt Negative or Positive ground. Shpg. wt., 5 lbs.

17 K 7417 Net 27.50



SALE 27⁵⁰

SOLID STATE FM CAR RADIO CONVERTER

- Converts Your Existing 12 Volt Negative Ground AM Radio to the FM Band

Complete auto radio entertainment at a minimum cost. All solid state circuit (6 transistors, 8 diodes) gives instant operation. Built in AFC permits drift-free reception of distant FM stations. AM/FM switch allows instant selection of AM or FM stations. Simplified installation. Sensitivity: 4 Mv. Size: 1 7/8" x 4 x 9". Shpg. wt., 4 lbs.

17 K 7420 \$5 Monthly Net 38.50




SALE 38⁵⁰ No Money Down

DELUXE CUSTOM RADIOS FOR VOLKSWAGEN CARS

DESIGNED FOR ALL STANDARD MODELS UP TO 1968

SOLID STATE PUSH-BUTTON AM RADIO

SOLID STATE PUSH-BUTTON AM/FM RADIO



37⁹⁵

No Money Down

- 5 Watts Superb Audio Power
- 5" External Speaker
- Fits All 6 or 12 Volt Standard Volkswagen Models

Rich, radiant chrome and elegant appointments blend beautifully with the car's interior. Features all-transistor circuit of advanced design which gives a full 5 watts of superb audio power. Automatic volume control provides constant, even comfort-level listening. Continuously variable tone control. Five quick-set push buttons permit finger-tip station tuning. Seven tuned circuits, including RF stage, give maximum sensitivity. Installed in minutes. Shpg. wt. 7 1/2 lbs.

17 K 7421 \$5 Monthly

Net 37.95

SOLID STATE MANUAL AM CAR RADIO

Only **27⁹⁵**

- Fits all Standard 6 or 12 Volt Volkswagen Models

Custom manual radio for all standard Volkswagen cars thru 1968. Operates on 6/12 volt negative ground. Provides fine sound reproduction. Built-in speaker and tone control slide switch. 7-transistors, 2-diodes, RF stage. AVC. Shpg. wt., 5 lbs. (not illustrated).

17 K 7426

Net 27.95



69⁹⁵

No Money Down

- 6 Inch External Speaker
- 11-Transistors, 2-Diodes
- Fits All 12 Volt Standard Volkswagen Models

Deluxe solid state custom AM-FM radio for all standard Volkswagen models thru 1968. Matches decor of car's interior. All solid state circuitry with hi-fi features. 11-transistors, 2-diodes. AFC on FM for drift-free performance. Push-pull output, high sensitivity for long distance reception on both AM and FM. 4-IF stages on FM. Continuous variable tone control. Large 6" external speaker. Shpg. wt., 6 lbs.

17 K 7429 \$5 Monthly

Net 69.95

CUSTOM TRIM KIT FOR 1967 VOLKSWAGEN 1600

Special kit enables you to mount radios for VW cars listed on this page in the VW 1600. Shpg. wt., 6 oz.

17 K 5508

Net 2.95

LAFAYETTE

Microscopes

900X "ZOOM" STUDENT LABORATORY


Complete Outfit
For only
19⁹⁵

- Zoom From 100 to 900 Power
- All Dissecting and Mounting Materials
- Prepared and Blank Slides
- Includes AC/DC Substage Illuminator

A complete microscope laboratory for the student and enthusiast. Provides all necessary material to explore the interesting field of microscopic research. The 900X microscope offers various combinations of magnification from 100X to 900X with four objective lenses (10X, 20X, 40X, 80X). Combined with the fine ocular which "zooms" from 10X to 15X, the scope provides clear, sharp images. Tube movement governed by adjustable downstop with a locking screw...prevents costly slide breakage. The 900X features an optical condenser, plano mirror and built-in 3-volt light using the



For BEGINNERS & INTERMEDIATE STUDENTS



AC adapter included, or 2 penlight batteries. Laboratory includes a dissecting kit with hand lens, blunt-end scissor, scalpel and probe; glassware (test tubes, specimen bottles, alcohol burner). There are several prepared slides, blank slides, cover glasses, mounting balsam, Methylene Blue and Rhodamine stains. Imported. Shpg. wt.. 7 lbs.
 99 K 7195 Complete Microscope Outfit Net **19.95**
 99 K 7106 Replacement bulb Net .11
 99 K 6258 Battery (2 required) Net ea. .10

900X "ZOOM" MICROSCOPE

13⁹⁵

- Variable Magnification
- 100X to 900X with Zoom Action
- Built-in Substage Illuminator
- Zoom Ratio 1 to 1.5 for Maximum Resolution
- 4 Coated Objectives



An excellent value for the beginning student or hobbyist. Features advanced zoom type micro-optics. Zoom action permits smooth, vibration-free, variable magnification without disturbing stage or specimen. Four hard coated objectives set in a revolving "click stop" turret give magnifications of 100X, 150X, 200X, 300X, 450X, 600X, and 900X. Zoom action permits choosing multiple magnifications without changing eyepiece or objective. The eyepiece zooms smoothly from 10X to 15X. Illuminator operates with batteries or house current, by means of transformer listed below. Round hole disc diaphragm controls illumination. Includes instructions, sample slides and wooden carrying case. Less batteries. Imported. Wt., 5 lbs.

99 K 7139 900X Microscope Net **13.95**
 99 K 7106 Replacement bulb Net .11
 99 K 6258 Battery (2 required) Net ea. .10
 TRANSFORMER—Permits use of house current for illumination of specimens.
 99 K 7110 Shpg. wt., 8 oz. Net 1.80

80X TO 1200X ZOOM MICROSCOPE

19⁹⁵

- 80X-1200X Magnification
- Variable Zoom Eyepiece
- 3-Way Substage Mirror
- Complete Set of Dissecting Instruments
- 4 Achromatic Objectives Lenses




Constantly variable magnification of 80, 100, 160, 200, 400, 600, 800 and 1200 times. Zoom eyepiece for less specimen adjustment and controlled detail magnification. Excellent dual knob coarse and fine focus control. Stage includes optical condenser and aperture diaphragm. Spring loaded rack prevents damaging objective. Substage illuminator-mirror combination for direct, incandescent, or reflected illumination. Includes 2 prepared slides, 4 blank slides, spatula, scalpel, probe, scissors, tweezers, and magnifying glass. Wooden case with carrying handle. Illuminator operates on penlight cells or house current, by means of a transformer. Less batteries. Imported. Shpg. wt., 6 lbs.

99 K 7140 Zoom Microscope Net **19.95**
 99 K 7106 Replacement Bulb Net .11
 99 K 6258 Battery (2 required) Net ea. .10
 TRANSFORMER—Permits use of house current for illumination of zoom microscope.
 99 K 7110 Shpg. wt., 8 oz. Net 1.80

500X "MICRO-MECH" MICROSCOPE

6⁹⁵

- Built-in Mechanical Stage!
- 100X-200X-300X-500X
- Quadruple Revolving Turret




For the student—hobbyist—or budding scientist. Featuring a built-in, micro-drive mechanical stage. Permits the micro-movement necessary to properly examine micro objects. Promotes learning through ease of operation. Four achromatic objective lenses giving magnifications of 100X, 200X, 300X and 500X. Complete with wooden carrying case and slides. Imported. Shpg. wt., 4 1/2 lbs.
 99 K 7188 Net **6.95**

70X TO 200X MINI ZOOM MICROSCOPE

Only **4⁹⁵**

- Comes Complete With Case and Built-In Light



Size: 3 1/4" H x
2 1/4" W 7/8" T

Excellent for close inspection of samples. Small size makes it handy anywhere...in the home, factory, or even out in the field. Variable zoom eyepiece is adjustable from 70 to 200 times magnification. Built-in illuminator incorporates a self-contained battery compartment. "Camera type" design features handy snap-in stage. Complete with vinyl case, glass slides and reflex plate. Imported.
 99 K 7210 Shpg. wt., 1/2 lb. Net **4.95**
 Battery for Above (2 Required) Net ea. .10
 99 K 6258

Microscopes and Accessories

FOR STUDENT RESEARCH

The "Micro-Standard Mark II"

1500X SOCIETY STANDARD MICROSCOPE

- 25X to 1500X in 12 Ranges • 4 Achromatic objectives in rotating turret • Variable substage condenser with iris diaphragm • Standard society optics, both objectives and eyepieces • Rigid quality control standards • Par focal within 0.1mm

An unusually fine optical instrument designed especially for precision viewing requiring high magnification with an oil immersion lens. The outstanding features of great range and engineered versatility, optimum clarity and great magnification are usually found in microscopes costing much more.

OPTICAL SPECIFICATIONS: Three Huygenian eyepieces—5x, 10x, 15x. Four achromatic objectives—5x, 10x, 40x, 100x (oil immersion). **FOCAL LENGTH:** 170 mm. **MONOCULAR. FOCUSING:** Coarse focus with adjustable tension. Fine focus vernier adjustment. Par-Focal within 1/2 rotation of fine focus control (0.1 mm.). Spring loaded safety device prevents objective going through slide. **STAGE:** Square stage: 95 mm x 95mm. Integral mechanical stage, adjustable in any direction. Stage clips. **SUBSTAGE:** Focusing condenser with variable iris, diaphragm, 41 mm plano/concave mirror. Tilting Base. Black and chrome finish. Overall 12" high, 6 1/2" deep, 4 1/2" wide. Includes fitted wood cabinet with lock and key, 3 slides, bottle of cedar oil. Imported. Shpg. wt., 11 1/2 lbs.
99 K 7134WX \$5 monthly

89⁹⁵

NO MONEY DOWN

**CLINICAL AND
ADVANCED
ACADEMIC MODEL**



Net 89.95

900X "MICROBE HUNTER"

- Power Range 25X, 50X, 75X, 100X, 150X, 200X, 300X, 400X, 600X, 900X
- Full Range Fine Adjustment

29⁹⁵

Made to rigid design specifications—has wide usage in schools, laboratories and law enforcement agencies. All of the most needed features for diversified micro-studies. Power range from 25X to 900X in 12 possible combinations. Geared rack and pinion coarse focusing. Micromotion fine focusing—12 complete revolutions. 36mm (plano/concave) mirror. Fixed square stage, 70mm x 80mm. Rotating 5-hole, disc diaphragm. Three Huygenian eyepieces of 5X, 10X and 15X. Four achromatic objectives of 5X, 10X, 40X and 60X. Oversize base insures stability. Body perfectly balanced at any angle. Complete with upright, wooden carrying case. Imported. Shpg. wt., 8 lbs.
99 K 7028 Net 29.95



Net 3.95

SPECIAL 20X EYEPIECE

Increases the power of our "Microbe Hunter" microscope (above) to 1200X. Highly corrected, fine quality peri-planatic ocular. Imported. Shpg. wt., 5 oz.
99 K 3471


1200X "RESEARCHER"

- 25X to 1200X in 12 Ranges
- Full Range Fine Focus Adjustment
- Integral Mechanical Stage

39⁹⁵

Closely parallels the "Society" grade microscope. Four Huygenian eyepieces: 5X, 10X, 15X, P20X combine with four achromatic objectives: 5X, 10X, 40X, 60X to yield 12 combinations: 25X, 50X, 75X, 100X, 150X, 200X, 300X, 400X, 600X, 800X, 900X, 1200X. Dual knob rack and pinion coarse focusing with tension adjustment for slow motion. Micro-motion fine focusing adjustment. Spring loaded to prevent objective from driving through slide. 85mm x 85mm stage can be moved in any direction, with slide, by 2 knurled screws while looking through the eyepiece. Sub-stage has rotating, 5-position diaphragm and 35mm plano/concave reflecting mirror. Stable horseshoe base. Complete with set of 5 basic dissecting instruments, 10 slides, pack of cover slips, tube of mounting fluid. All in a dovetailed wooden carrying case with handle and four rubber feet. Imported Shpg. wt., 10 lbs.
99 K 7041 \$5 monthly

Net 39.95



A. MICROLITE. Provides a bright, evenly lighted field of view. Adjustable for transparent or opaque specimens, direct or indirect illumination. Invaluable where oblique light is necessary. Operates on 110-120 volts AC/DC. Self contained switch, cord and plug. Lamp is 5 1/2" long. Stand is 5 1/2" high. Imported. Shpg. wt., 1 lb.
99 K 7024 Net 2.95
99 K 7111 REPLACEMENT BULB Net 3.90

B. MICRO SLIDE PREPARATION TECHNIK. Seven dissecting instruments. 3 well slides, 22 blank slides, 25 cover glasses, 25 blank labels, blue stain, mounting fluid, pins and descriptive booklet. In fitted wooden case. Imported. Shpg. wt., 1 1/2 lbs.
99 K 7098 Net 3.49

C. HUNTING WITH THE MICROSCOPE. How to prepare and study cultures—set up a microscope zoo and garden—grow micro organism—perform micro surgery. Illustrated with photographs and drawings.
10 K 6002 Net .99

"MICRO'DAPTER"™

12⁹⁸




- Micro-photography!
- Astro-photography!
- Inexpensive—Accurate—Easy to Use
- Use Any Camera/Microscope or Camera/Telescope Setup
- Photo-record Your Observations.

Permits the use of any camera—even movie cameras—with practically all microscopes and telescopes. No need to remove the camera lens. Cross hairs are super-imposed on the image for centering. The image is automatically in focus for the camera when viewed in focus through the MICRO'DAPTER. Accessory sleeves permit the MICRO'DAPTER to be used with other than Society size microscopes. The MICRO'DAPTER may be used with any telescope by attaching to eyepieces of 29mm (1 1/8") maximum diameter. Imported. Shpg. wt., 1 1/2 lbs.
99 K 7080 Net 12.98

Please Include Your Zip Code with Every Order

Lafayette Cat. No. 681 81

LAFAYETTE
Telescopes



79⁵⁰
No Money Down

- 320x with Barlow Lens

Polaris
2.4" EQUATORIAL REFRACTOR

• Eyepieces for 160x, 88x, 40x, Barlow Lens gives 320x, 176x, 80x • 800-mm. focal length • 62-mm objective • Micrometion adjustments on both axes • Coated optics throughout • Equatorial mount Objective: Fraunhofer-type achromat, hard coated, 62.5-mm., 800-mm. focal length. Collects about 75 times as much light as the naked eye, resolving power 2 seconds, faintest discernible star 10.7 magnitude. Eyepieces are hard-coated Huygenians. 100x (5-mm), 88x (9-mm), 40x (20-mm). Barlow Lens included give ranges of 320x, 176x and 80x. Finder scope is 6x, 30-mm. Tripod head with latitude adjustment. Clamp lever for declination and inclination. Accessories include sunglass, star diagonal, erecting prism, sun projection screen, field tripod, wooden case. Rack-and-pinion focusing. Heavy plating to prevent rusting. Imported. Shpg. wt., 30 lbs.

99 K 7032WX \$5 Monthly Net 79.50
4-mm. orthoscopic eyepiece for 200x Net 8.95
99 K 7043L (400x with Barlow Lens) Net 8.95



189⁰⁰
No Money Down

- 454x with Barlow Lens

Galactic RESEARCH
QUALITY 3" EQUATORIAL REFRACTOR

• Viewfinder Scope 25x, 42-mm • 910-mm Focal Length • 76.2-mm Clear Aperture • Micrometion Control for Declination and Right Ascension • Resolving Power: 1.6 • Barlow Lens Included The objective lens is a 79-mm, hard coated, air spaced Fraunhofer achromat with a clear aperture of 76.2-mm (3"). Focal length 910-mm, focal ratio f/12, resolving power 1.6". Seven coated eyepieces for 227x, 152x, 101x, 73x, 45x, 35x, plus 25x through the viewfinder. Barlow lens doubles all ranges. Focusing by micro-precise rack and pinion drive. The viewfinder scope has a 42-mm objective—500-mm focal length-rack and pinion focusing—and will accommodate various eyepieces. Finely calibrated hour and declination circles for rapid finding and setting. Body tube of white enameled aluminum. Accessories include three sunglasses, moonglass, two star diagonals, sun diagonal, erecting prism, sun projecting screen, extensible field tripod, chain brace, accessory shelf, wooden cabinet. Via EXPRESS 99 K 7053WX \$10 Monthly Imported. Shpg. wt., 60 lbs. Net 189.00

Astra Zoom 2.4" Zoom Refractor



- ★ 200X With Optional Barlow Lens

Only
49⁹⁵
No Money Down
\$5 Monthly

- 100X Plus Zoom Eyepiece For 20 to 80 X
- Coated 60 MM Objective
- Variable Tension Alt-Azimuth Mount

An outstanding optics buy that combines a sharp 2.4 inch refractor with a zoom objective to provide an infinite range of possible magnification powers. Suitable for the beginner or amateur astronomer. Rack and pinion assures smooth focusing. Lens system focuses from 13 ft. to infinity. Lightweight aluminum body features baked enameloid two-tone beige finish. Adjustable 50" wood tripod permits use on uneven surfaces. Specs: Objective Dia.: 60 mm. Focal Length: 400 mm. Zoom Eyepiece: 20-80X. Fixed Eyepiece: Huygenian 4mm(100X). With stand, sun filter, zoom and fixed eyepieces. Imported. Shpg. wt., 20 lbs.

99 K 7213WX \$5 Monthly Net 48.95
99 K 7054 Barlow Lens for Double Power. Wt., 8 oz. Net 3.95

Meteor 4" Reflector



- ★264X With Optional Barlow Lens

29⁹⁵
No Money Down

- Eyepieces for 132 and 64 X
- 4" (100 mm) f/11 Aluminized Quartz Mirror
- Aluminized First Surface Secondary Mirror


A fine, compact professionally designed 4" reflecting telescope with carefully aluminized optics for exceptionally low light loss. Primary mirror is aluminized and quartz overlaid. Highly achromatic optical system features very low chromatic aberration. Adjustable wooden 48" tripod with tray brace and convenient optical sight permit easy field use on uneven surfaces. Rack and pinion drive assures smooth focusing. Lightweight body has white baked enameloid finish. Specs.: Mirror Dia.: 4"(100mm). Focal Length: 800 mm. Eyepieces: 25 and 12.5 mm Huygenian. Resolving Power: 1.4 seconds. Supplied with stand, sun filter, and two eyepieces. Imported.

99 K 7212WX Shpg. wt., 15 lbs. Net 29.95
99 K 7054 Barlow lens for double power. Wt., 8 oz. Net 3.95

LAFAYETTE TELE-CAM ADAPTER

- Adapts Most Cameras to Your Reflector or Refractor Telescope For Permanent Records of Your Observations

Make permanent visual records of your astronomical observations, wildlife sightings etc. This easy to use adapter matches most cameras to virtually any reflector, refractor, or fixed lens telescope. Accurate, motion-free alignment assures you the finest pictures possible from your equipment. May be used with interchangeable or fixed lens cameras. With complete instructions. Imported.
99 K 7194 Shpg. wt., 1 lb. Net 6.95



Only
6⁹⁵

LAFAYETTE Quality Binoculars



As Low As
16⁹⁵

VERSATILE BINOCULARS

- All Lenses Are Coated!
 - Sealed Against Dust & Moisture
- Precise design, quality material and expert workmanship. All center focus; adjustable right eye-piece. Leather case, neckstraps included. Imported.
- 7x35 Popular, versatile, all-purpose binoculars.
99 K 7018 Shpg. wt., 3 lbs. Net 16.95
- 7x50 Navy style night glasses. Favored for marine use.
99 K 7016 Shpg. wt., 3 1/2 lbs. Net 19.95
- 20x50 King of the long range.
99 K 7020 Shpg. wt., 4 1/2 lbs. Net 26.95




Only
29⁹⁵

EXTRA WIDE-ANGLE BINOCULARS

- Doubles the Field of Ordinary Binoculars

Multi-purpose 7x35mm binoculars which are especially useful in field studies. Wide angle view allows brilliant and close-up views of sporting events without cutting the image as regular narrow angle binoculars do. Field of view at 1000 yards, is 580 feet! Center focus and right eye adjustment insures perfect focus. All optics are coated. Lined leather case provides protection when not in use. Imported. Shpg. wt., 5 lbs.

99 K 7019 Net 29.95



Only **44⁹⁵** No Money Down

WIDE ANGLE TRU-ZOOM™

- Not a "Vari-Power," One Control Zooms Both Barrels!
- Center Focus, Adjustable Right Eyepiece, plus Single Synchronous Zoom Control!

Sight in subject at 7 power—then Zoom up to 12 power (or any four in between) for closeup viewing power. 40 mm objective lenses are hard coated achromats. Field of view is 323 feet at 1000 yards at 12 power (5.5"). Prisms in shock-resistant mounts. Lightweight alloy frame and body. Includes lined hard leather case and straps. Shpg. wt., 5 lbs. Imported.

99 K 7108 \$5 Monthly Net 44.95



17⁹⁵

20X 40mm SPOTTING SCOPE

- Portable, Compact
- Lightweight
- Coated Prismatic Lens
- Quality, Precision Workmanship

Extremely attractive spotting scope with 40mm coated lens. A complete assortment of accessories makes it ideal for use everywhere by everyone. Complete with black, zippered carrying case with belt loop, elevator table tripod with rubber-tipped legs, tripod adapter, pistol grip with convenient wrist strap, car window adapter. Overall length of scope, 10 1/2". Imported. Shpg. wt., 3 lbs.

99 K 7193 Net 17.95



13⁹⁵


lightweight and portable... idea for taking it everywhere you go. Complete with black, zippered carrying case with convenient belt loop. Overall length of scope is 12". Imported. Shpg. wt., 3 lbs.

99 K 7192 Net 13.95

8-25X 30mm ZOOM SPOTTING SCOPE

- Any Power from 8X to 25X
- Quick, Fingertip Focusing
- Table-Top Tripod Included

An outstanding varipower spotting scope that is ideal for any "spotting" need in field or general use... shooters, bird watchers, etc. Features 30mm coated lens for brilliant viewing. Fingertip controls for quick zooming and focusing. Has a built-in camera tripod socket. Includes a table-top tripod with rubber-tipped legs that prevent scratching of furniture. Compact.



Mounts on Window

Convenient Pistol Grip with Wrist Strap

4X RIFLESCOPE


- Lightweight—only 6 1/2 ozs.
- Hard Coated Lenses
- Internal Adjustments
- Cross Hair Reticule

5⁸⁸

Popular, all-around scope for the small game hunter. Bright field, approx. 30 feet at 100 yards. Eye relief distance from 3 1/2 to 4 1/2 inches. Eyepiece diameter, 1" tube diameter 3/4". Hard coated, achromatic lenses reduce glare, internal windage and elevation adjustments for positive "zero-in." Fine, cross hair reticule pinpoints target. Featherweight, weather-resistant, precision built. Easy, fast installation with all .22's. with grooved receivers, some air rifles. Imported.

99 K 7160 Shpg. wt., 1 lb. Net 5.88

10X30mm TELESCOPE with TRIPOD



6⁹⁵

- Full 10 Power
- Portable-Compact-Lightweight

A 10 power, 30mm internal (front) focus telescope that is compact, lightweight and portable—ideal for taking it everywhere you go. Features coated achromatic lenses. Has built-in camera tripod socket. Sturdy tripod supplied with rubber-tipped legs that prevent scratching. Imported.

99 K 7071 Shpg. wt., 2 lbs. Net 6.95

30X, 60mm SPOTTING SCOPE



16⁹⁵

- With Case Tripod

The perfect companion for shooting, hunting and nature fans. Field of view is 85 feet at 1000 yds.! High relative brilliance due to 60mm objective lens. All optics are coated. Equipped with a 1 1/2" tripod and zippered leather carrying case. Exceptionally small and light. Imported. Shpg. wt., 3 lbs.

99 K 7015 Net 16.95

To Speed Your Mail Order — Please Give Your Zip Code Number

Lafayette Cat. No. 681 83

As low low as

24⁹⁵



Hobby — Tool Kits



DREMEL DELUXE MULTI-PURPOSE MOTO-SHOP

DREMEL MOTO-TOOL KITS


- Grinds—Polishes—Engraves—Sands—Drills
- Precision High-Speed Steel Cutters and Wheel Points
- For Amateur and Professional Craftsman

Model 2—Kit. Pocket-size machine shop with assortment of fine accessories in attractive case. 27,000 rpm for perfect performance of small wheels and cutters. High-speed steel cutters, cut faster and stay sharp longer. Kit contains: Moto-tool with 1/8", 1/16", 3/32" collets; Finger-grip attachment; 4-emery wheel points; 8-cutters; dressing stone; steel saw; 4-brushes; 1/2" drum sander; mandrels. Complete with Moto-tool and accessories. For 110-120 VAC 60 cps. or DC. UL listed.
14 K 4304 Shpg. wt., 4 lbs. Net 24.95

Model 3—HEAVY-DUTY MOTO-TOOL KIT

Similar to above. Features heavy duty .9 amp universal motor. Powerful 27,000 rpm with high torque. Dynamic balancing assures vibration-free precision grinding. 3-wire grounding cord. Includes all acc. as in Model 2 Kit.
14 K 4305 Shpg. wt., 4 lbs. \$5 Monthly Net 29.95

39⁹⁵



- 5 Basic Powertools In One Compact Unit
- Jig Saw—Disc Sander—Bench Grinder—Buffing Wheel—Flexible Shaft
- Powered By Ball-Bearing 3450 RPM Rotary Motor

Lightweight, compact portable multi-purpose workshop with 15" jig saw. Flexible accessory shaft attaches directly to power takeoff from motor for drilling, grinding, routing, sharpening, deburring and carving; has oilless bronze bearing, instant action wrenchless chuck, and neoprene cover. Accessories include: 3-sanding discs, grinding wheel, cloth buffing wheel, wire brush wheel, wheel guard, mounting 60 cps. AC. Shpg. wt., 18 lbs.
14 H 4306W \$5 monthly Net 39.95

SPRAVIT

HEAVY DUTY HANDYMAN SPRAYER



ONLY 29⁹⁵


- Integral Compressor-Motor
- Sprays Oils, Paints, Stains, Insecticides, Liquid Wax

All-purpose spray unit that gives professional results from the start. Provides uniform adjustable pattern from "dime" size to a fan 10" wide. Precision made with sealed ball bearings, never needs oiling. Easy-to-use 2-finger trigger gun. Air delivery: 1.5-2 CFM at 15-20 lbs. Complete with 6 ft. cord and plug, 8-ft. air hose, spray gun. Comes with internal-mix fan spray nozzle—1 pint capacity. For 115 v, 60 cycles AC. Shpg. wt., 11 lbs.
14 K 8407 Net 29.95

MULTI-COLOR KITS: For best results in spraying multi-color paints.
14 K 8402 Shpg. wt., 8 oz. Net 2.25
AIR TOOLS KIT: For inflation and dusting. Includes chuck for all tires—footballs, basketballs, toys, air mattresses "dusting" attachment.
14 K 8403 Shpg. wt., 4 oz. Net 2.10

DREMEL ELECTRIC SCROLL SAW

9⁹⁵




- Cuts Intricate Scroll Work
- No Sanding Required
- 7,200 Strokes per Minute

This new scroll saw is the latest innovation in "free hand" cutting saws. Easily cuts intricate scroll work...saws wood up to 3/4" thick, asphalt, rubber and plastic floor or wall tiles, aluminum and light metals. Its wide range of uses make it indispensable for home owners, hobbyists, carpenters, and craftsmen. The thin, fast cutting blade saws so smoothly, no sanding is required. High-speed reciprocating motor produces 7,200 strokes per minute. Unique 4-way blade holder permits cutting in any direction. Shpg. wt., 3 lbs.
14 K 4302 Net 9.95

Pkg. of 10 replacement blades for above
14 K 4303 Shpg. wt., 3 ozs. Net .55

COPY CAT CONTOUR GAGE



3⁷⁵

- Match and Outline Any Irregular Shape

For home, shop and industry. Simplifies measurement and copying of irregular shapes. Easy to use, just press the gage's 175 steel teeth against any irregular surface to exactly match and hold the shape taken. Uses include: measuring pillar contour, fitting floor tile, carpeting, wood mouldings, fitting linoleum. 6" long.
13 K 4150 Shpg. wt., 1/2 lb. Net 3.75



"EXPERT" SOLDERING KIT



100/140 WATTS

5⁸⁸

MODEL 8200-PK. Just the thing for the novice or professional. Compact design and built-in pre-focused spotlight eliminates maneuvering difficulties. Break-proof plastic utility case can be used to hold other parts or tools. Weller Expert Soldering Kit features the 8200 gun with exclusive tip Grip which assures constant heat. Dual heat feature gives choice of 100 or 140 watts with the pull of the trigger. Accessories include 3 durable soldering tips, tip changing wrench, nylon flux brush, soldering aid to facilitate difficult connections and all purpose solder. All the items you need for first-class solder connections are packed in a high impact plastic case. UL listed.
13 K 3915 Shpg. wt., 3/4 lbs. Net ea. 5.88
Model 8200 Dual Heat Gun Only
13 K 3914 Shpg. wt., 2 1/2 lbs. Net 4.56

UNIMAT Miniature Machine Shop

**THE ALL-PURPOSE 5-in-1
METAL-MACHINING WORKSHOP**

- Precision Metal-Working Lathe
- 11-Speed Ball-Bearing Spindle, Accurate to 1/2 Thousandths
- Converts to Vertical Mill or Drill in Seconds
- Turn, Mill, Bore, Saw, Buff, Sand, Polish, Grind—Steel, Aluminum, Brass, Plastic or Wood
- Ideal for R&D Labs, Model Shops, Electronic and Home Workshops

SPECIFICATIONS: Complete 5-in-1 machine shop small enough to use on a radio serviceman's bench. Designed as a multi-functional power tool. Converts from horizontal lathe to vertical drill press. The changeover causes no wear or loss of accuracy in precision fit parts. The motor-headstock detaches for use as a portable hand drill, power grinder or buffer. Extra attachments available include a very accurate circular saw, saber and jig saw, flexible shaft, lathe bed power feed, threading attachment, precision collets and cutting tools. Belt drive provides 11 speeds ranging from 900 to 7,200 RPM. Motor can also be controlled by rheostat foot switch or SCR power supply.

Includes 1/10 HP Brush Type fan cooled motor, drill press arm, column and hand lever, face plate, lathe dog, grindstone arbor, tool post, 2 dead centers, 1/4" Jacobs chuck and key. Allen wrench roughing tool bit, and a spindle return spring. 17 1/2 x 10 1/2 x 5 3/4" wood chest. 40-page manual. For 115V AC/DC operation. Imported. Shpg. wt., 30 lbs.

14 K 9002 WXM \$7.50 Monthly Net 139.50




ONLY 139⁵⁰
No Money Down

FREE!
TOOL KIT

Model DB-1130
with purchase of
Unimat Machine Shop
Special offer expires
DEC. 31, 1967

16.95
VALUE



UNIMAT ATTACHMENTS AND ACCESSORIES

- Model DB-1001 3 jaw universal lathe chuck with reversing jaws, key and back plate. Shpg. wt., 1 lb. Net 25.15
 14 K 1013WX
 Model DB-1210 Milling Table: 5" x 3" with clamps. Net 12.50
 14 K 1002 Shpg. wt., 3 lbs.
 Model DB-1010 Machine Vise: Jaws open 1 1/4". Mounts cross slide or mill table. Net 9.50
 14 K 1003 Shpg. wt., 1 1/2 lbs.
 Model DB-1100: Set of 6 Lathe Tool Bits. Net 10.50
 14 K 1005


- Model DB-1130 Tool Kit: 2 tool bits, 4 drills, 2 grind wheels, 2 milling cutters, center drill and countersink bits, 2 chisels, boxed. Net 16.95
 14 K 1004 Shpg. wt., 1 1/2 lbs.
 Model DB-1290 Power Feed Attach: 1:50 reduction, feeds .0008" per revolution. Net 19.95
 14 K 1006 Shpg. wt., 7 lbs.
 Model DB-1002 4-Jaw Independent Chuck; capacity 2 1/4". Net 23.90
 14 K 1007
 Model DB-1080 Jig Saw Attach. Cuts to center of 16" blades incl. Net 19.90
 14 K 1011 Shpg. wt., 6 1/2 lbs.



SABRE-LATHE MULTI-PURPOSE SHOP TOOL

ONLY
29⁹⁵

Wood Turning Lathe
Sabre Jig Saw
Bench Grinder
Disc or Drum Sander
Buffing or Polishing
Horizontal Drill



A home shop tool that will excite the interest of every home craftsman! Powerful, 3-speed motor provides plenty of drive for every operation...unit changes for any purpose in just seconds. Complete with wood turning chisel, sanding discs, sanding drum discs, 3 sabre saw blades, 45° adjustable sanding table. Entire unit is mounted on wooden base for easy portability and stability. Lathe has 18" bed, 4" throat, can be used for spindle or face plate turning. 115 volt, approximately 1/3 h.p. motor, AC only. Output speeds 3,700, 3,300 and 3,100 rpm. With illustrated instruction booklet. Mounted on 32" x 6" board.
 13 K 3650W Shpg. wt., 16 lbs. Net 29.95

BURGESS VIBRO-TOOL KIT

- Versatile Multi-purpose Tool
- Files—Saws—Cleans—Deburrs—Engraves
- Complete With 6 Accessories

Performs many operations on nearly any kind of material with its accessories. Features motor control switch plus dial setting for engraving depth. Heavy-duty 2-speed motor delivers 3600 and 7200 strokes per minute. Rugged nylon housing. Molded plastic case with accessory storage area. Complete with accessories: Carbide tipped engraving point, knife blade, saw blade, half round chisel 1/2 inch tool, hammer and abrasive point. Shpg. wt., 1 1/2 lbs.

13 K 8053



14⁹⁵

BVI ELECTRIC PENCIL

6⁵⁰

- Writes On Metal—Wood—Plastic
- No Heat—Vibrating Point Engraves Keys—Tools—Toys—Jewelry



Handy, useful... mark, identify and engrave names, design decorator effects on luggage tags, toys, sporting goods, tools and kitchenware. Automatic with built-in mercury switch. You pick it up—it turns on. Put it down and it turns off. Easy as a pencil. Marks won't erase, smear or rub off. Tough hardened steel point vibrates 7200 strokes a minute. Lightweight. 7 x 3 x 2". 110 V, 50-60 cycle AC motor. Shpg. wt., 5 lbs.


13 K 8054

Net 6.50



fury 50 Piece Power Workshop

WITH 3/8" VARIABLE TRIGGER SPEED CONTROL DRILL



Complete Kit Only

29⁹⁵

Powerful! Efficient! Flexible! Rugged 3/8" variable speed power drill with 3/8 HP 2.6 Amp universal motor is capable of performing most any job around workshop and home. Squeeze the trigger for any speed you desire from 0 to 1,000 RPM. Complete assortment of attachments includes: Jacobs geared chuck and key, tilting top saw attachment, crosscut and rip saw blade, horizontal bench stand, lambswool polishing bonnet, 13 pc. drill kit, rubber backing pad, steel paint mixer, grinding wheel, 6 pc. adapter set, steel saw table with protractor and mounting post, drill press with mounting post and stand, and 15 pc. sanding disc set (5 fine, 5 med., 5 coarse). Drill features multiple thrust bearings and locking button on handle for constant speed without holding trigger. Bright mirror finish with pistol grip handle for easy handling. With instruction book. UL listed. For 115 volts AC 60 cycles. Shpg. wt., 12-lbs.
13 K 7129W

Net 29.95



10⁹⁵

HUSKY 3/8" DRILL

- 3 AMP UL Listed
- Auxiliary Left or Right Handle
- Double Reduction Gears

A rugged, powerful 3/8" drill for tough drilling jobs around the house and shop. Features double reduction gears for maximum torque. No load speed 1000 rpm. Capacity 3/8" in steel, 1" in wood. Ball thrust bearing takes the full drilling load. Welded commutator leads prevent motor burnout. Geared key chuck, 3-conductor power cord. Bright finish. For 117VAC, 50-60 cps.

13 K 3655 Shpg. wt., 4 lbs. Net 10.95



RAM fury 7⁹⁵

1/4" DRILL

- 2-Amp UL Listed Motor
- Jacobs Geared Chuck & Key
- Multiple Thrust Bearings

Model F-11 popular drill for all-around home and hobby use. 1/4" geared chuck drill rated at a full 2.0 amps. UL listed. 1/4" capacity in steel, 1/2" in hardwood. 1200 RPM speed under full load; 2000 RPM no-load speed. Precision anti-friction bearings. Automatic trigger switch. Specially designed gear train for maximum torque transfer. For 115 volts, AC/DC. Shpg. wt., 3 lbs.

13 K 7101 Net 7.95

STEEL FRAME WORK BENCH

Includes Tool Rack, Peg Board Back Panel and Bottom Shelf

A new all-steel frame work bench that is the ultimate in convenience and serviceability. The rigid, all steel frame is the core of this complete workshop that will last for years. Features a big 24x48" work top of special, heavy-duty, compressed, high-impact board to withstand the roughest use. Matching bottom shelf offers handy storage space. Convenient tool rack with peg board back panel. Base on each leg gives extra support and can be bolted down if desired. Easy-to-assemble. 34 1/2" high. (Tools not included). Shpg. wt., 60 lbs.
13 K 3504WX



17⁷⁵

Net 17.75

LAFAYETTE BINOCULAR MAGNIFIER

- Leaves Hands Free
- Reduces Eyestrain

As Low As **3⁹⁵**

Ideal for technicians, inspectors and hobbyists. Precision ground and polished lenses for very close work without eyestrain. Headband adjusts to any head size. Lenses can be changed with pushbutton ease for three magnifying powers. Flip up viewer may be worn over eyeglasses. Imported. Shpg. wt., 7 ozs.

- 99 K 7203 2X, 9" working distance Net 3.95
- 99 K 7204 2.5X, 5 1/2" working distance Net 3.95
- 99 K 7205 3X, 4 1/2" working distance Net 3.95
- Binocular magnifier with 3 lenses: Range 2X-2.5X-3X
- 99 K 7206 Shpg. wt., 9 oz. Net 0.95

ADJUSTABLE SPEED-REVERSING DRIVE-R-DRILLS

With Trigger Speed Control



Operates At Any Speed Forward And Reverse

NOW! With Adjustable locking variable speed control

DRIVES - DRILLS - PLUS

- Burn-out Protected Motor
- UL Industrially Listed

AS LOW AS

19⁸⁸

Now! with adjustable locking variable speed control which can be locked at any speed either in forward or reverse. Unique, all-purpose drills which can tackle most any drilling job with precision and accuracy. Just squeeze the trigger for any drilling speed from 0 to maximum rpm plus reverse speed! Using a driver bit or socket you can drive or remove screws and nuts quickly and easily without accessories. Taps holes in metal too! Has powerful burnout protected motor, high torque helical gears and geared key chuck. Locking button for sustained operation. Lightweight aluminum housing. With 6 ft. 3-wire cord and plug. For 115 v., 60 cycles AC. U.L. listed.

1/4" ADJUSTABLE DRIVE-R-DRILL
Model 596-5 rated at 2.5 amps, 0-2000 rpm Forward/Reverse. Capacity 1/4" in steel, 1/2" in wood. Shpg. wt., 4 lbs.
13 K 6931 Net 29.88

Model 501TSC. Similar to above, less reversing and adjustable locking control. 0-2000 rpm forward. Shpg. wt., 4 lbs
13 K 6901 Net 19.88

3/8" ADJUSTABLE DRIVE-R-DRILL
Model 597-5 drill has extra capacity chuck; 0-1000 rpm, forward/reverse 3-amp motor. Double reduction gears. Capacity: 3/8" in steel, 3/4" in wood. Removable handle. Shpg. wt., 4 1/2 lbs.
13 K 6932 \$5 monthly Net 36.88
Model 569TSC. Similar to above, less reversing and adjustable locking control. 0-1000 rpm forward. Shpg. wt., 4 1/2 lbs.
13 K 6917 Net 24.88

1/2" ADJUSTABLE DRIVE-R-DRILL
Model 598-5 Heavy-duty-deluxe 3 amp 0-750 rpm forward/reverse, no load speed. Heavy-duty double-reduction gears multithrust bearings. Capacity: 1/2" in steel, 1 1/4" in wood. Removable handle. Shpg. wt., 5 lbs.
13 K 6933 \$5 monthly Net 39.88
Model 545TSC. Similar to above, less reversing and adjustable locking control. 0-750 rpm forward. Shpg. wt., 5 lbs.
13 K 6919 Net 27.88



Reversing Lever
Adjustable Locking Control
Trigger Speed Control

6-PC. SCREWDRIVER BIT SET

Converts Any Variable Speed Drill To A Power Screwdriver

- For All Electric Screwdriver And Variable Speed Drills

Only **2⁹⁹**



Versatile set provides a variety of bits and finders to speed-up assembly and service work. For slotted and Phillips head screws. Kit includes 3-slotted bits and finders for screw sizes 6-8, 8-10, & 10-12; 3-Phillips bits No.'s 1, 2, & 3. All have 1/4" Hex shank. Shpg wt., 1/2 lb.
14 K 7904 Net 2.99

CENTURY 13 PC. HIGH SPEED DRILL SET WITH CENTER PUNCH

Made in U.S.A.

4⁹⁵

- 12 Sizes: 1/16" - 1/4"



Precision ground high speed drills and center punch placed in unbreakable flexible plastic case which opens and closes like a book! Drill Sizes: 1/16"-1/4". Handy center punch assures exact position of drill bit.

13 K 1850 Shpg. wt., 10 oz. Net 4.95

VARIABLE MOTOR SPEED CONTROL

- Varies Speed on AC-DC Motors From 0 RPM To Full Speed
- Ideal For Electric Drills, Saws, Polishers

Dependable motor speed control ideal for workshop power tools using universal AC-DC and series DC motors. Assures constant speed variation from zero rpm to maximum speed. Has built-in circuit breaker. 7.5 amps no-load rating. Input: 120 volts 50-60 cycles AC. 3-wire receptacle and line cord.

13 K 2700 Wt., 1 lb. Net 8.95



8⁹⁵

CRAFTOOL

ALL PURPOSE VACUUM CLEANER

AS LOW AS

26⁹⁵

5 GAL.—3/4 HP

- Excellent for the Home, Garage, Yard, School or Workshop
- Steel Drum
- 6 Ft. 2 1/2" Diameter Hose



Can be used for rough cleaning nearly anywhere! Excellent for picking up pebbles, wood chips, sawdust and other debris. Also attaches to woodworking machines for chip & sawdust removal. Reversible air flow—use it as a blower too! Perfect for winter oil burner cleaning. Complete with 6 ft., 2 1/2" diameter hose & nozzle. UL Listed. Shpg. wt., 17 lbs.

- 5 Gallon Capacity develops 3/4 HP. 13 K 352W Net 26.95
- 10 Gallon Capacity develops 1 HP. 60% more power than 5 gallon unit. Shpg. wt., 25 lbs. Net 29.95
- 13 K 354WX Net 3.95
- 13 K 3553 Caster for 5 gal. unit. Shpg. wt., 1 lb. Net 3.95
- 13 K 3555 Caster for 10 gal. unit. Shpg. wt., 1 lb. Net 3.95
- 13 K 3551 45" Extension Handle. Shpg. wt., 3 1/2 lbs. Net 3.95
- ACCESSORY KIT: Includes 1-14" floor nozzle with brush, 30" extension handle, and adapter which permits use with ordinary vacuum hose and accessories. Shpg. wt., 5 1/2 lbs. Net 8.95
- 13 K 3550W Net 8.95
- Paper Filter Bags (6) for extra dirty jobs... slips over permanent cloth bag. Shpg. wt., 1/2 lb. Net .89
- 13 K 3556 Pk. of 6 Net .89
- Replacement cloth bag Net 1.39
- 13 K 3557 Net 1.39

Buy Now! Pay Later . . . Use Lafayette's Easy Pay Plan. No Money Down

Lafayette Cat. No. 681 87



fury

**7 1/4" POWER SAW
WITH 1 1/2 HP MOTOR**

- 8 Amp. 5,000 RPM Universal Motor
- UL and CSA Listed

Model F-7X: Powerful 8 ampere motor provides this big 7 1/4" circular saw plenty of reserve power to zip through straight or angle cuts. Cuts vertically to 2 1/2", at 90° to 2" at 45°. Features self-lubricating bronze bearings, floating blade guard, safety retracting handle, combination rip and crosscut blade and 3-wire cord and plug. No load speed, 5,000 RPM. Motor is a universal 1 1/2 HP AC-DC 115 volts. UL Listed. With safety slip clutch. Bright mirror finish. 13 K 7128 Shpg. wt., 15 lbs. **Net 21.95**

21⁹⁵

SAW TABLE for above saw. Allows cutting at any angle between 45° and 90°. Complete with mitre gauge and rip fence. 13 K 7104 Saw Table. Shpg. wt., 12 lbs. **Net 8.95**
13 K 7127 Steel carrying case. Shpg. wt., 3 lbs. **Net 6.50**

SKIL

7 1/4" BUILDERS' SAW



29⁸⁸


- 5200 RPM No Load Speed
- 1 1/2 HP 10 Amp Motor

Model 574 Tackle the "big" jobs, with this dependable 7 1/4" builders saw. Reinforced die-cast housing that really stands up. Cuts 2x4's with ease, at 45° angle. Easy set bevel and depth adjustments. Safe non-binding blade guard with vari-torque safety clutch. Sawdust ejector keeps your work clean, lets you see what you are doing. 7 1/4" combination blade and blade wrench. Powerful 1 1/2 HP motor is designed to be trouble free. Cutting depth: 90° 2 3/4", 45° 1 7/8", 10 amps. UL Listed. 115 volts AC, 3 wire cord and plug.

13 K 6926 Shpg. wt., 12 1/2 lbs. **Net 29.88**
13 K 6912 Rip Fence **Net 1.69**



2-WAY ELECTRIC SANDER



17⁵⁰

- Orbital or Straight Line
- Positive Slide Switch
- 3/16" Stroke Orbital or Straight

Model R-120: A heavy-duty electric sander with 3/16" stroke in orbital or straight line. Features 2.4 amp. universal-series wound motor. Heavy-duty ball bearing and self-lubricating sleeve bearings. Pad size: 3 3/4" x 7 1/2"; sandpaper size: 3 1/2" x 9". Industrial mirror finish. 6-ft cord. UL listed. 115V, 60 cycles. AC-DC. Shpg. wt., 5 lbs. 13 K 7102 **Net 17.50**

HEAVY-DUTY SABRE SAW



19⁹⁵

POWERED BY G.E. MOTOR

- Cuts up to 6" in Wood
- With 5 Blade Assortment

Versatile one tool workshop, capable of handling dozens of cutting jobs, from rough cutting to finished work in wood, metal or plastic. Use as rip, cross-cut, coping or keyhole saw. Powerful, precision, air cooled 3.5 amp motor to handle 6" cuts in wood. Extra large adjustable base enables accurate bevel cuts up to 45° angle. Sawdust blower removes sawdust as you cut. Makes its own starting hole. 4800 strokes per minute. With grounded 3-wire 6-ft. rubber covered cord. For 115V., 60 cycles AC/DC. UL and CSA listed.

14 K 4806 Shpg. wt., 4 1/4 lbs. **Net 19.95**
As above with Variable Speed Control. 14 K 4805 **Net 26.95**

RAM fury SABRE SAW




12⁹⁵

- With Rip Guide
- 1/4 HP Motor

MODEL F-8: A rugged, multi-purpose sabre saw. Can be used as a rip, crosscut, jig saw, hack saw, band, coping, keyhole and scroll saw. Easily cuts 2x4's, plywood plastic, composition board, aluminum and a host of other materials. Powerful 1/4 H.P. motor with a built-in cooling system, produces 3500 strokes 11/16" long per minute. Also has adjustable base, rip guide and mitre gauge. Bevel cuts from 0° to 45°. Positive action, long-life "On/Off" slideswitch. Complete with 3-assorted blades. For 115V., 60 cycles AC/DC. UL listed. Has mirror finish. Shpg. wt., 4 lbs. 13 K 7116 **Net 12.95**

HEAVY-DUTY 10" POWER CHAIN SAW



54⁹⁵


No Money Down

POWERED BY G.E. MOTOR

- 2 H.P.—10 Amps
- With Oregon "Omark" Chain & Bar

A powerful, top-quality chain saw designed for professional or industrial use. This rugged, multi-purpose tool will also do dozens of jobs for the home craftsman, carpenter, contractor, or on the farm. Positive chain adjustment eliminates slack. Chain travels at 2650 feet per minute for fast, true cuts up to 10 inches deep. Cool running quiet helical cut gears in a sealed grease chamber. Self lubricating bearings. Beautifully balanced, weighs only 12 lbs. Motor develops 2 H.P. 10 amps. 115V. 25-60 cy. AC/DC. 3-wire, 6-ft. cord. Shpg. wt., 14 lbs. 14 K 4804 **Net 54.95**

THOR 4 1/2" BENCH GRINDER



16⁹⁵

- 1/4 H.P. Motor
- Two Grinding Wheels
- Protective Eye Shields

Model 946: Ideal for light to medium-duty work in shop and home. 2.5 amp motor has no-load speed of 3450 rpm. Features heavy-duty steel wheel guards; adjustable tool rests; built-in front water cooling tray; cast-in tool parts tray. Two 4 1/2 x 1/2" wheels (one 40-grit, one 70-grit). 6 ft. 3-wire cord. U.L. Industrial rated and CSA listed. 115V AC. Shpg. wt., 11 lbs. 13 K 5312 **Net 16.95**

DYMO MARK VI LABEL MAKER KIT EMBOSSES BOTH 3/8" AND 1/4" TAPE

- You Get - Tool - 2 Wheels For Large and Small Characters Case and 5-12' Rolls of Tape
- Convenient Tape Cut-off Lever

688

Tool Only

Low-Cost tapewriter kit for home, office, store or workshop. Makes raised-letter labels that are self-adhesive, permanent and waterproof. Set dial to letter, number, or symbol and squeeze the handle. When label is completed, squeeze trigger to snap off tape. Kit includes: High-impact plastic embossing tool, two wheels, three 3/8" and two 1/4" rolls of tape plus carrying case. Shpg. wt., 1 1/2 lbs.

14 K 4148 Net 9.88

MODEL M6 Tool only. Complete with 3/16" character wheel and 144" roll of Tape.

14 K 4149 Shpg. wt., 1 lb. Net 6.88



DYMO EMBOSsing TAPES

1/4 INCH

Each contains 144" of 1/4" glossy vinyl tape with adhesive backing. Shpg. wt., 1/4 lb.

Net ea. .89
Lots of 3 .79 ea.

Stock No.

14 K 4102 Blue	14 K 4105 Clear	14 K 4130 Orange
14 K 4103 Green	14 K 4106 Brown	14 K 4131 Yellow
14 K 4104 Red	14 K 4107 Black	14 K 4132 Gold

3/8 INCH

Contains 144" of 3/8" dirt/moisture resistant vinyl tape with adhesive backing. Shpg. wt., 1/4 lb.

Net ea. .99

Lots of 3 .89 ea.

Stock No.

14 K 4111 Brown	14 K 4114 Clear	14 K 4127 Orange
14 K 4112 Black	14 K 4115 Blue	14 K 4128 Yellow
14 K 4113 Red	14 K 4116 Green	14 K 4129 Gold

3 DRAWER TOOL CHEST

Only **1195**

An all purpose ruggedly constructed 3 drawer carrying type chest. Drawers have full suspension slides. Drawers may be locked in place even if cover is closed. Features electrically welded heavy gauge steel and baked enamel silicone treated finish. Dimensions: Box — 8 1/2" Dx 10 1/4" H x 20" long; 3 drawers — 7 1/2" Dx 11 1/2" H x 18 1/4" L. Shpg. wt., 18 lbs.

13 K 1950

Net 11.95



TINY TIGER "HUSH TONE" PORTABLE GENERATOR

SALE

89⁹⁵
Save 10.00

No Money
Down

- 115 A.C. 350 Watts Electric Power 12V D.C. 12 Amps. • Only 12 lbs.
- Economical Gas Driven Motor
- Automatic Overload Relief—for Tools, Appliances, Boats • 12V D.C. For Battery Charging

1 HP
MOTOR



Model 67—Lightweight, rugged metal construction! Features a 1 hp, 2 cycle Ohlsson & Rice air cooled engine with a high capacity magneto ignition, 6 pint, premixed (10 parts gas—1 part oil) fuel capacity allows operation at full power (6,300 rpm) for 2 1/2 hours. Also features built-in quietness with a larger "Hush Tone" spark arrester muffler. Dual voltage, direct drive Tiny Tiger generator produces up to 350 watts of 115V, AC, and 12 amps of 12V, DC simultaneously for charging auto batteries or starting cars, boats and trucks. Constant voltage within 110-120 volts with an automatic overload relief system. Light enough to carry anywhere (12 lbs.)...small enough to carry in one hand (8 1/2" H x 8 1/2" W x 10 1/4" L). Shpg. wt., 13 lbs.

12 K 3552 \$5 Monthly Net 89.95

HANDY CARRYING CASE

12 K 3551 Shpg. wt., 4 lbs. Net 8.95

PORTABLE VACUUM VISE


1 1/2" AND 2 1/2" WITH 2 JAWS,

549

No clamps, no screws! Vacuum power holds vise securely on any non-porous surface. Use it on formica, linoleum, metal, porcelain or any painted smooth finish surface. Anvil back, 2 jaws, 1 1/2" and 2 1/2" open to 2 1/2 inches. 360° rotation swivelhead. Easy to use vacuum action and jaw controls. For hobbyist, repairman. Imported.

13 K 5591 Shpg. wt., 4 1/2 lbs.

Net 5.49



High Quality Drop-Forged Steel Socket Sets




459

• CHROME PLATED

17 PIECE 1/4" DRIVE SOCKET SET

Heavily chrome plated socket set. Contains 6 Pt. socket sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 12 Pt. socket sizes: 1/2", 5/8", 3/4", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16". Plus: 3" extension, 9" flex handle, 6" crossbar, 5 1/2" reversible ratchet. Each set packed in heavy gauge lacquered metal box. Imported. Shpg. wt., 2 lbs.

13 K 5564 Net 4.59




1195

• CHROME PLATED

21 PIECE 3/8" DRIVE SOCKET SET

Precision quality socket set. Contains: 12 Pt. socket sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 12 Pt. deep socket sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16". Plus: 3" extension, 9" flex handle, 6" crossbar, universal joint, 8" reversible ratchet. Packed in heavy gauge red lacquered metal box with handle. Imported. Shpg. wt., 5 lbs.

13 K 5565 Net 11.95



1595

• CHROME PLATED

19 PIECE 1/2" DRIVE SOCKET SET

Quality steel precision socket set. Contains: 12 Pt. socket sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/4", 1 1/2". Plus: 5" and 10" extension, 15" flex handle, sliding T-bar, 17" speeder handle, 10" reversible ratchet. Packed in heavy red lacquered metal box with handle. Imported.

13 K 5563 Shpg. wt., 15 lbs. Net 15.95

Make Lafayette Your One Dependable Source for Everything in Electronics

Lafayette Cat. No. 681 89

DELUXE LAFAYETTE VTVM with GIANT 6½" METER

- Accurately Measures AC Peak-to-Peak Voltage, AC RMS Voltage, and Resistance without Additional Probes or Accessories
- Wideband RMS Measurements on any Waveform from 30 cps to Over 5 MC
- Direct Reading DB Scale

A high quality, accurate VTVM employing a giant 6½" easy reading 400µA meter. 11 megohm input resistance. AC RMS voltages may be read directly up to 1500 volts and resistance from 0 to 1,000 megohms in 5 overlapping ranges. Has zero-center scale for alignment of FM and TV detector circuits. Push-pull amplifier electrically isolates the meter movement — meter is virtually impossible to burn out. Precision 1% multiplier resistors. SPECIFICATIONS: DC VOLT-METER RANGES: 0 to 3, 30, 150, 300, 1500 volts. Input resistance: 11 megohms (1 megohm in probe) on all ranges. A.C. VOLTMETER RMS RANGES: 0 to 3, 30, 150, 300, 1500 volts. PEAK-TO-PEAK RANGES: 0 to 8, 80, 400, 800 volts. DECIBEL RANGES: —10 to +5, +6 to +25, +26 to +45 db. Response: 30 cps to above 5 Mc. OHM-METER RANGES: 0 to 1000 megohms in 5 overlapping ranges. ZERO CENTER VOLTMETER RANGES: 0-1.5, 15, 75, 150, 750 volts. Complete with 1½ V battery, instructions, and 3 probes: Common, AC volts/ohms and DC volts probe. Size 7½xHx6½x5"D. For 110-120 V 60 cycle AC. Shpg. wt., 7 lbs.

38 K 0101W Net 29.95

38 K 0103 Accessory RF Probe 1 lb. Net 3.95

38 K 0106 H.V. Probe, Extends range to 30,000 V. 1 lb. Net 5.85

38 K 1501 Leather Case for VTVM, 1 lb. Net 2.95



29⁹⁵

MADE IN U.S.A.



27⁹⁵

Made in U.S.A.

LAFAYETTE PORTABLE TUBE TESTER

- Comes Housed in a Beautiful Portable Carrying Case with Slip-on Cover
- Checks for Shorts and Leakages Between All Elements and Indicates the Quality (Emission) Of All Tubes
- Accurate, Highly Damped Meter Movement

A deluxe, compact tube tester designed and priced to meet the needs of the hobbyist, experimenter, or serviceman in the field. Features a genuine cathode emission testing circuit which tests over 1800 tube types. A neon indicator instantly shows filament continuity, shorts, and leakage between all tube elements. Employs an accurate, highly damped meter movement with sealed air-damping chamber which clearly shows the tube condition on a two color "BAD-?-GOOD" scale. Meter also has 0-100 scale for matching tubes, and a special scale for diode checking. Special extended clip lead is built-in for testing tubes with top caps. Convenient 7 and 9-pin tube straighteners are permanently mounted on the front panel. Size: 8¾" x 3 x 10½". For 110-120V., 60 cycles AC. Shpg. wt., 5 lbs.

38 K 0111 Net 27.95

Tests All Modern Tubes Including the New

- Novars • Standard RCA 10 Pins
- Nuvisitors • Magnovals • Compactrons

LAFAYETTE TRANSISTOR ANALYZER KIT



ACCURATE 6-IN-1 TESTER

- In-Circuit and Out-Of-Circuit Transistor Checker (Including Power Types)
- Diode and Rectifier Checker
- Signal Generator
- Battery Tester
- Voltmeter
- Milliammeter

Only 13⁵⁰

Tests transistors of all types including power types. In-circuit test provides an actual performance check. Externally the transistor is checked for leakage on a multi-colored scale and for beta gain in 3 ranges up to 200. Supplies a 5kc test signal with harmonics for checking the RF, IF and AF circuits. Also checks the condition of diodes and rectifiers. Features a voltmeter for testing transistor radio batteries. This analyzer can check current drain up to 80 ma. Complete with test leads and step-by-step illustrated instructions. Black case and anodized aluminum front panel. 6¾ x 5¾ x 2¾". Shpg. wt., 3½ lbs.

19 K 0901

Net 13.50

Extra 1½ volt Battery (2 req.)

99 K 6257

Net ea. .14

DELUXE LAFAYETTE GENOMETER



- SEVEN SIGNAL GENERATORS IN ONE

39⁹⁵

No Money Down

Made in U.S.A.

Versatile Generator which provides all the outputs for servicing: AM Radio, FM Radio, Amplifiers, Black and White TV, Color TV. RF Signal Generator—Generates radio frequencies from 250 KC to 45 MC on fundamentals and from 35 MC to 120 MC on powerful harmonics. Cross Hatch Generator—Will project a cross-hatch pattern on any TV picture tube. Variable AF Generator—Provides a fixed 400 cycle sine-wave or a variable 300-20,000 cycle peaked wave audio signal. Dot Pattern Generator—The dot pattern projected on any Color TV picture tube enables you to adjust for proper color convergence. Bar Generator—Projects an actual bar pattern of 4-16 horizontal bars or 7-20 vertical bars on any TV receiver screen. Marker Generator—Provides 9 most frequently needed marker points (262 KC, 456 KC, 600 KC, 1000 KC, 1600 KC, 2500 KC, 3.579 MC, 4.5 MC, 10.7 MC). With shielded leads and operating instructions. Size: 10W x 7H x 5¾"D. Shpg. wt., 7 lbs.

38 K 0110W \$5 Monthly

Net 39.95

Service, Low Prices



DELUXE 100,000 OHMS PER VOLT "LAB-TESTER" VOM

Unique Yellow Function Selector Visually Indicates Exact Range

44⁹⁵

- 100,000 Ohms Per Volt DC
- Giant Easy-To-Read 6 1/2" Scale
- 2% Accuracy on DC; 3% on AC
- 1/2% Multiplier Resistors
- Built-in Meter Protection on All Ranges

Deluxe laboratory-type volt-ohm milliammeter with performance that satisfies virtually any lab or shop requirement. Unique yellow function selector visually indicates exact range being used—thus eliminating chance of error. Completely self-contained, advanced circuitry features 1/2% precision resistors and 100,000 ohms-per-volt input resistance on DC. Measures voltage in sensitive circuits with precise accuracy. Large, easy-to-read 6 1/2" 2-color meter has a 90° arc for greater legibility and accuracy plus built-in protection against burnout and bent pointers. Provides full coverage with thirty-three ranges for optimum flexibility. Case has carrying strap. Size: 7 1/8x6 3/8x3 1/4"D. With batteries and test leads. Imported. Shpg. wt., 4 1/2 lbs.

99 K 5065 \$5 Monthly Net 44.95
38 K 0109 Carrying Case for above Net 6.95

SPECIFICATIONS:

Sensitivity: 100k ohms/volt DC, 5k ohms/volt AC. **Ranges:** DC 0-5-2.5-10-50-250-500-1000 v. AC 0-3-10-50-250-500-1000 v. **DB:** -10 to +49.4 in 4 ranges. **DC Current:** 0-10-100 μ a 0-10-100-500 ma, 0-2.5-10 amps. **Resistance:** 0-1k-10k-100k-10m-100 meg-ohms. **Meter Movement Sensitivity:** 9 μ a for full scale deflection. **Output:** to 250 v with built-in series capacitor.



LAFAYETTE 20,000 OHMS-PER-VOLT VOM with GIANT 6" METER

26⁹⁵

- 20,000 Ohms-per-volt DC
- 1% Multiplier Resistors
- DC Volts: 0-5000V in 8 Ranges
- AC Volts: 0-5000V in 6 Ranges

A precision VOM for accurate measurement of voltage, current, resistance and decibels. Expanded 6" meter scale in red and black. 50-microamp meter sensitivity. Wide-range frequency response measures 10 to 100,000 cycles within ± 0.5 db. **SPECIFICATIONS:** **SENSITIVITY:** 20,000 ohm/volt DC, 5000 ohms/volt AC. **RANGE:** AC; 0-5000 volts (in 6 ranges): 2.5, 10, 50, 250, 1000, 5000V; DC; 0-5000 volts (in 8 ranges): 0.25, 1, 2.5, 10, 50, 250, 1000, 5000V. **DC Current,** 0-10 amps. **OHMMETER:** 0-20 megohms (in 3 ranges); 0-2K, 20K, 20M. **DECIBELS:** -20 to +50 db. **ACCURACY:** DC; $\pm 3\%$ Full Scale. AC; $\pm 4\%$ Full Scale. **RESISTANCE:** $\pm 3\%$ Full Scale. Heavy gauge steel case with high impact plastic panel. Includes test leads, batteries and leather carrying handle. Size 6 1/4x4 3/4x3 3/8"D. Imported. Shpg. wt., 4 1/2 lbs.

99 K 5013 Net 26.95

LAFAYETTE 20,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

- 20,000 Ohms/Volt DC, 10,000 Ohms/Volt AC
- 1% Precision Resistors
- Easy-To-Read 3" Meter
- Built-in Overload Protective Circuitry

9⁹⁵



40 μ A, D'Arsonval meter movement permits a high input resistance on all ranges. Features a Mirror Scale. Rugged high impact plastic case. **Ranges (DC Volts):** 0-3, 30, 60, 300, 600, 3,000V; **AC Volts:** 0-6, 60, 120, 1200V. **DC Current:** 0-60 μ A, 0-12, 0-300 ma. **Resistance:** 0-60K, 0-6 megohms. **Decibels:** -20 to +63 db. **Audio output jack.** With test leads and 1 1/2V battery. Size: 3 1/4x4 1/2x1". Imported. Shpg. wt., 1 lb.

99 K 5072 Net 9.95
38 K 0107 Pigskin Carrying Case for above Net 1.95

LAFAYETTE 30,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

- 30,000 Ohms Per Volt DC, 15,000 Ohms per Volt AC
- 1% Precision Resistors
- Unique "Buzzer" for Fast Short Tests
- 27 Meter Ranges
- Built-in Overload Protective Circuitry

16⁸⁸

A deluxe portable VOM with a Mirror Scale. Provides wide voltage, current, resistance and db ranges clearly visible on a large 4" meter with 2-color calibrations. Sensitive 33 microamp meter provides full scale readings down to 1/4 volt on DC and 0.05 milliamper. **Ranges:** DC volts 0-25, 1, 2.5, 10, 25, 100, 250, 500, 1000; AC volts 0-2.5, 10, 25, 100, 250, 500, 1000. **DC Current:** 0-0.05, 5, 50, 500 ma; 0-12 amps. **Ohmmeter:** 0-60K, 6 Meg., 60 Meg. **Db's:** -20 to +56 db. **Controls:** Range Switch, Ohms Adjust. **Audio output jack** with DC blocking capacitor. Built-in overload protective circuitry. With leads, batteries, 4 3/8x6 1/4x2"D. Imported. Shpg. wt., 2 lbs.

99 K 5071 Net 16.88
38 K 0108 Pigskin Carrying Case for above Net 1.95

LAFAYETTE "SUPER MIDGET" AC-DC VOM

- Pocket Size: Only 2 1/8x3 1/8x1 1/8"
- 1000 Ohms Per Volt Sensitivity
- Mirror Scale
- Reads: 0-1000V AC-DC, 0-100K Ohms, 0-150MA

4⁹⁵



For trouble-shooting electronic circuits and appliances as irons, lamps, radios, television, hi-fi equipment. 1,000 ohms per volt sensitivity. 1% precision resistors and mirror scale to insure precise readings. Easy to operate, no switching required. **Ranges:** AC and DC volts: 0-15-150-1000V. Ohms: 0-100,000. Current: 0-150 MA. Plastic covered panel lettering. High impact plastic case. Complete with battery and test leads. Shpg. wt., 10 oz. Imported.



99 K 5064 Net 4.95
99 K 5066 Case for above. Shpg. wt. 1/2 lb. Net 1.95

To Speed Your Mail Order — Please Give Your Zip Code Number

Lafayette Cat. No. 681 91

Telephone Intercoms, Answering Devices, and Accessories

DELUXE LAFAYETTE 4-STATION BATTERY POWERED TELEPHONE INTERCOM SYSTEM



Master Telephone Hook-up

39⁹⁵

4-Stations with Batteries

- Simple Call and Push To Talk Buttons
- Operates for Distances Up to 1000 Yards
- Each Phone has Its Own Junction Box for Wiring
- Private or Conference Calls

An extremely flexible system for inter-office communications—greatly relieves traffic on over-burdened office switchboards. Also ideal for schools, stores, hospitals, restaurants and homes. Extremely versatile. Can be hooked up anywhere. Battery powered. Operates on 2 "D" batteries. Advanced solid state circuitry. Each phone-piece contains a separate call button and 3 station selector buttons. No need to waste time dialing. You can have private or conference calls. Buzzer signals when you are being called. Beautifully finished in two-tone grey. Requires 6 conductor cable. With batteries and battery case and 90 wire staples. Size: each phone: 9"L x 2 3/4"H x 3 1/4"D. Imported. Shpg. wt., 8 lbs.

Net 39.95

99 K 4822 \$5 monthly
 99 K 8258 Extra "D" batteries for above Systems Net ea. .15
 Beiden 8742—100 ft. length 6 conductor cable for 4 station system
 32 K 1580 Shpg. wt., 100 ft., 3 1/2 lbs. Net 4.80



DIAL PHONE

Have your own
Private Intercom

6⁹⁵

- For Intercoms, Private Systems

Popular modern dial phone. Can be used to make complete private systems. Equipment taken from service, reconditioned and ready to work. Simple 3-wire hook-up. Complete with handset, dial bell, induction coil and connecting cable. General appearance may vary slightly from catalog illustration. Shpg. wt., 8 lbs.

44 K 1801 Net 6.95

30 FT. TELEPHONE EXTENSION CORD

only **2⁷⁵** • With 4-Pin Plug and Jack



Add flexibility to your telephone intercom. Now be able to move your telephone intercom from room to room. 30 feet of telephone extension cord with standard 4-pin plug and jack. Color-coded cord to match screw terminals on plug and socket. Imported. Wt., 1 1/2 lbs.

99 K 4539 Net 2.75

92 Lafayette Cat. No. 681

ELECTRONIC TELEPHONE RECORDER AND ANSWERING DEVICE




99⁹⁵

- Answers Phone Calls With A 40 Second Message
- Records Incoming Messages Up To 1 Minute In Duration With Any Tape Recorder*

Reliable-low cost phone answering device for home as well as business. Can be used with any tape recorder* that operates with a remote control mike. Answers phone callers with a pre-recorded 40 second message. Incoming phone calls are recorded for up to 1 minute in duration. Can be played back at a later time at your leisure. All solid state circuitry. With AC/DC remote control terminal, recording switch, and built-in mike. For 110V-220V 60 cycle AC. Shpg. wt., 6 lbs. Imported.

27 K 7204WX \$5 Monthly Net 99.95

TELEPHONE "DeBUGGER"




- Transmitter Detector
- Detects, Locates and Tunes in on All Concealed Room or Telephone Transmitters

79⁵⁰

No Money Down

Highly sensitive, all range FM transmitter locator. Will detect any FM/RF transmitter in operation up to 75 feet. Audible and visual signals alert the user and locate the "bug." Actually tunes and reproduces the transmission so user can hear what is being broadcast. Solid state reliability—designed for professional use. Protects any area against electronic eavesdropping. Size: 6 1/4 x 3 3/4 x 2"D. 15 K 3502L Shpg. wt., 2 lbs. \$5.00 Monthly Net 79.50

DELUXE LAFAYETTE EASY-PHONE TELEPHONE AMPLIFIER



12⁹⁵

- Amplifies Telephone To Room Volume
- Battery Operated

The Easy-Phone amplifier is ideal for group conversation with one telephone in the room. Easy to operate: simply place the telephone on the amplifier, adjust the volume and everyone can listen, leaving both hands free for writing or typing. The Easy-Phone is a 4-transistor battery powered amplifier and inductive pick-up, in an attractive plastic case. Features: 3" speaker, volume control; on/off switch activated by telephone's weight; sturdy chrome plated runners. 8 1/4 L x 3 1/4 W x 2 1/4 H. Supplied with miniature plug and jack for recorder input. Imported. Shpg. wt., 3 lbs.

99 K 9020 With batteries Net 12.95

99 K 6258 Replacement Penlite Batteries (4 req.) Net ea. .10

To Speed Your Mail Order — Please Give Your Zip Code Number

Top Quality—Low Priced



FAMOUS LAFAYETTE 2-STATION SOLID STATE INTERCOM SYSTEM



2 Stations
8⁹⁵

- Inter-Unit Tone Calling
- Push-Button Operation

Solid-state miniature 2-station intercom. Operates from one inexpensive 9-volt battery. System consists of one master and one remote with 66 feet of lightweight cable. Plug at each end speeds up connection—no tools needed! Master unit has power on/off/volume control and listen-talk switch—you can listen or talk to the master without operating any buttons. Master and remote can call each other even when master is switched off. Housed in a high impact plastic case with cable and 9-volt battery. Dimensions: 3Wx1¾Hx4"D. Imported. Shpg. wt., 1½ lbs.

99 K 4578 Net 8.95
99 K 6021 Extra 9-volt battery Net .21
AC power supply and battery charger for above. Shpg. wt., 2 lbs.
33 K 7702 Net 2.99

POPULAR 4-STATION SOLID-STATE INTERCOM SYSTEM



4 Stations
17⁹⁵

- 4-Way Selector Switch
- Remote Tone Call

High quality battery powered 4-station Intercom System. Push-button listen-call switch on all units. Call signal operates even when master switch is "off". Simple coded interruption of buzzer signal lets master operator know which remote is calling. Master unit has its own volume control with "on-off" switch. Includes three 60 foot lengths of 2-conductor wire with jacks at each end just plug in and talk. For additional wire see below. Complete set consists of master control unit, 3-remote units, 9-volt battery and wire. Size: Master: 4½Wx3½"D; Remotes: 2Wx4"D. Imported Shpg. wt., 2½ lbs.

99 K 4555 Net 17.95
Replacement 9-volt Battery (1 Req.)
99 K 6021 Net .21
Additional wire, 100 Ft. Coil
32 K 3052 Net 1.09

SOLID STATE WIRELESS 2 STATION INTERCOM SYSTEM



2-Stations **27⁹⁵**

- Instant On Operation—No Warm-up

Solid-State 2-station intercom system at an amazingly low, low price. Ideal for use in the home, office, factory, etc.—will connect any two places that are serviced by the same electric company 117V power line transformer. No wiring required, simply plug each unit into the AC outlet and start talking—4-transistor circuit. Each unit is a "Master" can use as many as you need. Features a Volume/On-Off control, Push-to-Talk Bar with a "lock-bar" for continuous talking, and a pilot light. 2-tone gray-colored plastic case has rubber-tipped base that will not scratch furniture. Overall 6½"x5"x2½"H. For 110-120V 60 cycle AC. Imported. Shpg. wt., 2 lbs.


99 K 4573M Net 27.95
Additional Intercom Stations
99 K 4572 Net ea. 14.95

DELUXE WIRELESS 2 STATION INTERCOM SYSTEM

- Operates from any 117V AC/DC Outlet
- No Wires to Connect
- Ideal for Home or Office
- Add as Many Extra Stations as Desired

Handsome styled, these units offer quality performance for home or business use. Each unit features a 3-position bar-control lever: Dictate (for use as "baby sitter," lengthy talking), Talk (has spring return to Listen position), and Listen. No wires to connect—simply plug into any 117V AC/DC outlet. Front panel volume control and pilot light; adjustable squelch control at rear reduces interference during quiet periods. Dependable 3" speaker. Add as many remotes as needed. Imported. Shpg. wt., 10 lbs.

99 K 4547M 2-Station Intercom System \$5 Monthly Net 32.95
Additional Stations, Shpg. wt., 5 lbs.
99 K 4544 Net 16.95



2-Stations
32⁹⁵ No Money Down

DELUXE 2-CHANNEL SOLID STATE WIRELESS INTERCOM SYSTEM

- For 2 Simultaneous but Independent Communications
- Squelch Circuit for noise-free operation

Deluxe compact and fully transistorized 2-channel wireless system. Each unit is a "master"—you can use 2, 3, 4, or as many units as required. Two channels (160 & 200 KC) for maximum flexibility. Ideal when 2 pairs are used—each pair can be used for simultaneous but independent communication using separate channels, or for communication between all units using the same channel. No wires to connect—just plug each unit in a regular AC outlet. Perfect anywhere in the home or office—can even be used between adjacent homes or buildings on the same electric company power line transformer. Controls: Volume/on-off. Press-to-talk bar with "lock-talk" feature, and channel selector (A-B). Circuit includes Squelch for noise-free operation, 5-transistors, 3 diodes. Ivory high-impact plastic case 5x6¼x3". For 117V, 60 cycles AC imported. Shpg. wt., 4 lbs.

99 K 4584 2-Station Intercom System Net 39.95
99 K 4585 Additional Stations, Shpg. wt., 2 lbs. Net ea. 21.95



2-Stations
39⁹⁵ No Money Down \$5 monthly



Make Lafayette Your One Dependable Source for Everything in Electronics

Lafayette Cat. No. 681 93

Outstanding LAFAYETTE Hi-Fi Amplifier Kits

LAFAYETTE MODEL KT-630 30-WATT STEREO AMPLIFIER KIT

LAFAYETTE MODEL KT-645 45-WATT STEREO AMPLIFIER KIT



44⁹⁵

Less Case

Made in U.S.A.

FRONT PANEL CONTROLS

- | | |
|---------------------------------|--|
| 1 Selector: Aux, Tuner, Phono | 6 Right Amplifier Mode Selector Slide Switch |
| 2 Bass Control | 7 Left Amplifier Mode Selector Slide Switch |
| 3 Treble and AC Off Control | 8 AC Indicator Light |
| 4 Concentric L/R Volume-Balance | |
| 5 Loudness On/Off Slide Switch | |

Enjoy exciting, wide-range stereo reproduction anywhere in your home or office. The KT-630 features built-in equalized preamplifiers, DC on the filaments in the preamps to minimize hum and noise, and 4 pairs of stereo inputs—magnetic and ceramic cartridge, tuner, and auxiliary. Also, the full 30-watt output may be switched for monaural reproduction to either speaker by means of slide switches on the front panel. An attractively styled brushed aluminum gold anodized extruded front panel with matching gold knobs complements the superior electrical specifications. For 110 to 125 Volts, 50-60 cycles AC; Size 12 $\frac{1}{2}$ Wx11 $\frac{1}{2}$ Dx5 $\frac{1}{4}$ "H, overall. Less cabinet. Shpg. wt., 20 lbs.

SPECIFICATIONS

Input jacks: Magnetic phono, Ceramic phono, Auxiliary, and Tuner; AC Convenience outlet on rear; Rated Power Output: 12 $\frac{1}{2}$ watts RMS per channel; 15 watts per channel; Sensitivity: Phono (magnetic): 2 mv; Phono (ceramic) 70 mv; Tuner and Aux.: 65 volt; Frequency Response: 20-60,000 cps. \pm 1.5 db at 1 watt; Harmonic Distortion: 1% at 12 $\frac{1}{2}$ watts RMS per channel; Hum and Noise: Aux. and Tuner—72 db below rated output, Phono—50 db below rated output; Output Impedance: 4, 8, 16 ohms; Tube Complement: 2—ECC83/12AX7, 4—ECL82/6BM8, 1—EZ81/6CA4. Power Requirements: 110-125 V. 60 cycles AC;

21 K 0930WX \$5 monthly Net 44.95
Brown metal case for KT-630. Shpg. wt., 4 lbs.
21 K 0931W Net 3.95

LAFAYETTE MODEL KT-615 15 WATT MONAURAL HI-FI KIT

- Easy-to-Build—All Parts, Wire, Solder, and Instructions Included
- Inputs for Magnetic or Ceramic Phono, AM/FM Tuner, and Auxiliary Equipment
- Attractive Two-Tone Gray Panel with Silver Trim

ONLY **22⁹⁵**

Specifications: Power Output 15 Watts IHFM, 12.5 watts RMS; Frequency Response: 15-60,000 cps \pm 2 db at 1 watt (average listening level), 35-25,000 cps \pm 2 db at full 15 watt output; Harmonic Distortion: 1.1% at full output; Hum and Noise: Phono—45 db. Aux./Tuner—75 db; Input Sensitivity: Aux./Tuner .5 volts, Mag Phono 1.5 mv, Ceramic 25 mv.; Tubes: 2—ECL82/6BM8, EZ81/6CA4, ECC83/12AX7.

KT-615 offers versatility and flexibility. Three separate inputs for a fully integrated hi-fi system. Separate bass and treble controls provide full tonal quality. Push-pull ECL82 output stage for clean, wide response. Hum Balance control for minimum hum and

noise. 4, 8, and 16 ohm output. Less case listed below. Size 11 $\frac{1}{2}$ Wx7 $\frac{1}{2}$ Dx4 $\frac{1}{2}$ "H. Shpg. wt., 9 lbs.
19 K 0912 KT-615 less case Net 22.95
Attractive Gray Case for KT-615
19 K 0913 Shpg. wt., 2 lbs. Net 3.95



Made in U.S.A.

ASSURANCE OF COMPONENT QUALITY ONE YEAR PARTS GUARANTEE

All Components in this unit are conservatively engineered to operate well within their performance capabilities. As assurance of this quality, Lafayette will replace any parts, including tubes, which fail to perform properly due to defects of material or workmanship.

MONEY BACK GUARANTEE


Your Lafayette Kit when properly wired must meet our specifications or you may return it for FULL REFUND of the purchase price

LAFAYETTE CB and Short Wave Kits

COMSTAT 9 5-WATT CITIZENS BAND TRANSCEIVER KIT

- 9-Crystal-Controlled Transmit and Receive Channels
- Front Panel Transmit and Receive Crystal Socket
- 23-Channel Tuneable Receiver
- High-Efficiency 7-Tube Circuit
- 115 VAC and 12 VDC Power Supply
- Pi-Network Antenna Matching

Now Only **54⁹⁵** NO MONEY DOWN



Efficient 7-tube circuitry, top quality parts, plus Lafayette's famous easy-to-follow directions give you a CB transceiver with excellent performance. Incorporates 9 crystal controlled receive and transmit channels with an integrated tuneable 23-Channel receiver section for exceptional operating flexibility. Sensitive superheterodyne receiver features series floating gate noise limiter and a tuned RF amplifier for high gain and low noise reception. Sensitivity 8 μ v for 10 db. S/N ratio. Selectivity. —26 db at 8 KC. Adjacent Channel Rejection: —31 db. Adjustable squelch circuit insures quiet stand-by operation. Transmitter provides full 5-watt input with up to 100% plate modulation. Front panel light indicates modulation. Short range operation for use as intercom at CB lamborees, etc. is facilitated by a 100 milliwatt switch. Output impedance: 50 ohms. Ceramic microphone features plug-in push-to-talk operation and coiled cord. External crystal sockets mounted on front panel for added flexibility. Built-in power supply operates on 117 VAC or 12 volts DC.

Kit comes complete with parts; wire, solder, easy-to-follow manual, microphone, and sturdy attractive metal cabinet. Less crystals and vibrator. Shpg. wt., 20 lbs.


42 K 0915WX \$5 monthly	Net 54.95
42 K 4701C Transmitter Crystal (Specify Channel)	Net 2.25
42 K 0914C Receiver Crystal (Specify Channel)	Net 2.25

OPTIONAL DC ACCESSORIES

42 K 0916 Mobile Mounting Bracket	Net 2.50
42 K 0917 DC Cable Assembly for 12V DC	Net 1.95
32 K 5603 Standard 12V Vibrator	Net 1.59
42 K 0121 Solid-State ALTERNATE Vibrator. Shpg. wt., 1 lb.	Net 5.95

1. Front Panel Crystal Sockets
2. Illuminated Vernier Tuning Dial
3. Tuneable Receive Dial Control
4. Modulation Indicator
5. Phone Jack for Earphone Listening
6. Plug-In Push-to-Talk Ceramic Mike
7. Front Panel Speaker
8. Volume Control/Power Switch
9. Variable Squelch
10. 9-Channel Crystal Transmit-Receive Selector Switch
11. Xtal-Tune Receiver Mode Switch

LAFAYETTE "EXPLOR-AIR"™ 4-BAND RECEIVER KIT



Made in U. S. A.

Lafayette's sensational shortwave receiver kit is a complete short-wave and standard broadcast set which covers the entire region from 550 kilocycles to 30 megacycles. Four whole bands of fascinating programming. Perfect for language students and shortwave listeners.

Only a regenerative circuit can offer such amazing performance and yet be so simple to build. Building this fine kit is an absolute pleasure—it's so well designed you can't go wrong. Kit includes all the parts you need, and the detailed step-by-step instruction book with its giant pictorial drawings shows you just how to put them together. One front panel knob does all the bandswitching. Immediately taking you from band to band. All coils are prewound for

- Covers 10, 15, 20, 40, 80, 160 Meter Amateur Bands
- Tunes International Broadcast, Citizens Band, Maritime, Aeronautical and WWV Time Signals
- Covers Standard AM Broadcast Band
- Complete Band Switching from Front Panel
- Bandsread Tuning
- Built-in 4" Speaker

TUNE IN
THE WORLD!



22⁹⁵
Less Cabinet

greater accuracy. Complete 4 band coverage of broadcast stations, international broadcast bands, amateur, maritime, and WWV time signals. Big 4" speaker and sensitive circuit with 5005 output stage and 12AT7 regenerative detector and amplifier stages give you all the volume you want. Phone jack for privacy automatically disconnects speaker. All controls are on the front panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tuning, and Regeneration. 110 volt 50-60 cycle AC-DC power supply. Size: 10x7x5".

19 K 0905 (Less Cabinet) wt., 5 lbs.	Net 22.95
Leatherette covered Wooden Cabinet for above. 1 lb.	Net 2.85
19 K 0906	Net 2.85


To Speed Your Mail Order — Please Give Your Zip Code Number

Lafayette Cat. No. 681 95

Easy To Build Educational Kits

LAFAYETTE 20-IN-1 TRANSISTOR EXPERIMENTERS KIT

Fun To Build — Educational —
and all 20 projects result in a
useful working instrument!



MADE IN U.S.A.

17⁹⁵

LAFAYETTE WIRELESS BROADCAST/AMPLIFIER KIT

- Clean, Modern Styling • Powerful Signal • Plays Through All AM Radios
- Works With All Crystal and Magnetic Mikes and Phono Cartridges



Made in U.S.A.

13⁹⁵

Use it either as a
Wireless Broadcaster
or AM Audio Amplifier!

- | | | |
|---------------------------|------------------------------|---------------------------|
| 1. TRANSISTOR TESTER | 7. RAIN ALARM | 13. ELECTRONIC RELAY |
| 2. VOICE ACTUATED ALARM | 8. TIMER | 14. HOME BROADCASTER |
| 3. PHOTO TIMER | 9. ONE TRANSISTOR RECEIVER | 15. PHOTO ELECTRIC RELAY |
| 4. AUDIO AMPLIFIER | 10. CODE PRACTICE OSCILLATOR | 16. BURGLAR ALARM |
| 5. CRYSTAL SET | 11. METRONOME | 17. WIRELESS TRANSMITTER |
| 6. SOLAR RADIO | 12. TWO TRANSISTOR RECEIVER | 18. REGENERATIVE RECEIVER |
| 19. CITIZENS BAND MONITOR | 20. AUDIO OSCILLATOR | |

Excellent for beginners as well as advanced experimenters, this kit enables you to build and learn about 20 interesting and useful transistor circuits. By utilizing "Breadboard" construction, each project can be simply wired and traced. After building the basic circuit, any of the 20 projects can be built by simply inserting a few preassembled component blocks and interconnecting leads between them. A soldering iron is only required for the basic wiring and not for subsequent projects. All wiring is covered in a step-by-step manner by the instruction manual. Each of the 20 projects is clearly presented with step-by-step instructions, large easy-to-read pictorial wiring diagrams, schematic diagrams, and an explanation of the circuit behavior. The kit is complete with perforated mounting board, 2-transistors, 1-diode, earphone, and all other parts required for construction. The detailed 28-page instruction manual contains a wealth of information about each project. Less batteries.

19 K 0902 Complete. Shpg. wt., 6 lbs.	Net 17.95
99 K 6256 Z Cell Battery for Kit projects	Net 1.10
32 K 4723 22½ Volt Battery for Kit projects	Net 1.61

Treat yourself and your family to hours of fun with this Lafayette Kit. Make your own radio programs, announcements, etc., through AM radios anywhere in the house, without wires or extra gadgets. Designed for easy construction by youngsters or adults. It combines in one compact unit a powerful 3-tube wireless broadcaster and an audio amplifier. Clearly written instruction manual makes it a cinch to build. Operates on any frequency between 900 and 1600 kilocycles on your radio dial. It will accept any crystal or magnetic microphone. In addition, it may be used directly as a phono or microphone amplifier. No external preamp is required. Simple slide switch permits either form of operation. Just connect it to a PM speaker (4-16 ohms). Conforms to FCC regulations and is designed to provide high quality voice or record broadcasts. No license or permit is necessary. Complete with crystal clear instruction manual. Less Mike. For 105-125V AC or DC. Attractively styled metal cabinet. Size: 4Hx8Wx4¾"D. Shpg. wt., 3 lbs.

- | | |
|--|-----------|
| 19 K 0903 | Net 13.95 |
| Same as above, but factory wired and tested. | |
| 19 K 0908 | Net 17.95 |
| Crystal microphone for above. Desk or hand held. 5 ft. cable. Imported. Shpg. wt., 1 lb. | |
| 99 K 4543 | Net 1.95 |

LAFAYETTE SUPER-SENSITIVE PHOTOCELL ELECTRONIC RELAY KIT

Photocell Electronic
Relay Kit

16⁹⁵

Made in U.S.A.



- With Sensitive Cadmium Sulphide Photocell • Adjustable Super Sensitivity—Works With Just A Flashlight At 250 Feet! • Needs No Special High-Intensity Lights

Ideal for sustained operation required for burglar alarms, door buzzers and for instantaneous on-off operation required for counters, packaging, door opening, motor activation plus countless industrial applications. Switch converts unit from instantaneous "on-off" to sustained "on" operation. "RESET" switch opens the external circuit and turns off the alarm. The unit operates on 110 volts AC and incorporates the efficient 5823 cold cathode tube. A simple change in wiring (in instructions), as well as convenient input terminals, enables you to supply the external circuit with any desired voltage. Relay contacts rated at 3 amps permitting up to 300 watts external load on 110 Volts AC. Complete with all parts, photocell, tube chassis, silkscreened metal cabinet and easy-to-follow instructions. Size: 3x4x5". Shpg. wt., 3 lbs.

19 K 0904 Complete Kit Net 18.95

ACCESSORIES FOR ABOVE

- | | |
|---|----------|
| 99 K 9023 Electric Bell, 110V AC Imported. Shpg. wt., 2 oz. | Net 1.99 |
| 99 K 9024 Electric Buzzer, 110V AC Imported. Shpg. wt., 10 oz. | Net 1.79 |
| 99 K 9011 6 Digit Electric Counter Imported. Shpg. wt., 1½ lbs. | Net 9.95 |

LIGHT SOURCE KIT FOR ELECTRONIC RELAY KIT

Narrow source light beam to actuate electronic relay with adjustable focus and infra-red filter. Range: White light 70', infra-red 45'. With instructions. Size: 6"L x 5"H x 4"W. 19 K 0911 Shpg. wt., 5 lbs. Net 9.95



Light
Source Kit

9⁹⁵


LAFAYETTE KT-92 5-WATT PUSH-PULL AMPLIFIER KIT

- Push-Pull Audio Output Stage—Inverse Feedback Circuit
- Separate Volume, Bass & Treble Controls • AC or DC Operation

Here in kit form is an AC-DC hi-fi amplifier that presents deluxe features despite its amazingly low price. The separate bass and treble controls permit adjustment of both low and high frequency response and balance. Works equally well with both crystal or ceramic cartridges. Tube line-up consists of a 12AX7 amplifier and phase inverter, a pair of 35C5's in push-pull, having a power-packed low-distortion output plus a 35W4 rectifier. The circuit utilizes an inverse feedback loop to reduce the level of hum and distortion. Kit is complete containing all essential parts, tubes and detailed instruction manual showing pictorial and schematic diagrams. 19 K 0101 Shpg. wt., 4 lbs. Net 11.95

11⁹⁵

Made in U.S.A.



Educational Computer Kits

GENIAC® COMPUTER KITS



Over 800 Parts For Schools,
For Science Fairs, For
Advanced Experimenters

- Computes, Reasons, Plays Games
- Composes Music, Forecasts Weather
- Design Your Own Computers

DOUBLE GENIAC

The newest kit in famous Geniac series! The "Double" Geniac contains over 800 parts. Two of everything in the Standard model. Offers the advanced experimenter a far wider range of activities. Perfect for school demonstration. Multiple setup is ideal for Science Fair projects—submit one or more designs. Build "electric brains" that test intelligence—code and decode—add, subtract, multiply and divide—solve puzzles

—play games—forecast weather—reason in syllogisms—information and logic circuits. No soldering required. Easily assembled and operated. 64 page guide and reference book, beginners manual, wiring diagrams and many extra pamphlets outlining projects and methods. Complete with mounting rack and batteries. Shpg. wt., 12 lbs.
19 K 3803

Net 15.95


STANDARD GENIAC

You build up to 125 exciting "electric brain" machines. Has special circuits for forecasting weather. No soldering required. Comes complete with extra pamphlets including 64-page "Simple Electronic Brains and How To Make Them," "Symbolic Analysis of Relay

and Switching Circuits," "Beginner's Manual," "Machine to Compose Music," wiring diagrams, etc. Complete with battery. 16½ x 11¾". Shpg. wt., 6 lbs.
19 K 3804

Net 9.95

ANALOG COMPUTER KIT



9⁹⁵

- Ideal Introduction to Basic Elements of Analog Computers
- Work Over 50 Experiments
- Easy-to-Assemble with Screwdriver and Pliers
- Learn the Way to Sound Scientific Knowledge

Analog Computer Kit offering a basic introduction to computer theory—gives accurate answers to practical problems. Perform over 50 experiments—multiplication, division, powers, square roots, rocketry, interest, radio-active decay, light, kinetic energy, etc. Level of accuracy better than 5%. The computer consists of a masonite, solid instrument panel, kits, potentiometers, meter, specially calibrated scales, guide and operating booklet. Easy-to-assemble.
19 K 3805 Shpg. wt., 6 lbs. Net 9.95

MOD-U-KIT SUPER SLEUTH KIT

5⁹⁵

A high gain hearing aid—snooper. Use it to hear thru walls. From a whisper to a shout, this specially designed 3 supersensitive transistor circuit will amplify up to 100,000 times. Will feed directly into a tape recorder from a telephone with a telephone pick-up coil and 1.5 volt battery. Complete with all parts, including crystal microphone, earphones and instructions. 3"L x 2"W x 1¼"D. Shpg. wt., 1 lb.
19 K 7003 Kit Less Battery Net 5.95
1.5V Penlight Battery (1 req.) .10
99 K 6258 Battery Net .10

MOD-U-KIT 5 WATT UNIVERSAL AMPLIFIER KIT

5⁹⁵


Learn basic solid state amplifier circuitry while you build this all purpose 5 watt amplifier. Excellent as a portable amplifier, guitar amplifier, etc. Complete with all parts, case, volume control and instructions. Works on a 6 volt battery or power supply. Will accept almost any type of pick-up device, i.e., phono cartridge, tuner, etc.; will work with any 3 ohm to 16 ohm PM speakers. 3" x 2" x 1¼". Shpg. wt., 1 lb.
19 K 7001 Net 5.95

MDD-U-KIT AM RADIOD KIT

4⁹⁵

Learn as you build this fun-giving AM broadcast radio. Ingenious solid state receiver circuitry uses a novel 2 transistor audio-reflex circuit with diode detection. Gives high gain at very low current drain. Complete with all parts, case, earphone and instructions. 3" x 2" x 1¼". Requires 9-volt battery. Shpg. wt., 1 lb.
19 K 7002 Net 4.95

ILLUSTRATED WORLD ENCYCLOPEDIA



- Over 10,000 Pictures and Illustrations
- Literary Book Digests for More Than 850 Works of Literature, Indexing Authors, Titles & Characters
- Index and Study Guide in a Separate Volume Containing 30,000 Index Listings
- Publishers 10 Year Library Consultation Service

21 Volume Set
For the
Educational Needs
of Young People
From Junior Grades
Through High School

39⁹⁵

No Money Down
\$5 Monthly

Illustrated World Encyclopedia is a standard reference work for today's school children. Here in 21 full and complete two-tone library bound volumes are the significant facts about man in his world, expertly related to the student's school curriculum. Here are the essential facts covering over 15,000 subjects designed to supplement the school program—from the new mathematics to modern science—from biology to social studies—art, biography, engineering, education, history and literature. Created by a team of more than a hundred educational specialists from leading universities. Shpg. wt., 30 lbs.
10 K 1501TWX Set of 21 Volumes Net 39.95
No C.O.D.'s on Mail Orders. Will be sent shipping charges collect.

Science Kits and Specialties

NORELCO 23-IN-1 ELECTRONICS KIT

21⁹⁵



- No Soldering — No Tools
- Quick Easy Peg Board Assembly
- Safe — Educational

Build any of 23 useful operating projects including 3 transistorized radio receivers, 5 amplifiers, 2 code trainers, burglar alarms, intercom, rain indicator, electronic organ, light meter and other interesting projects. No soldering, no tools required. Template for each model placed on peg board for quick easy guide. All parts mounted with pressure springs. Step-by-step details with pictorial charts in large 72-page instruction manual with section on general theory. All powered by a single 9 volt battery. Absolutely safe. Size: 14 $\frac{1}{4}$ x 10 $\frac{1}{4}$ x 2 $\frac{1}{2}$ ". Imported. Shpg. wt., 4 $\frac{1}{2}$ lbs.

19 K 6301 Less Battery
32 K 4898 Battery for above

Net 21.95
Net 1.36

NORELCO MECHANICAL ENGINEER KIT

29⁹⁵



- Over 600 Parts
- Over 30 Projects
- For Age 9 up

Containing of over 600 components, this kit promotes understanding of fundamentals of sources of energy such as mechanical, water pressure, air pressure, gravity, and electro-mechanical. Builds any one of 32 educational operating models including electric, windmill, water turbine with dynamo, compressed air motor with pump, crane, electric pile driver, water pump clocks, etc. Includes special electronic section for combined projects with electronic kit at left to build 13 more projects including electronic car which reduces speed in dark and turns on headlamps—all automatically. Size: 21 $\frac{1}{4}$ x 10 $\frac{7}{8}$ x 1 $\frac{3}{4}$ ". Imported. Shpg. wt., 6 lbs.

19 K 6302 Less batteries
99 K 6258 Battery for above (6 required)

Net 29.95
Net ea. .10

MASTER ELECTRIC BUILD-IT SET



- Over 30 Projects
- 2 Electric Motors

An advanced but completely safe educational kit in the field of electricity that enables the student to make any one of over 30 projects including motor driven hot rod, motor driven speed boat, lamp, flashlight, electro-magnet, telegraph set, traffic signal, electric crane and many others. All projects are battery operated. Easy-to-read, illustrated 76-page instruction manual. Size: 21 $\frac{1}{2}$ x 13 $\frac{1}{2}$ x 2 $\frac{1}{4}$ ". Shpg. wt., 6 lbs.

19 K 6401 Complete with batteries Net 8.95
99 K 6256 Extra batteries for above Ea. .15

NOVATRON



A SCIENTIFIC INSTRUMENT FOR THE EXPERIMENTER

- Powerful 110 Volt AC/DC Motor
- Miniature Atom Smasher
- Produces 75,000 Volts
- Absolutely Safe Completely Wired (Not A Kit)

A scientific instrument capable of producing 75,000 volts—makes sparks up to 2" long—yet it is absolutely safe because the current is infinitesimal. The science-teacher—science lover—or hobbyist can perform experiments to astound students—friends—family. Makes smoke disappear—defy gravity—turns propellers at a distance—transforms atomic energy into light—makes artificial lightning—smashes atoms—demonstrates ionic space ship drive—and many other experiments. Includes an experimental kit and illustrated experiment manual. A fine research tool that will give years of beneficial service to the institution or individual who owns one. 110 V. AC. Imported. Assembled—Shpg. wt., 4 lbs. Net 12.95

99 K 9008

ALL-TRANSISTOR BULL HORN



Made in U.S.A.

Only 7⁹⁵

NOT A KIT COMPLETELY PREASSEMBLED

- Weighs only 2 $\frac{1}{2}$ lbs.
- Range up to 400 feet
- For Hunting, Camping, Boating, Sports

A fully transistorized directional megaphone at Lafayette's low price. Lightweight, it carries your voice over 100 yards or above noise. Just press the trigger and talk. Features variable volume control and carrying strap. Uses 4-standard "D" cells (not supplied with unit). 11" long. Shpg wt., 3 lbs.

44 K 1509 Net 7.95
1 $\frac{1}{2}$ -volt 0 batteries, 4 required. Imported.
99 K 6256 Net ea. .15

MAGIC-GLO BLACK LIGHT



TEKNIKIT®


- Learn Invisible Detection
- Write Secret Messages
- Educational—Scientific
- Enjoyable—Interesting

The Black Light Kit enables you to see the invisible. Guaranteed completely safe and harmless. This kit allows children to study the phenomena of fluorescence and phosphorescence. Set contains black light, socket and cord, laboratory lamp stand, 4 jars of fluorescent paint, invisible ink, invisible crayon, tracer powder, 3 fluorescent mineral specimens, phosphorogram, optical bleach, brushes and pen, and a pkg. of fluorescent materials. Enables the student to perform endless numbers of fascinating experiments. The amply illustrated 48 page booklet "The Story of Black Light — The Unseen World Around Us." explains the use of black light in fields such as mineralogy, electronics crime detection, medicine, stamp collecting, and many others. Shpg. wt., 4 lbs.

19 K 1301
19 K 1302 Replacement U.V. Bulb for above

Net 12.95
Net 3.40

SHORTWAVE AND SUPERHET BROADCAST RADIO KIT



17⁹⁵

2 bands cover both standard broadcast 540-1620 KC and shortwave 5.8-18 MC which includes international broadcast, 40 and 20-meter ham bands and some of the aeroautical and marine bands. Super-heterodyne circuit has high gain IF's, built-in broadcast band loop antenna. Comes complete with ivory cabinet 4" PM speaker, tubes (12BE6, 12BA6, 12AV6, 50C5, plus 35W4 Rectifier) and all parts. Easy to follow step-by-step instructions. Shortwave band requires external antenna (not supplied). Size: 8 $\frac{3}{4}$ x 5 $\frac{1}{2}$ x 5 $\frac{1}{4}$ ". For 117V AC or DC. 19 K 4007 Shpg. wt., 5 lbs. Net 17.95

FLY THE BIG SKYHAWK BY REMOTE CONTROL



COMPLETE OUTFIT:
Plane, Receiver,
Transmitter, Batteries
and Charger

79⁹⁵

TESTOR'S R/C SKYHAWK


- Easy To Fly—Ideal For Beginners
- One Mile Range of Control
- Rechargeable Batteries with Charger



Mail This Card Today For Your

FREE!

1968 Lafayette Catalog 680



681

Name _____

Address _____

City _____ State _____ Zip Code _____

Please Give Your Zip Code Number

Do A Friend a Favor . . .

If you have a friend who would be interested in getting a copy of the new 1968 Lafayette catalog No. 680, just give him this card . . . or fill in his name and address and mail this card to us. He will get a catalog absolutely FREE, no charge or obligation.

681 A

Name _____

Address _____

City _____ State _____ Zip Code _____

Please Give Your Zip Code Number

venient charger (included).
y charger, and illustrated

Net 79.95
7.045, 27.095, or 27.195

Net 79.95

ONS

ght: 23 ounces (approx-
ity: 4 Minutes Powered
ulated Relayless Pulse-
Rate Decoders.

79⁹⁵

No Money Down



FFIT:
er,
teries

Illinois;


TRANSISTOR-



r, or rudder and motor
antenna. Printed circuit
Shpg. wt., 2 lbs.

Net 24.95
Net 1.30

RECEIVER



e Cat. No. 681 99



MONITOR CALLS FROM:

STATE COUNTY AND MUNICIPAL
POLICE - FIRE DEPARTMENT - CIVIL
DEFENSE - RAILROADS - TRUCKING -

HIGHWAY MAINTENANCE - FORESTRY
- AVIATION - CONSERVATION - PETRO-
LEUM and INDUSTRIAL ACTIVITIES.

LISTEN TO U.S. WEATHER FORECASTS AND DISASTER WARNINGS!

POLICE AND FIRE DUAL BAND SOLID STATE FM RECEIVERS

2 Receivers In 1! 2 Bands: 30-50MC + 152-174MC

4  **+ 17 Transistors = Super Sensitivity, Selectivity**

CRYSTAL CONTROL PLUS TUNEABLE RECEPTION



Only **99⁹⁵**
No Money Down

- Operates on 117VAC and 12VDC
- Sensitivity 0.7 μ V for 20 db Quieting
- Tuned RF and Mixer Stages
- 4 IF Stages With IC's
- Tape Recorder Output Jack

Model PF-175

An advanced FM receiver that is outstanding in performance and features. Covers two VHF communications bands with super-sensitivity—fully tuneable or can be crystal-controlled for reception on a single frequency in either band. Also tunes to 162.55 Mc and 163.275 Mc U.S. Weather Bureau reports and disaster alarms in many parts of the country. Superheterodyne circuit includes tuned RF and mixer stages. Four IF stages, each using an advanced space-age Integrated Circuit (IC). No larger than a tiny transistor, each IC is actually a complete circuit with 5 transistors and 2 resistors—you get the equivalent of 20 transistors in the IF stages alone! 100% solid state design offers top reliability too! "Instant-on" transistor circuit permits immediate response to emergencies! Built-in universal power supply assures continuous monitoring under any conditions—the unit also operates from a 12VDC battery supply for field use or as an emergency portable if AC power fails. Front panel controls include a 4-position selector for choice of Xtal or

Tuneable reception on either of the two VHF bands. Variable squelch control lets you silence the receiver during no-signal conditions to reduce monitoring fatigue. Also equipped with illuminated slide-rule dial, plus handy on-off volume control. Has a handsomely styled vinyl-clad steel cabinet in a simulated walnut wood-grain finish, and equipped with built-in 4" front-mounted speaker and external phone jack. Size: 13 $\frac{1}{4}$ "W x 7 $\frac{1}{2}$ "D x 6"H. Imported. Shpg. wt., 10 lbs. 99 K 2589WX Model PF-175 (less Crystal) Net 99.95

CRYSTALS FOR CRYSTAL RECEIVE—Specify Exact Operating Frequency
Subject to 4 weeks delivery.

40 K 8207CY 30-50MC	Net 5.95
40 K 8208CY 152-174MC	Net 5.95
"Range Boost" Ground Plane Antenna for 30-50MC and 130-174MC.	
40 K 0105WX Shpg. wt., 6 lbs.	Net 19.95
2 Band Center Loaded Indoor Antenna for 30-50MC and 152-174MC.	
40 K 0111L Shpg. wt., 2 lbs.	Net 8.95

POLICE AND FIRE SINGLE BAND SOLID STATE FM RECEIVERS

4  **+ 13 Transistors**



Model PF-30 Model PF-60
30-50MC 152-174MC

Only **69⁹⁵**
No Money Down

CRYSTAL CONTROL
plus
TUNEABLE RECEPTION

- 4 IC's Plus 12 Transistors for PF 30
- Crystal Control Plus Tuneable Reception
- 117 VAC and 12 VDC Operation
- Tape Recorder Output Jack

Same super-sensitive solid-state FM receivers as Model PF-175 except that these are single band models covering the high or low bands. Advanced IC's included in the IF stages, plus tuned RF and Mixer stages. Also feature same rugged design for trouble-free operation and have universal power supply for either normal 117 VAC operation or 12 VDC battery operation for field use or during emergencies. Model PF-60 can tune to 162.55 MC and 163.275 MC U.S. Weather Bureau reports and disaster alarms in many parts of the country. Controls: Variable Squelch, On-Off Volume, Tuning and

Selector (Tune-Xtal), Less Crystal. Size: 13 $\frac{1}{4}$ "W x 7 $\frac{1}{2}$ "D x 6"H. Imported. Shpg. wt., 10 lbs.

99 K 2590WX Model PF-60 152-174MC	Net 69.95
99 K 2591WX Model PF-30 30-50MC	Net 69.95
CRYSTALS—Specify Exact Operating Frequency 4 weeks delivery.	
40 K 8208CY 152-174MC	Net 5.95
40 K 8207CY 30-50MC	Net 5.95
40 K 1302W Ground Plane Antenna for 108-176MC, 2 lbs.	Net 6.56
40 K 1301W Window Antenna for 30-50MC, Wt. 3 lbs.	Net 7.95

Police And Fire Solid State Mobile Monitor Receivers



With New Revolutionary



for Space Age Dependability

- MONITOR:**
- Police Department
 - Fire Department
 - Special Emergency
 - Highway Maintenance
 - Local Government
 - Business Service
 - Taxicabs
 - Railroads
 - Auto Emergencies
 - Forestry Conservation




Only **69⁹⁵**
No Money Down

LISTEN TO U. S. WEATHER FORECASTS AND DISASTER WARNINGS!

Model PB-50
30-50Mc

ONLY
2 3/8" HIGH

Model PB-150
152-174Mc



* Tunable Plus One Crystal Position

* 4 IC's (Integrated Circuits)

Thrill to urgent police broadcasts, hear the excitement of fire squads in action! PB-150 tunes to 162.55 Mc U. S. Weather Bureau weather reports and disaster alarms in many parts of the country. Ideal for car, truck, or boat, these superbly engineered mobile VHF monitors incorporate the latest advances in integrated circuitry, and solid state technology. You have a choice of two wide range models, tuneable from either 30 to 50 Mc or 152 to 174 Mc. Each has provision for one crystal controlled frequency. The highly sensitive front end features .7 μ v for the PB-50 and less than 1 μ v for the PB-150. The selective "I.F." features four integrated circuits in the IF section to produce —45db image rejection. These IC's represent the utmost in component dependability and durability. Weak distant stations can be heard clearly, while outside noise and interference are drastically reduced. The efficient 2.8 watt audio section terminates in a big 3x5" PM speaker, providing for clean, clear sound reproduction. Only 2 3/8" high, the units are easily mounted under virtually any dash board or control panel (Mounting brackets are included). Power may be sup-

plied by any standard 12 volt negative ground battery or by the HB-502 117 VAC base station power supply listed below. It's solid state circuitry features extremely low current drain. Three controls complement the stylish front panel: Volume/Squelch, X'tal/Tune, and Tuning. Antenna Impedance: 50-75 ohms. Size: 2 3/8 Hx6 1/4 Wx8" O. Imported. Shpg. wt., 10 lbs.
99 K 2593WX Model PB-50 (30-50Mc) \$5 Monthly Net 69.95
Crystal for PB-50. Specify exact operating Frequency. 40 K 8207CY* Net 5.95
99 K 2592WX Model PB-150 (152-174Mc) \$5 Monthly Net 69.95
Crystal for PB-150. Specify exact operating Frequency. 40 K 8208CY* Net 5.95
Model HB-502A AC Power Supply and Battery Charger permits operation of PB-50 and PB-150 from 115V AC source.
99 K 3153W Imported. Shpg. wt., 8 lbs. Net 16.95
*Must be ordered special. 3-4 weeks delivery.

LAFAYETTE HAND-HELD POLICE, FIRE, VHF RECEIVERS

* Pocket Size * Tuneable * FM


MONITOR: Police, Fire Departments, Special and Auto Emergencies, Industrial Services, Railroads, Highway Maintenance, Forestry Conservation, Civil Defense.

LISTEN TO U. S. WEATHER FORECASTS AND DISASTER WARNINGS!

- 2 Models: 146-175 Megacycles
27- 50 Megacycles
- All Solid State—10 Transistors
- Superheterodyne Receiver

Only
17⁹⁵

Put an exciting new world at your fingertips with this portable battery operated, police, fire, and VHF receiver. Two models that bring you complete coverage of all the action and adventure on either the 146-176 Mc or 27-50 Mc bands, 146-175 Mc receiver tunes to 162.55 Mc U. S. Weather Bureau weather reports and disaster alarms in many parts of the country. Has a built-in 2 1/2" speaker plus an external earphone jack for convenient private listening. Rugged construction and sleek styling combine to give a clean professional type appearance. Operates on 4 penlight batteries (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With carrying strap. Size: 6"x2 3/4"x1 1/4". Imported. Shpg. wt., 2 lbs.
99 K 3531L 146-175Mc Net 17.95
99 K 3533L 27- 50Mc Net 17.95
17 K 3802 AC Battery eliminator for above. Shpg wt., 6 oz. Net 4.95
Extra "AA" penlight batteries (4 required) ea. Net .10
99 K 6258 Net .59
40 K 7901 Earphone Net .59



Make Lafayette Your One Dependable Source for Everything in Electronics

Lafayette Cat. No. 681 101

LAFAYETTE Police and Fire Professional Solid State FM Mobile Receivers

6-Channel Crystal Controlled

ONLY 2" HIGH

Only
99⁹⁵

No Money
Down



MONITOR:

Public Safety
Fire
Police
Local Gov't
Special Emergency
Highway Maintenance
Forestry Conservation

Model HA-39
39Mc - 40Mc

Model HA-42
42Mc - 43Mc

Model HA-45
45Mc - 46Mc

Model HA-46
46Mc - 47Mc

Model HA-153
153Mc - 155Mc

Model HA-155
155Mc - 157Mc

- 19 Transistors, 6 Diodes
- Double Conversion Superheterodyne Receiver
- Very Low Battery Drain • Variable Squelch
- Sensitivity: 0.7 μ v For 20db Quieting
- Instantaneous Operation—No Warm-up
- 12 Volts DC (Neg. or Pos. Ground) or 117 Volts AC with Optional Solid-State Power Supply.

This superbly engineered, solid state, crystal controlled FM receiver enables superior, accurate monitoring of Fire, Police, Local Government, Special Emergency, etc. calls. Its 19 transistor, 6 diode solid state circuitry permits instantaneous operation—no loss of precious time due to warmup . . . permits immediate response to emergencies! The compact, miniature size makes it ideal for car, truck and boat, as well as for home and office with the optional solid state matching AC power supply. Six crystal-controlled channel capability permits operation on up to 6 frequencies with highly accurate optional crystals. Features an exceptionally sensitive double conversion superheterodyne circuit with 0.7 μ v sensitivity for 20 db quieting. Designed and built for reliable, trouble-free performance, the receiver uses rugged, heat resistant Silicon Mesa transistors in all critical areas (oscillator, RF and IF). Very low current on 12 volts DC permits continuous monitoring in mobile operation for long periods of time . . . even with the motor switched off! Complete with built-in 3"x5" speaker and mobile mounting bracket. Size: 6Wx8Dx2"H. Imported. Shpg. wt., 6½ lbs.

Model HA-39: For 39 to 40Mc Operation.
99 K 2602WX \$5 Monthly. Less Crystals
40 K 8204CY* Crystal for HA-39

Net 99.95
Net 6.95

Model HA-42: For 42 to 43Mc Operation.
99 K 2603WX \$5 Monthly. Less Crystals
40 K 8205CY* Crystal for HA-42

Net 99.95
Net 6.95

Model HA-45: For 45 to 46Mc Operation.
99 K 2604WX \$5 Monthly. Less Crystals
40 K 8206CY* Crystal for HA-45

Net 99.95
Net 6.95

Model HA-46: For 46 to 47Mc Operation.
99 K 2588WX \$5 Monthly. Less Crystals
40 K 8201CY* Crystal for HA-46

Net 99.95
Net 6.95

Model HA-153: For 153 to 155Mc Operation.
99 K 2586WX \$5 Monthly. Less Crystals
40 K 8202CY* Crystal for HA-153

Net 99.95
Net 6.95

Model HA-155: For 155 to 157Mc Operation.
99 K 2587WX \$5 Monthly. Less Crystals
40 K 8203CY* Crystal for HA-155

Net 99.95
Net 6.95

*Specify Exact Operating Frequency. Must Be Ordered Special.
3 to 4 Weeks Delivery. Crystal Tolerance \pm 0.0015%. wt., 4 oz.

HB-502A: 117V. AC Sturdy attractive matching power supply for base station operation. 6Wx7½Dx2¾"H. Imported. Shpg. wt., 8 lbs.
99 K 3133W Net 16.95

LAFAYETTE POLICE AND FIRE MOBILE ANTENNAS

LOW BAND MOBILE ANTENNAS

11⁹⁵ ea.
less cable

- For 30-50MC
- Features "Rapid-Grip" Trunk-Lid Mount

3 deluxe new base loaded FM VHF mobile antennas to choose from—30-36MC, 36-42MC, 42-50MC. All 3 antennas include "Rapid-grip" trunk lid mounts for simple and easy installation. No holes to drill. Provides ideal omni-directional signal pattern. Consists of weatherproof phasing transformer, stainless steel whip and cadmium plated "rapid-grip" mount. Overall length 43". Shpg. wt., 21 lbs.

40 K 0114W 30-36MC Net 11.95
40 K 0115W 36-42MC Net 11.95
40 K 0112W 42-50MC Net 11.95

20' Coaxial Cable Assembly for above antennas. Terminate with PL-259 on one end and universal lugs on other end.
42 K 7002 Net 2.75

HIGH BAND MOBILE ANTENNA For 130-174MC

Only **5⁹⁵**
With 12' cable

Mobile roof or trunk mount for 130-174Mc operation. Terminates in 3/8" bolt. Whip has set screw-type adapter for easy tuning. Comes with 12' RG-58U cable and PL259 connector pre soldered to the antenna. Length 21½". Shpg. wt., 1 lb.
40 K 0113W Net 5.95

FLY THE BIG SKYHAWK BY REMOTE CONTROL



COMPLETE OUTFIT:
Plane, Receiver,
Transmitter, Batteries
and Charger

Only **79⁹⁵**
No Money Down

TESTOR'S R/C SKYHAWK

- Easy To Fly—Ideal For Beginners
- One Mile Range of Control
- Rechargeable Batteries with Charger
- Big 44" Wingspan—Length 27"
- Internal Combustion .049 Engine



Completely assembled ready to fly radio controlled plane which incorporates true (pulse) proportional control for smoother, more realistic flight control. This plane is so easy to fly that it is recommended for beginners—no electronic or mechanical skill is required. Aircraft fuselage constructed of virtually indestructible super-impact styrene. Wings and horizontal stabilizer are of super light styrofoam. Tricycle landing gear assures simple landings. High torque .049 cubic inch internal combustion engine has gas tank attached for 4 minutes of powered flight. Super sensitive 9 transistor superhet receiver combines with a powerful dual coil, twin magnet actuator for superior reliability. 8 transistor 250 milliwatt transmitter provides up to one mile range control. Simple guidance controls include finger tip trim for basic in-flight stabilization. Heavy duty recharge-

able batteries are easily charged with convenient charger (included). Complete with R/C plane, transmitter, battery charger, and illustrated flying instruction book. Shpg. wt., 6 lbs.
42 K 7301 TWX for 27.145 MC. \$5 Monthly **Net 79.95**
Skyhawk also available on either 26.995, 27.045, 27.095, or 27.195 MC. on special order. Shpg wt., 6 lbs.
42 K 7302CWXY Specify Frequency **Net 79.95**

SKYHAWK SPECIFICATIONS

Length: Fuselage 27", Wing 44". Flying Weight: 23 ounces (approximately). Speed: 30 MPH True. Fuel Capacity: 4 Minutes Powered Flight. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

REMOTE CONTROL MUSTANG GT OUTFIT

- Completely Assembled—Ready To Use
- Twin High Torque Drive Motors
- Rechargeable Batteries with Charger
- Electronic "Relay-less" Drive Control

79⁹⁵
No Money Down

Authentic 1/11th scale model R/C Mustang GT. Fully assembled. Car body of glossy polystyrene. Durable chassis is tempered aluminum. Twin high torque drive motors are coupled to rear wheels through an electronically controlled 4 transistor rear end... achieves true differential action! True (pulse) proportional circuitry permits feather-touch control. Guidance controls include steering (left-center-right), drive motor (start-stop) and speed (high-low). Super sensitive 9 transistor receiver combines with powerful dual coil, twin magnet actuator for superior reliability. 8 transistor 100 milliwatt transmitter provides convenient control board. Heavy duty

rechargeable batteries are easily charged with convenient charger (included). Complete with R/C model, transmitter, and battery charger. Shpg. wt., 7 lbs.

42 K 7303TWX For 27.095 MC. **Net 79.95**
\$5 Monthly

MUSTANG GT SPECIFICATIONS

Length: 16 inches. Width: 6 inches. Height: 4 inches. Weight: 2 lbs., 8 ounces. Speed: 100 MPH Scale, Turning Radius: 3 feet. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.



COMPLETE OUTFIT:
MUSTANG, Receiver,
Transmitter, Batteries
and Charger

Mail orders on above 2 outfits, except Easy-Pay, must be accompanied by full remittance.

Shipments made direct from Addison, Illinois; transportation charges collect.

SINGLE CHANNEL DIGITAL PROPORTIONAL SYSTEM

Model DP-1
Perfect Control Of Any Size Plane From .049 Models Through The Largest!

Only **79⁹⁵**
No Money Down

- Powerful Feedback Actuator With 4½ Pound Thrust

Now you can fly a system that moves the rudder only when you move the stick, steers your plane, boat or car in direct response to the movement of the stick. Battery drain is kept to a minimum—Serves use current only when a command is signalled. Has the power to move any size control surface, yet is light enough for a 1/2A plane. Transmitter is high output digital type. Superheterodyne receiver works from servo battery. Servo is powerful feedback type. Decoder, Switch, Servo and connectors assembled on printed circuit mounting tray in a compact unit. Complete system. Shpg. wt., 3 lbs.

42 K 1924WX For 27.145 MC Only. \$5 Monthly **Net 79.95**
DP-1 System for operation on 26.995, 27.045, 27.195 or 27.255 MC. 42 K 1921CWXY Specify frequency (3-4 wks delivery) **Net 79.95**
250 Ma/H Nicad Battery Pack for Receiver and Servo. Shpg. wt., 8 oz. 42 K 1922CWXY **Net 9.50**
99 K 6294 Alternate Alkaline Batteries—4 req. **Net ea. .29**
32 K 4705 9-volt battery for Transmitter **Net 1.36**



CITIZENSHIP MODEL TTX TRANSISTORIZED TONE TRANSMITTER

24⁹⁵

This popular single channel tone transmitter measures 3¼ x 5½ x 1¾" and weighs only 12 oz. with battery. 100% collector modulated (no reduction of RF signal with modulation). Operates on single 9V battery; requires no license. Operates R/C pack with SE-2 Escape-ment and with SSH receiver giving rudder, or rudder and motor control. High efficiency externally loaded antenna. Printed circuit chassis. 99 milliwatt input. For 27.145 Mc. Shpg. wt., 2 lbs.
42 K 1913 27.145 mc less battery **Net 24.95**
32 K 4704 9-Volt Battery (Burgess 2N6) **Net 1.30**



CITIZENSHIP SSH RECEIVER

Matching receiver for above. Single channel. 7 transistor superhet. 1¾" x 1¼" x ¾". Weighs only 1 oz. Crystal frequency 27.145MC. Requires 2 batteries. Shpg. wt., 8 oz.
42 K 1919 **Net 23.95**
99 K 6258 Batt. **Ea. .10**



To Speed Your Mail Order — Please Give Your Zip Code Number

Lafayette Cat. No. 681 99



MONITOR CALLS FROM:

STATE COUNTY AND MUNICIPAL
POLICE — FIRE DEPARTMENT — CIVIL
DEFENSE — RAILROADS — TRUCKING —

HIGHWAY MAINTENANCE — FORESTRY
— AVIATION — CONSERVATION — PETRO-
LEUM and INDUSTRIAL ACTIVITIES.

LISTEN TO U.S. WEATHER FORECASTS AND DISASTER WARNINGS!

POLICE AND FIRE DUAL BAND SOLID STATE FM RECEIVERS

2 Receivers In 1! 2 Bands: 30-50MC +152-174MC

4  **+ 17 Transistors = Super Sensitivity, Selectivity**

CRYSTAL CONTROL PLUS TUNEABLE RECEPTION



Only **99⁹⁵** No Money Down

- Operates on 117VAC and 12VDC
- Sensitivity 0.7 μ V for 20 db Quieting
- Tuned RF and Mixer Stages
- 4 IF Stages With IC's
- Tape Recorder Output Jack

Model PF-175

An advanced FM receiver that is outstanding in performance and features. Covers two VHF communications bands with super-sensitivity—fully tuneable or can be crystal-controlled for reception on a single frequency in either band. Also tunes to 162.55 Mc and 163.275 Mc U.S. Weather Bureau reports and disaster alarms in many parts of the country. Superheterodyne circuit includes tuned RF and mixer stages. Four IF stages, each using an advanced space-age integrated circuit (IC). No larger than a tiny transistor, each IC is actually a complete circuit with 5 transistors and 2 resistors—you get the equivalent of 20 transistors in the IF stages alone! 100% solid state design offers top reliability too! "Instant-on" transistor circuit permits immediate response to emergencies! Built-in universal power supply assures continuous monitoring under any conditions—the unit also operates from a 12VDC battery supply for field use or as an emergency portable if AC power fails. Front panel controls include a 4-position selector for choice of Xtal or

Tuneable reception on either of the two VHF bands. Variable squelch control lets you silence the receiver during no-signal conditions to reduce monitoring fatigue. Also equipped with illuminated slide-rule dial, plus handy on-off volume control. Has a handsomely styled vinyl-clad steel cabinet in a simulated walnut wood-grain finish, and equipped with built-in 4" front-mounted speaker and external phone jack. Size: 13 $\frac{1}{4}$ " x 7 $\frac{1}{2}$ " x 6"H. Imported. Shpg. wt., 10 lbs. **99 K 2589WX Model PF-175 (less Crystal) Net 99.95**

- CRYSTALS FOR CRYSTAL RECEIVE—Specify Exact Operating Frequency Subject to 4 weeks delivery.
- 40 K 8207CY 30-50MC Net 5.95
 - 40 K 8208CY 152-174MC Net 5.95
 - "Range Boost" Ground Plane Antenna for 30-50MC and 130-174MC.
 - 40 K 0105WX Shpg. wt., 6 lbs. Net 19.95
 - 2 Band Center Loaded Indoor Antenna for 30-50MC and 152-174MC.
 - 40 K 0111L Shpg. wt., 2 lbs. Net 8.95

POLICE AND FIRE SINGLE BAND SOLID STATE FM RECEIVERS

4  **+13 Transistors**



Model PF-30 Model PF-60
30-50MC 152-174MC

Only **69⁹⁵** **CRYSTAL CONTROL plus TUNEABLE RECEPTION**

- No Money Down
- 4 IC's Plus 12 Transistors for PF 30
 - Crystal Control Plus Tuneable Reception
 - 117 VAC and 12 VDC Operation
 - Tape Recorder Output Jack

Same super-sensitive solid-state FM receivers as Model PF-175 except that these are single band models covering the high or low bands. Advanced IC's included in the IF stages, plus tuned RF and Mixer stages. Also feature same rugged design for trouble-free operation and have universal power supply for either normal 117 VAC operation or 12 VDC battery operation for field use or during emergencies. Model PF-60 can tune to 162.55 MC and 163.275 MC U.S. Weather Bureau reports and disaster alarms in many parts of the country. Controls: Variable Squelch, On-Off Volume, Tuning and

Selector (Tune-Xtal). Less Crystal. Size: 13 $\frac{1}{4}$ " x 7 $\frac{1}{2}$ " x 6"H. Imported. Shpg. wt., 10 lbs.

- 99 K 2590WX Model PF-60 152-174MC Net 89.95
- 99 K 2591WX Model PF-30 30-50MC Net 69.95

CRYSTALS—Specify Exact Operating Frequency 4 weeks delivery.

- 40 K 8208CY 152-174MC Net 5.95
- 40 K 8207CY 30-50MC Net 5.95
- 40 K 1302W Ground Plane Antenna for 108-176MC. 2 lbs. Net 6.56
- 40 K 1301W Window Antenna for 30-50MC. Wt. 3 lbs. Net 7.95

Police And Fire Solid State Mobile Monitor Receivers



With New Revolutionary



INTEGRATED CIRCUIT

for Space Age Dependability

- MONITOR:**
- Police Department
 - Fire Department
 - Special Emergency
 - Highway Maintenance
 - Local Government
 - Business Service
 - Taxicabs
 - Railroads
 - Auto Emergencies
 - Forestry Conservation



Only **69⁹⁵**
No Money Down

LISTEN TO U. S. WEATHER FORECASTS AND DISASTER WARNINGS!

Model PB-50
30-50Mc

ONLY
2 3/8" HIGH

Model PB-150
152-174Mc

* Tunable Plus One Crystal Position

* 4 IC's (Integrated Circuits)

Thrill to urgent police broadcasts, hear the excitement of fire squads in action! PB-150 tunes to 162.55 Mc U. S. Weather Bureau weather reports and disaster alarms in many parts of the country. Ideal for car, truck, or boat, these superbly engineered mobile VHF monitors incorporate the latest advances in integrated circuitry, and solid state technology. You have a choice of two wide range models, tuneable from either 30 to 50 Mc or 152 to 174 Mc. Each has provision for one crystal controlled frequency. The highly sensitive front end features .7 μ v for the PB-50 and less than 1 μ v for the PB-150. The selective "I.F." features four integrated circuits in the IF section to produce —45db image rejection. These IC's represent the utmost in component dependability and durability. Weak distant stations can be heard clearly, while outside noise and interference are drastically reduced. The efficient 2.8 watt audio section terminates in a big 3x5" PM speaker, providing for clean, clear sound reproduction. Only 2 3/8" high, the units are easily mounted under virtually any dash board or control panel (Mounting brackets are included). Power may be sup-

plied by any standard 12 volt negative ground battery or by the HB-502 117 VAC base station power supply listed below. It's solid state circuitry features extremely low current drain. Three controls complement the stylish front panel: Volume/Squelch, X'tal/Tune, and Tuning. Antenna Impedance: 50-75 ohms. Size: 2 3/8x6 1/4x8"D. Imported. Shpg. wt., 10 lbs.
 99 K 2593WX Model PB-50 (30-50Mc) \$5 Monthly Net 69.95
 Crystal for PB-50. Specify exact operating Frequency. Net 5.95
 40 K 8207CY* Net 5.95
 99 K 2592WX Model PB-150 (152-174Mc) \$5 Monthly Net 69.95
 Crystal for PB-150. Specify exact operating Frequency. Net 5.95
 40 K 8208CY* Net 5.95
 Model HB-502A AC Power Supply and Battery Charger permits operation of PB-50 and PB-150 from 115V AC source. Net 16.95
 99 K 3153W Imported. Shpg. wt., 8 lbs.
 *Must be ordered special. 3-4 weeks delivery.

LAFAYETTE HAND-HELD POLICE, FIRE, VHF RECEIVERS

* Pocket Size * Tuneable * FM


MONITOR: Police, Fire Departments, Special and Auto Emergencies, Industrial Services, Railroads, Highway Maintenance, Forestry Conservation, Civil Defense.

LISTEN TO U. S. WEATHER FORECASTS AND DISASTER WARNINGS!

- 2 Models: 146-175 Megacycles
27- 50 Megacycles
- All Solid State—10 Transistors
- Superheterodyne Receiver

Only
17⁹⁵

Put an exciting new world at your fingertips with this portable battery operated, police, fire, and VHF receiver. Two models that bring you complete coverage of all the action and adventure on either the 146-176 Mc or 27-50 Mc bands, 146-175 Mc receiver tunes to 162.55 Mc U. S. Weather Bureau weather reports and disaster alarms in many parts of the country. Has a built-in 2 1/2" speaker plus an external earphone jack for convenient private listening. Rugged construction and sleek styling combine to give a clean professional type appearance. Operates on 4 penlight batteries (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With carrying strap. Size: 6"x2 3/8"x1 1/8". Imported. Shpg. wt., 2 lbs.
 99 K 3531L 146-175Mc Net 17.95
 99 K 3533L 27- 50Mc Net 17.95
 17 K 3802 AC Battery eliminator for above. Shpg. wt., 6 oz. Net 4.95
 Extra "AA" penlight batteries (4 required).
 99 K 6258 ea. Net .10
 40 K 7901 Earphone Net .59



Make Lafayette Your One Dependable Source for Everything in Electronics

Lafayette Cat. No. 681 101

LAFAYETTE Police and Fire Professional Solid State FM Mobile Receivers

6-Channel Crystal Controlled

ONLY 2" HIGH

Only
99⁹⁵

No Money
Down



MONITOR:

Public Safety
Fire
Police
Local Gov't
Special Emergency
Highway Maintenance
Forestry Conservation

Model HA-39
39Mc · 40Mc

Model HA-42
42Mc · 43Mc

Model HA-45
45Mc · 46Mc

Model HA-46
46Mc · 47Mc

Model HA-153
153Mc · 155Mc

Model HA-155
155Mc · 157Mc

- 19 Transistors, 6 Diodes
- Double Conversion Superheterodyne Receiver
- Very Low Battery Drain • Variable Squelch
- Sensitivity: 0.7 μ V For 20db Quieting
- Instantaneous Operation—No Warm-up
- 12 Volts DC (Neg. or Pos. Ground) or 117 Volts AC with Optional Solid-State Power Supply.

This superbly engineered, solid state, crystal controlled FM receiver enables superior, accurate monitoring of Fire, Police, Local Government, Special Emergency, etc. calls. Its 19 transistor, 6 diode solid state circuitry permits instantaneous operation—no loss of precious time due to warmup . . . permits immediate response to emergencies! The compact, miniature size makes it ideal for car, truck and boat, as well as for home and office with the optional solid state matching AC power supply. Six crystal-controlled channel capability permits operation on up to 6 frequencies with highly accurate optional crystals. Features an exceptionally sensitive double conversion superheterodyne circuit with 0.7 μ V sensitivity for 20 db quieting. Designed and built for reliable, trouble-free performance, the receiver uses rugged, heat resistant Silicon Mesa transistors in all critical areas (oscillator, RF and IF). Very low current on 12 volts DC permits continuous monitoring in mobile operation for long periods of time . . . even with the motor switched off! Complete with built-in 3"x5" speaker and mobile mounting bracket. Size: 6Wx8Dx2"H. Imported. Shpg. wt., 6½ lbs.

Model HA-39: For 39 to 40Mc Operation.
99 K 2602WX \$5 Monthly. Less Crystals
40 K 8204CY* Crystal for HA-39

Net 99.95
Net 6.95

Model HA-42: For 42 to 43Mc Operation.
99 K 2603WX \$5 Monthly. Less Crystals
40 K 8205CY* Crystal for HA-42

Net 99.95
Net 6.95

Model HA-45: For 45 to 46Mc Operation.
99 K 2604WX \$5 Monthly. Less Crystals
40 K 8206CY* Crystal for HA-45

Net 99.95
Net 6.95

Model HA-46: For 46 to 47Mc Operation.
99 K 2588WX \$5 Monthly. Less Crystals
40 K 8201CY* Crystal for HA-46

Net 99.95
Net 6.95

Model HA-153: For 153 to 155Mc Operation.
99 K 2586WX \$5 Monthly. Less Crystals
40 K 8202CY* Crystal for HA-153

Net 99.95
Net 6.95

Model HA-155: For 155 to 157Mc Operation.
99 K 2587WX \$5 Monthly. Less Crystals
40 K 8203CY* Crystal for HA-155

Net 99.95
Net 6.95

*Specify Exact Operating Frequency. Must Be Ordered Special.
3 to 4 Weeks Delivery. Crystal Tolerance \pm 0.0015%. wt., 4 oz.

HB-502A: 117V. AC Sturdy attractive matching power supply for base station operation. 6Wx7½Dx2¾"H. Imported. Shpg. wt., 8 lbs.
99 K 3153W Net 16.95

LAFAYETTE POLICE AND FIRE MOBILE ANTENNAS

LOW BAND MOBILE ANTENNAS

11⁹⁵ ea.
less cable

- For 30-50MC
- Features "Rapid-Grip" Trunk-Lid Mount

3 deluxe new base loaded FM VHF mobile antennas to choose from—30-36MC, 36-42MC, 42-50MC. All 3 antennas include "Rapid-grip" trunk lid mounts for simple and easy installation. No holes to drill. Provides ideal omni-directional signal pattern. Consists of weatherproof phasing transformer, stainless steel whip and cadmium plated "rapid-grip" mount. Overall length 43". Shpg. wt., 21 lbs.

40 K 0114W 30-36MC Net 11.95
40 K 0115W 36-42MC Net 11.95
40 K 0112W 42-50MC Net 11.95

20' Coaxial Cable Assembly for above antennas. Terminate with PL-259 on one end and universal lugs on other end.
42 K 7002 Net 2.75

HIGH BAND MOBILE ANTENNA For 130-174MC

Only **5⁹⁵**
With 12' cable



Mobile roof or trunk mount for 130-174MC operation. Terminates in 3/8" bolt. Whip has set screw-type adapter for easy tuning. Comes with 12' RG-58U cable and PL259 connector per soldered to the antenna. Length 21½". Shpg. wt., 1 lb.
40 K 0113W Net 5.95

Tune In The World With LAFAYETTE

EXPLOR-AIR MARK V

International Broadcast Shortwave Receiver

BRING HISTORY MAKING NEWS INTO YOUR HOME . . . FROM THE FAMOUS CAPITALS OF THE WORLD!



Only **49⁹⁵**
No Money Down

5 Bands Broadcast + 4 Exciting International Shortwave Bands

- 550 to 1600KC
- 5.9 to 6.25MC
- 9.45 to 9.8MC
- 11.45 to 12MC
- 15.05 to 15.5MC

NOT A KIT— COMPLETELY WIRED

TRANSFORMER POWERED


SUPERHETERODYNE— Not Super-Regenerative!

Listen to world-wide exciting current events right in your own home . . . hear the actual broadcasts from the major news centers around the world in English and foreign languages; BBC London, Radio Moscow and many others.

The Explor-Air Mark V receiver is refined in its ability to bring in stations loud and clear and features simplicity of operation. In addition to the standard AM broadcast frequencies, the receiver is designed to tune the popular international shortwave broadcast bands on 49, 31, 25 and 19 meters (each band occupies a select portion of the full shortwave spectrum) through the use of individual tuned circuits for each of the five bands. For greater ease of tuning on congested bands each shortwave band has been extended to cover the entire width of the 0 to 100 logging scale.

Operating features on the receiver include a self-contained 4" dynamic speaker, built-in loopstick antenna, large illuminated slide-rule dial calibrated in frequency and indicating place names, a front panel headphone jack for optional silent listening, controls for Volume Off/On, Tone and Band Selection, plus rear panel connection for external shortwave antenna. **SPECIFICATIONS:** Full coverage on 5-bands; AM Broadcast (0.55 to 1.6Mc), and International Shortwave on 49 Meter (5.9 to 6.25Mc), 31 Meter (9.45 to 9.8Mc), 25 Meter (11.45 to 12Mc), and on 19 Meter (15.05 to 15.5Mc). Receiver is AC transformer powered with efficient superheterodyne circuitry. Complete with beautiful walnut grained metal cabinet. For 105-125V, 50/60 cycles AC. Size: 14Wx 8Dx6"H. Imported. Shpg. wt., 11 lbs. **99 K 2585WX \$5 Monthly Net 49.95**

ECONOMY SHORT-WAVE PACKAGES with EXPLOR-AIR MARK V



Explor-Air Mark V 49.95
Shortwave Window Antenna 9.95
TOTAL 59.90

40 K 9014WXM Shpg. wt., 14 lbs. Net 58.95
Same as above plus 24 Hour Electric World Clock. Shpg. wt., 16 lbs.
40 K 9015WXM \$5 Monthly Net 64.95
You SAVE 3.90 from individual catalog prices.

Your Price **56⁹⁵**
YOU SAVE 2.95
from individual catalog prices.

Explor-Air Mark V 49.95
Shortwave Outdoor and Attic Antenna 6.95
TOTAL 56.90

40 K 9012WXM Shpg. wt., 13 lbs. Net 53.95
Same as above plus 24 Hour Electric World Clock. Shpg. wt., 15 lbs.
40 K 9013WXM \$5 Monthly Net 61.95
You SAVE 4.90 from individual catalog prices.

24 Hour Electric World Clock

No Money Down

Your Price **53⁹⁵**
YOU SAVE 2.95
from individual catalog prices.

HIGH-GAIN SHORTWAVE ANTENNAS
40 K 3118 Window Antenna, Shpg. wt., 3 lbs. Net 9.95
40 K 3117 Outdoor and attic antenna, Shpg. wt., 2 lbs. Net 6.95

Make Lafayette Your One Dependable Source for Everything in Electronics

Lafayette Cat. No. 681 103



2-Meter Solid State Transceiver

For 12V DC Mobile or Portable Operation



Model HA-144

Only
189⁹⁵
No money down

With Leather Carrying Case

- For 144 to 148Mc Operation
- High Efficiency 2.5 Watt Input
- 6 Crystal Transmit Positions with Front Panel Jack for Crystal or VFO

- Tuneable Dual Conversion Superhet Receiver
- Uses Standard 8 MC Crystals
- 18 Transistors, 7 Diodes

Features a highly selective 144-148 MC tuneable dual conversion receiver with 1 μ v sensitivity for 10 db signal to noise ratio. 10.7 megacycle mechanical filter effectively eliminates QRM from "near frequency" stations (Selectivity: 40 db down at 30 KC). Series gate limiter automatically suppresses bothersome noise. Efficient push-pull high level modulated transmitter delivers over 1 watt of RF output power—enough for most line of sight applications. Provides five internal and one front panel switched crystal positions. May be used with standard 8 MC crystals or external VFO. Spotting switch permits positive frequency identification. Convenient front panel SO-239 coaxial connector accepts 19 inch whip or external antenna. 3-Way Switched Front panel meter indicates "S" units on Receive and Spotting, and battery condition. Supplied with leather carrying case, whip antenna, shoulder strap. 12V mobile power cable,

mobile mounting brackets and 10 "D" size batteries. Less Crystal. Size: 12W x 7 $\frac{1}{4}$ H x 3"D. Imported. Shpg. wt., 8 lbs.

99 K 2581WX \$10 Monthly Net 189.95
99 K 6256 "D" Cells (10 Required) Net ea. .15
32 K 4884 Alt. "D" Size Alkaline Battery (10 Req) Net ea. .49

Model HB-501 Solid State AC Power Supply
Allows use of HA-144 on 117 VAC. Shpg. wt., 10 lbs.
99 K 3028W Net 16.95

8 MC Fundamental Crystal (Divide operating frequency by 18)
Will supply to nearest 5 KC.
40 K 5403C Specify Frequency Net 2.95

2 Meter "Rapid Grip" Mobile Trunk Mount Antenna
40 K 0110 Shpg. wt., 1 $\frac{1}{2}$ lbs. Net 9.95

2-METER 120 WATT MOBILE LINEAR AMPLIFIER



Only **139⁹⁵** Now... Real Power For
Your Low Power 2 Meter Rigs!
No Money Down

Made in U.S.A.

Model HA-260

- Covers 144 to 148 MC
- No External Switching
- 120 Watts (PEP) AM, FM, and CW
- Works with any AM, FM, and CW Exciter with 1 or more watts output

A completely self contained VHF linear amplifier designed specifically for mobile use. Efficient RF amplification stage utilizes a special purpose mobile application Amperex DX296/B637 twin tetrode. RF sampling relay automatically switches linear in the instant the exciter is energized. No external switching, wiring, or muting circuits are necessary. Antenna is automatically connected directly to input socket in off or standby modes. Front panel controls permit full flexibility of tuning and power level selection. Illuminated relative RF power output meter simplifies linear and exciter tuning. Built in power supply features high efficiency transistor and toroid transformer circuitry. Oversized heat sinks assure cool operation. Output impedance 50 ohms. Supplied with manual, fused DC power cable, and mounting bracket. 12 Volt DC Negative Ground Only. Size: 11 $\frac{1}{2}$ "Wx8 $\frac{1}{2}$ "Dx2 $\frac{1}{2}$ "H. Shpg. wt., 3 $\frac{1}{2}$ lbs.
40 K 0108WX \$7.50 Monthly. Net 139.95

100-WATT MOBILE LINEAR AMPLIFIER Model HA-250



79⁹⁵ SMALL... COMPACT ONLY 2 INCHES HIGH!
Convert Flea Power To Real Power!

Made in U.S.A.

- Covers 20-54 MC... 6, 10, 11 and 15 Meters (not Permitted on 11 Meters Class D (CB) in U.S.A.)
- No External Switching Required
- Will Work On Any Signal of 1 to 10 Watts—AM, FM, SSB or DSB, and CW

Provides up to 100 watts PEP (50 Watts DC) input into a 50 ohm load (with 8 watts RF drive). Unique RF sensing circuit automatically switches in linear when transmitter is activated. Absolutely no external switching is necessary. Built-in relay directly connects antenna to input SO-239 coaxial socket when receiving. No external connections are required to your existing equipment. Illuminated front panel meter indicates relative RF strength of linear's output signal when linear is on or exciter's relative RF signal strength when linear is off. Self-contained power supply utilizes a high efficiency toroid power transformer. Ruggedly designed chassis with oversized heat sinks assures sturdy and cool operation. Supplied with comprehensive manual, fused DC power cables, and mounting bracket. Size: 7"Dx9"Wx2"H. Shpg. wt., 3 $\frac{1}{2}$ lbs.
40 K 0106WX 12 Volt DC Neg. Ground Only Net 79.95

104 Lafayette Cat. No. 681

To Speed Your Mail Order — Please Give Your Zip Code Number

6 and 10 Meter Amateur Transceivers



Model HA-460 50-52 Mc

Model HA-410 28-29.7 Mc

BUILT-IN VFO

Only **149⁹⁵**

No Money Down

COMPLETELY WIRED



- Dual Conversion with Crystal Controlled 2nd Converter
- Built-in Solid State 12 V.D.C. and 117 V.A.C. Power Supplies
- Built-in Low Pass TVI Filter
- Tuned Nuvistor Front End
- 20 Watt DC Input—2E26 Final

- Air Variable Antenna Load and Plate Tuning
- Illuminated "S" and RF Output Meter
- Front Panel Speaker
- Front Panel Crystal Socket
- Frequency Spotting Switch

Exciting 400 series transceivers feature a powerful plate modulated 20 watt DC input transmitter and stable VFO with its own frequency control knob. Tune up is fast and efficient with driver and multiplier automatically tuning with VFO. Shielded low pass filter minimizes TVI problems. Dual conversion receiver utilizes a crystal controlled 2nd converter. Nuvistor RF amplifier's sensitivity is less than 1 μ v. for 10 db signal to noise ratio. Selectivity at 8 KC is 35 db. SCR controlled noise limiter effectively eliminates most types of QRM. Other features include spotting switch, use of standard 7 and 8 mc. Crystals with front panel crystal socket; illuminated meter that reads S units on receive and RELATIVE RF output on transmit; plug-in encapsulated dust free relay switching; front panel earphone jack; push-pull audio amplifier; and rugged push-to-talk ceramic mike with coiled cord and plug. Going mobile? The 400's come with both 117 V.A.C. and 12 V.D.C. (positive or negative ground) built-in solid state power supplies. Supplied with AC +

DC power cords, mike and mobile mounting bracket. Size: 12 $\frac{1}{2}$ "x 5 $\frac{1}{2}$ "x 3 $\frac{3}{4}$ "D. Imported. Shpg. wt., 22 lbs.
Lafayette Model HA-460 — 6 Meter Amateur Transceiver for 50.0-52.0 MC.
 99 K 2579WX \$8 monthly Net 149.95
 Crystals for HA-460. Specify Fundamental Frequency (divide operating frequency by 6). Will supply to nearest 5 KC.
 40 K 5403C Specify Frequency Net 2.95
Lafayette Model HA-410 — 10 Meter Amateur Transceiver for 28.0-29.7 MC.
 99 K 2575WX \$8 Monthly Net 149.95
 Crystals for HA-410. Specify fundamental frequency (divide operating frequency by 4). Will supply to nearest 5 KC.
 40 K 5402C Specify Frequency Net 2.95
LAFAYETTE 6-Meter "Rapid Grip" Mobile Trunk Antenna
 40 K 0109 Less Cable. Shpg. wt., 2 lbs. Net 11.95

6-METER SOLID-STATE MOBILE TRANSCEIVER

With Built-in VFO



HA-750

Only

119⁹⁵

No Money Down
\$6.50 Monthly

- 5-Watts DC Input—
- 18-Transistors, 8-Diodes, 2-Zener Diodes

- Tunable Receiver, Xtal/VFO Transmitter
- ± 200 KC Vernier Receiver Tuning
- Sensitivity Less Than 1 μ v for 10db S/N

Years of engineering research in 2-way communications brings you a major breakthrough in size, performance, and pricing of 6-meter 2-way gear . . . the HA-750. Fully transistorized 50-52 MC circuitry features selectable single knob VFO receiver/transmitter tuning with vernier offset or crystal controlled transmitter with tuneable receiver operation. Fine features include illuminated "S"/"PRF" meter, spot switch, series gate automatic noise limiting, built-in 3 x 5" speaker, and relay switching. 5-watt transmitter draws less than 1 ampere on full transmit. May be used as a 2.5 watt public address amplifier with external speaker. Supplied complete with DC power cable, mobile mounting bracket, and plug-in PTT dynamic microphone. Size: 2 $\frac{3}{4}$ "x 6 $\frac{1}{4}$ "x 8" $\frac{1}{2}$ "D. Imported. Shpg. wt. 5 $\frac{1}{2}$ lbs.
 99 K 2605WX \$6.50 Monthly—For Negative Gnd. Only Net 119.95
MODEL HB-502A Charger/AC POWER SUPPLY for 117 Volts AC operation and for charging nicad batteries in portable operation.
 99 K 3153W Shpg. wt., 8 lbs. Net 16.95

MODEL HB-506 PORTABLE DC POWER PACK Attaches to HA-750 for convenient portable operation. Less Batteries.
 99 K 3154 Shpg. wt., lbs. Net 19.95
 "C" Dry Cell for HB-506 Power Pak (8 required)
 99 K 6257 Net ea. .14 Lots of 10 Net 1.20
 99 K 6293 Alternate "C" Alkaline Cell (8 required) Net ea. .35
DELUXE DYNAMIC DESK MICROPHONE with PTT and "Lock" Switch.
 99 K 4608 Shpg. wt., 1 $\frac{1}{2}$ lbs. Net 11.95
50 MC CRYSTALS FOR HA-750 Special order—4 weeks delivery.
 40 K 5701CY Specify exact operating frequency Net 4.95
LAFAYETTE 6-METER "RADIO-GRIP" MOBILE ANTENNA, Wt., 2 lbs.
 40 K 0109 Less Cable Assembly Net 11.95

Amateur Equipment Is Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 681 105



6-80 Meter SSB/AM/CW Receiver



FOR: NOVICE—TECHNICIAN—GENERAL

10 TUBES,
DUAL CONVERSION

Only **129⁹⁵**

NO MONEY DOWN

- 10 Tube Superheterodyne Circuit
- Product Detector for CW/SSB—Diode Detector for AM
- Two 455 KC Mechanical Filters for Sharp Selectivity
- Illuminated Calibrated S-Meter
- Dual Conversion On All Bands
- Built-In 100 KC Crystal Calibrator
- "Always-On" Oscillator Filament

HA-500

6 HAM BANDS INCLUDING 6 METERS

80 Meters 3.5-4.0 MC 40 Meters 7.0-7.3 MC 20 Meters 14.0-14.35 MC 15 Meters 21.0-21.45 MC 10 Meters 28.0-29.7 MC 6 Meters 50-54 MC

Outstanding Lafayette Model HA-500 receiver features tuned RF and 1st mixer stages which provide maximum sensitivity and front end selectivity for high signal to noise ratio with superb image rejection. Dual intermediate frequency circuits utilize two ceramic 455 KC mechanical filters for additional wave shaping. Product detector and BFO combine for crisp and clear CW and SSB. OB2 voltage regulator supplies oscillator with regulated B plus voltage for virtually driftless operation. Full time automatic volume control is automatically set to provide standard operation on AM and fast attack-slow decay on CW and SSB. Illuminated slide rule dial is calibrated for easy reading. Accurate built-in 100 KC calibrator assures precise calibration. "Always On" oscillator filament increases stability and reduces warm-up time. Controls: Tuning, Calibration off/on. Automatic Noise Limiter off/on, Antenna Trim, RF Gain, AF Gain (volume control), Bandswitch, BFO Frequency, and Function Switch. Sensitivity: less

than 1 μ v. for 10 db signal to noise ratio on all bands. IF Rejection: —40 db. Image Rejection: —40 db. Audio Output: 1 watt. Intermediate Frequencies: 1st IF 2,608 MC, 2nd IF 455 KC. Output Impedance: 8 and 500 ohms. Tube Complement: 6BZ6 RF Amplifier, 6AU6 1st Mixer, 6AQ8 Local Oscillator, 6BE6 2nd Mixer, 2nd Local Oscillator, 6BA6 1st IF, 6BA6 2nd IF, 6AQ8 Product Detector and BFO, 6AQ8 AM Noise Limiter and 100 KC Crystal Calibrator, 6BM8 Audio Amplifier, OB2 Voltage Regulator. Power Requirements: 117 VAC. Imported. Size: 15W x 7½H x 10"D. Shpg. wt., 25 lbs.

99 K 2S74WX \$7 Monthly Net 129.95

Model HE-48A 3 x 5 Speaker Mate for HA-500. Net 7.95

100Kc Calibrator Crystal for HA-500 Net 3.95

10-80 Meter SSB/AM/CW Amateur Receiver

5 HAM BANDS
PLUS WWV

3.5—4.0Mc 21.0—21.5Mc
7.0—7.5Mc 28.0—29.7Mc
14.0—14.5Mc WWV at 15Mc

TRULY FINE HAM GEAR

Amazing
Low
Price

ONLY
129⁹⁵
No Money Down




Model HA-350

Model HA-94
Speaker Mate (Optional)

Mechanical Filter

Ultra-sharp selectivity is achieved by means of a true mechanical band-pass filter in the 455 Kc IF section.



- Mechanical Filter for Exceptional Selectivity
- 12 Tubes Dual Conversion • Automatic Noise Limiter
- Product Detector for Selectable Upper and Lower Sideband Reception
- Complete with Crystals for 80, 40, 20, 15 and 10 Meters
- 100 KC Crystal Calibrator and Crystal BFO
- "S" Meter—Calibrated in "S" Units 1-9 and to +40 db

complement: 6BZ6—RF amp.; 6BL8—Xtal controlled 1st mixer; 6BE6—2nd mixer; 6BA6—VFO; 6BA6—IM amp.; 6BA6—IF amp.; 6AL5—AVC rectifier and AM noise limiter; 6AQ8—product detector and crystal calibrator; 6AV6—1st audio amplifier; 6AQ5 audio output; 6BA6—BFO; OB2—regulator, Silicon Full Wave rectifier. Size: 15Wx7½Hx 10"D. For 115V 50/60 cps AC. Imported. Shpg. wt., 25 lbs. Less Calibrator Crystal.

99 K 2524WX \$7 Monthly Net 129.95

100Kc Calibrator Crystal for HA-350. Net 3.95

40 K 0901L Net 12.95

MODEL HA-94, Speaker mate for HA-350, 8-inch heavy-duty gohm speaker in matching cabinet. Size: 7½Wx5¼Dx7½"H. Net 12.95



HA-600T 5 Band AM/CW/SSB Amateur And SW Receiver

2 FIELD EFFECT TRANSISTORS + 10 TRANSISTORS + 8 DIODES

PRODUCT DETECTOR
FOR SSB/CW

Only
99⁹⁵
No Money Down



5 BANDS:

- BAND A 150Kc to 400Kc**
- BAND B 550Kc to 1600Kc**
- BAND C 1.6Mc to 4.8Mc**
- BAND D 4.8Mc to 14.6Mc**
- BAND E 10.5Mc to 30Mc**

SHORTWAVE — AMATEUR — AM BROADCAST — WEATHER & MARINE BANDS

- Two Mechanical Filters for Exceptional Selectivity
- Huge Edge-Illuminated Slide Rule Dial with "S" Meter
- 117-Volts AC and 12-Volts DC Negative Ground Operation
- Full 24½ inches of Bandsread On 10-80 Meter Bands
- Automatic Series Gate Noise Limiter With AVC
- Built-in 100 KC Crystal Calibrator With Front Panel Switch

The HA-600T general coverage receiver combines the latest solid state electronics with sleek, modern appearance to achieve a superb blend of performance and style. Advanced circuitry utilizes two Field Effect Transistors in the front end RF stages to assure high sensitivity with lowest noise factor, 10 high performance transistors and 8 diodes compliment the FET's to provide sharp response with exceptional stability. Series Gate noise limiter and automatic volume control circuitry provide efficient noise and audio blasting suppression. Built-in variable BFD permits clear reception of code and single sideband signals. Dual 455 KC mechanical filters assure superior selectivity. Receiver's operation is virtually undisturbed by harmonics

or noise from antenna to speaker. Rear panel accessory provides convenient connection for audio output, 12 VOC, ground, and AVC line along with receiver muting connections. Huge flywheel operated slide rule dial has easy-to-read illuminated main tuning, logging, and band-spread scales. Electrical bandsread features wide calibration for easier tuning of crowded ham bands. Operates from 117 VAC 60 cycles or 12 VDC (negative ground only) . . . perfect for emergency use! Engineered by Lafayette and made in Japan to our highest quality standards. Shpg. wt., 18 lbs.
99 K 2595WX \$5 Monthly **Net 99.95**
99 K 2569 Matching 3 x 5-inch speaker in handsome cabinet **Net. 7.95**

LAFAYETTE 10 TO 80 METER ALL BAND VERTICAL TUNEABLE ANTENNA

- For Fixed Operation **14⁹⁵**

Our best buy multi-band antenna. Can be tuned to any amateur band 10 through 80 meters by a single adjustment. Has amazing efficiency for DX or local contacts. Ground, or roof top or tower installation. Can survive winds in excess of 50 mph. Overall height 18'; knocks down to only 5'. Uses 3½" diameter air wound coil as matching inductor. All steel parts irridite treated to Mil Specs. Impedance 52 ohms. Maximum power 1000 watts AM or CW—2 KW PEP. Omni-directional; vertically polarized. Shpg. wt., 5 lbs.

40 K 0104WXNet 14.95



LAFAYETTE 2 and 6 METER MOBILE ANTENNAS Featuring "Rapid-Grip" Mounts—No Holes To Drill

As Low As **9⁹⁵**



2 METER ANTENNA Features rust-resistant cadmium plated "Rapid-Grip" mount base and stainless steel 19" long whip with set screw for easy field tuning. Mounts on lip of trunk. Complete with 16 ft. of RG/U cable and PL-259 plug. Shpg. wt., 1½ lbs.
40 K 0110 Net 9.95

6 METER ANTENNA Features base loading phasing transformer, 43" stainless steel whip with adapter for extra fine tuning, and a cadmium plated trunk-lip "Rapid-Grip" mount with water resistant body seal. Less coaxial cable. Shpg. wt., 2 lbs.
40 K 0109 Net 11.95



WORLD TIME ILLUMINATED ELECTRIC WALL CLCK

- Walnut Veneer Frame

Modern, international electric wall time clock, showing the local time in 70 major cities throughout the world—automatically eliminates the need for international time conversion charts. Outstanding visual aid for amateur science teacher, students, international communications—a valuable business tool for around-the-world international offices. Enlarged, vivid time indicators are adjustable, permitting precise setting for standard and daylight saving time. Universal design fits any decor in office, board room, school library, museums and home study or den. Set in handsome walnut frame 15Hx22Wx5"D. Illuminated. Powered by a heavy duty 115V., 60 cycles AC clock motor. Shpg. wt., 5 lbs.
40 K 3001WX \$5 Monthly **Net 47.75**



Only **47⁷⁵** Shows Time Anywhere In the World—at a glance
Lafayette Cat. No. 681 **107**

LAFAYETTE SWR AND FIELD STRENGTH METER

9.77


Measures relative forward and reflected power (SWR ratio) from 1:1 to 3:1 with accuracy of ± 5 db at 2 to 30 MC. Reads field strength with 5 section telescopic antenna. Impedance: 52 ohms. Size: 1¾W x 5 1/16H x 2¼"D. Imported. Wt. 1 lb.
99 K 2537 Net 9.77



Equip Your Ham Shack Now — Use Your Lafayette Easy Pay Plan

Famous LAFAYETTE Mobile and Base Station CB Antennas

DELUXE HEAVY DUTY LAFAYETTE 4 ELEMENT GROUND PLANE ANTENNA




9⁹⁵

- The Ideal Antenna For Your CB Base Station
- High Efficiency Ground Plane Antenna
- All Aluminum Construction
- Accepts PL-259 Connector

Solid aluminum 108" heat-treated radials and radiator. Elements supplied in two 54" lengths joined by threaded coupling nuts. Radial droop for 50 ohm match. Accepts 1/4" tubing, RG-58/U cable and PL-259 connector. Less mast and coax. Imported. Shpg. wt. 4 lbs. **99 K 3031** Net **9.95**

50 Ft. RG-8/U Cable Assembly terminating with PL-259 connectors on both ends. **42 K 0910** Shpg. wt., 7 lbs. Net **8.50**

LAFAYETTE "RANGE-BOOST/II"™ END FED 1/2-WAVE CB ANTENNA



Static Clover Leaf

19⁹⁵

MADE IN U.S.A.

- New Heavy Duty Mounting Bracket
- Static Clover Leaf Ball Design Reduces Receiver Noise
- 3.75 db True Omni-Directional Gain
- VSWR-1.17-1
- Signal to Noise Improvement of 6-20db

The "Range Boost/II" 1/2-wave CB base station antenna is one of the most popular of Lafayette's famous line of high performance CB antennas. Specially designed anti-static cloverleaf ball drastically reduces receiver noise by continuous dissipation of static discharge. Offers a 3.75 db true omni-directional gain. Tremendous signal to noise ratio improvement of 6-20 db giving you very clean reception. VSWR is 1.17-1. Includes a phasing transformer, rubber covered for moisture resistance. Vertical radiator consists of 3 seamless aluminum tube sections topped by a solid aluminum 108" top section. 3 54" radials provide proper transmission line decoupling. New heavy duty mounting bracket. Direct ground lightning protection. 50 ohm, 17'6" over-all length. Accepts up to 1 1/2" masts PL-259 cable connector. Shpg. wt. Less mast and coax. 10 lb. **42 K 0144WX** Net **19.95**

50 Ft. RG-8/U Cable Assembly terminates with PL-259 connectors on both ends. **42 K 0910** Shpg. wt., 7 lbs. Net **8.50**

Made in U.S.A.

LAFAYETTE CB BUMPER MOUNT ANTENNA WITH STAINLESS STEEL STRAP



8⁹⁵

- Chrome Plated Bumper Mount with Stainless Steel Strap
- 102" Stainless Steel Whip, Heavy Duty Chrome Plated Stainless Steel Spring

An outstanding Lafayette CB antenna featuring a full-size 102" stainless steel whip and a fully adjustable chrome plated mount with a stainless steel strap which was specially designed to fit most cars. Heavy duty chrome plated stainless steel spring is built for extremely rugged mobile use. Less cable. Imported. **99 K 3032WX** Shpg. wt., 3 lbs. Net **8.95**

20 Ft. RG-58/U Coaxial Cable Assembly terminates with PL-259 connector and lug terminals. **42 K 7002** Shpg. wt., 8 oz. Net **2.75**

NEW LAFAYETTE CENTER-LOADED MOBILE CB GUTTER CLAMP ANTENNA



Gutter Clamp Assembly

Only **8⁹⁵**

with 12 Ft. Cable Assembly



Portable center-loaded CB antenna provides outstanding CB performance. Easily removable when not in use—prevents theft or damage. Gutter clamp snaps on rain gutter of automobile. Heavy spring assures positive grip. Clamp is heavily plated to resist corrosion. Only 20 inches in length. SWR 1:1. Furnished with 12' of RG-58/U cable with PL-259 connector. Imported. Shpg. wt., 3 lbs. **99 K 3188** Net **8.95**

- Easily Snaps on Rain Gutter of automobile
- Portable—Easily Removable When Not in Use—Prevents Theft or Damage

LAFAYETTE ALL STAINLESS STEEL CB MOBILE ANTENNA

- 102" Stainless Steel Whip For Optimum 11-Meter Performance
- Heavy-Duty Chrome Plated Stainless Steel Spring
- Chrome Plated Swivel Ball Jointed Mount Base

6⁹⁵

Chrome plated swivel mount base designed to be mounted on any surface. Stainless steel spring holds rod in properly adjusted position and prevents rod damage from shocks and blows. Stainless steel whip for resiliency and strength. Less cable. Imported. Shpg. wt., 4 lbs. **99 K 3034WX** Net **6.95**

20 Ft. RG-58/U Coaxial Cable Assembly terminates with PL-259 connector and lug terminals. **42 K 7002** Shpg. wt., 8 oz. Net **2.75**

DELUXE LAFAYETTE HEAVY-DUTY TOP-LOADED MOBILE CB-AM ANTENNA

7⁹⁵

with 5 Ft. Cable Assembly

- One Antenna Does the Job of Two
- Low Loss Cables
- All Connections Under Dash

Deluxe Cowl mounted antenna doubles for Citizens Band and broadcast reception. Eliminates two antennas on your car. Sturdy construction with heavy chrome plate. 46" long collapsing to 31". Fits the 7/8" to 1 1/4" space left by auto antenna. Includes automatic dividing harness, 1' cable to AM set, 2' cable to CB rig and 5' cable with PL-259 plug to antenna. Small divider unit fits under dash. Imported. Shpg. wt., 4 lbs. **99 K 3060W** Net **7.95**

NEW LAFAYETTE "RAPID-GRIP" MOUNT BASE LOADED MOBILE CB ANTENNA



Only **11⁹⁵**

MADE IN U.S.A.

- "Rapid-Grip" Mount Provides Permanent Antenna Installation In Seconds Without Drilling Holes

New "Rapid-Grip" mobile antenna is especially suitable for trunk mounts. No holes to drill. Slips over trunk lip. Cable is completely hidden. Neat, trim, professional appearance. Offers ideal omni-directional signal pattern. Water resistant body seal. 39" Stainless Steel whip. Base loaded phasing transformer completely weather proof. Overall length 43". Less cable. Shpg. wt., 3 lbs. **42 K 0152** Net **11.95**

20 Ft. RG-58/U Coaxial Cable Assembly terminates with PL-259 connector and lug terminals. **42 K 7002** Shpg. wt., 8 oz. Net **2.75**

Improve Your CB Performance With LAFAYETTE Accessories

A LAFAYETTE MOBILE AM TO CB ANTENNA CONVERTER. Specially designed AM to CB antenna converter consisting of a weather-proof loading coil with a universal mount and adjustable 7/8" stub. Covers entire 27 MC Citizens Band. Easily attaches to your existing AM automobile antenna. Includes dividing harness which couples your new combination AM and CB antenna directly to your Citizens Band Transceiver and AM auto radio. Imported. **99 K 3116 Shpg. wt., 2 lbs. Net 6.95**

B RADIO FIELD INDICATOR. Checks performance of your mobile or fixed transmitter. 200 μ a meter movement with variable sensitivity control. Earphones jack for an aural check of output. Antenna extends from 3/4" to 10 3/4". Powerful magnet allows easy mounting. Use anywhere... requires no electricity or batteries. Dimensions: (less antenna) 3 1/2" W x 2 1/4" H x 2" D. Imported. **99 K 2509 Shpg. wt., 7 oz. Net 6.75**

C K 2515 High output crystal earpiece for above 1.09

C LAFAYETTE DYNAMIC CB MICROPHONE. For use with low impedance solid state transceivers. Housed in professionally styled, gray and black, high-impact plastic case. Coiled cord consists of 3 conductors plus shield and terminates in a 4 prong miniature plug. Wired for relay switching. Mates directly with microphone input chassis socket of Lafayette HB-500, HB-500A, HB-555, HB-525, HB-525A, HB-525B, HB-525C, HB-625, HB-23, HE-20T, HE-20D, HA-450T, HB-600, and Telsat 23. Size: 3 3/8" x 2 3/4" x 1 1/4". Imported. **99 K 4618 Shpg. wt., 1 lb. Net 5.95**

D LAFAYETTE CB BASE STATION CERAMIC MICROPHONE FOR TUBE-TYPE CB TRANSCEIVERS. Efficient, high impedance desk ceramic microphone. With convenient push-to-talk button plus lock-sw.tch for prolonged transmission. 3-conductors plus shield for normal relay or electronic switching. 3 3/4" x 5 3/8" x 7 3/8". Imported. **99 K 4607 Less plug. Shpg. wt., 1 1/2 lbs. Net 9.95**

LAFAYETTE CB BASE STATION DYNAMIC MICROPHONE FOR TRANSISTORIZED CB TRANSCEIVERS. Same as above but has dynamic element. **99 K 4608 Less plug. Net 11.95**

E LAFAYETTE CB NUVISTOR PREAMPLIFIER Can be added to virtually any CB transceiver to improve gain and noise figure. Covers a frequency range of 26.96 to 27.225MC and employs a nuvistor tube in a neutralized circuit. Tuned circuitry is employed for both the grid and plate. Gain is 20 db and noise figure of 2.0 db at 27MC. Power requirements are 6.3 volts at 135 ma. and 100-250 volts DC at 8 ma. Only 2 1/2" x 3 1/2" x 1 1/2". Shpg. wt., 2 lbs. **42 K 0127 Net 9.95**

F LAFAYETTE CB LOW PASS FILTER. Attenuates radiated spurious and other undesirable harmonic signals higher than 50 MC approximately 50 db or more: Minimizes interference with you own or your neighbor's TV set. Simple to install with two built-in SO-239 connectors. Impedance is 50-75 ohms and connections may be reversed for same impedance match. Max. power rating is 100 W. Size: 5 x 2 x 1 3/4". **42 K 0123 Shpg. wt., 1 1/2 lbs. Net 6.95**

G LAFAYETTE AUTO-MARINE ENGINE NOISE SUPPRESSOR KIT. A must for mobile CB and Ham Operators! Effectively suppress ignition, generator and voltage regulator noise. Kit includes: 8 spark plug suppressors; 1 distributor suppressor, 1 voltage regulator suppressor; 4 coaxial capacitors; shielded cable and braid for wiring filter system. All necessary hardware and instructions for installation incl. **42 K 0905 Shpg. wt., 2 lbs. Net 9.45**

H LAFAYETTE GENERATOR NOISE FILTER. Enables quiet receiver operation for Citizen Band, Amateur and industrial frequencies. Standard frequency range 3-30 mcs. Maximum current 25 amps. Imported. **99 K 6018 Shpg. wt., 1 lb. Net 2.49**

I ALTERNATOR NOISE FILTER. A highly effective filter for alternator equipped automobiles. Attenuates alternator noise by 50 db. Can operate up to 32 volts DC. Results in quiet mobile receiver operation. **42 K 4900 Shpg. wt., 8 oz. Net 3.29**

J LAFAYETTE CB TRANSCEIVER TESTER. Easily and quickly evaluate and improve operating efficiency in both fixed and mobile installations. Permits aural monitoring of local transmitters; visual transmitter monitoring with scope. Measures: RF power output, relative field strength, SWR, % modulation, and crystal activity. Generates: controlled RF signal, modulated audio signal and 1 Kc audio signal. Also has in-circuit connection to antenna without removing cables from transmitter. Sensitive D'Arsonval meter. Sturdy attractive molded case with brushed aluminum front panel. Includes 9V battery; 30" telescoping antenna. 7 7/8" x 5 3/8" x 2 7/8". Shpg. wt., 4 lbs. **42 K 0126 \$5 Monthly Net 37.95**

K LAFAYETTE 6-VOLT DC TO 12-VOLT DC SOLID STATE CONVERTER. Now you can install a mobile communications system using your present 6 VDC system. Operate your HB-500, HB-500A, HB-525, HB-525C, HB-555, HB-600, and any other Solid State CB transceiver drawing less than 1-Amp during transmission. Converter fits neatly under the dashboard, or on the firewall. Attractive miniature remote control panel has On-Off switch and pilot light indicator. Size: 5 1/4" W x 4 1/2" D x 2 1/4" H. Imported. Shpg. wt., 4 1/2 lbs. **99 K 3084 Net 19.95**

L LAFAYETTE NICKEL CADMIUM BATTERY CHARGER AND ELIMINATOR. Battery eliminator permits 117VAC operation of 12 volt walkie talkies rated up to and including 2 watts input. Also includes plug-in battery holder for charging 10 "Z" size nickel cadmium batteries. Imported. **99 K 3136M Shpg. wt., 4 lbs. Net 13.99**



A LAFAYETTE MOBILE AM TO CB ANTENNA CONVERTER

6.95



B

RADIO FIELD INDICATOR

6.75



C

LAFAYETTE DYNAMIC CB MICROPHONE

Only 5.95



D

LAFAYETTE DYNAMIC CB MICROPHONE

AS LOW AS 9.95



E

CB NUVISTOR PREAMPLIFIER

9.95




F

Lafayette Low Pass Filter
STOCK NO. 42-0123 Made in U.S.A.
Product of Lafayette Electronics, Inc. Corporation

6.95

Made in U.S.A.

CB LOW PASS FILTER



G

AUTO-MARINE ENGINE NOISE SUPPRESSOR KIT

9.45



H

GENERATOR NOISE FILTER

2.49



I

ALTERNATOR NOISE FILTER

3.29



J

CB TRANSCEIVER TESTER

37.95



K

DC TO DC SOLID STATE CONVERTER

19.95



L

BATTERY CHARGER AND ELIMINATOR

13.99

NOW! Quiet, Private Communications For Your Whole Fleet!

Select One Of 10 Different Dual Tone Frequencies . . . Single Out The Mobile You Want To Reach!

All At The Push Of A Button!

Only **129⁹⁵**
No Money Down



- Push-button Selection Of Calls
- Indicator Lamps Signal and Identify Incoming Calls
- External Speaker/Horn Switch and Terminals
- Dual Tone Minimizes False Triggering On Stray Signals
- Priva-Com Plug Mates Directly With Socket On HB-500A, HB-555, HB-525A,B,C, HB-600, HB-625, HE-20T, HB-23 and Telsat 23
- Compatible With Priva-Com III and IV

23 Transistors, 13 Diodes, 6 Thermistors and 5 Tuning Fork Filters

LAFAYETTE PRIVA-COM® 10 SOLID STATE BASE STATION SELECTIVE ENCODER-DECODER

The new Lafayette Priva-Com 10 is a boon to users of multiple mobile or remote stations. Now you can reach a specific mobile unit in your fleet at the push of a button . . . your communications are truly private. Expertly designed solid state circuitry features push-button selection and communications with any one of 10 mobile stations at any one time, or with any assorted quantity of remote stations using up to 10 different dual tone frequencies. The remote mobile remains quiet until the call signal from the Priva-Com 10 activates the receiver. When the remote or mobile station initiates a call to the base station, the Priva-Com 10 indicator lamps signal

and identify the call. The indicator lamps remain lit until the reset button is depressed. With a remote speaker or horn connected to the external speaker/horn terminals an audible signal can be heard with the incoming call. A standby switch permits continuous active operation with a minimum of current drain. AC convenience outlet for lamps, etc. Attractively styled with brushed aluminum panel and oiled walnut wood case. For 115 volt AC 50/60 cycle operation. NOT COMPATIBLE WITH HA-100, HA-200, Priva-Com II, Priva-Com V, AND Priva-Com VI. Size 10 1/2" W x 7 1/2" D x 3 3/4" H. Shpg. wt., 6 lbs. 99 K 3161 Imported \$7 Monthly Net 129.95

LAFAYETTE PRIVA-COM® III SOLID STATE PRIVATE ENCODER-DECODER

For Lafayette 12 Volt Solid State CB Transceivers



Only **34⁹⁵**
No Money Down

- 9 Transistors plus 2 Diodes
- No Reed Relay Contact Points—Longer Life!
- For Quiet, Private Communications
- Dual Tone Minimizes Stray Signal Interference
- Incoming Call Indicator Light
- Mates Directly with Lafayette HB-555, HB-525A, HB-525B, HB-525C, HB-500A, HB-600, HE-20T, HB-625, HB-23, Telsat 23.
- Compatible with Lafayette Priva-Com IV and Priva-Com 10

Real Tiny: 1 1/4" H x 3 3/4" W x 6 1/4" D.

Using a new ingeniously designed ceramic and resonant tuning fork circuitry instead of conventional reed relays, the Priva-Com III is exceptionally adaptable for reliable mobile as well as fixed station performance. Its tiny size makes it a handsome mate for even the smallest solid state CB transceivers. Its dual tone signal minimizes the possibility of the transceiver speaker being turned on by stray ignition and power line signals. The Priva-Com III mutes the receiver. When its call switch is activated, either at base or mobile stations, the transmitted dual tone is received by the other Priva-Com III. The CB receiver is activated and the indicator light goes on. This light

strays on until manually reset. Both base and mobile units can initiate calls at any time. The Priva-Com III features simple-to-operate push-button switches for Standby, Normal, Call and Reset; a Volume Control; Indicator Light; and a sturdy mobile bracket for mounting under dash, under transceiver, etc. Supplied with 2 plug-in selective ceramic and resonant tuning fork filters, one for 817.5 cps, and one for 997.5 cps tone frequencies. Size: 1 1/4" H x 3 3/4" W x 6 1/4" D. Imported. Shpg. wt., 3 lbs. 99 K 3117 \$5 Monthly Net 34.95

PRIVA-COM® IV PRIVATE TONE CALLER

Same as Priva-Com III except for use only with Lafayette HB-444/25 (Starting with Serial No. 12101) and for Comstat 25 (starting with

Serial No. 21351). 3 3/4" W x 6 1/4" D x 1 1/4" H. Shpg. wt., 3 lbs. Compatible with Priva-Com III, and Priva-Com 10. 99 K 3123 \$5 monthly Net 34.95

LAFAYETTE PRIVA-COM® V PRIVATE ENCODER-DECODER

For Lafayette Tube-Type CB Transceivers



Only **37⁹⁵**
No Money Down

- Compatible with Lafayette Priva-Com II and VI (Solid State) and with HA-200 & HA-100
- 10 Dual-Tone Frequency Capability
- Incoming Call Indicator Light
- Operates Horn or External Alarm

Mutes CB receiver until a Priva-Com dual tone signal is received. The speaker is then activated for audible communications. For use with Lafayette Comstat 25 (up to and including serial no. 12100 ONLY), HB-444/25 (up to and including serial no. 12100 ONLY), Comstat 23, HB-444, HE-20A,B,C, HE-90, HB-111, HB-200, HB-222, HB-333, and HB-400. Not compatible with Priva-Com III, Priva-Com IV, or Priva-Com 10. Size: 4 1/2" x 2 1/2" x 5 1/2". Shpg. wt., 3 lbs. 42 K 0140 \$5 Monthly Net 37.95

LAFAYETTE PRIVA-COM® VI PRIVATE ENCODER-DECODER FOR LAFAYETTE SOLID STATE CB TRANSCEIVERS

Same as Lafayette Priva-Com V, except for use with Lafayette Solid State CB Transceivers only. For use with Lafayette HB-500A, HB-555, HB-525A, HB-525B, HB-525C, HB-600, HB-625, HB-23, and Telsat 23. Compatible with Lafayette Priva-Com V, Priva-Com II, HA-100 and HA-200 (Priva-Com). Not Compatible with Priva-Com III, Priva-Com IV, or Priva-Com 10. Shpg. wt., 3 lbs. 42 K 0150 \$5 Monthly Net 37.95

NOTE: "A" Priva-Coms can be used only with the same or other "A" Priva-Coms. "B" Priva-Coms can be used only with the same or other "B" Priva-Coms. "A" units CANNOT be used with "B" units. "A" Priva-Coms: Priva-Com III, Priva-Com 10, Priva-Com IV (Only for use with Lafayette Comstat 25 serial No. 21351 and up, and HB-444/25 serial No. 12101 and up). "B" Priva-Coms: Priva-Com II, HA-100, HA-200, Priva-Com V, and Priva-Com VI.

Walkie Talkie Specials and CB Accessories

**500 MILLIWATT 2-CHANNEL
RANGE BOOST™ WALKIE TALKIE**




Now Only

28⁹⁵



**TONE ALERT
Model GT-50A**

**1-WATT 3-CHANNEL
WALKIE TALKIE**



34⁹⁵

No Money Down

SAVE 5.00



**TONE ALERT
Model 711A**

- 13-Transistor Superheterodyne Circuitry • Separate Microphone and Speaker • Battery Condition Indicator Meter • Variable Squelch and ANL

Simple to operate, use it for sports or business purposes. Offers 2-channel crystal controlled operation. Transmits and receives alerting Beep tone. No need to waste time monitoring air for calls. Has range boost coupled with 500 milliwatts input power for added range. Automatic volume control to prevent audio distortion at close range. Power is supplied by 8 penlight batteries, or, optional 117-volt AC power pack. Unit is housed in a durable hi-impact plastic case. Supplied with FCC License Application Form 505 per Regulation 95. 44-inch telescoping antenna, batteries and crystals for channel 10. Size: 2 1/4" x 9 7/8" x 2 1/2" D. Imported. Shpg. wt., 3 lbs.

99 K 3128L	Net ea. 28.95
99 K 6258 Extra batteries (8 req.)	Net ea. .10
42 K 0907C Transmit Crystal (specify channel)	Net 2.25
42 K 0137C Receive Crystal (specify channel)	Net 2.25
99 K 3105 117V AC Power Pack	Net 12.95

- 1 Watt For Superior Power! • 3-Channels For Extra Versatility • 12-Transistors, 2-Diodes • Variable Squelch and Automatic Noise Limiting • Superheterodyne with AVC • Push-Pull Audio Power

Efficient 12-transistor, 2-diode circuit for dependable, trouble-free performance. Sensitive selective superheterodyne circuit and temperature compensating components (thermistors) eliminate frequency fade-out. Equipped with earphone jack, external antenna jack and telescopic antenna. Supplied with 8 penlight batteries, carrying strap and earphone jack. Complete with FCC License Application Form 505 per Regulation 95, and pair of crystals for channel 7. Size: 3x8x1 3/4". Imported. Shpg. wt., 2 1/2 lbs.


99 K 3128L \$5 monthly	Net ea. 34.95
99 K 6258 Extra Batteries (8 req.)	Net ea. .10
99 K 6294 Alkaline Replacement Batteries (8 req.)	Net ea. .29
42 K 0907C Transmit Crystal (specify channel)	Net ea. 2.25
42 K 0137C Receive Crystal (specify channel)	Net ea. 2.25
40 K 7901 Earphone for HA-711A	Net .59



"MITY-MITE" CB CERAMIC MICROPHONE

Ceramic microphone expertly designed and professionally styled for real performance. Fits snugly in palm of hand for effortless operation. Features a "Long Life" ceramic element. Three conductors plus shield connected for electronic switching. Includes instruction sheet for conversion to relay switching. For all high impedance input CB transceivers (tube type). High impact plastic case and 4 foot coiled cord. 1x1 1/4x3 1/4". Imported.

99 K 4579 Shpg. wt., 8 oz.	Net 4.95
Same as above except with miniature positive locking plug. Mates directly with chassis socket of Lafayette Comstat 25, 25A, Comstat 23 Mark V, and Comstat 19.	
99 K 4617	Net 5.75



BOOM MIKE/HEADSET

Frees hands for safe driving. Perfect answer to your CB and Ham mobile needs. For use with VDX or foot switch for transmit-receive changeover. Lightweight and comfortable. 8-ohm earphone has cushion for comfort and outside noise suppression. Crystal mike for high output and full modulation. Boom and headband adjust to individual preference. Mike mounted on swivel. Finished in chrome and two tone plastic. With 5 ft., 4-conductor cable. Imported. Shpg. wt., 1 lb.

99 K 2565 For tube transceivers... Net 3.99

NEW DELUXE UNIVERSAL BASE LOADED CB WALKIE-TALKIE ANTENNA



Only **3⁹⁵**

- Replaces Broken Or Existing Recessed Antenna
- Instantly Attaches Without Tools

Universal base loaded CB walkie-talkie antenna. Only 16" in length. Replaces broken or existing recessed antenna. Instantly attaches without tools. Can be tuned to compensate for antenna length. Made of non-corrosive materials. Operates equal to long telescoping antennas. 42 K 0151 Shpg. wt., 1 lb. Net 3.95



Citizens Band Equipment Is Available on Easy Pay Plan—No Money Down



LAFAYETTE

CB Walkie Talkie

Our Walkie Talkies Feature



A

HA-70C

"SPACE COMMANDER"

No License Required
FCC Regulation Part 15 **5⁹⁹** EACH



B

HA-132

**2 CHANNEL 5-TRANSISTOR
SUPERHET WITH TONE ALERT**

No License Required
FCC Regulation Part 15 **11⁹⁵** EACH



E

HA-305



C

HA-73

**2 CHANNEL 7-TRANSISTOR
SUPERHET WITH TONE ALERT**

No License Required
FCC Regulation Part 15 **15⁹⁵** EACH



D

HE-210A

**3-CHANNEL 10-TRANSISTOR RANGE
BOOST WITH TONE ALERT**

No License Required
FCC Regulation Part 15 **24⁹⁵** EACH

NEW

**.5 WATT 3 CHANNEL
CB WALKIE TALKIE
WITH TONE ALERT**

ONLY **32⁹⁵** EACH

**NO MONEY
DOWN**

112 Lafayette Cat. No. 681

Depend on Lafayette for Complete Stocks, Lowest Prices, Fastest Service

Plug-in Crystals — Easy to Operate 23 Channels

B-E-E-P

TONE ALERT



A HA-70C "SPACE COMMANDER" CB WALKIE TALKIE

- Not a Kit—Completely Wired
 - Sensitive Superregenerative Circuit
 - Solid State for Low Battery Drain
 - Interstage Transformer for More Sound
- Compact 3-transistor walkie-talkie features a sensitive superregenerative receiver for minimum noise pick-up when voice signal is being received. Crystal controlled transmitter provides range up to 1/4 mile. Has push-to-talk button, off-on volume control, and efficient speaker/mike. Supplied with telescopic antenna, crystal, battery, and plastic carrying case. Size: 5 1/2 x 2 1/2 x 1 3/8". Imported. Shpg. wt., 1 lb. Does not have plug-in crystals.

99 K 3080L Model HA-70C _____ Net ea. 5.09

99 K 6021 Replacement Battery _____ Net .21

Optional 9-Volt Lead-Acid Rechargeable Battery Plus Charger. Imported. Shpg. wt., 6 oz.
99 K 9018 _____ Net 2.69

C HA-73 2 CHANNEL 7-TRANSISTOR SUPERHET CB WALKIE TALKIE

- Built-in Tone Alert
- Powerful Push-Pull Audio
- Capacitor-fed Reflex Circuit

New power boost reflex circuit utilizes 7 transistors to achieve higher sensitivity for extended range. 2-channel operation permits greater flexibility. Call alert system sends or receives a pleasant alerting tone for convenient calling. Case features beautiful die-cast chrome high-lighted front panel. Supplied with carrying strap, telescoping antenna, battery, and plug-in crystals for channel 9. Size: 5 7/8 x 1 1/4 x 2 3/4". Imported. 3 lbs.

99 K 3129L HA-73 _____ Net ea. 15.95

99 K 6021 Replacement Battery _____ Net .21

Optional 9-Volt Lead-Acid Rechargeable Battery Plus Charger. Imported. Shpg. wt., 6 oz.
99 K 9018 _____ Net 2.69

E .5 WATT 3 CHANNEL CB WALKIE TALKIE MODEL HA-305

- Built-In Tone Alert
- Switchable 3 Channel Operation
- Large, Efficient Speaker/Mike

Lightweight 2-way transceiver includes three switchable channel positions for alternate choice of frequencies under crowded channel conditions. Tone alert system sends or receives a pleasant alerting tone for convenient calling. 117 volt AC operation with optional battery eliminator. 14 transistor, 1 diode, 1 varistor circuit features a selective superhet receiver with automatic noise limiting and

F 2-WATT 3-CHANNEL CB WALKIE TALKIE MODEL HA-303

- Built-in Tone Alert
- Superhet Receiver Plus RF Amplifier
- Variable Squelch, ANL, AVC

Powerful walkie talkie features 3 channel operation and 2 watt transmitter input for flexible, dependable communications. Superhet receiver utilizes a tuned RF amplifier to pull in weak signals. Built-in alert system sends or receives a pleasant alerting tone for convenient calling. 117 volts AC operation with optional battery eliminator. 13 transistor 4 diode circuit features: built-in battery meter, push-pull audio, jacks for external antenna and earphone, and attractive metal case with die cast front panel.

B HA-132 2 CHANNEL 5-TRANSISTOR SUPERHET CB WALKIE TALKIE

- Audio Tone Call Alert
- Selective Superheterodyne Receiver
- 2 Switchable Channels
- Complete with Crystals for Channel 10

5 transistor, 2 diode circuit employs crystal-controlled superheterodyne receiver for clear, crisp reception and extra powered 100 milliwatt transmitter using plug-in, easy-to-change crystals for any 2 switchable channels. Transmits and receives alerting audio tone to initiate communications. Supplied with channel 10 transmit and receive plug-in crystals and 9 volt battery. Size: 2 3/4" W x 5 3/8" H x 1 1/2" D. Imported. 2 1/2 lbs.
99 K 3185L HA-132 _____ Net ea. 11.85
99 K 6021 Replacement Battery _____ Net .21
Optional 9-Volt Lead-Acid Rechargeable Battery Plus Charger. Imported. Shpg. wt., 6 oz.
99 K 9018 _____ Net 2.69

D HE-210A 3-CHANNEL 10-TRANSISTOR RANGE BOOST WALKIE TALKIE

- Built-in Tone Alert
- 10 Dependable Silicon Transistors
- 3-Channels For More Versatility

Features a powerful Range Boost modulated transmitter and efficient superhet receiver in a lightweight, 16 ounce package. Call alert system sends or receives a pleasant alerting tone for convenient calling. Styled in professionally designed black and brushed aluminum metal case. Supplied with antenna, 5 penlight batteries, and a pair of plug-in crystals for channel 10. Size: 6 7/8 x 2 1/4 x 1 1/8". Imported. Shpg. wt., 2 1/2 lbs.

99 K 3127L HE-210A _____ Net ea. 24.95

Replacement Dry-Cell Batteries (6 required) _____ Net ea. .10

Heavy Duty Alkaline Battery (6 required) _____ Net ea. .29

99 K 6294 Battery Eliminator _____ Net 2.95

99 K 3142 Battery Eliminator _____ Net 2.95

2-Watt 3-Channel

CB Walkie Talkie
with Tone Alert

ONLY **54⁹⁵** Each

**NO MONEY
DOWN**


CRYSTALS FOR WALKIE TALKIES ON PAGES 112 and 113

42 K 0907C Extra Transmit Crystal (Specify Channel Desired) _____ Net each 2.25
42 K 0137C Extra Receive Crystal (Specify Channel Desired) _____ Net each 2.25

LAFAYETTE
WALKIE TALKIES

NEW!

WITH **B-E-E-P** TONE ALERT



DYNA-COM 2

DYNA-COM 3

For Full Description and Illustrations of Dyna-Com Accessories Refer to Page 123.

Super Power Long Range WALKIE TALKIES

3 WATTS 3 CHANNELS

DYNA-COM 3

ONLY
64⁹⁵ Each

No Money Down

- 6 Stage Transmitter
- Range Boost Circuitry
- 12 Transistors, 3 Diodes
- 455 Kc Ceramic Filter
- Variable Squelch and Automatic Noise Limiting
- Sensitive 1 microvolt Superheterodyne Receiver
- Battery Condition and RF Power Output Indicator
- Jacks for External Antenna & Battery Eliminator

Lafayette's new Dyna-Com 3 Walkie Talkie is a hand-held powerhouse featuring 3 full watts of power with the added flexibility of 3 crystal-controlled switchable transmit and receive channels. 12 transistor 4 diode circuitry incorporates built-in tone alert private calling. Sensitive superhet receiver utilizes an RF amplification stage and highly selective ceramic filter for superb reception. Automatic gain control, automatic noise limiter, and variable squelch combine to achieve truly quiet operation. 6 stage transmitter uses Range Boost modulation to increase the sideband modulation and thus provide far greater talk power. Meter indicates battery level on receive and RF power output on transmit. Jacks are provided for earphone, external antenna, and external power. Operates on batteries or any other 12 Volt DC Supply. Attractive case with shoulder strap. Complete with telescoping antenna, 10 "Z" cell battery holder with batteries, one set of crystals for channel 7, and FCC Form 505. Imported. Size: 8³/₈"H x 3³/₄"W x 1¹/₄"D. Shpg. wt., 2¹/₄ lbs.

99 K 3134L \$5 Monthly	Net 64.95
99 K 3140YL Dyna-Com 3 Modified for 26.62MC	Net 74.95
99 K 3141YL Dyna-Com 3 Modified for 27.575MC	Net 74.95

1.5 WATTS 3 CHANNELS

DYNA-COM 2

ONLY
49⁹⁵ EACH

No Money Down

- 455 Kc Ceramic Filter
- Superheterodyne Receiver with 1 Microvolt Sensitivity
- Variable Squelch and Built-In Automatic Noise Limiting
- Battery Condition and RF Power Output Indicator

Lafayette's new Dyna-Com 2 Walkie Talkie is a compact hand-held 3 channel 1.5 watt transceiver featuring full 23-channel crystal controlled transmit and receive capabilities. Built-in provisions for 3 switchable channels greatly increase its flexibility. Incorporates latest circuitry for outstanding sensitivity, selectivity, and adjacent channel rejection. Transmits or receives an alerting tone prior to initiation of communications. Outstanding features include Range Boost modulation circuitry, ceramic IF filter, AGC, ANL, variable squelch, and Battery/PRF output meter. External earphone, antenna, and power jacks provided. Attractive case with shoulder strap. Operates on built-in batteries or any external 12 volt DC power source. Complete with telescoping antenna, batteries, crystals for channel 7, and FCC Form 505. Size: 8³/₈"H x 3³/₄"W x 1¹/₄"D. Imported. 2¹/₄ lbs.

99 K 3133L \$5 Monthly	Net 49.95
99 K 3176YL Dyna-Com 2 Modified for 26.62MC	Net 59.95
99 K 3177YL Dyna-Com 2 Modified for 27.575MC	Net 59.95

ACCESSORIES FOR DYNA-COM 2, 3

Heavy Duty Alkaline "Z" Batteries	Net ea.	.29
99 K 6294 (10 required)		
Alternate Nickel Cadmium Batteries	Net ea.	1.93
32 K 4740 (10 required)		
42 K 0153C Extra Transmit Crystal (Specify Channel)	Net	2.25
42 K 0135C Extra Receive Crystal (Specify Channel)	Net	2.25
42 K 0920 External Antenna Adapter Cable	Net	2.95
99 K 4605 Mobile Cigarette Lighter Cable	Net	2.95
40 K 7901 Earphone for Dyna-Com 2, 3	Net	.59
99 K 3147 Dyna-Com Battery Eliminator/Charger	Net	22.95
Dyna-Charge. Charges Nicad "Z" Cells with external adapter (Incl.)		
99 K 3100	Net	9.95
Miniature Top Loaded Antenna. Mounts on top of collapsed Dyna-Com Telescopic Antenna.		
99 K 3143	Net	4.50
Leatherette Carrying Case with Shoulder Strap.		
42 K 2702	Net	5.95


COMSTAT 19 5-WATT TWO-WAY RADIO



- 9 Crystal Controlled Transmit and Receive Channels
- Push-To-Talk Ceramic Mike with Coiled Cord and Positive Lock Plug
- Pi Network Antenna Matching
- Convenient Variable Squelch Control
- Sensitive 23 Channel Tuneable Receiver

APPROVED IN CANADA
D.O.T. No. 169361101

Only **59⁹⁵**
No Money Down



Advanced electronic circuitry utilizes 7 tubes and 3 diodes to achieve 13 stages of dynamic performance. Sensitive superheterodyne receiver permits reception of weak distant stations even in problem areas. Effective series gate limiter minimizes ignition and other noise pick-up. Receiver can be manually tuned or crystal controlled. Variable squelch control permits quiet automatic stand-by operation. Powerful audio stage delivers up to 100% AM plate modulation for real talk power. Monitor allows visual indication of modulation. Built-in 117 VAC power supply and optional 12 VDC power supply (see below) permit virtually unlimited applications. Front panel receive and transmit crystal sockets plus 8 sets of internal crystal combine with 9 switched crystal positions to provide the flexibility of full 23 channel crystal coverage. Intermediate frequency: 455 KC. Receiver sensitivity: 1 μ v @ 10 db signal to noise ratio. Output impedance: 50 ohms. Supplied complete with push to talk ceramic microphone with coiled cord and positive lock plug, bracket for mobile or shelf mounting, 117 VAC power cord, and a pair of crystals for channel 9. Size: 12 $\frac{1}{4}$ Wx8 $\frac{1}{4}$ Dx5"H. Shpg. wt., 11 $\frac{1}{2}$ lbs.

- 99 K 3067WX \$5 monthly
- 42 K 4701C Extra Transmit Crystal (Specify Channel) Net \$9.95
- 42 K 4702C Extra Receive Crystal (Specify Channel) Net 2.25
- HA-19 POWER SUPPLY Adapts Comstat 19 for 12 volt mobile operation. Size 6Wx4Hx4 $\frac{1}{2}$ "D. Net 2.25
- 42 K 4704W Shpg. wt., 4 lbs. Net 11.50

2.5 WATT SOLID STATE PORTABLE & MOBILE TWO-WAY RADIO

- 6 Channel Crystal Controlled Transmit & Receive
- External Plug-in Push-To-Talk Dynamic Microphone
- "S" and Battery Meter, ANL and Variable Squelch
- Operates with 8 "D" Batteries Supplied
- Complete with Leather Carrying Case, Antenna, and Mobile Mounting Brackets



ONLY **69⁹⁵**
No Money Down

Powerful HA-450 can be used as a super Walkie-Talkie with its self-contained battery pack or as an ultra compact under-dash mobile unit. Solid state 12 transistor, 4 diode circuit provides optimum 6 channel crystal controlled operation. Sensitive superheterodyne receiver utilizes one stage of RF and two stages of IF amplification for clear reception. Automatic series gate noise limiter and adjustable squelch combine for quiet pleasurable communications. Automatic gain control prevents overloading on strong signals and maintains uniform audio output. Mechanical filter assures excellent selectivity with superior adjacent channel rejection. Efficient 2.5 watt twin stage transmitter uses 3 rugged silicon transistors for dependable, efficient transmission. Operates on 12 volts positive or negative ground D.C., or internal batteries. Supplied with telescopic whip antenna, mounting bracket, PTY mike, batteries, pair channel 9 crystals and FCC Form 505. Size: With Battery Pack, 10 $\frac{3}{8}$ L x 6D x 2 $\frac{3}{4}$ "H. Without pack, 10 $\frac{1}{2}$ L x 4 $\frac{1}{2}$ D x 2 $\frac{3}{4}$ "H. Imported. Shpg. wt., 8 lbs. 99 K 3063L \$5 Monthly Net 89.95



Model HA-450

ACCESSORIES

- 99 K 6256 "D" Cells (8 required) Net Ea. .15
- 99 K 6292 "D" Alkaline Batteries (8 req'd) Net Ea. .44
- 42 K 0907C Extra Transmit Crystal (Spec. Chan.) Net 2.25
- 42 K 0135C Extra Receive Crystal (Spec. Chan.) Net 2.25
- 42 K 2202 PL-259 to Motorola Plug Adapter Net .99

Buy Your CB System with Lafayette's Easy Pay Plan - No Money Down

23 Crystal Controlled CB Channels

With Revolutionary New



ELECTRONIC MIRACLE
OF THE
SPACE AGE!

ONLY **99⁹⁵** FOR OPERATION
ON CHANNELS
9, 13 AND 19
Now ... ADD 2 MORE CHANNELS
WITH EACH ADDITIONAL
PLUG-IN CRYSTAL!

ONLY **124⁹⁵** FULL 23
No Money Down CHANNEL CRYSTAL
CONTROLLED
OPERATION



Model
HB-23

-ONLY 2 1/8" HIGH

Plug in a crystal . . . you get 2 more channels . . . and save \$!

- ★ 15-Transistors, 7-Diodes, Plus I.C.
 - ★ Full 5-Watt FCC Maximum Input Power
 - Variable Squelch Plus Automatic Noise Limiting
 - Accepts Priva-Comm® Private Tone Caller
 - Large 5x3 Inch Speaker For Superior Audio
- Solid-state ultra compact miniature synthesis CB transceiver incorporates 15 transistors and one Integrated Circuit stage to achieve 20 transistor performance with superior sensitivity, greatly increased dependability, and lower current drain. Synthesis type frequency control section utilizes a maximum of sixteen crystals for full 23 channel operation. Permits economical addition of 2 channels with each plug-in crystal listed below. Carefully tuned 455 Kc mechanical filter assures razor sharp selectivity with excellent adjacent channel rejection. Dual conversion receiver features 0.7 μv sensitivity, ANL, variable squelch, and push-pull audio amplifier. Transmitter provides full 5 watt legal limit input. Illuminated front panel meter monitors

- ★ 455 KC Mechanical Filter In IF Stage
 - ★ Dual Conversion Superheterodyne Receiver
 - 12 Volts DC Negative or Positive Ground
 - 117 Volts AC With Optional AC Power Supply
 - Portable Operation With Optional Pack
- "S" units on receive and PRF output during transmit. PA Speaker/ Earphone jack for silent listening or public address operation. Wired to accept PrivaComm plug-in private tone caller. For 12 VDC negative or positive ground as supplied, 117 VAC and portable operation achieved with accessories listed below. Complete with dynamic push-to-talk microphone, power cable, mounting bracket, fixed crystals for channels 9, 13, and 19, and FCC application Form 505. Engineered by Lafayette and made in Japan to our highest quality standards. Size 5 1/4" Wx7 1/8" Dx2 1/8" H. Shpg. wt., 7 lbs.

99 K 3149WX \$5 Monthly Net 99.95
ACCESSORIES

Package of 10 additional plug-in crystals. Converts HB-23 from 3 channels to full 23 channel crystal controlled operation.
99 K 3174 Shpg. wt., 1 lb. Net 25.00
99 K 3180WXM HB-23 Plus Crystal Pack above Net 124.95
Model HB-502A Solid State 117 VAC Power Supply/Charger. Enables Operation of HB-23 as a table top Base Station.
99 K 3153 Net 16.95

Base Station Dynamic Desk Microphone Net 11.95
99 K 4608 Net 3.45
Model HB-507 Portable Battery Pack. Adapts HB-23 for convenient Portable Operation with Shoulder Strap. Less "C" Batteries.
99 K 3155 Shpg. wt., 2 lbs. Net 19.95
99 K 6293 "C" Alkaline Battery For HB-507 (8 req.) Net ea. .35
32 K 4888 "C" Nickel Cadmium Battery (10 req.) Net ea. 4.06

OPTIONAL INDIVIDUAL PLUG-IN CRYSTALS: Each Crystal Adds 2 Operating Channels. Insert Into Specified Crystal Sockets.

99 K 3163 Channels 1 and 5; For Socket A Net 3.45
99 K 3164 Channels 2 and 6; For Socket B Net 3.45
99 K 3165 Channels 3 and 7; For Socket C Net 3.45
99 K 3166 Channels 4 and 8; For Socket D Net 3.45
99 K 3168 Channels 10 and 14; For Socket F Net 3.45

99 K 3169 Channels 11 and 15; For Socket G Net 3.45
99 K 3170 Channels 12 and 16; For Socket H Net 3.45
99 K 3171 Channels 17 and 21; For Socket I Net 3.45
99 K 3172 Channels 18 and 22; For Socket J Net 3.45
99 K 3173 Channels 20 and 23; For Socket L Net 3.45

MODEL HB-23 ECONOMY 2-WAY SYSTEMS

MOBILE SYSTEMS

HB-23 Solid State CB Transceiver 99.95
Stainless Steel Body-Mount Antenna 6.95
20 Ft. RG-58/U Coaxial Cable Assembly 2.75
TOTAL 109.65

42 K 9113WXM Shpg. wt., 13 lbs. Net 104.95
Same systems as above with bumper antenna.
42 K 9114WXM Shpg. wt., 12 lbs. Net 106.50
SAVE 5.15 from individual catalog prices!

BASE SYSTEMS

HB-23 Solid State CB Transceiver 99.95
Model HB-502A 117VAC Solid State
Power Supply and Charger 16.95
Heavy Duty Ground Plane Antenna 9.95
50 Ft. RG-8/U Low-Loss Cable Assy. 8.50
TOTAL 135.35
42 K 9142WXM Shpg. wt., 27 lbs. Net 129.95

Package Price


104⁹⁵ No Money
Down

SAVE 4.70
from individual catalog prices!

Package Price

129⁹⁵ No Money
Down

SAVE 5.40
from individual catalog prices!



Model HB-23




Body
Mount
Whip

Bumper
Mount



Model HB-23 with HB-502A



Ground Plane

BREAK-THROUGH!



SENSATIONAL LOW PRICE!

ONLY
114⁹⁵

NO MONEY DOWN



COMSTAT 23 MARK V

23 Channel Crystal Controlled Two-Way Radio

- 14 Tube Performance with 9 Tubes, and 9 Diodes
- Dual Conversion Receiver Features 8/10 μ V Sensitivity
- Pi-Network and Low Pass Filter for Maximum Power Output
- Internal Range Boost Circuitry for Greater Average Talk Power
- Built-in 117 VAC Power Supply, Operates Mobile with Optional 12 VDC Power Supply

Never before so much for so little! Lafayette offers a truly great CB value, the Comstat 23 Mark V deluxe CB Transceiver with 23 active Crystal-Controlled channels, at an amazing low price. Crystal synthesizer circuit includes all crystals necessary for active coverage of all 23 CB Channels. Each channel is clearly identified on the illuminated channel selector dial. Features a sensitive and selective dual conversion superheterodyne receiver. Variable Squelch control for quieting receiver during "no-signal" conditions, and tape recorder output jack on rear panel. RF output is coupled through a highly effective Pi-Network and Low Pass Filter for maximum energy transfer to antenna with low harmonic radiation. Range Boost circuitry is incorporated for greater

ALL CRYSTALS SUPPLIED


- Variable Squelch Control with Standby Switch for Low Drain Instant Operation
- Illuminated "S"/"PRF" Meter
- Tape Record Output Jack (Rear)
- CB/Public Address Switch
- Headphone/External Speaker Jack

average talk power. Includes a Standby switch for low current drain and instant operation. Operates Mobile with use of optional 12 Volt power supply. Size: 12Wx8 1/2 Dx5 1/2"H. Imported. Shpg. wt., 16 lbs.
99 K 3160 \$6.50 Monthly Net 114.95

OPTIONAL ACCESSORIES

- HA-19 DC Power Supply. Permits 12 Volt Mobile Operation. 6Wx4Hx4 1/2"D. Shpg. wt., 4 lbs.
42 K 4704W Net 11.50
- Mobile Mounting Bracket facilitates under-dash Mobile Mounting. Shpg. wt., 2 lbs.
99 K 3187 Net 2.95

COMSTAT 23 MARK V 23 CHANNEL CB 2-WAY SYSTEMS



BASE SYSTEMS

Comstat 23 Mark V CB Transceiver.....	114.95
Heavy Duty Ground Plane Antenna.....	9.95
50 Ft. RG-8/U Low-Loss Cable Assembly	8.50
TOTAL	133.40

42 K 9136WXM Shpg. wt., 23 lbs. Net 127.95
Above system with "Range Boost II" Deluxe 1/2 wave end fed antenna instead of ground plane antenna. Shpg. wt., 29 lbs.

42 K 9137WXM Net 136.95
SAVE 6.45 from individual catalog prices!



Package Special
127⁹⁵

SAVE 5.45
from individual catalog prices!

Package Price
129⁹⁵

SAVE 6.20
from individual catalog prices!



MOBILE SYSTEMS

Comstat 23 Mark V CB Transceiver	114.95
HA-19 Mobile Power Supply	11.50
Stainless Steel Body Mount Antenna.....	6.95
20 Ft. RG-58/U Coaxial Cable	2.75
TOTAL	136.15

42 K 9133WXM Shpg. wt., 17 lbs. Net 129.95
Same system as above except with bumper mount antenna.

42 K 9134WXM Shpg. wt., 16 lbs. Net 131.50
SAVE 6.65 from individual catalog prices!

Same system as 42 H 9134WXM except with CB/AM combination broadcast and CB cowl mount antenna.

42 K 9135WXM Shpg. wt., 16 lbs. Net 128.95
SAVE 5.45 from individual catalog prices!

Citizens Band Equipment Is Available on Easy Pay Plan—No Money Down

Lafayette Cat. No. 681 117



LAFAYETTE

Two-Way Radio

ALL CRYSTALS SUPPLIED



FCC Type Accepted

COMSTAT 25A

23 Channel Crystal Controlled 2 Way Radio

ONLY **139⁹⁵**

NO MONEY DOWN

- Wired Priva-Com® Private Call Socket
- 17 Tube Performance with 11 Tubes, 2 Transistors and 11 Diodes
- Built-in 117 VAC, 12 VDC Solid-State Power Supply
- Dual Conversion Receiver Features 8/10 μ V Sensitivity
- Range Boost Circuitry for Added Talk Power
- Illuminated "S"/"PRF" Meter
- CB/Public Address Switch
- Headphone/External Speaker Jack
- 2.5 Kc Fine Tuning Vernier
- Adjustable Squelch Control with Standby Switch for Low Drain Instant Operation

Pace-setting Comstat 25A transceiver features high performance circuitry for superb mobile and base station operation. "RANGE BOOST" greatly increases the average talk power and raises the overall modulation percentage. 2.5KC total spread of fine tuning vernier facilitates accurate reception. Highly selective circuits greatly suppress adjacent channel interference (-45db). Variable squelch quiets receiver between calls. Pi-network final tank circuit and lowpass filter combine to provide efficient power transfer into the antenna with superior harmonic suppression. Crystal frequency synthesizer enables operation on all 23 CB channels with crystals supplied. No extra crystals are necessary! Built-in

dual purpose power supply allows 12-VDC mobile and 115-VAC base station operation. Front panel switch converts transceiver to a handy 4.5 watt public address amplifier. A convenient front panel jack for headphones or external extension speakers for CB/PA is provided. Comstat 25A also features push-to-talk relay switching and plug-in ceramic microphone with coiled cord. Rear socket is prewired to accept Lafayette Priva-Com selective call unit. Complete with Vari-tilt mounting bracket. With FCC License Application Form 505 per Regulation 95. Size: 12Wx8½Dx5"H. Imported. Shpg. wt., 16 lbs. \$7.50 monthly.

99 K 3130WX

Net 139.95

COMSTAT 25A ECONOMY CB 2-WAY SYSTEMS



MOBILE SYSTEMS

Comstat 25A CB Transceiver 139.95
 Stainless Steel Body Mount Whip Ant 6.95
 20 Ft. RG-58/U Coaxial Cable Assembly 2.75
TOTAL 149.65

SYSTEM PRICE **142⁹⁵**

42 K 9090WXM Shpg. wt., 21 lbs. \$8 monthly Net 142.95
 Same system as above except with Bumper Mount instead of Body Mount antenna. Shpg. wt., 20 lbs.
 42 K 9099WXM \$8 monthly Net 144.50
 YOU SAVE 7.15 from individual catalog prices.
 Same as above except with CB/AM combination Broadcast and CB Cowl Mount antenna instead of Bumper Mount antenna.
 42 K 9101WXM \$8 monthly Shpg. Wt. 21 lbs. Net 141.95
 SAVE 5.95 from individual catalog prices.

SAVE 6.70

From Individual Catalog Prices

SAVE 7.90

From Individual Catalog Prices

BASE SYSTEMS

Comstat 25A CB Transceiver 139.95
 Heavy Duty Ground Plane Antenna 9.95
 50 Ft. RG-8/U Low-Loss Coaxial Cable 8.50
TOTAL 158.40

SYSTEM PRICE **150⁵⁰**

42 K 9102WXM Shpg. wt., 27 lbs. \$8 monthly Net 150.50
 SAVE 7.90 from individual catalog prices.
 Same package as above except with "Range Boost II" high gain ½ wave length base station antenna instead of Ground Plane antenna. Shpg. wt. .33lbs.
 42 K 9103WXM \$8 monthly Net 159.95
 SAVE 8.45 from individual catalog prices.

HB-525C Solid State Mobile 2-Way Radio



23 Crystal Controlled Channels—All CRYSTALS SUPPLIED!



Now with

FCC Type Accepted
Canadian D.O.T. Approved



For

- Extra Performance
- Years of Satisfactory Service

ONLY **149⁹⁵**

Accepts Priva-Com®
Plug-in Private Tone Caller

- 23 Transistors Including Integrated Circuitry, 9 Diodes, 1 Thermistor
- Dual Conversion
- 3-Position Crystal Delta Tune
- Transmit Mode Indicator Light
- Mechanical 455 KC Filter
- Automatic S/Prf Meter
- Variable Squelch Plus Automatic Noise Limiting
- Range Boost Circuitry for Added Talk Power
- Public Address Amplifier with External Speaker
- Auxiliary Audio Input Jack
- 12 Volt DC Operation

Lafayette's latest member of the famous HB-525 Series CB transceivers. Now with all the great features plus new revolutionary Integrated Circuit. Crystal controlled synthesizer provides 23 channel transmit and receive operation... all crystals supplied. Dual conversion receiver incorporates 455 KC mechanical filter and revolutionary Integrated Circuit for high selectivity, superior adjacent channel rejection, and extra long life. Variable squelch quiets receiver when no signal is being received. 3-position delta tune permits easy copy of off frequency stations. Powerful 5 watt transmitter features range boost modulation circuit for greater effective range. Illuminated S/Prf meter indicates signal strength on receive and RF output in transmit. Full public address provisions include audio input jack for tape recorder, tuner, etc. Supplied with PTT dynamic mike,

mounting bracket, DC cable, and FCC License Form 505. Size: 2 3/8 x 6 1/4 x 8" D. Imported. Shpg. wt., 11 lbs.

99 K 3156WX \$8 Monthly ... Net 149.95

MODEL HB-502A AC POWER SUPPLY for 117 volts AC.

99 K 3153W Shpg. wt., 8 lbs. Net 16.95

MODEL HB-506 PORTABLE DC POWER PACK Attaches to HB-525C for convenient portable operation. Less Batteries.

99 K 3154 Shpg. wt., 2 lbs. Net 19.95
"C" Dry Cell (8 req.) for HB-506

99 K 6257 Ea. .14
Lots of 10 Net 1.20

ALTERNATE BATTERIES FOR HB-506
POWER SUPPLY "C" Alkaline (8 req.)

99 K 6293 Ea. Net .35

"C" Nicad (10 req.)
32 K 4888 Ea. Net 4.06

CB Dynamic Desk Mike
99 K 4608 Net 11.95

ECONOMY SOLID STATE CB SYSTEMS With HB-525C



Body Mount



Bumper Mount



Cable Ass'y



Ground Plane

"Range Boost II"



Package Price

MOBILE SYSTEMS

HB-525C Solid State CB Transceiver 149.95
Stainless Steel Body Mount
Whip Antenna 6.95
20 Ft. RG-58/U Coaxial Cable Assembly 2.75
TOTAL 159.65

42K 9118WXM Shpg. wt., 15 lbs. Net 152.95

Same system as above except with bumper mount antenna. Shpg. wt., 14 lbs.

42 K 9119WXM Net 154.75
SAVE 6.90 from individual catalog prices!

Package Price

152⁹⁵

SAVE
6.70

from individual catalog prices!

BASE SYSTEMS

HB-525C Solid State CB Transceiver 149.95
Model HB-502A 117VAC Solid State Power Supply/Charger 16.95
Heavy Duty Ground Plane Antenna 9.95
50 Ft. RG-8/U Low-Loss Cable Assembly 8.50
TOTAL 185.35

42 K 9143WXM Shpg. wt., 29 lbs. Net 177.95

Same system as above except with high gain "Range Boost II" 1/2 wave length base station antenna. Shpg. wt., 35 lbs.

42 K 9139WXM Net 186.95
SAVE 8.40 from individual catalog prices!

177⁹⁵

SAVE
7.40

from individual catalog prices!



+ 17 TRANSISTORS

23 Crystal Controlled Channels — ALL CRYSTALS SUPPLIED



FOR 117 VOLTS AC
and
12 VOLTS DC

ONLY
159⁹⁵
NO MONEY
DOWN

Telsat™ 23 Deluxe Solid State 2 Way Radio

- Double Conversion Superhet Receiver
- Mechanical Filter Plus IC For Super Selectivity
- Excellent Sensitivity of Less Than 1 μ V
- Range Boost Circuitry For Added Talk Power
- Accepts Priva-Com® Plug-in Private Tone Caller
- Full Public Address Amplifier Provisions
- Illuminated Automatic S/Prf Meter
- Variable Squelch Plus Noise Limiting
- Automatic Transmit Indicator Light
- 3-Position ± 1.4 KC Crystal Delta Fine Tune
- TVI Trap Minimizes TV Interference

An exciting feature packed deluxe 23 channel 2-way radio ready to serve as either a 117 volt AC base or 12 volt DC mobile station. Use of revolutionary space age integrated circuitry assures greater sensitivity and selectivity with high efficiency and low power drain. Full 23 channel crystal controlled transmit and receive operation — all crystals supplied. Receiver's superior selectivity is attained by using carefully tuned IF stages coupled with a hand crafted mechanical filter. Delta tune permits copy of "off channel" stations. Full legal power transmitter uses Range Boost

modulation for greater talk power. Illuminated S/Prf meter reads signal strength on receive and RF output on transmit. Built-in public address provisions include audio input for tape recorder, tuner, etc. and tape output jack for recording. Supplied with PTT dynamic microphone, mobile mounting bracket, DC cable, and FCC License Form 505. Size: 4"H x 11 $\frac{1}{4}$ "W x 8"D. Imported. Shpg. wt., 11 lbs.

99 K 3157WX \$8 mo...Net 159.95
Dynamic Desk Stand Push-To-Talk Mike. Shpg. wt., 1 $\frac{1}{2}$ lbs.
99 K 4608 Net 11.95

TELSAT 23 ECONOMY CB 2 WAY SYSTEMS



Body Mount



Trunk Mount



Cable Ass'y



Range Boost II



Ground Plane

MOBILE SYSTEMS
Telsat 23 Solid State CB Transceiver 159.95
Stainless Steel Body Mount
Whip Antenna 6.95
20 Ft. RG-58/U Coaxial Cable Assembly 2.75
TOTAL 169.95
42 K 9123WXM Shpg. wt., 19 lbs. Net 162.50
Same system as above with Trunk mount mobile antenna that requires no mounting holes instead of body mount whip antenna.
42 K 9124WXM Shpg. wt., 20 lbs. Net 164.95
SAVE 7.74 from individual catalog prices!


Package Price
162⁵⁰
SAVE 7.15
from individual catalog prices!

BASE SYSTEMS
Telsat 23 Solid State CB Transceiver 159.95
Heavy Duty Ground Plane Antenna 9.95
50 Ft. RG-8/U Low-Loss Cable Assembly 8.50
TOTAL 178.40
42 K 9126WXM Shpg. wt., 25 lbs. Net 171.95
Same system as above except with "Range Boost II" $\frac{1}{2}$ wave length high gain base station antenna.
42 K 9127WXM Shpg. wt., 31 lbs. Net 181.50
SAVE 6.90 from individual catalog prices!

Package Price
171⁹⁵
SAVE 6.45
from individual catalog prices!

Now... 3 + 3 Stage RF Noise Silencer

23 Crystal Controlled Channels—ALL CRYSTALS SUPPLIED!



18 Transistors + 3 I.C.'s = 40 Transistor Performance!

Only **189⁹⁵** No Money Own

DELUXE HB-625 SOLID STATE 2-WAY MOBILE RADIO

- Selective Dual Conversion Superhet Receiver
- 3-Position Delta Tune for Accurate Tuning
- Mechanical Filter for Superior Selectivity
- Front Panel Transmit Mode Indicator Light

- Range Boost Circuitry for Added Talk Power
- Built-in Public Address Amplifier Facilities
- Accepts Priva-Com® Plug-in Private Tone Caller
- 12-Volt Mobile or Portable DC Operation

The HB-625 is superbly engineered to conquer the major problems of citizens band communications—adjacent channel interference and unwanted noise. Incorporates a highly selective 455 KC mechanical filter to virtually eliminate adjacent channel splatter. The HB-625 utilizes a 3 stage RF noise silencer including a 10-transistor, 8 diode integrated circuit to keep noise interference from getting into the receiver's audio without cutting the incoming signal strength. This system has been proven to be vastly superior to common noise limiting techniques by actual field tests. Range Boost audio system uses revolutionary new IC microcircuits for the ultimate in efficiency with improved average modulation for increased effective talk power. Dual conversion superheterodyne receiver has 3-position delta tune for accurate off channel tuning. Variable squelch and standard ANL combine with noise silencer to provide quiet, pleasurable reception. Other quality features include built-in public address amplifier facilities with rear panel jack for hi-fi tuner or tape recorder input. Operates instantaneously from 12 volts DC positive or negative ground with low battery drain or on 117 volts AC with optional power supply. Supplied with mounting bracket, power cord, PTT dynamic microphone with coiled

cord, and FCC Form 505 CB License Application. Size: 2 3/4" x 6 1/4" x 8" D. Imported. Shpg. wt., 10 lbs.

99 K 3148WX \$10 Monthly Net 189.95

MODEL HB-502A AC Power Supply and Battery Charger. Net 16.95

99 K 3153W Shpg. wt., 8 lbs.

MODEL HB-506 PORTABLE DC POWER PACK Attaches to HB-625 to permit portable DC operation. Includes battery pack (less batteries), telescopic antenna, and shoulder strap. Shpg. wt., 2 lbs. Net 19.95

99 K 3154 Net 19.95

Batteries for HB-506 Portable Pack. "C" Cell (8 req.) Ea. .14

99 K 6257 Lots of ten Net 1.20

Alternate "C" Alkaline (8 req.) Ea. .35

99 K 6293 Ea. .35

Alternate "C" Nicad (10 req.) Net ea. 4.06

32 K 4888 Net ea. 4.06

Dynamic CB Desk Microphone Net 11.95

99 K 4608 (not illust.) Net 11.95

HB-625 ECONOMY SYSTEMS



HB-625

Body-Mount Whip




Bumper Mount



Cable Ass'y



Ground Plane



Range Boost II



HB-502A

MOBILE SYSTEMS

Model HB-625 Deluxe Solid State CB Transceiver 189.95
 Stainless Steel Body Mount Whip Antenna 6.95
 20 Ft. RG-58/U Coaxial Cable Assembly 2.75
TOTAL 199.65
 42 K 9128WXM Shpg. wt., 27 lbs. Net 190.95
 Same system as above except with bumper mount instead of body mount whip antenna.
 42 K 9129WXM Shpg. wt., 26 lbs. Net 192.50
 SAVE 9.15 from individual catalog prices!

Package Price

190⁹⁵

SAVE 8.70

from individual catalog prices!

BASE SYSTEMS

Model HB-625 Deluxe Solid State CB Transceiver 189.95
 Model 502A Solid State 117 VAC Power Supply 16.95
 Heavy Duty Ground Plane Antenna 9.95
 50 Ft. RG-8/U Low-Loss Cable 8.50
TOTAL 225.35
 42 K 9140WXM Shpg. wt., 31 lbs. Net 213.95
 Same system as above except with "Range Boost II" Deluxe 1/2 wave end-fed base antenna instead of ground plane antenna. Shpg. wt., 37 lbs. Net 219.95
 42 K 9141WXM Net 219.95
 SAVE 15.40 from individual catalog prices!

Package Price

213⁹⁵

SAVE 11.40

from individual catalog prices!

To Speed Your Mail Order — Please Give Your Zip Code Number

Lafayette Cat. No. 681 121

5

Watts of Power You Can Hold in Your Hand! A TRUE CHAMPION!

The American Antarctic
Mountaineering Expedition

February 9, 1967

"The 5-watt Dyna-Com Walkie Talkie you provided gave us excellent service throughout the course of the expedition."



FCC TYPE
ACCEPTED

CANADIAN
D.O.T. APPROVED

HANNIBAL, MISSOURI

May 17, 1967

"Your equipment proved to be superior to any other Citizens Band Equipment used . . . in the search for the three Hannibal boys lost in caves."

A TRUE CHAMPION!

Can Hold in Your Hand!

3 CHANNELS

LAFAYETTE DYNA-COM 5

ONLY 79⁹⁵ NO MONEY DOWN

with Leather Shoulder Strap

- ★ 3 Switchable Crystal Controlled Transmit and Receive Channel Positions for All 23 Channels
- ★ 5-Watt FCC Maximum Input . . . with the Power of the Most Powerful Base and Mobile CB Transceivers
- ★ 13 Transistors, 6 Diodes
- ★ 7-Stage Transmitter for Extra Transmit Sock!
- ★ Operate Mobile in Your Car with Optional Cigarette Lighter Plug-in Adapter
- ★ Superheterodyne Receiver With Less Than 1 Microvolt Sensitivity for 10 db S+N/N Ratio
- ★ Mechanical Filter for Superior Selectivity
- ★ Automatic Compressor Range Boost — Assures High Talk Power

- Variable Squelch and Automatic Noise Limiting for Minimum Noise
- Battery Condition and Automatic Relative RF Power Output Indicator
- External Antenna Jack Permits Use with Base Station and Mobile Antennas
- Provision for External Battery Pack, Mobile Battery, Charger and Eliminator
- Pi-Network Antenna Matching for Maximum Output!

The Dyna-Com 5 is small in size—BIG in performance and versatility. A Lafayette exclusive, this amazing 2-way radio has every feature you have ever wanted in a compact walkie-talkie. The unique, removable battery pack facilitates charging ni-cad batteries on or off the walkie-talkie. You always have a fresh supply of batteries on hand. In addition, an optional portable dry cell power pack keeps reserve power on tap when you need it. The unit may be connected to your auto, boat or tractor battery and external antenna for the ultimate in portable convenience. Attractive die-cast brushed aluminum case with shoulder carrying strap. Measures only 3 1/4" x 10 1/4" x 2 1/4" D. Supplied with transmit and receive crystals for channel 10, telescoping whip antenna and FCC license application Form per regulation 95. Imported, Shpg. Wt., 5 lbs. See optional accessories. Less batteries. 99 K 3087L \$5 monthly Net 79.95

DYNA-COM 5—Modified for 26.62 Mc	
99 K 3107YL \$6 monthly	Net 89.95
DYNA-COM 5—Modified for 27.575 Mc	
99 K 3108YL \$6 monthly	Net 89.95

5 WATTS
HAND-HELD
POWER

6 CHANNELS
SWITCHABLE
CRYSTAL CONTROLLED

plus **NEW Revolutionary**



Electronic Miracle of the space age. A complete miniature circuit with 7 transistors and 3 diodes in a capsule no larger than a full size transistor. Sets a new standard of reliability, performance, and compactness.

DYNA-COM 6

ONLY **99⁹⁵**
NO MONEY
DOWN

with Leather Shoulder Strap


Integrated Circuit Plus 12 Transistors and
5 Diodes For Super Performance

- * 5-Watts of Input Power—Maximum Power Permitted by FCC For All Licensed CB 2-Way Operation
- * 6 Switchable Crystal Controlled Transmit and Receive Channel Positions For All 23 Channels
- * Integrated Circuit Used in Transmit, Receive, and Audio Limiting Circuits
- * Mobile Operation with Cigarette Lighter Plug-In Adapter
- * Public Address External Speaker Jack with PA Switch and PA Volume Control

Lafayette's star performer of the Dyna-Com walkie-talkie series features rugged silicon "IC" (micro-miniature circuit) plus 5-watts RF input to meet the highest requirements for portable or mobile 2-way communications. The "IC" is engineered into the audio section to virtually eliminate distortion and thus provide better reception with clearer transmission than conventional solid state units. 6-switchable, precision tuned, crystal-controlled operating channels assure sharp definitive, 2-way communications even over crowded city channels. Full time "Range-Boost" modulation circuit delivers greater effective range. The Dyna-Com 6 has a host of extra features for unsurpassed flexibility... such as built-in PA facilities, automatic gain control, automatic series gate noise limiter, RF Power/Battery Condition meter, and variable squelch. Can be connected to any 12V., DC power source, or operated from 110V., 60 cps AC with optional power supply. Attractive die-cast brushed aluminum case with shoulder carrying strap and crystals for channel 10. Size: 3 1/4 x 10 1/2 x 2 1/4" D. Shpg. wt., 5 lbs.

99 K 3150L \$5 Monthly (less batteries)	Net 99.95
Dyna-Com 6 Modified for 26.62 Mc.	
99 K 3178 YL \$6 Monthly	Net 109.95
Dyna-Com 6 Modified for 27.575 Mc.	
99 K 3179 YL \$6 Monthly	Net 109.95

LAFAYETTE
Two-Way Radios



- Superheterodyne Receiver With Less Than 1 Microvolt Sensitivity for 10 db S+N/N Ratio
- Mechanical Filter for Superior Selectivity
- Variable Squelch and Automatic Noise Limiting
- Battery Condition and Automatic Relative RF Power Output Indicator
- External Antenna Jack Permits Use with Base Station and Mobile Antennas
- Provision for External Battery Pack, Mobile Battery and Battery Charger/Eliminator

**OPTIONAL ACCESSORIES
FOR DYNA-COM 5
and DYNA-COM 6***

(A) Battery Eliminator/Charger
Professionally designed attractive battery eliminator and charger. Plugs into 117 VAC outlet to permit base station operation. Charges up to 12 nickel cadmium batteries at the rate of 40 ma per hour both internally as well as externally. Contains individual power supplies for battery eliminator and for charger. Attractive front panel meter normally indicates charging. When button is depressed the meter indicates the battery voltage. Negative ground only. Has fused AC line. Size: 7 5/8" x 5 5/8" D (at bottom) x 3 11/14" W. Imported. Wt., 5 lbs.
99 K 3147 Net 22.95

(B) Extra Battery Pack
Consists of extra removable back of walkie-talkie plus battery holder and 12 nickel cadmium rechargeable batteries. Permits charging of complete Battery Pack outside of Walkie-talkie while another Pack is in use. Imported. Shpg. wt., 2 lbs.
99 K 3099 Net 27.50

(C) Case
Convenient leatherette carrying case. Complete with shoulder straps. Shpg. wt., 8 oz.
42 K 2701 For Dyna-Com 5 Net 5.95
42 K 2703 For Dyna-Com 6 Net 5.95

(D) Dyna-Pack
Neatly designed external battery pack with 10 "D" size dry cell batteries. Plugs into Dynacoms to assure reserve power when required in the field. Imported. 3 x 3 1/8 x 7 1/2". Shpg. wt., 4 lbs.
99 K 3101 Net 5.95
Replacement "D" Dry Cell Batteries.
99 K 6256 (10 required) Ea. Net .15
10 for Net 1.20
Replacement "D" Alkaline Batteries.
99 K 6292 (10 required) Ea. Net .44
Extra 10 Cell Battery Holder.
99 K 3131 Net 1.95

(E) Miniature Top Loaded Antenna
Highly efficient coil loaded miniature antenna which mounts on top of collapsed telescopic antenna. It reduces antenna height to approximately 18". Improves physical interference-free mobility where space is limited. Imported. Wt. 1 lb.
99 K 3143 Net 4.50

(F) Dyna-Charge
Charges from 8 to 15 nicad "Z" size cells. Recharging current, 40 ma. 117v. 60 cycle AC input. Plugs directly into DYNA-COM 5 and 6 charge jack and into jack of Extra Back Battery Pack. Size: 3 3/4 x 2 3/4 x 2". Imported. Shpg. wt., 2 lbs.
99 K 3100 Net 9.95

(Not Illustrated)

Extra Crystals, Specify Channel
42 K 0907C Transmit Net 2.25
42 K 0135C Receive Net 2.25

Nicad Rechargeable Batteries
32 K 4740 (12 required) Ea. Net 1.93

Alternate Heavy-Duty Alkaline Batteries
99 K 6294 (12 required) Ea. Net .29

ANTENNA ADAPTER CABLE. Connects PL-259 plug of external antenna to Dyna-Com's external antenna jack.
42 K 0920 Net 2.95

Mobile Cigarette Lighter Cable Assembly. Permits operation of DYNA-COM from car 12 volt DC cigarette lighter.
99 K 4605 Net 2.95

Earphone for Dyna-Com 6
99 K 2541 Net 1.29



A. Eliminator/Charger B. Battery Pack



C. Leatherette Case

E. Miniature Antenna



F. Dyna-Charge

* All Accessories Are Applicable To Both Dyna-Com 5 and Dyna-Com 6 Unless Otherwise Specified

Open a

Lafayette

Credit
Account
TODAY

NO MONEY DOWN

Up To 2 Years To Pay
LOW MONTHLY PAYMENTS

2 EASY PAY CREDIT PLANS

To suit your individual needs

EXTENDED PLAN*

**TAKE UP TO
2 Years To Pay**

BUDGET PLAN*

**LOW
Credit Service Charge**

* Pay balance in 30 days, save entire service charge.

**Start Now To Take FULL ADVANTAGE
LAFAYETTE'S Easy Pay Plans**

- No down payment.
- Take up to 2 years to pay.
- One low Monthly Payment buys all your electronic and hi-fi requirements.
- No hidden charges. Small service charge included in fixed monthly payment.
- Add-On any time you like. No money down and usually no change in monthly payment.
- Choose the plan that suits you best—Budget or Extended.

**No need to wait to enjoy anything
you need from LAFAYETTE**

HERE IS HOW YOU MULTIPLY YOUR SHOPPING DOLLAR UP TO 20 TIMES

Monthly Payments FOR ONLY	\$5	6	7	8	9	10	11	15	17	19	22	23	24
YOU CAN BUY UP TO	\$100	110	130	160	180	200	220	300	340	400	440	460	500

See Easy Pay Schedule on back of Order Blank

LAFAYETTE
RADIO
ELECTRONIC
111 JERICHO TURNPIKE
SYOSSET, L.I., N.Y.

8/10/67 8.50 PE 70
R. R. HUMPHREYS 3
3322 CRESTMONT AVE
COLUMBIANVILLE VA 22903

BULK RATE
U.S. Postage
PAID
LAFAYETTE
Radio Electronics

POSTMASTER: If Undeliverable Handle In
Accordance To Sec. 158.5 Of Postal Manual.



NEW HOME ENTERTAINMENT
CENTER with REVOLUTIONARY IC's



ONLY **299⁹⁵**
NO MONEY
DOWN
with 60 minute cassette tape,
and two 6' connecting cables
Delivery approx. Nov. 15, 1967

LAFAYETTE RK-580 SOLID STATE COMPACT STEREO MUSIC CENTER

- 50-Watt Solid State FM Stereo Receiver
- BSR McDonald 500 4-Speed Automatic Stereo Turntable with Pickering Magnetic Cartridge
- PRO-540 Cassette Stereo Tape Deck
- Elegantly Styled Oiled Walnut Base Housing All Components

One of the most exciting developments in the history of home entertainment hi-fi components from Lafayette—a complete compact stereo control center of professional standards containing all the facilities for virtually every type of major music source. The Lafayette RK-580 includes: 50 watt 44-silicon transistor FM stereo receiver with 2-revolutionary IC's plus FET's in the tuner front end section; famous BSR McDonald 4-speed automatic stereo turntable with Pickering V15/AC-3 dustomatic stereo cartridge; a deluxe 540 Cassette Stereo Tape Deck. All components are housed in a beautiful walnut wood base. You can record direct from the FM stereo receiver or stereo record changer to the cassette deck. Highly sensitive FM stereo receiver has IC's and FET's for improved rejection of unwanted signals to provide greater sensitivity (2.5µV IHF) resulting in superb reception. Amplifier delivers a clean frequency response of


20-20,000 cps. Deluxe BSR McDonald 500 turntable has cueing and pause control; plays 7, 10, 12" records at 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45 and 78 rpm. Cassette tape deck assures ease of operation—no tape threading or reel turnover. Just insert a cassette cartridge and play or record up to 120 minutes of 4-track stereo or mono music at 1 $\frac{1}{2}$ ips. For 110-120V., 60 cycles AC. Size: 26 $\frac{1}{4}$ x10 $\frac{1}{4}$ x18 $\frac{3}{4}$ "D. Imported. Shpg. wt., 50 lbs.

99 K 1555WX \$15 monthly Net 299.95

ACCESSORIES FOR RK 580

Stock No.	Type	Shpg. Wt.	Net
99 K 4602	Dynamic Mike	1 $\frac{1}{2}$ lb.	7.95
99 K 1540	60 Minute Tape Cartridge	3 oz.	1.35
28 K 0120	90 Minute Tape Cartridge	3 oz.	2.20

Deluxe Stereo System Featuring RK-580 with 2-Lafayette "Criterion 50" Speaker Systems



ONLY
339⁸⁵
NO MONEY
DOWN

YOU SAVE 2000
from individual component prices

Deluxe system features the revolutionary Lafayette RK-580 stereo music center and 2-Lafayette Criterion 50 speaker systems (see page 36 for complete specifications of Criterion 50 speaker system. Shpg. wt., 106 lbs. \$17 Monthly
99 K 9936WXM Net 339.85