Scanned and Prepared by Dale H. Cook



ARE BEHIND EVERY CORNELL-DUBILIER CONDENSER

There is but ONE STANDARD of C-D-QUALITY

THE HIGHEST PERFECTION in the ART of MANUFACTURING CONDENSERS!

THE MOST COMPLETE CONDENSER LINE

Available Through the Nation's Leading Distributors

OIL — MICA — PAPER ELECTROLYTIC

Over One Billion Capacitor Units Sold Since 1910

THIS LABEL ON EVERY CONDENSER YOU BUY



IT IS YOUR GUARANTEE

CONDENSERS OF INTERNATIONAL ACCEPTANCE

"Used by Practically Every Modern Broadcasting, Commercial and Government Radio Station Throughout the World"

The majority of Manufacturers, Leading Dealers, Servicemen, Broadcasting Stations, Aircraft Companies, Experimental and Television Laboratories, Research Bureaus, Set Builders, Radio Fans, Engineers and Radio Amateurs PREFER and USE CORNELL - DUBILIER CONDENSERS.

THE CREED OF THE

WE ENDEAVOR TO KEEP OUR FOREMOST LEADER IN THE CONFINEST CONDENSERS POSSIBLE, EXPERIENCE OF A QUARTER OF

CORNELL-DUBILIER CORP.

POSITION AS THE LARGEST AND DENSER FIELD, BY MAKING THE EMBODYING IN THEM THE A CENTURY OF SPECIALIZATION.





CORNELL - DUBILIER CONDENSERS 1935

CATALOG NO. 128

Prices effective April 1st

CORNELL-DUBILIER HAS PRESENTED IN THIS CATALOG WHAT IT BELIEVES TO BE THE GREAT-EST VARIETY AND ASSORTMENT OF THE MOST POPULAR CONDENSERS WITH WHICH RADIO SERVICE MEN, AMATEURS, EDUCATIONAL INSTITUTIONS AND EXPERIMENTERS ARE CONCERNED.

MANUFACTURERS ARE URGED TO GET IN TOUCH WITH OUR ENGINEERING DIVISION FOR CONSULTATION ON SPECIAL PROBLEMS WITHOUT OBLIGATION. OUR TWENTY-FIVE YEARS OF SPECIALIZED EXPERIENCE ARE AT YOUR SERVICE.

INDEX OF CONTENTS

	PAG
DRY ELECTROLYTIC CONDENSERS—Cardboard Containers	
Types RHM, HM, EE and EG:	
Types EH, JHM and ED	. 5
DRY ELECTROLYTIC CONDENSER KITS Kits RHM "525," HM "600"	. 4
ED "300" and JHM "300"	. 5
DRY ELECTROLYTIC CONDENSERS—Metal	
Types EB and EA	. 6
Types EP and EVL	. 7
DRY ELECTROLYTIC CONDENSERS—Standard Replacements	
Types MA	8
WET ELECTROLYTIC CONDENSERS—Metal	
Types EX and EY	8
TUBULAR PAPER CONDENSERS—Cardboard Cartridges	
Types DT, BA, BB and BC	9

	PAGE
PAPER BYPASS AND FILTERS—Metal and Cardboard Cased	
Types DA, DB, DC, DD, PE-A, PE-B, PE-C	10
HIGH VOLTAGE BYPASS AND FILTERS—Metal Cased and Oil and Uncased	
Types TDF, F, RM	11
AUTOMOBILE RADIO CONDENSERS—Cardboard Cartridges and Metal	
Types VU, VC, VL, IC, FC and SC	. 11
TRANSMITTING FILTER CONDENSERS—Special-O Dykanol	il,
Types TD, TA and TC	. 12
TRANSMITTING MICA CONDENSERS—Glazed Porcelain Case	
Types 86	13
MICA RECEIVING, TRANSCEIVER AND TRANS- MITTING UNITS—Moulded Bakelite Case	
Types IW, 2W, 3L, 5W, 4, 9	14
TUBULAR PAPER CONDENSER AND MICA KITS	
Kits KC-1, TK-2, KA-12, KD-24 and KM-10	15
RADIO INTERFERENCE FILTERS—Metal Cased	
Types IF	15

CORNELL-DUBILIER PATENTS

Condensers and other products shown in this catalog, and others manufactured by our Company, are covered by one or more of the following patents:

	tne	Tollowing	patents:			
1,229,914	1,537,660	1,628,627	1,757,692	1,823,502	1,865,640	
1,229,915	1,541,630	1,639,650	1,759,230	1,829,890	1,870,803	
1,281,309	1,543,326	1,658,768	1,731,652	1,833,392	1,870,949	
1,327,593	1,565,799	1,681,884	1,768,416	1,836,707	1,870,797	
1,334,139	1,571,501	1,688,961	1,768,430	1,842,376	1,870,948	
1,334,140	1,572,604	1.710.875	1,768,439	1.845,130	1,870,950	
1.334,142	1,575,044	1,713,867	1.768,440	1,845,138	1,870,961	
1,345,754	1,575,045	1,714,191	1,768,441	1,845,174	1,871,048	
1,350,010	1,579,168	1,718,185	1.768,442	1,848,215	1,874,936	
1,391,672	1,587,942	1,737,752	1.785.479	1,850,271	1,900,093	
1,391,673	1,603,939	1,743,727	1,808,031	1.861.006	1,907,758	
1,455,781	1,619,201	1.744.452	1,817,657	1,861,024	1,907,859	
1,526,661	1,627,493	1,754,265	1,821,055	1,862,302	1,907,860	
1.9	37.010	1,920,3		1,926,	842	
	45,108	1 19 61 1 1		1,943,	192	
	0	her Patent	e Pending			

Other Patents Pending

CORNELL-DUBILIER CORPORATION

Main Office, Factory and Eastern Warehouse 4377 BRONX BOULEVARD

NEW YORK CITY, N. Y., U.S.A.

Copyright 1935 by Cornell-Dubilier Corporation










SINGLE AND DUAL SECTION DRY ELECTROLYTICS IN CARDBOARD BOXES



TYPE RHM

The Handy-Mike units that are so useful and popular. Employing the new, highly perfected exclusive Cornell-Dubilier High Formation electrolytic construction, these condensers excel in their fine electrical characteristics.

Dry, high capacity, high voltage electrolytic condensers are used by practically all radio set manufacturers, for reason of their relatively low cost, fine electrical characteristics and their dependability.

No other make of electrolytic condensers has the exceptionally fine electrical characteristics and dependability, as have the newly developed, HIGH FORMATION Cornell-Dubilier condensers. With the leakage and power factor of these new condensers the lowest ever yet achieved, the user of these units is assured of the utmost reliability and long-lived satisfactory performance.

SMALL, COMPACT, DEPENDABLE, GENERAL UTILITY "525 HANDY-MIKE" UNITS

In beautiful silver-coated rectangular containers, equipped with color coded wire leads. These are the units to use for most repair jobs.

Working Voltage	Cap. Mfd.	Cat. No.	List Price	Size LxWxD	Code Word	Your Cost
450	1	RHM-9010	\$.55	21/2x11/8x1/2	Robot	\$.33
450	2	RHM-9020	.65	21/2x11/8x5/8	Robou	.39
450	4	RHM-9040	.75	21/2×11/8×3/4	Robox	.45
450	8	RHM-9080	.95	21/2×13/8×11/8	Roboy	.57

THE POPULAR "600" LINE "HANDY-MIKE" UNITS

Similarly made as the RHM units; with sturdy wire leads for self-support in mounting.

TYI	PE H	M P	PEAK VOLTAGE 600 V. D.C.					
Working Voltage	Cap. Mfd.	Cat. No.	List Price	Size LxWxD	Code Word	Your Cost		
475	1	HM-11010	\$.85	21/2x11/8x 1/2	Торру	\$.51		
475	2	HM-11020	.95	21/2×11/8× 5/8	Toddy	.57		
475	4	HM-11040	1.15	21/2×11/8× 3/4	Tippy	.69		
475	8	HM-11080	1.35	21/2x13/8x11/8	Tilly	.81		



KIT HK-8

THE "525" and "600" HANDY-MIKE KITS

Kit of 8 condensers, two each of 1, 2, 4 and 8 mfd. units, 450 V. D.C. working voltage, 525 V. peak type RHM. Kit HK-8, List Price \$5.80 Your Cost\$3.48

Kit of 8 Condensers, two each of I, 2, 4 and 8 mfd. units, 475 V. D.C. working voltage 600 V. peak, type HM. Kit HK-2, List Price\$8.60 Your Cost\$5.16



Demand electrolytics with the C-D label on them, as your guarantee of better performance and satisfaction.

A MOST WIDELY USED ELECTROLYTIC—NOW MADE BY THE NEW HIGH FORMATION METHOD

Rectangular, strap-mounted condensers with plainly marked polarity lug terminals, widely imitated. Look for the C-D label.

TYPE EE PEAK VOLTAGE 525 V. D.C.

Working Voltage	Cap. Mfd.	Cat. No.	List Price	Size LxWxD	Code Word	Your Cost
450	2	EE-9020	\$.65	41/8x13/8x11	Aloud	\$.39
450	4	EE-9040	.75	41/8x13/8x116	Alpen	.45
450	6	EE-9060	.90	41/8x13/8x15	Alpha	.54
450	8	EE-9080	.95	41/8x13/8x15	Alpia	.57
450	10	EE-9100	1.15	43/8x1 18x1/8	Altar	.69
450	12	EE-9120	1.30	43/8x1 16x1/8	Alula	.78
450	16	EE-9160	1.45	41/8x1 1/4	Aluco	.87

Note: If wire leads are preferred, add (L) to Catalog number—Example EE-9080 L.

DUAL SECTION, COMMON NEGATIVE UNITS OF REMARKABLE ADAPTABILITY

TY	PE E	G PE	AK VO	LTAGE 52	5 V. D.C.
Working	Cap.	Cat.	List	Size	Code
Voltage	Mjd.	No.	Price	LxWxD	Word

Working Voltage	Cap. Mfd.	Cat. No.	List Price	Size LxWxD	Code Word	Your Cost
450	4-4	EG-9404	\$1.20	43/8x1 16x1 1/8	Amper	\$.72
450	4-8	EG-9408	1.35	43/8x1 16x1 1/8	Amuck	.81
450	6-8	EG-9608	1.45	41/8x1 10x1 16	Anana	.87
450	8-8	EG-9808	1.50	41/8x1 16x1 16	Ancor	.90

Note: If wire leads are preferred, add (L) to Catalog Number.

Hi-Mike Dry Electrolytic Condenser at. No. EE,9080 Cap, Mfd. 8. dex Syge v 525 Cornell-Dubilier Corporation

TYPE EE Detailed care and precise workmanship go into the assembly of these units, so com-monly duplicated.





Your

Cost

\$.33 .39

.45

.36 .42

.51 .57

.63

.69

22

.30

.36

.39

Bolas

Along

Booth

Aloof

SINGLE AND MULTIPLE SECTION DRY ELECTROLYTICS IN CARDBOARD BOXES

SINGLE, DUAL AND MULTIPLE SECTION FLANGE MOUNTED, COMMON **NEGATIVE AND SEPARATE UNITS**

TYPE EH PEAK VOLTAGE 525 V. D.C.

TYPE EH

NOTE: (L) denotes wire leads only. (SL) denotes separate dual sections, no common negative. wire leads only.

> If wire leads are preferred for the other types listed. add (L) to Catalog Number.

Working Voltage	Cap. M fd.	Cat. No.	List Price	Size LxWxD	Code Word	Your Cost
450	4	EH-9400	\$.75	41/8×13/8× 3/4	Blink	\$.45
450	8	EH-9800	.95	41/8x13/8x1	Bliss	.57
450	4-4	EH-9404	1.20	43/8x1 16x1 16	Angle	.72
450	4-4	EH-9404SL	1.20	43/8x1 36x1 36	Zowie	.72
450	4-8	EH-9408	1.35	43/8x1 18x1 18	Angor	.81
450	4-8	EH-9408SL	1.35	43/8x1 16x1 16	Zipza	.81
450	6-8	EH-9608	1.45	$4\frac{1}{8}x\frac{9}{16}x\frac{1}{2}$	Anime	.87
450	6-8	EH-9608SL	1.45	4/8x1 16x1/2	Zanza	.87
450	8-8	EH-9808	1.50	41/8x1 18x11/2	Anjou	.90
450	8-8	EH-9808SL	1.50	41/8x1 3/8x11/2	Zanje	.90
450	4-4-4	EH-9444L	1.80	$4\frac{1}{8}x\frac{9}{16}x\frac{1}{2}$	Bland	1.08
450	8-8-8	EH-9888L	2.20	41/8x2 x2	Blast	1,32

THE FAMOUS "300" LINE HANDY-MIKE ELECTROLYTICS. FOR USE IN AC-DC SETS Tiny, in silver-finish containers equipped with color coded wire leads.

TYPE JHM

Here is the line of condensers to use on those AC-DC sets. Very small, handy, beautifully m a d e and inexpensive to use.



TYPE JHM PEAK VOLTAGE 300 V. D.C.

Working Voltage	Cap. Mfd.	Cat. No.	List Price	Size LxWxD	Code Word	Your Cost
250	4	JHM-3004	\$.65	21/2x11/8x 5/8	Sonoa	\$.39
250	8	JHM-3008	.85	21/2×11/8× 3/4	Sonob	.51
250	10	JHM-3010	.95	21/2x11/8x11/8	Sonoc	.57
250	12	JHM-3012	1.05	21/2x11/8x11/8	Sonod	.63
250	16	JHM-3016	1.15	21/2x11/8x11/8	Sonof	.69
250	20	JHM-3020	1.25	21/2x11/8x11/2	Sonog	.75
250	25	JHM-3025	1.40	21/2x11/8x11/2	Sonoh	.84

CARDBOARD TUBULAR ELECTROLYTICS—HERMETICALLY SEALED

TYPE ED Small, Compact, Efficient, Equipped with wire leads. Polarity clearly indifor every need.

	-			ges and capa	
Working Voltage	Cap. Mfd.	Cat. No.	List Price	Size LxD	Code Word
		PEAK VO	LTAGE	525 V. D.C.	
450	- 1	ED-9010	\$.55	23/8×3/4	Board
450	2	ED-9020	.65	23/8×1	Boast
450	4	ED-9040	.75	23/8×11/8	Bogey
		PEAK VO	LTAGE	350 V. D.C.	
300	2	ED-8020	.60	23/8× 7/8	Alloo
300	4	ED-8040	.70	23/8×11/8	Allow
		PEAK VO	LTAGE	300 V. D.C.	
250	4	ED-3004	.65	23/4× 5/8	Xonoa
250	8	ED-3008	.85	23/4× 1/8	Xonob
250	10	ED-3010	.95	23/4×1	Xonoc
250	12	ED-3012	1.05	23/4×1	Xonod
250	16	ED-3016	1.15	23/4×13/8	Xonof
		PEAK VO	LTAGE	250 V. D.C.	
200	2	ED-7020	.55	23/8× 3/4	Aliov

200	4	LD-7020	.55	278× 74	Alloy	.00
200	4	ED-7040	.65	23/8×1	Allyl	.39
200	8	ED-7080	.80	23/8×11/8	Almug	.48
		PEAK VC	LTAGE	200 V. D.C.		
150	4	ED-6040	.60	23/8×1	Alody	.36
150	8	ED-6080	.75	23/8×11/8	Aloes	.45
		PEAK VC	LTAGE	150 V. D.C.		
100	5	ED-5050	.55	23/8× 3/4	Aloft	.33
100	10	ED-5100	.70	23/8×1	Alogi	.42
100	25	FD FOFO		-2/ .1/		

100	25	ED-5250	.95	23/8×11/4	Alogy	.57
		PEAK VO	DLTAGE	75 V. D.C.		
50	5	ED-3050	.50	23/8× 3/4	Bogus	.30
50	10	ED-3100	.65	23/8× 7/8	Aloin	.39
50	25	ED-3250	.80	23/8×11/4	Alone	.48
50	50	ED-3500	1.20	23/4×13/8	Alony	.72
200		PEAK VO	LTAGE	35 V. D.C.		

25 ED-2050 25 10 ED-2100 .50 25 20 ED-2200 .60 25 25 ED-2250 .65 25 50 ED-2500 .95

Alose .57 25 ED-2055 .75 Betag .45 10-10 ED-2101 .75 Betap .45



TYPE ED

These tubular electrolytic units are an example of the advanced engineering which is embodied in the manufacture of Cornell-Dubilier condensers.





Above is illustrated the well known "300" line Handy-Mike kit, comprising ten Units, two each of 4, 8, 10 and 12 mfd, 250 V. working voltage type JHM units and two 10 mfd, 35 V, peak, 25 V. working voltage ED condensers.

Kit HK-3-List Price.....\$8.00 Your Cost 4.80



KIT **HK-4**

For those who prefer using tubular condensers on AC-DC set repairs, we present the same assortment of condensers as listed above, in type ED tubulars.

-List Price.....\$8.00 Kit HK-4-Your Cost 4.80





SINGLE AND MULTIPLE SECTION DRY ELECTROLYTICS IN METAL CANS

CYLINDRICAL ALUMINUM CONTAINER, INVERTED MOUNTING, WIRE LEAD ELECTROLYTICS Single Section

Standard, widely used electrolytic condensers employing exclusive Cornell-Dubilier HIGH FORMATION construction that insures maximum operating efficiency and long dependable

	TYPE	LD	EAK VC	LIAGE 52	5 V. D.C.	
Working Voltage	Cap. Mfd.	Cat. No.	List Price	Size LxD	Code Word	Your Cost
450	2	EB-9020	\$.75	21/2×13/8	Dwarf	\$.45
450	4	EB-9040	.85	21/2×13/8	Eagle	.51
450	6	EB-9060	1.00	43/8×13/8	Edict	.60
450	8	EB-9080	1.05	43/8×13/8	Eject	.63
450	10	EB-9100	1.25	43/8×13/8	Elbow	.75
450	12	EB-9120	1.40	43/8×11/2	Elect	.84
450	16	EB-9160	1.55	43/8×11/2	Elecy	.93

TYPE EB PEAK VOLTAGE 525 V. D.C.

			Dual Section				
Working Voltage	Cap. Mfd.	Cat. No.	Specifications	List Price	Size LxD	Code Word	Your Cost
450	4-4	EB-4400	4 leads, no common	1.30	43/8×13/8	Aural	\$.78
450	4-4	EB-4401	3 leads, common neg.	1.30	43/8×13/8	Aurei	.78
450	4-8	EB-4800	4 leads, no common	1.45	43/8×11/2	Avail	.87
450	4-8	EB-4801	3 leads, common neg.	1.45	43/8×11/2	Avahi	.87
450	6-6	EB-6600	4 leads, no common	1.55	43/8×11/2	Avant	.93
450	6-6	EB-6601	3 leads, common neg.	1.55	43/8×11/2	Fagot	.93
450	8-8	EB-8800	4 leads, no common	1.60	43/8×11/2	Yanne	.96
450	8-8	EB-8801	3 leads, can, one neg.	1.60	43/8×11/2	Yamme	.96
450	8-8	EB-8802	3 leads, common neg.	1.60	43/8×11/2	Yappe	.96
450	8-8	EB-8803	2 leads, can common neg.	1.60	43/8×13/8	Naive	.96

Most electrolytic condensers look alike, but few measure up to the exacting specifications of the world's leading radio manufacturers who specify and use Cornell-Dubilier units. Type EB is one of the many condensers that have won the plaudits and tribute that are our enviable reputation.

Dual section units are now available in a complete variety to take care of every service need. The table above gives a comprehensive listing of the more important types required to meet any condition in the field. For instance, type EB-8801 can be used as a common positive unit.



TYPE EB

Look before you leap. This is using good common sense. The same applies when buying condensers.
Look to the C-D label as evidence that you are getting the most for your money in good quality and sound value. It's

your guarantee of better, more reli-

and performance.

operation

able

CYLINDRICAL ALUMINUM CONTAINER, UPRIGHT RING MOUNTED DRY HI-MIKES Container negative, central lug positive. Made to stand up for full load duty.

TYPE EA PEAK VOLTAGE 525 V. D.C.

Single Section Working Cap. Mfd. Cat. Size L x D Code Your Cost oltage Price Word 450 2 EA-9020 \$.75 21/2×13/8 \$.45 Apion 21/2×1 3/8 43/8×1 3/8 450 4 EA-9040 .85 Apish .51 450 6 EA-9060 1.00 Apora .60 1.05 450 8 EA-9080 43/8×13/8 .63 Aport 450 10 EA-9100 1.25 Apory .75 450 12 EA-9120 1.40 43/8×11/2 Avoli .84

PEAK VOLTAGE 525 V. D.C. TYPE EA

	Μι	ıltiple	Section	Units—C	an Common	Negati	ve
Work		Cap. Mfd.	Cat. No.	List Price	Size LxD	Code Word	Your Cost
450 450 450 450 450 450		5-15 8-8 8-8 8-16 4-4-4	EA-5150 EA-8801 EA-8800* EA-8160 EA-4440	2.35 2.15	43/8×21/2 43/8×21/2 43/8×21/2 43/8×21/2 43/8×21/2	Eyrie Aulbe Augur Bairn Bacon	\$1.38 1.08 1.08 1.41 1.29
450 450 450 450 450 450	9 8- 8-8- 8-8-	8-8-8 -9-18 -8-8-8 16-16 18-18	EA-8880 EA-9918 EA-8888 EA-8810 EA-8811 EA-9911	2.70 3.75 3.60 4.50 4.85 5.25	43/8×3 43/8×3 43/8×3 43/8×3 43/8×3 43/8×3	Bajra Ferry Bakey Bayex Filch Filly	$egin{array}{c} 1.62 \\ 2.25 \\ 2.16 \\ 2.70 \\ 2.91 \\ 3.15 \end{array}$

Separate leads, no common

So many hundreds of thousands of out-of-date receivers can be rehabilitated quickly and economically, that it does pay to use type EA units to insure maximum operating efficiency. There's a C-D unit for every need.

Our guarantee—the very C-D label our condensers bear is More than is implied. Our experiences of twenty-five years of manufacturing condensers exclusively are behind our products. There can be no doubt as to C-D Quality!



TYPE EB

TYPE EA



TYPE EA

condensers

HI-Mike Dry

Flectrolytic

Condenser

Cat. No. EP-9080

Cornell-Dubilia

Corporation

Cap. Mfd. Max. Surge V. 525






SINGLE AND DUAL SECTION DRY ELECTROLYTICS IN METAL CANS

CYLINDRICAL ALUMINUM CONTAINER, INVERTED SINGLE HOLE STUD AND NUT MOUNTED UNITS Single Section Container negative, central lug positive. Very widely used. None better made.

> TYPE EP PEAK VOLTAGE 525 V. D.C.



Where a grounded negative, single hole mounted unit is needed, type EP units will be found most satisfactory. Central, insulated lug positive, these units are quickly mounted in place and serve admirably for reason of their being made by the NEW High Formation Process

For those exceptionally "tough" repair jobs, these dual units are just the thing. Container is grounded common negative and the lugs are color-coded as to capacity. Remember—all condensers look practically alike but those with the C-D label are electrically and mechanically the finest made.



TYPE EP

TYPE EP HIGH CAPACITY, LOW VOLTAGE DRY ELECTROLYTIC CONDENSERS IN SQUARE METAL CANS Unexcelled characteristics. For use with "A" Eliminators, Talking Movie Equipment, Radio, Telephone, Telegraph, D. C. Filament Generators, etc.

TYPE EVL Low Voltage, high capacity condens-ers of the finest electrical characteristics.

Sizes are as follows:

HxWxD 4/4x2 16 x1 16 В

41/4x2 16x2 16 61/4×21/4×21/4

C

E 61/4x3 x3 61/4x4 x4 F

 $4\frac{1}{4} \times 2\frac{1}{16} \times \frac{1}{16}$

	TYPE EVL									
	Cap. Mfd.	Cat. No.	List Price	Size (See Note	Code	Your Cost		Cap. M fd.		
		WORKING								
	500	EVL-1205	\$ 2.36	Α	Labor	\$ 1.42		500		
	1000	EVL-1210	3.56	B	Ladle	2.14		1000		
	1500	EVL-1215	4.96	C	Laity	2.98		1500		
	2000	EVL-1220	6.32	D	Lance	3.79		2000		
	2500	EVL-1225	7.76	D	Lapel	4.66		2500		
	3000	EVL-1230	9.24	E	Lapse	5.54		3000		
	4000	EVL-1240	11.96	E	Larch	7.18		4000		
	5000	EVL-1250	14.76	E	Large	8.86	-	4000		
	6000	EVL-1260	17.45	F	Larva	10.47				
		WORKING						500		
	500	EVL-1505	2.52	G	Lease	1.51		1000		
	1000	EVL-1510	4.24	С	Least	2.55		1500		
	1500	EVL-1515	6.00	D	Ledge	3.60		2000		
	2000	EVL-1520	7.76		Leech	4.66		2500		
	2500	EVL-1525	9.48		Legal	5.69		3000		
	3000	EVL-1530	11.28		Lemon	6.77		4000		
1	4000	EVL-1540	14.80		Lemur	8.88				
	5000	EVL-1550	18.24		Leper	10.94		500		
	6000	EVL-1560	21.70		Lethe	13.02		1000		
		WORKING				.C.		1500		
	500	EVL-1805	2.84		Linen	1.70				
	1000	EVL-1810	4.96		Links	2.98		2000 2500		
	1500	EVL-1815	7.24		Livid	4.34		3000		
	2000	EVL-1820	9.16		Llano	5.50		3000		
	2500	EVL-1825	11.24		Loach	6.74				
	3000	EVL-1830	13.24		Loath	7.94		500		
	4000	EVL-1840	17.52		Lobar	10.51		1000		
	5000	EVL-1850	21.76		Lobby	13.06		1500		
		WORKING						2000		
	500	EVL-2005	3.12		Lowly	1.87				
	1000	EVL-2010	5.40		Loyal	3.24		F00		
	1500	EVL-2015	7.76		Lucky	4.66		500 1000		
	2000	EVL-2020	9.96		Lucre	5.98		1500		
	2500	EVL-2025	12.44		Lunar	7.46		2000		
	3000	EVL-2030	14.76		Lunch	8.86	1			
	4000	EVL-2040	19.36		Lunge	11.62		Units		
	5000	EVL-2050	24.00	F	Lupus	14.40		able.		

process recovery the same		_		_	-
Cap.	Cat.	List	Size (See	Code	Your
Mfd.	No.	Price	Note		Cost
	WORKING	S VOLT	AGE	25 V. D	.C.
500	EVL-2505	\$ 3.76	G	Magic	\$ 2.26
1000	EVL-2510	6.56		Maize	3.94
1500	EVL-2515	9.48		Manes	5.69
2000	EVL-2520	12.44		Mange	7.46
2500	EVL-2525	15.24		Mango	9.14
3000	EVL-2530	18.24		Mania	10.94
4000	EVL-2540	24.00) F	Manly	14.40
	WORKIN			30 V. D	
500	EVL-3005	4.24		Match	2.54
1000	EVL-3010	7.76		Mauve	4.66
1500	EVL-3015	11.24		Mealy	6.74
2000	EVL-3020	14.76	20	Meant	8.86
2500	EVL-3025	18.24		Medal	10.94
3000	EVL-3030	21.76	36	Melon	13.06
4000	EVL-3040	28.78	5 F	Mercy	17.26
	WORKIN			35 V. D	
500	EVL-3505	4.9		Mimic	2.98
1000	EVL-3510	8.90		Minim	5.14
1500	EVL-3515	13.00		Minus	7.80
2000	EVL-3520	17.50		Mirth	10.50
2500	EVL-3525	21.10		Mirza	12.66
3000	EVL-3530	25.24	4 F	Misdo	15.14
	WORKIN	G VOLT	AGE		
500	EVL-4005	5.40		Moire	3.24
1000	EVL-4010	9.90		Molar	5.98
1500	EVL-4015	14.7		Money	8.86
2000	EVL-4020	19.3		Monte	11.62
	WORKIN				
500	EVL-5005	6.4		Mulch	3.89
1000	EVL-5010	12.4		Munch	7.46
1500	EVL-5015	18.24		Murky	10.94
2000	EVL-5020	24.00		Music	14.40
Units	of other ca	pacities	and	voltages	are avail-

able. Write for prices.







STANDARD DRY ELECTROLYTIC REPLACEMENTS

The very great demand for dry electrolytic replacement condensers, to fit, both physically and electrically into the receiver and circuit, respectively, has warranted the introduction of this new line which is bound to help solve the numerous difficulties that present themselves to the service man. Thus, it will be found that one type of condenser can be used successfully in a number of sets.

Illellise	ives to the se	TYICG IIIaii. 1	ilus, il will be	Tound	that one type	or condense	r can be u
Cap. Mfd.	Cat. No.	Voltage Wkg.Pk.	Specifications (See Note)	List Price	Size LxWxD	Code Word	Your Cost
4-4	MA-11223	150-200	Cb-Cp-Lu	\$.85	31/2x1 x11/4	Reazu	\$.51
4-4	MA-11359	150-200	Cb-Se-Le	.85	31/4×11/4×1	Reeyo	.51
4-4	MA-11450	150-200	Cbm-Cn-Le		17/8×11/4×11/4	Reixi	.51
4-4	MA-10552	150-200	Cb-Cn-Le	.85	3/4x1 x1	Reowe	.51
4-4	MA-10053	200-250	Cb-Cn-Le	.90	21/4x1 16x1 16	Reuva	.54
4-4	MA-11109	200-250	Cb-Cn-Le	.90	21/2×11/4× 3/4	Retaz	.54
4-4	MA-11796	200-250	Cbm-Se-Le	.90	41/8x13/8x15	Resey	.54
4-8	MA-11117	150-200	Cb-Cn-Le	.95	31/4×11/4×1	Reriw	57
4-8	MA-11795	200-250	Cbm-Se-Le	1.15	41/8x13/8x15		.69
4-12	MA-11081	150-200	Cb-Cn-Le	1.10	21/4x11/4x11/4	Requo	.66
4-16	MA-11126	100-150	Cbm-Cn-Le	1.25	23/4x11/4x1	Repou	.75
8-8	MA-11028	150-200				Repab	
8-8	MA-11028		Cb-Se-Le	1.20	3 xl xl1/2	Repec	.72
8-8	MA-10553	150-200	Cb-Cp-Lu	1.20	31/2×1 ×11/2	Repid	.72
8-8	MA-11794	150-200 200-250	Cb-Cn-Le	1.20	31/4x11/2x1	Repoe	.72
8-8	MA-11260		Cbm-Se-Le	1.25	$\frac{4}{8} \times \frac{9}{16} \times \frac{3}{16}$	Repuf	.75
		500-600	Cb-Cn-Le	1.75	$4\frac{1}{8}$ x $1\frac{7}{16}$ x $1\frac{9}{16}$	Remza	1.05
8-6	MA-11217	150-200	Cbm-Cn-Le	1.00	25/8x2 x1	Remye	.60
8-16	MA-10375	150-200	Cb-Cn-Le	1.35	3 x1 x2	Remsi	.81
8-16	MA-11261	150-200	Cb-Cn-Le	1.35	41/8x 15x13/8	Remto	.81
8-16	MA-11451	150-200	Cbm-Cp-Le	1.35	$4\frac{3}{8}$ x $ \frac{9}{16}$ x $ \frac{3}{16}$	Remku	.81
8	MA-11258	500-600	Inv-Ins-Le	1.20	43/8×11/2	Renab	.72
8-8	MA-11734	450-525	Inv-Cn-Le	2.15	43/8×11/2	Renec	1.29
-8		250-300			10 12		
8-8-8	MA-10283	200-250	Cbm-Se-Le	1.90	$1\frac{9}{16} \times 2\frac{1}{2} \times 3\frac{3}{4}$	Renid	1.14
4-8-8	MA-11259	500-600	Cb-Cn-Le	2.05	41/8×11/2×2	Renof	1.23
25	MA-11170	50-75	Cbm-Lu	.80	21/2×11/8×11/4	Renug	.48
THE PARTY							

Specification Code

Cb.......Cardboard container
Cbm.....Flanged container
Cn......Common negative
Cp......Common positive
Le......Wire leads
Lu....Lug terminals
Se.....Separate sections
Inv......Inverted can
Ins.....Insulated from can

NOTE: All units are colorcoded as to capacity and voltage of terminals.

WET ELECTROLYTIC CONDENSERS

Latest engineering developments have been incorporated in the construction of these fine condensers. Excellent electrical characteristics and nominal cost typify these units as outstanding C-D products.



RING MOUNTED

A fine line of wet electrolytic condensers is depicted by the illustration of this ringmounted unit. Sealed to insure against leakage of the electrolyte, the electrical leakage is also a very low minimum.

			_		
Cat. No.	Cap. mfd.	List Price	Size	Code Word	Your Cost
TYPE F		MOUNTED		K VOLTAGE 5	00 V. D.C.
EX-9040	4	\$.85	31/4×13/8	Wabab	\$.51
EX-9060	6	.95	41/2×13/8	Wacac	.57
EX-9080	8	1.00	41/2×13/8	Wadad	.60
EX-9081	8	1.00	41/2×11/2	Wafaf	.60
EX-9100	10	1.10	41/2×11/2	Wagag	.66
EX-9120	12	1.20	41/2x11/2	Wajaj	.72
TYPE E	X RING	MOUNTED	WETS-PEA	K VOLTAGE 4	75 V. D.C.
EX-8040	4	.80	31/4×13/8	Viaun	.48
EX-8060	6	.85	41/2×13/8	Viadu	51
EX-8080	8	.95	41/2×13/8	Viate	.57
EX-8081	8	.95	41/2×11/2	Viati	.57
EX-8100	10	1.05	41/2×11/2	Viato	.63
EX-8120	12	1.15	41/2×11/2	Viatu	.69
TYPE E	X RING	MOUNTED	WETS-PEA	K VOLTAGE 3	
EX-7080	8	.90	31/4×13/8	Unabo	.54
EX-7100	10	1.00	31/4×13/8	Unacu	.60
EX-7120	12	1.10	41/2×13/8	Unadi	.66
EX-7160	16	1.25	41/2×13/8	Unafe	.75
EX-7180	18	1.30	$4\frac{1}{2} \times 1\frac{1}{2}$	Unaga	.78
TYPE E	Y SCREW	MOUNTED	WETS-PEA	K VOLTAGE 5	
EY-9040	4	.85	31/4×13/8	Welal	.51
EY-9060	6	.95	41/2x13/8	Wemam	.57
EY-9080	8	1.00	41/2×13/8	Wenan	.60
EY-9081	8	1.00	41/2×11/2	Werar	.60
EY-9100	10	1.10	41/2×11/2	Wetat	.66
EY-9120	12	1.20	41/2×11/2	Wexax	.72
TYPE E	Y SCREW	MOUNTED	WETS-PEA	K VOLTAGE 4	75 V. D.C.
EY-8040	4	.80	31/4×13/8	Votab	.48
EY-8060	6	.85	41/2×13/8	Vosac	.51
EY-8080	8	.95	41/2×13/8	Vorad	.57
EY-8081	8	.95	41/2×11/2	Vopae	.57
EY-8100	10	1.05	41/2×11/2	Vonaf	.63
EY-8120	12	1.15	41/2×11/2	Vomag	.69
	Y SCREW	MOUNTED	WETS-PEA	K VOLTAGE 3	
EY-7080	8	.90	31/4×13/8	Umbar	.54
EY-7100	10	1.00	31/4×13/8	Umces	.60
EY-7120	12	1.10	41/2×13/8	Umdit	.66
EY-7160	16	1.25	4!/2x13/8	Umfou	.75
EY-7180	18	1.30	41/2×11/2	Umguv	.78
					0



TYPE EY SCREW MOUNTED

Simple, stud and nut mounting make these condensers readily useful and easy to install. Where a wet electrolytic condenser is required, a C-D unit will do the job more effectively.





FAMOUS CUB AND TIGER TUBULARS

Cornell-Dubilier has supplied the majority of the tubular condensers in use today! This outstanding achievement can be attributed to the fact that our methods of making these condensers, which include very strict tests of raw materials and of the finished products, are incomparable. We have a score of patents covering the details of construction of these very fine condensers and we know for a certainty that our condensers represent the finest quality units that can be produced.

Remember, therefore, that it will not pay you to merely use a "tubular condenser." Be sure to demand CORNELL-DUBILIER and get the safe assurance that goes with 25 years of condenser experience.

FAMOUS "CUBS"—WORLD RENOWNED TYPES BA and BB

Thoroughly impregnated, non-inductive winding on specially selected and treated wooden core; completely moisture-proof; unexcelled characteristics.

Working	Cap.	Cat.	List	Size	Code	Your			
Voltage		No.	Price	L x D	Word	Cost			
	TEST VOLTAGE 800 V. D.C.								
400 400 400 400	.01 .02 .05	BA-4SI BA-4S2 BA-4S5 BA-4PI	\$.20 .20 .25 .30	$\begin{array}{c} 1\frac{11}{16} \times \frac{7}{16} \\ 1\frac{11}{16} \times \frac{7}{16} \\ 2\frac{1}{8} \times \frac{7}{16} \\ 2\frac{1}{4} \times \frac{9}{16} \end{array}$	Adeep Adela Adieu Brief	\$.12 .12 .15 .18			
400	.25	BB-4P25	.40	21/4x 3/4	Adusk	.24			
400	.5	BB-4P5	.50	21/4x1	Aerie	.30			
400	I	BB-4W1	.75	21/4x11/4	Aeron	.45			
		TEST V	OLTAGE	1200 V. D.C.					
600	.01	BA-6S1	.20	$1\frac{11}{16} \times \frac{7}{16}$ $2\frac{1}{8} \times \frac{7}{16}$ $2\frac{1}{4} \times \frac{9}{16}$	Adive	.12			
600	.02	BA-6S2	.25		Adjag	.15			
600	.05	BA-6S5	.30		Adsum	.18			
600	.1	BB-6P1	.35	21/4× 3/4	Aforn	.21			
600	.25	BB-6P25	.45	21/4×1	Afrik	.27			
600	.5	BB-6P5	.60	21/4×11/4	Afrix	.36			

TYPE	BC	DUAL	SECTI	ON	"CUBS"

Working	Cap.	Cat.	List	Size	Code	Your			
Voltage	M fd.	No.	Price	L x D	Word	Cost			
		TEST VOLT	TAGE 800	V D.C.		la andrea			
400	.01—.01	BC-4S1	\$.40	1 1 1 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 2 1	Agile	\$.24			
400	.05—.05	BC-4S5	.50		Aging	.30			
400	.1 —.1	BC-4P1	.55		Agist	.33			
400	.25—.25	BC-4P25	.85		Agnel	.51			
3 20 12 19 19	TEST VOLTAGE 1200 V. D.C.								
600	.05—.05	BC-6S5	.60	21/4x 3/4	Agley	.36			
	.1 —.1	BC-6P1	.65	21/4x1	Aglow	.39			

TYPE DT SMALL, COMPACT, DEPENDABLE "DWARF TIGER" UNITS In wax-dipped cardboard tubes; ends sealed with high-melting point wax; soldered

leads, firmly anchored.									
Working Voltage		Cat. No.	List Price	Size L x D	Code Word	Your Cost			
7 orrage	mju.			E 800 V. D		2031			
400	.01	DT-4S1	\$.20	1 3 x 7 6	Guste	\$.12			
400	.02	DT-4S2	.20	1 16 x 16	Broil	.12			
400	.03	DT-4S3	.25	$1\frac{7}{16}x\frac{7}{16}$	Bronx	.15			
400	.05	DT-4S5	.25	$1\frac{7}{16} \times \frac{7}{16}$	Broke	.15			
400	.1	DT-4PI	.30	1 7 x 9 16	Brook	.18			
400	.25	DT-4P25	.40	$2 x_{16}^{11}$	Broth	.24			
400	.5	DT-4P5	.50	2 x 1 3	Brown	.30			
400		DT-4WI	.75	25/8×1	Afore	.45			
		TEST VO	DLTAGE	1200 V. D). C.				
600	.0001	DT-6T1	.20	$1\frac{3}{16} \times \frac{7}{16}$	Gypsy	.12			
600	.00025	DT-6T25	.20	$1\frac{3}{16}x\frac{7}{16}$	Gyral	.12			
600	.0005	DT-6T5	.20	$1\frac{3}{16}x\frac{7}{16}$	Gyrus	.12			
600	.001	DT-6D1	.20	$1\frac{3}{16}x\frac{7}{16}$	Bugle	.12			
600	.002	DT-6D2	.20	$1\frac{3}{16}x\frac{7}{16}$	Build	.12			
600	.003	DT-6D3	.20	$1\frac{3}{16} \times \frac{7}{16}$	Built	.12			
600	.004	DT-6D4	.20	$1\frac{3}{16}x\frac{7}{16}$	Bulge	.12			
600	.005	DT-6D5	.20	$1\frac{3}{16}x\frac{7}{16}$	Bully	.12			
600	.006	DT-6D6	.20	$1\frac{3}{16}x\frac{7}{16}$	Bunch	.12			
600	.01	DT-6S1	.20	$1\frac{3}{16}x\frac{7}{16}$	Bruin	.12			
600	.02	DT-6S2	.25	$1\frac{7}{16}x\frac{7}{16}$	Bruit	.15			
600	.03	DT-6S3	.30	$1\frac{7}{16}x\frac{7}{16}$	Brump	.18			
600	.05	DT-6S5	.30	$1\frac{7}{16}x\frac{9}{16}$	Brunt	.18			
600	.1	DT-6PI	.35	$2 x_{16}^{11}$	Brute	.21			
600	.25	DT-6P25		2 x 1/8	Budge	.27			
600	.5	DT-6P5	.60	2 xl	Buggy	.36			



TYPE BA

The most advanced engineering design is incorporated into these Cub condensers. Made to stand up, under the most severe conditions of circuit voltage fluctuations, atmospheric changes and continuous operation.



TYPE BB

The larger capacity units are made as illustrated above. Note the insulated metal cap to which the wire leads are firmly soldered. Also the spun-over wax-impregnated cardboard sleeve for the non-inductive winding.



TYPE BC

Dual units, with the lug common to both windings are extensively used. The famous Cub construction has been employed in making these condensers and the result has been a very fine line of two-section units.



TYPE DT

Far more than the eye can see:- oil-saturated and cooled, wax-impregnated, triple sealcd, non-inductive tu b u la r condensers with a back-ground. Not merely tubular or cartridge paper condensers. And, small-size, moist-ure-proof, low power factor, exceptionally high equivalent D.C. series resistance. These Dwarf Tigers ARE condens-

IMPORTANT NOTICE TO DEALERS AND SERVICE MEN: The "Your Cost" prices have been figured for your convenience in ordering, and are based on a discount of 40%. YOU ARE ENTITLED TO AN EXTRA 10% DISCOUNT IF YOUR PURCHASES ARE FOR A MINIMUM OF 10 CORNELL-DUBILIER PAPER TUBULAR CONDENSERS OF ANY ASSORTMENT. ASK FOR, AND GET THIS EXTRA 10% DISCOUNT FROM YOUR JOBBER OR MAIL-ORDER HOUSE.





PAPER BY-PASS AND FILTER CONDENSERS

Non-inductive, high grade stamped metal case condensers, of the inverted so-called bathtub type. Hermetically sealed. Widely used by manufacturers and service men, these units represent a high pinnacle of quality perfection.

TYPE D

METAL CASED PAPER DIELECTRIC CONDENSERS

Cap. Mfd.	Cat. No.	List Price	Size L x W x D	Code Word	Your Cost
a deposite and a second	SINGL	E SECTION	400 V. D.C. U	NITS	
.05	DA-4005	\$.45	118x1x 3/4	Accoy	\$.27
ا.	DA-4011	.50	1 1 3 x 1 x 3/4	Acera	.30
.25	DA-4025	.60	118x1x 3/4	Achar	.36
.5	DA-4050	.75	118x1x 3/4	Achia	.45
1	DA-4100	1.00	2x13/4x 18	Achor	.60
2	DA-4200	1.55	2x2 x1/8	Actus	.93
	SINGL	E SECTION	600 V. D. C.	UNITS	the service of
.1	DA-60!1	.60	118x! x 3/4	Acorn	.36
.25	DA-6025	.70	118x1/4x 3/4	Acris	.42
.5	DA-6050	.95	2 x13/4x 18	Acryl	.57
	DA-6100	1.50	2 x2 x1 1/8	Acton	.90
	MULTIP	LE SECTIO	N 400 V. D. C.	UNITS	
.11	DB-4010	.65	$1\frac{13}{16}$ xl x $\frac{3}{4}$	Adact	.39
.2525	DB-4025	.80	2 x11/4x 3/4	Adaga	.48
.55	DB-4050	1.00	2 x13/4x1	Adage	.60
.111	DC-4010	.85	$1\frac{13}{16}$ xl x $\frac{3}{4}$	Adagy	.51
.252525	DC-4025	1.05	2 x13/4x 13	Adapt	.63
.111	DD-4010	1.10	2 x13/4x 13/6	Adati	.66
	MULTIF	LE SECTIO	N 600 V. D.C. L	INITS	
.11	DB-6010	.70	1 1 3 x 1 x 1/8	Adder	.42
.111	DC-6010	1.00	2 x13/4x 18	Adeed	.60



TYPE D

A drawn metal, shielded radio frequency by p as s condenser of the non-inductive type, available in a complete range of capacities in single and multiple units. Dual, triple and quadruple sections have the common terminal grounded to the container. Hermetic scaling and rigid specifications insure long life.

TYPE PE HIGH QUALITY PAPER DIELECTRIC CONDENSERS THAT SIMULATE ELECTROLYTICS IN APPEARANCE

Many service men actually prefer a paper dielectric bypass or filter condenser. This NEW line has been brought out to meet a wide demand and is fulfilling a real service requirement, as the dimensions of these condensers are identical to electrolytic units, though the actual capacity is from 1/3 to 1/2. Hence, these units are strictly "Replacement Condensers." Service men will find that these condensers will fill the bill in many cases. The leakage and power factor characteristics are negligible. No polarity to observe, the high voltage ratings result in safe, reliable operation.

450 V. D. C. Working Voltage—600 V. D.C. Peak—1000 V. D.C. Test Cardboard container units, with wire leads; Duals, separate leads

no common Replacement Cap. Mfd. for List Cat. No. Size L x W x D Price Word Cost 4/8x| 3/8x 1/16 4/8x| 3/8x 1/16 4/8x| 3/8x 1/16 4/8x| 3/8x 1/16 43/8x| 1/16x| 1/8 PE-C4002 \$.75 Pecka \$.45 PE-C4004 .90 Pecle .54 PE-C4008 8 1.15 .69 Pecmi PE-C4404 1.50 .90 Pecno

600 V. D.C. Working Voltage—800 V. D.C. Peak—1200 V. D.C. Test
Cardboard container units, with wire leads; Duals, separate leads,
no common

43/8x | 16x | 76

1.14

Pecou

1.90

8-8

PE-C4808

	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$						
2	PE-C6002	1.00	41/8x13/8x 15	Pecan	.60		
4	PE-C6004	1.20	41/8x13/8x 15	Pecep	.72		
8	PE-C6008	1.60	$4\frac{3}{8} \times \frac{9}{16} \times \frac{1}{8}$	Pecir	.96		
4-4	PE-C6404	2.00	$4\frac{3}{3}$ x $1\frac{9}{16}$ x $1\frac{7}{16}$	Pecos	1.20		
8-8	PE-C6808	2.65	41/8x2 x11/2	Pecut	1.59		

600 V. D.C. Working Voltage-800 V. D.C. Peak-1200 V. D.C. Test

Metal container units; types PE-B with wire leads, inverted screw mounting; Duals, separate sections, no common. Types PE-A, lug terminals, upright ring mounting, insulated common negative, with provision to ground negative by means of attached lug.

Replacement		List	Size	Code	Your
Cap. Mfd. fo		Price	L x D	Word	Cost
4	PE-B6004	1.35	43/8×13/8	Pebaz	.81
8	PE-B6008	1.75	43/8×13/8	Pebey	1.05
4-4	PE-B6404	2.25	43/8×13/8	Pebix	1.35
8-8	PE-B6808	2.80	43/8×11/2	Pebow	1.68
4-4-4	PE-A6444	3.50	43/8x21/2	Peade	2.10
8-8-8	PE-A6888	4.90	43/8x3	Peafo	2.94
9-9-18	PE-A6918	6.50	43/8x3	Peagu	3.90



TYPES PE

Paper dielectric condensers with a high degree of safety margin against voltage breakdown. Not intended to replace electrolytics, but made in the same physical construction to facilitate mounting in restricted space, where a paper dielectric condenser is preferred.







HIGH VOLTAGE BY-PASS AND FILTER CONDENSERS

TYPE TDF OIL FILLED FILTER CONDENSERS FOR HEAVY DUTY FUNCTIONS

Small, hermetically sealed, special impregnated condensers, about one-sixth the size of ordinary paper-wax type units. Excellent electrical characteristics and particularly suited for use in public address and power amplifier installations.

		TYPE	LF	
BYPASS	and	FILTER	CONDENSER	S
in	META	AL CON	NTAINERS	

Uniform in both physical dimensions and electrical efficiency, these units are most conservately rated and are dependable for heavy duty use.

Size H x W x D



TY	PE	F

Aboil Aboma

Aboon

Abray

Abrim Abuna

Abune

Abuse

Abuzz

Abysm

Abyss Bough \$.90 1.14

1.65

.99

1.41

2.19

1.29

1.80

2.76

1.44 2.28 3.90

			Size	Code	Your	Cap.	Cat.	List	Size	
Cap. Mfd.	Cat.	List Price	H x W x D	Word	Cost	Mfd.	No.	Price	H x W x D	
mju.			OLTAGE 600 V.	o.C.			W	ORKING V	OLTAGE 400 V.	D.C.
1	TDF-6010	\$1.75	2/3x118x116	Quaka	\$1.05	1	F-4010	\$1.50	5x2 1/6 x 7/8	Al
2	TDF-6020	2.75	27/8x 13 x 16	Quele	1.65	2	F-4020	1.90	$5x2\frac{1}{16}x\frac{7}{8}$	Al
3	TDF-6030	3.60	4 xl 13 xl 16	Quimi	2.16	4	F-4040	2.75	$5x2\frac{1}{16}x\frac{7}{8}$	Al
4	TDF-6040	4.50	4 $x \frac{13}{16} x \frac{1}{16}$	Quono	2.70		W	ORKING V	OLTAGE 600 V.	D.C.
5	TDF-6050	5.40	$4\frac{3}{4}$ x $ \frac{13}{16}$ x $ \frac{1}{16}$	Quapu	3.24	1	F-6010	1.65	5x2 1/6 x 7/8	A
	W	ORKING V	OLTAGE 1000 V.	D.C.		2	F-6020	2.35	5x2 16 x 7/8	A
1	TDF-10010	2.50	$2\frac{1}{8}x\frac{1}{16}x\frac{1}{16}$	Quena	1.50	4	F-6040	3.65	5x2 16x 1 3/4	A
2	TDF-10020	4.50	4 $x _{16}^{13}x _{16}^{1}$	Queme	2.70	-			OLTAGE 800 V.	
3	TDF-10030	5.75	$4\frac{3}{4}$ x $ \frac{13}{16}$ x $ \frac{1}{16}$	Quepi	3.45	-				
4	TDF-10040	7.00	43/4x21/2x11/2	Quero	4.20		F-8010	2.15	$5x2\frac{1}{16}x\frac{7}{8}$	A
	W	ORKING V	OLTAGE 1500 V.	D.C.		2	F-8020	3.00	5x2 16x1 3/4	A
1	TDF-15010	3.75	27/8x1 13x1 16	Quabo	2.25	4	F-8040	4.60	$5x2\frac{1}{16}x3\frac{1}{4}$	A
2	TDF-15020	6.25	43/4x1 18 x1 16	Quacu	3.75		W	ORKING V	OLTAGE 1000 V.	D.C.
			OLTAGE 2000 V.			1	F-10010	2.40	5x2 1/6 x l 3/4	A
-			43/4x1 1 3/8 x1 1/8	Quade	3.15	2	F-10020	3.80	$5x2\frac{1}{16}x3\frac{1}{2}$	A
	TDF-20010	5.25		Quade	4.80	4	F-10040	6.50	$5x2\frac{1}{16}x4\frac{7}{16}$	Bo
2	TDF-20020	8.00	$4\frac{3}{4}$ x2 $\frac{1}{2}$ x1 $\frac{1}{2}$	φuatu	T.00		1-10070	0.50	CA2 10 X 110	

UNCASED, CELLOPHANE WRAPPED, BYPASS AND FILTER CONDENSERS

	TYPE I	RM UI	NCASED, CEL	LOPHANE	WKAPP
Cap.	Cat.	List	Size	Code	Your
Mfd.	No.	Price	LxWxD	Word	Cost
WORK	ING VOLTAG	E 400 V.	D.C.—Equipped	with Black wi	
.1	RM-4010	\$.40	$2 \times \frac{3}{4} \times \frac{3}{16}$	Jaunt	\$.24
.25	RM-4025	.45	2 xl x 1/4	Jelly	.27
.5	RM-4050	.55	2 xl x 1/2	Jenny	.33
1	RM-4100	.75	2 x13/8x 16	Jerry	.45
2	RM-4200	1.15	2 x17/8x1	Jetty	.69
2	RM-4201	1.15	33/8x17/8x 5/8	Jewel	.69
4	RM-4400	2.10	33/8x!7/8x11/8	Joint	1.26
WOR	KING VOLTA	SE 600 V.	D.C.—Equipped	with Red wir	e leads
.1	RM-6010	.45	2 xl x 3 16	Joker	.27
.25	RM-6025	.55	2 xl x 3/8	Jolly	.33
.5	RM-6050	.65	2 x13/8x 1/2	Joule	.39
1	RM-6100	1.00	2 x17/8x 3/4	Judge	.60
2	RM-6200	1.40	33/8x17/8x 7/8	Juice	.84
4	RM-6400	2.60	41/4x17/8x13/8	Jumbo	1.56
WORK	ING VOLTAG	E 800 V. I	C.—Equipped v	ith Green w	re leads
.1	RM-8010	.50	2 xl x 16	Jupar	.30
.25	RM-8025	.65	2 x13/8x 5/8	Jupet	.39
.5	RM-8050	.85	2 x17/8x 7/8	Jupis	.51
1	RM-8100	1.30	33/8x17/8x1	Jupov	.78
2	RM-8200	2.20	41/4x17/8x13/8	Jupuw	1.32
WORK	ING VOLTAG	E 1000 V.		with Blue wi	
.1	RM-10010	.60	2 xl ³ / ₈ x ⁷ / ₁₆	Kapra	.36
.25	RM-10025	.75	2 x17/8x 5/8	Katma	.45
.5	RM-10050	1.00	33/8x17/8x 5/8	Kedge	.60
1	RM-10100	1.55	41/4x17/8x 7/8	Kiosk	.93
2	RM-10200	2.55	41/4x17/8x13/4	Knack	1.53
				OLIDELICE!	

SPECIAL OIL-FILLED VIBRATOR CONDENSERS

TYPE	VU, ME	TAL"POSTA	GE STAMP" L	JNITS-2000	V.D.C
	and the second second second			0 1	**

TYPE	VU, META	L"POSTA	PF 21 VWL. ON	115—2000	V. D.C.
Cap. Mfd.	Cat. No.	List Price	Size L x W x D	Code Word	Your Cost
.007 .008 .01 .015 .02	YU-D7 YU-D8 YU-SI YU-S15 YU-S2 YU-S3	\$.45 .45 .45 .45 .45 .45	5/8x7/8x9/32 5/8x7/8x9/32 5/8x7/8x9/32 5/8x7/8x9/32 7/8x7/8x9/32 1/8x7/8x9/32	Vibra Vibse Vibti Vibuo Vibvu Vicon	\$.27 .27 .27 .27 .27 .27
T	YPE VC.	TUBULAR	OIL UNITS-2	000 V. D.C	.
Cap. Mid.	Cat. No.	List Price	Size L x D	Code Word	Your Cost
.01 .015 .02 .03	VC-\$1 VC-\$15 VC-\$2 VC-\$3 VC-\$5	.30 .35 .40 .50	15/8 x 5/8 15/8 x 5/8 15/8 x 3/4 21/9 x 11 / 16 2-3 / 16 x 3/4 2-3 / 16 x 13 / 16	Vocat Vodes Voflt Vogou Vohux Vojay	.18 .21 .24 .30 .33

To insure best results, use C-D condensers exclusively.



TYPES RM

Carefully made and sealed to protect the winding against moisture and mechanical injury, these units are used to repair condenser blocks, in circuits where there are high voltage surges, in places where space is limited and in general everywhere a dependable paper condenser can be used to advantage.

AUTO RADIO CONDENSERS



TYPE VU







TYPE SC



TYPE VL



TYPE FC

TY	PE VL, M	ETAL C	ASED REPLACE	MENT UN	ITS
Cap.	Cat.	List	Size	Code	Your
Mfd.	No.	Price	L x W x D	Word	Cost
.01	VL-SI (1500	(V) .60	3-3/16x17/32x3/8	Velko	.36
.5	VL-P5 (200	(V) .65	3-3/16x27/32x3/8	Velop	.39
TYPE	S IC, SC, FC	, AUTO	GENERATOR U	NITS-400	V. D.C.
Cap.	Cat.	List	Size	Code	Your
Mfd.		Price	L x D	Word	Cost
.5 .5 .5	1C-4PS FC-4P5 SC-4P5 SC-4W1	.60 .60 .60	13/4×11/16 13/4×11/16 21/4×11/4 21/4×11/4	Flout Forde Floss Flour	.36 .36 .36 .48

To avoid mistakes, please order by Catalog Number.







TYPE TD

The smallest, most dependable oil filled transmitting filter condenser. Equipped with glazed porcelain insulators; silver-finish container. At lowest prices in our history.



TYPE TA

Dykanol filled heavy duty transmitting filter condensers that are an answer to high voltage filter prob-lems. High tension insulators; hermetically sealed containers.



TYPE TC

Dykanol units of the most sturdy construction for high-powered installations. Made to the most exacting specifications, they are the most dependable units ever produced.

TRANSMITTING FILTER CONDENSERS

Years of painstaking research and experimentation are part and parcel of Cornell-Dubilier transmitting condensers. The vital essentials that make for reliable operation at rated voltage are not readily perceived by the eye. Yet, so much more is incorporated into the construction of C-D condensers than is apparent upon a casual visual inspection that it becomes necessary to point out each

particular feature separately.

The physical dimensions of C-D condensers are appreciably smaller than the very best types of ordinary wax-impregnated, wax-filled condensers on the market. This is due to the use of Special Oil Dykanol which has a very high specific dielectric constant and which allows the construction of high voltage condensers with a much better degree of safety than is afforded by any other impregnating mediums.

The non-inductive method of winding and the very precise steps involved in the assembly of the unit into a hermetically sealed and carefully insulated metal container are important points which do not enter into the manufacture of ordinary oil-filled condensers.

Note the photographic illustrations of the various types of C-D transmitting condensers. See

how their fine mechanical construction lends to their silent guarantee as to their dependability. And above all, see how well-insulated and sturdily constructed they are.

If a transmitting condenser bears the Cornell-Dubilier label, rest assured that you are getting the greatest value for your money. NO OTHER CONDENSERS, REGARDLESS OF PRICE OR THE CLAIMS MADE FOR THEM BY THE MANUFACTURER CAN APPROACH OR EQUAL THE CORNELL-DUBILIER TRANSMITTING CONDENSERS.

Radio amateurs—it pays to buy the type of equipment that the broadcast stations are using with such excellent success. And, the prices are the lowest in our history!

SAFE—CONSERVATIVELY RATED—DEPENDABLE Special-Oil, Dykanol X-Mitting Condensers

Special-Oil, Dykanol X-Mitting Condensers							
Cap. Mfd.	Cat. No.	List Price	Size H x W x D	Code Word	Your Cost		
W	ORKING VO	OLTAGE 600	0 V. D.C440 R.I	M.S. Rect. A	.C.		
1	TD-6010	\$1.75	21/8x1 13x1 16	Grass	\$1.05		
2	TD-6020	2.75	27/8x1 1 3 x1 16	Grate	1.65		
4	TD-6040	4.50	4 xl 13 xl 16	Gravy	2.70		
WC	ORKING VO	LTAGE 100	0 V. D.C.—750 R.	M.S. Rect.	A.C.		
1	TD-10010	2.50	21/8x1 13x1 16	Graze	1.50		
2	TD-10020	4.50	4 x 13 x 16	Great	2.70		
4	TD-10040	7.00	43/4x2!/2x11/2	Grist	4.20		
6	TA-10060	8.50	418x33/4x21/4	Dogma	5.10		
10	TA-10100	11.00	$4\frac{13}{16} \times 3\frac{3}{4} \times 3\frac{3}{16}$	Doily	6.60		
15	TC-10150	13.50	6 x53/8x33/4	Daily	8.10		
WC	DRKING VO	LTAGE 1500	V. D.C.—1000 R	M.S. Rect.	A.C.		
1	TD-15010	3.75	27/8x1 18 x1 16	Greek	2.25		
2	TD-15020	6.25	$4\frac{3}{4}$ x $ \frac{13}{16}$ x $ \frac{1}{16}$	Green	3.75		
4	TD-15040	9.00	43/4x21/2x11/2	Groin	5.40		
6	TA-15060	12.00	418x33/4x21/2	Fluid	7.20		
8	TA-15080	14.50	418 x3 3/4 x3 16	Fluke	8.70		
12	TC-15120	20.00	6 x53/8x33/4	Flail	12.00		
WC	DRKING VOI	LTAGE 2000	V. D.C.—1500 R.	M.S. Rect. A	.C.		
	TD-20010	5.25	43/4x 15/8 x 16	Greet	3.15		
2	TD-20020	8.00	43/4x21/2x11/2	Grand	4.80		
4	TA-20040	11.00	418x33/4x21/4	Doric	6.60		
6	TA-20060	13.50	$4\frac{13}{16}$ x $3\frac{3}{4}$ x $3\frac{3}{16}$	Dowdy	8.10		
10	TC-20100	19.00	91/4×53/8×33/4	Natal	11.40		
	RKING VOI			M.S. Rect. A	\.C.		
2	TA-25010	14.00	418x334x11/4	Dower	8.40		
3	TA-25020	17.00	418 x3 3/4 x2 1/4	Dowry	10.20		
5	TC-25030 TC-25050	21.00	43/8×53/8×33/4	Davit	12.60		
10	TC-25050	30.00	6 x53/8x33/4	Davey	18.00		
The state of the s		60.00	91/4×53/8×33/4	Debar	36.00		
.75	TC-30007		V. D.C.—2200 R.				
1.75	TC-30007	17.00	31/8×53/8×33/4	Debit	10.20		
2	TC-30010	18.00 23.00	35/8×53/8×33/4	Debut	10.80		
4	TC-30040	30.00	6 x53/8x33/4	Decay	13.80		
The second second second			9 ¹ / ₄ ×5 ³ / ₈ ×3 ³ / ₄ V. D.C.—2750 R.	Decoy	18.00		
.5	TC-40005	23.00					
1.3	TC-40005	26.00	31/8×53/8×33/4	Decry	13.80		
2	TC-40010	30.00	43/8×53/8×33/4	Deify	15.60		
2.5	TC-40025	40.00	91/4×53/8×33/4 91/4×53/8×33/4	Deity	18.00 24.00		
		TAGE 5000	V. D.C.—3300 R.I	Delay	24.00		
.25	TC-50002	22.00					
.5	TC-50005	25.00	35/8×53/8×33/4 43/8×53/8×33/4	Delve	13.20 15.00		
.75	TC-50007	28.00	6 x53/8x33/4	Demit Demon	16.80		
1	TC-50010	30.00	91/4×53/8×33/4	Demon	18.00		
2	TC-50020	34.00	01/145788574	Demur	20.40		

Note: Cornell -**Dubilier Dykanol** transmitting condensers are available in a complete range of capacities in ratings up to 100,000 volts per single section. We have supplied assemblies with a rating of 1,000,000 volts D.C. Broadcast stations interested in condensers of higher voltage rating than those shown on this page, are requested to write for Catalog No. 127.

91/4x53/8x71/4

34.00

TC-50020

Dante

20.40







TRANSMITTING MICA CONDENSERS

In 1910, when wireless was in its very infancy, we began the construction of mica dielectric transmitting condensers. Step by step, we evolved new types of condensers for every circuit requirement so that today, Cornell-Dubilier high voltage, heavy current-carrying mica condensers are to be found in practically every important radio station in the world.

Amateur transmitters too, have received their share of our engineering attention and we present herewith a complete listing of the sizes of condensers which are necessary for an amateur installation.

High voltage mica condensers for use in tank circuits, as plate blocking condensers, as grid stopping units, as antenna coupling capacitors and for other important functions are vital parts of the transmitter and must be of good design and construction.

Type 86 condensers are encased and hermetically sealed in a glazed porcelain container, to prevent hygroscopic absorption. They are provided with heavy terminals and mounting feet and are conservatively rated.

Only the very finest grade of mica is employed, and the result has been to afford a very practical low-priced condenser for amateur use. The loss in power due to dielectric absorption is a minimum and the condensers operate under conditions of full load, without in any way heating up. You'll find them the solution to the problem of getting the utmost efficiency out of your transmitter.

TYPE 86
MICA UNITS FOR AMATEUR STATIONS

	Maximum				ım Currei				
Cap. Mfd.	D.C. Voltage	Cat. No.	List Price	15,000kc 20M	7500kc 40M	3750kc 80M	1875ke 160M	Code Word	You Cost
.00005	12,500	45A-86	\$3.75	3	2.5	1.5	1	Saber	\$2.25
.0001	12,500	31A-86	3.75	5	4	3	2	Sable	2.25
.00025	12,500	325A-86	3.75	7	8	6	4	Saner	2.25
.0005	7,000	35C-86	3.75	7	8	6	4	Sappo	2.25
.0005	12,500	35A-86	4.25	8	9	8	7	Salvo	2.55
.001	3,500	21D-86	3.75	8	9	8	5	Salve	2.25
.001	7,000	21C-86	4.25	8	9	10	8	Safer	2.55
.001	12,500	21A-86	5.00	9	10	11	12	Saver	3.00
.0015	3,500	215D-86	4.00	8	9	8	5	Sewer	2.40
.0015	7,000	215C-86	4.75	9	9	10	8	Sever	2.83
.0015	12,500	215A-86	5.50	9	10	11	12	Sieve	3.30
.002	3,500	22D-86	4.25	8	8	9	7	Softy	2.55
.002	7,000	22C-86	5.25	8	9	10	10	Sorry	3.15
.002	12,500	22A-86	6.50	9	12	13	15	Sower	3.90
.003	3,500	23D-86	5.00	8	9	9	8	Sense	3.00
.003	7,000	23C-86	6.00	9	10	10	10	Serge	3.60
.003	12,500	23A-86	8.00	9	12	13	15	Sight	4.80
.005	3,500	25D-86	6.00	9	10	11	9	Silky	3.60
.005	7,000	25C-86	7.00	9	11	12	11	Souse	4.20
.005	10,000	25B-86	9.50	10	13	14	15	South	5.70
.01	3,500	11D-86	7.00	10	13	14	14	Satin	4.20
.01	7,000	11C-86	9.50	10	13	15	15	Sinus	5.70
.02	2,000	12E-86	7.00	10	13	15	15	Soire	4.20
.02	3,500	12D-86	8.75	10	14	16	17	Sonny	5.25
.05	3,500	15D-86	11.50	10	14	17	18	Sumps	6.90
.1	2,000	1E-86	11.00	. 10	14	17	18	Sulky	6.60



TYPE 86

Dimensions: $3\frac{3}{4}$ " between mounting hole centers; $3\frac{7}{8}$ " overall height, 2" deep.

- 1 By use of mica, the loss of power flowing through the capacitor is 1/20th that of ordinary or flint glass dielectric capacitors.
- 2 Ceramic casing insulates condenser from interfering ground capacity, as with metal cased capacitors.
- 3 Ceramic c a s i n g prevents field absorption, hence lower R.F. resistance.
- 4 Use of exclusive Dubilier patent feature of internal mica assemblies, eliminates all corona effects.
- 5 Capacity remains constant at high frequencies and at temperatures that would materially damage glass dielectric capacitors.
- 6 Recommended for amateur p l a t e blocking, grid and tank condenser applications.

NOTE: Broadcast stations requiring high voltage heavy current-carrying mica condensers with which to replace obsolete and defective equipment, or to incorporate into new installations when increasing power, will find a complete range of Cornell-Dubilier condensers available for every circuit requirement. Write for Catalog No. 127 on commercial transmitting and industrial condensers giving detailed information. Below, are illustrated some of the many types available.



TYPE 6



TYPE 40



TYPES 50 to 59







TYPE 4

	TIPE 4								
	Cap.	Cat.	List	Code	Your				
	Mfd.	No.	Price	Word	Cost				
1	TEST VOLTAGE 1000 V. D.C.								
1	Working Voltage 600V. D.C.								
۱									
1	.00005	4-6Q5 4-6TI	\$.35 .35	Habit	\$.21				
١	.0002	4-6T2	.35	Hades Hairy	.21				
١	.00025	4-6T25	.35	Halve	.21 .21				
١	.0005	4-6T5	.35	Handy	.21				
1	.001	4-6DI	.40	Haply	.24				
١	.0015	4-6D15	.45	Нарру	.27				
1	.002	4-6D2	.45	Hardy	.27				
1	.003	4-6D3	.55	Harem	.33				
١	.004	4-6D4	.55	Harpy	.33				
1	.005	4-6D5	.55	Harry	.33				
١	.006	4-6D6	.65	Harsh	.39				
١	.008	4-6D8	.75	Haste	.45				
1	.01	4-651 4-6515	.80 1.10	Hasty	.48				
1	.015	4-6515	1.10	Hatch Haunt	.66 .72				
	.025	4-6525	1.45	Haven	.72				
١	.023				.01				
				500 V. D.C. 1200 V. D.C.					
1	.00005	4-12Q5	\$.60	Havoc	\$.36				
4	.0001	4-12T!	.60	Hazel	.36				
١	.0002	4-12T2	.60	Heady	.36				
1	.00025	4-12T25	.60	Heart	.36				
١	.0005	4-12T5 4-12D1	.60 .75	Heath	.36				
1	.0015	4-12D1 4-12D15	.75	Heave	.45 .51				
١	.0015	4-12D13	.95	Hedge Helix	.57				
١	.003	4-12D3	1.20	Hello	.72				
١	.004	4-12D4	1.50	Helot	.90				
1	.005	4-12D5	1.50	Helve	.90				
1	.006	4-12D6	1.70	Hence	1.02				
1	.008	4-12D8	2.00	Henna	1.20				
١	.01	4-1251	2.35	Heron	1.41				
	TEST VOLTAGE 5000 V. D.C. Working Voltage 2500 V. D.C.								
ł									
١	.00005	4-25Q5 4-25T1	\$.70 .70	Hinny Hitch	\$.42 .42				
١	.0001	4-25T2	.90	Hives	.54				
١	.0002	4-25T25	.90	Hoary	.54				
١	.0005	4-25T5	.90 1.25	Hobby	.75				
1	.001	4-25DI	1.50	Hoist	.90				
١	.0015	4-25D15	1.95	Holla	1.17				
١	.002	4-25D2	2.25	Holly	1.35				
١	.003	4-25D3	2.75 3.15	Honey Honor	1.65				
1	.004	4-25D4	3.15	Нопог	1.89				

NOTE: If Special Low-Loss Bakelite cases are specified, as for use in ultra high frequency circuits, add 25c. to List Prices, of types IW, 2W, 3L, 5W, 4 and 9, and add LL to Cat. No.

MOULDED MICA TRANSMITTING CONDENSERS

The finest made. Only the best materials, subjected to numerous inspections and exacting tests are used. Aircraft receivers and transmitters incorporate them because of the high degree of dependability that is afforded by their use. And many thousands of amateurs use them for DX assurance.



TYPE 4

A highly perfected mica condenser that readily mounts in any position. Equipped with heavy solder lug terminals.



TYPE 9

Designed with the most precise care, these condensers have won first ranking honors for maxium efficiency and dependability.

NOTE: For types 4 and 9
Add 10% to List Prices for 5%
Capacity Tolerance.
Add 20% to List Prices for 2%
Capacity Tolerance.

TYPE 9

TYPE 9									
Cap. Mfd.	Cat. No.	List Price	Code Word	Your Cost					
	TEST VO		1000 V. D.C						
	Working Voltage .600V. D.C.								
.00005	9-6Q5	\$.40	Horde	\$.24					
10001	9-611	.40 .40	Horse	.24					
.0002 .00025	9-6T2 9-6T25	.40	Hotel	.24 .24					
.0005	9-6T5	.40	House	.24					
.001	9-6D1	.50	Hovel	.30					
.0015	9-6D15	.50	Hover	.30					
.002	9-6D2	.50	Human	.30					
.003	9-6D3	.60	Humid	.36					
.004 .005	9-6D4 9-6D5	.60 .70	Humor Hunch	.36					
.006	9-6D6	.85	Hunks	.42 .51					
.008	9-6D8	1.00	Hurry	.60					
-01	9-651.	1.15	Hussy	.69					
.015	9-6515	1.25	Hutch	.75 1.11					
-02	9-652	1.85	Huzza						
.025	9-6525	2.30	Hyena	1.38					
.03	9-6S3 9-6S4	2.50 3.25	Hyson Ichor	1.50 1.95					
.05	9-655	3.85	Ideal	2.31					
	TEST VO								
	Working	Voltage	2500 V. D.C 1200 V. D.	ċ.					
.00005	9-12Q5	\$.70	Idiot	.42					
.0001	9-12T1	.70	lleum	.42					
.0002	9-12T2	.70	Image	.42					
.00025 .0005	9-12T25 9-12T5	.70 .70	Imago	.42 .42					
.0005	9-12D1	.90	Imbed Imbue	.54					
.0015	9-12D15	1.15	Impel	.69					
.002	9-12D2	1.15 1.35	Imply	.81					
.003	9-12D3	1.55	Inane	.93					
.004	9-12D4	1.55 1.75	Inapt	.93 1.05					
.005 .006	9-12D5 9-12D6	1.75	Incur	1.05					
.008	9-12D8	1.75 2.25	Incus Index	$1.05 \\ 1.35$					
.01	9-1251	2.80	India	1.68					
.015	9-1251 9-12515	3.35	Indic	2.01					
.02	9-1252	3.95	Induc	2.37					
.025	9-12525	4.40	Inept	2.64					
.03	9-1253	4.60	Inert	2.76					
	Working	Voltage	5000 V. D.C 2500 V. D.C						
.00005	9-25Q5	.90	Infer	.54					
.0001 .0002	9-25T1 9-25T2	.90 1.05	Ingle Ingot	.54					
.0002	9-2512 9-25T25	1.05	Ingor	.63 .63					
.00025	9-25.12	1.25	Inlay	.75					
.001	9-25D1	1.50	Inlet	.90					
.0015	9-25D15	1.95	Inner	1.17					
.002	9-25D2	2.25	Inure	1.35					
.003	9-25D3	2.75	Inurn	1.65					
.004 .005	9-25D4 9-25D5	3.15 3.30	lonic	1.89					
.005	9-25D6	3.50	Irony Islet	$\frac{1.98}{2.10}$					
.008	9-25D8	3.80	Issue	2.28					
.01	9-2551	4.10	lvied	2.46					
.015	9-25515	4.50	Ivory	2.70					
	-		-						

MOULDED MICA CONDENSERS FOR RECEIVING SETS









TYPE 1W 3/4 x3/4x3/16; wire leads.

TYPE 2W |x3/8x3/16; wire leads

TYPE 3L |x5/8x3/16;

TYPE 5W 5/8x3/8x3/16; wire leads.

Cap. Mfd.	Cat. No.	Code Word	Cat. No.	Code Word	Cat. No.	Code Word	Cat. No.	Code Word	List Price	Your Cost
.000005 .0000075 .00001 .000025			2W-5V5 2W-5V75 2W-5Q1 2W-5Q25	Dualt Duamp Duanz Duano	3L-5Q25	Trafe	5W-5V5 5W-5V75 5W-5Q1 5W-5Q25	Tynea Tynee Tynau Tynia	\$.15 .15 .15	\$.09 .09 .09
.00003 .00004 .00005 .00007			2W-5Q3 2W-5Q4 2W-5Q5 2W-5Q7	Guild Duame Guile Duema	3L-5Q3 3L-5Q4 3L-5Q5 3L-5Q7	Grime Trago Grind Traja	5W-5Q3 5W-5Q4 5W-5Q5 5W-5Q7	Tynio Tynoe Tynop Tynex	.15 .15 .15	.09 .09 .09
.0001 .0002 .00025 .0003			2W-5T1 2W-5T2 2W-5T25 2W-5T3	Guilt Duila Guise Duoda	3L-5T1 3L-5T2 3L-5T25 3L-5T3	Gripe Traku Groyn Tralp	5W-5T1 5W-5T2 5W-5T25 5W-5T3	Tynol Tynek Tynum Tynor	.15 .20 .20	.09 .12 .12
.0005 .0007 .001 .0015	IW-5T5 IW-5T7 IW-5D1 IW-5D15	Unciq Unset Undit Undix			3L-5T5 3L-5T7 3L-5D1 3L-5D15	Groan Trept Groat Trelm	5W-5T5	Tynuz	.20 .25 .25	.12 .15 .15
.002 .0025 .003 .004	IW-5D2 JW-5D25 IW-5D3 IW-5D4	Undof Unput Unpin Unlit			3L-5D2 3L-5D25 3L-5D3 3L-5D4	Groid Trehn Groom Gross			.35 .40 .40	.21 .24 .24
.005 .006 .007	IW-5D5 IW-5D6	Unlox Unlag			3L-5D5 3L-5D6 3L-5D7	Group Grout Grepx			.55 .60	.33 .36 .39
.0075 .008 .01					3L-5D75 3L-5D8 3L-5S1	Gritn Grukt Gruzz			.70 .70 .75	.42 .42 .45

Standard since the early days of wireless, these fine condensers, with a conservative working voltage rating of 500 V. D.C., insure perfect satisfaction in receiving circuits, for use as padding units, plate blocking, grid stopping, r. f. bypass and tuned filter capacitors. Due to their small size, excellent construction and accurate capacity, these C-D condensers are in world-wide demand.





POPULAR CONDENSER KITS



KIT TK-2

Type TK-2, Dwarf Tiger Condenser Kit, comprising an assortment of 50 tubular paper condensers has found wide appeal among service men. Readily on hand when making service calls, this kit supplies the more important types of condensers usually found in receiver circuits.

Cap.	Cat.	Quan.	List Price	Total List					
Mfd.	No.	Each	Each	Price					
WORKING VOLTAGE 400 V. D.C.									
.02	DT-4S2	3	\$.20	\$.60					
.05	DT-4S5	4	.25	1.00					
.1	DT-4PI	5	.30	1.50					
.25	DT-4P25	3	.40	1.20					
.5	DT-4P5	4	.50	2.00					
	WORKING VOLTAGE 600 V. D.C.								
.0001	DT-6TI	2	.20	.40					
.00025	DT-6T25	2	.20	.40					
.001	DT-6D1	2	.20	.40					
.005	DT-6D5	4	.20	.80					
.006	DT-6D6	6	.20	1.20					
.01	DT-6S1	8	.20	1.60					
.1	DT-6PI	4	.35	1.40					
.25	DT-6P25	3	.45	1.35					
	50.11.11 #12.05								
50 Units \$13.85									
SPECIAL—YOUR COST \$7.48									

50 tubular paper
las found wide apg service men.
land when making
this kit supplies
Important types of
lustrally found in

Whether you are

Whether you are just entering the radio service field, or have been one of the pioneer service men in the business, you will appreciate having an assortment of the most popular numbers of low voltage paper and mica condensers on hand when making a call. Our recommendation is that you carry a little stock of condensers with which to meet the more general types of repair work. A wise investment, small though it may be, in good merchandise, always brings handsome returns in the way of profits. It may mean all the difference between ordinary radio service work and SERVICE!

Type KC-I, Cub Kit, containing a wide assortment of practical sizes for everyday use in repair work, of world-famous C-D condensers, is one of the most important kits for the service man. Take one along with you on every job and it will save you time and money.



KIT KC-1

Car. Mjd.	Cat. No.	Quan. Each	List Price Each	Total List Price			
WORKING VOLTAGE 400 V. D.C.							
.1	BA-4PI	6	\$.30	\$1.80			
.25	BB-4P25	7	.40	2.80			
.5	BB-4P5	6	.50	3.00			
WORKING VOLTAGE 600 V. D.C.							
.01	BA-6S1	6	.20	1.20			
.02	BA-6S2	6	.25	1.50			
.05	BA-6S5	6	.30	1.80			
.1	BB-5PI	10	.35	3.50			
.25	BB-6P25	6	.45	2.70			
.5	BB-6P5	7	.60	4.20			
60 Units \$22.50							
SPECIAL—YOUR COST \$12.15							

NEW-C-D "COND-Y-STIKS"-NEW

A varied assortment of popular numbers of tubulars and micas, designated to meet the daily requirements of service men. Very attractively priced, too.

Analysted Dutchaper

An assortment of one of each of the more important sizes of paper tubular condensers, available handy form.

KIT KA-12 Paper Tubulars (Famous Cubs)


Paper Tubulars (Famous Cubs)						
Working Voltage	Cap. Mfd.	Cat. No.	Quan. Each	List Price		
400	.01	BA-4SI	1	\$.20		
400	.02	BA-4S2	1	.20		
400	.05	BA-4S5	1	.25		
400	.1	BA-4PI	1	.30		
400	.25	BB-4P25	1	.40		
400	.5	BB-4P5	1	.50		
600	.01	BA-6SI	1	.20		
600	.02	BA-6S2	1	.25		
600	.05	BA-6S5	1	.30		
600	.1	BB-6PI	1	.35		
600	.25	BB-6P25	1	.45		
600	.5	BB-6P5	1	.60		

12 Units \$4.00 SPECIAL—YOUR COST \$2.16

KIT KD-24
Paper Tubulars (Dwarf Tigers)

Working Voltage	Cap. Mfd.	Cat. No.	Quan. Each	List Price
400	.i	DT-4P1	6	\$1.20
400	.25	DT-4P25	4	1.60
400	.5	DT-4P5	3	1.50
400	1	DT-4W1	2	1.50
600	.01	DT-6S1	3	.60
600	.02	DT-6S2	2	.50
600	.03	DT-6S3	2	.60
600	.05	DT-6S5	2	.60

24 Units \$8.10 SPECIAL—YOUR COST \$4.37



Twenty four condensers with which to set out on the most perplexing service call. Very important when away from the shop.

KIT KM-10

Working	Cap.	Cat.	Quan.	List
Voltage	Mfd.	No.	Each	Price
500	.00005	2W-5Q5	1	\$.15
500	.0002	2W-5T2	1	.20
500	.00025	2W-5T25	1	.20
500	.0005	IW-5T5	1	.20
500	.0007	IW-5T7	1	.25
500	.001	IW-5DI	1	.25
500	.002	IW-5D2	1	.35
500	.004	IW-5D4	1	.45
500	.005	1W-5D5	1	.55
500	.006	IW-5D6	1	.60

10 Units \$3.20 SPECIAL—YOUR COST \$1.73

CORNELL DUBLIER CONTROL OF THE CONTR

Ten little mica condensers that fill the bill and are so insignificant in eost that it pays to have half a dozen cards on hand.

RADIO NOISE FILTERS

These units have been designed to eliminate the noises caused by the operation of motors, sign flashers, elevators, vacuum cleaners etc. They are used oftentimes together, for type IF-I is for use at the receiver whereas type IF-2 is to be employed at the electrical device causing the interference.

Cat No.	List Price	Code Word	Your Cost
IF-I	\$5.00	Alley	\$3.00
IF-2	2.25	Allod	1.35



TYPE IF-1



TYPE IF-2





CORNELL-DUBILIER CORPORATION

LOS ANGELES

Pacific Coast Warehouse 115 W. Venice Blvd.

CAMBRIDGE
31 Main St.

BUFFALO

763 Tacoma Ave.

WASHINGTON

220 Riggs Bank Bldg.

PITTSBURGH

907 American Bank Bldg.

CLEVELAND 2126 Lee Road

TOLEDO

2007 Calumet Ave.

FACTORY—GENERAL OFFICES

Eastern Warehouse

4377 Bronx Blvd. NEW YORK, N.Y.

SALES OFFICES
JOBBERS'
DIVISION



SEATTLE 2319 Second Ave. CHICAGO

Mid-West Warehouse 2317 Calumet Ave.

ATLANTA

316 Ninth St., N. E.

NEW ORLEANS

918 Union Street

DALLAS

137 So. Montclair St.

ST. LOUIS

526 No. Vandeventer Ave.

DES MOINES

Fourth and Keo Way

SAN FRANCISCO

761 Cole St.

CORNELL - DUBILIER
DISTRIBUTOR:

DISTRIBUTOR.

ALLIED RADIO CORPORATION

833 WEST JACKSON BOULEVARD

CHICAGO, ILLINOIS