


A LOUIS AND A COMPOSITION OF THE PARTY OF TH

Your Price Single Control Receiver



SENSATIONAL

Tone Quality - Power - Selectivity - Range

Write for Exclusive Dealers' Franchise

In presenting this magnificent Radio Receiver we are placing at your disposal the result of years of study and labor by some of the most efficient radio engineers in the United States. Public demand calls for COMPLETE SHIELDING, EASE OF CONTROL, maximum SELECTIVITY, and NATURAL TONE at a POPULAR PRICE This CAMWELL Receiver uses six tubes, and the circuit includes three stages of radio frequency amplification, a detector and two

and the circuit includes three stages of radio frequency amplification, a detector and two stages of audio amplification.

Where Can You Find All These Features at This Low Price

Illuminated single dial control. Cushioned detector socket. All metal shielding. Space

Space wound coils on threaded Bakelite.
Power tube operation without alteration.

Focalizer bringing hairline selectivity.

Extra size audio transformers shielded.

Rugged constructiontransportation proof.

Beautiful walnut two-toned cabinet with inlaid gold striping.

gold striping.

In this "CAMWELL"
Set you have KEEN SELECTIVITY for the city,
POWER and VOLUME for
the country. The rugged
strength built into this
receiver prevents damage
while shipping and keeps
every working part in
perfect alignment. PANEL
is of heavy metal, beautifully decorated in gold,
size 7x18, Vertical, which
provides interchanging fully decorated in gold, size 7x18, Vertical, which provides interchanging

chassis at will to console if occasion arises. All connections firmly soldered, all holes in panel where wires pass are bushed, snap type switches are used and all connections, including audio transformers, are clearly marked.

Manufactured under R. C. A. License.

The Kind of Radio the People Want -At What They Want to Pay

1K5000-Set in cabinet. List price, \$70.00. Net, each. \$38.90 IK5001-Chassis only. List, price, \$60.00. Net, each.

Recommended Accessories

CHASSIS ONLY COMPLETE List \$6000 Price



(1) all-enclosing shield, all parts thoroughly protected, (2) the power tube socket. (3) cushioned detector socket. The attached cable in color code is also shown.

We offer the following we offer the following necessary equipment at a very low figure to accomplish our desire to assist you in getting the greatest amount of sales and resulting profit. 5 201A Amplifier Tubes\$8.75 1 171 Power Ampli-

fier 4.50 1 221/4 -v. "C" battery. 1.75

1 41/2-v. "C" battery. 3 large size 45-v. "B"

1 125 amp. bour "A"

battery15.00 1 complete antenna equipment 2.75

Total list price..\$44.50 2K5002-

Accessories. Your net cost, DZ4.8

OUR SERVICE

Merchandise as Advertised or Immediate Replacement

YEARS OF EXPERIENCE in mail order selling have taught us the value of SATISFIED CUSTOMERS; also our experience in handling radio merchandise has taught us the necessity for QUICK SHIPPING.

Practically every item listed in this catalogue is ACTUALLY CARRIED IN STOCK and exceptions to this fact will be due to no fault of our own or, as in the case of heavy items such as batteries, for example, we have arranged to ship direct from warehouses throughout the United States in order to SAVE YOU TIME AND MONEY.

It is therefore our earnest endeavor to SHIP YOUR ORDER COMPLETE THE SAME DAY IT IS RECEIVED.

If for any unavoidable reason we are unable to make shipment the same day your order is received a card of advice will be mailed to you stating just when shipment will be made and if the time required will cause you inconvenience YOUR MONEY WILL BE PROMPTLY RE-FUNDED.

We catalog standard advertised radio merchandise and you will receive it as it is packed by the manufacturer in every case where it is possible to store it in stock bins in that manner. We stand squarely behind every item offered for sale and GUARANTEE COMPLETE SAT-ISFACTION.

Among our employees are young men thoroughly trained in the technical requirements of Radio and we earnestly invite you to submit any problem concerning Radio Receiver Construction, or trouble you are having with your customers' sets, to us and we will assist you in solving that problem. On our correspondence staff also we have a licensed operator who will gladly assist you with transmitting problems.

Due to the great variety of Radio items manufactured today we have not deemed it advisable to attempt to list every item available but have shown herein the items we consider to be the MOST POPULAR ITEMS-but we wish you to ask us for any item you desire whether it is listed or not, as we have access to an enormous market in Chicago and can procure it for you at standard wholesale prices.

THIS IS A WELL ESTABLISHED COM-PANY and our sole ambition is to succeed and prosper through helping our customers to succeed and prosper.

YOU TAKE NO RISK in sending your remittance with your order to avoid unnecessary C. O. D. charges as the United States Government also guarantees you protection.

We solicit your continued patronage on the basis of continual and complete satisfaction.

HOW TO ORDER

For your convenience an order blank is placed in this catalog. Use it, or your letter head, or requisition form. Write plainly to eliminate any possibility of error, giving item number, quantity desired, name of item and total net price. Total the price column, add a

sufficient amount for postage, if shipment is to be by parcel post, mail order to us and we will do the rest.

We will ship C. O. D. to our old customers but ask new customers desiring C. O. D. shipment to remit approximately one-quarter of the total amount of the order along with the first order.

Please assist us to serve you well by clearly indicating just how shipment is

TERMS 2% Cash Discount has been deducted from Net Prices shown. Accompany order with remittance if possible. C. O. D. charges to Post Office range from 17c up, depending on the amount to be collected.

to be made - FREIGHT EXPRESS, or PARCEL POST. If by freight, indicate any preference as to routing. If by parcel post, specify whether you desire the package registered or by special delivery or by air mail and be sure to include


all parcel post charges. It is not necessary to request insurance as we insure all parcels valued over five dollars by private insurance. If no special instructions are given we will use our best judg-ment as to method of shipping as indicated by size and weight of package. We will always ship the quickest, safest and most economical way. Any excess postage you may have remitted will be returned to you.

CAMWELL

FIVE

Retail Value \$40.00 3K5003

Your \$1955 Net Price



The Season's Biggest Radio Offer

This set will please and delight the most exacting Radio Fan. It is selective enough for the most congested districts and powerful enough for the most remote parts of the country.

It has great volume and good full flowing tone, and is capable of great distance reception on the loud speaker. The circuit is balanced tuned Radio Frequency, two stages of Tuned R. F., detector, and two stages of audio being employed. The "CAMWELL FIVE" is designed to operate with the 171 Power tubes. Also a 300 A detector tube may be used in the construction of this set. Filaments are controlled by two Rheostats. Solinoid R. F. Coils are used as well as S. L. F. low loss condensers, and Super Audio Transformers. The outward appearance of this remarkable set is absolutely unequaled in any set on the market at anywhere near the price. Fine manogany tinished cabinet with gold engraved bakelite panel, bearing three 4-inch mahogany dials. The latter are made purposely large to make tuning easier and more accurate. If you give this set a trial you should make hundred of sales, as you can offer your customer an elegant high class radio receiver at a figure your competitors cannot meet and still you can realize the wide margin to which you are entitled. Consider it! A real high class radio receiver with the appearance of a set selling at many times the price for only \$19.55, or complete with tubes, batteries and high grade drum speaker, and aerial for the remarkably low price of \$59.48.

DEALERS'

Buy and sell this receiver complete with all accessories. Install it ready to go just as it reaches you. No necessity for carrying quantities on hand as we ship complete and quickly. You should have, of course, a demonstrator on hand at all times. Send for it today and let us enjoy a real rush season together. WRITE FOR EXCLUSIVE "CAMWELL"
TERRITORY

We want more exclusive dealers. If you push our line in your city or county we will back you. Attractive offer on request if territory is still


ACCESSORIES SUPPLIED

		List
4	201A Tubes\$	7.00
1	171 Power Tube	4.50
1	5 Lead Battery Cable	,60
3	45 V. Diamond "B" Batteries	11.25
1	22½ V. "C" Battery	1.50
1	6 V. 100 A.H. Radio "A" Battery	15.00
1	Operetta Drum Speaker	20.00
1	Complete Aerial Outfit	2.50


Total List Value Set and Accessories, \$102.35 IK5004-Set complete. Your net cost

"OPERETTA"

Last Drum Speaker that is far supethat is far superior in tone to any Cone Speaker on the market. The grill is beautifully designed with hand scrolled work and is set in an set in Aluminum Drum with attractive brown finish, High Grade Unit. List price, \$20,00. 2K5115-Net, ea, \$1176



Two 66 CAMWELL ?? Six



PUSH This Popular Model. \$3375

Distance - Selectivity Tone Quality

In the two beautiful models shown here, we have attempted to offer extremely popular designs at prices we know will produce a large volume of sales. The chassis of these "Camwell" models is constructed with expert workmanship. Gold decorated mahogany 7x18, bakelite panel, black polished bakelite sub-panel with direct panel mount push type sockets and spring detector socket. All transformers, coils, fixed condensers, etc., are mounted beneath the sub-panel so that all wiring is concealed. The attractive Kurz-Kasch mahogany dials are used, and two controls for clarity and one for volume assure maximum results.

"THE CIRCUIT" employs two stages of

one for volume assure maximum results.

"THE CIRCUIT" employs two stages of tuned radio frequency, detector, one stage of audio frequency and one stage of push pull amplification. Has two low loss concincuit and the other a two gang is used in tuning the R. F. circuits. Very high grade R. F. transformers. The last two tubes working together as one, climinate any possibility of overloading. Thus doing away with high priced power tubes and giving better results.

THE "CABINET" is the heautiful two-


better results.

THE "CABINET" is the beautiful twotone Walnut model with full length plano
hinge as described on page 43 of this
catalog.

THE "CONSOLE" is the well made "High
Boy" Speaker model, as described on page
46. Beautiful ply mahogany top and front
with Adam Brown mahogany finished sides.
Front is decorated by inlaid gold striping.
Speaker horn and unit included. Ample
room for batterles or eliminators. Complete
with "UTAH" unit.

DEALERS: Here is Real Value. Make Big Profits. Your Customers will be more than Satisfied. No Service Problems. Order Your Demonstrator Now. Write for Exclusive Territory at Once.

"Console Model"



"CAMWELL"

SINGLE CONTROL -- SIX-TUBE -- CONSOLE SPEAKER

Completely Shielded Newcombe-Hawley Aircolumn Horn **Baldwin Unit**

In The "Intermezzo" Console

1K5007

Your \$12500 **Net Price**

This is our finest offering in "CAM-WELLI" up-to-date Radio Receivers. The chassis is described in detail on the front inside cover of this book. The console speaker is the famous "Intermezzo" as described in detail on page 45 in this catalog. We have put together here the best chassis and console speaker we have to offer. In this set you will have what the customer wants and at a price he is willing to pay. And you can realize not only the satisfaction of selling a real high class out fit but also a net profit of \$60.00 for each sales effort. This is a long but clean profit and every "CAMWELLI" Set is guaranteed to satisfy. What more could you demand?

We would not offer a poor receiver in such a fine console speaker and you will find here keen selectivity for the city, power and volume for the country.

The COMPLETELY SHIELDED CHAS. SIS contains extra size audio transformers, space wound coils, focalized for harrline selectivity. Cushioned detector socket provides for power tube operation without alteration, and is controlled by an illuminated one-dial control. These and many other unusual features go to make this a receiver worthy of the praise it has received.

The BEAUTIFUL WALNUT CONSOLE contains behind the carved scroll the famous Newcombe-Hawley air column horn, with Baldwin unit, which produces faithfully all the high or low notes of the scale. The console is elegantly and solidly constructed of walnut, the front being of matched American butt walnut. Ample space is provided herein for power units, eliminators or batteries.

DEALERS: WRITE FOR EXCLUSIVE "CAMWELLI" TERRITORY.

or batteries. LERS: WRITE FOR EXCLUSIVE "CAMWELL" TERRITORY. DEALERS:

The "Baritone" Cone Speaker



The Baritone Cone Speakers embody all the latest scientific developments. They are noted for their deep natural tone and their ability to reproduce faithfully all that enters the microphone from the highest to the lowest notes. Further they will stand more than usual volume without distortion or blasting and at no sacrifice of tone quality. Added to all this, they have a grace and harmony of design that makes them blend perfectly with home surroundings.

Net List \$25.00 \$14.70 39.00 22.94

represents the most important advance yet made in made in reproduc tion. It is sensitive beyond comparison and reproduces the entire musical scale with briltonal liancy that will enchant

The Tem-ple Speaker The "Temple" Drum



you. you.

The Temple is not just "another speaker"—it is not a cone, but rather a unique musical instrument of the long compensated exponential air column design, co-ordinated with a recently developed unit—and built to precision with acoustical qualities of an unusual character.

You can fit your console with a

You can fit your console with Temple Drum Tone Chamber. Wife for prices, stating space size. List Net Write

Net 2K5 | 45-13" size ... \$29.00 2K5 | 50-18" size ... 48.50 \$17.06


"Hi-Q Six"

The latest model Ham-marlund - Roberts receiver is a product of scientific radio engineering. No ordinary standard of performance can be applied to it. Complete isolation of the four tuned circuits plus automatic variable coupling, result in maximum and uniform amplification and selectivity over the entire broadcast band.

The use of Symphonic transformers and a power tube reproduces faithfully the full scale of musical frequencies from thunderous low notes to the delicate overtones, giving to sp a product of scientific radio

ous row notes to the delicate overtones, giving to speech and music the timbre and character essential to tonal beauty. The set is completely shielded, non-oscillating, with no background noises. Announced by leading engineers as the finest radio instrument available.

ammarlund ROBERTS - Hi-O'SIX -



List of Parts

These parts are required for the New Hammarlund-Roberts Hi-Q Six: 2 Sam-son Symphonic Transformson Symphonic Transformers; 4 Hammarlund .0005 Midline Condensers, 4 Hammarlund .0005 Midline Condensers, 4 Hammarlund Hi-Q Six Auto Couple Coils, 1 RFC-86 Radio Frequency Choke Coils, 1 Hammarlund Illuminated Drum Dial, 1 .00 Mfd. Bakelite Condenser, 1 Hammarlund .00025 mfd. Bakelite grid cond. with clips, 1 Carter Imp. 6-ohm rheo., 1 Carter Imp. battery switch with knob, 1 Durham metalized resis-

tery switch with knob, 1
Durham metalized resistor, 2 meg.; 3 Parbolt ½
mfd. series A Cond., 2 Amperites 1-A, 1 Amperite 112, 6 Eby Binding Posts, 1 Yaxley Cable
Connector and Cable, 1 Hammarlund-Roberts
Hi-Q Foundation Unit.
3K1050—Complete reads

3K1050—Complete ready to build. \$61.15 List, \$96.00. Net.....

Hi-O Foundation Unit



Contains drilled and engraved Westinghouse Bakelite Micarta panel, completely finished Van Doorn Steel chassis, four complete heavy aluminum shields, extension shafts, screws, cams and all necessary hardware required for Hi-Q Six receiver.

3K 105 1-List, \$15.50. Net, \$9.87

Our Special Condenser



This remarkably low priced con-denser is built of stamped alumi-num plates well built and very low loss. Small in design and very neat in appearance. Used in many manufactured sets.

3K (055-.00035 mfd. List, \$2.00. Net..... 98c

U. S. L. Condensers



Especially suited ork. Very low loss. Small. Es shielded work.

SHelded With. Very low loss.

SK 1066 — Single cond. 00025 mfd.
List, \$1.75. Net. ... \$1.05
SK 1067 — Single cond. 00025 mfd.
List, \$1.75. Net. ... \$1.11
SK 1068 — Single cond. 0005 mfd.
List, \$2.00. Net. ... \$1.28
SK 1069 — 2-gang. 00025 mfd.
List, \$3.30. Net. ... \$2.23 3K1069—2-gang. (1.18t, \$2.00. 3K1069—2-gang. (1.18t, \$3.50. Net. 3K1070—2-gang. List, \$4.00. Net. 3K1071—3-gang. List, \$5.75. Net. .0005 mfd. \$2.55

m

Hammarlund Shields



3K 1052-List, \$6.00. Net\$3.83

Sheet Aluminum SHIELDS Sheet Aluminum sides are clamped together by corner places which slide into place and make positive contact reducing Eddy current losses to minimum. Size 6"X7"x6".

Each, list, \$2.00. Net.... \$1.28 3K1053-

Midline Condenser

The Hammar-lund 'Midline" con denser has con denser na proved its mettle dur-ing the past seasons. It is now recog-n i z e d n i z e d throughout the radio

world as a precision product without a peer. The special shape avoids crowing of stations in either upper or lower bands. The new model is very compact and reliable.

\$3.50 3.35 3.25 3.19 3.02 3K 1056— 3K 1057— 3K 1058— 3K 1059— 3K 1060— .0005 mfd ... \$5.50 .00035 mfd ... 5.25 .00027 mfd ... 5.10 .00025 mfd ... 5.00 -.00025 mfd.

Hammarlund "Strobodyne" Coils

These sets of coils are made up of standard and special Hammarlund coils; officially specified for the popular "Strobotyne" circuit.

3K1072—Set of 3 coils.\$6.37

Hammarlund Equalizer

Another new Hammarlund product. Small Another flew Hammartand product. Small neutralizing condenser having wide capacity range. Well constructed and essential in many popular circuits. Range 35 to 2 mmfds. \$3.66 3K1073-List, 50c. Net......32c

Illuminated Drum Dials

An entirely new Ham. marlund product dethe large demand for drum dials For use with all condensers. Station may be tuned in with 8 simple move

ment of the finger. Wavelength scales are of trans-lucent celluloid with small light back of them. Adaptable to all standard panel proportions.

3K1054 - Template, mounting screws, and complete instructions in screws, cluded.

\$3.83 List. \$6.00. Net.....

Hammarlund Midget

Most popular Most popular midget condenser on the market today. Soldered brass plates, bakelite dialec-tric, one-hole mounting, speci-fied in many fied in many popular circuits.

3K1061-16 mmfd. List, \$1.50. Net96c

List 3K1062-32 mmfd. \$1.50 3K | 063 - 50 mmfd. 3K | 064 - 65 mmfd. 1.75

3K 1065-100 mmfd. 2.25

Hammarlund R. F. Choke



This choke coil is a new Hammarhelical product. A genuine

winding 3K1074-85 milliheneries, mmfds. and resistance of 215 ohms. List, \$2.00. Net......\$1.28 3K1075-250 milliheneries, capacity of 2 mmfds. and a resistance of 426 ohms. List, \$2.25. Net, \$1.43

\$0.96

40

ENJOY IT AT HOME


No Wires To String
About

Single Dial Control



Portable


Speaks for Itself




To the Camp
In the Car
On the Train
To the Sick

The TRAV-LER is the answer to the question of "Portability" in Radio Receiving Sets. Weighs only 24 lbs. completely equipped and has the volume and quality of reproduction which puts it far in the lead in this type of receiver.

ACCESSORIES—5 UX199 or C299 tubes, 2 small 45-volt "B" Batteries or 4 small 22½-volt Batteries, 3 "A" Battery dry cells.



The TRAV-LER Portable 5 is the result of exhaustive tests and experimenting and no expense has been spared to produce a high class receiving set. Has loop aerial contained in cover. Place it on top of set. Turn on switch and receiver is ready to operate. Equipped with D-X Coupler for use with long aerial and ground connection.




A radio so small and compact it can be carried like a hand bag. A powerful selective, clear-toned receiver at a price unbelievably low.

! K5008—List price, \$65.00. Net price, without accessories.... ! K5009—List price, \$84.25. Net price, completely equipped....

\$38.22 48.02



THE NEW AERO-SEVEN



Ten kilocycle separation between stations is accomplished by the Aero Seven, the one drum dial set which is having a sensational sale. It employs Hi-Mu tubes in the Radio Frequency end tubes which have 1.6 the efficiency of 201A tubes, and make the performance of this set stand out. In all, it employs 5 of the new 240 (or 340), one 201A and one 171, In a new manner the antenna circuit is so compensated for in the Aero Seven that selective tuning is accomplished with one drum dial. Volume and tone quality of the highest degree.

LIST OF PARTS REQUIRED


1-Aero Seven Foundation Unit	\$12.00
1-Aero TRF Kit, Code U-12 (3 coils)	12 00
1-Aero Choke No. 60	1.50
1-Silver-Marshall Drum Dial	3.00
1—Carter Battery Switch D	65
1-Carter 200-ohm "IMP" Potentiometer	1.25

The second secon	
1-Carter 6-ohm "IMP" Rheostat	\$ 1.00
1-Carter H-1000 Resistor	
1—Carter H-1 Resistor	.25
1-Carter .00025 MFD Condenser	.40
1Carter .001 MFD Condenser	.50
2-Carter 1/2 MFD Bypass Condensers	
10-X-L Binding Posts, Lettered Aerial.	
Ground, Ax, AC, 2C, B90, Amplifier Bx,	
Speaker x, Speaker C	
1-Amsco Floating Socket	
6-Amsco Plain Sockets @ \$0.50	3.00
1—Amsco .000 MFD Triple Condensers	
1 Amaga Cald Cata Manatian	
1-Amsco Grid Gate Mounting	.30
1-Amsco 5 Meg. Grid Gate	.50
1-Kit AMSCO Aero Seven Resistance	
Coupled Audio	7.00
	1000
Total list price	\$59.20
5K925—	24 70

\$34.79

PRODUCTS AB

Aero Short Wave Kit



This Kit consists of three interchangeable coils, each unit comprising a grid and plate inductance. A base is provided on which is mounted an adjustable primary coil whose coupling may be set for best results with long or short antenna. By adding the coils No. 4 and 5 shown at the right, a range is obtained up to 556 meters.

3E900—List price, per \$7.35

15 to 135 Meters Aero R. F. Regenerative Kit



An indispensable kit consisting of an Aero R.F. Transformer and an Aero 3-circuit tuner of the fixed tickler type. Any set built along these lines can be made more efficient by substituting this set of coils. Uses only 2014, 112 and 199 Tubes and the new A.C. Tubes. (For Aero Four.)

3K907-For .0005 Condenser .\$8.00 3K908-For .00035 Condenser. 8.00 Net price, \$4.71

each kit

Aero Interchangeable | Aero Tuned Coils No. 4, 5 and 0



By using these colls the range of your short wave tuner may be in-creased from 13 to 725 meters. These should be meters. These should be purchased with the kit shown at the left as they fit the base and use the same condensers. 3K901—Coll No. 4.
Range 125 to 250 meters. 3K902—Coll No. 5.
Range 235 to 550 meters. 3K918—Coll No. 0.
Range 13 to 29.4 meters. List price. each \$4.00

List price, each \$4.00 \$2.36

Aero Chokes

Here are three new choke colls, each de-signed to serve a spe-cific need rather than depending on one to cific need rather than depending on one to give average service in all fields.

3K900—For tuned R.F.

3K910—For high fre-

quencies.
3K9||-For transmitting. List price, each .. \$1.50

R. F. Kit


For Aero-Dyne Six



Kit consists of four twice-matched nits, one aero antenna inductance with units, one aero antenna inductance with variable primary and three aero R. F. Transformers adaptable to 201A, 199, 112 or the new 240 Tubes and new A. C. Tubes. Tuning range 200 to 550 meters, for use with .0005 M.F.D. condenser by with .0005 condenser. Each kit carefully matched at both ends of broadcast before packing

3K903-For .0005 Condenser. 3K904-For .00035 Condenser. 15.00 ist \$8.82 Net price, each

Kit of 3 coils for Aero Seven— List 3K905—For .0005 Condenser... \$12.00 3K906—For .00035 Condenser... 12.00 Net price, \$7.06






This is the Aero coil in the form of a three-circuit tuner and is in this form a most efficient instrument. The 3-circuit regenerative set may be made more efficient by many times when the 3-circuit tuner is used. Equipped with Variable Primary. Adaptable to 201A, 199, 112 and new A. C. Tubes. List

3K9|2—For .0005 Condensers...\$4.00 3K9|3—For .00035 Condensers... 4.00 \$2.36 89c | Beach

each Aero Antenna Coupler



3K9 14-For .0005 Condenser. 3K915—For .00035 Condenser. List, each, \$4.00. Net price each \$2.36 Net price, each

Aero Wave Trap

Aero Wave Irap

An excellent instrument due to the low distributive capacity and the low high frequency resistance of the aero coil. Will tremendously aid in eliminating troublesome interference. Will make any crystal set more efficient. Adaptable to 201A, 199, 112, New 240 or A.C. Tubes.

3K916—For .0005 Condensers.
3K917—For .00035 Condensers.
List price, \$4.00.

\$2.36 \$2.36

Net. each



New AERO-DYNE 6



The Improved AERODYNE Six is a set with a national reputation for performance. It is easy to construct with the new AERO Universal Colls because shielding is made unnecessary. Only parts of proven merit and of nationally known manufacturers are used in the set. Actual size blueprints are packed with AERO foundation unit, drilled and engraved by Westinghouse Micarta. It consists of front panel and sub-panel. It is artistically set off with two drum dials. Front panel 24 inches. panel 24 inches.

The state of the s	The Park Name of Street, or other Park
LIST OF PARTS REQUIRED	610 50
1 Aero Foundation Unit	5 12.50
1 Aero U16 kit of Colls	. 13.00
2 Silver-Marshall Drum Dials	6.00
2 Silver-Marshall Type 220 Audios	. 16.00
4 Hammerlund .0005 Condensers	20.00
1 Benjamin Socket	75
5 Silver-Marshall No. 511 Sockets	2.50
2 Tobe 1 mfd. condensers	1.80
1 .00025 Carter Grid Condenser	40
1 Tobe 2 meg. Grid Leak Tipon	.50
1 Carter .001 Condenser	40
1 Yaxley Switch Rheostat, 6-ohm	. 1.65
1 Yaxley Potentiometer (200-ohm)	1.75
1 Yaxley Fixed Resistance, 1-ohm	15
1 Polymet E Z Grid Leak Mounting	50
11 X-L Binding Posts, lettered: Aeria	.1,
Ground A Bat + A Bat	C
Bat (2) B 45+. B 90+, Amplific	er
B +, Speaker Pos., Speaker Neg.	. 1.65
Screw assortment and bus bar	30
	CO. O.E.
Total list price	\$81.85
5V020	¢/10/12

5K920--Your net our net cost.

OPTIONAL TO B ELIMINATORS

1 Silver-Marshall "Unipack." See Page 14.


1 Yaxley Cable No. 670. See Page 29.

LATEST NINE-IN-LINE



Tremendous Power Maximum Selectivity Ease of Construction





As Specified in the Citizens Radio Call Book

The efficiency of this powerful receiver has been repeatedly demonstrated here in Chicago. With many powerful locals on the air, scores of out of town stations were brought in with tremendous volume as well as super quality.

In this new model, which is a marked improvement over that of last year, there is a remarkable change which insures quiet operation as well as hair sharp selectivity.

The use of the New Audio Transformers, one of H. F. L.'s latest developments, coupled with the new output transformer and embodying the use of the 171 power tube, makes distortion practically impossible.

Four stages of intermediate frequency has successfully been designed, insuring great volume and selectivity. The great improvement in the audio circuit of this receiver has successfully overcome the tendency for the I. F. to feed into the audio stages. This has been one of the greatest disadvantages in superheterodyne operation.

By so arranging the various parts and using sub-panel mounting sockets the wiring of this set has been made extremely simple, and the appearance made equal to that of any factory built receiver by the use of the Remier drum dials.

The entire wiring being done under the panel all leads are therefore made extremely short, a very desirable feature in this type of set.

The new C-16 and C-25 H. F. L. Transformers will give you audio amplification of almost unbelievable purity.

Build this set and you will get every note and overtone on the entire musical scale.

List of Parts Required

3 H. F. L. No. H. 210 Transformers, 2 H. F. L. No. H. 3 H. F. L. No. H. 210 Transformers, 2 H. F. L. No. H. 215 Transformers, 2 H. F. L. No. C. 16 Transformers, 1 H. F. L. No. L. 425 R. F. Choke Unit, 11 H. F. L. No. L. 426 R. F. Transformer, 1 H. F. L. No. C-25 Output Transformer, 9 Benjamin Sub-Panel Mounting Sockets No. 9044, 2 Remler Drum Dials Right and Left, 2 Remler .0005 Variable Condensers., 1 Hammerlund .000032 Midget Condenser, 1 Pr. Benjamin No. 8629 Brackets, 2 Carter By-Pass Condensers, 1 Mfd. 1 Carter .0005 Condensers, 2 Carter .002 Condensers. 1 Daven 4 Amp. Ballast, 1 Jones Multi-plug, 1 Carter 6 Ohm Rheostat with Switch, 1 Carter 6 Ohm Rheostat without Rheostat with Switch, 1 Carter 6 Ohm Rheostat without Switch, 8 Carter Imp. Jacks, 17x26 Front Panel (Formica), 18x24 Base Panel (Formica), 1 Carter 200,000 Ohm Volume Control, Celasite, Screws, etc.

5K1100-TOTAL LIST PRICE, \$129.40. YOUR NET PRICE

\$76.68

H.F.L. UNITS

These supreme instruments These supreme instruments have been approved and endorsed by Radio News—Radio Review—Radio Engineering—Radio Mechanics—Chicago Daily News—Chicago Evening Post—In fact by every leading Radio Authority a uni-Hadio Authority . . . a universal endorsement that stamps H. F. L. as the highest standard of excellence in Radio.

Designed for baseboard or baseboard or baseboard or baseboard or baseboard.

ard of excellence in Hadlo.
Designed for baseboard or
invisible panel mounting. All
enclosed and sealed in uniform
size genuine bakelite mounting.
H-210—Iron core transformer
with high amplification factor.
Range 32.000 to 42,000 cycles.

3K1001-List price, \$4.71 \$8.00. Net.

H-215—Air core transformer, tuned stage, designed to amplify signals at a maximum efficiency of 37,000 cycles. 3K1002—List price, \$4.71

\$8.00. Net. L-425-R Choke Unit -Radio Frequency

3K1003-List price, \$3.24

\$5.50. Net.... L-430—Low Loss Radio Frequency Transformer.

3K1004—List price, \$3.24 \$5.50. Net

C-16 AND C-25

The new H.F.L. Audio Frequency Transformer (C-16) and the H.F.L. Output Transformer (C-25) together, are now introduced to the radio set builders as the most perfect means of Audio Amplification known to the science of radio. These new products are the final achievement of rect means of Audio Amplication known to the science of radio. These new products are the final achievement of nationally known accoustical experts and electrical scientists. Their work has been enthusiastically endorsed by the most critical and skeptical of listeners.

3K1005-C-16, List, \$4.71

CAMFIELD SUPER-SELECTIVE 9

Using the Famous Rusco Band Pass Filter


The Most Sensitive and Selective Circuit Ever Developed

Embodying many new atures. Outstanding features. Outstanding among these features is the use of the famous Rusco Band Pass Filter

Rusco Band Pass Filter
in the intermediate frequency amplifier. This filter is designed to pass
a band of frequencies 10 kilocycles wide. The
amplification over this band is uniform and the
cut-off on either side is extremely sharp. The
result is perfect selectivity between wave bands
of only 10 kilocycle separation in frequency.
The turning of a switch on the panel converts
this set from a five-tube two-control radio frequency receiver for the reception of local stations to a nine-tube super-selective and supersensitive circuit capable of tuning through
powerful local stations and receiving distant
stations from coast to coast.


LIST OF PARTS REQUIRED

1	Camfield .00025 Equaltune	Variable
	Condensers	
1	Camfield .00035 Equaltune	
	Condensers	
1	Camfield .00035 Equaltune	
	Condensers (2-gang)	
	Camfield kit of 3 Camfield Duc	
	Camfield Coupling Unit	
1	Rusco Band Pass Filter	15.00
2	Rusco I. F. Transformers	12.00



1 Polymet .002 Fixed Condenser	0.30
	.70
2 Polymet .00025 Grid Condensers	
2 Polymet Grid Leak	00.1
2 Tobe ½ mfg. Condensers	1.80
2 Silver-Marshall No. 220 Audio Trans-	
formers	16.00
1 Frost 6-ohm Rheostat	
	0.00
2 Frost 400-ohm Potentiometer	2.50
3 Kurz-Kasch Dials	6.00
9 Benjamin Sockets	6.75
3 Karas Brackets	.70
1 Carter Midget Battery Switch	.50
	1.25
5 Eby Binding Posts	.75
1 Jones Type P. M. Multiplug Sub-Panel	
with 8-ft, battery cable	2.50
1 PolyTrol (Automatic Rheostat)	1.00
1 Formica 7x30" drilled and eng. Panel	7.60
1 Formica 10x29x1/4 drilled Sub-panel	7.75
Complete set of Actual Size Blue Prints.	1.50
Miscellaneous lugs, wire, screws, etc	1.50
Total list price\$	
5K1700	72 78
Your net price	0.10
See next page for Camfield Parts	T

New Victoreen Universal Super 8



with the New Master Control Unit

LIST VALUE \$11755

YOUR NET PRICE \$69¹²

EASY TO BUILD-

The Victoreen Universal Circuit is the concentrated result of laboratory experiment—an exhaustive study of Superhetrodyne requirements. It has been designed for those fans who will never be satisfied with anything except the best in radio reception. This circuit combines all those features which the radio fan demands—faithful reproduction of quality programs, careful consideration of selectivity, and the ability to get distant stations through local interference.

LIST OF PARTS REQUIRED

	Lightle Fluit Fanel, (Azvas/10 III	0.00
1	Victoreen 2-Ohm Rheostat (use 6-Ohm	
	Rheostat for dry cell tubes)	1.20
1	Yaxley No. 10 Battery Switch	.50
1	Victoreen No. 400, 400-Ohm Potenti-	
	ometer	1.50
1	Jewell, Pattern No. 135 Voltmeter (0-8	
	volt for storage battery tubes; 0-5	
	volt for dry cell tubes)	7.00
7	Victoreen 6-Ohm Rheostat (use 20-	

Ohm Rheostat for dry cell tubes). 1.20
Victoreen Master Control Unit...... 19.50
Yaxley No. 60 Jack Switch...... 1.25
Your Net Price.......
All Victoreen Parts in Stock at 35% Off the List

EA	SY	TO	OF	PERA	TE	
1	Victo	reen A	Audio	Control	Unit	(for
	por a	wer tub	es in .	last aud eostat	n stage	last
0	Sta	ge)	nelecte	No. 90	40	\$

stage)

Benjamin Sockets No. 9040

Carter 00025 Mfd. Condensers with Grid Leak Clips.

Durham 2 Meg. Leaks

Tobe 1 Mfd. Condenser.

Victoreen Audio Transformer Unit.

Carter 001 Mfd. Fixed Condenser.

Victoreen R. F. Transformers (No. 170 for storage battery tubes; No. 171 for dry cell tubes).

Victoreen No. 150 Oscillating Coll.

Victoreen No. 160 Antenna Coupler.

Yaxley No. 416 Pup Jacks

Samson or Marco Vernier Dial.

Wood Baseboard

Screws, Celatsite, etc 1.00 1.00 .90 22.00 28.00 5.50 3.50 .30

1.95 1.00 \$117.55 Total List Value..... \$69.12

4.50



Tyrman Transformers New Achievement in Tone and Volume

Reproduction—amplified in life-like volume — all the notes, round, —all the notes, round, clear, full—from the deepest organ base to the highest piccolo is the acoustic achievement of the New Tyrman Audio Transformers. You will recognize them as masterpieces of construction. Their annews is ideal for reproductive is ideal for reproduc-

transformer

transformer construction. Their amplification curve is ideal for reproduction no matter what speaker should be employed as their interpreter. The combination of three units is recommended, where greatest volume is to be obtained with most faithful reproduction.

3K|10|—Type 3-30 3.1 ratio Trans former. List, \$8.00. Net 3K | 102—Type 3-50 Power Input Transformer. List, \$10.00. \$5.88 Net 3K1103—Type 8-51 Power Output Transformer. List, \$10.00. \$5.88



Camfield Duoformer Kit

A radio frequency trans-former, espe-cially de-



Tyrman Shielded Socket

Is the first pracsucces sful design of its kind. Assures

proper g of each functioning of each tube under the influ-ence of static and magnetic fields. magnetic fields. Shielding is of heavy aluminum—the best heat conductor obtainable, which radiates uniformly and keeps tube temperature constant. Constructed to allow baseboard mounting or sub-panel wiring. 3K1104—List price, \$1.25. Net, each..... 74c

Camfield Coupling Unit

Type 620, wound of green silk on black bake-lite tubing. Designed for baseboard, sub-panel or panel mounting. The terminals of the primary or rotor winding are connected to the secondary frame through flexible leads.

ing are connected the secondary fra me through flexible leads. The secondary winding is split in the center and four terminals are provided. This gives flexibility and makes the coupler adaptable for use in many different circuits. mits


3X 1715— List, \$3.50. \$2.06



TYRMAN VERNIER DRUM DIAL For All Fine Receivers. 7 Outstanding Features

For All Fine Receivers. 7 Outstanding Features
Distinct visibility of graduations; they are
silver etched with raised lines and figures.
Accuracy of moulding; the 5½-inch Drums
and Verniers are Masterpieces of bakelite
moulding. New clutch arrangement assures
perfect concentricity of drums and condenser
shafts. Flexible spring balanced bearing
holds the vernier in steady contact with the
drum. Absence of "backlash" combined with
smoothest action ever obtained in tuning devices. Universal mounting makes it adaptasescutcheon plate gives unequaled beauty of
appearance. appearance

3K1105--Single Drum. List, \$2.94 \$5.00. Net, each......
3K1106—Double Drum. 5.88\$10.00. Net, each



CAMFIELD CONDENSERS

Beautifully constructed. Rotor and Stator Reautifully constructed. Rotor and Stator plates bright dipped brass. Other parts hand buffed and nickel plated. Shaft may be shortened, lengthened or removed altogether. Many condensers may be connected and operated by one dial Rotor mounted on ball bearings. Special adjustment eliminates necessify for trimmer and condensers. Brackets for baseboard or sub-panel mounting at slight additional cost. Instructions and adjustment tool with all double and triple condenser.

3K1702-	Capacity	List		Net
(Single)	.00015 \$	5.00	\$	2.94
3K1703-				
(Single)	.00025	5.50		3.24
3K1704-	.00025	10.00		5.88
3K1705-	.00020	10.00		0.00
(Three Gang)	.00025	14.00		8.24
3K1706-				
(Single)	.00035	5.75		3.38
3K1707-	.00035	10.50		6.18
3K1708-	.00055	10.50		0.10
(Three Gang)	.00035	15.00		8.82
3K1709				
(Four Gang)	.00035	18.00	- 1	0.59
3K1710-	.00035	01.00		0.25
(Five Gang)	.00033	21.00		12.35
(Single)	.0005	6.00		3.53
3K1712-				0.00
(Two Gang)	.0005	11.50		6.77
3K1713-				
(Three Gang)	.0005	16.00		9.41
Mounting Brace	rete (noir	.25		.15
mountain Diac	(part	.23	_	,13



SAMSON "B" TRANSFÖRMER "B"

Rated at 40 watts, Furnishes 200 V. Plate supply at 80 M. A. from 60 cy. Power. Wound to furnish fila-ment supply for UX wound to furnish fila-ment supply for UX or CX 380 Tube and another winding for one or two 171 tubes. 3Ki352 — Trans-former No. 132. List price, Less 35% and 2%.

R. F. CHOKE COIL

Bakelite end plates and tubing. Inductance 85 M.H. 3K | 37 | — Choke coil No. 85. List, \$2.00. Net, \$1.28 and



amson Single and Double Rotor Couplers

Wound with silk covored wire on bakelite tubing. 3K | 350 Double Rotor Coupler, No. 31. List. \$7.50. Net.....\$4.78 3K ! 35 !—Single Coupler, No. 81. Rotor Coupler, No. 81. List. \$6.00. Net....\$3.83 30



3K | 355 3K | 356 3K | 357 3K | 358 3K | 358

HENRY CHOKE For requirements of B' Eliminator and other circuits carrying up to 80 M.A. where chokes need inductances of 30 Henrys D.C. Resistance 200 V. Insulated Binding Posts for connections. lated Binding Posts for connections. Effi-ciency very high. Volt-age drop very small. 3K 1353—Choke No. 380. List price, loss 35% and 2%.

	OTHER SAMSON ITEMS	
	List	Net
-R.F.	Choke No. 500. ½ Henry\$2.75	\$1.75
-R.F.	Choke No. 125, 250 M.H 2.25	1.44
-Audio	Freq. Choke 31/2 Henrys 3.25	2.07
-Neutra	alizing Condenser No. 6 2.25	1.44
-R.F.	Transformer H.WR.I., each. 4.50	2.87
La mad 2	(4 to Bx.)	0.10
Stand	ard Transformer H.WA.3. 2-1 5.00	3.19
- Stands	ard Transformer H.WA.3. 3-1 5.00 ard Transformer H.WA.3. 6-1 5.00	3.19
-Standa	Imped. Type P 5.00	3.19
-Grid 1	Imped. Type G 4.50	2.87
-Dual	Imped. Type D 5.00	3.19
-Out P	ut Imped. Type O 5.00	3.19
-30 He	enry Choke 30 M.A 5.00	3.19
-Smeak	er Filter No 204	4


(4 to Bx.)	
3K 1360-Standard Transformer H.WA.3, 2-1 5.00	. :
3K 36 -Standard Transformer H.WA.3. 3-1 5.00	
3K 1372-Standard Transformer H.WA.3. 6-1 5.00	
3K 1362-Plate Imped. Type P 5.00	
3K 1363-Grid Imped. Type G 4.50	
3K 1364-Dual Imped. Type D 5.00	
3K 1365-Out Put Imped. Type O 5.00	
3K 1366-30 Henry Choke 30 M.A 5.00	
3K 1367—Speaker Filter No. 304	
3K 368 A.B.C. Socket Power Unit No. 333	ist !
3K 369-30 Henry Choke 120 M.A.	- 01
	5%
	2% C
DISCOUNT.	

T.ess and 2% Cash



3K 1354 — Antenna Coil No. 71. List, \$2.85. Net, \$1.82





Powerful Coast to Coast Receiver

"You Can Duplicate It"

Described in September Citizen's Radio Call Book

Compare this Tyrman one-spot Ten with other receiver in the world for selectivity-quality—stability and beauty in appearance. with any

This Tyrman masterpiece, of radio engineering was designed for those who demand the ultimate in radio receiving.

It has been tested and proved under the most

It has been tested and proved under the most severe receiving conditions.

Duplication of laboratory performance is guaranteed and insured by the Kurz-Kasch Capacity Connector which stabilizes the circuit, acts as a by-pass condenser and eliminates 90 per cent of wiring and soldering.

With beautifully decorated Panel and Ivory Bakelite Sub-Panel it presents an appearance not heretofore attained.

Kurz-Kasch Capacity Connector

This apparatus is destined to revolutionize radio set building. Invented by an outstanding pioneer, Mr. E. T. Flewelling, and made by the Kurz-Kasch Company for exclusive use with high grade receivers built of apparatus of Tyrman quality.

It will eliminate the greatest part of wiring with all its distributed capacities and fields where pickup of signals within the receiver should be avoided.
Speed of assembly is combined with surety, which
prescribes conditions under which component parts
of the circuit should operate. It automatically
will make every receiver a duplicate of the laboratory model.

Kurz-Kasch Capacity Connectors enable the set bullder to construct his receiver regardless of number of tubes in a fraction of time he needed heretofore. It combines rigidlty, cleanliness with lack of opportunity for errors in wiring, lack of troublesome feedback of wiring, without a single constructive criticism. Finally, it stabilizes the circuit to an extent where a great number of bypass condensers are eliminated.

All TYRMAN TRANSFORMERS are constructed in conformity with the terminal arrangement of this outstanding patented device.

LIST OF PARTS REQUIRED

	LIST OF TAKES REQUIRE	
		List
2	Tyrman Type 8-70 R. F. Transformers \$	8.00
1	Tyrman Type 8-71 R. F. Transformer	4.00
4	Tyrman Type 8-80 R. F. Transformers	28.00
1	Tyrman Type 3-30 Audio Transformer	8.00
1		3350 10
	former	10.00
1	Tyrman Type 3-51 Power Output Transformer	10.00
1		10.00
10	Tyrman Shielded Sockets	12.50
1	- Fall 100 100 100 100 100 100 100 100 100 1	7.50
1	The second secon	
	ted Bakeljte	6.90
1	The state of the s	6.20
2		.70
	Carter 1 mfd. Condensers	2.5,0
	Carter 1/2 mfd. Condenser	.90
1	Control Involution Control Control	.40
	Carter .001 Mica Condenser	.50
	Yaxley No. 669 Cable Connector, complete	3.75
1	Polymet. 3 Meg Resistance with mount-	.28
1	Yaxley 6L Filament Resistance 11/2 amp.	
	5 volts	.15
1	Yaxley 5L Filament Resistance 14 amp. 5 volts	.15
1	Yaxley 200 ohm Potentiometer	1.75
	Silver 50 mmf. Midget Condensers	3.00
1	A STATE OF THE PARTY OF THE PAR	1.75
2	CONTRACTOR	.30
1	Total Control of the	5.00
1	Type 352 Camfield .00035 Two-Gang Con-	
	denser	10.00
1	Yaxley No. 7200 Grid Resistance	.25
	Total list price\$	42.48
	The state of the s	

	KURZ - KASCH CAPACITY CONNECTOR	PER CHANGE
00 00	99 9999 9999 9999 997	9 88
	ii inin iroo kaba daab ari	
88 58	ELIMINATES WIRING AND SOLDERING. — ACTS AS BYPPASS CONDENSER	0 88

5K1000-

Your Net Price

SILVER-MARSHALL PRODUCTS



Interchangeable coils covering a range from 18 to 3000 meters. Space wound on moulded bakelite providing practically air-supported inductance. All coils designed for .00035 mfd. Variable condensers except No. 117 which requires the .00014 S-M No. 517 condenser, and have six contacts to fit S-M 515 socket.

Coll	ranges	are	as	follow	78
Туре	A-19	0-550	m	eters.	
Type	B-70	-200	me	ters.	
Туре	C-30	-75 m	iete	ers.	
Type	D50	0-150	0 1	neters	
	E-14		00	meter	8.
$\mathbf{r} \mathbf{g} \mathbf{n} \mathbf{r}$	1. 110 /	1			

13 bc D -1400-	and merers.
3 x 800 - 110 A. 3 x 80 1 - 111 A. 3 x 80 2 - 114 A. 3 x 80 2 - 115 A. 3 x 80 4 - 116 A. 3 x 80 6 - 110 B. 3 x 80 7 - 111 B. 3 x 80 8 - 110 C. 3 x 80 9 - 111 C.	Net, each \$1.47
3K8 (0—110D. 3K8 (1—111D. 3K8 (2—115D. 3K8 (3—116D. 3K8 (4—115E. 3K8 (5—116E.	List, \$5.00 Net, each \$2.94

3K815—116E. List, \$2.50 Net, each 3K816-117M. 3K8 | 8-1170. 3K8 | 9-117P. \$1.47

3K820-117 Coil Set, one each M, N, O, P, Range 18-150 Meters.

List, \$11.00. \$6.47 Net, each 3K821-Coil Socket. All Coils.

List, \$1.00.

3K822-101 B Coupler 150-550 Meters with .0005 Cond. List, \$2.50. \$1.47

3K823-105 Coupler, Range 190-550 with .0005 Cond.

Net, each \$2.94

3K824-205 Antenna Coil, 190-550 .0005 Cond.

List, \$2.50. Net, each \$1.47




Midget Condensers

For compensating, balancing, antenna, coupling, etc. Brass plates mounted on Bakelite end plate for Panel or Sub-base mounting complete with knob. 3K825—Cap. .000003 to .000025

No. 340. 3K826—Cap. .000004 to .000075 No. 342. List, \$1.50.

Net, each



Variable Condensers

Variable Condensers
Modified S. L. F. type providing equal spacing of stations over entire dial. Brass plates in rigid brass frame. Base or panel mounting. Capacity. 000007 to .00035.
3K831—S-M No. 316A. Removable 3½-in. shaft.
3K832—S-M No. 316B. Removable 3½-in. shaft.
3K833—S-M No. 317. Same as 316A but cap. .000005 to .00014.

.00014. List, \$4.50. Net, each ... \$2.65

Net, each \$2.05
3K834—S-M No. 320. Similar to 316A except lighter for single hole mounting. Shaft not removable. Cap. .00035. List, \$3.25.
Net, each \$1.92



S-M No. 275 R. F. Coil designed for short wave use up to 600 meters. 3K835-

List price, 90c. Net, each 53c S-M No. 276 Coil for short wave use above 600 meters, otherwise similar to No. 276.

List price,\$1.00. Net, ea. 59c

Vernier drum dial furnished with attractive oxidized brass panel beeklo idized brass panel bezel.
Simple to mount, suitable
for any standard shaft condenser, either panel or sub
base mounting. Universal,
either right or left hand
position. Can be illuminated.
Lamp bracket supplied.

3K841—S-M No. 805. List, \$3.00. Net, each \$1.77



Push-Pull Transformers

3K827—Push-Pull input No. 230. 3K828—Push-Pull output No. 231 List, \$10.00. Net, each

No. 230 suitable for highest quality Power amplifier or as a variable ratio straight audio 6:1 or 3:1 due to center

tap. No. 231 to be used with No. 230 or as straight transformer. Due to center tap the output impedance of the 112, 120, or 171 tubes can be accurately matched.

Out Put Transformers

For use be-tween last power tube and loud and lo speaker to prevent damage to speak-er from D. C. Brings out absent low notes, imniroves tone quality. Sec-ondary wind-ing matches impedance of W. EA. cone No. 540 A.W. at 30 cycles. 3K829—S-M No. 221.

\$4.41 List. \$7.50. Net, each

S-M No. 222. Same as No. 221 above but with 4 phone tip jacks and 5 ft. extension cord.

3K830—List price, \$8.00.

\$4.71 Net. each


Audio Transformers

Sold under a money back guarantee. Pro-vides straightline amplification from 30 amplification from 30 to 5.000 cycles. Ratio 3:1 for both first and second-stage operation with standard tubes. Primary inductance 100 Henries. Secondary, 900 Henries.

3K837— S-M No. 220. List price, \$8.00. Net each.....\$4.71


Other S-M Transformers

3K838—S-M No. 325 Step-down Trans.
List. \$8.00 Net \$4.71
3K839—S-M No. 329A Power Trans.
List. \$11.00 Net \$6.47
3K840—S-M No. 330A Power Trans.
List. \$11.00 Net \$6.47 .\$4.71 .\$6.47




Transformers 3K842-S-M No. 210 Iron Core Transformer sup-Transformer supplied at any peak. 50-60 KC for 2014 Tubes. 3K843—S-M No. 211. Peaked from 50 to 70 KC for any type tube. List price, \$5.85 Net, each, \$3.53





Improved Silver Laboratory Model Super



As Described in the September Citizen's Radio Call Book

The performance of the Improved Laboratory Shielded Super is a positive revelation! The selectivity is sufficient so that the receiver, if pushed

	List	of Part
1	Van Doorn panel and chassis unit, pierced	
	with hdwe\$	8.50
1	Carter .00015 condenser with leak clips.	.50
1	Carter M200 potentiometer	.75
2	Carter 1/2 mf. condensers @ 90c	1.80
1	Carter 3 ohm rheostat	.50
4	Carter No. 10 tip jacks @ 10c	.40
1	Carter battery switch	.50
	Polymet 2 megohm leak	.25
		16.00
	S-M 511 tube sockets @ 50e	2.00
2	S-M 805 Vernier drum dials @ \$3.00	6.00
	Complete building instructions included.	
	(If shielded oscillator and first detector ar	e desire

to the limit, can easily be made to cut side-bands upon local stations.

bands upon local stations.

The Improved Laboratory Super consists of a standard regenerative first detector circuit and a conventional oscillator, both circuits having all tuning controls at ground potential and free of hand capacity. These two tubes are followed by the new S-M 440—(112 Kilocycle)—three stage, long wave amplifier and detector—a completely shielded laboratory measured and calibrated long wave or intermediate frequency amplifier in one single unit—and the conventional two stage audio amplifier with the famous S-M 220 transformers. While the receiver is designed to employe 201A, 240, 112 or 171 tubes, it may also easily be adapted to complete AC operation with the new AC tubes soon to be on the market. It is intended for operation upon a 20 to 40-foot antenna in preference to a loop as a small antenna will give greater selectivity and sensitivity. While the first detector and oscillator units are shown shielded, the two stage shields need only to be used in con-

the two stage shields need only to be used in congested broadcasting centers, such as Chicago, New York, or Los Angeles.

Ŀ	tequii	red													
1	S-M	275	R	F	Chok	e						 	. \$	0	.90
1	S-M	342	CO	nd	enser							 			.50
1	S-M	440	tir	ne	sign	al	amı	lifi	er			 		35	.00
2	S-M	515	CO	il s	socke	ts	@ \$	1.0	0			 		2	.00
	S-M														.00
	X-L														.35
2	S-M	320	.00	003	5 COI	ade	nsei	S	0	\$3.	25	 		6	.50
													-	_	_

Total list price.....\$89,45 5K845-


Parts complete, your net price..... \$52.38 ed, add \$2.40 for two S-M type 631 stage shields.)

SILVER-MARSHALL'S IMPROVED 630-SHIELDED SIX

> 2.00 8,50

5K850-Kit complete, retail price, \$60.52 \$95.00. Net





Shielded Six is a real receiver-difficult to

the Shielded Six is a real receiver—ament to equal at any price.

The Shielded Six may be built as a completely light-socket-operated batteryless receiver by employing the new A.C. tubes and type 652A or 656A, ABC power supply units. The A.C. kit containing all parts for the regular 630, plus extra resistance, etc., is No. 630 A.C.

	CCC., 15 410. 000 A.C.	
ie	elded Six are as follows:	
	1 634 Steel Chassis, size 12x19 4x1 4 inches	6.00
	1 Carter No. 12 Antenna Switch	.60
	1 Carter Imp. Battery Switch	.50
	1 Coil Kellogg fabricated hook-up wire with	
	screws, nuts, lugs and complete build-	
	ing instructions	.25
	Total\$9	
	5K850—630 IMPROVED SHIELDED SIX	KIT.
	5K850—630 IMPROVED SHIELDED SIX	KIT

Comprises all matched parts listed above, complete and ready to build (less tubes). Packed in wooden shipping case with label (instructions included, weight, 45 lbs. \$60.52

S-C II Receiver

List \$64.35—NET \$37.24 5K855—KIT COMPLETE

Representing the combined engineering skill of McMurdo Silver & Lawrence M. Cockaday, the S-C II is a two-dial five-tube receiver (two stages of radio frequency, amplification detector, and two stages transformer coupled audio frequency amplification) designed to equal or outperform any five-tube receiver on the market. The sensitivity of the S-C II is exceeded by no other five-tube set, its selectivity is ample for present day broadcasting conditions and its tone quality is guaranteed, exceeded only by the Shielded Six Edditors and authorities throughout the United States and Canada have commended S-C II with highest praise in scores of periodicals and newspapers, and thousands of satisfied owners are demonstrating its quality to their friends.



demiies to their richar.			
	LIST	OF	PAR
2-316 B Condensers, matched		\$9	.00
1-316 A Condenser		. 4	.50
1-637 Double Link Motion		2	.00
3-515 Coil Sockets		3	.00
4-511 Tube Sockets		2	.00
2-220 Transformers		16	.00
1-116 A Plug-in Coil		2	.50
2-118 A Plug-on Coils, matched		5	.00
2-631 Stage Shields			.50
1-Van Doorn Pierced Steel Char			
17"x9½"x1½"; weight 3 lbs	. 5 0:	z.)	
with nuts, screws, lugs and			
ing washers			.00
For long wave reception one S-	M No	116T) and

1 Van Doorn pierced and decorated Steel Panel (size 7"x18"; weight 1 lb. 4 oz.) 2—National Vernier Dials, type B, clock-3.00 5.00 25 Carter H 1/2 Resistor Carter M-200-S Potentiometer......
Carter Tip Jacks 1.25 .20 -Benjamin 9040 Socket -Polymet 1 mfd. Condensers..... 2 00 -Eby Binding Posts..... 1.50

For long wave reception one S-M No. 116D and two No. 115D Plug-in coils provide a range from 5000 meters; or one S-M No. 116E and two No. 115E coils provide a range from 1400 to 3000 meters. Through the application of the 652A or 656A, A.B.C. power units, the S-C II may be built as a completely light-socket-operated batteryless set with standard A. C. tubes. For stock numbers and prices on extra coils mentioned above to extend range, see page in this book covering Silver-Marshall parts and for 652A and 656A see Resivoir "B" power supply wired or unwired, shown on this page.



S-M "Unipacs"

(UNIVERSAL PUSH PULL POWER PACKS)

S-M "Unipacs"—two kits, and two as-i ready-to-use units—with attractive brown steel cabinets and pierced steel provide a quality of distortionless crackle-brown steel cabinets and pierced steel chassis, provide a quality of distortionless power amplification and an extraordinary degree of power handling capacity never before attained by power packs previously developed.

The S-M No. 660-210 Push-Pull Unipac is the finest power pack obtainable on the market. Utilizing two CX316 rectifiers, a CX374 glow tube for receiver B voltage regulation and two CX310 tubes in a push-pull amplifier, it provides unequalled bass note reproduction and undistorted volume. vides unequalled bundistorted volume.

3K870—No tubes included. List price, \$79.25. Net.... \$46.60

List price, \$62.00. Net price. \$36.46 3K871-660-210 (wired). 54.48 List price, \$89.25. Net price..... 3K876-660-171 (wired). 41.16 Reservoir A.B.C. Power Supply




The kit as listed here supplants the Reservoir B" Power supply kit. The 329A Transformer included in addition to supplying 45 and 90 volts will furnish 220 volts maximum for a CX371 or 171 Sonatron Power amplifier (40 for grid bias, 180 for Plate potential). The kit uses also a CX374 Glow Tube, a Q.R.S. or Sonatron 85 M.A. Gaseous Rectifier tube. It will deliver 1.5. 2.5, and 5 volts AC from three separate windings and therefore performs as a complete ABC Power unit for any receiver complete ABC using AC Tubes.

LIST OF PARTS	
1No. 329 A Power Transformer\$	11.00
1-No 331 Ilnichoke	8.00
1-No. 332 Condenser Bank	12.50
2-No. 511 Sockets	1.00
1-No. 653 Resistor	2.50
1-No. 654 Steel Base, with 4 binding	
posts, hardware, hook-up wire and	
assembly instructions	1.50
	20 50
Total list price\$3	36.50
3x860—Kit complete. \$2	1 46
NetΨ2.	1.10
3K861-Same as above but wired. ?	3.81
2.	J.OI

New World's Record Super 10

List \$13880 Radio's Most Powerful Receiver Your Price \$90.32

Net \$88.52



Holds All Principal World's Long Distance Records

Holds All Principal W
DISTANCE—Here is the receiver for the man
who wants the most powerful and sensitive set
it is possible to build. Many claim to have
received certain foreign stations once or twice,
but the World's Record Super proved its claim
to consistent range by bringing in stations distant 6,000 miles or more, night after night.
Below are a few of the principal records made
by this remarkable receiver.

(1) World's Record for the greatest distance
voice has been heard with a receiver using
LOOP aerial only. WCBD was heard at Tasman, New Zealand—an air line distance of 8,375
miles—on March 17th.

(2) World's Record for the greatest number
of stations heard which are distant 6,000 miles
or more. A total of 19 stations were brought in.

(3) World's Record for the greatest number
of broadcasting stations distant 6,000 miles or
more, that have ever been logged on any one
evening. Six foreign stations were logged in
two hours and a quarter.

(4) During a period of three months a total
of 117 programs were heard and logged, all
stations being 6,000 miles or more distant.

All these records are fully verified and attested. A leaslet telling the story of the
remarkable achievements in detail, together with
the proofs of reception will be mailed on request.

KEEN, NON-CRITICAL SELECTIVITY
Consistent long distance reception is only ONE

KEEN, NON-CRITICAL SELECTIVITY
Consistent long distance reception is only ONE
of the attributes of the World's Record Super 10.
The amazing sensitivity of this remarkable radio, The amazing sensitivity of this remarkable radio, making possible these astounding feats of long distance reception is further enhanced by keen non-critical selectivity. The World's Record Super 10 tunes through the local stations with ease and simplicity, and brings in distant stations only a few meters apart. Here is a super radio designed to accommodate the conditions of the present day.

TREMENDOUS UNDISTORTED VOLUME
Then ten tubes used in the World Record
Super 10 are all connected in a circuit that has
as its basic purpose the interception and amplification of distant signals, and this ultimate
purpose is so expertly achieved that the reception actually improves the timber and quality
of the selections that are received.
A Radio to be entertaining must be pleasant
to listen to. The World's Record Super 10 is
more than a pleasure—it is a revelation in
tonal qualities.

tonal qualities.

EASY TO ASSEMBLE Complete building instructions and full sized



Front View of the World's Record Super 10

working blue prints show exactly where to place each part, and how to execute each operation of assembly so that you cannot go wrong. These prints are so easily followed that anyone without previous experience can make an EXACT DUPLICATE of this unparalleled radio, and be the proud owner of the finest and most powerful radio available today. radio available today

the proud owner of the finest and most powerful radio available today.

A LIST OF THE REQUIRED PARTS
1 Formica Panel, drilled and engraved, 26x7x
3/16, \$6.70; 1 Formica sub-panel, 25x10x3/16, \$7.00;
1 Remler 2 in line condenser No. 633, .00035, \$15.00; 2 Remler drum dials No. 110 (1 each 110 and 110R), \$9.00; 2 Remler R. F. Choke Colls No. 35, \$1.80; 2 Thordarson audio transformers R290, \$16.00; 1 Thordarson output transformers R290, \$16.00; 2 Selectone L. W. Transformers No. 76, \$6.00; 2 Selectone L. W. Transformers No. B500, \$12.00; 2 Selectone L. W. Transformers No. B500, \$12.00; 2 Selectone R. F. Transformers No. B510, \$12.00; 2 Selectone R. F. Transformers No. 520, \$10.00; 1 Selectone Antennae coupler No. 530, \$5.00; 1 Dair Benjamin brackets No. 8629, \$0.75; 1 Carter Rheo. R1.15-S Ohms, \$1.50; 1 Carter Rheo. 30 ohms, \$1.00; 1 Carter Imp. Pot. IR-400 Ohms, \$1.25; 1 Carter fixed condenser .0025 with grid clips, \$0.50; 1 Carter pin jacks, \$0.20; 1 SM Balancing condenser No. 340, \$1.50; 1 Jewel Voltmeter 0.8 Volts Pat. 135, \$7.00; 4 Tobe By-Pass condensers 1 Mfd., \$3.60; 1 Tobe grid leak, \$0.50; 1 Jones 10-contact plug and 4 ft. cable type BM, \$3.50; 40 Kellogg soldering plugs, \$0.25; 51 Kel 200—Parts complete.

List, \$138.80. Net.

Matched Selectone Unit	S
For Sub-Panel Mounting List	Net
3K1201-Selectone B-500 Inter-	304 MIL
mediate Frequency Transformer. \$6.00	\$3.83
3K1202-Selectone B-510 Tuned	
Filter 6.00	3.83
3K1203-Selectone B-520 Radlo	2 10
Frequency Transformer 5.00	3.19
3K1204-Selectone B-530 Antenna	3.19
Coupling Unit 5.00	3.19
3K1205-Selectone B-540 Oscilla-	3.19
tor Unit 5.00	3.19


The widely known accuracy of design and precision of manufacture represented in all Scott products is embodied in each of the above devices, essential in the con-struction of the New World's Record Super 10. Housed in polished Bakelite a highly case with all terminals plainly marked.



ounterphase

Power-Slx offers the latest improvements in radio. It includes the basic superiority of the original counterphase circuit with the additional

refinements now improvements tubes, resistances and other parts. It provides for using power tube output, thus greatly improving tone qual-The superior qualities of the previous Counter-phase-Six are well known. The new kit is more simple, easier to construct



balance and open greatest selectivity and through style coils does not require shielding.

This set will long distance balance and operate. It is designed for the greatest selectivity and through the use of Toro-

will give ODeration with indoor aerial and is superb in tone quality, volume and selec-tivity. There are but two tuning controls which but two controls which makes tuning quite easy. When controls the set most pleasing appearance and owner w any will be justly proud of it.

> 1.00 .65 1.00 .90 .40 .40 2.25 4.50 3.00 2.70 2.00 1.50 .90

1 2 Meg Grid Leak. 1 Jones Multi Plug or Plug-in	1.40
Also following kit: 1 TA Torostyle Transformer	4.00
3 TC Torostyle Transformers 2 LD-17 Condensers 1 Panel, 7x24, Drilled and Engraved	19.00
1 Wood Baseboard, 9% x23½ 1 B-T Euphonic Audio Transformer	1.25
2.2 to 1 1 B-T Euphonic Audio Transformer; 4.7 to 1 2 B-T Tuning Controls	5.75
1 Double Circuit Jack	4.50
POPULAR BREMER-TULLY PAR	
3K1302—Tuning Controls \$2.50 3K1303—B.T. Choke	\$1.59
3K1304—Universal Socket	41 5000
3K1310—Euphonic Audio Transformer, 4.7 to 1 5.75 3K1314—B.T Mikro-mike 1.00	3.63


Dist, 040.10. 110t	8.40
B. T. CONDENSERS	
3K1305000125	Net \$2.70
3K1306-00025 4.50	2.85
3K1307-000354.75	2.99
TORO-STYLE TRANSFORMERS	3.19

3K1300—All Parts Complete as \$55.00 listed. List, \$86.68. Net.....

Single Circuit Jack.
Filament Switch
3 Ohm Rheostat
Single Pole Double Throw Jack Switch
001 MFD Fixed Condenser.
00025 MFD Fixed Condensers
1 MFD Fixed Condens

3K1311-TA Antenna Coupler... 3K1312-TC Inter, Stage..... \$2.55 \$4.00 4.00

FROST DE LUXE RHEOSTATS



EROST RADIO

Here are the new Frost Radio DeLuxe Rheostats and Potentlometers. All resistances are wound on the new flexible bakelite (not fiber) which will not warp or distort. Exposed metal parts of metal frame rheostatt and potentiometers are potentiometers a re nickel plated. All units equipped with black bakelite knob with engraved white arrow indicator.

> \$2.00 \$1

	marca tor.
BAKELITE	
3K400!— 4 ohm	
	List, 75c
3K4003-10 ohm	
3K400415 ohm	Net. 45c
3K4006-50 ohm	
POTENTIOMETER	e e
3K4007-200 ohm	List, \$1.00
3K4008-400 ohm	Net, 59c
	1100, 000
METAL	
3K4010-21/2 ohm	
	T 4-4 01 00
3 K4012 — 6 ohm	List, \$1.00
3K4013-10 ohm	
	Net. 59c
3K4014-20 ohm	Net, 590
3K4015-30 ohm	
3K4016-75 ohm	
	~
POTENTIOMETER	S
3K4017-200 ohm	List, \$1.25
3K4018-400 ohm	Net, 74c
EDOST EXTENSION COPOS	Tint Not

length

length

Centralah Modulator



A three terminal varia-ble resistance A three terminal varia-ble resistance providing smooth, noiseless volume control from a whisper maximum.

to maxinum.
3K4025—0 to 250,000
0hms max. List, \$2.00.
Net\$1.27
3K4026—0 to 500,000
0hms max. List, \$2.00.
Net ...\$1.27 CENTRALAB RADIOHM A variable resistance assuring long life and noiseless operation from 0 to maximum. 3K4027-0 to 2,000 ohms max. 3K4028-0 to 25.000 3K4029 0 to 100,000 ohms max.
3K4030 0 to 200,000 ohms max.
3K4031—0 to 500.000
ohms max.
List, \$2.00.
Net. each... \$1.27

STATION SELECTOR
A small compact unit
designed to change the
resonance of the antenna
circuit. Minimizes interference of powerful
nearby-stations.
3K4037—List, \$1.00.

CENTRALAB MODU-PLUG



Is essential to enjoy the full toned reproduction of modern high powered broadsesting. The Centralab Modu-Plug (Modulator Plug) can be quickly attached to any radio set and gives any degree of tone volume from a whisper to maximum by simply turning the small knob on the plug.

turning the small knob on the plug.

A Modu-Plug gives complete
A Modu-Plug gives
A Modu-Plug

List, \$2.50. \$1.47

POLY CLARO PLUG

Will improve the tone quality of any loud speaker. Eliminates foreign noises. Especially useful for summer reception. Very neat in appearance. Phone the plug into end of plug. Net. 3K4041—List, \$1.50. 89c

3K4020—10-ft. 3K4021—20-ft. 3K4022—30-ft. 3K4023—50-ft.

Radio News Strobodyne Eight

"The Greatest Circuit of the Year"

This sensational receiver was only recently developed, and has been endorsed by many leading radio engineers. The Radio News has written many articles giving complete instructions for building. Combined in this receiver you will find the five following features:

1. An entirely new frequency changer operating on a new and original principle.

2 A circuit unexcelled for distance with great selectivity, out-performing the best superhetero-

2 A circuit unexcelled for dynes in use today. 3. Remarkable sensitivity.

Tremendous volume with no distortion.

The following list of parts are taken from the August issue of the Radio News:


List of Parts Recommended

3 Hammerlund .00035 variable condensers 1 set of three Auto couple coils (special built), 4 R. E. L. R. F. Units (plug in type F), 5 R. E. L. fixed condensers matched, 3 Hammerlund shields, 2 Thordarson R. 200 Audio Transformers, 1 Thordarson Output filter, 1 B. T. Choke, 1 Daven Compensating condenser, 3 Carter Imp. 20 Ohm rheostats, 1 Carter 400 Ohm Potentiometer, 4 Carter By-Pass, 5 Mfd. Cond., 1 Carter fixed condenser. 002 Mfd. 8 Benjamin sockets, 1 Carter filament switch, 4 Daven filament Ballasts 5 volt ½ amp., 1 Daven Filament Ballast 5 volt ½ amp., 2 Daven Balancing Cond., 1 Carter variable resistance 100,000 ohms, 1 Formica plain front panel 8x24x3/16 not drilled, 1 Formica sub-panel 12x25½x½ not drilled, 6 dozen screws, 2 rolls Belden rubber-covered hook-up wire, 1 brass shaft.

5K1|50-Parts Complete. List \$1|6.03. Net.....

\$68.56

The World's Record Super 8



Your Price \$1.03 Net \$5077

The superheterodyne is acknowledged by lead-

The superheterodyne is acknowledged by leading radio engineers the most selective and powerful receiver it is possible to build. The circuit used in the World's Record Super 8 is practically the same as that used in the famous set that established the four world's records for long distance reception, and is one of the most efficient supers ever developed.

The Selectone Transformers used in the I. F. stages are supplied in perfectly matched sets consisting of two intermediate frequency and two sharply tuned filter transformers, and gives the set hair-line selectivity, making it particularly suitable for use in locations where a number of powerful broadcasting stations make it difficult for an ordinary receiver to cut through. These transformers in addition to being tested and matched with the finest precision laboratory testing equipment, are given a final test in a testing equipment, are given a final test in a special testing receiver, making sure that every set of transformers will operate perfectly when built into a receiver.

It brings in distant stations any night in the week with good volume. The use of Silver Marshall audio transformers give it exceptional tene quality.

tone quality.

PARTS REQUIRED 2 Remler condensers No. 631, \$10.00; 1 Hammerlund Midget condenser .00050, \$1.80; 2 Selectone transformers R400, \$12.00; 2 Selectone transformers R410, \$12.00; 1 Selectone Oscillator Coupler No. 340, \$3.50; 2 S. M. Audio transformers No. 220, \$16.00; \$ Benjamin Sockets, \$6.00; 2 Tobe By-Pass condensers, 1 mf., \$1.80; 1 Carter Fixed Condenser .002, \$0.50; 1 Carter Hi-Ohm 500.000 ohms, \$2.00; 1 Carter Rheo IR30, \$1.00; 1 Carter Rheo IR6S, \$1.50; 1 Carter Fixed resistance 11-3 ohms, \$0.25; 3 Carter-tip jacks No. 10, \$0.20; 1 Carter Jack No. 1, \$0.25; 3 XL Binding posts, \$0.45; 2 Kursh Kash Dials, \$4.00; 1 Bakelite panel 7x24x3-16, \$3.94. 1 wood baseboard \$x23, \$1.00; Bus bar and lugs, \$1.00; Bulue print, \$0.50.

5K1250—Parts complete.

Net


\$50.77

SELECTONE TRANSFORMERS

These transformers are a laboratory product and to insure maximum efficiency are supplied in matched sets.

3K | 252—Selectone R410 Tuned Filter Transformer. List, \$6.00. Net.....\$3.83 3K1253—Selectone Oscilla-tor Coupler. List, \$3.50, Net\$2.29





Drum Dial

The Remler Drum Dial gives a full 15 inches of dial space, divided into 200 divisions — 2 for each broad-cast channel.

or Embossed dial Left in dicator the beauty of any ation strips are rigplate adds to plate adds to the beauty of any panel. Calibration strips are rigidly mounted, yet easily removable and renewable. Call letters are readily written in. Spiral gear drive gives quiet operation and no back-lash. Socket and 6-volt iamp furnished for illumination. Easily mounted; round drilled hole required for panel plate. Will drive all standard makes of condensers either single or in gangs.

Remler

Infradyne Amplifier



This instrument is the result of the development of a simple and effective method for controlling amplification at high frequencies. It is unique in that amplification is accomplished at the fixed and very short wave length of 86 meters. 3K1276 mounted; round drilled hole required for panel plate. Will drive all standard makes of condensers either single or in gangs.

\$\frac{3\karma1276}{2\karma1275} \frac{3\karma1277}{2\karma1275} \frac{3\karma1277}{2\karma1275}

Choke Coil


The No. 35 Choke Coil is of distinct utility in lim-

iting radio-frequency currents to certain paths and in pre-venting the generation of high parasitic frequencies. The case is of moulded Bakelite. Size:
1" in diameter by 1" in depth;
inductance, 1½ millihenries
D.C.; resistance: 22 ohms.
3K1278— 57c

List, 90c. Net.....

Improved Socket

T win-Rotor Condenser



Both sets of plates rotate. Rotation of the dial through a full 360° gives great-er separation of stations at all wave lengths than is pos-sible with the usual 180° dial.

S. L. F. TYPE 3K1280—.00035 max. 3K1281—.0005 max. 3K1282—.0001 max.

S. L. WAVE LENGTH 3K1283-.00035 max. 3K1284--.0005 max. List, \$5.00. Net, \$3.19 Net,


3-in-Line Condensers

Complete insulation of each rotor permits its use with any system of neutralization. All insu-lation is of maximum capacity of each section, 00035 mfd. Size over all, 7" deep by 3%" wide. Ample space is allowed between sets of plates. Frame is die-cast aluminum with black crystal-line enamel finish.

3K1285-S.L.W.L. 3-gang.

3K1286-S.L.F. -gang. List, \$15.00 Net, each, \$9.56 3K1287—S.L.W.L. 2-gang. 3K1288—S.L.F.

2-gang. List, \$12.00. Net, each, \$7.65



Other Well Kno Karas Parts V智慧

New Karas Harmonik Audio Transformer



This well made transformer amplifles all the overtones and harmonies. Beautifully finished and easily mounted. All stage Ratio.

3K1607-List, \$5.00. \$2.94 Net

These new condensers have been designed especially for the EQUAMATIC SYSTEM and have an extended shaft over which is fitted the primary of the KARAS Equamatic Coil. This adjustable primary of the coil.

New Karas 17-Plate Special Extended Shaft Orthometric Condensers



justable pri-mary coil has an arm and collar with a set screw for this purpose.

New Karas Micrometric Vernier Dial



Ratio is 63 to 1. continuous, and tunes accurately the thousandth part of an inch. Small knob controls vernier; rough tuning is done with larger knob Gold inlaid moulded Bakelite. Outside diam-

eter, 4½ in.
3K1609—List price Net price \$2.06

These condensers distribute the wave lengths evenly over the complete scale of the dials so that there is positively no crowding at any point. Every point on the dial is a separate wave length and this is especially desirable in the EQUAMATIC circuit because of its extreme selectivity. Three are required. Price \$7.00 each.


3K1610-Cap., .0005. List, \$7.00. \$4.12

3K1611-Cap., .00037. List, \$6.75. \$3.97 Net ..

3K1612—Spec. 17 Plate for Equamatic. List, \$7.00. Net...... \$4.12

3K1613-Cap., .00025. List, \$6.50.

Radio Call Book New Karas 2-Dial Equamatic



Completely balanced and perfectly neutralized,

Completely balanced and perfectly neutralized, insuring easy tuning and maximum efficiency over entire broadcast waveband.

All of the superb tone quality and magnificent volume of the KARAS EQUAMATIC 5-Tube Sensation can now be had in the NEW 2-DIAL MODEL with 24-inch panel. To the remarkable performance of the Equamatic has been added in this new receiver a complete neutralization that not only makes the receiver delightfully easy to tune, but also gives a clearer, purer and more richly beautiful tone. The reduction in size of panel and baseboard to 24 inches in the Karas 2-Dial Equamatic and the vastly

improved reception of this completely neutralized receiver will make it one of the most popular of all tuned radio frequency receivers during the 1927-28 season.


The building of a Karas 2-Dial Equamatic is an extremely simple matter.

All parts for the construction of this unusual receiver are in stock and the kit will be supplied as listed in the Citizens Radio Call Book except the use of Carter's new moulded concensers to replace Sangamo. You will be delighted with the performance of this new Karas creation.

5K1600-Total list, \$98.43. Net Price

\$58.31

New Karas Condenser



This marvelous new Karas Condenser has a remov-able shaft allowing for sub-

\$2.94

\$5.00 5.50

New Karas Equamatic Inductance Coils

These coils used in conjunction with the new Karas 17-plate Special Extended Shaft Ortho-Extended Shaft Orthometric Condensers, and the Karas Retard Coils form the EQUAMATIC SYSTEM of tuning. By means of an entirely separate variable rotating primary and an adjustable secondary, the inductive coupling of these two windings of these two windings is secondary.

justable secondary, the inductive coupling of these two windings is varied so that the tube always operates at a point just below the oscillation peak at ALL DIAL SETTINGS from 200 to 600 meters. The result is a strong, clear and wonderfully pure signal.

KARAS EQUAMATIC COILS are packed three in a box with complete manual of simple diagrams and instructions for building the five-tube KARAS EQUAMATIC RECEIVER. Included with this kit are all necessary nuts, screws and binding posts for mounting.

3K1608—Kit of 3 colls. list, \$12.00. Net...\$7.06

New Karas No. 28 Transformer



Designed to provide undistorted amplification of both low and high notes and with tremendous volume. Very compact. Finished in Black Duco, Extra length soldering lugs. Completely impregnated with high quality insulating compound. Case hermetically sealed. Transformers may be placed close together, even in contact without harm. Highest grade low ratio transformer made.

3K 1605-List, \$8.00. \$4.71


New Karas "Output Filter"

Appearance, size and construction same as transformer above. Ellminates unpleasant chatter of speaker due to excessive "B' voltage. Sidetracks D.C. Component of plate current. A fitting companion for the No. 28 Transformer. Very compact, containing special choke of 100 henries. Insulation is genuine bakelite.

3K1606—List, \$8.00. \$4.71

MAGNAFORMER 9-8

43 DX Stations Logged



Selling Price \$129.99

Your **Net Price**

Commander-in-Chief of the Air

The new Magnaformer 9-8 Receiver has won the instant approval of radio experts. It has created a new standard of all-round radio efficiency. It is the season's feature circuit in the Citizens' Radio Call Book, Popular Radio, Radio and other well-known Radio publications. This widespread acceptance and enthusiasm is due to the inherent excellence of the circuit—its hair-splitting selectivity, perfected, superb tone, great volume and extremely long range.

Also, with the Magnaformer Receiver, interference is a thing of the past—each station—even in radio-congested centers like Chicago and New York—clicks in alone, as though there were no other stations on the air.

The Magnaformer Receiver is quickly changed from a 9-tube set to an 8-tube set, or from an 8-tube set to a 9-tube set by simply turning a small switch on the front panel. This switch cuts in or out one of the intermediate R. F. stages. Nine tubes are used only on faint signals from distant points. Nine tubes give far too great a volume on local stations; 8 tubes are plenty for stations within a 1,000 mile radius. This Receiver is exceptionally easy to construct and makes a very beautiful appearing job.

LIST OF PARTS SPECIFIED

1 Formica Front Panel 7x26x3/16"—1 Formica Sub-Panel 9x25x3/16"—5 Magnaformer Transformers, R.F. No. 61—1 Unicoupler, Unit C.U.
No. 71—2 Remier Universal Drum Dials—2 Remier, 0005 mfd. Variable Condensers—9 Benjamin Sockets—2 Benjamin Sub-Panel Brackets 2" high—2 Ferranti Audio Transformers, A.F. No. 4—1 National Tone Filter—1 Samson Radio Frequency Choke Coil—2 Carter .00025 Grid Condensers with Mountings—1 Tobe 1 mfd. By-Pass Condenser—1 Carter .001 Fixed Condenser—2 Durham 2 megohm Grid Leaks—1

knob—1 Frost DeLuxe 10-ohm Combination Rheostat and Battery Switch, arrow knob—1 Frost DeLuxe 10-ohm Rheostat—1 Frost DeLuxe 10-ohm Rheostat—1 Frost DeLuxe 30-ohm Rheostat—4 Frost Tip Jacks—2 No. 112 Amperites, with Holders—1 Yaxley Cable Connector Plug—1 Yaxley Radio Jack Switch—12 feet Bus Bar Wire No. 14 round tinned—25 feet Flexible Spaghetti covered wire—1 %x%x2" wood block for sub-panel center support—2 2" right angle supports for rear of sub-panel—wire, screws, lugs, nuts, bolts, solder—complete blue print and schematic drawing. 5K1500-

Total list price, \$129.99. Net.... \$79.23

R. F. 61 Transformer

Superb tone quality, hair-splitting selectivity, great distance getter, shielded (metal shield encases coil, insuring quiet operation), double amplification (greatest per stage uni-form amplification of all broadcast frequencies).
Perfectly matched and factory-sealed, not necessary to match tubes.




List, \$8.50. Net, \$5.00 3K 1501-Magnaformer

CU-71 UNICOUPLER

Specified in set above; may be used elsewhere ith equal success. \$3.83 3K 1502-List, \$6.50. Net

Thordarson R-171 and R-210

Power Supplies and "B" Eliminators



PARTS REQUIRED

R-210

R-210
1 Thordarson Power Compact R-210—2 Tobe
2 Mfd. Condensers (400 D.C. working volts)—
1 Tobe 2 Mfd. Condenser (600 D.C. working volts)—1 Tobe 1 Mfd. Condenser (160 D.C. working volts)—1 Tobe 4 Mfd. Condenser (160 D.C. working volts)—1 set four Ward-Leonard Resistances, 1 8,000 ohm, 2 10,000 ohm, 1 1,000 ohm—2 Benjamin Tube Sockets—1 C316B Rectifying Tube; 1 C374 Voltage Regulator Tube. 5K550-List price, \$52.80.

Famous UTAH Speakers



"UTAH" No. 30

Another ferward step by Utah in Speaker construction. Beautifully carved with Peacock design grill made of 5-ply natural finish Walnut Veneer front and back. Stands 18 inches high. A real high grade upto-the-minute Speaker equipped with facet Utah until finest Utah unit. 2K5101-List price, \$30.00.

\$17.64 Net, each

"SCREEN" SPEAKER

This beautiful new and popular type speaker occupies a position far ahead of anything developed in this line this year. Finished in antique Brown and constructed with a ten-foot air column hopes This beautiful with a ten-foot air column horn and equipped with the superior Utah unit it gives a wonderfully clear and mellow tone. Made of 5-ply Walnut Veneer with bowed front. Adaptable to many uses as a screen. It is of special attraction to owners of fine and expensive
Radio Receivers.
Height, 40 in.;
width, 28 in.;
depth, 12 in;
weight, 50 lbs.

2K5100-List, \$100,00. Net price, each......



FAMOUS "UTAH' "UTAH" DRUM **HORNS**

The Speakers are designed especially for great volume and clarity. They are nicely finished in gold and brown, may be had in either of be had in either of two popular sizes, "Standard" 14-incn horn and "Junior" 11-inch horn. We recommend these horns as the best purchase possible at anywhere near the price. price.

2K5103—
"Utah Junior." List \$12.50.
Net. each

2K5104-'Utah Standard." List \$22.50. Net. each

\$7.35

13.23



-List price, \$16.00. 2K5102-Net. each

\$9.41

"UTAH" **JUNIOR** CONE

er value

No. 16 The "Utah" Drum Speaker has a repro-duced hand carved base. repro-

The Drum is of metal construction fine-

struction ine-ly finished in antique Wal-nut. Measures 16 ½ inches by 14 inches by 4½ inches deep; weight, 10 lbs. A won-derful Speak-er value.


A "free edge" cone Speaker measuring 15 1/2 inches in height with cone 13 ½ inches in diameter with strong Utah unit delivering clear nate Utah unit delivering clear natural tone seldom found in Speakers at the price. Should be a very fast mover fast mover.

2K5105 — List price, \$10.00. Net, each ... \$5.88

1927 "SUPERFLEX"

Very clear and pleasing to ne comes from base instead of top. instead of top.
Although comparatively small in size this speaker is noted for its "Pep." Finished beautifully in Walnut and equipped with "Utah" Deluxe Unit. Has to nal chamber equal to that of the horn. Height, s inches; width. size 8 inches; width, 6 inches; weight, 3½ pounds. 2K5106 — Li price, \$10.00. Net, \$5.88





Above
This large beautiful speaker stands 18½" high and has a diameter of 17½". The frame is made of 5-ply laminated wood 13/16" thick, which serves as a true sound resonator exciting the rich nellow quality so much desired in loud speakers today. The frame is artistically done in jade color with bronze finish showing through crackle lines. The beautiful design of the metal base is enhanced by the bronze finish and the verdigris shading. Powerful Horseshoe Magnet Unit. Above

2K5110 \$7.50 List, \$12.75. Net


FROST FONES The Frost line combines exceptional quality and a price that is within the reach of everyone due to tremendous production. All materials used in materials used in the manufacture of Frost head sets are the best that money can buy. For permanently satisfied customers be sure to seil them Frost Head Sets.

Head Sets. 2K2800 — 2,000-ohm Head Set; polished alumi-num shell with num shell with composition caps. List \$3.00 Net \$1.77 21(280) = 3.000-ohm Head Set: poilshed aluminum shell with composition caps. List \$3.50 Net \$2.06\$2.06

N. wcombe-Hawley Drum

N wcombe-Hawley Drum
At Right
This new type Reproducer is not a horn nor a cone. It is a Drum Speaker that embodies an entirely new, scientifically correct principle of tone reproduction. It will reproduce faithfully every tone from a whisper to full orehestra volume. This great volume and tone range is obtained by the combined action of the matched Baldwin Unit and the acoustically correct exponential design Tone Chamber. There is nothing to order. Finished in attractive dark brown, the Newcombe-Hawley Drum will boost your sales and increase your profits.

2K5111—
List, \$32.00. Net, \$18.82



Trimm Cones

Will reproduce the low notes as well as the high with the greatest fidelity. Extraordinary quality of reproduction, with adequate volume. Built on the balanced armature principle, it is well adapted for operation with semi-power and power tubes. Will take the higher voltages and maximum amplification without blasting or distortion. The edge of the cone is fully protected. The unit is ruggedly built, of ample proportions, and all parts are rust-proofed before assembly. The unit is equipped with a handy handle. 2K5 112 Concerts 14".

List, \$10.00.

Net

\$5.88 Net 2**K5**113—Conc List, \$16.00. Concerto Grand \$9.41



Genuine Nathanial Baldwin Head-Genuine Nathanial Baldwin Head-phones have broken world records in transcontinental relays, and hold many long distance reception titles. The two units of each headset are perfectly matched and are equipped with a 6-foot standard cord. 2K2202—Type C. List, \$9.00. Net.... \$5.30



TRIMM HEADSETS

TRIMINI HEADSE 15
The "DEPENDABLE" metal cased and the "PROFESSIONAL" Bake-lite cased are high quality sets. The latter used by the MacMillan expeditions. Guaranteed to satisfy. 2K2803—Dependable. 2400 ohm. List, \$4.00. Net. \$2.36 ch. List, \$4.00. Net. \$3.24 ch. S5.50. Net. \$3.24

\$3.24



FROST-RADIO


Units Beautiful efficient nickel fin-ished units. Known the world over, 2K2706—Phone Speaker (with stand). List, \$10.90. Net, \$5.88 2K2707—Phone Speaker (with-

Out stand).
List, \$9.50, Net\$5.59
2K2708—King Speaker Unit
3. List, \$11.00. Net ...\$6.37
2K2709—Deluxe Speaker Unit
4. List, \$14.00. Net ...\$8.33

Nathaniel Baldwin Units

ZK2700—"Rival" Speaker Unit. 57.00 ZK2701—"Concert" Unit. 10.00 ZK2702—Concert Phono Unit. 12.00 ZK2703—Concert Grand Phono-Unit, 14.00 ZK2704—Standard Phono-Unit with Pedestal 8.00 Phono Adapters, any machine. (State name.) ... 1.25





Our Leader Unit

A high grade adjustable unit for Loud Speaker, consoles or phonographs. For use with 90 volts of "B" Battery, this unit camnot be beaten, giving plenty of volume, no chatter or distor-tion. Sweet natural tone. 2K2730-List, \$5.00. Net.....\$2.55



Concert Master

Copper Shielded Tubes

Completes Set Shielding


Completes Set Shielding
A new high quality tube completely shielded in pure copper.
This patented shielding protects the tube and renders it immune from howls, squeals, and microphonic noises and lessens "A" Battery consumption. An exceptionally efficient tube with greater volume and remarkable clarity. Shield grounded to "A" Terminal, eliminates stray capacities and the cushion surrounding tube prevents vibration, making for clearer, sharper tuning. Fit any set and are only slightly higher in cost. Made in following popular types:

- 9 9	List	Net
2K250-Type	201A\$2.50	\$1.47
2K25I-Type	199UV 2.50	1.47
2K252-Type	199UX 2.50	1.47
2K253-Type	200A Det 4.50	2.65
2K254-Type	X112 Power 4.50	2.65
2K255-Type	X171 Power 4.50	2.65

CUNNII	GHAM TUBE	S List	Your
2K275-CX301A.	Amplifier detector	\$1,75	\$1.21
2K276-CX300A.	Power detector		2.75
2K277-CX112.	Power amplifier,		3.09
2K278—CX371.	Power amplifier 5.	v. tube 4.50	3.09
2K279-C299.	Detector amplifier		100
	cell use		1.55
2K280-CX299.	Detector amp. for		1.55
2K281—CX220.	Power amp. for o		1.72
2K282—CX310.	Super power am		
	oscillator tubes		6.24
2K283—CX313.	Full wave rectifie		3.43
2K284—CX316B.	Half wave rectiff		5.15
2K285—CX12.	Dry cell dec. amp		1.72
2K286C11.	Dry cell dec. amp		1.72
2K287—CX340.	Hi-Mu tubes	2.25	1.55
2K288CX326.	New A. C. tube A	mplifler, 3	0% off
	1.5 v., 1.05 A.	2000	List
2K289—CX327.	New A. C. tube, 2.		Price
2K290—CX374.	Voltage regulator		3.78
2K291—CX380.	Full wave rectified		
2K292—CX371.	Full wave rectifie		
2K293—CX376.	Ballast lamp		
2K294—X377.	Glow tube fil. pro	otector. 1.75	1.23
The state of the s	The same of the sa	and the same of the same	State of the last

TOO TUBES

A Good Tube at a Good Price



Thoroughly and rigidly constructed, with genuine Thorium impregnated filament, insuring long life and can be reactivated or rejuvenated. DEALERS can rely upon Continental Tubes for satisfaction and repeat business. A FAST SELLER.

	List	Net
2K256-Type UX201A	\$1.00	\$0.59
2K257-Type UV199	1.25	.74
2K258-Type UX199	1.25	.74
2K259-Type X120		
Power Amp		1.47
2K260-Type X171 Power.	2.50	1.47
2K261-Type X112	2.50	1.47
2K262-Type 200A Det	. 2.50	1.47



QUALITONE LOOP

The QUALITONE LOOP holds the world's record of 8,375 miles for distance reception. You can increase your distance and selectivity by using these loops. Woodwork is of hand-rubbed

BODINE DE LUXE LOOP
Solid walnut frame hand-rubbed, nonstetching silk covered wire. Base a
3-contact jack on Bakelite. Turning radius 6 in., a very
beautifulty, efficient and selective loop. Shape makes it popular for fitting into consoles. Ht. 28 in. Jacks may be
mounted on set. Two DeLuxe and one Diamond shaped foldive models.

ZK2677—Deluxe for .0005. List price, \$12.00. Net, \$7.06 | ZK2683—Baby size (for Super-LK2678—Deluxe for .00035. List price, 12.00. Net, 7.06 | heterodyne). List, \$12.50. Net.\$7.35



AALCO LOOP

AALCO loops approved by leading technical magazines have a wavelenth range 180 to 570 meters. 30 in. high, easily and quickly folded. Genutine waint with nickeled metal parts. Brown silk covered wire which is always tight even when folded. Very compact and attractive. LOOP No. 35 designed for Tuned B. F. Neutrodyne. Browning-Brake and all 00035 condenser circuits. LOOP No. 5 for Superheterodyne and other 0005 condenser circuits. Center tapped. Guaranteed for life.

Condenser circuits. Ce Guaranteed for life. 2 K 2 6 8 0 — Loop No. 35. 2 K 2 6 8 1 — Loop No. 5. List price. \$12.50. Net. ..\$7.35

MATHIESON Collapsible loop aerial master console type. Very large volume : ceptional selec-tivity; open, it measures 40 x 21 in. Folds into box 22x5x4 in. box 22x5x4 in. Frame solid walnut, gold metal plated

plated metal parts, Green silk wire Bakelite arms, three taps Used by many laboratories. Baby size. Brow size 30x14. Folds to 15x5x4. 2K2683—Baby size (for heterotypes) Brown wire



FIAT LOOP

Needs no introduction. Solid walnut rose gold plated finish Colonial design. Fully guaran-teed. Specified for su-perheterodynes. Very ornamental.

2K2684-List, \$12.50. Net, \$7.35

Page 23

Sonatron is the manufacturer of the "World's Largest Radio Tube Line." Thirtythree types of tubes each adapted for a special radio purpose.

MNATR

The World's Largest Radio Tube Line

The Sonatron Guarantee: Any tube will be replaced free of charge if the filament lights,



Type X-201-A

Detector and Amplifier

List price, \$1.75. \$0.87 Net, each.....

An all purpose tube, universally used in storage battery sets for radio frequency, detector and audio frequency amplifler,

Fil. volts	5
Fil. amps	.25
Plate voltage 221/2 to	180
"C" battery volts 1.5 to	13



Power Tubes!

Type 200-A

Power Detector

2K224-

List price, \$4.00. \$1.96 Net, each....

For greater volume, for dis-tant stations, use this Power tant stations, use this Power Detector in the detector socket, only, of storage battery sets. No rewiring is necessary on either old or new sets.

Fil.	volts.		5
Fil. a	mps.		.25
Plate	volts	(min.)	221/2
Plate	volts	(max.)	45

"B" Eliminator Tubes!

TYPE 213
Full Wave Rectifier Tube
for "B" Eliminator for "F Fil. volts 5 Fil. volts 5 Fil. amps. 2

Max. AC input voltage, 220 volts peranode (RMS).

Max. DC output. 65 mils.

TYPE 216-B Half Wave Rectifier for "B" Eliminator

2K232-2K232— List price, \$7.50 \$3.68

.=

SCHATRON

F- 1 "1



TYPE SH-85 2K230-List price, \$4.50. Net, \$2.21 each

Gas-Filled No Filament Current Consumption, 8 watts; Max.
AC Input voltage (per plate), 290;
Max. Rectified current (both plates). rent (both plates). 85 Mils. For "B" Eliminators. (both plates),

Its rugged construction insures a keen even flow of rectified even now of rectined current at maximum efficiency. This tube is guaranteed for 600 hours, but when used properly will operate efficiently for approximately 2,500 hrs.



TYPE X-112 Power Amplifier

2K225-List, \$4.50. Net, \$2.21

You get greater vol-ume, distant stations with ease when you use this Power Ampli-fler in any ordinary storage battery receiving set. Fil. volts.. 5 Fil. amps.. .5

Plate volts
22½ to 1
"C" Battery 157 voltage

6 to 10.5

TYPE 171 Power Amplifler



2K229—List price, \$9.00. Net, each.....\$4.41

As Oscillator
Fil. volts...7.5
Fil. amps...1.25
Plate amps...06
Plate volts...350
Pl tery. . 4.5 to 35



Type 112-A Power Amplifier 2K226-

List price, \$5.00. \$2.47 Net, each.....

The adapter base of this tube automatically changes hook-up for a power tube. No rewiring necessary. Has same specifica-tions as Type 112.

Type 171-A

Power Amplifier Adapter Base

2K227-

List price, \$5.00. \$2.47

Use this tube in the last stage of audio frequency. The adapter base automatically changes hook-up for power Same specifications as tube, Sa Type 171.

Profit

There is a bigger profit, a more than living profit for every dealer who sells Sonatrons

When you sell Sonatrons, you know you can depend on them for performance. And this will bring back custom ers again and again.



The Sonatron Amplifier

To give any set, storage battery or dry cell, new power, new tone, this ingenious device fills the bill. One connection and it transforms any set into a modern efficient unit

Sonatron Amplifier Complete with Tubes. List price, \$11.76 \$20.00. Net. each ... \$20.00. Net. each... \$4.71 2K205—Amplifier only. List, \$8.00. Net....... \$4.71 2K206—Set "A" Bat, Tubes. List, \$12.00. Net..... \$7.06 2K207—Set Dry Cell Tubes. List, \$12.00. Net..... \$7.06

Sonatron Hi-Mu Tubes

For Storage Battery Sets. \$2.94 2K208-Mu-30\$5.00 2K209—Mu-20 4.00 2K210—Mu-6 5.00 2.94 For Dry Cell Sets. List \$2.94 2K2||-Mu-29\$5.00 2K2|2-Mu-19 ... 4.00 2K2|3-Mu-9 ... 5.00 2K2|4-New X-240 for last stage Audio 2.94 Storage Battery 2.25 1.11



Type 199—Ampli-fler and Detector. List Price, \$2.25.

et, each.. \$1.11 Fil. volts 3. Fil. amps. .06. Plate voltage, 221/2

to 90.
"C" battery volts,
1.5 to 4.5. 2K201—
Type X-199—Made with new X Base.
2K202—

Type 199-A — Equipped with standard

Type X-120 Power Amplifler 2K203-List price, \$2.50. Net, each. \$1.23

This tube is used in dry cell battery sets in the last stage of radio fre-quency. It produces great volume without distortion.

Fil. volts, 3.
Fil. amps., .125.
Plate volts, 135.
"C" Battery volts, 22.5.

Sonatron Type 225 A-C

Filament (heater) Voltage, 3. Filament (heater) Amperes, 1.05. Plate Voltage, 12 to 135. "C" Battery Voltage, 3 to 9.

"C" Battery Voltage, 3 to 9.

Now, a new era in radio. Complete electrical operation of receiving sets with the SONATRON Type 225-AC tube. By making slight changes in the wiring of your present set, it can easily be made to operate directly from the light socket. The SONATRON Type 225-AC acts as a radio frequency amplifier, detector, audio frequency amplifier and oscillator. bringing in the stations with the greatest clarity presenting the newest advance in radio receiving 2xx204—List price, \$5.00.

2K204—List price, \$5.00. \$3.00 Net, each.



SONATRON Matched Tube Sets!



5 TUBE COMBINATIONS
Combination S-I—For New Sets
3 X-201—A Amplifier Tubes
200-A Power Detector
1 171 Power Amplifier with Standard Base.
2K2|5—List price, \$13.75.
\$6.74

Net, set

Combination S-2—For Old Sets

3 X-201—A Amplifier Tubes
1 200-A Power Detector
1 171-A Power Amplifier with Adapter Base;
no rewiring necessary.

2K2|6—List price, \$14.25.

\$6.98

\$6.98 Net, set .

6 TUBE COMBINATIONS
Combination 8-3—For New Sets
X-201-A Amplifier Tubes
200-A Power Detector
171 Power Amplifier with Standard Base

1 171 Power Amplifier w 2K217—List price, \$15.50. \$7.60 Net. set

Net, set

4 X-201-A Amplifier Tubes

1 200-A Power Detector

1 171-A Power Amplifier with Adapter Base;
no rewiring necessary

2K2 18—List price, \$16.60.

\$7.84

new idea in tube Here is a merchandising. Matched turner any set pave the way quantity sales. This mea Matched tubes more profit for you.

Sonatron matched tubes cost no more. The price is only the total cost of the tubes. They come complete in an attractive counter box. ready for quick sale.

TUBE COMBINATIONS

7 TUBE COMBINATIONS
Combination 8-5—For New Sets
5 X-201-A Amplifier Tubes.
1 200-A Power Detector
1 171 Power Amplifier with Standard Base.
2X219—List price, \$17.25.
\$8.45 \$8.45 Net, set

Net, set
Combination S-6—For Old Sets
5 X-201-A Amplifier Tubes.
200-A Power Detector
1 171-A Power Amplifier with Adapter Base;
no rewiring necessary
2X220—List price, \$17.75.
\$8.70

Net, set \$\\ \text{Net}\$ \ \text{SETONBINATIONS}\$ \\ \text{Combination S-7—For New Sets}\$ \)
6 \(\text{X-201-A Amplifier Tubes} \)
1 \(200-A \)
1 \(\text{Power Detector} \)
1 \(\text{Power Amplifier with Standard Base.} \)
2\(\text{Y21} \)
1 \(\text{List price, \$19.00.} \)
89.31

6 X-201-A Amplifier Tubes
1 200-A Power Detector
1 171-A Power Amplifier with Adapter Base;
no rewiring necessary
2K222—List price, \$19.50.

\$9.56 Net. set



"Everency batteries are known it is unnecessary to describe known in detail. These batteries are extremely well built and are noted for long life and quiet hum-free service. If your set uses four or more tubes don't hesitate to purchase "Heavy Duty" Batteries as the "Heavy Duty" Batteries as the property of the second of t "Eveready" Batteries are ice. If your set uses four or more tubes don't hesitate to purchase "Heavy Duty" Batteries as the higher initial cost is economy in the long run. Also use a "C" battery whenever possible to increase the life of the "B" batteries. Fresh stock on hand at all times,

"EVEREADY" Radio

"A", "B" and "C" Batteries

Cat.						
No.		1	Kiı	nd of Battery Li	st	Net
2K110-		45	v.	Heavy Duty LayerBilt \$5.	00 5	3.58
2K111-				Extra large vertical. 4.		3.40
2K112-		45		large vertical 3.		2.62
2K113-	-767	45		large flat 3.		2.62
2K114-	-779	221/2	v.	vertical 1 to 3 tubes 2.	00	1.40
2K115-	-766	221/2	v.	standard horizontal 2.	00	1.40
2K116-	-764	22 1/2	v.	vertical portable size. 1,	75	1.22
2K117-	-768	221/2	v.	horizontal portable 1.	75	1.22
2K119-	-773	7 1/2	v.	"C" battery	10	.59
2K 20-	-771	4 1/2	v.	"C" battery	10	.42
2K121-	- 6	1 1/2	٧.	dry "A" cell	15	.40





9 V. "C" Batt

DIAMOND BATTERIES

Prefection is never the result of accident. Before Diamond "B" Batteries were put on the market a chemist and electrical engineer of national reputation spent three years of hard, practical laboratory work in producing a "B" Battery that is as near perfect as a "B" Battery can be made. The formula thus perfected has been tested under the most rigid conditions by the greatest scientific aboratory in the world, and passed with flying colors. It takes longer to make Diamond "B" Batteries and it costs more to make them than it does the ordinary "B" Battery, but the longer life and the greater results you will get from their use will far more than offset the few cents extra you pay for them. Your radio can be no better than your "B" Battery. Over a period of time and by all tests, Diamond "B" Batterles have proved to be had in the following popular sizes: Retail Net 2K100—45 v. Heavy Duty, taps at 22½ \$4.75 \$3.30

had in the following popular sizes: Retail Net 2K | 00 - 45 v. Heavy Duty, taps at 22½ \$4.75 \$3.30 \$2K | 01 - 45 v. vertical, taps at 22½ \$4.75 \$3.30 \$2K | 02 - 45 v. flat, 5 taps ... \$3.75 \$2.40 \$2½ v. \$4.75 \$3.75 \$2.40 \$2½ v. \$4.75 \$3.75 \$2.40 \$2½ v. \$1.20 \$2½ v. \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$2.40 \$3.75 \$3.75 \$2.40 \$3.75 \$3.75 \$2.40 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75 \$3.75





71/2 V. "C"



POCKET VOLT-AMMETER

Range 0-50 Volts

Handy pocket meter ned for testing batteries. Total is 50 volts. The designed "B" bat range is 50 volts. The scale is hand calibrated and the 22½ and 45-volt points are marked in red and red andispecial marking cate whether batteries are new or should be discarded.

3K345-List, \$2.25 Net \$1.46

HOYT ROTARY METER

Precision built bines in one uni five ranges neces-sary for testing radio er sets, tubes,

batteries, chargers and "B" Eliminators, Meter mounted on mahogany, block is turned by knurled rim to five different positions. Very well built and sensitive. Reads as low as 1/4 milliamp, and 1/4 v. 3K340—Meter with flexible \$17.64 \$17.64 leads. List, \$24.00. Net.



YAXLEY PILOT

This is a decided novelty as well as a great utility for every set. The signal light shows whether the set is on or off, saves a needless drain on batteries and lengthens life of tubes by showing they are on by showing they are on after the station has signed off. Adds to the attractiveness of any receiver. Easily installed.

3K2195-List, 75c. -Switch complete (No lamp.) Net



"TAB," the RECHARGE-ABLE DRY "B" BATTERY, has as long original and shelf life as any battery on the market. Can be recharged six to eight times, thereby giving 18 months to two years' service. Final cost about one-sixth the cost of any other battery. only one on the market. "cat" means nine lives, 45 v., 30

2K125-List, \$4.50. Net.....

Daven Tubes

For resistance and impedance coupled amplifiers.

M. U. -20 is Daven detector 6-volt, 4/2 amp. Requires no rheostat. High amplifying qualities. List Net 2K 1902. \$2.5\$ 1.44

M. U. -6 is a 6-volt, 4/2 ampere power tube. Requires no rheostat. Should be used in last or output stage. The power tube for all storage battery sets. List Net 2K 1903. \$4.50 \$2.89

The new Daven 2014 Tubes will

Stage.

2Ki903. \$4.50 \$2.85

The new Daven 201A Tubes will cperate in the same perfect manner as the well-known MU Tubes.

2K1949-201A Tubes.

List, \$1.75. Net. \$1.21

Replaces the old grid resistors and condensers. Unaffected by temperature. Uniform detection. Condenser value, .00025.

3K | 9 | 4 — 2 meg. 3K | 9 | 5 — 3 meg. 3K | 9 | 6 — 4 meg. 3K | 9 | 7 — 5 meg. 3K | 9 | 8 — 7 meg. List \$1.00 Net, each -4 meg. -5 meg. -7 meg. 64c



Compensator The Tayen com pensator is a miniature split stator con-denser used to balance the capacity of two radio

frequency circuits which are tuned by a tan-dem condenser. List Net 3K | 905\$1.75 \$1.11


Grid Stabilizer



Controls oscillation in R.F. circuits. Place in input of grid cir-

	List, 75 Net, each 48c
--	------------------------------

DAVEN PRODUCTS



Resistance Coupled Amplifier

The new Daven Super Amplifier, equipped with Daven tubes as illustrated, is the last word in tone quality radio reproduction. Reproduces all tones from 25 to 15,000 cycles. Made of black moulded bakelite and equipped with Daven glastors and type A condensers 10%" long by 3%," wide by 2%" light. Complete instructions with each amplifier. \$8.82

3K1901-Without tubes. List, \$15.00 Net



Daven Glastors

Permanent,	11015616	ss, acc	urate gia	iss re-
sistors.			List	Net
3K1925-	.0025	meg.	\$1.00	64 c
3K1926-	.005	meg.	1.00	64 c
3K1927-	.025	meg.	75	48c
3K1928	.05	meg.	75	48c
3K1929-	.1	meg.	75	48c
	25 me	1		
3K1930-			Tital	
3K (931-	.5 me		List,	
3K1932-			50 c	
3K1933-	2 m			
3K1934-	3 me	g.	Net,	
3K1935-	5 me	g.	20.	
3K1936	7 me	g.	320	3
3K1937-	10 me	g.		

Hi-Duty Glastors

phone, signal, an	d other	circuits. Hig
current carrying	capacity.	
3K19380025	meg.	
3K1939005	meg.	
3K1940008	meg.	List,
3K194101	meg.	\$1.00
3K 1942012	meg.	Net.
3K 1943015	meg.	each.
3K 1944025	meg.	
3K194505	meg.	64c
3K19461	meg.	0.10
3K19475	meg.	7500
3771048-1	meg	

Resisto - Coupler

Simplifies construction of a resistance coupled amplifier. Two pairs of clips. One each for grid and plate resistors. Bakelite base with condenser in bottom. Soldering lugs attached. Soldering lugs attached. 3K 1924—Without glastors.

List, \$1.50. Net.......96c (Prevents motorboating) 3K1951-List. \$1.50

Daven R. F. Coils



Bedesigned to give even greater selectivity, sensitivity and volume. Colls consist of two stages of tuned R. F. and one detector. Will give maximum results under all conditions. For use with .0005 condensers, size 3" by 1½". No feed back. Covers range completely. Adapted to any tuned R. F. circuit. 3 K 19 12—Set of 3 coils. \$4.71 List, \$8.00. Net.

Anti-Motor-Boater

Now you can use a "R" Eliminator with resistance coupled sets without motor boating. Remove grid leak; insert cartridge. cartridge. 3K1913—List, \$4.00. Net. \$2.55

Coupling Condenser

Type "A" coupling condenser is small and compact. Used in resistance coupled amplifiers. 1\(^ux3/16^ux_u''\). 3\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\(^ux)\

Balancer



Used to add sufficient capacity to the condenser. Attaches to the framework of first radio frequency condenser. Once adjusted the setting of panel dials will remain matched over practically the entire broadcast range. tire broadcast range.
3K 1904—List, \$1.00. Net...64c

Daven Tube Ballasts

Automatic Rheostat. Eliminates need-less courrols and wiring.


3K 1907-No. 1A. ¼ amp. tube.

3K 1908-No. 2A. ½ amp. tube or
2¼ amp. tubes.

3K 209-No. 3A. Three ¼ amp. 3K 1910—No. 4A. 1 amp for four 1/4 amp. tubes.
3K 1911—No. 5A. 11/4 amp. five 1/4 amp. tubes. with mounting. List, \$1.00. Net, 64c Without mounting. List, 75c. Net... List.

NEW DAVEN TWO-DIAL BASS NOTE SET

A positive revelation in tonal reproduction. The kit includes drilled and engraved panel, drilled baseboard, and all necessary parts down to the last screw and piece of wire but without tubes, batteries, or cabinet. Complete instructions for assembling are included. The circuit employs 3 stages of R. F., one detector and 3 audio, 7 tubes in all. It is shighed dial control, an illuminated Remier Drum being employed. This set will give you the maximum selectivity, distance and volume. Use Daven tubes. Order seven for the set at \$11.32 net. 5K1950—Complete parts ... List, \$68.50. Net. \$40.88



DAVEN ELECTRICAL PHONO PICK-UP

Here is a real new Daven triumph. When used with the Daven or any other amplifier results are astounding. Will operate perfectly on any standard record with exact reproduction of all notes recorded. Beautifully finished, weighted base, 8-ft. cord and 2-coil reproducer Complete with volume control. Wonderful tone and volume. \$10.29



CARTER "MIDGET" RHEOSTAT All Metal Frame

Smallest made. Only 1½" in di-ameter. Nickel plated. Black knob. Resistance element held tight all times. The and short-circuit.

3 K2000 — 2 ohm. 3 K2002 — 6 ohm. 3 K2003 — 10 ohm. 3 K2004 — 20-ohm. 3 K2005 — 30 ohm. 3 K2006 — 50 ohm. 3 K2007 — 75 ohm.

List. 50c Net, 30c

Walnut or mahogany knob, 5c extra Insulation for metal panel mounting mounting

CARTER "MIDGET" RHEOSTAT (Heavy Duty Type)



The same gen-The same general construction as the well known "Midget" type except provided with a %" resistance strip instead of 3/16", which afterds mere wellfords more radiating surface. Will dissipate 6 watts. Mounts in %" hole

3 K 2 0 0 9 3 K 2 0 1 0 3 K 2 0 1 1 3 K 2 0 1 2 3 K 2 0 1 3 3 K 2 0 1 4 3 K 2 0 1 5 3 K 2 0 1 6 ohm. ohm. ohm. -20 ohm. 40 ohm. -50 ohm

List, 75c Net. 45c

Mahogany walnut knobs 5c extra. or Insulation for metal panel mounting 5c extra.

"IMP" RHEOSTATS AND CARTER



All-metal frame rheostat. Self-cool-ing. The last word in small metal frame rheostat design. Satisfactory results in any cirresults in any cir-cuit. Exceptionally small in size. It projects back of the panel less than 3%" and is only 1%" in diameter. Provided diameter. Provided with binding post Walnut or mahogany

Black knob. 5c extra Metal panel insulation 5c extra

RHEOSTATS			
3K2017- 2 ohm.	List.		
3K2018— 6 ohm. 3K2019—10 ohm.	\$1.00		
3K2019—10 ohm.	(
3K2021-30 ohm.	Net,		
3K2022-50 ohm.	59c		
3 K 2023-75 ohm.)		
POTENTIOMETERS			

3K2024-200 ohm. } List, \$1.25 Net, 74c

CARTER "MIDGET" RHEOSTAT AND
POTENTIOMETERS
(With Filament Switch)
Same construction as "Midget" Rheostat, but with filament switch and black knob. Mahogany or walnut knob 5c extra.
Insulation for metal panel mounting 5c

3K2026— 2 ohm. 3K2028— 6 ohm. 3K2029—10 ohm.	List, \$1.00
3K2030-20 ohm. 3K2031-30 ohm.	Net,
3K2032—50 ohm. 3K2033—75 ohm. POTENTIOM	59c
3K2034-200 ohm.	

CARTER "IMP" RHEDSTAT
(With Filament Switch)
Same construction as "IMP" Rheostat,
but with filament switch. With black knob,
Mahogany or walnut 5c extra. Metal
panel insulation 5c extra.

	msuration of ex	LIU.
	036- 2 ohm. "	List.
	038-6 ohm.	\$1.50
	039-10 ohm.	31.00
3 K 2	040 15 ohm.	Net.
3K2	041-20 ohm.	00
	042-30 ohm.	89c
3 K 2	043-40 ohm.	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

CARTER RADIO RECEP-TACLE JACK (With Volume Control)



This latest type of loud speaker outlet jack is provided with a CARTER "HI-OHM" Volume Control, so the user can regulate the volume to suit, without changing the volume output in the balance of the circuit when more than one speaker is used on the same circuit. Ideal lor hospitals, apartment houses, hotels, or the home where one or more loud same time. Furnished with "RADIO" name plate and screws for mounting directly in outlet box, or on wall or base-board.

List Net

List

3K2045-Brass escutcheon

Aerlal Ground Plate Without Control 3K2047 Brass plate ... \$0.90 \$0.53 3K2048—Brown Bakelite . 1.15 .68

Loud Speaker Wall Plate Only 3K2049—Brass\$0.80 \$0.48 3K2050—Bakelite1.05 .62

CARTER NEW POWER SWITCH (110-Volt Circuit)



One of the smallest switches made. Double contact. For regular 6-v. filament or 110-v. circuit. With "On" "Off" name plate.

3 K2051-

CARTER NO. 2 "IMI SWITCH "IMP" BATTERY

Positive in action and mounts in small space. Contains few parts and is for 6-volt circuit. Complete with 'On and Off' name plate. Mounts in %" hole.

3K2052—2 'IMP' Switch. 3K2052—2 '1

Mahogany or walnut knob 5c extra.

NEW "IMP" JACK SWITCH



new filament switch to mount in small space. For 6-v. circuit. "On-Off" Name Plate.

3K2053-List. 50c. Net30 c

CARTER "SHORT" JACKS Patent No. 1,620,755



Smallest made. For use when space is lim-ited. No screws used in the assembly. Mount in %" hole. Fit any standard plug.

3K2054-Open circuit, output 3K2055-Single, closed circuit. List, 30c. Net. 18c

CARTER MICA CONDENSERS



Molded in Bakelite. Best grades of mice and foil used. CARTER Condensers are extremely accurate. Guaranteed within 10 percent of rated ca-Best grades of CARTER Con-ccurate. Guar-

pacity.	U UIII	List	Net
3K20560001			\$0.24
3K205700025		.40	.24
3 K 205800025	(grid clips)	.50	.30
3K20590005		.40	.24
3 K 2060 0005	(grid ellps)	.50	.30
3K2061001		.50	.30
3K2062002		.50	.30
3K20630025		.50	.30
3 K 2064005		.70	.42
3 K 20650075			.56
3K206601		1.15	.68
3K206702		1.75	1.03
0112001 .02		1.10	1.03

CARTER "IMP" BATTERY SWITCH



S n a p S w it o h positive contact. "On and Off" name plate. One-hole

Compact and quiet.

3K2068-Price complete, each, List, 65c. Net. 39c Mahogany or walnut knob, 5c

CARTER LOCK SWITCH

Key cannot be removed when in the "on" position. For use in 6-volt circuit. "On and Off" 6-volt circuit. "On and Off" name plate and three keys sup-

plied. 3 **K 2069**—Price, "IMP" Lock Switch, each, List, 75c. Net 45c



NAME PLATES

Fit under Stand-ard Jack lock nut: marked—

marked—
A, "Detector"; B, "I Stage"; C. "2 Stage"; D, "3 Stage"; E, "Radio"; F, "Loud Speaker." E, "I Loud Speaker." Fit under "IMP" or No. 10 Tip Jack lock nut: marked—K, "Speaker"; L, "Aerial"; M, "Ground." 3K2070

Price, each, 5c; 10 for ... 33c

CARTER FLAT PLUG CARTER 10

The cord tips are held in place without screws and can easily be in-serted or withdrawn. The flat bakelite handle fits close to the panel. The cords hang from the bot-the handle. Adds distinctom of the handle. Adds distinc-tive refinement to the appearance

3K2071-List, 75c. Net, 45c CARTER NO. 2 FLAT PLUG

Smallest and neatest plug made. Parts moulded in bake-lite handle. Cord tips held by screws. Provisions for attaching stay cord. 3K2072—List, 50c. Net, 30c

CARTER HOLD-TITE JACKS



3K2073 Open circuit 101.
List, 50c. Net.
3K2074 Closed circuit 10 30c

CARTER "HI-OHM"
AND HI-POT
All-metal frame,
Self-cooling, Noninductive, wire protected, high resistance volume controls,
Black Bakelite knob. -500,000 ohm. -300,000 ohm. -200,000 ohm. 3 K 2078

3 K 2079 \$2.00 3K2081—100,000 ohm. 3K2082— 50,000 ohm. Net 50,000 ohm. 10,000 ohm. \$1.18 3K2083 Hi-Pot--Same above, but same as terminals.

with three terminas. 3K2084—500,000 ohm. 3K2085—300,000 ohm. 3K2086—200,000 ohm. \$2.25 3K2087—100,000 ohm. 3K2088— 50,000 ohm. 3K2089— 10,000 ohm. Net \$1.33



3K2090

CARTER TIP JACK small, neat and reliable cord tip jack. Heavy contact spring insures positive connection. Mounts in ¼" hole on panels of ½" to 3/16" thick. 3/16" thick. List, 10c. Net. 6c

YAXLEY Approved Products YAXLEY

AUTOMATIC POWER CONTROL



Connect Automatic Powe Control and the receiver becomes a power operated set. Cuts in the Beliminator, cutting out the trickle charger when the set is turned on. Reverse takes place et is turned off.

when the set is turned off. Filament switch of the set is the only switch to operate, the Automatic Power Control does all the other switching. Neat in appearance. Thoroughly de-

3K2100—No. 444, Series Type. Voltage drop kept below (2/10) volts when used with equivalent to four 199 type of tubes up to eleven 201 type of tubes. List, \$2.94

K2101—No. 445, Multiple Type. No voltage drop with this type. Recommended 3K2101-No. this for multi-tube sets and for sets with a very low current draw. List, \$6.00. \$3.53

CABLE CONNECTOR PLUG



Battery wires are brought to the set in one neat compact cable. All connections plainly marked with color code (RMA standard colors).

670. 3K2106equipped with binding posts.
Pin plug has 15" pigtails for attaching to the set. \$2.06 List, \$3.50. Net.



CABLE CON-NECTOR PLUG

3K2107—No. 660. For install-right in the set. The mounting plate mounts on the mounting plate mounts on the base panel by means of the bracket—or the bracket may be removed and the plate fastened directly to the sub-panel or back of the cabinet. \$1.77 List, \$3.00. Net...

JUNIOR JACK SWITCHES

For use in sets where space is at a premium.



3K2 10-Battery Switch. List, 70c. Net42c
3K2111-Two Circuit.
List, 85c. Net50c
3K2 2-Double Circuit.
List, 95c. Net56c
3K2 13-Five Spring.
Tint @1 10 Not 650

3K2114-Two Way Two Circuit. List, \$1.20. Net. 710

JACKS



All Bakelite insulation. Mount in single 7/16" panel hole without adjusting collars. Bakelite insu-lating washers furnished on order

Filament Control. 248c
3K21294—No. 5—Two Circuit
Filament Lighting. List, 90c.
Net 53c
3K2130—No. 6—Interstage Filament Control. List, \$1.00. Net 3K2131—No. 7—Interstage ment Lighting List, \$1



JACK SWITCHES

INDUCTANCE SWITCH Only 1½" across, this little switch answers every requirement for dependable tap

TWO STAGE SWITCH



For controlling the filament first and second audio the mament mrst and second audio stages with one switch. Turned to left, switch is off. Center position cuts in the first audio stage. Turned to right, switch cuts in first and second audio stages.

3K2142—List, \$1.50. Net

AIR-COOLED RHEOSTAT

The Original Air Rheostat. It has a smooth, quiet action, with an extremely close adjustment, permitting filament

voltages to be built up slowly and held at exactly the right point. Base is of Bakelite. Rheostat mounts in a single 7/16" panel hole. Furnished complete with Bakelite knob.

3K2143- 2 ohm 2K2144-6 ohm 3K2145-10 ohm 3K2146—25 ohm 3K2147—30 ohm 3K2148—40 ohm

List, Net, each \$1.35 \$0.80

POTENTIOMETERS
3K2149—200 ohm List, Net, 3K2150—400 ohm Sk21515—400 ohm sk2152—2000 ohm \$1.75 \$1.03

SWITCHING RHEOSTAT

For those who desire to switching of with the rheo-stat, the Yax-ley Switching Rhec Rheostat a n ideal combi-nation. The Rheostat



proper is the same as the standard Air-Cooled Rheostat. same The action of the switch is sure and positive—and the sure and positive—and the switch point is of pure silver. Complete with knob. 3K2153—2 ohm 3K2154—6 ohm

-10 ohm 3K2156—15 ohm 3K2157—20 ohm 3K2158-30 ohm 3K2159-40 ohm

List. Net. each each \$1.75 \$1.03

RESISTANCES

Resistance Units—Small in size, accurately



rated, provided
with combination screw eye
and soldering lug for mounting
to panel or solder connectors. l or size. Specify size. 3K2|6|-1 to 50 ohms.

construction as Resistance Units. Furnished and designed to control from one to six 201

to control from one to six 201
type of tubes.
List, 15c. Net. 10c
Grid Resistances Wire wound
resistance for the grid line.
Mount directly to the socket.
600 ohm to 2000 ohm. Each, 35c
3K2163—Sizes 200 to 500
ohms. List, 25c. Net. . 15c
3K2164—Sizes 200 to 2000
ohms. List, 35c. Net. . 21c
MIDGET BATTERY
SWITCH
Small in size
an d thoroughly
dependable with
fits quick make
and break. Has
phosphor bronze
springs and pure silver con-



NATIONAL 66 A 99 BATTERIES

SAVE ON EXPRESS CHARGES FREE REPAIR GUARANTEE

90 day repair guarantee on thin plate Batteries

Shipped From Nearby Cities

A NATIONAL Battery carefully constructed of full sized standard thickness plates. Carefully and accurately rated as to voltage and amperage. You can depend on the life and performance of these batterles and build up a large list of satisfied customers through your battery sales. No greater battery satisfaction can be had at any price. Each battery built in a strong rubber compound case and provided with handle for convenient handling. Shipped fully charged ready to put into operation.

Charged ready to put into operation.

You will save greatly, also due to our shipping from warehouses in any of the following cities which you may specify:

Chicago New York

Also extra

St. Paul	St. Louis	Atlanta	200001	
from Los Angeles,	Calif., or Oakland,	Calif., Portland,	Ore., or Seattle, Wash	., for 50c
RAI		ch	AUTO	
600—6 v. 50 amp. si 601—6 v. 75 amp. si	ize\$6.3	2K5507-4-cy	l. cars, 6 v., 11-plate	Lead \$8.75

2K5500—6 v. 2K5501—6 v. 2K5502—6 v. 2K5503—6 v. 3K5504—6 v. 2K5505—6 v.	150 amp. size	355 2K5507—4-cyl. cars, 65 2K5508—6-cyl. cars, 75 2K5509—Dodge 12 v 2K5510—4-cyl. cars,	AUTO Lead 6 v., 11-plate. \$8.75 6 v., 13-plate. \$0.39 , 7-plate. \$12.38 6 v., 11-plate, thin. \$.26
	Glass 5.	50 2K5511—6-cyl. cars,	6 v., 11-plate, thin 8.26 v. 13-plate, thin 9.57



Height, 7% in; length, 5% in.; width, 3 in.

The ELKON Trickle Charger

"It's Bone Dry"

Kansas City

Baltimore

Equipped with the Elkon Rectifier, has won an astounding success, because it does completely what has heretofore been done only partially; it makes the charging of RADIO "A" batteries AUTOMATIC; requiring NO attention.

When you connect up the Elkon Trickle Charger to your "A" Battery and house current it first of all brings up your battery to its most efficient charging rate. Then it TAPERS off to a minimum charge (you do not have to turn it off) increasing again as more current is needed, and in turn tapering off. In other words

a device which changes your battery current and AUTOMATI-

house current to "A" battery current and AUTOMATI-CALLY feeds it to the battery.

It operates any radio "A" battery from A.C. furnishing up to 0.7 amps. and can keep even the largest set supplied in ordinary use. It is full wave.


3K3400 Operates on 105-120 volts, 50-60 cycles. (Supplied also for use with 105-120 volts, 25-40 cycles, at a plied also for use with 105-120 volts, 25-40 cycles, at a slightly higher cost.)

\$7.94

The ELKON "A" Power

The result of a wonderful invention, "A" Battery elimination is now PERFFCT. Over a year ago the "Elkon principle of dry rectification was announced and the Trickle charger

was marketed. Now in the Elkon
"A" Power you have silent, inexhausfible, unvarying "A" Power
supply which eliminates forever "A" Battery troubles. No noise, no moving parts, no tubes. Just constant, perfect "A" Power. Operates on 110 volts, A. C., 60 cycles





Westinghouse-SARVIS SURE "A"

Cincinnati



"A" socket-charging power unit combining an "A" Battery, charger and automatic switch. It furnishes an unfailing noiseless 'A" current of highest quality for radio sets. Silent because it has no moving parts, no bulbs or rectification troubles. Constructed with rugged battery which will operate a set for hours even if light socket power should fail. Equipped with the famous Westinghouse Rectox trickle charger with automatic switch. When receiving set is off switch disconnects power from "B" Battery eliminators and connects power on Sure "A" to replace current used. When set is in operation charging will cease and power is put onto "B" Eliminator socket connection. It is dry, noiseless, wear proof.

2K5513-Unit complete. List price, \$30.00. \$17.64 Net price

EAGLE "A" and "B" POWER UNIT



Smooth and constant "A" and "B" supply direct from A.C. lighting circuit. Delivers 180 volt at 60 mile. Designed to operate from 3 to 10 tube sets. Variable detector and intermediate as well as a variable maximum output. Uses Raylieon B.H. or other -85 tubes. Completely Automatic, operating directly from the switch on the radio set.

Absolutely quiet and cool in operation. Black and Gold finish. Size, 16 x 8 x 8 inches. List. Net. 272.32.8

List Net .\$79.50 \$46.76

3**K**3428 EAGLE DRI-DISC-CHARGER



No tubes, no acid, one-half ampere trickle charge rate, 1½ ampere high rate. Absolutely quiet and cool in operation. Can be left on contin-

3K3432 - 7¼ x 4% x 4% inches. List, \$15.00. Net...... \$8.82



HOLMES D. C. CHARGER

This D.C. Charger is well constructed and designed for charging batteries from Main 110 Volt D.C. line.

3K3434 List Net .\$16.50 \$9.71



EAGLE -B- POWERS

Super "B"

Automatic Relay built in with flush receptacle in rear to attach trickle charger. For Automatic control direct from switch on set. For six tube sets or less. Uses Raytheon Tube. Delivers 135 Volts at 40 Mils. Dimensions, 4% x 9 5/16 x 7 inches.

3K3435-Without tube. List. \$28.00. Net. \$16.47

Power "B"

For sets up to 10 tubes. Delivers 180 Volts at 60 Mils.


3K3436-W: \$37.50. Net. -Without

National -A - Power

The latest Proved development in "A" power Dry metallic disc. I ampere charger. Combined with heavy duty National Battery. 5,000-hour guarantee on charger discs. Automatic regulation of charging rate according to batteries. Eliminates danger of overcharging or starving battery. Latest Brach relay and "B" receptacle included. Nationally advertised. Shipped ready to operate. This unit will end your "A" Battery problem.

3K3425-With 6 V-75 A.H. Battery. List. \$31.60. Net.......\$17.12 3K3426—With 6 V—100 A.H. Battery. \$33.30. Net......\$ \$19.32

-With 6 V—125 A.H. Battery. List, \$20.06 3K3427-With 6 \$34.10. Net.....



THORDARSON DRY CHARGER



Battery The Thordarson Battery Charger makes its bow as a welcome relief to the army of butlers to thirsty chargers. Radically new, sound in principle, proven in performance. No vibrating parts. No acld to spill, very compact; 2¾ x 5¾ x 4¾ inches high.

Charging rate 2 amperes, Rectifying element, reparathead. The Thordarson

Rectifying element guaranteed for 750 hours, at full load operation or approximately a year's normal service. steel case of crackle enamel finish List Net \$12.50 \$7.35 3K3429

Modern "B" Compact Modern 'B'



tor, amplifier and power to Tube, 40 mil. at 135 Volts.

3K3433—List, \$26.50. \$21.46

u u r i n g the past season are all in daily use. Three B+ or output con-nections allow different voltages to be sup-plied to detec-Uses Raytheon

compact is the product of experienced engineers and the thousands sold during the



Modern Automatic Switch

Use a positive, dependable, automatic switch on your power units. The Modern is positive in action and easy to install. Small and compact.

\$1.77 3K3439-List, \$3.00.



Brach Controlit

Most popular Automatic switch on the market. Automatically connects and disconnects charger and "B" Elimi-Will not get out

nator by turning switch on set. of adjustment.

3K3437-For 6 Volt Battery...\$4.50 \$2.65 3K3438-For 4 Volt Battery ... 4.50 2.65

Raytheon Tubes

original and most powerful of all 'B" er tubes on the market. Guaranteed for Rectifier tubes on the market. Guaranteed for 1,000 hours.
For all Eliminators requiring gas type tubes. tube. List. 3K3442-B type List, \$4.50. Net, \$2.87 ...\$22.05 3K3443-BH type. List, \$4.50. Net, 2.87



ABOX "A" ELIMINATOR
The Abox "A" Eliminator is
a combination of a rectifier
(charger) and the well known
Abox filter built in one compact
unit. No adjustments or attention during operation. Line voltage fluctuations are automatically
compensated for. Operates up to
9 tube sets. The New York 9 tube sets. List ABOX FILTER \$19.12 3K3430

3K3431—Abox Filter only. List, \$19.50. Net....\$ | 1.48



MAJESTIC "B" POWER Super "B"

Super "B"

The market standard by which other "B" Eliminators are compared. Delivers 180 Volts at 50 mils. for sets up to 12 tube.

3K3440—With tube. List, \$29.50. Net. ... \$18.79

Master "B"

Three controls.
Volts at 60 mils.
any receiver.
3K344 | -With
\$32.50. Net... Delivers 180 Will operate with tube. List,

Cables

BATTERY EQUIPMENT



Five and seven con-ductor bat-tery cables. tery cables. Insulated with colorubber. Standard colors, covbrown cotton


to any length desired.	Water Offi
distred.	
3K3400-5-conductor.	
Per ft. List, 73/4c. Net.	
101 10. 11180, 1740. 1461.	
Per 100-ft. spool. List, 7.75c. Net.	
List 7 750 Not	
THOU 1.100. INCL	4.56c
Per ft. List, 10c. Net.	
Tel It. List, IUC. Net.	
Per 100-ft. spool. List,	610 00
N'-4 AND IN STRUCT. LAIST,	\$10.00.
Net	CE 00



A thoroughly insulated cable for con-necting A and B batteries to set. Celat-site covered.

3K3406-5 List, 90c. 9-conductor. long.

Belden Fused Cable



Prevents burning out of tubes id fire hazards due to short reuits. A and B circuits both and nro circuits. A an Easily

fused. Eastly installed. Very popular last season.

3K3402—6 ft. long. 5-conductor. List. \$1.50. Net. 89 c
3K3403—6 ft. long. 7-conductor. List. \$1.65. Net. 98 c
EXTRA FUSES

B battery replacement.

battery replacement fuses.

3K3404—Per box. List, 80c. Net... A battery replaces Three in box. replacement 3K3405—Per box. List, 40c. Net. .26c

Cable Markers

Metal tags for marking battery bles. Easy to fasten. Comcables. fasten. Complete set in package.

3K3409—List, per List, per pkg., 15c; Per doz. pkgs., 75c

Cell-Check



Toggle Switch



Popular bakelite toggle switch, easily mounted on panel 3K34 | 1-List, each, 50c. Net ... 32c

Hydrometers



A hydrometer that will not drip actd and can be used in close quarters. Hose is 24" long. Will reach hattery without moving. Very popular.

List Net

3K3412.....\$1.00 64c



This new item is a fast seller. Simple to use. Cover battery terminals and check corrosion. 3K3413—List, 30c. Net, 19c

Drip Proof

Three-ball type. Accurate and reliable. Safeguard against battery acid falling upon furniture and rugs.

3K3416-Each, List, \$1.00. Net, 64c

Brackets



3K3417—Per pair-List, 75c. Net....

Tritox Automatic Trickle Charger



Operates on light socket A. C. 110 v. 60 cycle current. Eliminates bulbs, acids and all moving parts. Full wave rectification using little current. Filament switch turns off charger when set is on and vice versa. Also provides "B" eliminator current when set is Tapering charging rate from ¾ to ½ amp., assuring long battery life and freedom from any bother.

3K3421-Charger complete.

List, \$16.00. Net ..



Volt-Ammeter

This meter designed for testing dry cells and storage batteries. Attracti brown finish.

3K335-0-10 volts, 0-35 amps. List, \$1.50. Net. ...980 3K336-0--0-50 volts, 0-35 amps. .00. Net. \$1.92



Silver-Marshall brackets are of rugged esign and are for use with subpanel. design and are for use with Nickel finish. Very high grade.

3K34 18-Per pair-List, 70c. Net....



Benjamin self-supporting brackets for use in sets having subpanel. Nickel-plated screws included. Dull nickel finish. List Net

3K3419-Adjustable\$1.25 79c \$9.41 3K3420 Not adjustable. .70 44 c

A Meter for Jewell Instruments Every Purpose

For Receiving Sets No. 135



A real asset to any receiver. rear mounting gives this 2-in. Instru-ment an over-all dimension of 21/4 inches. Etched scales with black

markings on silver background. 3K300-0-5 volts...\$7.00 3K301-0-8 volts...\$7.00 3K302-0-100 volts. 7.50 3K303-0-3 amp... 7.00 3K304-\$4.46 4.46 4.76

4.46 0-50 millamperes 3K305—Double rea

0-50 millamperes.. 7.00 **K305**—Double reading—0-7½-150 v... 8.50 5.41 PUSH SWITCH TYPE 135B-Net 3K306 0-7½-150 volts...\$9.00 3K307— \$5.41 0-4-160 volts 9.00 5.74

Portable Voltmeter



beautiful portable for the A beautiful portable for the home, representing a miniature mantel clock. Furnished with leads which may be plugged into Radiola, Victor and Brunswick sets. A very desirable battery man. leads win. Radiola, Victo. 3K317-0-7.5-150 volts. \$7.35 List, \$10.00, Net....

Set Analyzer

This 1927 Jewell product provides a rapid means of shooting trouble in a

shooting trouble in a radio set. All parts of the set may be checked and recorded for future reference on printed blanks supplied for that purpose. Meter may be used as voltmeter 0-8-80-200 volts and 0-20 milliamperes. Genulne morocco leather peres. Genuine morocco

3 K 3 2 1-List, \$65.00. Net, each \$47.78

A-B Relay



This Jewell A. B. Relay has been designed been designed for automatically switching the trickle charger and "B" Elimin-ator when the

ator when the filament control is turned either on or off, thus relieving the set owner from the necessity of disconnecting those accessories or switching them individually. The relay is so sensitive that it will not interfere in any way with the operation of any set.

3K323—For sets having 5 or more three-volt tubes drawing 3 to 1 amp.
List, \$5.00. Net each \$3.19

3K324—For sets having 5 or more 5-voit tubes drawing one or more amperes. List, each, \$5.00. Net, ea. \$3.19

Control No.53

Prolongs life of vacuum tubes. Repulsion iron-vane type; rug-ged and accurate, with zero adjust-er flush type.

3K308-0-10 volts, D. C. \$7.50 3K309-0-3 amperes D. C. 7.50

\$5.51 each

High Precision Meters


Jewell's new small meter of high resistance, designed especially for checking "B" Eliminators, scale 0-300

volts. A thoroughly high grade instrument and can be depended upon,

List, \$12.00. Net..... \$7.65

Pocket Meters

Accurately constructed scale calibrated for close reading, enameled black case with glass crystal flexible connection cord.



Tube Tester



A complete tube tester designed for the dealer to place on the counter. Equipped with voltmeter, millameter, rheostat and socket. A push button is employed to change the grid bias from negative to positive.

3K325—List, \$35.00. \$25.82 Net. each .

Filament Double Reading Meters

A popular instrument mounting on panel of a re-ceiving set, as-suring correct reading of A and batteries

Black enamel finish, nickel plated and polished switch knob. Fits 2½-inch hole.

3K310-0-5-100 v. \$10.00 \$7.35 3K3||-0-10-100 v. 10.00 7.35 3K3|2-0-4-160 v. 10.00 3K3|3-0-7.5-15 v. 10.00 7.35 7.35 3K3 | 4-0-7.5-30-150 volts, 3 readings. 12.50 9 15 3K315-0-8-80-160 volts, 3 readings, 12.50 9.15

Tube Checker

A small and com-pact design for use in checking tubes. Will test power tubes. tubes. The case is genuine bakelite with a carrying handle and includes fila-ment rheostat socket,

Voltmeter (0-8 volts) and plate milliameter (0-8-40 milliamperes). A decidedly new and valuable instrument to the radio trouble

List, \$27.50. Net, each \$20.20

Service Test Set

Service test set Service test set for general serv-icing of radio ap-paratus. Tests tubes, batteries, "B" eliminators, circuits, etc. Has drawer for small tools and detachable battery com-partment. The instruments tained in the set are a four-scale are a

voltmeter with extra high resistance for "B" Eliminator work and a three-scale milliameter. The ideal Instrument for a professional radio doctor. Furnished with leads and tube adapter but without tools and

3K322-List, \$78.00. \$57.84 Net, each .

Beede Pocket Meters

accurate and finely nickel-lay be had for testing both



Electrad Variohm



A Variable Grid Leak. Complete range of resist-ice 4 to 10 Megohms.

3K2557\$1.25 79c
3K2558—.0001 to .0005
condenser to fit above .24 c


Phasatrol



A true balancing device for R.F. Amplifiers. Suitable for base or sub-panel mount-ing. Gives maximum effi-ciency and selectivity. Net

3K2559 \$2.75 \$1.75

Tonatrol



A true tone and volume control connect across sec-ondary terminals of first audio transformer in an audio amplifier

List . \$1.50

3K2560. 96c "Voltrol"



Truvolt 25 Watt




A correct Voltage Control for "B" Variable Eliminators Power Resistor. Wound alloy wire. Heat proof. Very

attoy wire. Heat proof. Very fine regulation.

3K2562-0 to 5000 ohms
3K2564-0 to 50000 ohms
3K2564-0 to 50000 ohms
List, \$3.50. Net. . . . \$2.23



Electrad Audiohm



Eliminates transformer dis-ortion. Fits any trans-

3K2561.....\$1.50 96c

The "Clarostat" and **Power Clarostat**

The "CLAROSTAT" is well known as a Universal Variable resistance from zero to 5,000,000 ohms. For "B" elimnators, volume control, eliminating distortion, variable gridleak use, etc. \$1.43 KZ2565-List, \$2.25 Net.

The "POWER CLAROSTAT" is several times larger than the standard Clarostat but similarly constructed. Especially adapted to regulation of the filament control with the B.H. and other \$5 M.A. Rectifying Tubes of A-B-C Power Units.

3K2566-List, \$3.50. Net. \$2.23

Elimina

standard

\$1.10

1.10

\$0.65 .65 .653 .47 .45



Resistor Mounts

Bakelite with Phosphor Bronze Clips. Suitable for any standard size tubular resistor or gridleak.

List \$0.25 3K2569—Single 3K2570—Double \$0.15 .35 The Self-Adjusting Rheostat Guaranteed Perfect

Veritas Resistors

signed especially for "B" Elli resistance audio amplification nitting gridleaks. Fit star

- 2,000 ohms - 5,000 ohms - 7,500 ohms - 10,000 ohms

Designed

tors, transmitting gr. gridleak mounts.

Polymet Grid-Leaks



3 R	2532	1 :	meg.	
3 K	2533	-1/2 Y	neg.	
3 R	2534		neg.	
3 12	2535		neg.	
	2536			
			neg.	
318	2537		neg.	
3 K	2538	- 3 n	neg.	
3 K	2539	-5 n	neg	
3 K	2540	- Br	n ea	
377	2541	7 =	geg.	
5 27	2542			
22	2042	— 8 n	neg.	
, 3 K	2543	—10 n	neg.	
List,	25c.	Net.	15	2.
ts of	10	COLUMN TO	100	20
				20

The "SELF-ADJUSTING" Rheastal

3R2500—AMPERITE No. 1-A-1/4 Ampere Type—For the UV.201-A; C-301-A; UX.201-A; CX.301-A; UX.200-A; CX.300-A; DV.2 or any ½ ampere. 5 volt tube on the 6 volt

A; Larow An Ar. Care And Care An Ar. Care And Care An Ar. Care An

3K2502—AMPERITE No. 120—For the UX120 and the CX-220 on 4½ volts (3 dry cells) or on the 4 volt storage battery.
3K2503—AMPERITE No. 4V-199—For the UV-199; C2-299; UX-199; CX-299; DV-3 on, 4½ volts (3 dry cells) or on 4 volt storage battery.

UV-199; C-299; UX-199; CX-299 and similar tubes on the 6 volt "A" battery.

tubes on the 6 volt "A" battery.

3K 2 5 05 — AMPERITE No. 3 - A — % Ampere Type—To control % amperes and 5 volts

3K 2 5 06 — AMPERITE No. 4 - A — 1 Ampere Type—To control 1 ampere and 5 volts on the 6 volt battery.

Each with mounting. List, \$1.10. Net. \$0.71

ES O

Grid-resistors of permanent and te resistance value. Adapted b rate resistance value. A leading set manufacturers. Adapted by

3K25 17— 25,000 ohms 3K25 18— 50,000 ohms 3K25 19— 75,000 ohms 3K25 20—100,000 ohms	List \$0.75 .75 .75 .75	Net \$0.45 .45 .45 .45
3K252125 megohm 3K25223 megohm 3K25235 megohm 3K252475 megohm 3K2525-1. megohms 3K2525-1. megohms 3K2525-2. megohms 3K25293 megohms 3K25293 megohms 3K2530-4.3 megohms 3K2531-3 megohms	List \$0.50 .50 .50 .50 .50 .50 .50 .50 .50	Net \$0.30 .30 .30 .30 .30 .30 .30 .30

Electrad Resistances and Grid Leaks

3K2544-1/4 megohm. 3K2545-1/2 megohm. 3K2546-% megohm. 3K2547-1 megohm. 3K2548- 2 megohm. 3K2549 3 megohm. 3K2550- 4 megohm. 3K2551- 5 megohm. 3K2552- 6 megohm. 3K2553-7 megohm. 3K2554- 8 megohm, 3K2555- 9 megolim. 3K2556-10 megohm. List. 50c.

Brach-Stat automatic

An automatic filament control. Eliminates hand rheostats.
Complete with mounting.
3K2507—For 201-A and similar tubes, 6 V.
List, \$1.00. Net. \$0.59
3K2508—For 199 and similar tubes, 4½ V.
List, \$1.00. Net. \$0.59

Audio Transformers



Thordarson Audio Frequency Amplifying Transformers are built with one primal aim - perfect reproduction. The Thordarson Super

Thordarson Super Transformer is a product of the combined efforts of Thordarson engineers and nationally known tone experts and musicians.

There are more Thordarson Amplifying Transformers in use in leading sets than all competitive transformers combined Ruit. in leading sets than all comp tive transformers combined. B for good musical reproduction.

3K500-6-1 Ratio. \$2.70 List price, \$4.50. Net. 3 x 50 | -3 ½-1 Ratio.
List price, \$4.00. Net. 3 x 502-2-1 Ratio. 2.40 3.00 List price, \$5.00. Net.

Sub-Panel Mounting

The super amplifying transformer is also furnished with leads coming out the base for use in sets mounted on a sub-panel. Provides neater assembly, shorter leads and makes set look like a factory-made job.

Same characteristics as transformers listed above.

List price, \$4.50. Net. \$2.70 3K504-3½-1 Ratio. 24.0 List price, \$4.00. Net. 3K505—2-1 Ratio. 3.00 List price, \$5.00. Net.

New Type R-200



A quality trans-former with unusu-ally faithful repro-ductive powers and a very wide amplifi-cation range. The range. The super-sized core com-bined with the high

inductance primary result in the even-ness of amplification so characteristic of this transformer.

\$4.80 3K506-List, \$8.00.

Speaker Coupling Transformer R-76



Designed as a pro-tective device to keep the high volt-age current of power amplification out the delicate speaker windings. Suitable for use with either UX-171 or UX-210 power amplifiers.

\$3.60 3K507-List, \$6.00. Net

Filament Transformer

This transformer is designed primarily as a filament supply for the various types five volt filament pow-



filament power tubes, and
should be
used on all
power amplifiers employing more
than one power tube (the filament
supply of the R-171 Power Compact is intended for only one

pacer tube).

3K516—5 Volt Fil. Supply Transformer. List, \$5.00.

\$3.00 \$3.00

ELECTRIC MFG. CO

Choke Unit

Intended primarily for use with transformers T-2098 but may be used in be used in the filter circuit of any similar rectifier. It consists of two 30 henry choke coils capable of carrying 130 milliamperes



without heating or saturation of the core. This unit is contained in a crackle finished compound filled case.

3K5 | 2—Choke Unit.
List, \$14.00. Net.....\$8.40

130 M. A. Full Wave Rectifier

Here is a power unit that will satisfy the ever increasing demand for improved quality of reception. A split second-ary 550 volts




either side of center, makes possible full wave of center, makes possible full wave rectification, using two 216-B or two 281 tubes. Current capacity, 130 milliamperes. The low voltage secondary, 7½ volts, will supply two UX-210 power tubes, enabling the use of push-pull amplification in last audio stage.

3K513—List, \$20.00. \$12.00

Net

Output Resistor Kit for 210 Type Power Amplifiers



This special resistor kit is designed for use as a voltage divider for the Thordarson R-210 power amplifier, but may be used in all similar type power supply devices employing the UX-874 voltage regulator tube. This kit contains four individual resistors as follows: One 8000 ohms with a tap at 1200 ohms. two 10000 ohms. lows: One 8000 onms with a tap at 1200 ohms, two 10000 ohms, and one 1000 ohms. Intended to supply 45-90-185 and 400 volts, and in addition, approximately 20 volts grid bias for the UX-210 power

3K514-List, \$4.90. \$2.94 Net

A. C. Tube Filament Supply

The Thorardson Transformer T-2445 is designed r-244b is designed especially for AC tubes. Sec. No. 1; 1½ v. will supply six UX-226 ampli-fier tubes. Sec. No. 2, 2½ v. will supplytwoUX-227 will



Sec. No. 3, 5 volts, two 5-volt power detector tubes. Sec will supply two tubes. tubes. 3K517—List, \$10.00. Net, \$6.00 List, \$20.00. \$12.00

Thordarson Output Choke R-196

of 30 choke henries inductance, 85 milliamperes cur-rent carrying capacity, D.C. resistance of 360 ohms. Suit-able for use either as an output choke or for filter purposes. 3K508-List, \$5.00. Net .



\$3.00

Thordarson Autoformer

The Autoformer is a step-up impedance coupled amplifier amplifier coupled amplifier which embodies all the good qualities of bass note amplifiers with the additional advantage of greater amplification. Three-stage Autoformer amplifications



stage Autoformer amplifications are superior in amplification to four stages resistance coupled or four stages straight impedance coupled amplification. Flat amplification curve over entire range of audibility

3K509-List, \$5.00. \$3.00 Net

Power Push-Pull Transformer and Choke

This arrangement is designed for use for with power tubes only and has sufficient capacity



for all tubes up to and including the UX-210.

Input transformer couples stage

Input transformer couples stage of straight audio to stage of push-pull. Output choke is center-tapped with 30 henries on either side of center tap.

3K510—Input transformer, List, \$8.00. Net \$4.80 3K511-Output Choke. 4.80

Power Compacts

List, \$8.00. Net



The Thordarson Power Compacts R-171 and R-210 are designed as power units for a simple and efficient power amplifier and B eliminator for home construction.

R-171 for operation of Raytheon BH rectifier, 2 filter chokes of 80 milliamperes capacity, five-volt center tapped filament supply for one UX-171 power tube, and 2 buffer condensers. For use with 110 volt, 60 cycle light circuit,

3K518—Complete with 6 ft. cord, 171 pact. List, \$15.00.

\$9.00

\$9.00 Net

Net
R-210 will supply 400 volts for
use with UX210 and 316B tube.
Filament voltage for 216B, two
choke of 80 milliampers capacity,
a. 7½ volt filament supply for UX210.

3K5 19—R-210, with 6-foot cord. List, \$20.00. \$12.00

Fixed ACCURATELY RATED



Condensers

USUALLY SPECIFIED

By-Pass Condensers
In their slivered metal
ases the Tobe Bi-Pass
ondensers are standard cases Condensers Condensers are standard for all by-pass use in radio sets. The Tobe Bi-Pass Condensers are noiseless and unchangeable. Insula-tion is of the order of 150 magahims. megohms.

	Sizes,	List'	Net,
	mfd.	price	each
3K180	0-0.1 .	.\$0.60	\$0.36
3K180	1 - 0.25.	70	.42
3K180	35.	90	.53
3K180	2-1.0	90	.53
3K180	4-2.0	. 1.75	1.03
3K180	5-4.0 .	. 3.50	2.06

Tinytobe Condensers
TINYTOBE Condensers
are made for constant operating voltages up to 500
D.C. They are of extremely
small size—a very valuable
feature in use, because of
the small space often allowed for by-passing condensers. densers.

Sizes,	List	Net,
mfd.	price	each
3K18130001 .	. 35c	\$0.21
3K181400015.		.21
	. 35c	.21
3K181600075.	.40c	.24
3K1817001	.40c	.24
3K18180015 .	.40c	.24
3K1819002 .	. 40c	.24
3K1820005 .	.45c	.27
3K1821006 .	.45c	.27
3K1822 01 .	.55c	.33
3K182302 .	. 60c	36
Y-4-6	70.71.71.4	

Interference Filter
The Tobe Radio Interference Filter No. 1 will handle up to ¼ H.P. on 110 v.
or ½ H.P. on 220 v. D.C.
and is made to reduce interference from oil burners, refrigerators, and all such motors at the source. Provided with 5 leads. 3K1824—Filter. List price, \$15.00. Net, each..\$8.82

use with UX-213 Tube. List product use with UX-213 Tube. \$7.06
\$12.00. Net, each. \$7.06
\$12.00. Net, each. \$7.06
\$12.00. Net, each the product of the produc compact. List price, \$13.00. Net, each ... \$7.65
3K1830—Model 660 for Silver Marshall Unipact. List price, \$12.00. Net. \$7.06
3K1831—B BLOCKS for RAYTHEON A B C POWER SUPPLY using 350 Ma. Rectifier Tube. No. 2 8-1-1.1 Mfd. List price, \$10.50. Net, each ... \$6.18
3K1832—B BLOCKS for QRS A B C POWER SUPPLY using 400 Ma. Rectifier Tube. 16 Mfd. (Requires one 411 and three 401 Buffer Condensers.) List price, \$14.00. Net, each ... \$8.24

Filter Condensers
TOBE Filter Condensers
are made for use in filter
circuits on plate supply
units and in B-Eliminators
and in power amplifiers

and in power amplifiers where the D.C. working voltages run up to 300 volts. The 4.0 Mfd. is especially suitable for use in output devices required with the UX:171. and similar power-tubes. Signs 1 List. tubes. Sizes, List

mfd. pi	rice each	
3 K1806 0.1 \$ 0	0.70 \$0.42	
3K1807-0.25	.75 .45	
3K1808-0.5		
3K18091.0 1	.25 .74	
3K1810-2.0	.75 1.03	
3K1811-4.0 3		
3K1812-2.0x0.1	2.00	
(Duffor)	FO 00	
(Buffer) 1	.50 .89	

400 Line Condensers Higher voltage Condensers, made for continuous operation up to and including 400 volts D.C.

Sizes,	List	Net,
mfd.	price	each
3K1833 1	.82.00	\$1.18
3K1834 2	. 2.75	1.62
3K1835-4	. 4.50	2.65
3K1836-2x0.1		
(Buffer)	. 2.00	1.18

600 Line for Power-Packs This new condenser is designed for continuous operation without the possibility of breakdown in the AmerTran Power-Pack and similar high-voltage power similar night-voltage power amplifier units. This condenser will operate continuously on D.C. voltages from 600 to 1.000 volts.

List Net.


Mfd. List Net, price each 3K1837—0.5 ...\$2.00 \$.118 3K1838—1.0 ... 2.50 1.47 3K1838—2.0 ... 3.50 2.06 3K1840—4.0 ... 6.00 3.53 ..\$8.24 3K1840



POLYMET FILTER AND BY-PASS CONDENSERS A high voltage condenser that will stand up under continuous operating at rated working voltages. Non-inductive type. List price, Capacity D.C. Work Volt. 300 each\$0.60 \$0.36 .70 3K1843- .5 .80 .48 3K1844—1. 3K1845—2. 1.00 1.50 .59 1.50 3.50 3K1846-4. 2.06 List price. Net 3K1847— 1 D.C. Work Volt. 600 3K1848— .2585 3K1849— .585 each \$0.45 3K1849— .5 3K1850—1. .59 .74 2.36 1.00

POLYMET MOULDED BAKELITE CONDENSERS

The very last word in fixed condensers moulded in genuine Bakelite individually tested and inspected, not affected by heat or other outside conditions.



cted, not affected by i	neat or other of	itside
Capacity	List price Net.	each
3K18670004	35c \$	0.21
3K18680001	35c	21
3K186900025	35e	
	grid	
	ips45c	.27
	35c	.21
	40c	.24
	40c	.24
	,60c	.36
	75c	.45
	85с	.50
3K187702	\$1.50	.89

Polymet Mica Condensers
An extremely low loss type condenser guaranteed within 5 per cent of rated capacity and against breakdown at 800 volts.

List Net List Net.

ı	Cap. price	each
ï	3K1853000125e	\$0.14
i	3K18540001525c	.14
J	3K185500015, with	THEFT
ı	grid leak clips35e	.21
ı	3K18560002525c	.14
1	3K185700025, with	
1	grid leak clips35c	.21
1	3K1858000525c	.14
1	3K1859-0005, with	
1	grid leak clips 35c	.21
1	3K186000130c	.18
1	3K186100230c	.18
1	3K1862002530c	.18
1	3K186300550c	.30
1	3K186400650c	.30
1	3K1865007560c	.36
ı	3K1866—.0170c	.42
i		

Polymet Block Condensers
r condenser 3K1879—Tapped at 1-C-1......
2K1880—For R-210 Thordarson. These Blocks incorporate the proper condenser sections for the various eliminators, power amplifiers, etc. Buy the block to suit the purpose.

List Net\$2.00 \$1.18 11 Mfd. 14.00 3K1881—For AmerTran. 8 Mfd. 12.00 3K1882—Raytheon A. B. C. 11 Mfd. 22.50 3K1883—Q.R.S. A.B.C. 18.5 Mfd. 21.00 8.23 7.06 13.23 12.35 3K1878 For Raytheon "B" Elim.

K. K. Vernier Dial

These dials operate clockwise or counter clock, Very artistic. Probably the fastest seller in the market. Genuine Bakelite finely polished. Requires one shaft hole and two small support holes, no gears to wear, no back last. Ratio 14-1, Housing 4 in. by 4% in.

List Net 3K400-Black \$2.00 \$1.18 3K401-Walnut 2.00 1.18



K-K RHEOSTAT KNOB

Polished Bakelite knobs, attractively etched with arrow. sizes

3K402—Black, 1½". List, Net List, 15c.

Walnut, List, 20c. 3K404— 1%". Net 3K405—Walnut. 1½". List, 20c. Net12c

K-K

PLAIN

DIALS

Black

31

31

31

31

31



K-K POINTER

Polished Bakelite with etched Pointer for use on Rheo-stat or condenser with etched dial late.

plate.
3K406—Black. 2¼".
List, 30c. Net, 18c
3K407—Black. 3¼".
List, 30c. Net, 18c
3K408—Walnut, 2¼".
Net, 27c 3K408—Walnut, 2¼". List, 45c. Net, 27c 3K409—Walnut, 3¼". List, 45c. Net, 27c



Bakelite 4" Vernier Dial 180°. No back lash. Pro-vides place for call letters. One hole mount. Template supplied. Very popular. Vernier Dial

1.62 1.62 Gold. Net.... 1.62 Mah. Gold. Net.... Nickel. List, \$2.75. 3K416-0-100. List, \$2.50. 3K417—100-0. List, \$2.50. Net... 1.47 Mah. Nickel. Net... 1.47



3K418-0-100. List, \$3.50. Net. \$2.06 3K419-100-0. List, \$3.50, Net. . 2.06



Marco Rheostat Dial Matches the standard Marco Dial. Black Bake-lite, Size 2", Vernier Type. lite, Size 2", vermer 3K430—List, 75c. Net, 44c



	Black	k	List	Net
K420-2".	Rheo	Dial	40c	24 c
K421-3".	100-0		60e	36c
422—3 ".	0-100		60c	36c
£423—4".	100-0		85c	49c
424 —4".	0-100			49c
	Walnu	t .	List	Net
K425—2".	Walnu			
K425—2". K426—3".		Dial	40c	24 c
	Rheo	Dial	40e 60e	
K426—3". K427—3". K428—4".	Rheo 100-0 0-100	Dial	40c 60c	24c 36c
K426—3". K427—3".	Rheo 100-0 0-100	Dial	40e 60e 85e	24c 36c 36c



BENJAMIN 5 PRONG

New 5 Prong Socket suitable for A.C. Push Type Tubes. Provided with large contact prongs and 5 taps. Cushion type. Will be very popular.

Sub Panel Type. List, 90c. Net.....36c

3K432-

Complete with Base. List, \$1.20. Net . . 71c



BENJAMIN SPRING SOCKET

For New Standard UX Tubes, so old style base except also old style bar UV199. Side wiping. 3K433--Complete Socket. List,

75c. Net......45c



DEJUR SPRING SOCKET

UX Tube Socket. Genuine Bakelite, small and compact. Springs of Phosphor Bronze heavily nickel plated. 3K437-List, 25c. Net 15c

BENJAMIN CLE-RA-TONE

Genuine Bakelite. For large base Vacuum Tubes, will also accomwill modate new standard UX Tubes. Very Tubes. Very Spring sus-pended, shock absorber.



BENJAMEN DIRECT PANEL MOUNT SOCKET

3K434-Each Socket \$1.00


Comes with drill ing Template and four machine screws with nuts for direct panel mounting.

3K435 — For 3/16" Panel. List, 50c. Net30c 3K436 — For 1/4" Panel. List, 50c. Net 30c



590

Made from Anhydrous Bakelite Resins SHEETS TUBES RODS



GENUINE BAKELITE PANELS Highest quality, will not warp. ill not chip. Finest natural Will not chip. polish. Black or walnut

3/16" Thick Panel 3/16" Thick Black Size Walnut 3K2400 \$1.25 7x12 3K2408 \$1.44 3K2401 1.46 7x14 3K2409 1.69 3K2402 1.88 7x18 3K2410 2.17 3K2403 2.19 7x21 3K2411 2.55 3K2404 2.50 7x24 3K2412 2.90 3K2105 2.7 1 7x26 3K2413 3.14 3K2406 2.92 7x28 3K2414 3.37 3K2407 3.13 7x30 3K2115 3.62

BLACK BAKELITE SUB-PANEL 3/16" Thick

No.	Size	Price
3K2416	7x17	\$1.77
3K2417	7x20	2.09
3K2418	7x23	2.41
3K2419	7x25	2.63
3K2420	7x27	2.84
3K2121	7x29	3.02
3K2422	9x23	3.02
3K2123	9x25	3.29
3K2424	9x27	3.56
3K2425	9x29	3.86
3K2426	10x23	3.30
3K2427	10x25	3.58
3K2428	10x27	3.86
3K2429	10x29	4.15

SPECIAL SIZE PANELS
Bakelite Panels can be
supplied in any size and
thickness, either Black or
Walnut. Special panels
must be pald for in advance (not C.O.D.), and must be party vance (not C.O.D.), and are not subject to exchange.

Per sq. in.

Black Walnut 1/8" thick 11/4 c 13/4 c Minimum charge, 50c.

PANEL ENGRAVING
You may have your panels engraved in any style
or manner you desire. Always send exact layout carefully lettered. Price per letter or figure, 5c. Straight Line Borders count one letter to 6" or

Engraved panels are not exchangeable if according to layout submitted.

Minimum charge, 50c.

BASEBOARDS

Made of good quality ply wood about %" thick. Any size can be supplied at approximately 25c per

No.	Size	Price
3K2430	9x17	36c
3K2431	9x20	45c
3K2432	9x23	50c
3K2433	9x25	54 c
3K2434	9x29	63c
3K2435	10×17	39c
3K2436	10x20	48c
3K2437	10x23	54 c
3K2438	10x25	59c
3K2439	10x29	68c

BAKELITE TUBING Genuine Bakelite Tubing, natural color. Pieces cut 3" long, wall 1/16" thick. Inside Price

Dlameter Each 3K2457 12c 14c 18c 1 ½" 2" 2¼" 3K2458 3K2460 19c 21/2" 23/4" 20c 21c 22c 23c 24c 25c 3K2461 3K2462 3K2463 3 1/4 " 3K2464 3 1/2" 3 3/4" 3K2465 3K2466 3K2467 26c

Tubing any length and any diameter can be supplied at prices in proporplied at prices in proportion to those above. Minimum charge per order of special tubing, 50c.

Drilled and Engraved Bakelite Panels for



Popular Kits

Gold decorated and correctly drilled front panels and correctly drilled Sub-Panels for the popular sets featured in leading Radlo magazines. Net Net \$3.34 3.56 3.33 4.33 3.54 4.147 4.56 4.66 3.63 \$5.68 6.00 6.90 5.65 5.68 $6.00 \\ 6.70$ 7.00 7,60 6.90 6 50 6.50

We can supply decorated and drilled Panels and Sub-Panels for any popular Kits whether listed above or not. If not listed allow us two days to have engraving done to order.



HARD RUBBER PANELS

Panels These the very best quality made by the Hood Rubber Co. Guaranteed against defect. Finely polished, will not warp. Insulates your Receiver; will not chip when machined. Supplied in Black, and also combination Walnut one side, Florentine on the other side, panels 3/16" thick.

-Black Price Size 3K2440 3K2411 3K2142 \$0.53 .59 .67 .79 7x 9 7x10 7x12 3K2443 7x14 3K2444 7x16 3K2445 1.18 3K 9146 7×21 3K2447 3K2448 3K2449 7x24 7x26 7×28 3K2450 7×30

Combination		and	
No.	Size		Price
3K2451	7x18		\$1.21
3K2452	7x21		1.41
3K2453	7×24		1.61
3K2454	7×26		1.74
3K2455	7x28		1.88
3K2156	7x30		2.00

Vee-Dee Metal Panels
Beautifully decorated Stock Metal
Panels. By using a metal panel
you complete the shielding of your
set. These panels are easily drilled
with ordinary breast drill. Walnut finish decorated with Gold
lined Border.

	- 02 0 - 1		
No.	Size	List	Net
3K2468	7x18	\$2.15	\$1.27
3K2469	7x21	2.50	1.47
3K2470	7x24	2.85	1.68
3K2471	7x26	3.05	1.80
3K2472	7x28	3.30	1.95
3K2473	7x30	3.55	2.09

You can reduce the price of the popular Kits shown in this catalog by substituting a decorated stock metal panel for the Bakelite Panel listed and drilling it yourself.

LIGNOLE PANELS



Lignoie is the beautiful new insulated Radio panel wood di-electric and moisture resistant. Here you have the natural wood color. Very artistic for the high class radio set. Two-Tone Lignoie with beautiful inlaid separation border. Walnut Flnish Lignole is the beautiful new in-

	wainut .	E TITTESTI.		
1	No.	Size	List	Net
ì	3K2488	7x18	\$6.52	\$4.47
1	3K2489	7x21	6.94	4.76
ı	3K2490	7x24	7.36	5.05
i	3K2491	7x26	7.64	5.24
ľ	3K2492	7x28	7.92	5.43
ı	3K2493	7x30	8.20	5.63

Lignole panels can also be supplied plied in plain, or maitwo-tone without inlay. mahogany, or

Belden Aerial Wire



Beldenamel aerial wire consists of individual enameled wires braided together. Enamel is baked on, prevents corrosion. Very high grade wire.

3K2601—Stranded 100-ft. roll. \$1.00 3K2602—Stranded 150-ft. roll. 1.50 2K2603—Solid enameled 100-ft. Net 64 c 96 c 1.15 73c

SK2604—Stranded bare wire, 100-ft. roll
3K2605—Solid bare wire, 100-ft. .65 42c



Insulators

3K2615-Each

your thumb, in-sert wire, remove pressure and wire

is firmly held Releases in

Releases in-stantly. Specified in many popular circuits. Very

popular. Following

3K2657-A+ B List, each, 15c.

of high grade dielectric value; will not accumulate dust or List Net.

3K2614—Each25c 15c

Porcelin Insulators
White porcelain, deeply corrugated
to prevent leakage. 3% inches long
by 1½ inches diameter.

X L Binding Posts
A binding post
that is unusually
different. Push
it down with

Light Socket Aerial

Every outlet an aerial; consumes no current; absolutely safe. Listed by board of fire underwriters.

3K2610-List, \$1.00. Net, 64c

Brach glass

insulator is

List . 10c

80c

Belden Aerial Kit



Contains all essentials for mak-Contains all essentials for making complete aerial-insulation. Very high grade material. Lit contains: 100 ft. bare copper aerial, 50 ft. Belden solid leadin wire, 1 Belden lightning arrester, 1 ground clamp, 1 15-inch leadin strip, 2 porcelain insulators, essential hardware, 1 instruction book.

3K2600-List, \$2.50. Net.....\$1.47

Marco Tape Aerial



This high grade stranded aerial wire is very flex-ible. Can be placed behind picture molding



placed behind picture molding and used as inside aerial.
Stranded and insulated. Equivalent to 400-ft. single strand.
3K26||-List, 60c. Net, 39c.

Lightning Arresters



Arrester furnished in a neat mould-ed base and may be mounted within the building or on the set. Very highest grade and safest arrester for home use, \$100 insurance guarantee. 3K2616—List, \$1.50. Net. 96c

Belden Arrester



Non-Air gap type. Body of heavy porcelain, weatherproof. Approved by Board of Fire Underwriters. List Net

3K2637-Each85c 54 c

Muter Arrester

Brown porcelain shell 8½" long, 1½" wide, sturdy and reliable. Alr-Gap type positive in action. Approved by Underwriters' Laboratories for outdoor or indoor use. List Net

3K2638-Each 35c

Lead-In Wire

Designed especially for use as lead-in and ground wire. The insulation is readily removed and the tinned copper is easily soldered. Rubber



3K2606-Stranded wire, .64c



Window Lead-In

A high grade lead-in. Provides a reliable and simple method for bringing the aerial into building, avoids cutting holes in walls. Extremely flexible, phosphor bronze spring ellps. 3K2608-17" long, %" wide. List, 35c. Net. 2 C 3K2609-15" long, \(\frac{1}{2} \) wide. List, 25c. Net. 15c

Ground Clamps



high grade material. 3 R 26 | 2 List, 15c. Net

10c

The Ekko Clamp
clamp is easy to
use. Screw the
ground wire to
clamp. Attach
the clamp to the
nearest pipe. Insures positive
contact. Most nearest pipe. Insures positive contact. Most popular clamp in use. 3K2613—List, 25c.

Net ...15c

Eby Binding Posts



3R2617—PLAIN 3K2618—ANT. 3K2619—GND. 3K2620—

3K2621 A-BAT. -

Net

10c

X L Binding Post Strip

10c



Handsome polished panel with gold mounted push poets with white engravings. Aerial, ground, A—, A+, B—, B+, Det., and B+ Amp. 3K2658-List, \$1.50. Net.....



X L Vario Densers Genuine Bakelite casing, all metal parts, phosphor conze nickelplate. For use in popular circuits.

List Net

bronze nickelplate. List Net .\$1.00 64 c 3K2659—Model N. 1.8 to 20 mfd..... 3K2660—Model G-1. .00002 to .0001 1.50 960

3K2661-Model G-5. .0001 to .0005 1.50 96c 3K2662-Model G-10. .0003 to .001 1.50 96c

200



RELDEN Magnet Wire

We have in stock a complete assortment of Magnet wire, suitable for all kinds of exper-imental and radio work. One-plece only on spools. Prices quoted are for 8-oz. spools. Sizes are standard B&S. Be sure to state size of wire and article number.

			rt. per
Double cotton	Double silk	Wire	8-oz. spoc
white	green	size	DCC
3K3200	3K3201		
Prices	Prices		
net	net		
per spool	per spool		
28c	49c	18	90
31ć	54c	20	149
35 c	64c	22	232
37 c	74c	24	356
49c	89c	26	540
61c	\$1.08	28	815

Tinned "Bus" Bar



Cut Into two-foot lengths

Cut Into two-foot lengths	List, 90c. Net60c
10 lengths 100 lengths 3K3207—Round13c \$1.20 3K3208—Square15c 1.30	twisted. 25-ft. coils in
	above. State color desired.
13.26 14 tittled copper wife. Used for Wir-	3K,32 10 - Fer DOX OI 23. LAST, 800
ing sets; handy and easy to solder.	Net59c

Colorubber Wire



and wps set wiring.
The flexi-ble wire
makes fitting easy. The rub-ber insulation pre-vents ac-cidental short cir-cuits. The

wire

Celatsite Wire

A superior radio busbar made of No. 14 copper wire with a non-in-flammable in sulation. Bends without cracking. Moisture proof and has high insulating value. Specify color destred—black, yellow, red, green and brown. Solid cut in 30" lengths. All colors. 3K 3209—10 lengths. List, 90c. Net.... 60c.

Belden Litz Wire



Consists of many strands of fine Beldenamel wire, cabled together and protected by double serving of green silk. Each strand of Belden Litz Wire is enameled separately. The ideal wire for winding low loss coils.

3K3202—100-ft. spools. List, \$1.00. Net.....64c

Belden Loop Wire




This flexible covered wire is ideal for winding radio loops or for indoor aerials. The non-stretching feature makes it especially suited for radio loops.

3K3204- Same as above except has double serve of brown cotton. 125-ft. spool. List, \$1.00. Net....64 C.

3K3203-Brown silk. 65 strands of fine copper wire

strands of fine copper wire with one serve of cotton and a braid of brown Rayon overall. 125-ft. spool.
List, \$1.75. Net...\$1.11

Benjamin Coils



The Benjamin "Lekeless" Transformer has uniformly high inductance, low distributed capacity and low resistance. Can be used in any type of tuned radio frequency circuit or with more than two steps of radio frequency. Especially desirable for single control. Designed to be used with .00035 Mfd. condensers. Range 200 to 550 meters. 3K332|1-Set of three colls. List, \$7.50. Net. \$4.78

Bodine Twin-8 R. F. Transformer



A new type of closed field coll to improve all types of tuned R.F. sets. Field designed to have very high am-plification. Easy to assemble, strong and compact. Mounting brackets in-

3K3212—Set of three coils, .00035. List, \$6.00. Net.....\$3,83 3K3213—Set of three coils, .0005. List, \$6.00. Net.....\$3.83

R. F. COILS


8 ACME ATSIT WIR



Small tuned ra but Small but efficient tuned radio frequency coll; only 2" in diam-eter. Wave length range 200 to 550 meters when used with .00035 mfd. condenser. Packed three in a box, complete with mounting strips.

3K32 14-Set of 3 coils. List, \$2.00. Net, \$1.17

Formalite Radio Frequency Coils



3" in diameter and 2½" long. To be tuned with a .00035 mfd. condenser; wave-length range 200 to 550 meters.

3K3215-Set of 3 coils. List, \$5.00. Net, \$2.67

Baby Solenoid Coils



This coll is the latest designed radio frequency transformer wound on 1½" Formalite tubing, machine spaced No. 28 enameled wire. Designed to be used with .00035 mfd. condensers for wavelength range of 200 to 500 meters.

3K3216—Set of three coils complete with mounting brackets. List, \$3.00. Net. \$1.77

3 Circuit Tuner



Wound on 3½" diameter tubing, 2½" long with nickel plated one-hole mounting bracket and hardware. 200 to 550 meters with .0005 mfd. condenser

3K3217-List, \$2.00. Net, \$1.18

Flat Type R. F. Coils



These are highly efficient low loss radio frequency transformers wound it well-known spider web fashion. Range 200 to 550 meters when tuned with .0035 mfd. condenser.

3K3218-Set of three complete with mounting brackets. List, \$1.75. Net..... Nct

Strobodyne Coils



Designed especially by R. E. L. for Strobodyne Receiver featured by Radio News. Four coils required.

3 X 32 19—Type F with base.
List, \$4.50. Net.....\$2.87 3K3220-Type F without base. List, \$4.00. Net. \$2.87

MILLER-WELLES CO., Chicago, Ill.

Consrad Publications

25c Books
These books are carefully writen so that persons not having technical knowledge can easily

understand them.

3K3602—Tips for Radio Amateur Constructor.

3K3603—How to Make Practical Radio Receiving Set.

3K3604—Radio Frequency Amateur

plification.
3K3605—How to Make Loud Speakers.
3K3606—How to Tune Your

Radio Set. 3K3607—150 Radio Hookups. 3K3608—All about Radio parts. 3K3608—All about Haddo parts.
3K3609—History and Operations of the Vacuum Tube.
3K3610—Neutrodyne; All
About It.
3K3611—Radio News Trouble

Finder. 3K3612—Reflex Radio Receiver.

Price, each17c 3K36 | 3—How to Make a Wave Trap and Clarifier.

50c Diagram 3K3614—How to Make a Neutrodyne. Net

50c Books
3K36|5—Radio News Amateur's Handibook.
3K36|6—1001 Radio Questions

and Answers.

3K3617—Radio News Super-Heterodyne Book.

3K3618—Television.

Net, each

PLUGS



Yaxley Plug

Neat appearing with polished bakelite handle. Shorting im-possible. Duplex plug screw possible. Duplex plug screw terminals, coin slots and tie cord

3K3619-List, 50c. Net



Made of high qualty compo-sition. A good servceable

32 c

plug at a Net 21c reasonable price. 3K3620—List, 35c.

De Jur Plug



Small in size, neat appearing. b o d y o f high grade insulation

prevents shorting material or -List, 25c. Net, 15c leakage 3K3621-



Exceptionally well made plug. Holds wires criss crossed so they can not be jarred, thus preventing disturbance.

3K3622-Black. 30cList. 50c. Net 3K3623-Mahogany, 30cList. 50c. Net .

Radio Encyclopedia



back's radio encyclopedia the only standard w o r ever published in America atto classify

phabeti-cally the countless words used in the highly specialized science of Radio. The encyclopedia is written in plain English so that everybody can understand the definitions and descriptions. The work contains 1,930 definitions, 549 photographs, drawings and diagrams. diagrams

List. \$2.00. Net.

stations RIphabeti-

the world, a wonderful picture section beaut ifully llustrated construction articles showing how to build all of the latest circuits. We always supply

the latest copy

3K3600-List price, 50c. Net

Citizen's Call Book



Used the World Over

32c

Reliable Detectors | Howe Crystal Set Wind di

Atomite has no equal for uniform loudness all over. By selection of best materials and high selection of best ma-terials and high grade workmanship we supply the buyer with what he ex-pects and demands. The same quality that makes for loudness in Atomite gives it long distance reception.

3K3624--Galina. List. 25c. Net, 15c 3K3625-Silicon. List, 50c. Net, 30c

It is not a toy! The Howe was designed by practical radio experts; it is abso-lutely trouble and foolproof. Requires no batteries—has no exposed wires. As

\$1.47

many as eight people can 'listen in' at the same time. The metal case is finished in beautiful ar

grade crystals are used. Stations can logged by numbers. It is a significant that radio broadcasting stations use this ceiver to test how their programs are "cing through."

3K3632—Set as shown. List, \$1.75. Net.

HOWE RADIO RECEIVER finished in a beautiful antique verde. Binum beautiful antique verde. Only the highest riveted and can't pull out. Only the highest riveted and can't pull out. Stations can be stanfficant fact

\$1.03

Midget Switches





speaker cord Connects extension cord so speaker can be moved any distance from set. 3K3630—List, 35c. Net, 22c



Brach Shock Proof Plug, In su-

to withstand high voltages for Loud Speakers. 3K3633—List, 50c. Net

NION FIXED DETECTOR Guaranteed to bring in loud signals on crystal sets and on reflex sets where excessive voltage is not used.

3K3626—List, \$1.00.

60c Net

Specifications: Black molded Bakelite base. Highly nickeled brass contacts with moulded insulated handles. Specially adapted for connection of battery cir-

ed for connection of battery cir-suits with surface mountings. Single Pole Double Throw Base 2½" long, %" wide. Packed in individual boxes. 3K3627—List, 60c. Net. 36c Double Pole Double Throw Base 2½" long, 1¾" wide.

Base 2½" long, 1¾" wide.
Packed in individual boxes.
3K3628—List, 85c. Net. 51c

Triple Pole Double Throw Base 2½" long, 2" wide. Packed in individual boxes. 3K3629—List, \$1.25. Net, 74c

Hazleton Distance Getter



Remarkable results in effecting longer dis-tance range ac-

complished.


Easy to Connect. No Technical Experi-

simple connections to be made which can be done in a minute's time. No internal changes in the wiring or hook-up of the radio need be made. Immediate results are noticed from the instant your distance getter is connected.

3K3631—Net 75

RADIO TOOLS—SCREWS—SOLDERING IRONS

BRASS SCREWS Polished Nickel-Plated Heads



threads Gross Length

3K3700-3K3701-3K3702-1 1/2 inch.

Round-Head Machine Screws Size 6-32 threads to inch. Gross Length inch. $-\frac{1}{2}\frac{1}{2}$ inch...

Flat-Head Machine Screws
Size 6-32 threads
to inch. Gross Length 3708-3709-3710-1

inch 89 c


Oval-Head Wood Screws Proper size for radio work.
Sizes 6 and 7. Gross Length 3K37 11-1/2 inch......59c 3K37 12-3/4 inch......81c

Round-Head Wood Screws Proper size for radio work. Size 5 and 6. Gross Length

....61c67c73c inch. inch. inch inch.....81c Flat Washers

Brass, nickel plated. Fit size 6 screws. 3K371731c

Hexagon Nuts Brass, nickel plated. Chambered and countersunk for assembly it all size 6 screws tersunk for a Fit all size 6 threads to inch. with 32 the 3K3718-Gross



Package of 25.15c 3K3720 Flat lugs with two holes makes soldering easy.

Solderless Lugs

Similar to lug above. Very handy for small connections. Requires no solder.

3K3721-Package of 50.25c



Radio Screw Assortment

Assortment of wood screws, ma screws, nuts and washers for radio

3K3723-List price, 50c. Net 29c Screw Drivers



Blade

Counter Sink



For shaping holes in any kind of panel. List Net 3K350420c 15c

Reamer



Socket Wrench Set 880

Contains 5 sockets, ¼", 5/16", %", 7/16". List Net 3K350675c 456 45c

Radio Wrench Set



For all hexagon nuts. weenches in leather case. 1/4", 5/16", 3/6", 7/16", 3/6 odd size jaw. List 3K350725c e. Sizes 17c

Center Punch



To mark panel to start drill point. Makes drilling easy and accurate. List Net 3K350815c | Oc

Scriber

Lays out panels ac Insures neatness. List 3K350925c accurately. 17C

"Crow Bill' Pilers



Long thin nose for all radio-electrical work. Make all points accessible. Makes perfect eyelets.

List 3K3510500 33c

Radio Nut Forceps



For a perfect grip on all sized hex and square nuts. Fine for cotter pin work or for knurling. Nicely finished. List Net Nicely finis 39c AMERICAN BEAUTY IRONS



This well-known iron has proved its worth over years on the market. Sizes shown are for light and medium work. Ideal radio sizes.

-100-watt; tip %"....\$8.00 -200-watt; tip %".... 9.25 \$5.83 Extra Tips

3K3514-3K3515--3/8" -5/4" .45 1.20 WHITE BEAUTY IRONS

Will not burn out. 6-ft. cord. Furnished with two tips. Guaranteed for one year. 110-volt. Any voltage supplied on request. List Net 110-volt. Net \$2,11 \$3.50

BRACH JR. IRON Specially designed for radio work, 115 volts. %" pencil tip. 3K3517-List,\$2.00 Net\$1.18 \$2.00

KESTER ROSIN CORE RADIO SOLDER



SOLDERALL

SOLDER-ALL Complete metal solder and flux om bined. s m a l quantity applied to joints to be soldered when heat-

ed will unite parts same as wire or bar solder. In collapsible tubes.

3K3521-

25c List Net -17c

VISE Almost a necessity to radio set builders; made of certified malleable iron castings; unbreakable, width of jaws, 2½"; opens to 2¾"; weight, 4 lbs. 3K3522—List, \$2.00. Net...98c


TAP AND DIE SET

RADIO

Contains taps and dies for 4-36, 6-32, 8-32, 10-24, 14-20, also adjustable tap wrench. Designed for radio work. With fine wooden case.

3K3523-List, \$9.00 Net. \$5.73





Walnut Two-Tone Cabinet

Beautifully finished and decorated cabinet at a very low price. Panels on top and sides genuine dark walnut on light colored walnut panels, outlined by inlaid gold striping. Full length nickeled plano hinge ends, grooved for panel. Cabinet solidly built, 10 inches in denth behind name! panel. Cabinet so depth behind panel.

Catalog No.	Panel Size	List Price		
6K5214	7x18	\$11.00	\$5.79	Weight 16 lbs.
6K5215	7x21	12.00	6.52	18 lbs.
6K5216	7x24 7x26	13.00	7.59	20 lbs. 21 lbs.
6K5218	7x28	15.00	8.09	22 lbs.
6K5219	7x30	16.00	8.72	23 lbs.



Console Speaker

Can be used in any standard console air col-umn 60 inches. Bell, 6"x15"; Depth, 10½". Will take standard units.

Without Unit

List, \$9.00. Net, \$5.29 3K5174-

Low-Boy Horn



For low model console speaker compartments. Bell, 12" by 6%"; Depth, 5%". Uses standard speaker inits.

List, \$5.00. Net, \$2.94



Radio Tool Chest

Contains 10 practical tools designed by men who knew exactly what was required for Radio work. Complete in attractive dark blue and work. Co

3K3575-List, \$3.00.

\$1.96



Two-Tone Battery Table

Very attractive battery table finished in twotone genuine wainut. Dark wainut panels outlined by gold striping on lighter wainut background. Front has appearance of two doors.
Back left open to give free access to batteries.
Top is of selected gum wood, hand-rubbed to a
finish, having appearance of solid wainut.
Height, 30": Top. 16x30"; Inside Depth, 13%";
Height, 14%"; Width, 25%.

6K5220—List price, \$18.00.

6K5220-List price, \$18.00.


SuperPhonic Horn



Designed in line with the new "Orthophonic" principle this horn produces remarkable tonal quality. Air column and tone chamber measure of the third during the column and tone chamber measure of the third during the column and tone chamber measure of the column and the column umn and tone chamber measure 6 feet, but due to proper scientific construction, horn measures over all 15"x15"x12" deep. Will reproduce with quality all notes of the audible scale without vibration or chatter. Will take all

or chatter. Will take all standard units.

3K5175—Each.
List, \$14.00. Net.. \$8.23



"UTAH" Piano Speaker

For Baby Grand or Upright Plano. Powerful nickel finish Utah unit, ready to attach to sounding board of your piano. At once converts it into a powerful high grade speaker at very small cost. Equipped with 25-ft. cord. The very latest "Utah" success.

2K2765—List price, \$10.00.

\$5.88

Learn to Recognize Good Furniture

Look into the furniture you sell. The construction—see that solid and firm material is used, that all shelves are grooved into the ends, and that ends are grooved into bases and top.

Then look at the finish. Has it depth of body? Is it smooth as glass? Is it uniform in color? Is it finished so that you would have it in your living room alongside a piano if need be? Your customers deserve this consideration and they will have it if you as a dealer are to prosper and Do not be satisfied with price alone.



The "Arlington" Model 869


Truly a wonderful piece of cabinet work. Genulne walnut, figured in butt walnut plywoods. Arched doorways, arched satinwood panels, bold overlays in relief with hand-painted polychromed carvings as center motifs. Beautifully finished. The finest radio console we have to offer. Width, 53"; height, 45"; depth, 18". Complete with Ortho type air column horn and Baldwin Unit. Takes up to 24" panel. Has standard loop compartment. Will house any power pack or eliminator. 6K5209--List, \$250.00. Net.....

The "Seville" Model 208

The new redesigned "Seville" houses the Ortho type air column horn. Marvelous Spanish design, a real treat to the eye. Finished in matched butt walnut. Antique brass finished Spanish hardware, richly ornamented by a series of mitred return mouldings and spindle carvings. Complete with Baldwin unit. Takes up to 30" panel. Width, 36"; height, 42"; depth, 18".

6K5210-List, \$140.00.

"FRITTS" Super-Quality Cabinets



Carved Solid Walnut Cabinet

This cabinet is solid walnut and is of the same igh quality which distinguishes the entire This cabinet is solid walnut and is of the same high quality which distinguishes the entire Fritts line. The decorations are polychromed. Top and sides slightly raised with panel effect. Nickeled piano hinge and lid stay. Made to take standard 7" panel. If an 8" panel is used, it is only necessary to remove the top panel decorative strip. All cabinets 8" high inside by 12" deep from panel to back.

~	Panel	Shp. wt.,	List	Net
Cat. No.	size	crated	price	price
6K5221.	7"x18"	40 lbs.	\$21.00	\$12.35
6K5222	7"x21"	40 lbs.	22.00	12.94
6K5223.	7"x24"	45 lbs. 45 lbs.	22.50	13.23
6K5225	7"x28"	50 lbs.	23.50 24.50	13.40
6K5226.		55 lbs.	26.50	14.24
			10.00	1 7 . 2 . 7

We also carry Fritts Super Cabinets and Super Consolette at correspondingly reasonable prices.



The Super Table is very attractive and a beautiful addition to any setting. Is especially designed to match the Standard Super Cabinet at the left and provides a perfect combination in color and workmanship. All decrations are slightly polychromed and diamond inserts on front doors are genuine buried walnut. Top, sides and doors have raised panel effect. Hardware, antique brass, Is suitable for cabinets using up to 30" panels. Dimensions: Top, 35"xi5½"; helght, 32". Inside dimensions of compartment: 14½" deep by 30" long by 10½" high. Shipping weight, crated, 75 bs.

6K5230—List price, \$52.50. Net....\$29.40

FINEST RADIO FURNITURE MADE

These HIGH GRADE Consoles and Cabinet Speakers have been chosen by us because we believe them to be the BEST FURNITURE VALUES available in the United States.

These cabinets, when equipped with large Newcombe-Hawley Horn, will accommodate all standard-A, B and C batteries, and all standard B Eliminators, but will not accommodate the large A, B. and C power supplies, such as Phileo, Balkite, etc., or motor generators. If you wish to install these, it will be necessary to state so on your orders, and a special Horn will then be installed permitting this extra space.



THE "INTERMEZZO"—Model 212 Created in direct response to a demand for a Cabinet of strictly Orthotype design, the Inter-mezzo has already achieved a popularity that is amazing.

mezzo has already achieved a popularity that is amazing.

The two doors are of the most select matched Butt Walnut, and made in perfect pairs. Arch design carved into the face of the doors gives definite outlines for the rich shadings, done by air brush. The center carved medallion sets off the beautiful antique Brass Pull in a manner that must be seen to be appreciated.

The corners of the cabinet have been cut out at angles and a heavy carving of acanthus leaves forms a drop that is very pleasing.

In the interior the scroll with its turned columns forms beautiful colonnade set off by neutral colored silk. Wonderful radio music pours forth from the genuine Newcombe-Hawley Orthotype Speaker mounted within.

Outside Specifications—Width, 30 ins.; Height, 42 ins.; Depth, 20 ins.

Battery and Speaker Compartment—Width, 26 4/4 ins.; Height, 25 ins.; Depth, 15 ins.; Depth, 15 ins.; Depth, 15 is.

Depth, 15½ ins.

Will house the average requirements of power units

6K5200 Selling pric rice. Net \$73.50

THE "CARAVEL"—Model 218
The CARAVEL, while distinctly Spanish, is not freakishly so; wrought iron stretchers have been purposely
avoided as have gaudy colored polychroming.
In this charming creation have been combined two
very popular features: First, from point of beauty, the
Spanish design, with its antique wrought brass hinges
and hardware, with its carved twists and the beautiful
Spanish finish; second, the Orthotype construction,
embodying the long air column horn, bringing forth
the entire tonal register.
The CARAVEL, as you know, is the Spanish Treasure
Ship, and truly this creation is a treasure ship, bringing to you the rarest treasures of entertainment.
Outside Specifications—Width, 28 irs.; Height, 43 ins.;

Outside Specifications—Width, 28 ins.; Height, 43 ins.; Depth, 19 ins. Set Compartment—Width, 24 ins.; Height, 9 ins.; Depth, 15 ins.

15 ins.

\$88.20





THE "NEWHALL"

A speaker cabinet equipped with a genuine Newcombe-Hawley long air column Horn and powered with a genuine Orthotype Baldwin unit.

Produced in beautifully finished Adam Brown Mahogany. The Top, Front and Ends are genu-ine 5-ply mahogany and the solid parts, such as Legs, Rails and Pilasters, are quarter-sawed Red Gum.

You cannot produce a better toned speaker cabinet, no matter what price you pay, as this has the same horn as is used in \$250.00 list cabinets.

Battery and Speaker Compartment will house the average power units. Height, 30 ins.; width, 32 ins.; Depth, 18 ins.

6K5202-Selling price, \$65.00.



6K5203-List price, \$35.00.

THE "LOWBOY" Model 20

At Left The origi-The original type of
console, simple of design, very
well made
and beautifully finished. Occupies little cupies little space but space but room for all radio requirements. Design an adaptation of Hepplewhite with hand-rubbed Adam



List \$45.00

Net

The "SUPER" Model 25

Staunch dependable cabinet. Top and front 5-ply mahogany; balance of selected hardwoods. Adam Brown mahogany finish Will and gold striping. and gold striping. Will house set up to 32" long or 24" with inside speaker. (No speaker or 24 speaker. (No speaker supplied. See page 43.) Superhetero-Ideal for Superhetero-dynes. Outside width 36"; height, 38"; depth, 16".

6K5205-...\$45.00

\$26.46 Net

The "HIGH-BOY" Model 31

This popular design will be a very fast seller this year. Top and front of 5-ply mahogany, balance selected hardwoods with hand-rubbed Adam Brown mahogany finish with gold striping. Equipped with speaker horn (no unit; see page 22). Will accommodate set up to 28" long, outside width 30"; height, 42"; depth, 18". Mounting panel supplied. Top lifts for access to set.

6K5206-Last\$48.00 \$28.23

BATTERY CABINET—Model 11

Net \$2646

To be used for smaller sets having cabinets less than 28" in length. Hand-rubbed Adam Brown mahogany finish with gold striping. Ventilates at the rear. Width, 30"; height, 29"; depth, 16". \$13.53

6K5207 List, \$23.00.




THE "SONATA" Model 38

Model 38
At Right
ORTHO-TYPE
SPEAKDR Console. Heautifully
finished. Has air
column horn and
Baldwin Unit.
Speaker scroll
backed by neutral silk. Battery space for
average radio requirements. Top
and front 5-ply
mahogany. Takes
panel up to 22".
Outside width.
24"; height, 40";
depth, 21".

6K5211—
List \$100.00

Net, \$58.80





HOLD-HEET and REX APPLIANCES

GUARANTEE HOLD-HEET - 2 Years

Rex Heeter

an artist. Dark mahog-

plated and polished

locking in place. Separ-

able plug back of heat-

er. Inverted cone element. Very rugged, 110

any bronze finish.

A heater designed by

Nationally Advertised



Hold Heeter



A beautiful smooth bowl beater Solid heavy 13 %" copper bowl Case Iron Base. Finished in mahogany bronze. Separable cord connection back of heater. Invert-ed cone shapes wire element. Spreads heat over wide area. 110 v. or 220 v.

4K3300-110 V. List, \$6.50. Net. each

4K3302-List, \$4.85. Net

volts

\$2.86



Rex Aluminum Percolator

Finely constructed of high grade aluminum. Has steel sheathed heating element which can easily be removed or renewed. Pumps only wawithout ter, assuring coffee wi bitter element. Very at tive. 7½ cup size. 110 attrac-

List, \$4.25. Net.... \$2.50

Hold-Heet Nicalume 9 Cup Percolator The biggest

market nickel plated percolator. Finished in sparkling easy - to- clean Nicalume. Substantial rugged con-struction throughout. 4K3304-List, \$8.50. Net



Hold-Heet Percolator Set



Beautiful 4 piece set consisting of 9-cup perheavy colator. round nickel finwith sugar and creamer set.
Works on hot water principle.
An ideal

An ideal item for a gift. Pan-eled Nicalume per-

extra large gold lined Creamer and

\$10.15 4K3305 Net..... List, \$17.25.

DeLuxe Hold-Heet Waffle Iron

The most beau-ful Waffle Iron The most beau-tiful Waffle Iron on the market. Makes full size waffles. Drip catcher on edge of plates and large base acts as tray. Octag-onal ebonized handles. Shell of

handles. Shell of heavy brass beautifully etched and finished in high polished nickel plate. Base 9%". 110 volt.
4K3306—List, \$12.00. Net...... 5%" high \$7.06



Medium priced Toaster medium priced Toaster of high quality. Full polished nickel throughout. Insulated feet and handles. Heating element distributed to insure even toasting. Size 74"x4%"x64". 110 volt.

4K3308-List, \$3.50. \$2.06 Net



Hold-Heet Grill Stove Biggest grill value on the market. Large enough for



ried by travelers yet unbreakable. 4K3307—List, \$2.95. Net.....

Detachable Detachable
plug. Insulated handles.
Heavily
nickel plated.
Light and
easily carSize 5"x9"x3". \$1.74

Hold-Heet Immersion Heater

This Heater is light, of convenient size, very quick heating, and serves innumerable purposes. Most economical and rapid method of heating a glass of liquid, baby's milk or shaving water. 4**K3**309

List, \$3.75. Net



Nickel plated, 3/16"x6",

\$2.21

Most Practical and Convenient Method

Jones MULFE PLUG THE STANDAR OF CONNECTOR

With Four Foot Cable

(8 ft. Cables on Request at Slightly Higher Price)

T NOTE OF	Multi-Plug Sub-Panel Mount Base Bracket		Multi-Plug Bind. Post Socket	Cable with Wall Box Socket	Extension Multi-Plug	
7 Contact	3 K 300 I — 2.25 1.33 3 K 300 2 — 3.00 1.77	3 K 3005 — 2.50 1.47 3 K 3006 — 3.25 1.92	3K3009— 2.75 1.62 3K3010— 3.50 2.06	3K3014— 2.25 1.33	No. List Net 3K3016—\$3.00 \$1.77 3K3017— 4.75 2.80 3K3018— 6.00 3.53	

WE ANNOUNCE

The Revolutionizing New Radio Tube Soon to be on the Market

Will Eliminate "A," "B" and "C" Batteries.
Will Eliminate "A," "B" and "C" Eliminators.

Will Eliminate entirely all external Electric Interference such as motors, etc., and even "STATIC."

Will have Long Life, wonderful volume and ideal clarity of Reception which has never before been approached by any similar electrical device.

Can be used in any Radio Set "Old" or "New" without any accessories or changes whatso-ever.

Will bring Radio to your Home in such perfect reproduction and such pure natural tone as if the orchestra or voice were in your own home.

This Tube will soon be on the market. Patents have been allowed. We will make further announcements shortly. Watch our later issue for more detailed information and prices.

INDEX

Abox Products 31 A Battery 30 A Power Units 30, 31 A B.C. Power Supply 10, 14, 31 A C. Tubes 23, 39 Aerial Kits 39 Aerial Findor 26, 32, 33, 38 Amplifiers 18, 27 Antenna Wire 39, 40 Anti-Motor Boater 27 Antenna Wire 39, 40 Anti-Motor Boater 27 Audio Transformers 31 Autoformers 31, 12, 16, 18, 19, 35 Automatic Switches 31, 22, 33 Arrestors, Lightning 39 Autoformers 6 B'B' Eliminator Transformer 10-20-26 Bailancer 37 Base Boards 38 Batterles, Storage 38 Batterles, B' 28, 28 Batterles, B' 39		7.1	
A	Cord, Extension 16	Loud Speakers 2, 3, 4, 22, 45	Soldering Lugs 42
Abox Products 31	Corrosion Cure 32	Loud Speaker Units 22	Speakers2, 3, 4, 21, 22, 45
A Battery	Cotton Covered Magnet Wire 40	Lugs, Wire Terminal 42	Station Selector 16
A Power Units30, 31	Couplers, Antenna 8, 10, 15, 20	Loop Aerials 23	Storage Battery Charger 30
A.B.C. Power Supply.10, 14, 31	Coupling Condenser 27	M	Strobodyne Eight 17
A. C. Tubes23, 25	Crystal Detectors 41	Machine Screws 42	Strobodyne Coils
Adjustable Ground Clamp. 39	Crystal Sets 41	Magnaformer	Subpanels
Aerials, Indoor23, 39	Cunningham Tubes 23	Magnet Wire 40	Switches 26, 28, 29, 31, 32, 41
Aerial Kits	Counter Sinks 42	Marco Products37, 39	Shielded Tubes 23
Aero Products	D	Metal Cable Markers 32	T T
Ammeters26, 32, 33, 38	Daven Parts 27	Metal Panels 38	Table, Battery43, 46
Ampliners	Diagrams 41	Meters	Tap and Dye Set 42
Antenna Wire39, 40	D. C. Chargers 31	Mikro Mike Condensers 16	Telephone Receivers 22
Anti-Motor Boater 27	Dials5, 10, 12, 16, 18, 37	Micrometer Dials 18	Testing Instruments
Audio Transformers	Distance Getter 41	Mica Condensers28, 36	
	Drum Dials5, 10, 12, 18	Midget Condensers	Thordarson Products
Automatic Switches	Dry Batteries 26	Miniature Switches 29, 41	
	Dry Chargers30, 31, 32	Modulator Plugs16, 34	Three Circuit Tuner 10. 40
Arrestors, Lightning 39	TATALAN E	Mountings, Grid Leak 27, 34	Tip Jacks 28
Autoformers 35	Eliminators14, 20, 30, 31	N	Tools42, 43
В	Eliminators, Kits14, 20	Name Plates 28	Toggle Switches 32
B" Eliminator Trans-	Encyclopedia 41	Nine in Line 8	Torostyle Coils
former10-20-26	Equalizing Condenser5, 27	Nuts, Hexagon 42	Transformers, Audio
Balancer 27	Extension Cord 16	0	8, 10, 12, 16, 18, 19, 35
Base Boards 38	F	Oscillation Transformers 15, 17	Transformers, Radio F
Batteries, Storage 30	Filters	Output Transformers	
Batteries, "B"26, 28	Filter Condensers 36		Traveler Radio Set
Batteries, Dry Cell26, 28	Fixed Condensers 28, 36	P	Trickle Chargers 30, 31, 32
Batteries. "C"26, 28	Flexible Cords	Panels 38	Trickle Charger Relays
Battery Charge Indicator. 32, 33	Formica Panels 38	Phone Plugs16, 28, 29, 41	
Battery Cable 32	G	Phones, Head 22	Tri Tox Trickle Charger 32
Battery Cords 32	Grid Condensers28, 36	Plugs. Phone16, 28, 29, 41	Tubes 23, 24, 25 27
Battery Equipment 32	Grid Leaks 27	Plug in Coils	Tubes. "B" Eliminator
Battery Tables43, 46	Grid Leak Mountings 27, 34	Pliers 42	23, 24, 31
Benjamin Products32, 37	Grld Resistors	Pocket Meters 26, 33	Tube Checkers
Binding Posts 39	Glass Insulators 39	Posts, Binding 39	Tube Ballast
Books 41	Ground Clamps 39	Portable Sets 6	Tube Rectiflers 24
Brackets 32	H	Potentiometers16. 28	Tubing, Bakelite 38
Brass Washers 42	Hard Rubber Panels 38	Power Packs 14, 20, 26, 35	Tuned Radio Frequency Coils
B. T. Products 16	Hammerlund Roberts 5	Power Tubes24, 25, 29	
Bulbs, Vacuum	Head Phones 22	Push-Pull Transformers 12, 35	Tyrman Ten
23, 24, 25, 27, 31	Hexagon Nuts 42	R	U
Bus Bar Wire 40	Hold Heat Appliances 47	Radio Frequency Chokes	Unicoupler 20
By Pass Condensers28, 36	Horns43, 46	5, 6, 7, 8, 12, 16, 18, 35, 40	"Unipac" Silver-Marshall 14
C	Hookup Wire 40	Radio Frequency Kits 7, 40	Units, Speaker 22
Carter Products 28	Hydrometers 32	R. F. Transformers	Utah Products
Cables 32			V
Cable Connectors 29	Insulators 39	Reamers 42	Vacuum Tubes
Cable Markers 32	Illiuminated Dials 37	Regenerative Kits 7, 40	
Caninets	Indoor Aerials23, 39	Relays, Trickle Charger	Variable Condensers
Call Book 41	Inductance Coils 19, 40		5, 10, 12, 16, 18, 19, 39
Camheld Sets9. 10	Inductance Switches 29	Resistances16, 27, 28, 29, 35	Variable Resistors
Camwell Sets	Instruments26, 28, 32, 33	Resistance Mountings 27, 34	
Capacity Connector 11	Insulated Lead-in 39	Resistance Coupled Ampli-	Vise. Radio 42
Cell Check 32	Iron, Soldering 42	fiers	Victoreen Super Eight 9
Chargers, Battery30, 31, 32	Impedances 10	Rheostats	Voltmeters26, 28, 32, 33
Choke Colls		Rosin Core Solder 42	Volt-Ammeters26, 28, 32, 33
5, 6, 8, 10, 12, 16, 18, 35, 40	Jacks	Rubber Panels 38	W
Clamps, Ground 39	Jewell Products 33	Rotors 10	Washers 42
Colls, Choke	K K	S	Wave Traps 7
5, 6, 8, 10, 12, 16, 18, 35, 40	Karas Products	Screws, Machine 42	Wire, Antenna 39, 40
Coits	Kits, Aerial 39	Screw Drivers 42	Wire, Bus 40
Colls, B. F. 7, 8, 15, 16, 27, 40	Kits, B' Eliminators14, 20	Scriber 42	Wire, Insulated Magnet 40
Condensers, Filter 36	Kit Panels 38	Selectone Transformers 17	Wire, Litz 40
Condensers, Fixed28, 36	Knobs	Sets, Crystal 41	Wire, Solder 42
Condensers, Gang5, 10, 18	Yeard to You had not	Shields 5	Wire
Condensers, Grid 28, 38	Lead-in, Insulated 39	Short Wave Kits 7	Wood Screws 42
Condensers, Variable	Lettered Binding Posts 39	Silver-Marshall Products	Wrenches 42
5, 10, 12, 16, 18, 19, 39	Lightning Arrestors 39	12, 13, 14, 32	W.R.S. Eight and Ten 15, 17
Cone Speakers4, 21, 22	Light Socket Aerial 39	Sockets, Plug in Coil Type12	X
Connectors 41	Litz Wire 40	Sockets, Tube10, 16, 18, 37	X.L. Products 39
Consoles	Long Wave Transformers	Solder, Rosin Core 42	- Y
Copper wire 40		Soldering Iron 42	Yaxley Products 26
Tour 40			
Page 48			
= 115			



A.C. Set in the beautiful "Spanish" decorated console as shown, finished in Burl walnut, complete with Newcomb Hawley Air Column Speaker and high-grade Baldwin Unit.

| K5005—A.C. set complete, List, \$205.80 |
| K5006—A.C. set, same as above but installed in Console 6K5200 "Intermezzo" (page 45). List, \$285.00, Net, 167.58

THE CIRCUIT

Is the time-proven, tuned radio-frequency amplifiers with detector and three stages of resistance-coupled, audio-frequency amplification—adapted to A.C. operation.

THE AMPLIFYING SY EM

A better amplifying system could not be purchased even if you were to offer a thousand dollars. Every tone, from the lowest bass to the highest treble, is reproduced with absolute fidelity.

ADAPTED TO PHONOGRAPH PICK-UP

Leading critics of the music world have marveled at the wonderful music produced from records through the A.-C.-operated Power-Plus Amplifier. Here is an added feature that helps sell this receiving set and keeps it sold 365 days of the year.


POWER-PLUS SETS USE A-C-tron TUBES

A-C-tron tubes that have been on constant tests twenty-four hours a day for over six-month periods have not shown the slightest depreciation. It is practically impossible to burn out the filament.

NO MORE SERVICE WORRIES-NOW ALL PROFIT Start now and make some real money out of the radio business. Set requires 3 Standard Tubes, 1 Rectifier and 1 each of 6, 10 and 20 mu. A-C-tron Tubes.

3K295—Standard "A-C-tron" A.C. Tubes. \$5.50

07700F 0. 1 1				201126	2100
3K295-Standard	"A-C	·tron'' A	C. Tubes.	\$5.50	\$3.50
3K296-A-C-tron	A.C.	Rectify	ing Tube.	4.00	2.55
3K297-A-C-tron	A.C.	6 mu.	Tube	5.50	3.50
3K298—A-C-tron	A.C.	10 mu.	Tube	5.50	3.50
3K299-A-C-tron	A.C.	20 mu.	Tube	5.50	3.50



The Long Looked-For True A. C. Radio Set


POWER-PLUS SET

No batteries, eliminators, chargers or at-tachments of any kind necessary. Simply insert plug in light socket and enjoy the most wonderful reception you have ever experienced.

Everybody wants this set—the volume of a brass band, the clear tone of the finest violin and the sturdiness of a skyscraper.

Big Profits Await ou-Act Now!

The Power-Plus Seven makes radio reception 100 per cent entertaining—gone are the radio troubles of the past—now there is nothing to get out of order—no batteries to give out. The Power-Plus Seven comes completely equipped, including A-C-tron tubes, which are eperated from 110-volt, 60-cycle A.C. current



The POWER-PLUS A. C. Set in the popular arm chair model console. Adam Brown mahogany finished. Complete with Newcombe-Hawley Horn and Baldwin

IK5007-Arm Chair Model, complete. List, \$230.00. Net \$135.24

ower-Plus "Seven" Chassis


Completely equipped ready to attach to light socket for operation. Entirely enclosed and shielded. Chassis may be fitted easily into any console or cabinet listed on pages 44, 45 and 46.

K5008-Power Plus Ch tubes. List, \$160.00. Chassis, complete with

Note—We challenge any manufacturer to equal the performance and tone of the Power-Plus regardless of number of tubes or price.

THIS WONDER WORKING SHOP

Will Make You a Craftsman





COMPLETE SET ECISION TOOLS PRECISION elec trically driven that will make you an accomplished will workman. It is a chest full of tools than has been designed by a master for the private use of tool lovers and men who want to build, con-struct, invent and create a home. You workman.

struct, invent and create a home. You will be able to make everything—attractive odd furniture, toys, home and garden improvements, all around manufacturing, repairing

Jacket 1927 model is a perfect woodworkin and has With aylward mastercraftsman

Make Things With The New RED JACKET Home Work Shop

The complete equipment consists of the powerful Red Jacket Motor, with direct drive to an accurate wood turning lathe (capacity 9 in. x 34 in.); a bench saw, that has depth and side gauges; seroll and Jig saw; and all accessories for both portable and stationary power drilling, buffing grinding and cleaning. Attaches to any light socket and converts your work bench grinding and cleaning. Attaches to any light socket and converts your work bench into a complete private tool and machine shop.

SPECIAL CRAFTS COURSE

And blueprint service is free to Red Jacket Shop owners—all that there is to know about handicraft methods, raw materials, woods, carving, sawing, turning, designing, carpentering, decorating, is taught by special correspondence.

These are genuine electric tools. They are not toys or fragile in and respect. Created for "handy" So compact, reliable and men. efficient that you can accomplish any job with it.

HERE IS WHAT YOU GET

Complete Portable Waco Lathe Complete Saw Table Complete Jig Saw 1/4 in. Steel Drill

Turning Sawing Winding Spinning Grinding Buffing Polishing Cabinet Making Scroll Sawing Drilling Repairing Dovetailing Pointing Joining
Sharpening
Sanding
Scratching
Carving Successful pieces

BLUE PRINTS and 12 Month Crafts Course FREE to Every Owner

4K5400—Complete Electric Craftsman's Shop

ee BLUE **PRINTS**

CRAFTS COURSE

> 4K5401—Extra Length Rails to Turn 34 Inch Work

> > Write for Dealers' Proposition