

# ELECTRONIC<sup>TM</sup>

## Servicing & Technology

June 1998

Test probes update

Cross-reference update

# Test equipment update



U.S. \$3.50



Sharp Color Television,  
Model 19H-M60/  
100/150, CH19M6

# TREASURE CHEST

Uncover the Golden Opportunity in Every Service Call



Service calls don't have to be a pain in the %\$\$\$! They can become golden opportunities to increase sales and profits. When you make Magnavox Smart Accessories available to your customers, you offer your customers that little something extra that brings you to mind for all their servicing and accessory needs—AND that means more MONEY for you! So the next time you go on a service call, don't forget your Smart Accessories catalog and price list—and your customer won't forget you. Call 800-851-8885 or fax 800-535-3715 for information on how to get your FREE 32" or 48" personalized Smart Accessories display (with a minimum order of \$500 or \$800).



Circle (120) on Reply Card

**PHILIPS**

*Let's make things better.*

# ELECTRONIC

Servicing & Technology

Volume 18, No. 6 June, 1998

## Contents

### FEATURES

- 6 Cross-reference update**  
*by Victor Meeldjick*  
This article contains a list of some books and reference materials that a servicer may find helpful when looking for information.
- 15 Test benches**  
*by the ES&T Staff*  
A little thought given to the construction and arrangement of the workbench can reap large dividends.
- 18 Test probes update**  
*by the ES&T Staff*  
This article will discuss some of the recent advances in test probes that may make a technician's troubleshooting work a little easier.
- 22 Test equipment update: Testing has changed**  
*by the ES&T Staff*  
Testing has changed due to many changes in the industry as well as technology. This article explores those changes and their effect on service centers.
- 24 Service mode adjustments for the newer televisions**  
*by Bob Rose*  
This article will explore how service modes are entered, how adjustments are made, and how to exit the service mode without losing data.
- 40 Zenith: Start-up, shutdown, and horizontal drive**  
*by Steven Jay Babbert*  
With a basic understanding of the unconventional circuits in the Zenith chassis, these chassis are no more difficult to service than one of standard design.


- 46 Guide to national, state and regional associations**  
*by the ES&T Staff*  
This guide is a helpful tool for those service centers that may be interested in joining an association.
- 50 From tuner to picture tube**  
*by Homer L. Davidson*  
Although the video circuits in color TVs don't cause that many service problems this article will prepare you for when they do.
- 57 Servicing resources on the internet**  
*by the ES&T Staff*  
Exploring the internet can expose you to many helpful ways to find service information.



page 18

### DEPARTMENTS


- 2 Editorial**
- 4 News**
- 21 Literature**
- 23 ES&T Calendar of Events**
- 29 Profax**
- 44 Photofact**
- 49 Products**
- 59 Books**
- 62 Classifieds/Reader's Exchange**
- 64 Advertiser's Index**



page 24

### ON THE COVER

Today's test equipment evolves to keep pace with the changes in consumer electronics equipment. (Photo courtesy Sencore)



page 40

## More changes coming

**C**onsumer electronics continues to change and grow. For example, we're now on the threshold of the introduction of HDTV. Many existing TV sets are controlled by software (firmware?) that resides in electrically erasable programmable read-only memory (EEPROM). Consumers can now access the internet from their living rooms via their TV sets. DVD now allows interested people to view movies that exhibit both exceptional video and audio. Camcorders continue to shrink in size. Consumers can now buy digital cameras that take pictures as computer files that they can view on their home computer monitors and print out on their color ink jet printers. Of course, photo processing software will allow them to manipulate the images in a number of ways before they're even printed out.

All of this new consumer electronics capability has caused a number of changes in the type of test equipment and accessories

---

*Computers and their peripherals, monitors, printers, etc. all require special test equipment.*

---

required by the average consumer electronics service center. Hair thin, tightly spaced leads on integrated circuit packages, for example, challenge the technician just to find a way to connect a test probe to them. This frequently requires the use of special probes, grabbers and extenders. Products that are under the control of a computer that gets its information from an EEPROM have no traditional controls to tweak. Tweaking has to be done by changing bits in the EEPROM, which requires special test equipment. Computers and their peripherals, monitors, printers, etc. all require special test equipment.

Naturally, test equipment manufacturers have responded to this challenge by offering the special types of test equipment that are required for these new consumer products. If a technician is faced with what seems to be an insurmountable test problem, he should talk to his favorite distributor or test equipment or probe manufacturer. No doubt the solution exists somewhere.

### Changes in information delivery, too

The age in which we live has been dubbed "the information age." Most of us are bombarded with more information than we can possibly assimilate. Our bookcases and filing cabinets are groaning under the load of vital information that we may possibly never get a chance to read. More and more channels of



**H**as your current source of product repair information...

been as reliable as it should be?

Circle (63) on Reply Card



*The presumption has been made by this company, and others for that matter, that consumer electronics service centers own and use personal computers.*

television bombard us with bad programming, good programming and educational programming. The internet has opened up information resources so vast that most of us can't begin to comprehend it.

Closer to home, consumer electronics products have become so complex that the amount of literature required to convey service information has grown from pamphlets of a relatively few pages to service manuals that take up hundreds of pages. In an effort to address this problem, many manufacturers have turned to delivery of these servicing documents via some kind of computer medium.

Just recently, one manufacturer, Thomson Consumer Electronics, has made the announcement that they will be making their service literature available on CD-ROM. That in itself is not big news. What is big news about this announcement is the statement that this is the only form in which that company's literature will be made available. No paper, no microfiche; CD-ROM only.


This is a sweeping change. The presumption has been made by this company, and others for that matter, that consumer electronics service centers own and use personal computers. Any service center that does not own a personal computer, and that currently services this company's products and plans to continue to do so, would do very well to begin looking into the purchase of a personal computer.

#### It's a new age

Changes and advances in consumer electronics product over the past decade or two have caused a lot of consequent changes in the service center. Remember 100W solder guns? Remember socketed components? Remember the days when it wasn't necessary to worry about electrostatic discharge damage. Remember a time when you could actually read the printing on a component? My, how times have changed. These changes in test equipment and information delivery are merely the latest in a long line of changes. Changes will continue. I wonder what changes HDTV will require. We're looking into that now to report on it as soon as we can. In the meantime, we all have to be ready for the changes that are coming in the future

*Nile Conrad Penam*

# If not, then maybe it's time you got Service Tips!



**SERVICE TIPS** by Electronic Software Developers contains over 30,000 technical tips covering 140 brands in one program that has multiple failures for one symptom!

**SERVICE TIPS** your one source for product repair information & Electro Dynamics, Inc. is your only source for upgrade repair kits or any other necessary repair components.

Nothing succeeds like success and nothing progresses a company towards that success like having the proper sources.

Distributed exclusively by:  
 **electro dynamics, inc.**  
 Leading The Way in the USA™  
 7 Oser Avenue, Hauppauge, NY 11788-3808

**NATIONWIDE TOLL FREE PHONE:**  
**1-800-I-AM-NICE (800-426-6423)**

**NATIONWIDE TOLL FREE FAX: 1-800-873-2948**

**International Phone: 516-496-4400**

**International Fax: 516-496-4166**

Circle (64) on  
 Reply Card

### **Fiber U and Wire U '98 Come To Boston**

Fiber U, the fiber optic training conference, and the new "Wire U" training conference for communications wiring, will be held July 27 through 31 in the Boston area. New this year will be "Wire U" a training program for installers of copper wiring for communications systems and training programs for instructors in fiber optics. The combined week-long event has been dubbed "Cable U."

Since the first conference in Nashville in 1993, Fiber U has offered a combination of classroom and hands-on training by instructors and vendors in fiber optics. The Fiber U training program has even been published as "The Fiber Optic Technicians Manual."

Fiber U will feature its standard format, a combination of classroom instruction by professional instructors and hands-on training by top fiber optic vendors. Topics covered in the Fiber U training will be the basics of fiber optics, cables, connectors, splices, tools, installation and testing.

Wire U is a new program developed by the same instructors as the ones who developed Fiber U, using a similar outline. Fiber U provides purely practical education, directly applicable to the daily job of the installer. Wire U follows the same philosophy. Wire U will have a similar format to Fiber U, except the focus is on copper wiring for LANs, telephones, and video. Wire U will cover the basics of how networks use wire, specialized wire types like Category 5 UTP (unshielded twisted pair) and coax, termination hardware, installation techniques and testing.

Both Wire U and Fiber U will include sessions on structured cabling systems and standards, focused on the EIA/TIA 568 standard. Topics also include networks and applications, planning networks and estimating the cable plant.

Sessions will be held for instructors interested in teaching fiber optics, based on the Fiber U and Wire U programs.

Cable U will be held the week of July 27 through 31, 1998 at the Royal Plaza

Trade Center in Marlboro, MA. Cable U will also be a feature of the NECA Show in Las Vegas, October 16 through 18, 1998.

For more information, call 1-800-537-8254, fax to 1-781-396-6395, or on the Internet email to [info@fotec.com](mailto:info@fotec.com) or <http://www.fotec.com>.

### **Blank media**

While most of the blank media market was in decline during 1997, compact format videocassettes (8mm and VHS-C) continued to show rising sales. Overall, unit sales in this sector of blank media grew nine percent in 1997; and although both formats showed growth, shipments of the VHS-C format tapes gave the real boost with a 10 percent increase. Despite falling selling prices, dollar volume for compact format videocassettes did manage to move up one percent. Total dollar volume for all consumer blank media products reached \$973 million in 1997.

CEMA is a sector of the Electronic Industries Association (EIA), the 74-year-old Arlington, Virginia-based trade association representing all facets of electronics manufacturing. CEMA represents U.S. manufacturers of audio, video, accessories, mobile electronics, communication, information and multimedia products which are sold through consumer channels.

### **Cordless phones outsell corded in 1997**

The cordless telephone market exploded in 1997, with more than 28 million units sold to dealers - a 37 percent jump over 1996. According to the year-end data released today by the Consumer Electronics Manufacturers Association (CEMA), sales of cordless phones surpassed corded models for the first time.

In the cordless category, sales accounted for nearly \$1.7 billion, up 42 percent. 900 MHz models helped spur - but by no means dominate - the cordless surge, with unit sales more than doubling in 1997 to 7.6 million. CEMA's research reveals that cordless phones can now be found in 70 percent of U.S. households, three years

ago the product's household penetration stood at 52 percent.

Corded telephones and telephone answering devices (TADs) also helped propel the strong year for consumer telecommunication products. Unit sales of corded phones rose seven percent in 1997 to 27.8 million. Meanwhile, nearly 19 million TADs were sold to retail dealers - an eight percent increase. Over 60 percent of 1997 TAD sales came from cordless integrated models.

The fax machine showed surprising strength in 1997, as manufacturers shipped more than 3.6 million units; a 31 percent jump in sales.

### **E-mail and the Internet becoming more essential to home offices**

Sixty percent of home office users have Internet access, 59 percent of whom gain access through an online service - according to a new survey released today by the Consumer Electronics Manufacturers Association (CEMA). The survey, conducted through the CEMA Consumer Research Service and administered via telephone in January 1998 to 752 households with home offices, reveals how home offices are being used and how the use of e-mail and the Internet is changing the home office landscape.

The survey shows that, among the 40 percent of home office users who do not have Internet access at home, over half (54 percent) do have access outside the home. When surfing the Web, they go most to reference sites (85 percent), news sites (70 percent), business sites (66 percent), and personal entertainment/sports sites (64 percent).

E-mail is catching up to the telephone as a communication tool in the home office, according to the CEMA survey. Among those currently with e-mail capabilities, it is estimated that 61 percent of communication from the home office is conducted over the phone, and 28 percent via e-mail. When asked to look ahead one year, the same respondents said they

*(Continued on page 60)*

THE PROFESSIONAL MAGAZINE FOR ELECTRONICS AND COMPUTER SERVICING

# ELECTRONIC

Servicing & Technology

**Electronic Servicing & Technology** is edited for servicing professionals who service consumer electronics equipment. This includes service technicians, field service personnel and avid servicing enthusiasts who repair and maintain audio, video, computer and other consumer electronics equipment.

## EDITORIAL

Nils Conrad Persson, *Editor*  
(Internet e-mail: [cpersedit@aol.com](mailto:cpersedit@aol.com))  
Kirstie A. Wickham, *Associate Editor*  
(Internet e-mail: [kirstieest@aol.com](mailto:kirstieest@aol.com))  
Richard S. Moseson, NW2L, *On-Line Coordinator*

## CONSULTING EDITORS

Homer L. Davidson, *TV Servicing Consultant*  
Victor Meeldijk, *Components Consultant*  
John E. Shepler, *Audio Consultant*  
Sam Wilson, *Electronics Theory Consultant*

## PRODUCTION

Elizabeth Ryan, *Art Director*  
Barbara McGowan, *Associate Art Director*  
Edmond Pesonen, *Electronic Composition Mgr.*  
Dorothy Kehrwieler, *Production Manager*  
Emily Kreutz, *Assistant Production Manager*  
Pat Le Blanc, *Phototypographer*

## BUSINESS

Richard A. Ross, *Publisher*  
Sal Del Grosso, *Accounting Manager*  
Ann Marie DeMeo, *Accounting Department*  
Catherine Ross, *Circulation Manager*  
Melissa Kehrwieler, *Operations Manager*  
Jean Sawchuk, *Data Processing*  
Denise Pyne, *Customer Service*

## ADVERTISING SALES OFFICE

Electronic Servicing & Technology  
21704 SE 35th Street, Issaquah, WA 98029  
Tel.: 425-557-9611 Fax: 425-557-9612

Evelyn Garrison, *Director of Advertising*  
Emily Kreutz, *Sales Assistant*

## EDITORIAL CORRESPONDENCE:


P.O. Box 12487  
Overland Park, KS 66212  
913-492-4857



Electronic Servicing & Technology (ISSN 0278-9922) is published 12 times a year by CQ Communications, Inc. 25 Newbridge Road, Hicksville, NY 11801. Telephone (516) 681-2922. Periodical class postage paid at Hicksville, NY and additional offices. Subscription prices (payable in US dollars only): Domestic—one year \$26.95, two years \$49.95. Canadian—one year \$36.95, two years \$69.95. Foreign Air Post—one year \$44.95, two years \$85.95. Entire contents copyright 1997 by CQ Communications, Inc. Electronic Servicing & Technology or CQ Communications, Inc. assumes no responsibility for unsolicited manuscripts. Allow six weeks for delivery of first issue and for change of address. Printed in the United States of America.

Postmaster: Please send change of address notice to Electronic Servicing & Technology, 25 Newbridge Road, Hicksville, NY 11801.

CQ Communications, Inc. is publisher of CQ The Radio Amateur's Journal, Popular Communications, CQ Radio Amateur (Spanish CQ), CQ VHF, CQ Contest, and Electronic Servicing & Technology.



Look, no one should have to troubleshoot blind. You know what we're talking about — those tiny digits and screens that make you squint to see. Well, that's over. Because Wavetek is introducing a new family of professional DMMs. Each features a wider screen, large-character display and our new Digi-Glo™ backlight. And you get to choose from the new 220 model, which gives you a wide range of features without the high price, or the true-RMS precision-measuring 225A model. And there's our 235 model, which gives you the highest number of features, including an RS232C output. Plus, they all come with our "No Hassle" warranty. So call us at 800.854.2708 for a distributor near you, or visit us at [www.wavetek.com](http://www.wavetek.com). Because finding trouble shouldn't be a shot in the dark.

**WAVETEK**

Circle (78) on Reply Card

# Cross-reference update

by Victor Meeldijk

In the retail business the phrase "Location, Location, Location," denotes the reason why businesses thrive or fail. In the electronic servicing business the equivalent phrase might be "information, information, information". Often a repair effort is stalled because of a lack of information, be it a cross reference for a part, the pin out of an IC, the identity of a manufacturer's logo, the manufacturer's phone or address, etc. The following is a list of some books and reference materials that you may find helpful when looking for that piece of information you need.

The prices shown here were current as of the date the article was submitted. These prices may be subject to change without notice, so check before ordering.

To contact the publishers for the books listed you can use these contacts:

**(formerly Tab) McGraw-Hill**

1-800-2-McGraw  
Fax: 1-614-759-3644  
<http://www.books.mcgraw-hill.com>

**Howard W. Sams Prompt Publications**

<http://www.hwsams.com>

**Sams Publishing, Div. of Macmillan**

Fax: 515-284-2607

**Computer Telephony**

212-691-8215, 1-800-LIBRARY  
Fax: 212-691-1191  
<http://www.telecombooks.com>

**Newnes, Butterworth-Heinemann, Maplin**

1-800-366-2665  
Fax: 1-800-446-6520  
<http://www.bh.com>  
(in Europe (01865) 310366, Fax: (01865) 310898  
(England).

Howard W. Sams also carries their books in their catalog (see above).

Books can also be ordered by the on line bookstores:

**Amazon Books:** <http://www.amazon.com>

**Barnes and Nobles:** <http://www.barnesandnobles.com>

**Bernard Babani (Publishing), Ltd., The Grampians, Shepherds Bush Road,**

London W6 7NF, England,  
+44 171 603 2581/7296, Fax: +44 171 603 8203,  
<http://www.BookWeb.co.uk/babani/home.html>.  
Books are available in the U.S. from Electronics Technology Today, Inc.  
P.O. Box 240, Massapequa Park, NY 11762-0240.

**Cross Reference Books:**

***IC Cross Reference Book, 2nd Ed.***

Howard W. Sams Prompt Publications

Price: \$19.95

***Semiconductor Cross Reference Book 4th Ed.***

By Howard W. Sams prompt Publications

Price: \$24.95

***Tube Substitution Handbook***

by William Smith and Barry Buchanan

Publisher: Howard W. Sams Prompt Publications

Price: \$16.95

***Handbook of Radio, TV and Industrial and Transmitting Tube and Valve Equivalents,***

G.C. Arnold Partners (based upon the 1974 Bernard Babani 3rd edition),

ISBN 1 89880506 7,

60 pages, 2.96 pounds (in the U.K.).

See:

<http://www.valve.demon.co.uk/Books/handbook.htm> and

Radio Bygones,

9 Wetherby Close,

Broadstone, Dorset BH18 8JB,

44 01202 658474,

<http://www.valve.demon.co.uk/Mags/rb.htm>.

***Transistor Data Tables***

by H.G. Steidle

ISBN 0 85934 401 0

Publisher: Bernard Babani (Publishing) Ltd. #BP401

Price: 5.95 pounds

(Note: Other books, now out of print, that were published by Bernard Babani include:

***Linear IC Pin Equivalents and Pin Connections*, BP141;  
*International Transistor Equivalents Guide*, BP85)**

**Philips ECG Semiconductors**

(a North American Philips Company)

Distributor and Special Markets

Division 1025 Westminster Drive

P.O. Box 3277

Williamsport PA 17701

800-526-9354

<http://www.starcelectronic.com>

<http://www.ecgproducts.com>

<http://www.ecgproducts.com/ECGCrossReference/index.html#search>

Meeldijk has been employed in the electronics industry for over 20 years.

**Philips ECG Canada Inc.**

Electronic Components and Systems  
 8580 Darnley Road  
 Montreal, Quebec  
 Canada H4T 1M6

On line cross reference. Printed Guide (ET-2762) is \$2.95; also available are a DOS Disk (ECG2604) or Windows Disk (ET2604W).

**NTE-New Tone Electronics**

44 Farrand Street  
 Bloomfield, N.J. 07003  
 973-748-5089  
 973-732-1326  
 1-800-631-1250  
 Telex 333226  
<http://www.nteinc.com>

Cross reference s/w is available for free download from the web. A paper copy is available for \$2.95 (or may be free from your local distributor) or a disk can be purchased for \$8.98.

**Thompson Consumer Electronics (RCA and GE)**

Distributor and Special Products  
 2000 Clements Bridge Road  
 Deptford, N.J. 08096-2088  
 609-853-2417

SK series replacement semiconductors and Japanese JEDEC/ Generic replacement semiconductors.

**World Wide Component Distributors**

18 Stern Avenue  
 Springfield, N.J. 07081  
 201-467-6264  
 FAX:201-467-8519  
 1-800-222-6268

Specializes in Japanese Semiconductors and generic replacement parts.

**ISCET (International Society of Certified Electronics Technicians)**

2708 W. Berry Street  
 Ft Worth, TX 76109

VCR and VCR part cross reference guide, which identifies identical parts used in different model VCR's.

**On-Line Data/Cross Reference**

IC Pin Outs:

[http://www.paranoia.com/filpg/HTML/cgibin/giicm\\_form.html](http://www.paranoia.com/filpg/HTML/cgibin/giicm_form.html)

for PRB Belt Kits: <http://www.sarasota-electronics.com/prbrsch.htm>

**General Reference Books:*****Active Electronic Component Handbook, 2nd Ed.***

by Charles Harper and Harold Jones  
 Publisher: McGraw-Hill  
 Price: \$69.00

***Capacitor, Inductor, Resistor Handbook Set***

by C.J.Kaiser

Publisher: CJ Publishing

(also available thru Crestone Technical Books, Tucker GA,  
 770-908-2320, Fax: 770-939-0157)

Price: \$60.00

***Component Identifier and Source Book***

by Victor Meeldijk

Publisher: Howard W. Sams Prompt Publications

Price: \$24.95

***Electronic Circuits Handbook, 2nd Ed.***

by Michael Tooley

Publisher: Butterworth-Heinemann

Price: \$54.95

***Electronic Components: Selection and Application***

Guidelines by; Victor Meeldijk

Publisher: John Wiley

Price: \$99.00

***Electronic Testing and Inspection Pocketbook***

Book by Keith Brindley

Publisher: Newnes

Price: \$32.95

***Electronics Engineers Handbook, 4th Ed.***

Editor: Donald Christiansen McGraw-Hill

Price: \$110.50

***Electronics Pocket Handbook, 3rd Ed.***

by Daniel Metzger

Publisher: Prentice-Hall

Price: \$19.95

***Electronics Pocket Reference***

by Edward Pasahow

Publisher: Prentice-Hall

Price: \$24.95

***Linear IC Pocket Book, Volume I***

by R.M. marston

Publisher: Newnes (available from Butterworth-Heinemann  
 and Howard W. Sams)

Price: \$34.95

***Tab Electronics Technician's On Line Resource Reference***

by Stephen J. Bigelow

Publisher: McGraw-Hill

Price: \$24.95 (hardcover \$44.95)

***Tab Electronics Yellow Pages: Equipment, Components and Suppliers***

by Andrew Yoder

Publisher: McGraw-Hill

Price: \$29.95 (hardcover \$49.95)

**TTL Cookbook**

Don Lancaster  
Publisher: H.W. Sams Prompt Publications  
Price: \$24.95  
Has electronic circuits and IC pinouts.

**The Master IC Cookbook, 3rd Ed.**

by Delton T. Horn  
Publisher: McGraw-Hill  
Price: \$49.95

**Encyclopedia of Electronic Circuits**

by Rudolf Graf and William Sheets  
Publisher: McGraw-Hill  
CD-ROM Price: \$99.00

**Newnes Digital Logic IC Pocket Book, Volume 3**

by R. M. Marston  
Publisher: Newnes (available from Butterworth-Heinemann and Howard W. Sams)  
Price: \$27.95

**Newnes Service Engineer's Pocket Book**

by G. E. Lewis, Ian Sinclair  
Publisher: Newnes (available from Butterworth-Heinemann and Howard W. Sams)  
Price: \$28.95

**Newnes Electronic Engineer's Factfinder for Windows (Software)**

by Keith Brindley  
Publisher: Newnes (available from Butterworth-Heinemann and Howard W. Sams)  
Price: \$28.95

**Newnes Electronic Components Pocket Book**

by Mike Tooley  
Publisher: Newnes (available from Butterworth-Heinemann and Howard W. Sams)  
Price: \$24.95

**Newnes Electrical Engineer's Pocket Book, 23rd Edition**

Edited by D.F. Warne  
Publisher: Newnes (available from Butterworth-Heinemann and Howard W. Sams)  
Price: \$24.95

**Passive Electronic Component Handbook**

by Charles A. Harper  
Publisher: McGraw-Hill  
Price: \$89.50

**Pocket Reference**

by Thomas J. Glover  
Price: \$14.95

**Pocket PC Reference**

by Thomas J. Glover and Millie M. Young  
Price: \$14.95

**Radio and Electronics Engineer's Pocket Book, 18th Edition**

by Keith Brindley  
Publisher: Newnes (available from Butterworth-Heinemann and Howard W. Sams)  
Price: \$29.95

**Reference Data for Engineers, 8th Ed.**

Editor Dr. Mac Van Valkenburg  
Publisher: Sams Publishing, Div. of Macmillan  
Price: \$99.95

**Tab Encyclopedia of Electronics for Technicians and Hobbyists**

by Stan Gibilisco  
Publisher: McGraw-Hill  
Price: \$69.50

**Books/Software that contain component specifications:**

**1.-D.A.T.A. Business Publishing**

P.O. Box 6510,  
Englewood, CO 80155-9832,  
A division of Information Handling Services.  
303-799-0381  
1-800-447-4666  
<http://DATA.IHS.com>

Reference books on digital, interface, linear, memory and microprocessor integrated circuits and transistors. The books summarize device parameters and provide listings of identical/equivalent parts from different manufacturers. There are 10 baseline books, cost \$205 each. Full price details are on the web site.

**2.-Berkeley Design Technology, Inc.**

2107 Dwight Way  
Second Floor  
Berkeley, CA 94704  
510-665-1600  
Fax: 510-665-1680  
<http://www.bdti.com>  
e-mail: [bdti@bdti.com](mailto:bdti@bdti.com)

This company has a report, Buyer's Guide to DSP Processors that compares and analyzes 23 competitive digital signal processor chip families. The report, 950 pages, is in its 3rd edition and costs \$2600.

**3.-EEM, Electronic Engineers Master Catalog**

Hearst Business Comm. Inc.,  
645 Stewart Avenue,  
Garden City, N.Y. 11530,  
516-227-1300  
Fax: 516-227-1901  
<http://www.hearstcorp/bpub5.html>  
<http://eemonline.com>  
<http://www.eemlocalsources.com>

A multi-volume set of books that contain product information from leading electronics manufacturers (including catalog pages), and distributor listings. There is also the EEM Local Sources which is available in nine regional editions listing local distributors in that region for components. Books are sent free to qualified readers of Electronic Products magazine.

#### **4.-Edward's Publishing Co. Inc.**

14129 Chadron Avenue  
P.O. Box 1668  
Hawthorne, CA 90251-1668  
310-644-5643  
Fax: 310-675-9850  
<http://www.edpub.com/epc/>  
<http://www.deltanet.com/epc>  
E-mail: [epc@edpub.com](mailto:epc@edpub.com)

This company publishes books on connectors, including:

Volume I: Military and Commercial Cylindrical Connectors (two books with over 60 military and commercial cross references and 1200 pages of data),

Volume III: Military and Commercial RF Coaxial Connectors (2 books with over 25,000 military and manufacturer part numbers, 2300 pages of data).

Volume IV: Military and Commercial 2 Piece Printed Wiring Board Connectors (2 books, 1,688 pages).

Volume V: DIN 41612 Printed Wiring Board Connectors,

Volume VI: Military (MIL- C21907) and Commercial Card Edge Connectors,

Volume V: Cylindrical Connector Accessories

Volume VI: Contacts and Tools

Volume VII: Military and Commercial Rectangular Rack and Panel Connectors (2 books, 2,032 pages)

Volume VIII: Military (MIL-C-24308 and 83513) and Commercial "D" Subminiature and Microminiature Connectors

Volume IX: Airbus, Boeing and McDonnell Douglas

Volume X: European VS U.S. Specifications

All major types of military and commercial connectors can be found in these books. The company also has available a CD-ROM connector identification and selection (CIDS) system that provides information on over 980,000 military part numbers, 1100 pages of military specifications and 3085 drawings. Information Handling Systems (IHS) sells a CD ROM version of the Edward's materials. Edwards is also preparing a new CD ROM. Prices range from \$345 for Volume I to \$425 for volume IX. A master index is available for \$89. Full prices are on the web site, including export prices.

#### **5.- Electronics Representatives Association (ERA);**

<http://www.era.org>

This manufacturers' representative organization, has available a publication called the Locator, an international directory of manufacturers' representatives in the electronics industry. Member price is \$5, non-members \$50 and international non-member price is \$75. In late 1995 Harris Infosource International (Twinsburg, OH) sold the Electronic Representatives Directory (ERD), launched in 1948, to this organization. This ERD directory lists over 5,300 electronics representatives.

#### **6.- Harris Publishing Co.**

2057 E. Aurora Road  
Twinsburg, OH 44087-1999  
216-425-9000  
800-888-5900  
Fax: 800-643-5997, 216-425-7150  
1-800-643-5997  
<http://www.harrisInfo.com/emd.htm>

This publisher issues the European Electronics Directories and other international directories such as Scott's for Canada as well as directories for Italy, Mexico, Puerto Rico and former Soviet Republics. They also issue Industrial Manufacturers Directories, separate issues for different states of the U.S.. Directories are also available on CD ROM and for LAN use. They also issue the Electronics Manufacturers Directory and the directory on disc (Selectory). The directory is priced at \$255 (1997 edition). See the web site for full price details.

#### **7.-IC Master**

Hearst Business Communications  
645 Stewart Ave.  
Garden City, N.Y. 11539  
516-227-1300  
Fax: 516-227-1901  
Book Price prepaid is \$195  
CD ROM prepaid \$235

This reference lists over 100,000 IC's by function. Alternate sources, IC manufacturers, distributors and local sales offices are listed. Specification sheets for some of the IC's are also included in this set of 3 books. The IC Master is available on CD ROM and the IC Master Directory of Manufacturers' Data Pages and the Alternate Source Directory (ASD) are available on computer disk.

#### **8.- Master IC Cookbook**

Delton T. Horn  
Publisher: McGraw-Hill  
Price: \$21.95

This book lists various common ICs (generally not those found in consumer electronics).

#### **9.-Modern IC Databook**

WEKA Publishing Inc.,  
97 Indian Field Road,  
Greenwich, CT 06830.  
203-622-4177

This databook contains data on various types of IC's including: linear, digital, consumer, microcontroller, microprocessor, coprocessor, digital signal processor, data communication, interface, A/D, D/A, synchro-resolver, VCR, optoelectronic, and transducer IC's. Periodic supplements expand the information contained in the book, which includes a functional index, detailed component data sheets and manufacturer address and alternate source list.

#### **10.-Sav-Soft Products**

Education Division  
P.O. Box 360974  
Milpitas, CA 95036  
408-263-9150

This organization conducts seminars on a variety of subjects including one on Component Technology and Reliability. This seminar includes information on construction, qualification, application and reliability of various components, including resistors, capacitors, semiconductors, contacts/connectors, inductors/transformers and motors. The course includes a manual with derating guidelines and reliability design rules, which is also available separately.

In addition to these companies, there is a component information service called PartNet, that allows search by characteristics for mechanical and electronic components from numerous vendors simultaneously. the Web address is: <http://part.net>  
423 Wakara Way, Suite 216  
Salt lake City, UT 84108  
800-727-8061  
801-581-1118  
Fax: 801-581-1785

### **11.- Television IC Data Files**

by John Edwards

Published by: Newnes (Butterworth-Heinemann)

ISBN: 0 7506 2899 5

Price: \$31.95

Common ICs used in Televisions are provided along with pin outs, and actual voltages and input/output signals that can be compared against devices in the product being repaired.

### **12.- Television Microprocessor IC Data Files**

by John Edwards

Publisher: Newnes (Butterworth-Heinemann)

ISBN: 0 7506 3335 2

Price: \$28.95

Common microprocessors used in Televisions are provided along with pin outs, and actual voltages and input/output signals that can be compared against devices in the product being repaired.

### **13.- VCR IC Data Files**

by John Edwards

Publisher: Newnes (Butterworth-Heinemann)

ISBN: 0 7506 3993 8

Price: \$28.95

Common ICs used in VCR are provided along with pin outs, and actual voltages and input/output signals that can be compared against devices in the product being repaired.

### **Books/software that list manufacturer representatives and distributors**

#### **1.-Ameritech Industrial Purchasing Guides**

100 E. Big Beaver Rd., Suite 700E

Troy, MI 48083-1241

800-331-1385

Fax: 248-524-4849

Part of Ameritech Industrial Yellow Pages, this group publishes 14 regional editions that cover various industries including: manufacturing, wholesale trade, construction, transporta-

tion, utilities, mining, government, professional services/institutions, business services and agriculture. The guides cover IL, WI, IN, MI and OH. They are free to qualified personnel or sell for \$99 each.

#### **2.- Daybreak Communications, Inc.**

P.O. Box 3071

Point Pleasant, NJ 08742

800-440-7278

908-899-8295

Fax: 908-892-7341

This company has on computer disk the "Electronic Component Locator" (6 regional or one national edition is available). The program allows you to find distribution sources for electronic components from over 3300 manufacturers. Searches can be done using keywords or manufacturer names.

#### **3.-EITD, Electronic Industries Telephone Directory**

Cahners Publication

201 King of Prussia Rd.

Radnor, PA 19089

1-888-239-3272

610-964-4336

Fax: 610-964-4305, 6018

<http://www.ecnmag.com/eitd>

This directory (published by Harris Publications until 1995) contains manufacturer name or type of product manufactured. Distributors and representatives are also listed. They also publish Who's Who in Electronic Sources (separate issues for different regions of the U.S.). The website, established in September 1997, contains all the printed listings. Book price is \$55.

#### **4.- Electronics Purchasing Guide to Distribution**

Springs Technical Pub., Inc.

P.O. Box 11-338

Albany, NY 12211-0388

518-452-4365

Fax: 518-435-9023

#### **Osborn Marketing Group**

P.O. Box 11-478

Albany, NY 12211-0478

These guide editions cover East US, West US, Canada and the Northern US. There are free copies for qualified personnel or they sell for \$29.95 each.

#### **5.- Electronics Source Book**

An Intertec/Primedia Publication

P.O. Box 12943

Overland Park, KS 66282-2943

Fax: 913-967-1903

A regional directory (with New England, Mid-Atlantic, SouthAtlantic, Midwest, Northern CA, Southern CA, Southwest and Mountain States editions) that lists distributors, value added servicers, manufacturers and representatives. The book is free to qualified individuals or is \$29.50 plus \$4.50 tax and handling.

**6.-ERD Electronics Representatives Directory,**  
see Electronic Representatives Assoc., above.

**7.-Federal Buyers Guide Inc.**

650 Ward Drive  
Santa Barbara, CA 93111  
805-683-8593  
Fax: 805-683-8593

This company is a publisher of buying guides. These guides, include the Federal Buyers Guide (for federal purchasing agents), State and County Government Vendors Registry (for state and county officials), Municipal Government Purchasing Directory (for municipal government buyers), Overseas Contact Guides for U.S. Businesses (for overseas companies who want to deal with U.S. firms), Immediate Need Resource Directory for Government Procurement (for federal government purchasing agents), GSA Purchasing Guide (for the General Services Administration), Industrial Buyers Guide (for U.S. Industrial Firms) and the Government Contractors Source Book (lists prime sector government contractors who have existing government contracts or new projects). These guides are distributed free to qualified buyers. (Note: These guides include listings for all types of material including data processing equipment, software, plumbing materials, etc.).

**8.-Information Gatekeepers, Inc.**

214 Harvard Avenue  
Boston, MA 02134  
617-232-3111  
Fax: 617-734-8562  
5321 Holt Avenue  
Los Angeles, CA 90056  
310-215-0927  
Fax: 310-338-9704

Linuvaaranitie 105  
02660 ESPOO Finland  
35 8 547 1062  
Fax: 35 8 547 1362

New State Manor Bldg., #1257  
Yoyogi 2-23-1, Shibuya-ku  
Tokyo 151 Japan  
81 33 299 3935  
Fax: 81 33 299 3940

P.O. Box 13  
Rozelle, NSW 2040  
Australia  
61 2 555 7377  
Fax: 61 2 818 2294

IGI Europe, Inc.  
c/o AKM AG  
P.O. Box 6  
CH-4005 Basel, Switzerland  
41 61 691 8888  
Fax: 41 61 691 8189

This publisher (and consultant) on telecommunications issues has a "Fiber Optics Yellow Pages" directory (updated yearly) that contains a company directory, geographical index, fiber optics standards organizations, fiber optic information, glossary and calendar of events in the industry. This publication expands their previous handbook and buyers guide. They also have Newsletters, studies, proceedings, publications and reports on LANs, ISDN, Wireless communications and telecommunications. Price is \$89.95.

**9.-Japan EBG**

Dempa Publishing, Inc.  
11-15, Higashi Gotanda 1-chrome,  
Shinagawa-ku, Tokyo 141  
+81 3 445-6111  
Fax: +81 3 444-7515  
Cable Address: DEMPASHIBUN TOKYO  
Telex: 02424461 PRSDNP J.

New York Office:  
275 Madison Avenue  
New York, N.Y. 10016  
212-682-4755  
Fax: 212-682-2730

Dusseldorf Office:  
Drususstr. 7,  
4000 Dusseldorf 11, Germany  
0211-554100  
Telex: 8586481 DEMP D  
Fax: 49-0211-589681

Listing of companies and distributors (trading companies) organized by product category. Similar to EEM in the U.S. but for companies in Japan.

**10.-REED Reference Publishing**

Reed Elsevier Group  
121 Chanlon Road  
New Providence, NJ 07974  
908-771-8785  
Fax: 908-771-8755

Reed Information Services  
Windsor Court  
East Grinstead House, Wood Street  
East Grinstead  
W. Sussex RH19 1XD  
0342 326972  
Fax: 0342 335992  
TLX: 95127 INFSER G

Kompass USA  
2000 Clearwater Drive  
Oak Brook, IL 60521  
Fax: 708-574-7080  
<http://www.kompass.com>  
<http://kompass-intl.com>  
Comments on the Web Site: [webmaster@kompassint.com](mailto:webmaster@kompassint.com)

Kompass International S.A.  
Saint Laurent  
73800 Cruet France  
+33 4 79 65 25 08  
Fax: +33 4 79 84 13 95

This company publishes a variety of manufacturing directories including Kompass International, Kelly's and the U.S. Industrial Directory (described below). Kompass International directories include such business data as product information, names of directors and key personnel, financial details, and number of employees. Directories are available for industrial companies in 65 countries, including every member of the European Community. These editions include Australia, China, Japan, Israel, Korea, Russia, South Africa, Taiwan, United Arab Emirates, United Kingdom, and the U.S.. Kelly's directories provide product information but do not go into depth about the employees or financial details. Kompass USA is available in CD ROM format and is available on the web for searches.

### 11.-Regional Industrial Buying Guide

Thomas Regional Directory Co., Inc.  
(a subsidiary of Thomas Pub. Co.)  
Five Penn Plaza  
New York, N.Y. 10117-0266  
212-629-2100  
<http://www.thomasregister.com>

Guides for regions of the United States, that list industrial suppliers, manufacturers representatives, distributors and service companies. The product section contains over 3,500 different product headings.



The Professional  
**Electronics  
Technicians  
Association**  
and the **Satellite Dealers  
Association**

## Computer Network Technicians

**The CNST - Computer Network Systems Technician - is ETA's latest Certification for Electronics Technicians. Send \$2 for the 184 CNST competencies listing. Thousands of CNSTs are needed in the next 5 years. You can be one of these well-paid technicians. Prerequisite: Computer C.E.T., or A+.**

### THE ASSOCIATE CET Exam Books

New Study Guides for the Associate Level CET exams. Book 1 contains 248 sample CET exam quiz questions and answers. Multiple CET authors. Book 2 different sample quizzes - latest exam topics plus complete listing of over 380 CET exam test sites. Written by CETs, electronics instructors and working technicians. Great study material for every professional electronics technician. \$24.95 ea. The CSS - Certified Customer Service Specialist Study Guide - is also available now from ETA: \$19.95 + \$4 s&h.

765-653-4301 - 765-653-8262 Fax  
602 N Jackson  
Greencastle, In 46135

<http://www.eta-sda.com>

e-mail: [eta@indy.tdsnet.com](mailto:eta@indy.tdsnet.com)

Circle (72) on Reply Card

### 12.- Scott's Canadian Directories

Harris Publishing Co.  
2057 Aurora Road  
Twinsburg, OH 44087-1999  
216-425-9000  
800-888-5900  
Fax: 800-643-5997, 216-425-7150

International directories including Scott's Canadian national, Canadian Trade Index, Atlantic, Ontario, Quebec, Greater Toronto, Western Region. Directories are also available on CD ROM and for LAN use.

### 13.-Thomas Register of American Manufacturers

One Penn Plaza  
New York, N.Y. 10117-0138  
1-800-222-7900 ext 200  
212-290-7277  
Fax: 212-290-7365  
Telex: 12-6266  
Thomas OnLine, 212-290-7291 (see text)  
<http://www.thomasregister.com>  
<http://www2.thomaspublishing.com>  
<http://www.productnews.com> (web site on mechanical parts)

A multi-volume set of books that lists over 153,000 American and Canadian manufacturers and suppliers. The books contain over 52,000 product and service headings and over 111,000 trade and brand names, including manufacturer logos. In the catalog volumes there are over 1800 manufacturer catalogs that contain engineering drawings, specifications and performance tables. Note: the Thomas Register can be accessed online via Fax. The number is 900-FAX-THOM. An instruction sheet for this service is available by calling 800-4-FAXCAT (request document 630). Access charges are billed by the minute to your telephone number.

### 14.- U.S. Industrial Buyer's Guide

U.S. Industrial Directory  
A Reed International, Cahners  
Publication 8 Stamford Forum  
P.O. Box 10277  
Stamford, CT 06913-0168  
203-328-2500  
Fax: 203-357-7864

121 Chanlon Road  
New Providence, NJ 07974  
908-464-6800  
Fax: 908-771-7704

Circulation Office  
44 Cook Street  
Denver, CO 80206  
303-388-4511  
1-800-637-6086

These books, of which the U.S. Industrial Buyer's Guide was introduced in 1991, contain manufacturer sources of various products including adhesives, crane parts, electronic components, electronic hardware, electronic enclosures, maintenance products, tubes, varistors, X-Ray equipment, etc. The books contain data on almost 60,000 companies which are sources of over 20,000 products from abrasive belts to zirconium oxide. ■

# Test benches

by the ES&T Staff

On the surface of it, it would seem that putting together a test bench would require little thought. In actuality, nothing could be further from the truth. Most technicians spend eight hours, more or less, at the bench. Whether or not they are comfortable, or whether they are efficient, or whether they are distracted, depends on where and how the bench is situated, how it is constructed, how the tools, test equipment, replacement components and manufacturers' literature are arranged. A little thought given to the construction and arrangement of the workbench during the planning of the work area can reap large dividends down the road when the work station is being used every day.

One thing that managers can do when designing a work area is to ask the technicians for input. After all they are the ones who are going to occupy that area. If asked how a newly designed work station should be implemented, he may be able to suggest a number of factors that would improve it.

## Distractions

Most of us don't think about it very often, but distractions can seriously impair an individual's productivity. If the service center is set up so that individual technicians are asked to talk to customers on the telephone, or at the customer service desk, the technician will lose a lot of productive time. Similarly, if the service area is located so that there is a lot of foot traffic through it, the technician may be distracted by people going by, and thereby lose a great deal of productive time.

Where possible, the service area should be isolated from the other parts of the service center, well lit, and kept at a comfortable temperature.

## The workbench

Back in the old days, when consumer electronics products were relatively simple, and weren't sensitive to static electricity, and didn't have a hot chassis that required an isolation transformer, the workbench consisting of four legs and a

top with a few amenities on it might have been adequate. It might even be possible for some service centers to get along with that kind of bench even now.

But things are changing. Most of today's consumer electronics products contain static sensitive components that require that the technician and the workbench be so equipped that they don't generate a static electric charge sufficient enough to destroy or seriously damage a sensitive component.

Every work bench should have a source of isolated power available to avoid the component damage that results when a consumer electronic product that has a hot chassis is touched with test probes from a piece of test equipment that is plugged into the same power system that the unit being tested is plugged into.

## Other requirements at or near the bench

Something else that must be considered at the workbench is a place to hold the documentation. And these days, documentation doesn't simply mean paper, although, it certainly does mean paper. Sometimes very large pieces of paper. When management was planning the current generation of service benches in your service center, did the planners provide for holding thick service documents and huge fold-out schematic diagrams.

But in today's world, most service centers also have microfiche readers. Do the benches have provision for having a microfiche reader on or at least near the bench. And where does the computer go? These days more and more manufacturers are offering their service literature on a floppy disk. In past issues we have reported on the computerized service literature from Philips. An article in this issue describes the new CD-ROM-based serviced literature from Thomson. As that article states, it won't be long before a service center that wishes to service that manufacturer's products will absolutely need a personal computer, and a pretty powerful one at that, in order to gain access to any of the current service liter-

---

*"A little thought given to the construction and arrangement of the workbench during the planning of the work area can reap large dividends down the road when the work station is being used every day."*

---

ature. In order to remain efficient, service centers will have to have computers at or near service benches.

## Designing a service bench

It frequently helps in planning a project to prepare a checklist. It's useful just to sit down, picture the project in your mind, look at the current situation, and brainstorm a list of the requirements. It might even be useful to sit down with a group of technicians and managers and generate as many ideas as possible as to what is, or might be, required at the service bench.


Here's a partial checklist of the things that make up a test bench. No doubt most technicians and service managers could add to this list.

- Surface area for the product, test equipment, tools, etc.
- Storage: drawers, shelves, bins, etc.
- Tools
- Soldering/desoldering equipment
- Test equipment
- Supplies
- Lighting: general, task and spot
- Power: ac, isolated ac, variable ac/dc power supply
  - ESD (electrostatic discharge) protection
- Holder for service literature
- Communications
- Forms/writing implements
- Chemicals
- Computer or terminal
- Replacement parts/supplies reception
- Fume extractor
- Foot rest

## Stocking the service bench

Everything necessary to get the job done should be at the service bench. Things that are not necessary to get the

# ELECTRONIC COMPONENTS



Visit our web site!  
[www.mouser.com](http://www.mouser.com)

FREE catalog is available on the internet, CD-ROM, or in paper!

- 70,000+ Products • 145 Suppliers
- Same Day Shipping • No Minimum Order

800-992-9943

817-483-6828 Fax: 817-483-0931  
[www.mouser.com](http://www.mouser.com) [catalog@mouser.com](mailto:catalog@mouser.com)

958 North Main St., Mansfield, TX 76063

Circle (68) on Reply Card

## ORGANIZE AND PROTECT YOUR COPIES OF

THE PROFESSIONAL MAGAZINE FOR ELECTRONICS AND COMPUTER SERVICING

# ELECTRONIC

Servicing & Technology

Now there's an easy way to organize and keep copies of your favorite magazine readily available for future reference.

Designed exclusively for *Electronic Servicing & Technology* by Jesse Jones Industries, these custom-made titled cases and binders provide the luxury look that makes them attractive additions to your bookshelf, desk or any location in your home or office.

Each binder/case is covered durable leather-like material; title is hot stamped in gold.

Whether you choose cases or binders, you'll have a storage system that's durable and well organized to help protect your valuable copies from damage.

Quantity	Cases	Binders
One	\$ 8.95	\$11.25
Three	\$24.95	\$31.85
Six	\$45.95	\$60.75

Add \$1.50 per case/binder for postage and handling. Outside USA \$3.50 per case/binder. (U.S. funds only)

Credit cards accepted: AMEX, Visa, MC, Diners Club (Min. \$15) PA Residents add 7% sales tax Allow 4 to 6 weeks delivery

**Electronic Servicing & Technology**  
 Jesse Jones Industries, Dept. 95 EST  
 499 East Erie Ave., Phil., PA 19134  
**1-800-825-6690**

job done should be elsewhere. For example, if the technician needs a DMM every day, or almost every day, it should be at the bench. But if he needs a signal level meter not more than once a week, it should be available nearby, but shouldn't be cluttering up the work area.

The items in the checklist are pretty much self explanatory, but here's a little detail about some of the critical elements.

### ESD (electrostatic discharge) protection

Almost every consumer electronics product made today contains large-scale integrated circuits that are susceptible to electrostatic discharge damage. If these devices are handled without the necessary precautions there is a possibility that they may be destroyed or damaged.

Every service position should provide as much protection from this type of damage as possible: grounding wrist straps, static dissipative work surfaces, and static protective bags for storage.

### Communications

In a small service center, it wouldn't be necessary to set up an elaborate communications system; the technician merely has to speak to someone nearby. In larger service centers, however, the technician at the bench may be a long way from the office or the replacement parts/supply area. If a technician needs to check on the availability of service literature, certain parts, or other requirements, it could mean several trips a day, causing productivity to suffer.

Such trips could be minimized by providing intercom communications at every bench. The cost of such a system might be quickly recouped through increases in productivity. Another method of providing this communication would be by placing a computer terminal at every position that would allow the technician to place requests via the keyboard.

### Parts/materials

Hand in hand with good communications goes good parts handling. In the average medium to large service center, when a technician has isolated a problem to the component level, he walks to the parts/supplies area and submits a request for what he needs. The supply person may be busy at the time, thus causing delays.

A system such as this can cause a great deal of wasted time.

In one service center operated by a major manufacturer, every service position has not only a means of communication, but a pneumatic tube station. Under this system, once the technician has isolated the problem, he can order the parts or supplies he requires and have them delivered to him without ever moving from the bench.

Of course, a system such as this requires a considerable up-front investment, but the increased efficiency realized by making the best use of a skilled technician's time can more than offset the cost.

### The little things

Servicing a product, such as a TV, presents some peculiar problems. For example, while servicing a larger set it frequently becomes necessary to perform adjustments on controls at the rear of the set while observing the results on the screen at the front of the set. One of the more efficient and well thought out service centers we know of has a large mirror fastened to the wall at the back of the bench. With this setup, it is not necessary to find a mirror and try to place it where it can be seen. It's always right there.

### Fume extraction

According to literature from one manufacturer of soldering fume extractors, the fumes produced when a technician solders may cause, or aggravate a number of problems: allergies, headaches, acne. In many service centers, for example those that are large and well ventilated, fumes might not be a serious problem. The existing air handling system might be able to sufficiently diffuse the fumes so that they're not a bother. In other service centers, those that are small, or have low ceilings, or in which some of the technicians do a lot of soldering, it might be wise to consider the benefits of fume extraction, especially if any of the technicians complain of discomfort caused by fumes.

There are a number of ways to eliminate soldering fumes, ranging from the simple and inexpensive to the elaborate and expensive. Which of these solutions should be chosen by a particular service center would depend on the size of the service center, the number of technicians, and the amount of soldering that the service center does.

***“With every advance in technology, and with every addition of a product to the list of consumer electronics products, new problems arise in equipping the service bench.”***

For example one solution to soldering fume extraction is to eliminate it at its source. Some soldering/desoldering systems either come with, or can be fitted with tubes that are attached to the soldering iron in such a way that the fumes generated during soldering are sucked into the tube and either vented to the atmosphere, or, more likely, routed to a canister where the fumes are absorbed and the purified air is recirculated.

Another approach is to place a larger, higher volume air nozzle that sucks the air in the vicinity of the work area, including the soldering fumes, and conducts it to a canister where it is purified and recirculated into the service center. Systems that either ventilate a single work station or that several work stations at a time can be purchased.

The most elaborate fume extraction is the type that has a vent hood at each work station and ductwork that leads to a central fan that exhausts the fumes to the outside. The advantage of such a system is that it completely rids the service center of the unwanted fumes.

The exhaust method does have a couple of disadvantages. For one thing, there are environmental laws at every level; local, state and Federal that control the type and concentration of any fumes vented to the outside. You might have to prove that your installation is in compliance with those laws.

The other disadvantage is that air that is exhausted to the outside has to be made up by drawing air in from the outside. In the winter, that makeup air has to be heated. In the summer, the makeup air has to be cooled. Heating and cooling extra volumes of air can be a considerable expense.

### **Ergonomics**

Another important but often overlooked aspect of workbench design is ergonomics, the study of how tools and workplaces should be designed to make a human worker more efficient and to minimize injury or distress to the worker. The popular and business press frequently carry articles on

the problems that can arise when a worker performs certain tasks repetitively. It's more likely to occur on an assembly line where a worker might perform a certain task over and over hundreds of times throughout the day, but it can also occur to someone who performs the same types of task repeatedly over many years. Sometimes this results in inflammation of the muscles or tendons that are used to perform the task. This kind of problem can cost the service center in many ways: loss of a productive technician for a period of time, payment of that technician, as well as a replacement, while he is out.

Many factors play a part in these problems: design of the tool, method of using the tool, number of times the tool is used during a work period, the height of the workbench, the height of the chair, placement of the chair in relation to the workbench. There are many good books on the subject. And for those who own a computer, a visit to the internet and a search on the word “ergonomics” will result in a list of many sites where the visitor will find help and advice on buying or designing an ergonomic workplace.

### **Planning is an ongoing task**

With every advance in technology, and with every addition of a product to the list of consumer electronics products, new problems arise in equipping the service bench. For example, it becomes necessary to answer questions such as whether an existing service position, say one that is currently used for the servicing of television sets will be used to service a new product as well, for example personal computers. Or will a new work station be set up for the purpose.


Either way, the same type of workbench planning must be done anew. Storage has to be set aside for diagnostic software, specialized tools and test equipment for computer service, etc.

If service center personnel don't think these things through as they arise, the service bench will become less efficient, and no service center can afford that. ■

## **CAPACITORS**

**ARE THE LEADING CAUSES OF FAILURE IN TVs & VCRs.**


**CHECK CAPACITORS IN-CIRCUIT WITH 100% ACCURACY IN SECONDS**



### **CapAnalyzer 88 \$179**

- Automatically discharges capacitor, Checks for low DCR and shorted caps, Checks high-frequency ESR and displays on 20-segment LED meter.
- 3-color chart shows typical readings.
- Includes gold-plated tweezer probe.
- Portable... Batteries included!

### **LOCATE ANY SHORTED or LEAKY COMPONENT**



### **LeakSeeker 82A \$179**

Locates shorted & leaky parts to the exact spot on the PCB without cutting up the board or unsoldering any parts!

**AVAILABLE AT YOUR DISTRIBUTOR  
60 DAY MONEY-BACK GUARANTEE  
ON ALL EDS TEST EQUIPMENT  
SEE US AT THE NESDA CONVENTION!**



**ELECTRONIC DESIGN SPECIALISTS  
4647 Appalachian St. Boca Raton, FL 33428  
www.eds-inc.com 561-487-6103**

*we make test equipment designed to make you money.*

# Test probes update

by the ES&T Staff

The essence of troubleshooting electronics products is gathering as much information about the nature of the problem as possible and making a tentative judgement as to what circuit segment or component might be the cause of the problem. A competent technician uses all of his senses and every type of test equipment that he can bring to solve on the problem.

For example, a trained pair of eyes can see charring on a resistor, cracks in circuit traces, arcing around a high-voltage component. A good sense of smell can tell a trained technician when something has overheated. Fingers that have serviced electronics products for years can help a technician tell when a resistor, transistor or IC is too warm.

## Bringing in the test equipment and the probes

In many cases, the most highly trained senses reveal little or nothing about the nature of the problem, and even when the senses tell something about the problem, it remains for the highly sophisticated test equipment: multimeters, oscilloscopes, etc. to determine the actual cause of the problem. But every piece of test equipment that is to be used in the troubleshooting process requires some kind of probe to attach it to the points in the circuit that are to be tested.

As electronics equipment has evolved and become more sophisticated, and ever more crowded with tiny components with even tinier leads, it has become necessary for test equipment and test probe manufacturers to develop the sophisticated test probes necessary to connect to those test points. In some cases, the requirement was for a probe that would attach to the many tightly spaced leads of an IC and increase the spacing so that a technician can get a probe connected to the desired test point. In other cases, the requirement was to develop a probe that would provide an accurate reading when used with a particular piece of test equipment.

This article will discuss some of the recent advances in test probes that may




Figure 1. This schematic diagram shows the construction of a X10 oscilloscope probe.

make a technician's troubleshooting work a little easier, and/or more accurate.

## Specifying an oscilloscope probe

Many people think that in order to get a precise reading, the bandwidth of the oscilloscope probe should be higher than the bandwidth of the oscilloscope. While this is true with some probes, other manufacturers specifically design, rate and specify probes to match the bandwidth of the particular instrument. The result is a

probe frequency response that can essentially be considered transparent.

In a pinch, even a piece of wire can be used as an oscilloscope test lead. It is inexpensive and readily available. But to use a piece of wire as a probe could seriously degrade the signal you are attempting to read. In addition, the instrument's input amplifier could be seriously overloaded by the unshielded wire's pick-up of induced extraneous noise. Only an oscilloscope probe specifically tailored to




Figure 2. Bandwidth of an oscilloscope is the frequency range over which the probe has an output amplitude that is above a point that is 3dB below the maximum value of the signal.




Figure 3. As frequency increases, the voltage capability of a probe decreases. A typical derating curve is shown here.

have a frequency response/bandwidth that matches the bandwidth of its companion oscilloscope and which includes adequate compensation circuitry and overall shielding can offer signal integrity and minimum loading of the signal source by the probe itself.

There are several important factors to consider when selecting an oscilloscope probe. By comparing these factors with your testing requirements and instruments, you should be able to select the probe best suited for your specific application. See Figure 1 for a basic schematic diagram of an oscilloscope probe and


connected instrument. Before you read any further, review your instrument's rated bandwidth, input resistance (standard value is 1 M $\Omega$  and input capacitance (standard value is 20pF).

Probes are rated most often in terms of bandwidth and/or risetime. Bandwidth is usually defined as the sinewave frequency at which the output amplitude of the subject item has decreased by 3db, as compared to its mid-band or reference value. The general graphical representation of this would look like Figure 2. This -3db. point, represents an output amplitude that is nominally 70% of the mid-band or reference value.

Risetime ( $T_r$ ) is generally related to sinewave bandwidth by the equation  $T_r$  (ns, 10%-90% amplitude) = 350/BW (MHz). This equation indicates that a 100MHz (sinewave rated) basic oscilloscope would have a risetime 10% to 90% of amplitude measured of 3.5 ns.

#### Choosing a probe

The introduction of any measuring device (scope/probe combination) to a circuit will produce some signal distortion (loading effect). A good quality



## Your Ticket to SUCCESS

More than 40,000 technicians have gained admittance worldwide as certified professionals. Let your ticket start opening doors for you. IS CET offers Journeyman certification in Consumer Electronics, Industrial, Medical, Communications, Radar, Computer and Video. For more information, contact the International Society of Certified Electronics Technicians, 2708 West Berry Street Fort Worth TX 76109; (817) 921-9101

Name

Address

City

State  Zip

Send material about IS CET and becoming certified

Send one "Study Guide for the Associate Level CET Test."

Enclosed is \$10 (inc. postage).

Circle (74) on Reply Card

# You Can Have What It Takes In '98!

Successful servicers around the country have told us you need the following items to be successful in 1998 and the years beyond:

- Circuit Knowledge
- Accurate estimates and excellent customer service
- Troubleshooting training
- Proper equipment that quickly leads you to defects

Sencore offers complete technical training on circuits and how to best troubleshoot. We'll show you how you can improve your estimating and the profitability of your business. *Plus*, we'll provide the only instruments designed specifically for the service industry.

Call Today So Sencore Can Supply You With The Information Package Or Payment Plan To Start Increasing Your Bottom Line Profits For '98!

**1-800-SENCORE (736-2673)**




**SENCORE**

3200 Sencore Drive, Sioux Falls, SD 57107  
605-339-0100 • FAX: 605-339-0317

www.sencore.com

The pins of integrated circuits have become so thin and so closely spaced, and surface-mount components have become so tiny. In some cases, such as camcorders, the space in which a technician must work is so cramped, that just getting a probe on a test point has become a major challenge. Fortunately, many manufacturers are working diligently to produce probes, clips, extenders and more to address the problem.

Represented here is a selection of the probes that are available to assist technicians in connecting that oscilloscope or DMM to the point of interest in the circuit. Photos are courtesy of ITT Pomona.



probe matched to a scope will minimize this distortion, or reduce it to a known quantity. Each probe has an input resistance and capacitance. At low frequencies, usually less than 1MHz, input resistance is the principal factor in the loading effect. The high tip impedance of the probe, usually  $1M\Omega$  for a X1 probe and  $10M\Omega$  for a X10 probe, minimizes circuit loading. As frequency increases, the probe's capacitance becomes the dominant factor. The lower the capacitance the lower the loading and consequent distortion of the signal source.

For circuits that are sensitive to impedance loading there is the X100 probe. It has an input impedance of  $10M\Omega$  and approximately 6pF when connected to a standard oscilloscope. If a high enough signal voltage amplitude is available for the X100 attenuation, this probe would be most suitable.

For best results, to minimize signal source loading and to maximize bandwidth and risetime, select a probe with the highest input resistance and the lowest input capacitance.

#### Voltage input

For operator safety and to prevent equipment damage, before use, review the voltage and frequency to be measured to be sure that they are within the specified capability of the probe. Note: most probes have a decreasing voltage capability as the frequency increases (Figure 3).

#### Grounding

The quality and accuracy of the displayed measurement is greatly affected by the method by which the probe is grounded to the circuit under test. The ground lead has inductance. As the frequency increases, so does the inductive

reactance. This reactance can cause signal distortions and leading-edge ringing on high-speed pulse waveforms. To reduce this effect, use the shortest ground lead possible (ground to the device under test) or adapters such as a BNC interface which is an included accessory.

#### Fully insulated probes


Because battery-powered portable scopes may be used without earth grounding, user safety becomes a primary factor. A signal voltage may set up on the shielding circuit and if a standard probe is used, this voltage would be present on the exposed BNC shell. Fully-insulated probes, specifically designed for use with portable scopes, cover these exposed points with plastic insulation. The international safety standard IEC1010-2-031 details the design criteria for safer operation of these probes. ■

## Power quality catalog

Dranetz-BMI announces the availability of a new eight-page product line catalog featuring the company's complete line of power quality, harmonics and energy instrumentation and software solutions. The main product categories include hand-held, portable and permanently installed hardware products and PC based system software for data acquisition, analysis, evaluation and reporting.


The portable and hand held products section includes a photo of each single and three-phase power quality instrument along with a brief description and bullets of key features. Products include the 4300 Power Platform series, 355 Harmonics Analyzer, 100G PowerVisa 130 PQ-Sentry Power Platform PPI, Dran-Logger DL-1, 658 PQ Analyzer, 8800 PowerScope and 3030A PowerProfiler. The permanently installed and portable instruments section is presented in a similar fashion and includes the following products: 7000, 8000 and 9000 PQNode series, 3100 PQNode/EPRI PQPager and PP-1R Power Platform.

The PC-based software section includes descriptions of the company's three primary software packages for data acquisition, analysis, evaluation and reporting. Bullet points of key features are augmented by multiple screen captures for each, illustrating the various capabilities of the DranView, Dran-Scan and



Power Evaluation Software (PES) products. In addition, complete information is provided about how to contact the company's technical support, reference library and training lines. A comprehensive product selection matrix is also included which details the company's complete hardware and software product offering by model number, type and operational features.

Circle (90) on Reply Card



## Test and measurement instruments catalog


Marconi Instruments announces its 1997/98 Test and Measurement catalog. The catalog features the company's line of test solutions for RF and microwave products. The catalog offers an updated selection of signal sources, radio test sets, and microwave and RF analyzers.

Circle (91) on Reply Card

## Electronics catalog

TechAmerica is a new, nationwide catalog operation which has its strength in core electronic components. The catalog includes: Test equipment, tools; wire, cable and connectors; a library of technical and computer books, including service and repair subject titles; chemicals; security and automation components; computer networking products and accessories; audio/video distribution components, and business and amateur communication products.

TechAmerica maintains inventory levels and depth. Catalog merchandise is



presented in well defined sections of the book with informational specifications to assist in correct selection. Additional product information can be found by contacting the TechAmerica Technical Support group. Electronic components are sold in single or volume counts.

TechAmerica also offers benefits for service and repair professionals.

Circle (92) on Reply Card

## Test equipment catalog

Global Specialties introduces its test equipment short form catalog featuring five new products. This new, easy to read tri-fold short form catalog features two new constant current/constant voltage digital dc power supplies; one single and one triple output.

Also featured are:

- a new 32 channel logic analyzer with a standard RS-232 interface and many other features and specifications that are necessary for evaluating microprocessor based circuits

- the third in the series of Global's unique triple isolated ac power sources with current and leakage measurement capabilities as well as a 220Vac-240Vac at 50Hz input capability, and

- the Protolab 4.0 circuit design and simulation software package that allows users to create circuits instantly on the personal computer.

Circle (93) on Reply Card

# Test equipment update: Testing has changed

by the ES&T Staff

In the 1950's every service technician worthy of the name carried a tube tester and a caddy full of tubes to the home where he had been called to service a television set. Today that tube tester has been obsolete for years, and any tubes still left from that caddy are useful only to replace defective tubes in "antique" TV sets.

Just as television technology has changed, and the vacuum tubes on which they are based gave way, first to transistors and then ICs, the test equipment used to test those products has changed as well. Moreover, even the information delivery system used to provide servicers with service literature has evolved. The complexity of consumer electronics products required that manufacturers produce service manuals that rivaled "War and Peace" for thickness. That led manufacturers to attempt to deliver service manuals on microfiche.

## The digital age of consumer electronics has arrived

In recent years consumer electronics products have undergone a revolution, not simply further evolution. Digital techniques which once were applied only to devices known as "computers" are now found in many circuits in consumer electronics: audio systems have digital tuners, television sets have digital circuitry, web TV products can connect the family's TV set to the internet.

Some television sets have digital circuitry that controls the operation of the product based on information stored in read only memory (ROM) ICs. On those sets, there are no knobs to tweak to optimize operation; all inputs must be done with either a computer, or some kind of computer-based device.

## A case in point

Thomson Consumer Electronics has been one of the consumer electronics manufacturers that have been at the forefront when applying new technology to

consumer electronics products. As most servicers are aware, they have applied digital technology to their television products, and many of their products are designed so that all operations are controlled by microprocessors and all adjustments are made using a personal computer or a computer-based device known as the "Chipper Checker."

Now comes another development that is of vital interest to consumer electronics servicers. Beginning in 1998, Thomson plans to convert their service literature entirely to electronic media. While the following text quotes a letter from Thomson to their authorized service centers, this information will be available to non-authorized service centers as well.

## The announcement

Following is a verbatim quote from the letter that Thomson sent to all of its authorized service centers:

In 1999, we plan to change all service data from paper to electronic. The new Electronic Service Information will be distributed via CD-ROM. The purpose of this communication is to acquaint you with this new medium. The Electronic Service Information we plan to provide should be viewed as a comprehensive service aid that will reduce your costs while improving service quality.

To help you understand this exciting

---

***"The complexity of consumer electronics products required that manufacturers produce service manuals that rivaled "War and Peace" for thickness."***

---

new medium, the following are some of the features of the new Electronic Service Information:

It will provide a single source for all information required to service the product including:

- Schematics and Parts Lists
- Circuit Board Views
- Alignment Procedures
- Training Materials
- Technical Bulletins
- Chipper Check
- Alignment Software
- Customer Instruction Books
- It's interactive with built-in links between service information components.
- It has the ability for the technician to record notes regarding repair.
- It requires much less storage space than traditional service literature.
- All information on the CD is printable using standard PC printers.
- It's priced at or below current pricing, providing a much better value compared to the traditional service data approach to service information.

	<u>1997</u>	<u>1998</u>
TV - Service Data	\$80.00	\$64.00
- Chipper Check	\$129.95	Free
- Total	\$209.95	\$64.00
VCR - Service Data	\$120.00	\$120.00
C/C - Service Data	\$135.00	\$135.00
Audio - Service Data	\$60.00	\$50.00
Parts Finder	\$149.95	Free
Total - All Products	\$674.90	\$369.00
Saving - All Products		\$305.90

Table 1.

• Schematics are easy to read, even on smaller monitors.

• All data is on the CD-ROM, freeing up your computer's hard drive.

• Multiple copies of the CDs are available at a greatly reduced price."

Previously it was mentioned that electronic data is a better value. Please review the following for a comparison.

• 1997 Subscription = service data + service bulletins only

• 1998 Subscription = Interactive service data + service bulletins + training materials + chipper check (TV) + Partsfinder+Customer Instruction Books.

• Cost

Refer to Table 1.

### Computer requirements for this software

TCE's Electronic Service Information (ESI) uses several software programs to view service information. Many of these programs would have been installed on most computers with Windows 95 or NT. There are also several programs, such as Internet Explorer 4.0 and Adobe Acrobat 3.0, which were not installed with Windows and might have to be installed by the service center in order to use the information on the ESI CD-ROM.

Note that these programs come at no additional charge on the CD-ROM. Moreover, the requirement to install the Internet doesn't imply the requirement to connect to the internet. No requirement to connect to the internet is required. The reason that Internet Explorer is required to run the ESI disk is that that Internet Explorer contains certain software that is used to operate the ESI CD-ROM system.

In order to operate the ESI CD-ROM, the service center will have to have this equipment as a *minimum*.

**Operating System:** Windows 95 or NT 4.0

**Processor:** 486DX2

**RAM:** 16Mbytes

**Hard Drive:** During installation, Thomson's Electronic Service Information system only loads required system files on the computer. Service information remains on the CD ROM minimizing hard drive space requirements.

**CD-ROM:** At least 4X

**Mouse:** Two-button, minimum

**Printer:** The ESI software will work with a large assortment of printers,

including dot matrix, laser and bubble jet printers, and plotters.

To reiterate, the requirements listed above are minimum requirements. For best performance, it is recommended that you use at least a Pentium processor with 16Mbytes of RAM. When purchasing a computer to use with ESI, or for that matter, any software, it is recommended that the purchaser buy as much computer as he can afford. It saves time and money in the long term.

### A huge change

This decision to deliver all service literature via CD-ROM, especially for a company as influential in consumer electronics as Thomson, represents a huge change in the way information is delivered; a fundamental change. Thomson will no longer make any kind of paper service information available. If a service center wishes to gain access to service literature, they will only be able to do so if

---

**"Beginning in 1998, Thomson plans to convert their service literature entirely to electronic media."**

---

they have a computer, and a fairly advanced computer at that. Other manufacturers are also making service literature available for use with the computer, although it's not currently known if they will also cease publication of paper.

Perhaps more than any other development in a long time, this one states that computers have become a fact of life in the consumer electronics service business. It will be difficult to do business without one. There seems to be little doubt that this trend will continue. Any service center that does not currently use a computer should seriously consider doing so. The benefits of doing so will be many. The consequences of not doing so could be serious. ■

## ES&T Calendar

### SUPERCOMM '98

June 7-11  
Atlanta, GA  
703-907-7981

### CES Habitech '98 - Home Systems

June 7-9, 1998  
Atlanta, GA  
703-907-7600

### Fuse '98

June 19-21, 1998  
Atlantic City, NJ  
703-907-7643

### CES Mobile Electronics

June 19-21, 1998  
Atlantic City, NJ  
703-907-7600

### VICA National Leadership and Skills Conference

June 22-26, 1998  
Kansas City, MO  
703-777-8810

### Systems Support Expo

June 23-25, 1998  
Boston, MA  
800-272-1812

### CE Executive Summit (CEMA)

June 24-28, 1998  
Colorado Springs, Colorado  
703-907-7616

### NESDA 48th/ISCET 28th/NIAS 6th Annual

August 10-15, 1998  
Kissimmee, FL  
817-921-9061

### CeBit Home Electronics '98

August 26-30, 1998  
Hanover Germany  
609-987-1202

### PCS 98

September 23-25, 1998  
Orlando, FL  
703-739-0300

### Personal Computer & Electronics Expo

October 15-18, 1998  
Uniondale L.I., NY  
800-886-8000

### PCS 99

September 22-24, 1999  
New Orleans, LA  
703-739-0300

# Service mode adjustments for the newer televisions

by Bob Rose

The customer said the picture had shrunk. "Can it be fixed so the picture fills the whole screen the way it did when I bought it?" she asked. Sure enough, the raster did not fill the screen vertically. "Quick fix," you think. Pop the back off, adjust the vertical height pot, and write the bill. Well, the fix wasn't quite that simple. I put the set into what the manufacturer calls "the service mode," pulled the literature (which was on "fiche"), located the register that controlled vertical height, and made the necessary adjustments.

This is the new way of doing things. There are no pots, capacitors, or inductors to tweak. The days of mechanical adjustments have given way to electronic adjustments which are written into memory chips and stored until system control calls for them. In many respects it is easier and more accurate than the old way; in some respects it is more difficult. The tech has to know how to enter the service mode, what register to check, and how to make the adjustment. Then the technician has to write the adjustment(s) to memory and exit the service mode without losing the data. Sometimes the necessary data can be located in a Sams Photofact folder, and sometimes it has to be obtained from the set's maker.

Moreover, if you work with projection televisions, you will find yourself doing convergence adjustments using a remote control instead of an alignment tool. Every adjustment value will be written into an EEPROM which sends its data to a microprocessor and then to the convergence amplifiers.

## Things have definitely changed!

This article will explore how service modes are entered, how adjustments are made, and how to exit the service mode without losing data. I will use five brands to illustrate the process. These brands are

Rose is an independent consumer electronics business owner and technician.

popular in my area and illustrate how almost every manufacturer does things.

## Thomson (RCA/GE) televisions

To enter the service mode in these televisions (from CTC 175 to the present), while the receiver is on press and hold the menu button and then press and release the power button and the volume + button. The instrument will display a one line menu on the screen. The lower left display will read P 00; the lower right display will read V 00. The "P" stands for "parameter," and the "V" stands for "value."

There are three levels in RCA's service menu. To get to the first level, use either the remote control or volume + on the front panel and adjust the "V" to read 76. You now have access to the "service adjustment parameters." To select a specific parameter, use channel up/down buttons on the remote control or the front panel. Once you select a particular parameter, use volume up/down buttons on the remote control or the front panel to make the necessary adjustment.

To enter level two of the service menu, change the parameter to twelve and the value to seventy-seven. You can now adjust the "chassis alignment parameters." To enter level three, change the parameter to twenty-eight and the value to seventy-eight. You can now write changes to "tuner alignment parameters." I have a complete list of the adjustments you can make in the July, 1977 issue of *Electronic Servicing and Technology*. I suggest you consult this issue for additional information.

To exit the service mode, simply press the power button on the handheld remote control unit or the front panel. The TV will exit the service mode and write all changes to memory in the EEPROM. By the way, be very sure to make a *written* record of the existing value in a register ("parameter") before you make any changes. Don't trust your memory. I speak from experience. And don't worry

about making a mistake. If you don't follow the procedure exactly as Thompson has outlined it, the TV will automatically exit the service mode.

The bulk of this information can be found in a Thompson publication, CTC 175/176/177 Technical Training Manual. You can get it from your RCA distributor or directly from Thompson (POB 1976, Indianapolis, IN 46206).

## Philips' products

Philips (Magnavox, Philco, Sylvania, Philips) does things a bit differently. To enter, let us say, a Magnavox service menu, use the remote control handheld unit and enter the following seven-button sequence: 0, 6, 2, 5, 9, 6, Menu. Depressing the power button will exit the service mode and save the current changes. It will also turn the unit off.

I will use the PTV 700 as an example. Keep in mind that this information generally applies to their other models, but there will be exceptions. Philips stores such information on microfiche instead of paper. Which is to say, if you order a specific manual be sure to get the "fiche" as well. The information I am about to give you can be found in Manual 7541 which covers PTV 700, 705/6, 710/11, 715, 720, and 725. I believe it cost about \$30.00. If you do a lot of work on these units, you will not spend a better \$30.00!

Let's say you have entered the service mode. All normal on-screen displays will be suppressed and replaced by a special display. It will look something like Figure 1. The first line will show the factory part number of the microcomputer: 613085-3. The next set of characters (GR5X3.0) identifies the version of software in current use. The second line, reading left to right, displays the currently tuned channel (channel 3). By the way, channel 3 is the default channel when entering the service mode. Why? Because most signal generators output to channel 3! If you are not using a generator or if channel 3 is not




Figure 3. In this chassis, both the horizontal drive section and the main processor IC are powered by the secondary or scan-derived supply. Voltage substitution can be helpful in isolating a start-up problem. (Schematics courtesy Howard W. Sams)




Figure 4. Some start-up circuits, such as this one, run continuously if the horizontal drive section fails to take over for any reason. In this case the chassis may power up with a very distorted raster. This is because the start-up circuit does not generate the proper waveform required for a uniform raster.

driver transistor. This transistor drives the HOT via the driver transformer. Each of the transistors receives collector voltage from the primary or low-voltage supply when the set is turned on. All that is needed to start the chassis is a supply voltage for the main processor IC. Typically, this voltage is bled from the primary supply by a resistor. Once the chassis is running, the secondary or scan-derived supply will take over by forward biasing the commutating diode. Note that the start-up voltage is only applied to the HOR VCC pin and does not power the entire IC. In some designs the primary supply powers HOR VCC continuously.

The x-ray protect circuit is also very straightforward. A sample voltage is taken from one of the IHVT secondary windings. Though this is not high-voltage (HV), its level does track the HV. This voltage is rectified and then applied to a zener diode. The rating of the diode is such that it will not conduct unless the HV rises above its normal value. If this happens, the x-ray protect circuit in the main

processor will be activated shutting down the horizontal drive.

Zenith manufactured a series of chassis in the 80s that are somewhat complicated. They employ a three-stage horizontal driver circuit, a three-transistor start-up circuit, and a two-transistor shut-down circuit. We will look at these circuits one at a time using a Zenith model D2500W as an example (Figure 2).

### The horizontal driver circuit

The most unusual thing about the driver circuit, aside from the fact that it uses three transistors, is that it is powered by the secondary supply. This means that the horizontal output section and its associated secondary supply must be running before the driver section can run. In other words, even if voltage was applied to the main processor IC and drive pulses were being produced, the chassis would still not run if the horizontal output section isn't running. Furthermore, substitution of a horizontal drive signal into the driver circuit will not work unless it is done at

the output of the final driver stage or into the HOT itself.

The horizontal driver collector is supplied by secondary source number 6, while the predriver and phase inverter are supplied by number 7. The purpose of the horizontal inverter is to compensate for the phase inversion caused by the common-emitter pre-driver. Note that these transistors are direct coupled and should all be replaced if one fails.

### The start-up circuit

The start-up circuit is essentially an oscillator that directly drives the HOT. The drive signal is coupled to a tap on the secondary of the driver transformer TX3205 via R3216. The oscillator is an astable (i.e., freerunning) multivibrator comprising Q3224 and Q3213. This circuit is powered by the primary supply so that it will run as soon as the set is turned on. The start-up circuit actually takes the place of the main processor IC and the horizontal driver section until the chassis starts and the secondary supply takes over operation of the set.

The third transistor, Q3210, is part of the "quenching" circuit that disables the multivibrator at the appropriate time. The quench circuit used in this example is self-activating. The components have been selected so that quenching will occur about one second after the set is turned on. In a normal chassis this is sufficient time to get the secondary supply running.

Each transistor in the multivibrator has its collector output RC coupled to the base of the other transistor. If both are proper-




Figure 5. The shutdown circuit in this chassis uses a two-transistor latch circuit.




Figure 6. This diagram shows the entire primary power supply. Note that the tuner and tuner control modules are powered independently and are isolated from ground by transformer TX1, whereas the main supply uses a hot ground.

ly biased, the multivibrator will run continuously producing a characteristic waveform. Both transistors are PNP units and need negative base bias. Transistor Q3213 gets its bias from ground via R3215. Transistor Q3224 gets its bias from ground via R3215 and Q3210.

When the set is turned on there will be a positive voltage drop across R3229 while C3210 charges. This voltage forward biases Q3210, providing a current path to ground for the base of Q3224 which enables the multivibrator. Once C3210 is sufficiently charged, Q3210 turns off, quenching oscillation.

#### If the set will not start up

If the set will not start up, observe the output of the multivibrator using an oscil-

loscope. In a no-start situation the multivibrator can be scoped. With the timebase set for 1ms you should be able to see a differentiated squarewave (having positive and negative-going spikes) for about one second when the set is switched on. You might be able to hear a whine and possibly a short burst of audio. This is because the HV and secondary supply voltage will actually come up while the start-up circuit is running, provided the horizontal output section is working normally. This may lead you to suspect that the chassis is going into HV shutdown since the symptom is the same. The shutdown circuit will be covered later.

If you encounter a chassis that has no sign of life when switched on (assuming that the primary supply is working) it is

possible that the start-up circuit is at fault. In some chassis the LED display will still come on and the remote control may work. In these chassis the tuner control circuit is powered by the primary supply. Once you determine that the start-up circuit is faulty, troubleshooting will be fairly simple and straightforward.

In most chassis the start-up circuit uses a floating ground and is powered directly from the primary supply. Be sure to bear this in mind when measuring voltages. Voltages will read higher than what is shown on the schematic until the chassis is running and regulating properly. If B+ is present but the start-up circuit will not run, the simplest course of action is to simply test the components beginning with the transistors. Don't overlook the possibility of a defective quench circuit.

#### If the startup circuit is functioning

If you have determined that the start-up circuit is okay, the problem must be in the horizontal section or the secondary supply. The 8V source on pins 28 and 31 of the main processor IC should come up briefly while the start-up circuit is running. A horizontal drive waveform should be present at pin 37. If this event is too fast for your scope to lock on, the IC can be tested by voltage substitution. Connect the positive terminal of a 9V battery to either of the supply pins and the negative terminal to ground. A more convenient tie-in point is on either leg of inductors L2377 or L2379 which are mounted adjacent to the IC. These inductors are in the supply lines from secondary regulator IC3406 (Figure 3). Incidentally, if IC2376 does not generate a horizontal drive signal during this test then it is almost certainly defective.

If the start-up circuit is working but the 8V supply does not come up, turn your attention toward the horizontal output section and the secondary supply. These sections are conventional and so will not be discussed here in detail. Suffice it to say that if none of the secondary supplies comes up then the problem must be in the horizontal output section. Be sure that the drive pulses from the start-up circuit are actually making it to the horizontal driver transformer. Resistor R3216, a 1W device, has been known to open.

Some start-up circuits run continuously if the horizontal drive section fails to

	
<b>CROSLLEY</b>	E13332BCF253 .....999
CT131 .....3989	TX826WD .....3999
<b>MAGNAVOX</b>	<b>SANSUI</b>
MX2789B101 .....3987	TVM1302 (Version A) .....3993
27W508-00AA .....3987	
<b>ORION</b>	<b>SONY</b>
TV1326BW (Versions A, C, D) .....3988	KV-27S26 .....3998
TV1925A (Versions C, D) .....3997	KV-27V26 .....3996
	KV-29RS26 .....3998
<b>PANASONIC</b>	KV-29RS26C .....3998
AMEDP266 .....3994	KV-29V22M .....3996
ANEDP264 .....3994	SCC-K96L-A .....3996
AREDP264 .....3994	SCC-K96P-A .....3998
CT-27SF14V .....3994	SCC-K97L-A .....3998
CT-27XF14CV .....3994	SCC-K98F-A .....3996
CT-31SF14V .....3994	SCC-K98M-A .....3998
PV-7400 .....VCR-298	SCC-K98N-A .....3998
PV-7401 .....VCR-298	
PV-7401-K .....VCR-298	<b>TOSHIBA</b>
	CF32G50 .....3990
<b>PHILIPS/MAGNAVOX</b>	CL34G50 .....3990
PR1388C121 .....3991	TAC9715 .....3990
PR1388C122 .....3991	
PR1389X121 .....3991	<b>ZENITH</b>
PR1389X122 .....3991	SM2722MK .....3992
TR2502C121 .....3995	SM2722MK6 .....3992
TS2544C121 .....3995	SM2722RK .....3992
TS2744C103 .....3995	SM2722RK6 .....3992
TS2744C121 .....3995	SM2724N .....3992
XR1388C121 .....3991	SM2724N6 .....3992
XR1388C122 .....3991	SM2726EW .....3992
	SM2726EW6 .....3992
<b>QUASAR</b>	SM2726EWM .....3992
VHQ720sim to .....VCR-298	SM2727RK .....3992
VHQ740sim to .....VCR-298	SM2727RK6 .....3992
	SM2728RK .....3992
<b>RCA</b>	SM2751Y .....3992
E13332BCC25 .....3999	SM2768S .....3992
	SM2768S9 .....3992

take over for any reason (Figure 4). In this case the chassis may power up with a very distorted raster. This is because the start-up circuit does not generate the proper waveform required for a uniform raster. For example, the raster might have a bright vertical stripe down the center. Such a symptom might lead you to suspect a problem in the horizontal output section. In most of these chassis, however, the start-up circuit will not produce sufficient voltage on its own to produce a raster as the TV screen.

### High-voltage shutdown

Operation of the shutdown circuit is fairly simple (Figure 5). A sample of the secondary supply voltage from pin 10 of the integrated high voltage transformer (IHVT), TX3204, is rectified by diode CR3602 and applied to the cathode of zener diode CRX3204 after being filtered and divided by an RC network. If the zener conducts due to excessive voltage, NPN transistor QX3207 will conduct forward biasing PNP transistor QX3204. This will apply excessive forward bias to the horizontal phase inverter transistor

Q3209 via diode CRX3211. The inverter will then saturate. You will recall that this transistor passes the drive signal by switching on and off. The negative excursions of the base drive signal will not be great enough to overcome the positive bias from the shutdown circuit.

The collector of the shutdown latch, transistor QX3204, is coupled to the base of transistor QX3207 forcing it to stay on even after the high-voltage has dropped. The circuit will remain latched until the set is turned off and the power supply capacitors discharge. If you suspect that a start-up problem is actually a shutdown problem, you can temporarily defeat the shutdown circuit by disconnecting one leg of diode CRX3211.

There is nothing unusual about the primary supply used in this chassis (Figure 6). The schematic is being included to complete this troubleshooting package. Problems that appear to be related to the start-up or shutdown circuits will sometimes actually be in the power supply. For example, C3413 is in a feedback loop from TX3410 to the base of regulator Q3410. This capacitor has been known



to dry up prematurely because it is mounted in a hot spot. When this happens the chassis may cycle on and off continuously because the regulator has lost its ability to compensate for the initial in-rush current during power up. In some cases the set may begin to run properly once it warms up. Such a problem is easy to misdiagnose as start-up or shutdown related.

### Summary

Many service technicians routinely replace the entire board on these Zenith chassis and the manufacturer makes it easy to do so by offering replacements at a relatively low cost. While this "super-shotgun" method may be the expedient course of action in some cases, these chassis can often be repaired faster and cheaper by replacing a single component. What's more, there is very little challenge involved in board replacement and certainly nothing to be gained in terms of experience. With a basic understanding of the unconventional circuits, these chassis are no more difficult to service than chassis using a more standard design. ■

# Trusted Television Repair Information

**P  
H  
O  
T  
O  
F  
A  
C  
T**



A Bell Atlantic Company  
Howard W. Sams

**Call for More Information:  
(800) 428-7267**

# Guide to national, state and regional associations

by The ES&T Staff

Consumer electronics can be a solitary business. Especially for smaller service centers. This isolation can have a number of detrimental effects on the business. For example, most service technicians who become business owners are well trained in the technical aspects of servicing but have little or no formal training in the business aspects. In some cases this leads to failure. A manager may not be able to provide for enough profits and proper cash flow, and

the business suffers, possibly going under.

Another aspect of this isolation is the difficulty in keeping up with the technology, and lack of knowledge as to how to best deal with manufacturers.

Those are only two of the many problems attendant upon service centers because of their relative isolation.

## Associations help

Fortunately, there is a way for service

centers to compensate for their isolation. They can belong to an association. Joining associations allows individual organizations to work together to develop both business and technical training, to share tips on how to run the business, and to exchange information on their dealings with manufacturers.

The following list of associations is published here to help service centers that may be interested in joining an association to find one that may be right for them.

## National Associations

### American Electronics Association (AEA)

1225 Eye Street, N.W. Suite 950  
Washington, DC 20005  
Phone: 202-682-9110  
Fax: 202-682-9111

### American Society of Certified Engineering Technicians (ASCET)

PO Box 1348  
Flowery Branch, GA 30542  
Phone: 703-684-2835

### Computer & Business Equipment Manufacturers Association

"I" Street NW, Suite 200  
Washington, DC 20005  
Phone: 202-737-8888  
Fax: 202-638-4922

### Computer & Communications Industry Association

666 11th Street NW  
Washington, DC 20001  
Phone: 202-783-0070  
Fax: 202-783-0534

### CES Consumer Electronics Showsa Corp.

2500 Wilson Blvd.  
Arlington, VA 22201  
Phone: 708-907-7600  
Fax: 202-457-4901

### Custom Electronics Design & Installation Association (CEDIA)

9202 North Meridian Street, Suite 200  
Indianapolis, IN 46260-1810  
Phone: 800-669-5329  
Fax: 317-571-5603

### Electrical Apparatus Service Association

1331 Baur Boulevard  
St. Louis, MO 63132  
Phone: 314-993-2220  
Fax: 314-993-1269

### Electronic Industries Association

2500 Wilson Boulevard  
Arlington, VA 22201  
Phone: 703-907-7626  
Fax: 703-907-7501

### Electronics Industries Association/Mobile Electronics Division (EIA/MED)

2500 Wilson Boulevard  
Arlington, VA 22201  
Phone: 703-907-7500  
Fax: 202-457-4901

### Electronic Industry Show Corp. (EISC)

222 S. Riverside Plaza, Suite 2710  
Chicago, IL 60606  
Phone: 312-648-1140  
Fax: 312-648-4282

### Electronics Representatives Association

20 E. Huron Street  
Chicago, IL 60611  
Phone: 312-649-1333  
Fax: 312-649-9509

### Electronics Technicians Association (ETA-I)

602 N. Jackson Street  
Greencastle, IN 46135  
Phone: 317-653-8262, 800-288-3824

**Independent Service Network International**

494 Ansley Walk Terrace  
Atlanta, GA 30309  
Phone: 404-885-9908  
Fax: 404-885-9909

**Information Technology Association of America**

1300 North 17th Street, Suite 300  
Arlington, VA 22209  
Phone: 703-522-5055

**Institute of Electrical & Electronics Engineers**

345 East 47th Street  
New York, NY 10017  
Phone: 212-705-7910  
Fax: 212-705-7182

**International Society of Certified Electronics Technicians (ISCET)**

2708 W. Berry Street  
Fort Worth, TX 76109-2356  
Phone: 817-921-9101  
Fax: 817-921-3741

**Japan Electronics Bureau**

One Penn Plaza, 250 West 34th Street, Suite 1533  
New York, NY 10119  
Phone: 212-489-6270  
Fax: 212-279-6134

**Local Area Network Dealers Association (NOMDA/LANDA)**

12411 Wornall Road  
Kansas City, MO 64145  
Phone: 816-941-3100  
Fax: 816-941-2829

**National Appliance Service Association**

9247 N. Meridian Street, Suite 216  
Indianapolis, IN 46260  
317-844-1602  
Fax: 317-844-4745

**National Association of Service Dealers (NASD)**

10 E. 22nd Street, Suite 310  
Lombard, IL 60148  
Phone: 708-953-8950  
Fax: 708-953-8957

**National Association of Service Managers (NASM)**

1030 W. Higgins Road, Suite 109  
Hoffman Estates, IL 60195  
Phone: 708-310-9930  
Fax: 708-310-9934

**National Electronic Distributors Association (NEDA)**

35 E. Wacker Drive, Suite 1100  
Chicago, IL 60601  
Phone: 312-558-9114  
Fax: 312-558-1069

**National Electronics Service Dealers Association (NESDA)**

2708 W. Berry Street  
Fort Worth, TX 76109-2397  
Phone: 817-921-9061  
Fax: 817-921-3741

**National Independent Appliance Servicers (NIAS)**

2708 W. Berry Street  
Fort Worth, TX 76109-2397  
Fort Worth, TX 76109-2397  
Phone: 817-921-9061  
Fax: 817-921-3741

**National Institute for Certification in Engineering Technologies**

1420 King Street  
Alexandria, VA 22314-2715

## State and Regional Associations

**Arizona State Electronics Association (ASEA)**

PO Box 9657  
Phoenix, AZ 85068  
Phone: 602-942-0040

**Professional Servicers Organization of California (PSOC)**

PO Box 561  
Cypress, CA 90630  
Phone: 714-995-8605  
Fax: 714-826-4430

**The Electronics Service Association of Connecticut, Inc. (TESLA)**

c/o Roderick Wright  
102 Green Road  
Manchester, CT 06040  
Phone: 203-643-7163

**Florida Electronics Sales and Service Dealers Association (FESA)**

1409 Glendale Road  
Jacksonville, FL 32216  
Phone: 904-725-9789  
Fax: 904-642-4407

**Georgia Electronic Service Dealers Association (GESDA)**

987 Sycamore Drive  
Decatur, GA 30030  
Phone: 912-788-5281  
Fax: 912-788-5883

**Electronic Service Dealers Association of Illinois (ESDA-IL)**

4927 W. Irving Park Road  
Chicago, IL 60641  
Phone: 312-282-9400  
Fax: 312-282-5700

### Indiana Electronic Service Association (IESA)

307 W. Wolf  
Elkhart, IN 46516  
Phone: 219-293-9664

### Kansas Electronic Association (KEA)

1509 N. Lorraine  
Hutchinson, KS 67501  
Phone: 316-662-1973

### Chesapeake Electronics Association (CEA)

1306 Continental Drive  
Abingdon, MD 21009  
Phone: 410-676-7300  
Fax: 800-888-3293

### Electronic Technicians Guild of Massachusetts, Inc. (ETG-MA)

235 Winthrop Street #4411  
Medford, MA 02155-3835  
Phone: 617-395-6304

### Electronic Service Dealers Association of Michigan, Inc.

8840 W. Warren Avenue  
Dearborn, MI 48126  
Phone: 313-834-7010

### Missouri Electronic Service Dealers Association (MESDA)

c/o Zaw Win  
1411 S. Big Bend Boulevard  
St. Louis, MO 63117  
Phone: 314-645-5250  
Fax: 314-645-8309

### Nebraska Electronic Service Association (NESA)

128 W. Broadway  
Council Bluffs, IA 51503  
Phone: 712-322-2865

### NESDA of New York State

3987 Lockport Olcott Road  
Lockport, NY 14094  
Phone: 716-434-7703  
Fax: 716-434-8097

### North Carolina Electronics Association (NCEA)

902 Bessemer City Road  
Gastonia, NC 28052  
Phone: 704-864-6967

### NESDA of Ohio

2980 Erich Drive  
Willoughby Hills, OH 44092  
Phone: 216-585-4335  
Fax: 216-585-4335

### Oregon Professional Electronics Association (OPEA)

4505 S.E. Belmont  
Portland, OR 97215  
Phone: 503-234-8065  
Fax: 503-234-2790

### Tennessee Electronic Service Dealers Association (TESDA)

PO Box 545  
Soddy-Daisy, TN 37379  
Phone: 615-332-4873  
Fax: 615-332-7805

### Texas Electronics Association (T-E-A)

2708 West Berry Street, Suite 7  
Fort Worth, TX 76109  
Phone: 817-926-9204  
Fax: 817-926-9204

### Virginia Electronics Association (VEA)

329 Virginia Beach Boulevard  
Virginia Beach, VA 23451  
Phone: 804-428-7317  
Fax: 804-425-6373

### NESDA of Washington

6319 112th Street E.  
Puyallup, WA 98373  
Phone: 206-851-6428  
Fax: 206-840-5099

### Wisconsin Electronic Sales and Service Association (WESA)

PO Box 09091  
Milwaukee, WI 53209



**Join the Thousands  
of Professionals  
Who Are Reaping  
the Rewards Today**

**Joining the NCA is your best choice for securing  
your future in the computer industry.**

As a trade association of over 2,000 professional VARs, the NCA is having the impact that no one company can have alone. As an association member, you'll now be able to share ideas and be armed with the tools that can reverse the trend of high operating costs and low revenues. These cooperative efforts will continually strengthen and help secure your place in the computer industry for many years to come. In addition to becoming a professional member of the NCA, your benefits include the following:


<b>Toll-Free HelpLine</b>	<b>Specialized Product Programs</b>
<b>Certification Programs</b>	<b>Media Replication Services</b>
<b>OEM Software Opportunities</b>	<b>Investment Services</b>
<b>Professional Reference Guide</b>	<b>Seminar Training Programs</b>
<b>Educational Programs</b>	<b>Extended Warranty Programs</b>
<b>Product Search Program</b>	<b>Technical Support References</b>
<b>Equipment Leasing Services</b>	<b>Recycling Programs</b>
<b>Telecommunication Services</b>	<b>Monthly Newsletter</b>
<b>Credit Card Services</b>	<b>Web Hosting Services</b>
<b>Financial Services</b>	<b>NCA Logo and Decal</b>
<b>Equipment Rentals</b>	<b>Certificate of Membership</b>
<b>Travel Services</b>	<b>Membership ID Card</b>

Please contact the National Computer Association to receive complete applications.

◆ **800.615.6224** ◆

◆ National Computer Association ◆  
13555 Automobile Blvd ◆ Suite 240 ◆ Clearwater, FL 33762  
nca@gte.net ◆ www.nca-net.com

Circle (73) on Reply Card



### IC database is on the Web

Hearst Business Communications, Inc./UTP Division announces IC MASTER Online. For the first time, this entire database is on the Internet.

Subscribers only to the just published 1998 IC MASTER catalog and 1998 IC MASTER CD-ROM for Windows have access for one full year to IC MASTER Online. The website offers the complete database, continuously updated, and including devices discontinued during the past 5 years, full parametric search with Krakatoa engine, pinout diagrams and package styles, direct links to IC manufacturer's home pages, and direct links to datasheets on IC manufacturer's websites for selected advertised devices.

The database contains the latest information engineers need on commercially available ICs. Now engineers and technicians have a combination of search tools, the catalog or the CD-ROM for Windows with exclusive access to the online database to quickly and efficiently work with this information.

Circle (80) on Reply Card


### Soldering stations

Weller, a CooperTools brand, has introduced its Silver Series of electronically-controlled soldering stations. The stations feature silver heaters and provide



as much as 80W of power for fast heat-up and recovery time. Three stations, including a high performance dual output unit, are available. The stations connect to a variety of new and existing Weller soldering irons and accessories and are suited for production lines and other areas where continuous soldering takes place.

Circle (81) on Reply Card



### Manual soldering monitor

The new MSM Manual Soldering Monitor, offered by the *American Competitiveness Institute (ACI)*, is a true hand soldering process control instrument designed to monitor and reduce variability in the hand soldering process. The MSM works with Metcal hand-held soldering irons. It continuously monitors them during use and displays process information such as cycle time and changes in operator technique, recording power usage and thermal behavior.


The MSM collects two different types of information from the soldering iron; a.) the time it takes to obtain the maximum amount of power during a soldering step, and b.) the maximum power delivery during the same soldering step. The real-time information generated is automatically plotted on SPC charts and can be used for process monitoring and operator training.

The MSM can help identify hand soldering process problems, operator technique problems and equipment problems.

Circle (82) on Reply Card

### Soldering rework station

The new SA-400 Series Soldering Rework Station from *OK Industries* is a versatile benchtop rework system that can operate any of three hand pieces, including 40W soldering iron for surface mount touch up, a 90W iron for through-hole soldering, or surface mount tweezers for removal of SMT chip components.



Special features of the unit include closed loop temperature control, variable temperature control, long life ceramic heating elements, external fuse and calibration ports, and ESD-safe construction. The SA-400 soldering iron tip to ground resistance is below  $2\Omega$ , and leakage is less than 2mVrms, with a safe 28V delivered to the hand piece.

The handles are also available with built-in fume extraction compatibility.

Circle (83) on Reply Card

### Multimeter

Omega's HHM90 Series of multimeter is supplied with test leads, rubber boot and 9V battery. All models measure ac/dc voltage, ac/dc current and resistance. Selected models feature capacitance, Hfe test, continuity check, diode test, auto power off, auto ranging, bargraph display and backlight.

Circle (84) on Reply Card



# From tuner to picture tube

by Homer L. Davidson

**A**lthough the video circuits in color TVs don't cause as many service problems as do the horizontal and vertical circuits, they do account for their share of problems, which may pop up unexpectedly. Video problems are related to front-end circuits found after the tuner and IF sections. In the early solid-state television chassis, the IF stages consisted entirely of transistors. Today, one large integrated circuit might contain IF, luma, chroma, and deflection circuits (Figure 1).

In the RCA CTC166 chassis, the video circuits consist of the IF preamp (Q2301), SAW filter (SW2301), and a processor, U1001, that precedes the two video buffer stages (Q2305 and Q2302). Q2301 amplifies the IF signal from the tuner to the SAW filter (SW2301). The input of the video processor (U1001) is tied directly to pin 1 of the SAW filter. U1001 amplifies the IF signal and the output at pin 47 feeds to a PNP video buffer transistor Q2305. A ceramic filter network couples the video buffer signal to another video buffer Q2302. The video buffer output is fed to a video switch U1401, and then to a video amp Q1403. Likewise, the amplified video signal is fed back to pin 49 of the luma/chroma U1001 circuits, and on it goes (Figure 2).

## The various video symptoms

Many different video problems affect the color TV circuits. Some of the symp-




Figure 1. If you encounter video problems, pull the chassis back and look for a large integrated circuit or processor.

tom you might observe if the video circuits have developed a defect are: no video/no sound; no video/normal sound; no video/no raster; no video/raster only; no video/bright picture; no picture/no brightness; no video/no picture; no picture/dark screen; intermittent picture; smeary picture; no video/looks like AGC; snowy picture; washed-out picture.

You might also find related video problems that affect the luminance circuits, such as low brightness or high brightness, intermittent brightness, picture flashes

off and on, no brightness control, retrace lines at the top, bright screen and retrace lines, poor picture, and defective CRT. Whatever the symptom, the defective video circuits can be located with signal tracing methods, voltage and resistance measurements (Figure 3).

## Signal tracing

Because the latest TV chassis contain fewer components than their older counterparts, the IC video circuits are easier to service. Simply use the oscilloscope to





Figure 2. A block diagram of the video circuits in the RCA CTC166 chassis.



**Figure 3.** This is the video waveform of the output signal at the SAW filter with the set tuned to a TV broadcast station.

observe the signal into and out of the video IC component. Remember, the front-end IF circuits must be signal-traced with a demodulator probe attached to the scope. Then trace the signal from stage to stage of buffer and video amp transistors. The TV broadcast channel can be used for signal tracing, although it is better to use the color-dot-bar generator as the signal source (Figure 4). You will note the dot-bar-generator is used in conjunction with test patterns found in Howard Sams Photofact folders.

When the video signal disappears, or appears at the input of a video IC or transistor but not at the output, measure the voltages at the IC or transistor terminals. First measure the supply voltage terminal ( $V_{CC}$ ) of the suspected IC. Check each

component tied to the video IC pin terminals. Measure and record the voltage at each pin of the IC and compare them to the values printed on the schematic.

Often, the schematic diagram shows only the pin terminals in and out of an IC package. They do not show the internal circuits or pin terminals that tie to the video circuits. In many cases, you can determine the nature of the circuitry, or at least the voltages that should appear at the terminals of the IC by checking in one of the cross references. In the case of U1001 in this set, the RCA chassis, part number (193082) crosses to a NTE-1790, ECG-1790 or RCA SK-9850 universal IC. Once you have determined the generic equivalent of the IC, you can look up the universal part number in the universal semi-



**Figure 4.** If the problem appears to originate in the video section, locate the large video processor or IC and observe critical waveforms.

conductor manual and check the terminals that are related to the video circuits.

In the case of U1001, pin 16 is the supply voltage ( $V_{CC}$ ) terminal of +9V for the video, color and deflection circuits; while pin 19 provides +9V to the picture IC circuits. The video input of U1001 is pin terminal 20 and the output pin is 47 to the video buffer transistors. The video amp input is at pin 49, with the contrast and luma input at pin 53. By taking scope waveforms at the video input and output terminals with critical voltage measurements, the most difficult video problems can be repaired.

### No video

The no video symptom might consist of no video input, no-video-no raster, no video-raster only, no video-bright picture, and no video-no brightness. If the symptom is no video, connect the color-dot-bar generator to the antenna terminals and observe the signals at the IF and SAW filter input circuits using the oscilloscope. Check for defective IF transistors, IC and input coupling capacitors. Resolder all pin terminals of transistors, coupling capacitors, resistors and diodes if the symptom is no-video and no picture. As an example, in an RCA CTC169 chassis that had no video and no picture, capacitor (C1406), on the video input and output board was found to be leaky.

A defective video buffer or video amp can cause a no video-no raster symptom. The no picture-no video symptom might result from an open coil in the video circuits. Suspect a leaky or open video IC processor if there is a video signal into the IC, but no video out. Check all bypass capacitors that are connected to the IF/luma IC terminals.

The symptom of no-video with a bright screen may be caused by a leaky or open video output, buffer or pulse shaper transistor. Excessive brightness with no video can be caused by color output transistors or improper boost voltage.

A Quasar SL2734 console was hauled into the shop with the symptom of extreme brightness and no video or picture. The audio was normal and there was high voltage at the picture tube. Since the brightness could not be controlled, I assumed that the defective component was in the CRT circuits. A quick voltage test on the CRT socket and color output




Figure 5. Open coil L351 produced extreme screen brightness and no picture in a Quasar SL2734 television set.

transistors indicated that this voltage was very low. I noted that the boost voltage (+215V) was taken from the flyback winding and a D554 rectifier. A higher than normal voltage was found at the cathode of D554 and near zero at the supply source. When I checked L351 I found it to be open. Replacing this inductor solved the problem (Figure 5).

#### No video-no audio

Usually the cause of a symptom of no video with no sound lies within the front-end video circuits. Suspect the IF/luma/chroma IC when there is no video. Check for a change of resistance of an AGC resistor to ground, connected to the AGC pin of the IC. If the video waveform is normal at the input terminal of the IC, but there is no sound or video out, check the IC and the components tied to the video input cir-

cuits. Measure the voltage at each pin. Check all bypass capacitors in the IF transistor and IC circuits. Suspect a defective system control IC if there is no picture and sound when all other parts seem normal.

I encountered an RCA CTC167 set with no picture and no sound. The video waveform was present at pin 20 of U1001, but there was no waveform at output pin 47 or at the base of video buffer transistor (Q2305). I measured the voltages at each of the pins of U1001. The voltage at pin 23 was very low. When I measured the resistance from pin 23 to ground, I found that it was only a few ohms. Further checking showed that C2309 (0.022 $\mu$ F) had leakage (Figure 6). Replacing bypass capacitor C2309 solved the problem.

Do not overlook a shorted or leaky luma or video amp transistor if the symptom is no picture and a dark raster. Suspect leaky

diodes within the video circuits if the symptom is no video and no sound.

#### Intermittent video

Intermittent video problems might be caused by improperly soldered connections between coupling capacitors, resistors, and diodes and the circuit board. Improperly soldered terminals of the delay line can cause intermittent problems. Check for intermittent video symptoms of IF preamp transistors, bypass capacitors, and ICs. Test for proper voltage sources. If the video is intermittent, suspect that the diodes in the voltage source may be operating intermittently.

In one RCA CTC159 chassis the symptom was intermittent video. Voltage measurements in the video circuits revealed that the defective component was located in the IF preamp transistor (Q2301) circuits (Figure 7). Leaky bypass capacitors in the emitter and collector circuits are common causes of problems in transistor circuits. In this case, C2301 (0.01 $\mu$ F) was found to be intermittent and caused the intermittent video problem. Do not overlook C2304, U1001, or DL2701 as possible causes of intermittent problems in the CTC159 chassis.

#### Snowy picture

Suspect a defective tuner, IF preamp transistor or SAW filter when the symptom is a snowy picture. Inspect the IF cable at the tuner and where it enters the IF board for poor or shorted connections. A defective IF cable can also cause the intermittent snowy picture. If the IF is socketed, check the socket for bad connections. Another possible cause of a snowy picture is a leaky preamp transis-




Figure 6. Leaky capacitor C2309 produced a no video/no sound symptom in a set based on the RCA CTC167 chassis.




Figure 7. Intermittent bypass capacitor C2304 in the emitter IF preamp transistor caused intermittent video in an RCA CTC159 chassis.

tor ahead of the SAW filter or video circuits. Check all coupling capacitors from the IF tuner to the input of the video IF IC for open conditions. Test all bypass capacitors within the preamp transistor circuits to ground if the picture is snowy.

The picture was snowy and the sound was noisy in a Goldstar CMT-2612 portable TV. After locating the preamp and IF circuits of IC201, I scoped the signal after the preamp transistor (Q101). Everything here seemed normal. The voltage at the collector terminal of this transistor measured extremely low. In-circuit

tests showed Q101 to be normal. Resistor R105 (150Ω) resistor felt very warm (Figure 8). Although I suspected that Q101 might have current leakage, I first checked bypass capacitor C101 (0.01μF). This capacitor was found to have leakage to chassis ground. I replaced both C102 and R105 and a normal picture returned.

Do not overlook the possibility of a defective SAW filter if the picture is snowy. If you do suspect the filter, remove it from the chassis and measure the resistances of the input and output terminals; the resistance at these terminals should be




Figure 8. Replacing capacitor C102 in the preamp IF circuits corrected a snowy picture in a Goldstar portable.

infinite. You can also check the SAW filter using a crystal checker.

A ghostly appearing picture may be caused by a voltage source that is not at the correct voltage. In one RCA CTC140 chassis, a defect in zener diode CR2100 reduced the 12V source to 9V. Replacing CR2100 corrected the problem.

### Defective delay line

One of the most troublesome components within the video circuits are video transistors and the delay line. Usually the delay line is located between the 1st video and 2nd video amp or just before the video/chroma IC. If the delay line is defective, the symptom may be a smeary picture, a washed-out picture, or intermittent brightness and video. If the delay line is shorted to chassis ground the picture will be very poor.

If you think that the delay line may be the cause of the problem, scope the signal in and out of the delay line. Suspect a defective delay line if the input is normal but there is no output waveform. Monitor the delay line output or input pin of the video amp IC if the brightness and video are intermittent. Resolder all delay line

## NEW! AnaTek Data Direct

Internet Repair Data Collection on CD-ROM

Thousands of Entries From:  
AnaTek FAQ's  
Sam Goldwasser Repair Briefs  
ELREPAIR-L Tips

Monitors, VCRs, TVs, Printers, Test Equipment, Computers, Components  
All the data you need for electronics repair

MONITOR SCHEMATICS  
More than 2,500 models on 9 CD's

Resolve Repair Database  
With CD Imaging

4,258 repairs on 1,182 monitor models  
View Schematics Directly



1-800-999-0304  
603-673-4342

info@anatekcorp.com  
http://www.anatekcorp.com

Circle (60) on Reply Card




Figure 9. A defective delay line in a Samsung CT-339 portable television set produced an intermittent picture.

terminals to see if this will correct intermittent reception.

If you're pretty sure that the delay line is the cause of erratic operation, replace it. If you wish to check the resistances between the terminals of the delay line, remove it from the circuit to make those measurements, because the delay line might be shunted with low resistors across the terminals. If you do replace a defective delay line, replace it with the exact manufacturer's replacement.

### Intermittent delay line

The owners of a Samsung CT-339 portable complained that it operated intermittently. Sometimes the video was missing for several minutes and then returned. To locate the intermittent component in a situation such as this, monitor the video section where the input signal enters the PIF/Video/Chroma IC and video amp transistor. Monitor both sides of the delay line with the scope to locate a defective delay line. In this case, the video input signal from IC101 appeared at the input terminal of IC501 and was quite steady (Figure 9). When the video signal was checked at the delay line, the picture was intermittent.

All three terminals of the delay line (X201) were resoldered. There was no improvement in the operation of the set. A quick continuity measurement of the delay line indicated it would open and then have a measurement around 10Ω. Replacement of the delay line, X201




Figure 10. Smear video was the symptom in an RCA CTC159 TV in which coupling capacitor C2710 had developed leakage.

(2469-010-9100), solved the intermittent video problem.

### Smear video

A smeary-dark picture might be caused by leaky coupling capacitors within the video amp or equalizer transistor circuits. Most smeary pictures are caused by open peaking coils and leaky video transistors in the video circuits. Also check for open or shorted peaking coils on the CRT printed circuit board. Suspect a leaky delay line if the picture is washed out and smeary. Check for open coils in the video circuits. Look for abnormally warm resistors within the video circuits, indicating a supply that is putting out an incorrect voltage.

A smeared picture was the symptom in an RCA CTC159 chassis. The signals in the video stages were observed using the oscilloscope, critical voltages were mea-

sured. At first, the audio equalizer transistor was suspected of being open or leaky. Q2701 was tested in-circuit and was fairly normal. After taking several voltage and resistance measurements, C2710 (100pF) in the collector circuit was found to be leaky (Figure 10).

### Conclusion

When the problem in a TV appears to originate in the video section, scope the video circuits to locate the defective stage. Connect a dot-bar-generator to the antenna terminals for a steady video signal. Locate the defective component with accurate voltage and resistance measurements. Test the suspected video transistor in and out of the circuit. Last but not least, check for improper voltage source feeding the video circuits. ■

# Servicing resources on the internet

by the ES&T Staff

**A**s every consumer electronics servicing technician knows, there are times when it is just about impossible to find the information needed to complete a service procedure. For example, an IC in that Brand X TV set is fried. If the local distributor, or your favorite mail order distributor doesn't have it, where do you go to look for it?

Or take another familiar scenario that frequently plays itself out in a service center: you're pretty sure that if you had just a little bit of information about the theory of operation, you could probably come up with a diagnosis and a fix for that VCR that's not working right. But where do you go to get that kind of information?

## Try the internet

When you're faced with a dilemma such as the ones described above, one possibility is to turn to the internet to try to find the information you need. In many cases, of course, you won't find what you need on the internet. On the other hand, there are times when you just might.

For example, let's say that you have a no-name brand set, but it does happen to have an FCC ID number on it. You've checked the number against the list that's printed every year in the December issue of *ES&T*, but it wasn't there. What now? Well, why not go right to the source. The FCC maintains a website on which they provide a complete list of FCC ID vs. manufacturer name information.


## Accessing the FCC

You can access the FCC's web site through the URL (uniform resource locator) <http://www.fcc.gov/>.

Actually, when we first reported on this FCC site, you couldn't look up an individual product manufacturer. You had to download their entire database and look up the information at your leisure, off-line. Now, the database is searchable on line. Here's what that page says:

"The Equipment Authorization Database is now searchable on-line! You can search the database from the World Wide Web by accessing the FCC's Internet server. The search routine uses a simple to use string search routine and returns your specified search while you wait. You can search the database by FCC ID#, Manufacturer Name and any other string that may be found in the database. Remember because the search program is based on a string search the shorter the string the more responses returned. But in addition, you can look up what kinds of decisions the FCC is involved with, and pretty much everything the FCC is concerning itself with at the moment."

You can get to that page from the FCC home page, or if you wish to save time, you can go directly to this page <http://www.fcc.gov/oet/info/database/ead/>.



## HDTV info on the net

For someone who's interested in HDTV, and who isn't these days, they can find useful information at a number of sites on the internet. A really good place to start is the ATSC (Advanced Television System Committee) website at <http://www.atsc.org/>. At this site, you can download hundreds of pages of documentation about HDTV. Here's a paraphrase of what we found at the site.

The following ATSC technical documents are available for download:

- ATSC Document A/49 is the ATSC Standard "Ghost Canceling Reference Signal For NTSC."
- ATSC Document A/52 is the "Digital Audio Compression (AC-3) Standard."
- ATSC Document A/53 is the "ATSC Digital Television Standard."
- ATSC Document A/54 is the "Guide to the Use of the ATSC Digital Television Standard."
- ATSC Document A/55 is the Standard "Program Guide for Digital Television."
- ATSC Document A/56 is the Standard "System Information for Digital Television."

- ATSC Document A/57 is the Standard "Program/Episode/Version Identification."
- ATSC Document A/63 is the "Standard for Coding 25/50 Hz Video."
- ATSC Document A/64 is the "Transmission Measurement and Compliance Standard for Digital Television."
- Document A/65 is the Standard for "Program and System Information Protocol for Terrestrial Broadcast and Cable." (This is not yet available.)

### ATSC administrative documents

The following ATSC administrative documents are available for download:

- ATSC Document A/1 is the ATSC Charter.
- ATSC Document A/2 is the ATSC Administrative Procedures.
- ATSC Document E/11 is the ATSC Guidelines for Technology Group Operation
- ATSC Membership Application

### Document formats

ATSC documents are drafted using Word for Windows version 6. These "DOC" files are made available here as they are the ATSC master documents. Zip versions of the Word (DOC) files are provided for faster download. Because the "DOC" format is not usable by all, the documents are made available also in Rich Text Format (RTF) and Portable Document Format (PDF). Note that the RTF and PDF files may suffer some loss due to the conversion.

### A DTV site

Many interested people maintain their own independent web sites on a number of subjects. One such page on a subject of interest to consumer electronics service is Doug Lung's DTV reference page. This internet page can be accessed at <http://www.transmitter.com/dtvref.html>. This page has an assortment of digital television information, with links to other sites of interest on the same subject.

### Manufacturers' websites

Many manufacturers of consumer electronics equipment, as well as manufacturers of the types of equipment service centers use to service the consumer products have websites where a visitor can glean useful information. For no particular reason, we accessed the Sony website at <http://www.sel.com/SEL/consumer/dvd/index/html>, and from there linked to that company's "About DVD" page at <http://www.sel.sony.com/SEL/consumer/dvd/aboutdvd.html>.

There was some useful information about digital video disc on that page. For example, there was a timeline description of the technological developments that led up to the digital video disk. A "Features" page provided a detailed description of the construction and operation of digital video disk including some

very nice graphics. The "Format Specs" page gave a table of the specifications of the product, including such things as disc diameter and thickness, laser parameters, etc. A FAQ (frequently asked questions) page provided answers to typical questions asked by consumers.

Many other manufacturers of consumer electronics products offer similar information on their websites.

### Technical information

Many internet sites offer good, although frequently limited, technical information on such subjects as repair of products, or operation of consumer electronics servicing test equipment. Following is a list of a handful of such sites.

These two offer some actual servicing information:

- <http://www.paranoia.com/~filipg/html/repair/>
- <http://isd1.ee.washington.edu/CE/repair/cd1.txt>

These two sites offer basic information on the use of the oscilloscope:

- <http://www.ee.su.oz.au/teaching/topics/labintro/cro.html>
- <http://www.richardson.k12.tx.us/schools/phs/Academics/Physics/APPhysics/OscopeWeb/OscopeLab.html>

### Associations

Many of the consumer electronics service and related associations offer a variety of helpful information on their web pages. Following is a list of some of the association websites you might want to visit.

- <http://www2.fwi.com/~n9pdt/eta.html> (ETA)
- <http://www.nca-net.com> (NCA)
- <http://www.nesda.com> (NESDA)
- <http://www.vica.org> (VICA)

### Search engines

Another way to access websites that might be of interest to servicers is through existing search engines. To do this, you access your internet server, then tell it to go to the appropriate search engine website. A number of the better-known search engines is listed below. Once you have reached the site, you will find instructions on how to search for information on the topic in which you're interested.

- <http://www.altavista.com>
- <http://www.lycos.com/>
- <http://www.hotbot.com>
- <http://www.yahoo.com>

### Check out our list

This issue provides readers with a huge list of websites, some of which may be immensely useful, and some of which may not be so useful. The company listings in this year's annual Buyers' Guide includes websites of every company that provided that information on the questionnaire forms. If you're interested in obtaining more information on any of those companies, you can simply access that website and see what information that company provides there. ■

***TThe Biomedical Engineering Handbook*, Edited by Joseph D. Bronzino, CRC Press, 2896 pages, hardcover, \$139.00 plus \$10.95 S&H**

*The Biomedical Engineering Handbook*, the first handbook ever written for the field, contains information on innovations in every aspect of biomedical engineering. It reflects the current perception of the field as one that encompasses emerging and expanding disciplines of investigation and application.

The book includes a complete review of the major physiological systems and presents knowledge of the current and accepted practices involving bioelectric phenomena, biomechanics, biomaterials, physiological systems, biosensors, biomedical signal analysis, imaging, medical instruments and devices, biological effects of nonionizing electromagnetic fields, biotechnology, tissue engineering, prosthesis and artificial organs, rehabilitation engineering, human performance engineering, physiological modeling, clinical engineering, medical informatics, and artificial intelligence.

CRC Press, A Division of CRC Press LLC, 2000 Corporate Blvd, N.W. Boca Raton FL, 33431-9868

***Beginner's Guide To Tube Audio Design*, by Bruce Rozenblit, Audio Amateur Corporation**

This beginner's guide on what vacuum tubes do and how to use them shows readers how to design with tubes. Rozenblit, a frequent contributor to *Glass Audio* magazine, starts with a clear explanation of what a vacuum tube is and how it works. The author steps through the basics of tubes, what their characteristics mean and how to read charts and specifications.

For more advanced readers, the author presents the complete picture of tube audio design including single one-stage amplifiers, a simple gain circuit, negative feedback and how to use it, multistage basics and variations such as triode and ultralinear operation.

Chapters include stabilization and testing, how to work effectively as a designer and a description of 13 world-famous and classic amps and preamps. A final chapter is a hands-on guide to construction techniques, tools, and choosing com-

ponents and tubes. As an added feature, the book presents instructions to build three working designs by the author previously published in *Glass Audio*.

Bruce Rozenblit is a graduate electrical engineer who owns and operates Transcendent Sound, a high-end amplifier manufacturing company. He has recently been awarded U.S. Patent No. 5,604,461 on a new power amplifier.

Audio Amateur Corporation, 305 Union Street, Peterborough, NH 03458-0576

***Oscilloscope Guide*, by Dr. Arnold J. Banks, PROMPT Publications, 336 pages, paperback \$24.95**

An oscilloscope is an essential troubleshooting tool for any hobbyist, technician, or electronics engineer, but often this valuable piece of equipment isn't used to its fullest potential. Though you can use it to check circuit operation, diagnose circuit faults, and develop a mental picture of electrical flow, how many other ways could you use the oscilloscope to find out a wealth of information? Dozens of manufacturers produce a wide variety of models from the simple to the complex, but how do you choose the right one for your bench? Which features are necessary and which are just bells and whistles? The Howard W. Sams *Oscilloscope Guide* will answer all of these questions, plus many more.

Dr. Banks not only offers advice on choosing the right oscilloscope, he also explains the basics of use and take you into the higher, more advanced testing.

PROMPT Publications, 2647 Waterfront Parkway E. Drive, Indianapolis, IN 46214-2041

***The Industrial Electronics Handbook*, Edited by J. David Irwin, by CRC Press, 1728 pages, hardcover, \$134.95 plus \$10.95 S&H**

Explore the world of industrial electronics - all in a single volume. From traditional topics that form the core of industrial electronics to new and emerging concepts and technologies, this handbook has the field covered, according to the publisher. For facts you need every day, the handbook is a useful reference.

The handbook combines all important topics in electronics, system and process control, factory communications, mea-

surement and instrumentation, circuits and devices, hardware, software, factory automation, and more.

In addition to the coverage of these core subjects, the handbook also contains in-depth coverage of intelligent electronics and emerging technologies, including applications in expert systems, neural networks, fuzzy systems, soft computing, evolutionary systems, computational intelligence, hybrid systems, virtual reality, asynchronous transfer mode technology, micro systems technology, multi-sensor fusion and integration.

A careful balance between basic principles and their applications makes this reference useful to anyone and everyone involved with the design, use, manufacture, and maintenance of industrial electronic equipment.

CRC Press, A Division of CRC Press LLC, 2000 Corporate Blvd, N.W. Boca Raton FL, 33431-9868

***The Communications Handbook*, Edited by Jerry D. Gibson, CRC Press, 1632 pages, hardcover, \$135.00 plus \$10.95 S&H**

This massive, comprehensive, single-volume reference contains coverage of major topics in communications. The handbook provides a balance of essential information, background material, technical details, and the latest on international telecommunications standards. This allows readers to accomplish three important objectives: to quickly access necessary facts and figures; to review basic concepts; and to obtain the details and compliance issues underlying modem communications systems.

Covering the most exciting areas in the field, the handbook includes telephony, satellite communications, communications networks, optical communications, wireless communications, source compression and data recording.

In addition, basic principles of telecommunications are fully covered in an introductory section. This section includes more than 20 articles on fundamental topics that provide a thorough understanding of modern communication applications and theory.

This handbook features over 2,500 pages in more than 100 chapters from 140 expert contributors, more than 20 back-

ground chapters on analog and digital communications, 36 chapters on the latest in wireless communications and communication networks, the most recent telecommunications standards from the United States and around the world, concise, expertly written chapters, coverage of practical design issues, hundreds of definitions, dozens of listings, providing information on journals, societies, meetings, publications, software, websites, supplementary texts, and more

CRC Press, A Division of CRC Press LLC, 2000 Corporate Blvd, N.W. Boca Raton FL 33431-9868

***The Electrical Engineering Handbook*, Edited by Richard C. Dorf, CRC Press, 2752 pages, hardcover, \$115.00 plus \$10.95 S&H**

*The Electrical Engineering Handbook* has been substantially revised and updated to include the latest information on all the important topics in electrical engineering today. This handbook provides a complete reference to answer the questions encountered by engineers in industry, government, or academia. This well-organized book is divided into 12 major sections that encompass the entire field of electrical engineering, including circuits, signal processing, electronics, electromagnetics, electrical effects and devices, and energy as well as the emerging trends in the fields of communications, digital devices, computer engineering, systems, and biomedical engineering. A compendium of physical, chemical, material, and mathematical data completes this comprehensive resource. Every major topic is thoroughly covered and every important concept is defined, described, and illustrated. Conceptually challenging but carefully explained articles will be equally valuable to practicing engineers, researchers and students.

CRC Press, A Division of CRC Press LLC, 2000 Corporate Blvd, N.W. Boca Raton FL 33431-9868

***The Antenna Book, 1 and 2, Satellite Dealers Association*, 100 pages per book, \$49.90 for set**

The Greencastle, IN office of the Satellite Dealers Association has available both texts of the two book set of antenna installation study guides for con-

sumer electronics technicians. The books are titled: *The Antenna Book, #1 and #2*.

Book #1 contains chapters illustrating how all types of antennas really function; working with RF signal levels and decibels; site surveys and techniques for installing satellite dishes of all common sizes; understanding of bandwidth, frequency spectra and polar patterns, and the use of active and passive devices in signal distribution system work.

Book #2 continues the basics training, concentrating on safety, transmission lines, modulation and wiring practices, plus it takes the reader into basic distribution techniques, small and large master antenna distribution (SMATV) and small cable systems. It contains a lengthy chapter pictorially dealing with virtually all types of interference an antenna installer may encounter in the field.

SDA has published *The Antenna Book #1 and #2* in part as support to the effort of the satellite industry to bring about the best local TV reception for those people who have switched from cable to the small dish systems, and to improve off-air reception for suburban and rural residents.

SDA also has established the Antenna Experts Group (A.E.G.). This is a listing of firms and individuals who are seriously in the rooftop antenna business. AEG members can be contacted by other retailers or consumers to install the correct local antennas, towers, distribution systems, and other signal reception products, or can be called on to solve difficult interference or weak signal problems. Those who would like to join the A.E.G. and be listed on the SDA web page should fax a request to SDA at 765-653-8262.

The Antenna Books contain over 250 quiz questions to help the student master and reinforce the subject.

Authored by five Certified Satellite Installers or C.E.T.s., SDA recommends the guides for those wanting to become industry certified as Satellite Installers; Registered Small Dish Installers; or C.E.T.s utilizing the RF Video Distribution Option.

Special pricing is available for members or schools purchasing in quantity.

Satellite Dealers Association, 602 N Jackson, Greencastle, IN 46135

expect their e-mail communication to increase to 36 percent.

Despite the fact that 91 percent of home office workers say their primary PC meets their needs, the CEMA survey shows significant interest in other Internet devices. Thirty-four percent of home office Internet users showed interest in a network computer (N/C), assuming a price of \$400. Fifty-one percent were interested in a telephone/internet access combination device.

*How interested would you be in a combination telephone and Internet access device?*

Very Interested	11%
Somewhat Interested	40%
Somewhat Uninterested	21%
Very Uninterested	28%

The survey shows that organizing household finances (85 percent) tops the list of functions that home offices are used for most, followed by home entertainment (65 percent), and work brought home (59 percent). These activities may become even easier to accomplish as new speech recognition technology hits the market. When asked their thoughts about speech recognition software, 48 percent indicated an interest.

*How interested would you be in speech recognition software?*

Very Interested	14%
Somewhat Interested	34%
Somewhat Uninterested	21%
Very Uninterested	30%

Mobile computing products are becoming essential tools for home office workers, according to the CEMA survey. Eighteen percent say they use an electronic organizer in conjunction with other home office equipment; 15 percent use a notebook computer.

The full survey study consists of an executive summary and analysis, topline results and detailed demographic profiles of responses by questions. The study is priced at \$495 for non-members and is provided free to CEMA members. Those interested in purchasing the survey may call 703-907-7764. ■



# CLASSIFIED

Classified advertising is available by the word or per column inch.

**By-the word.** \$1.65 per word, per insertion, pre-paid Minimum charge is \$35 per insertion. Initials and abbreviations count as full words. Indicate free category heading (For Sale, Business Opportunities, Miscellaneous, Wanted). Blind ads (replies sent to ES&T for forwarding) are \$40 additional. No agency discounts are allowed for classified advertising by the word. Contact Kirstie Wickham at 516-681-2922 to place your classified ad (by-the-word). Mastercard, VISA, American Express and Discover are accepted for FAX or mail orders.

**Per column inch** (classified Display): \$235 per column inch, per insertion, with frequency discounts available, 1" minimum, billed at 1/4" increments after that 10" maximum per ad. Blind ads are \$40 additional. Reader Service Number \$25 additional to cover processing and handling costs. (Free to 4-inch or larger ads.) For more information regarding classified display advertising please call 516-681-2922. Optional color (determined by magazine) \$150 additional per insertion.

Send your order, materials and payments to:

**Electronic Servicing & Technology, 76 N. Broadway, Hicksville, N.Y. 11801**  
**Attn: Classified Department Ph: 516-681-2922 FAX: 516-681-2926**

## FOR SALE

**TEST EQUIPMENT BOUGHT & SOLD: OSCILLOSCOPES, ETC.**  
925-706-0177. FAX: 925-706-0156.

**SERVICE TIPS \*\*SHARING KNOWLEDGE = SOLVING PROBLEMS\*\***  
30,000 technical **SERVICE TIPS**. **SERVICE TIPS IS THE ONLY NESDA APPROVED TECHNICAL TIPS PROGRAM**. Electronics Software Developers. **SEE OUR DISPLAY AD ON PAGE 3.**

**NAP Tuner 340309.** RCA Tuner TCHRIA or TCCRIA and more. Snowy picture? Will rebuild for \$25.00, Free Shipping. **Tip Top TV & VCR**, 18441 Sherman Way, Reseda, CA 91335, 818-345-1974.

**Computer Monitor Service Information.** Windows Tech-Tips Monitor Repair Software Program, over 800 Monitor Schematics, ESR IN-CIRCUIT capacitor tester, 8 position monitor splitter. Visa, Master Card, Amex Credit Cards Accepted. **M.I. Technologies Inc.** 937-335-4560, Fax: 937-339-6344, E-mail: mit335@bright.net, **WEB** <http://www.mitechnologies.com>.

**Steps to Troubleshooting Electronic Problems in Circuits, \$25.00. Steps to Setting Up Your Own TV Repair Store, \$100.00.** Certified Check or money orders only. Arnold Burns, 425 East 51st Street, Brooklyn, NY 11203.

**SEMICONDUCTOR TEST SHEETS.** Visually test components for shorts, opens, and faults by their temperature. Tests in seconds for only \$12.50. Send payment to: **P.I. Electronics, 801 North Wilson Drive, Cheraw, SC 29520.**

**Sencore SC61 - scope, \$800.00, CM2125 - Computer Monitor Analyzer, \$1,500.00, CR70-CRT analyzer + restorer, \$500.00.** Call: 610-380-1935.

**SERVICE TIPS** over 55,000 excellent ones from KD T-V, Nesda, other Professional Servicers. 380 brands (TV, VCR, Computer Monitor, Microwave, Camcorder, Audio, Misc.). Only \$69.95! Add your own tips. Automatically alphabetizes symptom. Tip exchange. Print tips. Symptom search, Info search, Cure search, VCR cross, Sams cross. Finest ORIGINAL data. **FREE PROGRAM on website** <http://www.kdtviwe.com> **KD T-V 514 3rd St. Aurora, IN 47001. ORDER TOLL FREE 1-888-KD-STIPS.** All c/cards. Ken Hull C.E.T.

**SENCORE, TEKTRONIX, HEWLETT PACKARD** (all models). We **BUY, SELL, & TRADE**. Please call "**CHOICE ELECTRONICS**" for all of your test equipment needs. Complete financing options available. Call 1-800-609-0677, 605-361-6386 ask for Lance Tople.

**FURTHER PRICE REDUCTION.** Diehl Mark III \$49, Diehl Mark V Horizontal circuit tester \$169. New. Conductive coating for remote control keypads \$9.99 ppd. **WEEC**, 2411 Nob Hill Road, Madison, WI 53713. 608-238-4629, 608-273-8585.

**FOR SALE: SENCORE VG91, TVA92.** Used very little. Will only sell together. Best serious offer. In Texas, 281-343-7088.

## FOR SALE

**TV CASE HISTORIES:** Booklet with 2,825+ histories. Satisfaction assured. Only \$56 (plus \$3.00 for priority mail). **Mike's Repair Service**, P.O. Box 217, Aberdeen Proving Ground, MD 21005. Same mailing address 34 years. Send SASE for samples. 410-272-4984, 1-800-2-FIX TVS 11am-9pm. (or at <http://www.netgsi.com/~mikesrs>).

**Factory service data, used-Sams, books, vintage parts. AG Tannenbaum**, Box 386, Ambler, PA 19002. 215- 540-8055, fax 215-540-8327, On-line catalog: [www.agtannenbaum.com](http://www.agtannenbaum.com).

>> more than **\*\*20,000\*\* TECHNICAL REPAIRS \*\*\* FREE DEMO\*\*\*** REPAIRS for TVs, VCRs, Projection TVs, CAMCORDERS, CD Players, Audio on computer disks - The **TECHNICAL TIP REPAIR Program**. Easy look-up by Model/Chassis number. **PROFESSIONAL BOARD LEVEL & COMPONENT LEVEL REPAIRS**. ADD your own tech tips. PRINT tips. **BACKUP & save Your Tips**. Have your own tips? Ask about our **TIP EXCHANGE** policy with **\*\*\* FREE Updates \*\*\***. For IBM compatible computers with a hard drive and some Apple Macs. Only \$125.00 **\*\* FREE SHIPPING \*\***. **NEW VERSION** works in DOS, WINDOWS 3.1 & **WINDOWS 95.\*\*\* FREE DEMO \*\*\* HIGHER INTELLIGENCE SOFTWARE, 60 FARMINGTON LANE, MELVILLE, NEW YORK 11747.** \*\*\*\*\* CALL 1-800-215-5081\*\*\*\*\*

**IN-CIRCUIT CAPACITOR ESR TESTER** - Find bad caps FAST and RELIABLY with the new Capacitor Wizard in-circuit ESR Tester! Great for monitors, switching power supplies, TVs, etc. Only \$179.95. MC/VISA. **Independence Electronics Inc., 800-833-1094, www.awiz.com.**

(( 36,000 REPAIR TECH-TIPS )) As promised, another 2,000 daily repairs have been added to our database this update. Included are the MGA COLOR RESONATOR & SONY SMD REPAIR problems of our industry. **WE ARE TECHNICIANS & NOT COMPUTER HACKERS!** TEST our **FULL DATABASE** of repairs in **CD FORMAT, DOS or WINDOWS** for **ONE WEEK** in **YOUR SERVICE CENTER** for \$20.00. If satisfied, you may join our membership for an additional \$330.00. Our membership price has been the same for the past 8 years and will remain the same in the future. "FREE" 48 Page member magazine "THE TIP INFORMER", "FREE" Emergency tech-assist telephone line, "FREE" FCC-ID Cross-Reference Manual, "FREE" Service Center Forms. Semi-annual updates with 2,000 new repairs in five - 2" Paper Manuals or Computer, CD, DOS or True Windows. You may enter your own repairs, edit or tag any report or press one key and printout selected or all repairs on a particular Model or Chassis or FCC ID No. "**GET TO THE BOTTOM LINE PROFITABLY**" CALL and speak to a service center owner and technician **ED Erickson, NESDA MEMBER** and past president of the (**PROFESSIONAL ELECTRONICS ASSN. OF SOUTH FLORIDA**) . - - - You and your technicians will be glad you did! - - - Labor is your largest expense. **800-474-3588** or 954-349-2455, **TV-Man Tech-Tips, Inc.** 2082 Augusta, Weston, Florida 33326.

**Sencore CVA94 & VR940 camera video analyzer and reference box.** Like new. All accessories and manuals. \$1800, includes shipping 408-688-1426

# CLASSIFIED

## BUSINESS OPPORTUNITIES

**SERVICE CENTER FOR SALE.** Golden opportunity in the sunshine state. If you would like to have a six figure income, then start out with a six figure income! Why wait ten years to build a business in an area that may never provide that income. Purchase a business that will pay for itself, and historically increases its revenue yearly, in the largest growth market in the country. South Florida has expendable incomes from all parts of the world, and is never limited by a poor economy or bad weather. Two tech's provide an annual gross \$250,000.00 + Est. 16 Yrs. Best location in the country. Call for Brochure. 954-723-1977  
\*\*\*\*(owner retiring and will finance 50%)\*\*\*\*

## BUSINESS OPPORTUNITIES

**For Sale: Established 45 year RCA, Zenith, and Philips Sales and Service Center. Retiring, 10K for complete shop. 419-289-8384**

## HELP WANTED

**WANTED: USED TEST EQUIPMENT. TURN IDLE OR EXCESS EQUIPMENT INTO CASH. AST GLOBAL ELECTRONICS: Voice: 888-216-7159; FAX: 814-398-1176; e-mail: sales@astglobal.com**

# READERS' EXCHANGE

Readers' Exchange is a free service.

The following restrictions apply to Readers' Exchange:

- Only individual readers may use Readers' Exchange, and items must be restricted to those that are ordinarily associated with consumer electronics as a business or hobby. If you're in business to sell the item(s) you want to offer for sale, the appropriate place for your message is in a paid advertisement, not Readers' Exchange.
- Readers' Exchange items must be restricted to no more than three items each for wanted and for sale.
- All submissions must be typed or printed clearly!

Send your Readers' Exchange submissions to:

Readers' Exchange, Electronic Servicing & Technology, 76 N. Broadway, Hicksville, NY 11801

### FOR SALE

B&K capacitance meter, \$90.00. Contact: Bob, 718-779-7874, amear@prodigy.net.

Sams photofacts 400-2400, make offer. Contact: 417-924-3350.

Panasonic TK stereo cartridge tape deck recorder. Sams photofacts. Contact: Ann Bichanich, 15 1/2 W. Lake Street, Chisholm, MN.

Sencore VG91 universal video generator, and TVA92TV video analyzer, with manuals and accessories, \$1700.00 for both. Practically new. Contact: 870-246-7234.

Sencore SC61 oscilloscope. Like new, \$1000.00. Free shipping! Contact: 561-223-2328.

B&K 520B transistor tester, \$215.00. Heathkit tunnel dipper, model HM10A013, \$40.00. Contact: Alex Minelli, 218-263-3598.

Sencore CM2000 monitor analyzer, \$1950.00, VC93 video analyzer, \$1500.00 OBO. Both items with manuals, cables and original boxes. Hardly used. Contact: Victor, 423-257-5501.

Sencore SC61, VA48 and PR57, all for \$1800.00. Contact: Bob, 701-298-8943.

Sencore SC3100, CVA94. Kenwood CS8020 digital storage oscilloscope. All for \$4200.00. Like new. Contact: Rick, 956-519-3655.

Sencore CM2125 computer monitor analyzer, PR570 isolation transformer, SC3100 oscilloscope and CR70 CRT restorer. Excellent condition less than three years old. Total package, \$5200.00. Contact: Don, 313-513-5447, e-mail: dpodwoiski@compuserve.com.

Riders radio service manuals Vol. 1 to 17, \$300.00 plus shipping. will include index. Sams photofacts in 22 binders covers, folders 1 to 500, \$350.00 plus shipping. Contact: Maurer Television, 2950 4th Street, Lebanon, PA 17042, 717-272-2481.

Sencore VC93 VCR analyzer. New, used once, \$2100.00. Contact: Rudy Helfenstine, PO Box 15, Feesburg, OH 45119, 937-3790-1040.

Hitachi V212 oscilloscope with two probe and owner's manual, \$150.00 plus shipping. Contact: 4131 Mt. Everest Blvd., San Diego, CA 92111, 619-569-4908.

Sencore SC3100, LC53, TF46, SCR250. Bruel & Kjaer response and wow/flutter meter, GE 1396B tone burst generator. Protek 506 multimeter with PC interface cable. Contact: 612-869-4963.

Sencore SC61, VA48, PR57 complete with manuals and probes. Excellent shape, \$1800.00 or make an offer. Contact: 701-298-8943.

Sencore resistor and capacitor sub box, \$25.00. B&K VTVM 177, \$100.00; frequency counter 1822, \$275.00; power supply 1601, \$275.00. And more. Contact: Peter, 413-527-5412.

### WANTED

Heathkit digital alarm clock GC1107, clock chip B-8532. Contact: Don Dillenbeck, 828-891-2864, fax 828-890-4974.

Kenwood ICs TA-100WA. Need two. Contact: Transistor Clinic, 23419 Gratiot, Eastpointe, MI 48021, 810-774-1230.

JVC black and white TV flyback A31478A, new or used. Contact: PO Box 70, Lacombe, LA 70445, 504-882-5685.

Sencore SG165 stereo analyzer with cables and manuals. Contact: JR Linden, 408-522-6139, e-mail: jrlinden@aol.com.

Pioneer SD1100, JVC MM4 4-channel audio analyzers. Precise 111M tube tester, professional disc cutting machines. Tube limiters. Contact: 612-869-4963.

IBM computer PS1 model 2133-W11 color monitor part number 33G6267, manuals and schematics. Addison keyboard model KB5311. Contact: Al Potter, 2 buttonwood Drive, Parlin, NJ 08859-1110.

Carver CD player model DTL-200MK2 service manual. No longer available from Carver Corporation. Contact: Earl Friedman, 27 N.E. 5th Avenue, Hialeah, FL 33010-5014, 305-884-2175.

Fisher VCR service manuals. Contact: Ed Herbert, 410 N. Third Street, Minersville, PA 17954.

**TUBES • TUBES • TUBES**  
**World's Largest Range**  
 Over 2,000 Types, Domestic & Foreign

 **UP TO 85% OFF** Ask for price list

 **International Components Corporation**  
 Toll Free 800-645-9154 • N.Y. State 516-293-1500  
 107 Maxess Road, Meville, New York 11747

Circle (67) on Reply Card



**HERMAN ELECTRONICS**

Visit our Home Page at  
**hermanelectronics.com**

Circle (66) on Reply Card

**Do You Repair Electronics?**

Repair Databases for TV, VCR, Monitor, UL Audio, FCC, and more.

- Over 76,000 records
- Private user forums
- Live on-line chat rooms

**RepairWorld.com**  
 Electronics Corp. 1 Herald Sq. Fairport, OH 45324 (937) 878-9878

Circle (61) on Reply Card

**ULTIMATE HOME SHOP**  
 Complete tools for metal & woodworking

Starting at **\$995**

— **Quality** —  
 Easy to use  
 Versatile  
 Affordable

**FREE CATALOG**  
 Call today!

Call 1-800-345-6342 or write: **Smithy** Dept. ES1, PO Box 1517, Ann Arbor, MI 48106-1517

Circle (70) on Reply Card

**National Computer Association**

The National Computer Association is the Professionals' Choice for securing a future in the computer industry. We make the computer industry a better place for our members to work by uniting together and working to reverse the trend of high overhead and low profits.

Please See Our Ad on Page 48 or Visit Our Website at [www.nca-net.com](http://www.nca-net.com)

**1-800-615-6224**

**DELPHI INTERNET™**

Get online with **ELECTRONIC** Servicing & Technology on Delphi!

To sign up dial  
**1-800-365-4636**  
 with your computer & modem, and enter ELECTRONIC at the signup password prompt!  
 You can find Electronic Servicing & Technology in the Radio & Electronics Forum (GO RADIO).

64

Circle (76) on Reply Card

## ADVERTISERS' INDEX

Company	Page Number	Reader Service Number	Advertiser Hotline
AnaTek Corporation .....	53	60	800/999-0304
Delphi Internet.....	64	76	800/365-4636
Electronic Design Specialists.....	17	62	561/487-6103
Electro Dynamics.....	2,3	63,64	800/426-6423
Electronics Technicians Assoc.....	14	72	765/653-4301
Electronix Corporation.....	64	61	937/878-1828
Herman Electronics.....	64	66	800/938-4376
International Components Corp.....	64	67	800/645-9154
Iscet.....	19	74	817/921-9101
Jesse Jones Industries.....	16		800/825-6690
Mouser Electronics.....	16	68	800/992-9943
NCA/National Computer Assn.....	48,64	73	800/615-6224
Philips Software Development.....	BC	117	423/475-0393
Philips Service Solutions Group.....	IFC	120	800/851-8885
Sams & Company, Howard .....	45	65	800/428-7267
Sencore.....	19	69	800/SEN CORE
Smithy Company.....	64	70	800/345-6342
Thomson Consumer Electronics....	IBC	2	800/336-1900
Wavetek .....	5	78	800/854-2708

**We'd like to see your company listed here too. Call Evelyn Garrison at 425-557-9611 or Fax her at 425-557-9612 to work out an advertising program tailored to suit your needs.**

**What's Your Best Servicing Value?**

The magazine that makes money for you -

**ELECTRONIC**  
 Servicing & Technology



Each month, **ES&T** brings you how-to service articles on TVs...VCRs... Computers... CD players... Microwaveovens... Audio products and more. It's the information you need to do your job everyday.

Regular columns and special features from experts will make you more efficient - and more profitable - in no time. Plus, our monthly PROFAX, a FREE 8-page pull-out of popular TV, VCR and computer schematics, makes **ES&T** an even greater value.

1-year, (12 issues) \$26.95	2-years, (24 issues) \$49.95
1-year Canada/Mexico \$36.95	2-years, Canada/Mexico \$69.95
1-year Foreign Air Post, \$44.95	2-years Foreign Air Post, \$85.95

**Electronic Servicing & Technology**  
 25 Newbridge Road, Hicksville, NY 11801 • Phone: 516-681-2922 • FAX: 516-681-2926



**Schematic Diagram: CRT Unit**

Product safety should be considered when component replacement is made in any area of an electronics product. A star next to a component symbol number designates components in which safety is of special significance. It is recommended that only exact cataloged parts be used for replacement of these components.

Use of substitute replacement parts that do not have the same safety characteristics as recommended in factory service information may create shock, fire, excessive x-radiation or other hazards.

This schematic is for the use of qualified technicians only. This instrument contains no user-serviceable parts.

The other portions of this schematic may be found on other Profax pages.

All integrated circuits and many other semiconductors are electrostatically sensitive and require special handling techniques.

19H-M60/100/150,  
CH9M6

19H-M60/100/150,  
CH9M6

**DESCRIPTION OF SCHEMATIC DIAGRAM**

**NOTE:**

1. The unit of resistance "ohm" is omitted (K:1000 ohms, M:1 Meg ohm).
2. All resistors are 1/8 watt, unless otherwise noted.
3. All capacitors are  $\mu$ F, unless otherwise noted P:  $\mu$ pF.
4. (G) indicates  $\pm 2\%$  tolerance may be used.
5.  $\perp$  indicates line isolated ground.
6.  $\downarrow$  indicates hot ground.

**VOLTAGE MEASUREMENT CONDITIONS:**

1. All DC voltages are measured with VTVM connected between points indicated and chassis ground, line voltage set at 120V AC and all controls set for normal picture unless otherwise indicated.
2. All voltages measured with 1000 $\mu$  V B & W or Color signal.

**WAVEFORM MEASUREMENT CONDITIONS:**


1. Photographs taken on a standard gated color bar signal, the tint setting adjusted for proper color. The wave shapes at the red, green and blue cathodes of the picture tube depend on the tint, color level and picture control.
2.  $\odot$  indicates waveform check points (See chart, waveforms are measured from point indicated to chassis ground.)

DRGANNES MARQUES  $\Delta$  ET HACHRES (  $\blacksquare$  ): PIECES RELATIVES A LA SECURITE.  
MARQUE  $\blacktriangle$  : PIECES RELATIVE AUX RAYONS X.

$\Delta$  AND SHADED (  $\blacksquare$  ) COMPONENTS = SAFETY RELATED PARTS.  
 $\blacktriangle$  MARK= X-RAY RELATED PARTS.

This circuit diagram is a standard one, printed circuits may be subject to change for product improvement without prior notice.

**WAVE FORMS**



**Schematic Diagram: CRT Unit**

Product safety should be considered when component replacement is made in any area of an electronics product. A star next to a component symbol number designates components in which safety is of special significance. It is recommended that only exact cataloged parts be used for replacement of these components.


Use of substitute replacement parts that do not have the same safety characteristics as recommended in factory service information may create shock, fire, excessive x-radiation or other hazards.

This schematic is for the use of qualified technicians only. This instrument contains no user-serviceable parts.

The other portions of this schematic may be found on other Profax pages.

All integrated circuits and many other semiconductors are electrostatically sensitive and require special handling techniques.

**SCHEMATIC DIAGRAM :CRT Unit**



Main Schematic Diagram, Models 19H-M60, CH19M6

Product safety should be considered when component replacement is made in any area of an electronics product. A star next to a component symbol number designates components in which safety is of special significance. It is recommended that only exact cataloged parts be used for replacement of these components.

Use of substitute replacement parts that do not have the same safety characteristics as recommended in factory service information may create shock, fire, excessive x-radiation or other hazards.


This schematic is for the use of qualified technicians only. This instrument contains no user-serviceable parts.

The other portions of this schematic may be found on other Profax pages.

All integrated circuits and many other semiconductors are electrostatically sensitive and require special handling techniques.

19H-M60/100/150, CH9M6      19H-M60/100/150, CH9M6

MODELS 19H-M60, CH19M6 SCHEMATIC DIAGRAM:MAIN Unit



NOTE 1. ALL DIODES ARE 1N5110 OR 0100-4006 OR 0100-4006C UNLESS OTHERWISE SPECIFIED.  
2. ALL TRANSISTORS ARE 2N2904-60 OR 2N2904-60A OR 2N2904-60A1 UNLESS OTHERWISE SPECIFIED.

PWB-A  
COURT/1041 WEVS -- 19H-M60  
COURT/1041 WEVS -- CH19M6

(THIS AREA IS COLD SIDE)  
(THIS AREA IS HOT SIDE)

LINE CORD PLUS IS POLARIZED. THE NARROW BLADE CONNECTS TO THE HOT SIDE OF THE AC LINE.

OUT GROUND

Main Schematic Diagram, Models 19H-M60, CH19M6

This schematic is for the use of qualified technicians only. This instrument contains no user-serviceable parts.

The other portions of this schematic may be found on other Profax pages.

All integrated circuits and many other semiconductors are electrostatically sensitive and require special handling techniques.

Product safety should be considered when component replacement is made in any area of an electronics product. A star next to a component symbol number designates components in which safety is of special significance. It is recommended that only exact cataloged parts be used for replacement of these components.

Use of substitute replacement parts that do not have the same safety characteristics as recommended in factory service information may create shock, fire, excessive x-radiation or other hazards.

19H-M60/100/150,  
CH9M6

19H-M60/100/150,  
CH9M6


This schematic is for the use of qualified technicians only. This instrument contains no user-serviceable parts.

The other portions of this schematic may be found on other Profax pages.

All integrated circuits and many other semiconductors are electrostatically sensitive and require special handling techniques.

MODELS 19H-M100/150 SCHEMATIC DIAGRAM:MAIN Unit

NOTE 1: ALL DIODES ARE "1N4148" OR "1N4004" OR "1N4007" UNLESS OTHERWISE SPECIFIED.  
NOTE 2: ALL TRANSISTORS ARE "2SC1815" OR "2SC1815N" OR "2SC1815Y" UNLESS OTHERWISE SPECIFIED.



PWB-A  
COURTESY (REV. 1)

MODEL	AC CODE	R/C
19H-M100	3014CE5A 3030CE5A	1273CE5A
19H-M150	3014CE5B 3030CE5B	1273CE5B

**Figure 1.** For this T, in the service mode all normal on-screen displays will be suppressed and replaced by a special display. It will look something like this. In this case, the first line shows the factory part number of the micro-computer: 613085-3. The next set of characters (GR5X3.0) identifies the version of software in current use. The second line, reading left to right, displays the currently tuned channel (channel 3).

active, you can tune to an active channel by pressing the channel +/- button. The current register number is next (00). The "EXIT" is a short description of the register. Farthest to the right is 1A which is the current value held in register 00. The value is always given in hexadecimal.

How do you select and change a particular register? The cursor-left and cursor-right keys on the remote control allow you to select among the channel, register, and data held in the register. The cursor-up and cursor-down keys allow you to adjust the desired item up or down.

When you are in the service mode, depress the status/exit button on the remote unit. Two additional lines of information will appear at the top of the screen. The first line (00B7) will give you the running time of the unit in hexadecimal (183 hours). The next line displays a string of letters, EFKLMNO. Each letter represents a sub-system which *could* be present but *did not* respond to the micro's commands via the IIC bus. For example, "M," the audio controller (1C301 on the pro-logic panel), did not respond. In this instance "M" is not present. But if you were having an audio problem and didn't know where to look and if "M" were present, then you would have a starting place wouldn't you?

The last PTV I worked on had to have a sweep-power supply module. Since it was under warranty, I ordered and installed a new unit. The picture was stretched vertically and horizontally. Registers 34 (picture height), 35 (linearity), and 39 (width) had to be adjusted. I didn't have to access the unit from the rear and depend on a mirror. I simply stood in front of the TV, used the remote control, and made the adjustments in a matter of a minute or two. Piece of cake!

If you need to do a convergence procedure, you use a different menu. Using the hand unit, you enter the following: 0, 6, 2, 5, 9, 7, menu. You then have access to the convergence menu. What you do next

00B7			
EFKLMNO			
613085-3 GR5X3.0			
3 00 EXIT 1A			
05	TINT	1F	mid-range
06	SHARPNESS	1F	mid-range
07	BASS	1F	mid-range
08	TREBLE	1F	mid-range
09	BALANCE	1F	mid-range
10	SF LAG 00	24	System Flags
11	SF LAG 01	00	System Flags
12	SF LAG 02	23	System Flags
13	SF LAG 03	00	System Flags
14	RL ADDRESS	05	Remote Locator Code
15	FEATURE ID	03	Feature Word (01=PTV700, 02=PTV705/706, 03=PTV710/711, 04=PTV715, 06=PTV705/706)
16	DEMO ID	00	01=Magnavox Demo On
17	CLOCK CAL	00	see Clock Calibration Adjustment
18	OSD VERT	22	OSD Vertical Position
19	OSD HERZ	20	OSD Horizontal Position
20	PIP COLOR	1F	PIP Color Control, mid-range
21	PIP TINT	1E	PIP Tnt Control, midrange
22	PIP X1 POS	00	PIP upper left, horiz. start position
23	PIP Y1 POS	05	PIP upper left, vert. start position
24	PIP X2 POS	3F	PIP lower right, horiz. start position
25	PIP Y2 POS	21	PIP lower right, vert. start position
26	P READ POS	CF	
27	P WRITE POS	4C	
28	COLOR DLY	14	
29	BACK BURST	11	PIP background burst level
30	RED HORZ.	1F	Customer Center Convergence
31	RED VERT	1F	Customer Center Convergence
32	BLUE HORIZ	1F	Customer Center Convergence
33	BLUE VERT	1F	Customer Center Convergence
34	PICTURE HT	0A	
35	LINEARITY	04	
36	VS CORR	0A	Do Not Modify
37	V SHIFT	00	Do Not Modify (must be 00)
38	V COMP	00	Do Not Modify (must be 00)
39	PICT WIDTH	29	
40	E W PARAB	17	Do Not Modify
41	E W CORNERS	05	Do Not Modify
42	TRAPEZIUM	15	Do Not Modify
43	H COMP	00	Do Not Modify (must be 00)
44	VSS CORR	00	Do Not Modify (must be 00)
45	HORZ PH	10	
46	RGB BRT	40	
47	RGB CONT	40	
48	SUB COLOR	EA	
49	SUB CONT	E7	
50	RED CUT-OFF	80	
51	GREEN CUT-OFF	80	
52	BLUE CUT-OFF	80	
53	GREEN DRIVE	40	
54	BLUE DRIVE	40	
55	CHROMA	FA	
56	VID CTRL 1	07	
57	VID CTRL 2	C3	
58	DEF CTRL	20	
59	G2 SETUP	1A	Data=00 kills video and OSD
60	SUB BRIGHT	5F	
61	SUB TINT	3F	
62	SURROUND LEVEL	FF	Do Not Modify
63	AUD CNTRL 2	70	Do Not Modify
64	AUD CNTRL 3	03	see Stereo Decoder Alignments, Composite Input Level Adj.
65	AUD ALIGN 1	17	Wide Band Adj. (Stereo Alignment)
66	AUD ALIGN 2	13	Spectrum Adj. (Stereo Alignment)
67	AUD ALIGN 3	08	Do Not Modify
68	DOLBY MODE	82	
69	GRAPH EQ 4K	05	
70	GRAPH EQ 12K	05	
71	GRAPH EQ 1K	05	
72	GRAPH EQ 225	05	
73	GRAPH EQ 59	05	
74	ADDRESS	6A	Add. of EEPROM where data is stored.
75	DATA	00	

depends on the nature of the procedure. You might have to use a template, or you might just need to touch up what is already there. In either case, you will find the instructions as a part of the on screen information. Convergence has always been difficult for me. If I can "palm the job off," I will do it. But this one is so easy, I can do it. My partner, who doesn't know the difference between an electron and screw driver, has even taken over the job from me.

### Sharp televisions

The Sharp model I will use is 19J-M100 or 20J-M100. To enter the service mode, press the volume-up and channel-up buttons at once and then plug the set into the ac outlet. The TV comes on and enters the service mode. To exit this mode, depress the power button.

Once in the service mode, press the channel up/down button(s) on the remote or the set to select the register you wish to adjust. Use the volume up/down buttons to adjust the data. The register num-

<u>SERVICE NUMBER</u>	<u>ADJUSTMENT ITEM</u>	<u>DATA: INITIAL VALUE</u>	
<u>DATA: RANGE</u>	<u>ADJUSTMENT CONTENTS</u>		
S01	PICTURE	55	00-7F
S02	TINT	46	00-7F
S03	COLOR	32	00-7F
S04	BRIGHTNESS	40	00-7F
S05	SHARPNESS	28	00-3F
Must be set to "24"			
S06	VERTICAL PHASE	00	00-07
Must be set to "00"-"03"			
S07	HORIZONTAL PHASE	12	00-1F
S08	RF-AGC	2A	00-3F
S09	VERTICAL AMP	20	00-3F
S10	VCO	2C	00-7F
S11	R CUT-OFF	00	00-FF
S12	G CUT-OFF	00	00-FF
S13	B CUT-OFF	00	00-FF
S14	G GAIN	7F	00-FF
S15	B GAIN	7F	00-FF
S16	TRAP (3.58MHz)	00	00 or 01
Must be set to "00"			
S17	BALANCE	20	00-3F
Must be set to "20"			
S18	C.C. POSITION	18	00-7F
S19	Y-MUTE	00	00, 01, 03
00=NORMAL, 01=no "Y, 03=NO VERTICAL"			

Figure 2. This is a service menu in one of Sharp's TV sets.

**To Order Back Issues**

THE PROFESSIONAL MAGAZINE FOR ELECTRONICS AND COMPUTER SERVICING

**ELECTRONIC**  
Servicing & Technology

Camcorder servicing  
Troubleshooting tips on the web

Tools and Toolcases Showcase

**Only \$4.00 Per Issue**

Complete your collection today.  
Check, Money Order, Mastercard, VISA, Discover and AMEX accepted

**CQ Communications**  
25 Newbridge Road, Hicksville, NY 11801  
FAX: 516-681-2926

For Faster Service  
**CALL 516-681-2922**

ber will have an "S" in front of it, and the data number will be expressed in hexadecimal. For example, S11 is the red cut-off, and the data might be 00. Figure 2 lists the registers and typical values.

### Zenith televisions

In spite of the fact that Zenith has changed a great deal since Goldstar (now L. G. Electronics) "took over," some things have remained basically unchanged. For example, you may enter the service mode by pressing and holding the menu key on the remote control until the menu disappears and then pressing the following keys: 9, 8, 7, 6, ENTER. Or use the keyboard by pressing and holding MENU until the OSD menu disappears and then simultaneously pressing

ADJUST RIGHT and CHANNEL UP. Exit the service mode by pressing ENTER.

The chassis I will use as an example is their new GH chassis. My information is taken from Z-Line Color Television GH Chassis. You can order it directly from Zenith (1000 Milwaukee Avenue, Glenview, IL 60025). Since things have changed, I am not sure you can get it via a local jobber. Figure 3 contains information that you might find useful in this and other connections.

When the service menu first comes up, there will be a black bar at the top that contains the part number of the software. A black bar at the bottom has a date (when the module went through the factory) and a number (which indicates the module

## NEW MODEL NUMBER SYSTEM FOR REGULAR Z-LINE COLOR TELEVISIONS




Figure 3. This list shows you how to read Zenith's new model numbers.

has been tested) in it. When the menu comes up, it will always select the third item (H Pos) in the service menu. The SELECT key lets you toggle through all of the adjustments.

Use SELECT to select item 00 (Factory Mode). This parameter is used by the factory when the module is tested. Always make sure it is turned OFF ("0") before you exit the service menu. When the factory mode is set at 0, you have access to the first seven items only. When you set it to 1, you have access to all thirty-nine items. The items will come onto the screen one at a time at the top left of the screen. Use ADJUST keys to make the necessary adjustments. One interesting feature. If you forget to reset factory mode to 0 before exiting the service mode, just set the clock or run auto program in the customer menu, and the factory mode will be reset to 0.

The booklet I mentioned is relatively inexpensive. If you service Zenith TV's I suggest you buy it because it has a lot of very useful information in addition to giv-

ing you the factory service parameters. For example, *do not* remove the video output CBA from the CRT while the TV is up and running. If you do, you will expose yourself to a dangerous electric shock and could also damage the CRT because additional elements in the CRT are tied to the HV through a divider network.

### Quasar-Panasonic

Panasonic Services Company calls their service menu mode "The Serviceman Mode." I will use their GL 9C chassis to illustrate their procedure.

While the receiver is on and operating, momentarily short TP-8 to ground (FA-1 to FA-2 on the A-Board). A yellow on-screen "CHK" will appear in the upper right of the screen. (This is the "aging mode.") Press the ACTION button and VOLUME UP button on the front panel at the same time. The yellow "CHK" will turn red. You are now in the service mode.

Use the POWER button on the remote control to select one of five service adjustments: B, sub-adjustments; C, CRT

adjustments; D, pincushion adjustments; S, factory adjustments only; NORMAL TV, normal operation of channel and volume buttons. The adjustments will appear in the lower right corner of the screen. Channel buttons on the remote control let you select the feature, and volume buttons let you change the register value.

To exit serviceman mode, press ACTION and POWER buttons at the same time for about two seconds. The TV will momentarily turn off and come back on tuned to channel 3.

### Different ways to do the same thing

As you can see, different manufacturers do things differently. I suggest that you have available good literature for the TV's that you regularly service. There is no substitute and no excuse for not keeping up. Your business and your livelihood depend on it. I also suggest that you write down the value in any register before you tinker with it. It will take a little time, but it will very possibly save you time over the long haul on the repair. ■





# FORCE...

## A Change In Service Literature

- ▶ NO MORE paper manual filing
- ▶ NO MORE CD-ROM tracking
- ▶ NO MORE searching for the correct manual
- ▶ NO MORE wrong part numbers
- ▶ NO MORE wasted time calling for information

### PLUS:

- ▶ All service diagrams up to date
- ▶ Part numbers at your fingertips
- ▶ Receive new literature in minutes
- ▶ All fixes come up with the manual
- ▶ Add your own fixes to the manuals
- ▶ Order yours today!



FORCE is a Computer Help for Electronic Troubleshooting application  
Philips is licensed to use and create CHET Technology Service Data.

Now, you can get FORCE<sup>®</sup>—innovative service manual software filled with diagrams, parts information, troubleshooting tips, and more! FORCE's new Internet subscription and download service gives you manuals and updates when you need them most—immediately! It'll save you time. It'll save you money. It'll save your sanity.

For complete information, call 423•475•0393 today.



# PHILIPS

Circle (117) on Reply Card

*Let's make things better.*