

WHN WARNS PUBLIC OF "TAX ON SOULS"

NEW PAUL REVERE HITS AT "KING TELEPHONE"

Gotham Station Makes Nightly, Stirring Appeals to Fans to Protect Broadcasting

NEW YORK.—Each night Station WHN puts its case before millions of listeners—puts not only its own case but that of every independent, "unlicensed" broadcaster in the United States. C. P. Caldwell, attorney for the station, takes up the story some times, at others George Schubel warns of the aims of the A. T. & T. company, "King Telephone."

One of Mr. Schubel's addresses is particularly interesting in the parallel he draws between Paul Revere and WHN. After telling of the bitter fight that Henry M. Shaw, president of the Shaw Insulator company, had with the big Radio interests and how Mr. Shaw's partner died of a broken heart after his persecutions by the "Radio octopus," he goes on:

Draws Paul Revere Parallel

"Oppression never changes. It simply comes to us in different form. Over a hundred and fifty years ago, men like Henry Shaw and his wife, Anna, tried to get along peacefully with the world, but the power represented in the vested interests of a king stepped in and said: 'I'm going to put a tax on your tea, on the furnishings of your simple home and on everything you use. If you resist, I'm going to enforce my vested rights by sending hirelings to shoot you down.'

"As Americans, we know what finally happened. When the first farmer was shot down in cold blood, Paul Revere jumped on his charger and through the night notified every hamlet, and every home possible to reach, and the bells rang from every countryside, and it was not long before the soul of resistance to oppression was organized.

How "King Telephone" Would Tax

"Today oppression again reaches out. It comes in the familiar form of money-power. It says: 'We have certain vested patent interests; we have cornered the market in patents like the other crowd corners the market in wheat; some patents we have gotten by the power of money, some Radio patents by the power of threat or coercion, and some by means we might blush to see in public print. We must protect these vested patent interests, not by putting a tax on your tea like old King George did, not on the furnishings of your little home, nor on your oil and your coal and on your bread on your table,—there is another crowd taking care of these taxes upon your material needs; we are going to put a tax, by heaven, upon your very lips and heart and soul, for under the patent laws, we claim to have a right to do this.

"If some Americans among you want to broadcast something which we approve, then, we, the vested interests in Radio are going to tax you ten dollars a minute for saying it, no matter how important your message to your fellow-countrymen may be! Yes, we are going to put a tax, not only upon your lips, but upon your ears.

Urges Radiophans Writing Senators

"The spirit of Paul Revere is still alive. His spirit is riding over the air tonight. The fire of righteous indignation, the consciousness of a good cause which burned in his breast, and impelled him to ride out into the night, we are sure burns in the breast of everyone of those who write to us asking how they can help in the present fight for Radio freedom, in the breast of everyone within the reach of our voice tonight.

"Write to your Congressman, write to your Senator. If you don't know who he is, address your envelope as follows: To My Congressman and to My Senator. Then put your own name and address on the upper corner. The letters will be delivered to them."

It is now possible to burn fifteen vacuum tubes with less current than it took a year ago to burn one tube.

FATTIES FATTEN ON WLAG "DAILY DOZEN"

MINNEAPOLIS.—The fat ones are getting fatter and the thin ones thinner when they listen to Tess Cooperman of WLAG, giving her weekly Radio exercises to the tune of "Just a Girl That Men Forget." The assistant program director of WLAG, Earl R. Buell, who tips the scale at two hundred and eighty some pounds, after one lesson, added only five pounds.

CRYSTAL SETS GET A THRILL—AND LOSE IT

WINNIPEG, MAN.—Crystal set users of this city were surprised recently to hear, "This is Station KYW, Chicago," come in as loud as their local plant, CKY, the Manitoba Telephone company. But it turned out to be CKY rebroadcasting KYW which had been received by a CKY engineer and relayed by telephone wire to the local plant's studio.

LIKES HER "BACK STAGE" SET



Dorothy Stone is the charming daughter of Fred Stone, world famous comedian, and finds much on the air to interest her while waiting "back stage" for her cue. She is co-starring with her dad now in "Stepping Stones" and carries the diminutive single tube receiving set with her while on air. The unusual form of the receiver is worthy of note. It can be carried in a brief case—but usually is found on Miss Stone's dressing room table. Wide World Photo

KDKA Finds Friend's Address

PITTSBURGH.—While visiting Moissy, France, Mrs. Russell Lewis of this city recently sent an urgent cablegram to her

sister-in-law here, whose address she did not know. French Consular Agent Letevy requested KDKA to broadcast for the missing address. Two hours later the sister-in-law had the cablegram.

HOOVER GIVES HINT OF AIR CENSORSHIP

"HANDS OFF" POLICY ON RECEIVING SETS

Commerce Secretary Holds Little Hope for Use of Radio in Private Communication

WASHINGTON, D. C.—Following a policy of having as little government regulation of Radio as possible, Secretary Hoover, it has become known here, feels that the Department of Commerce would better not touch the problem of receiving sets. This applies to regenerative outfits.

Mr. Hoover, it is understood, believes the Radio manufacturers will take care of the matter of regenerative sets by perfecting their manufacture. He does not consider the subject one for legislation or governmental regulation.

It is understood also that among the opinions held by the Secretary with regard to Radio is one that indicates the possibility of an air censorship should there be much broadcasting for advertising purposes. While Mr. Hoover is not in favor of such censorship, it is said, he desires to keep the air as clear as possible for desirable programs.

"No Private Radio"—Hoover

The use of Radio for private communication will never be realized, in the opinion of Secretary Hoover, unless there is some unexpected and seemingly impossible development in the art. It is possible that a new series of wave lengths may be discovered and a method for their utilization be perfected which will make private communication feasible, but no such development is in sight, according to Hoover. He regards the ether as already too crowded with public matter.

Declaring that the air is the inalienable possession of the people a bill introduced by Senator Howell of Nebraska was approved by the Senate interstate commerce committee. The bill would restrict to two years' duration all Radio licenses and other privileges for the use of ether, with power vested in the President to annul them in time of war or other emergencies.

WASHINGTON, D. C.—The White Radio bill is lying dormant with the Radio subcommittee of the Merchant Marine and Fisheries Committee of the House.

The fact that Representative White accepted the chairmanship of the special House Committee to investigate the Shipping Board is militating against quick action on the bill. There does not seem to be any very serious opposition to the issue, but it is possible that some pressure is being brought to bear upon members of Congress to keep it under cover for the time being, especially inasmuch as the Federal Trade Commission has before it the complaint against the American Telephone & Telegraph company, and others.

HINTS PLOT BACKS MUSICIANS' MOVE

Broadcast Leader Sees Effort of American Society Behind Wage Demand

NEW YORK.—Charges that the demand of the Chicago Musicians' union for \$8 for three hours or less for Radio engagements was inspired by members of the American Society of Composers, Authors, and Publishers were made in an interview given out recently by Paul Klugh, executive chairman of the National Association of Broadcasters.

Mr. Klugh, who has been conferring in New York for several days with Gene McDonald of Chicago, president of the association, declared Chicago stations have no intention of complying with the union's demands, "even though it means throwing union music out of hotels."

The question will come up before the next annual convention of the musicians.

THE ANTENNA BROTHERS

Spir L. and Lew P.

Mrs. Partington Speaks Out



SEVEN WAVES GIVE ONLY ONE PROGRAM

FAN IN CUBA PICKS UP ENTIRE "CHAIN"

Gets Same Program Simultaneously from Each Station; Seven Different Waves

NEW YORK.—When Radio engineers conceived the idea of linking together by Radio six powerful broadcasting stations to simultaneously reach an audience approaching fifty million in number with the same program, little did they realize that certain persons, favorably situated, would be able to hear all six stations in the 7,000-mile "chain."

Successful reception from the six stations is the claim of Frank H. Jones, however, owner of station 6KW in far-away Tuinuca, Cuba, the night of March 7, when the Annual alumni dinner of the "Boston Tech" society was being broadcast by Stations WJZ, at New York city, WGY, at Schenectady, and rebroadcast after the program was extricated from the air by sensitive receivers at four other stations, KDKA, Pittsburgh, Pa.; KFKX, Hastings, Neb.; KGO, Oakland, Cal., and 2AC, Manchester, England.

Cuban Fan Hears Seven Waves

Broadcasting stations always find many interesting and revealing letters in the mail after such an unusual experiment, but the experience Mr. Jones relates in a letter is unique and extraordinary.

SEE "TRUST" SMASH IN NEW YORK'S WAR

"KING TELEPHONE" LOSES FIRST ROUND

Sudden Shift of Westinghouse Attitude Arouses Hopes for Broadcast Peace

NEW YORK.—For months Commissioner Whalen of New York city has tried to get a broadcasting plant owned and operated by the city. On all sides he was informed that the only concern that could supply him was the Western Electric company. The American Telephone & Telegraph company which controls Western Electric, also owns Station WEAJ and he found the A. T. & T. officials inclined to force him to use WEAJ or stay off the air. The commissioner's battle to get a plant of his own has filled the press for some time; the Commissioner is a battler and no combine was going to stop him.

Westinghouse to Erect Plant

Recently the attitude of the Westinghouse Electric and Manufacturing company, a member of the alleged trust whose activities in the field of manufacture of Radio sets is under fire by the Federal Trade Commission, has been reversed and Mr. Whalen got the surprise of his life when informed by Westinghouse that it would not only sell the City of New York a broadcasting outfit of 1000 watts power, but would erect it and guarantee its operation on the Municipal building at 100 percent efficiency.

Westinghouse officials further assured the commissioner that they would endeavor to make this station one of the best in the East and placed their expert Radio engineers at the service of the Department of Plant and Structures of New York City.

Radio "Trust" Breaking up?

The Radio world gasped and read the announcement again. Close observers of the recent broadcasting war interpreted this action on the part of the Westinghouse company as the breaking up of the agreement between the five big companies. Under the terms of the agreements, the Western Electric company is the only company permitted to sell broadcasting apparatus and the Westinghouse company is confined to the manufacture of receiving apparatus which can be sold only by the Radio Corporation of America.


The plant which has been purchased is a high power assembly of apparatus similar to the old WJZ equipment at Newark when that station was the hub of the Radio universe, and similar to the present plant at KDKA which reaches out all over the world. It was first installed by the Westinghouse Company for the Brazilian Centennial Exposition at Rio de Janeiro and was in operation from September 7, 1922 to March 31, 1923. During the time it was in operation and known as "SPC" it had a tremendous range and was heard with great consistency in Hawaii, a distance of 7,000 miles.

Want Big Spokane Station

SPOKANE, WASH.—The chamber of commerce here is making plans for raising money to erect a large broadcasting station comparable with the population of the city.

SIX-STATION REBROADCAST SPANS 7,000 MILES

How six stations were recently linked by short waves for the purpose of rebroadcasting the same program. MANCHESTER, 2AC; New York, WJZ; Schenectady, WGY; Pittsburgh, KDKA; Hastings, KFKX; and Oakland, KGO, were the plants linked



Mr. Jones reported using two receiving sets, one for waves between 300 meters and 500 meters and a shorter wave set to receive on wave-lengths between 80 meters and 300 meters. Both are untuned Radio frequency sets, the longer wave set working on a loop, while the short wave set picks up the signals upon a thirty-foot indoor antenna.

Excerpts from the letter follow:

"I was first listening in on KDKA's 100-


meter wave and heard the announcement about broadcasting the meeting of Massachusetts Institute of Technology from New York. I then checked them on their 326-meter wave. In going back to their 100-meter wave I ran into WGY at about 105 meters with the same broadcast, much to my surprise. I then checked WGY on their 380-meter wave and had the proceedings coming out of two loud speakers at the same time, one from WGY on 380 and

the other from WGY on 105 meters.

"I then did the same stunt with KDKA's two waves. Then put KFKX and KDKA together. I then got KGO, Oakland, on the loop.

"I kept both loud speakers going on all the combinations I could think of."

In the scale from 100 meters to 455 meters, Mr. Jones heard the same program on seven different wave lengths.



Licensed under Armstrong U.S. Patent No. 1,113,149

Eleven Degrees from the North Pole

Ice—endless miles of ice, as far as the eye can see. And frozen fast in the ice, amid the deadly stillness and the unearthly lights of the Arctic, a staunch little eighty-nine foot schooner! But Donald B. MacMillan and his band of brave explorers are not alone tonight.



Under their ice-bound hatches they listen eagerly to the news of the outside world, broadcast to them from the Zenith-Edgewater Beach Hotel Broadcasting Station, Chicago—to violins in Newark, Schenectady, Los Angeles—to singers in Atlanta—to a lively orchestra in Honolulu.

Stations in all these cities—and in several hundred others—they have readily tuned in; yet the Bowdoin tonight is only eleven degrees from the North Pole!

Out of all the radio sets on the market, Dr. MacMillan selected the Zenith exclusively—because of its flawless construction, its unusual selectivity, its dependability and its tremendous REACH.

And you can do all that Dr. MacMillan does, and more, with either of the two new models described at the right. Their moderate price brings them easily within your reach. Write today for full particulars.

Model 3R The new Zenith 3R "Long-Distance" Receiver-Amplifier combines a specially designed distortionless three-stage amplifier with the new and different Zenith three-circuit regenerative tuner. Fine vernier adjustments—in connection with the unique Zenith aperiodic or non-resonant "selector" primary circuit—make possible extreme selectivity.

2,000 to 3,000 Miles With Any Loud-Speaker

The new Zenith 3R has broken all records, even those set by its famous predecessors of the Zenith line. Satisfactory reception over distances of 2,000 to 3,000 miles, and over, is readily accomplished in full volume, using any ordinary loud-speaker. No special skill is required.

The Zenith is the only set built which is capable of being used with all present-day tubes as well as with any tubes that may be brought out in the future. The Model 3R is compact, graceful in line, and built in a highly finished mahogany cabinet **\$160**

Model 4R The new Zenith 4R "Long-Distance" Receiver-Amplifier comprises a complete three-circuit regenerative receiver of the feed-back type. It employs the new Zenith regenerative circuit in combination with an **audion detector** and **three-stage** audio-frequency amplifier, all in one cabinet.

Because of the unique Zenith "selector," unusual selectivity is accomplished without complication of adjustment.

The Zenith 4R may be connected directly to any loud-speaker without the use of other amplification for full phonograph volume, and reception may be satisfactorily accomplished over distances of more than 2,000 miles..... **\$85**

ZENITH RADIO CORPORATION, Dept. Z, 328 South Michigan Avenue, Chicago, Illinois

Gentlemen: Please send me illustrated literature on Zenith Radio.

Name.....

Address.....

Zenith Radio Corporation

MCCORMICK BUILDING, CHICAGO

BEFORE THEY THOUGHT OF "MIKES"

Two more to guess about! Note the little gentleman (lower right) hanging onto the pop gun. He was born day after April Fool's day, 1885, and spent most of his life in a city noted for its smoke. (Which includes many cities, no doubt.) We'll call him Mr. S until next week. Now the young fellow at our right wearing skirts (he did then), has a name that is peculiar, inasmuch as it is duplicated by the name of another announcer down East. Ought to be easy to guess. Oh yes, the photo was made in 1900 when the subject was but two years old. Tell you more next issue.



The gentleman above with the specs is the almost unclothed babe of yesterweek, referred to as Mr. E. His full name is C. R. Emery, WGI. The dressed up baby last issue is represented by the gent below tickling the keys, Lester Palmer, WOAW. Read more about them below.



flapper; and he is doubly watchful this leap year. But—now don't crowd out of line ladies, and be particular about the brand you perfume your letters with!

C. R. Emery, WGI

ORCHESTRAS are often comprised of more than one piece with more than one man playing the various instruments, but from what has been learned of C. R. Emery—announcer and recently promoted to program director of Station WGI, American Radio and Research Corporation—sometimes one man can be the whole orchestra. Mr. Emery is one of these exceptional men. He plays the piano, organ, trumpet and French horn, and sings between times.

A brief biographical sketch shows Mr. Emery to have been born August 12, 1897 at Abington, Mass. He was with the Castle Square Stock company at Boston in 1917, and was assigned to the U. S. Photographic School at Columbia university during the war period. In 1921 he was in vaudeville with a well-known male quartet which traveled extensively throughout the East. In 1922 he directed theatrical productions for a Boston department store, leaving in 1923 to assume his first duties before a "mike" as announcer at WGI. Now he is program director.

He was the founder of the Amrad Big Brothers' Club (picture on back page) which has won much mention over the country and has even had poems written and dedicated to him by ardent admirers, masculine and feminine. Next time you hear a "one man band" you may at least hazard a guess that you've tuned in C. R. E., of WGI, Medford Hill-side.

Lester M. Palmer, WOAW
L P. MIGHT mean "look pleasant" or "likes pie." Both in fact are appropriate to this young gentleman. But when he tacks his shingle out some day to announce his advent into the legal "world" it will have graven upon it, Lester Palmer, with a luxurious Merton sandwiched between to fill up the extra space. By gazing on the smile twisted physiognomy of this diminutive midwesterner, you would not suspect that his heart was being torn in anguish by an eternal, no, not triangle; but—polygon, for

there are so many sides to the activities in which he figures that he is having a terrible time deciding to which he should devote himself exclusively.

You guessed it, the ladies are in the lead, having captured his heart. And the law college has taken his head, the piano his hands, fraternity dances his feet, and WOAW his voice, so that there seems little left for himself. However, if by any chance, he should not be fully claimed, there is golf, chess, "shooting" WOAW publicity stories and the editing of the WOAW Radio Bulletin to fill

up his spare time. Occasionally, he has brief success in meeting old man Morpheus. His favorite night is Wednesday, "silent night," to which he looks forward each week as the one night in the week to get twelve hours sleep. When it rolls around, he usually goes to a dance, etc., (you know how it is, boys and girls) and gets home in time to beat dad to the morning paper.

Palmer developed his snappy voice by wrangling with the other kids on the debating team in high school, and he got so good at it that they made him Captain of the University of Illinois debate team. Mr. Palmer is supremely modest, or subtle, and due to either one of these traits, you will hear him playing the piano under various pseudo-monikers, including Jack Stuart, Of Wahoo, John Jones and De Pachman. Concerning the latter, it is said you can't tell Palmer from the original. So far, Palmer has got by without becoming the property of some carnivorous

CANADA'S AIR CHAIN NEARS COMPLETION

FIVE PLANTS NOW FROM COAST TO COAST

Winripeg, Saskatoon, Regina, Edmonton, Calgary Already O.K.'d; Vancouver Also to Join

MONTREAL, QUE.—Arrangements having now been completed for the establishment of stations in five cities in western Canada, there remains only Vancouver to complete the transcontinental chain of Radio stations that will make the Canadian National Railways operator of the greatest chain of non-commercial broadcasting stations in the world.

Advices have been received at general headquarters in Montreal, from W. H. Swift, radio engineer of the National System, that he has completed all arrangements for the establishment of stations in Winnipeg, Saskatoon, Regina, Edmonton and Calgary.

These stations are not new, like CKCH in Ottawa, but are stations already existing with which the Canadian National Railways have come to agreement for the broadcasting of programs.

Chain of Stations and Schedules

In Winnipeg the Manitoba Government Telephone Station (CKY), 450 meters, will broadcast from the Canadian National Railways every Thursday evening; from Saskatoon, the Radio Supply station, (CFQC), will broadcast every afternoon between 3 and 4 o'clock from Regina, the Leader station, (CKCK), 420 meters, will broadcast each Tuesday evening; from Calgary, Grant station, (CFCN), 440 meters, will broadcast every Wednesday evening and the Herald station (CFAC), 430 meters, every Thursday evening; from

Edmonton, the Journal station, (CJCA), 450 meters, will broadcast every Friday evening.

The east is already well covered by station CKCH in Ottawa and stations CKAC, CFCF and CHYC in Montreal. Stations in the Maritimes and Toronto may be added later.

LADY HARVEY TALK CAUSES COMMENTS

Station CKY, Winnipeg, Answers Critical Listeners In on Non-Censorship Policy

WINNIPEG, MAN.—Quite a sensation among listeners in was created by Lady Martin Harvey's recent address at Central Congregation Church here, broadcast by CKY. The eminent actress denounced alleged activities of the Communists among children, and made statements which were warmly contradicted by listeners who telephoned the broadcasting station.

CKY issues the following statement:

"The responsibilities of broadcasters for remarks made by speakers during church services or on public platforms has not yet been defined. To make broadcasting authorities responsible for opinions expressed by speakers would surely be to impose hardships tending to restrict freedom of speed and to curtail the use of Radio.

"Many excellent sermons and addresses would never have been heard had the broadcasting director been expected to insist on their being written out in advance and censored."

The establishment of a broadcasting service at Nagoya, Japan, is being contemplated by local capitalists and business men, who anticipate the approval of the Japanese government.

Your Choice FREE Limited Supply

Your prompt action gives you one bound volume with each annual subscription. New or renewal.

Greatest Collection of Radio Information

A. B. C. Lessons for Radio Beginners. Two, Three, and Four Tube Reflex Circuits. The Famous Mitplex with Various Hook-ups. Reinartz Long Distance Circuits—Ultra Reinartz. Flewelling Popular "Fliver" Circuit. Single Tube Reflex Circuits—Super-Heterodyne. Five Tube Neutrodyne, Special R. D. Hook-ups.

In addition to these features, the current issues give you all the live news in Radio. The popular Q. and A. Department, How to Operate Your Set, Advance Broadcasting Station Programs, and a correct list of all Broadcasting Stations.

RADIO DIGEST, 123 W. Madison St., Chicago
 Check Offer Desired

- One year's subscription, and choice of one volume. Send Vol. Enclose..... \$5.00
- One year's subscription, and choice of two volumes. Send Vols..... 7.00
 Additional Bound Volumes at \$2.00 each.

Name
 Address
 City State..... 4-12-24



65 Copies

Serving as a Radio Reference Library

You receive 52 issues with your Subscription and 13 issues in each bound volume

Bound Volumes 3, 4, 5 and 7 now ready.

This offer good only in U. S. and Possessions, and Canada.

This offer not good through dealers or subscription agencies, but must be sent us direct with the full subscription price. Remittance must be by check, money order or draft.

"UNCLE BOB" HOLDS HEARTS OF KIDDIES

STORIES AND SONGS WIN LOVE OF THOUSANDS

Letters Prove Walter Wilson Is Idol of Many a Young Life; Parents Voice Appreciation

CHICAGO.—There is one man to-day whom thousands of kiddies will remember when they are grown up and aged, and that man is Walter Wilson.

Children throughout the west and middle west know him better as "Uncle Bob" when he tells the bedtime stories from KYW here and "Uncle Walter" when he sings his never to be forgotten songs, "Dream Daddy" and "My Daddy's Dream-time Lullaby," both on their way to record sales.

Parents, too, are voicing their appreciation of Mr. Wilson, and complimenting him on the good work which he is doing.

Clarissa and Robert Reynolds of Tiskilwa, Ill., write: "We have been listening to your bedtime stories almost every night since we got our Radio, but we wish they were a little longer. I bet you never heard of this town before. We'd like to hear you pronounce 'Tiskilwa' over the Radio."

Mother Says "Nice Things"

Some of the letters "Uncle Bob" receives are very humorous, while some are the other extreme.

Here is one from a little fan who writes: "My mother says a lot of nice things about you, too; but my Dad will not let me put them in the letter."

Another reads: "I had the mumps and now I have a gum boil under my lip and it made my face swell up to my eyes. I had to stay in the house three weeks. I had a temperature and hardly ate a thing."

While still another reads: "dear uncle bob my name is Violette and i wanted to write you a little letter for a long time so to night i, heard you sing that Sweet little song to us kiddies it is so nice of you. you are Just one Big kind man and until i seen your picture i thought you was a little thin man imagine my surprise."

CHILDREN ALL LOVE UNCLE BOB OF KYW



And so it goes, hundreds of letters every day from his little admirers and friends.

Asks Prayer for Little Friend

Recently Mr. Wilson received a letter from a mother who wrote: "My little daughter is very ill and your bedtime stories always cheer her up, won't you say a personal word to her?" That night Mr. Wilson asked his friends in the in-

visible audience to say a prayer for this little girl. The following day, the mother wrote and said that the little girl was feeling much better.

A lot of the other daddies are going to appreciate how much it means to win the love and admiration of their own children and find that the really big thing in life is to develop that corner in their hearts which is being usurped by the "dream daddy."

Mr. Wilson is a married man who weighs in at 285 pounds, ringside, and every pound of it is good-natured. Always smiling and cheerful, with a kind word and a laugh for everyone he meets.

Far Points Hear Debut of Ottawa's New Plant

Applause Cards from Southern U. S. Indicate CKCH's Reach

OTTAWA, ONT.—In Ottawa, the capital city of Canada, the Canadian National Railways have erected the most powerful broadcasting station in the Dominion. This station, whose call letters are CKCH, was opened recently with a program heard from the Atlantic seaboard in Canada and the United States, as far north as civilization extends in Ontario, south to Carolina and westward to cities beyond the Mississippi in the United States. At least applause cards and letters have been received from these points and that is the only practical means of checking up on the radius of broadcast of a station at the present time.

LEARN TO HAMMER PIANO BY AIRPHONE

LESSONS WILL BE GIVEN FROM STATION WCAE

Pittsburgh Plant Inaugurates Novel Method of Instructing with Series of Nine Broadcasts

PITTSBURGH.—Attempts have been made by various broadcasting stations to include as part of their regular programs the teaching of novelty piano playing, but these have heretofore proved unsuccessful. Now the Pittsburgh Press-Kaufmann & Baer, station WCAE, of this city, has obtained a series of lessons whereby the pianist may become proficient in playing novelty, popular or "jazz" music.

Henry Reinert, pianist of the Egizi orchestra, Olympic theater, Pittsburgh, will present his entire series of nine lessons, two each week, Mondays and Wednesdays at 7:45 o'clock, Eastern time.

How Lessons Will Be Given

Every pianist who can read music and who has a working knowledge of the scales in all the keys will readily understand and play the lessons. They are given in simple form to enable the student to write notations and also hear each subject properly played to demonstrate the explanation.

Each student will devote practice time to each lesson as he would in individual instruction. An average of five hours' practice will be sufficient to master each lesson.

MR. BOWDEN WASHINGTON, CHIEF ENGINEER OF THE

Cutting and Washington RADIO CORPORATION

says: "All-American Audio Frequency Transformers were adopted as standard for the Cutting and Washington Receiver after thorough tests in our laboratories demonstrated that they faithfully reproduce broadcasted music and voice with excellent volume and stand up in service better than any other transformers we have tested. We consider All-American Audio Frequency Transformers the best on the market."

Why Experiment or Pay More?

Many other leading set builders have similarly standardized on the best the market affords: All-Americans! Why not benefit by their experience and make certain of the best amplification by adding All-Americans to your set now? The reason for the popular prices at which All-Americans sell everywhere, is their popularity.



The All-Americans Always Lead!

Close on the heels of the sensationally successful All-American Power Amplifying Transformers for "PUSH-PULL" circuits, has come the new All-American Long Wave Radio Frequency Transformer which—although just out—is already being acclaimed as another All-American achievement.

Not only does the All-American lead with the latest! The regular audio and radio frequency models are also being continually improved.

RAULAND MFG. CO., 2650 Coyne Street, CHICAGO
Pioneers in the Industry

SOLD BY ALL THE BETTER DEALERS

STANDARD ON THE BETTER SETS



A type for

every circuit.

ALL-AMERICAN Amplifying TRANSFORMERS

LARGEST SELLING TRANSFORMERS IN THE WORLD

BLUE PRINTS

MAKE YOUR OWN SET



Special Offer
5 Books \$2.00

- NEURODYNE**
Five Tube Receiver
Full Assembly Details
Blueprints
Tuning Instructions
 - REINARTZ**
Three Tube Receiver
Detector and Two Stage Audio
Frequency Amplifier
Assembly Details
Tuning Instructions
Blueprints
 - MILOPLEX**
Three Tube Receiver
Detector and Two Stage Audio
Frequency Amplifier
Assembly Details
Tuning Instructions
Blueprints
 - REFLEX DE LUXE**
Three Tube Receiver
Full Details for Assembly
Blueprints
Tuning Instructions
How to Make a Loop Aerial De Luxe
 - FLEWELLING**
Three Tube Receiver
Detector and Two Stage Audio
Frequency Amplifier
Assembly Details
Tuning Instructions
Blueprints
- ONLY 50 CENTS EACH
All five blueprints for \$2.00
Send Only Money Orders. No Checks or Stamps. Coins at Your Own Risk.

RADIO DIGEST PUBLICATIONS
123 West Madison Street, Chicago, Ill.

Please send me the Special Offer of 5 Books. I am enclosing M. O. for \$2.00.

Name

Address

City State

4-5-24

MODERN MINSTREL WINS YUKON PRAISE

ALASKA POEM HITS SOUR- DOUGH TWIXT EYES

W. H. F. Tenny's "When the Ice Goes Out in Spring" Draws Letter from Frozen Valley

BUFFALO.—Like the minstrels of old who used to write poems and tales and sing or recite them in the banquet halls of great leaders on festive occasions, so W. H. F. Tenny author of "Songs of the North," reads the poems of which he is the writer to the audience on the "other side of the microphone" from Station WGR here.



W. H. F. TENNY

Mr. Tenny has often spoken in the WGR studio while the red light was burning and has drawn great numbers of fan letters from all parts of the United States and Canada. He is probably the most popular reader with WGR's Canadian audience because of the fact that many of his poems concern life among the French-Canadians.

Alaskan Poem Draws Applause

One of his poems on life in Alaska which is called "When the Ice Goes Out in Spring," drew a letter from an enthusiastic sourdough from the Yukon Valley who happened to hear Mr. Tenny when he was broadcasting one night in December.

This man from Alaska said that he had watched the ice of the Yukon go out three times and would again this spring. Mr. Tenny's poem, so to speak, hit this particular sourdough right between the eyes. It was "been there" stuff and the sourdough knew it.

This is the poem by Mr. Tenny which won applause from the Alaskan sourdough after its broadcasting from WGR by the author. It is quoted with the permission of The Ryerson Press, publishers:

When the Ice Goes Out in Spring

When you're hibernated, frozen, and you're all but casking in,

WLW TO SAW WOMAN IN HALF



WLW listeners who tune in the Crosley Radio Corporation station Thursday night, April 10, at eleven o'clock (Central time), will "witness" black magic put on the air. George Stock, master magician (left), and Powell Crosley (right) are here showing how the stunt is to be done

And the cold has seemed to get you, and to shrivel up your skin,
And you've sworn and cursed and damned the North until you're sick and sore,
And you've longed for something human, someone you have known before;
Then you'll know the satisfaction, which no other thing can bring,
Like the breaking of the Yukon, when the ice goes out in spring.
(Continued on page 10)

King George Has Set Installed in Palace

Regent's Receiver Has Unique Device for Energy Collector

LONDON.—King George has joined the army of listeners in and has had installed in his palace a receiving set said to be unique.

No aerial or ground connections are used, their places being taken by copper plates set into the top and base of the cabinet. This substitutes for the loop aerial common to most sets not having outdoor aerials.

Clowns, Elephants Now Take the Air

WJAX Will Bring Circus Into Radio- phans' Homes; Imagination of Listeners Must Aid

CLEVELAND.—Ever have a circus in your home? No, not that kind, but a regular honest-to-goodness circus with daring bareback riders, blaring bands and mirth-provoking clowns. It will be provided by the Cleveland News-Leader, April 15, on their Tuesday evening program from WJAX, when Robinson's Circus will be broadcast from the ring-side in the Cleveland Public Auditorium.

Arrangements have been made with owners of single circuit tuners to fill the air with hair-raising shrieks and howls to stimulate the atmosphere of a menagerie and family rates on peanuts and popcorn may be secured from your nearest confectionery store. "The Wave from Lake Erie" will dash out of its new 20-story home with every one of its 770 kilocycles loaded down with old-fashioned

MAGIC TRICKS OVER AIR AT WLW PLANT

WILL "SAW GIRL IN HALF" VIA BROADCASTER

Cincinnati's Experiment Is Trail Blazer in Field of Radio Optical Illusions

CINCINNATI.—Broadcast Black Art will take its place on Radio programs for the first time eleven o'clock (Central time) next Thursday night, April tenth, when Station WLW, the Crosley Radio Corporation here, will perform the act of "sawing a woman in half" via the ether. This is the first time magic has ever been broadcast.

Radiophans will hear the explanatory talk by the magician, George Stock, and will then hear the saw cut through a barrel containing the young lady to be "halved." She will have been tied securely by ropes held by a committee in the WLW studio. But after the barrel has been sawed into halves, the young lady is still found unharmed and securely tied as before the saw entered the wood.

Can Audience Appreciate Magic?

Just how well a Radio audience can appreciate an optical illusion remains to be seen, as the attempt is a trail blazer. At any rate, Mr. Stock, who claims to be originator of the "sawing a woman in half" stunt, will do his best to microphone the trick without "exposing" his hand.


The Cincinnati master magician, president of the local magician's club of which Howard Thurston is an honorary officer, was the first to visualize the possibilities of putting "tricks" on the air, and can be thanked by the ever-restless listeners in for their newest diversion.

The picture of Powell Crosley and Mr. Stock rehearsing the trick is shown elsewhere on this page.

circus music and the scintillating repartees of the clown.

If you cannot see Mlle. LaEquestrienne in her short skirts and pink tights it will be because you have no imagination and you had best give the receiver to some one who has and can. All aboard for the big top! Everyone tuned in? Let's go!

Reproduction So Natural You Can Hardly Believe Your Ears



Federal No. 65 Audio Frequency Transformer

\$7.00



The sign of Reliable
Radio Dealers

FROM the low, throbbing notes of the bass viol to the clear, sharp tones of the soprano—with an amazing fidelity never before attained by radio, Federal radio sets give you all the real thrills of radio receiving.

The same tremendous experimental resources and engineering that have made possible the iron-clad guarantee on every Federal set and on every one of the 130 Federal Standard radio units now assures your enjoyment of the pleasures and thrills of radio with the new Federal No. 65 Radio Frequency Transformer.

Federal Telephone and Telegraph Company

Factory: BUFFALO, N. Y.

Boston New York Philadelphia Chicago San Francisco Pittsburgh
Bridgeburg, Canada London, England



Federal

Standard RADIO Products

KIN OF MACMILLAN HOLD GRAVE FEARS

CHICAGO STATION TRIES VAINLY TO GET WORD

"Is No News Good News?" Relatives Ask as They Await Message from Arctic Radio

CHICAGO.—Is no news good news? That is the question that has been in the minds of friends and relatives of Captain Donald B. MacMillan and his crew aboard the Bowdoin, eleven degrees from the North Pole. Since February 16 no message has been received from WNP (Wireless North Pole), the station aboard the Arctic explorer's ship.

Fear has grown for the safety of the Bowdoin's crew.

Among those in Chicago somewhat anxiously awaiting news of the explorer is his sister, Mrs. Letitia Fogg of the Library Plaza hotel, Evanston, Illinois. Mrs. Fogg, whose home is in Freeport, Maine, has been a resident in Chicago since last fall, together with her daughter, a teacher at the New Trier High School.

Sister Keeps in Close Touch

"I have kept in daily contact with the Zenith station at the Edgewater Beach hotel in the vain hope of hearing from my brother," said Mrs. Fogg last night. "This station has perhaps maintained a closer touch with Capt. MacMillan than other broadcasters.

"But I am not as yet really alarmed about my brother's safety," she continued. "I think it likely that he is absent from his ship upon a tour of the surrounding region. I know he had several such investigations planned for the early spring.

MacMillan May Be on Trip

"And I am considerably comforted, too, by the thought that Capt. MacMillan rigorously enforced the rule that no Radio messages be sent from the ship during his absence. This, I am confident, accounts for the long silence."

Gene McDonald, president of the National Association of Broadcasters, admitted that he was uneasy about the Bowdoin and its crew, but also thought that Capt. MacMillan's announced intention of making several sledge trips accounts for the lack of tidings. Mr. McDonald accompanied Capt. MacMillan as far as Alaska and installed the Radio plant aboard the Bowdoin.

MACMILLAN'S SISTER BROADCASTS TO HIM



Mrs. Letitia W. Fogg, who talks to her brother, Captain Donald MacMillan, near the North Pole on his ship Bowdoin, by broadcast from 9XN, the experimental license call letters of the Zenith-Edgewater Beach station, WJAZ. Mrs. Fogg, whose home is in Freeport, Maine, is spending the winter in Chicago with her daughter, a Chicago school teacher, where she may talk to her brother occasionally. Mrs. Fogg broadcast messages to him Christmas and New Year's Eve and was rewarded by relayed code messages in response telling her of his pleasure at hearing her. She talked again March 5 and 19. Friends are anxiously awaiting response from the last messages. No word has been heard since February 15. Where is MacMillan? Has he left the ship and pushed northward? His sister is anxiously waiting word from him.

U. of P. Now Broadcasting Through KDKA, Pittsburgh

PITTSBURGH.—With a former classroom in State hall rebuilt into a studio, the University of Pittsburgh has made its first venture on the air. The studio is connected with Westinghouse station KDKA. Educational programs will be given two or three times each week. Extension courses with credits are also planned.

The World may now listen in on the broadcasting from

The World's Biggest Store

Station W J R, located on the tower of Sears, Roebuck and Co.'s gigantic merchandise building at Chicago, will be in operation beginning the month of April.

Just another instance that the World's Biggest Mail Order Store is FIRST in everything worth while.

Those who have radio sets will appreciate the fact that our station will be the most modern in the air; every advance made in the science of radio, every successful invention making for clearer broadcasting and improved reception has been embodied in our station.

Station W J R, located on the tower of the World's Biggest Store—will be under government supervision. It is a class B station—the highest rank in broadcasting. It will provide entertainment and education to the world.

It is fitting that Sears, Roebuck and Co. should undertake this work because we were FIRST in the radio business. We encouraged the amateurs in the days of wireless before radio was known. We were endorsed by the American Radio Relay League and the National Amateur Wireless Association.

Now, as always, the World's Biggest Store proves its claim for leadership.

In addition to our Special Catalog of Radio Supplies you will surely want our New Big General Catalog if you have not already received it. It contains almost everything you need for the family, the home, the farm and the shop. We have sent it to one-fourth of all the families in the United States, so that they can buy most economically. If you want this Big Book all that is necessary is for you to write us and say: "Send me your New Big General Catalog No. 60R28G."

Magnavox Reproducer M1 is designed for use with dry battery receiving sets and gives splendid results. It is as simple to connect as a headset. Price \$35.00

Magnavox Reproducer M1

A notable addition to the famous Magnavox line of Radio Reproducers and Power Amplifiers is M1 illustrated above.

This instrument requires no battery for its operation, and is supreme in its class. Magnavox Products are for sale by good dealers everywhere.

Write for catalog
THE MAGNAVOX CO.
 OAKLAND, CALIFORNIA
 New York Office: 370 Seventh Ave.
 Canadian Distributors: Perkins Electric Limited, Montreal, Toronto & Winnipeg

Sears, Roebuck and Co.

Send for Our FREE Radio Catalog

Sears, Roebuck and Co.
 Chicago—Philadelphia.
 Send me FREE Radio Book No. 60R28.

Name

Postoffice..... State.....

Rural Route.....Box No.....

Street and No.....

Mail Coupon today to store nearest you.

OPERATING AND TROUBLE SHOOTING

For the Owner of a



Type 52 Receiver

“OPERATING and Trouble Shooting” is a Radio Digest feature whose purpose is to study the late models of various standard receiving sets and to show the newly initiated broadcast listener, who has purchased such a set, how he can operate it to get the best there is in it and how he can overcome minor difficulties which may be causing some trouble. On pages 9 and 10 this week, the Sleeper Monotrol Type 52 Receiver is described. Radiophans with other sets will also find these articles worth reading particularly the notes on trouble finding.

YOU will find numbers on the back of the loop reading 1, 2 and 3 for the low, middle and high wires. Run the ends of these wires through the three left holes in the back of the cabinet to the three corresponding binding posts numbered 1, 2 and 3. Insert tips in the binding post and tighten them. The accessories required are one UV200 or C300 for the detector, three UV210A or C301A for amplifiers, one 6 volt storage battery, one 22½-volt and two 45 volt B batteries, one loud speaker and one set of head phones with plugs.

Connect the 6 volt storage battery (or A battery as it is called) to the respective binding posts on the set, being sure to connect the A minus terminals to the part marked A minus, and the positive or red battery terminal to the part marked A plus and B minus, as indicated in diagram.

Connect the two 45 volt B batteries “in series” as indicated. Next connect the minus terminal of the 22½-volt battery to the free minus terminal of the 45 volt B battery, which in turn is connected to the plus A battery terminal as indicated.

Run a wire from the plus 16 volt terminal of the 22½-volt battery to the binding post on the set marked plus 16, then another wire from the free plus 45 volt battery to the binding post marked plus 90.

Follow the diagram carefully in connecting batteries, and when all connections are made, check them over carefully before lighting the tubes. This is very important.

Plug in the loud speaker into the right jack hole (or should you plan to use head phones, plug them into the left jack hole). The left jack lights three tubes only, whereas the right jack automatically lights the power amplifying tube.


Operating the Set

See that the button Number 4 at the bottom of the front panel is pushed in. This opens the A battery circuit, or puts out the light in the tubes. Once the set is adjusted and in operation the tubes may be lit or put out by pushing this switch in or out.

Next turn both the detector Number 5 and amplifier, Number 3, rheostat knobs on the front panel, counter-clockwise or to the left as far as they will go. Be careful not to force these knobs too much. Set the loop switch, Number 2, on the middle of the switch point. Insert 200 detector tube in the right socket and the three 201A tubes in the other three sockets as these are amplifiers. The set is now ready for operation.

Pull the button switch, Number 4, out at the bottom of the panel. Turn the left or amplifier rheostat knob, Number 3, to the right one-half revolution. This will light amplifier tubes.

The next operation is a very important one. Turn the right-hand or detector rheostat knob, Number 5, to the right until



a roaring or swishing noise is heard. This will require one-half or three-fourths of a revolution of the knob, depending on the particular detector tube. Now turn the detector knob to the left or counter-clockwise until the swishing noise ceases. The detector tube is now adjusted to its most sensitive point. It will be noted that the detector tube burns much brighter than the amplifier tubes.

Revolve the large dial, Number 1, on the front panel slowly until the broadcasting is heard. The small knob in the center of the large dial is a vernier or fine adjustment, and should be used after the station is tuned in with the large dial, to clear up the reception. (For best results keep amplifier knob, Number 3, turned completely to the right.)

If no broadcasting is heard, turn the loop switch, Number 2, to the next point to the right, and tune again with large dial, Number 1. Try also the last loop

switch point. When leaving your set, always press the button at the bottom to turn off the current.

Directional Effect of the Loop

As you turn the loop you will note that the reception is louder at one time than another. The loop should be placed parallel or pointing to the broadcasting station that you desire to hear, not cross-wise. Note further that as you turn the switch, Number 2, on the loop from the left to the right you increase the intensity or volume up to a point where you overload the tubes, and distortion occurs.

When in close proximity to a broadcasting station, say twenty to twenty-five miles, it is seldom necessary to use either the last or next to the last loop switch points. For distance the last taps are required. Howling can be readily eliminated by turning loop switch to left.

Chart of Stations

On the Monotrol you can exactly log your stations. You will always pick up the same station at exactly the same number on the dial and you can, therefore, make a note of the numbers of each station you identify and keep a chart of them. Then when you want to listen in, look at your newspaper, see what is on the air, select your program, and turn to the number on the dial that you know means that station, press the button and there it is.

Miscellaneous Information

This set is capable of reception over great distances varying according to the particular location where it is used and with the season of the year. In general, Radio reception is from nine to ten times more efficient at night than during the daytime and working for distance is ever so much easier in winter than in summer.

To the novice, a Radio set is a great deal like one's first automobile. If you have never driven an automobile you cannot hop in one and drive it, immediately, through heavy traffic. With a little practice, however, having acquired the few tricks, it is a simple matter. The same applies to a Radio set. In this respect, though, the Sleeper Monotrol is a simple set to operate. Just learn its little tricks and it is “easy to drive.”

All broadcasting stations operate on a certain wave length and obviously if two (Continued on page 10.)

BRISTOL SINGLE CONTROL RADIO RECEIVER



Most Simple to Operate

The set for those who want results with little effort. Anyone in the family can quickly learn to operate it because technicalities and guesswork are eliminated—One Control Dial does it all.

Does Not Interfere With Your Neighbor

Other close by reception is not disturbed when you tune in with this non-reradiating Receiving Set. It gives you a comfortable sensation of freedom to be able to change from one station to another knowing that you will not interfere with your neighbor's receiving.

Choice of Aerial or Loop

Where conditions make it difficult to install an outside aerial, as in congested sections of cities, good results can usually be had by using inside Loop. In fact, the directional feature of the Loop often brings in stations not possible with a stationary aerial.

Mounted in solid mahogany case with walnut finish, the Bristol Single Control Radio Receiver is handsome in appearance. The price is \$190.00. Bulletin AY-3013 describing this set will be mailed on request.

BRISTOL

TRADE MARK AUDIOPHONE REG. U. S. PAT. OFFICE

Loud Speaker



This is known everywhere as the Loud Speaker with the quality tone. Not only is the tone natural and without mechanical distortion, but is sufficiently big in volume to be easily heard in a large room or all through the house. Comes to you ready to use—no auxiliary batteries are required.

Made in three models:

- Audiophone Senior Price, \$30.00
- Audiophone Junior Price, 22.50
- Baby Audiophone Price, 12.50

THE BRISTOL COMPANY, Waterbury, Conn.



The New GREBE Broadcast Receiver




THE 20-foot silk-covered wire supplied with this Receiver is the only antenna required. This wire may be concealed behind the picture moulding or run along the baseboard.

Write for “Grebe Radio in the Well-Appointed Home”

Ask Your Dealer

Licensed under
Armstrong U. S.
Pat. No. 1113149



A. H. GREBE & CO., Inc.


Richmond Hill, N. Y.

Western Branch—451 East 3rd St., Los Angeles, Cal.

OPERATION, TROUBLES

(Continued from page 9)

stations are working on approximately the same wave length you will hear only the stronger or nearby one. This is one of the important reasons why long distance work is usually done late at night when



local or nearby stations have signed off. When your set does not work, the chances are one hundred to one that your storage battery has run down or perhaps that your B batteries have gone dead. It will certainly pay you to buy a simple voltmeter which need not cost over \$1. With this little instrument, in case of trouble, merely attach it to the battery and if it does not read the amount printed on the battery, the answer is recharge or renew. A batteries can be cheaply recharged at any garage or you can buy an inexpensive home charging machine to do it yourself right from your electric light socket.

tinued howling, over the entire range of the dial means "inside" or local trouble. Probably an open or broken circuit. Howling or whistling over a limited range of the dial means that it is being caused by an outside disturbance. This is invariably caused by "spilling over" of the tubes due to too much Radio frequency. This can be eliminated by turning the loop switch to the left. No aerial or ground wires are needed with this set but if by reason of difficulties in your particular locality or the great distances from broadcasting stations you can use to advantage a single wire from twenty to thirty feet long around the picture molding or other support that does not touch the ground in through the back of your set to the post marked 1. This increases the strength of incoming signals. In certain unusual locations, better results can be secured by running a "ground" wire from the minus terminal of the A battery to a radiator or similar "ground." (ANOTHER SET NEXT WEEK)

KLONDIKE POET IS HIT

(Continued from page 7)

When you've gone through eight months' winter with its weird, unearthly glow, And been prisoned in a cabin in a land of ice and snow; And you've fought it out with scurvy, and you've lived on beans and tea, And you've lost the very sense of time, would love a chimpanzee; Then you'll know the satisfaction which no other thing can bring, Like the breaking of the Yukon, when the ice goes out in spring. When you've stood the ghastly, ghostly glare until you're almost blind; When the very desolation seems to rob you of your mind; When there's no one else to talk to but a mangy, husky cur, And the quiet and the gloom is like a pent-up sepulchre; Then you'll know the satisfaction which no other thing can bring, Like the breaking of the Yukon, when the ice goes out in spring. And you've vowed and vowed that all the gold the Klondike can display, Will never get you back again, if once you get away. But you'll be like all other men as long as you can crawl, You'll wander back and wander back and answer Yukon's call. To know the satisfaction which no other thing can bring, Like the breaking of the Yukon, when the ice goes out in spring.

Panel Hole Filler
A good hole filler for black panels may be made in the following manner: Melt some sealing wax compound and mix tar or liquid shoe blacking with it until you have obtained the desired blackness.

Place a piece of metal over the hole on the front side of the panel and pour the compound in the hole from the back with a spoon. Keep the metal in place until the compound becomes hard, which will only take a few minutes.

The Stamp of Approval the World Over



FRESHMAN Variable Grid Leak

The Standard Unit for Every Tube Set

EVERY tube and every circuit require a different grid leak resistance. The method employed in the Freshman Variable Grid Leak permits you to adjust your circuit to any resistance you wish, from 0 to 10 megohms in an unbroken range of 180 degrees. The Freshman Variable Grid Leak and Condenser combined, takes the place of a grid condenser, leak mounting and grid leak—and, in addition, permits an adjustment to the correct amount of resistance.

The Freshman Variable Grid Leak is the most compact, the most perfect, the most efficient, the most readily adapted to all grid circuits—and the only one which is entirely sealed and always remains unaffected by any climatic conditions. It is the

ORIGINAL VARIABLE GRID LEAK

Either Base or Panel Type Complete with .00025 or .0005 mf. Freshman Condenser \$1
Either type without Condenser 75c

Ask your dealer or write for our free diagrams of Neutrodyne, Tri-Flex, Kaufman and other good circuits.

Chas. Freshman Co. Inc.
Radio Condenser Products

106 Seventh Ave., New York, N. Y.

At your dealer's, otherwise send purchase price and you will be supplied without further charge.

PEERLESS RADIO, 349 Fulton St. BROOKLYN, N. Y.


Parcel Post prepaid on all orders above \$5.00. Express Money Order, Certified Check, Bank Draft accepted; also C. O. D. Guarantee with all merchandise.

LOUD SPEAKERS Magnavox (new type).....\$27.25 Musio Master.....25.45 Pathé (new type).....16.50 Dictogrand.....17.95 Stromberg Carlson.....17.75 Mercury with Baldwin Unit.....9.95 Natl. Baldwin Type C Unit.....4.85 Manhattan Electric.....22.50 Brandes Table Talker.....9.95 Acousticoila Phonograph Unit 9.45	HEATH'S RADIAN VERNIER CONDENSERS 13 Plate.....\$4.75 23 Plate.....5.25 43 Plate.....5.95	PHONES Turneys.....\$2.85 Pacent.....3.45 Brandes Superior.....4.85 Federal.....4.95 Nathaniel Baldwin Type C.....7.95 Peerless Phones.....3.95 Western Electric.....9.85 Ambassador.....3.50 Potter Precision.....3.25 Wiener Phones.....3.95
VARIABLE CONDENSERS 11 Pl. Admiral or Signal.....\$1.35 17 Pl. Admiral or Signal.....1.60 23 Pl. Admiral or Signal.....1.65 43 Pl. Admiral or Signal.....1.75 11 Pl. Montrose Vernier Cond.....2.55 17 Pl. Montrose Vernier Cond.....2.75 23 Pl. Montrose Vernier Cond.....2.85 43 Pl. Montrose Vernier Cond.....3.65 11 Pl. U. S. Tool.....3.35 23 Pl. U. S. Tool.....3.65 43 Pl. U. S. Tool.....4.10	VARIO METERS Fisher, large, 100 meter.....\$2.55 Shamrock.....2.65 Sleeper.....5.65 Workrite.....2.95 Giffilian, small.....4.95 Giffilian, large.....7.45 Pathé.....2.85 Columbia.....4.95	VARIOCOUPLERS Fisher, 180°.....\$2.35 Shamrock.....2.65 Sleeper, no taps.....3.75 Workrite.....2.95 Giffilian, small.....4.95 Giffilian, large.....7.45 Pathé.....3.25 Genuine All Wave.....5.35 Cookaday Coil.....1.85 Unxid, 180°, Bakelite.....1.95 Columbia.....5.25
TRANSFORMERS Acme Audio and Radio.....\$ 3.90 All-American (all ratios).....3.90 Federal No. 65.....5.95 Modern.....4.95 Thornton.....3.95 Erla Reflex and Audio.....4.45 Akraey.....3.35 Modern Push-Pull.....10.75 Come Push-Pull.....10.75 Rasta Transformers.....3.95	Complete Parts for Neutrodyne 5 Tube Set 1 7x26 Panel 2 Single Sockets 1 Triple Socket 2 Neutrodon 3 Neutroformers 2 All American Transformers 1 Battery Switch 3 4" Dials Fada Type 1 Power Rheostat 1 Vernier Rheostat 3 Binding Posts 1 Closed Circuit Jack 1 Filament Control Jack 27 Ft. Insulated Tubing 27 Ft. Tinned Bus Bar 2 Fixed Condensers .00025 Mfd. 1 Fixed Condenser .00025 Mfd. 1 Grid Leak 2 Megohms 1 Diagram for Above Set Our Price \$32.50	Complete Parts for Ambassador 1 Tube Set 1 Ambassador Coil 1 U. S. L. 23 Pl. Ver. Condenser 1 Tillman 6 Ohm Rheostat 1 Bell Bakelite Socket 1 .00025 Fixed Dubilier Cond. 1 3" Dial Fada Type 1 7x12 Panel 1 Single Circuit Jack 6 Marked Binding Posts 12 Ft. Tinned Bus Bar 1 Diagram for Above Set Our Price \$12.25
Complete Parts for Erla 1 Tube Set 1 Hiteo Variocoupler 1 Signal 23 Pl. Var. Cond. 1 Bell Socket 1 ERLA Reflex Transformer 1 ERLA Audio Transformer 1 .002 Fixed Dubilier Cond. 1 .001 Fixed Dubilier Cond. 1 .00025 Fixed Dubilier Cond. 2 3" Dials Fada Type 1 6 Ohm Tillman Rheostat 8 Marked Binding Posts 12 Switch Points 1 ERLA Fixed Crystal Detector. 1 ERLA Blue Print Our Price \$19.45	MISCELLANEOUS Bell Socket, Bakelite Panel Mounting.....\$.69 Amsco 6 ohm Rheostat......95 Amsco 20 ohm Rheostat.....1.15 Amsco 30 ohm Rheostat.....1.25 Amsco 400 ohm Potentiometer.....1.40 Cutler-Hammer 6 ohm Rheostat, Plain......95 Cutler-Hammer 6 ohm Rheostat, Vernier.....1.20 ELECTRAHOT Solder Iron.....2.50 New Improved Cookaday Coil.....5.50 Pathé Pulsiformers.....\$8.50 New Improved Cookaday Coils, silk wound.....5.50	MISCELLANEOUS Cutler-Hammer 30 ohm Rheostat, Plain.....\$1.20 Cutler-Hammer 400 ohm Potentiometer.....1.20 Filkoostat.....1.85 Bradleystat or Bradleyleak.....1.70 Bruno 14 Tap Inductance Sw......70 Sta-put Phone Plug......35 Phone Plug for 6 pr. Phones.....1.25 Phone Plug for 2 pr. Phones......60 Single Circuit Jacks......35 Double Circuit Jacks......45 4" Dials, Fada Type......45 3" Dials, Fada Type......30 Triple Sockets, Fada Style.....2.65 Marked Eby, Bind. Posts, Ea......17 Ambassador Coil.....5.95

Complete parts for FADA 5 TUBE NEUTRODYNE SETS. ALL GENUINE FADA PARTS. LIST PRICE \$65.00. OUR PRICE \$51.00. Assembled in cabinet ready to operate, \$71.50. Complete parts for FREED-EISEMANN 5 TUBE NEUTRODYNE SETS. GENUINE PARTS. LIST PRICE \$80.00. OUR PRICE \$62.50. FADA 160 NEUTRODYNE. Factory made machines. LIST PRICE \$120.00. OUR PRICE \$89.50. FREED-EISEMANN 5 TUBE NEUTRODYNE NB5. Factory made machines. LIST PRICE \$150.00. OUR PRICE \$125.50. FADA NEUTRODYNE KIT—3 NEUTROFORMERS—2 NEUTRODON. LIST PRICE \$25.00. OUR PRICE \$21.00. FREED-EISEMANN NEUTRODYNE KIT—3 NEUTROFORMERS—2 NEUTRODON. OUR PRICE \$22.50. SHAMROCK KITS—3 NEUTROFORMERS—2 NEUTRODON. OUR PRICE \$15.45. SUPERDYNE COILS \$5.75.

MISCELLANEOUS Bell Socket, Bakelite Panel Mounting.....\$.69 Amsco 6 ohm Rheostat......95 Amsco 20 ohm Rheostat.....1.15 Amsco 30 ohm Rheostat.....1.25 Amsco 400 ohm Potentiometer.....1.40 Cutler-Hammer 6 ohm Rheostat, Plain......95 Cutler-Hammer 6 ohm Rheostat, Vernier.....1.20 ELECTRAHOT Solder Iron.....2.50 New Improved Cookaday Coil.....5.50 Pathé Pulsiformers.....\$8.50 New Improved Cookaday Coils, silk wound.....5.50	MISCELLANEOUS Cutler-Hammer 30 ohm Rheostat, Plain.....\$1.20 Cutler-Hammer 400 ohm Potentiometer.....1.20 Filkoostat.....1.85 Bradleystat or Bradleyleak.....1.70 Bruno 14 Tap Inductance Sw......70 Sta-put Phone Plug......35 Phone Plug for 6 pr. Phones.....1.25 Phone Plug for 2 pr. Phones......60 Single Circuit Jacks......35 Double Circuit Jacks......45 4" Dials, Fada Type......45 3" Dials, Fada Type......30 Triple Sockets, Fada Style.....2.65 Marked Eby, Bind. Posts, Ea......17 Ambassador Coil.....5.95	MISCELLANEOUS Shelton Midget Vernier.....\$1.40 Freshman Grid Leak & Cond. .75 Federal Sockets......95 General Radio 10 ohm Rheo.....1.20 General Radio 30 ohm Rheo.....1.20 General Radio Potentiometer, 200 ohms.....1.25 General Radio Potentiometer, 400 ohms.....2.85
PANELS 7x10.....\$.80 7x12.....1.05 7x14.....1.15 7x18.....1.50 7x21.....1.70 7x24.....1.95 7x26.....2.30		

An Achievement!



COMSCO CONDENSERS

The most ingenious variable air condenser ever conceived
No outside Spring Connections—True Capacities.

and Remember the Bronze Bushings!

Bronze Bushings for Permanent Contact—A ComSCO Feature

11 plate plain.....\$2.00	16 plate vernier.....\$4.00
17 plate plain.....2.25	26 plate vernier.....4.50
23 plate plain.....2.75	46 plate vernier.....5.50
43 plate plain.....3.50	All Tested Instruments

MADE BY THE MAKERS OF THE ORIGINAL AUTOMATIC BULL DOG GRIP TELEPHONE PLUG

For One Pair Phones \$1.00



For Two Pair Phones \$1.50

ASK FOR COMSCO AT YOUR DEALER
Otherwise send purchase price direct to us and you will be supplied

GENERAL INSTRUMENT CORP.

423 Broome Street
NEW YORK CITY



What's Wrong with Your Receiving Set?

Chapter VII—Tuned Radio Frequency Amplification

By Peter J. M. Clute

UNDOUBTEDLY the most popular of all Radio circuits at the present time is that based on the so-called "neutrodyne" principle. The secret of this circuit lies in the elimination of all undesirable coupling between the different circuits in the receiver, and the reduction

of all electrical losses to an absolute minimum. Elimination of troublesome coupling is accomplished by the precise adjustment of small balancing or neutralizing condensers, by the correct regulation of the relative positions of the neutrodyne coils, and by the proper arrangement

and audio frequency type make use of that characteristic of the vacuum tube which causes it to act as an amplifier of high frequency alternating current. A slight variation in the voltage impressed upon the grid causes a much larger proportionate increase in plate current. The tube detector functions as a relay in which the amount of current flowing through it from a local battery is controlled by the feeble impulses of the signal received. In a regenerative circuit, instead of applying the potential of the plate circuit to the grid of another tube, it is fed back into the grid circuit of the same tube so as to increase the grid potential. This characteristic of the tube is employed to good advantage in the amplifying circuits,

coupling between tubes, as is shown diagrammatically, in Figure 1. The resistance in the plate circuit should be at least equal to the internal plate resistance of the tube itself, while the resistance inserted in the grid circuit should be one megohm or more.

The circuit shown in Figure 1 may be changed to a reactance coupling type by replacing the plate and grid resistances with choke coils having impedances at audio frequencies equal to the resistances replaced. Greater amplification is secured through reactance coupling than through resistance coupling inasmuch as the necessary potential drop across them is obtainable with much less loss of energy.




Figure 1

of all electrical losses to an absolute minimum. Elimination of troublesome coupling is accomplished by the precise adjustment of small balancing or neutralizing condensers, by the correct regulation of the relative positions of the neutrodyne coils, and by the proper arrangement

broadcasting wave lengths, and has been termed the perfect form of tuned Radio frequency amplification.

Advantage of Radio Frequency

The chief advantage of Radio frequency amplification lies in the fact that it am-




Figure 2

plifies only the wave and not the numerous slight irregularities existing in most receiving and amplifying equipment.

Amplifiers of both the Radio frequency




Figure 3

where the plate circuit of one tube is connected to the grid circuit of the next tube. By using one or more additional tubes, the incoming signals may be greatly increased in volume. Each tube has a certain value of potential impressed upon its grid and input circuit, and because of such relay action the potential is amplified and passed on to the next tube.

Amplifiers

Amplifiers of the Radio frequency type are used in one, two or three stages. The simplest sort of Radio frequency amplifier is that which employs resistance


Transformer coupled Radio frequency amplification is shown in Figure 2. The Radio frequency amplifying transformer used for this purpose is designed for a particular band of wave lengths. It will not operate satisfactorily on wave lengths above or below its range. While the transformer coupling is the most common type in present use, its chief disadvantage lies in the fact that Radio frequency transformers are all definitely limited to a certain range of wave lengths. Furthermore, with such a transformer, there will be a particular point or peak at which

(Continued on page 21)

RADIO TALKS

The use of a low resistance condenser or a low resistance tuner will so sharpen your tuning and increase your selectivity and distance ability as to make their selection a matter of vital importance.

Genuine
BUELL—
E. J. Flewelling
Radio Apparatus
De Luxe



We offer a condenser so good that it has met with the unanimous approval of every user. Its construction is extra rugged; its performance is above that of any other condenser of similar capacity.

BUELL MANUFACTURING COMPANY
2977 Cottage Grove Ave.
CHICAGO

Condensers • Tuners • Sockets

THE De Forest name
has been in the forefront of radio research for twenty-three years. De Forest invented the three-electrode vacuum tube which makes present-day radio possible. The sets and parts made today by the De Forest Company are worthy of the De Forest name.

DE FOREST RADIO TEL. & TEL. CO.
Dept. R. D. 8 JERSEY CITY, N. J.




At Last!

5 TUBE NEUTRODYNE

Knock-Down Set COMPLETE

Fine Workmanship All Parts MATCHED All Parts LICENSED

THE
DE LUXE
INDEPENDENT LICENSED BY
RADIO MANUFACTURERS INC.
NEUTRODYNE
HAZELTINE PATENT NO. 148080
UNDER OTHER PATENTS PENDING
REG. U.S. PAT. OFF.



ALL genuine Neutrodyne parts licensed under the original Hazeltine patents, and guaranteed to give perfect results and complete satisfaction. Everyone knows what LICENSED Neutrodyne parts will do—and the DE LUXE NEUTRODYNE is head and shoulders above them all in UTILITY and in BEAUTY. With the splendid aid of extra-complete instructions and a fine clear blue-print you can mount and wire the instruments within two hours.

\$34.49

Read This List of MATCHED Parts

- | | |
|--|--|
| 1 Blueprint | 2 genuine Killark completely shielded Audio Transformers |
| 1 Drilled Radion Mahoganite Panel engraved in Gold | 1 Baseboard |
| 3 Mahoganite Dials, 4 inch, engraved in Gold | 20 feet Bus-bar |
| 2 gold plated Jacks | 1 .00025 Freshman Grid Condenser |
| 3 genuine Hazeltine Neutrodyne transformers mounted on Comsco Condensers | 1 Tubular Grid Leak |
| 2 Hazeltine Neutrodons | 1 Set Engraved Binding Posts |
| 5 Bakelite Sockets | 1 .002 Micon |
| 1 6 ohm Rheostat | 1 .006 Micon |
| 1 30 ohm Rheostat | All packed in an Attractive Box |

Additional Accessories

These accessories, added to the above list of parts, are ABSOLUTELY ALL THE PARTS NECESSARY FOR A COMPLETE SET IN OPERATING CONDITION:

- | | |
|--------------------------------------|---------|
| 5 Tubes (Type 201A)..... | \$17.25 |
| 2 45 Volt "B" Batteries..... | 6.00 |
| 1 60 Ampere "A" Battery..... | 10.95 |
| 1 Pair Phones, 3,000 Ohms..... | 3.75 |
| 1 Antenna Outfit..... | 1.50 |
| 1 7x24 Cabinet, Mahogany Finish..... | 4.95 |

\$44.40

Read What These Delighted Fans Say:

"I have just completed making my 5 tube Neutrodyne with parts purchased from you, and to say I am pleased with same is putting it mildly. It is a wonder, and people from all over the city are coming to my home to see it. It is the clearness and simplicity of the set that appeals to everyone; and with your simple instructions which you furnish I see no reason why anyone could not build the set."

William Metzger, 623 Central Ave., Hot Springs, Ark.

"The set works fine, and picks up quite a few long distance broadcasting stations."

Elmer George, c/o Peoples State Bank, Wauseon, Ohio.

"I commend you for what you are doing to make Radio something that even the person in limited circumstances can afford."

A. J. Calleri, 527 Appar St., Oakland, Calif.

"I am perfectly satisfied in every respect."

Earl C. Lyon, New London, Wis.

"I received the shipment in very fine shape and am very well pleased. Consequently I am sending you another order."

Harold Myers, 308 Newell St., Walla Walla, Wash.

"I wish to thank you for your kind and courteous treatment, and to assure you that when I am in the market for any more Radio supplies, I will most certainly give The Radio Shack the first call, as any house that stands back of its guarantee in the manner that you do is worth doing business with."

A. E. Berg, 18 Highland St., New Britain, Conn.

**PAY
NO MONEY
WE SEND
C. O. D.
SEND FOR CATALOG**

The RADIO-SHACK
55 Vesey Street - New York City
Goods shipped C.O.D.
Just pay the postman
EVERY ARTICLE SOLD ON WRITTEN MONEY-BACK GUARANTEE

**WRITTEN
MONEY-BACK
GUARANTEE SENT
WITH
EACH PURCHASE
SEND FOR CATALOG**

30 Minute A-B-C Lessons for Radio Beginners

Chapter IV—What Radio Inductances Do

By P. E. Edelman

IN this series of articles the story of Radio will be told in so simple a manner that the uninitiated can follow theory and practice whether he knows anything about electricity or its application to broadcasting and reception or not. The series will consist of twenty-five chapters, of which the five next will be:

Chapter V—What Condensers Are Good For.
Chapter VI—Uses of Resistance in Radio.
Chapter VII—Essentials of Radio Electricity.
Chapter VIII—The Key to Radio Circuits.
Chapter IX—Radio's Cast of Characters.

THE first thing noticed in most receiving sets is the coil or inductance which is used for tuning. Inductance coils are also used in amplifier transformers, headsets, and loudspeakers. Induc-




FIGURE 15 SMALL COMPASS NEEDLE




FIGURE 16 BATTERY ELECTROMAGNET

tances serve important purposes in Radio. An inductance is like a springboard in that it can take up and throw back Radio energy.

Looking at Figure 15, an ordinary bar magnet is illustrated. A magnet, as is known, attracts or can pick up pieces of iron. One end of the magnet is called




FIGURE 17 BATTERY SWITCH GALVANOMETER

the north pole and the other the south. Invisible lines or a field of force extend from one pole of the magnet to the other. That this is so can be seen by moving a

small pocket compass needle near the magnet, for this needle will be moved and pointed by the force of these magnetic lines or field. A magnet sets up a field of force.

Coils and Magnetism

From Figure 16 it will be seen that a coil of wire wound on a paper tube can




FIGURE 18 RADIO INPUT RADIO OUTPUT

serve as a magnet. Current from a battery through such an air core coil makes the coil act much the same as the magnet of Figure 15. A field of force is set up in and around the coil, and is called an inductance.

Now if a current of electricity through a coil makes it act like a magnet, what would happen if a magnet were thrown through a coil of wire? The reverse would occur and a momentary flow of current would be set up in the coil. Any time a magnetic field strikes through and cuts a coil of wire, a current is set up in the coil.

The various coupling coils, tuners, etc., used in Radio sets are often in the form of transformers, called couplers, variocouplers, etc. In Figure 17, transformer action is shown. Suppose a second coil 2 is brought near coil 1, as illustrated in Figure 16. Then if a current from a battery is thrown through coil 1, a magnetic field of force is set up in and around it. Part of this field of coil 1 will, however, extend through and cut coil 2, thus




FIGURE 19 RADIO INPUT RADIO OUTPUT

setting up a current in coil 2. The current in coil 2 will be set up according to the current set up in coil 1. If the battery current were sent through coil 1 in the opposite direction, a similar change of direction of the current set up or induced in coil 2 would occur. A galvanometer may be used to show this and comprises a

coil of wire whose field can influence a small compass needle. The induced current in the coil sets up a field and moves the needle.

What Is Coupling?

The term coupling means in a sense the connection of a magnetic field of force between two coils. Though the two coils are electrically insulated, the field of force from one can cut the other, to induce a current in the second coil. The amount of coupling will be a maximum when the two coils are as close together as possible, and a minimum when they are widely separated or at right angles. This is shown in Figures 18 and 19. In Figure 19, two coils at right angles to each other have very small coupling so that only a weak




FIGURE 20 EQUAL OPPOSING COILS NEUTRALIZE FIELD. FIGURE 20

or negligible current is set up in the second coil by current through the first one.

Transformer Action

The ratio of turns of the two coils may also be varied to affect the coupling, but usually this is done to change the ratio of the induced current and voltage. If coil 1 carries a changing current of one ampere and ten volts and has one hundred turns of wire, and coil 2 has the same dimensions, a current of one ampere, and ten volts will be induced in it when the coupling is close. But if the second coil contained two hundred turns, the current would be one-half ampere with twenty volts. In all cases, a steady direct current through one coil will not set up a current in the second coil. The current is always changing. A changing current

sets up a changing magnetic field. If the change amounts to a full reversal from one direction to another, it is called an alternating current. An alternating current or even a fluctuating current will set up a corresponding alternating or fluctuating field of force and can induce a sim-




FIGURE 21 A STRAIGHT WIRE CARRYING CURRENT SETS UP A FIELD. FIGURE 21

ilar current in a second coil which is coupled to it.

If the input is Radio current, the output from the second coil will be Radio current of the same frequency. If voice current is sent through one coil, the second coil coupled to it repeats voice current.

If two coupled coils are each supplied with the same current as illustrated in Figure 20, the field of one will oppose the field of the other, and this can be arranged so that one field neutralizes the other.




FIGURE 22 A WIRE ACTS LIKE A COIL AND HAS INDUCTANCE. FIGURE 22

Inductance so far has been mentioned as in a coil. But a straight wire also has inductance. The longer the wire the more (Continued from page 22)

\$200
SELECTIVITY
\$8.50!

Make Every Night Silent Night!

TRAP OUT THE INTERFERENCE

Selectivity—which is merely the ability to cut out interference—is the dominating difference between the very expensive sets and the moderately priced ones. Why pay \$50.00 to \$200.00 extra for increased selectivity, when for \$8.50 you can get a FERBEND WAVE TRAP which will absolutely cut out any interfering station, no matter how loud, how close by or how troublesome.

Add a Ferbend Wave Trap to Your Set

You will find it a valuable addition. It is designed and manufactured complete by us, after years of careful experimenting. It is not to be confused with imitations hastily assembled from ordinary parts. The price is \$8.50. Shipment is made parcel post C. O. D. plus a few cents postage. If you prefer, you can send cash in full with order and we will ship postage prepaid. Send us your order today.



FERBEND ELECTRIC COMPANY
19 E. South Water St.
Dept. 3 CHICAGO



We guarantee that the Ferbend Wave Trap, when properly connected to any workable receiving set, will tune out any interfering station

BUILD YOUR OWN
5 TUBE NEUTRODYNE SET
WITH LICENSED **Hazeltine** Parts
\$39.95 COMPLETE

EACH KIT INCLUDES

Drilled and Engraved 7x26 Panel	\$ 8.00	1 Mica Condenser .00675
3 Genuine FADA Neuroformers and Condensers	22.50	1 Frost Battery Switch30
2 Genuine FADA Neurodons ..	2.50	1 Stained Baseboard	1.00
3 4-inch Dials	3.60	8 Engraved Binding Posts	1.00
20 Feet Tin Copper Bus Bar Wire25	2 Lengths Black Varnished Tubing30
1 Detector Rheostat	1.25	Complete FADA Instruction Book and Blue Prints50
1 Amplifier Rheostat	1.50		
2 Genuine Dietzen Audio Frequency Transformers	12.00		
5 Vacuum Tube Sockets	5.00		
2 Frost Neurodyne Jacks	1.80		
1 Freshman Grid Leak and Mica Condenser65		
1 Dubilier Micadon .00140		

Regular Price \$62.25
Our Price \$39.95

NEUTRODYNE has taken the country by storm. It is the remarkable distance getting, powerful, non-oscillating and non-whistling receiver.
WORKING MODEL ON DEMONSTRATION
"America's Greatest Radio Retailers"

SHOP BY MAIL

*191 FULTON Cor. Church

*14 CHURCH ST. At Cortlandt (*Open Sat. Ev'gs)

Modell's
ESTABLISHED 1899

VIA PARCEL POST ADD 50c

BROOKLYN
**81 Flatbush Av.
Post Radio Elec. Corp.
(**Open Ev. Evg.)

MAIL ORDER DEPT., 71 CORTLANDT ST., NEW YORK

AN EVENING AT HOME WITH THE LISTENER IN (SEE INSTRUCTIONS FOR USE BELOW)

Table with columns: Station and City, Met., Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday. Lists various radio stations and their broadcast times.

Instructions for Use.—All the hours above are given in Central Standard Time. If your city uses Eastern Time, add one hour to each of the periods stated; if your city uses Mountain Time, subtract one hour; if your city uses Pacific Time, subtract two hours. This table includes only the evening broadcasts, and, on Sunday, the late afternoon program.

Batteries Enclosed

In designing a set for the average home, it is usually advisable to get a cabinet large enough to enclose the batteries.

The cabinet need not be much larger if dry cell batteries are used, but if a UV-200 or C-300 tube is used for detector, storage battery must be used, and it is certainly advisable to enclose it.

2-LO, LONDON, ENGLAND ON ONE TUBE

Another Record for the ELGIN SUPER-REINARTZ

Tuesday, November 27, during the test period between 9 and 9:30 P. M., Rev. E. A. Cole in the residence of J. A. McIver, of Roodhouse, Ill., while operating a set made of materials and in accordance with the hookup furnished by the ELGIN RADIO SUPPLY CO., tuned in 2-LO, London, England, using receivers and but one tube. Later another tube was lighted and the loud speaker used, so that four people could hear the program and concluding announcement. The numbers, time, and the order in which they were played were

Officially Confirmed

by the St. Louis Post Dispatch in conjunction with the National Association of Broadcasters, who had charge of the tests. (See page 34, St. Louis Post Dispatch, Dec. 2, 1923.) This same hookup has been advertised extensively as the one which brings in stations 2000 miles overland on a loud speaker and one tube; and this has been demonstrated so often as to need no repetition.

Send a two-cent stamp for circular giving one, two, and three tube hookup, and price list of parts for this remarkable circuit. Address the


ELGIN RADIO SUPPLY CO.

207 Chicago St.

ELGIN, ILL.

Neutrodyne Cabinets \$12.50 ONLY FREE The Above CABINET with each Neutrodyne Set described below FREE for the next ten days only.

On account of this special offer you must pay the express Beautiful Mahogany Neutrodyne, Brings in Everything WHEN you get this magnificent looking set wired and hooked up, you will be able to hear all stations without interference. All parts are same as illustrated in Radio Digest, Feb. 2nd. Panel is mahogany with beautiful mahogany dials—a set fitted for the most exclusive home. Panel drilled, all parts mounted on panel and baseboard ready for wiring PAY NO MONEY Just Pay the Postman



Only \$48.50

READY TO WIRE

FREE BLUE PRINT

The above Neutrodyne Complete ready to wire following parts:

It Works—NEUTRODYNE—All Standard Parts

- 2 Rheostats, 25 ohms, Howard... \$ 2.00
1 Rheostat, 6 ohms, Howard... .90
3 Air Core R. F. Transformers, mounted on condensers, and 2 balancing condensers... 20.00
1 Potentiometer, (850 ohms, Federal)... 1.85
3 Jacks, Carter... 2.70
2 .006 Condensers... .40
1 Grid Leak with Condenser, Walmart... .65
5 Sockets, Kellogg's... 5.00
2 Transformers, All American... \$ 9.50
9 Readem Binding Posts... .85
1 8x26 Mahogany Panel... 3.84
4 Bezels... .80
3 Dials, Mahogany, 4 in... 4.50
1 Baseboard... .50
24 ft. Square Bus Wire... .60
24 ft. Spaghetti... .30

Panel not mounted or drilled, only \$45.50 with blueprints FREE

- 5 Tubes... \$25.00
1 110 Ampere Storage Battery... 18.00
1 Deluxe Homecharger... 18.00
1 Headset... 12.00
1 Complete Aerial Equipment... 1.50
1 45 Volt B Battery... 5.50
2 22 1/2 Volt B Batteries... \$ 6.00
Loud Speaker... \$88.00
TOTAL... \$98.50

The above parts and equipment complete would cost you \$147.00! Our Price \$125.00

Special Sale on Webster Condensers, Fine for Super-Heterodyne

Variable Condenser, .0005 (same as 23 plate), \$2.98 Variable Condenser, .001 (same as 45 plate), \$2.98 list, \$5.50. While they last—Bargain at...


We are responsible folks, money cheerfully refunded within ten days if you are not satisfied All Orders Mailed Promptly. No Stamps Accepted. Send Check or Money Order.

Everything in Radio. Write Us

Quality Merchandise at Low Prices Economical Radio House 4600 LINCOLN AVENUE, CHICAGO

We Personally Guarantee All Goods

ACOUSTICALLY CORRECT!



The Trimm extra large Loud Speaker unit with its wonderful ADJUSTO instantly regulating loud speaker to signal strength insures greatest volume without flaws or distortion. At three prices:

Trimm Standard Model With non-metallic horn, 21 1/2" high; bell 10" diam. \$22.50

Trimm Grand with solid cast aluminum horn the world's finest loud speaker \$35.00

Trimm Phonograph Attachment \$10.00

TRIMM HIGH GRADE HEADSETS

"PROFESSIONAL" model-3000 ohms \$7.65

"DEPENDABLE" model-2400 ohms \$5.00

Any Trimm product shipped and sold on approval and Guaranteed FOR LIFE. Write for descriptive folders. Mention your dealer's name.

TRIMM RADIO MFG. COMPANY

Dept. 63, 24-30 S. Clinton St.

CHICAGO, ILL.

62 PROGRAMS FOR EIGHT DAYS

Tuesday, April 8

CKAC, Montreal, Que., Can. (Eastern, 425), 4:30 p. m., Musio; 7:00, Kiddies' stories in French and English; 7:30, Rex Battle and his Mt. Royal Hotel Orchestra; Nap Bunsereau, cellist; 8:30, Studio concert; I. C. Houle, director; 10:30, Joseph C. Smith and his Mt. Royal Hotel Dance Orchestra.

CKY, Winnipeg, Can. (Central, 450), 8:45 p. m., "The Teeth and Health," Member of Manitoba Dental Association.

KDKA, E. Pittsburgh, Pa. (Eastern, 326), 12:20 p. m., Lenten services, Trinity Church, Dean Warren L. Rogers, director; 6:15, Dinner concert, Grand Symphony Orchestra; 7:15, "What a Chamber of Commerce Can Do for the Community," George R. Wallace; 8:00, "Cleanliness," from the autobiography of Benjamin Franklin, Dr. John Ray Ewers; 8:15, "The Contemporary Novel," Dept. of Eng. U. of Pittsburgh; 8:30, Concert, Women's Historical Society of Pa.; Schubert Women's Quartette; 11:30, Queen City Orchestra.

KFI, Los Angeles, Calif. (Pacific 469), 6:45-7:30 p. m., Concert, 8:00-9:00, Concert, Ambassador-Max Fischer's Coconut Grove Orchestra; 9:00-10:00 Examiner Concert; 10:00-11:00 Entertainment presented by Motion Picture Stars.

KFKB, Milford, Kansas, (Central, 286), 8:05 p. m., "Silage and Pasture for Dairy Cows," Prof. H. W. Care; 8:30, "Feeding for Winter Egg Production," Prof. D. J. Taylor; Elsie M. Smith, pianist; Harry Wilson, vocalist; College quartet; Lecture, Dr. J. R. Brindley.

KFSG, Los Angeles, Calif. (Pacific 278), 3:30-4:30 p. m., Concert entertainment for "Shut-ins"; 7:00-7:30, Children's program, Bible story; 8:00-9:30, Musical program and evening service conducted by Sister McPherson.

Headliners of the Week

THE WORLD'S greatest trumpeter, Ernest S. Williams, will be heard Tuesday from WFL. Mr. Williams now a member of the New York Symphony orchestra has toured the world twice with John Philip Sousa. Morgan L. Eastman, KYW's musical director, will lecture on the violin this same evening with Fritz Renk assisting him.

You will all, undoubtedly, tune for one Station Wednesday when you see the picture on the next page of Madame Homer Dubard. She will broadcast from WWJ.

WSB will give the best program ever on Thursday which will consist of a musical fantasia called "The Evolution of Dixie." Even the program director, himself, recommends it. WOS has a rival on the air; another prison band will seek freedom through the ether waves when the Eastern Penitentiary Prison Band will be heard over the microphone of WFL. This evening also means a great deal to WOAW. It is this Station's first birthday and we

wish it many happy returns of the day.

Friday the Ostranders Plectral String Sextette will be heard via KFOA. A Plectral String Sextette is something exceedingly rare. There are only one or two in the whole United States.

Have you wondered and puzzled over the Einstein theory until your hair grew gray? Never again, WFAA promises to clear up this matter once and for all Monday night. Let us know if you really find out what it is. To rest your minds try for WMAQ Monday afternoon, a whole mouth-organ club will play. The Radio certainly exposes things never thought of before.

Sometime ago a certain Station in the South promised to broadcast a circus and disappointed its invisible audience. Never mind, WJAX will reproduce the Robinson circus for you Tuesday, the band, the jokes of the clowns, the applause of the audience will all be there. All you must do is to imagine the smell of sawdust. Let's go!

WOC, Davenport, Iowa (Central, 484), 12:00 p. m., Chimes; 3:30 p. m., "Quincy," A. G. Hinrichs; 5:45, Chimes.

WOO, Philadelphia, Pa. (Eastern, 509), 11:00 a. m., Organ recital, Mary E. Vogt; 12:02 p. m., Wana-maker Crystal Tea Room Orchestra, Robert E. Golden, director; 4:45, Organ recital, Mary E. Vogt.

WQZ, Kansas City, Mo. (Central, 360), 2:30 p. m., Popular music from Liberty Theater; 8:00, Music by Sickman's Society Orchestra.

WSB, Atlanta, Ga. (Central, 429), 12:00 p. m., Noon concert, Mrs. Carroll Summer; 3:30 p. m., Howard theater overture and prologue; 5:30, Bonnie Barnhardt's songs and bedtime story; 8:00-9:00, Gospel songs, First Methodist Choir and quartet; 10:45-11:45, Georgia Serenaders.

WWJ, Detroit, Mich. (Eastern, 517), 8:00 a. m., Setting-up exercises; R. J. Horton, Y. M. C. A.; 9:45, Fred Shaw, pianist; 12:00 p. m., Edward Barnes, baritone; LeRoy DeTurk, tenor; 3:00 p. m., News Orchestra; 8:00, News Orchestra; Vocal numbers, Archibald Jackson; Lenten speaker.

Wednesday, April 9


CKAC, Montreal, Que., Can. (Eastern, 425), 1:45 p. m., Mt. Royal Hotel Concert Orchestra; 4:40 Mt. Royal Hotel Dance Orchestra.

CKCH, Ottawa, Can. (Eastern, 435), 8:00 p. m., Program, Kiwanis Club Ottawa, Boy's Choir; Short talk on Ottawa Boy's Choir, H. S. Bates; Toddy Kirby, boy soprano; Songs, Dr. W. McKay; Song, Frank Hearn; Short talk on Kiwanis, Past Lieut.-Gov. W. G. Koddie; Kiwanis Glee Club; Howard Baguley, boy alto; Songs, N. B. MacRostie; Chateau Laurier Orchestra.

Radiophans have a rare treat when they listen in on the Chicago Daily News Station WMAQ, on Saturday nights between 9 and 10 o'clock to hear the weekly Chicago Theater Revue. Part of every Radio show broadcast by the Chicago Theater hereafter will have as one of its features numbers played simultaneously by Mr. and Mrs. Jesse Crawford on the Balaban and Katz Chicago Theater Mighty Twin organ, the only instrument of its kind in the world. It exceeds even the largest of symphony orchestras and produces tones hitherto unimagined.

Helen Dallam, winner of the second week of The Daily News music contest, is a member of the trio which will play her winning number, "Indian Legend," from WMAQ Thursday evening, April 10. Some of the players from the Chicago Symphony orchestra will play another winning number by Leo Sowerby on the same program.

Mrs. Jesse Crawford (below) and the second keyboard of the Chicago Theater Mighty Twin organ. The two consoles are at opposite ends of the orchestra pit and the players in rehearsal, in order to attain the fine synchronizations required, use a private telephone line to communicate with one another. The instrument required over a year to build, and practically doubles the resources of the colossal instrument which for several years has delighted the millions of patrons.



KGO, Oakland, Calif. (Pacific, 312), 8:00 p. m., II. Tromatore; KGO Orchestra.

KMW, Portland, Ore. (Pacific, 492), 11:15 a. m., Checkered basket; 12:30 p. m., Concert, Civic Music Club; 3:30, Talk, Jeanette P. Cramer; 7:45, Talk for farmers.

KHL, Los Angeles, Calif. (Pacific 395), 12:30-1:15 p. m., Program, Major and his orchestra; 2:30-3:30 Program, Barker Brothers; 6:45-7:30, Children's program presenting Alice Gieschen, 16-year-old pianist; Weekly visit of the Sandman and Queen Titania; 8:00-10:00 Program for French-Canadian compositions; Dr. Thomas Lutmann, lecturer; 10:00-11:00, Art Hickman's Orchestra.

KPO, San Francisco, Calif. (Pacific, 423), 1:00-2:00 p. m., Rudy Seiger's Fairmont Hotel orchestra; 2:30-3:30, Program, Joseph Carey, blind composer; 4:30-5:30, Rudy Seiger's Fairmont Hotel orchestra; 5:30-6:30, Children's hour, stories by "Big Brother," of KPO, Book Knowledge; 6:30-7:00, "Cleveland Six," Gunzendorfer, director; 7:00-7:30, Rudy Seiger's Fairmont Hotel orchestra; 8:00-9:00, Program, Hazel Huff, soprano; 9:00-10:00, Walter Wenzel, pianist; 10:00-11:30, E. Max Braudfeld's Versatile Band.

KSD, St. Louis, Mo. (Central, 546), 8:00 p. m., Studio recital, Marcus Epstein, director; Bernadette Bostick, pianist; Mario Fallon, baritone; Theresa Owen, accompanist; Address, Prof. T. Emmett Reynolds.

KYW, Chicago, Ill. (Central, 536), 11:35 a. m., Table talk, Mrs. Anna J. Peterson; 2:35 p. m., Studio program; 4:00, "Bringing the World to America," Editors of "Our World"; 7:00, Bedtime story, Walter Wilson, Uncle Bob; 7:00-7:30, Dinner concert, Congress Hotel, Joska DeBabary and his orchestra; Clyde Doerr and his orchestra; 8:00, Lecture, "The Violin," Morgan L. Eastman; Violin demonstrations, Fritz Renk; 8:20, Program, American Farm Bureau Federation, B. H. Critchfield, B. H. Heide; 8:48 Musical program; 9:10, Talk, Rev. Daniel J. McHugh, "Astronomy."

WBAP, Fort Worth, Texas, (Central, 476), 7:30-8:30 p. m., Concert, Panther City Orchestra, J. N. Wimple, director; 9:20-10:45, Ladies' Glee Club and student quartet, Southwestern Baptist Seminary.

WBAY, Columbus, Ohio, (Eastern, 390), 12 m., Piano music, Ila Lorbach Owens.

WEZ, Springfield, Mass., (Eastern, 337), 7:00 p. m., "The Vegetable Garden," William H. Wolff; 7:30, Bedtime story for the Kiddies; 7:40, Carlotta E. Webster, bass-baritone; Mrs. Harold C. Warner, accompanist; Mrs. Follis Gould, soprano; Pearl Leahy, pianist.

WCAE, Pittsburgh, Pa., (462), 4:30 p. m., The Sunshine Girl; 6:30 Dinner Concert; 7:30, Uncle Kaybee; 7:45, Special feature; 8:30, Musical program by The Tar Ken-Ton Troubadours.

WCAI, Northfield, Minn. (Central, 360), 9:45 a. m., St. Olaf college chapel service; Glee Club and student quartet, Southwestern Baptist Seminary.

WCX, Detroit, Mich. (Eastern 517), 6:00 p. m., Dinner concert, Hotel Teller; 8:15, Lenten talk, Rev. John A. McCloy, S. J.; 10:00 Red Apple Club.

WDAF, Kansas City, Mo., (Central, 411), 3:30 p. m., Johnnie Campbell's Kansas City Club Orchestra; 6:00, E. O. Moffatt travelogue, children's story, information man, Fritz Hauelin's Tri-tone Ensemble; 11:45, Night-hawks.

WDAP, Chicago, Ill. (Central, 360), 7:00-8:00 p. m., Drums concert, Ensemble and Blackstone Quintet; 8:00-8:30, Ralph Emerson, organist; 10:00, Rosemary Hughes, Voice Workday, Fred Asard, Jack Chapman's orchestra.

WDAB, Philadelphia, Pa. (Eastern, 395), 11:45 a. m., Daily Almanac; 12:02 p. m., Organ recital, Stanley Theater; Lenten services from Studio; Arcade Cafe Concert Orchestra; 2:00, Arcade Cafe Concert Orchestra; 7:30, Dream Daddy's bedtime stories; 7:50, Play review, Arnold Abbott.

WEAF, New York, N. Y. (Eastern, 492), 4:00-4:30 p. m., Reid's Instrumental Quartette; 4:30-5:00, Harriet Sink, Sopr.; 5:00-5:30, Children's stories; 7:30-7:40, Thornton Fisher; 7:40-8:00, Grace Fisher Reeves, Jean Sopr.; 8:05-8:30, Helen Schafmeister, pianist; 8:30-9:00, Brooklyn Eagle News Review; 9:20, Lincoln High School Orch.; 9:20-9:30, Penn. Mutual 10:15, Louis Ziadler, tenor, and Dudley Warwick, bass; Ins. Co., 9:30-9:45, Columbia Phonograph Co.; 9:45-10:15-10:45, Lincoln High School Orchestra.

WFAA, Dallas, Texas, (Central, 476), 12:30-1:00 p. m., Address, DeWitt McMurray; 8:30-9:30, Program, Texas Women's Chamber of Commerce; 11:00-12:00, Adolphus Hotel Orchestra, Lawrence Morrell, director.

WFL, Philadelphia, Pa. (Eastern, 395), 1:00 p. m., Meyer Davis Bellevue Stratford Concert Orchestra; 3:00, Mabel E. Baum, soprano; Jolly Five Orchestra from Egg Harbor City; 6:00, Bedtime stories by Sunny Jim; 6:30, Meyer Davis Bellevue Stratford Orchestra; 8:00, Ernest S. Williams, trumpeter; 8:30, C. Emerson Brown, director Phila. Zoological Gardens; Recital, Suite Opus 71 by Moszkowski; Florence Baerle, Oscar Langman, Mildred H. S. Ackley; 9:00, Vaughn de Leath; Original Radio-Girl; 10:10, Charlie Kerr and his Symphonic Dance Orchestra.

WGI, Medford Hills, Mass. (Eastern, 360), 6:30 p. m., Meeting of the Amrad Big Brother Club; 7:00, "Africa from Cape Town to the Congo," A. S. Flint; Big Brother Club.

WGN, Chicago, Ill. (Central, 370), 7:00-8:00 p. m., Address; Elsie Staab, contralto; Oriole Orchestra; 9:00, Sue Sener, pianist; Oriole Orchestra.

WGR, Buffalo, N. Y. (Eastern, 319), 12:30-1:00 p. m., George Albert Bouchard, organist; 2:30-4:00, The Radio Dealers' Musical program; 6:00-7:30, Chamber music recital.

WGY, Schenectady, N. Y. (Eastern, 380), 2:00 p. m., "Rosalia," Max Maury; 6:30, Dinner music, Instrumental Trio of Hotel Ten Eyck; 7:45, "H. M. S. Pinafore," WGY Light Opera Company.

WHAA, Iowa City, Iowa (Central, 484), 8:00 p. m., Concert by faculty of music, University of Iowa.

WHAS, Louisville, Ky. (Central, 400), 4:00-5:00 p. m., Strand Theater Orchestra; Walnut Theater Orchestra; Alamo Theater organ; 7:30, Louisville Syncopaters; Reading, Mrs. Cordi Greer Petrie.

WHB, Kansas City, Mo. (Central, 411), 12:35-1:00 p. m., Popular music, Sweeney Radio orchestra; 2:00-3:00, Ladies' hour program, Sweeney Radio orchestra; 7:00-8:00, Sweeney Radio orchestra; "Gardens," Mrs. Paul Briggs; 8:00-9:00, Program, Saint Agnes Academy; 9:00-10:00, Election returns.

WHN, New York, N. Y. (Eastern, 360), 3:30-4:30 p. m.

Bob Schaefer and His Entertainers, assisted by the Original Georgia Five; 9:30-10:00, Fletcher Handerson's Alabama Club Orchestra; 10:00-10:45, Shapito Eemstein Music Co.; 10:45-11:15, Lorraine Society Dance Orchestra, Arnold Miller, leader.

WIP, Philadelphia, Pa. (Eastern, 509), 1:00 p. m., Recital, Karl Bonawitz; 3:00, Esther Maddux Tenement, soprano; Six Saxophone Serenaders, direction Keach and Green, Charles T. Janke, baritone; 6:35, Die Regan and his WIP Orchestra; 7:00, Uncle Wip's bedtime stories; Dorothy Rodig, eleven-year-old pianist; 8:00, Elliott Lester, dramatic talk; 8:15, Philadelphia Police Band; 9:00, St. Alban Glee Club; 10:15, Ted Weems and his Cafe L'Aiglon Orchestra.

WJAX, Cleveland, Ohio (Eastern, 390), 7:30 p. m., Program furnished by Cleveland News-Leader; Bedtime story, E. G. Johnson; Radio Chalk Talk Cartoon, Don Palmer; Solos and duets, Marcella B. Francis and Dorothy Smith Lenz; Talk, "Child Labor," Member League of Women Voters; Dance program.

WJY, New York, N. Y. (Eastern, 405), 7:30 p. m., Blanche Winograd, pianist; 8:00, Field and Stream sport talk; 8:15, American orchestra concert; 9:15, New York Society Military and Naval Officers of the World War Dinner, Speakers, Lieut. George Lunn, Gen. Robert Lee Poulard, Admiral Charles Plunkett.

WJZ, New York, N. Y. (Eastern, 455), 12:00 p. m., Lenten services, Trinity church, Rev. Canon Shadrach Board of Education program; 3:00, Special ford; 1:00 p. m., Hotel Ambassador Trio; 2:00, New afternoon Audition concert; 4:00, Fashion talk, Ethnor Gunn; 4:15, "Right Habits of Reading," Prof. Howard R. Driggs; 4:45, "The Home Beautiful," Dorothy Ethel Walsh; 5:00, Popular songs, Jack Nelson; 5:15, Evelyn Simon, soprano; 7:00, "Business Conditions," U. of the Air talk, Dr. Warren F. Hickenell; 7:15, Supper music, Paul Specht's Alamac Hotel orchestra; 8:15, Bertha Brainard broadcasting Broadway; 8:30, "Joseph Conrad," Doubleday Page and Co.; 8:45, Josephine Vellanti, soprano; 9:00, Waterway League of America Meeting; "Development of Waterway Front of New York for Recreational Purposes," Hon. Murray Hulbert; 11:00, Dance music, Hotel Astor Grill orchestra, Al Eps, leader.

WLW, Cincinnati, Ohio (Central, 309), 4:00 p. m., Topics of Interest to Women; 10:00, Concert, Kidwell Music Store, Chris Gottschalk, Mrs. Dora Stevenson, Dorothy Kidwell, Bay Ruttle, Master Freddie Morgan.

WMAQ, Chicago, Ill. (Central, 447.5), 4:20 p. m., Items of interest to women; 4:30, Pupils, Glenn Dillard Gunn School of Music; 5:00, Weekly Child-life talk for children; 7:00, Travel lecture, Clara E. Laughlin; 8:00, Talk, Harry Hansen; 8:40, LaSalle Orchestra; 9:00, Lecture, University of Chicago; 9:15, Eyon and Healy program.

WMC, Memphis, Tenn. (Central, 500), 8:30 p. m., Program, Correse Brothers; 11:00, Pipe organ recital, Harry O. Nichols.

WOAW, Omaha, Neb., (Central, 526), 6:30 p. m., Dinner program, The Original Music Masters; 9:00, Musical program, arranged by Corrine Paulson Thorson, pianist and instructor.

KDKA, E. Pittsburgh, Pa. (Eastern, 326), 6:15 p. m., Dinner concert, Pittsburgh Athletic Association Orchestra; 7:15, Address, representative Civic Club of Allegheny County; 8:00, Program, League of American Pen Women; 8:30, Concert.

KFAE, Pullman, Wash. (Pacific, 330), 7:30 p. m., "The Burden of Armaments," Prof. Yoder; Horticulture talk, C. L. Vincent; "Where Our Styles Come From," Mrs. Nellie Jacobs; Readings; "Early Orchard Tillage," F. L. Overley, horticulturist; "Farm Water Supply," A. B. Crane.

KFI, Los Angeles, Calif. (Pacific 469), 6:45-7:30 p. m., Detective stories presented by Detective Nick Harris; Concert; 8:00-9:00 Evening Herald concert; 9:00-10:00, Examines' concert; 10:00-11:00, Concert, Hollywood Community Orchestra; 11:00-12:00, Concert, Ambassador-Max Fischer's Coconut Grove Orchestra.

KFKB, Milford, Kansas, (Central, 286), 8:05 p. m., "The Kansas Wheat Pool," Prof. W. E. Grimes; 8:30, "The Outlook for the Poultry Industry in Kansas," Prof. Morris Evans; Robert Gordon, cellist; Ailene Rhodes, pianist; Leslie R. Putnam, vocalist; Lecture, Dr. J. R. Brindley.

KFNH, Shenandoah, Ia. (Central, 266), 7:30 to 9:00 p. m., Concert of old-fashioned music.

KFOA, Seattle, Wash. (Pacific, 455), 8:30 p. m., Wilbur Westerman, violinist; Program, pupils, Silvio Riesgar, Campbell sisters in duets; Dorothy Greenberg, solo numbers.

KFSG, Los Angeles, Calif. (Pacific 278), 2:30-4:30 p. m., Divine Healing service conducted by Almee Sample McPherson; 7:00-7:30, Children's program; Bible story; 8:00-9:30, Concert and Bible service by Almee Sample McPherson.

KGW, Portland, Ore. (Pacific, 492), 11:15 a. m., Window shopping; 12:30 p. m., Concert, Darty's Orchestra; 3:30, Children's program; 8:30, Orchestral concert, Harold Bayley, director; 9:00, Alexander Hamilton Institute business talk, James Albert; 10:00, Dance music, George Olsen's Metropolitan orchestra.

KHJ, Los Angeles, Calif. (Pacific, 395), 12:30-1:15 p. m., Program presenting Henretta Weismann, contralto, accompanied by Elsie Aspit; 2:30-3:30, Program, presented through courtesy of Barker Brothers; 6:45-7:30 Children's program presenting Berenice Van Loan Gaines compositions, with Richard Headrick, Billie Haynes and Rosalie Tusso, Bedtime story; "Uncle John"; 8:00-10:00, Program presented by courtesy of the San Jacinto (Calif.) Chamber of Commerce; an "Evening in Bonoma-land," Dr. Mrs. P. Baumgardt; lecture on Astronomy; 10:00-11:00, Art Hickman's Orchestra.

KLX, Oakland, Calif. (Pacific, 509), 8:00-10:00 p. m., Irvin Johnson, baritone; KLX Instrumental Quartet; Mid Pacific Quartette, Hawaiian numbers.

KPO, San Francisco, Calif. (Pacific, 423), 1:00-2:00 p. m., Rudy Seiger's Fairmont Hotel Orchestra; 2:30-3:30, Jack Paul's Entella Cafe orchestra; 4:30-5:30, Rudy Seiger's Fairmont hotel orchestra; 5:30-6:30, Children's hour, stories for children, "Big Brother" of KPO, Book Knowledge; Dale Adams, 7-year-old pianist; 7:30-7:30, Rudy Seiger's Fairmont Hotel Orchestra; 8:00-12:00 midnight, E. Max Braudfeld's Versatile Band.

RUMPETER AND EINSTEIN ON AIR



Mme. Homer Du Bard, whose charming soprano voice will be heard over the microphone Wednesday evening, April 9, from WWJ. Mme. Du Bard is heard very often over this station.

Ethel Guyon, flutist, of the KLX Instrumental Trio, which will be heard Wednesday, April 9, from the Oakland station.

Five Character Men in WGY Players who appear in a thrilling radio drama, "Pierre of the Plains," at WGY, Friday night, April 11. Left to right they are: Charles S. Baumes, Frank Oliver, H. A. Thompson, Edward H. Smith and Maurice G. Randall.

phant
GY sport
ay. H.
, whose
is heard
KAC.

RAM
THE
ERS
and
to dial

day
KFI
KWO
WFI
WIP
WJZ
WJR
WJL

day
KFI
KWO
WFI
WIP
WJZ
WJR
WJL

day
KFI
KWO
WFI
WIP
WJZ
WJR
WJL

CAAC
KPO
DAP
WFK
WJZ
WTAS

day
KFI
KWO
WFI
WIP
WJZ
WJR
WJL

WWJ, Detroit Mich. (Eastern, 517), 8:00 a. m., Setting-up exercises, R. J. Horton, Y. M. C. A.; 12:00 p. m., Edward Barnes, baritone; LeRoy DeTurk, tenor; 3:00, News Orchestra; 7:00, News Orchestra; Olive Edgar, soprano; Edward M. Murray, baritone; Lenten speaker; 10:00, Jean Goldkette's orchestra; Graystone Ballroom.

Friday, April 11

CKAG, Montreal, Can. (Eastern, 425), 1:45 p. m., Mt. Royal Hotel Concert Orchestra; 4:40, Joseph C. Smith and his Mt. Royal Hotel Dance Orchestra.
CKY, Winnipeg, Can. (Central, 450), 1:00 p. m., Lecture, Prof. Agri. College; 8:45, Lecture, Prof. Agri. College.
KDKA, E. Pittsburgh, Pa. (Eastern, 326), 12:20 p. m., Lenten services, Trinity Church, Dean Warren L. Rogers; 8:15, Organ recital, Lucia Hale; 7:15, Sunday School Lesson; 8:00, Radio Boy Scout Meeting; 8:30, King-Haw Entertainers, Alice C. King, soprano; Ella A. Haw, contralto; Sherman B. Duncan, tenor; Harvey S. McMillan, baritone; Katherine McDowell, accompanist; Mrs. J. H. Dickson, reader; Cecil Fargo, violinist.
KFAE, Fullman Wash. (Pacific, 330), 7:30 p. m., Songs; Agricultural talk; "X-Ray and Crystal Analysis," Prof. Hugh Henton; "Dehumanizing Effects of War," Dr. C. I. Erickson; Book Chat, Alice Webb; Readings.
KFI, Los Angeles, Calif. (Pacific, 469), 6:45-7:30 p. m., Concert of vocal and instrumental selections presented by Myra Belle Fickers; 8:00-9:00, Concert by Evening Herald; 9:10-10:00, Examiner concert; 10:00-11:00, Concert of instrumental numbers by Lillian Hassert's Novelty Orchestra; 11:00-12:00, Ambassador-Max Fischer's Coconut Grove Orchestra.
KFKB, Milford, Kans. (Central, 286), 8:05 p. m., "A Talk with Farmer Brown in His Workshop," Prof. E. Graham; 8:30, "How Do You Use Gasoline and Oil," Prof. W. H. Sanders; Mable Murphy, pianist; Lois Leone, Mammie, vocalist; Mable Smith, pianist; Lecture, Dr. J. R. Brindley.
KFOA, Seattle, Wash. (Pacific, 455), 8:30 p. m., Ostranders Plectral String Sextette.
KFSG, Los Angeles, Calif. (Pacific, 278), 3:30-4:30 p. m., Special concert program and address by Sister McPherson; 7:00-7:30, International Sunday School Lesson for April 13th; 8:00-9:30, Musical program of vocal and instrumental numbers and Revival service conducted by Sister McPherson.
KGV, Portland, Ore. (Pacific, 492), 11:15 a. m., Market Basket; 12:30 p. m., Program Peck Holton's Orchestra; 3:30, Lecture, Esther B. Cooley; 8:00, Lecture, University of Oregon; 10:30, Hoot Owls.
KHJ, Los Angeles, Calif. (Pacific, 395), 12:30-1:15 p. m., Concert, 2:30-3:30, Concert presented by courtesy of Barker Brothers; 4:45-7:00, Children's program, Hollywood School for Girls Glee Club; Weekly visit of Richard Headrick, silver-shed juvenile; Bedtime story, "Uncle John"; 7:00-7:30, Organ recital from First Methodist Episcopal Church; Arthur Blakeley, organist; 8:00-10:00, Program, Student Radio Orchestra; Walter P. McEntire, lecturer; 10:00-11:00, Art Hickman's Orchestra.
KLX, Oakland, Calif. (Pacific, 508), 8:00-10:00 p. m., Jazz Studio of Oakland; Charles Offenberger, director; Gardella Dance Orchestra; Angela Beale, soprano; Gamble Brothers; Bob Maddern, vocalist; Eva Johnson, Emma Lenhardt, pianist.
KPO, San Francisco, Calif. (Pacific, 423), 1:00-2:00 p. m., Rudy Seiger's Palmont Hotel Orchestra; 2:15, Speaker, Commonwealth Club Luncheon; 2:30-3:30, Theodore J. Irwin, organist; 4:30-5:30, Rudy Seiger's Palmont Hotel Orchestra.
KYW, Chicago, Ill. (Central, 536), 11:35 a. m., Table talk, Mrs. Anna J. Peterson; 6:30 p. m., Spanish lessons, Prof. A. A. Braschi; 6:45, Children's bedtime story, "Uncle Bob"; 7:00, Dinner concert, Joska DeBary's Orchestra; Clyde Doerr's Orchestra; 10:00-2:00, Midnight Revue.
WAAW, Omaha (Central, 360), 8:00, Lessons in Auction Bridge, Mrs. Guy U. Purdy.
WBAP, Fort Worth, Texas (Central, 476), 7:30-8:30 p. m., Classical recital, B. U. Taylor, Jr., baritone and pupils; 9:30-10:45, Monthly program, College of Industrial Arts.
WBAV, Columbus, Ohio (Eastern, 390), 12 m., piano music, Ha Lorbach Owens; 8:00 a. m., concert, Dispatch Sextette.
WBZ, Springfield, Mass. (Eastern, 337), 6:00 p. m., Dinner concert, WBZ Orchestra; Dramatized story, Youth's Companion; Current Book Review, B. A. MacDonald of the Court Square Book Store; 7:30, Bedtime story for the Kiddies; 11:00, Chamber music; WBZ Orchestra; Fred Gardner, tenor; Grace Loomis Kempton, soprano.
WCAE, Pittsburgh, Pa. (462), 4:30 p. m., Special Children's Program conducted by The Sunshine Girl and Uncle Kaybee; 6:30, Dinner concert from Wm. Penn Hotel; 8:30 p. m., One-act comedy, "Aunt Dinah's Quilting Party," presented by Queen Esther circle of Calvary M. E. Church, Northside, Pittsburgh.
WCAL, Northfield, Minn. (Central, 360), 9:45 a. m., St. Olaf College chapel services; 8:30 p. m., "Poetry and Religion," Dr. George Weida Spohn.
WCX, Detroit, Mich. (Eastern, 517), 4:15 p. m., musical program; 6:00, dinner concert, Hotel Tuller; 8:30, musical program.

Where to Hear Talks

TALKS, instructive, serious, humorous and even frivolous, are broadcast daily and below are listed the stations.

Tuesday: CKY, KDKA, KFKB, KGW, KHJ, KSD, KYW, WAAM, WBZ, WCAE, WCAL, WDAF, WDAW, WEAF, WFAA, WGI, WGY, WHB, WIP, WJAX, WJY, WJZ, WKAR, WLAG, WMAQ, WMC, WOC, WSB, WWJ.
Wednesday: KDKA, KFKB, KFAE, KFKB, KGO, KGW, KPO, KYW, WAAM, WBAH, WBZ, WDAF, WDAW, WEAF, WFAA, WGI, WHA, WJZ, WHAR, WLAG, WMAQ, WOC, WOR, WOS, WWJ.
Thursday: KDKA, KFKB, KYW, WAAW, WAAM, WAAW, WBZ, WCAE, WDAF, WDAW, WEAF, WEAO, WFAA, WGI, WGY, WHAS, WHB, WIP, WJAX, WJY, WJZ, WKAR, WLAG, WMAQ, WOC, WOR, WWJ.
Friday: CKY, KDKA, KFAE, KFKB, KGW, KHJ, KYW, WAAW, WBZ, WCAL, WDAF, WEAO, WFAA, WGI, WGY, WHA, WEBB, WJY, WJZ, WLAG, WMAQ, WOAW, WOC, WOS, WWJ.
Saturday: KDKA, KYW, WBAH, WBAP, WDAF, WFAA, WFI, WGI, WIP, WLAG, WMC, WOAW, WOC, WWJ.
Sunday: KYW, WGI.
Monday: KFAE, KFKB, WAAM, WAAW, WBZ, WDAW, WEAF, WFAA, WGR, WGY, WHAZ, WIP, WLAG, WOC, WWJ.
Tuesday: KFKB, WAAM, WDAF, WHB, WIP, WMAQ, WOC, WWJ.

WDAP, Chicago, Ill. (Central, 360), 7:00-8:30 p. m., Drake Concert Ensemble and Blackstone Quintet; 10:00, George Hill, Jr., tenor; Ralph Emerson, organist; Jack Chapman's Orchestra.
WDAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m., Daily Almanac; 12:02 p. m., Organ recital, Stanley Theater; Lenten services; Arcadia Cafe Concert Orchestra; 7:30, Dream Daddy's bedtime stories; Radio playlet by Walter Greenough and his WDAR Players; 10:10, Howard Lamin and his Arcadia Cafe Dance Orchestra; Special "Morning Glory Club" Program musical comedy stars from Philadelphia's leading theaters.
WEAF, New York, N. Y. (Eastern, 492), 12:00 noon, Lenten Church Services; 4:00 p. m., Helen Jenks Dietrich, pianist; 4:30, George O'Brien, baritone; 5:00, Children's Hour Stories; 7:30, Thornton Fisher; 7:40, Carl Von Lantz, pianist; 8:00, Billy Jones and Ernest Hare; 8:30, World Mutual Insurance Program; 9:00, Actor Coffee Dance Orchestra.
WEAO, Columbus, Ohio (Eastern, 360), 4:00 p. m., lecture, member agricultural college faculty of Ohio State University; music, university talent.
WFAA, Dallas, Texas (Central, 476), 12:30-1:00 p. m., Address, Dr. Robert S. Hyer; 8:30-9:30, Varied program, Entertainers from Palmer, E. H. Morgan, director.
WFI, Philadelphia, Pa. (Eastern, 395), 1:00 p. m., Meyer Davis Bellevue Stratford Concert Orchestra; 3:00, piano recital, Loretta Kerk; 6:00, Sunny Jim's bedtime stories; 6:30, Meyer Davis Bellevue Stratford Orchestra.
WGA, South Bend, Ind. (Central, 360), 7:00-8:30 p. m., Dr. K. H. Robinson, pianist; Hotel La Salle Big Five Orchestra; WGAZ Orchestra.
WGI, Medford Hillside, Mass. (Eastern, 360), 6:30 p. m., Amrad Big Brother Club; 7:30, Selected verses, Charles L. H. Wagner, Radio Poet; "Paralysis," American Red Cross; Tufts College program.
WGN, Chicago, Ill. (Central, 370), 7:00 p. m., Address; Baritone solos; Oriole Orchestra; 9:00, Jessie Pringle, soprano; Luther Carter, tenor; James Johnson, pianist; Oriole Orchestra.
WGR, Buffalo, N. Y. (Eastern, 319), 12:30-1:00 p. m., Radio Albert, N. Bouchard, organist; 2:30-4:00, The Radio Dealers' Musical Program; 6:30-7:30 and 11:30, Vincent Lopez Hotel Statler Orchestra; 8:45-9:00, George Porter, baritone; 9:00-9:45, Musical program by the Girl Reserves from the foreign communities of Buffalo; 9:45-10:00, Mustica Frankenstein, pianist; 10:00, Concert, George Albert Bouchard.
WGS, Schenectady, N. Y. (Eastern, 380), 2:00 p. m., "The 1924 Easter Parade," Paul Brown; 6:30, Children's program; 7:45, Health talk, Dept. of Health; 7:40, "The Humane Movement," N. J. Walker; 7:45, "Pierre of the Plains," WGY Players; WGY Orchestra; 10:30, Elite Quartet; Helen B. Thomas, soprano; Mrs. Willard C. Miller, pianist; Willard C. Miller, tenor; Nannie B. Howard, contralto; Ernest Whiting, violinist; Edwin J. Vaughan, baritone.
WHA, Madison, Wis. (Central, 360), 7:30 p. m., "The Quality of Literature that Lives," Prof. F. Bruns.
WHAS, Louisville, Ky. (Central, 400), 4:00-5:00 p. m., Branch League Orchestra; Strand Theater Orchestra; 7:30-9:00, Hoosier Male Quartette; Reading, An interesting Historical Episode.
WHB, Kansas City, Mo. (Central, 411), 12:35-1:00 p. m., Popular music orchestra; 2:00-3:00, Ladies' hour program, Sweeney Radio Orchestra; Arthur Winters, trumpeter; 7:00-8:00, Program, Kansas City branch of League of American Pen Women, Lenora Anthony, director.
WHK, Cleveland, Ohio (Eastern, 283), 9:00 p. m., Dance program of Cleveland Radio Dealers' Association, Louis Rich and his Orchestra.
WHN, New York, N. Y. (Eastern, 360), 2:15-3:40 p. m., Original Indiana Five; 3:45-4:15, Dinty Moore's Hunter Island Inn Orchestra; 4:30, Rose Wolfe, soprano; 4:45-5:15, Snappy Trio; 5:30, Gene Herber's Orchestra; 11:00-2:00 a. m., Lesa Bickman, soprano; Harry Hock Entertainers; Victor Wilbur, baritone; S. Jay Kauffman and his celebrities; Ross Fowler, baritone; 12:30, Stars from Little Jessie James at Little Theatre.
WIP, Philadelphia, Pa. (Eastern, 509), 1:00 p. m., Gimbel Brothers' Tea Room Orchestra; 6:00, Baseball dope by Monte Gross; 6:05, Jordan-Lewis Dance Orchestra; 7:00, Uncle Wip's bedtime stories.
WIY, New York, N. Y. (Eastern, 495), 7:30 p. m., Ellsworth B. Morse, baritone; Herbert E. Rector, tenor; Fred Hildner, accompanist; 7:30, "Income Taxes," Frank Shevitz; 8:00, Ellsworth B. Morse, baritone; Herbert E. Rector, tenor; 8:15, Frances Kirsch, soprano; 8:30, "Work of the New York Assembly," Hon. Julius Berg; 10:30, John Doherty, baritone.
WJZ, New York, N. Y. (Eastern, 455), 12:10 p. m., 2:00, noon hour of music, Book Presbyterian church; 1:00, Hotel Ambassador Trio; 2:00, New York Board of Education program; 3:00, Hotel Astor organ recital, Leo Riggs; 4:00, Elinor Gunn's fashion talk; 4:10, Vivian Marlowe, soprano; 4:20, Women Lawyers' association; 4:50, Arts and decorations; 5:00, "The Larger Aspect of World Affairs," International Interpreter; 6:15, "Systematic Psychology," Dean James E. Lough; 7:00, Carl Temple's Radio Boxing Lesson for Boys; 7:10, Leonidas Leonard, pianist; 8:00, Mildred Delma, soprano; 9:00, Concert, auspices R. E. Johnston; Carmela Ponsello, soprano; Frederick Gunster, tenor; Edward Tankow, bass; Richard Bach, violinist; 10:30, Dance program, Paul Specht's Alamo Hotel Orchestra.
WMAQ, Chicago, Ill. (Central, 447.5), 2:35 p. m., Concert, Lyon & Healy Recital hall; 4:20, Items of interest to women; 4:30, Pupils, Bush conservatory; 7:00, Weekly "Wide Awake club," Mrs. Frances M. Ford; 7:30, Music memory contest, Mrs. Marx E. Oberdorfer; 8:40, LaSalle Orchestra; 9:15, Musical program, Excelsior Literary Association, of Omaha.
WMC, Memphis, Tenn. (Central, 500), 8:30 p. m., Program, Exchange Club of Memphis, Dr. T. R. Ogden, director; 11:00, Midnight frolic, Charlie McCauley, director.
WOAW, Omaha (Central, 326), 6:30 p. m., Harmo Jazz Orchestra; 9:00, Oakland (Ia.) Band, Joseph D. Andrea, director; Address, Radio, Yesterday, Today and Tomorrow, J. Elden Morgan, of Omaha.
WOC, Davenport, Iowa (Central, 484), 12:00 m., Chimes; 3:30 p. m., "The Peripheral Nerve," R. G. Maybach; 5:45, Chimes; 6:30, Sandman's visit; 7:00, "Art Appreciation," R. J. McKinney; 7:20, Sunday School Lesson, Dr. Frank Willard Court; 8:00, Tri-City Florists Club, Erwin Swindell, director; 9:00, Weekly Tourists' Road Bulletin.
WOO, Philadelphia, Pa. (Eastern, 509), 10:00 a. m., Organ recital, Mary E. Vogt; 12:02 p. m., Wana-

Saturday, April 12

CKAC, Montreal, Can. (Eastern, 425), 7:00 p. m., Kiddle stories in French and English; 7:30, Rex Battle and his Mt. Royal Hotel Orchestra; 8:30, Fench Folklore, Conrad Gauthier, director; 10:30, Joseph C. Smith and his Mt. Royal Hotel Dance Orchestra.
KDKA, E. Pittsburgh, Pa. (Eastern, 326), 12:20 p. m., Lenten services, Trinity Church, Rev. Homer A. Flint; 1:30, Concert, Daugherty's Orchestra; 6:15, Dinner concert, Westinghouse Employees' Band; 7:30, Story, Dr. Frank L. B. 7:45, Last Minute Helps to Teachers of and Second Grade; 8:00, Cammie Campbell, Johnson; 8:00, Feature; 8:15, "More Fish and Better Fishermen," Dr. Charles Reittel; 8:30, Concert, Westinghouse Band.
KFI, Los Angeles, Calif. (Pacific, 469), 6:45-7:30 p. m., Concert of instrumental numbers; 8:00-9:00, Concert program of vocal and instrumental selections; 9:00-10:00, Examiner concert; 10:00-11:00, Concert of instrumental and vocal numbers; 11:00-12:00, Concert presented by Ambassador-Max Fischer's Coconut Grove Orchestra.
KFNF, Shenandoah, Ia. (Central, 266), 7:30-9:00 p. m., Program by employees of Henry Field Seed Co.
KFSG, Los Angeles, Calif. (Pacific, 278), 3:30-4:30 p. m., Concert by members of Children's Church; 7:00-7:30, Children's hour.
KGO, Oakland, Calif. (Pacific, 312), 8:00 p. m., Program, Scripist Club, Scripist quartet; Accordion solo, John L. Zunino; William Edward Johnson, baritone; Mrs. Evelyn Comstock, pianist; Rose Bell, reader; Hawaiian Guitar duets, W. F. Drury and Virgil M. Holden; Irma Randolph, soprano; Address, Mrs. Leola L. Baird, Oakland Realtors Glee Club; Pearl Bateman, saxophonist; Mrs. Howard L. Bacon, contralto; George Mox Ward, baritone; "Women in the Business and Professional World," Violet Richardson; Cantillations, Evelyn A. Roach.
KGV, Portland, Ore. (Pacific, 492), 3:30 p. m., Children's program, story, Aunt Nell; 10:00, Dance music, George Olsen's Metropolitan Orchestra.
KHJ, Los Angeles, Calif. (Pacific, 395), 12:30-1:15 p. m., Concert; 2:30-3:30, Concert program presented through the courtesy of Barker Brothers; 6:45-7:30, Children's program, presenting Helene Pirie, silver-sheet juvenile; Mrs. Norman Hassler, soprano; Bedtime story, "Uncle John"; 8:00-10:00, Program, Mrs. Norman Hassler, soprano; Norma Hassler, baritone; Eleanor Steeth, violinist; Clarence Kellogg, pianist; 10:00-11:00, Art Hickman's Orchestra.
KPO, San Francisco, Calif. (Pacific, 423), 1:00-2:00 p. m., Rudy Seiger's Fairmont Hotel Orchestra; 2:30-3:30, Sgt. Burkhead, bass; J. H. Colet, accompanist; J. H. Colet, pianist; Orrie R. Peterson, banjoist.
KSD, St. Louis, Mo. (Central, 546), 8:30 p. m., Missouri Theater Orchestra concert and specialties.
KYW, Chicago, Ill. (Central, 536), 11:35 a. m., Table talk, Mrs. Anna J. Peterson; 6:45 p. m., Bedtime story, "Walter Wilson, Uncle Bob"; 7:00, Dinner concert, Joska DeBary's Orchestra; Clyde Doerr's Orchestra; 8:00, Ann Kelley, soprano; Starro Chastai, baritone; Lillian Lewis, pianist; Antoinette LeRoux, accompanist; Hammond Troubadours Male Quartet; Mrs. Lillian Mikesch, accompanist; W. Schillo, 1st tenor; L. Otto, 2nd tenor; G. Calder, baritone; R. G. Brush, bass; 9:05, "Safety, First," Elkins; 9:15, "Under the Evening Lamp," Youth's Companion; 10:00-12:00, Late Show, Congress Hotel student orchestra.
WBAP, Fort Worth, Texas (Central, 476), 7:00-7:30 p. m., Review of the Sunday School Lesson and Radio Bible Class, Mrs. W. F. Barnum.
WBAV, Columbus, Ohio (Eastern, 390), 12 m., Piano music, Ha Lorbach Owens.
WBZ, Springfield, Mass. (Eastern, 337), 7:00 p. m., Dinner concert, Hotel Kimball Trio; 7:30, Bedtime story for the Kiddies; 7:40, Concert, Norman Dash, baritone; Mrs. Welton Donovan, soprano; Dudley Chase, tenor; Mrs. Alexander Thomson, contralto.
WCAE, Pittsburgh, Pa. (462), 3:00 p. m., Special musical program, 6:30, Dinner concert from Wm. Penn Hotel; 7:30, Uncle Kaybee; 7:45, Lew Keegan, will sing several late popular numbers, Miss Irene Switzer at the piano; 8:30, Musical program.
WCAL, Northfield, Minn. (Central, 360), 12:00 midnight, Musical program.
WCX, Detroit, Mich. (Eastern, 517), 4:15 p. m., Music; 6:00, Dinner concert, Hotel Tuller.
WDAP, Chicago, Ill. (Central, 360), 7:00-8:30 p. m., Drake Concert Ensemble and Blackstone Quintet; 10:00, Harmony Girls; Bob Brown and his Kalele; Betty Holmes, soprano; Jack Chapman's Orchestra.
WDAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m., Daily Almanac; 12:02 p. m., Organ recital, Stanley Theater; Lenten services; Arcadia Cafe Concert Orchestra; 7:30, Dream Daddy's bedtime stories; Edna Finestone, pianist; 4:30, Dance music hits by Cotton Picker Orchestra; 7:30, Dream Daddy's bedtime stories.

(Continued on page 18)

Saturday, April 12

(Continued from page 17)

WEAF, New York, N. Y. (Eastern, 492), 4:00 p. m., Carolinians Orchestra; 5:00, Viola Sherwood, soprano; 7:00, Rata Present, pianist; 7:30, Janet Bush, flautist; Katherine Pitt Jones, reader, and Mr. Holland, violinist; 9:00, Program by Theta Chi Fraternity from Hotel Astor; 11:00, Vincent Lopez Orchestra.

Sunday, April 13

CKAC, Montreal, Can. (Eastern, 425), 4:30 p. m., Sacred concert.

Where to Hear Dramas

DRAMAS, humorous, serious, musical comedies and even operettas are broadcast during the week and below are the stations and dates.

Tuesday: KGO, "Il Trovatore," WGY, "HMS Pinafore," WGY, Light Opera Company.

Monday, April 14

CKAC, Montreal, Can. (Eastern, 425), 1:45 p. m., Mt. Royal Hotel Classic Orchestra; 4:40, Mt. Royal Hotel Dance Orchestra.

Friday: WCAE, One-act comedy, "Aunt Dinah's Quilting Party"; WDAE, Radio playlet, Walter Greenough and his WDAE Players; WGY, "Pierre of the Plains," WGY Players.


Bonnie Barnhardt's songs and bedtime story; 8:00-9:00, Paraphrase of Atlanta's 1924 Metropolitan Opera season, Signor Emil Volpi's operatic quartet, chorus, soloists; 10:45, Old Wheat Street Baptist Church, colored quartet in darky spirituals; W. W. W. Detroit, Mich. (Eastern, 517), 8:00 a. m., Setting-up exercises, R. J. Horton, Y. M. C. A.; 12:00 m., Edward Barnes, baritone; LeRoy DeTurk, tenor; 3:00 p. m., Detroit Symphony Orchestra; 7:00, News Orchestra; George F. Abbott, tenor; H. Rebitzke, tenor; Judge Victor L. LeBlanc, baritone.

Tuesday, April 15

KFKB, Milford, Kansas (Central, 286), 8:05 p. m., Business Methods in Dairying, Prof. H. W. Cave; 8:08, "Marketing the Egg Crop," Prof. L. F. Payne; Mrs. William T. Miller, vocalist; Jessie Bogie, pianist; Charles Stratton, pianist; Lecture, Dr. J. R. Brindley.

Homemade Electric Soldering Iron

After borrowing my neighbor's soldering iron and blowtorch several times I decided I would not rely so much on his generosity but provide my own means of soldering connections. I procured a transformer whose output was from 14 to 25



put in the handle, then a piece of copper wire was wound around the lead, in a close coil 2 inches from the end. The other end of the wire was attached to one binding post of the transformer. Likewise a piece of copper wire was wrapped around a length of solder wire and the other end of the copper wire was attached to the other side of the transformer. Apply flux to the parts to be soldered, attach the lead from the transformer to the electric light socket and turn on either 14, 16, 20 or 25 volts, and you are ready to solder.

New Simple and Compact Radio Receiving Set

Part I—Ideal Set for the Fan

By H. J. Marx

AMONG that vast multitude of Radio fans there is an ever increasing number who are seeking a hook-up that with the minimum number of parts, will give them good, loud speaker reception for local broadcasting and that at the

Discussion of Circuits
There is no question relative to the efficiency of neutrodyne circuits, likewise no one doubts the economy of reflex circuits. So provided the final circuit doesn't have the numerous tubes of the neutro-

and in addition one two element tube is required. The circuit is equivalent to two stages of tuned Radio frequency, detector and two stages of audio frequency amplification. Only one jack is used for phone and loud speaker connections. This jack at the same time acts as filament control inasmuch as it shuts off the filament current to the amplifier tubes when not plugged in. One rheostat is used for the two amplifier tubes and another for the two element tube. This tube has a separate single dry cell battery which is not connected in the series of voltage for the amplifier tubes, since it was found that this materially cuts down the volume. So the fan may anticipate, if he attempts to use the same battery for lighting the two element tube as for the amplifiers, that the circuit will not deliver the volume that can be expected as when the directions are followed.

Installation Details
In order to make the illustration as complete as possible and to assist those new fans who are somewhat in doubt as to how to connect the set after it's finished, the illustration in Figure 1 presents not only the circuit diagram but also the antenna, ground and battery connections. It will be noted as stated above that a single dry cell is used for lighting the two element tube. A six-volt storage battery is connected for the filament circuit of the two amplifier tubes. The plate batteries consist of three 22½-volt units connected in series, or one 45 and one 22½-volt units, as the case may be. The antenna should consist of a single wire aerial anywhere from 50 to 100 feet in length. A good ground connection is essential.

List of Parts

The table of parts required is given. In the original set the amplifier tubes were of the A type. UV-199's or C-299's can be substituted, if desired. Two audio frequency transformers are necessary but should not have a higher ratio than 5 to 1. The two variable condensers .00025 mfd. capacity should be of the highly efficient
(Continued on page 26)




Figure 1

same time will have the ability to bring in long distance stations although not necessarily with loud speaker volume in every case. The ideal set is one that can be assembled by the fan without the usual complications characteristic of the numerous multitude of hook-ups now available.

dyne and avoids the complex difficulties of the reflex type, then we can anticipate some form of combination of the two ideas. Inasmuch as the neutrodyne is nothing but a development on efficient tuned Radio frequency coupling, this later form was employed. But the question of balancing or neutralizing has been eliminated not only because of the difficulties that fans have found in the compensation of the plate to grid capacities but also because of the rather doubtful value of this feature.

Reflex action is utilized in a more or less simplified form with the total elimination of fixed condensers making use of the internal capacity of the transformer windings acting as by-passes where required. The crystal detectors both fixed and adjustable are not always what they should be whereas the average detector tube would only increase the necessary parts required and complicate the hook-up. So, in their stead a two element tube is used. This eliminates the uncertainty of the action of the crystal detector and at the same time doesn't increase the drain on the batteries to any marked extent.

The circuit used practically coincides with the Harkness which has attained considerable popularity in the East. Two three element amplifier tubes are used,

Parts Required

- Two—Amplifier Tubes
- Two—Sockets
- One—Two Element Tube
- One—Socket for above
- Two A. F. Transformers
- Two—Variable Condensers .00025
- One—Rheostat, 20 Ohms
- One—Rheostat, 6 Ohms
- One—Three Spring Jack
- Seven—Binding Posts
- One—Panel, 7x12x 3/8"
- One—Sub Panel, 7x8x 3/8"
- Two—Brass Angles
- Two—Pieces Tubing 2 1/2" Dia. x 2" Long
- 1/4 Lb. Spool No. 24 Ssc. Wire
- One—Cabinet
- 25 Ft. Lead Wire
- 6 Ft. Spaghetti Tubing


The parts required should be standard and easily assembled by the constructor. The finished set should be as compact as possible so that it can be made portable or will not take up an unnecessary amount of room when hooked up for operation.

The Twitchell Auxiliary Tuner

Patents Pending. Name Registered.

MORE THAN A WAVE TRAP

A TWITCHELL AUXILIARY TUNER connected to any make of tube receiving set will positively cut out any local broadcasting or code stations so you may tune in all long distance stations any time regardless of local conditions.



Unlike any wave trap, THE TWITCHELL AUXILIARY TUNER does not ever decrease but in many cases increases the volume from distant stations.

These TUNERS are in daily use within 400 feet of large broadcasting stations and enable their owners to easily and completely cut out the local station and bring in distant stations at any time on a loud speaker.

This instrument will also enable you to bring in programs sent out on longer waves than you can tune in without it, thus bringing all the broadcasting stations within the wave length range of the many sets of limited range now in use.

Copyrighted diagram of this tuner, 50c, or with all parts, \$9.00. Complete instrument in walnut cabinet, ready to use, \$15.00.

A New and Wonderfully Efficient Coil for the Reinartz circuit for those who want the best. Price \$4.00, or with blueprint for either one or three tubes, \$4.50.

This circuit brings in both coasts loud and clear and is the most successful Reinartz modification yet produced.

All goods prepaid. These instruments are easy to build, easy to operate. Everything clearly shown

1925 WESTERN AVENUE S. A. TWITCHELL MINNEAPOLIS, MINN.


COAST TO COAST

Get Real DX on One Tube with the Genuine

"SHEPCO" "ALL WAVE" JR.

TRADE MARK—PATENTS GRANTED AND PENDING

NON-RADIATING DX COUPLER Combination Flat and Bank Wound



Guaranteed Wave Length
150 to 1,000 Meters
in single circuit
150 to 700 Meters
in triple circuit

Absolute Money-Back Guarantee

At all dealers in Standard Radio parts or sent prepaid on receipt of price. **\$6**

All the SELECTIVITY of TUNED RADIO FREQUENCY at a small fraction of its cost. Eliminates use of all variometers, vario couplers and loading coils. Permits building most efficient, sharp-tuning, loud long distance receiver at lowest cost. May be used in single, double or triple circuit. Guaranteed not to radiate when used in "All Wave" triple circuit furnished with Coupler and to bring in distant stations clear and loud on one tube. Log your stations and get them at the same setting every time. Only one dial to tune.

WALLA WALLA, WASH., TO CONNECTICUT
Mystic, Conn., March 10, 1924.

I am having great luck with the "All Wave" Coupler used in one of the hook-ups that came with it. Here are some of the distant stations I have tuned in: FWX, Cuba; WGF, Des Moines, Ia.; WDAF, Kansas City; KFKX, Hastings, Neb.; WPA, Fort Worth, Tex.; KFCF, Walla Walla, Wash.; KEFW, Towanda, Kan., and many others. Compares with more expensive sets around me.

Lucius Pendleton.


Set of six efficient hook-ups packed in every box or sent on receipt of 10c in stamps to cover cost of mailing.

SHEPARD-POTTER CO.
INCORPORATED
PLATTSBURGH, N. Y.

8 1/2 HOURS ON THE AIR

with two tubes

A Committee in Philadelphia hears 49 stations, from Cuba to Los Angeles, actually sign off.



Price \$5.50

At All Good Dealers

The Special Red and Blue Litzen-dracht Tuner

THE UNCLE SAM Master Tuning COIL DID THE TRICK

This is a calibration of a set submitted to a committee of engineers. Remember, the same stations will be heard at the same points on the condenser night after night. Ask your dealer or write us for free diagram of Ambassador Circuit.

UNCLE SAM ELECTRIC CO.

Plainfield, N. J.

Radio Digest

EVERY WEEK **Illustrated** TEN CENTS
REG. U. S. PAT. OFF. AND DOM. OF CANADA

Published by the Radio Digest Publishing Company, Inc.
123 West Madison Street
Telephone: State 4843, 4844, 4845
Chicago, Illinois

E. C. RAYNER, Publisher

Chas. F. Smisor, Editor Evans E. Plummer, Managing Editor
H. J. Marx, Technical Editor M. W. Thompson, Associate Editor

Eastern Representative, Jacob Miller, Times Bldg., Times Square,
New York; Telephone Bryant 4909, 10462

Member of the Audit Bureau of Circulations

58
PUBLISHED WEEKLY

SUBSCRIPTION RATES

Yearly in U. S. and Possessions and Canada, \$5.00.
Foreign postage, \$1.00 additional. Single copies, 10 cents.

Vol. IX Chicago, Saturday, April 12, 1924 No. 1

About Patent Monopolies They Ask It but Do Not Claim Control

THE editor of the Record, Aledo, Illinois, has penned a few words that are touching in regard to those who would sell us the air within a few weeks if it is possible for them to corral the breeze. He says:

Aesop's fable of 2,500 years ago about the man who took the frozen serpent into his bosom to warm it to life only to be bitten by the riviving reptile is paralleled by the action of the American Telephone and Telegraph Company (the Bell monopoly) in suing under the patent laws to gain control of Radio broadcasting, and, logically, control of the entire industry as well.

Radio lay like the frozen serpent, unprofitable to monopoly, until the hundreds of thousands of Radio enthusiasts had popularized it; but, when the people have nourished the scientific wonder to vast business possibilities, a great corporation, like the serpent, would step in and sting them.

The great telephone monopoly seeks to gain control and then reduce the 500 odd broadcasting stations to 50. Its president says:

"The only body which can legally provide regulation is the congress of the United States. Whenever congress acts we shall gladly accept its regulations. We have no desire to control the air." And he goes on to say that when Radio became popular his company "arranged so that these inventions could become available to the public by purchase of apparatus at reasonable prices."

But lawyers suing for the telephone monopoly under the patent laws are quoted as saying:

"That's what patents are for—to obtain monopolies." The United States patent law was made to encourage invention, not to create monopolies. But when patents are used to breed monopolies to feed on the people that gave these very patent laws, then the servant becomes greater than the master, and it becomes the duty of congress to step in.

Monopoly needs only the entering wedge. Control of broadcasting by the American Telephone and Telegraph company logically would lead to nothing but ultimate control of the entire industry, unless the company that constantly is fighting for increased telephone rates all over the United States is sprouting angelic wings in Radio alone.

Although its president says the telephone company has no desire to control the air, even potential control under the patent laws is too vast a power to give to a corporation with a capital of \$750,000,000 and \$2,000,000,000 of assets. As the newest method of democratic expression, the people cannot afford to give to one company the virtual censorship of its broadcasting.

The whole idea of Radio control is tainted with possibilities of absolutism more vicious than rule of oriental potentate. The absolute monarch's own personality limits his capabilities for good or evil. But in the eyes of science, Radio knows no limit. And knowing no limit, the people cannot afford to see it monopolistically controlled.

Fishing Holds More Interest

Breaking into the Unknown Is Where You Get the Thrills

ONE ardent Radiophan claims that he has but recently heard the latest in Radio—neutrodynes, superhets and all the other hyfaluten sets and claims the whole darn Radio business is becoming too perfected and certain for real enjoyment.

Radio has two classes of followers—masters and fishermen. One gets the sense of power and dominion that comes with exact, certain results. The other is a gambler, subject to the laws of chance, as surely as the angler casting a fly or plug into unknown waters.

Fishing would be a dull pastime if we got a strike every time we tossed a baited hook into the river or lake. There is no fishing thrill like the strike that comes after hours without any results at all. What the sportsman wants to know, in advance, is the size of the fish he has hooked. Land him first, then learn.

Often all of us wish we could know the future—rend the mysterious veil and learn what is in store for us. But how drab and unexciting life would be if the future were not unknown, uncertain and mysterious in its possibilities.

RADIO INDI-GEST

"G-Bye"

Oh Radio! My Radio!
You gotta go. I told you so.
The wimmen just won't lissen where
They can't talk back, so have a care;
The hand that smashed the demijohn
And plucked the apple at the dawn
Now turns "thumbs down" on you and so
You gotta go. You gotta go.
Oh Radio! My Radio!

CACTUS JACK.

Yes, if You Jump off the Woolworth Building

Dear Indi: Being a jeweler, I have noticed that my tweezers often become magnetic. When I throw them to the floor so that their points stick in the wood floor, the magnetism disappears.
Having noted this, I, as a Radiophan wonder why it wouldn't be a good thing for Radio if the idea I am about to propose would work. I am often troubled by body capacity. Now, what I wonder is, if I were to jump on the floor from some height, hitting the floor with my feet first, whether or not this scheme would knock the body capacity out of me?

I. D. CLAIRE.

Dedicated to Doc Marx, Tech. Ed.

Dear Indi: There's Harry Marx, the Radio fiend. In fact he's the worst I've ever seen. Why, he'll take a wire or two you bet, and make a box he calls a Radio set. He'll sit up all night till break of day, listening to what the birdies say.

SIMPSON JINX.

Mrs. Partington Says

Dear Indi: Mrs. Partington says she listens to lots of places none of the Radio maps shows, and the pronouncers are not all Static and Clear like K. D. and K. A. at Mr. Westings House, or Mr. Wm. C. at Memphis, who is alright only too close to the wharf so steamboat whistles bother some.

She heard one pronouncer say he was in Cuba with some twin Cuckoos, and specs if they would own it they had some Cane Juice too. Another one says he is where all the Rivers meets all the Railroads, and one says he is in WATCH-AR State, and he's from Missouri, but she can't show him; others are where the West begins, while another keeps on waving from Lake Erie someplace.

Several places talk in Dago, and there's one foreign place sounds like J-a-w-g-h-y-u-h-h, and she would love to know where it is at. She wants you should have Ran & McNulty get out a newer and correcter map of Radio so listeners can tell who they are listening at.

SIGNING OFF.

The Radiophan's Lament

Since Radio has come to stay, I think I'll buy a set. There are so many kinds I really don't know what to get. Now Brown just bought a Souperdyne, he says it can't be beat. And Jones who has a flookerdyne lives just across the street. The Sockadyne and Bulladyne are two that I could buy. So how in heck am I to know just which one I should try.

Now the Floozee circuit just came out, they say it is a dream. While Cockadoodle claims that he employs the better scheme. There is a circuit called the Flew, still it's not a disease. The man who made it claims that it's the best one if you please. As long as I have got the bug, I will not try to stall. But buy enough accessories to make and try them all.

I hope some day inventors will relieve me of my plight. And not change over circuits in just a single night. These hook-ups drive me nutty. I think and then I purr. I feel just like a squirrel, and believe I'm growing fur. So if they don't stop changing these circuits every day. I'll land right in the "Booby Hatch" and that's where I will stay.

BURT B. BARSOOK.

Puzzle: Find the Customary License

Dear Indi: I submit a problem for Indi-Gest readers: Mr. A bought a dog from Mr. B, paying a dollar for it. Mr. B sold the dog to Mr. A because he (the dog) howls.

Now since the transaction Mr. B has been trying to make Mr. A pay him another dollar because other people (C, D, E, etc.) hear the dog howl.

Problem: Find out if Mr. B is related to the American Sissity of Composers, Ink-Slingers and Tin Pan Alleyites, or might it be that he is the secret agent of the Amer-Ash-Can Telefunny company. If not, why don't he join?

INS. U. LATION.

We Award You the Porcelain Switch Point

Dear Indi: Have heard enough of these long distance records from these "armature" braggers. I've a real one. I just let the waves keep wasting their way encircling the globe until I get ready to pick them up, probably a month or two later. Then I tune in and get any program I want to hear for that time back. Do I win?

BLEW A. BOTTLE.


How'll Soozzee Do, Noa?

Indi, darling: "Can I cook?" You bet I can! Strawberry shortcake and everything, Yum, yum! The important question is not, "Can I cook?" but "WILL I COOK?" I simply MUST see Noa's photograph before answering. Isn't it dear of Noa to offer the EXCLUSIVE use of his receiving set on Sunday nights? Of course the other six nights I wouldn't want it *exclusively*. An hour or two each evening while he washed the dishes and vacuum cleaned the ark would be enough for

UNSELFISH SOOZZEE.

P. S. Confidential. Indi, be a dear, and tell me if Mama H. is my only rival. Pleeze, Indi. (No, Soozzee, we've received tons of mail for him in feminine handwriting.—Indi.)

"King Telephone" Holds Court



Condensed

By DIELECTRIC

Whenever we suffer a severe snow or sleet storm the blessings of Radiophony are emphasized. With telephone wires down and the telegraph lines unable to function, trade and traffic are paralyzed—unless we have access to a broadcasting plant. In case of another serious winter storm in the vicinity of Chicago local broadcasters are organized to transmit train dispatchers' orders, so as to facilitate the movement of all railway carriers. Outside news may reach isolated sections and they in turn broadcast conditions, by the aid of Radiophony.

It begins to look as if the plan to have a "few" broadcasting stations serve the entire Radio public in this country was on the way to realization. At least, this may happen unless something can be done about it. With the recent move on the part of the A. T. & T. Co. in mind, we listeners should begin to sit up and take notice. Are all set owners satisfied to tune only to a limited few stations and accept what they may choose to offer? Requests for financial support of the Music Fund have already started some to thinking. Pay as you hear. Yes?

The subject of a universal language for use in broadcasting has occupied the attention of many interested in international communication by Radiophony. It is still being discussed. Just now I believe Esperanto to be the only language actually employed in this manner. A recent adoption of Esperanto for conveying speech intelligible to other nationals was that by the Czecho-Slovakian Radio service, when M. Pitlik, Minister of Commerce, spoke in the language. Perhaps we will have reports on the number of listeners in who understood him.

In New York city, as nowhere else in the world, the public school system is being brought to the attention of its citizens through Radio broadcasting. Station WJZ is employed in giving to all listeners opportunities of hearing pupils go through their class room work, which educates the public to appreciate what is being undertaken for the welfare of their children. Superintendents of the various departments of the Board of Education take this means of acquainting the public with their aims and methods. It is a timely and commendable innovation.

Mr. Sarnoff, vice-president of the R. C. A., while addressing the conference in Washington on Radio control, suggested that the day was coming when all radiating receiving sets would be under a ban. No set capable of creating interference could be sold. Why wait? Many manufacturers have recognized the sales value of non-radiating sets with the result that this feature stands out in their advertising. You, the public, are coming to demand that your set shall not be a public nuisance, nor the one your neighbor buys. The thing will right itself.

Pathologists have affirmed the usefulness of Radio in certain forms of disease, such as tuberculosis, neurasthenia and some others, but nowhere have I seen prescribed the proper form of Radio entertainment for those suffering a nerve breakdown due to spending too many late night sessions at the dials. A United States army captain wandered from Fort Omaha to Fort Ontario while suffering from aphasia, and his wife explains the case by attributing to him such a passion for Radio as caused him to neglect sleep. When will the million others collapse?

What's Wrong with Your Receiving Set?

(Continued from page 11)

it will work best. In other words, the transformer will be more efficient at the frequency to which it is nearest in resonance than it will at any of the other frequencies it passes. Hence, there will be a gradual decrease in signal strength as soon as station wave lengths on either side of this resonance point are tuned in. Using taps on the transformer windings to regulate the peak will not remedy matters to any great extent, because the resulting dead end losses may be disadvantageous to DX reception.

Tuned Radio Frequency Amplification

This leads to the most satisfactory method of accomplishing these results, namely, "tuned" Radio frequency amplification, a typical hook-up being given in Figure 3. With such a system, each of the circuits can be tuned into resonance with the wave being received. Thus there is obtained not only the maximum possible amount of amplification, but also the maximum energy transfer between stages, and

at first be supposed. If the receiver will not work exactly as desired, it is only necessary to do a little tuning with the transformers to bring them up to the proper position of resonance.

Weak Signals Strengthened

It will be well to remember that unless the incoming signals are strong enough to work the detector alone, no amount of audio frequency amplification will enable the listener to hear them. If, however, Radio frequency amplification is applied, weak signals will be amplified to sufficient strength before reaching the detector tube. Thus, the Radio frequency transformer and amplifier perform their functions before the detector tube gets to work. The signals conducted to the detector are at Radio frequency, and by doing this it is possible to tune in a station whose signal may be so weak that it would not work the detector alone. By passing such a signal through several stages of Radio amplification, it may be possible to make it sufficiently strong for the detector to perform its function so that the audio




Figure 4

the greatest selectivity. By tuning these transformers, signals can be obtained at the height of their intensity, which is more than can be secured with the straight transformer coupled type. Tuning in this way also eliminates the dead end loss present in the tapped variety of transformer.

Transformers used for tuned Radio amplification may be made from a regular variometer with its rotor and stator windings separate. There is thus supplied a regular transformer with the rotor as primary and the stator as secondary. By revolving the rotor within the stator, the characteristics of the transformer are so changed that it may be tuned as desired. A small variable condenser connected across the rotor or primary winding will be found of great assistance in tuning and will make possible the fine variations in adjustment, which it is difficult to secure with the straight tuning of the Radio frequency transformer.

Employment of tuned Radio amplification, in which each stage will have to be tuned separately, results in more controls to manipulate. However, this control complication is compensated in some degree by the good results obtained with this type of amplification. A little experience with the various controls will demonstrate that the operations involved are not as complex or difficult as would

amplifiers will be able to perform their duties.

The addition of fixed Radio frequency amplification, while making the weak signals louder, also brings with them a multitude of whistles and squeals. Whenever the antenna tuning dial is moved such noises will be heard, each representing some station whose carrier wave has been amplified until it is of sufficient strength to cause the detector to function. Stations which are normally beyond range can thus easily be brought in by using Radio frequency amplification. With the tuned variety of Radio amplification most of these bothersome whistling noises may be eliminated, because the circuits are tuned into resonance with only the wave it is desired to receive. It is in this way that maximum selectivity is obtained. Each stage is so tuned as to allow only those waves to pass through that are in exact resonance.

Control Adjustments

The interstage coupling of a Radio frequency amplifier may be made simple or complicated as best suits the fancy of the builder. Obviously, the more control adjustments employed in tuning between stages, the more accurate it will be, although such fine adjustments call for very delicate manipulation. Figure 4 illustrates a tuned Radio amplification hook-up, employing ordinary variometers for coupling between stages. Variometers de-

signed to cover the range of broadcasting wave lengths should be used for this purpose.

Referring to Figure 4, it will be observed that the plate battery is connected to one coil of the variometer and not directly to the grid terminal of the vacuum tube. If the latter connection were made, the entire potential of the B battery would be impressed across the filament and grid of the succeeding vacuum tube. With such a connection, the tube would cease to function. A fixed bypass condenser connected in the grid circuit as shown in the illustration, will allow the Radio frequency currents to pass and will prevent the current from the plate battery from reaching the grid circuit.

Perhaps, the greatest advantage offered by tuned Radio frequency amplification lies in the fact that each dial used for interstage coupling can be calibrated for wave length settings. This holds true, not only for the modified variometer coupling shown in Figure 3, but also for the straight variometer interstage coupling illustrated in Figure 4. Obviously the relative position of the dial on the shaft and the rotor of the device must remain unchanged.

In the preliminary tuning, the dials are adjusted so as to bring in certain stations operating on definite wave lengths. The readings of the dials are then recorded for future reference, or the settings for a number of stations are plotted on a curve sheet, with the dial setting as abscissa and the wave length as ordinate. This so-called "graphical selectivity" makes the operation of a tuned Radio frequency receiver almost an automatic procedure, once the calibration charts for the various tuning dials have been made. It is only necessary in most cases to set the coupling dials in their recorded positions and effect the requisite fine tuning in the antenna circuit.

This discussion of tuned Radio amplification and its method of tuning leads us directly to the so-called neutrodyne circuit, which is simply a refined adaptation of that type of Radio frequency amplification. The succeeding article will take up in more detail, Professor Hazeltine's remarkable development.

(TO BE CONTINUED.)

In most cases it is not practical to use three stages of audio frequency amplification.

Steinite Gives Distance On Crystal Sets!

Steinite Laboratories, Kansas City, Kans., Jan. 22, 1924. Atchison, Kansas.

My Sister-in-law, Leavenworth, Kans., wrote me:

"My nephew was listening on Radio when the announcer said this is WDAP, Chicago. The kid nearly had a fit. While listening to the second selection another voice was heard and we tuned that station, KDKA, Pittsburgh. The next night we received KFKY, Hastings, Nebr., and WQAW, Omaha. The next night we picked up WAAD, Cincinnati, and WLAZ, Warren, Ohio."

For those who doubt reception of long distance, this set was located about two miles from center of town and there isn't any kind of a Radio within a radius of one mile of this set.

J. J. Appleton

Manufacturers of the Famous Stein \$10 Tube Sets, Long Distance Crystal Sets \$5, Stein Wave Trap \$5, and Stein Two Stage Amplifier \$12.50. FREE descriptive literature on request.

These two big Atchison banks will testify to my reliability: Exchange National Bank, Atchison Savings Bank. Don't delay the radio treat in store for you. Order Three STEINITE crystals today—NOW. None genuine without letter S stamped on side.

STEINITE LABORATORIES Dept. 9, Radio Bldg., ATCHISON, KANSAS.

RESULTS truly amazing. Everyone astonished by STEINITE.

R. A. Cozard, Jr., K. C., Mo., says: "I got Dallas, Chicago, Schenectady, Pittsburgh and Cleveland. H. Harryman, Opdyde, Ill., says: "I have heard 26 stations; most distant KDKA—WSB—WQAW—WQAF and WGY, Schenectady, 825 mi." A. C. Daly, Memphis, Tenn., says: "I tuned in on Omaha, Dallas, Jefferson City, Mo." H. Lapsley, Council Bluffs, Ia., says: "The second night I got KDKA, E. Pittsburgh."

You can't doubt your own ears. Listen in on STEINITE at my risk. Read my guarantee and offer—then act.

Introductory Price

NOW 50¢ Each SPECIAL 3 for \$1.00

STEINITE is no ordinary crystal. It's an entirely new discovery. Opens up new possibilities for crystal set receivers. STEINITE CRYSTALS are being imitated. None Genuine Unless Stamped

My Money-Back GUARANTEE

I unreservedly guarantee STEINITE to give you better results than you ever thought possible on your crystal set, and if you are not surprised and more than pleased I will send back your money without any question.

STEINITE LABORATORIES Dept. 9, Radio Bldg., ATCHISON, KANSAS.

Standard Merchandise Only	S. HAMMER RADIO CO. 303 Atkins Ave. Dept. D. Brooklyn, N. Y.	Anything and Everything in Radio
A New Simple Way to Build a Neutrodyne Set		
We give you the entire set completely wired in a Genuine Mahogany Cabinet, with the exception of the Neutroformers and Neutrotrons, which we supply and you mount yourself, for the \$55.00 low price of.....		
ABSOLUTELY GUARANTEED		
\$80 Freed-Eisemann Parts for 5 Tube Neutrodyne Set. K. D. 50..... \$65.00 None Shipped C. O. D.	A 5 TUBE NEUTRODYNE Set, wired complete in a Mahogany Cabinet with Genuine Fada Parts..... \$85.00	EXTRA SPECIAL!!!! \$120 Fada 4 Tube Neutrodyne Set No. 180... \$95.00 None Shipped C. O. D.
PHONES \$ 5.00 Turney, 3000 ohms... 2.75 12.00 Western Electric... 8.75 3.00 Brandes Superior... 4.75 12.00 Baldwin Type C... 7.95 7.00 Federal Type C... 4.85 8.50 N. & K. Phones, D... 6.15 5.50 Stromberg Carlson... 4.50 12.00 Dr. Seibt 6000 ohms... 5.75	4 CIRCUIT TUNER Complete parts for the improved Cockaday 4 Circuit Tuner, exactly as specified by M. F. Cockaday..... \$55.00	DIALS AND SOCKETS 3" Amsco Bakelite..... .45 4" Amsco Bakelite..... .50 Bell Socket..... .85 Malco Socket..... .80 Bakelite Socket..... .45 Chelton Socket..... .65
RHEOSTATS 1.00 Fada 30 ohm..... .90 1.50 Federal 25 ohm..... 1.25 1.00 Amsco 6 ohm..... .85 1.25 Amsco 20 ohm..... 1.00 1.30 Amsco 30 ohm..... 1.10 1.50 Cutler Hammer 6 ohm Ver..... 1.15 1.50 Cutler Hammer 30 ohm Pl..... 1.15 .80 Klossner 6 or 30 ohm..... .80 1.00 Pacent 6, 20 or 30 ohm..... .90 2.00 Filkostat..... 1.85 1.85 Bradley-Stat..... 1.70 1.85 Bradleyleak..... 1.70	VARIABLE CONDENSERS 11-PLATE \$2.00 Signal or U. S. L..... \$1.40 1.80 Amsco..... 1.30 23-PLATE 2.50 Signal or U. S. L..... 1.60 2.20 17-Pl. Amsco..... 1.65 2.50 Amsco..... 1.95 43-PLATE 2.75 Signal or U. S. L..... 1.65 3.50 Amsco..... 2.75	TRANSFORMERS 7.00 Federal No. 65..... 5.35 5.00 Acme..... 3.85 5.00 All-American..... 3.85 7.00 Amertran..... 5.60 4.50 Thordarson..... 3.75 12.50 Como Duplex..... 10.00 12.50 Modern Push-Pull..... 10.50 5.00 Eria..... 4.25 12.00 All American P. F..... 10.00 4.00 Duratran R. F..... 3.35 5.00 General Radio..... 4.35
LOUD SPEAKERS 30.00 Music Master..... 24.00 35.00 Magnavox..... 29.00 36.00 Radiola, F. H..... 30.00 16.00 Brandes Table Talker..... 8.50 Baldwin Unit..... 4.65 Amer. Radiophone Unit..... 3.95 Geraco Music Master Unit..... 9.00	VERNIER CONDENSERS 11-PLATE 6.00 Hammarlund..... 4.95 4.50 U. S. Tool..... 3.50 4.50 U. S. L..... 3.10 4.00 Amsco..... 2.95 23-PLATE 6.50 Hammarlund..... 5.65 5.00 U. S. Tool..... 3.60 5.00 U. S. L..... 3.45 4.50 Amsco..... 3.35 43-PLATE 5.50 Hammarlund..... 6.25 5.50 U. S. Tool..... 4.05 5.00 Amsco..... 3.95 4.50 Amsco 17-Pl..... 3.35	POTENTIOMETERS 1.25 Pacent..... 1.10 1.50 Amsco..... 1.25 1.50 Cutler Hammer..... 1.15 1.50 Klossner..... 1.25
JACKS AND PLUGS Pacent Double Jack..... .70 Pacent Single Jack..... .60 Federal Single Jack..... .65	MISCELLANEOUS Fathé Phusiformers..... 7.95 Ambassador Coils..... 5.25 Cockaday Coils, Precision..... 4.50 Cockaday Coils, Eastern..... 3.35 AMPLEX GRID DENSER..... 1.10 Lavite Resistances, 48,000 ohms, genuine..... 1.10 \$2.00 Reinartz Coil..... 1.40 Eria Crystals..... .80 Brach Lightning Arresters..... 1.75	
ALL MAIL ORDERS SHIPPED PROMPTLY. Orders over \$5.00 will be shipped prepaid. Money orders or C. O. D. Not insured unless insurance charges included. Write for Price List.		

At Last! A Real SILENT-Super BATTERY CHARGER

At a Price Every Fan Can Afford ONLY **\$10.50** AT YOUR DEALER'S or Postpaid on Receipt of Price.

The "Acme" Battery Charger contains no bulbs, no glass, no contacts, no moving parts. It never needs adjustment, is fool-proof, silent and practically indestructible. Charges both "A" and "B" Batteries properly without over-heating or over-charging. Stops charging automatically when your battery reaches full strength. Simple and efficient—absolutely the last word in battery charging.

CHARGES BOTH "A" and "B" at 3 to 5 Amperes STORAGE BATTERIES

FULLY GUARANTEED





ACME ENGINEERING CO.

DEPT. 4 LOUISVILLE, KY.

THIRTY MINUTE A-B-C


(Continued from page 13)

inductance it has, so you will see that in a sense inductance is a length dimension. When current is sent through a wire as illustrated in Figure 21, a circular field of force is set up around the




wire. If a fluctuating or alternating current supply is used, a similar field is set up. The distance at which such a field can be detected depends on the power used. The field set up by an ordinary low frequency power line can be detected vigorously up to, say 100 feet from the wire, but if the wire were carrying high or Radio frequency current, the field set up could be detected much further.


If a Radio current, Figure 22, is carried by a wire, a rapid Radio field is set up around the wire. If the wire is ar-



ranged as an aerial, part of this field will be thrown off as waves. Inductance is practically never found



without a condenser effect termed capacity. Two pieces of metal separated, form a condenser, as illustrated by figure 23. These two pieces of metal could be two



wires as in Figure 24. The two wires might even be two successive turns of a coil, to form a very tiny condenser. Any

such condenser acts as a temporary storage package or little tank for electrons.

Condenser Effects in Coils

A coil, as in Figure 26, acts at Radio frequencies as though it had a number of tiny condensers connected. This is spoken of as the capacity effect of the coil. In Radio apparatus using coupling coils there is also a capacity effect between coils. This is shown in Figure 27. For instance, there is a marked capacity effect between the primary and secondary windings of most transformers used in Radio sets.


The single layer coil, Figure 28, is popular in Radio receivers because it is simple

to make. It has a very small capacity effect. When two or more layers are wound, Figure 29, there is a large jump in the capacity effect. Capacity effects are usually not wanted in Radio inductances so various special forms are made to reduce capacity. Thus, Figure 30, one turn is wound on so that it will not be in direct contact with the next turn. There are various windings called honeycomb, basket ball, sine, curkoid, etc., designed to minimize capacity effects.

Figure 35 shows a honeycomb coil. A similar coil called D. L. or duo-lateral, alternates the spacing of successive lay- (Continued on page 24)

STA-RITE RADIO BATTERIES SAVE YOU 60%

And Guarantee You in Writing 2 Years of Better Battery Performance STA-RITE RADIO BATTERIES are made especially for Radio and the big saving is made possible by coming direct to you instead of thru distributors, dealers, etc. Boxes are made of oak, finished in mahogany and the plates very thick and will give a steady discharge over a long period. No premiums, just good, honest battery value.



TRY TO BEAT THESE PRICES

2 Volt for W. D. 11 and 12	\$4.00	6 Volt 60 Amphr.	\$ 7.50
4 Volt for U. V. 199 Tubes	7.00	6 Volt 80 "	8.50
RADIO B. STORAGE Glass Jars, Heavy Plates— Case of 12 Cells, 24 V.	4.90	6 Volt 100 "	10.00
		6 Volt 120 "	12.10
		6 Volt 150 "	14.00
		6 Volt 200 "	17.00

Get Yours Today—NOW—Send No Money

The batteries are fully guaranteed in writing and shipped subject to examination on the day your order is received. You pay on delivery or deduct 5 per cent if full cash accompanies order. You may deduct 10 per cent if two or more are ordered at one time.

STA-RITE BATTERY CO.

Department 5

LOUISVILLE, KY.

CROSLY
for the Radio World

New Two Tube Set at **\$18.50**
REGENERATIVE

THE most astounding value ever offered in radio—a new two-tube receiver, Crosley Model 51, consisting of Armstrong regenerative detector and one stage of audio frequency Amplification. Licensed under Armstrong U. S. Patent No. 1,113,149.

This wonderful set gives loud speaker volume on local stations at all times and on distant stations under fair receiving conditions. Otherwise head phones should be used for distant reception.

Be sure to see this receiver.

For Sale by Good Dealers Everywhere. Free Catalog Sent on Request

The Crosley Radio Corporation
Powel Crosley, Jr., President

Formerly
The Precision Equipment Company
and Crosley Manufacturing Company

4492 Alfred Street, CINCINNATI, O.

Approved!

P-300 VARIOCOUPLER
\$4.75 Post Paid or at your dealer's

P-301 VARIOMETER
\$5.00 Post Paid or at your dealer's

CERTIFIED RADIO APPARATUS
TESTED AND APPROVED BY TUNER RADIO

Standard or U. V. 199 Base

APPROVED RADIO NEWS LABORATORIES 1922

50¢ AT YOUR DEALER
WALNART TUBE SOCKETS

Adopted by leading radio set manufacturers. Dependable in all circuits.

Can be mounted on panel or base board (packed complete with mounting screws).

Electrically Right
Strongly Constructed
(Non-breakable)
Perfectly Insulated Thruout
Fits Into Small Space

Continental White Horn Fibre—the positive dielectric insulation is used in these sockets

Ask to see the Walnart Line of Quality Radi. Products
Send for illustrated folder complete line
Jobbers—Dealers—Manufacturers
Write for Discounts

WALNART ELECTRIC MFG. CO
Dept. 430, 1249 W. Van Buren St., Chicago

Pfanstiehl Universal Tuning Units

Everybody is trying this new achievement in the efficiency of tuning.

P-300 VARIOCOUPLER
\$4.75 Post Paid or at your dealer's

P-301 VARIOMETER
\$5.00 Post Paid or at your dealer's

Try this in Pfanstiehl's Efficiency Hook-up, enclosed with Unit.

This Variometer (connected so as to buck) is a bear-cat for selectivity in Hagerman Universal Circuit.

Pfanstiehl Silencer

Traps enemy wave and silences undesired stations. Satisfaction guaranteed.
\$8.00 post paid

PANSTIEHL RADIO SERVICE COMPANY
Manufacturers
HIGHLAND PARK, ILL.

Coto
"Built First to Last"

Detector and One Stage on Panel Only 4x8 Inches

Coto Compact Variocoupler operates splendidly with series condenser in standard circuits and standard sized sets.

But what a portable set you can build for spring and summer use! Just cut a piece of paper 4x8 inches. That's the size of a set that will get real D. X. with plenty of volume.

If your dealer fails you write us, giving his name and address and list of Coto parts you need.

COTO-COIL CO.
87 Willard Ave., Providence, R. I.

BRANCH OFFICES: Los Angeles, 329 Union League Bldg.; Minneapolis, Geo. F. Darling, 705 Plymouth Bldg.; Atlanta, C. P. Atkinson, Atlanta Tr. Co. Bldg.; Canada, Perkins Elect. Co., Ltd., Montreal, Toronto, Winnipeg.

Re-Radiation Interference with Radio Reception

Single-Circuit as Well as Two-Circuit Sets Offenders

By S. M. Kinter

INTERFERENCE, its causes and results, is now a most popular topic of conversation among Radiophans. Interference from one cause or another has been experienced by every Radiophan, but few of them know the real reason for this trouble and how to take measures that will assist in reducing it.

These interferences are caused by: Another broadcast transmitting station so close or so powerful as to make it difficult to "tune out"; another transmitting station operating on a wave length so near to the one being received as to cause interfering beats at a beat frequency which is sufficiently low to bring it within the audible range; a nearby amateur transmitting station operating on a spark set, or an A. C. tube set; atmospheric disturbances, called "static" and particularly apt to be present during the summer months, and the interference caused by "birdies" so-called on account of their supposedly bird character of sound. While there are times when quick "tweet" sounds may be heard, I have always thought that the "howling of winter winds" or the "wail of lost souls" was more truly descriptive of the sensations produced by this type of interference.

Tuning Interference

As "birdies" is the interference produced by one listener with another I will direct your attention to it in order that you may better understand the cause of it and adopt a plan of tuning which will cause you to interfere with your neighbor as little as possible. Remember that a Radio listener tuning in late on a program can be just as much of an annoyance to those near him as can one arriving late at the theater in the middle of an act, carelessly stumbling over things and making a lot of unnecessary noises while finding his seat.

An antenna at a receiving station re-

radiates a certain part of what it picks up. This is true, in varying degrees, of all such antenna. When, however, one permits their detecting tube to oscillate, which is done by too much tickler, the radiating tendencies of their antenna are increased many fold. When the tube is oscillating the receiving station becomes a transmitting station, sending out waves of frequency at which the tube is oscillating.

Tube Oscillation

As the tube oscillation frequency is controlled by the tuning of the set, it is apparent that when the tuning of the set is changed while the tube is oscillating, the radiations sweep over that band of waves just like the note of a siren is changed as its speed is altered.

This sweeping across a wave to which someone else may be listening causes this kind of interference with them, if they are within about a mile of the offending party. In the majority of instances the operator of such a set is unaware that he or she is causing such disturbance.

It is hard to believe that anyone would knowingly drag across the various wave bands to find the beat of the carrier wave of the desired station any more than one would drag their arm over the heads of the occupants of seats in a theater in order to more easily find an empty one. Each act is equally rude, although the Radio tuner may for a time be excused on the score of ignorance.

The care that need be exercised in tuning to avoid annoying your neighbors depends upon where you live. If you are in the country where Radio receiving sets are miles apart, little or no thought need be given to this as a possible cause of interference with some one else. If, however, you are in a city where there are many Radio receiving sets near you, you should, as an act of courtesy and consid-

eration, use every care against tuning while your tube is oscillating.

Two Things Necessary in Tuning

You will want to know two things in your efforts to carry out such a plan of tuning: How to know when your tube is oscillating and how to find the distant station. This whole practice is associated only with hunting such, without the tube oscillating.

You can always tell when your tube is oscillating by a peculiar change that takes place at the beginning of oscillations. There is a slight swish or rustle as the tickler reaches the oscillation position, and it should be backed slightly below this point.

Your search for the distant station should always be made with the tube near to, but always below, the oscillating point and the tuning can then be done with no inconvenience to anyone. You will recognize the distant station by the sounds of the music or speech, if in operation, or by a slight noise of the transmitter if you chance to hunt it during a quiet period but with the normal antenna radiations unmodulated going out.

Two-Circuit Sets Not Immune

There is a mistaken popular impression that the single-circuit sets are the real offenders in this trouble and that sets having two circuits are immune from it. Such is not the case, as repeated tests have shown. A two-circuit receiving set with the tube oscillating in the second circuit, when properly adjusted to receive the maximum strength of signals, will act as a radiator of signals to just the

same extent as the single-circuit set. That such a condition should be expected, is apparent when we remember that the largest and most powerful transmitting sets are constructed with two circuits arranged in exactly that manner.

The advantage of regeneration in the antenna is very great in attaining distance and, if kept below the oscillating point of the tube, causes no disadvantage to others.

The British broadcasting service was started with a strict prohibition of regeneration, but it was soon found that this imposed a hardship that was unnecessary and at present regeneration below the oscillating point is permitted.

The particular point that I desire to make, is that the practice of hunting a distant station with the tube oscillating is impolite and that there is no difference in this respect, between a single and a two-circuit set.


Inefficient Tube Sockets

Beware of the tube socket with no name on it. With some of the low price receptacles, the resistance between the grid and the filament connection posts has been measured and found to be as low as .5 megohm. The leakage through such a socket quite often makes a set inoperative.

World's Biggest Battery Bargain

FREE **HYDROMETER AND 45 VOLT "B" BATTERY** **FREE**

Guaranteed in Writing for 2 YEARS



Thousands of Radio Digest readers will profit by this amazing offer. They will buy the famous 2-year guaranteed World Battery at the lowest price ever quoted. They will get their choice of a hydrometer and a 45-volt "B" battery FREE. And they get the best battery built, with 2-year iron-clad guarantee.

Quality Not Cut to Maintain Price

Special 200-hour Re-chargeable Storage Batteries	
2 Volt for WD-11 and 12 Tubes.....	\$ 5.00
4 Volt for UV-199 Tubes.....	8.00
6 Volt 60 Amp.....	8.50
8 Volt 80 Amp.....	10.00
6 Volt 100 Amp.....	12.50
6 Volt 120 Amp.....	14.50
6 Volt 140 Amp.....	16.00

5% Discount for Cash with Order. SEND NO MONEY.

Just clip this ad and mail with your name and address. Shipment made same day order is received. When battery arrives, inspect it. Read our 2-year guarantee before paying C. O. D. express charges. Get the 45-volt "B" Battery and Hydrometer FREE. Clip the ad and send your order NOW.

WORLD BATTERY CO., DEPT. L, 60 E. Roosevelt Rd., Chicago, Ill.

World Send Your Order Today

Now you can UNDERSTAND RADIO!

Take the mystery out of it—build and repair sets—explain the vacuum tube—operate a transmitter—be a radio expert!



1 VOLUME 514 PAGES

Compiled by HARRY F. DART E.E.

Formerly with the Western Electric Co., and U. S. Army Instructor of Radio.

Technically Edited by F. H. Doane 40,000 ALREADY SOLD

This practical and authoritative Handbook is considered the biggest dollar's worth in radio to-day. Over 40,000 homes rely on the I. C. S. Radio Handbook to take the mystery out of radio. Why experiment in the dark when you can quickly learn the things that insure success? Hundreds of illustrations and diagrams explain everything so you can get the most out of whatever receiver you build or buy.

It contains: Electrical terms and circuits, antennas, batteries, generators and motors, electron (vacuum) tubes, many receiving hook-ups, radio and audio frequency amplification, broadcast and commercial transmitters and receivers, wave meters, super-regeneration, codes, license rules. Many other features.

A practical book. Written and edited by experienced engineers, in plain language. Something useful on every one of its 514 pages. The authority that covers every phase of radio, all under one cover in one book for one dollar. Don't spend another cent for parts, turn a dial or touch a tool until you have mailed \$1 for this I. C. S. Radio Handbook.

Send \$1 at once and get this 514-page I.C.S. Radio Handbook—the biggest value in radio to-day. Money back if not satisfied.

TEAR OUT HERE

INTERNATIONAL CORRESPONDENCE SCHOOLS
Box 8279-G, Scranton, Penna.

I enclose One Dollar. Please send me—post-paid—the 514-page I. C. S. Radio Handbook. It is understood that if I am not entirely satisfied I may return this book within five days and you will refund my money.

Name.....
Address.....




Chart the air with SHAMROCKS

How one fan did it

SOME broadcast listeners grope in the dark not knowing what is coming. Others have their entertainment thrust upon them. But I can get Cuba, Montreal and other outlying stations—from my chart which I have made with my Shamrock set. And my chart is as accurate as a ship's log—I know exactly where to get every station.

Anybody can build this set with the Shamrock kit. It gives you 3000 mile reception on a loud speaker—and permits you to log every station. The kit contains two Shamrock balancing condensers—and three Shamrock air core transformers, mounted and properly balanced on U. S. Tool condensers, made expressly for Shamrock.

Inspect this kit at your dealer's today. If he hasn't it in stock, send us the coupon below.

Kit, list price \$20
SHAMROCK MANUFACTURING CO.
Dept. 23, Market St. Newark, N. J.



SHAMROCK MFG. CO.
Dept. 23, Market St., Newark, N. J.

Gentlemen: Send me detailed information on the Shamrock Kit.

Name

Address

Dealer's Name

The Scientific

WEIGHS ONLY 8 OZ. A \$200,000.00 COMPANY stands squarely back of the guarantee on every Scientific headset

SEND NO MONEY!

20,000 TURNS EQUIVALENT TO 3,000 OHMS

Order TODAY by Postcard and Pay Postman on arrival

LOUD SPEAKER UNIT \$1.95

POST-PAID

\$2.95

THE PHONE IT TOOK A SOLID YEAR TO DESIGN

We Guarantee The Scientific Headset to be the greatest value on the market. Try it for five days. If not satisfactory send it back and your money will be refunded immediately. Circular on request. Dealers wanted.

THE SCIENTIFIC ELECTRIC WORKS
98 Brookline Ave. DEPT. W. BOSTON, MASS.
Agents for New York and Vicinity—AMBASSADOR SALES CO.,
74 Cortlandt St., Phone Cortlandt 6296


THIRTY MINUTE A-B-C

(Continued from page 22)

ers. An easily constructed coil is the spiderweb, Figure 32. It is wound on a disc with an odd number of slots. Successive turns come on opposite sides of the disc.

Variometer and Variocoupler

A variometer is a name for two coupled



CROSS SECTION OF WIRE. HIGH FREQUENCY CURRENT CROWDS TO OUTSIDE OF WIRE. FIGURE 37

coils which are connected together. The inductance is varied by turning one coil with respect to the other so that the fields of each coil aid or oppose. Variometers find much use in so-called regenerative sets which require a variable inductance. A variocoupler is much the same but has two windings separate for use in different circuits. Such circuits are said to be coupled magnetically, and dials are arranged to adjust the position of one coil with respect to another. A split variometer is simply one in which a tap is taken out between the two coils.

The coupled coils, Figure 35, form an air core transformer. Such transformers




FIGURE 38

are used for connecting Radio amplifiers. The coupling is said to be close or tight if the two coils are close together, and loose or weak if the fields of the two coils are much separated. Transformers for audio frequency currents usually are wound on iron cores. This is done to in-

crease the inductance as the presence of iron increases the magnetic field concentration set up by the current in the windings. This increase is very considerable. In order that the iron itself may not act as a coil of wire and absorb current by induction, the iron used is made up in thin sheets or laminations which are cut as little as possible by the field, and alloys such as silicon steel are much employed to further reduce the current which can be set up in the core itself. In Radio transformers, powdered iron or tissue thin sheets must be used if iron is to have any effect at Radio frequencies, as desired.

High Frequency Current on a Wire

Whereas direct or low frequency current goes through a wire by pushing the electrons instantly, a high or Radio frequency current does not go through the whole wire but only the outside shell of it. As fast as the high frequency starts through the wire it is pushed out again,




FIGURE 39

so must flow at the surface layer. This is clearly shown in Figure 37.

Parallel wires act much like coupled coils, in that a current in one wire, Figure 38, sets up a current in the other. Sometimes nearby electric wires induce steady or momentary interference or transient currents in Radio apparatus, and that is why listeners can hear power line hum, signal buzzers, elevators motors, etc., in some localities. When the two wires cross at right angles as in Figure 30, the effect is minimized and that is why it is well to locate an aerial on this principle where possible in a locality where a nearby power line may induce such current on an adjacent aerial wire.

Self Inductance, Impedance

If a coil can induce current in another coil near it, it is reasonable to expect that a coil can in a sense induce current in itself. In circuits, a single inductance coil often has such an effect, which is called "self inductance." In such cases a coil is used as an impedance where a temporary storage of Radio energy much as one stores mechanical energy in a clockspring.

When the current goes through the coil, a field is set up, but when the field collapses back on reversal of the current, a counter current is sent back on the coil.

The practical unit used to express values of inductances in Radio, is the microhenry, or MH.

"What Condensers Are For" will next be taken up in this series.

(TO BE CONTINUED.)


Proper Connections

If capacity effects are noticed in tuning with an antenna condenser, try reversing the leads from this condenser. If a condenser is used in the ground circuit, the rotor (movable plates) should always be connected to the ground wire.

Reverse Tickler Leads

In any type of regenerative set, where proper regeneration does not seem to take place, it is frequently advisable to reverse the wires that run to the tickler coil.

Biltmore Reflex



THREE THOUSAND miles on the loud speaker, without outdoor antenna, or loop. This is what the Biltmore Reflex is capable of. But a few feet of concealed wire and a ground connection are all that is required. Actually, the results are better than those obtained on the eight-tube super-heterodyne.

The quality of the tone is clear and pure, due to the Erla rectifier which is employed.

In appearance, the receiver is unsurpassed—a beautiful Radion Mahogany panel, a heavy, hand-rubbed mahogany cabinet, nickelplated metal parts. All connections to the rear of the cabinet.

The most efficient reflex circuit is used—four tubes, but equivalent to eight.

The best of apparatus is employed—Radion Mahogany panel, bakelite reflex variocoupler, moulded bakelite sockets and dials, Frost jacks, Acme Radio Frequency, and Acme Audio Frequency Transformers, Dubilier Micadons, Erla Rectifier. We can obtain no better apparatus.

It is extremely selective. Local stations may be tuned out at will. The tuning is very simple. A child can operate it with no practice. You have but to snap on the switch to listen to the world.

It is but slightly affected by static—ideal for summer reception.

It may be operated entirely on dry cells! And, the price, \$100! Anyone can afford this receiver. Should you operate it, and see it, and hear it, you would have no other. And,—we assure you of, and guarantee you complete satisfaction.

DEALERS—YOU SHOULD CARRY THIS MOST POPULAR RECEIVER. WRITE US.

BILTMORE RADIO COMPANY
DEPT. D BOSTON 30, MASS.

Burned Out or Broken RADIO TUBES REPAIRED

All Tubes Guaranteed to Work Like New

Mail Orders Given Prompt Attention

24 HOUR SERVICE—All Tubes returned P.P. C.O.D.

RADIOTRONS	CUNNINGHAMS
WD-11 or 12	C-11 or 12
UV-200	C-300
UV-201	C-301
UV-202	C-302
UV-201A	C-301A
UV-199	C-299
DV-1 or 2	DV-6 or 6A

\$275

RADIO TUBE CORP.
70 Halsey St. Newark, N. J.

OR SEND TO NEAREST REPAIR BRANCH

"RADIO TUBES" 39 West Adams St. Chicago, Ill.	RADIO TUBE SPECIALISTS 137 Market St. Phila., Pa.
GLOBE ELECTRIC CO. 609 Cham. of Com. Bldg. Pittsburgh, Pa.	WELLSTON RADIO CO. 1479 Hodiament Ave. St. Louis, Mo.

RIDENOUR, SEAVER & KENDIG
Caxton Bldg., Cleveland, Ohio

SUPER VALUES

SUPER-HETERODYNE
IMPROVED TYPE—Write for Details

Cockaday Four Circuit Receiver

PARTS AS SPECIFIED BY MR. COCKADAY, **\$59.00**

Blue Prints and Specifications \$1.10

SUPPLIES


We have one of the LARGEST and MOST COMPLETE stocks of High Grade STANDARD APPARATUS in the United States and can make Prompt Shipments.

WRITE FOR OUR NEW CATALOGUE, DEPT. Z.

All Mail Orders Shipped Promptly Send Money Order, Including Postage
The Radio Mail Order House—Known for Low Prices

HANES-ZENER
1480 Broadway, Corner 42nd St., New York City

THE NEW RADIO WONDER!
CRYSTAL SET
LOUD SPEAKER



HOUSE'S Radiograph


NO TUBES — NO BATTERIES
NO EXPENSIVE UPKEEP

ONLY \$15 Wonderfully clear and distinct. No harshness. Loud as a phonograph on a crystal set and good aerial. Also works on a single tube set, or with amplification. Used on your phonograph like playing a record. No alterations needed. A child can attach and operate. Wind phonograph only once for a program. Quit using head phones. Let all present hear the radio. Hundreds of delighted users. Send for testimonials and full information. Every Radiograph tested and guaranteed.

HOUSE RADIOGRAPH CO., Dept. 11, 1430 MAIN STREET KANSAS CITY, MO.

APEX AUDIOTRONS

"Sound Perfection"



Apex Audiotrons have been on the market for a considerable length of time. They have been sold throughout the country and results have been highly gratifying. Apex Audiotrons are now being advertised nationally for the reason that the factory output has become large enough to take care of a great demand.

This is the first time that a manufacturer has sold a tube with a full guarantee. Apex Audiotrons may be relied upon at all times.

Price \$4.00

APEX AUDIOTRON GUARANTEE

All Apex Audiotron tubes are guaranteed, and Dealers, as well as the manufacturers, will make replacement or refund the money on all tubes that prove unsatisfactory in any way. The only requirement is that the tube must not have been burned out.

All Tubes Are Guaranteed to Work in Radio Frequency. Especially Adapted for Neutrodyne Sets.

The following tubes are now on sale:

- Type 201A—5 volts, .25 amperes.....\$4.00
Amplifier and Detector
- Type 199—3-4 volts, .06 amperes.....\$4.00
Amplifier and Detector
- Type 12—1 1/2 volts, .25 amperes.....\$4.00
Platinum Filament—Amplifier and Detector
- Type 200—5 volts, 1 ampere.....\$4.00
Detector Tube

If your local dealer cannot supply you, order direct

RADIO TUBE CORPORATION
70 HALSEY STREET NEWARK, N. J.

Selection of Sets Having Desirable Hook-Up

Part I—The Fallacy of Trick Circuits

By Thomas W. Benson

IT IS customary to start an article by stating the reason for its being written and this is a very logical start. I have hundreds of reasons for writing it and they are the seemingly endless stream of trick circuits published in the Radio magazines at the present time. My purpose is to prove the fallacy of these circuits and point out a higher and better aim for the misguided enthusiasts who swallow these circuits, hook, line and sinker.

Now get this straight. There are two forms of trick circuits, the regenerative circuit and the super-regenerative. Of the latter we have the basic Armstrong circuits which include the Flivver, two-tube and three-tube circuits as well as the Autoplex, there are the Flewelling modifications and the little known Logwood. We have no argument with them but with the trick straight regenerative circuits that are daily appearing we will deal and show the fallacy of testing every change that man's mind can conceive.

Regenerative Circuit

The principle of regeneration is fairly well understood, basically it means feeding some of the energy from the plate circuit back into the grid to be reamplified. All well and good, we also know that this process carried to excess results in the tubes breaking into oscillations and destroying the signal. Therefore, we can carry regeneration only so far and when that limit is reached the tube will do no more. Briefly, then, you can get so much regeneration, and when it is exceeded, the circuits act as an oscillator instead of detector-amplifier. Then why bother trying this and that circuit, searching for the wonder circuit, when any old regenerative circuit, the simpler the better, will give you all the amplification you can get out of a tube if proper attention is paid to the design and arrangement of the apparatus?

Design and Arrangement of Apparatus

And there is the whole secret of DX reception, proper attention to the design and arrangement of the apparatus. Has anyone heard of trick circuits taking any prizes in listening in contests? Hardly, it is the old-time circuits, tried and true, used by the old school amateurs, that

hang up the records day after day. And in this article I will attempt to show, how by proper analysis of your present receiver you can bring it to that high pitch of efficiency that will beat every trick circuit known and give you consistent, reliable operation under all conditions and at all times.

We can list the requirements of the ideal receiver from the present Radio viewpoint as follows: A high degree of selectivity; sensitive to weak signals; ease of operation, and fair volume.

Selectivity is but a relative term at best. A set that proves selective in the country falls down bad when used in the city with several broadcasters. To obtain real selectivity we must use a loose-coupled circuit. This eliminates the single circuit tuner. Wait, I know they have seemed selective—I have a little one myself that seems selective—but just tie a single tuned circuit into a really efficient receiver and see how selective it is. Furthermore, the fact that the entire resistance of the aerial circuit is included in the tuned circuit, effectively prevents really sharp tuning. A coupled circuit tuner will give louder signals than a single circuit because it is resonant at one point for a given frequency, whereas a single circuit tuner is resonant at two points a slight distance apart. Notice I have not mentioned particularly the burning question of re-radiation, but that enters later on.

Sensitive to Weak Signals

To obtain the greatest signal strength in our receiver we must conserve every particle of energy that reaches the tuned grid circuit. When one fully realizes the infinitely small amount of energy picked up from a distant Radio station then one begins to wonder how half the receivers function at all. We must eliminate every chance or possibility of energy loss from our receiver. At high frequencies the greatest energy thief is capacity. For high efficiency keep down the capacities between different parts of the set. Every time the capacity across the secondary of a tuned circuit receiver is increased, the voltage applied to the grid is reduced and the vacuum tube works on the voltage applied to the grid. Keep that voltage as high as possible and the stuff is bound to pound in.

With the idea of reducing capacities across the secondary, we first of all decide upon inductance tuning which implies a variometer. But full inductance tuning is not the best thing for sharp tuning, so we compromise a little and use a small 3-plate vernier condenser across a portion of the secondary to obtain selectivity. Bear in mind the difference: Full inductance tuning in the secondary gives loudest signals, but a little capacity under proper control gives selectivity.

To reduce capacity we do not shellac the windings of the coils and eliminate the shielding. The latter brings up the question of body capacity, which we will consider a little later. Having reduced capacities and obtained maximum grid voltage between the grid condenser terminals and the filament, we will consider the most efficient method of applying the voltage to the grid.

Grid Leaks and Condensers

For some reason it has become almost universal practice to employ a fixed grid condenser with an adjustable leak across it. There may be some good reliable leaks on the market that can be adjusted and will stay there, but I have never been lucky enough to obtain one. On the other hand the fixed leaks are reliable and cheap. The leak and condenser have to be balanced against each other, that is, the condenser must be of such size that the maximum voltage is applied to the grid by the rectifying action of the tube, while the leak must drain the energy just fast enough to prevent the grid from loading and becoming so negative as to shut off the plate current entirely. There is a certain best value for both, and for best results we make use of a small variable condenser in the grid circuit with a fixed grid leak. This arrangement will permit closer adjustment of applied grid voltages and obtain maximum results from the detector tube.

Adjusting Current on Filament

We find furthermore that the filament of a soft detector tube is critical in adjustment. By all means use a vernier rheostat but use a good one; there are a number of good vernier rheostats that may be used, but select one that has as few parts as possible and one in which nothing can go wrong.

Likewise the plate voltage is critical. A potentiometer is the logical device for controlling the plate voltage and will be included in the circuit for efficient operation. The dry cell tubes, being hard, are not so critical to either filament current or plate voltage, and the latter refinements are not a necessity with these tubes.

The next chapter will cover regeneration control and general assembly of the ideal set.

(TO BE CONTINUED.)

Care of Storage Battery

Proper care of the battery will double the usual reception of the set. Always remove the acid or water from the top of the battery, as the moisture will sometimes cause unnecessary noises. Never place the battery near window curtains, as the fumes will ruin them. Do not set the battery on or next to a rug as the acid might leak and ruin it. If battery is in good condition it will not freeze. The care of the Radio battery is more important in the summer time than in the winter, because many people are not inclined to use their sets in summer. If the battery is not used for a long time and is left in a discharged condition, sulphation will result. This condition can sometimes be remedied by a prolonged charge. Many times it is necessary to dismantle and repair.


Those who have charging rectifiers should be careful not to use too high a charge rate, as it may cause buckling, shedding and overheated plates. Occasionally a complete cycle of charge and discharge will increase the capacity of your battery. Sometimes it is advisable to take it to a battery station and have it given the water cure.

Avoid Oscillation

The main difficulty with homemade Radio frequency amplifiers is that the tubes go into oscillation, and in such condition the only thing received will be howls and squeaks. The same applies to a neutrodyne set, unless the neutralizing condensers are properly adjusted. In this latter type of set the squeals and whistles are supposed to be neutralized out.

KELLOGG
USE-IS THE TEST

Build Your Radio Set With
Kellogg
Guaranteed Parts



THE Kellogg variometer is of the correct size and shape for the finest radio reception.

The shells are of Kellogg Bakelite. The windings are of the proper gauge wire and proportioned so as to give maximum volume. There are no sliding contacts; rotor connections are made with special flexible wires, through hollow shaft to binding posts on stator shell. Arranged for either base or panel mounting.

Can be used as a split variometer. Buy Kellogg and know you have the best.


If your dealer does not handle Kellogg communicate direct with us.



Kellogg Switchboard & Supply Company
1066 W. Adams - CHICAGO

USE-IS THE TEST
KELLOGG

THORDARSON



POWER AMPLIFYING TRANSFORMERS

Price per pair, \$13.00

The new Thordarson Power Amplifying Transformers (push pull) are designed for use as third stage audio frequency amplifiers, to provide high power amplification for operating loud speaking devices.

With power amplification, not only is it possible to increase volume, but, since two tubes replace the usual one, the distortion and howling which usually accompany the overloading of a single tube on the third stage is done away with entirely.

The Thordarson Power Amplifying Transformers are well constructed electrically and are capable of indefinitely carrying the additional load without breaking down.

In tonal purity these transformers equal the Thordarson Super Audio Frequency transformer whose rich quality and even amplification has made it the popular transformer of the day.

THORDARSON
ELECT. MFG. CO.
500 W. Huron St. CHICAGO

RADIO PARTS

Largest stock in New York. Everything brand new and first-class. Satisfaction guaranteed. Orders shipped quickly and carefully. Prices include delivery to your door.

BARGAIN PRICES

We can sell for less because we buy in big lots, pay spot cash and ask only a small profit. Buy here—make large saving.

SEND NO MONEY FOR GOODS

Just pay postman on delivery. Postage free. Reference, Corn Exchange Bank, Terminal Branch (capital \$10,000,000).

TUBES, O-T 2, Silvertone; 4-volt; dry cell; made by De Forest; equal to any. Save 34%. **\$3.95**
List \$6.00

TUBES, RCA WD-11 or WD-12, 1½-volt; dry cell. List \$5.00. Save 16% **4.20**

HEAD PHONES, Little Tattler; none ever returned to us unsatisfactory. **\$2.95**
List \$4.00

HEAD PHONES, Baldwin "C"; double; none better. Save 30%. List \$12.00. **8.45**

COUPLERS, Genuine Capitol All-Wave, 150-3,000 meters. List \$7.00. **\$ 5.45**

VARIOMETERS, Liberty, moulded; 150-600 meters; high grade. List \$7.00 **2.95**

LOUD SPEAKERS, Perfetone, adjustable; excellent. List \$15.00. **11.45**

LOUD SPEAKER UNITS, Blue Streak; single; use with any horn. Very satisfactory. **\$ 2.45**
List \$3.45

TRANSFORMERS, All-American, 3-1, 5-1, 10-1; 500,000 in use. List \$4.75. **3.45**

NEUTRODYNE KITS, Work-Rite, made under Hazeltine patents. High-grade material, fine workmanship. Save 18%. **14.25**
List \$17.50

FREE With your first order we will send you free a 28 x 38 in. radio station map of the U. S. and a set of 31 Decalcomania name transfers for your panel. Send order today.


CUT-PRICE CATALOG 10c

Amount refunded on your first order. Book crammed full of money-saving offers of sets, parts, accessories and diagrams. You need it.

WRITE FOR IT TODAY!

LIBERTY M. O. HOUSE
Dept. 6770, 106 Liberty St. - NEW YORK

PREMIER PARTS
For Better Results



"MICROSTAT"

Trade Mark

Super-Vernier RHEOSTAT


"MICROSTAT" is in a class by itself as a precision instrument for the perfect control of the filament current in detector tubes. Everyone knows that you must control this current to the finest degree if you are going to get the ultimate from any set. "MICROSTAT" does all this. New principle. Two windings in parallel—one 6 ohm—other 40 ohm. Absolutely noiseless—infinite control—handles any tube. Cap. 3 amp. Bakelite moulded—silver etched dial.

\$3.00 and worth it

Cures Wave Length Troubles

\$3.50

with Dial \$4.00



"MICROMETER"

Trade Mark

VARIOCOUPERS


A HIGHLY SELECTIVE VARIOCOUPLER having 180-degree orientation and 20 Antenna taps. Wound with No. 24 green single silk wire. Eighty turns on stator—fifty-five on rotor. Wave lengths range from 150 to 800 meters. All metal parts brass highly nickelled—stay "put" at any angle. Bakelite button on each tap wire permitting easy and safe soldering. Micrometer is a high quality coupler at a reasonable price.

Ask Your Dealer for Premier Parts

Send for Free Bulletin No. 92

Premier Electric Company
3810 Ravenswood Ave. CHICAGO

SET WITH A SPECIAL LONG DISTANCE COIL




Mr. R. S. Seeley, of 323 North White St., New Orleans, sends us a hook-up, R. D.-120, that might interest some fans. He says, "I have had wonderful results with this hook-up. The separate coil is wound on a 3 1/2-inch tube with 56 turns of number 24 dcc. wire, bringing out a tap at every seven turns.

"The variocoupler is home made, using a 4-inch tube for the stator, wound with number 22 dcc. wire, using 56 turns tapped every seventh turn. The rotor is wound on a 3 1/2-inch tube with number 24 dcc. wire, making 42 turns, connecting the bottom leads of the stator and rotor together. The upper lead of rotor is connected to the grid leak.

"Herein is given a list of stations that I can pick up most every night: KDKA, WHB, CYB, KHJ, KSD, KYW, PWX, WBAP, WCAP, WCBW, WDAF, WDAF, WDAF, WFI, WEAF, WFAA, WGR, WGY, WHAS, WHK, WJAX, WJAZ, WLAG, WLW, WMAQ, WMC, WOAI, WOAW, WOC, WOR, WOS, WRM, WSAI, WSB, WSY, WTAM, WWJ.

"I am using a single wire antenna about 120 feet long, 35 feet from the ground with 2 3/8-foot lead-in.

"To operate the set, place the rotor at right angles to the stator for best results. Turn the rheostat up all the way and use the condenser until you get the whistle, then retard the rheostat until station comes in clear. A UV-199 tube is used."



ON ONE TUBE

Broadcasting from Atlantic Coast, Canada, Mexico, Cuba and Hawaii heard in California by users of the CROSS COUNTRY CIRCUIT. Range due to Simplicity. One tuning control. ANY NOVICE can build easily and cheaply. Dry cell tubes used. No soldering. Complete instructions, Blue print panel layout, Assembly Photo, etc., post-paid 25 cents. Stamps accepted.

WHAT USERS SAY

EAST—Am more than pleased with the parts ordered from you. The first night I hooked it up and received Omaha. Since then Minneapolis and Los Angeles. It works better without amplification than most sets with two stages.—Donals, S. C. WEST—I am sending you a list of some of the stations heard on one tube: WSB, WGY, KDKA every night, FWX, WWJ, WTAM, WLW every night, CFAC, CHCB. Not long ago I purchased another set of parts from you and first night got WGR, Buffalo, and KDKA. Ione, Calif. NORTH—Received coils O. K. If I have same results with these that I had with last will be wanting more. I am 1,500 miles from nearest station and have picked 56 to date. Chicago, Havana, Mobile, New Orleans and TWO IN ENGLAND. Lunenburg, Canada.

Send stamp for further information

BOX D-117
Vesco Radio Shop OAKLAND, CALIF.

COMPACT RECEIVING SET

(Continued from page 19)

type. A single 20 ohm rheostat is used for the two amplifier tubes while the two-element tube necessitates a 6-ohm resistance. The jack is the three-spring type with a make contact for connecting in the filament circuit when the phones or loud speaker are plugged in. The panel used is 7 by 12 inches. The sub-panel 7 by 8 inches. The standard size panel is 7 by 9 inches so this will have to be used for the sub-panel and 1 inch cut off from the long end. Two small brass angles are necessary for mounting the sub-panel onto the main panel.

The air core transformers can be purchased or constructed as desired. They require two pieces of mica or hard rubber tubing as desired, 2 1/2 inches in diameter and 2 inches long, and 1/4-pound spool of number 24 ssc. wire is necessary for the windings.

The cabinet should conform to the main panel size and should be slightly over 8 inches deep in order to permit proper clearance for the sub-panel.

(TO BE CONTINUED)

Review of Books

How to Retail Radio. A new book telling of tested plans and methods and policies for the dealer in Radio. Financing, location, store equipment and arrangement. Price, \$2.00.

An Introduction to Radio. A real book for the amateur. This treatise comes in two volumes. 96 pages in each volume, fully illustrated with flexible leather covers. Price two volumes, \$1.

The book department of the Radio Digest is prepared to send you any of the books on Radio published, whether listed

TRADE MARK



RADIO PANELS

Cost 25 to 50% Less
Than Any Other Standard Panel

Recently introduced by The PANTASOTE COMPANY, Inc. Electrasote has highly desirable radio-electric properties—greater volume and surface resistivity than any other panel, therefore less surface-leakage and powerless in the set.

Remember—a good panel deserves proper handling: Use a new, sharp drill with slight pressure.

All Standard Sizes at
Good Radio Dealers

M. M. FLERON & SON, Inc.

Exclusive Sales Agents for
Electrasote Radio Panels
TRENTON, N. J.

in our Book Review or not. Let us know what book you want, send us your check and we will see that the book is mailed to you. Postage stamps in payment for books not accepted. Send money order or

check. Radio Book Department, Radio Digest, 123 W. Madison St., Chicago, Ill.

CELERUNDUM
The Crystal With a Soul
DE-TEX-IT
COMPLETE \$1.25
A Perfect Fixed Detector
Best for Reflex and Crystal Sets
POWER-TONE-VOLUME
Catwhisker troubles eliminated. Requires no adjustment. Will not burn out.
Celerundum Crystal, 50c
Celerundum Radio Products Co.
170 Summer Street Boston Standard Radio Corp. Chicago

NAZELEY'S
PORTENA
Folding Loop
Patent Pending

Folds up like an umbrella—
Works like a charm.
Spread 28 inches
Genuine Bakelite Facings;
85 ft. green covered wire;
rich mahogany finish.
In an individual morocco covered tube.
\$7 List Each
One Dozen to a Case
J. NAZELEY CO.
571 Hudson St. NEW YORK CITY

RADIO TOOLS SMASHED
Antenna Equipment
\$ 1.00 Signal Corps Aerial Cable (100 ft.) \$.49
.125 Holtzer-Cabot Lightning Arrester .95
.60 No. 14 Bare Copper Wire (100 ft.) .42
.12 Large Strain Insulators, Porcelain .06
Hook-Up Material
\$.90 100 ft. No. 16 Tinned Copper Wire \$.59
.125 100 ft. No. 14 Tinned Copper Wire .69
.02 1/2 Square Tinned Bus Wire, per ft. .01 1/2
.25 Tube Solderall .19
.60 Rosin Core Wire Solder, per 10 ft. .29
.15 Spaghetti Tubing, per 3 ft. lengths .07
.75 Card of 8 Initial Binding Posts .49
Rheostats
\$ 1.25 C. R. L. Vernier Rheostat .79
1.00 7 Ohm Hipwell Rheostat .50
1.75 Mazda Carbon Disc Vernier Rheo. .80
2.00 Genuine Fil-Ko-Stats 1.49
Headsets
\$ 4.50 Schwarze 2000 ohm 3.45
12.00 Baldwin Type "C" 8.75
Remler Panel Units
\$12.00 Remler Variocoupler, Mounted \$ 6.95
10.50 Remler Variometer, Mounted 6.45
9.00 Remler Amp. Panel, Fil. Control 4.95
6.00 Remler Amp. Panel, Regular Type 3.95
8.50 Remler Detector, Panel Mounted. 5.45
Condensers
\$ 3.00 43 Plate Plain Condenser \$ 1.49
2.00 23 Plate Plain Condenser 1.29
1.60 11 Plate Plain Condenser 1.14
Miscellaneous
\$ 2.00 "B" Battery Tester, 0-50 Volts. \$ 1.35
3.25 Jefferson Star Audio Transformer 2.58
2.50 Jefferson R. F. Transformer 1.95
.60 Mazda Phone Plug .33
.60 Honeycomb Coils, 35, 50, 75 Turn. .38
.30 Frost Battery Switches .24
Sets
\$90.00 Kennedy Type 281 Receiver \$94.25
55.00 Kennedy Type 521 2-Stage Amp. 94.25
50.00 Atchison Regenerative Rec. and Amp. 28.50
55.00 Crosley Model X Four-tube Set. 33.00
75.00 Kennedy Portable Set, complete. 52.50
62.50 Advance Electric Four-tube Set. 39.00
Orders \$5.00 and over prepaid
ALL MERCHANDISE GUARANTEED. WRITE FOR ILLUSTRATED CATALOG NO. 5 D
RADIO SALES CO.
BOX 361 CEDAR RAPIDS, IOWA

Recognized the World Over as the Best
Greatest Detector Improvement
INCREASES VOLUME AND EFFICIENCY 100%
RUFLEXED
OF REFLEX & CRYSTAL SETS
PRICE \$1.25
GUARANTEED
WILL NOT OXIDIZE
WITHSTANDS ANY LIMIT OF PLATE VOLTAGE
MFG. BY R-U-F PRODUCTS CO.
635 Hendrix Street, Brooklyn, N. Y.
AT ALL DEALERS or SENT POSTPAID

Bradleyleak
THE PERFECT GRID LEAK

Sold by leading dealers and jobbers
Stepless Range 1/4 to 10 Megohms
THE BRADLEYLEAK was unknown six months ago. Today, it is recognized everywhere as the perfect grid leak. It is based on the principle of the graphite disc rheostat which has been used for over twenty years.
The Bradleyleak is standard equipment on all Amrad high-priced sets. It is noiseless and reliable in control.
Avoid all doubt by installing a Bradleyleak in your radio set. Try one tonight and be convinced.
ALLEN-BRADLEY CO.
290 Greenfield Avenue, Milwaukee, Wis.
Manufacturers of the Universal Bradleystat

A NEW Split VARIOMETER

HILCO Type S—\$6.00
CAN be changed into a straight variometer by connecting strap between two binding posts. Equally efficient as straight or split.
Contains primary and secondary winding of the famous HILCO Lattice Banked type, that suspends the wires in air, with successive turns crossing each other at right angles, holding down distributed capacity. Minimum amount of insulating material employed.
Very selective, sharp-tuning and variable thru a wide range, giving close adjustments 200 to 600 meters. If your dealer or jobber can't supply you, send his name with order.
A. E. HILL MFG. CO.,
Atlanta, Ga.
HILCO
RADIO

Radiotron UV-199
A Small Tube That's a Big Performer

Radiotron UV-199 for detection or amplification \$5.00
This symbol of quality is your protection
Radio Corporation of America
Sales Offices—Dept. 314
233 Broadway, New York
10 South LaSalle St., Chicago, Ill. 433 California St., San Francisco, Cal.
Radiotrons
REG. U. S. PAT. OFF.

Selective Circuit Employing Ultra-Audion Parts

Pet Circuit the Best in the Author's View

Did you ever ride with anyone who owned a fivver, especially an old one? It was always the best car in the world. Never knew a man in my life who owned

WORKSHOP KINKS? EARN A DOLLAR—


THERE are many little kinks worked out at home that would aid your fellow Radio worker if only he knew about them. There are new hook-ups, new ways of making parts and various unique ways of operating sets that are discovered every day. Radio Digest is very much interested in obtaining such material. Send them in with full details, including stamped envelope, so rejected copy may be returned. The work must be entirely original, not copied.

RADIO KINKS DEPARTMENT,
Radio Digest,
123 W. Madison St., Chicago

a fivver who did not have the best one there ever was.

Same way with Radiophans. Everybody has a pet hook-up and it is always the best in the world. Got 'em all skinned. Well, I am no exception. Yep, I have a "hook-up," that I am submitting herewith, and some time when you have a little spare time and have the old soldering iron hot and a few extra parts lying around, just put it together and give it a trial. You'll get a surprise and a real kick and you will undoubtedly agree with me that it is a regular old "He" receiving set that will go out and get 'em and bring 'em in and is simple and easy to tune. And volume. Well, just get it going good and hang the headphone on the

SELECTIVE AND DISTANCE HOOK-UP



wall; then back off 20 or 30 feet and hear each word of a program, clear as a bell.


Or hook this little one-tube boy on to a loud speaker on local stations and see what you get. Yes! Or try it on a loud speaker on any station within, say, 150 or 200 miles. Or put on two stages of audio and on local or nearby stuff you will want to plug her back to the first step. 'Cause there will be too much volume for good modulation, or whatever you call it.

Then go after the long distance stuff. I live in Denver. My aerial is about 30 feet high, right in the middle of a net

of electric light and telephone wires and a bunch of dot-and-dash amateurs all around me, and I have had both KHJ and KFI, Los Angeles, on the loud speaker—
(Continued on page 28)

Homemade Neutrodyne for Neutrodyne Set

Having a great deal of trouble in neutralizing my neutrodyne grid circuit, I made a set of neutrodyne, as shown in the illustration, with good results. It can be seen that the adjustment is



very easy and with the hard rubber thumbnuts it is not necessary to remove the hand after adjustment.—J. M. Wood, Flint, Mich.


YOU DON'T NEED TUBES

to hear concerts from out of town. If you want to get new stations ON YOUR CRYSTAL SET write me today. I get new records every day from people using my plans who hear programs on Crystal from stations 400 TO 1000 MILES AWAY

No tubes, batteries or amplifying apparatus necessary. I hear KDKA (Pittsburgh Pa.) on Galena. You may already have everything you need and just have it connected up wrong. Send self-addressed envelope for picture of my set, and reasons why you need my plans.

LEON LAMBERT
501 South Volusia, Wichita, Kas.

FAHNESTOCK'S RADIO PRODUCTS



Improved Ground Clamp

Equipped with Fahnestock Patent Wire Connectors Easily Attached.


No Soldering—For Radio Use Only
Our name stamped on all our products. None genuine without it.

FAHNESTOCK ELECTRIC CO.
Long Island City, N. Y.

Dealers can obtain Fahnestock Products from following distributors:

- NEW YORK: Spartan Elect. Co., BOSTON
- Westmore-Savage Co., F. D. Pitts Co., DETROIT
- Detroit Electric Co., CHICAGO
- Barwick Co., MILWAUKEE
- Julius Andrae & Sons Co., PHILADELPHIA
- H. C. Roberts Elec. Supply Co., PITTSBURG
- Ludwick, Hommel Co., WESTERN DISTRIBUTORS
- Marshall & Co., Los Angeles, Cal.

91 1/2% of all tubes are Needlessly Destroyed



RADECO SAFETY FUSES

GIVE COMPLETE PROTECTION
Price 50 cts. each

Dealers write for proposition.

Radio Equipment Company
20 Stuart Street BOSTON, MASS.

Uncle Bob's Two Radio Song Hits

from KYW, Chicago
"Dream Daddy" and "My Daddy's Dreamtime Lullaby"

Get these numbers for your kiddies from your nearest music dealer
IN SHEET MUSIC—ROLLS—RECORDS

Guaranteed Head-Sets


RED-HEADS are guaranteed radio phones. You run no risk when you buy them. Money back if, after 7 days' trial, you're not satisfied that they're the best receivers on the market at the price. Why not act right now and get a pair? It'll mean getting the maximum from broadcasting from the day you put them into use.

RED-HEAD RADIO RECEIVERS NOW READY

The new 1924 Model F \$6.50 Per Pair Complete | The new "Red-Head" Jr. \$5.00 Per Pair Complete

"Red-Heads" sent prepaid on receipt of price if you are unable to get them at your dealer's.

THE NEWMAN-STERN COMPANY
Dept. R. D., Newman-Stern Bldg., Cleveland



ELECTRAD VARIOHM Doubles Your Distance Eliminates Circuit Noises


Correct grid resistance for your tubes and set. From 1/4 to 30 Megohms by simply turning the knob. Once set, stays permanently. Moisture proof and non-microphonic. Can be used with any standard fixed condenser.

Price 75c; mounted, \$1.00. At your dealers, or direct. Absolutely guaranteed.

ELECTRAD, Inc.
423 Broadway New York, N. Y. Dept. L

HERE IT IS Burns LOUD SPEAKER

For Phonograph or with horn



Tone can be adjusted to suit any plate voltage. Pleasing tone, loud and clear. No extra batteries required.

UNIT with connector for any make of phonograph\$10.00

SPEAKER complete with non-vibrating horn\$20.00

American Electric COMPANY

State and 64th Streets CHICAGO

Instruments of Excellence

Malone—Lemmon Control-o-meters the best wave trap for eliminating interfering stations and for greater selectivity\$12.50

Langbein & Kaufman Variocouplers and Variometers 7.00

Malone-Lemmon Condensers 7.50

Ballantine Tuned Radio Frequency Transformers ... 9.60

Units 15.00

Curcoids—The Supreme Inductance by Means of Precision Coupling Coils.. 7.50

PARTS FOR ACMEDYNE NOW IN STOCK

Amperites\$1.10

Meyers Hi-Mu Tubes..... 4.35

Radio and Mechanical Trading Corp.
23 Warren St. New York City

Price 50 cents everywhere
Never sold at cut prices



B-METAL Loud Talking Crystal

Sold only by reliable dealers and at full price. The Premier Crystal of the Radio World today. Ideal for REFLEX or CRYSTAL sets. Order, if possible, from your dealer. If he does not have it, send to us for one. Price, 50 cents postpaid.

New Jobbers and Distributors Plan Now Ready
B-METAL REFINING COMPANY
525 Woodward Avenue, Suite 48
DETROIT, MICH.

GENUINE B-METAL

Chicago Branch: 33 West Jackson Blvd.
New York Branch: 212 Fulton Street

Duo-Reflex

Tube for Tube—the Most Powerful Circuits Ever Built. Write for free Bulletin No. 16
Electrical Research Laboratories
CHICAGO. ERLA

ULTRA-AUDION CIRCUIT

(Continued from page 27)

and a homemade one at that, with one tube—loud enough to be heard all over the room. Have also had two Kansas City stations on the loud speaker with the one tube.

With this hook-up I can tune right through the local stations and go outside like a top, with the exception of KLZ, which is only located a block or two away from my home. The only way I could get rid of them would be to take the set out in the yard and bury it.

I can get any of the local stations with both aerial and ground disconnected and have received both San Francisco and Los Angeles with no aerial. Just the ground connected.

I have just built the Miloplex circuits. Have tried out both the King and the Wizard, and I cannot see that they have anything on this little fellow. You get as much volume, I believe more; it is simpler and easier to build, easier to tune, is just as selective and it has absolutely no body capacity. Static bothers it very little. Last summer, when static was very bad and a dozen of my friends who have good sets were not able to get anything, I could bring in Los Angeles, San Francisco, Kansas City, Calgary, Chicago and Fort Worth right along every night, and when I say get 'em, I mean get 'em good enough to enjoy their stuff.


You will note this circuit is built along the lines of the ultra-audion, but with a few changes, and I think these changes are what does the work. Observe that there is a two-point switch shunted around the variable condenser in the aerial. I generally use it with this switch closed, cutting out the condenser except for fine tuning or to tune out a local station. I have a hunch it might work a little better with the feedback wire connected ahead of the condenser instead of behind it, but have not tried it out that way so far.

Also some day I am going to try it with a variometer in place of the tapped coil and see what it will do. But for the present it has been good enough and does the work, and that's all anybody wants, but I would appreciate your giving it a trial and letting me know the result.

The coil is wound on a 3 1/2-inch cardboard tube, 100 turns of 22 scc. wire, tapped at 30, 40, 50, and then every 5 turns. Condenser values are shown in the diagram. I get best results with 16 to 18 volts on the plate. Use a 6 volt tube and 6 volt storage battery.—U. G. Tuttle, Denver, Colo.

Circuit Mixture

As will be seen by the accompanying illustration, there is a mixture of the Flewelling, ultra-audion and the Kaufman, and it seems to have the good characteristics of all of them. How or why it




works I do not know, but it does. The volume is great. The first station heard was Hastings, Nebraska, which is about 1200 miles from here. Sixteen other stations ranging from 100 to 900 miles away were picked up on the same night.

It is very easy to tune, there being only two main controls, the variometer and condenser. Although the values given are the ones I found to work best, there is much room for experimenting on the circuit. I am passing the circuit along

for other Radiophans and hope they will get as good results as I have.—Douglas Withington, Toronto, Can.

Radio Ear

The "Radio ear" is a new affliction of some fans who sit for long periods at their receiving sets. It is accompanied by noticeable pains in the head, near the ears, which cause thoughts of possible abscess or other serious trouble. This can be overcome by loosening up the spring in the headphones which press on some of the nerves of the head.



Dealers and Agents write for Special Discount Mail Orders Solicited and Promptly Attended to

WD-11, WD-12, Our Specialties

WD-11\$3.00	DV-6A\$3.00
WD-123.00	UV-1993.00
UV-2002.75	C-2993.00
UV-2013.00	UV-201A3.00
C-3002.75	C-301A3.00
C-3013.00	Marconi3.00
DV-63.00	Moorhead3.00
DV-13.00	6 V. Plain Det.	2.75
DV-23.00	6 V. Plain Amp.	3.00

H. & H. RADIO COMPANY
P. O. Box 22-A
Clinton Hill Station NEWARK, N. J.

STANDARD RADIO CO.
611 E. Market St. Philadelphia, Pa.
Send for Complete Catalog

Wright's Radio Log is the finest, the most comprehensive and the handiest tuning record book ever produced for radio fans. Ruled to fit any set from 1 to 8 tubes—special pages for local stations and daily programs. Contains list of stations. A separate page for each large station. EVERY FAN NEEDS ONE. Enables you to record all readings for every station absolutely independent to every fan. The aristocrat of radio-record books! Cover in colors. Beautifully bound—convenient pocket size—64 pages—indexed. Standard Style, bound in Lodestone flexible cover, \$5.00. Deluxe Style, bound in Molloy embossed cover, \$1.00. At radio stores and news-dealers, or sent postpaid anywhere on receipt of price. Satisfaction guaranteed or money instantly refunded. Order yours today. Dealers, write!

H. G. WRIGHT, 1502 Fisher Bldg., CHICAGO

WRIGHT'S RADIO LOG, \$5.00
WRIGHT'S RADIO LOG, \$1.00
Standard Edition, 50c
Deluxe Edition, \$1.00
MY MONEY BACK IF NOT SATISFACTORY TO ME.

THE NEW KEYSTONE ARRESTERS

\$1.50 Sold by all Dealers

The most practical arrester for antenna protection. Genuine Bakelite housing, heavy discharge capacity, absolutely weatherproof, no vacuum to lose, approved by Underwriters.

Electric Service Supplies Co.
17th & Cambria Sts., Phila.

WE HAVE

Super-Heterodyne AND Neutrodyne

parts in stock for prompt shipment. Also all standard parts. Write at once for dealers sensational big discount price list. Every part guaranteed.

MODEL ELECTRIC SHOP
Pleasant Hill, Ohio

DEALERS PROMPT SHIPMENTS LIBERAL DISCOUNTS

ERLA Selectoformer

As Usual We Are First With the Latest

Send in your name so we can send you our complete catalog on all the standard lines.

Note!! We are the largest exclusive Radio Jobbers in the Middle West

HUDSON-ROSS

123 W. Madison St. Chicago

The New and Perfect Variable Grid Leak

65¢

THE BRADY LEAK

Although it is cartridge type it is different in principle from any Variable Grid Leak you have ever used before.

COMPLETE WITH MICA CONDENSER AND PERFECT LEAK MOUNTING \$1.00

At Your Dealer—or Postpaid on Receipt of Purchase Price

A.C. BRADY CO.

Improved Radio Apparatus
110 Seventh Av., NEW YORK CITY

Tobacco Habit BANISHED

Let Us Help You

No craving for tobacco in any form after you begin taking Tobacco Redeemer. Don't try to quit the tobacco habit unaided. It's often a losing fight against heavy odds and may mean a serious shock to the nervous system. Let us help the tobacco habit to quit YOU. It will quit you, if you will just take Tobacco Redeemer according to directions. It is marvelous quick; thoroughly reliable.

Not a Substitute

Tobacco Redeemer contains no habit-forming drugs of any kind. It is in no sense a substitute for tobacco. After finishing the treatment you have absolutely no desire to use tobacco again or to continue the use of the remedy. It makes not a particle of difference how long you have been using tobacco, how much you use or in what form you use it—whether you smoke cigars, cigarettes, pipe, chew plug or fine cut or use snuff, Tobacco Redeemer will positively remove all craving for tobacco in any form in a very few days. This we absolutely guarantee in every case or money refunded. Write today for our free booklet showing the deadly effect of tobacco upon the human system and positive proof that Tobacco Redeemer will quickly free you of the habit.

Newell Pharmaceutical Company
Dept. 737 St. Louis, Mo.

Used in 41 States & 7 Provinces, 2 Foreign Countries Within 4 Months After First Issued

"WHERE I GO BY RADIO"

IDEAL RADIO RECORD BOOK

Unique System. Every Line Complete Record When, Where, How and What You "Tuned In," also Accurate List Radio Stations. Other useful features. Popular Edition, space 300 Records, 2 for \$1.00. Holiday Edition, space 700 Records, only \$1.00.

Get at any Newsstand, Bookstore or Dealers, or send \$1.00 direct Now to

Radio Book Dept., Progress Press
Drawer R
Union, South Carolina, U. S. A.

Price \$1.25

STAR

The Radio Fans Are Gathering the Stars

Every Crystal and Reflex set will have one. A marvelous invention. Takes the place of catwhisker and crystal. Programs always on full volume, just as with a tube set. Price \$1.25 at all progressive dealers. Guaranteed 1 year.

STAR CRYSTAL COMPANY
525 Woodward Ave. Detroit, Mich.

Chicago Branch, 53 West Jackson Blvd
New York Branch, 222 Fulton Street

\$65.00 Crosley XJ 4-Tube Receiving Set.....\$43.95
16.00 Crosley V 1-Tube Receiving Set..... 14.95
\$97.50 2-Tube Teledyne Portable Set..... \$85.00
complete with Tubes, Phones, and Batteries

5-Tube Neutrodyne in Solid Mahogany Cabinet, Piano Finish, Piano Hinges..... 70.00
Complete parts for Super-Heterodyne Set..... 75.00
HENLEY'S 222 Radio Circuit Designs..... 1.00

A complete, up-to-date collection of Receiving and Transmitting Hook-ups.

\$12.50 Pr. Como Push & Pull Transformers..... 10.50
5.00 Ford Mica High Ratio..... 3.25
Globe High Ratio, most selective..... 3.45
\$ 5.00 Acme Radio & Audio Transformers..... 3.95

GENUINE U S L Condensers—

\$ 4.50 13 Pl. Vernier, \$3.00; Plain..... 1.40
4.80 17 Pl. Vernier, 3.15; Plain..... 1.50
5.00 23 Pl. Vernier, 3.40; Plain..... 1.60
5.60 43 Pl. Vernier..... 3.75
7.00 Westinghouse Storage B Batteries..... 6.39
1.75 22 1/2 V. B Batteries, small..... .75
3.00 22 1/2 V. B Batteries, large..... 1.45
5.50 45 V. B Batteries, large..... 2.90
6.00 Silk Covered Folding Loop..... 4.50
35.00 B-3 Marconi..... 29.00
30.00 Music Master Loud Speaker..... 24.50
18.50 Homcharger, "Gold Seal," A. G. Current..... 14.95
10.00 Present French Phones, 4000 ohms..... 6.50

Genuine Solid Mahogany Cabinet, Piano Finish, Piano Hinges, 7x26, \$12.00, 7x24x10, \$12.00

REMITTANCES MUST INCLUDE POSTAGE

SEND FOR OUR FREE MONTHLY PRICE LIST DEPT. R. D.

MARVEL RADIO CO.

12 NASSAU ST. NEW YORK

Picking It Out of the Air!

VAN'S RADIO RECORD BOOK

Everything right before you at a Glance when you have this copyrighted RADIO RECORD BOOK. Space opposite each Broadcasting Station for Dials Settings (any set). Gives Call Letters, Wave Length, Distance, Power in Watts, Frequency Key, etc. You can keep a complete record of all stations you have heard with date, and go right back to them when wanted. No set complete without one. Money Back if you are not SATISFIED. Thousands of Listeners-in are using VAN'S RADIO RECORD BOOK everywhere. Send stamp for "sample page." Here's another KNOCK-OUT this book contains.

VACUUM TUBE CHART

How to Select and Use Them

Different RADIO TUBES illustrated. Tells you what TUBES to get the BEST out of your receiving set. Power and current required and consumed by the different tubes from Laboratory Tests. What TUBES work best with a DRY CELL or STORAGE batteries, or on both. If you SEE this book, you will want one.

Price 50 Cents

At Your Dealer or Sent Prepaid on Receipt of Price.

VAN PUBLISHING CO.

110 Nassau Street, New York

Windshield Glass Makes Good Panel Material

Drilling Done With File Ends

By Charles U. Read

IN a recent issue of Radio Digest, I read with interest the splendid article on glass panel drilling, and thought perhaps I might offer an acceptable hint or two on the subject. With a little care and no attempt to rush matters, glass drilling will be found but a trifle more difficult than ordinary cutting. I have drilled 30 holes up to 1/2 inch in diameter in a panel in a couple of evenings.

Auto windshield glass makes excellent material, and because of numerous broken windshields, pieces large enough can often be obtained at garages at little or no cost. A glazier will cut the glass to the proper size for a few cents. I use three rat-tail files of different sizes, a small one to drill through the glass, a second with the end a little smaller than the largest part of the first, and the third with the small end a trifle smaller than the largest part of the second. I sharpen a point on the small file, front and side views of which are given, and keep it sharp with an emery wheel.


Work Table

A table of medium height with a smooth top makes an excellent drilling place. I have never found it necessary to put pads under the glass, and sometimes when it is not fastened down I put my foot on it to hold it steady when reaming. I have never yet broken a piece.

Put the small rat-tail file in a brace and be sure to turn the brace from left to right instead of from right to left as in ordinary drilling, that is, when the handle is nearest the body it should be going left to right. This is important, especially in reaming, as a slight turn in the wrong direction will generally chip the top of the hole. Use a little turpentine and the way up the

drill, letting it run down, rather than on the glass itself, as in this way it feeds better into the hole.

Bore the hole about two-thirds through from one side, then turn the panel over and finish from the other side. In order to



keep the brace steady and apply needed pressure, I generally keep my forehead against my hand on top of the brace. This will also enable one to keep the hole straight. Whenever the grinding sound ceases it is time to resharpen the point. A little practice will enable one to grind the drill so that a small hole may be drilled in two or three minutes. For this the drill may be turned quite rapidly and pressure applied; but for reaming, the drill

should be turned slowly and the weight of the brace will feed it through. If a 3/4-inch hole is bored through the table top the hole in the panel may be placed over this for reaming.

Reaming the Hole

Ream with the small file, frequently turning the panel over. If the first file does not make a large enough hole, use the second after the largest portion of the first has been reached, and the same with the third to make a still larger hole. Start at one end of the panel and work toward the other end, holding down by the end not weakened by drilling. Fit each piece of apparatus as the holes are drilled for it, and in this way it will not be necessary to work back over the glass after holes are drilled.

Panel Layout

I generally make a chart of the panel on white paper, place it on panel over car-

bon paper and with some sharp instrument, such as a stylus, mark the holes. The carbon will make slight black marks on the glass. Then if the chart is placed under the glass and the marks showing through the glass coincide with the carbon marks, the center of all the holes may be permanently marked by a few turns of the small drill.

A glass panel in a wooden case is more attractive than an entire glass case.

RADIO TUBES, Sold, Exchanged, Repaired, Free Circular. AMERICAN RADIO TUBE WORKS, IRVINGTON, N. J., U. S. A.—Adv.


EVEREADY Radio Batteries

—they last longer

Conspicuous for visibility and endurance —the right batteries by test and proof for every radio use.

NATIONAL CARBON CO., INC. Headquarters for Radio Battery Information. New York San Francisco. CANADIAN NATIONAL CARBON CO., LIMITED Factory and Offices: Toronto, Ontario

Insures Maximum Sensitivity




Real adjustment through wide range from 1/4 to 8 meg-ohms provides the sensitivity for exact grid potential for maximum signal strength.

If your dealer is out of stock, call our local representative. 400 Ohms.....\$1.75 2000 Ohms.....2.00 By Parcel Post, 10c Extra.

Central Radio Laboratories Milwaukee, Wis.

ADJUSTABLE GRID LEAK

REMARKABLE!



Are the results you get with this BEAVER BABY GRAND vest pocket size Crystal Set.

Our desire to have this Baby Grand set bring happiness to every home, made us cut the price to \$3.75.

We carry a complete line of Radio Parts. Write for our price list.

SPECIAL PRICES TO DEALERS ENGINEERING SERVICE BUREAU 849 E. 55th Street CHICAGO, ILL.

METRODYNE

Standardized Parts

Coupler \$2.35

Transformer

Frequency


Instruction book with each set.

THE GENERAL ELECTRIC MANUFACTURING CO. 205 Temple Court Minneapolis, Minn.

The "Goode" Two-o-One

A

Le Ton d'argent



BY MAIL ONLY \$2.39

Postpaid

QUARTER AMPERE AMPLIFIER-DETECTOR RADIO TUBE

GUARANTEED SATISFACTORY

All "GOODE" Tubes Sold Direct to the Consumer—No Dealer Profits

Model Amplifier \$2.39

..... 6.42

..... (prepaid)

..... A Tube amplifies

..... of ampere, six volts,


..... d tube.

..... stal money order or New

..... ube Corporation

..... orporated

..... INDIANA



The Dubilier Duratran

The radio frequency transformer that amplifies uniformly over all broadcasting wavelengths. Price \$4.00 at good dealers.

Dubilier Condenser and Radio Corp.

44-50 West Fourth Street, New York



Dealers!

A BRAND NEW CATALOG!

Just out-crammed full of everything you want in high quality radio supplies—the most complete display in the Middle West—the biggest stocks, best discounts, quickest shipments.

This book will be sent ONLY to dealers. Ask for A1002. No others need apply.

WAKEM & McLAUGHLIN INC 225 E. ILLINOIS ST. CHICAGO

UV201-A, UV200, WD-12, UV199, WD-11, "Radiotron" Tubes. Postage Extra... \$4.39

LOUD SPEAKERS

Manhattan \$19.20 Brandes Table Talker 8.75 Baldwin Type C Unit 4.95

CONDENSERS

Bremer-Tully 23P Vernier 3.65 A-C Dayton 17P Vernier 2.40 A-C Dayton 31P Vernier 2.60

VARIOMETERS—VARIOCOUPERS

A-C Dayton Moulded 3.95 Atwater-Kent Moulded 6.25 180° Coupler Bakelite Tube 1.50

BATTERY CHARGER

Tungar Type with Bulb 9.21

PHONES

Western Electric 8.55 Baldwin Type C 8.60

TRANSFORMERS

All-American All Ratios 3.79 Acme 3.69 General Radio 3.95 Eria Reflex or Audio 3.98

KNOCKED-DOWN SETS

Neutrodyne 5 Tube 45.75 Reihnartz 11.75

SETS


Radiola III Tubes, Phones, Batteries 35.00 Crosley 51 Two-Tube Set 14.80 Crosley XJ 4 Tube 49.75 Grebe CR8 60.00

INCLUDE PARCEL POST AND INSURANCE WE ALSO SHIP C. O. D.

RADIO PARTS CO.

3858 Washington ST. LOUIS, MO.

Infinite Adjustment



for ALL TUBES!

DESIGNED to permit infinite adjustment of currents used in vacuum tube. Gives absolute control of electronic flow and finest tuning possible. Fil-Ko-Stat will bring in DX you never heard before and shut out noise.

30 ohms full resistance. No adjustment to puzzle. No discs to break. No Carbon Powder.

FIL-KO-STAT

Made and Guaranteed by DX Instrument Co. Harrisburg, Pa. Radio Stores Corp., 218 W. 34th St., New York Sole International Distributors

MAGNATRON! If you insist upon that name when you buy tubes, you are insisting upon obtaining the very best in vacuum tubes. You are assuring yourself of better results from ANY set!

The MAGNATRON DC 201A and the MAGNATRON DC 199 are leaders in their respective fields. At their list price of \$5 they are an outstanding value.

Ask Your Dealer for Magnatrons!

CONNWEY ELECTRIC LABORATORIES 309 Fifth Avenue, NEW YORK CITY

Worksman Radio Service

"THE ACCENT IS ON SERVICE"

14-16 Vesey St. NEW YORK

VARIOCOUPERS

\$3.50 Workrite 180° Silk Wound \$2.95
3.50 Fisher, Large, 90° 2.75
2.75 Fisher, 180° 2.25
4.25 Special Bank Wound Coupler for Haynes Circuit (with diagram) 3.25
7.00 Ambassador Coil (with diagram) 5.50

VARIOMETERS

\$3.50 Workrite \$2.95
5.00 Pathé Moulded 2.25
3.50 Fisher, Large 2.85

CONDENSERS

\$2.00 R. C. 11 plate \$1.05
2.95 R. C. 23 plate 1.35
2.75 R. C. 43 plate 1.65

VERNIER CONDENSERS

\$4.00 R. C. 23 plate \$2.25
5.00 R. C. 43 plate 2.95

PHONES

\$18.00 DR. SEIBT IMPORTED "SUPER" HEADSET \$6.90
\$12.00 N. & K., Imported \$6.90

The above items are just a few of our numerous attractive priced articles, which are contained in our BULLETIN OF RADIO PARTS. Gladly sent to you upon request.

We specialize in the FAMOUS AMBASSADOR LONG-DISTANCE CIRCUIT. Write for list of parts for this set. Either single or three tube set. Price of parts for single tube set \$15.60 Price of parts for THREE TUBE SET \$28.90

We are headquarters for "Radiola" and "Bakelite Diteco" Panels. The best panel material available. Mail orders promptly attended to. All orders amounting to \$5.00 or more will be shipped prepaid. Will ship C. O. D. unless remittance accompanies order.

Questions and Answers

Job and Miloplex
(07272) HRS, Baltimore, Md.

Job did not commit suicide, the last straw was lacking, the King X was not developed during his sojourn on earth.

We have built the King X in accordance with your hook-up, January 19 of Radio Digest. The first try out brought in Omaha and Davenport.

The signals when right are wonderfully clear and distance seems to make little difference in signal strength.

I now must add a stage of audio frequency. How can it be done?

A.—Job may, at that, be reincarnated in the Mystery Man. Did he not have that same proverbial patience which is exemplified in our latter day Saint?

King X can further demonstrate by adding audio frequency as shown on page eleven of the November 7 issue of Radio Digest, which we trust you have conveniently at hand.

Split Variometer
(07211) CAL, Harvey, Ill.

I have recently built a regenerative Simplex set that was shown in the January 26 issue of Radio Digest. I tried it out last night and could not get it to work.

I bought two variometers and was told that they could be split. In the center between the windings the wires were joined together, the stators and the rotors. I separated these wires. Should I have done this? Does it make any difference whether the connections are made to the movable or stationary plates of the variable condensers?

A.—We are advising in your inquiry that from your description we are of the opinion that you have not split variometers correctly. This is accomplished

REMEMBER THE TROUBLE BOOK—When Radio reception is weak or scratchy. Thoroughly explains all receiving troubles with remedies. Postpaid return mail 50c. Radio Information Service, Box 278-H, Galveston, Texas.

in a way to permit of the use of stator and rotor each as separate coils.

Connection of rotor plates of condenser to the ground reduces any body capacity effect that might be encountered and the method is advisable on that score, otherwise it is immaterial which sides of plates are connected in position in circuit.

July 28th Simplex
(05593) JNS, Windsor, Ont.

I would like to ask you a few questions regarding your one-stage R.F. detector, one-stage A.F. Simplex diagram on page 14 of the July 28 issue.

If I use WD-11, or WD-12 tubes, would the B battery voltage remain the same as suggested in your hook-up?

Of what resistance should the potentiometer be? Also the rheostats, when using these tubes.

What ratio transformers would you suggest?

Would you advise the use of a jack between the detector and stage of A.F. amplification? If so, how should it be connected up?

Are vernier adjustments necessary with this hook-up?

A.—The plate potential will be the same when employing WD-11 and 12 tubes as indicated.

The potentiometer and rheostat are to be of 400 and 6 ohms' resistance, respectively.

Any standard Radio frequency and audio frequency transformers will serve.

PATENTS PROCURED. Send sketch or model today for examination, prompt report and advice. No charge for preliminary advice. Write for free Booklet and blank form on which to disclose your idea. Highest references. Promptness assured. Clarence A. O'Brien, Registered Patent Lawyer, 200-B Security Bank Building, Directly across the street from Patent Office, Washington, D. C.

INSIDE AERIAL

11 FEET LONG
Separator
12 INCHES DIAMETER
Separator
110 Feet Stranded Copper Wire
Insulator
Insulator
Tumbuckle
\$7 COMPLETE POSTPAID
Unaffected by Wind-Rain-Sleet-Lightning

Or \$5, if four set owner's addresses are sent to us.
INTER-STATE SIGNAL CO., DEPT. 1, COLUMBUS, O

Audio frequency should be of 10 to 1 ratio on first, and 3 or 4 to 1 ratio on second stage.

It is quite likely that you will desire to use the one stage of audio frequency whenever circuit is in operation, in which case it will not be necessary to employ a jack.

A vernier variable condenser is recommended.

Measuring Grid Leaks
(05918) CCH, Joplin, Mo.

Would like to be able to test and determine the values of variable grid leaks.

Is there any publication that will give the desired information? Also is there an instrument, say like a voltmeter, manufactured that is used for this purpose?

Will appreciate any information you can give on the subject.

A.—The value of variable grid leaks can be determined with a very sensitive Wheatstone bridge or resistance box. Generally, aside from properly equipped laboratory research there is no demand for the value as the best for use can be determined with a little experimentation. The grid leak usually does not require sufficiently critical adjustment to neces-

WHOLESALE ONLY
We Specialize in Equipping
NEW DEALERS
with Complete Radio Stocks
MANHATTAN RADIO CO.
112-114 Trinity Place
New York City

RADIO LOG
For Quick and Easy Tuning

KNOW YOUR TUNING

Don't Guess! Use the Radiophan's Radio Log to get DX stations, instructions for recording tuning adjustments. How to tune Regenerative and Neutrodyne sets. List of broadcasting stations by location and by call letters. Memorandum pages for jotting contests, announcements, etc. Reproduction of 36 radio symbols making it easy to read blue prints, 24 pages and cover. All for 15 cts. postpaid: coin preferred. **RADIO LOG SALES CO.**, Dept. 1, Maywood, Ill. Dealers, book stores and agents write for prices.

state obtaining exact resistance value. For rough readings megohmmeters are now being made.

Wave Trap
(07306) HSF, Charles City, Iowa.

Will a wave trap eliminate re-radiation from a set using the ultra audio circuit?

A.—A wave trap will not reduce re-radiation in a regenerative circuit, but will minimize interference of that nature caused by improperly tuned circuit.

WAVE TRAP

25 to \$10 made daily while taking lowest cost. Simple-to-learn. Fun-giving. Personal Radio Instruction. First jobs pay instruction cost. Be an expert by Marvets New Method. Buy by installment. Write for details.

WAVE TRAP
C 154

PATENTS PROTECT RADIO INVENTIONS

Mason, Fenwick & Lawrence
Patent and Trademark Lawyers
Washington, D. C. New York Chicago.
ESTABLISHED OVER 60 YEARS

RUSONITE
FIXED DETECTOR
TONE ADJUSTER—BAKELITE BASE
GUARANTEED—PRICE \$1.25

Rusonite Perfect Radio
Rusonite 14K Gold Case
RUSONITE PROD.
15 Park Row
RUSONITE PROD.
25 E. Jackson Blvd. CHICAGO

CARTER
"TU-WAY" Plug

\$1

The ORIGINAL plug for taking more than one head set at a time.
Simple to attach.
Takes tips, wire, or tinsel ends.
No tools needed.
Properly insulated.
Terminals cannot twist together.
Satisfied users in all parts of the country know the superiority of Carter "TU-WAY" Plug.

Write for Catalog

Carter Radio Co.
205 S. STATE STREET
CHICAGO

Crescent Lavite Resistances
ABSOLUTELY NON-INDUCTIVE

Ohms
12,000
48,000
50,000
100,000

LIST \$1.50

SPECIAL SIZES TO ORDER
Used in New Cockaday Circuit. Dealers Write for Discounts. Crescent Radio Supply Co., 1 Liberty St., Jamaica, N.Y.

Wholesale for Dealers

Dealers: We make a specialty of stocking new dealers and radio departments, our large price list will be mailed free to you on request, good discounts and prompt deliveries.

The Radio Shop of Newark Inc.
76 Springfield Ave., NEWARK, N. J.

Personal Monogram Stationery

Beautiful Linen Stock 2-Fold Sheets

100 piece set 2 fold linen stock. Name and address with monogram design. Choice of blue, white or india stock. Packed in neat box, blue or black inscription, only \$1.10 plus 10c postage. Samples of this stationery sent free. Agents wanted send now.

Blackhawk Co., 5057 Addison Dept. Chicago

3000 MILE

RADIO "B" BATTERIES
At Factory Prices

Greatest Radio "B" battery on market. Full number voltage taps; QUALITY GUARANTEED; LOWEST PRICES; bring in concerts LOUDER AND STRONGER; will work on any tube or loud speaker. Order by number TODAY with check, money order or pay postman C. O. D.

No. 322B—22½ volt, variable, regularly \$2.25 \$1.52
No. 322A—22½ volt, variable, regularly \$3.00 \$1.85
No. 345A—45 volt, 8 taps, regularly \$5.50 \$3.25

AVRES BATTERY CORPORATION, Cincinnati, Ohio

CATALOG

Latest Reflex Neutrodyne and Super-Heterodyne Circuits. 40 Diagrams, latest Hook-ups. Largest Complete Stock.

EVERY SPECIAL American Reflex Super - Sensitive Crystal, 35c ea. Hot as Hot, Every Spot. Hear stations clearly. GUARANTEED ONE YEAR. Jobbers and Dealers write for Quantity Discounts.

AMERICAN RADIO MFG. CO.
WHOLESALE DISTRIBUTORS
Dept. V

Do Not Ask for a Grid Leak
Ask for a
DAVEN RESISTOR

It is just as easy and means a lot more.

DAVEN RADIO CO.
8 Campbell St. NEWARK, N. J.

Radio Cabinets

Makers of Radio Receiving Sets, write us for QUANTITY prices on Wood Cabinets.

THE REED MFG. CO
SPRINGFIELD, OHIO
"Makers of Furniture"

TUBES REPAIRING
TUBES REBUILDING

TUBES REPAIRED

Guaranteed Like New Detectors or Amplifiers \$2.65

One Amp. 6 Volt Tubes Changed to ¼ Amp. Tubes

Write Today for Tube Circular and New and Rebuilt Tubes

American Radio Tube Works
Irvington, New Jersey, U. S. A.
AGENTS WANTED EVERYWHERE

NON-PARA-LEL
NO PARALLEL WIRES
GOVERNED BY QUALITY

Crystal Reflex Transformer, T.C. for use between tube and crystal, is manufactured of the highest dielectric materials and absorption losses are reduced to a minimum.

The patented NON-PARA-LEL windings reduce internal capacity to nil and results obtained in clearness, volume and distance are exceptional.

The T.C. can be placed with any good standard tuning parts and form a one tube circuit that will operate a loud speaker on nearby stations and also on powerful distant stations.

Price, \$5.00, from your dealer.

If not obtainable from your dealer, we will mail to you on receipt of \$5.00 and your dealer's name and address.

NON-PARA-LEL COMPANY
917 KEDZIE AVENUE
Nevada 8178 CHICAGO

Good Radio TUBES
\$3.50

Send in your inquiry for the tube which is as good as human skill can produce.

Mail Orders promptly attended to with Money Back Guarantee

DEALERS' AND AGENTS' TRADE SOLICITED

PHOENIX TUBE COMPANY
1457 Broadway, New York City
Specialist in Good and Reliable Tubes
Try our
Reliability—Uniformity—Service

The Dependable Radio Receiver

FADA "ONE SIXTY"
with the
NEUTRODYNE CIRCUIT

The FADA "One Sixty" is the four-tube Neutrodyne radio receiver that in selectivity, volume, distance and clarity equals the best results of any five-tube set of any type ever made. Owners "If we don't get 'em on t' speaker, we don't." Consistent performer speaker from star miles away and further.

Price \$1 Extra for tubes.

F. A. D. ANI
1581 Jerome Ave.,
FADA