MAGNETIC FILM & TAPE RECORDING

World's Leading Recording Magazine

R

EXCLUSIVE!

TAPE COVERS The Conventions


SHOW OFF Your tapes

RECORDING BRASS INSTRUMENTS

TAPE ON The North Atlantic

NEW PRODUCT REPORT:

FERROGRAPH TAPE RECORDER



HIGH SCHOOLS . JUNIOR HIGH SCHOOLS . COLLEGES . UNIVERSITIES

Plan NOW to participate in Audio Devices

\$16,000 educational awards

72 awards totaling over \$16,000 worth of Sound Recording Equipment and tape or discs will be donated by Audio Devices, Inc.

H ERE'S A once-in-a-lifetime opportunity for any high school or college that wishes to expand its recording facilities or to start a new sound recording program. First award, in *each* of two classifications, will be \$2,000 worth of tape or disc recording equipment, plus \$500 worth of tape and/or discs, plus a bonus of \$250 worth of tape or discs for Distributor endorsement of entry blank. These and 70 other valuable equipment and tape or disc awards will be donated by Audio Devices, Inc., to the schools which, in the opinion of qualified judges, plan to make the most effective and beneficial use of the recording facilities offered. You can select your own recording equipment, as well as the types of Audiotape or Audiodiscs that best meet your requirements. There's nothing to buy — no strings attached.

For complete details and official entry blank, see your Audiotape Distributor... or write to Audio Devices, Inc., Educational Dept. TA, 444 Madison Avenue, New York 22, N. Y.

HERE'S THE BOOK YOU'VE BEEN WAITING FOR how to make good tape recordings

THE COMPLETE HANDBOOK OF TAPE RECORDING

by C. J. LeBel, Vice President, Audio Devices, Inc.

This completely new handbook of tape recording contains up-to-the-minute information of interest and real practical value to *every tape recordist*. Profusely illustrated with photographs, charts and diagrams prepared especially for this book, it contains 150 pages of valuable information on all phases of modern tape recording. The author, Mr. C. J. LeBel, is one of the country's foremost authorities on sound recording.

"How to Make Good Tape Recordings" can be

read and easily understood from cover to cover by even the most inexperienced of home recordists. Yet it contains such a wealth of practical information that it will be a valuable aid to professional tape recordists as well. Available in deluxe cloth-bound edition at \$2.50,

Available in deluxe cloth-bound edition at \$2.50, or economy paper-bound edition at \$1.50. Get a copy from your Audiotape distributor or send check or money order direct to Audio Devices, Inc., Dept. TA-1, 444 Madison Avenue, New York 22, N.Y.





444 MADISON AVENUE, NEW YORK 22, N. Y.

IN HOLLYWOOD: 1006 N. Fairfax Ave.

IN CHICAGO: 6571 N. Olmsted Ave.

Export Dept.: 13 East 40th St., New York 16, N.Y., Cables "ARLAB"

NOU GET BETTER TAPE RECORDINGS WITH Electro Voice.

MICROPHONES



For Solo and Group Pick-ups Model 926. Slim, modern crystal microphone. Omnidirectional. Excellent for recording parties and training sessions. Tiltable. 18 ft. cable. List Price: \$24.50



Excellent Bass for Music Pick-up Model 911. Mercury crystal microphone. Fine quality omnidirectional pick-up, with excellent bass response. Provides smooth, wide-range reproduction of music. "On-Off" switch. Tittable head. With 18 ft. cable. List Price: \$27.50



For Full Freedom of Movement Model 924. Lavalier crystal microphone, for chest or hand use. Supplied with neck cord, support clips and 18 ft. cable. Acoustically treated for wind and moisture protection. List Price: \$18.00



To Reduce Background and Echo Model 950. Cardax cardioid* crystal microphone. Unidirectional. Gives sound pick-up selectivity. Increases pick-up range. Assures clearer reproduction of voice and music. "On-Off" switch. 18 ft. cable. List Price: \$42.50

For Economical All-Around Use Model 915. Century crystal microphone, shown in use at left. Can be used in hand, on table or stand. Omnidirectional. Rugged, lightweight. With 5 ft. cable. List Price: \$11.25

The vital key to fidelity in your tape recordings is the microphone. The quality of the entire performance hinges on the ability of the microphone to translate with supreme accuracy the living, breathing reality of the words and music you put into it.

For 29 years, *Electro-Voice* has engaged in continuing research and engineering to bring you the finest. Because of skillful design, precision fabrication and manufacturing know-how, *Electro-Voice* is standard in television and broadcast stations as well as professional recording studios.

Vastly extend the use of your fine tape machine by adding a better *Electro-Voice* microphone. Shown here are but a few of the many models in the complete *Electro-Voice* line. Choose one that suits you best.



SON

Send now for Condensed Catalog No. 119; or if you have a special microphone problem, write to our sales engineering department.



*E-V Pat. No. 2,627,558 Licensed under patents of the Brush Development Co. E-V pat. pend.

ELECTRO-VOICE, INC., Dept. TR5, Buchanan, Mich. • Export: 13 E. 40th St., N.Y. 16, U.S.A. Cables: Arlab

RECORDED TAPE OF THE MONTH CLUB

proudly presents

A LIMITED EDITION OF **TWO EXCLUSIVE FIRSTS!!**

America's Brightest Teenage Piano Star

LINDA BABITS

in a

World premiere of the "Lost Rondo" by the 19th century genius composer, Matteo Carassi

PLUS-Sonata in C Major-Scarlatti

Prelude and Fugue in D Minor-Bach Fantasia in D Minor-Mozart Minute Waltz-Chopin Nocturne-Chopin

Fantasia-Impromptu—Chopin

By Special Arrangement only 5000 limited edition tapes will be distributed. Reserve your copy today. It will make a perfect Christmas gift. This special tape will be available after September 1. Don't be disappointed, order now! This is a true collector's item.

Specially priced at \$5.95. \$6.95 to Non Club Members. ALL TAPES ARE REELED AT 7", $7\frac{1}{2}$ 1.P.S. S—IS SINGLE TRACK, D— IS DUAL TRACK.

JOIN T.O.M. and SAVE! Softh 1.0.M. and SAVE! Every month the club selects a new recording as its tape of the month, and makes it available exclusively to club members. Each member re-ceives a FREE 4ⁿ preview... and hears the selection before buying. Full tapes cost club members only \$5.55. MEMBERSHIP dues are only \$5.00 for one year. Members get 12 pre-view tapes AND ARE UNDER NO OBLIGA-TION TO BUY MONTHLY SELECTIONS!

selection . . . with every 4th tape of the month purchased! Members receive a FREE BONUS tape . . . of their

SEND FOR FREE CATALOGUE: RECORDED TAPE OF THE MONTH CLUB Dept. TF-8, 449 West 51st Street New York 19, N. Y. Make sure to see us at the Hi-Fi Show, TRADE SHOW BLDG .- ROOM 519.

MAIL THIS COUPON NOW: RECORDED TAPE OF THE MONTH CLUB DEPT. TF-8 449 West 51st Street New York 19, N. Y.

Please enroll me as a member. Enclosed is my \$5.00 dues for one year. I look forward to my 12 pre-views and understand I am under no obli- gation to buy monthly tapes.
□ Enclosed please find \$1.00. Send me the two pre- views. If I am satisfied I will join the club for an additional \$4.00 for the next 10 months, with no obligation to buy full monthly tapes.
NUMBERS
at \$5.95 each (\$6.95 for Non Club Member.)
NAME
ADDRESS
CITYZONESTATE N.Y.C. please add 3% sales tax to all remittances.

MAGNETIC FILM &

TAPE RECORDING

VOL. 3 No. 6 SEPTEMBER - OCTOBER, 1956

MARK MOONEY, JR. Editor and Publisher

JOHN L. ALLEN. Circulation Manager

JEAN COVER Assistant Editor

ROBERT W. LAPHAM. Art Director

ANTHONY J. MORIN, JR. National Advertising Manager 274 Madison Ave., New York 16, N. Y.

JAMES H. MILLS, SR., Technical Consultant

> **GEORGIA SIGSBEE** Music Editor


IN THIS ISSUE

TAPING THE CONVENTIONS	20
TAPE ON THE NORTH ATLANTICCharles H. Malmstedt	24
SHOW OFF YOUR TAPESSheldon O'Connell	28
RECORDING BRASS INSTRUMENTSL. L. Farkas	30
NEW TAPESGeorgia Sigsbee	6
BOOK REVIEWS	15
TEEN TAPERSJerry L. Heisler	16
NEW PRODUCTS	17
QUESTIONS AND ANSWERS	18
TAPES TO THE EDITOR	19
TAPE IN EDUCATIONJohn J. Grady, Jr.	32
TAPE CLUB NEWS	34
NEW PRODUCT REPORT: THE FERROGRAPH 34/N RECORDER	36





Magnetic Film & TAPE RECORDING is published bi-monthly by Mooney-Rowan Publications. Inc., Severna Park, Md. (Severna Park 548). Entered as second class matter January 7, 1954 at the Postoffice. Severna Park, Md., under the Act of March 3, 1879. National Advertising Representative: J-V Associates. 274 Madison Ave., New York 16, N. Y. (ORegon 9-0030). Subscriptions, U. S. and Possessions. Mexico. Central and South America, \$2.00 for six issues; Canada add \$.25 a year; all others add \$.50 a year. Contents copyrighted by Mooney-Rowan Publications, Inc., 1956. Printed in U. S. A.





HIGH FIDELITY TAPE RECORDERS

Like countless other popular performers, Doris Day finds her Revere Tape Recorder invaluable for rehearsing her new numbers. Revere's amazing true-to-life fidelity of tone enables her to hear herself *exactly* as she sounds to her audience and helps her achieve the perfection acclaimed the world over. Why not follow her example? See and hear a Revere Tape Recorder at your favorite Revere dealer today!


REVERE CAMERA CO. · CHICAGO 16, ILLINOIS

DORIS DAY, co-starring in Alfred Hitchcock's "THE MAN WHO KNEW TOO MUCH", filmed in Vista-Vision, color by Technicolor.



T-700-D Dual-Speed — Simplified automatic keyboard controls. Standard tape speed of 3.75 and 7.5 i.p.s. Records up to three hours per seven inch reel with new long-play tape. Exclusive index counter. Complete with microphone, radio attachment cord, two reels (one with tape) and case......\$225.00





T-11 Custom Model—For easy installation into any high fidelity system. Solenoid operated keyboard, push-button control. Accepts 3, 5, 7 and 10½-inch reels. Records up to 2 hours with 7½ i.p.s. tape speed or 3 hours with long-play tape. With reel adapters, cord assemblies and plugs......\$284.50

NEW TAPES

Editor's Note: We are pleased to be able to announce that the name "Sigsbee" will still appear on the masthead of this column. Mrs. Charles Sigsbee will carry on the work begun by her husband who was killed in a car crash. Mrs. Sigsbee always worked closely with Mr. Sigsbee on the tape reviews and, in her own right, is a capable reviewer. We are certain that you will enjoy her work and comments.

S^{OME} people do not feel that sound reproduction should be above all things realistic, but it seems to me that as the years pass we, as people, are searching more for the basic truth and realism of all things. It is my opinion that from the old Edison system to the more modern phonograph, to high fidelity and now to tape and stereophonic sound the trend shows that progress is, always, toward the ultimate of *realism*.

Another industry which comes to mind, as an example, would be the movies. From silent films, to sound on film, from poorly reproduced black and white to clear, sharp pictures and on to color, wide screen and Cinerama.

STEREO TAPES by LIVINGSTON * * * * * *

The LIVINGSTON TAPE TREASURY has maintained the most diversified catalog of BOTH STEREOPHONIC (Binaural) and MONAURAL high fidelity recorded tapes for the home

NEW RELEASES COMING SOON!

* *

So, see your dealer or write us for his name and a free complete catalog.

Livingston Electronic Corp., Livingston 10, N. J.

All this progress is for one result . . . realism; a "you are there" feeling.

Now, insofar as music reproduction is concerned, we can stick our heads in the sand via our home systems and eliminate the "realism" of live concert distractions such as coughing, or those two women carrying on a conversation about the movie they saw the night before, or people getting up and going out, etc.

Music on tape has given us a truer fidelity. Stereophonic sound has brought us the realism of having the balance of sound precisely where it should be. For one who loves music and wants to hear it at its best, it is a thoroughly satisfying experience, like receiving a gift one has long desired.

If you are one of those who are just beginning to "break into" the tape field, or if you have not yet done so, you are in for more pleasure in the future. The tremendous stack of tapes this month fall into many categories and it is hard to visualize anyone not having his tastes satisfied.

CLASSICAL

OFFENBACH Gaite Parisienne MEYERBEER

Les Patineurs

Boston Pops—Arthur Fiedler RCA VICTOR DC-14

Offenbach's gay, bright ballet with a rollicking musical score is given a vivacious performance by the Boston Pops. The interpretation does not compare with the delicacy of Dorati, but this makes for good listening.

Les Patineurs (The Skaters) had its premiere at the Sadler's Wells Theatre in London in 1937. The score consists of a series of four dances which Meyerbeer wrote for his opera "Le Prophete." This is a shorter selection than the Gaite Parisienne, and so much the better, as Les Patineurs is a little too showy compared to it. However, the two make good companion pieces and make up a well-rounded tape.

One cannot resist the innate charm and appeal of this music and I feel, especially for those who have not yet opened the door to classical music, that this tape would be a fine one to add to the library.

The fidelity is excellent.

OISTRAKH PLAYS

Franck Sonata in A major for Violin and Piano

Prokofiev Sonata No. 1 in F minor for Violin and Piano, op. 80

David Oistrakh, Violin

Lev Oborin, Piano AV 1043 E

There is no question as to Oistrakh's mastery of the violin, and this tape is more proof. The Franck Sonata is performed with delicacy and beauty, being somewhat Brahms-like in quality with all the melodic and harmonic expression brought out by this great artist. He takes the plaintive, sad theme which occurs throughout and gives it such depth of emotion and feeling that one literally lives with the music.

The Prokofiev is more modern and atonal

with the first movement opening on an ominous and depressive note. The second movement is fast and dramatic, with atonal qualities and leads into a quieter, more romantic style in the third. The fourth movement is spirited with pizzicato effects and the entire sonata displays in full Oistrakh's virtuosity.

A true high fidelity tape in every respect with Oistrakh and Oborin achieving a beauty of symmetry and form which condenses into a distillation of beauty for the music lover.

BEETHOVEN

Fifth Symphony

Boston Symphony Orchestra, Charles Munch RCA VICTOR ECS-7

From the moment "fate knocks at the door" one is held by the impact of this most famous of all symphonies. A clear, dynamic rendition executed by Munch brings out the glowing fabric of this beautiful music and with stereophonic reproduction there is little more one could ask.

The first movement is powerful and vibrant; the second finds the cellos exhibiting deep sentiment in the lovely song which carries throughout to the third movement wherein the orchestra imparts the feeling of fear and joy, alternately. In the finale, Munch and his men expressively perform Beethoven's "victory over struggle."

This is a richly resonant recording with balance and clarity. I am a little prejudiced for Toscanini's reading with its sheer drive and brilliance but for fidelity and lifelike reproduction this tape cannot be beaten.

MOZART

Jupiter Symphony No. 41 Chicago Symphony Orchestra, Fritz Reiner RCA VICTOR DCS-10

Composed in his thirty-second year (1788) and considered one of his three greatest symphonies, this reading brings out all the melodic shape, form and coloring of pure classic music form of which Mozart was a master.

In the first movement the light melody and quiet phrasing for strings is given a lucid interpretation. One of the finest of Mozart's slow movements is the second and Reiner and his orchestra bring to it a fluid flow of tone and delicate texture. The third (Minuet) is gay and playful and in the finale the simplicity and yet highly complex technical structure is beautifully balanced and expressed by the orchestra. The climax is forceful and has quite an emotional impact.

This tape is, with stereophonic sound, Mozart's poetry of music, and the Chicago Symphony, one I would highly recommend.

W. A. MOZART

Two Concertos for French Horn and Orchestra (Album I)

Concerto No. 3 in E flat Major (K.447) Concerto No. 2 in E flat Major (K.417) James Stagliano, French Horn

The Zimbler Sinfonietta

BOSTON RECORDS TAPE LIBRARY BO 7-4-BN

LIVINGSTON ELECTRONIC CORP.

Boston has released the four horn concertos of which we have the above for review. Stagliano, first horn of the Boston

Bel Canto stereophonic tapes

>

ş

(AVAILABLE FOR BOTH "INLINE" & "STAGGERED" PLAYBACK EQUIPMENT)

ALBUM #2 (23 min. \$9.95) **RACHMANINOFF IN STEREO**

Rhapsody, Op. 43, on a theme of Paginini . Rachmaninoff Soloist: Francois D'Cote Assisted by: String Ensemble de Paris

A thrilling high fidelity adventure in authentic Stereo-phonic sound through the brilliant artistry of Monsieur D'Cote playing the well known works of Rachmaninoff.

ALBUM #702 (30 min. \$11.95)

(MERRY CHRISTMAS CAROLS) Pipe Organ with Dual Chimes

Featuring Robert Rheims at the Mighty Wurlitzer Pipe Organ at Columbia Square in Hollywood with hammer-struck chimes and the Maas-Rowe electronic Carillons. A dramatic presenta-tion of such traditional songs as "Silent Night," "The Christ-mas Chimes Are Pealing," "I Heard The Bells On Christmas Day," and 17 others.

(Also available in Monaural Sound - Album #701)

ALBUM #1 (23 min, \$9,95)

•

CARROUSEL BAND ORGAN (complete with reeds, glockenspiel, bass drum, castanets, snare drum, triangle and cymbals)

With the magic of the modern stereophonic recorder we are able to visit one of the wonders of yesteryear. Back to the time of hooopskirts, hombergs and horseless carriages; when the highlight of a Sunday afternoon in the park was a ride on the merry-poround. Listen to this fine old Wurlitzer Band Organ play such wonderful tunes as Lovin' Sam, Homesick, Toot Toot Tootsle, Chicago and many more.



5 INCH . 71/2 IPS, DUAL TRACK . 30 MINUTE PROGRAMS (Also available at 334 IPS and FULL TRACK)

> You Can Say That Again — Tumbling Tumbleweed — My Heart Tells Me — Snowbound — In the Rain — No Ordinary Autumn — Day In Day Gut — I'll Never Smile Again — Just the Mood I'm In — All Or Nothing At All Three Little Words — Montuna — September Song — The Rose Room — Let's Fall In Love — Sweet Georgia Brown — Lady Be Good — April In Paris — Sweet Loraine — How High the Moon #106 "Music for Hearth and Heart" FRANK HUNTER - ORCHESTRA AND CHORUS #105 "Sippin' Music" JACK KELLY TRIO nuun Royal Garden Blues — How Come You Do Me Like You Do — At the lazzhand Ball — Love Is just Around The Corner — Jeepers Creepers — Sleepy Time Down South — Mandy — Sunday — There'll Be Some Changes Made — Honeysuckle Rose — China Boy #503 "Chicago Jazz" DAVE REMINGTON AND THE CHICAGO JAZZ BAND
> HODE
> HODE
> HODE
>
>
> #502
> Just Friends — It Could Happen to You — Lilacs in the Rain — Carle Selex
> You Don't Know What Love
>
>
> CARL PERKINS AT THE PIANO
> Is — The Lady Is A Tramp — Woodyn You
> You Don't Know What Love
>
>
> sic for sleepwalkers only"
> Laura — That Old Black Magic — Begin the Beguine — Why Shouldn't !?
> Carle — My Heart Belongs to Daddy — My Your Lover Has Gone — I Only Mave Eyes for You
>
>
> KIS TROMBONE AND ORCHESTRA
> Your Lover Has Gone — I Only Mave Eyes for You
> #104 "Music for sleepwalkers only" MURRAY MCEACHERN HIS TROMBONE AND ORCHESTRA pur Father's Moustache in Hi Fi" PROFESSOR ALBERT WHITE AND HIS GASLIGHT ORCHESTRA Minimum Automatic And His GASLIGHT ORCHESTRA Minimum Automatic And His Arrows — Cycle Whirl — Hot Time in the Old Town — Good Old Times #107 "Your Father's Moustache in Hi Fi"

#301 "Bavarian Polkas" Clarinet Polka — Alpiners Waltz — Jolly Peter — Tales of Vienna Woods — Cuckoo Waltz — Du Du Liegst Mir im Hertten - Hoch Heidelburg Marsch — Hofbrau Haus Landler — Mus Ich Dennzum Statele Hinaus — Old Comrades — San Diego Polks FRANZ SCHERMANN AND THE ALPINERS



RAY CHARLES CHORUS "Moods in far away places" (#102) MONTY KELLY AND ORCHESTRA "Color and Romance" (#101)

JAY WHITE AND ORCHESTRA "The miracle of a dream" (#103)

(#101) (#103) (#102) (#501) (#501) (#301) (#701)

NAME .

ADDRESS -

CITY and ZONE .

The best of BILLY BUTTERFIELD (#501)

DEMONSTRATION TAPE: Excerpts of 10 albums . . . Hi-Fidelity Narration by "BILL STEWART," KMPC Disc Jockey \$2.00 (#DT27)

IF NOT AVAILABLE AT YOUR RECORD, PHOTO, or HI-FI DEALER... Write direct

Bel Canto magnetic recorded tapes DEPT. 3TR 4856 W. JEFFERSON BLVD., LOS ANGELES 16, CALIF.

Send me the following selections checked below (\$6.95 ea. Postpaid . Individual Stereophonic tape prices below)

STEREO TAPES (#502) (#104) (#106) (#105) (#105) (#503) (#107)
 STEREO #1 (INLINE) \$9.95

 STEREO #2 (STAGGERED) \$9.95

 STEREO #702 (INLINE) \$11.95

 STEREO #702 (STAGGERED) \$11.95

 STEREO #702 (STAGGERED) \$11.95

 STEREO #22 (INLINE) \$19.95

 STEREO #2 (INLINE) \$9.95

 STEREO #2 (INLINE) \$9.95
 □ (#DT27) DEMONSTRATION TAPE (\$2.00)

Complete list of MONAURAL and STEREOPHONIC tapes (FREE)

STATE .

Enclosed is \$_ _ Money Order or Check (in Calif, add 4% Sales tax)



0

Now ... TV pictures magnetically recorded on tape!

Here's why magnetic tape is recommended by Ampex


Tests by Ampex Corporation show tape made with Du Pont "Mylar" gives best all-around performance on new "Videotape" recorder



"In developing our 'Videotape' recorder, we made extensive tests on various types of magnetic tape," reports the Ampex Corporation. "We had to be sure the performance of the tape was commensurate with the quality and durability built into our equipment. We found that tape made with 'Mylar' met all our requirements—that's why we recommend it to people who will be using our 'Videotape' recorder." THE first practical method for recording TV sound and pictures on magnetic tape has been announced by the Ampex Corporation, Redwood City, California.

The Ampex "Videotape" recorder uses tape made with Du Pont "Mylar" for these important reasons: It's tape that can withstand unusual recording rigors without the risk of cracking or breaking—it can be stored indefinitely and played many times without any harm to either picture or sound quality.

Tape made with "Mylar" is strong, but thin enough to reproduce a whole hour's TV program on one 14-inch reel. It's virtually unbreakable—



Here's how the new "Videotape" recorder works: As TV camera captures the action, it is recorded on magnetic tape along with the sound. The tape can then be played back *immediately*. This enables the producer and director to check the performance immediately without tying up costly talent and studio time.

made with Du Pont "Mylar" for "Videotape" recording

unaffected by changes in temperature and humidity. In short, the high tensile strength and dimensional stability of "Mylar" offer unlimited tape life under *all* conditions.

Basically, this tape is the same as conventional sound-recording tape made with "Mylar". All leading manufacturers are now featuring sound tape made with "Mylar" for home, educational, business, commercial and religious use. Next time you see your dealer, ask for a reel or two of your favorite brand now made with "Mylar". If you'd like a copy of our booklet on tapes made with "Mylar", just mail in the coupon below.

> *"MYLAR" is Du Pont's registered trademark for its brand of polyester film. Du Pont manufactures the base material, "Mylar"—not finished recording tape. In Canada, "Mylar" is sold by Du Pont Company of Canada Limited, P. O. Box 660, Montreal, Quebec.



BETTER THINGS FOR BETTER LIVING ... THROUGH CHEMISTRY



Reel of magnetic tape made with Du Pont "Mylar" is used in Ampex"Videotape" recorder. Because "Mylar" is extra-strong, even in thin gauges, a full hour's TV program can be recorded on a single 14-inch reel. Tapes assure faithful reproduction, even after repeated usage—can be stored indefinitely without becoming brittle or dry.

DU PONT	R
MYLA	R
POLYESTE	RFILM

E. I. du Pont de Nemours Room T-9, Nemours Bldg. Please send your bookle recording tape made with	, Wilmington 98, Del. t outlining advantages of magnetic
Recording Application	
Name	
Firm	
Address	
City	State



SAINT PAUL 1, MINNESOTA, U.S.A.

Symphony, does a sensitive interpretation of these two concertos with the Zimbler Sinfonietta giving a good performance. The tonal quality is good and the music warm and delightful. The recording was made in the newly completed Kresge Auditorium of MIT, Cambridge, and is flawless in balance, range and fidelity.

A. E. Foster of Newark College of Engineering, Newark, New Jersey, was kind enough to forward the Columbia EMI tape containing the four horn concertos, by Mozart with Dennis Brian, horn, and the Philharmonia Orchestra conducted by Herbert Von Karajan, for review.

We compared the two side by side and find that the better orchestra is on EMI and Brian's delivery is a bit more sharp and clean-cut in style. The difference lies mainly with stereophonic reproduction and the Livingston tape comes off ahead with a fuller, richer sound. Both tapes are good, clear recordings and it is purely a matter of personal taste.

TCHAIKOVSKY

Concerto No. I Emil Gilels, Pianist Chicago Symphony Orchestra Fritz Reiner, Conductor RCA VICTOR ECS-8

Written in the short space of a month and condemned as "thoroughly worthless" by Nicholas Rubinstein, this concerto has become one of the most popular for piano. Considered a good display piece for the virtuoso, this effectively shows the brilliant technique and interpretative style of Soviet Russia's foremost pianist, Emil Gilels.

Through the combined factors of Gilels, Reiner and stereophonic sound, this rendition of the familiar concerto takes on new life. In the finale the orchestra and artist perform in the spirited coda with such effectiveness that one is emotionally lifted by the music.

Making the master tape took more than five hours of continuous recording and playback with Reiner and Gilels working for perfection . . . and the desired result was attained.

The piano is clear and concise, the balance between orchestra and instrument fine, the fidelity excellent.

BRUCKNER

Symphony No. 9 in D Minor Pro Musica Symphony, Vienna Jascha Horenstein, Conductor PHONOTAPES-SONORE pm 125

This, his last, and unfinished symphony Bruckner dedicated to God. Until the early thirties no definitive version of this work emerged. Ferdinand Loewe had redone the work changing and revising until Professor Orel arrived at his thesis of the authentic work through arduous study of six separate versions of the composer's manuscripts of the symphony. It was first performed in the original version by Otto Klemperer and the New York Philharmonic Symphony Society in Carnegie Hall in 1934.

There has always been much controversy as to Bruckner and his musical structure and style and as Stokie would say, "It is whether your ear likes it or not." I found the first movement fragmentary containing as it does four themes. The second and third are more to my liking, but in the third



270 Concord Ave. West Hempstead, N. Y

FOR SALE

16" Hi-Fi Transcriptions-Big Catalog, 25c Tape Mood Music ½ Hour Only \$6.00 Sample Copy \$2.75 TRANSCRIPTION SERVICE 166 Barkley Ave. Clifton, N. J.

FREE CATALOG!

Tape Recorders, Tapes, Miscellaneous Accessories, Radios, Phonographs, Television, Hi-Fi, etc. All famous brands. This new, interesting, informative catalog is yours free! Write for it now!

TOWERS (Dept. TR) P.O. Box 155, Philadelphia 5, Pa.

TAPE RENTALS

Now you can enjoy a wide variety of **Stereo** and **Monaural** recordings—at the cost of a single purchase! Write for *free price list*:

National RENT-A-TAPE Service P. O. Drawer I, Winnetka, Illinois



YOUR TAPE RECORDER CAN MAKE MONEY FOR YOU


Make tape recordings of

PARTIES MEETINGS SCHOOL CONCERTS & EVENTS WEDDINGS and transfer to high-fidelity permanent records for very little cost. Then resell at your own price!

	Records Imprinted With Your Copy
	 Large or Small Quantities
	 Exceptionally Low Rates
	 All Speeds and Sizes

CREST RECORDS, INC. TR9

220	Broadw	ay, I	luni	ingt	on	Sta.	N. Y.
	send me records.	brochu	ire a	nd r	ates	on th	ransferring
NAME							
DDRE	ss						
CITY .		Z	ONE		ST.	ATE	
MAIL	TODAY	FOR	BRO	сни	RE /	AND	RATES



AUTHENTIC HI-FI ON TAPE (71/2 ips) FULL 1/2 HOUR PROGRA

All tapes processed on AMPEX hi- speed duplicators using "Scotch" 111-A, splice free, magnetic tape . . . Supervised production guarantees authentic top quality hi-fidelity reproduction (no seconds)

NO MEMBERSHIP FEES NECESSARY

(POSTPAID)



available by MAIL ONLY from Q-TAPE RECORDING

THE SALT LAKE CITY FIVE . DIXIELAND BAND (#901) Eccentric – Home – That's A Plenty – Sweet Georgia Brown – Fidgety Feet – Dixieland One Step – I Found A New Baby

STAN WILSON - HIS UNIQUE FOLKSONG STYLINGS AND GUITAR (#902)

Frankie and Johnny – Venezuela – Tongue Tied Baby – John Henry – Baltimore Oriole – Wanderin' – Woman with the rollin' pin – The Bridge – Uncle Rubin – High Barbaree - Young Girls

JO HARNELL AND HIS TRIO (#903)

Piano, Jo Harnell: Bass, Russ Saunders: Drums, Stan Krell Fascinating Rhythm — Tcha Tcha Tchaikowsky — You Do Something To Me – Lover – My Funny Valentine – Pick Yourself Up – Begin The Beguine – Sugar Plum – If You've Forgotten Me – The Lady Is A Tramp

THE DOROTHY DONEGAN TRIO (#904)

Original and Dynamic Piano Styli ng I Can't Give You Anything But Love – September Song – Up A Lazy River – Happiness Is A Thing Called Ioe – Lullaby of Birdland – Dancing On The Ceiling – I Get A Kick Out of You

THE GENE HARRIS TRIO (#905) Gene Harris, Piano; Mike Long, Bass; George Herman,

Gene Harris, Piano; Mike Long, Drums Let's Fall In Love – I'd Do Anything For You – Cheerful Little Earlull – My Heart Belongs To Daddy – The Cirl Friend – Love Me or Leave Me – A Foggy Day – Old Devil Moon – Varsity Drag – Our Love is Here to Stay – Almost Like Being in Love

CHILDREN'S SERIES (#906)

Fascinating stories for children. Told by Daws Butler and Tip Corning. Music composed and conducted by Frank Hubbell with an all star Hollywood orchestra and soloists. Chirpy Cricket, part I and II – Grumpy Shark, part I and II – Lonesome Octopus, part I and II – Flying Turtle, part I and II – Happy Grasshopper, part I and II THE SPRING STREET STOMPERS AT CARNEGIE HALL (#907)

(#907) Wolverine Blues – Basin Street Blues – Royal Garden Blues – That's A Plenty – Black and Blue – Blues My Naughty Sweetie Gave To Me

COLLEGE JAZZ COMES TO CARNEGIE HALL (#908) with The Spring Street Stompers, All Star Swing Sextet, College All Stars and The Spring Street Stompers. Dixie (Jam Session) – Muscat Ramble – Liza Panama – Que No Sabe – Bye Bye Blues – Sweet Georgia

THE WORLD'S FOREMOST AUTHORITY (#909) 'PROFESSOR' IRWIN COREY AT LE RUBAN BLEU An uproarious and hilarious 45 minutes with Professor Irwin Corey performing as he did at New York's smart Le Ruban Bleu for 53 weeks. A "must" for every adult party.

THE EDDIE COSTA . VINNIE BURKE TRIO (#910) Al album of fresh, provocative sounds, that makes jazz so exciting.

Fascinating Rhythm – Sweet and Lovely – Let's Do It – Yesterdays – Pile Driver – It Could Happen to You – Jeepers Creepers

BETTY ST. CLAIRE SINGS (#911)

Betty St. Claire has been established as one of the most inventive 'around-the-chord' singers of the day. Her riffs on the chord changes make for great listening.

What is There To Say — That Old Black Magic — East of the Sun — Prelude to a Kiss — Out of Nowhere — Almost Like Being In Love — Here Comes Trouble Again — My One and Only Love — Why Try To Change Me Now

Miss Martha Hayes is a Jazz Singer(non pareil) who uses her voice as a horn-like instrument. By Myself - Black Coffee - Get Out of Town - Never Entered My Mind - Little Girl Blue - Good Morning Heartache

MARTHA HAYES . JAZZ SINGER (#912)

SQUARE DANCE (#913) Instrumental Series for Callers – Directed by Les Gotcher By the Black Mountain Rhythmaires (with instruction sheets)


Black Mountain Rag – Dance Around Molly – Cindy Lou – Bill Chetum – Slippin' Around – Poke County Hoedown – John Henry – Sugar Foot Rag

SQUARE DANCE (#914) Call Series for Square Dancers by Less Gotcher (with instruction sheets)

Reno Cross – Little Wonder – Crawdad Square – Hurricane – Penny Waltz (Round) – Star Route – Hashin' Up the Cross Trails – Gizmo

JAZZ AT ITS BEST - EDDIE BERT (#915) I'm Through with Love – The Blue Beetle – In A Medi-tating Mood – School Days – Pennies From Heaven – Home Cookin

these tapes are only available by mail



NO membership fees necessary

FREE....Send for:

TAPE RECORDER SUPPLY CATALOG: Featuring and specializing in Raw Tape, Reels, Splicers, "How-To" books on the care of tape recorders . . . everything for the tape recorder enthusiast.

Q-TAPE RECORDING CO.

P.O. BOX 3244, TERMINAL ANNEX, LOS ANGELES, CALIF.

Send me the selections checked below: (Postpaid)

	#901 #902 #903 #904 #905	#906 #907 #908 #909 #910	2 #911 #912 #913 #913 #914 #915	
	FREE CATA	LOG OF ALL Q-TAPE) TAPE RECORDER SU LOG OF STEREOPHO	RELEASES IPPLY CATALOG NIC TAPES SOON TO BE I	RELEASED
NAME	E (PLEASE PR	INT)		
ADDR	ESS			
CITY	& ZONE		STATE.	



I fully expected Wagner to take over at times.

Horenstein and the Pro Musica give a good performance with depth and feeling and my one complaint is that the high's, as reproduced, are strident . . . other than that, the tape is a good one.

VERDI

"A Masked Ball"

Joachim Kerol, tenor Jean Borthayre, baritone Ethel Semser, soprano Loly Valdarnini, soprano

Marie-Therese Cahn, contralto

Jacques Linsolas, bass Giovanni Di Napoli, bass Jean Mollien, bass

Orchestre Radio Symphonique de Paris, Paris Philharmonic Chorus Rene Leibowitz, conductor

CONNOISSEUR D-100, D-101 LIVINGSTON ELECTRONIC CORP.

This is an excellent recording of the complete opera "Un Ballo In Maschera." A powerful and dramatic presentation by Leibowitz and the orchestra as well as fine performances from the soloists and chorus.

The solo work of Ethel Semser as Amelia is outstanding. Her aria in Act II, "Ma Dall' Arido" is beautifully delivered and throughout this work her high notes are achieved with smoothness and clarity; her intonation and enunciation pure.

Jean Borthayre, as Renato, provides a strong, rich portrayal of his role. His voice has great depth and expression which he demonstrates superbly in Act II as he sings the great aria, "Eri tu."

Joachim Kerol, as Riccardo, does a capable job as do the others in the cast.

The balance between voices and orchestra is perfect and the string tones clear and basses rich and sonorous. The fidelity is above reproach.

Connoisseur has provided excellent packaging for this operatic work including notes and libretto.

POPULAR

MORE GEORGE WRIGHT HIFITAPE R-707 GEORGE WRIGHT'S SHOWTIME HIFITAPE R-708

For fans of George Wright here is more of the same artistry at the pipe organ. On R-707 Wright plays with his usual skill one of the largest Wurlitzer's (5 Manual) ever made. "You'll Never Walk Alone" and "Stars Are the Windows of Heaven," are expressively performed. "Sanctuary," a George Wright original, has a terrific bass opening and contains the sounds of birds throughout.

On R-708, Wright is playing the 4 Manual Wurlitzer Pipe Organ in the Fox, San Francisco Theatre, where he first started his profession. On this reel you will hear such tunes as "The Man I Love" and a medley of songs from "Showboat."

Tonal regulation, arranging and presentation are fine and the fidelity is excellent. For those who like organ music in a lighthearted vein, these two tapes will more than satisfy.

FOLK MUSIC

IN OLD BAVARIA

Franz Schermann and the Alpiners BEL CANTO #301

Franz Schermann and the Alpiners produce authentic Bavarian polka and folk music with all its zest, color and gaiety. Keeping with the authenticity, they use only instruments which can be carried as they stroll about.

You find your feet tapping and your mood a lighter one as you listen to such tunes as "Jolly Peter," a very popular Rhinelander dance, "Du Du Liegst Mir Im Hertzen" (translated it means "You, You Are In My Heart" but you may recognize it as "Oh Where, Oh Where Has My Little Dog Gone!") and other folk tunes.

The Alpiners seem to enjoy playing as much as one enjoys listening . . . even to some vocal "heys, yippees and one, two drink" . . . one of our German friends became a little homesick!

Fidelity, as on all Bel Canto releases this month, is fine. This is a tape to add to your library for lighter moments.

GYPSY MUSIC

Lendway Kalman and his Gypsy Orchestra ALPHAtape 7

No finer gypsy music are you liable to find on recordings. Even boasts of the ancient cymballum. Those interested in this difficult instrument will find "Romanian Hour" interesting as a solo.

As there are no notes included with the tape, I would imagine the group to consist of one (or two) violins, piano, cello (good .. soloist on "A May Night"), bass viol and cymballum.

MISCELLANEOUS

YOUR FATHER'S MOUSTACHE IN HI FI Professor Al White and his Gaslight Or-

chestra BEL CANTO #107

Professor White and his fifteen-piece aggregation play with spirit and all too impeccable artistry some music of the Gay, Nineties. Such instruments as the slide trombone, banjo, glockenspiel and bird whistle are made wide use of on selections such as "What Do You Mean You Lost Your Dog?" and "Tickle the Ivories."

Playing it before a small group the concensus of opinion was this: "It should be on scratchy 78's," "too polished," "the rhythm is there but it sounds like a symphony orchestra," and there is the clue, as this tape features members from the San Francisco Symphony.

They play as though having much fun and the listeners all agreed they derived the same feeling. We know you'll enjoy it as we did. Fidelity is tops.

HERE'S MORGAN—Satires and Monologues RIVERSIDE TAPE LIBRARY RT 5-10 LIVINGSTON ELECTRONIC CORP.

Yes, here is Morgan and it depends on whether you like him or not. We played this for several groups and found that "Twelve Bottles" and "The Truth About Cowboys" (we had an ex-professional one in our midst who stated this satire was "slightly exaggerated.") were the most popular. This boils down to personal taste ... if you like this type of entertainment, then you'll like the tape.

JAZZ HYSTEREO Jack Millman Quintet STEREOTAPE ST 5

Move the furniture out, this will set the house jumping! This is modern jazz, hystereocally speaking; beating it out on "Woodyn Hue," "Darn That Dream," and "Stitt's It," are Jack Millman, trumpet, Ray Teidel, drums, Lin Halliday, tenor sax, Don Friedman, piano, and Clarence Jones, bass.

You hear the instruments just where you would expect them to be and it is a listening experience to hear this quintet invade your home, via stereophonic sound.

Jazz fans will love it. Fidelity excellent.

JOSH AT MIDNIGHT

_ state .

zone

AV 852 J

Josh White singing in his inimitable style, with the talents of Sam Gary, vocal and Al Hall, bass. We have been looking forward to another release by Josh since Livingston's "Josh White Comes A-Visitin'" (T--1085). A close-in mike technique is used, a little too close on the first number "Saint James Infirmary" as the s's hiss somewhat, but throughout this is a good recording which makes you feel Josh is right in your room.

My personal preference runs to the selections of ethnic value as Josh White is a master of same.

Fidelity is excellent.

MUSIC FOR SLEEPWALKERS ONLY Murray McEachern BEL CANTO #104

This is a very smooth thirty minutes of popular music. It may be for sleepwalking only but is par for the course for good dancing or just listening. From the harp intro to "Laura" to the last of "Lullaby' this tape is excellent in content, arrangements and fidelity. To date, Bel Canto releases have been tops from the recording angle and this month is no exception.

SIPPIN' MUSIC

Jack Kelly Trio

BEL CANTO #105

With Jack Kelly at the piano, George Shaw on bass and Jack Saunders on drums, this trio does a good job of producing some light, easy background music.





When only the best is

good enough...

magnetic recording tapes on Mylor"* base

Model's outfit by Mme. E. Grangé Car' by Jaguar PLUS 50 by Soundcraft

SOUNDCRA



DuPont trademark

For true high fidelity now – and from now on – choose from these Soundcraft tapes. All are made with Oscar-winning Soundcraft oxide on extra-strong "Mylar" base.

> PLUS 50 – get 50% longer play PLUS 100 – twice as much on a reel "LIFETIME" – guaranteed for life





BOOK REVIEWS

How to Make Good Recordings by C. J. LeBel 51/4" x 8", 151 pages, well illustrated, Published by Audio Devices, New York, N. Y. Paper bound, \$1.50, cloth bound \$2.50.

C. J. LeBel is one of the recognized authorities on tape, and the chairman of the Magnetic Recording Industry Association Standards Committee. In this book he has produced a very readable and not too technical work that is both practical and informative. The section on microphone recording was prepared by Vincent J. Liebler, Director of Recording Operations, Columbia Records and the section on Tape Editing by A. A. Pulley, Administrator, General Recording, RCA Record Department. The information on the Use of Sound Effects was prepared by Herman Haverkamp, Assistant Director WNYE.

The book can be understood by the average layman and contains a wealth of practical data and information. We recommend it highly.

Audio Control Handbook for radio and TV Broadcasting by Robert S. Oringel, 9" x 101/4", 145 pages, well illustrated, Published by Hastings House, New York 22, N. Y. Cloth Bound \$6.60.

The author of this volume is a broadcast engineer for the Voice of America and has put a lot of very useful information into this book. With the advent of television, the fine art of audio has many times taken a back seat to the problem of keeping the mike out of the picture area. But with the coming of hi-fi components in many TV sets, and the general awakening of the public to what is good sound and what is not, the creative audio engineer should once more come into his own.

This is more of a how-to manual than a technical book and contains much of interest to tape recordists, especially the information on microphone placement. The author explains and shows by means of diagrams and pictures, the audio console controls, studio design and construction and goes into the tricks of voice levels and balance, cueing, remotes, program formats, etc. The book is very readable in style and even a beginner will have no difficulty following it.

Ribbons of Sound by Karl A. Barleben, 5½" x 8½", 126 pages, well illustrated. Published by U.S. Camera Publishing Corp., New York, N. Y. Paper bound \$2.50.

This is a book for the veriest beginner and the author did not set out to prepare a technical treatise. As he says in his preface, "No claims to completeness are made for these pages—they were prepared essentially for the beginner."

The chapters include, Some Thought on High Fidelity, Magnetic Recording Tape, How the Modern Tape Recorder Works, Magnetic Tape Recorders, The Microphone, Tape Recording and Tape Editing.

at home in your home New PENTRON mperor_TAPE RECORDER Now Pentron offers the famous Emperor recorder in a stunning hand-rubbed wood cabinet of striking design. Select either genuine mahogany or blonde rift oak wood. Exclusive 3 SPEAKER HI-FI SYSTEM with separate roving tweeter Surrounds you with brilliant, superb sound. Two matched speakers in recorder cabinet plus a third speaker in its own separate matching baffle. Creates an amazing dimensional effect. High fidelity at its fabulous best! **Only PENTRON** gives you all these professional features! • 10 watt push-pull amplifier • VU recording meter Automatic index counter • Response: 40-12000 cps • Instant automatic braking LC crossover network at 1000 cycles Dual speed-Dual track IN PORTABLE CASE Choose the Emperor in this handsome, sturdy portable case. Highest Quality; Low Cost! Complete line from \$139.95 list. 777 SOUTH TRIPP AVENUE PENTRON CHICAGO 24, ILL. Please send literature on tape recorders

Name_

Address_

City & State_

Canada: Atlas Radio, Ltd., Toronto

Find Your

Yellow Page

15

TR



TEEN TAPERS

BY JERRY HEISLER, National President

A^T the time that the last issue was distributed, we had the privilege of attending the convention of the National Audio Visual Association, in Chicago. Besides looking over various new products, I had the opportunity of meeting many members of the industry, many dealers, teachers, and other interesting people. I also spoke to a group of dealers on the Teen-Tapers idea and many were very much interested in helping to get clubs started.

We saw the new stereo playback and monaural recorder being put out by Ampex, designed to provide professional quality at a price within the means of many amateurs as well as schools. Martin Mann of the Pentron Corporation spent some time with me and gave me a fine insight into the various models in that line.

The Reeves Soundcraft people told me about their new double play tape which in effect gives you the equivalent of two 7" reels of tape, all on one reel. I have a roll which I'm looking forward to trying out.

One of the most interesting items and persons I saw and met at the convention, was the new V-M stereo recorder displayed by C. J. Stevens of the V-M company. This machine, to be in production by the end of this year, provides a unit capable of *recording* stereo tapes as well as playing them back. The price is within the popular budget and the machine features both stacked and staggered heads so that any type of stereo tape can be recorded or played.

If I were asked to name the one element of recording that is the up and coming thing, I would name stereo. There is no way to explain the difference between a monaural and a stereo tape. You must hear it to fully appreciate it. Because of my belief that stereo will be of great interest to teens, I have arranged with the V-M Corporation, and with Concertapes, one of the producers of stereo tapes, to secure a stereophonic playback recorder plus a number of tapes for testing purposes. As soon as possible I will write an article on this activity which I know will interest you.

All in all, the NAVA convention was a very interesting one and a profitable one for us. Our materials will be mailed shortly, and the coming year promises good things. We are all set to start clubs as fast as applications are sent in. Individuals wishing to help form local clubs in schools or churches be sure to write. We are constantly expanding our file of information and are ready to offer guidance wherever we can.

Getting back to the recorded tapes, we have word from Hal Beecham, President of Recorded Tape of the Month Club, that a teen-ager has entered the recorded tape field. Brilliant pianist Linda Babits, 15, bows in as the September selection for the club. Among the items that Linda features on her tape is "Lost Rondo" by Matteo Carcassi,

Florentine composer of the early 19th century. This is the first time this selection has ever been played. Tape of the Month reports that Carcassi was on the level with Liszt, Paganini and Beethoven in that time and for some mysterious reason he was almost completely overlooked. This tape is a limited edition available to the Recorded Tape of the Month Club members first, and on a limited basis to dealers. To get this tape make a reservation with your dealer or the club. You can obtain a picture of Linda Babits by writing to me c/o Teen-Tapers, TAPE RECORDING MAGAZINE, Severna Park, Maryland. Teen-Tapers congratulates Linda Babits, who with her tape, "Linda Babits Concert" is the first teen-ager to enter the recorded tape field. Much luck Linda and Tape of the Month Club.




NEW PRODUCTS

TURNER MIKE



A new cardioid microphone, Model 98, has been introduced by the Turner Company, Cedar Rapids, Iowa. The single active element in the mike is a rugged moving coil type with plastic diaphragm. This mike has a frequency response of 65-11,000 cps; an output of -52 db; frontto-back ratio of 20 db; and features a 20 ft. removable cable, single conductor shielded on high impedance models, 2 conductor shielded on low impedance models. Model 98 is priced at \$59.50. The S-98 model with on-off slide switch is priced at \$63.50; and a shock mounted G-7 stand for Model 98 is priced at \$8.00. For additional details, contact the manufacturer.

EMC TAPE PLAYER



EMC Recordings Corp., 806 E. Seventh St., St. Paul 6, Minn., has announced its new Communicator tape player. This selfcontained, portable player contains the following features: strict adherence to NARTB specifications for wow and flutter, frequency response, and signal to noise ratio; single lever tape control; instant start and stop braking mechanism; cathode follower output jack for direct connection to any external amplifier or public address system; auxiliary speaker jack for direct connection to any external speaker; and it is available in a light, easy to carry, genuine Samsonite luggage case. Additional information and price is obtainable by writing to EMC Recordings Corp.

(Continued on page 35)



OFFERS A COMPLETE STOCK OF TAPES

for order-by-mail selection

Blank Tapes For Highest Quality Recording

Recommended Tapes For Superb Listening

- No Waiting Full Selection Instantly Available
- Pre-Auditioned Assurance of Quality Recordings
- Convenient Delivered To Your Door
- If It's Recording Tape We Have It!

From This Month's RECOMMENDED RECORDED TAPES

- BRAHMS: Concerto For Violin and Orchestra, in D. Heifitz, Chgo. Sym., Reiner, RCA (Stereo) ECS4...\$14.95
 BARTOK: Concerto For Orchestra. Chgo. Sym., Reiner, RCA (Stereo) ECS9
- ECS9 \$14.95 BRAHMS: Concerto No. 1 in D. Rubenstein, Chgo. Sym., Reiner, RCA CC-15 \$10.95 STRAVINSKY: Petrouchka Phil. Sym. Orch. London; Scherchen. Sonotape SW 1019 \$7.95 PROVOUTER Combined Note: 10,000
- PROKOFIEFF: Symphonies: No. 1 in D, No. 5 in B-flat Phonotapes Sonore. PM 131

BLANK TAPES

All sizes, grades and types

Audiotape	Soundcraft
Irish	Scotch

When Ordering Specify brand, type and reel size.

Distributors For

Ampex Acoustic Research

> JansZen McIntosh

> > Sound Equipment



Although we can supply you with any recorded tape currently available, all Tape House Recommended Selections are preauditioned for highest quality. Each month we list our recommendations so you may have a selection of proven quality in all classes of music. In ordering by mail it is thus possible for you to have selections when you want them - without delays or back ordering. All tapes delivered POSTAGE FREE in original manufacturer's package unopened. WE PAY THE POSTAGE.

WHEN ORDERING Specify Tapes by Name and Number. Enclose Check or Money Order. Sorry, No. C.O.D.s.

MAIL	THIS	COUPON	NOW:	

Please Send Me Complete Monthly List Of Current Recommended Recorded Tapes.

name		
address		
city	zone	state



HI-FI

IMPORTS:

en-tone

The new

Velocity Mike

With the flip of a switch, you can choose 50 ohms-250 ohms or Hi-Z.

Frequency range: ex-tremely flat—30-15,000 cps $\pm 21/2$ db. Hum pickup (Gh) 139.8 db at 50 ohms. Available; mod-els with 20 feet of shield-ed balanced coble and

ed balanced cable and connections to stand and microphone.

impedance List \$105.00 B&O-50 50 ohm

J. GORDON HOLT (AUDIOCRAFT MARCH 1956) states: "... The mikes it was compared with cost at least 4 times as much but

I was curious to see how it would stand up to some of the top microphones currently available. It

does remarkably well . . . It is strictly a top quality unit and I still find the

price a little hard to be-lieve."

The new BO STEREO

MICROPHONE RIG

For the first time you can

recording as you would for monaural, ONE STAND, ONE POSI-TION. Perfect polar pat-tern for large or small

Rig alone (without mikes and stand) List \$38.95

And for more rugged use —indoor or outdoor, the triple blast screened

Dual impedance 50 ohms/Hi-Z. Proper im-pedance selected by plug-ging in proper cable.

Reslo "CELESTE"

groups.

89.95 5.50

impedance only

B&O Desk Stand

B&O-53 Multi-







pedance selected by plug-ging in proper cable. With two cables and muting switch— List \$89.95 FREE! 1956 Fentone Cata-log. The above are only samples of the many terrific values in the new 1956 Fen-Tone Hi-Fi catalog includ-ing mikes, tape decks, cartridges, record changers, silent listening devices, etc.

FENTON COMPANY 15 Moore Street, New York 4, N.Y.

Sold through better Audio Distributors. See yours today! West of Rockies, prices slightly higher.



QUESTIONS & ANSWERS

Questions for this department may be sent on tape or by means of a postcard or letter. Please address your queries to, "Questions and Answers," Film and TAPE RECORDING, Severna Park, Maryland. The most interesting and widely applicable questions will be used in this department and all inquiries will receive a tape or letter reply.

-I have been recording music from an FM radio with my recorder. I understand an FM radio does not reproduce the full sound range and that an FM tuner does. Will a tuner therefore increase the quality of my recordings? In your opinion do you think the purchase of a tuner would be worthwhile?-T. R., New York, N. Y.

A-If you have a good FM radio, there would be little point in purchasing an FM tuner. An FM radio contains an FM tuner, preamp, amplifier and speaker. If you wanted to feed the recorder with a tuner, eliminating the radio amplifier, you could make a takeoff at the preamp stage and feed it into the mike jack or other high impedance input on the recorder. This, conceivably, could provide better results especially if the amplifier in the radio was not of the highest quality. If your set is an AM-FM table model in the lower price bracket then it would probably pay you to invest in a good tuner.

-Two months ago the Hi-Fi bug hit me U like a ton of roses. Now I have a 24" shelf space of books, magazines, etc.

I have a moderately priced tape recorder. Relative to the purpose for which I bought it (speech only) and my taste at the time, it does well. Understandably, there is a quality difference between its performance and the best. But I want to do what I can to diminish the difference for both uses and taste have changed.

This difference lies, presumably, mostly in heads, speakers and amplifier. How much improvement will result in putting in better heads? How much from a better speaker? From connecting a better amplifier? How much for any two-and all three?

Later I hope to assemble an entire quality home music system, including the best recorder. Then in a still more distant move, duplicate the amplification-speaker system and add a binaural playback for stereophonic music-and give the recorder I now own to my sister. Since I plan to buy such components later anyhow, I won't mind buying a top quality speaker, etc., now for I can still use them later. That is, of course, if I can cash in now by such alteration of my present recorder by the addition of a high quality speaker system .- W. R., New York, N. Y.

-All three of the factors you mention. A beads, amplifier and speakers, contribute to the efficiency of the recorder and if any one is short in performance the net result will suffer.

We feel that in pursuing your plan the first purchase should be a good speaker and cabinet. This alone will make a remarkable difference in the quality of the sound played back from your present recorder. Obviously. it is impossible for the small speakers in a recorder case to do the job of a properly mounted wide range speaker.

The addition of a good amplifier would be the next step, which will provide more power and better range. This can be plugged into the amplifier output on the recorder or wired in by any competent service technician if your recorder does not have an external amplifier jack. We would suggest, in view of the fact that you plan to give the recorder away eventually, that you terminate the connection in a jack installed in the recorder case so the external amplifier can be connected or disconnected at will.

Heads would be the last step, although not the least important. By the time you reach this point, however, we feel that you will be ready to purchase your top quality recorder. As you suggest, and we heartily concur, do plan for the installation of stereo sound. We feel that anyone who likes music that gives you the "you are there" feeling will be in the ranks of the stereo users very shortly.

-I have a dual track tape recorder and U was wondering if there were some way to play or record a tape backwards. I have tried everything I can think of, including playing the tape "inside out." If it is recorded this way the sound will come through backwards but must, of course, be recorded at a high volume and is subsequently distorted and is itself of very low volume. I am very much interested in this because I would like to experiment with different sound effects .- A. W. H., Ann Arbor, Michigan.

-Since it is impossible to run your re-A corder in "reverse" the only solution is to record the sound normally and then get the reversal on playback. If you had single track heads, instead of dual, this would be easy. The only solution we can think of is the one you have hit upon, recording through the back of the tape. We would suggest that you try some of the new super-thin Mylarbase tapes which are only one-half thousandth of an inch in thickness. By recording these backward, your coated surface of the tape will be only a half-thousandth away from the head and while this will cause some drop out and loss of level, the results will be better than on the standard one-anda-half thousandths tapes. Perhaps some of our readers may have bit upon a better scheme and will let us know about it.



TAPES TO THE EDITOR

When sending tapes to the editor please use the 3" reel and indicate the speed at which it was recorded and whether it is dual or single track. We will listen to your tape, make notes from it for use in this column and then reply on your tape. Please keep tapes reasonably brief.

If you do not own a recorder a letter will be acceptable. Address tapes or letters to: The Editor, Film and TAPE RECORDING, Severna Park, Md.

To the Editor:

In reading your August issue, I noticed a question by one of your readers concerning tape "vibrations."

In addition to the answers you gave I should like to add a few of my own. Our experience with this situation in broadcast work was at one time of considerable frustration. After many tests and experimentation, we discovered several causes for this ruinous phenomenon.

To wit: one of the basic causes is tension of the tape—and since the pull on the machine varies with the angle of distribution from the supply reel, the closer to the end of the reel (hence the greatest angle and increased pull), the more noticeable does the condition become.

This is a basic fault. However, tape coating thickness variations will also cause tape "squeal" as will, (and very definitely), a tape which is improperly lubricated during manufacture. There have been inferior brands of recording tape on the market in which both the above defects were very pronounced-especially after several runthroughs. It follows, of course, when a tape of the above faulty characteristics is used, humidity and temperature changes cause a healthy variation in the "squeal character-istics." Unfortunately there is little, from our experience, which can be done practically to cure this condition. We have made a practice of sticking to proven brands of tape and thorough testing of new brands which come to our attention. And-have had no subsequent repeat troubles.

I hope the above very concentrated report may be of some value to your readers, if you care to pass it along. In closing may I state that your magazine is greatly appreciated in our engineering office—we are faithful readers.—Don Creswell, Engineering, WITH, Baltimore, Md.

Our thanks to Mr. Creswell for his thoughtfulness in providing the tape tips and also for his kind words about TAPE RECORDING.

To the Editor:

May I express my deepest sympathy to the family of Mr. Charles D. Sigsbee.

It was with absolute shock that I read your announcement of his accidental death in the August issue.

I have always turned right off to Mr. Sigsbee's "New Tapes," not because it came first in the magazine but because I believe his article alone was worth the cost of the subscription.



HOUSE of STONE .LUNENBURG 2, MASS.

Never have I purchased a tape Mr. Sigsbee recommended and been disappointed. I truly feel I have lost a friend.—*Charles L. Riecke III, Johns Island, S. C.*

To Mr. Riecke and all the others who were so kind to write on Mr. Sigsbee's death, our deepest thanks. We, too, felt the same way on hearing the news. We are glad to be able to state that Mrs. Sigsbee, who worked closely with Mr. Sigsbee on the reviews, will take over the task and carry on the work so ably begun by her husband.

To the Editor:

TAPE RECORDING Magazine is one magazine that I find is the best and fills the need for the publication I have wanted. May I take this moment to congratulate you on the fine and very informative articles. The days seem so long between each publication that I find myself counting days for the next issue. Many thanks and keep up the good work.—Ken Oyama, Montreal, Quebec.

The days will grow shorter. Beginning with the December issue, out November 1, TAPE RECORDING will become a monthly publication. Mr. Oyama has expressed the sentiments of so many readers and the recording field is growing at such a rate that only a monthly publication can adequately serve its needs. . . Ed. See the announcement on page 33.

To the Editor:

You recently had an item under "Tapes to the Editor" in which you showed a photo and letter from Anthony Roman, Jr. of Elmhurst, N. Y., of a very complete universal set-up.

Could you persuade this gentleman and others like him to write you articles on such complete set-ups? Hi-fi record fans have plenty of such articles showing the details and capabilities of complicated phono radio tape set-ups but tape recorder owners hear very little on what can be done to make their equipment more flexible and more nearly professional.—G. Gordon Morrill, Florence, Italy.


We'll be doing what you request in the new monthly TAPE RECORDING. The point has now been reached where bi-fi equipment is an accessory to the tape recorder, not the other way around, and we'll be providing all the details.

To the Editor:

In the June issue you had an article on "Can You Sell Off-the-Air Recordings." It was on page 40. Then it said, "continued on page 38." It wasn't. Could you explain what happened?—Hugh Know, New York, N. Y.

No, we can't—except that somebody goofed. Often it is necessary to make changes in the magazine make-up at the last moment and this must have caused the slip. We're sorry that it happened and trust it won't again. For Making Modern, High Fidelity Recordings

the new



the new PROFESSIONAL DISC RECORDER featuring:

- ★ NEW Overhead Recording Lathe with provision for run-in and runoff grooves.
- ★ NEW Vertical Cutting Head (50 to 10,000 cycles).
- ★ NEW Rek-O-Kut Playback Arm Model 160 for records up to 16".

Complete (less microphone) \$599⁹⁵

slightly higher West of Rockies

Records Live, 'off-the-air', from tape or other disc recording.



Write for features and Specifications to Dept. WJ-24

REK-O-KUT Company 38-01 Queens Blvd., L.I.C., 1, N.Y. EXPORT: Morhan Exporting Corp., 458 Broadway, New York 13, N. Y. IN GANADA: Atlas Radio Corp., 50 Wingold Avenue, Toronto 10, Ontarie



THE two hottest spots in the world for tape recording last month were Chicago, Illinois, and San Francisco, California, where the nation's two great political parties convened to name their choices for president and vice president of these United States.

More than a quarter of a million feet of tape—nearly 500 miles of it—rolled through hundreds of recorders, day and night, to bring to the American people a more detailed, dramatic and documented account of democracy in action.


Two of the big names in magnetic recording—Ampex Corporation, producers of recording equipment for audio, instrumentation and television applications, and Minnesota Mining and Manufacturing Company, producers of "Scotch" brand magnetic tape—pooled their products to help make

it possible.

They set up special tape recording facilities both at the Democratic convention in Chicago and at the Republican convention in San Francisco to help radio and television stations and newspapers bring their local communities convention news of special interest to their areas.

These tape recording centers enabled the newsmen to record on-the-spot interviews, news stories and special commentaries and reports, then have them specially packaged and rushed by air express to the newsmen's home stations and newsrooms all over the United States and Canada.

Together with news service and radio and television coverage, the tape recording service helped give America its best national political convention coverage in history.



The radio and television networks with their vast crews of men and vanloads of latest electronic equipment brought the "big picture" of the two conventions—as well as an amazing amount of detail—to radio and television sets in homes from coast to coast. But it was the hundreds of newsmen from independent radio stations that covered the individual delegations—the "grass roots" aspect of the big election year shows. And that's where magnetic tape was most widely used.

Through tape recorded interviews, recorded telephone reports and taped commentaries of the convention happenings, they kept the listeners at home up to date on just what their delegates to the convention did.

Newsmen kept all night vigils outside of caucus rooms

TAPING THE CONVENTIONS

by

Ronald Anderson

.... your local news angle from both conventions probably came to you via tape. Here's how it was done.

with their portable recorders plugged in and their microphones handy. Often they waited for hours before the delegation leader—usually a senator or governor—would at last appear to make a statement for their tape.

At other moments they buttonholed a state delegate, or perhaps a leading congressman, and rushed him into the magnetic recording center for an interview on the latest developments.

If they were so fortunate, they might even have sat in on a caucus of their state delegation, recording all or part of it, so that the listeners back home could learn how the big decisions were made—even in the "smoke filled rooms."

As a result, the more than 60 million Americans who can be expected to go to the polls this November will know more about the candidates, the parties and the platforms than ever before.

What's more, they heard it — reproduced on magnetic tape and carried on radio and TV—in the exact words of their friends and neighbors who were the delegates to the conventions.

Detailed reports by the hundreds flowed out of Chicago and San Francisco hourly. The taped stories were flown to all parts of the country, and rushed into waiting hands at radio and television stations for inclusion in the news shows daily.

This year the caucus rooms, committee hearings and the convention floors and galleries themselves were spotted with an array of tape recording equipment that ranged from pocket-size machines on up.

Although some of the broadcasters brought their own recorders with them—ranging from Midgetapes and Minifons up through the Cub Corders, Minitapes, Magnemites and Tapaks to the Revere's, Magnecorders and Ampex 600's, an even greater number relied on the facilities provided by Ampex and 3M.

Four special tape centers—two in Chicago and two in San Francisco—enabled the broadcasters to vastly increase their coverage by providing them with studio facilities for making their tapes and also with portable Ampex Model 600 recorders and "Scotch" brand magnetic tape with which they could easily set up taped interviews in the hotel rooms and convention halls.



Left: Forrost Beard, Ampex, and John Verstraete of 3 M's check last minute details with page girl Barbara Templeman. Center: the youngest officially credited correspondents were Tommy Kirk, 14 and Judy Harriet, 13, of the Mickey Mouse Club who look over the big console recorders. Right: for interviewing delegates or big names at the convention, the newsmen had access to these recording booths.

At the Democratic convention in Chicago, for example, one of the recording centers was installed in the Conrad Hilton hotel, official hotel headquarters for the convention while the other was set up in the International Amphitheater just off the huge convention floor itself between the NBC and ABC convention centers.

In San Francisco, similar facilities were established. There one recording center was located at the official hotel —the Fairmont—while the other was in the North Barn of the Cow Palace.

The centers at the hotels consisted of two semi-soundproof rooms each equipped with an Ampex Model 350 tape recorder for making the recording. In addition, registration desks were set up just outside each of the recording rooms.

The convention hall centers were more elaborate, each containing a bank of four Ampex Model 350 tape recorders plus four separate sound-proof booths where newsmen could conduct their interviews.

The magnetic recording centers were used in many ways to good advantage by the broadcasters and enabled them to provide their listeners at home with outstanding coverage



of the delegates who represented them at the conventions.

Fred Epstein, for example, president and owner of stations KSTT in Davenport and KLGA in Algona, Iowa, described one use of the tape facilities this way.

"My wife has a daily morning show called 'Coffee time with Ruth' and during the Democratic convention she sent home a $13\frac{1}{2}$ minute show each day on tape. Together we would cover our Iowa and other nearby delegations, write out the script and then every afternoon Ruth would tape her show at one of the Ampex-3M centers.

"The Ampex and 3M people would then label, specially package and rush the tape by Air Express expedited service to our home stations for delivery in time for Ruth's morning show.

"When we learned that the special service was being provided, we left our own recorder home. This freed us from having to transport it—no easy task—and it also eliminated the problem of an engineer and a studio."

Union technicians to operate the recorders at the Democratic convention were provided by Ampex Corporation and were employees of Electronics Engineers, Inc., of Chicago. Other personnel at the magnetic recording centers consisted of 3M and Ampex employees.

Besides the total of 12 console and 12 portable recorders supplied by Ampex and approximately a quarter of a million feet of "Scotch" brand magnetic tape supplied by 3M,



Left: Ken Hall rides gain as newsman Murray Morgan, KMO interviews Senator Warren Magnuson who was the first favorite son candidate to be nominated by the Democrats. Scene is in the Conrad Hilton Hotel in Chicago. Right: Cow Palace where the Republican Convention took place.



Left: after a tape had been made the Air Express Waybill was completed. Here, Mrs. Carla B. Keys, WFLO, Farmville, Va. gives the shipping info to Beverly Eggers after Mrs. Keys had taped an interview with Governor Stevenson's sister. Center: special imprinted cartons for shipping tapes were used. Pat Burchart wraps the tape. Right: hourly service was maintained by Air Express. Delivery time ranged from 6 to 12 hours anywhere in the U. S.

all microphones were provided by Altec Lansing, while Brush supplied headphones for use.

One broadcaster, Murray Morgan of station KMO, Tacoma, Washington, used both the Ampex-3M studio and also the portable recorders for sending tapes back to his station every day.

"I taped my 15 minute morning show on the previous night every day," he said, "and got it on Northwest Airlines out of Chicago at 11:59 p.m. This brought the tape into Seattle-Tacoma International Airport at 5:30 a.m. where it was picked up by a cab and rushed to the KMO transmitter for broadcast at 7:30 that morning. The Air Express service got every tape through on time. Didn't miss a show."

Big names were taped, too, by the independent broadcasters as well as were the delegates. Morgan, for example, taped Senators Humphrey of Minnesota, Kennedy of Massachusetts, Jackson and Magnuson of Washington and also Eleanor Roosevelt.

"Originally I taped a couple of shows on my VM-700

recorder, but accidentally plugged it into a D.C. outlet and burned it out rather badly," Morgan said. "It was fused, but the last repairman had put in the wrong fuse. That's when I really began to be thankful for the recording center."

Other big names who were taped using the Ampex-3M facilities at the Democratic convention (first of the two events) included Adlai Stevenson, Governor Averill Harriman of New York, Mrs. Perle Mesta, Senators Russell of Georgia, Neuberger of Oregon, Kefauver of Tennessee, and several others.

Even broadcasters for the BBC and Radio Free Europe, as well as other foreign countries, were sending out special tapes for their home stations.

Besides being highly pleased by the Ampex-3M facilities available to them, the radio broadcasters at the conventions invariably came back to the same big question in capital letters whenever they relaxed in the magnetic recording centers after their deadline. That was "How did we ever do it before tape?"

Left: at the receiving end tapes were aired by radio stations over the entire country. Here Mary Paul of WCCO, Minneapolis, delivers a tape from news director Jim Borman to Charles Sarjeant for the next newscast. Center: the tape is cued up on the studio recorder. Right: the proof of the pudding—the listening. Here a group hears the latest news on their office radio—news that magnetic tape made more interesting, more current.





The S.S. Thompson Lykes passing through the straits of Dover with the well known white cliffs in the background. On board, a recorder and plenty of tapes.

Tape On The North Atlantic

by Charles H. Malmstedt

... tape proves its usefulness on board ship.

B OUND from Norfolk to North European ports, the SS Francis W. Parker, an American cargo ship of the Liberty type, was six days out of the Chesapeake Bay and Cape Henry when, within a matter of minutes, the sea water temperature dropped some twenty degrees and the weather became thick and close, the visibility less than a mile.

Almost simultaneously, a problem arose in the ship's radio room: an unidentified and unlocated SOS came feebly through the static on the international watch frequency of 500 kilocycles—and it was only a matter of minutes before the iceberg-location information would be broadcast by the International Ice Patrol's station in Argentia, Newfoundland —on another frequency.

Legally a simple matter—according to regulations which give top priority to all distress messages—the situation in practice nevertheless presented a complication the wrong solution of which could bring grave consequences, for it was May and they were entering the Grand Banks.

Lying to the south and east of Newfoundland, the Grand Banks is a vast stretch of ocean where the warm Gulf Stream meets the cold, iceberg-carrying Labrador Current. Frequently in transition from humid, foggy calm to raw, biting gales fed by polar air masses in mortal combat with their tropical adversaries, it is also an area busy with both fishermen and transoceanic traffic, traffic ranging from giant superliners to rusty itinerant tramps of the seven seas—for through the Grand Banks lies the great-circle course from most of North America to England, continental Europe and the Mediterranean. Well known to all experienced seamen, the Grand Banks in spring and early summer, when the icebergs, "growlers" and the ice field move southward, keeps the radio men on their toes.

On the *Francis W. Parker*, the immediate problem was: should the unidentified SOS—which might take a considerable time to orient—be given full precedence as per the law, or should it be left for long enough to copy the ice bulletin? In short, the law was clear enough, but—and it was a big 'but': What if the Ice Patrol transmission gave the position of a newly-located berg near their track? What if, by adhering strictly to the letter of the law, the operator would be permitting his own ship to court grief while endeavoring to locate another to possibly save it? Perhaps, after all, it would be best to leave the SOS unattended long enough to copy the bulletin. But no—for he should no longer, even now, be in the radio room, but on the bridge, in the chart room, monitoring the SOS on the radio direction-finder.

A quick check was made on 500 kilocycles. No, no ship had acknowledged the SOS as yet, which was still feebly fighting the static and other interference, but gave neither call letters nor position. An automatic sender, no doubt.

"A tape recorder," the operator had occasion to think. If only he had a tape recorder, he'd be all set. As it was, however, there was no choice but to follow through with the SOS, to the complete exclusion of all else—as the operator did not then know of the coincidence he would encounter in less than thirty seconds.

Earphones already clamped on his head, the radio opera-

tor had barely stepped from the radio room and headed toward the direction-finder, when a crewman unaware of the situation almost collided with him, speaking rapidly.

"Later," said the radio officer. "Busy!"-but then stopped suddenly, quickly removing the earphones: "What did you say?"

"A tape recorder," said the crewman. "At least that's what it says on the box . . . " and, with a little prodding, quickly told of a "gadget" he was delivering to a GI friend in Germany as a gift of the GI's parents in the States—and wouldn't it be fun to try it out sometime?

The "sometime" quickly became "now." While the radio man obtained some initial bearings on the SOS which had now been running almost a full minute, the Webcor was brought up, unpackaged and set on the radio room shortwave receiver. In the minutes remaining before the Ice Patrol broadcast, it was connected to a previously discarded vibrator power-pack. With no time to investigate the recorder's input circuits, the microphone was merely set before the receiver's loudspeaker and the Argentia marker signal tuned in-and one of the two reels of tape accompanying the recorder was in motion, while the radio officer returned all his attention to the SOS which, some twenty minutes later, was as near to being under control as was possible under the circumstances: the distress had been localized by crossbearings from DFs on several ships and several of the nearest ships were converging on the position.

Meanwhile, a playback of the tape recording provided complete and up-to-the-minute information on iceberg location—which the recording vessel was later able to retransmit for the information of all those vessels which had had to forego it because of the SOS; and which information, by the way, contained the new positions of some bergs dangerously close to the transatlantic steamer tracks then in use—causing several ships, including the recording vessel, to alter course immediately for the sake of added safety.

There were occasions to think about that later, the way tape had made its entrance, its uses on that vessel and later on many others, some of them dramatic, others routine but none the less interesting; some concerned with ships' radio work, others with new ways of solving the ever present problem of entertainment and diversion on long voyages, especially on cargo ships carrying passengers but few, if any, provisions for their entertainment.

Among the latter is the American-flag SS *Thompson* Lykes of the Lykes Lines. Plying between U.S. Gulf of Mexico ports and Europe, its one-way passages run to between 4500 and about 5000 miles, and in time two weeks or more. Here, a recent relief Captain solved the problem for himself and as well for many of the passengers, by bringing along a Revere 1200 radio equipped tape recorder, plus a comprehensive and variegated collection of recorded musical tapes, as well as a good supply of blank tape.

While the electrical supply of the *Thompson Lykes*, like that of most vessels of its class, supplies only DC, the problem of AC for the recorder was quickly solved by wiring in AC from the radio room auxiliary receiver's converter—a piece of equipment not subject to stringent inspection limitations which prohibit the unauthorized addition of any loads to main or emergency installations. The same can be done on most ships, for one recorder. On others, officers and crewmen carrying tape recorders are successfully using the better grade vibrator units. Among the latter is a crewman who always carries an Ampex portable recorder.

There are many reasons for the rapidly increasing use of tape recorders at sea. At sea the tape recorder holds, for one thing, a very definite advantage over the disc machines, particularly in that it can be used in the roughest weather while records, especially those of the microgroove variety, must be stowed away for safe keeping or be subjected to ruination by a jumping, sea-jarred needle. Because of this and other inherent advantages, and the ease with which it can be put to multiple uses, the tape recorder is slowly but surely replacing the disc machines so many seamen have been carrying round the world for many years. And here the tape recorder records perhaps a greater variety of material than anywhere else.

Along the U.S. coasts, many recorders are at work taking

The radio room of the Thompson Lykes with a Revere TR-1200 set up to record. With a recorder in the radio room the operator can meet emergencies by taping one frequency while listening on another. down the latest of the U.S. news, to be played back later in the day, and musical and comedy programs that may be kept for some time, for playback in distant ports and seas where nostalgia is more frequent than good radio reception. Far out off Nova Scotia, the U.S. news is erased while that from the Canadian stations is recorded, on some ships for later playback to passengers, on others for crewmen who were on watch during the broadcast. On some vessels this continues far out on the Atlantic and these ships later switch their recorders from the U.S. and Canadian stations to those of Europe, comprising a galaxy of stations and services, most of them with a rich variety of music ranging from the current popular favorites of each country to symphonies and opera—with an ample sprinkling of popular American tunes.

There are vessels on the Mediterranean, the South Atlantic, the Indian Ocean and the Far East runs which carry tape recorders, some returning with exotic recordings of music ranging from that of the Levant to Chinese pieces composed perhaps centuries ago.

For a completely American program fare, even far out at sea, many recorders take down the outputs of the American Forces Network in Germany, AFN-Munich providing the most consistently good recording level, sometimes as far west as the Azores, on the homeward voyage, Radio Luxembourg with its U.S.-style programs running a close second, as do many of the French and Spanish stations, most of them with excellent musical programs.

Having made this discovery, even many of the confirmed light-traveling passengers speak of making their next voyage with a tape recorder to help bring back in sound some of the variegated color of Europe and other lands.

On far distant seas where radio reception is often intermittent and marred by interference, and when the available stock of recordings has been heard too often, the recorders are sometimes engaged in pranks—some of which may even have a social-improvement value. There is the case of "Joe the Blaster," whose addiction to incessant criticism of his shipmates had been pronounced absolutely incurable—until a tape recorder came along. After hearing a surreptitiously recorded session of his blasting, Joe's reaction was, "Gee, *I* say all that?"—after which Joe was soon pronounced an improved character. Another case is that of a cabin argument in the wake of which a dozen crewmen were avowed enemies. The next afternoon, a recording of the session was played back in the ship's recreation room—to the consternation of a number of rapidly-reddening faces. As the playback came to an end, the first reaction was, of course, to summarily execute the owner of the recorder. The infeasibility of that, however, soon led to a restoration of friendships, and a busier-than-ever time for the recorder.

But it is in the ships' radio rooms where the tape recorders are proving of greatest professional value. While to the best of our knowledge all the tape recorders in the radio rooms are the operators' personal property, they have in many cases become invaluable adjuncts to the standard installations and their multiple functions. Because all American cargo vessels, and as well most foreign vessels of the same type, carry only one radio officer, the tape recorder often comes in for yeoman service as auxiliary operator.

A few cases in point on the North Atlantic:

A European traffic list ran over its customary time, thus conflicting with an American list: the operator copied onean Ampro recorded the other; interference blotted out a weather report, and the next one conflicted with an urgent navigational warning: the warning was copied-a Pentron recorded the weather broadcast; a main generator and auto alarm became defective at the same time: the operator went to the remote generator compartment and repaired the machine-while a Bell recorded everything taking place on the watch frequency (here the 17/8 i.p.s. speed comes in economically handy, since in the recording of code tone quality is of no importance). Another: Some urgent "medico" traffic on 425 kilocycles conflicted with a fog-watch on 500 kilocycles: the operator copied the medico traffic and relayed it-while a tape recorder stood by on 500 for possible signals from any vessel which might indicate its position in the fog and report that it was one of those unfortunate



Electricians Stock and Dalton listen to some red hot news taped by the radioman and which they otherwise would have missed as they were on watch. The Bell recorder was hooked into the receiver shown at the right.



The author and electrician Dalton relaxing on deck to the music of recorded tape. Tape plays as well at sea as on land. Disc records, on the other hand are almost impossible to play on a rolling ship as the pickup arm swings off the record and scratches it.

ships still without radar.

But perhaps the most outstanding of all the known cases of tape recorder use in an emergency was that in connection with Captain Kurt Carlsen's vigil on the ill-fated *Flying Enterprise* a few years ago. It was not known that tape had played any part in this now-famous episode of men and the sea until a group of newsmen from England descended upon a radio officer of the U. S. Navy Transport *Golden Eagle* and pressed him for what he, as one of the operators in the distress area, had heard from the stricken vessel in one particularly critical period.

"Just a moment," said the radio operator, and switched on a tape recorder. "He had recorded twenty-five minutes of Carlsen's voice transmissions," said Gerry Dempsey of Kemsley's, one of the correspondents covering the *Golden Eagle*. "He had it all right there, that radio officer." Quite a delight for the newsmen, we can be sure.

On the high seas, there are still other uses for the tape recorder. It frequently happens that, in some ocean areas and under unfavorable conditions, only the radio room shortwave receiver, with its greater sensitivity and resonated antenna, can receive a particular program or newscast. This receiver, however, is seldom equipped with feed-connections to the ship's loudspeaker system. Here, again, the tape recorder solves the problem, permitting an uninterrupted recording of the program and a later playback anywhere on the ship, even out on deck where, generally, no other loudspeaker connections are available, and where most people prefer to congregate in warm weather.

There is, of course, also a way of making the output of any recorder in any cabin (even in an all-metal one) available for tuning-in on all the radios on board. This is done by feeding the tape recorder output into one of the lowpower, nonlicense-requiring phono-oscillators, and connecting the oscillator's short antenna wire to the radio antenna lead-in of that cabin. Advising all interested parties of the oscillator's frequency in the broadcast band will soon have every radio on board tuned-in on the tape recorder—including the battery radios on deck.


Tape recorder use on ships is, however, not limited to the high seas. In foreign relations, our shipboard recorders seem to be doing their bit. Not long ago, a Neapolitan stevedore found it impossible to believe that the ribbon shown him would "make music." Upon being assured that it would indeed, the stevedore burst into song.

"Santa Luci-i-aa—," the recorder played back a few minutes later, filling the cabin with a voice of almost professional quality.

"That's a nothing," said the stevedore upon being complimented. "Is a nothing, but I'm a got a friend who's a with a voice that . . . "

Within the hour, the small cabin fairly burst with melodies emanating from four men, two guitars, one violin and an accordion—providing one American seaman with a taped repertoire of Neapolitan songs that might well be the envy of greater collectors, and creating an atmosphere of good fellowship that, later in the voyage, suffused not only the Mediterranean but as well the stormswept reaches of the North Atlantic, where the stevedores' songs were played over and over again, to the enjoyment of both passengers and crew.

It was pleasant to recall that when, a few months ago, the *Thompson Lykes* steamed slowly up England's Manchester ship canal one evening, a tape recorder on her afterdeck playing the entire score of the *Student Prince*, Mario Lanza leading, the people ashore following the ship on both sides of the canal, increasing rapidly from a handful to droves, music and voices filling the night that otherwise was silent, had been on the verge of gloom, but was now a jubilant thing. . . It made you feel pleasant about the men whose creativeness, scientific and artistic, has made these things possible.



—→ or This? This

SHOW OFF YOUR TAPES

by Sheldon O'Connell

.... with the new plastic covering materials making your tape boxes attractive is quick and easy.

Photos by Sam Chambliss

HEN you began building your collection of tapes, or had amassed more than five reels of tape, it probably became a problem to keep them looking presentable on your book or record shelf. Though we can thank the manufacturers of recording tape for the research that has made possible newer and better methods of producing the all important ribbons; extended play, non-tearing, high output, still the brand names, trademarks, or vari-colored boxes which contain that tape are hardly an asset to the appearance of a living room or recording alcove. Experimenting with the different types of tape has meant, of course, a great variety of tape boxes from plaids to plain and black to brown. The best a recordist could do, one who likes "a place for everything and everything in its place" was to store the tapes carefully away in a closet or drawer.

Now, however, you can display your tape boxes proudly and somewhat grandly because of the variety of simulated leather paper or leatherette available. Complete chaos can be contained on your tapes, editing work still undone, important cataloguing of those recorded moments waiting for that quiet time you've promised, but to the eye all can be in handsome order. There are four different methods you can employ to make your tape container boxes add a note of luxury to their surroundings. First picture a library of tapes, to which has been added to only one edge of each tape box a strip of simulated maroon leather binding, gold stamped, not unlike the false fronts of today's movie lots, where the aristocratic facade of a mansion, only six inches deep, hides the clutter of a studio lot.

SERSHWIN - RHAPSODY IN BLUE

GRAND CANYON SUITE

FENBACH - GAITE PARISIENNE

TCHAIKOVSKY - CONCERTO NO. 1 B-FLAT MINOR

IGNER - SIEGFRED, ACT 3, SCENE 3

BRAND WEDDING

A shopping tour to the stationers or printing shops in your city will provide you with all the materials you'll need, and perhaps give you a few more ideas to personalize your own library. Tools you'll require are usually standard in any household. A pair of scissors, small ruler, glue con-




The plastic binding material is adhered to a piece of glass then the gold embossing paper and lettering taped over it so they cannot shift. After tracing the lettering they are removed as shown.

The binding material is applied to the hinged side of the tape box as shown. It should be marked after lettering so you will have a guide to put it on the box straight.



First do your lettering on a piece of tracing paper. The binding material, gold foil and tracing paper are then taped in position on a piece of glass and the lettering traced with a ball-point pen.



The binding material is cut as shown, allowing one inch lap on each side of the box. To guide the placement, it is wise to crease the material along the edge of the ruler so that it will fold easily.

tainer and some spare time on a quiet evening. It's disastrous to wield the scissors and follow the adventures of your favorite TV thriller simultaneously.

For one method you will need a large sheet of leatherette. It is most popular in maroon or brown, but can be had in any color, black, grey, green, or blue. On the underside of this sheet you can lay out the markings to be followed when you scissor out the fronts. Assuming that your boxes are for 7-inch reels, you simply measure out height and box width, adding two inches to the width cut-out, since you'll want an overlap of one inch on each face of the box. There's no danger of sealing the box, since most of them have a hinged side anyway; if yours do not, the tape can still be taken out and replaced easily. It's a good plan to have adhesive applied to the decorative strip just where it's to grip the sides of the box and not have it cling fast or flush to the edge proper, since you may prefer a slightly rolled effect. The work can be further ornamented with gold embossed design, your initials or the words "Tape Library" appearing on each strip. While a bookbinder can do the stamping for you, you can make a close match at little expense. Typewriters usually have three ribbon adjustments, black, red, and stencil. Just insert a fairly wide sheet of leatherette into the machine and throw the ribbon lever to stencil. A wide sheet of the thin leatherette is to be preferred over narrow widths to ensure evenness of lettering on the finished product. Once you're "set up," you may type whatever lettering you wish entered on each "volume," remembering that the identification must be brief; anyone named Rumpelstiltskin may have to settle for an "R". When you've typed the impressions you're ready for the next step. Art stores and stationers stock two products which you may use for your gold or silver embossing. One vial contains a metal powder, together with a container of fluid, when these are mixed you have the approximate of metal ink. Using a straight pen, apply this mixture carefully to the indentations on the material. You may also purchase those four-inch square sheets of gold leaf paper which have been specially treated. These packets which include complete instructions for gold writing or stamping are marketed for those people who like to dress up or personalize their greeting cards, but they can be used effectively for your purpose.

Another way you may stylize your tape container boxes, matching them one to another, requires only an investment in a roll of Mystic Tape, (not to be confused with the recording variety), Mystic Tape made of either cloth or shiny plastic has a strong adhesive backing, and of course presents no problems in either applying or trimming. The cloth tape of course will allow you to apply the stamp or trim outlined for the first method. There are two other ways you can give your tape library the appearance of a matched volume of recordings.

Many used-books stores have handsome old sets of books whose only saving grace lies in their fine bindings, since much of the material is either outdated, unread or just unsold. Though many aesthetics might wring their hands at such waste of dusty knowledge, the Audiophile made of sterner stuff could use them to his own advantage simply by removing the "innards," and leaving the covering and back in one sound piece, affix one full side of the box directly to the inside of the hard binding. Since dealers will occasionally display slow-moving sets to clear, and with patience it's possible to come across something that can be adapted to your use.

Finally, you can now buy 7" albums nicely trimmed, which were manufactured originally for record storage of 45's, that will accommodate a full 7" reel of tape, perhaps more. Now is the time to make a few inroads into the Dagwood closet of prized recordings and leaving them in their boxes add the trimming that will win them a welcome spot in the scheme of things!

Of the methods outlined, the easiest by far is the use of the gold embossing papers. It takes a very steady hand to fill in typewriter letters with gold ink but it can be done.

In using the embossing material, it is a good idea to first do your lettering on thin tracing paper. The binding material is placed on a sheet of glass. Over this is placed the embossing material and on top your paper with the lettering on it. The lettering is then traced with a ball point pen or stylus to transfer the gold to the binding material. The whole should be taped down with masking tape to assure that no movement occurs when making the tracing.

Materials of all sorts are available at both hardware and stationery stores. Most of them are very attractive and easy to use to make your library neat and useful.

Recording Brass Instruments

by L. L. Farkas

B RASS instrument solos have been popular for a long time on radio and television shows, and there also have been some very fine commercial recordings of brass instrumentalists. But it is only during the last few years that brass instruments have been recorded in the homes and local halls.

Such recordings present pick-up problems. The method used to pick up a muted trumpet solo differs from that used for the full tones of the tuba. And while at times the set-up variations are not great, they may still spell the difference between an excellent and a poor recording.

Let us first consider the trumpet. One of the most popular and at the same time one of the earliest known forms of wind instruments, it consists of a long convoluted tube with a bell at one end and a cupped mouthpiece at the other. Its tones are produced by forcing the breath through the lips as they are pressed against the mouthpiece. The resulting tone is amplified by the air chamber in the tube and finally emerges from the bell of the trumpet.

Originally tones of different pitch were produced by varying the position or pressure of the lips against the cupped mouthpiece. But while this method is still used, the range of the trumpet has been increased by the addition of three small pistons working up and down in three small tubes connected to the main chamber. Thus by varying the position of the piston, the overall air space of the trumpet is changed and hence the frequency of the tone.

Since the tones emerge from the bell of the trumpet the most direct pick-up position is with the microphone facing directly toward this bell. By holding the trumpet close to a horizontal position, about five to six feet away from the microphone, you will be free to vary the volume of the instrument yet be sufficiently far from the microphone to



Louis Armstrong giving forth with an open trumpet solo in the old days of the Leith Stevens "Saturday Night Swing Club." Note how a side pick-up is being made by playing across the face of the mike rather then into it to get a reduced volume.

prevent the strongest tones from overloading the recorder. However, don't go too far back or the effect of room echo will distort the tones and dispel the definition.

The side pick-up method can also be used for trumpet solos. Here you stand on the side of the microphone, about two feet away, and instead of blowing directly toward the microphone, you turn the horn so that the sound waves pass across its face. Since the tones thus hit the microphone indirectly, their intensity is reduced and hence also their effect upon both microphone and recorder. Tones recorded with a side pick-up are fairly good though they do not have quite the fullness obtained with the more direct method. Nevertheless this type of pick-up is often used for trick effects or when space is lacking.

On distant pick-ups, in a room which is not too live, you can pick up a trumpet playing full tone with good tonal definition from quite a way off. Distances up to 75 feet have been used in symphonic pick-ups with excellent results. But when the recording room contains many unbroken reflecting surfaces, the tape will be marred by excessive distortion, known as brassiness. The remedy is either to bring the trumpet closer to the microphone, to a position 10 to 15 feet away, and play it more softly; or to hang draperies, lay down rugs, and place other sound absorbents about to prevent the tones from echoing between the walls, floor, and ceiling of the room.

Pick-ups of muted trumpet passages are slightly different. Since the original tone of the trumpet is changed by inserting a metal or composition mute in the bell of the horn, the sound waves which would naturally emerge freely from the horn are almost entirely blocked. However, they do come into contact with the mute and set it vibrating. The result is a combination of the tone introduced by the mute plus what little of the original tone is allowed to escape.

There are various types of mutes available, each having different tones and volume, but all producing sound of a greatly reduced intensity. This makes it necessary to play the trumpet very close to the microphone. With the horn facing directly toward the microphone, you can stand about two feet away, but when you play across the beam, then the distance should be about six inches. The indirect method is generally preferred because it permits wide variations in volume without appreciable differences in quality.

At such close range there is one point to watch: perspective. Since a muted solo is so low in volume, very little distortion will occur when the trumpet is brought too close to the microphone. But the perspective change will be immediately obvious: the tones when played back will seem to originate from a spot directly in front of your face. Should this condition occur, push the trumpet back one or two inches. Once the correct position is found, you have very little freedom of motion, for while a position too close to the microphone will cause a perspective change, if you move too far away you will also lose the tones of the trumpet. This means that you have to keep the instrument fairly still in order to obtain a good recording of a muted trumpet solo. The optimum position will vary of course with the composition of the mute and how tightly it is pushed into the horn, but if you have any doubts about it a quick trial recording should indicate the quality and the perspective of the trumpet tones so that you can make the necessary adjustments in position.

Another important instrument of the brass section is the trombone. Constructed so that the curved tube which forms its air column can be varied in length by sliding one-half of its loop within the other, it produces tonal variations encompassing two and a half octaves.

Now while the tones of the trombone are slightly broader than those of the trumpet, their volume is not quite as high. Therefore, for a satisfactory recording, the trombone must be brought closer to the microphone. The usual distance for solos is from three to four feet. There you hold the trombone up so that its bell faces directly toward the center of the microphone beam.

While the trombone tones are picked up quite easily, you must watch the notes in the lower register, for these have a tendency to boom when played with the instrument too close to the microphone. If this occurs you can either move back slightly or change the position of the trombone so that its tones hit the microphone off the center of its beam.

When the trombone is muted its tones will have roughly the same proportionate decrease in volume as evidenced with the trumpet. For this reason such muted passages should also be performed at close range. With the trombone at a 45-degree angle from the microphone, you should try to maintain the mute from six to twelve inches from the microphone.

Perhaps one of the strangest brass instruments is the French horn. Like the trumpet, it has a cup mouthpiece and small pistons to control the pitch of its tones, but its larger circular pipe flares out down and toward the rear, so that when it is being played, the sound will normally go away from the front of the orchestra. For that reason, when a French horn solo is picked up, you must make sure that the microphone is not in front of the musician, but facing the horn. A distance of six to seven feet is used since bringing the horn closer would decrease its fullness of tone on the recording.

If the French horn is played with other instruments, then you can place it on the side of the orchestra and ask the musician to turn his horn so that part of the sound is projected across the microphone beam. Another method is to use a small wooden screen—making sure first that it does not obstruct other instruments nor affect their tones. Or you can place the horn near a smooth wall so that its tones can be reflected forward, toward the microphone. In most cases, however, it is placed in the forepart of the brass section, at times even next to the woodwinds, so that the reduction in distance can compensate for the lack of volume caused by its indirect projection of tones.

An instrument often used to replace the French horn in a band is the mellophone. This large brass horn, resembling the trumpet in shape, produces tones that combine the characteristics of the trumpet and the trombone. These can be heard at a great distance so that even when a close perspective is desired, the instrument should be located at a distance of not less than six or seven feet from the microphone.

Too close a pick-up with the mellophone produces a peculiar effect. No change in quality nor any noticeable shift in perspective is experienced, but the intensity of the tones is increased so that, if the mellophone is being played with other instruments, its tones will quickly predominate. The remedy is obvious: the instrument must be moved back. To compensate for this tone-carrying quality, the mellophone, while set next to the trombone in the orchestral set-up, is generally set farther back, thus lowering its volume.

The largest of the orchestral brass horns is the tuba. Like the bass viol in the string section, its main role in the past has been that of accompaniment. With modern music, however, the tuba often steps in for solos; so it is important that its tones be picked up correctly for recording.

The construction of the tuba resembles that of the French horn, with the exception that its air pipe flares up and forward. The tones it produces are very deep and full, and while its short notes sometimes have a greater intensity and body than those of the bass viol, they do not introduce any booming effect.

For solos the tuba should be placed from five to six feet from the microphone, with the bell turned so that it faces across the microphone beam. Should distortion occur, you can move the tuba farther back or turn it still further away from the microphone.

In the full orchestral tone, the sound of the tuba should

TAPE IN EDUCATION

BY JOHN J. GRADY, JR.

THIS school year, many more educators instructors and administrators—will become interested in the installation of tape recording into classroom routine. In some cases there will be budget difficulties, which will delay or prevent installation. Teachers confronted with such a problem are invited to write to TAPE IN EDUCATION, TAPE RECORDING, Severna Park, Maryland. Just explain the nature of your problem, and we may have some satisfactory formula which will aid you in securing a tape recorder for your school.

For instance: At Lynwood, California, High School, the first purchase of a tape recorder was a student body experimental project with student body funds. This portable tape recorder was so satisfying to the teachers, who incorporated tape recording into their instruction routine; and so interesting and inspiring to students, that other tape recorders were later approved and acquired.

Finally, as a result of the Principal's recommendation and the approval and authorization of the School Board, there was an institutional installation of tape recording which operates in conjunction with a public address system having five sources—principal's office, auditorium, gymnasium, cafeteria and central studio—where programs, lectures, announcements, etc. may be recorded. There are 96 outlets for the dissemination of the tape recorded material. So, at Lynwood High, an experimental tape recorder developed into a splendid modern audio system.

As an illustration of usage, Miss Christina Hardy, commercial arts instructor at Lynwood Hi, reports a happy success as a result of using a school tape recorder in her classes. She terms the giving of dictation to beginners in shorthand was formerly a monotonous task. But now, with her library of pre-recorded tapes of varied dictation material, she is able to give more personal instruction to her students.

Using a stopwatch, she carefully recorded a variety of material at different speeds. be felt rather than heard. By this I mean that the tone should be there as background, but it should not be noticed as a distinct tone. Here, too close a pick-up will cause the tones of the tuba to blanket those of other instruments; too distant a pick-up will produce a thin orchestral tone, without the body and fullness it would normally have with the presence of the tuba tones.

There are of course less common brass instruments, such as the cornet, the bugle, and the helicon; but since these are no more than variations of the types described, the pick-up methods are relatively the same. With slight adjustments of distance and angle, you should encounter no difficulty in making the pick-up and obtaining a good recording.

> a teacher to circulate among students to find out if they are absorbing her instructions. As the words are slowly repeated from the tape, she can check if the individual is pronouncing them correctly. High interest can be injected into the lesson by use of taped student sentences using the words. The examination consists of a tape using the words in sentences. Most teachers devise their own successful method of teaching spelling. Tape recording can amplify their efforts.

> I would like to take this opportunity to urge all school officials to participate in the Audio Devices' Educational Awards contest now being conducted. This contest, sponsored by Audio Devices, Inc., 444 Madison Avenue, New York 22, N. Y., has been organized to encourage the use of magnetic tape and recording discs in the audiovisual education program of secondary schools and colleges throughout the country.

> Eligible contestants include all public Jr. and Sr. high schools (7th-12th grade), and all private or parochial schools of the same level in Class I, and all Jr. colleges, Sr. colleges or universities in Class II. Awards consisting of up to \$2000 worth of sound recording equipment and \$750 worth of tape or discs will be given in each of the two classes.

> In order to qualify for an award, all entries must be accompanied by an official Entry Blank, obtainable from your local Audiotape distributor or by writing directly to Audio Devices. The blanks must be completely filled out and signed by a faculty member or officer of the school.

> The question asked on the Entry Blank is as follows: If your school or college were given \$2000 worth of tape or disc recording equipment of your own choice, plus \$500 worth of recording tape or recording discs . . .

1) What would you get with it?

2) How would it be used?

3) How would your school benefit from it? Each entry should include a complete description of the equipment and materials that would be selected should you win, how this equipment would be used in your school, how it would supplement any existing recording facilities in your school, and a description of benefits your school, and derive from it. The deciding factor in choosing a winner will be the most effective and beneficial use of the new equipment offered under the terms of the award.

Write today for your official Entry Blank --good luck to everyone.



Leader strips spliced between each selection

were used in the preparation of the reels in

her library. Notations on each reel con-

tainer permits her to quickly identify the

material suitable for her classes as they

advantage in her use of the tape recorder.

Her students benefit from carefully planned

material and the added time she has to de-

vote to helping them. Her benefits are de-

rived from the satisfaction of knowing

definitely that her pupils are progressing,

and that the tape recorder has minimized

the constant repetition of material, and con-

derive benefits from the use of tape record-

ing. The adoption of instructional technique

similar to that developed by Miss Hardy

permits wide amplification. And all over

the nation inventive teachers are experi-

menting with tape recording, in the effort

to apply this versatile instructional tool to

all types of subjects and courses. For that

reason TAPE IN EDUCATION is ready to

assist educators who have problems in se-

curing a tape recorder as educational equip-

EDUCATIONAL NOTES

home teachers for students, who are absent

from classes because of extended illness, are

finding tape recorders an invaluable aid.

Such students have the opportunity of keep-

ing up with their classes through the medi-

um of tape instructions. Class assignments

are issued by teachers for study. And answers

are taped for return to the school. Intimate

tapes from schoolmates give a boost to the

morale, and summaries of school doings,

humorous incidents, etc., help to maintain

itself to modernization through tape record-

ing. Correct spelling and pronounciation is

of vital importance in the development of

a sound vocabulary; the use of tape permits

Spelling is another subject which lends

School districts providing the service of

ment in their schools.

contact with classmates.

Any teacher of commercial courses will

sequently, eased the daily vocal strain.

Miss Hardy states that there is a double

progress.

32

You Asked for it HERE IT IS!

Beginning with the December 1956 Issue TAPE RECORDING MAGAZINE WILL BE PUBLISHED MONTHLY

Because of the continued requests of you, our readers, because of the swift growth of the tape recording industry and because the introduction of stereo sound for the home now makes the tape recorder the *key* to fine sound and music reproduction, we felt that only by monthly publication could adequate service to readers and industry be maintained—

SO HERE WE GROW AGAIN

All current subscriptions will be honored to their expiration dates. New subscription rates: 1 year \$3.75, 2 years \$7.00. Canada add 50 cents a year, foreign add \$1.00 a year.

FREE WITH NEW OR RENEWAL SUBSCRIPTIONS

THE TAPE RECORDING CATALOG OF RECORDED TAPE The most complete and detailed catalog ever published. Available separately at 50 cents. Get yours FREE by subscribing or extending your subscription and save.

Tape Recording

Severna Park, Md.

USE THIS COUPON TODAY


FREE Tape Catalog worth 50¢ with each new or renewal subscription.

OFFER IS LIMITED ACT NOW

Send FREE Tape Catalog.
Extend my subscription foryear(s). I enclose Send my FREE Tape Catalog.
Send the Tape Recording Catalog of Recorded Tapes. I enclose 50 cents.
Name
Address
City Zone State

Enter my subscription for year(s). I enclose......

for every application...



Address

City

34

State

Zone

TAPE CLUB NEWS

Members of Tape Respondents, International are presently engaged in establishing an organized tapecasting system. Call signs will be adopted and participating members may present organized programs using the format of radio broadcasts. For several months now, ideas concerning this system have been twirling across the nation via tape-respondence. Chairman of the planning committee for this "organization within an organization" is T-R-I member Nolan Porterfield of Lamesa, Texas. To help determine the system's format, a straw ballot of interested club members will be conducted through the facilities of the club's paper, Talking Letters.

A People-to-People Partnership program was outlined recently by President Eisenhower, which is scheduled soon for a White House conference. The program is designed in the hope of making more friends everywhere, not only in the U.S., but among people of all countries.

Quick to recognize the aid to world peace of this movement, World Tape Pals offerred its executive assistance. When a meeting of top communications officials is held regarding this program, WTP will be discussed. The Club urges its members to write their views on how WTP is operating and how it can aid in the President's program. Letters should be addressed to Theodore C. Streibert, Director, U.S. Information Agency, Washington, D. C.

A keep-up-the-good-work salute goes to the Blind Activities Committee of the Voicespondence Club. A 5" tape containing the names, addresses and interest of all blind club members has been made up and is available to any sightless member.

Many sightless members wish to have material read to them on tape. They supply the necessary tape, return postage, and material, too, if the reader does not have access to what is wanted. While some club members have volunteered to read, there is still a need for more. If there are any other members who would like to do some reading on tape, drop a 3" tape to Melba and Tony Peters, 15618 Myrtle Avenue, Harvey, Illinois.

JOIN A CLUB

TAPE RESPONDENTS INTERNATIONAL Jim Greene, Secretary P. O. Box 125, Dept. T., Little Rock, Ark. THE VOICESPONDENCE CLUB Charles Owen, Secretary Noel, Virginia WORLD TAPE PALS Harry Matthews, Secretary P. O. Box 9211, Dallas, Texas INTERNATIONAL TAPE WORMS Art Rubin, National Chairman P. O. Box 215, Cedarhurst, L. I., N. Y. AUSTRALIAN TAPE RECORDISTS Jack A. Ferry, Federal President Springbank Rd., Clapham, S. Australia UNITED RECORDING CLUB Richard L. Marshall, President 2516 S. Austin Boulevard Chicago 50, III. THE NATIONAL TAPESPINNERS Carl Lotz, Secretary Box 148, Paoli, Pa.





Price (complete with case, mike, cord and 7" reel of tape)

10 East 52nd Street

Model 3 \$349.50

PLaza 9-7190

TANDBERG 2-SPEED TAPE RECORDER

The Ideal Instrument for Education and Business

For dictation, monitoring, detective work, courtroom, conferences, school and classroom use ... for a combination of long playing and excellent sound reproduction ... the TANDBERG Model 2 is unsurpassed. At its top speed of 3% in/sec its response is 30-8,500 cycles, no audible wow om flutter. The fidelity, clarity and brilliance of its performance prove that tape speed and frequency response are no longer valid criteria by which to judge reproduction quality. At its slow speed [17/s in/sec] you get 8/4 hours of continuous recording. Available with footpedal control as Tandberg Model 2F.

Price (complete with case, mike, cord and reel of tape) Model 2-\$249.50; Model 2F-\$279.50

T	Ά	Ν	D	B	E	R	G		

(Continued from page 17) MAGNECORD EDITOR



Magnecord, Inc., 1101 S. Kilbourn Ave., Chicago 24, Illinois, has introduced the P-60-ACX tape recorder, called the "Editor," which contains highly advanced facilities for instantaneous editing and cueing. This rack-mount recorder is powered by 3motor direct drive with two-speed hysteresis synchronous drive motor and operates instantly from push button controls; it has speeds of 71/2 and 15 ips, and a frequency response of 40 to 12,000 cps, plus or minus 2 db at 71/2 and 40 to 15,000 cps, plus or minus 2 db at 15 up. For editing, the operator merely opens the head cover and moves the tape for marking or cutting. Perfect cueing is guaranteed at all times by the single operation of grasping each

reel and gliding the tape over the heads with the tape lifter knob in manual cueing position. The cost of this recorder is \$680; in carrying case, \$765. For additional information, contact Magnecord.

New York 22, N. Y.

ERASING PENCIL

Cinema Engineering Company, Division Aerovox Corporation, Burbank, California, is marketing a practical device for tape recordists-a magnetic erasing pencil, Type 8905. This recording accessory is for erasing limited small areas when it is necessary to erase a syllable or part of a word. Its dimensions are similar to a king-size fountain pen, it operates on 115 volts AC, 60 cycles at 10 watts, comes complete with press-to-operate switch and six feet of cord, and it is finished in a black phenolic material. For additional information and price, write to Cinema, above address.

CORRECTIONS

The New Product referred to as the "Revere 888" in the last issue was incorrectly titled. Actually, the "Revere 888" is an automatic slide projector. The device mentioned in the column is an instrument which synchronizes audio commentary from a tape recorder with a slide picture.

The price of the George Koch Sons, Inc. hi-fi stand was erroneously quoted in the New Products column in the last issue. This stand retails for \$17.95, and not \$10.50 as indicated.



The Turner model 98 is a directional microphone ideal for use in broadcasting, recording and public address applications. Directional characteristics make it "live" to sounds in front, "dead" to sounds from the rear. Reduces unwanted audience, mechanical equipment, and background noises. Eliminates acoustical feedback in public address work. Check the specifications, compare the prices. You'll see for yourself why the Turner Model 98 is such an oustanding value in cardioid microphones.

SPECIFICATIONS:

Frequency response—65 to 11,000 c.p.s.; Output level— 52 db; Impedance— Specify 50, 200 ohm or high; Dimensions —6¹/₄ x 1¹/₂ x 1; Cable—Detachable 20 ft. single conductor (high impedance) or two conductor (50, 200 ohm) shielded.

LIST PRICES:

Model 98 Model S-98 (with on-off slide switch) ____ 63.50 Matching G-7 Shockmount stand _____ 8.00 Models 98 or S-98 with chrome finish add \$10.00 to list prices and specify "chrome finish". Matching C-7 chrome Shockmount stand \$9.50.



NEW PRODUCT REPORT



FERROGRAPH MODEL 3A/N

... 3 motors, VU meter, mixer, power takeoffs, automatic shutoff, lock-on reels

THE Ferrograph 3A/N is, as stated in the instruction book a "very versatile instrument" and our "tests showed it to be a definitely superior equipment.

The advantages of this English-made machine lie strictly in the careful attention to users requirements, careful engineering and excellent circuitry and component selection. It has many refinements including metered modulation, lock-on reels, large convenient knobs, easily operated controls and even a tape starting attachment built into the reel hub. It also has a built-in head demagnetization feature.

More technical items, such as controlled erase for fading editing and additions, flatness of response within limits (or as they call it "levelness of response") add to its value. Further, the amplifier complement has not been skimped as to "valves" or tubes. It has good equalization, transformers and speaker.

Many other machines have one or more of these items, such as the tape end or break shut-off switch but I know of none which even approaches the complete complement included here, such as filament and plate supply take-offs, spare octal connecting blocks containing various input and output arrangements. 2.5 ohm, 15 ohm and high impedance outputs are available up to about 2.5 watts for extension speakers or about 3⁄4 volt high-impedance output for connection to a home hi-fi system or PA system.

Applications of these features allow the users to work out their own circuitry or needs.

The instruction booklet is a 56 page cloth-bound volume and is thorough and comprehensive and contains much additional technical information. Some of this may actually be superfluous but it is so well done that it holds the reader's attention to the end.

Mechanically the machine is excellent. It has individual motors for each portion of the tape transport (3 in all), a deep, firm chassis designed to hinge up for ready access for mainte-



Product: Ferrograph Model 3/AN Distributed by: Ercona Corporation 551 Fifth Avenue New York 17, N. Y.


Price; \$379.50

nance. Lubrication by the user is practically eliminated through the use of ball and roller packed-lubricated and hi-metal bearings.


Dual track and two speeds are provided on this model— $3\frac{3}{4}$ and $7\frac{1}{2}$ ips, or $1\frac{7}{8}$ and $3\frac{3}{4}$ or $7\frac{1}{2}$ and 15 ips. Rewind and fast forward speeds handle seven inch reels in approximately one minute. The controls are easily operated and convenient and the reel control shows no tendency to overthrow or snarl the tape.

Electronically the 71/2 speed shows essentially flat response from 70 to 12,000 cycles with less than 11/2 db deviation from 1000 cycles per second with the bass control at 10 and th treble control at 5. Although this is contrary to the operating instructions we found that if both controls were set at 10, on this particular machine, it then went to 15,000, cycles per second top but had an ascending gain from 2,000 to 10,000 cps which emphasized the highs beyond normal linearity. The manufacturer's specifications of 50 to 10,000 cycles with 2 db variation were met or exceeded in the tests.

One unusual feature is that the tone controls are used to attenuate the highs or lows. With both controls full on the



The recorder with the case closed. The unit weighs about 50 pounds and is finished in tan and gold.



Top left: control panel showing function selector knob and stop and start buttons. Lower left: lock-on reel and timing scale. Top right: bass and treble control knobs and VU meter. Jack at left is mike input. Lower right: gain control and octal socket. Jack at left is radio input, at right 15 ohm output. On-off switch is at far right.

response curve is flat, rather than having a boost of from 6 to 15 db which is common to American machines. This, I think, is a logical approach to hi-fi in that you take away highs or lows from a flat response rather than adding them. The signal to noise ratio from normal program to erased tape measured in excess of 45 db—an excellent range.

The audio section of the recorder is fine with less than .5% wow or flutter and less than 5% distortion at the full audio level of 2.35 watts.


Threading is simple and easy, being of the drop-in-the-slot type and the start and stop operations are positive. The start lever is held in by a solenoid and unless the machine is warmed-up and ready to record it will not lock in. Stopping of any function, fast, forward, rewind, play or record is accomplished merely by pushing a button.

To demagnetize the head, the main selector switch is turned slowly from "record" to "wind-back." This allows the bias current to die away slowly and eradicate any permanent magnetism that may be in the head. The erase and bias frequency is 53 KC.

In appearance the machine is tastily encased and finished in brown and gold with ivory knobs. There is sufficient room in the case for cords and the reels may be left in place with the cover on. The machine is fairly heavy —about 50 pounds—but this weight is the result of using three motors and high quality transformers and power supply components.

This same unit, less case and speakers is available for custom installation. This version has no jacks on the front, all connections being made on a rear panel.

As a result of our tests we feel that the machine is excellent. Its price, which is greater than the ordinary type of home recorder, is still lower than the so-called professional type machines which, in many points, it equals or exceeds in features. As one of our fellow engineers put it, "This recorder is a 'doll'."



Upper: showing cover removed. Automatic cutoff is at left then two heads and capstan and roller at right. Lower: back panel with power input, octal socket output, erase link and fuses.



SHOP OR SWAP

Advertising in this section is open to both amateur and commercial ads. TAPE RECORDING does not guarantee any offer advertised in this column and all swaps, etc., are strictly between individuals.

RATES: Commercial ads, \$.30 per word. Individual ads, non-commercial, \$.05 a word. Remittances in full should accompany copy. Ads will

Remittances in full should accompany copy. Ads will be inserted in next available issue. Please print or type your copy to avoid error. Address ad to: Shop or Swap, Tape Recording Magazine, Severna Park, Md.

VM-700 TAPE RECORDER, six months old. Recent authorized service checkup. Cost, \$179.95; asking, \$105. Guaranteed like new. Chandler Hopper, 90 Elsie Avenue, Merrick, New York.

LEARN RADIO Announcing — better tape-sponding! Inexpensive. Write Stone, Lunenburg 22, Mass.

SALE: Webcor, exc. cond. "Electric memory" like Royal with double track, 2 heads, 2 motors, etc. \$105 instead of \$220. Ampro #731, almost new, with 5 reels of 7" Scotch tape \$67.50. Hurry: Mayer, 2315 Lincoln Rd., Washington 2, D. C..

WANTED: Good, Used tape recorder. For Hi-Fi installation. J. Rosano, 439 Ridge St., Newark, N. J.

ADD SOUND TO MOVIES! Complete synchronizing attachment \$10. Equipment not marred! Unger, 362 Forest, Buffalo.

DISCS MADE from your tapes — 78, 45 or L.P. Standard studio quality discs. Prices reasonable. Garrison's Recording Service, 534 Granby St., Lakeland, Fla.



AUDIO VENDOR MODEL U-300- or U-300-CC Loaded with 180 ft. Cousino Friction-Free Tape \$12.50 Postpaid

Satisfaction Guaranteed The AUDIO VENDOR will convert your tape recorder into a continuously repeating mechanism. Successfully used to teach, sell, announce, dictate and for sleep learning. Plays from 5 to 10 minutes. Double time with a MOBIUS LOOP. No rewinding necessary. Repeats message or music continuously hour after hour. Send for literature on our longer playing models and accessories. Advise make and model of your recorder.

If not available at your Dealer, order from GOUSINO, INC.

2107 Ashland Ave., Toledo 2, Ohio

HI-FI recording tape. Timpani brand. State make of your recorder—receive free sample. Bob Freund, 56-L Bennett Avenue, New York 33, N. Y.

LEARN HYPNOTISM from tape. Complete course, \$4.00. Free information. Drawer 697, Ruidoso, New Mexico.

RECORDS FROM TAPES. Finest equipment. Low prices. Free information. Valentine Sound, 4253 Farmdale, North Hollywood 2, California.

NEEDED IMMEDIATELY! Readers for the blind on tape. If interested, write Vic Torrey, P.O. Box 136, Phoenix, Arizona. Please no tapes unless you are blind and desire a reader.

LEARN WHILE ASLEEP with your recorder. Amazing book gives full instructions. \$2.00. Guaranteed. Research Association, Box 610, Omaha.

BEST OFFER: will sell two brand new VM tape recorders, one is a 710 and the other is a 711 stereophonic sound, both are new and have never been used. They will come to you complete with mike, tape, reel, jacks, patch cord, and in original factory carton with 90 day guarantee. Will sell separate. Jack Fives, 2916 Rockrose Avenue, Baltimore 15, Maryland.

FOR SALE: Collaro 3531 changer with GE cartridge \$30; McIntosh c108 control \$55; Tech-Master TM15A amplifier, 20 watts \$40; Collins FM11C tuner \$40. A-1 condition. Walter Briggs, 158 North Maple Ave., East Orange, N. J.

WISH to tape-respond with persons having a Working Knowledge of Hypnosis or Sleep-Learning, give details. Herman Bargy, 11116-1/4 Camarillo St., North Hollywood, Calif.

MUST SELL — Used Wilcox-Gay radio, phono, disc recorder combination, with mike and new dual cutting and playback needle. Best offer. Jack Fives, 2916 Rockrose Avenue, Baltimore 15, Maryland.

WANTED: Recorded tape of the Mummers String Band, Philadelphia, Pa., 3³/₄ or 7¹/₂ ips. Write Charles Huseman, 4702 Greenlee Ave., St. Bernard 17, Ohio.

REWARD! \$100 WEEKLY in spare time earnings with your tape recorder. Instructions 25c, refundable. Valentine Sound, 4253 Farmdale, North Hollywood 2, California.

PICTAPE: "a true picture fidelity" recording tape. Pictape Products Corporation, 152 West 42nd St., New York 36.



RECORDS FROM YOUR TAPES. Professional equipment and materials used. Patmor Sound Systems, 92 Pinehurst Ave. 3K, New York 33, N. Y.

CONCERTONE 20-20, Model TWR2, with case. Cost \$525. P.N. bench tested. Firm \$350. Interested in Model STW4 stereo Will trade and pay difference. J. J. Dobosh, Lansford, Penna.

FOR SALE: Midgetape battery operated pocket size, tape recorder complete, brand new, never used. Original cost \$250 — Will sacrifice for \$159. Mr. Leslie Lee, 102-25-67th Road, Forest Hills, N. Y.

WANTED: To tapespond with anyone interested in old time fiddle music. Can handle $3\frac{3}{4}$, $7\frac{1}{2}$ and 15 ips tapes. Karl Byarski, Kinde, Michigan.

TAPE RECORDERS, Hi-Fi, Sound Movie Projectors. Get yours now without spending one penny! Sell famous brands to friends, easily make enough to buy your own. Highest commissions paid on your very first sale. No investment, no experience required. We need salesmen, so here's the chance of a lifetime. Write for details today. GREENWICH SPECIALTY, Greenwich, N. J.

SYNCHRONIZER HOOKUP: Make sound movies with your tape recorder, \$10.00. Anderson, 2424 Phelps Street, Stockton, Calif.

ONE MAGNEMITE Flyweight tape recorder complete with 110 volt power pack and push button mike. Used only few hours. Original price \$370. — now \$300 For information write Craig McLanahan, 42 Glen Este Pl., Cincinnati 17, Ohio.

SERIOUS STUDENTS (D. C. & Vicinity) —Scientific investigation of trance state and related phenomena—no nonsense—Futuran Era Research (an independent project—not an organization). Write: Stan & Ellen Crouch, 7700 Alpine-4, Wash. 28, D. C.

RENTEX TAPES: Yes, rent or exchange tapes in good condition. For further details write John Clayton, 6905 Gleason Ave., Dayton 7, Ohio.

FOR SALE: Scott 210D dynaural amplifier with case; will ship express collect in original carton; a real bargain at \$110. Robert Garrett, 201 Murray St., Binghamton, N. Y.



The 7 Old-Fashioned Villains of Tape Recording

irish Ferro-Sheen

... and How

Foiled Them All

Once upon a time, 7 Old-Fashioned Villains like this were wreaking endless woe on Decent People with Tape Recorders. The 1st Villain was Oxenscheid the Oxide Shedder. 7 He scraped away at the crumbly oxide coating of old-fashioned tape and gummed up tape recorders with the shedding particles. The 2nd Villain was Wearhead the Head Wearer. He filed down the magnetic heads with the abrasive coating of old-fashioned tape. The 3rd Villain was Frickenshaw the Frequency Discriminator. He dragged down the high-frequency response of old-fashioned tape through inadequate contact between the "grainy" coating and the head. The 4th Villain was Noysenhiss the Noise Generator. He generated tape hiss and modulation noise as a result of the random vibrations and irregular flux variations caused by the uneven magnetic coating of old-fashioned tape. The 5th and 6th Villains were Dropofsky the Drop-Out Artist and Pringlethorpe the Print-Through Bug. They put nodules and agglomerates into the oxide emulsion of old-fashioned coated tape, causing "drop-outs" whenever these trouble spots lost contact with the record or playback head, and inducing "print-through" on the recorded tape when the extra flux at the trouble spots cut through adjacent layers on the reel. The 7th Villain was Brattleby RACK' He dried out the plasticizers in old-fashioned coated tape and embrittled the Embrittler. irreplaceable recordings. Then: OCTOBER, 1954! That's when a very un-old-fashioned little man by the name of announced that he had developed the revolutionary new **ITISh FERRO-SHEEN** process of F. R. O'Sheen tape manufacture and presto! the 7 Old-Fashioned Villains were sent a-scurrying with cries of "Confound it – Foiled again !" Yes, F. R. O'Sheen had made the new magnetic oxide lamination of irish FERRO-SHEEN tape so smooth-surfaced and non-abrasive, so firmly anchored and homogeneously bonded to the base, so free from nodules and agglomerates, that the 7 Villains were evicted - for good! Moral: Don't let Old-Fashioned Villains do you out Just say "No, thanks" to ordinary coated tape and of your hi-fi rights! ask for F.R.O'Sheen

irish FERRO-SHEEN, that is! ORRadio Industries, Inc., Opelika, Alabama.

Only "Scotch" Magnetic Tape was qualified to record the

World's longest organ recital

In a monumental three-year project, Westminster Records has begun recording the complete organ works of Bach on the Varfrukyrka organ at Skanninge, Sweden.

Seven discs, released last summer, have already won plaudits both for the dedicated performance of organist Carl Weinrich and for the quality of their recorded sound. An auspicious beginning for a series which will eventually contain 22 records and require two more years to complete!

Discs, of course, are made from magnetic tape masters. Westminster found only one magnetic tape sensitive enough to capture the subtle overtones and baroque beauty of the Varfrukyrka organ— "SCOTCH" Magnetic Tape. In fact, "SCOTCH" Brand has been used by Westminster to make all master recordings for their distinguished "Lab" series. And no wonder. "SCOTCH" Brand offers superior frequency response . . . reel-to-reel uniformity and complete dependability.

Hear recorded sound as you've never heard it before—on "SCOTCH" Brand Magnetic Tape.



The term "Scotch" and the plaid design are registered trademarks for Magnetic Tape made in U.S.A. by MINNESOTA MINING AND MANUFACTURING CO., St. Paul 6, Minn. Export Sales Office; 99 Park Ave., New York 16, N.Y. © 3M CO., 1956



ORGANIST CARL WEINRICH (right) and Westminster Musical Director Kurt List study the Varfrukyrka organ at Skanninge, Sweden.