

ANNUAL INDEX-1949

The Annual Index has been arranged by subjects for easy reference to related topics. The first figure indicates the month in which the article appeared; the second figure indicates the page

AERONAUTICAL RADIO, RADAR

A Microwave Frequency Standard for Radar Applications	Reed & Wheeler	12-26
Circularly Polarized Airport Antenna		11-27
Dayton IRE Airborne Radio Conference		7-37
Elimination of Reflected Pulse Systems	Collup	1-38
Improved Radio Systems for Modern Aircraft		11-31

AMPLIFIERS

Designing Cathode Coupled Paraphase Amplifiers	Alpert	9-57
New Triode for 4,000 MC Operation	Morton, Ryder	4-32
The Symmetron Amplifier	Balthis	4-42

ANTENNAS

Broadbanding Ring-Type FM Antennas	Parker	7-22
Circularly Polarized Airport Antenna		11-27
Collinear Coaxial Array for 152 Megacycles	Rowe	1-34
New Antenna for CBS-TV		8-27
New Principle for Broad Band Antennas	Scheldorf & Bridges	7-43
Philco's New Built-In TV Aerial		10-37
Quadrature Phased TV Receiving Antenna		11-36
Reversible Pattern TV Receiver Antenna		7-27

AUDIO

A New Professional Tape Recorder	Osbarh	3-34
An Application of Frequency Selective Negative Feedback	Edwards & Parker	12-30
Duplication of Magnetic Tape Recording by Contact	Herr	11-28
Printing		11-28
New High Fidelity Dual Cone Speakers		10-42
New Portable Tape Recorder Performs with Studio Quality	Stewart	4-40
Overall Systems Planning for Multi-Channel Telephone Carriers	Smith	2-34
Page from an Engineer's Notebook—Chart I		8-32
Bridged T and H Pads		8-32
Page from an Engineer's Notebook—Chart II		9-53
"T" and "O" Pads		9-53
Page from an Engineer's Notebook—Chart III		10-21
"T" and "H" Pads		10-21
Page from an Engineer's Notebook—Chart IV		11-43
Branching Networks		11-43
Tape Characteristics for Audio Quality	Marchant	7-30
Tape Recorder & Deaf Aids Combine to Produce TV Prompting System		8-39

BROADCAST STATIONS, STUDIOS

A New Telecine Channel	Ehrenhaft & Caweln	7-18
CUES for Broadcasters		12-34
Flexibility Keynotes KCRG-KCRK Installation	Caldwell & Essig	8-28
Hidden Headaches in Building A Broadcast Station		7-28
Illumination For Television Studios, Part I	Gurin	9-54
Illumination For Television Studios, Part II	Gurin	10-34
KSBR Represents New Approach to FM Broadcasting		2-32
Lighting Requirements of Television Studios	Blount	5-24
Multiplexing Film Cameras to Minimize TV Program Failures	Mullinger & Jones	11-34
New Antenna for CBS-TV		8-27
New TV Studio Relay Switching System	Tucker & Monro	8-24
Simplified Handling of TV Remotes	McCord	6-26
The Symmetron Amplifier	Balthis	4-42
TV Photometry and Optical Background	Kuehn	7-24
Two Second AM Proof of Performance	Schoenfuss	10-30
Unique Engineering Design Featured in WOR-TV Studios	Battison	12-20
Video-Recording Technics—Pt. I	Gordon	5-31
Video Recording Technics—Pt. II	Gordon	6-29

CABLES, TRANSMISSION LINES, WAVEGUIDES

A Ten Centimeter Broadband Bolometer Cavity	Miller	9-28
Coaxial Cable Joins East and Mid-West TV Networks	Hertzberg	2-18
Overall Systems Planning for Multi-Channel Telephone Carriers	Smith	2-34
Page From An Engineer's Notebook—Number 5		12-29
Balanced and Unbalanced Loads	Butterfield	12-29
Single Sideband Power Line Carrier Equipment	Beale	6-32

CHARTS, NOMOGRAPHS

Areas of Dependable Satisfactory Radio Reception		Insert-August
FM vs AM		Insert-August
Page from an Engineer's Notebook—Chart I—Bridged		8-32
"T" and "H" Pads		8-32
Page from an Engineer's Notebook—Chart II—"T" and "O" Pads		9-53
Page from an Engineer's Notebook—Chart III—"T" and "H" Pads		10-21
Page from an Engineer's Notebook—Chart IV—Branching Networks		11-43
Page From An Engineer's Notebook—Number 5		12-29
Balanced and Unbalanced Loads	Butterfield	12-29
1950-TV Receiver Specifications		Insert-September
Use of Tube Characteristics in Cathode Follower Design	Noll	4-44

CIRCUITS, NETWORKS AND FILTERS

A Front End for Television Receivers	Silvey	1-36
A Microwave Frequency Standard for Radar Applications	Reed & Wheeler	12-26

A Universal Ceramic Iron Core Sweep Transformer	Torsch	12-23
An Application of Frequency Selective Negative Feedback	Edwards & Parker	12-30
Antenna Input Systems for Television Receivers	Foster	2-28
CUES for Broadcasters		12-34
Designing Cathode Coupled Paraphase Amplifiers	Alpert	9-57
Designing A TRF Television Receiver	Buchsbaum	8-36
Direct Reading Vector Impedance Bridge		6-40
Elimination of Reflected Pulse Systems	Collup	1-38
Measuring Modulation Depth of TV Signals	Burr	9-32
Measuring Phase Angles in Communication Circuit, Pt. I	Brewer	11-38
Measuring Phase Angles in Communication Circuit, Pt. II	Brewer	12-36
Noise Figures for Receiver Input Circuits	Sulzer	5-49
Oscillator and Mixer Circuits for TV Receivers	Norton	2-31
Oscillator Power Variation and Frequency Pull-In	Schwartz	1-30
Performance Capabilities of Superregenerative Receivers, Pt. I	Eltgroth	2-24
Performance Capabilities of Superregenerative Receivers, Pt. II	Eltgroth	3-40
Reactance Tube Circuits	Smith	3-44
The Symmetron Amplifier	Balthis	4-42
Vestigial Sideband Filter Design, Pt. I	Bradburd, Alter, Racker	10-38
Vestigial Sideband Filter Design, Pt. II	Bradburd, Alter, Racker	11-44
Video Receiver Circuits Simplified	Cole	1-33
Voltage Multiplier Systems for TV Receivers	Mandi and Sher	5-26

COMMUNICATION SYSTEMS

An Instantaneous Audience Measurement System		5-33
Color Television Transmission Systems	Battison	10-18
"Electrontype" Speeds Communication		3-47
Elimination of Reflected Pulse Systems	Collup	1-38
Highlights of TV Color Demonstrations	F. Loomis	12-18
Mobile Radio Systems Operate on National Network		9-39
Overall Systems Planning for Multi-Channel Telephone Carriers	Smith	2-34
Single Sideband Power Line Carrier Equipment	Beale	6-32
Synchronization of TV Carriers to Reduce Co-Channel Interference	Francis	1-29

COMPONENTS

A Universal Ceramic Iron Core Sweep Transformer	Torsch	12-23
Barium Titanates as Circuit Elements, Pt. I	Dranetz, Howatt, Crownover	4-29
Barium Titanates as Circuit Elements, Pt. II	Dranetz, Howatt, Crownover	5-28
Barium Titanates as Circuit Elements, Pt. III	Dranetz, Howatt, Crownover	6-36
Broadbanding Ring-Type FM Antennas	Parker	7-22
Design and Performance Characteristics of "Electrets"	Fadgett	3-36
"Electrontype" Speeds Communication		3-47
Minimizing Internal Reflections in TV Tube		7-39
New High Fidelity Dual Cone Speakers		10-42
New Triode for 4,000 MC Operation	Morton, Ryder	4-32
Reversible Pattern TV Receiver Antenna		7-27
Standardization in the Armed Forces	Col. Tatom, Capt. Bernstein	6-23
Tape Characteristics for Audio Quality	Marchant	7-30
Thinner Crystal Oscillator Plates for VHF Applications		12-38

CONVENTIONS & MEETINGS

Dayton IRE Airborne Radio Conference		7-37
IRE Convention and Radio Engineering Show		3-32
NAB Engineering Conference Topics, AM-FM, TV		4-26
Raymond Guy Elected IRE President for 1950		12-39
1949 IRE Convention Report		4-34
1949 West Coast IRE Convention Report		10-42

DETECTION AND RECTIFIERS, DISCRIMINATORS

Oscillator and Mixer Circuits for TV Receivers	Norton	2-31
Performance Capabilities of Superregenerative Receivers, Pt. I	Eltgroth	2-24
Performance Capabilities of Superregenerative Receivers, Pt. II	Eltgroth	3-40

FREQUENCY ALLOCATIONS

National Allocations Plan of Utility Radio		10-22
New Frequency Allocations for Non-Broadcast Radio Services		6-24

FM

Army Standardizes FM Equipment	DeVore	8-20
Broadbanding Ring-Type FM Antennas	Parker	7-22
Flexibility Keynotes KCRG-KCRK Installation	Caldwell, Essig	8-28
Mobile Radio Systems Operate on National Network		9-39

GENERAL

AD HOC Committee Studies Tropospheric Propagation		3-46
Electronic Industry Mobilization Plan		3-26
FCC's Plans for Future of TV		7-52
Hidden Headaches in Building A Broadcast Station		7-28
How to Sell Uncle Sam		10-14
International Export Possibilities for Television	Battison	12-20

ANNUAL INDEX-1949

The Annual Index has been arranged by subjects for easy reference to related topics. The first figure indicates the month in which the article appeared; the second figure indicates the page

AERONAUTICAL RADIO, RADAR

A Microwave Frequency Standard for Radar Applications	Reed & Wheeler	12-26
Circularly Polarized Airport Antenna		11-27
Dayton IRE Airborne Radio Conference		7-37
Elimination of Reflected Pulse Systems	Collup	1-38
Improved Radio Systems for Modern Aircraft		11-31

AMPLIFIERS

Designing Cathode Coupled Paraphase Amplifiers	Alpert	9-57
New Triode for 4,000 MC Operation	Morton, Ryder	4-32
The Symmetron Amplifier	Balthis	4-42

ANTENNAS

Broadbanding Ring-Type FM Antennas	Parker	7-22
Circularly Polarized Airport Antenna		11-27
Collinear Coaxial Array for 152 Megacycles	Rowe	1-34
New Antenna for CBS-TV		8-27
New Principle for Broad Band Antennas	Scheldorf & Bridges	7-43
Phlicon's New Built-In TV Aerial		10-37
Quadrature Phased TV Receiving Antenna		11-36
Reversible Pattern TV Receiver Antenna		7-27

AUDIO

A New Professional Tape Recorder	Osbah	3-34
An Application of Frequency Selective Negative Feedback	Edwards & Parker	12-30
Duplication of Magnetic Tape Recording by Contact	Herr	11-28
Printing		11-28
New High Fidelity Dual Cone Speakers		10-42
New Portable Tape Recorder Performs with Studio Quality	Stewart	4-40
Overall Systems Planning for Multi-Channel Telephone Carriers	Smith	2-34
Page from an Engineer's Notebook—Chart I		8-32
Bridged T and H Pads		9-53
Page from an Engineer's Notebook—Chart II		10-21
"T" and "O" Pads		11-43
Page from an Engineer's Notebook—Chart III		7-30
"T" and "H" Pads		8-39
Page from an Engineer's Notebook—Chart IV		11-43
Branching Networks		7-30
Tape Characteristics for Audio Quality	Marchant	6-23
Tape Recorder & Deaf Aids Combine to Produce TV Prompting System		8-39

BROADCAST STATIONS, STUDIOS

A New Telecine Channel	Ehrenhaft & Caweln	7-18
CUES for Broadcasters		12-34
Flexibility Keynotes KCRG-KCRK Installation	Caldwell & Essig	8-28
Hidden Headaches in Building A Broadcast Station		7-28
Illumination For Television Studios, Part I	Gurin	9-54
Illumination For Television Studios, Part II	Gurin	10-34
KSBR Represents New Approach to FM Broadcasting		2-32
Lighting Requirements of Television Studios	Blount	5-24
Multiplexing Film Cameras to Minimize TV Program Failures	Mullinger & Jones	11-34
New Antenna for CBS-TV		8-27
New TV Studio Relay Switching System	Tucker & Monro	8-24
Simplified Handling of TV Remotes	McCord	6-26
The Symmetron Amplifier	Balthis	4-42
TV Photometry and Optical Background	Kuehn	7-24
Two Second AM Proof of Performance	Schoenfuss	10-30
Unique Engineering Design Featured in WOR-TV Studios	Battison	12-20
Video-Recording Technics—Pt. I	Gordon	5-31
Video Recording Technics—Pt. II	Gordon	6-29

CABLES, TRANSMISSION LINES, WAVEGUIDES

A Ten Centimeter Broadband Bolometer Cavity	Miller	9-28
Coaxial Cable Joins East and Mid-West TV Networks	Hertzberg	2-18
Overall Systems Planning for Multi-Channel Telephone Carriers	Smith	2-34
Page From An Engineer's Notebook—Number 5		12-29
Balanced and Unbalanced Loads	Butterfield	6-32
Single Sideband Power Line Carrier Equipment	Beale	6-32

CHARTS, NOMOGRAPHS

Areas of Dependable Satisfactory Radio Reception		Insert-August
FM vs AM		8-32
Page from an Engineer's Notebook—Chart I—Bridged		9-53
"T" and "H" Pads		10-21
Page from an Engineer's Notebook—Chart II—"T" and "O" Pads		11-43
Page from an Engineer's Notebook—Chart III—"T" and "H" Pads		12-29
Page from an Engineer's Notebook—Chart IV—Branching Networks		12-29
Balanced and Unbalanced Loads	Butterfield	12-29
1950-TV Receiver Specifications	Insert-September	4-44
Use of Tube Characteristics in Cathode Follower Design	Noll	4-44

CIRCUITS, NETWORKS AND FILTERS

A Front End for Television Receivers	Silvey	1-36
A Microwave Frequency Standard for Radar Applications	Reed & Wheeler	12-26

A Universal Ceramic Iron Core Sweep Transformer	Torsch	12-23
An Application of Frequency Selective Negative Feedback	Edwards & Parker	12-30
Antenna Input Systems for Television Receivers	Foster	2-28
CUES for Broadcasters		12-34
Designing Cathode Coupled Paraphase Amplifiers	Alpert	9-57
Designing A TRF Television Receiver	Buchsbaum	8-36
Direct Reading Vector Impedance Bridge		6-40
Elimination of Reflected Pulse Systems	Collup	1-38
Measuring Modulation Depth of TV Signals	Burr	9-32
Measuring Phase Angles in Communication Circuit, Pt. I	Brewer	11-38
Measuring Phase Angles in Communication Circuit, Pt. II	Brewer	12-36
Noise Figures for Receiver Input Circuits	Sulzer	5-49
Oscillator and Mixer Circuits for TV Receivers	Norton	2-31
Oscillator Power Variation and Frequency Pull-In	Schwartz	1-30
Performance Capabilities of Superregenerative Receivers, Pt. I	Eltgroth	2-24
Performance Capabilities of Superregenerative Receivers, Pt. II	Eltgroth	3-40
Reactance Tube Circuits	Smith	3-44
The Symmetron Amplifier	Balthis	4-42
Vestigial Sideband Filter Design, Pt. I	Bradburd, Alter, Racker	10-38
Vestigial Sideband Filter Design, Pt. II	Bradburd, Alter, Racker	11-44
Video Receiver Circuits Simplified	Cole	1-33
Voltage Multiplier Systems for TV Receivers	Mandl and Sher	5-26

COMMUNICATION SYSTEMS

An Instantaneous Audience Measurement System		5-33
Color Television Transmission Systems	Battison	10-18
"Electrontype" Speeds Communication		3-47
Elimination of Reflected Pulse Systems	Collup	1-38
Highlights of TV Color Demonstrations	F. Loomis	12-18
Mobile Radio Systems Operate on National Network		9-39
Overall Systems Planning for Multi-Channel Telephone Carriers	Smith	2-34
Single Sideband Power Line Carrier Equipment	Beale	6-32
Synchronization of TV Carriers to Reduce Co-Channel Interference	Francis	1-29

COMPONENTS

A Universal Ceramic Iron Core Sweep Transformer	Torsch	12-23
Barium Titanates as Circuit Elements, Pt. I	Dranetz, Howatt, Crownover	4-29
Barium Titanates as Circuit Elements, Pt. II	Dranetz, Howatt, Crownover	5-28
Barium Titanates as Circuit Elements, Pt. III	Dranetz, Howatt, Crownover	6-36
Broadbanding Ring-Type FM Antennas	Parker	7-22
Design and Performance Characteristics of "Electrets"	Fadgett	3-36
"Electrontype" Speeds Communication		3-47
Minimizing Internal Reflections in TV Tube		7-39
New High Fidelity Dual Cone Speakers		10-42
New Triode for 4,000 MC Operation	Morton, Ryder	4-32
Reversible Pattern TV Receiver Antenna		7-27
Standardization in the Armed Forces	Col. Tatom, Capt. Bernstein	6-23
Tape Characteristics for Audio Quality	Marchant	7-30
Thinner Crystal Oscillator Plates for VHF Applications		12-38

CONVENTIONS & MEETINGS

Dayton IRE Airborne Radio Conference		7-37
IRE Convention and Radio Engineering Show		3-32
NAB Engineering Conference Topics, AM-FM, TV		4-26
Raymond Guy Elected IRE President for 1950		12-39
1949 IRE Convention Report		4-34
1949 West Coast IRE Convention Report		10-42

DETECTION AND RECTIFIERS, DISCRIMINATORS

Oscillator and Mixer Circuits for TV Receivers	Norton	2-31
Performance Capabilities of Superregenerative Receivers, Pt. I	Eltgroth	2-24
Performance Capabilities of Superregenerative Receivers, Pt. II	Eltgroth	3-40

FREQUENCY ALLOCATIONS

National Allocations Plan of Utility Radio		10-22
New Frequency Allocations for Non-Broadcast Radio Services		6-24

FM

Army Standardizes FM Equipment	DeVore	8-20
Broadbanding Ring-Type FM Antennas	Parker	7-22
Flexibility Keynotes KCRG-KCRK Installation	Caldwell, Essig	8-28
Mobile Radio Systems Operate on National Network		9-39

GENERAL

AD HOC Committee Studies Tropospheric Propagation		3-46
Electronic Industry Mobilization Plan		3-26
FCC's Plans for Future of TV		7-52
Hidden Headaches in Building A Broadcast Station		7-28
How to Sell Uncle Sam		10-14
International Export Possibilities for Television	Battison	12-20

1949 IRE Convention Report	4-34
Mobile Radio Systems Operate on National Network	9-39
NAB Engineering Conference Topics, AM-FM, TV	4-26
National Allocations Plan for Utility Radio	10-22
Radio Industry Marks Twenty-Fifth Anniversary	
Batcher	5-34
Radio-TV Must Make Way for Young Engineers	
Coggeshall	4-24
Raymond Guy Elected IRE President for 1950	12-39
Selling to the Air Force	Kuenzli 2-21
Selling to the Navy	Hertzberg 1-26
Standardization In The Armed Forces	
Col. Tatom & Capt. Bernstein	6-22
Tele-Tech's Associate Editors Have Wide Radio and	
TV Experience	8-31
Television and FCC vs Tropospheric Interference	3-68
The "Leadership" Plan in Electronic War Production	5-22
Trends & Technics in European Communications	
Battison	7-16
What Do Engineers Receive for Inventions?	Gerstin 9-26

GOVERNMENT COMMUNICATION

AD HOC Committee Studies Tropospheric Propagation	3-46
Army Standardizes FM Equipment	DeVore 8-20
Electronic Industry Mobilization Plan	3-26
FCC's Plans For Future of TV	7-52
Highlights of TV Color Demonstrations	F. Loomis 12-18
How to Sell Uncle Sam	10-14
McClelland Appointed Communications-Electronics	
Director	10-17
Selling to the Air Force	Kuenzli 2-21
Selling to the Navy	Hertzberg 1-26
Standardization in The Armed Forces	
Col. Tatom, Capt. Bernstein	6-22
Television and FCC vs Tropospheric Interference	3-68
The "Leadership" Plan in Electronic War Production	5-22

INSTRUMENTS & MEASUREMENTS, TEST METHODS

A Microwave Frequency Standard for Radar Applications	
Reed & Wheeler	12-26
A Ten Centimeter Broadband Bolometer Cavity	Miller 9-28
Barium Titanates As Circuit Elements, Pt. I	
Dranetz, Howatt, Crownover	4-29
Barium Titanates As Circuit Elements, Pt. II	
Dranetz, Howatt, Crownover	5-28
Barium Titanates As Circuit Elements, Pt. III	
Dranetz, Howatt, Crownover	6-36
Design and Performance Characteristics of "Electrets"	
Padgett	3-36
Direct Reading Vector Impedance Bridge	6-40
"Electron-type" Speeds Communication	3-47
Measuring Modulation Depth of TV Signals	Burr 9-32
Measuring Phase Angles in Communication Circuits, Pt. I	
Brewer	11-38

Measuring Phase Angles in Communication Circuits—	
Pt. II	Brewer 12-36
Pulse Cross Generator Applied to TV Production Test	
Equipment	Burr 4-36
Small Field Measurement by Electron-Optical Shadows	10-29
Surge Testing of High Vacuum Tubes	Dailey 10-26

MATERIALS, PROPERTIES OF

Design and Performance Characteristics of "Electrets"	
Padgett	3-36
Barium Titanates as Circuit Elements, Pt. I	
Dranetz, Howatt, Crownover	4-29
Barium Titanates as Circuit Elements, Pt. II	
Dranetz, Howatt, Crownover	5-23
Barium Titanates as Circuit Elements, Pt. III	
Dranetz, Howatt, Crownover	6-36
Thinner Crystal Oscillator Plates for VHF Applications	12-36

OSCILLATORS

A Ten Centimeter Broadband Bolometer Cavity	Miller 9-28
Oscillator and Mixer Circuits for TV Receivers	Norton 2-31
Oscillator Power Variation and Frequency Pull-In	
Schwartz	1-30
Pulse Cross Generator Applied to TV Production Test	
Equipment	Burr 4-36

PRODUCTION METHODS

Barium Titanates as Circuit Elements, Pt. I	
Dranetz, Howatt, Crownover	4-29
Barium Titanates as Circuit Elements, Pt. II	
Dranetz, Howatt, Crownover	5-23
Barium Titanates as Circuit Elements, Pt. III	
Dranetz, Howatt, Crownover	6-36
DuMont Opens Largest TV Assembly Plant	10-24
Pulse Cross Generator Applied to TV Production Test	
Equipment	Burr 4-36

RECEIVERS

A Front End for Television Receivers	Silvey 1-36
Antenna Input Systems for Television Receivers	Foster 2-28
Designing A TRF Television Receiver	Buchsbaum 8-36
Noise Figures for Receiver Input Circuits	Sulzer 5-40
Oscillator and Mixer Circuits for TV Receivers	Norton 2-31
Performance Capabilities of Superregenerative Receivers	
Pt. I	Eltgroth 2-24
Pt. II	Eltgroth 3-40
Philco's New Built-In TV Aerial	10-37
Trends & Technics in European Communications	
Battison	7-16
Trends in Television and Radio Receiver Design	Batcher 1-22
Video Receiver Circuits Simplified	Cole 1-33
Voltage Multiplier Systems for TV Receivers	
Mandl and Sher	5-26

(Continued on next page)



GUARDIAN G Controls



SURE TO HIT...

P PRICE
D DELIVERY
Q QUALITY

Get ahead of Delivery—Quality—and Price with MORE THAN 15,000 STANDARD GUARDIAN CONTROL PARTS IN STOCK to speed last-minute requirements. For example, the Guardian Series 600-U Relay with interchangeable coils and contact assemblies accommodates various voltages, typifies our flexibility. Compact, low priced, Series 600-U replaces larger, more costly relays for heat control, home laundries, business machines and dozens of applications.

Write—Send blueprint or drawing for specific recommendations, cost-free.



Guardian Series 600-U Relay Underwriters Approved

GUARDIAN G ELECTRIC

1607-P W. WALNUT STREET CHICAGO 12, ILLINOIS

A COMPLETE LINE OF RELAYS SERVING AMERICAN INDUSTRY

WORK SYNTHANE

on any machine in the shop



Punch it, drill it, turn it, mill it—Synthane is workable on any machine you have. It is readily sawn and sanded, easily edge finished on standard routers or shapers. And Synthane tubing and an automatic screw machine is a combination that's hard to beat for long-run fabrication. (We can fabricate for you if you so desire.)

In addition to its ease of machining, Synthane has many other valuable properties in combination, which may make it possible for you to improve your product or process. If you are seeking a hard, dense material that is resistant to corrosion and wear, an excellent electrical insulator, and high in impact fatigue resistance, write today for more information about Synthane laminated plastics. *Mail the handy coupon now.*

TECHNICAL PLASTICS
SHEETS • RODS • TUBES
FABRICATED PARTS

SYNTHANE

MOLDED-LAMINATED
MOLDED-WACERATED

SYNTHANE CORPORATION
12 River Road, Oaks, Penna.

Please send me a copy of the complete Synthane catalog.

Name _____

Firm _____

Address _____

City _____ State _____

ANNUAL INDEX (Continued)

RECORDING & TRANSCRIBING

A New Professional Tape Recorder	Osbahr.....	3-34
A New Telecine Channel	Ehrenhaft, Cawein.....	7-18
Duplication of Magnetic Tape Recording by Contact Printing	Herr.....	11-23
New Portable Tape Recorder Performs With Studio Quality	Stewart.....	4-40
Tape Characteristics for Audio Quality	Marchant.....	7-30
Tape Recorder & Deaf Aids Combine to Produce TV Prompting System		8-39
Video Recording Technics, Pt. I	Gordon.....	5-31
Video Recording Technics, Pt. II	Gordon.....	6-29

STATISTICS

Radio-TV Must Make Way For Young Engineers	Coggeshall.....	4-24
U. S. Radio Statistics, 1949		1-25
What Do Engineers Receive For Inventions?	Gerstin.....	9-26

TELEVISION

A Front End For Television Receivers	Silvey.....	1-36
A New Telecine Channel	Ehrenhaft, Cawein.....	7-18
A Universal Ceramic Iron Core Sweep Transformer	Torsch.....	12-23
Antenna Input Systems for Television Receivers	Foster.....	2-28
Big Screen TV for Motion Picture Theatres		9-36
CBS TV Color Test To Be Broadcast in Baltimore and Washington		9-40
Coaxial Cable Joins East and Mid-West TV Networks	Hertzberg.....	2-18
Color Television Transmission Systems	Battison.....	10-18
Designing A TRF Television Receiver	Buchsbaum.....	8-36
Dr. Lee deForest's Color TV System		11-41
DuMont Opens Largest TV Assembly Plant		10-24
Glossary of Terms Used in Color Television		11-27
Illumination for Television Studios, Part I	Gurin.....	9-54
Illumination for Television Studios, Part II	Gurin.....	10-34
Increased Contrast with New Picture Tubes		9-60
Lighting Requirements of Television Studios	Blount.....	5-24
Measuring Modulation Depth of TV Signals	Burr.....	9-32
Minimizing Internal Reflections in TV Tube		7-39
Multiplexing Film Cameras to Minimize TV Program Failures	Mullinger, Jones.....	11-34
New TV Studio Relay Switching System	Tucker, Monro.....	8-24
Oscillator and Mixer Circuits for TV Receivers	Norton.....	2-31
Philco's New Built-In TV Aerial		10-37
Pulse Cross Generator Applied to TV Production Test Equipment	Burr.....	4-36
Quadrature Phased TV Receiving Antenna		11-36
Report on FCC TV Color Hearing in Washington		11-24
Reversible Pattern TV Receiver Antenna		7-27
Simplified Handling of TV Remotes	McCord.....	6-26

Synchronization of TV Carriers to Reduce Co-Channel Interference	Francis.....	1-29
Television and FCC vs Tropospheric Interference		3-68
TV Photometry and Optical Background	Kuehn.....	7-26
Unique Engineering Design Featured in WOR-TV Studios	Battison.....	12-20
Vestigial Sideband Filter Design Pt. I	Bradburd, Alter, Racker.....	10-38
Vestigial Sideband Filter Design Pt. II	Bradburd, Alter, Racker.....	11-44
Video Receiver Circuits Simplified	Cole.....	1-33
Video Recording Technics—Pt. I	Gordon.....	5-31
Video Recording Technics—Pt. II	Gordon.....	6-29
Voltage Multiplier Systems for TV Receivers	Mandi, Sher.....	5-26

TRANSMITTERS

Flexibility Keynotes KCRG-KCRK Installation	Caldwell, Essig.....	8-28
KSBR Represents New Approach to FM Broadcasting		2-32
New Antenna for CBS-TV		8-27
The Symmetron Amplifier	Balthis.....	4-42
Two Second AM Proof of Performance	Schoentuss.....	10-30

TUBES

"Electrontype" Speeds Communication		3-47
Increased Contrast with New Picture Tubes		9-60
Minimizing Internal Reflections in TV Tubes		7-39
New Triode for 4,000 MC Operation	Morton, Ryder.....	4-32
Surge Testing of High Vacuum Tubes	Dalley.....	10-26
The Symmetron Amplifier	Balthis.....	4-42
Using "G-Curves" in Tube Circuit Design, Pt. I	Pullen.....	7-34
Using "G-Curves" in Tube Circuit Design, Pt. II	Pullen.....	8-34
Use of Tube Characteristics in Cathode Follower Design	Noll.....	4-44

WAVE PROPAGATION

AD HOC Committee Studies Tropospheric Propagation		3-46
Synchronization of TV Carriers to Reduce Co-Channel Interference	Francis.....	1-29
Television and FCC vs Tropospheric Interference		3-68

BOOKS REVIEWED

Acoustic Measurements	Beranek.....	11-53
Components Handbook	Blackburn.....	5-56
Electrical Transmission of Power and Signals	Kimbark.....	8-56
Elements of Sound Recording	Frayne, Wolfe.....	8-56
Extrapolation, Interpolation and Smoothing of Stationary Time Series	Wiener.....	10-50
Magnetic Recording	Begun.....	9-70
Microwave Antenna Theory and Design	Silver.....	5-70
Photofact Television Course	Saunders, French.....	6-60
Radio & Television Mathematics	Fischer.....	9-70
Reference Data for Radio Engineers	Fed. Tel. & Radio Corp.....	11-58
Terrestrial Magnetism and Electricity	Fleming.....	10-50
TV Picture Projection and Enlargement	Lytel.....	10-50
Waveforms	Chance, Williams, Hughes, MacNichol, Sayre.....	5-70

AUTHOR INDEX-1949

ALPERT, N.

Designing Cathode Coupled Paraphase Amplifiers	9-57
--	------

ALTER, R. S.

Vestigial Sideband Filter Design, Pt. I	10-38
Vestigial Sideband Filter Design, Pt. II	11-44

BALTHIS, D. L.

The Symmetron Amplifier	4-42
-------------------------------	------

BATCHER, R. R.

Radio Industry Marks Twenty-Fifth Anniversary	5-34
Trends in Television And Radio Receiver Design	1-22

BATTISON, J. H.

Color Television Transmission Systems	10-18
International Export Possibilities for Television	3-29
Trends & Technics in European Communications	7-16
Unique Engineering Design Featured in WOR-TV Studios	12-20

BEALE, F. S.

Single Sideband Power Line Carrier Equipment	6-33
--	------

BERNSTEIN, Capt. H. E.

Standardization in The Armed Forces	6-22
---	------

BLOUNT, R. E.

Lighting Requirements Of Television Studios	5-24
---	------

BRADBURD, E.

Vestigial Sideband Filter Design, Pt. I	10-38
Vestigial Sideband Filter Design, Pt. II	11-44

BREWER, E. E.

Measuring Phase Angles in Communication Circuits, Pt. I	11-35
Measuring Phase Angles in Communication Circuits, Pt. II	12-36

BRIDGES, J. F.

New Principle For Broad Band Antennas	6-43
---	------

BUCHSBAUM, W. H.

Designing A TRF Television Receiver	8-36
---	------

BURR, R. P.

Measuring Modulation Depth OF TV Signals	9-32
--	------

Pulse Cross Generator Applied TO TV Production Test Equipment	4-36
---	------

BUTTERFIELD, F. E.

Balanced and Unbalanced Loads	12-29
-------------------------------------	-------

CALDWELL, K. M.

Flexibility Keynotes KCRG-KCRK Installation	8-28
---	------

CAWEIN, M.

A New Telecine Channel	7-18
------------------------------	------

COGESHALL, I. S.

Radio-TV Must Make Way For Young Engineers	4-24
--	------

COLE, D. D.

Video Receiver Circuits Simplified	1-33
--	------

COLLUP, D. O.

Elimination Of Reflected Pulse Systems	1-38
--	------

CROWNOVER, J. W.

Barium Titanates As Circuit Elements, Pt. I	4-19
Barium Titanates As Circuit Elements, Pt. II	5-28
Barium Titanates As Circuit Elements, Pt. III	6-36

DAILEY, H. J. Surge Testing Of High Vacuum Tubes	10-26	MORTON, J. A. New Triode For 4,000 MC Operation	4-32
DeVORE, C. Army Standardizes FM Equipment	8-20	MULLINGER, K. E. Multiplexing Film Cameras To Minimize TV Program Failures	11-34
DRANETZ, A. I. Barium Titanates As Circuit Elements, Pt. I	4-29	NOLL, E. M. Use Of Tube Characteristics In Cathode Follower Design	4-44
Barium Titanates As Circuit Elements, Pt. II	5-28	NORTON, F. R. Oscillator and Mixer Circuits For TV Receivers	2-31
Barium Titanates As Circuit Elements, Pt. III	6-36	OSBAHR, B. F. A New Professional Tape Recorder	3-34
EDWARDS, J. An Application of Frequency Selective Feedback	12-30	PADGETT, E. D. Design And Performance Characteristics Of "Electrets"	3-36
EHRENHAFT, F. A New Telecine Channel	7-18	PARKER, B. E. Broadbanding Ring-Type FM Antennas	7-22
ELTGROTH, G. V. Performance Capabilities Of Suppression Generative Receivers, Pt. I	2-24	PARKER, T. J. An Application of Frequency Selective Feedback	12-30
Performance Capabilities Of Suppression Generative Receivers, Pt. II	3-40	PULLEN, K. A. Using "G-Curves" In Tube Circuit Design, Pt. I	7-34
ESSIG, R. D. Flexibility Kenotes KCRG-KCRK Installation	8-28	Using "G-Curves" In Tube Circuit Design, Pt. II	8-34
FOSTER, D. E. Antenna Input Systems for Television Receivers	2-28	RACKER, J. Vestigial Sideband Filter Design, Pt. I	10-38
FRANCIS, A. Synchronization Of TV Carriers To Reduce Co-Channel Interference	1-29	Vestigial Sideband Filter Design, Pt. II	11-44
GERSTIN, S. What Do Engineers Receive For Inventions?	9-26	REED, R. R. A Microwave Frequency Standard for Radar Applications	12-26
GORDON, G. H. Video Recording Technics, Pt. I	6-31	ROWE, R. G. Collinear Coaxial Array For 152 Megacycles	1-34
Video Recording Technics, Pt. II	6-29	RYDER, R. M. New Triode For 4,000 MC Operation	4-32
GURIN, H. M. Illumination For Television Studios, Pt. I	9-54	SCHELDORF, M. W. New Principle For Broad Band Antennas	6-43
Illumination For Television Studios, Pt. II	10-34	SCHOENFUSS, A. F. Two Second AM Proof Of Performance	10-30
HERR, R. Duplication Of Magnetic Tape Recording By Contact Printing	11-28	SCHWARTZ, L. S. Oscillator Power Variation And Frequency Pull-In	1-30
HERTZBERG, R. Coaxial Cable Joins East And Midwest TV Networks	2-18	SHER, N. Voltage Multiplier Systems For TV Receivers	5-26
Selling To The Navy	1-26	SILVEY, J. O. A Front End For Television Receivers	1-36
HOWATT, G. N. Barium Titanates As Circuit Elements, Pt. I	4-29	SMITH, H. B. Overall Systems Planning For Multi-Channel Telephone Carriers	2-34
Barium Titanates As Circuit Elements, Pt. II	5-28	SMITH, W. C. Reactance Tube Circuits	2-44
Barium Titanates As Circuit Elements, Pt. III	6-36	STEWART, W. E. New Portable Tape Recorder Performs With Studio Quality	4-40
LOOMIS, F. Highlights of FCC TV Color Demonstrations	12-18	SULZER, P. G. Noise Figures For Receiver Input Circuits	5-40
JONES, A. H. Multiplexing Film Cameras To Minimize TV Program Failures	11-34	TATOM, Col. L. J. Standardization In The Armed Forces	6-22
KUEHN, R. L. TV Photometry And Optical Background	7-24	TORSCH, C. E. A Universal Ceramic Iron Core Sweep Transformer	12-23
KUENZLI, A. E. Selling To The Air Force	2-21	TUCKER, W. E. New TV Studio Relay Switching Systems	8-24
McCORD, W. Simplified Handling Of TV Remotes	6-26	WHEELER, M. S. A Microwave Frequency Standard for Radar Applications	12-26
MANDL, M. Voltage Multiplier Systems For TV Receivers	5-26		
MARCHANT, R. Tape Characteristics For Audio Quality	7-30		
MILLER, T. A Ten Centimeter Broadband Bolometer Cavity	9-28		
MONRO, C. R. New TV Studio Relay Switching System	8-24		

MERCURY CONTACT RELAYS

WESTERN ELECTRIC TYPE D-168479

Glass sealed, mercury-wetted contact switches surrounded by operating coils and encased in metal housings mounted on an octal tube base.

Typical Applications:

- High speed keying • Tabulating
- Sorting and computing machines • Relay Amplifiers
- Vibrator Power Supplies
- Servo-mechanisms.

Characteristics:

- High speed of operation • Constant operating characteristics • Freedom from chatter
- High current capacity • Long, trouble-free service.

SPDT Contacts. 2 coils at 700 ohms & 3300 ohms. Operating current with coils in series 6.6 ma. Release current 5.2 ma. Operated under specified conditions, relay has a life expectancy of 1000 hours at 60 operations per second.

Brand new surplus—Priced at a fraction of Government cost **\$4.75**
Send for 4 p. Technical data.

Linear Sawtooth Potentiometer

W.E. No. KS 15138

The d-c potentiometer consists of a closed type die-cast aluminum alloy frame consisting of a continuous resistance winding to which electric power is supplied through two fixed taps 180 degrees apart. Two rotating brushes (180 degrees apart and bearing on the resistance winding) and two take-off brushes are provided for the output voltage. Varying the position of the brushes varies the output voltage in accordance with a linear sawtooth wave. The potentiometer is excited with 24-volt direct current, is arranged for panel or bracket mounting, is approximately 3-11/16 inches in diameter, 3 inches deep, 4 3/4 inches long, and has an approximate weight of one pound. External connections are made through a standard AN type connector.

Brand New **\$5.75**

ELECTRONICRAFT

5 WAVERLY PLACE TUCKAHOE 7, N. Y.
PHONE TUCKAHOE 3-0044



Foremost technical journal of radio, television and tele-communications. . . . Greatest number of television and tele-communications editorial pages. . . . Authoritative treatment of current engineering trends, problems and developments. . . . Largest engineering audience in design, manufacture, operation and maintenance of television and tele-communications (15,100 total circulation monthly).

CALDWELL-CLEMENTS, INC.

480 LEXINGTON AVENUE
NEW YORK 17, N. Y.

BULLETINS

Test Equipment

The new bulletin of Gawler-Knoop, Inc., Sales Engineers, 1060 Broad St., Newark 2, N. J. illustrates the test equipment of the various manufacturers and companies G-K represents. Test instruments are particularly applicable in research and development laboratories, production testing, industrial testing and quality control facilities. (Mention T-T)

Transformers

Triad Transformer Manufacturing Co., 2254 Sepulveda Blvd., Los Angeles 64, Calif., has compiled a 16-page catalog, illustrating, describing and pricing the entire line of Triad Transformers for original equipment, radio, television, and replacement applications. Special attention is called to Triad's Climatite treating, said to be an improved and exclusive vacuum impregnation process, used on all Triad transformers. (Mention T-T)

Cathode-Ray Oscillographs

Types 304 and 304-H cathode-ray oscillographs, successors to the famous 208-B, are the subjects of a new bulletin published by Allen B. DuMont Laboratories, Inc., 1000 Main Ave., Clifton, N. J. These new instruments have undergone a most rigid field test, at the DuMont Labs, and also selected laboratories and institutions throughout the country. (Mention T-T)

Capacitors, Resistors, Coils

Electrical Reactance Corp., Franklinville, N. Y., has published a 16-page brochure describing the history and manufacture of HI-Q products; capacitors, resistors and coils. Operations at the Jessup, Pa., Franklinville, N. Y., and Myrtle Beach, S. C. plants are covered. (Mention T-T)

Measuring Equipment

Analyzers, indicators and recorders are described in a bulletin released by the Cambridge Instrument Co., Inc., 3732 Grand Central Terminal, New York 17, N. Y. (Mention T-T)

Varnished Insulations

"The V. I. Story—Varnished Insulations in Electrical Engineering" has been written for and published by The Varnished Fabric and Paper Section of the National Electrical Manufacturers Assoc., 155 East 44th St., New York 17, N. Y. The author is David O. Woodbury, well-known technical writer. Price, \$1.00 (Mention T-T)

Antenna Handbook

The 6th edition of the "Johnson Antenna Handbook and Rotary Beam Instruction Book" has just been published by the E. F. Johnson Co., Waseca, Minn., and may be secured from Johnson Jobbers for 60 cents. While the handbook serves as an instruction manual for the Rotomatic Beam, it also contains general information on antennas, transmission lines and methods of coupling. (Mention T-T)

Kinescope Insulation

Recommendations for the support and insulation of Kinescope RCA-16AP4 is the subject of a recently released RCA Electron Tube Application Note. The discussion concerns the structural features of the Kinescope which requires the use of new technics for supporting the tube, masking the picture face, and insulating the metal cone. Write to Tube Dept., Radio Corporation of America, Harrison, N. J. (Mention T-T)

Microwave Components

Polytechnic Research & Development Co., Inc., 202 Tillary St., Brooklyn 1, N. Y., has announced the availability of a complete line of microwave test equipment components. Included are fixed waveguide pads, coaxial terminations, calibrated variable attenuators, slotted lines and probes, frequency meters, frequency standard multiplier and bolometers. Printed catalog is available to microwave research and operating engineers. (Mention T-T)

Theatre Television

A 16-page booklet entitled "Theatre Television-Facts Every Theatre Owner Should Know" has been released by the RCA Theatre Equipment Sales Div., Camden, N. J. RCA's two basic systems for theatre television are described; the instantaneous projection system and the intermediate film system. Copies may be obtained by writing to the Theatre Equipment Sales Div., Radio Corporation of America, Camden 2, N. J. and asking for Form 2R6154. (Mention T-T)

Soldering Products

The complete line of soldering products made by the P. Wall Manufacturing Co., 462 Erie St., Grove City Pa., and its new division, Harmic Manufacturing Co., also of Grove City, is described in the new Wall catalog. These products include gasoline and kerosene blow torches, self-generating alcohol blow torches, electric soldering irons, solder, paraffin supplies and compound kettles. (Mention T-T)

Insulation Resistance Measurements

The James G. Biddle Co., 1316 Arch St., Philadelphia 7, Pa., has recently published a 24-page booklet (21P8-15) which emphasizes the simplicity of making insulation resistance measurements with a "Megger" insulation tester. (Mention T-T)

Telemetering Systems

A 20-page, illustrated bulletin, GEA 5233, which describes the newest General Electric telemetering equipment for electric power distribution and industrial applications, has just been released by General Electric Co., Schenectady, N. Y.

The bulletin gives detailed information on the frequency type, torque balance-type, and photoelectric-type telemeters manufactured by GE. Included also are simple wiring diagrams of typical telemetering installations for various services, and descriptions, dimensions, and specifications of telemeters and auxiliary equipment, such as torque-balance converters and torque-balance load injectors. (Mention T-T)



Designed
for EASY MAINTENANCE

G-E CALROD® SOLDERING IRONS can be maintained *right in your own shop* at low cost, without special tools—they need not be returned to the factory for repairs.

HERE'S WHY:

- Calorized threads make tips non-freezing, easy to remove.
- Disassembly is easy, and all replacement parts are simple in design.
- Low-cost Calrod cartridge heaters are independent of shell, heat conductor, and tip holder; they can be removed merely by lifting a retainer pin.

Ask your G-E Distributor for a free bulletin GEA-4519. Or, write General Electric Co., Schenectady 5, N. Y.

*Reg. U.S. Pat. Off.

GENERAL ELECTRIC



676-164

Laboratory Standards

Standard Signal Generators	Vacuum Tube Voltmeters
Pulse Generators	UHF Field Strength Meters
FM Signal Generators	Television and FM Test Equipment
Square Wave Generators	

Standards Are Only As Reliable As The Reputation Of Their Maker

MEASUREMENTS CORPORATION
BOONTON NEW JERSEY

BUY

NOW!

