

January 1963


50 Cents

55c in Canada

QST

devoted entirely to


amateur radio





"S" SERIES

AUDIO & POWER TRANSFORMERS & REACTORS For Complete Ham Systems



*Popular Priced -
Matched Components
for
Power Supplies
Modulation
Pre-Amp &
Power Amplifiers
... for entire ham rigs*

Thirty years of transformer manufacturing experience have resulted in a complete line of reliable high quality components, priced especially to your needs. The "S" Series of audio and power transformers and reactors is designed specifically for ham and CB service, and completely matched for compatibility in our complete line of audio and power transformer units. We also have a complete line of audio and power transformer units available in quantities of 1000. For complete information on our products and their high reliability...

Write for catalog of over
1,000 STOCK ITEMS

UNITED TRANSFORMER CORP.

150 VARICK STREET, NEW YORK 10, N.Y.

RADIO REC. DIVISION: 3630 EASTHAM DRIVE, BULLVER CITY, CALIF.
 INFO DIVISION: 13 EAST 10TH STREET, NEW YORK 10, N.Y.

SALES - ADVERTISING


Are you ready to move up to an HT-32B?

Somewhere along the line, about one of 25 amateurs reaches a "point of no return" in pursuit of this unique and wonderful activity we call ham radio.

Up to this point, his interest, his technical skills and experience have grown and broadened by leaps and bounds. He has studied or experimented with a variety of equipment — enough to know what to expect, and what he personally wants in ultimate performance.

Beyond it, average performance or the absence of needed features no longer are an inconvenience. They are intolerable. Beyond it, he will settle for nothing less than an uncompromising leader. The best.

The HT-32B transmitter was designed, frankly and specifically, for the one-in-twenty-five. Like anything exceptionally worthwhile it costs more. But if you are ready to own it, you will know in advance why it is the *least extravagant investment you ever made.*



- Hallicrafters exclusively — far superior frequency stability due to Hallicrafters' differential temperature compensation (U.S. Pat. #2718617).
- Hallicrafters exclusively — full 500 kc. coverage on VFO dial, with resolution to less than 1 kc.
- Hallicrafters exclusively — modes of communication: upper/lower/double sideband; automatic break-in CW; full AM.
- Hallicrafters exclusively — complete amateur coverage capability, 80 meters through 10 meters, without changing crystals.
- Hallicrafters exclusively — high frequency asymmetrical crystal filter for superior audio fidelity.

For complete specifications
write today.

hallicrafters

5th & Kostner Aves., Chicago 24, Ill.

Overseas Sales: Export Dept., Hallicrafters. Canada: Gould Sales Co., Montreal, P.Q.

This sign tells you you're dealing with a reliable, conscientious businessman, hand-picked as the finest in the land. It also tells you you're buying the finest amateur equipment available.

DEPEND ON IT



ALABAMA

Birmingham — Ack Radio Supply Co.

ALASKA

Anchorage — Yukon Radio Supply, Inc.

ARIZONA

Phoenix — Southwest Electronic Devices
Tucson — Elliott Electronics, Inc.

ARKANSAS

DeWitt — Ed Moory's Radio & Appliance Co.
Texarkana — Lavender Supply Co.

CALIFORNIA

Anaheim — Henry Radio, Inc.
Burlingame — Amrad Electronics
Long Beach — Scott Radio Supply, Inc.
Los Angeles — Henry Radio Co., Inc.
Radio Products Sales, Inc.
Oakland — Elmar Electronics
Riverside — Mission Ham Supplies
Sacramento — Calamar Electronic Company
San Diego — Western Radio & TV Supply Co.
San Francisco — Amrad Supply, Inc.
San Jose — Quement Industrial Electronics

COLORADO

Denver — Radio Products Sales Co.

CONNECTICUT

Hartford — Corky's Division, Hatry of Hartford

DISTRICT OF COLUMBIA

Washington — Electronic Wholesalers, Inc.

FLORIDA

Miami — Amateur Radio Center, Inc.
Electronic Wholesalers, Inc.
Pensacola — Grice Electronics, Inc.
Tampa — Kinkade Radio Supply, Inc.

GEORGIA

Atlanta — Ack Radio Supply Co.
Specialty Distributing Co., Inc.

HAWAII

Honolulu — Honolulu Electronics

IDAHO

Boise — Robble Supply Co., Inc.

ILLINOIS

Chicago — Allied Radio Corp.
Newark Electronics Corporation
Peoria — Klaus Radio & Electric Company

INDIANA

Fort Wayne — Brown Electronics, Inc.
Indianapolis — Graham Electronics Supply, Inc.
South Bend — Radio Distributing Co., Inc.

IOWA

Council Bluffs — World Radio Laboratories, Inc.
Des Moines — Radio Trade Supply Co.

LOUISIANA

New Orleans — Radio Parts, Inc.

MARYLAND

Wheaton — Uncle George's Radio Ham Shack
Division, Electronics Distributors, Inc.

MASSACHUSETTS

Boston — DeMambro Radio Supply, Inc.
Radio Shack Corp.
Reading — Graham Radio, Inc.

MICHIGAN

Ann Arbor — Purchase Radio Supply
Detroit — M. N. Duffy & Co.
Radio Supply & Engineering
Kalamazoo — Warren Radio Company

MINNESOTA

Minneapolis — Lew Bonn Company
Electronic Center, Inc.

MISSOURI

Butler — Henry Radio Company
Kansas City — Burstein-Applebee Co.
St. Louis — Walter Ashe Radio Company

NEW HAMPSHIRE

Concord — Evans Radio

NEW JERSEY

Mountainside — Federated Purchaser, Inc.

NEW YORK

Albany — Ft. Orange Radio Distributing Co., Inc.
Amsterdam — Adirondack Radio Supply
Buffalo — Genesee Radio & Parts Co., Inc.
Jamaica, Long Island — Harrison Radio Corp.
New York — Harrison Radio Corp.
Harvey Radio, Inc.

NORTH CAROLINA

Asheville — Freck Radio & Supply Co., Inc.
Winston-Salem — Electronic Wholesalers, Inc.

OHIO

Cleveland — Pioneer Electronic Supply Co.
Columbus — Universal Service
Dayton — Custom Electronics, Inc.
Toledo — Selectronic Supplies, Inc.

OKLAHOMA

Tulsa — Radio Inc.

OREGON

Portland Radio Supply Co.

PENNSYLVANIA

Philadelphia — Radio Electric Service Company of Pa.
Pittsburgh — Cameradio Company
Wyncote — "Ham" Buerger

RHODE ISLAND

Providence — W. H. Edwards Company

SOUTH CAROLINA

Charleston — Wholesale Radio Supply Co.
Columbia — Dixie Radio Supply Inc.

SOUTH DAKOTA

Watertown — Burghardt Radio Supply

TENNESSEE

Memphis — W. & W. Distributing Company
Nashville — Electra Distributing Company

TEXAS

Abilene — Howard Radio Company
Corpus Christi — Electronic Equipment &
Engin... Co.
Dallas — Amateur Electr. Inc.
Crabtree's Wholesale Radio
El Paso — McNicol, Inc.
Houston — Busacker Electronic Equipment Co., Inc.
San Antonio — Radio & Television Parts Co.

WASHINGTON

Lynnwood — Cascade Electronic Supply
Seattle — C & G Radio Electronics Co.
Spokane — Northwest Electronics, Inc.
Tacoma — C & G Radio Electronics Co.

WISCONSIN

Fond du Lac — Harris Radio Corporation
Madison — Satterfield Electronics, Inc.
Milwaukee — Amateur Electronic Supply

PUBLISHED, MONTHLY, AS ITS OFFICIAL ORGAN, BY THE AMERICAN RADIO RELAY LEAGUE, INC., WEST HARTFORD, CONN., U. S. A.; OFFICIAL ORGAN OF THE INTERNATIONAL AMATEUR RADIO UNION

STAFF

- JOHN HUNTOON WILVO
Editor
- RICHARD L. BALDWIN, WIKE
Managing Editor
- GEORGE GRAMMER, WIDF
Technical Editor
- DONALD H. MIX, WITS
BYRON GOODMAN, WIDX
Assistant Technical Editors
- EDWARD P. TILTON, WIHQD
V.H.F. Editor
- LEWIS G. MCCOY, WIICP
E. LAIRD CAMPBELL, WICUT
Technical Assistants
- ROD NEWKIRK, W9BRD
Contributing Editor, DX
- ELEANOR WILSON, WIQON
Contributing Editor, YLs
- SAM HARRIS, WIFZJ
HELEN HARRIS, WIHOY
Contributing Editors, V.H.F.
- LORENTZ A. MORROW, W1VIG
Advertising Manager
- EDGAR D. COLLINS
Advertising Assistant
- DAVID H. HOUGHTON
Circulation Manager
- J. A. MOSKEY, W1JMY
Assistant Circulation Manager

OFFICES

38 La Salle Road
West Hartford 7, Connecticut
TEL: 236-2535
Area Code 203

Subscription rate in United States and Possessions, \$5.00 per year, postpaid; \$5.25 in the Dominion of Canada, \$6.00 in all other countries. Single copies, 50 cents. Foreign remittances should be by international postal or express money order or bank draft negotiable in the U. S. and for an equivalent amount in U. S. funds.

Second-class postage paid at Hartford, Conn. and at additional mailing offices.

Copyright 1962 by the American Radio Relay League, Inc. Title registered at U. S. Patent Office. International copyright secured. All rights reserved. *Quedan reservados todos los derechos* Printed in U. S. A.

INDEXED BY
Applied Science and Technology
Index
Library of Congress Catalog
Card No.: 21-9421

—CONTENTS—

TECHNICAL —

- An All-Nuvistor Converter for 420 Mc.
Martin L. Kaiser, W2VCG 11
- The W4JWV S.S.B. Exciter... *Col. R. D. Curtis, W4JWV* 15
- Minimizing Interference from Loran on 160 Meters
Herbert Hoover, jr., W6ZH/K6ZH 24
- Using the 4X250B as a Frequency Multiplier to 432 Mc.
Edward P. Tilton, WIHQD 30
- Added Versatility for the HBR-16
William E. McKay, W7QBR 36
- Selective Transistor I.F. Strip and Dual Detector System
B. E. Harris, W6ANU/4 42
- Easy-Match for High-Impedance Antennas
Gilbert L. Countryman, W4JA 47
- Frequency Stability of Third-Overtone Crystal Oscillators
Rutherford L. Ellis, jr., W4LNG 58

New Apparatus:

- New Aluminum Castings..... 14
- Continuity Checker..... 32
- Wideband Wavemeters..... 86

Recent Equipment:

- Transtenna Model 101 T. R. Switch and Preselector... 49
- Inverters for Ham Use..... 50
- Knight T-150 Transmitter Kit..... 52

BEGINNER AND NOVICE —


- A Novice 40-Watter..... *Lewis G. McCoy, WIICP* 33

OPERATING —

- Annual ARRL Novice Roundup Competition..... 41
- 1963 ARRL International DX Competition..... 55


GENERAL —

- S4 + 30 Db..... *John G. Troster, W6ISQ* 29
- Building Fund Progress..... 62
- Members Are Saying..... 63
- The Templeton Case..... *Jack Najork, K9ODE* 68
- CQ de AP Land..... *Katashi Nose, KH6IJ* 72
- "It Seems to Us..."..... 9
- Our Cover..... 10
- Twenty-Five Years Ago in QST..... 10
- S.E. Division Convention..... 28
- Hamfest Calendar..... 28
- Hints and Kinks..... 60
- Happenings of the Month..... 64
- The World Above 50 Mc..... 74
- YL News and Views..... 78
- How's DX?..... 81
- Feedback..... 86
- Correspondence From Members..... 87
- Operating News..... 89
- Station Activities..... 98
- Coming Conventions..... 160
- Silent Keys..... 164
- ARRL QSL Bureau..... 166
- Index to Advertisers..... 182



~~\$52~~

Now \$34




Zero bias triode eliminates screen and bias supplies — at new low cost!

Increased production of Eimac 3-400Z zero bias triode permits price reduction to you! New, economy amateur net price of 3-400Z is thirty-four dollars, a saving of eighteen dollars! This all-new zero bias triode provides you *low distortion* linear amplifier service at *new low dollars-per-watt value!* 3-400Z offers power gain of twenty times in grounded grid service plus improved intermodulation characteristics. Small size of 3-400Z accommodates today's lower, more compact equipments. You'll find the 3-400Z ideal for high talk-power single sideband service! Available *only* at Eimac . . . world leader in transmitting tubes. For ratings, specifications, other data write: Amateur Service Department, Eitel-McCullough, Inc., San Carlos, California. And for latest development in vacuum tubes...KEEP YOUR EYE ON



22 Berkley Meters Check Frequency and Accuracy of PR CRYSTALS



AMATEUR TYPES



FUNDAMENTAL, PR TYPE Z-2—Frequency Ranges in Kcs.: 3,500 to 4,000 (80-M); 7,000 to 7,425 (40M); 8,000 to 8,222 (2M); 8,334 to 9,000 (6M) \pm 500 Cycles ...\$2.95 Net

(All Z-2 Crystals calibrated with a load capacity of 32 mmfd.)



Third Overtone, PR Type Z-9A, 24,000 to 24,666 and 25,000 to 27,000 Kc., \pm 3 Kc. ...\$3.95 Net

6 Meters, Fifth Overtone, PR Type Z-9A, 50 to 54 Mc., \pm 15 Kc.... \$4.95 Net

Citizens Band, PR Type Z-9R .005%\$2.95 Net

**MINIMUM ORDER \$10.00
ORDER FROM YOUR JOBBER**

Since 1934, amateurs everywhere have applauded the fine dependability, high output, economical operation, and hair-line accuracy of PR Crystals. These qualities are assured by precision workmanship at every stage in manufacture. The photograph above shows a section of the Finishing Room, where PRs are plated, assembled, soldered, and boxed. In the foreground are two of the twenty-two fine Berkley Frequency Meters used to check the exact frequency of every PR Crystal. These meters have an accuracy of better than one part in ten million! Put PRs in your rig today. You'll have the finest precision frequency control that money can buy. Your jobber has them for you.

PR

Crystals



Since 1934

USE **PR** AND KNOW WHERE YOU ARE
PETERSEN RADIO COMPANY, INC.
COUNCIL BLUFFS, U.S.A.

Section Communications Managers of the ARRL Communications Department

Reports Invited. All amateurs, especially League members, are invited to report station activities on the first of each month (or preceding month) direct to the SCM, the administrative ARRL official elected by members in each Section. Radio club reports are also desired by SCMs for inclusion in QST. **ARRL Field Organization station appointments** are available in areas shown to qualified League members holding Canadian or FCC amateur license. General or Conditional Class or above. These include OBS, OES, OPS, OO and OBS. SCMs desire applications for SEC, EC, RAI and PAM where vacancies exist. OES, v.h.f. bands appointment, is available to Technicians and Novice, as well as to full-privilege amateur licensees.


ATLANTIC DIVISION			
Eastern Pennsylvania Maryland-D. C. Delaware Southern New Jersey Western New York Western Pennsylvania	W3ZRQ W3JZY K3GKF K2BG K2HTC W3UTN	Allen R. Breiner Andrew H. Abraham M. F. Nelson Herbert C. Brooks Charles T. Hansen Anthony J. Mroczka	212 Race St. RED 1 505 Milltown Rd. 800 Lincoln Ave. 211 Rosemount Drive 475-5th St.
			Tamaqua Smithsburg, Md. Marshalltown Palmyra Buffalo 26 Tonora
CENTRAL DIVISION			
Illinois Indiana Wisconsin	W8PRN W8PWH K8GSC	Edmond A. Metzger Donald L. Hoff Kenneth A. Ebner	1520 South 4th St. 1312 East 28th St. 822 Wauna Trail
			Springfield Anderson Portage
DAKOTA DIVISION			
North Dakota South Dakota Minnesota	W8HVA W8RKN W8KJZ	Harold A. Wengel J. W. Skorski Mrs. Lydia S. Johnson	1416-6th Ave. 1000 S. Meno Ave. 1258 Van Buren St.
			Williston Sioux Falls St. Paul 4
DELTA DIVISION			
Arkansas Louisiana Mississippi Tennessee	K5CIR W5PJO W5EIM W4QGG	Odla L. Musgrove Thomas J. Morgavi S. H. Hairston David C. Goggio	1321 W. Baraque Ave. 3409 Beauden St. 4321-27th Ave. 1419 Fayett Dr.
			Pine Bluff Metairie Meridian Memphis 16
GREAT LAKES DIVISION			
Kentucky Michigan Ohio	W4REW W8PC W8AL	Elmer G. Leuchman Ralph P. Thetreau Wilson E. Weckel	P. O. Box 406 27209 W. Six Mile Road 2118 Tuscarawas St., W.
			Ashtab Detroit Canton 8
HUDSON DIVISION			
Eastern New York N. Y., C. & Long Island Northern New Jersey	W2EFL W2OBF WA2APY	George W. Tracy George V. Cooke, Jr. Daniel H. Farley	1138 North Country Club Drive 3 Daisy Lane 216 Grove Ave.
			Schoenectady Commack Metuchen
MIDWEST DIVISION			
Iowa Kansas Missouri* Nebraska	W8NTB W8ALA K8WNZ W8ENP	Dennis Burke C. Leland Cheney Major R. C. Gordon Charles E. McNeel	1418 Douglas Ave. 8114 Levitt Dr. 545 S. Monroe Route 3, RFD
			Ames Wichita 7 Lebanon North Platte
NEW ENGLAND DIVISION			
Connecticut Maine Eastern Massachusetts Western Massachusetts New Hampshire Rhode Island Vermont	W1CHR W1BCB W1ALP W1BYR W1YHT K1AAV W1ETB	Henry B. Sprague, Jr. Albert C. Hodson Frank L. Baker, Jr. Percy C. Noble Albert F. Hawthorth John E. Johnson Miss Harriet Proctor	Cartbridge Rd. 370 Capais St. 85 Solar Ave. 8 St. Dennis St. 356 Douglas St. 30 Fruit St. P. O. Box 9
			Weston Portland Branfretree 85 Westfield Manchester Fayetteket East Middlebury
NORTHWESTERN DIVISION			
Alaska Idaho Montana Oregon Washington	KL7BZO W7GGO W7KUH W7AJN W7PGY	Kenneth E. Koestler Mrs. Helen M. Maillet Walter R. Marten Everett H. Francee Robert H. Thurston	2005 Spruce Dr. Route 1, South 3021-6th Ave., So. 3335 S.E. 116th Ave. 7700-31st Ave., N.E.
			Anchorage Pocatello Great Falls Portland Seattle 15
PACIFIC DIVISION			
Hawaii* Nevada Santa Clara Valley East Bay San Francisco Sacramento Valley San Joaquin Valley	KH6ARL W7PBV W8ZRJ W69JW W6HDP W8RTY W8JPU	Mike Fern Leonard M. Norman Jenn A. Gmelin R. W. Southwell Wilbur P. Bachman George R. Hudson Ralph Saroyan	P. O. Box 107 652 Utah St. 1089 Huntington Drive 300 South Seventh St. 880 Dartmouth St. 2209 Alver Way 6204 E. Townsend Ave.
			Lihue, Kauai Boulder City San Jose 29 Dixon San Francisco 24 Sacramento Fresno
ROANOKE DIVISION			
North Carolina South Carolina Virginia West Virginia	W4CH K4HDX W4QDY W8JM	N. J. Boruch Lee E. Worthington Robert L. Follmar Donald B. Morris	514 Sunset Ave. 418 Crestview Drive 1057 Dune St. 1111 Alexander Place
			Wilmington Spartanburg Norfolk 3 Fairmont
ROCKY MOUNTAIN DIVISION			
Colorado Utah New Mexico Wyoming	W8NIT W7QWH W5ZIN W7AMU	Donald S. Middleton Thomas H. Miller Carl W. Franz L. D. Branson	920 West Adams St. 3148 South 3360 East 2323 Krogh Court, N.W. 342 South Elk
			Pueblo Salt Lake City 9 Albuquerque Casper
SOUTHEASTERN DIVISION			
Alabama* Eastern Florida Western Florida Georgia West Indies (P. R.-V.I.)	W4OXU K4SJE W4EKL W4LG K4PDJ	Walter W. Coleman Albert L. Hamel Frank M. Butler, Jr. James A. Giglio William Werner	P. O. Box 56 1300 N. E. 32nd St. 494 Elliott Rd. 1378 Metropolitan Ave., S.E. 563 Ramon Loviet
			Springville Pompano Beach Fort Walton Beach Atlanta 16 Orla, Truman Rio Piedras, P. R. Balboa
SOUTHWESTERN DIVISION			
Los Angeles Arizona San Diego Santa Barbara	W6JQB W7QZH W6LRU K6AAK	Albert F. Hill, Jr. Kenneth P. Cole Don Stansifer William C. Shelton	861 No. Millard Ave. 221 East Camelback, Suite P-15 4427 Pescadero 2036 Grandview Drive
			Rialto Phoenix 12 San Diego 7 Camarillo
WEST GULF DIVISION			
Northern Texas Oklahoma Southern Texas	W58NG W5DRZ W5QEM	L. L. Harblu Adrian V. Rea Roy K. Eggleston	4515 Calmont Box 33 1109 Vernon Drive
			Forth Worth 7 Ketchum Corpus Christi
CANADIAN DIVISION			
Maritime Ontario Quebec	VE1WB VE3NG VE2DR	D. E. Weeks Richard W. Roberts C. W. Skarstedt	170 Norton Ave. 62 St. Johns Rd.
			Harvey Station, N. B. Willowdale, Toronto, Ont. Pointe Claire Montreal 33, P. Q. N. Leithbridge, Alta. Vancouver 8, B. C. Winnipeg Regina
Alberta British Columbia Manitoba Saskatchewan	VE6TG VE7FB VE4JY VE5BL	Harry Harrold H. E. Savage M. S. Watson Jack Robinson	1831-5th Ave. 4533 West 12th Ave. 219 Laurak St. 1527 Elgin Rd.

* Official appointed to act temporarily in the absence of a regular official.

BROADBAND TRANSMITTING COUPLING TRANSFORMERS


TMC MODELS

TRC-20K TRC-5K




REQUEST
BULLETIN
8015

TRC-5K



TRC-20K



TMC's Model TRC-20K and TRC-5K are recent additions to a family of broadband RF transformers that provide coupling of RF energy from 250 watts average to 40 kw peak power with insertion loss of less than 1 db, and VSWR not exceeding 2:1.

Models TRC-5K and TRC-20K provide efficient impedance match over the frequency range of 2 to 28 megacycles between 50 and 600 ohms or 70 and 600 ohms, and are housed in fiberglass reinforced cases for operation in any ambient environment from -50° C to $+75^{\circ}$ C.

Spark gaps provide protection against static electricity on the antenna as well as against lightning discharge. These units are provided with either wall or pole mount and may be mounted in isolated places, such as an antenna field, since they require no maintenance. A wide variety of RF fittings can be provided to match any standard transmission system.

THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

and Subsidiaries

OTTAWA, CANADA • ALEXANDRIA, VIRGINIA • GARLAND, TEXAS • LA MESA, CALIFORNIA • POMPANO BEACH, FLORIDA

THE AMERICAN RADIO RELAY LEAGUE, INC.,

is a noncommercial association of radio amateurs, bonded for the promotion of interest in amateur radio communication and experimentation, for the relaying of messages by radio, for the advancement of the radio art and of the public welfare, for the representation of the radio amateur in legislative matters, and for the maintenance of fraternalism and a high standard of conduct.

It is an incorporated association without capital stock, chartered under the laws of Connecticut. Its affairs are governed by a Board of Directors, elected every two years by the general membership. The officers are elected or appointed by the Directors. The League is noncommercial and no one commercially engaged in the manufacture, sale or rental of radio apparatus is eligible to membership on its board.

"Of, by and for the amateur," it numbers within its ranks practically every worth-while amateur in the nation and has a history of glorious achievement as the standard-bearer in amateur affairs.

Inquiries regarding membership are solicited. A bona fide interest in amateur radio is the only essential qualification; ownership of a transmitting station and knowledge of the code are not prerequisite, although full voting membership is granted only to licensed amateurs.

All general correspondence should be addressed to the administrative headquarters at West Hartford, Connecticut.



Past Presidents

HIRAM PERCY MAXIM, W1AW, 1914-1936
 EUGENE C. WOODRUFF, W8CMP, 1936-1940
 GEORGE W. BAILEY, W2KH, 1940-1952
 GOODWIN L. DOSLAND, W0TNS, 1952-1962
 (President Emeritus)

Officers

President HERBERT HOOVER, JR., W6ZH
 900 Wilshire Blvd., Los Angeles 17, California

First Vice-President WAYLAND M. GROVES, W5NW
 1406 West 12th Street, Odessa, Texas

Vice-President FRANCIS E. HANDY, W1BDI
 38 La Salle Road, West Hartford 7, Connecticut

Vice-President ALEX REID, VE2BE
 240 Logan Ave., St. Lambert, P. Q., Canada

Secretary JOHN HUNTOON, W1LVQ

Treasurer DAVID H. HOUGHTON
 38 La Salle Road, West Hartford 7, Connecticut

.

Secretary & General Manager Emeritus A. L. BUDLONG, W1BUD

.

General Manager JOHN HUNTOON, W1LVQ

Communications Manager FRANCIS E. HANDY, W1BDI

Technical Director GEORGE GRAMMER, W1DF

Assistant Secretaries PERRY F. WILLIAMS, W1UED
 RAYMOND HIGGS, W6OGI/1 GARY L. FOSKETT, W1ECH
 38 La Salle Road, West Hartford 7, Connecticut

.

General Counsel ROBERT M. BOOTH, JR., W3PS
 1735 DeSales St., N. W., Washington 6, D. C.

Associate Counsel ARTHUR K. MEEN, VE3RX
 Suite 405, 19 Richmond St. West, Toronto 1, Ont.

DIRECTORS

Canada

NOEL B. EATON, VE3CJ
 R.R. 3, Burlington, Ontario
Vice-Director: Colin C. Dumbille, VE2BK
 116 Oak Ridge Drive, Bale d'Urfee, Quebec

Atlantic Division

GILBERT L. CROSSLEY, W3YA
 Dept. of E. E., Penna State University
 State College, Pa.
Vice-Director: Edwin S. Van Drusen, W3ECP
 3711 McKinley St., N.W., Washington 15, D.C.

Central Division

JOHN G. DOYLE, W9GPI
 4331 N. Wildwood Ave., Milwaukee 11, Wis.
Vice-Director: Phillip E. Haller, W9HFG
 6000 S. Tripp Ave., Chicago 29, Ill.

Dakota Division

CHARLES G. COMPTON, W9BUO
 1011 Fairmount Ave., St. Paul 5, Minn.
Vice-Director: Martha J. Shirley, W0ZWL
 Box 78, Black Hawk, S. C.

Delta Division

FLOYD C. TEETSON, W5MIUG
 2469 Paden, Jackson 4, Miss.
Vice-Director: Graham H. Hicks, W5HLP
 100 Magnolia Place, Natchez, Miss.

Great Lakes Division

DANA E. CARTWRIGHT, W8UPB
 2979 Observatory Ave., Cincinnati 8, Ohio
Vice-Director: Robert B. Cooper, W8AQA
 132 Gullud St., N.E., Grand Rapids 5, Mich.

Hudson Division

MORTON B. KAHN, W2KR
 22 Birch Hill Rd., Great Neck, N. Y.
Vice-Director: Harry J. Dannels, W2TUK
 RFD 1, Arbor Lane, Dix Hills, Huntington, L. I.

Midwest Division

ROBERT W. DENNISTON, W0NWX
 Box 631, Newton, Iowa
Vice-Director: Sumner H. Foster, W0GQ
 2315 Linden Dr., S.E., Cedar Rapids, Iowa

New England Division

MILTON E. CHAFFEE, W1EFW
 28 Reussner Rd., Southington, Conn.
Vice-Director: Bigelow Green, W1EAE
 236 Marlboro St., Boston 16, Mass.

Northwestern Division

R. REX ROBERTS, W7CPY
 37 Park Hill Drive, Billings, Mont.
Vice-Director: Robert B. Thurston, W7PGY
 7700 31st Ave., N.E., Seattle 15, Wash.

Pacific Division

HARRY A. ENGWICHT, W6HC
 770 Chapman, San Jose 26, Calif.
Vice-Director: Ronald G. Martin, W6ZF
 1573 Baywood Lane, Napa, Calif.

Roanoke Division

P. LANIER ANDERSON, JR., W4MWH
 428 Maple Lane, Danville, Va.
Vice-Director: Joseph F. Abernethy, W4AKC
 788 Colonial Drive, Rock Hill, S. C.

Rocky Mountain Division

CARL L. SMITH, W0BWJ
 1070 Locust St., Denver 20, Colo.
Vice-Director: John H. Sampson, Jr., W7OCX
 3618 Mount Ogden Drive, Ogden, Utah

Southeastern Division

JAMES P. BORN, JR., W4ZD
 25 First Ave., N.E., Atlanta 17, Ga.
Vice-Director: Thomas M. Moss, W4HYW
 P.O. Box 20844, Municipal Airport Branch,
 Atlanta 20, Ga.


Southwestern Division

RAYMOND E. MEYERS, W6MLZ
 Box R, San Gabriel, Calif.
Vice-Director: Virgil Talbot, W6GTE
 1175 Longhill Way, Monterey Park, Calif.

West Gulf Division

ROEMER O. BEST, W5QKF
 P.O. Box 1656, Corpus Christi, Texas
Vice-Director: Ray K. Bryan, W5UYQ
 2117 S.W. 61st Terrace, Oklahoma City 18, Okla.

"It Seems to Us..."



THE YEAR IN REVIEW

As we commence 1963 entries in our log-books, let's take a look at the events of the past year.

The number of amateur licensees hit the quarter-million mark in the U. S., and nearly 10,000 in Canada; the world total climbed well above 350,000. ARRL membership rose past 100,000. Herbert Hoover, jr., W6ZH, became the fifth President of the League in May. The new post of Associate Counsel for Canada was filled by Arthur K. Meen, VE3RX. The year marked the fiftieth anniversary of amateur licensing, and a commemorative banquet saluted those whose amateur activity covers the span of half a century. This year was a big one for Hq., too, as work actually began on the new League administrative building in Newington. Building fund donations slowed a bit in the Autumn, but they are once again on the upswing. With luck, late this Spring we'll be settled in our new quarters.

While the eyes of the world watched the skies for satellites and spaceships, amateurs went to work and managed another "first" — and, we might add, a "second" as well. Oscar I, the world's first non-government orbital satellite, went up on December 12, 1961. Oscar II was successfully orbited on June 2 last year. Both were designed and built entirely by hams, at no cost to the public; both functioned properly, and their cheerfully beeped "hi" became familiar all over the world. As this is written, tests are being made on Oscar III, a translator-type unit, which picks up a fifty-kilocycle hunk of the two-meter band and retransmits the whole thing elsewhere in the band. Hopefully, this one will go up within a few months. For outstanding contributions to amateur technical progress, the Project Oscar Association, Sunnyvale, California, was awarded the 1962 ARRL Merit Award. This year's Edison Award went to William Welsh, W1SAD/WA6VTL, for his untiring efforts in helping over 2800 persons obtain their licenses.

The sunspot cycle relentlessly moves on, and the amateur bands reflected consequent changes in activity and interest. The ten-meter band showed definite signs of deterioration this past summer, as did 15 and even 20. With more and more activity building up on the lower frequencies, the League embarked on a crusade for good operation, clean signals

and properly functioning equipment. General interest in v.h.f. and u.h.f. grew by leaps and bounds; several enthusiasts are now aiming their antenna systems at the moon. A lot of hard work paid off for KH6UK and W1BU when they succeeded in establishing two-way contact on 1296 megacycles via moonbounce; W1BU thus followed up a similar triumph with W6HB in 1961. With several amateurs now either building moonbounce equipment or actually on the air, it appears that the higher portions of the amateur spectrum are being used much more extensively than in the past; there are still many challenges left for '63!

Along regulatory lines, U. S. hams no longer have to worry about Conelrad monitoring; the regulations were revoked in July. El Salvador signed a third-party traffic agreement with the U. S., and Canada added Costa Rica, Honduras, Mexico and Chile to its list of countries with which VE/VO amateurs have similar arrangements. Thailand was again added to the U. S. list of countries with which amateur communication is forbidden. FCC shifted responsibility for the amateur service from the Public Safety Division to the new Amateur and Citizens Radio Division. Several changes were made in the Communications Act: It is now possible to renew your ticket at any time during the license term; if you move, you can renew and apply for a change in address on the same form. Notarization is no longer required on any amateur application forms. For the small minority who insist on breaking the rules, FCC can now also levy small fines of up to \$100 for rules infractions.

As this is written, word is received that the Commission has granted the League's petition for removal of the power restriction on 420 Mc.; see "Happenings" in this issue for details. In other actions, FCC turned down a petition for expanded 14-Mc. phone privileges, as well as denying one which proposed Technician Class operation on the ten-meter band. Still pending are rulings on application fees, dual RTTY identification procedure, expanded 160-meter privileges, simplified mobile logging, and slow-scan ham TV on ten and fifteen meters. The reciprocal licensing bill bogged down in Congress; another attempt will be made this year. Only recently, the

(Please turn the page)

League petitioned the Post Office Department for the issuance in 1964 of a postage stamp commemorating the fiftieth anniversary of organized amateur radio.


Before we give the impression that, other than launching satellites and bouncing signals off the moon, amateurs twiddled their thumbs, we had better touch upon a few of the other activities which kept them busy in '62! On the world scene, an international amateur radio station, bearing the call letters 4U1ITU, was opened and dedicated in June, in the new headquarters building of the International Telecommunications Union at Geneva, Switzerland. Numerous DXpeditions put a lot of scarce new countries within grasp, giving many people a boost in their DXCC totals.

Domestically, hams put a great deal of energy into a wide variety of activities. Congratulations go to the hard-working groups in British Columbia and New York State on their success in obtaining call-letter license plates. This leaves only Manitoba and Ontario in Canada and Massachusetts, Kentucky and New Jersey in the U. S. without the special plates. Compliments also go to hard-working sponsors of many conventions and hamfests held during the year. Some 1800 people made the trip to Portland, Oregon, for the twelfth ARRL national Convention on Labor Day Weekend. A new wrinkle at this and several other ARRL conventions this past year was the new portable League booth, which will be making its appearance at future division conventions and at state conventions whenever possible.

Between conventions, a lot of on-the-air activity took place! The June Field Day found a record 15,000 participants in the hills and dales for the weekend, and some 1450 logs were submitted. The September v.h.f. party broke no records, what with poor conditions, but there were still over 450 logs received testifying to the interest shown. The results of the November SS were just coming in as this was being written, but from all indications the scores are still going onward and upward. The DXCC committee added three new countries and deleted three in 1962, and a new Honor Roll listing system was inaugurated in the April issue; totals now show the number of countries worked and confirmed, as well as a lesser figure which takes into account the deleted countries. Interest in WAC, WAS and DXCC continued to grow, and there was a lot of "wallpaper" passed out to successful applicants for these and other awards.

On the more serious side, hams continued to show desire to be of service, with members of RACES and the AREC turning out in numbers to help find missing children, provide communications for fire fighters; in disasters involving tornadoes, floods, and snowstorms; providing rapid medical assistance and aiding speedy relief to victims of all sorts of accidents. The West Coast floods and the recent

Guam disaster were particularly noteworthy cases of amateur public service on a large scale. A little under two-million message-handlings testifies to the interest in traffic work.

With all the time devoted to emergency work, bouncing signals off the moon, launching satellites, DXing, going to hamfests and conventions, traffic work, contests and certificate hunting, where and how did anybody find opportunities to build equipment and just "chew the fat"? Needless to say, this was a pretty busy and eventful year! Whatever your favorite ham activity, may '63 be your best yet . . . Happy New Year! 



January 1938


. . . Announcement was made of the first ARRL QSO Party — a chance for ARRL members to work each other.

. . . A. L. Budlong began a two-part article describing how amateurs got their present bands and what the upcoming Cairo conference would mean to amateur radio. This was a treatise on international amateur regulations.

. . . Technical articles included a 5-band exciter, by W8ZU (and W7ZU, ex-W8ZU, tells us that he still has that exciter panel in use!), how to determine true north by observation of the sun, an article on directional antennas by W8JK, crystal control on 56 Mc., a continuation of the dope on modern television by W2KJL, and a bunch of hints and kinks.

. . . W1BES described some new ham gear that was being shipped to Andrew Young at Pitcairn Island.

. . . In IARU News was presented an up-to-date countries list, which had been worked up with the help of W6QD and others.

. . . High claimed SS scores included W6ITH, who worked all 70 sections on phone, and W3BES, who worked 438 stations on c.w. 

OUR COVER

Our cover this month shows a Ioran pulse blanker built by the League's technical director, W1DF, in accordance with directions supplied by the League's president, W6ZH. What? You say you want to build one too? Fine — just turn to page 24 of this issue.


Strays

The cumbersome term "micromicrofarads" (abbreviated $\mu\mu\text{f.}$) will be replaced with the more compact "picofarads" (abbreviated pf.) beginning with this issue of QST.

An All-Nuvistor Converter for 420 Mc.

Top Performance with Rugged and Inexpensive Tubes

BY MARTIN L. KAISER,* W2VCG



Top view of the 432-Mc. converter of W2VCG. The crystal at the upper left begins the injection chain, consisting of three 6CW4 Nuvistors. The 6CW4 at the lower right is a grounded-grid i.f. amplifier stage. The two 8058 r.f. amplifier stages are inside the case.

In amateur work at 432 Mc., some very special converters and r.f. amplifiers are used in aiming for the ultimate in weak-signal reception. Such converters are likely to be difficult to build, and expensive as well, and some of them are rather delicate. The converter described here is capable of digging down into the noise for the weak signals that ordinary converters miss, and at the same time it is rugged enough to withstand a reasonable amount of r.f., in case of antenna relay leakage or failure.

The combination of sensitivity and ruggedness was brought about by the use of the new 8058, a plate-cap version of the Nuvistor, designed especially for grounded-grid amplifier service at frequencies up to 1200 Mc. Its characteristics

*418 Hale St., Pennington, N. J.

indicated that it should be ideal for use at 432 Mc., so an experimental converter was designed around it, and put into service. During the first month of its use at W2VCG, this converter made possible 432-Mc. QSOs with 9 states and 4 call areas. This is top performance, as a peek at the 420-Mc. standing in QST will confirm.

Circuitry

Two 8058 Nuvistors, V_1 and V_2 , are used as grounded-grid amplifiers, with ordinary coil-and-capacitor tuned circuits. The mixer, CR_1 , is a 1N82A diode, with output at 16 Mc. This frequency was chosen as the low end of the i.f. tuning range for reasons having to do with the receiver at W2VCG, and also to permit the use of an inexpensive 7.7-Mc. crystal in the injection chain.

The Nuvistor, exhibiting a combination of ruggedness, low cost, and excellent noise characteristics for receiver applications, quickly made a place for itself in the v.h.f. world. The latest version of this tiny tube, the 8058, was designed especially for grounded-grid amplifier service in the u.h.f. range. Two of them are used here by W2VCG, to provide lower-noise reception in the 420-Mc. band than has been possible heretofore with anything but the most expensive tubes and sophisticated techniques.




Fig. 1—Schematic diagram and parts information for the 432-Mc. converter. All resistors are $\frac{1}{2}$ watt. Decimal values of capacitance are in μf ., others in pf. ($\mu\mu\text{f}$.) All capacitors ceramic unless specified.

- C_1, C_2 —0.7- to 3-pf. ceramic trimmer (Erie 535-OR7).
- C_3 —9-pf. miniature variable (Johnson 160-104 or 9M11)
- C_4 —50-pf. ceramic trimmer.
- C_6, C_8 —20-pf. miniature variable (Johnson 160-110 or 20M11).
- C_7 — C_{11} , incl.—0.001- μf . feedthrough (Erie 357).
- C_{12} — C_{15} , incl.—0.001- μf . button-ceramic (Sprague 507C).
- CR_1, CR_2 —1N82 diode.
- J_1, J_2 —BNC-type coaxial fitting.
- L_1, L_2 —3 turns No. 14, $\frac{1}{4}$ -inch diam., spaced $\frac{1}{8}$ inch. Tap at 1 turn.

- L_3 —U-shaped loop of spaghetti-covered No. 20, adjacent to L_{10} .
- L_4 —5- to 9- μh . iron-slug coil (North Hills 102C).
- L_5 —2 turns No. 30 insulated wire on cold end of L_4 .
- L_6 —3- to 5- μh . iron-slug coil (North Hills 102B).
- L_7 —4 turns No. 20, $\frac{1}{2}$ -inch diam., spaced $\frac{1}{8}$ inch.
- L_8 —2 turns like L_7 .
- L_9 —1 $\frac{1}{4}$ turn like L_7 .
- L_{10} —U-shaped loop made of $2\frac{1}{2}$ inches No. 14, as per Fig. 3.
- RFC_1 to RFC_8 , incl.—11 turns No. 22 enam., close-wound on $\frac{1}{8}$ -inch form.

No changes, other than suitable crystal substitution, would be needed to use the more conventional 14-Mc. low-end frequency. The crystal required would then be 7740.67 kc., if the oscillator is used in the manner shown. A simple triode oscillator, in which the crystal and the plate-circuit bypass capacitor are returned to ground, could be used with crystals at 23.111 or 23.222 Mc., respectively, for 16 or 14 Mc. as the low end of the i.f. range. A crystal at 34.666 or 34.833 Mc. could be used, by reducing the inductance of L_6 , and running V_5 as a doubler.

Three 6CW4s, V_4, V_5 and V_6 , are used in the injection system, and another, V_7 , is a grounded-grid i.f. amplifier stage. The latter is a bit unusual but convenient way to provide broadband low-noise i.f. amplification. This assures that the communications receiver will not be a factor in determining the over-all noise figure of the receiving system, even though its performance may be poor at the intermediate frequency of the converter. The combination of grounded-grid r.f. and i.f. stages makes possible a flat response from 431 to 436 Mc. The final stage of the injection string is another 1N82A diode, CR_2 , doubling from 208 to 416 Mc.

Use of crystal diodes in the mixer and final multiplier stages simplifies the circuitry required at these points. The tuned circuits are U-shaped loops, L_3 and L_{10} , inductively coupled. The 30-pf. capacitor at the i.f. end of L_3 bypasses the circuit for the u.h.f. energy, but permits the signal at the intermediate frequency to pass on to the cathode of the i.f. amplifier V_3 . The choke RFC_7 is a d.c. path for the cathode of V_3 . Note the small capacitors from cathode and plate to ground in this stage. These should be connected with absolute minimum lead length. Without them there may be oscillation in the vicinity of 1600 Mc. This may be detectable by a large increase in crystal current; probably producing a higher reading on the crystal-current meter than does the desired injection voltage.

Construction

The converter is built on a flat plate of copper or brass, $1\frac{3}{4}$ by $8\frac{1}{2}$ inches in size. If there is difficulty in locating a chassis of these dimensions, any convenient larger size may be used. It is recommended that the general layout shown in the drawings and photographs be followed, so complete dimensions for the necessary metal-




Fig. 2—Layout drawings for the converter chassis and shield partitions. Material is 1/2-inch sheet copper or brass. Partitions A and B are identical, except that the 1/8-inch hole shown in the lower left portion of the drawing of these parts is omitted in Partition B. Dimensions should be regarded as approximate, and checked with parts to be used, before drilling.

work are given in Fig. 2. It is well to check all hole sizes and locations, as differences in parts may make minor changes necessary. The shield partitions may be bolted to the chassis, but soldering them in place is recommended. It will be seen that the grid of the 8058 is connected internally to the tube shell. Good grounding is important here, too; solder the socket tabs to the chassis. There is a special socket available for the 8058, having finger stock for making the ground connection to the shell, but this was not found necessary here, and sockets intended for the 6CW4 were used. The sockets for the injection stages are all mounted with their plate terminals toward the power plug.

Mount all the larger components to the chassis before proceeding with the wiring. Start at the crystal socket (lower left of the bottom view) and proceed in a counterclockwise direction around the partition. Keep all leads short. In the u.f. portions of the converter there must be substantially no leads at all.

The 416-Mc. diode multiplier inductance, L_{10} , is shown in Fig. 3. It is soldered to a ground lug at the bent end, and to the stator of C_3 at the other, in a vertical position about 1/2 inch from partition C, and between the second and third holes from the left side of the partition. L_3 is a piece of spaghetti-covered No. 20 wire, running from the common point of RFC_7 , the 68-ohm resistor, and the 0.001- μ f. and 30-pf. capacitors, through the second hole, adjacent to the upper half inch of L_{10} , and back through the third hole to the diode, CR_1 . The other end




Fig. 3—Detail of the inductance L_{10} , used in the output circuit of the crystal-diode multiplier stage.

of the diode is soldered carefully to L_2 . The resistor that provides the d.c. return for the crystal is on the top side of the chassis. The crystal current meter is connected at this point also. The resistor value depends on the type of meter used.


The plate blocking capacitor (100 pf. between L_2 and the plate of V_2) should have leads of no more than 1/8-inch. Solder all three cathode leads of the 8058s together to provide low-inductance paths in the cathode circuits. When wiring is completed, check carefully for errors, and dress power wiring close to chassis surfaces where necessary.

Operation

Power requirements of the converter are 6.3 volts at 2 amp., and 105 volts, regulated, at about 40 ma. Start with C_4 set at minimum capacitance, and tune L_6 for maximum output from the oscillator at 23.1 Mc. Adjust C_4 and L_6 for maximum output, coincident with easy starting of the oscillator each time the plate power is applied. Tune each succeeding stage for maximum crystal current. There should be at least 0.2 ma. at this point. Use the crystal-current meter as an indicator, and retouch all controls for maximum output from the injection chain. A grid-dip meter of the ordinary variety will serve as an indicator during the initial adjustment of all circuits except diode doubler.

With all controls peaked, adjust the spacing between L_3 and L_{10} for maximum crystal current. It is worthwhile to consider leaving the crystal-current meter permanently connected, as it will be useful in several ways. It provides a constant check on the operation of the injection stages, and it will indicate antenna relay failure by full deflection when the transmitter is turned on. It is also useful as a tuning meter when adjusting the transmitter, as it is likely to show some rise when the transmitter is on. With the injection chain adjusted properly and the transmitter off, the crystal current will be about 0.4 ma.

Connect the converter output to a suitable



Interior of the 432-Mc. converter. The grounded-grid r.f. amplifier stages are in the upper left portion of the picture. The lower portion contains the injection stages. The mixer diode is above the main partition, right, center, and the multiplier diode is just below it. The i.f. output coil is in the upper right corner, and the power plug at the lower right.

receiver, tuned to the desired intermediate frequency, and peak L_A for maximum noise. The third harmonic of a 2-meter transmitter stage provides a good signal for aligning the converter. This is very simple: Merely connect a suitable antenna to the converter input, and peak C_1 and C_2 for maximum response, as indicated on the receiver S meter.

The transconductance of the 8058s tends to go up in the first 15 minutes of operation, before

reaching maximum efficiency. It is recommended that the converter B plus be kept on at all times, therefore, even when transmitting.

Whether your interest lies in adding points to your v.h.f. contest scores, hunting DX on 432, or just in having local ragchews while getting acquainted with a new band, this converter will fill the bill in all respects. See you on 432! Thanks to Bill Ruch, WA2WIL, for valuable assistance in the preparation of this article. QST


• New Apparatus

New Aluminum Castings

The transistor heat sinks and antenna mounting accessories shown in the photograph are just a few examples of aluminum castings made by Continental Electronics & Sound Co., of Dayton, Ohio.

All of the heat sink castings are of aluminum bullion with a copper additive. The texture of the finish is "rough" and is actually made up of thousands of small pinnales which give additional radiating surface.

The Cesco heat sinks come in a variety of sizes and can accommodate from one to four transistors or silicon rectifiers. A model is available unfabricated so that any desired hole arrangement can be made. The photograph shows type HS-2-1 (left) which measures 3 inches long, 3 inches wide and $\frac{5}{8}$ inch deep. As supplied, it is fabricated for one round transistor or stud silicon rectifier; however, it can easily be modified for oblong or diamond transistors. Two transistors can be mounted on the HS-4-2 shown at the rear. It too can be modified for oblong or diamond transistors. It measures $5\frac{3}{4}$



inches long, 3 inches wide and $\frac{5}{8}$ inches deep.

The two castings at the right are clamps for constructing Yagi antennas. Three sizes are available: The small clamp at the left is recommended for 144 Mc. and up and will fit 1, 1 $\frac{1}{4}$ and 1 $\frac{1}{2}$ inch booms and handle $\frac{3}{8}$ inch elements; the large clamp at the right is for 1 $\frac{1}{4}$ inch booms and $\frac{3}{8}$ inch elements. There is also a super Yagi clamp (not shown) for 1 $\frac{1}{4}$ -inch booms and $\frac{1}{2}$ -inch elements. No hardware is furnished with the small clamp but the large and super sizes have a screw and nut for attaching the clamp to the boom, plus two self-tapping screws for clamping the elements to the casting.

— E. L. C.

Lined up along the lower side of the panel, from left to right are the key jack, drive control, band selector, grid-tuning control, p.t.t. in-out switch, carrier-balance control, sideband selector, audio gain control and the microphone jack. To the left of the meter is the loading control, with the mode switch to the right. Below are the plate tuning control, filament switch, high-voltage switch, and remote in-out switch. The v.f.o. dial is a National SCN.



The W4JWV S.S.B. Exciter

90-Watt (P.E.P. Output) Unit for Multiband Operation

BY COL. R. D. CURTIS,* W4JWV

THE exciter described here is an indirect result of Ted Crosby's excellent receiver-construction article published in the October 1959 issue of *QST*.¹ A few weeks after reading Ted's instructions for building the HBR-16, I completed one of the little beauties. Its performance exceeded my most optimistic expectations, and enabled me for the first time (I had been using a war-surplus receiver) to listen in conveniently on the s.s.b. fraternity. Inevitably I felt the urge to join in too, particularly since the s.s.b. mode has been collecting devotees rapidly, including some of my old a.m.-c.w. rag-chewing friends. In preference to the still-considerable investment that commercial gear represents, I undertook the design and construction of a rig that would meet personal preferences. The exciter described here is the result of several months of spare-time tinkering, and is passed on in the hope that it will be the deciding factor in inducing other homebrewers to join the s.s.b. crowd.

This little rig has the following characteristics:

1) It is capable of 140 watts input on s.s.b. or c.w. modes, and a carrier input of about 70 watts on a.m.

2) It operates efficiently on four bands, 80 meters through 15 meters, and should work as well on 10 meters if, or when, I buy two additional crystals. All necessary coils have been wound and tuned, and two switch positions are available.

3) Band switching is accomplished by a single front-panel control, as is sideband selection.

4) On-the-air reports give the signal quality top marks. Carrier is not detectable, even on

local contacts and, except for inconsequential "garbage" well down in amplitude on the opposite sideband, the signal may be considered to be completely clean. This "garbage" is a characteristic of the filter which, though remarkably steep-sided, lets through a bit of opposite sideband below the 6-db.-down point at which the carrier oscillator is set. (This could be reduced, if necessary, by moving the carrier farther off.)

5) Total price for all components should not exceed \$100 to \$150, and this can be reduced somewhat, as it was in my case, by accepting the compromises and economy of surplus or "bargain" parts.

6) It can be constructed and aligned with a minimum of test equipment. Only a v.t.v.m. with r.f. probe, a grid-dip meter, and the station receiver are absolutely essential, although access to a frequency meter will greatly simplify setting of the carrier frequencies, adjusting temperature compensation in the v.f.o., and calibrating the dial.

7) The whole rig — power supply, v.f.o. and all — is contained in a single neat package 15 by 11 by 9 inches.

The straightforward design of this exciter should appeal especially to those who are searching for a pattern to follow in their first attempts at s.s.b. transmitter construction. This does not mean that anything in the way of performance has been sacrificed in reducing the circuitry (and the physical size) to attractive dimensions.

* 801 S. Court House Road, Arlington 4, Virginia.

¹ Crosby, "The HBR-16 Communications Receiver," *QST*, October, 1959.

CARRIER OSC. BALANCED MOD. CATHODE FOLLOWER MIXER AMP 2ND MIXER

EXCEPT AS INDICATED, DECIMAL VALUES OF CAPACITANCE ARE IN MICROFARADS (μf); OTHERS ARE IN PICOFARADS (pf. OR $\mu\text{p}\text{f}$.); RESISTANCES ARE IN OHMS; K = 1000.




Fig. 1—R.f. circuits of the W4JWV s.s.b. exciter. Fixed resistors are $\frac{1}{2}$ watt unless indicated otherwise. Fixed capacitors of less than 0.001 μ f. are mica, except those marked SM, which are silver mica. Others are disk ceramic. Excepting RFCs, which should have a rating of 1 mh., 200 ma. or more, all r.f. chokes are 2.5 mh., 50 ma. (National R-50 or equivalent). Items not listed below are identified for text-reference purposes.

- C₁, C₂, C₃—3-12- μ f. ceramic trimmer.
 C₄, C₅, C₆, C₇, C₈—7-45- μ f. ceramic trimmer.
 C₉—30- μ f. air-trimmer type (Johnson 25J12/157-3).
 C₁₀—100- μ f. miniature air variable (Johnson 100J12/157-6).
 C₁₁—27- μ f. differential capacitor (Johnson 25LA15/167-32).
 C₁₂—NPO ceramic.
 C₁₃—N750 ceramic.
 C₁₄—50- μ f. air-trimmer type (Johnson 50J12/157-4).
 C₁₅—8- μ f. air-trimmer type (Johnson 7J12/157-1).
 C₁₆—250- μ f. midget air variable (Hammarlund MC-250-K).
 C₁₇—Triple-section air variable, 365- μ f. or more per section, sections in parallel (Broadcast-replacement type).
 C₁₈—Ceramic or mica.
 FL₁—9-Mc. crystal filter (McCoy SSB-9).
 J₁—Three-conductor open-circuit phone jack.
 J₂—Chassis-mounting coaxial receptacle.
 L₁-L₄—See coil chart.
 R₁—Linear control.
 R₂—Audio-taper control.
 R₃—Wire-wound control (Mallory M10MPK).
- S₁—Single-pole 3-position rotary switch (CRL 2501).
 S₂—Ceramic five-section 6-position rotary switch (CRL P-272 index plus $\frac{1}{4}$ -inch bakelite-rod extension—see text; five type XD wafers).
 V₁—7-Mc. band—11 Mc.
 —14-Mc. band—9 or 18 Mc. (see text).
 —21-Mc. band—12.5 Mc.
 —28-Mc. band, low end—16.25 Mc.
 —28-Mc. band, high end—16.5 Mc.
 Z₁—Parasitic suppressor—6 turns No. 18 wound on and spaced to length of associated 100-ohm 2-watt resistor.

S) Finally, for you other happy HBR owners, it matches acceptably the HBR-16 in appearance.

Construction of a duplicate of that illustrated should be a feasible undertaking for the reasonably competent and experienced homebrewer. I don't recommend the attempt to those who have had kit-only experience unless you're willing to devote the extra time and patience necessary in deciding, essentially for yourself, where best to locate each of the myriad of components. For those who do not wish to duplicate this rig exactly but who are interested in s.s.b. construction, I can recommend study of the circuitry and layout. It works well, as it should, and includes a few ideas and innovations I have not seen elsewhere.

Sideband Generator

So much for introduction. Let's go on to a look at the circuitry. V₁, a 6C4 in the very familiar Colpitts circuit, is the carrier oscillator. Y₂ and Y₃ are crystals furnished with the McCoy filter and are tuned to exact frequency by ceramic trimmers C₁ and C₂. The third crystal, Y₁, at 9 Mc. is used for tune-up and c.w. It permits very accurate setting of the carrier balance control located on the front panel. More about this later when we come to tune-up procedure.

The balanced modulator, V₂ and V_{3A}, is the "Transformerless Single-Sideband Modulator" from the ARRL single-sideband manual. In the configuration shown here, it has produced at least 50 db. of carrier suppression, is simple to build and align and, once aligned, has required no further attention.

Audio is furnished by V₆, a 6AN8, in a conventional circuit. A 12AX7 would probably work as well here, but I had the 6AN8 and it does the job very effectively.

V_{3B} is a cathode follower used to match the impedance level of the 9-Mc. double-sideband signal, taken from the tuned circuit made up of L₁ and C₄, to the input impedance recommended for the filter.


V.F.O. and First Mixer

The v.f.o., V₇, is a 6AU6 in a very high-C Colpitts circuit. This v.f.o. has produced almost incredible stability, primarily as a result of the technique used for temperature compensation. This technique, borrowed from a "Recent Equipment" article on a Hallicrafters product, uses a differential capacitor, C₁₁, to adjust the relative capacitances of an NPO capacitor, C₁₂, and an N-750 unit, C₁₃, in the tuned circuit. This permits simple and very accurate adjustment of temperature compensation. I used a BC-221 frequency meter to adjust this v.f.o. and, when finally set correctly, it maintained zero beat with the meter for 15 minutes. I decided that that was good enough, haven't touched it since, and have yet to receive a complaint of drifting signal.

One half of V₄, a 12AT7, is used as a first mixer. The grid resistor of 560 ohms is not ideal for this purpose, but is necessary to match the output impedance of the crystal filter. C₅ is adjusted for maximum output from the filter.

The second half of V₄ is used to beef up the 3.5- to 4.0-Mc. output of the first mixer for proper injection to the second mixer. Although this triode stage is not neutralized no trouble with oscillation has been experienced.² The three tuned circuits, in the plate circuits of both V₄ triodes and in the grid circuit of V₅, have proved capable of getting rid of unwanted mixer products to an acceptable degree without resort to any other

² This is quite possibly the result of a fortunate arrangement of components. The use of a triode-pentode, such as the 6CA, the pentode section being used as the amplifier, would seem to be a safer proposition. If the dual triode is used, and trouble is experienced with oscillation, the difficulty could probably be remedied by applying link neutralization. — Editor



The W4JWV exciter (left) is packaged to complement the HBR-16 receiver (right).

devices. Both cathodes of V_4 are keyed for c.w. and push-to-talk s.s.b. or a.m. operation.


Second Conversion

You will note that, so far, no band switching is provided. For all bands, the s.s.b. signal is generated at 9 Mc. and mixed in V_4 with output from the v.f.o. to the 80-meter band. The v.f.o., tuning 5.0 to 5.5 Mc., permits tuning the entire 80-meter band and, when the signal is mixed again, covers the 40-meter, 20-meter, and 15-meter bands with some to spare. For 10-meter

operation, two switch positions are provided permitting a total coverage of 1 Mc. in this band.

The second mixer, V_5 , is a 6BA7 wired conventionally. On the 80-meter band this tube operates straight through and, since there is very ample drive available and no additional filtering is required, an r.f. choke is used in the plate circuit. If you find there is too much drive available from this circuit, a resistor of appropriate value to obtain the output you wish may be substituted for the r.f. choke. On the other bands V_5 operates as a mixer, and a tuned coil of appropriate frequency (L_7) is switched into the plate circuit.

V_8 is the source of r.f. which, when mixed in V_5 with the 3.5- to 4.0-Mc. s.s.b. signal, provides output to the driver, V_9 , for the other four bands. V_8 is wired in such a way as to provide output both on fundamental crystal frequency and on multiples with a minimum of switching. For 40-meter output, an 11-Mc. crystal was chosen, and the output level of the first triode of V_8 , using an r.f. choke as plate load, was found to be just right. For the other bands, the second triode of V_8 operates as a doubler, and output is adjusted by tuning or detuning the tuned coil (L_6) switched into its plate circuit. Although the author used crystal frequencies as shown, it is possible that sufficient output could be ob-



Under-chassis view of the exciter. The band-switching assembly occupies the left-hand portion of the chassis. The L_6 coils are in the compartment close to the panel; the first of the two switch sections is for the V_4 crystals. The next lower compartment contains the L_7 coils. The large compartment contains the final-tube socket, the L_8 coils, and C_{14} mounted on the shielding strip just above the socket. The final-amplifier band switch is in the small compartment at the bottom which has a slot opening for the leads to the coil above deck.

The upper right-hand corner is divided off into three small compartments by S-shaped shields. Components associated with V_1 and V_6 are in the right-hand section, while those associated with V_2 and V_3 are in the center section. C_3 is fastened to the horizontal section of the right-hand S shield, and C_4 (below) is mounted on the end of L_1 . Components for V_4 circuits are in the left-hand compartment with C_5 above and C_6 below.

Power-supply components occupy the lower right-hand corner. The OA2 regulator is mounted horizontally on a bracket.




Fig. 2—Circuit of the power supply for the W4JWV s.s.b. exciter. Capacitances are in $\mu\text{f.}$ and capacitors are electrolytic. Resistances are in ohms. All diodes are rated at 600 volts, 750 ma. at 50 degrees C. (RCA 1N547, Mot. 1N2615).
 L_{10} —8.5-hy. 200-ma. filter choke (Stancor C1721).
 L_{11} —10.5-hy. 110-ma. filter choke (Stancor C1001).
 R_4 —Wire-wound control (Mallory M10MPK).
 S_3 —S.p.s.t. toggle switch.
 S_4 —D.p.s.t. toggle switch.
 T_1 —Power transformer: 800 volts, r.m.s., c.t., 200 ma.; 6.3 volts, 5 amperes (Stancor PC-8412).
 T_2 —Power transformer: 360 volts, r.m.s., c.t., 40 ma. (Thordarson 22R38).

tained using other crystals and tripling, or even quadrupling in this circuit.

Driver and Final Amplifier

The 6CL6 driver, V_9 , operates straight through on all bands. You will probably find that drive is very generous on 80, 40, and perhaps on 20 meters. With the circuit values shown, drive is sufficient to push the final amplifier into grid current on 15 meters, and therefore should work well on 10 meters with no further changes. However, should drive prove to be a problem, smaller values of series plate and screen resistance may be substituted to increase the respective voltages above the present values of 250 and 150 volts. Drive is adjusted from the front panel with the 10K control in the cathode circuit of the 6CL6.

V_{10} , the power amplifier, is a 5894 operating in Class AB₁. I am somewhat surprised that this tube is not found more often in homebrew transmitting gear. It is about the size of the more popular 6146, and it will handle a considerably greater input. As used in this rig, it operates conservatively at 700 volts and 200 ma. as recommended by the manufacturer. I've seen these tubes advertised surplus for as little as \$4, and they're readily available at \$10.00 each³ and well worth it. I know of no other tube that can be built into a final amplifier of the size shown that will handle this much power without exceeding the manufacturer's recommendations or making

special provision for cooling. V_{10} is neutralized in conventional fashion and feeds the familiar pi-network output circuit. The only metering provided is in the plate circuit of V_{10} , and this has proved to be quite adequate. More about this later when we come to tune-up procedure.

Power Supply

The power supply (circuit shown in Fig. 2) is of the "economy" type which has now become very familiar.⁴ Silicon rectifiers are substituted for the original vacuum tubes to conserve space and reduce heat. The main power transformer, T_1 , and filter chokes L_{10} and L_{11} , are from a surplus source. (Suitable standard substitutes are listed under Fig. 2.) The two electrolytic capacitors in the high-voltage filter are of the plug-in type, also surplus. If tubular-type capacitors are used, it should be possible to mount them beneath the main power transformer, making available additional chassis space for VOX components if you wish to add this feature. The silicon rectifiers and associated resistors are mounted on a small rectangle of vector board, with the wiring completed on the reverse side before the vector board is bolted finally in place.

A second power transformer, T_2 , subchassis-mounted, provides bias voltage and a separate source of 150 volts regulated for the v.f.o., carrier oscillator, and transmit-receive switch tube. It would be possible, of course, to obtain these voltages from T_1 . However, a second transformer

³ E.g., Lou-Fronics, Inc., 131 Lawrence St., Brooklyn 1, N.Y.

⁴ Grammer, "More Effective Utilization of the Small Power Transformer," *QST*, November, 1952.




Fig. 3—Control circuits of the W4JWV s.s.b. exciter. Resistances are in ohms and capacitance except as indicated in μf .
 J₃—Open-circuit jack.
 J₁—Chassis-mounting coaxial receptacle.
 K₁—5000-ohm d.p.d.t. relay (Potter & Brumfield LM11).
 S₃, S₆—S.p.s.t. toggle switch.
 S₇—Phenolic four-section five-position rotary switch (CRL P-270 index with two type KD wafers).

was used so that the v.f.o. can operate continuously (for stability) and to provide power to the transmit-receive switch tube when the high voltage is turned off during c.w. or manual phone operation, or for just listening. (With plate and screen voltages applied to V_{10} , it was found to be quite impossible to hear signals over the noise generated by electron flow within the tube.)

Control System

As will be seen in Fig. 3, the mode switch, S_7 , has five positions. In the c.w. position, voltage is applied to the screens and plates of V_{10} , and external keying is accomplished by grounding the cathodes of V_4 at J_3 . In the tune position, voltage is applied to the screens and plates of V_{10} , and the cathodes of V_4 are grounded by switch section S_{7D} . In the v.f.o. position, no power is applied to V_{10} , but the V_4 cathodes are grounded. In the phone position, voltage is applied to V_{10} and to the audio tube, V_6 , and the V_4 cathodes are grounded. In this position the high-voltage switch S_4 controls operation of the exciter. The push-to-talk position routes the screen voltage of V_{10} through one section of the p.t.t. relay K_1 , connects the plate voltage to V_{10} , provides voltage to the audio tube V_6 , and leaves the cathodes of V_4 ungrounded. When the push-to-talk switch on the microphone is depressed, V_4 is keyed and screen voltage is applied to V_{10} . Additionally, an extra set of switch contacts is provided on the p.t.t. relay to operate a remote control. My receiver is wired so that plate voltage to its r.f. amplifier and first mixer may be controlled externally. The second set of contacts of the p.t.t. relay is used for this purpose.

So that the purposes of the various switches may be less confusing, S_3 , marked **FLS** on the front panel, turns on a.c. power to T_1 and T_2 .

This provides filament voltage to all tubes, furnishes bias voltage to V_{10} , and powers the v.f.o., carrier oscillator, and the transmit-receive switch tube. S_4 , marked **HIGH VOLTAGE** on the panel, provides positive voltage for all other functions. S_6 , marked **RECEIVER** on the panel, provides remote control to some exterior device; in this case it remotely controls my receiver. S_6 must be in the on position for proper operation of the remote feature. S_5 , marked **PUSH-TO-TALK** and located on the panel between the grid-tuning and balance-control knobs, connects the p.t.t. switch in the microphone to the relay. With S_5 in the off position, it is possible to push and talk onto exact frequency without putting a signal on the air. The transmit-receive switch circuit, including V_{11} , was cribbed from a *QST* article.³ Building this circuit into the transmitter permits the very simplest external wiring. You need only attach the antenna and receiver to the two coax connectors, connect the remote receiver control wiring, plug in the key, microphone, and power plug, and you're in business.

Construction

Unfortunately, it is not feasible to provide step-by-step assembly instructions in an article of this length.⁴ However, I will cover, in general, the various constructional steps and provide specific recommendations where such appear to me to be important.

³ McCoy, "A Novice T.R. Switch," *QST*, January, 1961.

⁴ Following the advice of Ted Crosby and Alex Stewart ("The IFR-16 with an Eddystone Dial," *QST*, June, 1961), who were inundated with requests following publication of their articles, the author is making available a set of three 8 × 10 photographs at a cost of \$2.00. Full-size templates for locating the major components on the chassis and front panel are similarly available at a cost of \$1.00. Requests should be sent to the author at the address given in the footnote on page 15.

As a first step, I would advise obtaining all major components, the chassis (10 × 14 × 3-inch aluminum), and the cabinet (this one is the Wyco CR-7725 as used for the HBR-16 receiver). Additionally, I bought another aluminum chassis of the same size and used the sides, cut off with an ordinary wood saw, as material for the shields and brackets. The power-supply components are positioned first and are arranged as compactly as possible. Thereafter it is a matter of moving the additional parts about until the best place for each is identified and marked. A study of the various views of the rig will help you determine how best to locate the components. Notice particularly how the shielding is placed, since adequate shielding is a must if undesired coupling is to be avoided in such close quarters.

Next, the shielding is fabricated. To make the right-angle bends, I used the corner of a file to scratch a V groove about halfway through the metal, and then bent the metal with my fingers. The ganged band-selector switch is built up in two parts (see bottom view). The first part consists of the first four wafers of S_2 and the two straight shields which isolate V_8 from V_5 , and V_5 from V_9 . In the second part, the fifth section of S_2 is mounted on an L-shaped shield on which the bias control R_4 is also mounted. It is necessary to make an extension for the shaft of S_2 to reach the fifth section. Make this of bakelite rod to avoid undesired coupling of r.f. The only holes through these shields should be those necessary for mounting the switch parts, clearance for the shaft and mounting of C_{14} (on the center shield), one for mounting R_4 , and a single $\frac{1}{8}$ -inch hole through each straight shield for leads to the grids of V_5 and V_9 .

S_{21} is modified as follows: One side of the PSD wafer has a long shorting segment, while the other side has a short shorting section. View the latter side, holding the wafer so that the stationary contacts are to the left. Remove the lowermost stationary contact, and move it two holes to the right. Connect C_{18} to this stationary contact. Viewing the opposite side of the wafer, with the stationary contacts toward the top, the "arm" connection is the stationary contact lowermost to the left.

You will note in the top view that the two brackets on either side of the final amplifier have been drilled for sheet-metal screws. I had intended to enclose this area with perforated sheet as an anti-TVI measure, but this was found to be wholly unnecessary. Accordingly, you can consider these shields only as brackets on which C_{15} , C_{16} , and C_{17} are mounted.

The v.f.o. is wired and tested separately, prior to being bolted finally onto the chassis. Make this unit as rugged mechanically as is possible within the space you have available. Use RG-8/U for the coupling line from the v.f.o. to Pin 2 of V_4 .

C_{10} is the main tuning capacitor, C_9 is the band-select capacitor (used to center the tuning range of C_{10} on the dial) and C_{11} is the temperature-compensation adjustment. Changing the spacing of

the turns of L_2 by bending the inductor wire is the method used to adjust the 5.0- to 5.5-Mc. tuning range over approximately 95/100 of the dial.

I would advise temporary mounting of each major component, and completion of as much of the sheet-metal work as possible before the wiring is started. Drilling or punching of additional holes becomes very difficult, once you start packing in the many small components. Further, stray metal shavings, lodged in variable capacitors or shorting between tube-socket pins, can cause immediate and expensive problems.


Wiring

Virtually all d.c. and filament wiring was done with shielded wire. Although preparation of each end of each wire becomes a laborious task, the convenience of being able to solder (from the shield to a suitable grounding point) each wire solidly and permanently in place as you route it about the chassis makes the additional effort well worthwhile. It also permits bypassing to ground any stray r.f. energy picked up through inadvertent inductive or capacitive coupling between adjacent wires. I recommend that you buy 20 or

Coil-Winding Data

All coils, except L_2 , L_3 and L_9 , are wound on $\frac{3}{8}$ -inch iron-core ceramic forms (Miller 4400 or similar.) Turns are approximate, and will vary with type of coil form used, placement, and length of leads. However, circuits must resonate at frequencies indicated below as checked initially with grid-dip oscillator and later optimized during alignment procedure. Turns are close-wound and wire is enameled, unless otherwise indicated.

- L_1 — 9.0 Mc. — 26 turns No. 30.
- L_2 — 5.0–5.5 Mc. — $8\frac{1}{2}$ turns No. 18, 1-inch diam., $\frac{3}{4}$ inch long (Air Dux 810).
- L_3 — 3.7 Mc. — 80 turns No. 32, $\frac{1}{2}$ -inch diam., close-wound on polystyrene rod $1\frac{1}{2}$ inches long.
- L_4 — 3.7 Mc. — 60 turns No. 30.
- L_5 — 3.8 Mc. — 60 turns No. 30, form spaced $\frac{3}{4}$ inch, center to center, from L_4 .
- L_6 — 18 Mc. (20-meter band) — 18 turns No. 24, paralleled with 10- μ mf. mica capacitor.
- 25 Mc. (15-meter band) — 14 turns No. 24, paralleled with 10- μ mf. mica capacitor.
- 32.5 Mc. (1-f. end of 10-meter band) — 14 turns No. 24.
- 33 Mc. (h.f. end 10-meter band) — 14 turns No. 24.
- L_7 — 7.2 Mc. — 30 turns No. 30, paralleled with 18- μ mf. mica capacitor.
- 14.2 Mc. — 18 turns No. 24, paralleled with 10- μ mf. mica capacitor.
- 21.2 Mc. — 12 turns No. 24, paralleled with 5- μ mf. mica capacitor.
- 28.7 Mc. — 8 turns No. 22.
- 29.2 Mc. — 8 turns No. 22.
- L_8 — 3.5 Mc. — 35 turns No. 30.
- 7 Mc. — 25 turns No. 24.
- 14 Mc. — 14 turns No. 22.
- 21 Mc. — 9 turns No. 22.
- 28 Mc. — 6 turns No. 22, spaced diameter of wire.
- L_9 — 10 turns No. 14 at 6 t.p.i. (input end), plus 12 turns at 12 t.p.i., $1\frac{1}{2}$ -inch diam., tapped at 5, 6, 10, and 14 turns from input end (Illuminotron Pi Dux 1212D6 with 13 turns removed from close-spaced end).



Close-up view of the v.f.o. circuitry. Capacitors C_9 , C_{11} and C_{10} are mounted in that order in a vertical line to the rear. The coil is cemented securely to a 1-inch cone insulator. End turns have been pinched in final adjustment of the inductance. Holes in foreground are for ventilation.

30 disk ceramic capacitors of 0.001 to 0.005 μf . in addition to those shown on the schematic diagrams. Use these liberally to bypass every filament and d.c. connection (where r.f. is not wanted, of course) as close to each tube socket as possible. This is sound anti-TVI practice but, more important here, it helps avoid reinsertion of the carrier or filtered sideband that you've laboriously eliminated.

Wiring will be greatly simplified if you complete as much as possible of each circuit before adjacent shielding is inserted finally. The wiring order followed in this rig was generally as follows: Install and wire the power supply; wire V_1 and V_6 ; install the adjacent S-shaped shield; wire V_2 and V_3 ; install the second S-shaped shield; wire V_4 ; install the balance of subchassis shielding and complete the wiring. The socket for V_{10} is mounted $\frac{3}{8}$ -inch below chassis level, as recommended by the manufacturer, and is installed after all shielding is completed. After modification, L_9 is mounted on $1\frac{1}{4}$ -inch lengths of $\frac{1}{2}$ -inch polystyrene rod attached to the supporting strip.

Just another final word about shielding: The rather compact construction of this rig effectively precludes generous spacing of parts. Accordingly, it is necessary to fit the shielding carefully and bolt it securely. Further, holes through the shielding should be made for r.f. leads only, orienting tube sockets so that connections to the grid pins are as short and direct as possible. All other leads are routed around the ends of the shields, using shielded wire, and bypassing as mentioned earlier.

Adjustment


After you've carefully checked and rechecked all wiring, you're ready for testing and alignment. With the mode switch in the v.f.o. position, no voltage other than bias is applied to V_{10} , so that's the position you'll want to use until all but the power amplifier is checked out.

Turn the sideband-selector switch to the c.w. position, selecting the 9-Mc. crystal, Y_1 . Now, using the v.t.v.m. with r.f. probe, measure the r.f. voltage output of V_1 (at Pin 1 or 5 of V_1). If you have r.f. here of 6 to 8 volts, you know the oscillator is working as it should. Move the r.f. probe to the hot end of the 9-Mc. tuned circuit consisting of L_1 and C_4 . Adjust the balance control R_1 for minimum r.f. voltage, then adjust neutralizing capacitor C_3 for a further minimum. Your balanced modulator is now adjusted for maximum carrier suppression.

Unbalance the balanced modulator by turning R_1 to the zero-resistance position (in respect to Pin 2 of V_2). Move the r.f. probe to the input pin on the 9-Mc. crystal filter. Adjust either C_4 or L_1 until you have 2 volts of r.f. into the filter. (That's the maximum recommended by McCoy for the SSB-9 filter.) With 2 volts into the filter, you'll get approximately 0.1 to 0.2 volt out, and you'll need approximately 2 volts of r.f. from the v.f.o. to mix properly in V_4 . Disconnect the filter, or remove V_3 , and measure the r.f. at Pin 2 of V_4 to see that you have the 2 volts from the v.f.o. It was necessary to use RG-8/U coax as a transmission line from the v.f.o. to V_4 , as

To the left of the mode switch is the v.f.o. compartment with its tube mounted horizontally. Other tubes, from left to right are V_1 , V_6 , V_2 (without shield), V_3 and V_4 . In the "slot" to the rear of the switch are the two 0B2s, the OC2 and the 6AH6 t.r. switch. To the right of the switch, from top to bottom, are V_8 , V_5 , V_0 and the final, V_{10} . Y_2 and Y_3 are below the v.f.o. dial mechanism, flanked by C_1 and C_2 . (Y_1 is soldered directly to S_1 below deck.) Band crystals are under the mode-switch shaft, to the right of the sideband filter.

Final-amplifier components are mounted between two aluminum brackets in the lower left-hand corner. Tank and loading capacitors are mounted on the right-hand wall. Neutralizing capacitor C_{15} is mounted on the left wall, close to the top of the 5894A.



mentioned earlier, to get 2 volts r.f. in this rig. Reconnect the filter, reinsert V_3 , and remove V_7 . Then, with the r.f. probe still at Pin 2 of V_4 , adjust the 45- μf . ceramic padder C_5 for maximum r.f. voltage.

Reinsert V_7 and tune the v.f.o. until you hear a signal at 3.7 Mc. with the station receiver loosely coupled to the hot end of L_3 . Connect the r.f. probe to the hot end of L_3 and tune C_6 for maximum r.f. voltage. Check the S meter on your receiver to be sure it's the 3.7-Mc. signal to which you're tuned, because the 5- to 5.5-Mc. signal from the v.f.o. will peak more sharply than will the 3.7-Mc. signal you're after. Move the r.f. probe to the hot end of L_4 and tune C_7 for maximum. Retune the v.f.o. for a 3.8-Mc. signal at L_4 and, with the r.f. probe at the hot end of L_5 , tune C_8 for maximum.

Turn the hand-selector switch to the 80-meter position, and turn the drive control to the minimum position (maximum resistance from cathode of V_9 to ground). You should now be able to measure r.f. voltage at Pins 6 and 2 of V_{10} and be able to peak the voltage sharply with the grid-tuning control, C_{14} . Be careful you don't burn out the r.f. probe as you adjust C_{14} and the drive control.

Now neutralize V_{10} by tuning C_{15} for minimum r.f. voltage measured with the r.f. probe at the antenna coax connector, and with both grid and plate circuits of V_{10} tuned to resonance. Check the bias voltage at the grid, Pins 6 and 2, of V_{10} , and turn the bias-control potentiometer R_4 to the maximum negative-voltage position.

Turn off the high-voltage switch and connect a dummy load, such as a 150-watt light bulb, to the antenna coax connector. Turn the mode switch to the c.w. position, and turn on the high-voltage switch. Adjust the bias-control potentiometer for an idling current of 30 ma. on the plate-current meter.

You now have an 80-meter c.w. transmitter ready to go on the air. However, before you go any further, it's wise to get the v.f.o. settled down


so far as temperature compensation is concerned. To adjust temperature compensation, it's necessary only to leave the rig and frequency meter (or the station receiver) turned on sufficiently long to assume normal operating temperature. Then zero-beat the rig and the meter or receiver, and adjust the temperature-compensating capacitor C_{11} until the signal stops drifting.

Now, with the mode switch again in the v.f.o. position, select either upper or lower sideband (Y_2 or Y_3) and, by tuning C_1 or C_2 as appropriate, adjust the frequency to that marked on the crystal. If you have use of a frequency meter, it will be a simple matter to set the meter at the correct frequency and adjust C_1 or C_2 for zero beat. If you must tune these crystals using the station receiver, it will be necessary to tune up for phone, as follows, and then talk and tune until you're satisfied with the sound of your voice on the sideband you're after and, at the same time, have eliminated most of the opposite sideband.

For sideband operation, the rig is tuned up first with the sideband selector in the c.w. position, and the carrier unbalanced. When the rig is loaded properly to a plate current of 200 ma., reduce drive until the milliammeter shows a slight current drop. Then tune the balance control for minimum plate current. Plate current will probably not drop to the normal idling current of 30 to 40 ma. until you select either sideband. The exciter is now ready for 80-meter sideband operation.

For operation on the other bands, it is necessary first to adjust the various coils in the plate circuit of V_8 for 4 to 8 volts, r.f., measured at the hot end of the coil selected. Then, with the r.f. probe at the hot end of the appropriate coil in the plate circuit of V_8 , tune the L_{17} coil for maximum r.f. voltage on the operating frequency selected. Again use the S meter on your station receiver to confirm that you're tuning to the correct frequency. Tune-up procedure for all bands is

(Continued on page 154)



This blanker circuit is built on a U-shaped chassis formed from sheet aluminum. The chassis is 8¾ inches long, 1½ inches high, and 2 inches deep (not including the ½-inch mounting lip). Phono connectors are used for the i.f. input and output leads, which should be made of r.f. cable such as RG-58/U and should be no longer than necessary. The center plastic-covered cable (3 wires) is for heater and plate supply. The one at the right goes to the on-off switch and noise-amplifier gain control. Transformers T_1 , T_2 , T_3 and T_4 are in that order from right to left.

Minimizing Interference from Loran on 160 meters

Noise-Silencing Circuit Optimized for Loran Pulses

BY HERBERT HOOVER, jr.,* W6ZH/K6ZH

AMATEUR activity on the 160-meter band has experienced a substantial increase in the last year or so, primarily because of improved transmitting conditions during the present phase of the sun-spot cycle. Furthermore, there is every reason to believe that "top band" activity will continue to grow as conditions further improve during the next few years.

One of the discouraging things about operation on 160 meters is the ear-splitting interference from loran in this part of the spectrum. The interference is especially bothersome during contacts between the East and West coasts. West Coast stations, for example, must listen for the East on 1800-1845 kc., which is the same part of the spectrum used by the West Coast loran transmitters. Conversely, East Coast stations must listen for the West on 1975-2000 kc. through the heavy interference from close-by loran transmitters in the same part of the band. The situation is not as bad as it might first appear, how-

ever, because a considerable amount — if not all — of this type of interference can be eliminated within the receiver. But before going into some of the methods of minimizing the interference, a brief mention of the nature of the loran signals themselves is in order.

Loran is a long-distance navigational aid designed primarily for aircraft on over-water flights. The transmitters are located at many points along the Atlantic, Pacific and Gulf coasts, as well as in outlying points in Alaska, the Hawaiian Islands, Puerto Rico and elsewhere. The loran transmitters send out a non-directional pulsed signal having a peak power output of a million watts or more. Each pulse rises to a peak and decays within a period of approximately 80 microseconds.¹ The pulses are repeated at a rate close to 33 times per second, the exact repetition rate varying slightly between groups of stations

¹ The Coast Guard advises that the pulse width is 40 microseconds at the half-power points, about 80 microseconds at the zero power points, and that the rise time is 20 microseconds between 10% and 90% of full power.

* President, ARRL; c/o American Radio Relay League, 38 LaSalle Road, West Hartford, Conn.

The nature of loran pulses is such that they lend themselves to self-destruction in the receiver with a minimum of disturbance to the intelligence in a desired signal. The blanker circuit described here uses the Lamb noise-silencing principle with modern components and circuits to attain maximum effectiveness on loran QRM.

as a function of the navigational system. While every effort has been made to shape the pulse so as to minimize sidebands (i.e., avoid "key-clicks"), it simply is not possible to turn on and off such a large amount of power in such a short space of time without creating a broad signal. Furthermore, the intensity of a loran pulse will be at least 5000 times larger than the signal from an average 200-watt amateur station at the same distance, assuming that equally good antennas are used in each instance. This is a highly improbable assumption, however, since the loran stations use 300-foot vertical radiators and elaborate ground systems.

The only encouraging thing about this situation from an amateur viewpoint is that the length of each loran pulse is short compared with the time between pulses. A little arithmetic shows that each pulse occupies only about $\frac{1}{4}$ of 1 per cent of the time between pulses. If the receiver can be blanked out effectively during the pulse period, and recover its sensitivity quickly and without introducing a lot of unwanted transients, there is enough time between pulses to provide good readability of weak signals.

Conventional noise limiters — those placed at the end of the i.f. system or early in the audio amplifier — often do little good. Investigation soon shows that while the limiter may be functioning satisfactorily, the strength of the loran pulse is so great that (a) the amplifier stages ahead of the noise limiter are overloaded or blocked and (b) the shock from the pulse starts a

series of transients in the i.f. filter system. Unfortunately the sharper the i.f. system, the worse will be the transients.

Some measurements made on a 75A-4 receiver at K6ZH showed that loran pulses received in the 1800-1825-ke. band reached a magnitude on the order of 10 volts, peak to peak r.f., at the *input* of the i.f. system. No wonder the i.f. stages became blocked and transients generated in the receiver appeared to fill up the spaces between pulses. The ordinary noise limiter had little chance to be effective.

As a result of a number of years of struggling with loran interference at K6ZH the only solution proposed so far that has seemed really effective is the type of noise blanker first developed by Jim Lamb in 1936,² and described with some modifications in the current 1962 ARRL *Handbook*. The circuits shown, while helpful in minimizing loran interference, have a tendency to introduce additional transients of their own during the blanking cycle, as well as occasionally introducing cross-modulation from strong adjacent-channel signals.

The circuit shown in Fig. 1 gives considerable improvement and was developed from some ideas gleaned from the Collins noise blanker,³ with appropriate changes and simplification to adapt it

² "A Noise-Silencing I.F. Circuit for Superhet Receivers." J. J. Lamb, *QST*, February, 1936.

³ "More Developments in the Noise-Silencing I.F. Circuit." J. J. Lamb, *QST*, April, 1936.

³ *Fundamentals of Single Sideband*, Collins Radio Co., 1959.




Fig. 1—Circuit diagram of the loran blanker. 0.01- μ f. capacitors are ceramic; 0.1- μ f. capacitors are paper; M = mica. Except as indicated, fixed resistors are $\frac{1}{2}$ w. Plate supply voltages from 150 to 200 volts are satisfactory.

R₁—2500-ohm control, linear taper.

R₂—5000-ohm control, linear taper, with switch (S₁).

S₁—S.p.s.t., on R₂.

T₁, T₄—Interstage i.f., 455 kc. (Miller 612-C2) modified as described in text.

T₂, T₃—Push-pull diode i.f., 455 kc. (Miller 612-C3) modified as described in text.

for loran pulses. Briefly, the device is inserted between the second mixer and the input to the i.f. filter and amplifier system, as in the Lamb noise silencer. A pair of diodes are used in a balanced blander circuit, however, instead of a single-ended mixer-type tube. An additional i.f. amplifier, rectifier and voltage-amplifier are used to provide negative-going blanking pulses to the balanced diodes. In normal reception the diodes are held in the conducting region by a steady positive bias.

Construction

The device was assembled on a $3 \times 5\frac{1}{2} \times 1\frac{1}{2}$ inch chassis so that it could be located in an existing space in the rear of the 75A-4 receiver. Supply voltages were taken from the receiver power system.

The only complication in construction was modification of the i.f. transformers T_2 , T_3 and T_4 . At the T_2 position best results seem to be obtained by using close coupling between the coils and tuning the primary alone. For T_3 and T_4 nothing appeared to be available commercially that would match the low impedances involved in the blanking circuit. Inasmuch as no selectivity was needed or desired at this point in the circuit, standard i.f. transformers were also modified to give maximum coupling between primary and secondary, and in these instances tuning was dispensed with altogether.

In the standard units which were chosen the primaries and secondaries are wound on a cardboard core, spaced about $\frac{3}{4}$ -inch apart, with a powdered-iron core about $\frac{1}{2}$ -inch long centered under each winding. A wooden spacer approximately $\frac{3}{8}$ -inch long separates the two iron cores. The modification consists of removing the section of cardboard core separating the two windings so that on re-assembly the coils are immediately adjacent to each other, and centered on a single iron core common to both windings.

First, remove the leads to the top winding (i.e., the coil located farthest from the trimmer capaci-

tors) using care not to break any strands of the Litz wire. As a check, measure the d.c. resistance of each coil before beginning the operation — and then again after the unit is finally reassembled.


Second, using a razor blade or sharp knife, make a circular cut around the cardboard core about half-way between the two windings. When the cut is sufficiently deep the top coil and its iron core can be pulled free from the bottom assembly. This will expose the separator between the iron cores, which should be removed. Next, melt the wax from the inside edges of both windings by holding near a hot soldering iron. Carefully make another circular cut around the remaining sections of the cardboard cores as close as practical to each of the windings. This will expose the two iron cores, which should also be removed from the tube. Using cement to hold the parts in place, insert a single iron core into the cardboard tube so that when the windings are brought together the core will be centered equally beneath both. When finished, the coils should be about $\frac{1}{16}$ to $\frac{1}{8}$ -inch apart. Set aside to dry.

To facilitate final wiring of T_2 , T_3 and T_4 , a small double insulated tie point should be cemented to the bottom of each of the cardboard cores. This is desirable in T_2 so that the secondary trimmer may be dispensed with, and in T_3 so that one side of each of the trimmer capacitors can remain disconnected. In T_4 the tie points are also needed so that the trimmers can be rewired and used as balancing capacitors.


The chassis layout should be such that all leads and bypass capacitors are as short and direct as possible to avoid feedthrough during the blanking cycle, and also prevent regeneration or oscillation — especially in the pentode section of V_1 .

Adjustment

Before installing the silencer, make a relative check of receiver gain by noting the S-meter reading (antenna disconnected) of the crystal calibrator at, say, 28.5 Mc. and again at 1.8 Mc. These data will be useful in comparing over-all gain



Two of the modified transformers. To save space and for convenience in wiring, the diodes associated with T_2 and T_3 are mounted on the transformer assemblies. Unused trimmer capacitors have been removed in order to make the mounting holes in the ceramic piece available for tie points made by clipping the lugs from the capacitor plates. In other respects the modifications are as described in the text.



Underneath view of the blanker. The r.f. choke at the center is one (Miller 988) made for printed-circuit boards, here mounted by soldering its leads to a tie-point strip. The balancing potentiometer is on the lower wall at left center. Stray coupling to i.f. leads should be minimized by keeping such leads as short as the layout will permit, keeping them close to the chassis, and separating them from other i.f. leads as much as possible.

and in adjusting the silencer after the installation has been completed.

After the silencer is wired and in place, the following tune-up procedure is recommended:

1. Turn on the receiver, with the antenna disconnected and the silencer switched off.

2. Tune in the calibrator signal and adjust the primary and secondary of T_1 to resonance. Overall gain of the receiver will probably be 1 or 2 S points higher than before. (Do not re-adjust sensitivity controls at this time.)

3. Switch on the silencer. Connect a high-resistance voltmeter or v.t.v.m. between Test Point "A" and ground. Advance the silencer gain control until a voltmeter reading is obtained. Tune primary of T_2 for resonance.

4. The balancing controls are next adjusted. Tune in the calibrator at 1.5 Mc. with an S meter reading of 40 to 60 db. over S9. Start with R_1 potentiometer at middle of its range and the balancing capacitors (across the primary of T_4) backed off about 2 turns from maximum. Connect a small source of d.c. voltage between Test Point "B" and ground so that the balanced diodes are biased about 10 to 15 volts positive. This should hold the silencer in the "blanked out" condition. The calibrator signal should now be 30 to 40 db. weaker than before. Adjust the balancing capacitors and R_1 for minimum S-meter reading. The settings are broad and non-critical. Remove the voltage from Test Point "B" at the conclusion of the adjustment.

5. Replace the antenna on the receiver and tune in a strong loran signal. Advance the silencer control. If the device is working properly a marked reduction or even elimination of loran interference should take place as the silencer control is adjusted.

6. As a final check of the silencer, connect an

oscilloscope between Test Point "B" and ground, and adjust the sweep frequency in the vicinity of 30 cycles per second. Square-topped blanking pulses, corresponding to each of the received loran pulses, should appear as the silencer control is advanced.

A further suggestion may be helpful on the lower frequencies when strong interference is encountered. It is usual amateur practice to use the transmitting antenna for reception because it obviously has the best chance of pulling in distant signals. If the antenna is resonant near the receiving frequency — which it usually is — the loran signals, static bursts or other interference may be so strong at the receiver input that overloading will occur somewhere along the line *prior* to the blanking circuit. The answer, of course, is to put an attenuator in the antenna lead to the receiver. This is good practice on the lower frequencies in any event because the general background noise, as well as the wanted and unwanted signals, are far above the internal noise of the receiver. An old broadcast-band tuning capacitor, placed in series with the antenna lead as a variable attenuator, will often do wonders in helping to pull in the weak ones.

If you are in a good location and the loran interference is not bad, consider yourself lucky. But if this form of interference seems to paralyze everything — as it does for many of us — then build yourself a blanking device, and sit back and enjoy the "top band." QST

Editor's Note: The loran blanker shown in the photographs was built at ARRL Headquarters in order to try out a different physical arrangement than that used by W6ZFH. The narrow shape may be better adapted to fitting the space available with certain receivers — for example, the blanker




Fig. 2—Neutralizing circuit for V_{1B} . The neutralizing capacitor, C_1 , is a tubular trimmer (Centralab 829-3) having a capacitance range of 0.5 to 3 pf.

can be mounted on the inside cabinet wall or lid, projecting over the receiver components. The volume is almost exactly the same as that of the chassis construction used by W6ZH.

The circuit is the same as given in Fig. 1, with one principal exception: To avoid the regeneration that has been found to be undesirable in the noise amplifier stage, this stage has been neutralized using the capacitive bridge method. The circuit modification is shown in Fig. 2. A twisted-wire "gimmick" capacitor can be substituted for the small TV-type trimmer used for neutralizing, but the latter is more readily adjusted after the blander is installed in its permanent location. The adjusting screw can be reached with a plastic

alignment tool through a hole directly over the screw head (see bottom view). A heavy wire soldered to the mounting nut serves as one support for the capacitor; the stator lead is the other, running directly to Pin 6 on the 6U8A socket.

The neutralizing adjustment is easily carried out by turning on the receiver's b.f.o. and allowing V_{1B} to oscillate by running the neutralizing screw out. First align T_1 with the noise amplifier off. Then set R_2 for maximum gain and swing the trimmer on the primary of T_2 through its range: a beat note will be heard when the circuit goes through resonance. Slowly increase the neutralizing capacitance, while swinging the T_2 trimmer through resonance, until oscillation stops. Then shut off the b.f.o. and carefully adjust the neutralizing capacitance until a setting is found where the T_2 trimmer can be swung through resonance with only a normal change in amplitude of the background hiss, with none of the typical "hollow" sound that accompanies regeneration. Proper neutralizing will minimize "ringing" and lengthening of the blanking pulses.

The leads from the receiver's mixer circuits to and from the blander should be kept short, since the capacitance of the input cable adds to the tuning capacitance across the primary of T_1 , and the capacitance of the output cable is added to the i.f. circuit to which it connects. If the input cable has to be more than six inches long, it will probably be necessary to take turns off the primary of T_1 in order to resonate the circuit. W6ZH suggests taking about 25 turns off this coil to compensate for added cable capacitance.



California—The annual joint meeting of the Northern California DX Club and the Southern California DX Club will be held 26-27 January at the Continental Wayside Inn, Paso Robles, California, located half way between Los Angeles and San Francisco on Highway 101. Most of the top DXers of California will be there and talks and other presentations by leading DX operators are scheduled. All hams with an interest in DX are invited. Registration prior to 12 January is \$7.00. Registration at the meeting is \$7.50. Registration fee includes Saturday night banquet and Sunday morning breakfast. Send registration fees, and address all inquiries, to Lloyd Colvin, W6KG, 111 Purdue Ave., Berkeley 8, California.

Michigan—The annual northwestern Michigan Swap Shop will be held at the Manistee Armory on January 19, sponsored by the County Radio Association of Manistee and the Wexsaukee County Radio Club. For further info write to Henry Rozmarek, K8LKO, at Box 88, Manistee, Mich.

SOUTHEASTERN DIVISION CONVENTION

The Southeastern Division Convention will be held on Saturday and Sunday, January 19 and 20, in Miami. Major activities will be centered at the Miami Bayfront Park Auditorium. There will be a display of the latest equipment from leading manufacturers daily from 9:30 A.M. to 5 P.M. in one of the two exhibition halls, while

the convention program proceeds in the other hall. Special booths will include a Swap Shop, operating station, and a DX exhibit. The Saturday daytime program will include technical speakers from various manufacturers, meetings, auctions of used equipment, and contests. The Florida International Sidebanders will provide a buffet luncheon for all licensed YLs, gratis, at the nearby Alcazar Hotel.

The Convention banquet Saturday evening will be held at the Biscayne Terrace Hotel, and will feature ARRL President Herbert Hoover, jr., W6ZH. Following the banquet, at midnight, the Southeast Florida chapter of the QCWA will conduct the initiation ceremony for the Royal Order of the Wouff Hong, for ARRL members, at the Biscayne Terrace.

Sunday's program will include a technical talk by Harold Vance, K2FF, on silicon diode power supply design, and the Florida DX Club will show slides and movies of recent expeditions to Baja Nuevo and Serrana Bank. The ARRL general meeting that afternoon will be attended by President Hoover, ARRL President Emeritus Goodwin L. Dosland, and Southeastern Division Director James P. Born.

Running concurrently with the convention will be an exhibit of antique equipment prepared by

(Continued on page 160)

S4 + 30 Db.

BY JOHN G. TROSTER,* W6ISQ

HELLO ZL2GX ZL2GX. This is W6ISQ. Can you copy today, Jock?"

"W6ISQ de ZL2GX. Oh yes. Very nice signal here. Good solid S9. As a matter of fact, you're the only W6 I can hear down here."

"Jock — only S9? No db. over?"

"W6ISQ—ZL2GX. No, the meter here is straight up to a good S9. But I say again, you're only W6 I can hear — very fine sig considering conditions."

"ZL2GX—W6ISQ. Well, Jock, I suspected I had troubles here but I didn't know it was that bad. If you have a little time there I'd like to run a few checks to see if I can find out what's wrong here."

"W6ISQ de ZL2GX. Look, old man, you're a solid S9. Can't be much wrong."

"ZL2GX—W6ISQ. Well, Jock, quite frankly, in most contacts I never get less than a S9 plus at least 15 db. Most of the time it's 40 db. over S9. So when I drop down to an S9 . . . well . . . Break."

"Well, nobody else is even up to S6 here today, Jack, old man. I wouldn't worry. How's the weather up there today?"

"Jock, I tell ya something is wrong here. Last night I QSO'd our friend Eric, ST2AR, for over an hour and he said I never got over an S8. That's why I was anxious to run a few checks with you today. Wonder if I'll have to replace those tubes in the final?"

"W6ISQ—ZL2GX. Glad to hear you talked to Eric. What did he have to say for himself? We were talking about a DXpedition once — a little jaunt up to some legendary QTH! Wonder if he ever got permission to go. Did he say anything about getting down the Nile to visit some of those ruins before they get flooded? Your tubes are OK — sig sounds fine. Go ahead."

"Jock. Maybe if I changed the bias. Bet that's it. I'm sure I'm not exactly AB! Wish I could work this darn thing Class C — a few more percent efficiency would sure . . . There, Jock, I touched up the bias a little. How many db. over am I now?"

"W6ISQ—ZL2GX. Still the same. S9. What did you say about ST2AR?"

"ZL2GX—W6ISQ. Oh this miserable rig. I sweat on this thing and what do I get. Hold it — I see it, Jock. I'm not full power. Let me touch up the tuning a bit. Now watch your meter, Jock — I'll probably go 40 db. over now. Right now my voltage is . . . ahhh . . . 2905 . . . crank that Variac . . . ahh, back to 3000 volts. Mills . . . let's see . . . 305 . . . hold it, might as well run the max . . . ooopppps — she jumped to 340. That wouldn't be cricket, would it — ha — Back now . . . 333 mills. Little shy but good



enough I hope. OK, Jock, how many db. over am I now? Break."

"W6ISQ—ZL2GX. Still the same. S9. What time did you say you heard ST2AR?"

"ZL2GX de W6ISQ. Jock — I just realized my trouble. It's the antenna. It's tuned for the c.w. part of the band, see — so my s.w.r. here on the fone end is up to 1.4:1. No wonder the sig is down. Of course, on the c.w. end it's a flat 1:1 . . . maybe even 0.9:1, ha! Tell ya what. It'll only take about 15 minutes for me to fix this thing. Just touch up the gamma a bit, Jock, and I'm sure I can get the blinkin' s.w.r. back to tolerable limits! My gosh — a 1.4:1 mismatch! A wonder I'm getting out of the back yard. Ya got about 15 minutes there so's I can retune this crazy antenna?"

"W6ISQ—ZL2GX. Hold everything, Jack. It's all my fault here. It's my receiver. While you were pouring out your troubles there I checked my own set-up — and, what do you suppose? I was reading my S meter wrong! Sorry I gave you that inaccurate S9 report — actually you're S4 plus 30 db.! Nice solid sig. Loudest sig on the band and the only W6 I can hear. Is that better? Go ahead."

"ZL2GX—W6ISQ. Well, Jock, as I was saying about ST2AR. Eric says he hasn't had a chance yet to organize his DXpedition to the legendary land of Prester John, but will let me know about it. Of course, I volunteered to go along to keep the equipment running in perfect condition. He might have a little trouble keeping the antenna at peak condition, you know, with all the dust and humidity, and stuff. And, oh yes, of course, we touched on the salvage work along the Nile there. Don't know how we managed though, 'cause like I said, I never did get over an S8 there. I'll tell ya more about it, Jock, if you can still copy — am I still 30 db. over? — ZL2GX—W6ISQ."

"Sure, you're still S4 + 30. Go on about ST2AR."

*45 Laurel Street, Atherton, California

(Continued on page 150)

Using the 4X250B as a Frequency Multiplier to 432 Mc.

Optimum Operating Conditions for the New Power Limit

BY EDWARD P. TILTON,* WHDQ

IN ANTICIPATION of the 420-Mc. power limit being lifted, we became interested in the performance capabilities of tubes of the external-anode type (4X150A, 4X250B, etc.) when used as frequency multipliers. This is likely to be the most popular method of generating a reasonable amount of power on 432 Mc. for most of us, since the driving power needed is much more readily obtainable at one-half or one-third the desired frequency than it is in the 420-Mc. band. It is also much easier to put such drive as may be available into the tube's grid circuit at the lower frequency.

In order to give various ideas a whirl, we went to work on the 4X250B amplifier described by W1VLH in *QST* for February, 1957,¹ and shown on the cover of the December, 1956, issue. This job has detachable tank circuits for the plate of the tube, and a two-band grid circuit capable of tuning to both 144 and 220 Mc. The amplifier has rendered meritorious service over a period of several years at W1DXE, where it was used mainly as a 144-Mc. a.m. linear, and more recently at W1HDQ, where it has served as a Class-C 220-Mc. amplifier for a.m. and c.w. It was run at about 300 watts input in both stations.

Because of the 50-watt power limit, the amplifier was not tested on 432 Mc., at anything like its full capabilities. When the writer attempted to run it at more than about 300 volts on the plate, it was found that the design had to be modified considerably to provide reasonable efficiency. Jacking up the plate voltage shifted the

operating conditions so that a different output coupling loop was needed, and the higher power showed need for changes in the plate circuit construction that were not apparent at low power levels.

The New 432-Mc. Plate Line

Originally the plate lines for all three bands were pieces of copper tubing $\frac{3}{8}$ inch in diameter. Bolted to the tube end of the line was a copper strap, which in turn was bolted to a fuse clip used as the plate connector for the detachable line assembly. When we ran up the input, these machine-screw-assembled parts of the 432-Mc. line (L_5 in the original article) began to heat up, and efficiency dropped markedly. Taking the works apart, buffing the contact surfaces with steel wool, and reassembling in the original form helped some. Contact resistance had gone up appreciably in five years, as might be expected. But a better approach turned out to be to do away with bolted-together pieces where possible.


The result was the folded flashing-copper line shown in Fig. 1, and in the photograph. This is all in one piece, except for the connection between the trough and the fuse clip — and these were soldered as well as bolted together. The bent-up edge of the line toward the front of the assembly serves as the fixed plate of the tuning capacitor, so only a movable disk is required for tuning. The line is supported by the same standoffs as used originally.

Output Coupling

When high plate voltage was applied with the original line in place, it was found that the coupling loop and tuning capacitor, L_6 and C_8 in

* V.H.F. Editor, *QST*.

¹ Southworth, "Using the 4X250B on 144, 220 and 432 Mc.," *QST*, February, 1957. Issue no longer available, but photocopies can be made for 25 cents per page, or \$2.25 for the complete article.



The new tank circuit for the 4X250B frequency multiplier. The flashing-copper line is mounted on the same standoff insulators as were used for the original tubing version. Note the new coupling loop, and revised position for the series capacitor used for tuning it.

the original article, would not transfer power to a 50-ohm load with optimum efficiency. The loop would not resonate and it was far too tightly coupled for the high-voltage operating condition.

No modification of the loop could be made to tune to the operating frequency so long as the series capacitor and output coaxial jack remained in their original positions. The series capacitor was moved to the rear wall of the enclosure, and the coupling loop changed to a short strap of flashing copper, of the dimensions and shape shown in the lower portion of Fig. 1. This U-shaped loop is soldered to the series capacitor and the coaxial fitting, with its main portion about $\frac{1}{4}$ inch from the vertical side of the plate line. This provides efficient coupling at approximately the low-r.f.-voltage point of the line, where it exerts the minimum of detuning effect on the plate circuit. The result is not particularly beautiful or convenient to use, but it does work well, which is the main thing, at this frequency.

Improving the Tuning Capacitor

It is not easy to get a good tuning capacitor for these frequencies, particularly for relatively high power levels. Some sort of disk on a lead screw seems to be about the only device that is both readily available in commercial form and satisfactory for the purpose. W1VLH used the movable element in a disk-type neutralizing capacitor, designed for high-power transmitter service.

Even this has its disadvantages. The lead screw doesn't always make the best contact in the world, and fluttering output as the shaft is rotated is the result. We found that solid contact to the enclosure was of utmost importance here; otherwise the shaft tends to act like an output coupling loop. At one time we found the metal rim on the tuning knob hot for r.f., and discovered that the screw was well carbonized where it passed through the shaft bushing in the front of the enclosure. Taking everything apart, buffing perfectly clean, and reassembling, with particular attention to mechanically-tight mounting to the aluminum enclosure, made a world of difference. The lead screw was shined up and coated lightly with a silicone lubricant, and so far it has given no further poor-contact trouble.

Operating Conditions and Results

The amplifier was first tested with the biasing originally provided. This includes a 10,000-ohm resistor in the "multiplier" position of the mode switch, plus regulated 75 volts from the bias supply. At the drive level available (10 ma. grid current) this meant about 175 volts bias, total. Screen voltage is 250, regulated. This came from an external 400-volt supply, the regulation being provided by the VR tubes built into the original unit. These bias and screen conditions seem to be satisfactory for all plate voltages from 300 to 1200, the latter being the maximum that we have run with the 4X250B operating as a frequency multiplier.




Fig. 1—Inner conductor of flashing copper, to replace the copper-tubing line originally used with the 4X250B amplifier on 432 Mc. The revised coupling loop, also of flashing copper, is shown below in both its flat and U-shaped forms.

The driver used in running the stage as a doubler is the 220-Mc. rig described in several recent editions of the *ARRL Handbook*, using a 6252 dual tetrode in the final, running at 20 to 40 watts input. An 8000-ke. crystal was used, putting the 6252's output on 216 Mc. A variable-voltage supply on the exciter allows checking the effect of varying drive levels to the amplifier. This same exciter has been used in all 220-Mc. operating with the 4X250B amplifier at W1HDQ.

Under these conditions it was found that the operating efficiency of the 4X250B as a doubler held substantially constant at all levels of plate voltage, being around 40 per cent. This is about all that can be expected of a doubler on any frequency, unless the drive and bias are increased markedly. We tried more drive, and extra resistance in series with the 10,000 ohms, and found that efficiency could be raised to about 50 per cent without inordinate amounts of drive.

Doubling was a lot better than tripling, the latter being rather disappointing unless very high drive was applied. At the same drive level that gave 40 per cent efficiency doubling, the tripling efficiency was only about 20 per cent. If you have 50 watts output or so on 144, and you want to use it to drive a tripler, you can very likely develop respectable efficiency, but a limiting factor here is the maximum grid dissipation of the 4X250B, which is only 2 watts. This would indicate that it is not safe to go much higher than we did with the doubling condition: 175 volts bias and 10 ma. grid current.

While we were about it, we tried out some of the above ideas on the tank circuits for 144 and 220 Mc. as well. Some improvement in 220-Mc. operation was effected by tuning loop modifications similar to those made in the 432-Mc. tank; moving the series capacitor over to the same side of the assembly as the coaxial output fitting, and making the loop of copper strap. It was also found that the tuning capacitors in both units benefited by cleaning and tightening and lubricating of the lead screws, which is not surprising, after five years of use.

In assessing the value of this transmitter design it should be remembered that it is capable of being used on three bands. Unquestionably

higher efficiency could be obtained if the amplifier were built for any one of the bands, but that is another story, which we hope to get to at a later date. Meanwhile, a doubling efficiency of 40 per cent is not bad at 432 Mc., and the 50 to 100 watts of antenna power readily obtainable with this type of unit operating as a frequency multiplier is an attractive way of developing a more potent signal on that band than we have been able to have legally heretofore.


Signal on the Driving Frequency

Areas where there is substantial activity on 432 Mc. have ample evidence that one must watch the conditions under which frequency multipliers are operated, or he will be radiating a considerable signal on the driving frequency. Where the driver is a 144-Mc. exciter, this is not too bad, though the 2-meter locals may not appreciate your potent signal on their band. If you follow the writer's suggestion and put your driver on 216 Mc. and double, you had just better be sure that the 216 Mc. stays at home, as the upper end of TV Channel 13 is at 216 Mc.

This driver radiation problem has been with us from the earliest days of tripling to 432 Mc., but it appears that most of the driver signal may be eliminated when high- Q shielded tank circuits are used in the exciter and amplifier, even when the output stage is a frequency multiplier. Years ago, the writer used a 5894 tripler driving another 5894 as a straight-through amplifier on 432 Mc. This was an unshielded layout, with untuned inductive antenna coupling to the

parallel-line plate circuit of the amplifier. With this lashup, our 144-Mc. signal was audible over clear paths, up to at least 25 miles. There was low modulation on the 144-Mc. signal, however, indicating that most of it came from driver radiation, rather than from the modulated amplifier.


With the 4N250B amplifier and its 216-Mc. driver completely shielded, we can find no evidence of 216-Mc. energy, using a selective pickup device at that frequency in the immediate field of the 432-Mc. antenna. The 216-Mc. signal can be heard in the same room with the transmitter, however, and it is likely that extensive filtering and shielding would be necessary to eliminate this. If you can hear it, so can a TV set, though the slight separation from the sensitive portion of Channel 13 may be enough to prevent interference. There is no Channel 13 signal available in the Hartford area, but running the rig as described makes no pattern on our Lab TV set on that channel.

A good check as to how the driver signal is being radiated is to check its level at a distant receiver, first with the transmitter feeding the 432-Mc. antenna, and then with it running into an effective dummy load. If the driver signal disappears under the latter condition, it is probably being radiated by the antenna. The cure then is the insertion of a coaxial filter in the line to the antenna. This is a desirable step, in any case, since it will be helpful in both transmitting and receiving in the elimination of spurious signals. 

● New Apparatus

Continuity Checker

The "Cirkit" Chaser, the continuity tester shown in the photograph, is a plastic tube containing a battery, a lamp (inside the clear plastic near the tip), a probe, and a lead terminated with an alligator clip. The lamp lights when a complete circuit is made from probe to clip. Such a simple gadget is handy for checking out a circuit, feed line, etc., and it is not necessary to take your eyes off whatever you are checking, since the light is easy to see even without looking directly at it.



One interesting note about the battery case: The batteries (two penlight cells) fit inside a cardboard tube which then fits inside the plastic case. In case the batteries run down, leak and swell up, they can still be removed from the case by first taking out the tube. The Cirkit Chaser is made by the Continental Electronics & Sound Co., Dayton 18, Ohio. — E. L. C.

Back Copies and Photographs

Back copies of *QST* referred to in this issue are currently available, unless otherwise indicated, from our Circulation Department. Please send cash or check — 50c for each copy — with your order; we cannot bill small orders nor can we ship c.o.d.

Full size (8 by 10) glossy prints of equipment described in *QST* by staff members (*only*) can be furnished at \$1.50 each. Please indicate the *QST* issue, page number, and other necessary identification when ordering, and include full remittance with your order — we do not bill nor ship c.o.d.

Sorry, but no reprints of individual *QST* articles are available, nor are templates available unless *specifically* mentioned in the article.

• *Beginner and Novice*

A Novice 40-Watter

Simple Construction In A Two-Band Transmitter.

BY LEWIS G. McCOY,* WIICP

THIS article describes the construction of a simple 80- and 40-meter transmitter, crystal-controlled, with a self-contained power supply. The transmitter can be run at about 40 watts input. This unit is easy to build and makes an excellent first project for the Novice.

Circuit Details

The oscillator is a grid-plate type using a 6BQ5 tube. Referring to Fig. 1, either 80- or 40-meter crystals can be used in the oscillator, depending on the band, and an 80-meter crystal can be used for both 40 and 80. C_1 is the feedback capacitor used to control the crystal excitation. The output side of the oscillator is untuned but RFC_2 was chosen to be more or less resonant in the 40-meter range, thereby providing more drive to the amplifier on 40 from a 40-meter crystal.

The amplifier tube is a 6GJ5 which is operated with 350 volts on the plate and a plate current of about 120 ma. A pi network is used for the tank circuit. C_3 is the plate tuning capacitor. The entire coil L_1 is used on 80 with turns shorted

out by S_2 when going on 40. C_4 , the loading capacitor, is a three-gang broadcast type t.r.f. unit with the three stators connected in parallel to provide a total capacitance of about 1200 pf. RFC_4 is used as a protective device in the event that the plate blocking capacitor should fail. If this happens, the output line is shorted directly to ground through the choke, thereby preventing the d.c. plate voltage from appearing on the output line. Z_1 is a v.h.f. parasitic suppressor.

In order to keep the construction costs at a minimum, no plate meter is used in the rig, although one can be added if desired. I_1 is a dial lamp that is connected in series with the plus-B line to the 6GJ5 plate. The lamp serves as a resonance indicator. I_2 is another dial lamp which is used as an output indicator.


Both the oscillator and amplifier are keyed. The cathodes of the tubes are connected to J_1 the key jack. The oscillator and amplifier screens are regulated at 150 volts, which helps reduce any chirp.

Power Supply Details

The power supply uses a 5U4G in a full-wave rectifier circuit with capacitor input. The filter

* Technical Assistant, QST.

This top view of the 40-watter shows the arrangement of tubes and power transformer and choke. The octal socket at the left-hand corner is the crystal socket. Along the chassis front from the left are S_1 , J_1 , C_3 , S_2 , C_4 and I_1 . The output indicator I_2 is on top the chassis at the upper right corner.






Fig. 1—Circuit diagram of the Novice 40-Watt. Resistors are ½ watt unless otherwise specified. All decimal-value capacitors are 1000-volt disk ceramics. All other capacitors are listed below.

C₁—3-30-pf. mica compression trimmer.

C₂—150-pf. mica.

C₃—325-pf. variable (Hammarlund MC-325-M).

C₄—Approx. 1200-pf. variable, three-gang, t.r.f. type capacitor; three stators connected in parallel.

C₅, C₆—20-μf., 500-volt electrolytic.

I₁—6-8-volt, 250-ma. dial lamp, type 44.

I₂—2-volt, 60-ma. dial lamp, type 48.

J₁—Key jack, open circuit.

J₂—Coax chassis connector, type SO-239.

L₁—27 turns No. 18, 16 turns per inch, 1¼ inch diameter; 40-meter tap is 7½ turns from output end of coil (B & W Miniductor type 3019).

L₂—10.5 hy., 110 ma. (Stancor C-1001).

L₃—See text.

R₁—0.1 megohm, ½ watt.

RFC₁, RFC₃—1-mh. r.f. choke (Millen J300-1000, 34300-1000).

RFC₂—25 μh. (Millen 34300-25).

RFC₄—2.5 mh. (Millen J300-2500).

S₁—Single-pole, single-throw toggle switch.

S₂—Single-pole, two-position wafer switch (Centralab 1460).

T₁—Power transformer, 360-0-360 volts a.c., 120 ma. 6.3 volts, 3.5 amps., 5 volts, 3 amps. (Stancor PC-8410).

Y₁—3.5- or 7-Mc. crystal.

Z₁—9 turns of No. 16 or 18 wound on a 1-watt resistor (see text).

network consists of L_2 and two 20-μf. electrolytic capacitors. A 0A2 is used for regulating the oscillator and amplifier screens. The plus-B voltage out of the filter is approximately 350 volts at a load of about 120 ma. A 3000-ohm, 10-watt dropping resistor is used in the line to the oscillator plate, which runs at a plate voltage of 300 when the transmitter is fully loaded.

Construction Details


The complete rig and power supply is mounted on a 3 × 10 × 12 inch aluminum chassis. T_1 , L_2 and the 5U4G are mounted on top of the chassis and along the rear. The two 20-μf. electrolytic capacitors are mounted below the chassis. Also on top of the chassis are the oscillator and amplifier tubes, the crystal socket, and the output indicator I_2 . All the remaining components are mounted below deck and on the chassis front. There are no critical layout dimensions, but it is a good idea to follow the general layout shown in the photographs.

If this is your first construction job, a few hints about wiring are in order. If you want the finished product to look neat, make all wiring

parallel with the chassis sides. Mount all components parallel to the chassis sides. Don't stack components over tube sockets but mount them around the socket. Liberal use of terminal tie-points will help in keeping the wiring neat. When soldering, make sure the work and the iron tip are clean. Use resin core solder and only use enough to actually make a connection. Beginners are inclined to put big globs of solder on connections, but this isn't necessary for good electrical connections.

There are no hard and fast rules about what should be wired first. We usually start with the power supply and heater wiring and complete that before proceeding with the r.f. section. The reason for this is that it gets rid of all the long transformer leads which can get in your way if you leave the power supply wiring until later. Another advantage is that you can check out the supply and make sure it is working if you have a voltmeter. One word of caution here. Whenever you turn the supply off, short the output side of the filter (L_1 and the 20-μf. capacitor) to chassis ground using an insulated screwdriver for the purpose. Even though a supply is turned off the

Below deck, the oscillator components are grouped in the upper left hand corner in this view. L_1 is mounted between C_3 and C_4 near the upper center. The coil is supported by its own leads and the tap lead to S_2 . L_3 is at the lower right next to I_2 .



electrolytic capacitors can retain a charge, which of course could give you a dangerous shock. The 100,000-ohm bleeder resistor should drain off this charge but it is always safer to make sure there is no charge when working on a piece of gear.

R_1 , C_1 , C_2 , and RFC_1 are mounted on a terminal strip. It will make your wiring job easier if you mount these components on the strip and then mount the strip on the chassis. In the amplifier, the pi network coil L_1 is mounted between stator terminals on C_3 and C_4 . All three of the stator terminals on C_4 should be connected together. The lead from C_4 to J_2 should be made from No. 14 or No. 16 solid wire. Wind four turns in the wire, making the turns about $\frac{1}{2}$ inch diameter, and position the turns as shown in the bottom view. This is L_3 . The output indicator, I_2 , is mounted in a rubber grommet on top of the chassis, and leads from the base tip and shell of the bulb are connected to the output lead on both sides of the coil. The plate current indicator, I_1 , is also mounted on a rubber grommet on the front of the chassis. Make sure that the leads to both indicators are insulated from chassis ground.

The parasitic suppressor, Z_1 , can be wound on any 1-watt resistor that is more than 1000 ohms. The resistor is only used as a coil form. Z_1 should be mounted directly at the plate cap of the 6CJ5.

Tune-up and Testing

In order to familiarize yourself with the tuning procedure a dummy load should be put on the transmitter. A 40- or 60-watt light bulb is excellent for this purpose. Connect a lead from the

center pin of J_2 to the base tip of the bulb and another lead from chassis ground to the screw portion of the bulb base. Plug a key into J_1 , turn on the power and let the rig warm up, leaving the key open. (When the key is open the cathodes of both tubes are also open and the tubes will not draw any current; the key serves the same function as a standby switch). Plug an SO-meter crystal into the crystal holder, set both C_3 and C_4 at maximum capacitance, plates fully meshed, and switch S_2 to the 80-meter position, the entire L_1 coil in the circuit. Next, close the key and then tune C_3 , gradually decreasing the capacitance for a dimming point on I_1 . The dimmest point is resonance. The dummy load may light up, but if it doesn't, slowly decrease the capacitance of C_4 and retune C_3 for the dimmest setting again. The dummy load will increase in brilliance as you load up the amplifier. You'll also notice that I_2 will get brighter as the dummy load gets brighter. As you decrease the capacitance of the loading capacitor, C_4 , you'll find that you'll reach a setting where the dummy load gets no brighter. In fact, it may get dimmer. The ideal setting of C_4 is the one that provides the most output with the most capacitance in the circuit. When you put an antenna on the rig you'll use I_2 as an output indicator and the same tuning procedure as with a dummy load.

If you are in the bucks or can promote a plate meter, you can substitute the meter for I_1 . Any meter that has a full-scale value of 200 ma. or more can be used. The meter is installed in the circuit in place of I_1 . The lead that comes from

(Continued on page 154)




Fig. 1—In W7QBR's modified HBR-16 the Q-multiplier controls are grouped in the lower left corner of the panel. The a.g.c. and detector selector switches are at the lower right.

The panel is anodized aluminum and the cabinet is sheet steel, bent and formed in the home shop.

Nomenclature is lettered directly on the panel, using India ink.

Added Versatility for the HBR-16

B.F.O. Switching, Audio A.G.C., Q Multiplier and I.F. Noise Limiter

BY WILLIAM E. MCKAY,* W7QBR

VERY few receiver articles have caused as much furor in the amateur radio do-it-yourself ranks as has the HBR-16 receiver article by Ted Crosby. Having felt the need for a better ham-band communications receiver for some time, I set out to build the HBR-16. Ted's article, plus a fine set of "HBR Notes" from Ed Kent, KSEML, made this receiver a whopping success! The only change effected in Ted's original design was the addition of the now famous Eddystone S9S slow-motion drive for the dial mechanism. This receiver served in the home QTH for about six months.

Then an s.s.b. exciter was constructed and need was felt for a receiver more fully compatible with s.s.b. operation. Hence, a new modified HBR-16 was constructed. This modified version of the HBR-16 has (1) provision for switch selection of the proper b.f.o. frequency for c.w., upper and lower sideband; (2) selectable time-constant audio-activated a.g.c. circuitry; (3) a 7360

beam-deflection-tube product detector; (4) a Q multiplier at the 100-ke. 2nd i.f.; and (5) a Bishop-type i.f. noise limiter.

The basic HBR-16 circuitry remains intact. All coil-winding data are the same. I refer you to these back issues of *QST* containing current general information: October and November 1959, June 1961, and June 1962.¹ Things discussed in any other past issues of *QST* now can be considered as "water over the dam."


Detector Modifications

The 7360 beam-deflection-tube product detect-

¹The October and November 1959 issues are out of print and no longer available from ARRL Headquarters. However, the information, with the exception of the circuit diagram and pictures, is contained in the "HBR Notes" prepared by KSEML; these notes also list sources of circuits, photographs, templates, etc., and contain a large amount of additional constructional and alignment data. They are available at \$1.50 per set from Edward W. Kent, KSEML, 424 19th St., N.W., Canton 9, Ohio.
— Editor

*8-D South Fairway, Pullman, Washington.

If you have built an HBR-16 receiver or are thinking of building one, these additions to W6TC's popular receiver design may be features you'd like to have. The same ideas can be applied to other receiver circuits, too, by exercising a small amount of ingenuity in adapting them — and with due regard for the actual intermediate frequency in the case of the Q multiplier.



EXCEPT AS INDICATED, DECIMAL VALUES OF CAPACITANCE ARE IN MICROFARADS (μf). OTHERS ARE IN PICO FARADS (pf. OR $\mu\mu\text{f}$.); RESISTANCES ARE IN OHMS; K = 1000.

AUDIO A.G.C.

Fig. 2—The product detector and audio-activated "hang" a.g.c. circuit. T_3 and T_5 are the same as in the original HBR-16 circuit (October 1959 QST). SM—Silver mica.

C_1, C_2 —1.5–7-pf. NPO trimmer (Erie type 557).

C_3 —5–25 pf. NPO trimmer (Erie type 557).

C_4 —20-pf. silver mica.

S_1 —Ceramic rotary, 2 sections, 2 poles per section, 4 positions (Centralab PA-2010).

S_2 —Phenolic rotary, 1 pole, 3 positions.

T_1 —3:1 audio transformer (Triad A-31X).

T_3 —Last i.f. transformer (original circuit designation).

T_5 —B.f.o. coil (original circuit designation).

or described by John Filipezak (*QST*, December 1960) is used for c.w. and s.s.b. Although somewhat more complicated than the 6BE6 product detector used in the original receiver, the 7360 more than makes up for this complexity by providing an amazing tolerance to wide ranges of signal levels and by reducing distortion to inaudible proportions.² A measure of noise limiting is provided by the 7360 because of its deflecting-electrode peak-current limiting characteristics. The original infinite-impedance detector is utilized for a.m. The circuit changes are shown in Fig. 2.

² The 6BY6 product detector now recommended by W6TC is not overdriven by the exceptionally high signal voltages appearing across the secondary of T_4 as was the original 6BE6 product detector.

The proper detector is automatically chosen by the function switch, S_1 . This switch also selects the proper beat frequency from the b.f.o. for c.w., u.s.b., or l.s.b. reception. No provision was made for shifting the h.f. oscillator simultaneously with the b.f.o., so it is necessary to move the main dial when an incoming signal is shifted from one sideband to the other, in order to keep the signal in the receiver's passband.

The b.f.o. is housed in a $2\frac{3}{4} \times 2 \times 4$ -inch steel Minibox mounted beneath the chassis just behind the detector selector switch (see Fig. 4). One wafer of the 4-pole, 4-position switch is mounted between the front of the chassis and the Minibox. This wafer selects the detector to be used. The second wafer, mounted inside the Minibox, turns the b.f.o. on and selects the proper




Fig. 3—Top view of the chassis, showing the Q-multiplier tube and coil-adjustment screws on the left rear corner of the chassis. The b.f.o. is to the right of the chassis center in the front section. The product detector and a.g.c. tubes are clustered in the right front corner.

value of capacitance for c.w., l.s.b., or u.s.b. reception. Capacitors C_1 , C_2 , and C_3 are mounted under the chassis on spacers in such a manner that they may be adjusted from above the chassis. The b.f.o. coil (T_5 in the original circuit) is mounted on top of the chassis at the rear of the enclosure. All leads entering or leaving the b.f.o. enclosure should be shielded. Proper orientation of the 7360 socket will produce a b.f.o. signal lead length of only $\frac{3}{4}$ -inch.

A short explanation of the adjustment of the b.f.o. is included here: Turn S_1 to the c.w. position and turn the knob on the top of T_5 until the b.f.o. is zero beat with a steady unmodulated carrier fed into the front end of the receiver. Now turn the knob clockwise until a note of about 400 c.p.s. is heard. Turn S_1 to the SB1 position and adjust C_2 until a note of about 800 c.p.s. is heard. Lower sideband is received in this position on 80 and 40 meters; upper sideband on 20, 15, and 10 meters. Turn S_1 to the SB2 position and adjust C_2 until a note of about 800 c.p.s. is heard. Upper sideband is received in this position on 80 and 40 meters; lower sideband on 20, 15, and 10 meters.

A.G.C.

My experiments with the 7360 product de-

tor revealed that unless very careful shielding of the b.f.o. signal lead and proper dressing of the T_4 secondary leads are used, b.f.o. activation of the a.g.c. will result.

One method of eliminating this possible source of trouble is to use one of the "audio-activated" a.g.c. systems. The audio-activated a.g.c. system herein recommended for use with the 7360 product-detector tube is described on page 102 of the 1961 and 1962 editions of the *ARRL Handbook*. Slightly modified for use in my receiver, two values of resistance are selected by S_2 , to provide fast (0.1 second) or slow (1 second) discharge times for the a.g.c. action. Figs. 3 and 4 show the placement of the additional components required in this a.g.c. system.

Q Multiplier

A search of the available literature revealed very little information on Q multipliers applicable to the 100-ke. low-frequency i.f. used in this receiver.

The Q multiplier used in this modified HBR-16 was designed using the criteria set forth by O. G. Villard.³ The result is the circuit shown in Fig. 5.

³ Villard, "Flexible Selectivity for Communications Receivers," *Electronics*, April, 1952.




Fig. 6—The i.f. noise-limiter circuit. Capacitances are in $\mu\text{f.}$; resistances are in ohms.

R_1 —Linear control.

S_1 —S.p.s.t. toggle.

and peak/null) are mounted on an L-shaped bracket beneath the chassis about 2½ inches from the rear apron. Shaft couplers and ¼-inch rod are used to bring the three controls out to the panel. The null-depth potentiometer is mounted on the rear apron of the main chassis since it is adjusted once and left.

If the Q multiplier is built as an outboard addition to an existing receiver, the entire unit can be housed in a 3 × 4 × 5-inch box with controls placed to suit the builder. Regardless of the layout, the coils should be at least two diameters away from the metal housing.

Adjustment of the Q multiplier is as follows: With S_1 in the "off" position, peak L_2 (if used) for maximum signal. Turn S_1 to the peak position. The signal will probably be much weaker, but by adjusting R_2 and L_1 it will be possible to bring the circuit into resonance. If R_2 is advanced past about 80 per cent of its rotation, the Q multiplier will break into oscillation. It is possible to use this condition to copy exalted-carrier single sideband. R_2 is the panel control and is used to




Fig. 7—These curves represent this particular receiver's bandpass. The symmetrical shape is the result of using a sweep generator and scope to do the alignment. The average builder will not have these instruments available and probably must be content with something less ideal than these responses.

TABLE I

Receiver Performance Data from Laboratory Tests

Sensitivity

Frequency	Microvolts Input for 50 Mw. Output *
3.5-4.0 Mc.	0.28 $\mu\text{v.}$
7.0-7.3 Mc.	0.35 $\mu\text{v.}$
14.0-14.35 Mc.	0.37 $\mu\text{v.}$
14.0-17.0 Mc.	0.49 $\mu\text{v.}$
21.0-21.45 Mc.	0.55 $\mu\text{v.}$
28.0-29.7 Mc.	1.0 $\mu\text{v.}$
50.0-54.0 Mc.	1.1 $\mu\text{v.}$

Selectivity

Normal I.F. Bandwidth	With Q Multiplier Sharpest
-3 db. 950 c.p.s.	80 c.p.s.
-60 db. 4000 c.p.s.	450 c.p.s.

Noise Figure: 4.5 db. or less.

Image Rejection: 72 db. or greater

A.G.C. Characteristics: Audio output increases 10 db. for signal increase from 50 $\mu\text{v.}$ to 50,000 $\mu\text{v.}$

* With normal selectivity; test signal modulated 30 per cent.

control the bandwidth. C_1 should be set at mid-capacitance during this adjustment.

Turn S_1 to the null position and tune in a steady unmodulated carrier with the b.f.o. on and a.g.c. off. Tune C_1 until the beat note drops to a minimum in volume. Adjust R_1 for a better null. Juggle R_1 and C_1 until no further improvement in the null can be noticed. R_1 can then be left in this position and C_1 used to move the notch across the passband.

Noise Limiter

The i.f. noise limiter is the Bishop limiter described by Stiles.⁴ Of several systems tried, this provided the best over-all performance with a minimum of components. The threshold adjustment is mounted on the chassis and adjusted just once. The limiter is connected to the plate (Pin 5) of the last i.f. amplifier tube (6BJ6) and is switched in and out by a toggle switch on the panel.

Performance

After spending many hours adjusting and pruning the front-end coils, I at last was convinced that I had exacted the optimum performance possible from my receiver. I was very fortunate in that I had available the facilities of a good electronics laboratory in which to check the performance of the receiver. Table I is a condensation of my findings.

(Continued on page 160)

⁴ Stiles, "I.F. Noise Limiter," *QST*, June, 1960.

Annual ARRL Novice Roundup Competition

NOVICES, this is your one and only opportunity to participate as a Novice in your own operating activity, the Twelfth ARRL Novice Roundup Competition. You're only a Novice once, you know, so don't miss this chance to operate in this contest for Novices. The Novice Roundup begins on Saturday Feb. 2, 1963, at 1800 local time, and runs through Feb. 17, Sunday 1800 local time. Operating, listening, and logging time must not exceed 40 hours.

How to Participate

Just get on the air any time during the two week period and contact as many Novices and non-Novices as possible, exchanging QSO number, and ARRL section. Non-Novices work only Novices, of course. "CQ NR" means CQ Novice Roundup and you can either answer such a call or call "CQ NR" yourself to get contacts. Here's an example. KNØBPO in Minnesota hears KN1QFC in the Western Massachusetts section calling CQ NR.

CQ NR CQ NR CQ NR DE KN1QFC
 KN1QFC KN1QFC K
 KN1QFC KN1QFC DE KNØBPO KNØBPO
 KNØBPO AR
 KNØBPO DE KN1QFC R HR NR 3 WMASS
 BK
 KN1QFC DE KNØBPO R HR NR 1 MINN
 BK

ROUNDUP PERIOD	
Starts	Ends
Feb. 2	Feb. 17
6:00 P.M.	6:00 P.M.
Local Time	Local Time

KNØBPO DE KN1QFC R TNX ES 73 SK
 DE KN1QFC

On his next contact KNØBPO would send NR 2 (meaning contact number 2) then NR 3, NR 4, etc.

Scoring

A certificate is awarded to the highest Novice scorer in each ARRL section. Complete results will be in QST including the scores of those non-Novices that enter as well. To obtain your final score simply add the total of your NR QSOs to the highest w.p.m. from your Code Proficiency certificate. Multiply the sum by the number of different ARRL sections (see page 6, this QST) worked during the contest. That CP certificate really helps out your score, and you still have time to qualify, so don't miss out. Full details on the Code Proficiency Program are on page 96, this QST.

Novices should keep a look out just above and below the Novice frequencies (3700-3750 kc.; 7150-7200 kc.; 21,100-21,250 kc.; 145-147 Mc.) for the higher-power Generals.

Log forms like the one in the sample are yours for the asking simply by writing to: ARRL Communications Dept., 38 LaSalle Road, West Hartford 7, Conn. Study the rules below carefully, and then stand by for the fun of your Novice career, the ARRL Novice Roundup Competition! But don't forget to send in a copy of your log to make your entry official; logs must be postmarked by March 1.

(Continued on page 150)

This is a sample log form that must be used by all contestants and also shows how to score. You can obtain these forms free by writing to ARRL.

SUMMARY OF EXCHANGES ARRL NOVICE ROUNDUP								
Call. KNØBPO.				Section... MINN.....				
(See page 6 QST)								
B N D A I R	T I M E O F C O N T A C T	D A T E, O R T I M E	N Y N R S E N T	M Y S E C T I O N	H I S N R R C V D	H I S C A L L	H I S S E C T I O N	N U M B E R E A C H N E W S E C T I O N A S W O R K E D
80	1800	FEB. 3						
		1803	1	MINN.	1	KNØAKM	MINN	1
		1815	2		3	KN9WRX	ILL	2
	1835	1820	3		2	KN9ZDJ	ILL	
15	1400	FEB. 6						
		1412	4		15	KN7MNL	NEV	3
	1425	1418	5		7	KN1QFC	WMASS	4

Summary: (Enter below on last sheet used)

Hands used.....**8015**..... Nr. diff. stns. wkd..**5**.....; Nr. diff. sections..**4**.....
 Total hours operation.....**1.00**.....; Code Proficiency award credit.....**10**.....w.p.m.
 Type transmitter (tube line-up if home-built).....
 Receiver.....; Antenna.....

SCORING:
**5**.....QSOs plus.....**10**.....c.p. points times.....**4**.....sections equals **60**

I have observed all competition rules as well as all regulations established for amateur radio in my country. My report is true and correct to the best of my knowledge.

Signature and call.....
 Address.....

This is the second of four articles by the author describing a series of transistor units which may be used individually or eventually combined to form a complete high-performance transistor communications receiver. The first article, which appeared in the December issue, covered a 2- to 4-Mc. tuner which is the basic tuning element of the system. This tuner was designed to feed the i.f. and detector systems described here.

Selective Transistor I.F. Strip and Dual Detector System

455-Kc. Units with A.G.C.

BY B. E. HARRIS,* W6ANU/4

A FEW years ago, the construction of a three-stage i.f. amplifier, complete with selective filter on a $4\frac{1}{4} \times 1\frac{7}{16}$ -inch base, would have been a strain on the imagination. Transistors, of course, with the miniature components that have been developed for them, are the answer. The circuit diagram of such an amplifier is shown in Fig. 1. The arrangement consists of three conventional transformer-coupled, common-emitter stages, with a Collins 3.1-kc.-bandwidth mechanical filter between the first and second stages. The base of the input transistor (Q_1) is fed directly by a low-impedance line. The 47-ohm resistor shunting this line serves to reduce the input signal to compensate for the more-than-sufficient gain of the i.f. amplifier when used with the tuner described previously. Loading the individual stages, or possibly a partial feedback loop, would be better for gain reduction, but the

single resistor is adequate and does not significantly degrade the over-all noise figure.

The input and output windings of the mechanical filter, FL_1 , are series-resonated by the 100-pf. capacitors in parallel with C_1 and C_2 . Values for C_1 and C_2 are selected for maximum gain at the time of initial alignment of the amplifier. Capacitive impedance-matching networks at the input and output of the filter might provide additional gain, but there is more available than is needed as it is, as mentioned. The series-resonant impedance of the input and output coils of the mechanical filter is around 1000 ohms.

A.g.c. is applied to the first and second stages of the amplifier (and also to the r.f. stage of the tuning unit). Conventional decoupling filters are used in both a.g.c. and collector supply leads between the first and second stages to avoid the possibility of unwanted feedback or degraded selectivity by feedthrough around the filter. The bandpass characteristic for the complete amplifier is essentially the same as the published characteristic for the filter.

* Chief Engineer, Polaris Project Office, Patrick AFB, Fla.

† Harris, "A Tunable I.F. Amplifier Using Transistors," *QST*, December, 1962.





Fig. 1—I.f. amplifier circuit. (A.g.c. and 12-volt output connections refer to a 2- to 4-Mc. tuner described in a previous article.) Resistances are in ohms, and resistors are $\frac{1}{4}$ watt. Fixed capacitors of decimal value are disk ceramic or mylar; others are mica or NPO ceramic, except capacitors marked with polarity, which are electrolytic. All plugs and jacks indicated are single-circuit miniature (CTC 2379-1 and 2378-2). Components not listed below are identified for text-reference purposes.

C_1, C_2 —Approximate value; see text.

FL_1 —3.1-kc. i.f. filter for 455-kc. i.f. (Collins F-455-Y31)

T_1, T_2, T_3 —Miniature transistor 455-kc. interstage i.f. transformer (Lafayette MS268A).

Fig. 2—Top view of the i.f. strip. The input transistor and first i.f. transformer are to the left, followed by the Collins mechanical filter and the two remaining i.f. stages.



The components are assembled on a base of $\frac{1}{16}$ -inch copper-coated phenolic sheet measuring $4\frac{1}{4}$ by $1\frac{7}{16}$ inches. The arrangement of components is visible in the top and bottom views shown in Figs. 2 and 3.

Alignment of the i.f. amplifier is carried out by feeding a 455-ke. signal into the base of Q_1 and adjusting all of the tuning cores for maximum output. Feed-through around the filter can be checked by measuring the width of the passband and making a rough check of the rate of drop-off on either skirt. The passband shape should closely approximate the published filter characteristics.

The bias networks are adjusted for 1 to 1.5 ma. collector current in each stage with no a.g.c. voltage applied.

Detector/A.G.C.

The circuit of a detector/a.g.c. unit which may be used with the i.f. amplifier just described is shown in Fig. 4. Input at 455 ke. is applied to product and diode detectors in parallel. The impedance level to the diode detector, CR_1 , is stepped up by an i.f. transformer, T_1 , turned backwards to provide sufficient voltage for satisfactory operation of the series noise limiter, CR_2 .

A portion of the diode-detector output is tapped off from a voltage divider to be fed to the a.g.c. amplifier. (In the complete receiver, this connection is made through a selector switch, S_1 , which provides a choice, as to a.g.c. source, between the signal from CR_1 and one from the audio section to be described later. The audio source is preferable in s.s.b. and c.w. reception.

For the r.f. source only, the output terminal from CR_1 and the input terminal to the base of Q_4 are connected directly.)

Audio output from the diode detector is fed to the output jack through the series noise limiter, CR_2 . With no external voltage applied to the limiter control terminal (S_3 in the off position) CR_2 is biased in the conducting region for all signal levels. By adjusting R_5 (with S_3 closed) the bias can be set just above the conduction point for the signal, and noise pulses which exceed the signal will then cut CR_2 off. It is essential that CR_2 be a low-storage-time, high-back-resistance silicon diode of the "computer" type. This type of noise limiter has high distortion, but it does work fairly well on impulse noise. A separate noise i.f. amplifier, fed in parallel with the signal i.f. amplifier and controlling a high-speed gate in the signal i.f., would be better, and this is planned as a later modification.

Product Detector

The product detector² input is tapped off the low-impedance line from the i.f. through a voltage divider (R_1R_2). The detector arrangement consists of a signal emitter follower (Q_1) feeding the base of the mixer (Q_2), and a b.f.o. emitter follower (Q_3) feeding the emitter of Q_2 .

The b.f.o., designed around Q_6 , is a high- Q Colpitts oscillator tuned by C_1 , a Pacific Semiconductor type V56E voltage-variable-capacitor diode. The diode capacitor operates on the principle of variation of the p-n junction width with

² Patent applied for.

Fig. 3—Bottom view of the 455-ke. i.f. strip.





Fig. 4—Detector and a.g.c. circuits. Control circuits (shown connected through a series of plugs and jacks) are external to the unit. A.g.c. output terminal designations refer to h.f. converters and a squelch system to be described in later articles of this series.

Resistances are in ohms, and resistors are ¼ watt. Fixed capacitors of decimal value are disk ceramic or mylar; others are mica or NPO ceramic, except capacitors marked with polarity, which are electrolytic, and those marked SM, which are silver mica. All plugs and jacks indicated are single-circuit miniature (CTC 2379-1 and 2378-2). Other components not listed below are identified for text-reference purposes.



EXCEPT AS INDICATED, DECIMAL VALUES OF CAPACITANCE ARE IN MICROFARADS (μ f.); OTHERS ARE IN PICOFARADS (pf. OR μ μf.); RESISTANCES ARE IN OHMS; K = 1000.

C₁—Voltage variable-capacitor diode (Pacific Semiconductor).

L₁—Approx. 250- μ h. ceramic iron-slug coil (CTC 2060-8).

R₁, R₂, R₃, R₄—Nominal value; see text.

R₅, R₆—Linear control.

R₇—Linear control, screwdriver shaft.

R₈—Audio-taper control.

S₁—S.p.d.t. toggle switch.

S₂—D.p.d.t. toggle switch.


S₃—S.p.s.t., attached to R₅.

S₄—S.p.s.t., attached to R₃.

S₅—Single-pole three-position rotary switch.

T₁—Miniature 455-kc. transistor interstage transformer (Lafayette MS268A).

Fig. 5—Detector/a.g.c. unit. The b.f.o. components are enclosed in an old i.f. transformer can. The input i.f. transformer is to the right.



applied voltage.³ The one used here has sufficient capacitance variation to swing the b.f.o. through about 6 kc., which is ample to allow setting the b.f.o. on either side of the i.f. passband. The capacitance variation with voltage is a nonlinear function, and an audio-taper potentiometer, R_8 , is used to compensate for this effect.

The b.f.o. is not temperature-compensated, and it drifts slightly with temperature changes. This is not enough to do more than to change high-pitched voices to low and vice versa, but it is enough to make temperature compensation worthwhile. A crystal-controlled b.f.o. with upper- and lower-sideband crystals selected by a switch would be somewhat more convenient for single-sideband use. The tunable b.f.o. has some slight advantage for c.w. use. The main reason for using the arrangement shown was a desire to experiment with the voltage variable-capacitor diode.

Switch S_2 selects output from either the diode detector (for a.m. reception) or the product detector (for c.w. and s.s.b. reception). In the s.s.b./c.w. position, S_{2B} applies voltage to the b.f.o.

A.G.C. Amplifier

The a.g.c. amplifier consists of two direct-coupled common-emitter stages. An n-p-n transistor (Q_4) is used in the first stage to accommodate the positive-going close-to-ground voltage available from the diode detector. A p-n-p transistor (Q_5) is used in the second stage so that the output load resistor can be solidly connected to ground. The output is positive-going with increasing signal because of the double phase reversal in the two-stage amplifier.

The input stage is operated without any fixed base bias and, as a result, is practically cut off

when no signal is applied. When receiving signal input from the diode detector (S_1 in the r.f. position), Q_4 is turned on, and the collector draws current through the 27K load resistor. Via CR_3 , Q_4 also draws current (S_4 in the a.g.c. position) through the 39K and 5600-ohm voltage-divider network connected to the base of the output stage, Q_5 . This supplies the necessary current to Q_5 to turn it on, and a.g.c. voltage appears across the 2200-ohm load resistor in the collector circuit of Q_5 . If the time-constant switch (S_5) is in either the medium or slow position, the appropriate time-constant capacitor is charged rapidly by this same action, and the capacitor then provides the current to hold Q_5 on for a short period.

Silicon diode CR_3 prevents the time-constant capacitor from discharging through the 27K load resistor of Q_4 . When the input stage (Q_4) is receiving input from the audio side of the a.g.c. source switch, it acts as a combined rectifier and amplifier, but otherwise the operation is the same. The manual r.f. gain control (R_6) is connected into the circuit by a switch (S_4) ganged with it.

The a.g.c. bus is connected to the collector of Q_5 and feeds the bias networks of each of the controlled stages. The bias network currents flow through the 2200-ohm load resistor of Q_5 and establish a voltage of about +1 volt on the a.g.c. bus in the no-signal condition (Q_5 turned off). This voltage is taken into account in calculating the values of the resistors in the individual bias networks. The a.g.c. saturates with a bus voltage of about 10.5 volts.

The isolation provided by the product detector and filtering of the power and tuning circuits is effective enough to prevent any noticeable influence on the a.g.c. system when the b.f.o. is switched on. For this reason, the manual r.f. gain control is seldom employed, regardless of the mode in use.

³ Giacoletto and O'Connell, "A Variable-Capacitance Germanium Junction Diode for UHF," *RCA Review*, Vol. XVII, No. 1, March, 1956, p. 68.




Fig. 6—Bottom view of the detector/a.g.c. unit.

Considerations in A.G.C. Design

There are two general types of a.g.c. used in transistor amplifiers. One is called "reverse" or "current" a.g.c. and the other is called "forward" or "voltage" a.g.c. Reverse a.g.c. is used on all controlled stages in this receiver. The action is analogous to a conventional vacuum-tube a.g.c. system in that the a.g.c. voltage reduces the forward bias on the bases of the controlled stages, and this reduces the collector current and hence the gain. In "forward" a.g.c., a resistor is inserted in the collector supply circuit of the controlled stage and the a.g.c. voltage is arranged so that it increases the base forward bias and hence the collector current with increasing signal. Although the collector current increases, the drop across the resistor in the collector circuit reduces the supply voltage and produces a net reduction in gain. There are many possible variations of these basic systems, including direct control of collector or emitter voltages by the a.g.c. Some fairly subtle differences exist between the systems in the areas of noise figure obtainable, resistance to overload, and stage detuning. Some further a.g.c. design effort might produce improved results, especially if difficulty is experienced with overload by very strong adjacent-channel signals.

S Meter

The S meter is an adjustable-range voltmeter made up of a 0-1 milliammeter and two series resistors, one of which (R_7) is a screwdriver-adjustable rheostat. A microammeter of any

range, or a low-range milliammeter, can be used by properly proportioning these resistors. To prevent the meter from reading the fixed a.g.c. bus voltage, the negative side of the meter is returned to a fixed 1.3-volt reference voltage. The S meter is prevented from reading below zero by the silicon diode, CR₄.

Construction

Top and bottom views of the detector/a.g.c. unit are shown in Figs. 5 and 6. The b.f.o. components, including Q₆, are mounted in a shield can removed from an old i.f. transformer. The tuning slug of L₁ projects from the top of this can. This subassembly and the other components of Fig. 4 (except for the controls) are mounted on another $4\frac{1}{4} \times 1\frac{7}{8}$ -inch base of copper-coated phenolic sheet.

Adjustment

The product detector is biased in the linear portion of the transfer characteristic. Adjustment is carried out by disabling the b.f.o. and adjusting the signal input level by means of the voltage divider R₁R₂ until no significant audio output can be heard on strong signals. The b.f.o. is then turned on and the b.f.o. level adjusted by means of the voltage divider R₃R₄ in the emitter of Q₃. Alternatively, the b.f.o. output can be adjusted itself if desired. The injection level should be set for satisfactory audio output without distortion.

Care should be exercised with the 2N1302 transistors. They are somewhat unusual in that the base is connected to the metal case, and this can result in a high transistor mortality if it is not kept in mind in mounting. QST

W4JA's "Easy Match" has been made up neatly into a small cabinet. Practically any parts arrangement can be used, although the r.f. leads should be kept short and reasonably well separated.



Easy-Match for High-Impedance Antennas

Simple Transmatch Circuit for Single-Wire Feed

BY GILBERT L. COUNTRYMAN,* W4JA

MOST transmitters today, both factory models and home brew, are designed for output at around the 50- or 75-ohm level. Some of them will match higher impedance loads, but operation becomes marginal as 500 or 600 ohms is approached. This makes it almost impossible to use two old stand-by antennas having unbalanced high-impedance feed.

The first of these is the good old Windom — a half-wave wire, cut for the lowest frequency to be used, with a single-wire feeder attached 14 per cent of the total antenna length off center. This is an excellent radiator, easy to erect, and operates well on its harmonics. True, it does not discriminate too well and some harmonic suppression is advisable in addition to that provided by the usual pi-network tank.

The other antenna is the simple "long wire" with one end brought tight into the shack. If cut so that the over-all length of the wire is approximately one-half wave at the lowest frequency to be used, it is an excellent radiator and also operates well on its harmonics — with additional suppression desirable as mentioned above. True, if your shack is in the cellar or in your home bomb shelter, bringing one end of the antenna virtually underground is a practice not generally considered acceptable. However, if your shack is on the second or third floor, don't overlook the possibilities of a direct end-fed antenna. It will give surprisingly good results, if operated against ground and in connection with a good matching device. There are locations where it is the only practicable type of antenna that can be readily erected.

Either of these two antennas may be operated

with no special ground connection, but for best results a good r.f. ground must be included in the system. It helps to bring up the ground lead outside the shack just below where the antenna enters. Use a gap-type lightning arrester for safety.

A half-wave "direct-fed" antenna with one end brought into the shack has been much maligned. This is because of the early practice of coupling by tapping the end of the antenna on one of the turns of the output plate tank coil through a small fixed capacitor for d.c. blocking, so there was no discrimination against harmonics. Furthermore, little if any attempt at matching was made except by the selection of a tank coil turn, and as a ground was seldom used it sometimes resulted in "r.f. in the shack."

With either antenna the use of some coupling device is necessary, not only for proper impedance matching but also to permit using either an s.w.r. meter or a low-pass filter, or both, in a coaxial line from the transmitter. The L network is a natural for the required impedance matching. It is discussed in Chapter 2 of *The Radio Amateur's Handbook*, and the March 1957 issue of *QST* covers the ground more thoroughly.¹

The simple L network shown in the photograph is designed to match a high-impedance antenna or unbalanced feeder to the low-impedance pi-network output of the transmitter. If you can use junk box and surplus material the cost is peanuts.

The uncomplicated circuit is shown in Fig. 1. The inductance is a rotary 40-turn variable

¹ Grammer, "Simplified Design of Impedance-Matching Networks."

*75 East Bay St., Charleston, S. C.




Fig. 1—The L matching network. J_1 is a chassis-mounting coax receptacle, SO-239. R_1 , R_2 , and R_3 are shunts for the r.f. ammeter; see text for discussion of these and other circuit values.

inductor with a spring-loaded pulley-wheel type contact, and comes from a piece of surplus military gear. These can be bought for a buck or so, when found, and if you are lucky you can get one with the vernier dial, which reads directly in coil turns. This is the one pictured. If this exact type is used, a $3\frac{1}{2}$ -inch hole should be cut in the panel to permit the 3-inch dial to turn freely, and the coil should be positioned when mounted so that "0" turns is indicated at the top when the wheel is against the stops. The maximum inductance is just under 40 microhenrys. E. F. Johnson Co. manufactures excellent rotary inductors which can be used. If you prefer a tapped coil, a 4-inch length of 8 turns-per-inch, 3-inch diameter, manufactured low-loss coil can be used with a 12-position heavy ceramic switch for shorting out unused turns.

The variable capacitor came out of a tuning unit for the BC-375-E. It is the one stamped T-7660443P, and has a capacitance of 19 to 116 pf. It works fine for the long end-fed antenna, but for matching a 600-ohm load at lower frequencies it would be better to have a capacitor with a maximum of close to 250 pf. Surplus capacitors of this value are available; two of the 116-pf. jobs from the BC-375-E can be used in parallel, or a 2500-volt mica transmitting-type fixed capacitor of about 100 pf. can be arranged to be switched across the variable, or plugged into the circuit using banana plugs and jacks. Voltages with the end-fed long wire are high, so wide plate spacing is necessary for medium- or high-power transmitters — about 2000 volts breakdown. You will be safe if you use spacing equivalent to that in the plate tuning capacitor in your pi-network output tank (not the lesser spacing for the output loading capacitor).

The meter in the photograph is a surplus 0-2 r.f. ammeter. A 1- to 2-amp. scale will be adequate for single-wire feed and an end-fed half wave. A switch and shunts can be used across the meter for different transmitter outputs and for end-fed antennas when the impedance happens to be low. In the model shown, position

1 has no shunt and positions 2, 3, and 4 have one, two and four lengths, respectively, of individual strands from ordinary lamp cord, each about 2 inches long, across the meter. R.f. meters are available in surplus stores for a couple of dollars, and a ceramic coil switch from the BC-375-E could be used in place of the 90-degree indexing type shown.

There are several methods of placing the network in use. If you are using a Windom antenna, the approximate settings for the capacitance and inductance can be determined from data in the *Handbook*, taking into consideration the output impedance of the transmitter to be matched. In the case of the end-fed long wire it is not so simple, as the impedance at the end cannot be calculated, although it may be assumed to be some thousands of ohms.

One approach is to set up the pi-network output of the transmitter using a dummy load of either 50 or 75 ohms, noting the various settings for the different frequencies and thereafter not changing transmitter control settings except to change bands. All further adjustments should be made with the L-network controls, the object being to load the transmitter normally without changing the transmitter pi-network settings. With the optimum settings, maximum r.f. current should be indicated on the meter. The dummy antenna is not needed if an s.w.r. meter is inserted between the transmitter and the L network.

Without an s.w.r. meter or dummy antennas the transmitter and L network can be tuned up merely by adjusting all controls to give normal amplifier output (with the final "dipped") and for maximum r.f. current indication in the L-network meter. Once settings are determined, they should be logged for future use.

If a low-pass filter is necessary, the transmitter should be set up on a dummy load as described above if no s.w.r. meter is to be used. This will insure that the impedance will match the 50- or

(Continued on page 152)




Fig. 2—Showing how various accessories are used in conjunction with the transmitter and L network. Coax cable, either 52 or 75 ohms, is used for interconnections.

• Recent Equipment —


Transtenna Model 101 T.R. Switch and Preselector

ELECTRONIC transmit-receive switches have acquired a somewhat unfortunate reputation because of such things as signal "suck-out,"¹ TVI, and the sometimes temperamental operation of the tube. The Transtenna Model 101 t.r. switch not only overcomes these but has some built-in features that add to its versatility. Provision is made for biasing a final amplifier beyond cutoff and for sidetone monitoring of keying. A new principle of operation, which can probably be better understood by looking at the simplified diagram of the unit in Fig. 1, is used in the t.r. circuit.

Unlike conventional t.r. circuits that feed the r.f. voltage from the transmitter's tank circuit to the control grid of the t.r. tube, the Transtenna employs the No. 3 grid of a 6AS6 pentode as the element to which the r.f. is applied. During transmission, a low-level r.f. signal is coupled from the transmitter tank circuit through the internal capacitance of the switching tube to the tuned circuit L_1C_2 and thence to the diode CR_1 , where it is rectified. This develops a negative d.c. bias at the grid of the biasing tube, V_2 , which stops conducting, placing the full negative 150 volts on the control grid of the switching tube V_1 , and biasing it off. The receiver, which is connected to the output terminal in Fig. 1, does not overload because both V_1 and V_2 are completely biased off. The possibility of television interference because of harmonics generated in the switch tube is eliminated since there is no rectification in this tube. The negative cutoff bias is also used to power a built-in transistor sidetone oscillator. Output from the oscillator is available at a connector at the rear of the cabinet.

During reception, the proper positive bias is

¹ Campbell, "Variations in T-R Switch Performance," *QST*, May, 1956.



developed for the No. 1 grid of the switching tube (this isn't shown in the simplified circuit, Fig. 1) so that the tube operates as a linear amplifier, boosting the signal arriving from the transmitter's tank circuit and antenna. The amplified output is developed across L_1C_2 and is fed to the receiver antenna input.


The switching tube, V_1 , and its associated components are mounted in a separate outboard unit designed to be contained inside the transmitter as close as possible to the transmitter tank circuit. This is similar to Sabaroff's t.r. switch² described several years ago.


Many additional components and tubes not mentioned above or shown in Fig. 1 contribute to the finer working of the unit. For instance, there is a d.c. amplifier which develops a negative bias for receiver muting. A neon lamp is connected in series with the plate supply for the switching tube so that the operation of the unit may be monitored from the front panel.

The Transtenna is designed to operate in the amateur bands 80 through 10 meters and is band switching. It provides 20- to 30-db. gain over the signal level developed with the antenna connected directly to the receiver. The t.r. switch may be attached to transmitters running the maximum legal input and employing parallel

² Sabaroff, "A Novel Electronic Transmit-Receive Switch," *QST* June, 1957.

Fig. 1—Simplified diagram of the Transtenna Model 101 T.R. Switch.





This view shows the Model 101 with the cabinet removed. The box with the tube at the bottom of the photograph is the outboard switching unit which mounts in the transmitter. Leads and components at the top of the photograph are for s.s.b. voice control and external transmitter control circuits.

feed to the final tank circuit with a d.c. plate voltage not more than 3000 volts.

Front-panel controls and connectors on the main unit include the band switch, a tuning control for peaking up the received signals, the neon lamp indicator, a receiver mute connector, and the receiver antenna connector. These connectors mate with phono plug connectors which are furnished. A key jack at the rear of the

Transtenna can be connected to the transmitting key when operating c.w. so that the Transtenna biasing circuit is triggered the instant the key is closed, thus muting the receiver. The time constant is such that the receiver is held off for a moment after the key is opened.

Other connectors on the rear of the Transtenna include a tone output jack, two sockets that connect to the outboard switching unit and a six-terminal relay socket. The relay socket is intended to provide power for an external relay that can be used for mechanical receiver muting, linear-amplifier biasing (the bias, -160 volts, is furnished by the Transtenna), and to tie in the Transtenna for s.s.b. VOX operation. The external relay must have a 5000- to 10,000-ohm coil.

A Transtenna Model 102 is also available. It is similar to the Model 101, except that the switching tube is mounted inside the control unit. This requires the conventional t.r. hookup — that is, the switch tube is connected across the transmission line from the transmitter to the antenna. Thus signal suck-out can occur with this model. Two standard coaxial sockets (SO-239) are provided at the rear of the unit for making the connection. Panel layout and controls are the same for both models.

— E. L. C.

Transtenna Model 101

	Control Unit	Switching Unit
Height:	4¼ inches	1½ inches
Width:	5 inches	1¾ inches
Depth:	4 inches	1 inch
Power Requirements: 117 volts, a.c.		
Price Class: Model 101, \$70; Model 102, \$65.		
Manufacturer: Fichter Electronics, 33 Myrtle Ave., Cedar Grove, New Jersey.		

Inverters for Ham Use

A CONVENIENT method of powering equipment, sometimes overlooked by amateurs, is the d.c.-to-a.c. inverter. Field day, Civil Defense, mobile, and emergency operation require a source of power other than 117 volts from the mains. Gasoline-powered generators are fine but are quite expensive, even for low-power units. Vibrator, transistor or dynamotor supplies can do the job, but their output is direct high voltage, making it necessary to dig into the equipment and bypass the existing a.c. power supply.

One solution to the problem is the use of an inverter. Although inverters have been around for many years, they have become increasingly popular recently and a variety of models are available for powering 117-volt a.c. tape recorders, dictating machines, electric razors, and simi-

lar equipment from the automobile d.c. power supply. Inverters are not restricted to low-voltage d.c. input and 117-volt 60-cycle output. Models are available for other input and output voltages and frequencies, such as those found in aircraft, marine, and military vehicles. Power output and efficiency of the various available inverters range over a large area and depend somewhat on whether the inverter is of the vibrator or transistor type.

Some typical inverters and their specifications — which might suggest to the reader some further uses and applications — are discussed below. The inverters described were chosen not only because they represent three different power output levels, but also to show some of the different methods used to convert the d.c. to a.c.

ATR Model 12-DME, 50 Watts

This low-power package is representative of a whole series of inverters that are designed for temporary hook-ups. A plug that will mate with most automobile cigarette lighters is furnished and also doubles as the on-off switch — when it is desired to use the inverter, just plug it in.

The 117-volt output is available at a standard receptacle mounted on the inverter case. The case measures $5\frac{1}{2}$ inches wide, $2\frac{3}{4}$ inches high and 5 inches deep. It's small enough to store in the car glove compartment, yet is husky enough to power equipment such as the Heath "Sixer" or "Twoer". Efficiency of this inverter is approximately 50 to 75 per cent, which is representative of what can be expected from vibrator type inverters. The principle of operation is simple: The d.c. input is "chopped" by a vibrator, and then stepped up to the required output voltage by a transformer. The output waveform is essentially square wave.

ATR has a complete line of inverters ranging from 15 watts to over 400 watts output, and with d.c. inputs from 6 volts to 220 volts. Some of the high output models are designed for a more permanent installation and include a remote-control unit with an under-dash control panel that permits installation of the inverter in the car trunk. ATR inverters are manufactured by the American Television & Radio Co., St. Paul, Minnesota.

Heathkit Model MP-10, 240 Watts

This inverter kit is an all-transistor model that provides 117 volts a.c., 60 cycles, at 240 watts intermittently or 175 watts continuously with 12 volts d.c. input. The unit will also operate on 6 volts d.c. with a reduction in rated power output to 120 watts, intermittent or continuous.

The transistor circuit is similar to the vibrator inverter except that, instead of a vibrator, a pair of transistors are used as switches to chop the d.c. Efficiencies in the order of 80 per cent are possible with the transistor supply. As in the case of the vibrator supply, the output is a square wave.

Comparing efficiencies alone, the transistor inverter is favored over the vibrator type. However, the transistor model doesn't have the close frequency tolerance of the vibrator unit. This is a factor that should be considered when the inverter is powering frequency sensitive items such as clocks, tape recorders, etc. The problem is actually one of holding the input voltage constant in order to maintain a constant frequency. This is difficult in the automobile electrical system where the voltage can swing over a range of three or four volts, depending upon the engine speed (charging rate), load, etc.


The old transistor bugaboo — power capacity reduced at high temperatures — doesn't hold true with this model: it can be operated at full output in ambient temperatures up to 165 degrees F.



The ATR 50-watt inverter. The plug in the foreground inserts into the car cigarette lighter, for d.c. power pick-up. Output, 117 volts, 60 cycles, appears at the receptacle just to the left of the name plate.

In case you have had the idea to connect two of these inverters in parallel to increase the power output, it can be done. The transistor oscillators (switches) will lock to each other and adjust themselves as to output voltage, frequency and power.

Power output of the MP-10 is high enough to run transmitter-receiver combinations in the "Communicator" class and still have enough left over for operating a lamp or a soldering iron. The supply measures $7\frac{3}{8}$ inches long, $5\frac{1}{8}$ inches wide, and $4\frac{3}{4}$ inches high and is made by the Heath Co., Benton Harbor, Michigan.



The Heathkit model MP-10 240-watt inverter. D.c. connections to the unit are made to lugs on the bottom of the unit. A terminal strip, also on the bottom, contains jumpers for either 6- or 12-volt operation. Two output receptacles, 25-amp. fuse, and the on-off switch are on top of the unit. The transistor heat sinks are shown here for horizontal operation of the supply. If the inverter is mounted on a vertical surface, the heat sinks must be rotated 90 degrees for optimum cooling.



The Terado 300 watt inverter. The frequency control reed is visible between the 12-volt d.c. input terminals on the main unit. Cables at the right of the photograph are for connections to the battery and to the control unit at the left. The control unit, which can be mounted at a remote location, houses the output receptacle, voltage selector switch and indicator lamp. Although they are partially hidden in this photograph, cooling fins for the transistors are at each end of the main unit.

Terado Model 50-191, 300 Watts

Called the "Continental Converter," the Terado transistorized inverter not only represents a high-power model but also one of good frequency stability. Rated at 12 volts d.c. input, it has a continuous output rating of 275 watts

and 300 watts intermittent, and can hold the output frequency at 60 cycles regardless of changing input voltage or load. The secret to this stability is a tuned vibrating reed that controls the switching action of the four-transistor circuit.

As shown in the accompanying photograph, the necessary cables for installing the inverter are part of the package, including those for connecting to the 12-volt battery. The main unit, which measures 11 inches wide, 6 inches deep, and 7½ inches high, can be mounted in the car trunk and controlled remotely from the under-the-dash control head. On the head, which is 4 inches wide, 2½ inches deep and 1½ inches high, is the output receptacle, a voltage selector knob and lamp indicator. The voltage selector has five positions and is advanced from the lowest numbered position until the indicator lamp just barely lights. This indicates that the output voltage is at the correct value. If a larger or smaller load is applied to the inverter, the voltage selector can be adjusted to compensate for a voltage fall or rise.

One interesting feature of this particular unit is that some of the inverter output is used to run a built-in fan for forced-air cooling of the transistors.


With the power available from this supply even relatively large — up to ¼ h.p. — electric motors and appliances can be operated. If the d.c. power were available, a complete 100-watt station, including receiver, could probably be handled. On Field Day this could mean a healthy battery multiplier!

Terado also has a complete line of inverters, including cigarette lighter plug-in models. They are manufactured by the Terado Co., 1068 Raymond Ave., St. Paul 8, Minn. — E. L. C.

Knight T-150 Transmitter Kit

AMONG the many reasons for the drift toward buying rather than building, one stands out crystal-clear — in the case of kit equipment, it's cheaper. Most kits can't be matched in price by buying individual components to build up the same circuit. As an added inducement, kits also offer a kind of coordination — in the form of specially tooled cabinets, chassis, and mechanical parts — that are beyond reach for the designer who must use the materials listed in catalogs. The Knight T-150 is an excellent example; a quick tabulation shows that the cost of individually purchased components of equivalent characteristics — exact duplication of many features is of course impossible — would run to nearly 20 per cent more money than the kit price.

With this observation out of the way — and it's intended as a statement of simple fact, not as an argument for or against — a look at the kit itself shows that it appears to fill a niche that hasn't earlier been occupied by the many transmitter



kits now on the market. Its final-stage c.w. input is 150 watts. There is a built-in v.f.o., as well as provision for crystal control. The range of ham bands covered is 80 to 6 meters, inclusive. It has a.m. phone, in the form of controlled-carrier screen modulation. The power supply uses semiconductor rectifiers. The entire transmitter is smaller than many receivers, and weighs less than most.

The tube line-up is shown in Fig. 1. The v.f.o. uses the series-tuned Colpitts circuit with electron coupling. There are three frequency ranges, as shown in the block diagram, with each range spread over the entire 180 degrees of dial movement. Individual calibration scales are given on the v.f.o. dial for all bands.

The 6C16 second stage has a dual purpose: it is




Fig. 1—Block diagram of the T-150 transmitter.

a Pierce crystal oscillator when crystal control is used, and is a buffer or frequency multiplier when the v.f.o. is in operation. The third stage operates either straight through or as a frequency multiplier, depending on the frequency band. It uses a 7189, a type which so far as we know has not previously had any attention for r.f. use in amateur transmitters. Made for audio hi-fi amplifiers, it is a rather "hot" tube and takes some taming in r.f. work. In the T-150 the input and output circuits of this stage are resistance loaded on those bands where the stage operates straight through, to prevent self-oscillation. Also, — rather a rarity in anything except a final stage — there is a v.h.f. parasitic suppressor in the plate lead.¹ The plate circuits of the 6CL6 and 7189 are individually tuned by variable capacitors, appropriate coils being cut in by the band switch. The same switch takes care of band changing in the output amplifier.

The final stage has a pair of 6146s in parallel, neutralized by the capacitive bridge method. The plate tank is a (what else is there?) pi network with constants adjusted for working into coax lines. The two tubes have individual v.h.f. parasitic suppressors. The stage operates straight through on all bands. The frequency combinations for various output frequencies are as follows, in round figures:

Band	V.F.O.	6CL6 Plate	7189 Plate	6146s
3.5	3.5	3.5	3.5	3.5
7	7	7	7	7
14	7	7	14	14
21	7	7	21	21
28	7	14	28	28
50	8.5	17	50	50


The phone line-up is much like that in the earlier T-60 kit², with minor changes in circuit values because the modulated tube is of a different type — besides, there are two in parallel. The

¹ The kit described here includes modifications made after the transmitter was marketed initially. These modifications include a number of component substitutions and some rearrangement of parts underneath the chassis, plus the shields shown in the top and bottom views. Owners of the original transmitter can obtain modification kits free of charge by writing Allied Radio Corp., 100 North Western Ave., Chicago 80, Ill., specifying modification kit 040159 and giving the date of purchase of the T-150 kit.


² "Recent Equipment," *QST*, May, 1962.

modulation percentage at the point of maximum peak capability of the transmitter is not quite as high as in the T-60. Up to the overload point the audio quality is excellent, the distortion being negligible as compared with most systems of this type. There is plenty of speech gain for amateur-type microphones.

The keying is very good, especially considering the handicaps that have to be overcome in order to make break-in operation available in a low-cost transmitter. All four stages are keyed in the cathode circuits of the tubes. A 2200-ohm resistor across the key limits the rise in voltage across the contacts with the key open, but the voltage developed in it is enough for cutting off the oscillator. The final amplifier takes a small resting plate current with the key up. On the two lowest bands some care is required in tuning the 6CL6 and 7189 stages in order to get the cleanest note and chirpless keying: with four stages all working on the same frequency in one rather small box this is not surprising. The signal should be monitored when making these adjustments. On the higher bands, where the v.f.o. is on a lower frequency than the final stage, the tuning from this standpoint is much less critical. (Parenthetically, 7-Mc. also can be made noncritical by putting the v.f.o. on 3.5 Mc. for this band. This requires mentally



The v.f.o. tuned circuits are in the subchassis at the left in this view of the T-150. The shield between the v.f.o. and the rest of the transmitter minimizes interaction between the circuits. The two variable capacitors on the panel are for final tuning and loading. Speech circuits are at the right close to the meter.



The band switch is a little to left of center, with the 7189 and 6CL6 plate tuning capacitors on either side. Speech-circuit components are at the upper right. The v.f.o.-crystal switch, function switch, and key jack are on the right hand part of the panel. The small shield runs between the 12BY7 and 6CL6 sockets to help isolate the v.f.o. from the buffer. A.c. input, fuse, and line filter are on the bottom chassis apron at the left. The components near the coax connector are in the r.f. rectifier circuit for the output meter (other positions on the four-point meter switch read amplifier plate current, amplifier grid current, and 7189 grid current).

doubling the 3.5-Mc. dial readings to get the actual output frequency.)

The function switch has a position for v.f.o. spotting along with the usual a.m., c.w., and standby positions. There is an accessory socket at the rear, from which heater and plate voltages can be taken for auxiliary equipment, along with a 115-volt circuit which is activated when the function switch is in the a.m. and c.w. positions. The obvious use for this is in operating an antenna change-over relay.

One feature which should head off some "how-do-I-do-it" queries is a rear-mounted socket to which the plate and screen connections of the final stage are brought out. Plate-and-screen modulation can be introduced through this socket if the owner wants to up his phone power. A jumper plug completes the d.c. circuits when such an accessory modulator is not used. This plug makes a handy disconnect device for the final when the set is out of the cabinet for working on other parts of the transmitter, and for neutralizing the final stage.

The power supply uses the full-wave voltage-doubler circuit with silicon rectifiers. The output voltage at full power is approximately 600. A tap taken between the series-connected filter capacitors supplies 300 volts for the r.f. stages and the 6146 screen (through a dropping resistor in the latter case). A gas voltage regulator stabilizes the voltage for the v.f.o. tube. The 6CL6 screen voltage also comes from the regulated source.

Although the transmitter is not physically large, considering the power level, there is little or no crowding in its layout. The v.f.o. chassis is wired separately before installation on the main chassis, and is quite rigid mechanically; the oscillator is substantially unaffected by mechanical

T-150 Transmitter Kit

Height: 9 inches.

Depth: 9½ inches.

Width: 17¼ inches.

Weight: 26¾ pounds.

Power Requirements: 115 volts, 60 cycles; 350 watts at maximum input.

Price Class: \$120.

Manufacturer: Knight Electronics (Allied Radio), 100 North Western Ave., Chicago 80, Ill.

shock and vibration. The extra shield between the v.f.o. and final, and the small interstage shield underneath the chassis, contribute to the isolation that is necessary between circuits working on the same frequencies.

We were quite favorably impressed by the excellent packing of this kit and the way in which parts are segregated for easy identification. Composition resistors are mounted on cards, arranged with the resistors in numerical order according to circuit designation. Other small parts are grouped in a number of plastic transparent bags and do not require pre-sorting. Hook-up wire comes cut to the proper lengths (a different color of insulation is used for each length) and with the ends trimmed. Assembly and wiring took a little under 20 hours.

The cabinet is a welded one-piece wrap-around with a welded back having an opening for the terminals on the rear chassis apron. Six sheet-metal screws around this opening fasten the chassis to the back (the set slides in from the front) and ensure good electrical contact between the chassis and cabinet if the paint is scraped from the inside of the latter where the chassis butts against it. This over-all shielding is probably enough to take care of harmonic leakage in most TV locations, but since there is no electrical bond between the front panel and cabinet there can be leakage out the front. It is possible that something would have to be done about this in TV fringe areas.

The cabinet finish is gray, with the upper half of the panel gray of lighter tone and the lower half black. Bright metal trim is used on control knobs. The appearance of the set, to us, strikes a nice balance between the modern styling that fits into living-room surroundings and the technical flavor that a piece of transmitting equipment ought to have.

—G. G.

IMPORTANT NOTICE

Changes of Address

Important postal changes in handling second-class mail matter are now in effect. Please advise us *direct* of any change of address. Four weeks notice is required to effect change of address. When notifying, please give old as well as new address. Your promptness will help you, the postal service and us. Thanks.

1963 ARRL International DX Competition

Phone: Feb. 9-10 and Mar. 9-10

C. W.: Feb. 23-24 and Mar. 23-24

CONTEST PERIODS

Phone Section:

<i>Starts</i>	<i>Ends</i>
Feb. 9, 0001 GMT	Feb. 10, 2400 GMT
Mar. 9, 0001 GMT	Mar. 10, 2400 GMT

C. W. Section

<i>Starts</i>	<i>Ends</i>
Feb. 23, 0001 GMT	Feb. 24, 2400 GMT
Mar. 23, 0001 GMT	Mar. 24, 2400 GMT

ANNOUNCING the 1963 ARRL DX Contest . . . your opportunity to show your DX prowess, bag a few "new ones" for DXCC, and to have a lot of fun working the world . . . also for the DX stations to complete those difficult states for their WAS certificate, and provinces for WAVE. This contest is nothing new by any means, the 1963 version being the 29th running with the usual two week ends for c.w., and two week ends for phone . . . phone being all modes of phone work like s.s.b., a.m., etc. See above for dates and times.

The object is for DX stations to work as many W-K-WA-WB-VE-VO-KH6-KL7 stations as possible per band, and for the U.S.-Canadian stations to work the DX.

Certificates are awarded to the top single-operator phone and c.w. scorer in each country and ARRL section. A special certificate goes to the highest scoring multioperator from countries and sections of at least three such entries. You may also credit your score to your ARRL-affiliated club for separate club aggregate listing total of all club members' scores . . . with an engraved cocobolo gavel to the club with the highest total, and a certificate to each club's top phone and c.w. scorer. For club credit make sure your logs are clearly marked: "Participating for club award in the . . . (club)."

The award and scoring system is designed to encourage widest use of our bands with flexibility of operation rewarded. Repeat QSOs on additional bands are permitted. For example, W3GRF works F8VJ on 10, 15, 20, and 40 meters; both stations have added to their contact-point total, multiplier, and score. For the DX the multiplier is the total of the U.S.A.-Canada call areas (not states) worked *per band*. For U.S.A.-Canada stations the multiplier is the total of different countries contacted *per band*. No credit for W/VE-to-W/VE QSOs is allowed.

Here is a list of the 21 call areas and state/province abbreviations used by U.S.A.-Canada stations in those areas:

W1, K1 — CONN MAINE MASS NH RI VT
 W2, K2, WA2, WB2 — NJ NY
 W3, K3 — DEL MD PA DC
 W4, K4, WA4 — ALA FLA GA KY NC SC TENN VA
 W5, K5, WA5 — ARK LA MISS NMEX OKLA TEXAS
 W6, K6, WA6, WB6 — CAL
 KH6 — HAWAII
 W7, K7 — ARIZ IDAHO MONT NEV ORE UTAH WASH WYO
 KL7 — ALASKA
 W8, K8, WA8 — MICH OHIO WVA
 W9, K9, WA9 — ILL IND WIS
 W0, K0, WA0 — COLO IOWA KANS MINN MO NEBR NDAK SDAK
 VE1 — NB NS PEI
 VE2 — QUE
 VE3 — ONT
 VE4 — MAN
 VE5 — SASK
 VE6 — ALTA
 VE7 — BC
 VE8 — NWT YUKON
 VO — NFLD LAB

U.S.-Canadian amateurs have quotas on c.w. (see rule 10) but none on phone. DX amateurs have no quotas; they will QSO as many stations as they can in the 21 call areas on each band.

Check the rules which follow below. Keep a neat and accurate log like the sample shown in this announcement. Send a copy of your log at the conclusion of the contest to: ARRL Communications Dept., 38 LaSalle Road, West Hartford 7, Conn., U.S.A. You can obtain log forms free for the asking at that address. Logs must be postmarked by April 29, 1963, to be eligible for awards and QST listing. All reports big and small, are welcome.

Rules

- 1) *Eligibility:* Amateurs operating fixed amateur stations in any and all parts of the world are invited to participate.
- 2) *Object:* Amateurs in the United States and Canada will try to work as many amateur stations in other parts of the world as possible under the rules and during the contest periods.
- 3) *Conditions of Entry:* Each entrant agrees to be bound by the provisions of this announcement, the regulations of his licensing authority, and the decisions of the ARRL Award Committee.
- 4) *Entry Classifications:* Entry may be made in either or both the phone or c.w. sections: c.w. scores are independent of phone scores. Entires will be further classified as single- or multiple-operator stations. Single-operator stations are those at which one person performs all the operating functions. Multiple-operator stations are those obtaining assistance, such as from "spotting" or relief operators, or in keeping the station log and records.
- 5) *Contest Periods:* There are four week ends, each 48 hours long: two for phone work and two for c.w. The phone section starts a 2400 GMT, Friday, February 8 and Friday March 8 ends 2400 GMT, Sunday, February 10 and Sunday, March 10. The c.w. section starts at 2400 GMT, Friday, February 22 and Friday, March 22, ends 2400 GMT, Sunday, February 24 and Sunday, March 24.
- 6) *Valid Contacts:* In the phone section, all claimed credits must be made voice-to-voice. In the telegraph section,

LOG¹, ARRL INTERNATIONAL DX COMPETITION

ST. PIERRE

Sheet 1 of 33 CALL F.P8BX ARRL Section 7 of Country ET.MIQUELON

DATE & TIME (GMT)	STATION WORKED	COUNTRY	RECORD OF NEW COUNTRIES FOR EACH BAND								EXCHANGE		P O I N T S		
			1.8	3.5	7	14	21	27	28	SENT	RECEIVED				
2/23															
0051	W8FGX	W8								1			599 050	589 010	3
52	W8JIN									1			599 "	589 "	
53	W3MSK	W3								2			599 "	589 MD	
54	K4TML	K4								3			599 "	579 FLA	
0114	VE2TZ	VE2								1			599 "	579 QUE	
25	W3MSK	W3								2			599 "	349 MD	
26	W1QMM	W1								3			589 "	549 VT	✓
27	W4KXV	W4								4			589 "	- VA	2
27	W4ZYS									4			589 "	559 FLA	3
0217	W2UQB	W2								5			599 "	359 NJ	
23	W3WJD									5			589 "	569 PA	

0313	W2VL									5			599 "	589 NY	
21	W2KQT									5			599 "	479 NJ	
1725	W4QCL									5			589 "	559 VA	
Total points:															

¹This report form to be used by all phone entrants and by those c.w. participants outside W/K and VE/VO.

CD-55 (1/56) -over- Printed in U.S.A.

Sample log form that must be used by W/VE phone entrants and all participants outside U. S. and Canada, phone and c.w. This example is a DX c.w. log. U. S.-Canadian phone logs would reverse information in the "Sent" and "Received" columns; their "Sent" column would show exchanges like "59CAL," "57ONT." All DX stations, both phone and c.w., use this type log report.

only c.w.-c.w. contacts count. Crossband contacts may not be counted.

7) Exchanges:

a) *Amateurs in U. S. and Canada* will transmit a three-figure number, representing the RST report, plus their state or province. (The latter may consist of an appropriate abbreviation.) Phone participants will transmit a two-figure number consisting of the readability-strength report plus the state or province. *Example:* W6YY might transmit "579CAL" on c.w., "57 California" on phone.

b) *Amateurs outside W (K) and VE/VO* will transmit six-figure numbers, each consisting of the RST report plus three "power" numbers; the power indicator will represent the approximate transmitter power input. Phone contestants will transmit five-figure numbers, each consisting of a readability-strength report and the three "power" numbers. *Example:* VK2GW, with 100 watts input, might transmit "569100" on c.w., "56100" on phone. If the input power varies considerably on different bands, the "power" number should be changed accordingly.

8) Scoring:

a) *Points:* One point is earned by a W (K) or VE/VO station upon receiving acknowledgment of a contest exchange sent, and two points upon acknowledging an exchange received. Two points are earned by any other station upon receiving acknowledgment of a contest exchange sent, and one point upon acknowledging an exchange received.

b) *Final Score:* W (K) and VE/VO stations multiply total points earned under Rule 8(a) by the number of countries worked on one band plus the number of countries worked on each other band. All other stations multiply total points earned under Rule 8(a) by the sum of the number of W (K) and VE/VO licensing areas worked on one band plus the number of W (K) and VE/VO licensing areas worked on each other band.

There are 21 licensing areas: 12 in the United States (W1-8, KH8, KL7), 9 in Canada (VO, VE1-VE8).

9) *Repeat Contacts:* The same station may be worked again for additional points if the contact is made on a different frequency band. The same station may be worked again on the same band if the complete exchange for a total of three points was not made during the original contact on that band.

10) *Quotas:* The maximum number of points per country per band which may be earned by W, K, KL7, KH6 stations in the c.w. section is 18, and contacts made on the same band with the same country after the quota is filled will not count.

EXPLANATION OF DX CONTEST EXCHANGES		
Stations in U. S. and Canada Send:		
	RS or RST Report of Station Worked	Your State or Province (or Abbreviation)
Sample (c.w.)	579	ORE
Sample (phone)	57	Oregon
Stations Outside U. S. and Canada Send:		
	RS or RST Report of Station Worked	Three-Digit Number Representing Your Power Input
Sample (c.w.)	579	075
Sample (phone)	57	500

SUMMARY, ARRL INTERNATIONAL DX COMPETITION

Entry..... Call..... ARRL Section..... of Country.....
(CW or phone)

Name..... Address.....

Transmitting Equipment.....
.....Power Input.....

Receiver..... Antenna(s).....

(Non-W/V/VE/VO entrants show number of U.S.A. and Canadian call areas worked, instead of number of countries QSOd.)

Bands	1.8 Mc.	3.5 Mc.	7 Mc.	14 Mc.	21 Mc.	27 Mc.	28 Mc.	Totals
Number of Countries QSOd								
Number of Contacts								

Number of Different Countries Worked..... Number of Hours of Station Operation.....

Assisting person(s): name(s) and call(s).....

**
..... X =
(Points) (Multiplier) Claimed Score

Participating for club award in the.....
(name of club)

I certify, on my honor, that I have observed all competition rules as well as all regulations established for amateur radio in my country, and that my report is correct and true to the best of my belief. I agree to be bound by the decisions of the ARRL Award Committee.

.....
Operator's Signature and Call

*Figure in this box is the multiplier.
**Count 3 points per completed QSO; see contest rule 8a in January QST.

Sample summary sheet that must accompany all reports.

Thus complete exchanges with 6 stations in one country on one band fill the band quota for that country. The maximum number of points per country per band which may be earned by VE, VO stations in the c.w. section is 24, and contacts made on the same band with the same country after the quota is filled will not count. Exchanges with 8 stations in one country on one band are thus permitted Canadian participants. There is *no quota* for stations in the c.w. section *outside* of the U. S. and Canada. There is *no quota* for any stations in the phone section.

11) *Reporting:* Contest work must be reported as shown in the sample forms. Each entry must include the signal statement. Contest reports must be mailed no later than April 29, 1963, to be eligible for QST listings and awards. All DX Contest logs become the property of the American Radio Relay League and none can be returned.

12) *Awards:* To document the performance of participants in the 29th ARRL International DX Competition, a full report will be carried in QST. In addition, special recognition will be made as follows:

a) A certificate will be awarded to the high-scoring single-operator phone and to the high-scoring single-operator c.w. entrant in each country and in each of the mainland U. S. (plus Alaska and Hawaii) and Canadian ARRL sections (see page 6, QST) from which valid entries are received. In addition, a certificate will be awarded to the high-scoring multiple-operator station in each section or country from which three or more valid multiple-operator entries are received.

b) A suitable certificate will be awarded to the operator making the highest single-operator phone score in each ARRL-affiliated club, provided the club secretary submits a listing of a minimum of three phone entries by members of the club and that these scores are confirmed by receipt at ARRL of the individual contest logs from such members. The highest single-operator c.w. scorer in each club will be awarded a certificate under the same conditions. Only a bona fide resident member, operating a station in local club territory, may compete for club certificates.

c) ARRL will award a gavel to the affiliated club submitting the greatest aggregate phone and c.w. score by its members, whether single- or multiple-operator entries, provided such scores are confirmed by receipt at ARRL of the individual contest logs from such members. Only scores of bona fide resident members, operating stations in local club territory, may be included in club totals.

13) *Judges:* All entries will be passed upon by the ARRL Awards Committee, whose decisions will be final. The Committee will void or adjust entries as its interpretation of these rules may require.

14) *Disqualifications:* Each participant agrees to observe the contest rules as well as all regulations established for amateur radio in his country. Violation of any regulation, as confirmed by a single FCC citation or advisory notice or two ARRL accredited Official Observer reports, may constitute grounds for disqualification. Some examples of practices which can result in disqualification: off-frequency (out-of-band) operation, harmonics, spurious emissions, low tone reports in logs, key clicks, splatter, excessive sidebands, W (K) stations working banned countries. **QST**

1963, ARRL INTERNATIONAL DX COMPETITION

CALL.....W1AW..... ARRL Section.....CONN.....
Call.....1A..... Contest.....1.....of.....15.....

Country	Station	Date	Time (GMT)	Exchange Sent	Exchange Received
SPAIN	EA4CE	2-23	1300	569 CONN	478 100
	EA4EI	2-23	1343	578 "	378 075
ENGLAND	G3AGP	2-23	1206	599 CONN	469 150
	G3AGP	2-23	1249	573 "	463 130
	G3AGP	2-23	1255	569 "	373 130
	G3AGP	2-23	1259	494 "	283 130
	G3APN	2-23	1851	479 "	459 150
UKRAINE	UB5M2	2-23	1245	599 CONN	599 100
AUSTRALIA	VK2GW	2-23	1103	569 CONN	569 100
	VK2APK	2-23	1101	569 "	559 120

Canadian entrants should allow two "blocks" for each country, but may record no more than eight contacts therein. This report form to be used by QST and W/VE/VO participants.

QST 1/63

Sample of log form that must be used by W/VE c.w. participants. When a station is worked for less than the maximum number of points allowed, the additional contact to make up the points not earned in the first contact should be entered at the bottom of the sheet. Canadian entrants should allow two blocks for each country, but may record no more than eight contacts therein. A separate set of sheets should be used for each band.

Frequency Stability of Third-Overtone Crystal Oscillators

Measurements of the Effects of Tuning, Temperature and Supply Voltage on the Stability of V.H.F. Converters

This information on overtone crystal operation was submitted as an OES Report by W4LNG. In view of its interest to v.h.f. enthusiasts, we are happy to pass it along to QST readers in full detail.

BY RUTHERFORD L. ELLIS, JR.,* W4LNG

PROBABLY the most popular system of achieving local oscillator stability in v.h.f. converters for amateur use is the third-overtone crystal oscillator, followed by such multiplier stages as may be needed to develop energy at the desired injection frequency. The subject of this report is the simple triode oscillator recommended by the International Crystal Mfg. Co., using the triode portion of a 6U8 as the oscillator and the pentode section as a frequency multiplier.

The application is in the converter used for 144-Mc. reception at W4LNG. A 32.5-Mc. third-overtone crystal is used, with the 6U8 pentode doubling to 65 Mc. A 6CB6 doubles to 130 Mc. The oscillator is on a separate chassis from the converter, to permit experimentation, and to help in isolating the injection system and preventing unwanted frequencies from reaching the mixer.

Tests were made to determine the effect of temperature and voltage variations on frequency. A Hewlett-Packard v.h.f. counter was used to read frequency directly, and the oscillator was operated in a small environmental chamber to provide temperatures from 20 to 110 degrees

*77 Karland Drive N.W., Atlanta 5, Georgia.




Fig. 1—Effect of temperature (environmental) on the frequency of an overtone crystal oscillator on 32.5 Mc. Frequency of reception with a crystal-controlled 144-Mc. converter would be varied by four times this amount. Simple crystal oscillator circuit, using the triode portion of a 6U8, was used for all tests.

Fahrenheit. These items of test equipment were provided by Aeroscience Electronics, Inc., in Atlanta. Checks were also made to determine the amount of pulling of the crystal frequency that could be obtained by the various schemes often employed for shifting the frequency of fundamental-crystal oscillators.

TABLE I

Effect of Plate Circuit Tuning

Condition of Plate Circuit	Frequency of Oscillation, Kc.
Maximum Capacitance	32,501.889
Maximum Output (near Max. C)	32,501.808
Near Middle of Oscillation Range	32,501.533
Minimum Capacitance	32,501.472


The first test was to determine the effect of plate-circuit tuning on frequency. In this type of oscillator the plate circuit must provide a feedback voltage at the overtone frequency, through the grid-plate capacitance of the tube, in order for the circuit to oscillate on the overtone frequency. (Inadequate plate-circuit Q , or mistuning, may occasionally allow oscillation to take place at the *fundamental* frequency of the crystal, which is approximately one-third the marked frequency.) It is not surprising that tuning affects the frequency to some extent. Table I gives the frequency at which maximum output occurs, the frequencies at which oscillation ceases as the circuit is tuned either side of resonance, and the frequency at the middle of the tuning range. It will be seen that the total variation is less than 500 cycles at the frequency of oscillation, or less than 2 kc. at the frequency of reception in a 2-meter converter.

The effect of changes in temperature, with the plate circuit tuned for approximately maximum output and the supply voltage held constant, is shown in Fig. 1. Signal-frequency change over this range would be less than one kilocycle.

Effect of supply-voltage changes is shown in Fig. 2. Here the ambient temperature was maintained at about 82 degrees F, and the tuning was unchanged.

Fundamental-mode crystals can be "pulled" over a limited frequency range by changing the shunt capacitance across the crystal (antireso-

Fig. 2—Effect of varying supply voltage on the same crystal oscillator as used to obtain the data in Table I and Fig. 1. Temperature and tuning were held constant.



nant circuits) or by changing the series capacitance or inductance (series-resonant circuits). Fig. 3 shows the results of a study made to see if the frequency of an overtone crystal could be pulled with parallel capacitance. Series *L* and *C* had little effect.

These tests show that third-overtone crystal oscillators can be entirely satisfactory for crystal-controlled converter applications, if used at low drive levels and with reasonable precautions as to voltage regulation and temperature maintenance. With use of VR-tube regulation, and in normal room environment, such crystals can give a stability of plus or minus 100 cycles at the reception frequency. The crystal used in the tests was ordered as having a tolerance of 0.01 per cent. The actual room temperature frequency, 32,501.54 kc., is within 0.005 per cent of the 32,500.00 kc. requested.

Transmitter Applications

Overtone crystals definitely are not recommended by the writer for use in transmitters, except for very low-powered battery units. In order to achieve completely satisfactory transmitter stability, such crystals must be operated at very low power levels, so additional stages must be used to build the power level to usable proportions, thus nullifying the assumed economy or simplicity of such circuits. Their use does make it somewhat easier to avoid spurious fre-

quencies by not generating any signals below the v.h.f. range to be passed on through frequency-multiplier stages, but fairly simple circuitry can accomplish the same objectives readily.

A few hours of critical listening on the v.h.f. bands, using a selective receiver and a beat oscillator, should convince anyone of the value of stable fundamental-mode crystal control. Chirpy c.w. keying and phone signals that drift rapidly across the band are often the results of overtone oscillators being run above their capabilities. They are all too common in amateur v.h.f. work today. Of course, fundamental crystals can be guilty of the same faults to some extent, if improperly used, but they will take a lot more abuse before exhibiting unsatisfactory frequency control capabilities.

Q57

Overtone crystals (fifth, seventh and higher *odd* overtones, as well as the third, mentioned by W4LNG) are processed and mounted in special ways to enhance their ability to operate in the overtone mode. These cuts and mounting methods are in part responsible for the instability he describes. When fundamental-type crystals are made to operate on their odd overtones by adding various regenerative circuit devices, as described in many *QST* and *Handbook* articles, the voltage and temperature characteristics are essentially the same as those obtained with the same crystals operated on the fundamental mode, and followed by frequency-multiplier stages. The degree of regeneration required varies from one crystal to another, however, and adjustment for overtones above the third is a tricky business, so achievement of good stability is somewhat more complicated than with the same crystal operated on its fundamental mode. — Editor

Fig. 3—Pulling of the overtone crystal oscillator frequency by adding capacitance across the crystal. Circuit ceased oscillating with 5 $\mu\text{f.}$ added, until plate circuit was retuned.





Fig. 3—W8MNX circuit for 28-volt mobile operation.

K₁—D.p.s.t. 12-volt relay, 15-amp. contacts (Advance PG/2X/12VD).

K₂, K₃—Dynamotor starter relays, 12-volt coil (Advance ES/1A/12VD).

R₁—1-ohm, 50-watt rheostat.



28 VOLTS FOR MOBILES

A LOT of war-surplus equipment applicable for mobile use is available, but this equipment usually requires 28 volts d.c. for operation. There have been many systems described in the past for obtaining 28 volts for use in automobiles, but none of them satisfied me.

The circuit in Fig. 3 uses two readily available and inexpensive dynamotor starters, a 10-amp. relay and an extra 12-volt battery. Features of the circuit are: the auxiliary battery may be switched completely out of the circuit; there is no danger of shorting the battery through relay sequence or stuck relay contacts; charging the extra battery is selective and the charging rate is adjustable and monitored; the 28-volt equipment cannot be operated unless the ignition switch is turned on.

The purpose of the 1-ohm rheostat is to limit the current from the auxiliary battery in the charging condition. If a heavy load is applied to the car battery, the rheostat will limit the current from the extra battery to a level that will not harm the low current contacts on K₁.

The dynamotor starting relays are also war surplus, although others are available new, but at a much higher price. I have used this circuit now for over eight months with satisfactory results.

— John G. Gilliam, W8MNX

230 VOLTS FROM 115-VOLT GENERATORS

MOST houses today are wired for single-phase, 230-volt, center-neutral service. If you have an emergency generator that supplies 115 volts, only part of the circuits in the house can be powered at one time, since the 230-volt circuit is usually split into two 115-volt circuits.

The circuit in Fig. 4 shows how a 115-volt single-phase generator can be used to power a 230-volt circuit by using an autotransformer. Any old transformer with a 115/230-volt primary winding and a wattage rating equal to one half the load will do. The unused secondary winding




Fig. 4—W8YHX's autotransformer.

can either be disconnected or removed. It is a good idea, also, to ground the frame of the generator and transformer. Try to put the generator across the leg with the heaviest loading.

— Norman A. Godwin, W5YHX

WHAT CAR VOLTAGE?

MOST equipment available for mobile use today is designed for 12-volt d.c. operation. If you are in the market for a new or used car and are considering mobile operation, the car battery voltage is an important factor. The list below shows the battery voltage of most American cars up to the present. It may not be too long before this table is obsolete — there is talk in automotive circles about going to 24-volt d.c. systems in cars!

Car Year	Voltage
1952 and before	All cars are 6-volt.
1953	Olds, Cadillac, Buick 50 and 70 series, Chrysler Crown Imperial are 12-volt.
1954	Olds, Buick, Cadillac, Chrysler Crown Imperial, Nash Metropolitan are 12-volt. All others are 6-volt.
1955	GM, Chrysler Crown Imperial, Packard, Nash Metropolitan are 12-volt. All others 6-volt.
1956 to present	All cars are 12-volt.


— Laird Campbell, W1CUT

CHASSIS AND PANEL LAYOUT

A COMMON practice in the machine-shop and sheet-metal industries is to coat the metal to be fabricated with a blue-colored alcohol base dye, known as "layout blue." The dye enables the worker to scribe accurately the dimensions of holes, bending lines, etc. Once the item is fabricated, the layout blue is removed with either paint thinner or a commercial vapor degreaser.

I recently discovered that the common felt-tipped "Magic Markers" available in most stationery, five-and-dime, or drug stores will work exactly like layout blue. Using the marker pencil, it is possible to color areas where drilling, punching, bending, etc., is required. Scribe lines as required and proceed with the fabrication. When finished, remove the ink with common nail-polish remover. This technique lends itself to more professional and accurate chassis and panel work.

— Robert F. Aberle, W2QPP



Building Fund Progress

More than 5,000 League supporters have, at copy time late in November, contributed upwards of \$65,000 to the ARRL Building Fund, or slightly more than one-fourth of our goal. An increase in the flow of contributions during October and November, including a pleasing response from members of the Quarter Century Wireless Association, pushed the drive up a couple of more notches on the tower. Response to President Hoover's reminder letter in our December issue is just commencing as we write, and by the end of the year we would hope for achievement of well over one-third of our goal.


The breakdown by divisions, with percentage of quota received, is as follows as of November 23rd:

Hudson	36.9%	Atlantic	22.3%
Central	34.8	Canada	20.3
Roanoke	29.7	Delta	20.2
Dakota	28.9	Midwest	19.6
New England	27.6	Rocky Mt.	19.4
Southwestern	26.3	Great Lakes	17.6
West Gulf	24.7	Pacific	16.0
Northwestern	24.5	Southeastern	14.5

Construction of the building itself has moved quite rapidly; compare the picture on this page with earlier *QST* illustrations of the site! All concrete floors have been poured, outside masonry is nearly complete, the roof is finished, and after extensive delays in procurement of materials the window subframes are installed and glazing is now in progress. The result will be to get the building closed in sufficiently so that the inside work of plumbers, plasterers, carpenters and electricians may proceed despite New England's winter weather.

No date has been set specifically as the target for accomplishing our goal. However, it is our hope to have the drive largely complete by the time of occupancy, now estimated as May or June of 1963. To do this, we'll have to keep moving ahead! If you have not already done so, fill out the form in December *QST* (or if not convenient, send us a check and we'll take care of it), and add your name to the growing list of participants in the Building Fund. Let's shortly find ourselves obliged to adopt W0ERS' suggestion and, in the interests of safety, put a lineman's belt on our tower-climbing ham!

QST



Members Are Saying . . .

Here is my contribution, and I wish it could be larger. I have been a member of the League since about 1920, and this seems little enough support for all the things the League has done for amateur radio from the beginning of time: instructor in the art; defender against hungry commercial interests; representative to the government; promoter of good operating practices; deviser of contests; encourager to the initiate; pioneer in technique; cultivator of international friendship; tenacious guardian of our precious rights and privileges; in every phase of our hobby the League has been Mr. Ham Radio. Without the ARRL, I doubt there would be amateur radio anywhere in the world today. — *W8FVU*.

Last night our club held an auction, at which all items were donated by members with the express purpose of the funds being sent to ARRL for the new building. Enclosed is a check representing all the proceeds. Best wishes from all the gang for success. — *Irlington Radio Amateur Club*.

Although I have been a ham for only three years, I realize that I owe a lot to the League. Seeing how at the last international radio conference the amateurs of other countries lost some of their frequencies, but the U. S. kept all theirs, it appears quite obvious that, if there had been no League to voice a unified opinion, most if not all amateur privileges would have been lost by now. Hope that sometime I will be able to go east and see the new headquarters. — *W16JXH*.

Enclosed is a cheque. Some weeks ago I attended a club meeting at my previous location in which a contribution for the club was brought up. The president said he couldn't see what ARRL had done for anyone. A few minutes later someone brought up the idea of a local code-practice net; the president's next statement was all one had to do is tune into W1AW!

I'm not a ham, but a staunch League member. — *Lawrence C. White, Prescott, Ont.*

Don't look for any red lights — it's go all the way! I'm glad that ARRL was here before I was born, and I want to see that it's here long after all of us are gone. There's no other better way to participate than to jump right in; sorry I couldn't splash more water on you with the enclosed. — *W15CON*.

We recently voted to donate to the fund. The League has done much to guide, coordinate and organize the activities of thousands of radio amateurs in the past and we are sure it will continue to do the same in the future. — *Atlanta Radio Club*.

I do not consider the enclosed check a donation but an investment in the League and the future of ham radio which I fully intend to enjoy for another 34 years of membership. — *K4TNA/KL7*.

Herewith a check. In addition, the club membership is being canvassed for individual contributions. All such donations will be forwarded sometime in the near future. We wish to express our appreciation for the many fine services offered by the League and its contributions to amateur radio. — *Nittany Amateur Radio Club, Pa.*

We have made a collection to support the building fund and hope you will accept the enclosed as a symbol of your efforts for the amateur movement. — *Gothenburg Radio Amateur Society, Sweden*.

Enclosed is my contribution. I am a fairly new amateur and member of the League (haven't even been on the air yet) but I can still appreciate the work you have done and the need for the organization and representation provided by ARRL. — *W1SPOT*.

I think ARRL helps all the amateurs around the world and I want myself to help for the new building. Please find contribution enclosed. — *FG7XT*.

In arriving at an amount for the fund I could not go along with the suggestion of one dollar for each year of license. Heck, boys, I have had my ticket for only four years. However, although I am 52 years young I hope to be around for another 25 years. So my contribution is keyed to the future and not the past. — *K2QEV*.

Enclosed is a check. I am especially indebted to the League, for it is through amateur radio that I developed an interest in and knowledge of electronics. I plan to study for a degree in electrical engineering, and I have gained enough knowledge of electronics through ham radio already to work as an electronics technician. It is quite evident that, without the League, amateur radio would not exist as we know it today. — *W7IST*.

Am an s.w.l., just too dumb to get code, I guess. But am proud to be an associate member; here's my check. — *Al Sanderse, Clifton, N. J.*

To really know the value of ARRL, it seems almost necessary that one be outside of its beneficial environment for a time. I operated KR6GH for a year after becoming interested in ham radio overseas, and I can honestly say that the small contribution I can give to the fund is only a drop in the bucket in comparison to the warm feeling of returning to the states as an ARRL member. Best wishes in the campaign. — *K7NIA*.

After 30 years enjoyment of the world's best hobby, the enclosed is only a small donation, but every little bit helps to house our organization in adequate quarters to carry on the very fine work of many years past. I am most appreciative of all the efforts the League has put forth in our behalf. — *W0PGW*.

If I were to try and evaluate the good I have received from ARRL the bill I would owe in recompense would be staggering. So I hope you realize the small amount enclosed is exactly what I can afford; would it could be more. In all the years I have been a ham, it has been my policy to encourage new hams to belong to the League, but I am sorry to say not always successful. If perhaps the League itself took a more positive attitude and bigger efforts in the blowing of its own horn there might be a larger response. So many of the newcomers are not aware of the part played by the League in our very existence. — *W4TRS*.

Happenings of the Month

Examination Schedule

420 Power Limit Removed

Director Election Results

Commemorative Stamp

Easier Mobile Logging Proposed

Reciprocal Licensing

DIRECTOR ELECTION RESULTS


The contested portion of the ARRL autumn elections has resulted in the re-election of all five directors who faced the ballot. Thus, for the second time in five years, there are no "freshman" directors on the Board.

Central Division amateurs re-elected their director, **John G. Doyle, W9GPI**, by the rounding total of 2837 votes to 1142 for Kermit A. Slobb, **W9YMZ**. **Milton E. Chaffee, W1EFW**, garnered 1736 votes to 1308 for Robert York Chapman, **W1QV**, in retaining the New England director's post. On the opposite coast, longtime Northwestern Division director **R. Rex Roberts, W7CPY**, with 878 votes, defeated Harold W. Johnston, **W7PN** (791 votes) and Robert B. Thurston, **W7PGY** (462 votes). In the Rocky

Mountain Division, **Carl L. Smith, W0BWJ**, was re-elected over Robert B. Miller, **W7QPP**, 674 to 250. **Raymond E. Meyers, W6MLZ**, won re-election in the Southwestern Division with 2200 votes to 1545 for Howard F. Shepherd, jr., **W6QJW**.

Former Southwestern vice-director **Virg I Talbott, W6GTE**, has returned to that post after a two-year rest by defeating Lyle G. Farrell, **W6KGC**, 2164 to 1639. In the Northwestern Division, there was no eligible candidate for vice-director; therefore, in accordance with By-Law 6, the incumbent, **Robert B. Thurston, W7PGY**, will continue in office until the next regular election.

As we reported in November (page 61), Directors Kuhn of the Hudson Division, Anderson of Roanoke and Best of West Gulf, vice-directors



The shaded areas on this map indicate the approximate sections where 420-450 Mc. power inputs are still restricted to 50 watts. See the text of the Report and Order at the end of this department for exact boundaries.

Haller (Central), Dannals (Hudson), Green (New England), Abernethy (Roanoke), Sampson (Rocky Mountain) and Bryan (West Gulf) were declared re-elected, as the only eligible candidates for their respective posts. The new terms for directors and vice-directors commence at noon (EST) January 1, 1963.

420-450 Mc. POWER LIMIT REMOVED

The FCC has adopted amendments to the amateur rules as requested by the League and proposed in Docket 14610, removing the 50-watt power limit on the 420-450 Mc. band except in some areas of the South and Southwest. In the areas where the restriction remains, individual amateurs may be able to get permission to run higher power on a case-by-case basis. Application should be made to the District FCC Engineer-in-Charge, who will clear it with the Military Area Frequency Coordinator. The text of the Report and Order appears at the end of this department.

FCC PROPOSES SIMPLIFIED MOBILE LOGGING

Acting on a petition filed by the League, FCC has issued a Notice of Proposed Rulemaking, Docket 14853, to simplify mobile log-keeping by eliminating the need for individual time entries during a period of continuous mobile operation. If the proposal is adopted, section 12.136 (a) would read as follows, the addition being indicated in italics:

The date and time of each transmission, except that for a period of continuous mobile operation, the time of each transmission may be omitted, provided that the dates and times of commencing and terminating such mobile operation are entered in the log. (The date need only be entered once for each day's operation. The expression "time of each transmission" means the time of making a call and need not be repeated during the sequence of communication which immediately follows; however, an entry shall be made in the log when signing off so as to show the period during which communication was carried on.)

Interested persons may file comments in this docket on or before December 31, 1962, an original and fourteen copies being requested.

RECIPROCAL LICENSING BILL

In the past session of Congress, Senator Barry Goldwater introduced a bill, S.2361 (H.R. 9684 in the House), which would have amended the Communications Act to allow the issuance of licenses to amateurs from other countries whose governments will issue licenses to U. S. citizens. The bill made considerable progress behind the scenes, getting approval in principle (but with some administrative problems raised) from the government agencies who were asked to "clear" the bill. However, the Communications Subcommittee of the Senate Commerce Committee was so tied up with the administration's satellite bill that it was not able to schedule our hearings.

Senator Goldwater has informed us that he is rewriting the bill to include suggestions received from the government agencies, and will introduce it into the 83rd Congress early this month. Keep an ear out for late information on WIAW's regular bulletin schedules.

FCC GETS TOUGH

Recently, the FCC issued an "Order to Show Cause" looking toward the *revocation* (not suspension!) of an amateur station license because the licensee failed to answer a notice of violation and two follow-up letters. This policy has been in force for some time in respect to the Citizens' and other radio services, but so far as we know it is the first time it has been used on amateurs. There are indications that "Orders to Show Cause" will henceforth be issued to all amateurs and other licensees who do not answer their mail from FCC. The moral is simple: if you should happen to get a notice of violation from the FCC, answer it promptly and honestly if you value your license!

LEAGUE REQUESTS COMMEMORATIVE STAMP

In accordance with a motion adopted at the 1961 meeting of the Board of Directors, the League has written the U.S. Postmaster General requesting the issuance in 1964 of a commemorative stamp honoring radio amateurs. Since it is impossible to set an exact date for the beginning of amateur radio itself, the Board felt that the fiftieth anniversary of organized amateur radio i.e., the foundation of the League, would be a suitable date on which to seek issuance of a stamp. The request is, however, for a stamp honoring the amateur radio service, not specifically our organization.

The letter mentions the emergency service work of amateurs, including Field Day and the Amateur Radio Emergency Corps; pioneer technical work, such as the Transatlantic Tests of the early twenties and the propagation studies of the International Geophysical Year; amateur space exploration, i.e., Project Oscar; amateur radio as a training ground for engineers and technicians in the electronics industry; and recognition of the amateur service's achievements by the various states, as through declaration of Amateur Radio Weeks and issuance of call-letter license plates.

The support of various organizations and publications in the stamp-collecting world is being sought to strengthen our request. Letters to Congressmen are not particularly useful in seeking commemorative stamps. Amateurs and club groups interested in supporting the project should register endorsement by writing the Postmaster General.

STAFF ANNIVERSARIES

Twenty-five members of the ARRL Ten-Year Club held their second meeting of the year in October to welcome three new members (if the

adjective "new" can be applied to people who have been around for ten years to qualify!) and to honor one achieving the 25-year mark. Miss Marion Bayrer, who started her labors for ARRL as a file clerk in 1937, now holds the title of Circulation Assistant, inadequate to express the many tasks she performs with quiet efficiency at headquarters: supervision of all outgoing mail, the handling of individual orders for publications, ordering of office supplies, securing temporary clerical help, overseeing the reception desk and switchboard, straightening out difficulties in *QST* delivery, and the like. She has been particularly active in our ARRL Girls' Club, as one of the original members and several terms an officer.

Marking off ten years at Hq., Bob and Ellen White, W1WPO and W1YYM, are no strangers to contest and awards enthusiasts. Bob is, of course, in charge of the DXCC desk, carefully checking each card (yes, that's right!) submitted, doing background research on each place proposed for addition to the countries list to assist the DXCC Committee in arriving at its conclusions, and keeping up the records of more than 8500 DXCC participants. He is also in charge of TVI matters.

Ellen is Assistant Communications manager, a title which covers a great variety of jobs: supervising the contest log-checking team, writing up contest results, coordinating and laying out the copy submitted by the department for *QST*; editing the CD and LO bulletins and several other tasks. The Whites have had several ham calls each: Bob has held W6QEZ, W2QPZ, KH6QJ and W6YYN; Ellen has worn out W2RBU, KH6QI and W6YYM, under which she was SCM of San Diego Section.

Charles R. "Chuck" Bender, W1WPR, after ten years, is equally at home with a mike, bug, keyboard, soldering iron and hearty handshake. As one of two full-time men at W1AW, he must be greeter, fixer and operator, in almost equal proportions. A native of Pittsburgh, Chuck held the call W3ODU until he came East a decade ago.

CITIZENS RULES PROPOSALS

Generally speaking, we feel it is not *QST*'s business to report on activities in the Citizens Radio Service. FCC has recently proposed, in Docket 14843, rather sweeping changes in the Citizens rules, however; for the benefit of those ARRL members who also hold CB licenses we present a brief summary.

A key sentence in Docket 14843 follows: "While the permissible communications in the Citizens Radio Service are considerably broader in scope than in most of the other Safety and Special Radio Services, there has been no intention to permit the operation of radio solely for the amusement of the operator or as a hobby in and of itself." The proposed changes will make the Commission's intent more apparent.

One proposed rule would cut down on CB antenna abuses by allowing CB antennas only

at the 20-foot level of, for instance, a 100-foot tower supporting a TV antenna. Another would restrict communications between units of different stations (that is, licensed to different people) to channels 12, 13, 14, 15 and 23; would restrict such communications to those directly related to and necessary for the efficient conduct of the business or household of either or both of the licensees or to effectively control the movement of vessels, aircraft, vehicles or persons; and further reduce the duration of such communications to three consecutive minutes, after which a five-minute silent period must be observed. These restrictions do not apply to units of the same station communicating with each other, such as a store-owner talking to delivery trucks, or a salesman talking to his office.

Use of CB stations for Civil Defense purposes is completely spelled out in the proposal, including a provision that drills of a radio unit alone must be limited to one hour per month, though drills involving other branches of CD, in addition to the CB radio units (such as radiation detection units) are not so limited. There is an extensive list of prohibited uses, one of which reads: "A citizens radio station may not be used . . . for transmitting communications to stations of other licensees which relate to the technical performance, capabilities, or testing of any transmitter or other radio equipment, including transmissions concerning the signal strength or frequency stability of a transmitter." A number of rules, concerning operation of a station by other than the licensee; repairs to a transmitter; record-keeping and notification; intercommunication, and so on would be tightened or clarified by the proposed amendments.

The Notice of Proposed Rulemaking, which runs 23 mimeographed pages, will undoubtedly be covered more completely in magazines catering to the Citizens Band. Perhaps, if demand does not exceed supply, copies may be obtained from FCC in Washington. Interested parties may comment on the docket on or before January 15, 1963. An original and 14 copies of statements, briefs or comments shall be furnished. Reply comments are due January 31.

EXAMINATION SCHEDULE

THE Federal Communications Commission will give Extra and General Class amateur examinations during the first half of 1963 on the following schedule. Remember this list when you need to know when and where examinations will occur. Where exact dates or places are not shown below, information may be obtained, as the date approaches, from the Engineer-in-Charge of the district. *Even stated dates are tentative and should be verified with the Engineer as the date approaches.* No examinations are given on legal holidays. All examinations begin promptly at 9 A.M. except as noted.

Albuquerque, N. M.: April 6, at 11:00 A.M.
Anchorage, Alaska, 53 U. S. Post office Bldg.: By appointment.

Atlanta, Georgia, 718 Atlanta National Bldg., 50 Whitehall St., S.W.: Tuesday and Friday at 8:30 A.M.
 Bakersfield, Calif.: Sometime in May.
 Baltimore 2, Md., 115 U. S. Customhouse, Gay and Water Streets: Monday and Friday, 8:30-10:00 A.M. and by appointment.
 Bangor, Me.: May 8.
 Beaumont, Texas, 301 P. O. Bldg.: By appointment only.
 Billings, Montana: Sometime in May.
 Birmingham, Ala.: March 6, June 5.
 Boise, Idaho: Sometime in April.
 Boston, Mass., 1600 Customhouse: Wednesday through Friday 9:00 A.M. to 10 A.M.
 Buffalo, N. Y., 328 P. O. Bldg.: 1st and 3rd Fridays.
 Charleston, W. Va.: Sometime in March and June.
 Chicago, Ill, 826 U. S. Courthouse: Friday.
 Cincinnati, Ohio: Sometime in February and May.
 Cleveland, Ohio: Sometime in March and June.
 Columbus, Ohio: Sometime in January and April.
 Corpus Christi, Texas: March 7, June 6.
 Dallas, Texas, 401 States General Life Insurance Bldg.: Tuesday.
 Davenport, Iowa: Sometime in January and April.
 Denver, Colo., 521 New Customhouse: 1st and 2nd Thursdays, 8 A.M.
 Des Moines, Iowa: Sometime in March and June.
 Detroit, Mich., 1029 Federal Bldg.: Wednesday and Friday.
 El Paso, Texas: June 13.
 Fairbanks, Alaska: Sometime in May.
 Fort Wayne, Ind.: Sometime in February and May.
 Fresno, Calif.: Sometime in March and June.
 Grand Rapids, Mich.: Sometime in January and April.
 Hartford, Conn.: March 13.
 Honolulu, Hawaii, 502 Federal Bldg.: Monday through Friday.
 Houston, Texas, New Federal Office Bldg., 515 Rusk Ave.: Tuesday.
 Indianapolis, Ind.: Sometime in February and May.
 Jackson, Miss.: June 5.
 Jacksonville, Fla.: April 18, 19.
 Kansas City, Mo., 5100 Federal Office Bldg.: Thursday and Friday, 8:30 A.M. to 1:00 P.M.
 Klamath Falls, Ore.: Sometime in May.
 Knoxville, Tenn.: March 20, June 19.
 Little Rock, Ark.: February 6, May 1, 1:00 P.M.
 Los Angeles, Calif., 849 So. Broadway: Wednesday, 9:00 A.M. and 1:00 P.M.
 Louisville, Kentucky: Sometime in February and May.
 Marquette, Mich.: May 8, 10 A.M.
 Memphis, Tenn.: January 10, April 4.
 Miami, Fla., 312 Federal Bldg.: Thursday.
 Milwaukee, Wis.: Sometime in January and April.
 Mobile, Ala. 439 U. S. Courthouse and Customhouse: Wednesday by appointment.
 Nashville, Tenn.: February 6, May 1.
 New Orleans, La., 608 Federal Bldg., 600 South St.: Monday at 8:30 A.M.
 New York, N. Y., 748 Federal Bldg., 641 Washington St.: Tuesday through Friday.
 Norfolk, Va., 105 Federal Bldg.: Friday only.
 Oklahoma City, Okla.: January 18, April 19.
 Omaha, Neb.: Sometime in January and April.
 Philadelphia, Pa., 1035 New U. S. Customhouse: Monday through Wednesday, code tests 8:30-10:00 A.M.
 Phoenix, Ariz.: Sometime in January and April.
 Pittsburgh, Pa.: Sometime in February and May.
 Portland, Maine: April 9.
 Portland, Ore., 201 U. S. Courthouse: Friday, 8:45 A.M.
 Rapid City, S. D.: May 11, 8 A.M.
 Roanoke, Va.: April.
 St. Louis, Mo.: Sometime in February and May.
 St. Paul, Minn., 208 Federal Courts Bldg.: Fri., 8:45 A.M.
 Salt Lake City, Utah: March 9, June 7, 1:00 P.M.
 San Antonio, Texas: February 7, 8, May 2, 3.
 San Diego, Calif., Fox Theater Bldg.: Wednesday, by appointment.
 San Francisco, Calif., 323-A Customhouse: Friday.
 San Juan, P. R., 323 Federal Bldg.: Friday.
 San Pedro, Calif.: Wednesday, 8 A.M.
 Savannah, Ga., 214 P. O. Bldg.: By appointment.
 Schenectady, N. Y.: March 13-14, June 12-13.
 Seattle, Wash., 806 Federal Office Bldg.: Friday.
 Sioux Falls, S. D.: March 19, June 18, 10 A.M.
 Spokane, Wash.: Sometime in April.
 Syracuse, N. Y.: Sometime in January and April.

Tampa, Fla., Room 201, 221 No. Howard Ave.: By appointment.
 Tucson, Ariz.: Sometime in April.
 Tulsa, Okla.: January 16, April 17.
 Washington, D. C., 1101 Pennsylvania Ave., N.W.: Tuesday, and Friday, Code tests 9:30 A.M. and 1 P.M.
 Wichita, Kansas: Sometime in March.
 Williamsport, Pa.: Sometime in March and June.
 Wilmington, N. C.: June.
 Winston-Salem, N. C.: February, May.

NOTE: Only General Class and Amateur Extra Class license examinations are given at FCC offices and examining points listed above. All examinations for Novice, Technician and Conditional Class licenses are conducted by volunteer supervisors.

Minutes of Executive Committee Meeting No. 290 November 19-20, 1962

Pursuant to due notice, the Executive Committee of The American Radio Relay League, Inc., met at the Shoreham Hotel in Hartford, Connecticut, at 7:55 P.M. November 19, 1962. Present: President Herbert Hoover, jr., in the chair; First Vice-President W. M. Groves; Directors Robert W. Denniston, John G. Doyle, Noel B. Eaton and Morton B. Kahn; General Manager John Huntoon; Vice President F. E. Handy; and Treasurer David H. Houghton. General Counsel Robert M. Booth, jr., was also present.

On motion of Mr. Doyle, unanimously voted to APPROVE the minutes of the September 29 meeting.

On motion of Mr. Denniston, after extended discussion, unanimously VOTED that the President is requested to prepare for the consideration of the Committee a statement of principles as to frequency band usage, minimum power, minimum bandwidth, etc., to amplify the Committee's action of July 9, 1962, in the matter of reducing congestion in the amateur bands.

On motion of Mr. Groves, after discussion, unanimously VOTED that the Secretary request Maxwell Meyers, W2BTB, to submit a written statement and proof in support of his charges of improper action and conduct by certain League officers and employees, and that action upon Mr. Meyers' application for membership be deferred until he has replied to the request.

On motion of Mr. Denniston, unanimously VOTED that Messrs. Kahn, Houghton and Huntoon, acting jointly, are granted authority to proceed with negotiations for the sale of the League property at 38 LaSalle Road in West Hartford, Connecticut.

Considering the matter of a pamphlet proposed by the Public Relations Committee containing information on amateur radio for the general public, on motion of Mr. Kahn, unanimously VOTED to accept an offer of outside professional help in preparing such a pamphlet.

On motion of Mr. Groves, unanimously VOTED to approve the holding of a West Gulf Division Convention in McAllen, Texas, June 21-23, 1963.

On motion of Mr. Doyle, unanimously VOTED to amend the first portion of paragraph 4 of the Rules and Regulations Concerning Affiliated Societies to read: "At least 51% of the voting members of an affiliated society must be Full or Associate members of the League: . . ."

On motion of Mr. Eaton, affiliation was unanimously GRANTED to the following societies:

Benches Amateur Radio Society	Jacksonville Beach, Fla.
The DX Amateur Radio Club	Camden, South Carolina
East Coast V.H.F. SSB Association	Passaic, N. J.
Edgewood Amateur Radio Society	Covina, Calif.
Ellsworth Amateur Radio Club	Ellsworth AFB, So. Dak.
Illinois Medical Center Wesley Foundation Amateur Radio Club	Chicago, Ill.
Keesler Amateur Radio Club	Keesler AFB, Miss.
Lynchburg Amateur Radio Club	Lynchburg, Va.
Lake Shore Amateur Radio Association	West Springfield, Pa.
Marina Amateur Radio Club	Torrance, Calif.
North High Amateur Radio Club	Binghamton, N.Y.
Schuykill County Amateur Radio Club, Inc.	

	Pottsville, Pa.
Southern Piedmont Amateur Radio Club	Hickory, N.C.

(Continued on page 156)

The Templeton Case

BY JACK NAJORK*, K9ODE

Author's Note: The Templeton case is now history. It was reported in piecemeal fashion at the time because of the security measures involved. Copies of letters, telegrams and newspaper clippings tell the story far better than I can, and my primary purpose here is to present them in the correct sequence. Those portions of the case not documented have been reviewed and approved by the principals involved, with the exception of the late Godfrey Smith. Those portions of the history not included in clippings and letters have been reconstructed from the notes I took during the time I lived in Templeton.

News Item, Templeton Daily Star April 15, 1958.

Frank P. Stevans, Executive Vice President of Templeton Broadcasters, Inc., announced today that the FCC had approved the sale of WKOO-TV to Godfrey Smith Associates of San Francisco. The new management will take over the station on May 1, 1958.

Godfrey Smith is well-known in engineering, business and political circles. He was graduated with high honors from Stanford University in 1928, and holds a Ph.D. in physics from Princeton. From 1933 to 1940 he was associated with Anderson Research Corporation. During the war years he served as Assistant Secretary of War for Advanced Projects, supervising the research and development work of the various universities. After the war, he entered politics, with two terms in the California Assembly and one in the California State Senate. In 1952, he refused another term, preferring to take over active management of his broadcast interests. He has, however, remained a powerful voice in party counsels. Mr. Smith has announced that he will serve as General Manager of WKOO-TV and will retain the present staff for the time being.

Ted Collins, engineer on duty at WKOO-TV, received the first telephone report four minutes after WKOO-TV began 7 A.M. programming. A viewer at Bonfire Hills reported the picture full of black lines. Seconds later a second call came in, this time from the Bruno subdivision some twenty-four miles south . . . "big black lines in the picture . . . no, they don't flash on and off . . . just stay there all the time . . . my little girl can't watch Droppet's Moppets. . . ."

After that the telephone switchboard started to light up like a haywire pinball machine. By 8 o'clock, as TV receivers clicked on in the 200,000-set market area of WKOO-TV, over a hundred reports of interference had been phoned in and the switchboard was jammed. A thorough check at the transmitter and studio showed the interference was positively external and, moreover, it was saturating practically the entire WKOO-TV primary and secondary coverage areas.

At 9 o'clock Ted Collins, together with Chief Engineer Jerry Barnes and two other technicians, set out to take some triangulation bearings with a Yagi antenna and field strength meter. They returned several hours later, muttering to them-

selves and visibly shaken. Their efforts to take bearings on the interference had failed for a very simple reason. The interference showed absolutely no directivity!

This, then, was how it started. The date was May 1, 1958. Strangely enough, it was just four years earlier on the same day that WKOO-TV began operations. Until then, Templeton had been a ham's haven, the nearest TV transmitter some 220 miles away. With WKOO-TV on the air, however, the situation changed overnight. Most hams in Templeton were aware they would now have TVI problems but they were totally unprepared for the events which followed.

Godfrey Smith, owner and general manager of WKOO-TV, had powerful political connections at both local and national levels. Within a week he had bulled legislation through the Templeton City Council which required all amateur radio stations in greater Templeton to pass inspection by the city's electrical department. Pending such inspection and approval, all amateur operation was restricted to the hours between midnight and 7 A.M. When Templeton hams openly refused to obey this ruling (now known as "Smith's midnight order") Smith ruthlessly attacked the hams at the state level and only quick action by the League stopped pending legislation at this point. Despite Godfrey Smith's powerful Washington affiliations, his next attempts to restrict amateur operation through direct orders from the FCC ended in failure. At this point he returned to Templeton and started a local attack through full-page newspaper spreads which placed all responsibility for any poor reception of WKOO-TV on local amateur operators.

Templeton became the city where it was best not to hint that you had an interest in ham radio. "Invisible" antennas became the vogue, along with shielding, filtering, low-pass filters and all the myriad accessories required to prevent TVI.

News Item, Templeton Daily Star May 2, 1958.

WKOO-TV engineers reported today that the strange interference which is blotting out TV sets in a forty-mile radius of Templeton has not yet been located. Godfrey Smith, general manager of WKOO-TV, reported that FCC engineers have been asked

*926 Cedar Lane, Northbrook, Ill.

to assist in the search for the mysterious signal which was first noticed yesterday morning. WKO-TV's switchboard was swamped with calls from viewers shortly after the station went on the air yesterday and station officials have asked viewers to refrain from calling the station. Smith was confident FCC engineers would locate and eliminate the interference within twenty-four hours. He further stated he believed the trouble was caused by an amateur radio sending set somewhere in the city.

Telegram From FCC Field Office to WKO-TV, May 3, 1958.

AS OF THIS DATE HAVE BEEN UNABLE LOCATE SOURCE CO-CHANNEL INTERFERENCE REPORTED THIS OFFICE BY YOU MAY 1. OUR SURVEYS INDICATE INTERFERENCE SOURCE CANNOT BE LOCALIZED BY CONVENTIONAL MEANS AND WE HAVE ASKED FOR ASSISTANCE FROM WASHINGTON. CONFIDENT THIS WILL ENABLE US TO TRACK AND ELIMINATE SHORTLY.

JOHN T. HARRIS
Inspector-in-Charge

Telegram From Godfrey Smith to Honorable Rockford Smithers, Senate Building, Washington, D. C. May 4, 1958.

FCC NOT YET LOCATED INTERFERENCE WE DISCUSSED ON PHONE YESTERDAY. WE MUST HAVE IMMEDIATE HIGH LEVEL ASSISTANCE IN LOCATING AND REQUEST YOU CALL IN FBI BECAUSE OF SUSPECTED SUBVERSIVE SOURCE. TRUST YOU WILL DO AND ADVISE ME.

GODFREY

News Item, Templeton Daily Star May 5, 1958.

Efforts by the engineering staff of WKO-TV and the FCC to locate the mysterious interference now plaguing viewer's screens for the fifth day have been without success. Godfrey Smith, general manager of WKO-TV, reported he has asked the FBI to investigate inasmuch as local FCC engineers have not made any apparent progress in finding the strange signal. The FCC stated more elaborate tracking equipment is being flown in from Washington and expressed confidence this would enable them to find and eliminate the trouble.

WKO-TV has offered a \$500.00 reward to the person or persons locating the interference which was first noted on the morning of May 1. Since that time reception of WKO-TV has almost been blotted out of the majority of homes in the greater Templeton area.

Letter From Hadley Consulting Engineers to Godfrey Smith, May 10.

Dear Mr. Smith:

We are enclosing detailed results of our survey and studies of Channel 2 co-channel interference in the Templeton area in accordance with our contract terms. We regret to advise you this accumulated data does not enable us to reach a definite conclusion concerning the source and location of the interference. Our engineers have summarized their findings as follows:

1. The interference shows no directivity or polarization at 12 survey sites.
2. Field strength of the interference is generally uniform over a forty-mile radius centering on the metropolitan area of Templeton. Beyond this radius the interference drops off in a normal, logarithmic manner.
3. Oscillographic observations of the demodulated interference signal indicate the power source is not synchronous to 60-cycle power generated by the Templeton Electric and Gas Company. This has been further verified by the May 8 power in-

terruptions made by this utility in cooperation with our tests.

4. Frequency measurements of the interference show it to be relatively constant at 55 megacycles with short and long term frequency variations not exceeding several hundred kilocycles.

5. Spectrographic analysis of the entire usable spectrum indicate no other known signals are present to produce intermodulation products at the interference frequency.

6. In our opinion the interference is being generated and propagated in a manner entirely foreign to the current state of the art.

We are, of course, extremely sorry to advise you we have exhausted all possible means of locating and/or identifying this interfering signal. Please extend our sincere appreciation to members of your engineering staff who cooperated during our tests.

Very truly yours,

THOMAS F. HADLEY, President
Hadley Consulting Engineers.

News Item, Templeton Daily Star May 11, 1958.

Washington FCC engineers together with officials of an independent consulting engineering firm admitted today that no solution is in sight to the mysterious interference which has distorted ninety per cent of the TV screens in greater Templeton for the past ten days.

The consulting firm was brought in by WKO-TV on May 7 after local and Washington FCC officials were unable to find the strange signal. Mr. Thomas Hadley, head of the firm, today expressed the belief the unusual distortion is being created and sent out by some method not known to radio engineers and for this reason his engineers were unable to offer a solution to the problem.

Godfrey Smith, general manager of WKO-TV said he expected the FCC as well as the FBI to continue full-scale investigations until the interference is found and eliminated. He reiterated his original belief that the cause of the trouble is very likely an amateur radio sending set. Experts have discounted this theory, however, pointing out that such a signal could easily be tracked down by conventional means. Reports that the strange signal is emanating from outer space were also discounted by the experts, although it was later admitted no evidence is at hand to discount this theory.

A survey by the *Star* indicates approximately 150,000 of the 200,000 TV sets in the area are unable to receive a clear picture from WKO-TV because of the interference. Just prior to press time WKO-TV increased to \$1000.00 the reward offered for information leading to the source of the interference.

Author's Note: During the period between May 11, 1958 and late June, 1958 no progress was made in tracking down the interference. Newspaper items on the topic continued, together with many reader comments but most of this material was repetitious and is not included here, in the interests of brevity. It has been verified that early in June, 1958, the Central Intelligence Agency issued a top secret report which was later sent in modified form to Godfrey Smith. The essence of the report was direct and chilling: The top electronic minds in the nation were baffled by the Templeton interference and no immediate solution was expected.

The complete CIA report has never been released and it now appears doubtful that it ever

will be, when one considers the final outcome of the Templeton case.

formation leading to the detection and elimination of the interference.

Letter From Godfrey Smith, General Manager WKOQ-TV, July 1, 1958.

Federal Communications Commission
Washington, 25, D. C.
Gentlemen:

At a WKOQ-TV stockholders meeting held this morning it was unanimously voted that WKOQ-TV request permission from your office to discontinue operations effective August 1, 1958. This request is contingent on the continuance of the interference condition of which the Commission is aware. As a matter of record we are herewith citing the facts in support of this request:

1. Strong and uninterrupted co-channel interference on Channel 2 has reduced primary and secondary coverage of WKOQ-TV from 35 to 50 miles to approximately four miles. This interference began on May 1, 1958 and all attempts to locate and eliminate the source have failed. The Commission's engineering staff as well as independent engineering firms have participated in this search without success.

2. WKOQ-TV's receiver penetration has been reduced from approximately 212,000 sets to less than 30,000. A detailed audit of this survey as well as interference contour maps are attached as exhibits.

3. WKOQ-TV has lost 90% of normal advertising revenue as a direct result of this decreased coverage. Inasmuch as we enjoy no network affiliation, this loss in income cannot be subsidized.

Our attorney, Mr. Benjamin Farley, has requested an early hearing with the Commission and we respectfully request the Commission grant this hearing as soon as possible.

Very truly yours,

GODFREY L. SMITH
General Manager

News Item, Intercontinental News Service. Washington. July 29, 1958.

Washington. In unprecedented action, the FCC today authorized television station WKOQ-TV at Templeton to discontinue operations effective August 1, 1958. The action was requested by WKOQ-TV as a result of mysterious co-channel interference on Channel 2 which began on May 1. All efforts to locate the interference have failed. FCC engineers as well as the FBI and the CIA are continuing full-scale investigations into the source of the interference but WKOQ-TV officials declared loss of revenue due to greatly reduced coverage made curtailment of operations necessary. The FCC action was contingent upon continuance of the interference and approval has been granted WKOQ-TV to resume operations upon elimination of the mysterious signal.

The FCC had earlier suggested that WKOQ-TV consider a shift from Channel 2 to Channel 5. Mr. Benjamin Farley, counsel for WKOQ-TV, rejected this suggestion on the grounds that the financial burden of such a change could not be borne by WKOQ-TV at this time. Farley also stated that until the exact source of the interference could be determined, WKOQ-TV had no assurance a shift in channels would not also result in a shift in the interfering signal. This inference by Farley that the interference was of a deliberate, man-made nature was not challenged by the FCC.

Officials of the FBI and CIA declined to comment on the progress being made in the search for the interference. A reliable government spokesman again discounted the widespread belief that the interfering signal is originating in outer space. The same official admitted, however, that no evidence is at hand to refute this theory.

WKOQ-TV has offered a \$10,000 reward for in-

Author's Note: August 1, 1958 was a day of joy for the ham population of Templeton. However, the lure of \$10,000 was strong and almost every ham and technician within several hundred miles became a searcher. With WKOQ-TV off the air the interference could be chased with less confusion by even the most inexperienced. . . . Channel 2 Yagi antennas sprouting out of cars became a common sight on the streets and countryside of Templeton. The local ham club printed up copies of a simple Channel 2 converter that could be fed into a car radio. Sales of meters for signal-strength indicators boomed at the local parts houses. Aside from the search aspect, other interesting developments were recorded. An application was filed for a new f.m. station. The city's three movie houses enjoyed a substantial rise in attendance while the Templeton Electric and Gas Company noted a seven percent decrease in kilowatt-hour consumption. TV technicians turned to hi-fi and appliance servicing and grouped together to offer an additional \$1000.00 reward. Several Sunday sermons hinted at the intervention by divine providence. Statistics released by the city's industries cited a four percent decrease in morning tardiness. And, of course, ham activity blasted the bands unmolested night and day as unshielded and unfiltered rigs were dragged out of cellars and attics and fired up.

News Item, Templeton Daily Star August 15, 1958.

BULLETIN: TV INTERFERENCE STOPS! WKOQ-TV TO RESUME OPERATIONS IMMEDIATELY! Godfrey Smith, General Manager of WKOQ-TV, confirmed today that his station would resume telecasting within 48 hours as a result of the cessation of the strange interference which forced the station off the air on August 1. No details could be obtained from Smith concerning the location and elimination of the weird problem but Smith assured reporters the problem had "been taken care of." Local FCC and FBI officials were not immediately available for comment but indications are that full details will not be made public for some time.

Author's Note: A careful search of all published material relevant to the Templeton case indicates no official statement was ever issued explaining why or how the interference was located and stopped. It is known that the FBI tapped Godfrey Smith's home telephone, however, and an undisclosed source disclosed that the following message was taped on the night of August 2, 1958:

"The interference will stop for five minutes at nine o'clock tonight. I can eliminate it permanently but the reward must be increased to \$25,000. Send it to Drawer 34, Berne International Bank, Switzerland. When the money is deposited, the interference will disappear permanently."

(Continued on page 158)



The curriculum of the New York Institute for the Education of the Blind offers courses leading to the General Class amateur license, with Bob Gunderson, W2JIO, as instructor. Here Bob assists in preparation of a chassis for assembly; conducts a class in code, and guides a student learning to solder. As field representative of the Institute, he has presented to a number of radio clubs a demonstration of specialized electronic equipment for blind amateurs and technicians, and an outline of the special problems of teaching and the need for texts. Club activities chairmen looking for an interesting program should contact Bob in care of the Institute at 999 Pelham Parkway, New York 69, N. Y.

The Permian Basin Amateur Radio Club set up a station at the recent Permian Basin Oil Show. Some 150,000 people attended the show, and many of them stopped by to look at the ham station in operation. About 270 messages were handled during the course of 250 QSOs. Left to right are K5UCT, W5NW, and K5HGR.



K3PIB built a model of WIAW, in the form of a bank, which the Western Pennsylvania Mobileers used at their Fall Roundup on October 19 to collect contributions to the ARRL Building Fund. The model is now on display at ARRL Hq.



A mock-up of Oscar I was on display at the Radio Communications Exhibit in London. Bert Allen, G2UJ (l.) guides the hands of Angus McKenzie, G3OSS (r.) blind v.h.f. enthusiast who was the first European ham to hear Oscar I.

CQ de AP Land

BY KATASHI NOSE,* KH6IJ

A BLOWN fuse for the U. S. amateur just means a trip to the radio store. In Pakistan I blew a fuse and ended up making my own.

The few amateurs in Pakistan scrounge around the junk dealers and may even find an ARC-5 but most of the time all equipment is stripped down to the last nut and bolt and piece of hookup wire since it brings a better price. Radio equipment must be registered with the Posts and Telegraphs and importation of transmitting parts is prohibitively costly.

The licensing board meets once every three months. The amateur application must include a circuit diagram of all apparatus, map of the location, antenna system layout and a valid reason for wanting a license. After this, a police investigation is made to check on one's loyalty. The code requirement is 12 words per minute.

If you are among the fortunate few, you get a license which is good for one year. AP5B, E.A. Elkington, a UK citizen, is one of the few who have been issued a call, but he has put in 30 years with the Posts and Telegraphs in Karachi (West Pakistan).

Amateur Rules

The basis for licensing is the "Telegraph Act of 1885" and it is patterned after the British system. Among conditions of grant to conduct experiments in "Wireless Transmission and Reception" are:

The use of 'spark' transmission is specifically forbidden.

The station shall always be equipped for reception as well as transmission — DXers note!

Transmissions shall not commence without listening in on the frequency to be used — Roundtable crashers note.

For those who yearn for pre-1934 freedom —

Not more than one ordinary gramophone record may be used during the course of a day with the exception that the same record may be repeated.

This is never-never land for the long caller because *In calling up another station its call sign should be sent not more than 3 times and the calling station not more than 3 times.*

I've often wondered where the long CQ'er goes after he has crossed the river Styx but now I know — *The use of the general call 'CQ' is expressly forbidden.*

For the "Hallo test" fan, this is the place because *the word 'test,' followed by the station call, may be sent out when essential for the licensee's experiments, but must not be continued in any case when a reply is not received within 15 minutes.*

For those interested in v.l.f. experiments, look elsewhere, because *if power for working of the wireless station is taken from a public electric*

supply, no direct connection shall be made between the supply mains and the aerial.

In actual practice AP amateurs disregard these rules.

Old timers will recall working VU2AN in Baluchistan about 27 years ago on 40-meter c.w. Baluchistan is now part of West Pakistan, which itself was created in 1947. West Pakistan terrain is characterized by the Alpine-like provinces in the north and the desert plains on the edge of the Arabian Sea.


East Pakistan by contrast is lush and humid with abundance of coconut, banana and pineapple, and in the monsoon season the region is one huge flood plain. It is separated from West Pakistan by 1200 miles of Indian territory and borders Nepal, Bhutan, Sikkim and Burma.

Karachi, on the Arabia Sea, teems with over two and a half million people. Camel and donkey carts and rickshaws compete with modern cars of every description. The horn is a vital piece of equipment but there are no women drivers.

AP5CP

Up to May 21, 1961, East Pakistan was one of the rarest of countries and although AP5CP was licensed in 1952 it had not been active. On that date AP5CP made its first contact through VS6EP and has maintained a terrific pace together with its satellite stations AP5JA, AP5AH, and AP5SS. Thanks to them, East Pakistan is no longer a rare country and far surpasses previous activity from West Pakistan.

I was the first foreign visitor to AP5CP and was given a royal welcome plus a write-up on



KH6IJ and AP5CP, with KH6IJ's QSL being delivered personally by Mohammed.

* Physics Department, University of Hawaii, Honolulu, Hawaii.



This is the radio gear which KH6IJ helped install at a technical school in Pakistan. Abid Ali, sitting behind KH6IJ at the right, is a radio instructor and is studying to be a ham. The other two fellows, at the left, are radio students Aftab and Daniel.

the history of AP5CP at the inauguration of the Tiger Amateur Radio Club, the club station of the East Bengal Signal Regiment.

This club will conduct a Pakistan DX Contest and will issue a WAT (Worked All Tiger) and a WA-AP (Worked East and West Pakistan) certificates. Its purpose is to increase activity of the radio amateur in Pakistan. An invitation has been extended to experimenters and the public to take advantage of its facilities through extensive local publicity, and the club is going all out to promote ham activity.

It subscribes to *QST* and the *RSGP Bulletin*, and practically every DX Club in the USA must be sending them bulletins.

In a country which has been hostile to amateur radio, this kind of activity is indeed a revolution and may well be the opening wedge. This is all the more remarkable in that AP5CP is strictly military in origin (and that martial law has only recently been lifted). It is the hobby club station of the East Pakistan Signal Regiment, whose division insignia is the Bengal Tiger.

I had visions of red tape and all kinds of security clearances to visit with AP5CP. What a pleasant surprise it was to walk into the signal compound unannounced and to receive a cordial welcome. Capt. Afzal greeted us over a cup of tea. Major Iftikar Ahmed, who is the guiding light of AP5CP, showed me around. I finally ended up with tea with Lt. Col. Chowdhury, who in turn invited me to meet Gen. Khwaja Wasiuddin at the Tiger Amateur Club inaugural. So, from the general on down, everyone is proud of AP5CP and its accomplishments and amateur radio has found at least one group of staunch friends in Pakistan. Even President Ayub Khan visited AC5CP and gave his blessing to its stamp collection.

AP5CP equipment consists of a British Panda Cub (equivalent to 807 final) and an R-209, a British version of the RC-312. The 50-cycle, 230-volt mains and v.f.o. gives AP5CP a characteristic T6 note. The antenna is a dipole between two WW2 surplus poles. A BC-610 is available but is not in use and a Hammarlund HQ-145 is in the repair shop.

Operator Mohammed

The constant activity of AP5CP might give the impression of a multi-operator station but it turns out that all the operating is done by one enlisted man who goes by the non-de-plume of Mohd. (abbreviation for Mohammed), the Pakistan equivalent of Smith). Mohammed has the patience and enthusiasm of ten because he seems to be on the air all the time. The commanding officer tells me he even falls asleep at the operating table.

Mohammed understands English with difficulty, one reason why you don't find him on phone. Moreover, he is the silent type, over six feet four, lean and lithe. He says he has talked to a VK on phone. Of course, a Lt. Col. showing me around might have had something to do with his reserve.

I was amazed at the detailed and intricate logging and cross indexing system. He looked up our contact, referred to a cross index and located the book which showed our QSO-recorded words "AP5CP de KH6IJ. Thanks report. I'll see you this summer QSL 73 AP5CP de KH6IJ".

Well-kept records for certificate hunting are maintained for the three other satellite stations, which are also under military auspices, located at Comilla (AP5JA), Chittagong (AP5SS) and Jessore (AP5AH). By contacting all four stations after August 14, 1962, you are eligible for a WAT (Worked All Tiger) award.

An Amateur's Bad Dream

This might sound like a bad dream, but here I was surrounded by two complete ham stations, one for West and one for East Pakistan, consisting of KWM-2's, Collins 32S-1 with 30S-1 Linear, 75S-3, crank-up tower with tri-band beams, the makings of a rhombic, all-band vertical, spare parts, model 28 teleprinter, mobile equipment and complete test equipment for a electronics shop. To top this off I was just a stone's throw from YA, EP, YI, 4W1, AC3, AC5, XZ and with plenty of spare time, but no permission to operate from any place—no reciprocity.

QST

The World Above 50 Mc.

1215-1300 2300-2450 3350-3500 4450-4600 5650-5925 10,000-10,500 21,000-22,000 50,000-9

CONDUCTED BY SAM HARRIS,* W1FZJ

V. H. F. SWEEPSTAKES — JANUARY 5 AND 6.

THE complete rules for this contest are in December *QST*, page 56. Note the new sections multipliers. Effective December 10, Delaware becomes a separate section and will be counted as such for the first time in this contest. VES, though not officially an ARRL section, counts as such in this contest, making a total of 74 sections. Note also that this is the first contest in which the new 420-Mc. power limit can be used. The complete details on the 420-Mc. rule change can be found on page 64 of this issue.

144 Mc. and Up

Two meters is hopping again, and proof comes from Tony, VE3DIR, who sez: "Just to let you know I was a very lucky fellow last Saturday, November 17. — I worked a W7 in Wyoming on two meters! I had skeds lined up for Colorado, Wyoming and South Dakota but didn't expect too much after hearing nothing on November 14, 15, and 16; however on the 17th at 0807 EST I got 30 seconds of calls, 84 steady (no bursts). After several calling periods, Harold came back to me at 0826 with calls and reports, rogers, fine business and 73. Two minutes with 89 signals both ways; if that was a random E-W meteor, it must have been as big as a jeep." Almost forgot to mention that the fellow at the other end of that fortunate contact was Harold, K7HKD.

W4WNII also let us know that Harold, K7HKD, was involved in another Leonids contact; this one with Shelby (W4WNII) making it state #31 and 9 call areas for Shelby. He would like to know if anyone knows what station or stations operated on approximately 144,008, c.w., at 0630 EST, August 11; or at 0700-0800 EST, on November 17 and 18. Hope is still high at his QTH in Elizabethtown, Kentucky, that he'll be able to hold skeds during the period of December 10-14.

Skeds paid off for others too; among 'em is Ernie, W7LHL, who nabbed state #6 on October 21 when he worked W0ENC in South Dakota. Out in Billings, Montana, W7JRG picked up W6LFE for state #16 and W7LIL for #17 during the Leonids. Ken got complete calls from K9AAJ but could get no further; hopes to get him and maybe some others during the coming Geminids.

A new state for Paul, W1H1K, on 432 Mc. when he worked W5SWV on October 9 for state #8 on that band; also the first Texas-Tennessee QSO on 432 Mc. W5SWV was first contacted on 144 Mc. and then both stations switched to 432 Mc. While tuning for Daily, Paul heard W5HTZ in Wewoka, Oklahoma, calling him; seems that

*P.O. Box 334, Medfield, Mass.

Lyman had been reading the mail on 144 Mc. Paul reports that the tropospheric opening on 144 Mc. occurring at the same time was excellent. From his location the good conditions appeared to extend from Alabama west to the Texas panhandle. Most of the stations worked were in Oklahoma, although for the first time (from his station) a station was worked in the panhandle, near Amarillo, Texas, W5YYO, at a distance of about 700 miles. Paul used only s.s.b. on 144 Mc. and worked two stations in Oklahoma and one in Texas who were also using s.s.b. Stations worked frequently from Collierville on 144 Mc. are W4RFR and K4ZQM, both on s.s.b.; and W4TLV, W5RCI, W5MLL, W5JWL, W4ZNV, W4LOJ and W4ILJQ. These regulars represent Alabama, Mississippi, Arkansas, Louisiana, Tennessee and Kentucky at distances from 70 to about 350 miles.

Another "first" on 432 Mc. on November 7 at 2343 EST, when K2CBA, Jud, and VE2ZX, Court, made it on c.w. Signals were weak, Court's 12½ watts out of a 7377 through 85 feet of RG-8/U just about made it. Jud had matched his antenna carefully a few days before and gained 6 db. on K2GRI's signal. Two days after we received the above information from K2CBA, we received another card saying: "At last be my tower wasn't big enough, it took five-years to blow down. This morning (Nov. 10) at 0920 I heard a minor crash, and while it didn't sound loud enough to be the tower, it was! The whole 130 foot of it, including 61 elements on 1296 Mc., 64 elements on 432 Mc., 52 elements on 220 Mc., 26 elements on 144 Mc., and 36 elements on 50 Mc. A few weeks work should have it back up. About 95% of the antennas can be salvaged after some work, and about 70 to 80% of the tower is usable. Have ordered 40 foot of tower just to be safer." Our sympathies on the disaster, Jud, and our congratulations on the 40 foot of new tower. I take it that that will go atop the 110 feet that is still usable.


In Geneva, Illinois, W9CUX, finally decided it was about time to do something when he realized he hadn't worked a new state in more than a year on 144 Mc. In 1961 he worked W0YSJ in North Dakota (where's that QSL?) for state #22, and on October 21, 1962 he worked W0EYB for state #23, 7 districts and 1000 miles. Transmitting gear at Al's, W9CUX, consists of a 7034/4N150A running 300 watts into a 13-element Yagi. The frequency is 144,100 Mc. controlled by a VXO which covers the lower 400 kc. of two meters. The converter is a nuvistor model and has proven very reliable and trouble free as compared with the 416-B job previously used.

Leroy, W5AJG, sez that he is getting good signals from W5ML in Louisiana on 432 Mc. these days, and that little by little the band is getting populated. W0RVA tells us that W0VOM and K9SFX have had a successful contact on 1215 Mc. using APX-6's at both ends. (St. Louis, Missouri to Columbia, Illinois); that W0DQY in St. Louis works regularly into Kansas City on 144 Mc.; that WN0RUC has a new "J" beam for 144 Mc. up about fifty feet; and that a new father-and-son team on two is WN0DSO and WN0DSN.

Dan, K8B1H, in Alliance, Ohio, sez that on October 10 two meters was fair to the northwest with Michigan and Ontario, Canada coming in. Dan worked VE3EYX in Glenheim with good signals both ways. In Seattle, Washington, K7ASX has been building for the 3500-Mc. band. Tom sez: "The main work accomplished consists of the testing of a bi-conical horn antenna in the 3500-Mc. band. The antenna

Well-known v.h.f.-man W3RUE, Ted Fabian, cannot be seen at the moment at his operating position. This is it, and Ted is sitting just out of sight at the far right of the photo. Just plain shy!

QST for



was made from two copper screen cones placed tip to tip. This type of antenna is omni-directional and is intended for the day when we can set up a multi-station net in this area using these frequencies. The antenna constructed showed a gain of about 15 db. While this can't compare with a parabolic, it is still pretty good for these frequencies." It's pretty good to know that there are a few of the gang working at these frequencies too! Actually, there are more than we realize and we hope to have room in a forthcoming column to give them space and acknowledgment.

In Benton Harbor, Michigan, W8PT sez that during the Orionids meteor shower he had a routine m.s. contact with W0EYE in Boulder, Colorado. (Isn't it wonderful what's become "routine" on 144 Mc. during the past few years?) Jack is looking for meteor skeds with Maine, New Mexico, Arizona, Nevada and Idaho. K7CZT sez that the WL 417A Klystron appears to be too touchy in the polar-plexor circuit to show much improvement over the 726B above 3500 Mc., and that Don, K7QLC is going to put an APX-6 on 1215 Mc.

On October 8 Maury, W9FBC, noted an aurora on 144 Mc. and during the short half-hour duration heard W8G11, K2YCO, W9LFS and K8LTO. Seems the two-meter gang in that area are busy getting up new beams; W9DKY and K9WVZ have new five-element beams, W9BCH has a new stacked 10-element job, and W9FBC has just put up 7 elements. K1TLY has a parabola on 420 Mc. and is experimenting with antenna gain; Jim sez the parabola gives a total gain of about 12 db. He is mounting it on a 14-ft. boom and has had trouble calculating the correct degree measurement. The reflectors give a highly directional gain, but Jim wonders if anyone has any ideas for more gain.

WA6Z1P is another of the many converting the APX-6 to 1215 Mc. WA0DZH (ex-WA6OQZ & -W9OEY) has recently moved from California and is now back on 144 Mc. in Iowa. Lon would like to sked anyone who needs Iowa and would like to sked Kansas, or South Dakota. His rig consists of a 10-B, 6BQ5 mixer, 6300 Driver to a 4X250B running 300 watts input on c.w., a.m., or s.s.b. Frequency is 144.047, although he can v.f.o. Antenna is 13 elements 60-ft. high. K4FUS noted a good opening on two on the night of October 19 and morning of the 20th, when he worked W1AJR, WA21J, WA20QP, K2IEJ, K1RGO, W2BBC, K1PSK, W1MEO, K2AOP, W1RFU, K2RTH and K1RAB. Sam sez: "Worked two others, but they were specials; my first triple plays and two in one night at that. W2III and WA2VVV — they'd be a knockout on c.w."

Out in Detroit, Michigan, Craig, K8JEE has finally received his model 15 RTTY and is now in the process of cleaning it up and building gear to put it on the v.h.f. bands. A tropo opening on two meters is reported by Art, W4AWS, who sez that on October 11 the stations in Georgia and Alabama started coming in with good signals. Opening lasted from about 2000 EST until 2400 EST, and during that time Art worked (among others) W4EQM in Langdale, Alabama with 30 watts, W4MNT and K4NTD also got in on that opening, working stations in both Alabama and Georgia.

At Jensen-Beach, Florida, Wes, WA4AME sez that although the two-meter band has not been good at all (noise level very high) his new 40-element quad seems to be working very well. W9VPU and W9AXT have been conducting propagation tests on 144.900 Mc. every Tuesday at 2000 CDST. Check is made not only of their own signals but those of Wisconsin and Indiana stations. W9VPU is planning to conduct cross-band operation with K9ZXE (1296 Mc. & 144 Mc.) as soon as the equipment is ready at both ends of the circuit. Probably be near the end of November.

In Darien, Connecticut, Paul, K1SDX hasn't given up hope although he sez he has yet to QSO his first station on 1215 Mc. with his APX-6. He's heard no other identifiable signals on the band and wonders if there is anyone else, within range, on that band. W6GGW is now running 40 watts input on 223.2 Mc., and is working on equipment for 432 and 1215 Mc. W3ZR reports stations active on 220 Mc. in the York, Pennsylvania area include K3NUZ, K3PXP, W3AJD, W3CAJ and W3ZRJ; all operating between 220.050 Mc. and 222.220 Mc.

K8ANG in Warren, Ohio, is looking for skeds at the low end of 220 Mc. for Friday and Saturday evenings, or Saturday and Sunday mornings. In Wilmington, Delaware K30BU remarks that the opening of October 15 was the best of the season for him on both six and two meters with both bands being loaded. Also good openings for Joe on two meters on October 19 and 20. He reports that W3LML

2-METER STANDINGS

W1REZ	32	8	1300	W6WSQ	15	5	1390
W1AZK	28	8	1205	W6NLZ	12	5	2540
W1KCS	24	7	1150	W6DNG	9	5	1040
W1RFU	24	7	1120	W6AJF	6	5	800
W1ABR	24	7	1130	W6ZL	5	3	1400
W1MFM	22	8	1300	K6HMB	4	3	850
W1HDD	22	6	1020	K6GPG	4	2	800
W1HZY	20	7	1080	W6MMU	3	2	950
K1CRQ	19	6	800	W7JRG	17	6	1280
W1AFO	18	6	920	K7HLC	15	5	1150
K1APR	17	5	450	W7LHL	6	3	1050
W2NLI	37	8	1300	W7CJM	5	2	670
W2CXY	37	8	1360	W7JJP	4	2	900
W2ORL	37	8	1320	W7JU	4	2	235
W2B1V	36	8	1020	W8PT	39	9	1260
K2GOL	35	8	1365	W8KAY	38	8	1245
K2LAI	29	8	1290	W8SDJ	37	8	1220
W2AZT	29	8	1050	W8LFX	35	8	980
K2IEJ	27	8	1060	W8SPG	34	8	1010
K2CEH	25	8	1200	W8LOP	33	8	1060
W2AMJ	25	6	960	W8GHH	32	8	1180
W2ALR	24	8	1100	W8RAN	32	8	980
W2RNG	23	8	1200	W8RMH	32	6	910
W2SAG	23	7	1090	W8NOH	31	8	1090
K2HJD	22	7	950	W8SVL	30	8	1080
W2DWJ	23	6	860	W8RHW	30	8	860
W2PAD	23	6	753	K8AXU	29	8	1050
W2LWI	21	6	753	W8PAC	28	8	850
K2KIB	21	5	700	W8WRN	28	8	680
W2E8Y	21	6	750	W8DX	26	8	720
W2LTH	20	8	880	W8LCO	25	8	800
W2WZR	19	7	1040	W8JWV	25	8	940
W2RGV	19	8	720	W8VNM	25	8	900
W2RIG	17	6	980	W8GFN	23	8	540
K2JWT	16	6	550	K1CRQ	8	2	690
W3RUE	33	8	1100	W8LCY	22	7	680
W3EPT	32	8	1000	W8H1N	21	7	610
W3GKP	30	7	1180	W8GTR	17	7	550
W38GA	31	1070	W8NRM	17	7	550	
W3TDF	30	8	1125	W9K1R	41	9	1160
W3KCA	28	8	1110	W9WOK	40	9	1170
W3BYF	28	8	1070	W9GAB	34	9	1075
W3LNA	27	7	729	W9AAG	34	9	1070
W3LFP	21	6	800	K9AAJ	31	8	1050
W3NKM	20	7	730	W9RAT	31	8	830
W3LZD	20	7	850	W9ZHL	30	8	850
K3HDW	12	6	1015	K9UIF	28	9	970
W4HJO	39	8	1150	W9PBP	28	8	820
W4HHK	37	9	1280	W91VC	27	8	950
W4LTV	34	8	1160	W9OJT	27	8	910
W4LTH	34	8	954	W9KFD	26	8	1100
W4MKJ	33	8	1149	W9ZHL	25	8	700
W4WNH	31	9	1050	W9H1V	25	7	1030
W4AO	30	8	1120	K9AQE	24	7	900
W41VA	26	8	1000	W9CUX	23	7	1000
K4EBS	26	7	1130	W9LFE	22	7	825
W4FQM	25	8	1040	W9KFD	22	7	690
W4AIB	25	8	900	W9ALB	18	7	800
W4TLV	23	7	1000	W9WDD	16	5	500
W4JCV	23	6	725	W9HFR	37	9	1350
W4VVE	23	6	724	W9HJD	31	8	1030
W4KMU	21	7	1080	W9SMJ	29	9	1075
W4KZ	20	6	720	W9B1P	28	7	1050
W4OLK	20	6	720	W9DHF	27	1300	
W4LNG	19	7	1080	W9RUF	23	7	900
W4RFR	18	9	820	W9IC	22	7	1360
K4YUX	08	8	830	W9MTO	22	6	1150
W4CPT	18	6	650	K9ITP	21	6	940
K4WHI	18	6	590	W91NI	21	6	830
W4IDA	17	6	757	W9TCC	21	6	870
W5RCL	38	9	1280	W9ENC	21	6	1100
W5FYZ	33	9	1275	W9RYG	20	8	925
W5AJG	32	9	1360	W9DQY	20	7	700
W5JWL	29	7	1150	W9AZT	18	7	1100
W5DFU	28	9	1300	W9AAS	18	6	1130
W5FZ	27	8	1300	K9AQJ	16	6	1120
W5LPG	25	7	1000	W9LFS	16	6	1100
W5KTD	23	8	1200	V6ICL	8	4	800
W58WV	20	9	960	V6DIR	36	9	1330
W5MLL	16	6	700	W6AIB	2	8	134
W5KPU	13	4	1300	V63RP	24	7	950
W58SC	12	5	1390	V63BQ	20	7	790
W5HPZ	12	5	1250	V6EAC	18	8	1300
W5CVW	11	5	1180	V63DR	17	8	1340
W5NDE	11	5	620	V63HW	17	7	1360
W5VY	10	3	1260	W6YAB	10	4	580
W5WAX	8	8	735	V63HO	1	1	915
W5EJZ	8	5	550	V67EJ	2	1	365
W5YVO	7	4	1330				
W5UNH	6	3	1200	K8GUK	2	2	2540

The figures after each call refer to states, call areas and mileage of best DX.

is now using an 8-over-8 beam for 144-Mc. work, and that W3CGV is continuing his 432-Mc. activity. October 12 was a good one for K8RXD on two meters, when he was hearing W8KAY, W8LCY, K8AXU, K2IEJ, W8RKL, K9UIF, W3RUE and many others. Dean missed quite a few because of rotator troubles.

W4FWI reports good two-meter activity during the first part of October, W5BAU coming in almost nightly with

S8 to S7 signals. Many Florida stations were heard on October 11 with W4MNT being the strongest worked. First report received from K0FK in Dell Rapids, South Dakota, sez that he's using K0ESC's Seneca for a short time and got on the air with it on 144 Mc. on October 31. Worked four stations in Brookings and three in Sioux Falls, and sounds like he's going to be another of the two-meter gang in that area.

During the temperature inversion of October 14 and 15, K1MFM in Norfolk, Virginia worked the following stations: W3LVL, K4TVJ, W3PBV, W3LH, W3HY, W3TFA, K4GRJ and W3PBU. WA9AS sez that ground wave on two meters has been very good and that he's looking for Saturday morning skeds (0800-0900) into Michigan on either 2 or 6 meters. WA4DKG reports a very good opening throughout the state of Florida on October 8; Tom says it's the first time he's heard so much QRM on 2 meters. Balance of the month average.

Out in Las Vegas, Nevada, K7ICW sez that on October 6 at 0800, W6NLZ signals on 144.020 were so good that "I asked him to shift to s.s.b. Due to some difficulty, I was unable to nullify the carrier and read any more than call signs, but I'm sure that a better s.s.b. receiver here would have made him quite readable." George also mentions that the southern California gang will soon resume 220-Mc. skeds with Nevada stations.

Another of our friends to the North, VE3ESE, reports no unusual openings noted — the usual stations heard were VE3BR in Woodstock, Ontario; K3NAU in Pennsylvania; W8KAY in Ohio. Don sez that "the amazing part of the September VHF Contest was the very high activity shown in VE3 land, with well over 150 stations in southern Ontario participating."

Clubs and Nets

On November 6, various members of the Vermont Amateur Radio Club participated in an exercise to provide rapid communication of Barre City election results to the local radio stations. K1MFG, Charlie Collins, was responsible for getting it whipped into shape. We are happy to report that their efforts were greatly appreciated by WSKI, WSNO and WDEV, and the club members had valuable first-hand experience in setting up and operating under what might be termed emergency conditions. There were six units operating on 145.8 in the six wards of Barre and reporting the results for each office when counted to a net control station where election results were accumulated and relayed, when necessary, to stations representing the three broadcast stations.

Members of the HY-Rangers (Ft. Worth) furnished communications for the American Legion Auxiliary's Benefit on November 1 and 2. About forty messages were sent and received. Most of the traffic was handled on 51.15 Mc. Two meters was also used on the first day.

The Pack Rats (Mt. Airy VHF Club) are now issuing a certificate for working 30 members of their club on any of the v.h.f. bands. Normal certificate rules apply, but send list of contacts with proper information (do not send QSLs) to Joseph Kilgore, W2EIF, #5 Sunnybrook Court, Stratford, New Jersey.

The Microwave Society of Long Beach, Incorporated will celebrate its second birthday on January 2, 1963, and many events have been recorded in this short space of time.

Starting in December 1960, a meeting of v.h.f., u.h.f., and microwave radio amateurs was suggested by Ralph Steinberg, K6GKX, of Long Beach, California, to form a club to further study the techniques of the higher frequencies. The meeting was held in January 1961, with fifteen charter members attending. In 1961 the society increased its membership to thirty and at the present time membership stands at sixty.

The past year has brought many fine programs and speakers to the members of the group, including the Oscar Program and W6TNS, the Telstar program and the MARS program. The Society has participated in Project Oscar events. At the southwestern ARRL convention at Disneyland, a tracking station was installed by the group to track Oscar II, and another tracking station will be in operation at the club's quarters when Oscar III is put into orbit in early 1963.

Projects are a statewide repeater system on 432 Mc., a MARS net to be organized for 432 Mc., and an elaborate moonbounce station for 1296 Mc. These and several others will be completed in early 1963.

The Microwave Society of Long Beach is assisting the Boys' Clubs of Long Beach in training boys for their ham license. Last April the society put on a city-wide drive for ham gear for the boys and it was a huge success. A club station is being installed at one of the branches of the boys' clubs.

Radio amateurs in the southern California area are invited to attend and join this fast-growing society. Meetings are held on the first Wednesday of each month at 5107 East Ocean Blvd., Long Beach at 8:00 p.m. For further information write Ralph Steinberg, K6GKX, P.O. Box 3303, Long Beach, California."

50 Mc.

Soon to join the s.s.b. gang on 50 Mc. is Charlie, K4JQY, in Greenville, South Carolina, who has tested his 100-watt s.s.b. rig on the air and seems to be doing fine; while Mike, K8PBE sez that progress is coming slowly on his 6-meter s.s.b. rig. Mike comments that W8CZD, WA8BJT and K8VGL in his area are all using homebrew sideband rigs. W8CZD has worked Wisconsin, Ohio, Indiana, Michigan and Pennsylvania during the month of October.

K9DWR sez that his 50-Mc. s.s.b. mixer is on the air but he still needs the s.s.b. exciter. In Sunbury, Pennsylvania, K3ARR mentions that local activity is very poor and that there are a number of people either on s.s.b. on 50 Mc. or talking of building s.s.b. rigs. Among these are K3NIF, K3IBM, W3WLF and K3ARR. K3LNP sez that local

220- and 420-Mc. STANDINGS

220 Mc.		K0DGU.....5 3 425		K0ITF.....6 3 515	
W1AJR.....11	4 480	KH6UK.....1	1 2540	VE3ATB.....7	4 450
W1AZK.....9	3 472	VE3BP.....3	3 300	VE3BP.....3	3 300
W1BDQ.....1	5 450				
K1JLX.....10	2 150				
W1QOP.....12	4 400				
W1RFU.....15	5 480				
W1UHE.....11	4 385				
420 Mc.					
W2AOC.....13	5 450	W1AJR.....11	4 410	W1HFDQ.....8	3 210
K2AXQ.....9	3 340	W1HFDQ.....8	3 210	W1MCT.....8	3 170
WA2BAH.....4	2 167	W1MCT.....8	3 170	W1QOP.....11	3 390
K2CBA.....13	6 650	W1QOP.....11	3 390	W1QWJ.....9	3 —
K2DIG.....4	3 140	W1QWJ.....9	3 —	W1RFU.....7	4 410
W2DWJ.....15	8 740	W1RFU.....7	4 410	W1UHE.....6	4 430
W2DZA.....12	5 410	W1UHE.....6	4 430	W2AOD.....6	4 290
K2ITF.....11	5 265	W2AOD.....6	4 290	W2BLV.....12	5 360
K2ITQ.....11	5 265	W2BLV.....12	5 360	K2CBA.....7	4 225
K2JVT.....6	3 244	K2CBA.....7	4 225	WA2DTZ.....6	3 200
K2KIB.....12	4 300	WA2DTZ.....6	3 200	W2DWJ.....10	4 196
W2LRJ.....10	4 250	W2DWJ.....10	4 196	W2DZA.....5	3 130
W2LW1.....12	4 400	W2DZA.....5	3 130	W2TQB.....8	2 280
W2NTY.....12	5 300	W2TQB.....8	2 280	K2KIB.....4	2 100
K2PPZ.....11	4 490	K2KIB.....4	2 100	W2NTY.....3	2 100
K2ZQJ.....13	5 540	W2NTY.....3	2 100	W2OTA.....10	4 300
W2SBU.....9	3 225	W2OTA.....10	4 300	K2UUR.....9	3 280
K2UUR.....4	3 105	K2UUR.....9	3 280	W2VCG.....9	4 280
W3AHO.....4	3 180	W2VCG.....9	4 280	K3ACL.....9	4 1
W3FEY.....11	5 350	K3ACL.....9	4 1	K3EOP.....6	3 250
K3UUV.....8	3 310	K3EOP.....6	3 250	W3FEY.....8	4 296
W3JYY.....8	4 295	W3FEY.....8	4 296	K3UUV.....7	3 310
W3JZL.....4	3 250	K3UUV.....7	3 310	W3LCC.....2	2 270
W3KKN.....10	4 255	W3LCC.....2	2 270	W3RUE.....3	2 270
W3LCC.....9	5 300	W3RUE.....3	2 270	W3TJG.....6	4 350
W3LZD.....15	5 425	W3TJG.....6	4 350	W3HHK.....8	4 550
W3RUE.....10	5 480	W3HHK.....8	4 550	W4VVE.....7	4 430
W3UJG.....13	5 400	W4VVE.....7	4 430	W4TVL.....3	2 225
W3ZRF.....5	4 112	W4TVL.....3	2 225	W5AJG.....5	1 425
K4TFU.....5	4 400	W5AJG.....5	1 425	W5HTZ.....5	3 440
W4TLC.....5	1 315	W5HTZ.....5	3 440	W5RCL.....12	3 660
W4UYB.....7	5 320	W5RCL.....12	3 660	W5SWV.....7	3 525
W5AJG.....3	2 1050	W5SWV.....7	3 525	W6GTG.....1	1 180
W5RCL.....8	5 700	W6GTG.....1	1 180	W7LHL.....2	1 180
K6GTG.....2	1 240	W7LHL.....2	1 180	W8HCC.....3	2 355
W6MMU.....2	2 225	W8HCC.....3	2 355	W8HRC.....3	2 250
W6NLZ.....3	2 2540	W8HRC.....3	2 250	W8LQJ.....4	4 275
K7ICW.....1	1 250	W8LQJ.....4	4 275	W8NRM.....3	2 390
K8ANU.....10	5 1050	W8NRM.....3	2 390	W8PT.....6	3 310
W8LJG.....9	5 475	W8PT.....6	3 310	W8RQJ.....4	2 270
W8LPD.....6	4 480	W8RQJ.....4	2 270	W8TY9.....9	5 580
W8RNL.....8	4 390	W8TY9.....9	5 580	W8UST.....3	2 225
W8PT.....10	5 660	W9AAG.....9	4 660	W9AAG.....9	4 660
W8SVL.....6	4 520	W9AAG.....9	4 660	W9EQC.....11	5 740
W9AAG.....9	4 660	W9EQC.....11	5 740	W9JCS.....6	2 340
W9EQC.....11	5 740	W9JCS.....6	2 340	W9JEP.....9	4 540
W9JCS.....6	2 340	W9JEP.....9	4 540	W9WV.....6	3 475
W9JEP.....9	4 540	W9WV.....6	3 475	W9WV.....6	3 475
W9WV.....6	3 475	W9ZIH.....10	5 500	K9ITF.....6	3 240
W9ZIH.....10	5 500	K9ITF.....6	3 240	K9ITF.....3	2 185

The figures after each call refer to states, call areas and mileage of best DX.

activity on 50 Mc. is strong in his area (Levittown, Pennsylvania) with many additional s.s.b. stations now on the air; and K3MLI comments that he is now running 100% s.s.b. on six meters, and there isn't enough s.s.b. activity on the band.

Looks like the s.s.b. reports are coming mostly from Pennsylvania 'cause K3ADS reports east-coast six-meter s.s.b. is increasing rapidly with close to 100 stations from Richmond, Virginia to southern Connecticut. Most of the activity is in the New York and Philadelphia regions. The East Coast VHF Society's s.s.b. net meeting has around 30 stations checking in each Sunday morning. W4OAB in Charlotte, North Carolina reports good groundwave on six meters during the late evening hours; he claims that everybody is going to bed too early and doesn't even know there are good conditions. Cliff now has his new homebrew d.s.b. rig going on 50 Mc. with good results so far, and is working on a 50-Mc. linear for s.s.b. and d.s.b. rigs. He's looking for a Kentucky sked in the southeastern part of the state. W4FJ tells us that W4DXC, W4DYE, K4HDU, W4UMK and W8SNC/4 are all on 50-Mc. RTTY.


W6FPF in Ames, Iowa seems to have had a good month in October. "While talking to a local, K0KPG, on the 7th, W6QCV and K6SUE broke in and we had a 26-minute QSO. On the 8th, I heard aurora and worked K0CJC, W9HGE and K8CBD. During morning sked on October 20, I worked K3HFL and K8UBA, whose signals sounded like scatter and weak sporadic E. On the 22 I worked W1BKI, K1PBE and K1OHU, then W5UNU. About an hour and a half later heard W7EGN in Montana and shortly thereafter heard K7BAG in Washington." All sounds good to me.

Opposed to the foregoing report we hear from Dan, W6CMI, in Missouri that "Six has finally given up the ghost on good skip openings, with one only during the month, occurring on October 28. This opening was very erratic and about the only thing that could be done was copy the other guy's call and pass 73's." K0PFC, also in Missouri, noted openings on the 26th and 28th of October. The first into New Mexico and the second into Florida, Texas and assorted points in between. Bob sez that if anyone else is interested he's willing to set an A1 or A2 transmitter on six for either general contacts or code practice. W9DFS reports many new stations now operating 50 Mc. in his area and a number of the old ones back on again. Ken also noted the opening of October 28 to Florida and Texas.

From Vince, K8REG: "In regard to comment made in November QST concerning an unmodulated carrier on or about 50.162 Mc.: I have noted the following items. I have heard this carrier on numerous E_s openings to the east coast during the summer. It is always the strongest signal on the band. During the Perseids I had skeds with W3HZU in York, Pennsylvania and at this time I noted this unmodulated carrier again. It had a signal strength of S1 to S5 on scatter! It was on for most of that evening and several days and nights hence. The carrier was shut off for short periods of time, but was on most of the time with no modulation or other intelligence. My location is near Dayton, Ohio and the carrier peaks to the northeast. I have not been able to find out anything else about it but surely would like to make scatter skeds with that fine signal. Incidentally, I was partially successful in completing my sked with W3HZU on a.m. phone. Average signal strength on both ends was one S unit above the noise. It would have been solid on c.w. but we wanted to see if a.m. would get through on scatter."

In Needham, Massachusetts, K1WTX reports the October 28 opening with 4's and 9's in Florida and Illinois being observed. John also comments that signals from New Hampshire, Maine, Rhode Island and Connecticut were unusually steady during the month of October. K9ILJ in Brookfield, Illinois, heard 8 Texas stations during this same opening. QSB was heavy though and he had difficulties getting contacts W8AJY, Els of Novelty, Ohio, reports working 104 Michigan stations in seven evenings, which entitles her to the "Michigan Century Award" from the Michigan six-meter club. Cities contacted were in Jackson, Battle Creek, Detroit and suburbs.

K3LNU sez that the only new thing around his shack is the s.s.b. unit which he hasn't been able to get working yet. Bill comments that on October 7 he was part of a three-way duplex operation on 51 and 53 Mc; stations concerned were W421DT in New Jersey, K3MBD in Philadelphia and K3LNU in Rosemont, Pennsylvania. Very interesting experiment, sez Bill, and he'll probably try more of same after the first of the year.



After laying off 144 Mc. for a year, W9CUX came back to this spot to nab state #23 in October.

From Gillett, Pennsylvania, W3BKF has been working stations in Rochester, New York, fairly consistently. Earl sez that although his QTH has an elevation of about 1150 feet, he is in a valley with peaks reaching 1800 feet surrounding him. K3KPA has been experimenting with frequencies between 53 and 54 Mc.; his reaction — "Wow! Is it ever touchy up there!" Ground wave to John's QTH in Philadelphia was very good from north and south during October with North Carolina and Virginia coming through on and off for the entire month. New York and Connecticut were heard almost every night.


Out in Nevada, K7ICW observed E type openings on October 4, 6, 14 and 26; they were of short duration with erratic signals being heard from Texas, Oklahoma and Missouri. George said an improvement was noted over previous month on tropo type openings. W4RIX in Memphis observed good ground-wave conditions during the month of October and on the 28th of that month an opening into Florida when he worked K4OCK and WA4JBM, and WA4GDC, and heard K4RNG and W4WTO.

From South Dakota and K0FKJ we hear that he observed an aurora on October 7 with four c.w. stations being heard, but only K0MVI in Minnesota being identified, and that six was open on October 6 and 26 with K7MBI in Arizona being worked on the 6th, and Texas and Louisiana heard on the 26th. Down Florida way WA4BMC heard K5QWU, K5GDIH, W5FJD, K5VFF, W5DLW on October 14; while Les, K4RNG noted openings on seven days during the month and excellent ground-wave conditions on 4 days of the month. During the opening of the 26th, W5EUB told Les that he had just finished working Cuba at 1800 Texas time. The opening of the 28th seemed to be the best of the month for Les with Ohio, Pennsylvania, Wisconsin, Kansas, Michigan, Indiana, Missouri, Iowa, Illinois, Tennessee, and Nebraska being heard.

QST



Part of the QRM at the Syracuse VHF Roundup in October. L. to r.: W2ALR, Larry and VE2FF, Bob.



YL NEWS AND VIEWS

CONDUCTED BY ELEANOR WILSON,* W1QON

1962 marked the tenth year of reporting activities of YLs 'round the world in this radio journal. A good year it was, too. As is our annual custom here, we'll take one backward glance before plunging into the whirlpool of the new year.

In the March column we tried to satisfy the popular query "How many YLs are there?" We considered it safe to assume that of some 225,000 amateurs approximately 8000 were YLs. In 10 years we have multiplied our ranks eight times over. A calculation of closer to 9000 would probably be more up-to-date right now — and we're not done growin' yet!

New YL clubs introduced brought the total number of clubs specifically for women hams to about forty. The new ones include the Buckeye Belles, YL Certificate Hunters Club Chapter Four, the Jersey Tomaters, and the Upper Peninsula YL Club. Several new nets were initiated (see October column for listing of 45 different YL phone and c.w. nets), and four or five more YL certificates became available to the certificate seekers. The YLRL conducted its annual YL-OM Contest (13th annual) and the Anniversary Party (23rd annual), plus the newer activities, "Howdy Days" and the second YL v.h.f. contest.

* YL Editor, QST: Please send all news notes to W1QON's home address: 318 Fisher St., Walpole, Mass.

Katherine Johnson, W4SGD, became the first YL to make YLCC/1000 — confirmed contact with 1000 different YLs. (OM W2QHH received his 1000 endorsement in 1959.) Thelma Bomyea, WA2RLU, supplied the long-awaited answer to the question, "Who will be YLRLer #1000?", when she joined the YLRL early in the year. And when Shirley Stroup, KN7UDP, joined the ARRL after receiving her license last January, we conjectured that ARRL members could hardly come any younger. Miss Stroup could be an eight-year-old member of the Barbie-doll set, but it appears that Shirley has set her dolls on a shelf in favor of playing with shiny new radio gear.

The annual flurry of YL get-togethers and conventions around the country kept a YL hopping if she wanted to take in as many events as she could. The Portland Roses YL club worked hard and long to make the YL-XYL program of the ARRL National Convention in Portland on Labor Day weekend the success that it was. Announcement of the Fourth International Convention of the YLRL was made by YLRL President Onie Woodward, W1ZEN. To be held in June 1964 in Ohio, the convention will be hosted by the Buckeye Belles and will be part of the 25th anniversary celebration of the YLRL.

For the eleventh consecutive year amateurs assisted with communications for the All Women Transcontinental Air Race. Carolyn Currens, W3GTC, served as chairman of the net for the fifth year.

YL participation in the 1962 Field Day seemed



Diane Price, K9TRP, outgoing president of the Ladies Amateur Radio Klub, turned over gavel and antenna tower to 1963 President Connie Kalinowki, W9UON, at the officers' installation party in September. Other LARK officers for the coming term are V.P. K9IWR; Secy. K9BWJ; Treas. K9ZWW; Pub. Chairman W9GJB.



The appointment of Edie McCracken, K1EKO, as new editor of Harmonics, has been announced by club President Jean Kincheloe, K6OQD. Edie takes over duties from Gladys Eastman, W6DXI, Jan. 1, '63. Send copy for Harmonics to K1EKO at P.O. Box 285, Westwood, Mass.



Meet several members of the Upper Peninsula YL Club (Michigan), which gets together every Monday at 1400 GMT on 3920 kc. The UPYLs will hostess the 13th Midwest YL Convention at Newberry, Mich., on June 23. Top row, l. to r.: Vi Lehtinen, W8JXJ, of Ishpeming, wife of W8IOC and mother of K8NYP, is supervisor of nurses at a local hospital (Vi's ham time is primarily limited to 75-meter mobile); the XYL of W8PVU and mother of four harmonics, Jane Hastings, K8SRO of Ensadine is active on several bands c.w. and s.s.b.; Faye Leightonen, K8PNA, of Newberry, is owner and operator of a fishing and hunting resort in an area where ham radio is the only means of communication with "civilization" (Faye holds a public service award); Former teacher, Clarice Baulanger, WA8AHY, of Mass, is a newcomer to the UPYL net (Clarice is the XYL of WA8AHX). Bottom row, l. to r.: Myriam Gregg, K8ILN, mother of four harmonics aged 2 to 5 years, is serving her second term as president of the Twin Soo Radio Club (Myriam and her OM W8HDI live in Sault Ste. Marie); Merle Slade, K8TGX, and Muriel Reid, K8SUP, have a few things in common. They are twin sisters, each is married to a ham, each has one boy harmonic and has won championship awards with the bow and arrow. (Photos via W8HAV).

to have dropped off from previous F'D performances, but with Field Day a ham always looks ahead to "next year", and now next year is only six months away.

The number of YLs who attained Brass Pounders League honors last year was greater than ever before, and our YLs moved thousands of messages in 1962.

As we said, 1962 was a good year for the YLs of amateur radio. We are about to find out what 1963 holds in store for us. Happy New Year to all!

1962 BPL YLS

As stated in our summary of 1962 YL activities, the number of YLs who achieved Brass Pounders League honors in 1962 was greater than ever before. Several YLs made BPL almost each month of the twelve. Mae Burke, W3CUL, topped all other BPLers January through December again — nothing new for Mae who has been placing first, second or third (usually first) in BPL for 13 consecutive years!

Bertha Willits, W0LGG, continued another record of excellence in traffic-handling for at least six years by placing second or third on the BPL list almost each month. Martha Starley, W0ZWL, Louise Moreau, W3WRE (now WB6BBO) and Lydia Johnson, W0KJZ, have all been BPL winners many times over in past years.

Beatrice Dietz, WA2GPT, and Ruth Vollrath, K0ONK, both were consistent BPL winners in 1961. K0ONK's collection of some 70 BPL cards is tribute to a talented, ambitious YL who is sightless.

Congratulations to all aforementioned YLs and to Ruth Nissen, W4HWR, Ann Pitcher, K4RDX, Elaine Harts, K3GSU, Adah Elliott, W9RTH, and Maria Mateo de Fernandez, KP4VT, for achieving BPL honors in 1962.

In the following tabulation the number in parenthesis following a call denotes 1st, 2nd, or 3rd place position in the monthly BPL listing, which appears in the "Traffic Topix" section. The information for any given month is for traffic handled during the month three months previous to publication. The BPL is open to all amateurs in the United States, Canada, and U.S. Possessions who report to their SCM a message total of 500 or more or 100 or more origina-tions plus deliveries for any calendar month. All messages must be handled on amateur frequencies within 48 hours of receipt, in standard ARRL form.

1962 YL BPL Certificate Winners

Jan.	W3CUL (1), W0LGG (2), K0ONK, W3WRE, K3GSU, WA2GPT, W0ZWL, W9RTH, W4BWR, K4RDX, KP4VT
Feb.	W3CUL (1), W0LGG (3), K0ONK, WA2GPT, W0ZWL, W3WRE, W9RTH, K4RDX
March ...	W3CUL (1), W0LGG (3), W3WRE, W0ZWL, WA2GPT, W0KJZ, W9RTH
April ...	W3CUL (1), W0LGG (3), K0ONK, W0ZWL, W3WRE, WA2GPT, W9RTH
May ...	W3CUL (1), W0LGG (3), W3WRE, W0ZWL, WA2GPT, K0ONK
June ...	W3CUL (1), W3CUL/4 (3), W0LGG, K0ONK, W0ZWL, W3WRE, WA2GPT
July	W3CUL (1), W0LGG (3), W3CUL/4, K0ONK, W3WRE, WA2GPT, W9RTH
August .	W3CUL (1), W0LGG (3), K0ONK, WA2GPT, W3WRE
Sept.	W3CUL (1), W0LGG, WA2GPT, W3WRE
Oct.	W3CUL (1), W0LGG, WA2GPT



Governor Wesley Powell signs the bill proclaiming the week of Nov. 3-10, 1962, as the first Amateur Radio Week in New Hampshire as amateurs K1OGU, K1NZK, K1JFQ, K1PCZ, and W1HQ (l. to r.) look on. (see "Two N.H. Firsts")

Nov..... W3CUL (1), W0LGG, K8ONK, WA2GPT
Dec..... W3CUL (1), W0LGG, WA2GPT

Dear OM . . .

Do you remember in grammar school how one would be given a simple paragraph to analyze sentence by sentence? Maybe they don't do that sort of thing nowadays, but after reading a nice little letter sent to us by a proud OM, we just can't resist presenting the writer's statements — all five of them — one at a time. We trust that W8BMM will pardon us. He should know, if he has glanced at these pages before, that we really cherish our OMs and our comments are only for play.

Opening statement: "I thought I'd let you know that after fourteen years of marriage my XYL, Ruby, finally got her ticket — WNGBYD." Now, the key word here is "finally". Any woman who finally gets her ham ticket after 14 years of marriage is to be heartily congratulated, whether she has been trying for 14 years to pass the exam or whether she has been married for 14 years and just recently "finally" decided to seek her own license.

Second statement: "I, of course, was her first contact — I operated automobile c.w. to do this." There could be diverse reactions to this statement. The "of course" bothers us a little, of course. The romance of having one's own beloved as a girl's first contact is of undeniable importance. But just possibly at a time like that, a wife might long to throw togetherness to the wind for a few fleeting moments and seek a contact with a flattering Frenchman in gay Paree for her first one. Still, over-all, the act on the part of the OM must be considered gallant — not every man goes to the extent of operating automotive c.w. for a rendezvous with his wife.

Third statement: "This was also my first licensed YL contact in 15 years of hamming!" Well! We declare! In this day and age? How could this be? If this is true, girls, we have some work cut out for us.

Fourth statement: "I don't count the time a YL told me to get my maritime mobile station off 'their' 15-meter S.C.B. net frequency — I QSY'd." Again, girls, this one is definitely on us. We should know better.

Daddy is a ham too!



Final statement — in fact it was written as just a little p.s.! "We have six harmonics (2, 4, 6, 8, 10, and 12 years old) but they can't stay interested long enough to work for the 'coveted' — they claim they're just too busy." Aha! This statement affords a deeper comprehension of the first statement. In view of this new tidbit of information, we can only congratulate Ruby still more heartily upon "finally" getting her ham ticket. In fact, we congratulate Bill, too. It's obvious he is making his contributions to ham radio and the world in general!

Two N.H. "Firsts"

The five amateurs shown in the photo observing Governor Wesley Powell proclaim Amateur Radio Week in New Hampshire constituted the committee in charge of the first N.H. Amateur Radio Week and the first N.H. luncheon and meeting of the Women Radio Operators of New England. Maxine Andrews, K1OCHU, Mary Goulart, Beatrice Bean, K1JFQ, Barbara Roberts, K1PCZ, and Ellis Miller, W1HQ, ARRL N.H. SCM, (l. to r. in the photo) were primarily responsible for the effectiveness of the two N.H. ham "firsts". (Missing from the photo was Louise Reneker, K1SLS, formerly of Laconia, N.H., now of Elkhart, Indiana.)

The Amateur Radio Week proclamation endorsed by Gov. Powell urged all citizens to show their appreciation of services rendered by amateur radio operators. All radio clubs throughout the state held open house during Amateur Radio Week to acquaint the public with the hobby. Granite State hams endeavored to give as many on-the-air contacts as possible with hams throughout the world.

On Saturday, Nov. 3, the first WRONE luncheon-meeting in New Hampshire was held at Concord. WRONE President Mary Hadley, K1ADY, of Brewer, Maine, presided. Special guests present were Onie Woodward, W1ZEN, YLRL President; Blanche Randles, K1I2T, V.P. of the YLRL; and Shirley Rex, K8M2T, and her OM K8M2S, K8M2T, general chairman of the National Convention of the YLRL to be held in Ohio in June, 1964, extended a cordial invitation to the some 100 amateurs present to attend the event.

Mr. Samuel Allsup, sales manager of a large radio equipment company, spoke on preparedness within the home for a national emergency. Mr. William Lenney, K1OGX, spoke on proper procedure in communications in case of a national emergency. A fully-equipped Civil Defense truck was open for inspection, and K8M2T had her own portable radio station set up and contacts were made with hams throughout the country.

K1I2T advised that the following rules must be followed explicitly by all amateurs interested in obtaining the WRONE certificate. Work 6 WRONE members, after May 1, 1959. Three of the N.E. States must be represented. To qualify for a sticker you must work a WRONE member in all three of the states not worked for the original certificate. When you have received both the certificate and the sticker, you will have worked 9 WRONE members and all 6 N.E. states. Send QSL cards or copy of log certified by an officer of your radio club (or two amateurs) that the cards are in order, plus 20¢ to cover mailing cost.

And In Her Spare Time . . .

Did you say you were too busy to get on the air? Hear of one YL who is a bit busy at times (see photo for seven reasons why), but in the two years she has been a ham she claims she has "had a continuous ball" on the air. The seven children of Helen Maziarz, K8N9D, of Lorain, Ohio, don't really impede Helen's operating — in fact, the whole family enjoys it when Mother and Daddy, K8MLL, take to the air.

Helen writes, "Ham radio is certainly a blessing to anyone with a large family. It is an inexpensive hobby and enjoyed so much by all nine of us here."

The only YL of the AREC in Lorain County, Ohio, Helen was also the first YL member and first YL officer of the Lorain County ARA. She is an active member of the Buckeye Belles and Chix on Six and the AREA. Two of Helen's children have their own calls already — 15-year-old Joe, K8BIU, and 14-year-old Mary Frances, WA8BJA1. Six more to go and it might be the biggest all ham family ever!

(Continued on page 160)



How's DX?

CONDUCTED BY ROD NEWKIRK,* W9DRB

Who:

We should have known him by the beat and haunted expression on his face. But he came into our shack with the rest of the gang almost unnoticed, and slid into our operating chair with an uneasy grace. The seat fractured with a startling snap.

He started to tune 20 on our homebrew t.r.f. after Jeeves supplied another chair. Two knobs immediately fell off the receiver in his hands, a trouble we had never encountered before. We jammed them back on as he mumbled an apology, but then the set went dead. A blown 80, by golly, our first burnout in years.

Having his ticket with him, a crumpled, greasy thing, he made ready to answer a TU2's CQ. We had him sign the log before he did so (would have been a new one for us!) and his pen went dry halfway through the scribble. Too late—the TU2 got away. Now an FR7 showed up down-band, so the peculiar fellow grabbed our bug to nab us another would-be new one. The key's U-spring suddenly wrapped itself around the dot-contact post. We frantically corrected this while he hammered on a paralleled straight key, shutting its knob.

The FR7 let out a heart-stopping QRZ W9? just as our final belched forth a mushroom-shaped cloud of vaporized power transformer. We threw the antenna onto our buffer-driver just in time to hear the FR7 settle for a K2. Our man had a knack, however, for he next raised a VQ9 on a short QRP CQ. This, too, would have been a new one for us if only the Seychelles chap had gotten our call right. No matter how clearly our visitor sent it, the VQ9 had us irrevocably logged as W9DRB. He faded out before we could wise him up.

Twenty was really getting hot as our buffer meter pegged its needle with a nasty B-plus short. We slapped the antenna tuner on the v.f.o. as our eager guest operator began to call a gurgly AC3. Wow—he came back to W9B?? on our peppy two watts! Another new one—almost. Our boy was giving the AC3 a clarifying call when the whole shack shuddered with a dismaying thud. Our four-element wide-spaced beam obviously had collapsed, for one element was jammed through the shack window like a spear from outer space.

We were attempting to figure out what had simultaneously caused our v.f.o. and monitor to spout acrid smoke when two or three fire engines pulled up out front and began pouring water on the roof. Our fallen tower apparently had nipped a hot line. We grabbed our determined guest by the collar and pulled him out the door to safety.

* 7862-B West Lawrence Ave., Chicago 31, Ill.

Alas—not even time to save our precious shoe-box QSL files.

It was an eventful evening, all right. More grief than a barrel of Field Days, Jeeves observed, and almost as much fun. This remark called forth a sudden familiarity. We inquired of our visitor if we hadn't met somewhere before. The fellow gave us a sheepish grin as he flicked some burnt-QSL ashes off his sodden coat and prepared to depart.

Said he, "You've heard of Murphy's Law, haven't you?"

We all nodded emphatically.


"Well, I'm Murphy. CUL."

What:

Not if we can help it, he won't. What a way to start the new year. Good thing it was only a bad dream. . . . Gee—next month is ARRL DX Contest time already! Better roll out the "How's" Bandwagon to see what's cooking on 10 through 160. In the text to follow, as usual, frequencies are in parentheses in number of kc. above the lower band limits, times in GMT outside parentheses. E.g., "TU2AP (55) 2-3" means that TU2AP was reported on 14,055 kc. at 0200-0300 GMT if the paragraph deals with 20 meters. Okay, let's go. . . .

10 phone makes quite a comeback. Good to see 28 Mc. in such good DX shape albeit temporarily. Ws 2FLW 9CSC, Ks 1MOD 1QGC 8MQG 9YDY 0GSV, WAS 2PJL 2RUB 2WMH 6VAG and 6VAT gobbled up CESPAL, GN8s HB (500) 14, HP, COs 7HQ 8JK (600) 22, CRs 6BS 6BX (450) 17, 7GH, CTs 1HX 2AK 3AF, a dozen CXs, EAs 4GR 7FT, EL2F (800) 17, Fs 2QX, 3OX, FG7XP, HCs 1BK 2RC 4CD 5NW, HJ2RS, HJ8s AT MV (770) 22, lots of HKs including 0AI of San Andres, HPIJC, HR1BB 11NL, KG4BH, KH6Q, KP4s BAU (750) 17, BY (600) 19, KZ5CD, seeds of LUs and PYs, OAs 1D 4CR 4OG (700) 15, PJs 3AO 5MC (560) 19, TGs 5HC 9ED, TI2s ES WA, TN8AD (300) 18, VK2FU, VPs 2LA 4TR 5AH 5TK 6TR 7NB 8GO, VQ2s BK JC (300) 18, VR30 on s.s.b., XEs 1CCR 2AJ 3AQ, XT2Z, YNs 3KM 4CB 6HH, many YVs, YS1LA (450), ZD6HK 17, ZEs 1JJ 2JA 2JE (400) 18, 6JL 7JV 8JY, ZLs 1AUO 1RI 2ATV 2BE (350), 3QK,





G8FC/G3RAF, installation of the Royal Air Force Amateur Radio Society at Locking, Somerset, is well worked as G8FC on 80 through 10 meters, single-sideband or c.w., and as G3RAF on straight a.m. or c.w. on 160 through 10 meters. At left is the station's beams for 28, 21, 14 and 144 Mc.; left center shows (left to right) G3IRK, G5UG, F/Lt. N. Griffiths and G3GNS talking things over in the club room; right center gives a full view of the gear available; and right is a snap of G3IRK manning G8FC equipment. G8FC/G3RAF recently completed an extensive rebuilding program and has been very active on DX bands since November. RAFARS, by the way, celebrates its 26th birthday this year.

ZSs 3HT (200) 17, 7L and a dozen other South Africans, 5As 1TW (455) 15, 5TW, 5H3IW, 5N2JKO (440) 16, 9L1s HB and GAI.

10 c.w. also makes a curtain call, W2ELW, Ks 1M0D 9YDY and WAGVAT accounting for GE1AD, CT1JY, DL6EZA, DM3IGY, EA7CP, PY5CFW 18, VP5s GT 18, TK, VO2EW (10) 16, XE1s PJ VT, YV1CK, ZSs 2PX 6AJII 7L and 6W81D. Yes, indeed, you'd better keep your 28-Mc. twirler handy in the upcoming ARRL DX Test in case a red-hot week end comes along.

15 phone also locked in solidly as the old year drew to its close. Ws 1BPM 7POU, Ks 1M0D 1QGC 6M0Q 9CZV 9QNV 9TZK 9G5V, WAs 2JIS 2M1U 2PJL 2PXL 2RUB 2U1V 2UJM and 9AEA scored with G4HP, GN8s IU (256) 13, J1 (210) 19, MY (256) 15, CO8s JK RA, CPs 1BJ 5EZ 90, CR6s CN (256) 20, CF (245) 21, EA (256) 20, FJ (245) 21, FZ (256) 20, JA (245) 20, JL (234) 19, CTs JLD (200) 19, ZAK (256) 15, EA8CR (255) 20, FG7XS, HC1BS (400 s.s.b.) 17, HIs 2CE 4VB, ITAI (80) 4A7UJ, LX1DC (243) 18, OA1CV (345) 17, OE5VE, PIIBTD of Holland, PJ2CR (220) 14, PZ1s BZ (249) 21, CE (255) 20, TG9UP (245) 22, TFEJR (256) 17, TN8AD (270) 19, TT8AL, TU2AP, VPs 2KJ (210) 21, 2KP/s (240) 22, 2KZ (207) 17, 2SV 5BL (256) 16, 4WR 7CT 7NC (256) 14, VO1CJ (230) 19, VR5AR (400) 2, XEs 1FVY (449) 16, 2SO 8AQ, XT2Z (300) 11, YV7AX, ZB1CR (243) 15, ZEs 2JS 7JV (245) 20, ZS3(1T) (180) 20, 3V8CA (400 s.s.b.) 19, 5As 3CW 5TW (235) 17, 5TV (256) 14, 5H3IW (243) 17, 5R8BX, 9G1EE (230) 20, 9Q5CK (268) 18, 9U5s BB (220) 19-20, DM (245) 20 and PC (236) 20.

15 c.w. booms when the 21-Mc. phone subband grows congested. Reports are in from Ws 1GDQ 6RCV 7DJU 7LZF 7POU (95/83 countries worked/confirmed), 7YAQ 8YGR, Ks 1M0D 1QGC 1RHZ 2JUA 3CNN 3CUT 4SQS 6M0Q (180/157), 9CZV 9TZK 9G5V 9GVA 9JPL, WAs 2JIS 2M1U 2PJL, 2RUB 2UJM 4ARE 5CVK 6HRS 6VAT 9AEA 9ATT 9BHL, DL9LI, 11ER and ZS2U on the subject of CO2EV, CP5EZ (87) 20, CRs 0CA (56) 20, 6DX (75) 21, 6JS (100) 17, 7DX 7IZ (55) 19, CT2AI, EA81D, 18, ET2US/ET2 (56) 12, FG7XP (51) 23, HC1s 10C 17, JU, HL9KN, JAs 1A0B 1C1B 1DFQ 1EPE 1EJA 1ERB 1E2P 1FAF 1RS 1JAN 1JQC 2BUR 2CEZ 3YT 4AS 5ADR 5FQ 7AZN 7BDW 7XF 8ABH 8QQ 8ZO 9VS 9SU, GC2CNC (67) 14, KC6BD, KGs 4AM 4BB 6NAA, KM6C6, KS6AN, KV4CY (110) 23, KX6BK, TI2JR, TT8AA (40) 19, UAs 2KAA (65) 12, 2KAW (90) 15, 9EK (60) 23, VE8RG, VK6RU, VPs 2MV 5GT 15, 5M1 7NT 8FX (45) 22, VO2s AE (100) 20, IE W (57) 19-20, VSs 4RS 9ARC (56) 16, 9MB (34) 16, W6ZDF/KM6, YV5s BFQ BHI, ZB1CR (89) 12, ZD6GA (95) 18, ZE5JF (12) 19, ZSs 3SF 9P (39) 19, 3V8CA (45) 16, 4X4MB (98) 14, 5As 3CJ (67) 14, 5TR, 5B4s FB (56) 18, OS (56) 13, RF (45) 12, 5H3IP (45) 18, 5R8AB (60) 18, 5O5G (77) 16-19, 6O1ND, 6W8s DD 15, DE (80) 18-19, DF (60) 18-19, 9Q5s AV (50) 20, FR (78) 17, KS and 9U5ZF 8.


15 Novice news finds KN1s TZQ (39/32), YTH VWL, KN3s 8ME DOV, WN4IPC, WV2s YYJ and ZVJ coming to grip with stuff like GX2AZ, DJS 2KS 2XK 3KR 7CN, EA3GV, Fs 2RQ 3ZA, Gs 2AVY 2HD 2HDU 3BHL 3ILS 3PFB 6RC, GC2CNC, HA5AM, HB9s AAJ XU, HKS 1QQ 3LX, H1OL, KP4BBN, KZ5s CY GW TJ, LU8BFH, LZ1KBD, OEs 1FF 9KI, OH2FC, OKs 1AFC 2KOJ, ON4s FU TA, PA8WV, PJ2CR, PZ1CJ, SP2AEO, UA2AK, WP4s BJJ BJU, YU2OB, ZSs 2PU 3NZ, 5N2JKO and 5R8BX. Hang on, men!

20 phone hangers-on are riding out ionospheric storms like old salts. Ws 1M0D 1QGC 6M0Q 9CZV 9QNV 9TZK 9G5V, WAs 2JIS 2M1U 2PJL 2PXL 2RUB 2U1V 2UJM 4ARE 5CVK 6HRS 6VAT 9AEA 9ATT to put the bite on GE2FZ (25) 3, CR8AC, CT1VB, DU7YV, FG7XAM (36), H1L9 JL 1E (25) 23, HIs 3PC 8XAG (12) 2, HKS 1QQ 7AJF 7XJ, HJ 9Es KTH KW, HMs 5BF (21) 5, 5BG (21) 5, HZ1BT (20) 3, JAs 1BBP

XZ2DW give us the goods on submariner CE0ZI/p (345) 3, CR6s CA (335) 22-23, CY (272) 20, CT3AV (109, 278) 21, ELs 2X* 2E (342) 22, 3A (346) 21, 6A (345) 21, ET3LM (300) 20-21, FG7XT (300) 22, GB2SM of England, HC1HC (335) 23, HIs 2PB* 2PW 9DI, (343) 5, H18CLU (312) 22, HL9KO (345) 5, HPIAP*, HR1MD (320) 22, KG4s AA AM, KL7DBG/KS6 (317) 3, KP6AX (290) 3, KX6BQ (328) 21, OE1SC (320) 21, OX3AI (300) 13, PJs 2AA 5MB (109) 21, ST2AR, SV1AR, TF2s WHB (292) 21, WHJ (302) 22, TG5WH (275) 20, T12s PTT (256) 2, SS, VPs 2AF (198) 21, 2KP (245) 19, 3RS (315) 11-12, 4SS* 6KL (312) 17, 7NT* 9AL* VO1GDW (381) 21, 2AB (290) 22, 4RF (300) 21, VRs 2DS (306) 8, 30 (339) 13, VS9AAS (219) 18, W4NXL/mm off Madagascar, W4VQQ/VP9, XT2Z (330) 23, YN1GM 1, YS1AM* ZE1JO (288) 20, ZS3E (342) 19, 5N2HJA (306) 21, 5X51U (320) 21, 9G1s DT (98) 2, EB (340) 22, GN, 9Q5US (320) 21 and 9U5ZZ, the lonely asterisks representing non-s.s.b. entries.

20 c.w. continues its daytime DX bargain sale. Ws 1GDQ 2JBL 3HOS (125/110), 6RCV 7DJU 7LZF 7YAQ 8YGR 9CZV, Ks 1JFF (104/101), 1M0D (235/215), 1QGC (81/70), 1RIIZ 2JUA 2UYG 3CNN (109/81), 3M1NJ 5GBS 6M0Q 6TZK (92/82), 8BSH 9CZV 9UHH (200), 9YDY 9G5V 9GVA 9JPL 9VSI, WAs 2JLH 2K1IW 2M1U 2PJL 2PXL (36/17) 2RQZ 2RUB 2UEV 2UJM 4ARE 6HRS 6VAT 9AEA, 11ER, DL9LI, VE7BBB and ZS2U crowded the counter to snap up AP5s AH CP 14, SS, CEs 2FZ 3AD 3AG 4AD 9AB (40) 5, CN8JF (50) 21, CP3KA (41) 23, CRs 6CA (78) 20, 6CH (15) 21-22, 8AC (42) 13, CT3AV (56) 21, DM3s ML RBM YCJ, DU7SV, EL2PN (65) 23, ETs 2US 16, 3RC 17, FO8AA (17) 1, F87GS, FY7s YF 3, YI (65) 22, HAs 1KSA 3KGC (70) 20, 6NI 7KPE, HH2LD, HIs 3PC (32) 10, 8XA, HL9s KII (43) 23, KO (10) 0-1, HR2s BS (39) 0, FG, HZ1AB 18, numerous JAs, JTs 1AG (55) 1, 2KAA, K1YOO/KP6 (9) 17-1, K8K1IX/VE8, KGs 1AD (12) 1, 1BO 1BX 4AM (78) 16, 4AN, KC6BK (78) 12, KR6BK (76) 13, KV4AA (81) 20, KX6BC 12, far-south LUs 1ZG ZG (67) 1 of So. Orkneys, 3ZF of Antarctica, OAs FAI (5) 0, FN, OX3s AY (30) 20, DL (30) 20-21, BE (63) 22, JD (45) 11, UD (30) 20, PJ2AE, ST2AR, SU1IM, SV0WI, TG9AD, TT8AL (50) 20, UAs 1KAW/2 of Antarctica, 1 KED (45) 14 of F.J.L., 2KAK 2KAW 0CJ 0EQ 0KKD 0KFF 0KQB (60) 12, 0KYA (30) 1, 0ZK (41) 20, UB5s DQ KST (60) 19, XA, UC2CS, UD6BE, UF6FE, UG6GV, UH8s BI BO, UH8s FB KAE LB, UJ8s AC AM, UL7s AQ CH FA IJ KFK KCF NB, UM8s KAA KAB, UN1BK, UO5As, UP2NN (50) 18, UQ2s GA KAR, UT5BB (56) 21, VE8TU who is 400 miles from the pole, VK1SG of Canberra, VPs 2KJ (11) 22, 2SH (65) 21, 3RS 5AB (110) 22, 6LN (56) 10, 7NT 7TT 8GB 8GQ (34) 10, 8CR (38) 23, 8GU, VOs 2IE (23) 4, 4IN 4IV (56) 5, 8AI, VS9LN (40) 15-16, VRs 2EB (16) 3L, 4CV 5AA 6TC (167) 5, VSs 4RS (78) 13, 6C (65) 13, 9AJA 9ARW 15, VUZs AJ (51) 16-17, BK 1, KU 1, MD SU, W5YMX/GT2, slip XR2AM (34) 22, YN1GM 1, YQ2KAB, YS1O, YV2s CJ CU, ZE1BE (34) 5, ZK1AR, ZS7M (76) 20, 457s EC (97) 17, PG (76) 17, WP (87) 22 1, 4X4s DH (45) 18, FU (78) 18, HO (34) 19, MB (56) 14, NJ (45) 13, WF (23), 5A3CJ (22) 7, 5H3IP (65) 18, 5U7AC (67) 21, 6O1s MT (65) 21, ND (10) 21, 9G1DT (98) 20-21, 9M2s GJ (70) 16, UF, 9Q5s AAA and US.

40 c.w. carrying an increasing load of nighttime DX traffic, makes it possible for Ws 1GDQ 4HOS 6RCV 7DJU 7LZF 7POU 7YAQ 8YGR 9NN (176 on 7 Mc.), 9CZV, Ks 1M0D 2JUA 3CNN 30KC 6M0Q 6BSH 80CJ 9GVA 9JPL 9VSI, WAs 2JLH 2PXL 2RUB 4ARE 5CVK 6HRS 6VAT and 9ATT to put the bite on GE2FZ (25) 3, CR8AC, CT1VB, DU7YV, FG7XAM (36), H1L9 JL 1E (25) 23, HIs 3PC 8XAG (12) 2, HKS 1QQ 7AJF 7XJ, HJ 9Es KTH KW, HMs 5BF (21) 5, 5BG (21) 5, HZ1BT (20) 3, JAs 1BBP



ICWL 1DCY 1EEO 1EFE 1FNR (29) 11, 1HX 1HSB 1JRE 1JUX 1KFN 2BA4 2BDY 2CA 2DCN 3BQU 3DKT 3EGE 3ELY 4AWX 4BOC 6BVF 7AAH 7BDW 7TJ 9FB around breakfast. KG6 1FV 6NAA, KM6BI, KR8AS, LZ1KBL (20) 3, OA4AV, OX3BZ 8, SL5ZL of Sweden, TG9AD (1) 5, UA0s KKB KIF LU ZK 8, UB5ES/0, UW0s FD 15, 1J, VKs and ZLs galore, VPs 3RS 5CC 5AJ 14, VSs 1FJ 15, 1LJ 4RS, several XEs and a flock of YVs, ZF3JO, ZSs 1A (9) 5, 5KI 15 and serpentine 5T5A1 (66) K1MOD finds KP4BCL (256) 2 and KZ5MQ (209) responsive on 40 phone when this DX proposition seems to be too baffling for most of the voice DX gang. Any 7-Me. mike luck over your way?

160 and 80 suffered a sharp relapse after promising openings in late summer and early fall. Someone must have dropped an electronic curtain. But the season is young, so W1BB and friends urge your participation in this month's 160-Meter Transatlantic and World-wide DX Test week ends — the 6th and 20th in particular (see last month's column for amplification) — and let Stew and "How's" know how you're making out. Cluck!

Where:

Asia — ARRL Asst. Secy. W1ECH, tapping the voluminous correspondence crossing his desk, advises that XW8AS (address in the list to follow) will attempt to relay QSLs to other unlisted XW8s. O15CN, QSL chief in Lebanon, tells W1ECH his bureau cannot handle incoming cards to O15s with the letter "D" after the numeral, for those would be nonmembers of RAL. W9VZP would like a higher percentage of self-addressed stamped envelopes from W/Ks seeking his services as H19KH QSL aide, according to WGDXC. Lack of such enclosures results in bureau shipment at monthly intervals. The Gulf gang also hear that W1HGT has volunteered for QSL duty regarding a tentative Turkey DXpeditionary effort by W/Ks this month. "I'm returning to the U.K.," announces ex-VS9APH, GW3LEQ, via W1WPO. "Any further QSL claims by W/K/Vs should be made through W3HQQ, my QSL manager. Others can write direct to GW3LEQ."

Africa — More from the archives of W1ECH: ON4QZ, UBA QSL manager, points out that cards for Burundi and Rwanda 9U5s can go to Boite Postale 14, Usumbura, Burundi, and that they should be addressed in French [Quick, Boss, some Berlitz.]. VQ8AD tells W1ECH that cards bound for Mauritius, Rodriguez, Chagos and St. Brandon Q8s may be sent through him. ZS1B1 still has his ZS7H loss of a few years back and invites QSL inquiry, according to W1ECH. "Patience is requested from those awaiting TT8AJ cards," pleads K2UYG. "I'm running into that well known problem of slow log deliveries. As soon as they come through I'll distribute the QSLs pronto. "No postage of s.a.s.e. required," declares VE3EUU, doing North and South America QSL chores for 28-Me. specialist ZS6BDU. VE3BQL/VE1, formerly VE3BQL/ZSU, pens: "Stations who have not received QSLs for my contacts in the Middle East can contact me at [the address to follow] and I will be very pleased to respond. I QSLd 100 per cent, so if anyone has not received his QSL this is due to something beyond my control." WGDXC confirmatory observations: QSLs for 9G1DP's most recent XT2Z maneuver will be getting around this month. 9U5DR cards were delayed at the printers level but much better late than never. Ex-ZD8RN now welcomes QSL inquiries at the address in the roster to follow. Regarding his recent Bechuanaland binge as ZS6PC/ZS9, Loc affirms that QSL requests to his Johannesburg address will receive direct reply if s.a.s.e. and postage defrayal are supplied. LA5HE pool-pools reports of resident amateurs on Bouvet Isle, declaring that the place is uninhabited and has no meteorological station.

Oceania — "WA6JSA/KM6 secured on August 4th," notifies the OM himself. "I've answered all s.a.s.e.-accompanied QSLs on the day of receipt, but these represent only a fraction of all QSOs. Now I know why DX stations get riled! Cards addressed to me via addresses other than my

home QTH or the Bureau should be sent, for other routes have proved unreliable." W1ECH reminds us that W1HGT does QSL honors for YJ1MA, VRs 1M and 4M. WGDXC finds that K8RTW desires s.a.s.e. to expedite his ZM6AB (K8GAN) QSL managership efforts for late autumn QSOs. The DX Bulletin of WGDXC also has it from VK2ANB that all remaining Norfolk VK9GP QSLs will soon be disseminated.

Europe — K3CUI, perspicacious petuser of world-wide ham literature, notes in an East German journal that the OM QSL Bureau address now is Postbox 30, Berlin NO-55, E. Germany (D.D.R.). Regarding his LX3TA sortie with DL1TA, DJ6HZ (K3KM0-W411WA) writes, "U.S. stations should enclose s.a.s.e. bearing eight cents U.S. postage for direct reply. Non-U.S. applicants should provide s.a.s.e. with German postage, or appropriate International Reply Coupons. All cards received will be answered."

South America — "At present I'm acting as QSL manager for VP3RS," states K5BG8. "The usual s.a.s.e. requirement will prevail. Also, I have logs for my s.a.s.e. operation of FY7YI in April, 1962, should anyone have missed his card." Enlightenment of Tobago now has a post office box number to help speed QSLs along the way. Address VP4 cards to P.O. Box 756, Port of Spain, Trinidad. VERON'S DX press suggests this address for operator Alberto of CE9AS: A. Sir, C. Valparaiso 120 Dept. nr. 72, Vina del Mar, Chile. V581P, RCY secretary, insists that only YV6s AA and AB have legitimately operated from that call area. Scratch AC FG, etc.

Hereabouts — Lots of "QSLers of the Month" this month: CTs TT 8AB, DL5KM, FT3LM, FB8XX, HC1JJ, HM8V, HK3UY, HL9KO, KG4AM, KV4CV, SU1MI, TT8AG, UAs 1K1D 8LL, U84C, VQ9AA, VSs 4RS 9MB, W6ZDF/KM6, YS10, ZK1BY, 5A3CJ, 5N2-JKO, 6W8BG and 9G1EE, as well as QSL managers Ws 2CTN 8EWS and 5R8BC. Nominations come from W4AT, Ks 1QCC 1RHZ 2CNN 6M1Q 6TZX 9U11H, Ws 2RUB 4ARE 6VAT, VE2ANK and 7S2U in appreciation of swift QSLs. Any commendable QSLers in your log and mail-box lately? K6MIQ offers a helping of "Worst QSLers of the Century" but we had better continue accentuating the positive. Hi! K1QCC and WN4PC offer their good offices to assist deservicing overseas DXers with QSL chores. Ex-11H1DGC explains, "Logs of 11H1DGC are still in customs and may be there for another month or two until I am permanently established in Canada. I will advise once we are acknowledging QSLs again."

. K8THI apprises W1ECH that he will handle YN9DL's cards while the latter tours the States. "Anyone who still needs FP8PR's QSL can send s.a.s.e. to K1MEM or myself," invites K1MOD. WGDXC designates K8ONV as QSL charge for the late '62 Montserrat swing of VP2KJ & Co. W8GUU seeks a lead toward whereabouts of the TA3AF he worked in '54 as W4VCH. In FDXC's DX Report K4HF mentions instant QSLs in response to brief accompanying messages to overseas stations in their native languages. Swahili or lower Hindustani, anyone? Now our monthly directory of definitive DX data, mindful of the consideration that they are neither "official", complete nor accurate — necessarily:

- CE0Z1/mv/p (to KC4AAA)
- CR6DX (via LARA)
- CR7Z, Rt. da Graea, Box 95, Porto Amelia, Mozambique (or via SARI)
- CR8AC, A. F. de Brito Seco, Capitania dos Portos, Dili, Portuguese Timor
- CT2AK, J. Raposo, Box 143, Ponta Delgada Azores
- CT3AV (via W3KVQ)
- CX1CA, R. Mir, Box 37, Montevideo, Uruguay
- DJ1ZG/MI (to DJ1ZG)
- DL5UW, H. W. Lufkin, FTD 904L, APO 132, New York, NY
- DL9XO/MI (via DJ1ZG)
- E88DO, A. Martin, Box 215, Tenerife, Canary Islands
- ex-EP2AG, G. Buchanan, K5ODC/4, 707 W. Blount St. Pensacola, Fla.



HMIAP is "one of the most ardent hams I have ever encountered," to quote W3MVK, just back from a stint as HL9KN. Last month we showed Cho visiting HL9KR (W4WNY). Here's a picture of HMIAP at his own cozy operating position wherefrom plenty of W/K/VEs have been worked.

ET3LM, APO 319, New York, N.Y., or P.O. Box 1014
 U.S. Embassy/AID, Addis Ababa, Ethiopia
 ET3RC (via K1KOM)
 ET3RS, Box 3005, Addis Ababa, Ethiopia
 F2NH, P. Laval, 7 rue Honegger, Toulouse, France
 FA2MN (via REF)
 FA9UO (via W2CTN)
 FG7XT (via K5AWR)
 FPR8I (via WA2PWW)
 ex-FQ8AF (to TU2AF)
 FY7YI (see preceding text)
 HC1HC, c/o U.S. Embassy, Quito, Ecuador
 HK1QQ (via K4LDR)
 HK2CW, P.O. Box 885, Cucuta, Colombia
 HL9KO, c/o K7MGZ, 1840 N. 16th Av., Phoenix, Arizona
 HL9KO (via W9VZP)
 HM5 5BF 8BG P.O. Box 4, N. Pusan, So. Korea
 JA1DLN (via W6FQJ)
 JTIAG, Box 639, Ulan Bator, M.P.R.
 JY2TAI (via W4VPD)
 KZ4AA, U.S. Antarctic Research Program, USNS
Ullanin, FPO, New York, N.Y.
 KG4AM (via W2CTN)
 KG4BH, P.O. Box 36, Navy 115, FPO, New York, N.Y.
 KJ6BZ, R. Lange, 1957th Comm. Gp., Det. 1, APO 175,
 San Francisco, Calif.
 KL7DBG/KS6 Q8L to 11750 S. Homan, Box 17A, Chicago
 55, Illinois
 KV4CY, Box 1767, St. Thomas, V.I.
 LH4C (via W4ECI)
 LX3TA (to DL1TA or via DARC)
 LZ1HA, c/o W0EUO, A. Lawarie, 2133 W. Arbor Av.,
 Littleton, Colo.
 OX3KC (to Q29KC or via W2CTN)
 PJ5MC (to W3ZQ)
 PZ1DA, P.O. Box 494, Paramaribo, Surinam
 SW0WL, Box 134, Salonika, Greece
 SW0WZ, S. Horn, Box 518, Iraklion Air Stn., Crete (or via
 ISW1, or W7FTU)
 TF2WGU, AF Unit, Box 6, H2, FPO 568, New York, N.Y.
 TG5WH (via W5PZG)
 TU2AP, G. Cravet, P.O. Box 7002, Abidjan, I.C.R.
 ex-VE3BQL/SU, WO/2 E.C. Veule, VE3BQL/VE1, Nova
 Scotia Signal Sqn., Ahern Av., Halifax, N.S., Canada
 VE8RG (via VE8JJ)
 VE9BM (via K8RTW)
 VP2DB, G. Stedman, c/o Barclays Bank DCO, P.O. Box 4,
 Roseau, Dominica, W.I.
 VP2GAC (via W4OPM)
 VP2KJ (via W4SSU or direct)
 VP2KP/a (to VP2KP)
 VP2SH/VP2, R. Nelson, Dept of Agriculture, St. Vincent,
 W.I.
 VP3RS (via K5GBS)
 VP5MJ (via K8TYO)
 VP6WR (via W9JFJ)
 VO1GDW (via R5EA)
 VO2AB (via W6BAF)
 VO8BFA (to VQ9HB)
 VR4CB (via W7PHO)
 VR5AC, I. Robertson, Box 40, Singapore
 VR5SF, G. Harrison, Marine Dept., Nukualofa, Tonga
 Islands
 VS9ACH (via R5GB)
 VU2JA (via W4YWX)
 W1ECK/KJ6 (to W1ECK)
 WA6JSA/KM6 (to WA6JSA)
 XT2Z (via HB2ZY)

Banned Countries

U.S. amateurs may not work amateurs in the following countries:

Cambodia, Viet Nam, Indonesia, and Thailand.
 Canadian amateurs may not work the following:
Cambodia, Viet Nam, Indonesia, Thailand, Laos, Rumania, and Jordan.

XW8AS, Lt. H. Sherrod, jr. (K5OSQ), Box 94, Navy 128,
 FPO, San Francisco, Calif.
 YN9DL (via K8ITH)
 YV5BFZ (via RCV)
 ex-ZC5SF (to VR5SF)
 ZD6JJ (to ZE3JJ)
 ZD6JO (to ZE3JO)
 ex-ZD8RN, D. Davies, HMS *Caprice*, B1MO, Singapore
 27, Malaya
 ZD9AM (via W4ECI)
 ZK1BS (via W7ZAS)
 ZM6AB (via K8RTW)
 ZP5GN (via K4RSM)
 ZS4PB/ZS9 (to ZS4PB)
 ZS5s OA/ZS8 RS/ZS8 (to ZS5s OA RS)
 ZS6BDU (via VE3EUU)
 3A2BP (to K9ICC)
 5A2TC, D. Beagles, Box 922, APO 213, New York, N.Y.
 ex-5A5TW-DL4UW (to DL5UW)
 5X5IG (VQ5IG, via W2CTN)
 7G1A (via CAV, attn. OK1PD)
 9G1GN (via VE4IM)
 9Q5AV (to DL4AV)
 9Q5FD, P.O. Box 75, Jadotville, Katanga
 9Q5KS, Box 590, Kolwezi, Katanga
 9Q5OB, Box 39, Faro, Portugal
 9U5BM, P.O. Box 1, Usumbura, Burundi
 9U5DR, D. Riley, Kwisumo-Ruyigi, Burundi

The preceding QTH catalog comes courtesy generous Ws 1AEW 1BPM 1ECH 1UED 1WPO 2UGB 4UOS 7LZF, Ks 1JFF 1MOD 1QGC 2TDI 2UTC 2UYG 3CUI GMINJ 3OKC 6MQG 6TXZ 9UHH 9YDY 0JPL, WA21LLH, VE2ANK, DJ9HZ, LA5HE, American SWL Club SWL (J. Howard, 6204 E. 109th Ter., Kansas City 37, Mo.), DARC *D.X./M.B* (DLs 3RK 9PF), Florida DX Club (*D.X. Report* (W4CKB), International Short Wave League *Monitor* (B. Brown, 196 Abbey St., Derby, England), Japan DX Radio Club *Bulletin* (JA1DM), Long Island DX Association *D.X. Bulletin* (W2MES), North Eastern DX Association *D.X. Bulletin* (W2DGW), Northern California DX Club *D.Xer* (K6CQM), Okinawa Amateur Radio Club *Keystone Karrier* (KR6DD), *VERON DXpress* (PA6s FX LOU VDV WWP) and West Gulf DX Club *D.X. Bulletin* (K5ADQ). Well done, colleagues!

Whence:

Europe — More from G3IRK on venerable G8FC/G3-RAF, station of the Royal Air Force Amateur Radio Society: G8FC was born at Cranwell, Lincolnshire, in 1936, serving as a meeting place for RAF hams. As members left the base for assignments throughout the world, they were able to keep in touch by working skeds with G8FC which eventually became known as the "headquarters station". The installation closed down during WW-II, of course, and reopened in 1947 with war-surplus equipment on c.w. and a.m. By this time many prewar members had strayed from the fold and the rest had lost touch, but soon the membership was on the increase once more. Present RAFARS strength is over 500. In 1950 the equipment was long overdue for replacement, so, after lengthy discussions, it was decided to re-equip with commercial gear and efficient aerial systems for all bands. A generous grant from the Nuffield Trust for the Forces of the Crown made it possible to purchase the nucleus of the new station. On September 22, 1962, G8FC/G3RAF was formally reopened by the society's president, Air Commodore W. D. Disbrey, CBE AFC. The call G3IRS also is assigned for RAFARS use. Continued good luck and good DX hunting, OCs! Ex-VE3BQL/SU, now VE3BQL/VE1, brings us up to date with happy news: "In September I married DJ3YL, a prominent DXer for the past few years. She will be getting her own VE1 license as soon as we are set up in Halifax, and we both shall be watching for our 10-, 15-, and 20-meter DX friends. DJ3YL and I maintained almost daily schedules during my year in the Middle East and we owe our marriage to amateur radio." W9WNV, K5IKL, W2WZ, K6EVR and WA6DNM were high U.S.A. scorers in that order for last year's U.S.S.R. DX Test, results forwarded by W1ECH K3CUI observes that Russian calls ending in "/K" appear to be official monitoring stations who keep an ear on the operating procedures and practices of U stations. UAs 1AU/K and 3AN/K are examples. Ted also notes that U.S.S.R. Novice and 2nd Class amateurs now

may use single-sideband on 80 meters. . . . G3IRM's announcement of the Tops C.W. Club's December 15th-16th 3.5-Mc. DX contest arrived too late for QST QSP but, if you wondered what was going on, be now advised. TCWC also held an 80-40-20 get-together in November. . . . Rockall island, officially annexed to the U.K. in 1955, is 220 miles from the Outer Hebrides, 470 miles from Glasgow and 470 miles from the Faeroes. GM3OGJ writes, "If any keen DXers do go to the place they had better use a helicopter. The ocean swell never drops below ten feet and there is absolutely no anchorage. It's 70 feet high and very steeply sided." . . . WIUED is informed by OH2XK of SFLAL that Finnish amateurs now may run 10 watts on 1830-1845 and 1915-1955 kc., a welcome addition to 100-meter DX targets. OHs 2HK 2SE 2TK 2YV 3NY 3PP 5RH and 8NI already are rarin' to go on top band. . . . K8WUX/1 enjoyed a mid-'61 visit among the EA gang. . . . DL1TA and DJ0HZ (K3KMO) had a Navigator, a 2B, 14-AVS and 80-meter wire functional as LX3TA in late November. . . . DL5UW (ex-5A5TW) likes 75-meter sideband and hopes to obtain 1.8-Mc. authorization, too. . . . K9ICG had a DX ball as 3A2BP in October but W8KX writes, "I'd like to see more Monaco junkets. It's the only European country I have never worked." . . . K2UYG hears that G2BVN shipped a rotator to OY7ML, so Martin's new QTH should soon be on the beam. . . . WGDXC mentions a prospective jaunt to Jordan by ITIs TAI and ZGY. . . . VERON points out the s.s.b. potentialities of LASSE/p, Jan Mayen.

Asia — "Regarding that DXpedition to the Kuria Murias, transport difficulties have unfortunately delayed plans indefinitely," writes ex-VS9APH (GW3IEQ) to ARRL DXCC Deskman W1WPO. "VS9AAA's Kamarans trip also was delayed due to the local situation." . . . No better news from Turkey by K1QGC: "There are some dozen Stateside hams cooling their heels in TA-land. I was to handle QSLs for K1EBY who had hoped to operate at TA3US last year but it is still difficult to obtain the necessary permission to operate. The boys are listening on their S-120 and long-wire, however." . . . W3MVK (ex-HL9KN) mentions hearing plenty of delicious Asian QRM while he was in Korea but HL-1HM stations are prohibited from working amateurs in the Red regions. "I cannot estimate the number of stations replying to my HL9KN CQs and QRZs that I was not allowed to work." . . . W9JKC and family recently visited with JAs 1FMQ IKF 1KS 1YF 7DF and other Rotarians in Tokyo. . . . Eastern items via club organs: HM5BF and his XYL, HM8BG, lurk around 7020 kc., 1300 GMT. . . . CR9AK is a fresh Macao candidate, 7- and 14-Mc. s.s.b., 1300-1600 GMT. . . . One of TA4RZ's two-man staff returned Stateside and the remaining OM isn't very active. . . . Okinawa ramblings via OARC's *Keystone Kurrier*: KR6ML hits all long-haul bands with his new homebrew 500-watt final, KR6s AH and BY swapped antennas to see whose really is best, KR6BY awaits a new 2B inhaler, KR6MO is QRO with a 4-1000 p.p.s. job, KR6GY continues his c.w. onslaught on the low edges of 20 and 15, codehound KR6NG has departed, and KR6s LD LJ and OH traditionally infest 10 phone each Sunday morning. . . . VU2AX (ex-FN8AD-AC4AX) is said to be stationed in Sikkim but hamming obviously is somewhat unfashionable in those regions at present.


Africa — Amateur radio remains on precarious footing in some of the newly autonomous African nations, at least temporarily. ON4QZ tells W1ECH, "Hams in Rwanda and Burundi are merely tolerated, not specifically authorized. No very steady call-sign list can be established because of


the sudden disappearance of calls there." . . . LA5HE gets credit for cutting red tape so that W4BPD could be assigned the call LH4C for Bouvet isle. The place still will carry the normal LA/g prefix for Norwegian citizens. . . . Natives of Tristan da Cunha, homesick and rather exiled in Britain after their volcano-inspired evacuation a year or so ago, may soon return to the island. W5HOY forwards a newsclip to this effect, a development that could put ZD9 back in the DXCC running permanently as of old. . . . Ws 1FAI and 4WHD, of USNS *Veddes*, report a pleasant Capetown visit with ZS1s AW BW HF QS TP T7 VN and others. . . . Via W8KX: "601MT is experiencing the phenomenon of ionospheric dispersion in the declining years of this sunspot cycle. Best openings on 15 and 20 occur around 2 or 3 a.m. Mauro's local time." 601MT is one of Africa's most avid certificate-chasers and is working on quite a few "almost-gots". . . . More Africanograms from club sources: ZS6TF planned a ZS7-8-9 c.w. splurge to close out the old year, ZS5s OA and RS aimed for a ZS8 s.s.b. invasion, and ZS1PB had similar ideas ament ZS9-land. . . . ZS2RM hopes to join ZS2MI on Marion isle for some April or May DX developments. Meanwhile the latter appears on 20 c.w., Sundays, around 1500 and 2000 GMT. And then there's talk of one ZS8AD on Prince Edward island, a Marion suburb. . . . VQIGDW expects to keep Zanzibar workable for another year or more, 14,011-kc. c.w. and 14,315-kc. sideband, mostly around 2100 GMT. . . . 5A2TC, 21,405 kc. at 1500-1800 GMT, concentrates on Fives near Ft. Worth, his home town. . . . 9L1HB frequently displays the new Sierra Leone label on 14,255-kc. sideband, 2100-2300 and 0500-0700 GMT. Neighbor 9L1GM likes 28,500-kc. a.m. around 1800 GMT when ten is open.

Oceania — Pacific dispatches thanks to FDXC, NEDXC, NCDXC, VERON and WGDXC: VK5AB's Willis isle and Timor plans proceed apace. . . . More and more KG6 interest centers on Saipan and Rota. . . . ZK1BY, VP2VB/7mm of *Yasme III*, managed 2.8 kiloQSOs in a couple of weeks at Suvorov, then headed for Pago Pago and Samoa. . . . KX6AW quite often shows on 14,050 kc. at noon GMT of a Saturday. . . . KG6AJB offers details on that diploma available to DXers who work five Guam stations since 1958. . . . VR5AR guns for Europe almost daily on 14,050- or 14,080-kc. c.w. at 0730-0830 GMT. . . . KH6EDY keeps Kure radioactive with s.s.b. traffic skeds around 14,270 and 21,409 kc. . . . VS4RB joins VS4RS in Sarawak with a 15-watt military portable. When 21 Mc. is that you might find VS4RS down on 14,078 kc., 1300 GMT or so. . . . VK9LA's new HT-37 radiates tempting sideband near 14,115 kc., 1200-1500 and 0300-0600 GMT.

South America — VP4NC's good DX intentions on Tobago were frustrated by beautiful weather, superb beaches and some overactive young harmonics. Larry managed sixteen countries there nevertheless. VP4NC reports that VP4LO and Radio Society of Trinidad & Tobago now issue a regular newsletter to help keep the ham ball spinning on the northern VP4 front. . . . W4IOS lauds the tapelike 20 w.p.m. emanating from OA4FA on 20's low edge near zero GMT. . . . W8KX finds that HC0NE's six-week P1D-type activation in late '62 occurred in memoriam of pioneer Ecuadorian amateurs now among Silent Keys. HC1JU-HC8JU, one of HC0NE's staff, has held the calls 9A1I 5AQW 9GO W9ZMT W2NEV W4ZO K6HM HC1XJ and HC9JU. . . . WGDXC says that VP8EL puts So. Georgia on 14,063-kc. c.w. each week end, plus or minus 1830 GMT. . . . VERON perceives that CE3AG's DXpeditionary interest is aroused concerning San Felice island off Chile.

JAS5Q makes a rare Japanese call area much less rare with this effective layout at Tokushima. The quad and ground-plane are fed by a homebrew 200-wattter while a Super Pro receives. (Photos via WA6PMK)





PY4AP's DX specialty is 40 c.w. where his homebuilt 150-watt and superhet have collected more than 100 countries. Hipacio is completing a chemical engineering education in Belo Horizonte.

Hereabouts — VE8RG writes from the cold country: "DX is very good up here. I managed to work 108 countries on 20 and 40 c.w. between April and August with a Ranger, HQ-120X and 7-Mc. double-Zepp from Bathurst Inlet, N.W.T. After a month's vacation I returned to Contwoyto Lake, N.W.T., with an HT-37, 2B, Hornet tribander and 7-Mc. inverted Vee. Got 18 more countries quickly, mostly on sideband. VE8JJ and I are active almost every day on s.s.b., straight a.m. or c.w., 40, 20 and 15 meters. Karl has

an Eldico exciter, 811A linear and homegrown triplexon up here. We use the same antennas on a shifts arrangement. In other local news, VE8BC QSY'd to VE5 or VE6. VE8DU returned to B.C., and VE8NP became VE8NP/4. VE8s AL and TU are quite active from Alert. VE8s BA BY DD RX and SL also are heard on DX bands. . . . W8YGR feels that ARRL's annual Sweepstakes has Russian jamming techniques beat all hollow. WLECH salutes the bump-up '62 S.S. performance of KG1AAI whose prefix helped spice up the affair on several bands. . . . I'm interested in corresponding with a Stateside ham between the ages of 20 and 25," declares VP2DB whose QTH appears in "Where? . . . Thirteen-year-old W4AVAG knocks off good stuff on 10 phone when he's not QRL with his closed-circuit TV layout. . . . W9NN and others deary local QRO rag-chewing on the low edges of 40 and 80 when the long skip is in. Most overseas DX stations are limited to use of narrow band segments just above 7000 and 3500 kc. whereas W/Ks can freely roam hundreds of kilocycles. . . . WIBDI calls attention to DXer W5MMD's new status as a Fellow of the Instrument Society of America. How about coming up with an honest S-meter scale, QM?"

Ten Years Ago in "How's DX?" — Interesting varieties of operating-chair "body english" are discussed in the opener for January, 1955. . . . Seventy-five phone is getting hot on our east coast with QSOs reported involving EA2CQ, HB9MS, OK1MB, OX3WX, VQ3BU, ZS6s DW KD and OW. . . . Eighty c.w. is right in there, too, with FA9AP, OE13RN, YPs 41Z 5BH, ZD4AB and 4X4BX. . . . Forty's faithful favor FF8AG, KM6AX, KX6AJI, MP4BAC, ZS9I and 3A2AB. . . . Fifteen's best are plenty good: AC3PT, OQ5GU, TA3AA, ZD9AA, ZK2AA and 9S1AX. . . . Twenty c.w. has its usual quantity plus quality, including CR5s AC JB, F9UQ/FC, FD4AD, FK88BC, LB6XD, MB9BJ, MF2AG, M13s JV SL US, OE13s HL HS, OQ5s LL RA, ST2GL, VK1s JN PN and ZD7A. . . . Twenty-phone nifties are HZ1MY, KA0TJ, MI3LK, SU5CC and TA2EPA. . . . Even 160 gets gay with transoceanic signals from Gs 3G6N 3HYG 6BQ and GW3FSP. . . . Jeeves rattles our v.f.o. with his new electric train under the Christmas tree. . . . Pictures of an IJK group, HB9GJ, VP3LF and OX3SF enter your "How's" album of overseas DX personalities. QST


• New Apparatus

Wideband Wavemeters

The Cesco Fieldometer shown in the photograph is a "coilless" wavemeter that will indicate relative field strength over the frequency range of 1 kc. to 1000 Mc. The unit is not frequency or polarization sensitive over this frequency range.

The device consists of the main hand-held unit, a sensing rod, and a direct probe tip. A sensitivity control at the bottom of the handle can be used for reference settings and also prevents "pegging" the meter in a strong r.f. field. The fieldometer is available in two sensitivities, a standard model containing a 100- μ a. meter, and an ultrasensitive model containing a 20- μ a. meter.

When the instrument is in use, the probe end is held near the r.f. field and the handle control is adjusted for the desired sensitivity. For extremely weak fields (microwatt intensity) the sensing rod is plugged into the probe tip. The direct probe tip can be inserted for pick-up by actual contact to the r.f. circuit.



Three other Fieldometer models are available: an aircraft, marine, mobile unit that has a U-shaped mounting bracket so that the indicator can be attached to a windshield rim, rear-view mirror bracket, cabin or cockpit; a lab unit that has the meter and the sensitivity control mounted in a meter case with an external probe connected by a 3-foot cable; and a multitester adapter model consisting of a corded probe which can be plugged into any multitester with a basic movement of 50 or 100 microamps. The Fieldometer is manufactured by the Continental Electronics & Sound Co., Dayton 18, Ohio. — E. L. C.

FEEDBACK

Contrary to the information shown on page 88 of December QST, Arthur St. C. Farmer, VP6AF, advises that there is no longer a QSL Manager for Barbados. He requests that until a new one can be recruited, cards should be sent directly to VP6 DXers. See future IARU News items in QST for a new QSL Manager.

In Fig. 2 of "Phasing Filter S.S.B. Generator," by VK2AC in the October issue, the 6B8U cathode resistor should be 270 ohms instead of 270K.

In the circuit of the thyatron-regulated power supply, page 28 of the November issue, the 0A3 VR tube should be omitted, the cathode of the 6CB6 being connected directly to R_7 .



Correspondence From Members-

The publishers of *QST* assume no responsibility for statements made herein by correspondents.

SPARK FOREVER?

☐ Why don't we get some courageous leadership out of ARRL for a change? I have reference to the elimination of a.m. from the 1.8- to 32-Mc. ham bands. The League has argued indirectly that a.m. takes up too much space, and only recently you decried the "chaos" on 20 phone.

Let's get on the ball and ask FCC to give the a.m. boys six months to go s.s.b. or follow "spark."
— *K. A. Fichthorn, W1BGJ, Southington, Conn.*

BELLWIRE AND HONEYCOMB COILS

☐ "An NAA Receiver," in October *QST* is just what the doctor ordered for a sluggish ole timer.

Befuddled and lost in the present day ultra-high this and that, all mashed down six layers deep in tiny flea-sized metal compartments, this elbow-room breadboard "Code" receptor is a real kick in the spine.

Many thanks to you and W3QY.

Wow! What am I doing; while writing this I could be building one. Here goes for the attic and those old honeycombs. — *Earl R. Linder, K3BXV, Haverstown, Pa.*

TECHNICIANS

☐ The November editorial pertaining to Technicians, and also the FCC's reasons for the denial of tech operation on 10 meters, are very true and most fair. You can be sure that the real Techs are satisfied and would not deviate from their original purposes of becoming Technicians instead of General Class. — *Paul N. Franusich, W6RSZ, Elk Grove, California*

☐ This is a challenge to those who have the necessary power to keep amateur radio a hobby for all, and remove the existing ticket fence. (Don't close your eyes and ears as it will be still there when you open them).

Isn't it the policy of ARRL to pursue and help change existing rules & regulations where they are wanted by the affected members? Or is this an organization controlled by higher than Techs?

By your own admission there were a number of Techs unhappy; this is true from my observations, too. This is a sign that the tech. ticket was of a poor design, and is in need of a change. — *J. Keating, WA2FVL, Union Beach, New Jersey*

☐ I was beginning to think I was the only one left who still thought the license class was for the experimenter or technician. I have always considered this license class needed for those like myself who would rather experiment than just rag chew.

To me the true technician or experimenter (regardless of the license he may hold) more nearly portrays the true meaning of amateur radio than any other. — *Randy Kimbler, K5BRN, Wichita Falls, Texas*

☐ . . . There has never been any obligation for any amateur to remain indefinitely in any particular

group of license privileges. No one is denied the right to advance his status or to change his status as an amateur. . . .

. . . Now that techniques exist for space communications on such frequencies as the Technician now enjoys, there could be a mad rush to use them. Does anyone remember the early '20's when all frequencies higher than 160 meters were looked upon as being fairly useless? Many of us still do. . . . Let each amateur regard his status without jealous intentions or covetousness of the status of others, strive to achieve the most, both for himself and his fellow man, by contributing the best that is in him according to his lot and talents. — *Roy R. Campbell, W4DFR, Levoir City, Tennessee*

OPPORTUNITY KNOCKING

☐ According to ads in *QST*, or rather, according to ads *not* in *QST*, there isn't a single ham supply house in any of the Gulf Coast States.

Since receiving my Novice license I have spent more than a thousand dollars with a firm that *does* advertise in *QST*.

I would much prefer to deal with a firm closer to my home, to get quicker service and to be able to look the equipment over before buying. I don't see why I should have to look all over the section for a supply house that doesn't want ham business enough to advertise in the ham's magazine. — *G. T. Boyett, W5SATP, South Lake, Texas*

DOGGY OP

☐ Re the picture of the dog on page 14 of November *QST*, that is "old hat" around our house. My dog, besides being very proficient on the straight key, runs the bug at a rather rapid pace. She absolutely refuses to let her picture be taken for *QST*. You know how some dogs are. She has a little better than 20-20 vision and does not wear glasses.

She is wild about f.s.k., too. — *Bob Lundstrom, W9PUR, Sterling, Ill.*

ROTTEN QRM

☐ In the past ten years I have seen a vast growth in over-power, over-modulating and down-right disregard on the 75-meter band. As an NCS and an officer of the New York State Fone Traffic and Emergency Net, I often want to fight fire with fire, but I try to remain a gentleman even though some thoughtless fellows call CQ while someone is passing traffic. I realize that some fellows hate nets with a passion. But, I would remind them that if as little as a third of the fellows standing by on nets listening for traffic should decide to look elsewhere for a QSO the band would be so loaded that no one would be able to carry on contacts because conditions would be impossible — *Dick Sparling, K2DPA/KH6USA, APO, San Francisco, Calif.*

QST, 1963

☐ I've sent in my contribution to the Building Fund and paid my dues for next year so I feel entitled to my two bits worth.

It seems to me that *QST*'s technical articles and correspondence assume just a bit too much knowledge on the part of us hams. Take the November issue for example. On page 33 we have "Amateur TV — the Easy Way" (if you've got \$495 to spare) and here you are still in paragraph one when the author (who most certainly knows what he is talking about) suggests that it's possibly too big a bite all at once for the would-be TV enthusiast.

Over on page 51 there is an interesting treatise on a tunnel diode superregen receiver. Sure wish I could find out where the antenna hooks on this one.

I also read the article on logic for amateurs, and if this is for *amateurs*, I'd better go back to school for my Ph.D.

It's getting so about all us ordinary hams can understand is "Beginners and Novice" and John Troster. Honestly, fellows, don't you think it's time to come down to earth and give *QST* back to the hams? . . . — *Dick Baldwin, K4ZQR, Louisville, Kentucky*

QSY, PLEASE

☞ I realize that the bands are for everyone, and no one has any exclusive right to any segment, portion or frequency. However, since you seem to be always campaigning for "gentleman's agreements," how about doing a little for the RTTY gang? With all the spectrum that is available, there is absolutely no need for c.w. in and around the 3620 area, or the 14,090 area. RTTY *does* exist, and a clear channel in this area would be very much appreciated by the RTTY boys — who, incidentally, are increasing in numbers. — *N. K. Thompson, W1LWV, Millinocket, Maine*

COOPERATION . . .

☞ From time to time in "Correspondence from Members," there have been letters criticizing other amateurs for transmitting during the code practice from W1AW. However, there are also a number of amateurs who respect our organization enough to QSY off frequencies used for code practice by W1AW. I cannot justify the QSO that takes place on the frequencies used for code practice by W1AW. But, I must point out that there are some amateurs who respect the help that our organization is trying to give beginners and they pause long enough in their QSO to QSY. To those amateurs and gentlemen I must say THANKS! — *Larry E. Knaib, K7IAE, Seattle, Washington.*

YOUR NOVICE ACCENT

☞ Enclosed please find my renewal of membership. May I take this opportunity to register disapproval with certain League policies. In many ways it is in fact living in the past.

The pamphlet *Your Novice Accent* is filled with ridiculous prescription of old-fashioned techniques which have lost the currency claimed for them — given way to more effective ones. Those old timers who stick to them are the "isolated linguistic group." I'm not referring to operating courtesy — I mean "*QST* English" which is as ineffective and primitive compared to more modern "QSO English" as Anglo Saxon is next to modern English.

We still owe great debts to the League but if it remains as static as it is now that condition won't last long. — *Jeff Sydney, K1VAA, Westport, Conn.*

☞ As a brand new Novice I would like to say thanks for the *QST* reprint *Your Novice Accent* by Keith S. Williams, W6DTY.

Not having an older operator to learn from I must confess that my "accent" was showing and I was plenty confused by the abbreviations. Was never quite sure whether they were abbreviations or poor copy on my part.

The reprint was very informative and as a Novice who still has procedure to learn I feel a lot more confident now after having read the article. You do everyone, particularly the Novices, a good service by making it available to them. Again, thanks. — *Sid Hammond, K1TYJ, Hartland, Vermont.*

BK

☞ While operating on the Novice bands, I observed very poor operating techniques. The FCC requires that an amateur station identify itself at least once every 10 minutes. But some c.w. stations still persist in repeating their calls 5 or 6 times after each short transmission. This is unnecessary and inefficient, while causing QRN. This long-winded method might be avoided by using "breaks" instead of time-consuming waste. — *John C. Buonora, W2CEW, Belle Harbor, N. Y.*

MORE ON TEN

☞ I was very glad to see the letter from Mr. Griffin concerning ten meters in the September *QST*, since it brings up a problem I have been worried about for some time. Whenever I happen to turn on my ten-meter converter and listen to all those 1700 kilocycles of relatively unused and empty spectrum, I begin to worry about all the commercial interests that would just love to get themselves some more space. I begin to wonder why more hams don't try, at least, to use ten meters when the lower bands are in the mess they often are. . . .

It seems probable that many, many openings are missed on ten simply because there is no one around to discover them. This suspicion was confirmed and extended by Mr. Griffin's account of recent operating experiences on that band. When people say that ten meters is dead now, they are right; not because there are not any openings, but because there is seldom anyone on either end of the skip. — *Richard Palm, K7NPU, Seattle, Washington.*

MORE ON GMT

☞ Please consider including in some issue another explanation of the correct use of GMT.

Midnight at my QTH is seven P.M., and when I express QSO time in GMT (for QSOs held between seven P.M. and midnight, local time), I naturally take the date to be the day following.

In several cases, the other boys have gone out of their way to tell me that I worked them the day before.

I am sure that many of the fellows don't understand that midnight is the end of the day, and that one minute after midnight is 59 minutes before one o'clock of the day following.

Please fix this up. Thanks. — *Roland Garippy, K9HHA, Fort Wayne, Indiana.*

RIGHT IDEA — WRONG ACTION!

☞ This library wishes to acknowledge, with appreciation, a replacement copy of the September, 1962, issue of *QST*. Now, I have to ask if you can supply us with a copy of the October, 1962, issue. Our October was received in the library on Monday, October 1, and disappeared on Tuesday, October 2. Apparently someone likes your magazine! — *Laura Kersey, Speed Scientific School Library, University of Louisville, Louisville, Kentucky.*



Operating News



F. E. HANDY, WIBDI, Communications Mgr.
GEORGE HART, WINJM, Natl. Emerg. Coordinator
ELLEN WHITE, W1YYM, Ass't. Comm. Mgr., Phone

ROBERT L. WHITE, W1WPO, DXCC Awards
LILLIAN M. SALTER, W1ZJE, Administrative Aide.

Handling V.F.O.s . . . Careful Operating Technique Called For. The League appreciates the help of club and regional bulletins in writing up items that cite good and bad examples of operating. This in effect helps widen our bands by improving operating conditions. Such articles buttress the ARRL program on improving technical and operating techniques. We must all be alert to show operating courtesies and should avoid conditions that provoke or produce "selfish" signals. Only so can we reduce QRM and improve our band occupancy. All praise to editor W3NL for his item in the Oct. issue of *Auto-Call* on v.f.o.-operating techniques. He stresses proper v.f.o. use to "move out from under" interfering signals, also for working truly zero beat in nets or round-tables etc. Here's the excerpt from *Auto-Call*:

"This gripe is aimed at those users of VFOs who have not yet learned or arranged their stations to set transmitter frequency or change it without putting a full blown signal on the air (!) and especially at those operators who swish with full power across a frequency blotting out everything but the swisher for seconds on end! If THE OLD MAN were still alive, he would call down the punishment of the Wouff-Hong and the Rettysmith against the offenders! Whether thoughtlessly or deliberately done, all good operators should refuse to erry on communications with operators identified as the sources of such abominable practices."

Pre-determined settings of transmitter and tuning devices, proper switching off of final amplifiers when changing frequency and use of dummy loads when adjusting equipment are "musts" in

every good station. Let's confine any frequency changing-about and tune ups entirely to one's own receiver and operating room. To "swish" on the air is about as stupid and crass as one can show himself.

Be Versatile in Band Use. The universal use of bandswitching transmitters for quick change to the optimum band or frequency has become the key to efficient amateur work over different distances, as desired. *Local* use of the v.h.f.'s, also regional use of 160-meters now on the increase, can be the key to regular and successful netting these winter evenings, whether you use c.w. or phone. Many newer amateurs apparently don't appreciate the effect of "skip" on the 3.5- and 7-Mc. bands as well as on the higher frequency bands. These "skip" conditions were so pronounced last season that we have had to resume 1.8-Mc. OBS and code practice from W1AW better to reach such points as Boston and New York this year.

Ten meters is highly recommended too during this part of the sun-spot cycle for local cross-town working. The rule to "always listen before you transmit" on a frequency, likewise should be observed *whatever the band* to help insure the success of your own contacts. Unnecessary interference to others can put your call on a black list. Let's all of us use the high end as well as the low end of bands. Looking for holes where QRM is less and most important, spreading out our occupancy, can reduce practical interference *very* appreciably; also switching to the less utilized bands and band-sectors.

We hope many operators will install auxiliary v.h.f. and 160 equipment this season to help their results. For efficient operating and maximum results in traffic handling and casual work this year *use that band switch!*

Just a DXer? William L. North, W4GEB, Engineering Assistant to the FCC Chairman, addressing amateurs at the ARRL National Convention in Portland, Oregon, expressed FCC's appreciation of the public service job we amateurs do, emphasizing that we have a right to be proud of our service record. He offered also the thesis that it must be said for the man busy *only* with working DX, that he is *just* a DXer. The same principle goes of course for amateurs who work only in other specialized areas, too, without engaging in broader work touching on our community interest.

Examples of the useful work of amateurs in emergencies may be found in "With the AREC" in *QST* each month, this month no exception!



This imposing group of Pacific Division leaders met in August of '62 at a director-called caucus. From left to right: W6OPL ex-SCM S. F., WA6AUD SEC S. F., W6BIP SCM S. F., WA6EIC SEC-elect S. C. V., K6KCB RM-RN6 S. C. V., W6HC Dir. Pac. Div., K6IKV SEC Sac. V., W6BTY SCM Sac. V., K6DYX SCM S. C. V., W6OJW SCM E. Bay, W6ZRJ SCM-elect S. C. V., W6KZF SEC E. Bay, W7VIU SCM Nevada. Kneeling: WA6MIE SEC E. Bay, W6JPU SCM S. J. V., W6ZF Vice Dir., W1BDI ARRL Hq.

Mr. North's concern "that none of us succumb to the tendency to rest on our laurels" and engage in more than one type of activity, however, might be a good motif for a first-of-the-year resolution for all amateurs. That goes especially, we think, for amateurs *not* now aligned with the AREC or RACES or any League net or SCM-appointment. Why not make '63 the year to progress in know-how and lend your weight to club and organized operating patterns? You get more in results that way and our amateur radio will be stronger.

There were some key questions in W4GEB's address, asked of each amateur: (1) Are you in a local communications group for organized disaster assistance? (2) Can you handle a key well with reasonable speed? (3) Do you have emergency powered equipment? (4) Did you build your own rig? (5) Can you explain why "ten" is or is not open? What makes the rig operate the way it does? (6) Are you familiar with good voice and c.w. procedure? Here are some highlights from W4GEB's conclusions.

Not all of us can do all things. But all of us should take *some* active part (a) in those useful patterns that are a training ground for operators (b) in practical alignments for giving help in national or local emergency work or traffic handling (c) or to further our service's production of knowledge of the art (d) in serving the public by making ourselves useful through our ability to provide radio communications. W4GEB emphasized his belief that allocations are not wholly justified by casual use. He extended a personal suggestion as an amateur that we each reflect on the thesis of making our station and operating services a real public resource, something the public *cannot do without*. On conclusion of the remarks the Convention Chairman reflected our own convictions, saying, "Lew, you were loud and clear and we shall keep tuned to your frequency."

Making Best Use of '63. Of course you'll continue to collect those paste-boards for WAS and DXCC, more especially if you are new on the air or haven't completed two-way work with 50-states or 100 countries. A Code Proficiency certificate, and the QSLs for these awards are milestones for each licensee. But they need hardly represent your sole aim or goal for '63. As contests come along and are announced in *QST*, you can get in them and pick up states/countries to add to a check-off list. But thousands of amateurs enjoy additional prestige and fun in traffic and emergency nets . . . in those organized activities SCM-recognized through *appointment holding* and identified with the AREC or RACES. Why not you?

Basic Posts Available Through SCMs. Member operators who mostly work 40 and 80 (h.f. bands) can qualify for Official Phone Station (OPS) or Official Relay Station (ORS) appointments. All specializing in the v.h.f.s and active there are eligible for the Official Experimental Station (OES) appointment. The booklet *Operating an Amateur Radio Station* gives the purposes and full description and qualifications for each ARRL station and leadership post. You can

RESULTS, SEPTEMBER FREQUENCY MEASURING TEST

The September 12, 1962 FMT, open to all amateurs, brought entries from 212 participants who made a total of 671 measurements. Of these, 102 ARRL Official Observers submitted 327, and 110 Non-OOs made 344 readings. All taking part have received individual reports of their readings. The standings accredited to the more precise in each group appear below; all listed show ability of the highest order in Frequency Measurement. February *QST* will announce details on the next ARRL FMT.

Observers	Parts/ Million	Non- Observers	Parts/ Million
W8GBF	0	K8VLI	0
W4JUI	0	W6KT1
W1BGW1	W4TVL1
W8YCP3	W1PLJ3
W5FAIO7	VE2LU	1.0
K6MZN	1.2	W5AAJ	1.1
W6GQA	1.6	K4IAK	1.2
W6ASIL	3.1	K2AHS	2.4
W3MBN	4.2	W5OOF	2.9
W6YCP	4.5	W6NCP	3.1
K3CYA	5.1	R, Ireland	3.4
K1H6EGL	6.6	W4NTO	5.0
W6UWL	8.1	K1NNC	6.0
KZ5KR	8.3	W8CNS	6.7
K6EC	9.6	K6IH	7.6

go after any Official Station appointment in the League's field organization and add to your operational and fraternal accomplishment, whether you prefer h.f. or v.h.f., c.w. or voice.

Net promotion is ordinarily through Route Managers (c.w.) or Phone Activities Managers. Emergency Coordinators lead in local emergency plans. Your member-elected Section Communications Manager (see his address and invitation on page 6 of *QST*) welcomes reports monthly of your station's activities and results, also your application for Station Appointment in one of the following categories:

- OES** Official Experimental Station. Works on 50 Mc. and/or above. Takes part as feasible in v.h.f. traffic work, reports same, supports v.h.f. nets, observes procedure standards . . . collects and reports v.h.f.-u.h.f.-s.h.f. propagation data.
- OPS** Official Phone Station. Sets high voice operating standards and procedures, furthers phone nets and traffic.
- ORS** Official Relay Station. Traffic service, operates c.w. nets; noted for 15 w.p.m. and procedure ability.
- OBS** Official Bulletin Station. Transmits ARRL and FCC bulletin information to amateurs.
- OO** Official Observer. Sends cooperative notices to amateurs to assist in frequency observance, to insure high-quality signals, and prevent FCC trouble.

For application blanks for these appointments drop a line to your SCM whose address is given on page 6 of *QST*. Or just report your traffic or other radio work for the past month to your SCM and ask about *one post*, h.f. or v.h.f., in which your report shows your interest and qualifications!

Code Proficiency Schedules Needed. From our many requests for Code Practice helps we believe amateur radio could profit in '63 by regular operations of more on-the-air practice stations. Volunteers? We invite operators who can follow continuing schedules and predict them more


than 6 weeks ahead to ask us for a Code Practice Schedule form. When you receive this please note your frequency, days, times, call, speed ranges and how long you will observe said schedule. We propose and suggest use of v.h.f. bands for club groups that need to cover their cities or membership areas. *Ten meters* is an excellent band for local ground-wave coverage at the hours this band is not suitable for DX, which is a good deal of the time during this part of the sun spot cycle.

VHF-SS and Other Activities. The VHF-SS is the opener for ARRL's contests in '63. *QST* will announce the usual varied activities. We suggest getting into the different tests at least briefly to check how your station gets out. Also in '63 we suggest you get identified with an appointment and a local emergency group or a net, so you can face up to the challenge as posed in the remarks of W4GEB at Portland. The VHF-SS is announced in this issue for Jan. 5-6; there are the January CD Parties for all SCM-appointees (either voice or c.w.) as announced by bulletins, and other activities throughout the year command your attention. Follow the Activities Calendar to avoid missing major ARRL operating events. Best luck in all . . . and how about getting lined up with your SCM or EC if you haven't. Help us make '63 the best operational year ever.

— F. E. H.

OCTOBER CD PARTIES

The following high-claimed C.D. Party scores show claimed score, number of QSOs and sections. Final results will appear in the January '63 C.D. Bulletin.



C.W.		W4LK 106,400-380-56
K4BAI 205,590-614-66		K1LPL 105,560-370-56
K4ZYI 191,790-577-66		W6BES 105,315-350-59
K4TEA 175,150-561-62		K9WIE 102,175-331-61
W9RQM 172,930-559-61		W1EOB 102,050-312-64
K8MFT 168,320-519-64		W6LRU 100,500-328-60
W9YYS 153,090-480-63		K4KWQ 100,480-338-59
W8NYU 152,100-500-60		W4GFFY ³ 175,175-530-65
W2JAE 151,200-504-60		K3JCT ⁴ 118,440-419-56
W1AW 146,240-450-64		
W9LWQ 144,585-454-63		PHONE
K5OCX 143,220-456-62		W1PYM 10,560-91-22
W1PJJ 136,030-440-61		W2ZVW 10,400-73-26
W9YYS 131,904-405-64		K1LPL 9600-89-20
W9SZR 131,670-400-63		W1FJJ 8930-88-19
K3NZV 127,185-417-61		W1SWX/1 8375-60-25
K8HGT ² 126,850-426-59		K2QDT 8165-71-23
W1SWX/1 126,600-415-60		K3MNT 8030-68-22
K4CPD 122,220-400-60		K4TEA 5320-52-19
W8VJC 122,090-404-58		K3ANU 5280-43-22
W4DVT 110,330-367-59		

¹ W1ECH, opr.; ² K8HVT, opr.; ³ W4GHRF, W6CUF, W7WJB/6, oprs.; ⁴ K3s JCT JJC, oprs.; ⁵ K9ELT, opr.



Our American way of life is no different from any other way of life in that it requires adequate leadership, but different from some in that it makes greater demands on its leaders and keeps them in check — and, if the leadership is deemed inadequate or inimical, tosses them out. We require not only to be led, but also to be led properly, competently, and in the right direction.

Your Amateur Radio Public Service Corps organizations are small parts of the American Way of Life, and their leadership must be of the same caliber, in its field, as the over-all leadership if progress is to be made in their common objective: to serve the public welfare in the name of amateur radio.

The implementation of the above principles has been evident in many parts of the country in a resurgence of interest in AREC organization which we might term "the new AREC." The pressure is on the inactive EC either to get something started or vacate the appointment so someone else can. SCMs are feeling the pressure to keep their SECs on the ball. Even the League's policy-makers, the directors, are feeling some of the pressure, although the problems are more in the organizational-operational than in the policy field. And of course it all comes home to roost at headquarters, where the lot is a greater volume of correspondence, a bigger SET, more reports to process, a larger and more complete net directory, and more demand for headquarters representation in the field. The "new AREC" is not yet a bigger, but already is a much better AREC than its supine predecessor of former years. With its new virility, it will soon start growing.

It may seem that the membership has little to do with selecting local ECs, an appointive function of the SCM on recommendation of the SEC, and in a purely elective sense this is true; that is, the membership elects the SCM who appoints the SEC who recommends EC appointments and countersigns their certificates. But experience has shown that the membership can and does speak even at the local level, and when it speaks the SCM almost invariably obeys. Your EC is, in most cases, the man you select to take the lead locally in emergency communications preparedness. Suppose we look objectively, for a moment, at some of the qualities of leadership requisite in an EC appointee.

The cynical will place at the top of the list a personal friendship with the SCM or SEC, but we believe that the great majority of SCMs are strictly impartial — and besides, we said we were going to be *objective* in this discussion. Nevertheless, one of the most inimical aspects of unenlightened democracy is the selection of "best-liked" types for jobs requiring ideas and ability. Sometimes they have them, often they do not. Since the popular are usually also the "vote-getters," it turns out that the appointive function as often brings out the desired man as does the elective. The quiet, retiring type of person who would not think of considering himself a candidate for the job as often as not makes a better leader than the loud, pushy type who attracts a lot of attention with his "aggressiveness" and "drive." The former will feel flattered and accept gladly if called upon to do so; the latter will want to be coaxed, and will give the impression that he is doing you a favor by accepting. Unfortunately, it is almost invariably the latter type who gets the nod.

While personality, location, financial and social status may all be things to consider, they should be minor considerations, not major ones. A big business executive who drives a Cadillac, smokes expensive cigars, has a roomful of modern commercial equipment and exhibits other symptoms of "success" should not, for those reasons alone, be automatically considered qualified for leadership. Conversely, neither should consideration of another amateur be neglected because he works behind the counter at a local radio store, drives a rickety car, can't afford cigars and operates low-powered equipment he built himself. You will say these things are fairly obvious and nobody needs to be told this,

Still, a great many groups select leaders *solely* on the basis of popularity, influence and volubility — because it's easier to be impressed by the loud-mouth than to *seek out* the needed qualities of enthusiasm and ability for the job to be done.

Often the most desirable type will demur on the grounds that someone else could do a better job. While generally speaking it is always wise to accept a refusal to serve (an unwilling leader usually lacks the requisite enthusiasm — or if he just wants to be coaxed, he isn't the desirable type at all), in this case he should be urged to let the recommending group be the judge of his ability and whom they want for their leader. If his reason is personal circumstances, it is much better to accept his declination and look elsewhere.

Once you have a leader, it is not good to expect him to do, or let him do, all the work himself, even if he is willing. Such a man could perhaps obtain immediate results, but they would at best be temporary — that is, until he burned himself out. Meanwhile, other members of the group become lazy, adopt a "let George do it" attitude. He who is willing to do everything will find himself with everything to do. AREC organization is a teamwork proposition. One-man teams are spectacular, until something happens to the one man, then they flop badly and loudly. Those who tend to do more than their share should be held down, and those who want to do less should be jacked up. The holding down and jacking up processes cannot be left up to your leaders entirely. You must apply them to yourselves. Are you doing all you can for your AREC group? If not, volunteer for something. Are you doing *more* than your share? If so, let someone else take some of the jobs. -- *WINJAM*.

— * * * —

The severe flooding which hit the west coast on Oct. 12-13 activated many emergency groups from Washington down through Central California. Let's start up North and work down the coast.

In Washington, SEC W7HAQ gives us an excellent boil-down of activity in Whatcom, Grays Harbor, Clark and Pierce Counties. Assistant EC W7DQM of Whatcom County says that the Alt. Baker Radio Club received high praise for 15 hours of assistance following storm damage. New EC K7KJB, of Grays Harbor County, activated ten amateurs for 21 hours of continuous operation; those answering the call were K7s NCG/7 GPU KFP, KN7s THD THV, W7s RGE CPE TZ WPQ.

In Clark County, EC W7SAP reports 30 hours on emergency power, with emergency communications handled on five channels in three bands. The county was without communications of any type except from car to car after the storm hit; but within an hour the amateurs were on the air and furnishing communication for law enforcement agencies, Red Cross and civil defense. The power was off at various points a minimum of 48 hours, a maximum of 78. The following participated in the operation: W7s AZN WFP SAP CIIH SAX YTM WFO, K7s RCC RZZ AMF KNZ ENZ, KN7s SUX SPS.

The Pierce County AREC was activated on Oct. 12 at 1930 and operated continuously for 27 hours on emergency power, handling thirty messages for community, county, and state agencies.

EC W7RYN, of Multnomah County, Oregon, forwards thru his SCM a detailed report on the activities there. The storm struck with virtually no warning on Friday afternoon, Oct. 12, yet within minutes disrupted communications were re-established by amateurs and continued until noon of Oct. 17. Mobiles were first on the air, when Assistant EC K7PQF dispatched K7KWP to set up a net control point on Rocky Butte, overlooking the city of Portland. K7OWF also established contact with police and the "outside world." Mobiles operated from police precincts, carrying policemen and reporting fires, wires down, store windows broken, trees down, unauthorized persons abroad, etc. Assistance was also furnished in obtaining emergency power for hospitals and other necessary services. This type of service was continued into the early morning hours of Saturday and was performed by K7s EPA QBA ROY DAH CIP, W7s UJF SAO AZD WLL HHD and RVN.

Home station operation started very soon after the storm hit, and point-to-point communication was continued around the clock into and out of Portland on behalf of the Red Cross, the telephone company, police officers and many others, high priority on 3875, health and welfare on 3885, while one station always kept watch on the Oregon Emergency Net of 3840 and another roamed the band to pick up



WØYHT, EC for three counties in Southeastern Missouri, decided to get something started or "throw in the towel," so he called a meeting of area amateurs. Many of those who showed up were Novices and Technicians, but the area now has a going AREC organization. In picture, bottom row left to right are KNØBOJ, WAØBOI, KØWJB, KØFZO, KNØ-BOK; top row, left to right, WØYHT, WAØBGV, WAØBIL WNØCXG, WØHAD, WØOMG.

any traffic for Portland. The AREC c.w. net and the Oregon State Net handled traffic through the National Traffic System. Portland home stations active during this period were K7s OPI PNG PIP PED KWP ADI MIMK, OYU, W7s DIS AZD ENU PJO RCL RXO KYC GUD ZFH. Six and two meters activities were started by W7GWT at c.d. headquarters. During the 36 hours of operation, 4 mobile units were patrolling, each with a police officer; they were K7s AUE IPT, W7s TIB and YKX. Operators at c.d. headquarters were K7s OQN HIX, W7s GWT GCH JVIH QXF. W7PJO furnished contact with Red Cross in other distressed cities. It is estimated that between five and six thousand messages and contacts were taken care of during this operation. Other amateurs participating, but not mentioned above: K7s ATX AUZ BBM KWA EWG OYM CWG OYK LCR, W7s WJZ ZB TWO DWO PXD VIS HIA PFW LBC LZO WAA DSG WWH HBO UUD REX UYR LI PTJ QQF QWF RQP ZFU UUB DPV FVE.

In the San Francisco Bay Area of California, W6FDJ reports that over 12 inches of rain fell in 48 hours and the Red Cross activated its disaster services, including amateur Red Cross Station W6OT. By 1800 Sunday six 6-meter mobiles had responded to the call and by 1830 mobile coverage was general throughout the Oakland area, with one mobile at each Red Cross evacuee center handling traffic regarding food, coats and blankets, while other mobiles scouted the area for possible evacuation problems. People were stranded in underpasses, others needed boats for evacuation, and there were auto accidents, road slides and hospital cases. The screening and handling of all such matters meant working closely with local c.d., police and fire departments and other public offices. Road reports and information on hazardous areas to be avoided were relayed to local broadcast stations. Transportation for key personnel had to be arranged for by radio. There is no doubt that amateur radio activities helped to hold loss of lives and property to a minimum. The following amateurs were listed by W6FDJ and WA6MIE to have been active: KØs DOQ DEL GNX IMV JPR KQD KLY KTF LWA OXK OBB OC'F PH, POR SAS VXV, WØs CVL EZA FDJ FAR HOF IT IDW LKE LGW NBS OVN QEN RVC SPF SJA TKL URA WIT YQB, W7AØs ASL AGA BXS DKG EJA EWP FBS FBN GRO GXN GOU GPB JTY JCD KOS KUF MDI MJM MIE MBN NCD NEL NFF OLF PTU QZA QAZ RWC TIO VQF VXP YLR, W7VØs VMI VZX.

Santa Clara Valley SEC, WA6EIC, reports the following AREC and RACES groups active during the storm: Mission City, San Jose, Palo Alto, Santa Clara County, and Sunnyvale. Redwood City Radio Officer K6TQN reports that prompt action by the amateurs there prevented what might have become a major disaster. Mobiles were active on six and two meters in full flood and gale conditions in support of the Redwood City police, fire and street departments, making communications possible when all else failed, some-

times for periods of up to a half hour at a time. Special commendation goes to K6s GXH OEJ TQO MPN ANN TQN, W6s TJJ DEF, W46s HRY GIM.

The damage in San Jose was not too heavy, but the Santa Clara County Amateur Radio Assn. station, W6UW, was activated and manned by EC WA6HVN and Assistant ECs K6YKQ and WA6HVAL. San Jose civil defense activated their 2-meter net and sent mobiles to investigate trouble spots. This was led by Net Manager WA6LRD, assisted by K6UEY, W46s VBK and LTJ. Over 175 messages and calls were logged. The operation was terminated shortly after midnight. WA6HVN lists the following additional amateurs as having taken part: K6s AUN BUL DYT EPH HNN RQQ SDZ SRG TCN UCV UHZ UUC, W6s CJY COI HZW OOX ZRJ, W46s BXN HNE IAK MKE NHI RPI SRI SLY TAJ TIP UAM UJX VII VXF YLC NAV, W6WLP.

Not much damage in Sacramento, but some of the local 2-meter gang got on the Sacramento c.d. frequency and proceeded to prepare for emergency operation, including nine AREC members.

On Sept. 22, the father of a runaway girl contacted W4BUZ seeking assistance in getting messages to police authorities in Texas, California, Louisiana, Alabama and Mississippi, which states could not be covered by the N.C. Highway Patrol. In less than 24 hours, all specified points had been contacted. The contact with the Jackson, Miss., police (via W5CAC), was the one which paid off. The car was spotted in that city from the description on the amateur radio message and the girl was apprehended.

On Aug. 25 the Anne Arundel County (Md.) Net was alerted by NCS W3NAE, at the request of county police, to assist in the search for a 7-year-old boy reported missing from his Sun Valley home. Sixteen mobiles with 12 hand-carried units, plus the club's communications van, turned out. W3OXN/mobile with KL7CWO/3 as a passenger found the youngster playing unconcernedly in a sand pit a mile from his home.

In addition to the operation on Aug. 25, noted above, Anne Arundel Radio Club members were involved in two other instances of public service communications, both of these in October. On Oct. 7, twelve club mobile units assisted county police in a man hunt. One of them acted as net control on the median of route 2 and the others patrolled the roads in the area. The suspect was apprehended in the early afternoon. In the middle of this operation, a fire drill by club mobile units was held at Corydale, Md. In all, 21 mobiles, six hand-carried units and three base stations took part in the combined operation.

On Oct. 15, late in the evening, the county police again requested assistance for a lost hunter in the Millersville, Md., area. Fourteen club mobiles and 12 hand-carried units rendezvoused with the various service units and coordinated their messages for eight hours, throughout the night, until the hunter was found the next morning.

K8JSQ, EC for Erie County, Ohio, uses a message symbol system for local emergency traffic. Each message is identified by the symbol AREC (pronounced A-Reck on phone) and a numeral indicating the message content, followed by a digit indicating how many. The answer is given in the same way, but the numeral is followed by the letter A, a slant bar and a digit to indicate how many, if appropriate.

An example best illustrates. AREC 1 means "doctors needed"; AREC 1A means "doctors dispatched." A message with the text AREC 1/3 would mean that three doctors are needed; one with the text AREC 1A/3 would mean that three doctors have been sent. K8JSQ assigns text numbers from 1 to 9, but of course any number required can be added.

The Southern Michigan 6 Meter Net was activated at 1830 GMT on Sept. 14 because of tornado warnings in that area. Amateurs in the area followed the storm fronts and submitted weather reports. When the weather seemed unusually severe, the sheriff's department was notified of conditions. Damage was done in Battle Creek, Marshall, Albion, Homer and Ceresco. K8WPO and K8AEM lost their antennas in the high winds. Net operations were cleared by 2400 GMT. — K8AEM, EC Calhoun County, Mich.

Well, in September we broke all records for SEC reports. Forty-two SECs reported, representing 16,887 AREC members. Five new sections reported, making the total sections heard from in 1962 fifty-three. This represents an average of 402 AREC members per section and gives us an estimated 30,000 total AREC members. Some mighty big sections are not included in the 42, and some of those who did report based their figures only on EC reports received, so their total AREC members was low. We still think we have about 40,000 AREC members altogether, and interest in the ARPSC is rising rapidly in the amateur ranks.

Sections reporting (new ones in italics): S.N.J., E. Mass., Ont., Mo., Alberta, W. Va., S. Texas, Ind., Mich., W. Pa., N. Dak., S. Dak., Tenn., Ohio, NYC-L.I., Kans., W. Mass., Montana, Ore., Wash., Nevada, E. Bay, N.C., S.C., Colo., Utah, N. Mex., E. Fla., Ga., Los A., N. Tex., Iowa, W. Fla., B.C., S.C.V., R.I., N.N.J., La., Okla., E. Pa., Maine, Miss.

RACES News

This office maintains monthly contact with OCD's Warning and Communications Division in Washington in order to keep in touch with the RACES situation at top level. The latest inquiry brought a response from an old friend and amateur, Bob Arrow-smith, formerly K8DFA when OCDM was at Battle Creek. Bob is now established in Washington and will be monitoring the RACES program from that level. However, new RACES applications are being processed at OCD Regional level at the present time, so don't send Bob your applications; they continue to be processed at state and regional levels, then go to FCC.

It is good to have an amateur back in our branch of OCD, although we have never been treated badly by non-amateurs in federal civil defense.



RE NET DIRECTORY

If you're thumbing through these pages looking for the list of nets that usually appears in January *QST*, forget it. These listings have been discontinued to conserve badly needed *QST* space. However, by the time you read this the annual printed cross-indexed net directory should be available, free of charge. If you want a complete list of all known amateur radio public service nets, just drop us a line. Please address your requests to the ARRL Communications Department, 38 La Salle Road, West Hartford 7, Conn.

A.R.R.L. ACTIVITIES CALENDAR

(Dates shown are per GMT)


- Jan. 4: CP Qualifying Run — W6OWP
- Jan. 5-6: V.I.F. Sweepstakes
- Jan. 12-14: CD Party (c.w.)
- Jan. 16: CP Qualifying Run — W1AW
- Jan. 19-21: CD Party (phone)
- Feb. 9-10: DX Competition (phone)
- Feb. 2-17: Novice Roundup
- Feb. 7: CP Qualifying Run — W6OWP
- Feb. 15: Frequency Measuring Test
- Feb. 23-24: DX Competition (c.w.)
- Feb. 21: CP Qualifying Run — W1AW
- Mar. 9-10: DX Competition (phone)
- Mar. 23-24: DX Competition (c.w.)
- June 8-10: V.I.F. QSO Party
- June 22-23: Field Day

OTHER ACTIVITIES

The following lists date, name, sponsor, and page reference of *QST* issue in which more details appear.

Jan. 19-20, 26-27: Ninth Annual VEI Contest, New Brunswick Amateur Radio Assn. (p. 146, this issue).

Jan. 26-27: Fourth New Mexico QSO Party, CHC Chapter #1, of Albuquerque (p. 136, this issue).



We would like to give credit where credit is due, but we can't remember where we read, recently, a bulletin about a net which is issuing certificates on the basis of points for various net operations. The details are unimportant, but it is something like this: One point for reporting in, one point for each message handled, five points for being net control station, five points for conducting liaison with another net, and a standard number of points required per month or per quarter to qualify for a certificate showing that you are a member in good standing.

Actually, this is not a new idea. Many years ago W7FIX in his "P.A.V. News" and W6NYI in "Midwest Clir's" proposed similar point systems to supersede the present BPL on the theory that traffic count was only one mark of achievement in traffic handling these days and that some recognition should be given for other traffic activities even more difficult than the actual handling of the traffic. Headquarters was sympathetic but unable to comply, and thus arose the Master Traffic Handler's Certificate (MTHC) and the Brotherhood of Radio Amateur Traffic Society (BRAT), still being observed in some nets.

Well, headquarters is still sympathetic, but still unable to operate a complicated point setup for traffic men, and so we pass this idea along to all and sundry in the traffic ranks. The BPL will remain as is, but section traffic leadership may wish to set up some such point system to qualify for certification or other type of honors. It's something worth thinking about, in these days of avid certificate-hunting.

SPECIAL ARRL QN SIGNALS FOR NET USE

- QNA*** Answer in prearranged order.
QNB* Act as relay between.....and.....
QNC All net stations copy.
 I have a message for all net stations.
QND* Net is directed (controlled by net control station).
QNE* Entire net stand by.
QNF Net is free (not controlled).
QNG Take over as net control station.
QNH Your net frequency is high.
QNI Net stations report in.*
 I am reporting into the net. (Follow with list of traffic or QRU.)
QNJ Can you copy me?
 Can you copy.....?
QNK* Transmit messages for.....to.....
QNL Your net frequency is low.
QNM* You are QR'ing the net. Stand by.
QNN Net control station is.....*
 What station has net control?
QNO Station is leaving the net.
QNP Unable to copy you.
 Unable to copy.....
QNQ* Move frequency toand wait forto finish handling traffic. Then send him traffic for.....
QNR* Answer.....and receive traffic.
QNS Following stations are in the net.* (Follow with list.) Request list of stations in the net.
QNT I request permission to leave the net for.....minutes.
QNU* The net has traffic for you. Stand by.
QNV* Establish contact with.....on this frequency. If successful, move to.....and send him traffic for.....
QNW How do I route messages for.....?
QNX You are excused from the net.*
 Request to be excused from the net.
QNY* Shift to another frequency (or to.....kc.) to clear traffic with.....
QNZ Zero beat your signal with mine.

ARRL Communications Department
 Operating Aid No. 9

*For use only by Net Control Station.

In addition to points for reporting in, handling traffic (either sending or receiving), being NCS and handling a liaison assignment, the net management may wish to assign additional points for reliability, dependability, regularity, for excellence in operating ability and performance, even for quality of signal and list. Points may be included for reporting. In any case, we suggest that points be added for each desirable trait of the net station, but that none be subtracted for anything. This can ruffle feelings and sharply reduce the population of the net. That is, if a net member commits a *faux pas*, he would not be given points for operating ability; if he doesn't show up for an NCS assignment, he of course would not receive points for this function.

The various desirable traits can be weighted in accordance with their importance to the objectives of your particular net; thus, there is one advantage to not having a standardized point system. Perhaps, some time in the future, we may be able to adopt such a point system for NTS nets, but chances are that other nets will be encouraged to set up their own.

As for changing the BPL and including points for things other than the straight individual traffic total — some day, maybe. Not today, not tomorrow, but some day. — W1NJM.

We want to mention in passing that it is not necessary for SCMs or prospective BPL medallion recipients to notify us when stations have made their third BPLs. We keep a meticulous record of all BPLs (up to three) made by all stations, and the medallion goes to them automatically after (1) they have signed a statement affirming their compliance with ARRL's traffic-handling rules, and (2) the copy of *QST* in which their third BPL listing appears is in print.

So, don't be in such a big hurry, fellows and gals. You'll get your medallions about six weeks after you make your third BPL — without inquiring about it. If more than three months go by, then is the time to start wondering.

October Net Reports.

Net	Sessions	Check-ins	Traffic
Mike Farad.....	57	614	564
Northeast Area Barnyard.....	—	853	11
7290.....	—	2199	1426
Fourth Region Day.....	31	240	148
Early Bird Transcon.....	31	...	46
20 Mtr. S.S.B.....	23	468	1136
Central New England.....	27	379	2

National Traffic System. We wish to remind all and sundry that the standard on all NTS nets is for someone to QNG (take over as NCS) three minutes after scheduled net time if the regular control station does not show up. This can happen to the best of nets, but the best of nets will have it all pre-arranged by having an alternate NCS assigned beforehand. One never knows when an NCS operator will be called away at the last minute, or be unavoidably late, but the net must go on regardless. *Three minutes only* is allowed, then someone else takes over.

If the NCS does not show up at the appointed time and start calling the net, this should not be a signal for a lot of buck-passing and Alphonse-Gaston bowing, even if no alternate is pre-assigned. Get the matter settled quickly, then get on with the net. Non-appearance of the NCS should also be no signal for panic, and some net station "grabbing" the NCS job who is not really qualified to do so. Get the matter settled *before* the three minutes is up, *wait* the three minutes before QNG, then go to it. If the regular NCS shows up late, it is usually not recommended that the reins be turned over to him; this takes time and can cause errors and confusion.

We have never heard of the following idea being practiced, but it might not be a bad one. How about each NTS

Got your handy file-card-sized operating aid card on QN signals for net use? It's yours without charge from the ARRL Communications Dept., 38 La Salle Rd., W. Hfd. 7, Conn. Just ask for Operating Aid No. 9.

net manager designating certain stations who are regular reports-in as "qualified net controls." This would mean that these stations have the operator-station qualifications required (in the manager's opinion) for efficient net control operation, and that *only* such stations are qualified to QNG at any time if or when a regular NCS does not show up. This would prevent a perfect stranger from grabbing, or trying to grab, the NCS spot when the regular, for some reason fails to show.

Nets without adequate control stations are a mess. Let's eschew them like the dickens on NTS. — *WINJAM*.

— * * * —

October reports.

Net	Sessions	Traffic	Rate	Average	Representation (%)
EAN	31	1103	.723	36.0	100.0
CAN	31	1297	.858	41.8	100.0
PAN	31	1029	.641	33.2	97.8
1RN	58	431	.336	7.4	75.6
2RN	55	329	.415	5.9	97.8
3RN	62	587	.314	9.5	98.9
4RN	60	521	.315	8.7	92.2
RN5	62	423	.209	6.8	79.0
RN7	59	424	.194	7.2	69.9
8RN	62	241	.176	3.9	81.2
9RN	62	675	.481	10.8	74.5
TEN	67	622	.429	9.3	63.2
ECN	29	79	.157	2.7	64.4 ¹
TWN	31	221	.413	7.1	69.6 ¹
Sections	1316	6592		5.0	
TCC Eastern 124 ²		384			
TCC Central 93 ²		912			
TCC Pacific 120 ²		682			
Summary	2016	16532		7.2	EAN/CAN
Record	1778	24452	.928	12.3	100.0

¹ Region Net representation based on one session or less per day. Others are based on two or more sessions per day.

² Section nets reporting: (45); MDD & MIDDs (Md.-Del.-D.C.); EPA (Pa.); EMN (Mass.); WSSB, WIN (Wis.); SCN (Cal.); NCN & NCSN (N.C.); Wolverine, QMN Fast & QMN Slow (Mich.); BUN (Utah); SCN (S.C.); GEM (Idaho); KYN (Ky.); TLCN (Iowa); NEB (Nebr.); VN, VSN & VSB (Va.); GSN (Ga.); W. Fla. Phone; GBN (Ont.); BN (Ohio); RISP (R.I.); ETPN, TSSN & TN (Tenn.); WSSN & WSN (Wash.); AENT, AENP Eve, AENP Morn, AENO, AENAI, AEND, AENB & AENR (Ala.); CN & CPN (Conn.); OQN (Ont.-Que.); MJN, MSPN Noon & MSN (Minn.).

³ TCC functions reported, not counted as net sessions.

This month we far exceeded the record number of net sessions held, but fell quite a bit behind the record amount of traffic for the month. So the trend continues — more amateurs handling less traffic. The number of section net reports received for October was gratifying. We hope it will continue, for each one adds to the NTS traffic total.

EAN makes 100% representation of all regions for the first time in many months. CAN Manager W91YQ would like to see more traffic articles in *QST*. PAN certificates have been awarded to W7GIP, K7IWD, W4UGL 9 and WA6RGD; special commendation goes to W6RSY, K7JHA and K7NWP. Seven net reports were missing from 2RN for October; WA2GQZ puts out a most interesting 2RN net bulletin. W3UE is hard pressed for time to be 3RN manager, but wants to hang on at least until his tenth anniversary (we don't notice that the net is suffering much). K4AKP has been appointed RN5 manager, replacing W5GY. RN7 has started an early session at 0145 and moved its late session to 0530 on 160 meters. W8CHT reports that 8RN has taken a similar step, eliminating its late session and replacing it with one at 2315; 8RN is looking up, he says. W0BYV is working hard to bring TEN back to its previous high position among regionals. VE3BZB is closing up "leaks" in the system in Ontario and trying to get better ECN representation from all sections. W0FEO's TWN Bulletin is stirring up some interest, and representation from New Mexico and Arizona is improving.

Transcontinental Corps. W1SMU is hard put trying to find time to keep Eastern TCC going. Speaking of being busy, K4AKP will have his hands full with both RN5 and TCC-Central to manage. W7DZX is girding TCC-Pacific for the expected Christmas deluge.

October reports.

Area	Functions	% Successful	Traffic	Out-of-Net Traffic
Eastern	124	79.0	875	384
Central	93	89.2	1932	912
Pacific	120	89.5	1362	682
Summary	337	85.6	1169	1974

The TCC roster: Eastern Area (W1SMU, Dir.) — W1s EAG NJAI SMU, KITSD, W2EZB, WA2OPG, W3s EML EAF, W4DLA, W3s CHT UPH, VE3s PAS PES, Central Area (K4AKP, Dir.) — K4AKP, K0s DIN UG, W9s ZYK JGZ DYG VAY FSP, K0YRQ, W0s SCA LGG, Pacific Area (W7DZX, Dir.) — W4UGI 0, K6s KCB DYX GID, W9s EOT HC, K7s NHV NWP, W7DZX, W0s WHE 7 WME KQD.

SS Trophy

How'd you do in the last SS? The highest scoring single-op will be receiving a trophy, donated annually by W3GJY. For the '62 SS it will be known as the *Mickey Unger, W8YIN, Memorial Award*. Logs starting to come in by the bushel and high-claimed score totals will appear in Operating News next month.

BRASS POUNDERS LEAGUE

Winners of BPL Certificate for October Traffic:

Call	Ortg.	Recl.	Rel.	Del.	Total
W3CUI	240	1792	1418	364	3814
K6BPI	96	1767	1369	138	3360
W0LGG	284	764	728	30	1806
W0SCA	32	547	536	0	1115
K7KBN	136	204	533	197	1070
W8TTPH	12	471	401	69	953
W7BA	9	451	402	47	909
K4AKP	29	396	308	87	820
W6RSY	25	397	273	87	782
W9JQZ	10	372	390	1	773
W3PML	41	377	317	22	757
W1FXL	100	309	281	21	711
W1PEX	48	324	300	21	693
W9DYG	67	315	255	15	652
K7JHA	24	333	272	4	633
W7DZX	6	318	280	8	612
K6EPT	11	291	246	45	593
K6QXV	28	286	271	5	590
WA2TQT	174	203	107	6	580
W1AWA	8	277	253	19	557
W0PSP	22	253	229	18	522
W9ZYK	20	249	252	9	520
K1TSD	33	241	221	18	513
W3VR	21	243	235	6	505
W6WTP	28	238	209	29	504
W8CHT	27	252	210	11	500

Late Reports:

W0SCA (Aug.)	11	979	989	4	1983
W0PZO (Aug.)	3	328	298	30	659

More-Than-One-Operator Stations

Call	Ortg.	Recl.	Del.	Rel.	Total
W6TAB	76	1176	1123	47	2422
W6YDK	1062	283	245	38	1628
K6BGF	780	277	115	162	1334
W4PFC/4	28	400	385	13	826
K6BMD	105	215	198	17	535

Late Report:

W6YDK (Sept.)	1070	91	70	20	1251
W3RVS (Sept.)	30	451	401	50	932

BPL for 100 or more originations-plus-deliveries

K7NWP	242	VERCFR	155	WA4BMC	122
K4CGB	212	W6GYH	154	WA6MIE	113
W0NZZ	207	WA9AJF	154	K8KMQ	113
W0HGI	179	W6YBI	149	W8JAE	112
W0HIV	171	W7APS	149	W2EIV	111
WA2GFP	165	K6GZ	144	W0XYB	108
W2PXR	156	W4NFR	136	WA6EIC	107
K4HOE	156	VE7BDJ	125	WA2CCF	101

Late Reports:

K3DF8/3 (Aug.)	230
K3DF8/3 (July)	218

More-Than-One-Operator Stations

K6B6H	249	W1AW	160	K6R6I	114
W5AC	226	K6FCT	125	K6R6B	112
		W6CGR	119		

BPL medallions (see Aug. 1954 *QST*, p. 64) have been awarded to the following amateurs since last month's listing: K1KSH/4, K1TRY/4, WA4JFY, K9ARW, K0GFA.

The BPL is open to all amateurs in the United States, Canada, and U. S. Possessions who report to their SCM a message total of 500 or more or 100 or more originations plus deliveries for any calendar month. All messages must be handled on amateur frequencies within 48 hours of receipt in standard ARRL form.

NATIONAL CALLING AND EMERGENCY FREQUENCIES (KC.)

3550	3875	7100	7250
14,050	14,225	21,050	21,400
28,100	29,640	50,550	145,350

During periods of communications emergency these channels will be monitored for emergency traffic. At other times, these frequencies can be used as general calling frequencies to expedite general traffic movement between amateur stations. Emergency traffic has precedence. After contact has been made the frequency should be vacated immediately to accommodate other callers.

The following are the National Calling and Emergency Frequencies for Canada: c.w. — 3535, 7050, 14,060; phone — 3765, 14,160, 28,250 kc.

SUGGESTED RTTY OPERATING FREQUENCIES

3620, 7040, 14,090, 21,090 kc.

GMT CONVERSION

To convert to local times subtract the following hours:

ADST —3, AST —4, EDST —4, EST —5, CDST —5, CST —6, MDST —6, MST —7, PDST —7, PST —8, Hawaii —10, Central Alaska —10.

CODE PROFICIENCY PROGRAM

Twice each month special transmissions are made to enable you to qualify for the ARRL Code Proficiency Certificate. The next qualifying run from W1AW will be made Jan. 16 at 0230 GMT. Identical tests will be sent simultaneously by transmitters on 1805, 3555, 7080, 14,100, 21,075, 28,080, 50,700 and 145,800 kc. The next qualifying run from W6OWP only will be transmitted Jan. 4 at 0500 Greenwich Mean Time on 3590 and 7129 kc. **CAUTION:** Note that since the dates are given per Greenwich Mean Time, Code Proficiency Qualifying Runs in the United States and Canada actually fall on the evening previous to the date given: *Example:* In converting, 0230 GMT Jan. 16 becomes 2130 EST Jan. 15.

Any person can apply. Neither ARRL membership nor an amateur license is required. Send copies of all qualifying runs to ARRL for grading, stating the call of the station you copied. If you qualify at one of the six speeds transmitted, 10 through 35 w.p.m., you will receive a certificate. If your initial qualification is for a speed below 35 w.p.m. you may try later for endorsement stickers.

W1AW conducts code practice daily at 0230 GMT on all frequencies listed above with speeds of 15, 20, 25, 30, and 35 w.p.m. on Tuesday, Thursday, and Saturday, and at 5, 7½, 10, and 13 w.p.m. other days. Approximately 10 minutes' practice is given at each speed. To check your copy, the texts used on several transmissions are listed below. The order of words in each line of QST text is sometimes reversed. To improve your list, try to send in step with W1AW.

Date Subject of Practice Text from Nov. QST

- Jan. 3: *How To Run Your Linear*, p. 11
- Jan. 4: *Filter-Type Sideband*, p. 15
- Jan. 7: *Power-Supply Control*, . . . , p. 26
- Jan. 9: *Low-Noise Transistor*, . . . , p. 30
- Jan. 12: *Amateur TV — The Easy Way*, . . . , p. 33
- Jan. 16: *A Simple Three-Band*, . . . , p. 42
- Jan. 22: *Technical Correspondence*, p. 48
- Jan. 25: *Recent Equipment*, p. 54

W1AW SCHEDULES

(January 1963)

Operating-Visiting Hours

Monday through Friday: 3 P.M.—3 A.M. EST.
Saturday: 7 P.M.—2:30 A.M. EST.
Sunday: 3 P.M.—10:30 P.M. EST.

The ARRL Maxim Memorial Station welcomes visitors. The station address is 225 Main St., Newington, Conn., about 4 miles south of West Hartford. A map showing local street detail will be sent on request. The station will be closed Jan. 1, New Year's Day.

Operating Frequencies

C.w.: 1805, 3555, 7080, 11,100, 21,075, 28,080, 50,700, 145,800
Voice: 1820, 3945, 7255, 11,280 (s.s.b.), 21,330, 29,000, 50,700, 145,800

Frequencies may vary slightly from round figures given; they are to assist in finding the W1AW signal, not for exact calibrating purposes.

Official Bulletins

Bulletins containing latest information on matters of general amateur interest are transmitted on the above frequencies according to the following schedule in Greenwich Mean Time:

C.w.: Monday through Saturday, 0100; Tuesday through Sunday, 0500.

Voice: Monday through Saturday, 0200; Tuesday through Sunday, 0430.

Caution: Note that in the U. S. and Canada, because times are GMT, bulletin hours actually fall on the evening of the previous day.

W1AW CONTACT SCHEDULE

Would you like to work W1AW? W1AW welcomes calls from any amateur station in accordance with the following schedule:

GMT	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
0030-0100	7255*	7080	7255*
0120-0200 ¹	7080	7080 ²	3555 ²	7080
0210-0230 ¹	3945	50.7 Mc.	145.8 Mc.	3945	3945
0330-0430	3555	3945	7080	1820	3555
0440-0500 ¹	3945	14,280	3945	14,280	3945
0520-0600 ¹	3555 ²	7255*	3555	7080 ²	3945
0600-0700	14,280	14,100	3555	14,100
0700-0800	7255*	3945	7080	3945	7255*
2000-2100	14,280	21/28 Mc. ³	14,100
2100-2200	14,280	21/28 Mc. ³	14,100	21/28 Mc. ³	21,330*
2200-2300	14,100	14,280	21,075 ²	14,280	14,100

¹ General-contact period on stated frequency begins immediately following transmission of Official Bulletin which begins at 0200 and 0430 on phone and at 0100 and 0500 on c.w. Starting time is approximate.

² W1AW will first listen for Novices before checking the rest of the band for other contacts.

³ Operation will be conducted on either 21,075, 21,330, 28,080 or 29,000 kc.

* Operation may be on s.s.b. as announced at the beginning of the period.



DX CENTURY CLUB AWARDS



Honor Roll

The DXCC Honor Roll consists of the top ten numerical totals in the DXCC. Position in the Honor Roll is determined by the first number shown. The first number represents the participant's total countries less any credits given for deleted countries. The second number shown represents the total DXCC credits given, including deleted countries. Positions in cases of ties are determined by date of receipt. All totals shown represent submissions received from October 1, thru October 31, 1962.

W6GUO...308/322	W6AM...305/319	W0OVZ...304/315	W7PHO...302/313	W9NDA...300/313
W2AGW...308/321	W8HKP...305/317	W8UAS...304/316	W6GPB...302/314	W1YFH...300/313
W6GHD...308/321	W8KTT...305/318	W66JH...304/316	W1BHH...302/315	W2LPE...300/313
W1GKK...308/322	CF3AG...305/318	LU6DJK...304/317	W7GBW...302/315	W8TKI...300/312
PY2CK...308/321	W9YFV...305/318	4X4DK...304/315	W9HUZ...302/314	W4TLM...300/313
W8BRA...307/320	G4CP...305/318	G2PL...304/316	W8UDU...302/314	W8DAW...300/313
KV4AA...307/321	W5ASG...305/318	G3AAM...303/316	CX2CO...302/315	W0ELA...300/312
W2HUO...307/320	W3JNN...304/317	W2HMJ...303/315	HB9J...302/316	W2WZ...299/312
W4DQH...307/320	W1ME...304/317	W1CLX...303/315	K2GFO...302/315	W4OCW...299/310
W9RBI...306/320	W8BF...304/316	W2RKA...303/316	W8KML...301/313	W8JBE...299/312
W8KIA...306/319	W7GUV...304/317	VE7ZM...303/315	W9LNM...301/315	W2JT...299/311
W8JN...306/320	W5ADZ...304/316	W5MMK...302/314	W3LMA...301/313	W0AIW...299/311
W8DMD...305/317				

Radiotelephone

W3RIS...309/323	W8GZ...305/317	GX2CO...302/315	W7PHO...300/311	W6YY...297/310
PY2CK...308/321	W8BF...303/315	4X4DK...302/313	W8KML...299/311	W2ZX...297/309
W9RBI...306/318	VQ4ERR...302/315	W8PQO...301/312	W3JNN...297/309	W6AM...297/310
		W4DOH...300/311		

New Members

From October 1, thru October 31, 1962 DXCC Certificates and Endorsements based on contacts with 100-or-more countries have been issued by the ARRL Communications Department to the amateurs listed below.

PY7YS...234	G3JOC...132	WA2UHV...110	K5AEU...103	G3ADZ...101	WA6GLD...100
W4RBZ...218	DL9PU...120	G3OGF...110	UA1CE...103	UA0KCA...101	K6ISN...100
W4DLG...157	W8RFB...116	DJ2RO...109	W4O6L...102	K1NOL...100	W9RHD...100
ZS2ZQ...168	FY7YL...109	FJ1AO...109	K9KYV...102	W1QFD...100	W8SCZ...100
DL9NA...157	KR6QB...115	K3ZBU...108	K1CXP...101	W2JGF...100	VE3AM...100
W1LJL...146	DJ1IK...114	W2DUS...107	K1LQP...101	W2RSO...100	G3NGZ...100
SM7ACB...142	DJ1QJ...112	PG7XE...106	K5BDS...101	W3QQR...100	OZ4PM...100
UA3CT...136	YO6XL...111	W6QYH...104	K5TNR...101	W3ZAO...100	SM5HKZ...100
		W8CAT...104	K5TNE...101	W4MQB...100	

Radiotelephone

W4RBZ...161	K6ENX...133	HB9X...112	K4VOF...106	G3OGF...102	K6EDA...100
ZS6AMV...157	SM7ACB...132	KR6QB...111	W7QPL...106	PA8HSJ...102	KZ5US...100
W9IVG...136	W2JLL...128	UL7JA...109	EA4GZ...103	NEICE...101	UA2AO...100
		WA2UHV...107	EA4GR...102	K2POA...100	

Endorsements

W2TQC...310	W2TP...260	W6LHZ...220	W9YT...189	SP9TA...156	W5VA...130
W2ZX...310	VE2YU...260	G3KZI...220	DJ3BB...186	SP8HT...155	UA2AO...130
W3GAU...310	KF4WD...259	K5JNL...218	W4AFM...185	K2BAC...152	W2BHF...126
W8PWS...100	W6ABW...253	H2T...216	H2T...216	W4ODT...152	W48YV...126
G3YF...304	TG9AD...253	W6AUB...213	W4EUE...184	W3QEW...150	W2JFH...126
W2AYJ...303	W9UZS...251	W42DIG...212	W7BPS...182	W4REZ...150	K8YFK...124
K6EVR...303	W3RWB...250	K1MOD...211	W8KSR...182	VR2DK...150	HB9LB...124
W2FXN...300	K5KBH...250	W2MES...211	K4BYD...181	W4SNU...149	W8CJN...123
W2TVR...300	K4IBC...250	W6FLT...211	W4NJF...181	LA1MB...149	K8WOT...122
W2CNT...297	W9ABH...249	SP9KJ...210	W9LVJ...181	D2HL...147	DL9YC...122
PA9FX...295	W1FQA...247	W4AVY...210	VF7NS...181	K8GCOB...146	UA6KOD...122
G5VT...294	W1NHJ...245	K8DYX...210	CN8DJ...180	DL6OS...144	K1KPS...121
W7HKT...292	YU1AG...244	DL9KP...210	EA2CR...180	K9WTS...143	W1AIO...120
W5CE...290	PA9VB...243	F9IL...210	W9QZA...179	CE1AD...142	WINTH...120
K6COM...290	K2ZKU...241	HK3LX...210	DL8CH...179	OE2PS...141	W7QY...120
W8KEV...290	W2KIB...240	SP9KJ...210	W4NMG...172	W4ZDM...140	W8QOV...120
W9FJB...290	W4JLL...240	VE6TP...209	W2FLD...170	W4DCW...140	K8HYD...120
W0NLY...290	W8SCU...240	SP8CK...207	W6IRQ...170	W8LZU...140	K8YGM...120
W0QGI...288	DL1GU...240	K6RTK...205	W8CUT...170	DL3LB...140	K9YOE...120
W1IAS...286	DL3ZI...240	W9VZP...205	W9PWM...170	G2DCG...140	VE3AXQ...120
W2HO...282	W1WLW...238	DL1IA...204	W4QVJ...169	HP1IE...140	K8ACH...119
W5FEW...282	K6YVA...233	W6ERS...201	KDIE...166	DL1AM...136	W3DNT...118
W2FBS...280	W6WCX...232	W8QJH...201	W1WHQ...165	OE2SB...135	W7OFB...117
W4BQY...280	VE7QE...232	W9AZP...201	OH2XF...165	SP9ADU...135	K5FLD...114
W8J8U...280	W2NOY...231	K3DCP...200	SP8MK...164	F9BB...133	K0WRO...114
W8ONA...280	W7BTH...231	W5CK...200	SP8HR...164	SP8YTL...133	UDKAB...113
W9RKP...280	DL1FK...231	W6DIB...200	K4CXK...163	W1ONP...132	VE3WE...112
W9YNB...280	W1VAN...230	CN4FT...200	K4HYL...162	W8CJQ...132	OE2FB...112
W0GKL...280	W7AHX...226	DJ4DN...199	K8GLH...162	K0FLI...132	OE2FO...111
W3ADZ...276	W9IRH...223	OK7KV...194	SP9KAD...161	UA3HK...131	W2RRJ...110
IT1TAI...271	OZ3Y...222	W8KSR...193	W1CSC...160	W1EHT...130	K9AMD...110
W9QYW...269	K8KAE...221	W5INT...190	W1TYW...160	W2CUE...130	K9IFB...110
HB9X...267	W9RIB...221	K5XCP...190	K6JC...156	W4BXG...130	K9BHM...110
W6BUO...264	K2TQC...220	WA6TGY...190			

Radiotelephone

G5VT...291	W4CFD...228	VE1PQ...200	W1DGG...170	K6COM...152	VE3PV...134
W4ANE...281	PY7YS...228	PA0ZD...198	W4NJF...170	W2WAI...151	MP4BDC...132
K6LAS...281	DL1FK...217	OE1FF...192	W7BPS...170	W8ONA...151	LA1MB...131
W2FXN...274	K5KA...214	W8ACT...190	W4BEU...168	W3LPE...150	K8DYX...130
W0G2...270	W0G2...213	W6CZ...189	W5CFE...165	K8VCF...150	W8QOV...125
W0GKL...262	W3VSU...211	SM3AZI...185	W7AHX...164	OE1PG...150	W1KID...122
W1CLX...260	W2LKW...210	W2PTM...182	W0DIB...162	LI8MO...146	W7BTH...121
G3FNN...260	PA9FX...210	VV5AKP...181	W2FGD...161	K6ERV...142	W1BAB...120
TG9AD...252	DJ3CP...207	FP2AG...180	K4HYL...161	W9JFJ...140	W6NAT...120
K6KVR...249	W8TUC...204	W4DLG...174	W8PMU...160	VE2AFC...140	W91AA...112
G3AAB...234	VE2YU...202	W4VYL...174	SP8CK...157	E4ZFE...140	W9SRJ...111
		F9IL...172	N8IAE...156	HB9RB...140	

• All operating amateurs are invited to report to the SCM on the first of each month, covering station activities for the preceding month. Radio Club news is also desired by SCMs for inclusion in these columns. The addresses of all CMs will be found on page 6.

ATLANTIC DIVISION

EASTERN PENNSYLVANIA—SCM, Allen R. Breiner, W3ZRQ—SEC: W3DUL, RM: W3EML, PAM: K3RHR, V.H.F. PAM: W3SAO. OES appointments go to W3ZRJ and W3CHC; ORS to K3OWE; also an Observer appointment to W3ZRJ, who is in the York Area. K3ADS is curious to know where all the 220-Mc. activity is. We welcome W9EHR, who has moved into the Philadelphia Area. KN3SME has been on 15 meters for 5 months and worked 29 states and 8 countries. W3LUW, the Germantown ARC, sends code practice Mon. and Thurs. on 50.7 and 29.1 Mc. at 0030. W3BNNR still is looking for E.Pa. contacts from Wyoming. W3BKF participated in 5½-hours worth of sports car rallies. Kansas was the 28th state added to the list for K3QNC. The Lehigh Valley ARC has started code instruction classes under the leadership of K3JTW; K3KUC is teaching the theory. New Gear Dept.: W3GRS a 7-Mc. ground plane with 30 radials; a new high-voltage transformer to K3RFH for the SS Contest; a pair of 4X150s in the 6-meter final to K3EMIG for better area coverage; an additional 803 to W3EML's final for E. Pa. coverage; an s.w.r. bridge to K3ARR. K3UOW is now a Technician. W3JPS has a new jr. operator. Also W3SAA has a new jr. operator, which made W3ID an uncle and W3SKL/DL a cousin. K3DSM is anticipating "ten meters or bust." K3SPU is now a General. New officers of the South Philadelphia ARC are K3LKB, pres.; W3FAL, vice-pres.; W3ORS, secy.; W3ZMO, treas. The club frequency is 50.82 Mc. The Delco ARC held a "White Elephant Sale," followed by its Annual Banquet Nov. 2. K3OWE is NCS for the ERN Net Wed. and Fri. on 3560 kc. The E.Pa. C.W. Net had 323 QNI and 214 QTC for October. Manager W3EML invites newcomers to join this net, which meets nightly at 2330 on 3610 kc. The NCS will slow down for you. Season's Greetings to everyone. Traffic: (Oct.) W3CUL 3814, W3EML 757, W3VR 505, W3VJS 333, K3JXN 231, K3MQE 109, K3AIK 178, W3HNK 175, K3RBU 115, K3ONV 102, W3ZRQ 95, W3FAF 90, K3OWE 74, W3AXA 60, K3CAH 59, W3AHZ 57, K3AIVO 40, K3ARR 37, W3ID 30, K3LQK 30, W3ITI 27, W3DUI 25, W3BKF 20, K3EAG 20, W3EEN 17, W3LC 16, W3JKK 15, W3BFF 14, W3GJAJ 14, K3DCB 10, W3BNNR 8, K3UBA 8, W3ADE 6, W3BUR 6, K3DSM 6, K3AKN 5, K3ANU 4, W3OY 4, K3MDG 3, W3NNL 3, K3MNT 2, W3VSD 2, K3HTZ 1, K3NLW 1. (Sept.) W3IVS 932. (Aug.) K3DFS/3 314. (July) K3DFS/3 285.

MARYLAND—DELAWARE DISTRICT OF COLUMBIA—SCM, Andrew H. Abraham, W3JZY—Asst. SCM Del.: Skip Nelson, W3GKF. SEC: W3CVE, RM: K3JYZ for MDD Traffic Net, which meets on 3649 kc. at 0000Z daily. MDDS 9 (slow) Net is trying out 28.1 Mc. daily except Sun. at 0130Z. NEPN is on 3820 kc. MWF at 2300Z on Sat. and Sun. at 1800Z. Del. Emg. Net meets on 3905 kc. at 2230Z on Sat. Delaware: K3AXW has been appointed OO. K3AZK is looking for AREC members. K3EBB has a 14-watt rig on 220 Mc. W3EEB takes part in the CD Parties. K3KAJ is busy with home work. K3QZM is on 2 meters. K3QRF is the call of the Mt. Pleasant H.S. Radio Club. K3OBU reports good ground wave on v.h.f. during October. K3GRF is SCM of the new Delaware section. Send your activities reports to Skip for the Delaware section only. Md.-D.C.: W3BKE was in the SS Contest. W3CDG is plagued with line noise. W3CDQ did not hear any YL on 40 meters during the YLRL Contest. W3CVE is busy with AREC activities. K3DJX, of Bethesda, is a Silent Key. K3DNO is busy at U. of M. W3ECP reports K3AHB, K3HDQ and W3SKL have completed modifications to their ART-13 and are on the air with very FB signals. W4EXM/3 hopes to be on s.s.b. with a KWM-2 transceiver from Teheran, Iran, soon. Art is teaching code and theory to a few natives during his off-duty hours. K3GZK is teaching code; W3PRC and K3IQK are teaching theory two nights a week for 8 weeks at the Hartford County Amateur Radio Club. W3IVC is all set for holiday traffic. W3IPO has moved to a new QTH on high ground

overlooking the little Seneca River. K3JYZ reports that W3ZNV and the MDDS are testing out 28.1 Mc. as a secondary frequency. K3LFD, please summarize your traffic on your reports. K3LLR has everything set for winter traffic. K3NCM reports that traffic is picking up. W3NO is working all bands, c.w. and phone. W3MSR will be more active now. K3RGD has been appointed EC for the Baltimore Area. The AREC Net meets on 28,680 kc. Mon. at 8 p.m. W3YZI has DXCC 200 confirmed. K3JNN has a new antenna. K3DCP and W3IRA have new tri-band beams. W3TLN built a subminiature transistor VXC-s.s.b. 20-meter transceiver with 100 milliwatts input. W3ZAQ will be more active this winter. W3ZNV is trying out 28.1-Mc. c.w. with the MDDS Net. This winter, K3PRN is building a d.s.b. rig using printed circuit boards and is looking for a parametric amplifier schematic for a 432 converter. K3QEF is a new amateur in Carroll County. The Carroll County Club call is K3PZN. The Frederick County Amateur Radio Club is running a code and theory class for 15 weeks. The Antietam Radio Club in Hagerstown had a course of instructions in c.d. survival for four weeks. W3CWC will be using a 32-element beam on 2 meters for direct contact with W3CBW in Pikesville, Md. K3SOY is a new Technician in Washington County and KN3SRE and KN3VJL are new stations there. The Baltimore Amateur Radio Club is progressing and meets on the air each Monday on 28,800 kc. at 8 p.m. K3EZZ, at Ocean City, is putting in good signals up on Snowy Mountain on 2 meters. Traffic: W3IVC 195, W3TN 95, K3JVZ 71, K3LFD 70, K3OSX 52, W3ZNV 51, K3WBJ 45, K3LLR 31, W3EOV 30, K3RGL 29, W3ECP 25, W3BKF 22, W3EEB 17, W3NO 16, K3NCM 15, W3GQP 9, K3GZK 9, K3AZH 6, K3EBB 6, K3KAJ 5, K3EWK 4, K3LJB 2, W3LUL 2, K3AXW 1.

SOUTHERN NEW JERSEY—SM, Herbert C. Brooks, K2RG—SEC: K2ARY, PAM: W2ZI, RMs: W2HDW and WA2VAT. NJN Oct. totals were 31 sessions and 217 traffic. WA2BLV, W2RG and WA2WLN are regulars on the net. WA2LBL is attending school in Salisbury, Conn. The McGuire Amateur Radio Club meets the 1st and 3rd Tue. in the MARS station on base. K4RGV/2 is the club's secy. W2BZJ, Pennington, advises there is a need for operators at State Control Station, especially c.w. operators. N.J. Emerg. Phone and Traffic Net totals: 31 sessions, QNI 572, traffic 131. W2ZVW, Burlington Co. EC, attended a meeting of the Conn. Wireless Assn. at the home of W2ADE, WA2NXX, Gloucester, is building a new kw. transmitter. SJRA top DXers are K2DCA, W2XXN, W2ZX, K2OEA, W2QDY and W2PTM. SJRA's Christmas Party chairman is WA2KRX. The club plans a new code and theory class in Jan., 1963, under the direction of W2HBE and K2BZK. The SCARA meets at the Storek Reserve Training Ctr., Northfield. The club plans a 10-meter AREC net. K2VZY is back on the air. The club's monthly magazine, SCARA NEWS is loaded with information. The Gloucester County ARC 6-Meter Net is very active with a fine number of QNIs. K2ECY, Riverton, is in Thule for a short time. W2BVE, Maywood, is portable in Palmyra. WA2EMB and W2REB attended the recent Syracuse V.H.F. Hamfest. W2LBX, W2OSD, W2LY, K2DEI and WA2NHE assisted in the recent International Motorcycle Endurance Contest. Club secretaries are urged to supply me with lists of newly elected officers. Appointees are required to make monthly reports to their SCM. Check your certificate and, if you are active, request endorsement for another year. Traffic: WA2WLN 133, W2RZJ 84, W2RG 60, W2ZI 35, WA2BLV 30, W2ZVW 22, W2KAP 10, WA2NXV 7, WA2ARJ 5, K2JJC 1.

WESTERN NEW YORK—SCM, Charles T. Hansen, K2HUK—SEC: W2LXE, RMs: W2RUF, W2EZZ, W2FEB, PAM: W2PVL, NYS C.W. meets on 3670 kc. at 1900. ESS on 3590 kc. at 1800. NYSPTEN on 3925 kc. at 1800. NYS C.D. on 3610.5 and 3993 kc. at 0900 Sun. and 7102.5 kc. at 1930 Wed., TCPN 2nd call area on 3970 kc. at 1900. IPN on 3990 kc. at 1600. 2RN on 3960 kc. at 0045 and 2345 GMT. Appointment: WA2KQG as ORS. Endorsement: W2RFQ as OPS. The Massena ARC was recently organized with WA2STK, secy.; K2PQE, vice-pres. and act. mgr.; W2CET, pres.-treas. K2TPB is running 20 watts into a ten-element beam on 6 meters. W2IDM is on 2 meters with 90 watts into a ten-element beam and has a new 417-A converter. WA2TUI and W2CET are new Conditionals. The RAGS activated K2NYS at the N.Y. State Exposition. WA2QMJ was instrumental in getting a special call and setting up the station with help from K2LXN. The RARA is running

(Continued on page 110)

THE first issue of this series, published in the February, 1955, issue of *QST*, was devoted to a statement of our aims in publishing this series. Perhaps it is time to restate these policies.

1. **7** HIS is *your* page. It is our goal to publish articles of general interest, technical information, and other news of general interest to hams.
2. **W**E WILL welcome articles which fall into this category, from amateurs outside the Hallicrafters organization. If you have a topic on some specific aspect of amateur radio which you feel needs airing, why not submit your article to us? You can be sure that it will receive serious consideration.
3. **P**ERHAPS there are subjects which you would like to see discussed in this space. If you will advise us of your wishes in this respect, an attempt will be made to provide material which follows your suggestions.
4. **I**F YOU KNOW of an individual, or an organization, which you feel deserves recognition because of a signal contribution to the advancement of amateur radio, such recognition is available here . . . just give us the details.


Bear in mind — we have no way of knowing what you want — unless you tell us. So, from here on out think of this as your page, with the facilities of our entire company at your disposal.

W. J. Hallegan W9AC

Laurie Marshall K9EBE

for **hallicrafters**

Viking®



ADVENTURER—Self-contained . . . 50 watts CW input . . . rugged 807 transmitting tube . . . instant bandswitching 80 through 10 meters. Crystal or external VFO control—wide range pi-network output—timed sequence keying. With tubes, less crystals. **Net \$69.95**
 Cat. No. 240-181-1 Kit

CHALLENGER—70 watts phone input 80 through 6; 120 watts CW input 80 through 10 . . . 85 watts CW on 6 meters. Two 6DQ6A final amplifier tubes. Crystal or external VFO control—TVI suppressed—wide range pi-network output. With tubes, less crystals. **Net \$124.75**
 Cat. No. 240-182-1 Kit
 Cat. No. 240-182-2 Wired, tested **Net \$169.75**

6N2—Rated 150 watts CW and 100 watts phone—instant bandswitching coverage 6 and 2 meters. Fully TVI suppressed—use with "Viking I, II", "Ranger I, II", "Valiant" or similar power supply/modulators. Operates by crystal control or external VFO with 8-9 mc. output. With tubes, less crystals. **Net \$149.50**
 Cat. No. 240-201-1 Kit
 Cat. No. 240-201-2 Wired, tested **Net \$194.50**

10 METER "MESSENGER"—A compact, superbly-engineered transmitter. Ideal for fixed location or mobile operation. Completely crystal controlled, the 10-Meter "Messenger" contains 10 tubes (including rectifier). Instant selection of five frequencies in the range of 29.4 to 29.7 mcs., within a 300 kc. segment of the 10-meter band. Super-heterodyne receiver, excellent sensitivity and selectivity. ANI AVC—positive action "squelch" . . . wide range pi-L network output . . . push-to-talk ceramic microphone! Transmitter section uses a 7054 crystal oscillator coupled to a high gain 7061 final amplifier—delivers a clean, crisp, well modulated signal! Unit is light weight, easy to install. With power cords, tubes, microphone and 29,640 kc. crystals for National Calling and Emergency Frequency. **Net \$129.75**
 Cat. No. 242-201 115V AC/6V DC
 Cat. No. 242-202 115V AC/6V DC **Net \$139.75**
 Cat. No. 242-203 115V AC/12V DC **Net \$139.75**

10 METER "PERSONAL MESSENGER"—Two models: 100 milliwatts for short range; 1 watt for extended range—11 transistors and 4 diodes—super-heterodyne receiver with tuned RF amplifier gives excellent sensitivity, two stage transmitter punches signal home. "Quiet" control silences receiver on standby. With battery compartment for penlight cells (less cells). Rechargeable cadmium battery and other accessories available. **Net \$109.50**
 Cat. No. 242-103 10 Meter "Personal Messenger", 100 milliwatt, with 29,640 crystal, 8 penlight cell battery case **Net \$109.50**
 Cat. No. 242-104 10 Meter "Personal Messenger", 1 watt, with 29,640 crystal, 8 penlight cell battery case **Net \$129.50**
 Cat. No. 251-806 Leather carrying case and strap **Net \$8.50**
 Cat. No. 250-804 Rechargeable nickel cadmium battery. Plugs into 115 V AC outlet to recharge **Net \$19.95**

RANGER II—Now—a new version of the popular 75 watt CW or 65 watt AM "Ranger". The "Ranger II" transmitter also serves as an RF/audio exciter for high power equipment. Completely self-contained instant bandswitching 160 through 6 meters! Operates by built-in VFO or crystal control. High gain audio-timed sequence keying. TVI suppressed. Pi-network antenna lead matching from 50 to 500 ohms. With tubes, less crystals. **Net \$249.50**
 Cat. No. 240-162-1 Kit
 Cat. No. 240-162-2 Wired, tested **Net \$359.50**

FIVE HUNDRED—Full 600 watts CW—500 watts phone and SSB (P.E.P. with auxiliary SSB exciter). Compact RF unit designed for desk-top operation. All exciter stages ganged to VFO tuning—may also be operated by crystal control. Instant bandswitching 80 through 10 meters—TVI suppressed—high gain push-to-talk audio system. Wide range pi-network output. With tubes, less crystals. **Net \$1050.00**
 Cat. No. 240-500-2 Wired, tested


"6N2 THUNDERBOLT"—1200 watts (twice average DC) input SSB and DSB, Class AB1; 1000 watts CW, Class C; and 700 watts input AM linear. Continuous bandswitched coverage on 6 and 2 meters. TVI suppressed. Drive requirements: approx. 5 watts Class AB1 linear, 6 watts Class C CW. With tubes and built-in power supply. **Net \$549.50**
 Cat. No. 240-362-2 Wired

"THUNDERBOLT"—The hottest linear amplifier on the market—2000 watts P.E.P. (twice average DC) input SSB; 1000 watts CW; 800 watts AM linear. Continuous coverage 3.5 to 30 mcs—instant bandswitching. Drive requirements: approx. 10 watts Class AB2 linear, 20 watts Class C continuous wave. With tubes and built-in power supply. **Net \$659.00**
 Cat. No. 240-353-2 Wired, tested

New Catalog

The E. F. Johnson Co. also manufactures other transmitters and accessories . . . all described in our newest amateur catalog. Write for your copy today!

1st Choice Among Nation's Amateurs!



Matched Pair

Outstanding performance on SSB, AM and CW with absolutely no compromise on any mode!

"SSB ADAPTER"—The new filter-type SSB generator—with bandswitching 80 through 10 meters . . . more than 50 db sideband suppression . . . more than 45 db carrier suppression! When used with the Viking "Valiant" or "Valiant II" it places 275 watts P.E.P. at your command. Two compact units and interconnecting cables . . . RF unit is only 8" wide—may be placed on your operating desk. Power supply unit may be placed in any convenient location. Features built-in multiplier requiring VFO input only—band-pass interstage couplers require no tuning—design and front panel make operating practically fool-proof. Superb audio fidelity and balanced audio response; excellent sideband, spurious and carrier suppression. Other features: positive VOX and anti-trip circuits with built-in anti-trip matching transformer and adjustable VOX time delay. With remote power supply, tubes and crystal filter, less microphone.

Cat. No. 240-305-2—Wired, tested Net \$369.50

"VALIANT II"—Outstanding flexibility and performance—bandswitching 160 through 10 meters—delivers 275 watts input CW or SSB (with auxiliary SSB exciter or Viking SSB adapter) and 200 watts AM! Low level audio clipping—differentially temperature compensated VFO provides stability necessary for SSB operation! High efficiency pi-network tank circuit—final tank coil silver-plated. Other features: TVI suppression; time sequence (grid block) keying; high gain push-to-talk audio built-in low pass audio filter; self-contained power supply; and single control mode switching. As an exciter drives any popular kilowatt level tubes and provides quality speech driver system for high power modulators. Provision for plug-in SSB operation with no internal modification. With tubes, less crystals.

Cat. No. 240-105-1—Kit Net \$375.00

Cat. No. 240-105-2—Wired, tested Net \$495.00

INVADER—More exclusive features than any other Transmitter/Exciter on the market today! Specially developed high frequency, symmetrical, multi-section band-pass crystal filter for more than 60 db sideband suppression—more than 55 db carrier suppression! Instant bandswitching 80 through 10 meters—no extra crystals to buy—no realigning necessary. Delivers a solid 200 watts CW input; 200 watts P.E.P. SSB input; 90 watts input on AM! (25-30 watts output—upper sideband and carrier). Built-in VFO—exclusive RF controlled audio AGC and ALC (limiter type) provide greater average speech VOX and anti-trip circuits. Fully TVI suppressed. Self-contained heavy-duty power supply. With tubes and crystals.


Cat. No. 240-302-2 Wired, tested Net \$619.50

INVADER 2000—Here are all of the fine features of the "Invader", plus the added power and flexibility of an integral linear amplifier and remote controlled power supply. Rated at a solid 2000 watts P.E.P. (twice average DC) SSB, 1000 watts CW, and 800 watts AM! (250 to 300 watts output—upper sideband and carrier.) Wide range output circuit (40 to 600 ohms adjustable). Final amplifier provides exceptionally uniform "Q". Exclusive "push-pull" cooling system. Heavy-duty multi-section power supply. With power supply, tubes and crystals.

Cat. No. 240-304-2 Wired, tested Net \$1229.00


HIGH POWER CONVERSION—Take the features and performance of your "Invader" . . . add the power and flexibility of this unique Viking "Hi-Power Conversion" system . . . and you're "on the air" with the "Invader 2000". Wired, tested, includes everything you need—no soldering necessary—complete conversion in one evening.

Cat. No. 240-303-2 Net \$619.50



E. F. JOHNSON COMPANY
WASECA, MINNESOTA, U.S.A.


all modes...



HEATHKIT "MOHAWK" DELUXE AMATEUR RECEIVER

1. Amateur band coverage only for maximum accuracy and stability. 2. 1 uv sensitivity for 10 db S/N ratio—160 through 10 meters. 3. Prebuilt, prealigned coil/bandswitch assembly. 4. Rotating slide-rule dial. 5. 15 tube double conversion superheterodyne receiver. 6. Upper and lower sideband selection (crystal controlled). 7. 5 selectivity positions (5 kc to 0.5 kc). 8. Bridged T-notch filter. 9. Stable, variable BFO. 10. Panel "S" meter. 11. Rugged well-rated components used throughout. 12. Built-in 100 kc crystal calibrator. 13. Terminals for antenna (50 or 300Ω), speaker (8 or 500Ω), accessories (B+, fil. muting), 117 V AC.

Kit RX-1...69 lbs...no money down, \$28 mo.....\$299.95




ACCESSORY SPEAKER KIT: Styled to match the "Mohawk". Heavy-duty 8" PM speaker. 8 ohms impedance. 4.7 oz. magnet. 7 lbs.

Kit AK-5.....\$10.95

HEATHKIT "WARRIOR" DESK-TOP KILOWATT LINEAR AMPLIFIER...OPERATES SSB, AM & CW—80 THROUGH 10

1. Four 811A's 2. Fan cooling 3. 5-50 hy. swinging choke 4. 8 ufd, 2 KV, oil-filled filter capacitor 5. Two 866A's 6. Monitor scope output with level control 7. 1500 v. Power transformer 8. Internal RF shielding 9. Loading control 10. Band switch, 80 through 10 meters 11. Power and High Voltage interlocked switches 12. High Voltage pilot light 13. Power pilot light 14. Relative Power sensitivity control 15. Meter switch with Grid, Plate, Relative Power, and High Voltage positions 16. Tuning control with band markings 17. Meter

Kit HA-10...101 lbs...no money down, \$22 mo....\$229.95



COMMUNICATIONS MICROPHONE: Specially designed for SSB communications. Response limited from 300 to 3000 cps voice frequencies. Stand has grip-to-talk switch with lock position. HI-Z output. 3 lbs.

HDP-21.....no money down, \$5 mo.....\$29.40

all HEATHKITS


choose from the widest
selection at the lowest
prices . . . choose quality
engineered Heathkits!



HEATHKIT "MARAUDER" SSB TRANSMITTER.. UNMATCHED AT LESS THAN TWICE ITS PRICE!

1. Operates SSB (upper or lower sideband), CW, AM and FSK. 2. 180 watts P. E. P. on SSB and CW—80 through 10. 3. Panel meter (grid, plate, HV, ALC, Rel. Pwr). 4. VOX controlled break-in CW operation. 5. Automatic level control for higher talk power. 6. Multi-section, hermetically sealed crystal band-pass filter. 7. Dual conversion, crystal controlled heterodyne oscillator. 8. FSK input. 9. Accessory sockets. 10. Monitor scope output. 11. Air-cooled, shielded final amplifier. 12. Heavy-duty power supply. 13. 165 to 1 gear drive tuning assembly. 14. Preheated, temperature compensated VFO—100 cps stability. 15. Carrier suppression, 50 db; unwanted sideband suppression, 55 db.

Kit HX-1092 lbs., no money down, as low as \$22 mo. **\$334.95**



HEATHKIT MONITOR SCOPE KIT: Specially designed for Amateur Radio use! Shows SSB/AM envelope, RF trapezoid and RTTY patterns. Handles 5 watts to 1 KW, 160 through 6 meters. 11 lbs.

Kit HO-10....no money down, \$6 mo..... **\$59.95**



FREE 1963 CATALOG Fully illustrates over 250 different quality kits at money-saving do-it-yourself prices! Choose from a complete selection of Amateur Radio "Mobile" and "Fixed" station gear and Accessories. Whatever your need you'll find a Heathkit to fill it! Send for your free copy today!



HEATH COMPANY
Benton Harbor 9,
Michigan

Please send my FREE 1963 Heathkit Catalog

NAME _____

ADDRESS _____

CITY _____ ZONE _____ STATE _____

GOTHAM VERTICALS DELIVER THE CONTACTS

THE ULTIMATE PROOF OF THE FINE PERFORMANCE OF THE
GOTHAM VERTICAL ANTENNAS IS IN THE ACTUAL FIELD
RESULTS, BY HAMS ALL OVER THE WORLD.

PROVEN! PROVEN! BY THESE EXCERPTS FROM UNSOLICITED TESTIMONIALS:

CASE HISTORY #71

"I am very delighted with the first V80 and want another for a different location." A. C., California.

CASE HISTORY #159

"I ordered a Gotham V40 Vertical Antenna and found it so successful that several others are wanting them, too. Will you please send me four more." W. A., Alaska.

CASE HISTORY #248

"I just wanted to let you know how pleased I am with my Gotham V80 antenna. I have worked a W.A.S. of 46/43, a WAC of 3/3, and DXCC of 14/12 in about 12 months." G. W., Maryland.

CASE HISTORY #111

"The V160 did a beautiful job on a VE1 for me. Also, I forgot to take it down during the hurricane of last week. It is just as straight as it was when bought it." D. S., New Jersey.

CASE HISTORY #250

"I have one of your vertical antennas and have been having fine results on 10, 15, and 20 meters." N. S. P., Missouri.

CASE HISTORY #613

"I have never been happier with any antenna than I have been with the V80. I have worked all bands with it and have had tremendous success — i.e., DL4s, ZS3, etc., all solid copy." R. D. S., Penna.

CASE HISTORY #483

"My V80 is working wonders. I am able to maintain a 1:1 SWR all across the 40 meter band. After many years on 10, 15, and 20, the XYL and I are getting great kicks out of some of the lower bands." J. A., New Mexico.

CASE HISTORY #123

"I am full of praise for your vertical. In the recent field day, we went up to the mountains near here and QSO'd a KA2, KZ5, and an XE at 2100 PDST on 15 meters. We got a 59 plus from the KA and KZ and 58 from the XE." D. P., Nevada.

CASE HISTORY #398

"Some months ago I purchased one of your V80 vertical antennas. I have had wonderful results with this antenna, and I think it was of far greater value than the small amount I paid for it." R. C., Utah.

CASE HISTORY #766

"The Gotham vertical takes almost no room. I don't see how I could have used any other type very well. Sure do appreciate the fine record this antenna has made so far." H. C., Haiti.

CASE HISTORY #146

"I have had very good luck with mine (my V80) feeding it with a Johnson Adventurer; works fine on all bands." B. I., Nebraska.

CASE HISTORY #555

"Being an owner of your V80 vertical I would like to let you know of the excellent results I am getting with it, both working the DX and the local stations on the lower bands. It certainly is an excellent antenna system." F. H. Jr., New York.

CASE HISTORY #84

"A few months ago I purchased your V40 vertical and have achieved outstanding results on the air." K. G. B., North Carolina.

CASE HISTORY #407

"I recently purchased a Gotham V80 vertical antenna and I am very pleased with the results. Up until now my home brew antenna has had a very high SWR, but with the V80 the SWR is 1:1." J. D. R., Virginia.

CASE HISTORY #414

"Just a quick note to tell you how pleased I am with my 2 day old V80. My old SX-28 just seems to be re-born. An excellent receiving antenna as well as a fine transmitting antenna." D. J., Utah.

FREE

Catalog of all Gotham antennas,
including 47 different beams
covering 2 meters through 20
meters, free on postcard request.

ANNOUNCEMENT!

GOTHAM proudly announces our appointment as an *AUTHORIZED FRANCHISED DEALER* for ALL LEADING MANUFACTURERS OF TRANSMITTERS AND RECEIVERS.

We feature a unique plan that absolutely guarantees proper installation and operation.

ORDERS AND INQUIRIES SOLICITED

WHY

THE GOTHAM VERTICAL ANTENNA IS THE BEST ALL-BAND ANTENNA

- Absolutely no guying needed.
- Radials not required.
- Only a few square inches of space needed.
- Four metal mounting straps furnished.
- Special B & W loading coil furnished.
- Every vertical is complete, ready for use.
- Mount it at any convenient height.
- No relays, traps, or gadgets used.
- Accepted design—in use for many years.
- Many thousands in use the world over.
- Simple assembly, quick installation.
- Non-corrosive aluminum used exclusively.
- Multi-band, V80 works 80, 40, 20, 15, 10, 6.
- Ideal for novices, but will handle a Kw.
- Will work with any receiver and xmitter.
- Overall height 23 feet.
- Uses one 52 ohm coax line.
- An effective modern antenna, with amazing performance. Your best bet for a lifetime antenna at an economical price.

73,
GOTHAM

DO YOU KNOW

1. YOU WILL HAVE NO DIFFICULTY INSTALLING YOUR GOTHAM VERTICAL ANTENNA IN JUST A FEW MOMENTS, REGARDLESS OF YOUR PARTICULAR PROBLEM, SO ORDER WITH CONFIDENCE EVEN IF YOU HAVE RESTRICTED SPACE OR A DIFFICULT SITUATION.
2. LOADING COIL NOT REQUIRED ON 6, 10, 15 AND 20 METERS. FOR 40, 80, AND 160 METERS, LOADING COIL TAPS ARE CHANGED MANUALLY EXCEPT IF A WIDE-RANGE PI-NETWORK OUTPUT OR AN ANTENNA TUNER IS USED; IN THIS CASE BAND CHANGING CAN BE DONE FROM THE SHACK.
3. EVERY GOTHAM ANTENNA IS SOLD ON A TEN DAY TRIAL BASIS. IF YOU ARE NOT FULLY SATISFIED, YOU MAY RETURN THE ANTENNA PREPAID FOR FULL REFUND OF THE PURCHASE PRICE. THIS IS YOUR GUARANTEE OF FULL SATISFACTION.



FILL IN AND SEND TODAY!

Airmail Order Today — We Ship Tomorrow

GOTHAM Dept. QST
1805 PURDY AVE., MIAMI BEACH, FLA.

Enclosed find check or money-order for:

V40 VERTICAL ANTENNA FOR 40, 20, 15, 10 AND 6 METER BANDS..... \$14.95

THE V40 IS ALSO MADE FOR CITIZENS BAND OPERATION, WITH SPECIAL INSTRUCTIONS. DESIGNATE CB-11 ANTENNA. PRICE SAME AS THE V40

V80 VERTICAL ANTENNA FOR 80, 40, 20, 15, 10 AND 6 METER BANDS. MOST POPULAR OF THE VERTICALS. USED BY THOUSANDS OF NOVICES, TECHNICIANS, AND GENERAL LICENSE HAMS... \$16.95

V160 VERTICAL ANTENNA FOR 160, 80, 40, 20, 15, 10 AND 6 METER BANDS. SAME AS THE OTHER VERTICAL ANTENNAS, EXCEPT THAT A LARGER LOADING COIL PERMITS OPERATION ON THE 160 METER BAND ALSO..... \$18.95

HOW TO ORDER. Send check or money order directly to Gotham. Immediate shipment by Railway Express, charges collect. Foreign orders accepted.

Name.....

Address.....


City.....Zone.....State.....

The Least Expensive Way to Increase

Flat response penetrates QRM more effectively because it permits an actual increase in RF power output!

More effective cardioid pattern, essential for SSB, cuts accidental tripping of VOX circuit!

MODEL 664




HERE'S HOW IT WORKS

Exclusive E-V Variable-D* (Variable Distance) provides three sound-cancelling entrances at different fixed distances in back of the diaphragm. These entrances, utilizing the proper acoustical impedances, combine to form an effective front-to-back spacing which varies in distance from the diaphragm inversely with frequency. The resulting phase and amplitude conditions provide a uniformly true cardioid pattern at all frequencies.

*Pat. Pending

Here's What the Top Radio Amateur Operators in the World Say About These E-V Microphones:

- CX2CO** "My new 664 resulted in better and more consistent QSO's."
- W8KML** "The 664 surpasses its claims in difficult operational environments."
- ZL1HY** "During QSO's . . . everyone preferred the 951."
- W3JNN** "I am really sold on the 664."
- W8BF** "I have had many unsolicited compliments since using the 729."
- VQ4ERR** "The performance of the 664 matches its thoroughbred appearance."
- PY2CK** "My 664 microphone vastly improved my SSB transmission."



Average Peak-Power and Intelligibility!

CHOOSE AN *Electro-Voice*[®] MICROPHONE

Model 664 for Highest Front-to-Back Discrimination Manufactured, Plus Peak-Free Wide-Range Response!

The effective strength of all sounds arriving at the sides of the 664 are reduced by as much as 50%, and arriving directly at the back of the microphone by as much as 90%. This uniquely effective design permits you to work at twice the distance from the microphone . . . a perfect invitation for "arm chair" QSO's—with no VOX tripping problems.

Smooth, peak-free response guarantees maximum P.E.P. Remember, a peak in response in or out of the voice range will limit maximum modulation and result in reduction of P.E.P. You do not have to talk with your lips on the mike. For best results, sit back and talk naturally.


Virtually indestructible Acoustalloy[®] diaphragm withstands high humidity, temperature extremes, corrosive effects of salt air and severe mechanical shock. Extra ruggedness means extra service, year after year.

MORE 664 FEATURES: Output—55 db. On-off switch (can be wired for relay control). 150 ohms or Hi-Z output selected at cable connector. Satin chromium finish. High-pressure die-cast case. Pop-proof filter plus magnetic shield. 90° swivel mounting. 18 ft. cable. 7 $\frac{1}{8}$ in. long (less stand coupler) by 1 $\frac{1}{2}$ in. diameter. Net Weight 1 lb., 10 oz. Amateur Net, \$51.00. Matching desk stand with DPDT switch. Model 419S, \$9.00. Less switch. Model 419, \$6.00.

The World's Finest Mobile Microphone. Model 600D Dynamic Widely Known As Military Types T-50 And M-105/U!

Designed for high articulation under rugged mobile conditions, the Model 600D provides all the advantages of a dynamic element with peak-free, flat response for maximum P.E.P.

High-impact case soaks up physical abuse, feels comfortable at any temperature, fits hand naturally. Extremely high output of -55 db. is ideal for mobile equipment with severe audio requirements. Available in 50, 250 ohms or Hi-Z. DPDT switch. 6 ft. coiled cord. Panel mounting bracket included. Model 600D Amateur net, \$28.50.




MODEL 729SR

Lowest-Cost Ceramic Cardioid Available ... Includes Every Feature Essential For SSB Operation. Flat, Smooth Response From 300 To 3,000 CPS!


Rugged enough for mobile operation, the slim, small Model 729 fits easily in your hand or slips into the desk stand or floor stand adapter provided, without any hardware adjustments. Hi-Z output -60 db. Two-tone grey, pressure die-cast and plastic construction. Shielded, 8 $\frac{1}{2}$ ft. cable. 7 $\frac{1}{2}$ in. long by 1 $\frac{1}{2}$ in. wide. Net weight 1 lb. Ceramic element unaffected by high heat, humidity. Model 729. Amateur net, \$14.70. Model 729SR with relay-control switch. Amateur net, \$15.90.

First True Crystal Cardioid With Variable-D Design. Combines High Output With Excellent Noise Rejection At Modest Cost!

Finest crystal microphone available for SSB. Variable-D design of Model 951 cuts room noise, interference from receiver speaker to a minimum. Allows greater working distance to microphone. Peak-free rising response for high intelligibility. Hi-Z output -60 db. High-pressure, die-cast finished in Metalustre grey. On-off switch. Shielded, 18 ft. cable. 5 $\frac{1}{2}$ in. long (less stand coupler) by 1 $\frac{1}{2}$ in. diameter. Net weight 1 $\frac{1}{4}$ lbs. Model 951 Amateur net, \$32.70. Matching desk stand with DPDT switch. Model 418S, \$9.00. Less switch. Model 418, \$6.00.



MODEL 951



MODEL 600D

See your Electro-Voice distributor and choose an Electro-Voice Microphone . . . For the fastest, easiest and least expensive way to boost the efficiency and quality of your rig! Satisfaction is guaranteed or your money refunded!

ELECTRO-VOICE, INC., Commercial Products Division
Department 132Q Buchanan, Michigan

Electro-Voice[®]

THERE IS GOOD REASON WHY **Mosley**

IS THE WORLDS FAVORITE!


Have you ever tuned the amateur bands and observed how many Mosley Antennas are in use today the world over? Have you ever noticed the outstanding signals that come from these Mosley Antennas?

When you choose Mosley, you choose the best because Mosley Engineers are hams and know what it takes to give the best performance. Mosley designs quality into each Antenna So That Each Part Fits. All holes line up and all tubes are machined and polished completely so that no burrs or rough edges remain. Only 6061-T6 heat-treated drawn tubes are used. This provides the strength needed during maximum wind and icy conditions. All parts are coded so that the Antenna can be installed with ease and without the use of a "yardstick". All you need is a screwdriver and pliers.

When Mosley says that an Antenna is rustproof, we really mean it, because all parts are made of materials that are truly rustproof. Hardware is made of stainless steel so that it is never necessary to treat it to rust-proof it. Mosley does more than guarantee its Antennas for a given warranty period. If for any reason during the life of the Antenna it becomes necessary to replace parts, these parts will only cost the material charge plus a slight handling charge. Mosley wants you to enjoy your hobby with the least maintenance costs.

When you buy a Mosley Antenna, you can be sure that the Antenna has been proven in service. For example - - the traps of the Mosley Trapmaster TA-33 Junior or Senior are produced under original design. They were designed for a given power rating and they are taking that rating today. You can be sure that either the TA-33 Junior or Senior Mosley Trapmaster will give you top performance because Mosley guarantees by test that each trap is identical to a permanent standard.

Mosley makes available to all hams special technical or engineering information. Won't you write to us today and tell us your problems? You will be pleased with the prompt service you receive.



Mosley

Electronics Inc.

Carl, WØFQY/KØAXS

4610 North Lindbergh Blvd.
Bridgeton, Missouri

YOUR DREAM ANTENNA FOR 10-15-20-40 METERS WITH A PLANNED BUDGET

1



MODEL TA-31


Start today with the purchase of the inexpensive Model TA-31, and in three additional steps you can have the famous MOSLEY TA-33 TRAPMASTER BEAM plus the New TA-40K to add 40 Meters.
 Amateur Net \$25.85

+



NEXT purchase the Kit to convert the TA-31 to a TA-32. Kit consists of reflector element, seven foot boom and all necessary hardware.
 Amateur Net \$43.65

2



MODEL TA-32


This extra element gives your Antenna additional gain and directivity over the single rotatable dipole.
 Amateur Net \$69.50

+



For your third step to outstanding performance, purchase the kit to convert the TA-32 to a TA-33. This includes a director element, seven foot boom, boom splice and all necessary hardware.
 Amateur Net \$30.25

3



MODEL TA-33

This is model TA-33 MOSLEY TRAPMASTER famous world wide for mechanical construction quality and performance. (for 10, 15 and 20 meter bands)
 Amateur Net \$99.75

+



Finally, you can add 40 meters to your TA-33 without affecting the characteristics of the TA-33. Kit contains all necessary hardware. WITH THE 11-YEAR SUN-SPOT CYCLE in effect, 40 meter operation becomes more important than ever.
 Amateur Net \$39.95

4



MODEL TA-3340

NEW!

MOSLEY TA 3340 TRAPMASTER is now available as a complete package ready to install. Package contains TA-33 and TA-40K complete with all parts and hardware.
 Amateur Net \$139.70

ALL MOSLEY ANTENNAS CONSTRUCTED OF:

- 6061T6 Heavy Gauge Aluminum!
- 100% Rust/Corrosion Proof!
- High Grade S. Steel Hardware!



SEE YOUR DEALER TODAY OR WRITE

Electronics Inc.

4610 N. LINDBERGH BLVD. - BRIDGETON, MISSOURI

NOTE: A Model AK-60 Mast Plate Adapter for 2" OD Mast is available. Complete with aluminum angle and hardware.
 Amateur Net \$ 4.78

Station Activities

(Continued from page 98)

a code class under the direction of WA2EIP. Helpers include WA2AIL, WA2SKS and K2SQJ. Let us all pledge to start the New Year with the true ham spirit and back up our good intentions with action, be individuals or groups. When your overworked club officers are looking for volunteers surprise them! Only you can benefit in the long run. The Cuban crisis focused public attention on civil defense and many projects have been dusted off and money has been made available from the local budgets to purchase needed RACES equipment. It is our duty, whether through RACES or AREC, to be fully prepared to function in a professional manner when the chips are down. There is no other organization with our latent ability and capability. Now is the time to take a fresh look at your community and assess what action should be initiated to fulfill your obligations to organizational preparedness in time of need. Clubs are invited to suggest capable individuals who may be qualified to act as Emergency Coordinators in their geographical area. Traffic: (Oct.) W2EZB 230, W2OE 186, W2FEB 152, W42KQG 151, WA2IYF 143, W2RUF 138, K2BBJ 71, WA2NKB 63, W2RKH 63, W2SPG 42, K2QDT 33, WA2ANB 30, WA2DAC 27, W2RQF 26, WA2-LKW 20, K2QNV 19, WA2KZQ 18, WA2TDE 18, K2IMI 17, WA2VEE 18, K1BVI1/2 15, K2MQA 13, W2PVI 12, K2RYH 12, K2TDG 12, WA2GLA 11, WA2HEC 10, K2-PBU 10, WA2RLV 10, WA2ENV 8, K2HTG 7, W2EMW 7, W2HQH 1, (Sept.) WA2IYB 74, K2BBJ 54, K2QDT 47, K2RTQ 20, WA2HEC 19, K2HOH 5.

WESTERN PENNSYLVANIA—SCM, Anthony J. Mroczka, W3UBH—SEC, W3LIV. RMs: W3KUN and W3NUG. The WPA Traffic Net meets Mon. through Fri. at 2400 GMT on 3585 kc. The Keystone Slow Speed Net (KSSN) meets at 2330 GMT on 3585 kc. Mon. through Fri. We regret to record the death of W3MPE, of Pittsburgh. A new General Class license is K3PJH. K3VAP, formerly K8HUI, is now in Butler. New officers of the Greater Pittsburgh V.H.F. Society are W3HWU, pres.; K3JTH, net mgr.; W3EWW, treas.; K3QBI, secy.; K3-BAK and W3OMY trustees. The Western Penna. Mobilizers "Fall Roundup" was well attended. The Pittsburgh Chapter of the Quarter Century Wireless Assn. is active under the guidance of W3AVY and W3UGV. The Butler County Party Line meets Wed. at 0300 GMT on 29 Mc. K3KYT is running a kw. on s.s.b. Operation SET went very well for the Blair County AREC group under the sponsorship of W3LIV (SEC) and W3ISZ (EC). Up Erie way: K3AFO is located in Turkey; W3ZUL is now on 6; K3NTPK is working for WAS; K3AXS vacationed at the Worlds Fair. The Coke Center RC reports: Ex-K3HTG is now W3B6VB; the club rummage sale went over big; W3TTV and K3PLQ are working 10. The Horseshoe RC reports via *Hamater News*: K3QP6 has a new HQ-110 on 3HDI on 6; W3UBP is on 2 meters. The South Hills Brass Pounders and Modulators RC is purchasing a Lafayette transceiver for 10 meters. K3QIX and K3KYT now edit the Bedford County RC paper *Shorrs*. New officers of the Uniontown ARC are K3RTG, pres.; K3OQP, vice-pres.; W3CVA, treas.; W3UIZ, secy.; W3CVA, W3PQR and W3RUK, trustees. K3SCH now is General Class. W3SY is going RTTY on 6. The Steel City ARC reports via *Kilowatt Harmonics*: W1-L'ED, from Headquarters, spoke at the club's October meeting; the W3APN family recently received twins; W3SHT is operating mobile s.s.b. New officers of the Etna RC are W3REC, pres.; K3EBX, vice-pres.; W3-DMK, secy.; K3LKP, treas.; W3MFA, act. mgr.; W3-NSQ and W3OJM, directors. Participation in both the WPA and KSSN Traffic Nets has been very good, reports W3KUN, Route Manager. Don't forget, ECs, mail monthly reports to W3LIV. Traffic: K3OOY 150, W3-MFB 137, W3KUN 124, W3JHG 80, W3IYU 47, K3EDO 42, W3UHN 34, K3AKR 10, K3DKE 10, W3OEO 8, W3-SYY 7, K3COT 4, W3UIU 4, W3KW0 3.

CENTRAL DIVISION

ILLINOIS—SCM, Edmund A. Metzger, W9BRN—Asst. SCM: Grace V. Ryden, W9GME. SEC: W9RYU. RM: W9USR. PAM: W9VWJ. EC of Cook County: W9-HPG. Section net: 1LN; 3515 kc. Mon. through Sat. at 1900 CST. W9IMN, K9KRW, K9UCG, K9VLE, W9YUQ, W9VXC, W9REC, W9ITV/9 and W9FLQ participated in the latest ARRL Frequency Measuring Test. W1NJM, the League's National Emergency Coordinator, was guest speaker at the September meetings of the River Park Amateur Radio Club and the Chicago Suburban Radio Association. A new call heard in the Springfield area is K9FSY. The Bogan High School (Chicago) Radio Club held a fund-raising dance with radio's disc jockey Dick Biondi as m.c. and honored new Novices W9FPY, W9FQH, W9FHHQ and W9EYY. K9QMJ reports FB results with his new home-brew 2- and 6-meter navigator converter. Officers of the new Quikley South Radio Club are WA9BJX, K9BPM and W9B9F. K9UKM has a new Finney 8- and 2-meter beam. W9-


CDI is back in operation with his 44-ft. vertical on 3.5 and 7 Mc. Chuck Bauer and his Enterprise contributed to the ARRL building fund with a percentage of his receipts at the League meeting. W9QVA was speaker at the November meeting of the Rockford Amateur Radio Association. W9EET has a new 220-Mc. beam 66 ft. high consisting of eleven elements. With the Cuban crisis most of the civil defense communications systems were given a much-needed boost. Now is the time to check with your local EC and/or RACES Officer and offer your support with both manpower and equipment. New appointments are WA9AWP as OBS, WA9AJF as ORS and W9-RQR as OO. The 1962 SET held Oct. 6-7 was disappointing. It was discovered that a surprising number of amateurs did not seem to know how to originate and/or route a message. K9YKV and W9EGI were married in November after a 6-meter romance. The Bogan High School Radio Club was approved by the League's Executive Committee for ARRL affiliation. W9OKM has a new TA-33 beam. W9YYG is using a product detector for s.s.b. W9ERU has completed installation of a new 20- and 40-meter beam. WA9AJF was the only recipient of the BPL certificate in October. Traffic: (Oct.) WA9-AJF 405, K9KZB 294, W9IDA 255, W9AKV 108, W9AZ 104, K9BTE 80, W9JXV 61, K9ZQT 50, K9NBH 46, K9-DHS 40, W9YYG 39, K9VUL 34, WA9DEW 29, K9UFP 13, K9TYA 11, K9C8T 9, W9MAK 8, W9PRN 8, K9UCG 7, W9VWJ 5. (Sept.) W9JXV 58, W9AZ 52, K9UMH 12.

INDIANA—SCM, Donald L. Holt, W9FWH—Asst. SCM: Clifford M. Singer, W9SWD. SEC: W9SNQ. PAMs: K9KTL, K9CRS, K9GLL. RMs: W9TT, K9SGZ, K9WET. Net skeds: (all times in GMT) IFN, 1300 daily and 2300 M-F on 3910 kc. ISN (s.s.b.), 0030 daily on 3920 kc. QIN (training), 0000 M-W-F on 3745 kc.; QIN, daily at 0030 and RFN, 1300 Sun. on 3656 kc. New appointments: W9HQF as EC of Warrick Co., W9BLK as EC of Clay Co., and K9DHN as ORS. The president of the E. Frankfort Ky. Optimist Club expresses his thanks and sincere appreciation to the amateurs of Indiana for handling their Optimist Club traffic for the past year. New officers of the Michigan City ARC are W3BPG, pres.; K9URA, vice-pres.; K9MZU, secy.; W9NCLA, treas.; K9HYV, General Class director; K9GLK, Novice Tech. director. The call K9VWJ listed as a Silent Key in Nov. QST activities column should have been K9WJJ. W9DGA made 41,310 points in 6 hours in the Oct. CD Party. K9VEC is Asst. EC for Fulton County, which has a net operating on 52,525 i.m. each Sun. at 1400. Those making BPL were W9JOZ, W9ZYK and W9-NZZ. *Amateur radio exists as a hobby because of the service it renders.* Oct. net reports: IFN 232, ISB 268, QIN 163, QIN training) 3, Hoosier V.H.F. 51, RFN 50, RFN for Sept. 33, 9RN traffic 675, with Indiana represented 100 per cent. Traffic: (Oct.) W9JOZ 773, W9ZYK 520, W9NZZ 326, W9VAV 292, K9SGZ 212, W9QLW 202, K9JHN 192, K9UVG 175, K9KTL 112, W9SVL 111, W9-SNQ 100, K9RWQ 68, W9MPT 67, W4BDD 63, W9PWH 63, W9QYQ 56, W9T1 53, K9ZLB 53, K9CRS 43, K9WET 37, K9BSL 35, W9RTH 35, W9DGA 35, K9GLL 32, W9-SWAI 29, K9INE 25, W9EJW 23, W9KTX 23, K9WVJ 22, K9ILK 21, W9BUQ 20, W9CC 20, W9YX 20, K9UEF 18, W9BT 17, W9OG 17, W9DOK 16, K9YZC 15, W9-DZC 14, K9VEC 13, W9RE 11, K9HYV 10, K9ARW 9, K9OVZ 9, K9OZA 9, K9DUV 8, W9GCD 8, K9C1F 7, K9FHQ 7, W9ISV 5, W9AB 5, K9DZP 4, W9ET 4, W9-RDP 3, K9MIV 3, W9YVS 2, (Sept.) W9VAV 15, W9-TT 136, W9CC 20, K9MVC 17, W9BDD 12, K9HYV 12, W9DZC 10, K9DZD 10, K9FHQ 6, W9ETI 3, K9TEC 2.

WISCONSIN—SCM, Kenneth A. Ebner, K9GSC—SEC: W9BCN. RMs: W9VIK and W9VHP. PAMs: W9SAA, W9NRP and W9NGT. Nets: WBSN, 3985 kc. daily at 2315 GMT; BEN, 3950 kc. daily at 2400 GMT; WIN, 3535 kc. daily at 0115 GMT; WSSN, 3535 kc. Tue. through Sat. at 0030 GMT. New appointments: K9GDF as OO Class I, W9FSP as OO Class IV, W9RYA as EC for Ozaukee County. K9LGU as OPS. Renewed appointments: K9W1E as ORS; W9RQM as OPS, ORS and QES. K9GDF has received the "W99W" Award Nr. 4 from the Racine Megacycle Radio Club. The Oshkosh Amateur Radio Club helped the police at Omoro keep order on Halloween. A new high school club is being formed at Plymouth. W9EKZ has a new 6- and 2-meter v.t.o. W4VRD has left Madison for Tennessee. W9CBE is on 10 meters with a converted CB unit. We regret to announce three Silent Keys. W9TLP, W9DOS and K9UCX. Mark your calendars to attend the Southern Wisconsin QSO Party, sponsored by the Racine Megacycle Club, May 25, 1963. September FMT results: K9-GSC 25.3, W9VSO 27.5, W9LKF 45.0, W9UEB 52.4, K9GDF 62.5 and K9DFO/W9AIW 4,712.0 p.p.m. New in Hortonville is W9FMIQ. W9PTN has received his 100th card for DXCC. Those making BPL for October traffic: W9DYG, his 46th; W9FSP his second. Traffic: (Oct.) W9DYG 652, W9FSP 522, W9N9W 194, K9LGU 145, W9SAA 138, K9IMR 135, K9BLN 109, K9GSC 87, W9-VHP 50, K9UUT 37, K9BQO 30, K9W1E 29, K9GDF 28, W9NRP 25, W9SZR 21, W9UEB 18, W9OTL 16.

(Continued on page 112)

**EXTREME STABILITY
ON ALL FREQUENCIES
INCLUDING VHF...**



hallicrafters deluxe HA-5

self-powered, heterodyne-type VFO

FEATURES

- Variable oscillator 5.0 to 5.5 MC may be set directly against WWV.
- 30 to 1 tuning ratio.
- Illuminated dial calibrated for all amateur bands, 80-2 meters. (Crystals for 80-10 meters included.)
- Heterodyne system assures excellent keying accomplished in the mixer tube cathode.

SPECIFICATIONS

Output frequency range:

3.5 MC to 4.0 MC, 7.0 MC to 7.5 MC,
7.8 MC to 8.3 MC, and
8.333 MC to 8.833 MC

Power source:

105V AC to 125V AC, 60 cycles

Tube complement:

VFO and crystal oscillators, 1-6U8;
mixer, 1-6BA7; output,
1-6AQ5; voltage regulator, 1-0A2

Dimensions:

7" wide by 5" high by 8½" deep



the new ideas in
communications are born at...

hallicrafters

Canadian Representative: Gould Sales Co., Montreal, P.Q.

5th and Kostner Aves. Chicago 24, Ill.

W9YT 16, W9VIK 15, W9CBE 13, K9DOL 11, W9HPC 5, W9ONI 6, W9IQW 5, K9UTQ 1. (Sept.) W9VHP 48, K9BOJ 4.

DAKOTA DIVISION

NORTH DAKOTA—SCM, Harold A. Wengel, WØHVA—SEC: WØCAQ. PAM: KØTTY. RM: KØQWY. The North Dakota 75-meter Phone Net reports 27 sessions in October with 557 check-ins, a maximum of 28 check-ins per session and a minimum of 11, 38 formal messages were handled and 74 informal with 12 relays. At 1830 CST, Oct. 9, the N.D.S.U. Amateur Radio Society completed 100 hours of continuous operation. Contacts were made with hams in all 50 states, 18 counties and 5 continents. This was a test of equipment and operators and participants included WØVCQ, WØGBQ, KØFQA, KØJYL, KØRRY, KØMPH, KØJRE, KØRRZ, KØGJS, KØPVH, KØPEO, VE4VW and WØARX. A new Conditional class license in Bismarck is WØAØVS. The BARK has increased its club treasury by auctioning donated articles. Traffic: (Oct.) KØITP 90, WØYCL 68, KØFRP 21, KØTTY 18, WØIRN 16, KØGGI 14, WØHAT 7, WØBF 2, WØIHM 2, WØAYJ 1. (Aug.) KØITP 34. (May) KØITP 29.

SOUTH DAKOTA—SCM, J. W. Sikorski, WØRRN. SEC: WØSCT. The Watertown Amateur Radio Association is operating again and is conducting classes for beginners with WØURD, WØNIW and KØSEP as instructors. KØFKJ, Dell Rapids, received an OES appointment. WØFAM has moved to Fort Meade. WØGCC has purchased a beam from KØYK, KØWEN and KØWEM operated mobile near Ellendale, N. Dak., to provide contacts with that rare state for about 30 stations. WØPHR has a 1DX total of 210. WØSALV has 22H WØSMV has his beam mounted at new QTH. WØOCWW and KØFKJ are on 144 Mc. WØZWH has returned to the ham bands, operating CWI. KØBSW is driving a new Mercury, without the mobile. WØYOR is building a linear for his GSB-100. Traffic: WØSCT 355, KØBAIQ 187, WØDVB 134, KØAIR 53, WØCFP 39, KØZBJ 32, KØVYV 29, KØZMA 24, WØAOAY 22, WØGWW 21, KØYVZ 21, WØNNX 17, KØTXW 16, KØBSV 12, WØRWX 12, WØFJZ 11, WØRWAM 11, KØCXL 8, KØDUR 8, KØTYV 8, WØIGG 6, WØDYI 4, KØKOY 4, KØPDW 3, KØUXC 3, KØZMA 3, KØGSY 2, KØJGM 2, KØTAM 2, KØYJF 2, WØAPL 1, WØAOZC 1, WØOCFC 1, WØNØDF 1, WØEQV 1, KØFGL 1, KØGCF 1, WØGWL 1, KØJMW 1, WØNIW KØTLD 1, KØTWT 1, KØTXU 1, KØZMP 1.

MINNESOTA—SCM, Mrs. Lydia S. Johnson, WØKJZ —Asst. SCM: Charles Marsh, WØAIV. SEC: KØKQK. RMs: KØIZD, KØUXQ. PAMs: WØGCR, KØEPT, S8HN Mgr.: WØHEN. Nets: S.S.B. on 3805 kc. at 1730Z and 3812 kc. at 0045Z. MSPN, Noon 1805Z on 3820 kc. and Evening at 2400Z; C.W. MSN at 0030Z and MJN (slow-speed) at 0100Z, both on 3595 kc. Please contact your PAMs for phone net participation and your Route Managers for c.w. nets. All interested in AREC, direct your applications to our SEC, KØKQK, Pine City. WØVVM was given the QST Cover-award for his article, "Space-Age Antenna Ideas," which appeared in June QST. The award is one of the first in our call area. It was given to Chuck at a surprise luncheon in Minneapolis and was presented by our Director WØBUO. In attendance were the WCCO-TV and radio staff, co-workers of Chuck's. They were as follows: WØS SYG, YKF, EG, BCT, AUS, BPK, HHU, IFS, WØBYO; WØPAM and WØLER "Oscar Trackers"; WØCRO from Starks; and your SCM as League representative. Our sincere thanks go to the WCCO "brass" who were responsible for the luncheon. The following participated in the September FMT: WØRLG, WØVMA, WØHEN, WØJHS and KØESN. WØPHD applied for AREC membership. KØRSL has a radio club going in the Luverne Area. WØEDC is a new Novice in Hardwick. A most recent member of MJN is WØNØDIE, in Minneapolis. KØFJF earned his CP-35 from ARRL. Novices, please take note, check your signals (80 meters) for harmonics on 7.4 Mc. and higher. ORS KØOTH was in Minneapolis to sing for the MEA. WØYCR gave a talk at the Rochester Club on "Contest Operating." WØAXS earned his CP-30. Members of the St. Louis Park C.D. group are WØS GBC, COX, OEM, HCZ, OZI, VOI, KØKIO, EFX, WØAS AAJ, CAC. Traffic: WØKJZ 297, WØATO 188, WØBIV 181, WØAØABU 143, WØYC 134, WØABYO 98, KØIHD 65, KØFJF 58, KØWPK 57, WØHEN 51, WØRIQ 51, WØGCR 38, WØOPX 37, WØALW 30, KØJLU 30, WØTHY 29, KØVFP 25, WØWMA 25, KØGCG 18, WØKIG 17, KØFLT 15, WØUMX 14, WØBUO 10, KØMGT 8, KØZRD 8, KØCNI 1.

DELTA DIVISION

LOUISIANA—SCM, Thomas J. Morgavi, W5FMO—Louisiana stations are especially invited to check into RN5, which meets daily at 7.45 p.m. and 9.30 p.m. CST on 3845 kc. W5QXV made the Brass Pounders' League in October with 590 pieces of traffic handled. W5NDV

complains that other activities interfere with his hamming but he manages to make RN5 each day. K5FYI has been very active as net control for the Jefferson Net. W5CEZ finally got his RTTY going. The Jefferson ARC secured the call of the late Al Lestelle, W5GAD. The Springhill Radio Club was assigned the call W5-EPP. All Springhill AREC members participated in the last SET, along with W5QIX in Cotton Valley. Shreveport, Monroe, West Monroe, Springhill, Algiers, Lake Charles, Jefferson, New Orleans, Lafayette and other locations took part in the SET operation with 102 stations and nearly 200 AREC members. K5KTV has a Thunderbolt linear tacked onto his 20-A. W5ZBC is handling traffic again. W5AJY has been handling some traffic to Antarctica. W5JBK has been doing a fine job as Emergency Coordinator in Alexandria. The club has been holding code classes twice a week with 8 students. There are over 50 AREC members in the club. Two new Official Bulletin Station appointees are W5JHV and W5CWD. W5JHV will send the ARRL Bulletins on 30.45 Mc. Tue. and Thurs. at 1500 CST and Sun. at 1330 CST. W5CWD will transmit Official Bulletins Mon., Wed., and Fri. on 145.35 Mc. at 1800 CST. Traffic: K5GXV 590, W5CEZ 302, W5MXQ 87, W5ZBC 69, K5WLD 12, W5AJY 11, K5KTV 11, W5EA 6, K5FYI 6, W5NDV 3, K5JTV 2, K5YI 2.

MISSISSIPPI—SCM, S. H. Hairston, W5EMM—SEC: K5NQS. I want to express my appreciation for having been elected your SCM. The Nat-chez group W5KHB, K5MDX, K5MIT, W5IHP stood by for emergency during "Operation Chlorine." W5AAB is now on 80 and 40 meters. K5MDX worked No. 276 for DXCC. VK7ZL phone, 101 QSOs, 4500 points; CQ WW DX phone 349 550s, 210K points; CD Phone Party 31 QSOs, 3900 points. K5MPL reports an increase in AREC interest in Clay Co. Stations, please check on RN5. K5OPG reports Keesler Club activity is greatly increased. Checks from stations during the SET were the best ever. Several Meridian boys are now on 8 meters. New appointments K5VAK as EC; W5EWE as OPS; K5WSY as OO. Several appointments are still open. Traffic: W5MUG 61, W5RMM 22, W4CJD/5 12, K5MDX 3.

TENNESSEE—SCM, David C. Goggio, W4OGG—SEC: W4WBK. PAMs: W4LLJ, K4WVQ, RMs: W4OQG K4AKP. Section net reports: TN-QTC 64, QNI 189, TSSN-QTC 49, QNI 608; ETPN-QTC 46, QNI 538. Effective Nov. 1, the C.W. Net moved liaison to RN5 from 4RN. The acting mgr. of RN5 is K4AKP, top traffic man in the state. New appointments: K4BXV, Harlin Co., W4DWT, Marshall Co., K4EPS, Tipton Co. as ECs; W4RMJ as OPS; K4LNM and W4AJC as OBSs. The recent Simulated Emergency Test was an outstanding success with 15 EC groups participating. K4VOP, Anderson Co. EC, received some nice newspaper publicity. *Coming Events*: CD Party (c.w.) Jan. 12, (phone) Jan. 19. All stations holding ARRL appointments are eligible. V.H.F. SS Jan. 5. Your Director, W5MUG, would like to see more activity "first Sat. nights of month" and in LO Parties. SECS, PAMs, RMs and ECs are eligible. Suggested meeting places—3925 kc. 2230 GMT and 3905 1400 GMT. Your SCM requests that club secretaries send lists of new officers. The Loudon County ARC sponsored a bingo party for the ARRL Building Fund. The Chatter ARC meets the 1st Fri. The Frye ARC meets the 1st Tue. and last Fri. of the month. The Kingsport ARC meets the 3rd Thurs. The Johnson City Radio Assn. meets the 3rd Thurs. The MARA is conducting a school for Novices and Technicians. Reports were received from ECs K4APJ, K4QA, W4BQG, K4BXV, K4EPS, W4FLW, W4IGW, W4ILW, W4JVM, W4KAT, W4NGO, W4PFP, K4PYH, W4SZE, W4TYV, W4TZG, W4TZJ, K4VIR, W4VNU, K4VOP, K4YUJ, W4ZBQ; OESs W4HHK, W4RIX; OOs W4FPS, W4ZBQ, K4RIN, W4HHK worked state No. 8 on 432 Mc.; W5SWV, Dallas, Tex., 425 miles. Traffic: K4AKP 820, W4MNF 82, W4ZJY 82, W4OGG 68, W4PQP 68, W4OQG 63, K4WVW 52, W4TZG 40, W4LU 34, W4AVX 33, W4JVM 32, W4LJL 22, W4A-BNF 21, W4WBK 18, K4PYH 11, K4VOP 10, W4AATS 9, W4RMJ 9, K4YLI/4 8, W4ZAC 8, W4SGI 7, W4CZE 6, K4JXG 4, K4RGL 4, W4ACRH 3, W4AGAX 3, W4-DTL 2, K4RQP 2, W4CVG 1.

GREAT LAKES DIVISION


KENTUCKY—SCM, Elmer G. Leachman, W4REW—SEC: W4TFK. PAM (a.m.): W4SZB. PAM (s.s.h.): K4-ECJ. RM: W4CDA. PAM (v.h.i.): K4LOA One of our best loved and respected hams has become a Silent Key Albert E. Hall, K4CSH, died at 9:43 p.m., Sat. Oct. 27, 1962. Al was a lifetime member of the ARTS (Louisville) and was loved and respected by all who knew him. MKPN reports 30 sessions, 561 QNTs, 65 messages on the 0830 net and 15 sessions, 167 QNTs, 16 messages on the 0630 net. The evening KPN, now officially organized with K4ECJ as manager, reports 25 sessions, 486 QNTs, 50 messages, with 5 NCSS appointed. The Warren County Radio Club was very active in the

(Continued on page 114)

**FIRST
and ONLY..**


remotely tuned ROTATABLE DIPOLE!
DESIGNED SPECIALLY FOR
40 AND 75 METERS IN
LIMITED ANTENNA SPACE

**NEW-TRONICS
CLIFF-DWELLER™**



PAT. PEND.

ELECTRICAL FEATURES



Housing for motors and gear
trains with mounting yoke



Resonance and band
switching control

- Antenna resonance finger tip controlled from transmitter location in shack.
- VSWR: 1.1 to 1 or less across entire band
- Feed-point variable to compensate for antenna environment
- No traps . . . no baluns . . . no matching devices of any kind
- Feed direct with any length 52 ohm cable
- Power handling capacity — maximum legal limit

The CLIFF-DWELLER is another New-Tronics first. Here's a tuneable dipole ideal for hams who live in apartments or in homes on small lots. The CLIFF DWELLER will give you unbelievable performance even in limited space.

MECHANICAL FEATURES

- Approx. lengths
28'-6" — 26' 7.0-7.3 mc
30'-6" — 26' 3.5-4.0 mc
31'-4" — 26' Two-Bander
- Self supporting, accepts 1 1/4" threaded pipe for mounting in standard rotators
- Maximum turning radius approx. 15'-8"
- Sturdy aluminum die cast housing for motors and gear trains which drive end sections of dipole
- Heat treated aircraft type, 1 1/4" heavy wall aluminum tubing
- Completely waterproofed resonators and housings

MODEL NO.	FREQ. MC	WEIGHT	NET PRICE
CD 40	7.0-7.3	Under 20 lbs.	\$ 92.50
CD 75	3.5-4.0	Under 20 lbs.	99.50
CD 40-75	Two Bander	Under 20 lbs.	129.50

See the CLIFF-DWELLER and other fine NEW-TRONICS products at your distributor or write us for descriptive literature.

NEW-TRONICS CORPORATION

3455 VEGA AVENUE • CLEVELAND 13, OHIO

HORNET V-75

ALL BAND VERTICAL ANTENNA


★ **YOUR ANTENNA is the most IMPORTANT LINK between YOU and a SOLID QSO!** Thousands of amateurs prefer and use the ALL BAND BASE LOADED VERTICAL ANTENNA.

★ **TIME TESTED performance — Work skip and DX, even with low power transmitter.**

DON'T use a makeshift antenna — you can own this commercially built antenna for less than the cost of parts!

- * Operates on the 80-40-20-15-10-6 meter bands.
- * Single feed line convenience—Uses 52 ohm coax.
- * Omnidirectional Radiation—Best for general coverage.
- * Complete—Ready to install and use.
- * Simple, fast installation—You can be on the air in 20 minutes.
- * Special high efficiency loading coil.
- * All hardware bright cadmium plated.
- * No guying required. No radials necessary.
- * Overall height 23 ft.—Self-supporting.
- * Mounts anywhere—Only a few square inches of space required—May be mounted on the ground, or at any height.
- * Works with any transmitter and receiver.
- * Rated at maximum legal power—AM or SSB.

Low Cost
Only
\$15.95



FAST SERVICE—Rush your order, your antenna will be mailed immediately. ALL HORNET ANTENNAS ARE FULLY GUARANTEED for one year against failure due to faulty construction or material.

HORNET ANTENNA PRODUCTS CO. BOX 808, DUNCAN, OKLA.

Please rush the Hornet Model V-75 All Band Base loaded Vertical antenna. Price f.o.b. factory.

- I prefer shipment to be c.o.d. 25% is inclosed.
 Payment in full is inclosed.

NAME _____ Call _____

Address _____

City _____ State _____

**ORDER DIRECT FROM HORNET & SAVE \$\$\$
MAIL COUPON NOW**

AREC with 13 stations reporting in on a recent drill on 6 meters. The Owensboro Club is busy with Bluegrass Awards, the first going to K4HIG. Get this—the next five are going to KH6DKA, DL9KP and ZM7DA. Congratulations to K4NYO on his first harmonic (a boy). K4ZQC is working KC4USB on a new beam. Six-meter activity still is climbing, with K4GWA and K4QIO coming on. K4QIO, ARS president is NCS for the evening KPN. The civil defense bus, Louisville, is in operational readiness under the call W4-YFH, with the crew furnished by the Kentuckiana Club. KYN (c.w.) meets daily in two sessions (one slow) and needs more members. Kentucky is now divided into 21 areas for emergency planning. An EC will be appointed in each. Traffic: W4RHZ 285, K4KWQ 171, K4HOE 163, W4CDA 52, W4BGY 48, W4SZB 42, W4BEW 37, K4NYO 29, W4YYI 28, K4OZG 26, K4ZQR 26, W4AALP 22, W4EON 14, W4KJP 13, K4LOA 13, K4Y2U 13, K4QIO 11, K4VDO 10, W4WJ1 9, W4HKT 8, K4HSB 8, W4-CQG 4, W4JUL 3.

MICHIGAN—SCM, Ralph P. Thetreau, W8FX—SEC: W8LOX, RAIs: W8EGI, W8XJ, W8FWQ, K8-KMQ, PAMs: W8LQA, W8CQU, V.H.F. PAM: W8PPT. Appointments: W8ELW, K8MRG, K8QLL as ORSs; W8-DSW as OBS; K8WQV as ORS. New officers: Motor City RC W8WVY, pres.; W8BNF, vice-pres.; W8MPD, secy.; K8OVJ, treas. New Island Radio Club, Grosse Ile, W8NEUD, pres.; W8NFPQ, secy.; K8A1G, treas. W8-DMH, K8JHI and W8LPQ are Silent Keys. Lawrence Tech. ARC is using W8PQA as its new call. K81DJ works the SS Hope on 28 Mc. using 10 watts. Officers of the Metropolitan Ragchewers Club (SE Mich.) are K8NSR, pres.; K8YAV, vice-pres.; K8KCK, secy.; K8SIZ, treas. W8D00 stowed away his sailboat. W8REB, is "tower-erector deluxe." W8WQH has a "new" CE20A and Globe LA-1 linear. W8ZLK retired his HRO for a new SX-101A. At "Aurora Aeres" W8EMD is putting up "nested rhombics" with data from Boulder Labs. Bureau of Standards, and from W6AM. New officers of the Grand Rapids ARA are K8ZVG, pres.; K8DCS, vice-pres.; K8LR, secy.; K8HQT, treas.; W8IE and W8SPX, dir. W8AAM has a new Valiant II, K8KWQ a GSB-100, W8HSQ a Viking II, W8WWT an SX-111, and W8EGI a new Viking Navigator exciter. W8FZE is in the Navy. W8AHV now runs 120 watts on 14 Mc. but W8BCT runs 400 watts on 144 Mc. W8BCT made General Class. W8TON tried to convert a 75-meter Swan to all bands. Wonder how he made out. K8QKT is in the Navy. K8QET is a freshman at M.S.U. W8ZHB has TVL. K8KVV hasn't time to get W8PWG on at the U. of M. K8CKD is back on the BR Net regularly. K8-UOP/8 is on 7-Mc. 1.m. at Lockbourne AF Base, Ohio, and wants skeds on 7-Mc. phone. K8BZL moved to 520 Linden, Big Rapids, and is OBS for the WSSB Net. W8YAN has a new Hammarlund HX-50. By this time W8EMD should be on all bands from 1 1/2 to 160 meters. K8FDD heard on QMN, is ex-W8KC, formerly of Detroit. The new "QMN 100" Club will start soon. Traffic: (Oct.) K8KAIQ 217, W8XJ 182, K8NJW 102, W8FWQ 85, K8QKV 85, W8DSW 75, W8PHO 58, K8HLR 52, W8IBB 52, W8FX 49, W8RTN 47, W8LOX 45, W8EU 44, K8WQV 41, K8PVV 39, K8QLL 37, W8ELV 33, W8FGI 31, W8TBP 27, K8COU 23, W8ACW 20, W8EOI 20, W8L19, W8BEZ 17, W8SWF 17, K8VDA 17, W8ZHB 17, W8DSE 16, K8JED 15, W8OC 15, W8-AUD 14, W8AJP 13, W8HKT 8, K8CJD 7, W8PWG 6, K8CKD 5, W8NEUD 4, W8SCW 2, K8UOP 1. (Sept.) W8TBB 35.

OHIO—SCM, Wilson E. Weckel, W8AL—Asst. SCM: J. C. Erickson, W8DAE, SEC: W8HNP, RAIs: W8BZX, W8DAE, W8VTP and K8ONQ, PAMs: W8VZ, K8BAP and K8UBK, W8BCT received the A-1 Opr. Award. K8RMK advises the 1963 officers of the Indian Hills RC are W8AAV, pres.; K8STK, vice-pres.; K8TSG, secy-treas. Your Great Lakes Director, Dana Cartwright, W8UPB, and your SCM attended Cleveland's Mid-America Radio Convention, at which more than 1000 amateurs registered. 136 took the General Class license exam with 58 passing the code test. W8BOM, W8EWH, W8SC0Q, W8DFB, W8AC, W8OPI, W3-VYH, W8AY, K8HVH, W3ETD, W8NVP, K8YEN, W8-THV, W8DAE, K8VYT, K8ZGW, K8OUK, W8SUS and W8SSI won prizes. Speakers were WIUED, Asst. Secy. ARRL, W8UPB and W8AJW. Over 350 attended the banquet where K8ITH, K8HKU and W8OIS received cups as awards and heard G. Merritt Preston, Chief of Pre-Flight Operations and Manager of Cape Operations, speak on Communications in Support of Project Mercury. Ohio lost one of its very hard-working OCs when W8HZL joined Silent Keys, as did K8DRE and K8JHZ. K8AKN spent a couple of weeks in Florida. Dayton ARA's R-F Carrier informs us that W8ENH told them What's Inside the Drake 2-B receiver. W8-DPW gave a talk on Amateur Participation in Satellite Communications and W8SEK joined Silent Keys. Toledo's Ham Shark Gossip names K8YJG as its Ham of the Month and states that K8QCR visited in Hungary. (Continued on page 116)

**MORE THAN 10,000 AMATEURS HAVE USED OUR TIME PAYMENT PLAN
SEND YOUR ORDER TODAY!**


**2-WAY
BASE STATION
ANTENNAS**



Model TB-1000-4
Cash Price **\$112.50**
Only \$10.50 per month

Model TB-750
Cash Price **\$67.50**
Only \$6.30 per month

Model TB-500
Cash Price **\$55.95**
Only \$5.20 per month



Model 2D10
10 Element Deluxe Antenna for 2 meter. 6061-T6 Aluminum Boom and Elements, Cast Aluminum Fitting. 10 db gain. Feed with 50 Coax. Price only 37.50.

Model 2D5
5 Element Deluxe Antenna, Same as above. Only 27.50

Model 2m10
10 Element Antenna for 2 meter, has Solid Aluminum Elements. 10 db gain. Feed with RG8/U Coax. Only 15.75.


Model 2m5
5 Element Antenna for 2 meters. Same as above only 10.75.
Note: Stacking harness and hardware available for above antennas.



**Three Element
Citizens Band Antenna**
7.5 db gain Only **\$27.50**




Models 6D4 & 6D3
Three and four Element Deluxe Antennas for 6 meters. Write for price.



TD-75 Trap Dipole. Designed for 40 and 80 meters. Also operates on .0-15-20 meters. Price only **\$19.95**.
100 feet of RG8/U only \$6.00 if ordered with TD-75!

Vehicular Antenna for 10 through 80 meter.
Price only 19.95
with spring base only 25.50.



Write For Our New
**COMMERCIAL
ANTENNA
CATALOG**
Please use your
Business Letterhead.

10 DAY FREE TRIAL . . . SATISFACTION GUARANTEED

HORNET ANTENNA PRODUCTS CO., INC. BOX 808, DUNCAN, OKLAHOMA

Please rush the antenna listed below for a 10 day Free Trial. I understand that if my purchase is for \$50.00 or more I may use your time payment plan if I wish. I agree to return antenna in good condition and pre-paid if I am not satisfied.

NAME _____ CALL LETTERS _____
ADDRESS _____
CITY _____ STATE _____

MODEL	DESCRIPTION	PRICE

SEND NO MONEY . . . ORDER TODAY!



DON'T RETURN THIS COUPON

WALTER ASHE RADIO COMPANY

Dept. Q-1-63
1123 Pine Street, St. Louis 1, Missouri

Ok—Wake me up! I am interested in _____

What is the Ashe "Surprise" allowance on _____

Name _____

Address _____

City _____ Zone _____ State _____

- Send New Catalog
 Send Reconditioned Bulletin

Want to lie awake at night? That's what happens to the people who write for our trade in quote before they are ready to go.

Don't let our quotes disturb your sleep! Don't clip the coupon unless you can stand the best trade in offer in the business.

PLEASANT DREAMS!

(Quotes confined to gear made since 1945)

Anxious? Call us at Chestnut 1-1125

WALTER ASHE RADIO CO.

1123 Pine St. Dept. Q-1-63 St. Louis 1, Missouri

WA8DOM vacationed in Alaska. A Chillicothe family has five hams: WA8DAS, WA8FGW, WA8FGX, WA8FGY and WA8FKL. K8QDQ is operating 20-meter mobile with a new Swan rig. K8BXT has a new TA33 beam and tower. Canton ARC's *Fecundine* says W8NTQ is now K3TVF, W8BYK is in CT2-land with the Air Force. K8QNT has a new TA33 jr. K8SWE has a new TH-4, W8QAZ has a new TH-3. W8MIND and K8RUBK have joined the QCWA. W8UPH received Colonial America, WVCNY and Confederate States Awards. The Seneca RC played a tape from VE3GG which told of his ham radio experiences since 1913. Inter-City RC's *IRC News Bulletin* passes this along: The club meeting night has been changed to Thurs. and John Wheat, a Westinghouse engineer, demonstrated and explained methods used in measuring currents and voltages in radio and electronic circuits. Parma RC's *P.R.C. Bulletin* tells us its code and theory classes have started, the club station, located in Crile VA Hospital, has a new Drake 2-B receiver and the club held an auction. Springfield ARC's 1963 officers are K8QWE, pres.; K8MHJ, vice-pres.; W8AJK, secy.; K8AEW, treas. and *The Q-5* states W8RMF visited the club. Six-Meter Nomads' *The Amateur Extra* says K8CDA, W8CWL, W8JBS and K8VGF were elected trustees. Warren ARA's *Q-Match* tells us that WA8EWT and WN8FBF are new hams in the area. Greater Cincinnati ARA's *The Mike and Key* states club members saw two motion pictures. The Big Bounce and The Voice of Mercury. Columbus ARA's *Carascope* informs us that members were told about maser and lasers, what they are, how they work and what they do. W8CHT, W8DAE and W8UPH made BPL in October. W8UPH made BPL in August. W8IBX received the College Wireless Award. Findlay RC's *W8FT News* says that the club's code and theory classes have started. The Babcock & Wilcox ARC is electing 1963 officers. Amateur Radio Editors Association's (AREA) 1963 officers are W3KPI, pres.; W8BAH, executive vice-pres.; W3ZXY, 1st vice-pres.; K4URX, 2nd vice-pres.; W4DKJ, 3rd vice-pres.; WA6VTL, 4th vice-pres.; W8BAH, secy.-treas. Traffic: (Oct.) W8UPH 953, W8CHT 500, W8DAE 421, K8LBU 289, K8SQQ 175, W8BZX 173, K8UBK 108, K8PCL 86, K8UZY 48, K8VWN 32, K8RXD 30, W8ZYU 29, W8AL 25, K8DGT 25, W8CXM 22, K8TKG 17, W8IEP 16, W8KON 16, W8WYS 11, K8KXS 8, K8BNL 6, W8YGR 3, W8IBX 2, K8KLA 2, K8LGA 1. (Sept.) W8CHT 157, K8RFU 7, W8IEP 4. (Aug.) W8UPH 1948, W8CHT 249, K8RXD 10.


HUDSON DIVISION

EASTERN NEW YORK—SCM, George W. Tracy, W2EFU—SEC: W2KGC. RMs: W2PHX and K2QJL. PAM: W2JIG. Section nets: NYS on 3670 kc. nightly at 0000 GMT; NYSPTEN on 3925 kc. nightly at 2300 GMT; ESS on 3590 kc. nightly at 2300 GMT; MHT (Novice) on 3716 kc. Sat. at 1800 GMT; Interclub on 28,690 kc. Mon. at 1030 GMT. Endorsements: K2HINW as EC and OPS. October was "Auction Month" at the Albany, Schenectady and Ulster County Clubs, all highly successful. W2DSK was chairman of "Old Timers Nite" in Albany. ECs K2SJM, K2IES, WA2QE and WA2TIA, plus representatives of services and agencies, discussed AREC activities with the SEC, W2KGC, in New Rochelle on Oct. 17. Larchmont is establishing a strong RACES program under K2IES, who is both EC and Radio Officer for RACES. WA2NRB has a new Marauder. The RPI Club, W2SZ is settled in a new shack and reports 51 members, of which 38 appeared on campus with amateur licenses ready to operate. New Rochelle reports 60 registrants in its Novice/Technician/General training programs. W2WGE is a new Asst. EC under Greene County EC, W2FQL. They have established 2-meter nets for local and inter-county AREC activity. The new state RACES Control Center in Albany has three kilowatt rigs on the 1.1 bands plus v.h.f. gear for statewide and local coverage. Amateur license application or renewal forms no longer require notarization, according to the FCC. Those new call letter plates are very attractive. Traffic: W2THE 161, WA2IGB 116, W2EFU 114, K2HINW 52, WA2UZK 43, WA2VYS 26, K2SJM 24, K2TXP 22, W2URP 20, WA2JWL 14, K2MPK 10, WA2LYP 7, WA2YHA 5, WA2TJX 2.

NEW YORK CITY AND LONG ISLAND—SCM, George V. Cooke, Jr., W2OBU—SEC: K2GVN. RM: W2WFL. PAM: K2HCU. V.H.F. PAM: W2EYV. Section nets: NLI, 3630 kc. at 0015Z nightly; NYCLIPN, 3908 kc. at 2230Z nightly; V.H.F. Net, Tue.-Wed.-Thurs. on 145.8 Mc. at 0100Z and Fri. through Mon. on 146.25 Mc. at 0000Z; Mike Parad, on 7238 kc. at 1700Z; All Service Net, at 1800Z Sun. on 7270 kc.; Q5 Net, 3935 kc. at 2100Z daily. BPL certificates have been issued to WA2TQT, WA2GFP, W2FXR and W2EWF for October traffic. A new group called the Long Island DX Association has been formed, covering only Brooklyn, Queens, Nassau and Suffolk Counties, with officers as follows: W2MFS, pres.; W2FGD, vice-pres.; W2ESZ, treas.; K2UYG, secy. In order to join this select club you must be a

(Continued on page 118)

FREE INTERNATIONAL 1963 CATALOG



*... your buying
guide for precision
radio crystals
and quality
electronic
equipment ...*

- Transmitters
- Amateur Crystals
- Citizens Band Crystals
- Citizens Band Transceivers
- Converters
- Transistor Subassemblies
- Converters
- Power Supplies
- Antennas
- Oscillators

AMATEURS • EXPERIMENTERS • CITIZENS LICENSEES

Mail coupon today for your FREE copy of International's 1963 catalog.

**INTERNATIONAL
CRYSTAL MFG. CO., INC.**

18 NORTH LEE • OKLAHOMA CITY, OKLAHOMA

International Crystal Mfg. Co., Inc. 987
18 North Lee, Oklahoma City, Okla.
Rush FREE 1963 Catalog.

Name _____

Please Print

Address _____

City _____ Zone _____ State _____

A Word from Ward . . .



"SERVICE WITH A STYLE"

I was in a supermarket the other day, chewing the fat with the manager, Dan, when a lady customer came up to us, handed him a package and said: "I'd like to return these here pork chops."

"How much of 'em'd you buy?" Dan asked politely.

"Two pounds."

"And why are you returning them?"

"Ain't fresh."

"Well, I'm certainly sorry to hear that."

Dan juggled a few figures on a slip of paper, handed it to the lady. "Just give this to the cashier, ma'am, and you'll get a refund in full."

When she was gone, Dan opened the package she had given him. He looked at me with a skinny sort of smile. The package contained two and a half pork chops.

Now that makes me sore!" I chimed in. "There must be 10 or 12 pork chops in two pounds. Yet that gal waltzes in here, gives you back two chops—and gets all her money refunded. Is that fair to you?"

This is one market, Ward, where the customer is always right—even when she's partly wrong!"

My friend, Dan, was crazy like a fox. He knew he was selling more than pork chops. He was selling courtesy, friendliness—service.

Here, at little old Adirondack Radio, we also sell "more than pork chops". With us, that something extra could well be called a sincere and personal interest in every customer, every sale.

Every letter, for example, that comes in from a customer—I answer myself. Usually, on the very same day that letter was received. Every order that goes out of our store—I supervise myself. I practically always know what was sent to whom when, what condition it was in and what date it should arrive.

If you have never experienced the Adirondack brand of personal service—it's time we get together. You don't know what you're missing!

Sincerely,

Ward J. Hinkle W2JEL

We also have a constantly changing line of good used equipment. Be sure to write for our latest "used" list.

Before you buy or trade, wire, write, call or drop in to see WARD, W2FEU

ADIRONDACK RADIO SUPPLY

185-191 W. Main St., Amsterdam, N. Y.

Phone: Victor 2-8350

Ward J. Hinkle, Owner

member of ARRL and hold proof of at least 100 confirmed DX contacts. The membership is limited to 25 members and a bi-monthly bulletin is available for interested amateurs. W2GKZ received his 1XCC certificate for 101 countries worked s.s.sh. using a Chippewa. W2BNJ moved to Huntington from New Jersey and has a new 50-ft. crank-up tower going. W2PBG has returned to the air with a new Marauder. K2JJR is using 3 phased verticals for 7-MC. DX work and with 1 kw. on e.w. is working plenty of rare ones. A new 6-meter traffic and emergency groups has gotten started in northeastern Queens under the leadership of WA2-WIH meeting Wed. at 1845 EST on 50.2 Mc. The net manager of the group is WA2VFM. W2FXR, the station at Manhattan College, has been activated and is running a new kw. rig. W2MTA, an OT in the traffic game, now is located in Levittown. WA2IUQ received IITH Class G and WWCNY Awards. W2OME has been appointed EC for the Islip Township Area. W2PF attended the 1st hamfest at the San Francisco International Airport and met many old friends. Section net certificates have been issued to WA2HRZ, WA2CYY, WA2MAH, WA2UCP, WA2CTR, WA2HVV, K2RYF, K2JCW and W2YFP for participation in the Kings County AREC and RACES Net for 2 meters, and to W2YCW, K2UPA, WA2HCT, WA2OGU, WA2OAX, W2-EHA, WA2JVG, W2FGD, K2SDM, WA2PNC, K2JLE, WA2ER, WA2MDZ and WA2LLG in the Nassau 10-Meter Net. WA2GAB has received an Asst. EC appointment to promote AREC at the Brooklyn Veterans Hospital and with K2RYF, K2JCW, WA2QGG and WA2HVV aiding, code and theory are taught, traffic is handled and amateur radio is explained to many of the patients. The local police in Massapequa were augmented by WA2MIW, WA2ENH, WA2HPC, K2OTZ, K2HSY, K2OVN, K2ULS and WB2BHO on a Halloween patrol and turned in a good job. LURCW paid a nice visit to the Five Towns KC and gave a nice talk on hamming in Argentina. K2RKL is rightly proud of his new N.L. jr. operator: W2OTA is the godfather. WA2FGI is active again having put up a new five-element Telrex and an AR-22 rotator. The Lawrence HS RC now is on the air with a new call, WB2EJZ using an SX-111 and an HT-37. The club elected the following officers: WA2OKD, pres.; WA2TNY, vice-pres.; WA2YZG, secy.-treas.; W2FGD, club faculty advisor. Eight members of the Levittown RC, W2HLO the base station, aided in a Halloween patrol in their area. Contact WA2-BWAI about the Gas House Gang certificate award for 10-meter contacts with its membership. W2IAG announces the Queens 10-Meter AREC Net is changing to 0100Z Mon. Traffic: WA2TOT 580, WA2GPT 486, WA2-GFP 469, K2UBG 368, W2FXR 313, W2EWF 228, WA2QJU 123, W2WFL 117, WA2JJS 103, WA2RAIP 64, K2KYS 63, WA2IUQ 32, W2GKZ 30, WA2GAB 28, W2GP 28, W2OME 24, WA2EJN 19, K2AAS 18, W2DRB 18, W2EC 18, W2-JGY 16, WA2YLK 16, WA2RAQ 11, WA2RZ 10, W2PF 9, K2UFT 9, WA2PUE 6, W2CLE 5, WA2IMH 2, WA2-WEA 2, W2ZDT 2.

NORTHERN NEW JERSEY—SCM, Daniel H. Earley, WA2APY—SEC: K2ZFI, RM: W2QNL, PAM: K2-SLG, V.H.F. PAM: K2VNL. Names, times and frequencies of the New Jersey NTS nets: NJN, 2400Z daily on 3695 kc.; the NJPN, Mon. through Sat. 2300Z, Sun at 1400Z on 3900 kc.; the NJ 6 & 2, Mon., Thurs. and Sun. on 51.15 Mc. at 0300Z Tue. and Sat. on 146.70 Mc. at 2200Z. Net reports, sessions, attendance and traffic: NJN 31,—, 217, NJPN 31, 572, 131, NJ 6 & 2 21, 104, 18. K2KQD was made an OES. K2UKQ had her ORS appointment renewed. There are fellows looking for appointments as OO and OBS. It is the policy to keep these at the minimum number necessary to do the job. The appointments will be made as soon as a vacancy exists. Lack of reporting and activity of some of the appointees will soon leave a few vacancies. Those who attended the convention enjoyed it and the few who did all the work deserve a pat on the shoulder. The NJPN had its annual dinner and the SCM made that one, too. Among those present were the S.N.J. SCM, K2BG; the V.H.F. PAM: K2VNL; PAM K2SLG and the NJPN RM, W2ZI. Too numerous to mention are the AREC units that helped out on Halloween. The SEC would be glad to hear of these activities. I hope all you ECs are reporting, K2ZFI, the SEC, has some fine ideas in the fire and he can use your cooperation. WA2CCE has been appointed Radiological Monitor for the Morris Co. C.D. WA2UNQ has a new Valiant. K2-AGJ has received the A-1 Operators Award. K2UKQ got the CHC plaque. She says she would like two husky OMs to put her 40-meter dipole back up. W2BVE also operates under WB2ENY. WA2OVK is kept busy in the RACES drills. W2CWK has a kw., his first time in excess of 180. My sympathy to all of you with not enough time to be on the air. I have the same problem; guess the young guys will have to keep the ball rolling. WA2-SRK and WA2OVK have received their 2RN certificates. WA2FVL reports great success with the local c.d. Congrats to WA2JHQ for making A-1. WA2ZQH has

(Continued on page 130)

your choice of 2 GREAT **EICO**[®] TRANSMITTERS...

designed
by Hams...
for Hams...



to the highest
Ham standards



**60-WATT
CW TRANSMITTER #723**
Kit \$49.95 Wired \$79.95
"Compact, well-planned layout. Clean-sounding, absolutely hum-free carrier; stable." — ELECTRONICS WORLD.

Perfect for novice or advanced ham needing low-power standby rig. "Clean" 60W CW, 50W AM-Phone with EXT plate modulation. 80 through 10 meters.



**90-WATT
CW TRANSMITTER* #720**
Kit \$79.95 Wired \$119.95
*U.S. Pat. #D-184,776
"Top quality"—ELECTRONIC KITS GUIDE

Ideal for veteran or novice. "Clean" 90W CW, 65W AM-Phone with EXT plate modulation. 80 through 10 meters.


TRANSISTOR CODE PRACTICE OSCILLATOR #706



Complete with battery
Select variable
tone, flashing light,
or both together.
Phone jack for private
use. Efficient speaker:
clean loud signals.
Kit \$8.95 Wired \$12.95


New!

VARIABLE FREQUENCY OSCILLATOR (SELF-POWERED) #722



Approaches
crystal stability.
80 through
10 meters.
Kit \$44.95
Wired \$59.95

CITIZENS BAND TRANSCIEVERS



770 Series
Superhet; pre-
aligned xmitter
osc; match an-
tennas by variable
"pi" network. Single
& multi-channel models.
From Kit \$79.95 Wired \$109.95

U.S. Pat.



HIGH-LEVEL UNIVERSAL MODULATOR- DRIVER #730

Kit \$49.95 Wired \$79.95
Delivers 50W undistorted audio for
phone operation. Can plate-modu-
late transmitters having RF inputs
up to 100W. Unique over-modu-
lation indicator. Cover E-5 \$4.50.



GRID DIP METER #710

Kit \$29.95 Wired \$49.95
Includes complete set of coils
for full band coverage. Continu-
ous coverage 400 kc to 250 mc.
500 ua meter.

PEAK-TO-PEAK VTVM #232



& exclusive
*UNI-PROBE[®]
Kit \$29.95
Wired \$49.95

U.S. Pat.


VACUUM TUBE VOLTMETER #221

Kit \$25.95
Wired \$39.95



DC-5MC LAB & TV 5" OSCILLOSCOPE #460

Kit \$79.95
Wired \$129.50
5" GENERAL PURPOSE SCOPE #427
Kit \$69.95 Wired \$109.95



DYNAMIC CONDUCTANCE TUBE & TRANSISTOR TESTER #666

Kit \$69.95
Wired \$109.95
TUBE TESTER #625
Kit \$34.95 Wired \$49.95



RF SIGNAL GENERATOR #324

(150kc-435mc)
Kit \$26.95
Wired \$39.95

TV-FM SWEEP GENERATOR & MARKER #368

Kit \$69.95
Wired \$119.95



ELECTRONIC INSTRUMENT CO., INC.
3300 NO. BLVD., L.I.C. 1, N.Y.
Export Dept., Roburn Agencies, Inc.
431 Greenwich St., N.Y. 13, N.Y.

EICO, 3300 N. Blvd., L.I.C. 1, N. Y.
 Send free Catalog & name of
neighborhood distributor.
 Send free "Short Course for
Novice License." Send
36-page STEREO HI-FI GUIDE:
25c enclosed for postage
& handling.

Name.....
Address.....
City..... Zone..... State.....


GST-1

Add 5% in the West.


ENGINEERS: Excellent career opportunities in creative electronics design. Write to the Chief Engineer.

They'll know you're using Collins S/Line equipment


It's that distinctive. That good. That recognizable. What makes it so? Features like exceptional frequency stability, automatic load control, negative feedback, more QSO's per KC to mention a few. You'll find all this and more in all Collins S/Line equipment. And you'll find all S/Line equipment in our showroom. Let us help you get on the air with the sound more hams recognize instantly...the sound of Collins S/Line equipment. Call, wire or write today.



Collins 75S-3 Receiver. Offers versatility with the sharpest selectivity available in any of three modes — SSB, CW and RTTY. \$680.



Collins 32S-3 Transmitter. For SSB or CW with nominal output of 100 watts on amateur bands between 3.4 and 29.7 mc. Input 175 watts PEP on SSB or 160 watts on CW. \$750.



Collins 30L-1 Linear Amplifier. Provides 1,000 watts PEP input on SSB and 1,000 watts average on CW. System engineered for use with 32S-3. \$520.

Burghardt
RADIO SUPPLY, Inc.

Phone: Area 605-TU 6-5749 • Box 37
Watertown, So. Dak.

40 states confirmed. I will report the doings of the NJN Annual Meeting in next month's column. W2CFB is doing some DXing. The results of the FMT were very gratifying in that there were a lot of QOs participating and the accuracy shows they are the right men for the job. A lot of you fellows are very active in the c.d. I wish that you would throw the AREC a bone, contact the SEC and see what can be done about uniting the two. WA2CCF made the BPL again. Traffic: (Oct.) K2UCY 232, K2VNL 158, WA2SRK 139, WA2CCF 133, WA2GQZ 92, WA2WSB 91, WA2OVK 79, W2DRV 48, W2QNL 46, W2CVW 40, WA2JTZ 34, K2JFU 27, WA2-ZQH 22, K2SLG 19, W2CFB 15, WA2IGQ 11, WA2APY 10, W2BVE 9, K2VNK 9, WA2JHQ 8, W2NKD 8, W2-OXL 7, W2ZKT 6, W2EWZ 5, WA2QOP 5, K2AGJ 4, K2EGP 2, W2NIY 2, K2UKQ 2. (Sept.) WA2CCE 71, W2DRV 15.

MIDWEST DIVISION

IOWA—SCM, Dennis Burke, W0NTB—SEC: K0-EXN. PAMS: W0PZO and W0LSF. New OO: W0USL. New ECs: W0ASM and W0OXY. K0FDZ wants contacts in the Omaha Area on 6 meters. Try 50.4, Gary, you will hear somebody. There has been renewed interest in AREC and RACES because of the troubled international conditions. The 160-Meter Net reports QNI 850, QTC 42 in 31 sessions. The 75 Meter Phone Net reports QNI 1173, QTC 194, 27 sessions average 7.22; for September QNI 1173, QTC 203, 25 sessions average 8.12. The Tallcorn Net for October: QNI 255, QTC 210, 23 sessions average 9.1. Mr. Frank Osier, W0CPC, with the aid of Fr. Devine and the officials of the Iowa State Training School has formed a club, and secured a license with the call WA0EBU for the purpose of interesting these boys in a worthwhile project which will be of value to them when they return to their homes. Traffic: (Oct.) W0LGG 1806, W0SCA 1115, W0PZO 139, W0NTB 92, K0UAA 59, K0AAU 55, W0BDR 51, K0UAB 47, K0VBM 45, K0EXN 41, W0GQ 40, W0-DUA 26, W0QVA 20, W0TTT 19, K0AFG 15, K0JSI 15, W0YVD 14, W0BLH 13, W0BXT 12, K0KAQ 11, K0EVC 10, W0FDM 9, W0QVZ 8, W0NWX 7, K0-HGH 6, W0WJP 6, K0LHH 4, W0NGS 4, K0QKD 4, K0YDS 4, W0FAM 3, W0BQJ 2. (Sept.) W0PZO 659, K0WKT 24, K0YLN 33. (Aug.) W0SCA 1983.

KANSAS—SCM, Leland Cheney, W0ALA—SEC: K0BXP. Asst. SEC: K0EMB. PAM: K0EFL. RM: W0SAP. New appointments: W0YZB as EC; K0LHF as OBS; W0VBK and W0PFG as OOs. New 40-meter c.w. and s.s.b. nets should be well organized and operating at this time; 6- and 2-meter nets are next. If interested, contact your SCM. OBSs report sporadic activity on 6 meters and local activity on 2 meters. The McPherson ARC Civil Defense Net is now located in the American Legion Building. K0HGI made BPL. The picnic at Yates Center was a big success. Nets: KPN, 3920 kc. Mon.-Wed.-Fri. 1245Z, Sun. 1400Z; 18 sessions; QNI high 55, low 15, total 447, average 24.83; QTC high 23, low 0, total 84, average 4.66; NCSs K0OKS, K0-EFL, W0FHU, K0YTA, K0GII and K0MER. QKS, daily 2610 kc. 0030Z; 31 sessions; QNI high 10, low 3, total 218, average 7; QTC high 10, low 0, total 113, average 3.6; NCSs K0BXP, K0EFL, K0IRL, W0-QGG, W0SAP, W0TOL, K0YTA and W0BYV. IIBN, 7280 kc. Mon. through Fri. 1800Z; 23 sessions; total 201; NCSs K0YWT, K0HGI, K0ICB, K0WNZ and K0NAB. KSNB, 3920 kc. Sun. 1330Z. KSNW, 3840 kc. Mon. through Sat. 0001Z. The next section meeting will be held in Kansas City in January, the date to be announced through the SCM bulletin service. Traffic: K0-HGI 286, W0BYV 203, K0YRQ 198, K0YTA 100, K0-LHF 71, W0RFJ 63, K0EFL 29, K0OKS 27, K0LPE 20, K0GII 17, W0ALA 16, K0EMB 12, W0ABJ 10, W0TSR 8, W0YZB 7, K0PSD 6, W0IFR 5, K0VQC 5, W0WSD 4, W0JID 1.

MISSOURI—SCM, C. O. Gosch, W0BUL—SEC: K0WNZ. RMs: W0UD, K0ONK, PAMS: W0BVL, W0TPK, W0LFE (v.l.f.). Net reports (Oct.): M0SSB (3963 kc. 2400 GMT, Tu-Th) 9 sessions; QNI 165; QTC 27; NCSs: W0ECA 3; W0OMM 6, M0N (3517 kc. 2200 GMT M-F, 1400 GMT S) 30 sessions; QNI 46; QTC 27; NCSs: K0ONK 8, K0VPH 5, K0FPC 4, W0OCWV 6, K0GFA 1, M0N (3580 kc. 2200 GMT, Su) 4 sessions; QNI 21; QTC 7; NCS: W0UD, M0N (3580 kc. 0100 GMT Tu-S) 27 sessions; QNI 158; QTC 123; NCSs: W0OOD 12, W0KIK 8, K0FPC 4, K0VPH 5, M0N (3885 kc. 2400 GMT M-W-F) 13 sessions; QNI 392; QTC 181; NCSs: K0VPH 4, K0ONK 2, K0KUD 2, W0-TPK 5. It is with considerable regret that the SCM must submit his resignation effective with this month's column. As stated two months ago, a change in employment has forced this, time simply is not available. Grateful thanks are extended to all those who have cooperated so wholeheartedly the past four years with the SCM. Good wishes are extended to the fortunate amateur who will be selected for this post, BCNU and very 73.—Chuck, W0RPL. Traffic: W0AYB 214, W0-

(Continued on page 122)

**It's
NEW!**

A Hy-gain

MULTI-BAND ANTENNA

for 80 thru 10 Meters

Model 18V only \$16.95 Ham Net

Now...available for immediate delivery through your favorite Hy-Gain Distributor...Hy-Gain's new, all band vertical antenna...the Model 18V.

Here's a highly efficient, 18 ft. vertical that can be tuned to any band—80 thru 10 Meters—by a simple adjustment of the feed point on the matching base inductor. Designed for 52 ohm coax feedlines, the Model 18V is amazingly efficient for DX or local contact. Highly portable—knocks down to an overall length of 4 ft.—it can be quickly installed on a short 1½" mast driven in the ground. It is also adaptable to roof or tower mounting. The Model 18V is a tremendous buy in a self-supporting radiator with multi-band capability. Remember, you can pick one up today from your favorite Hy-Gain Distributor—or, if shipment from a Distributor is necessary, the Model 18V's portability lends itself to low cost Parcel Post shipping charges.

For optimum performance and automatic band switching Model 14 AVS

The World's Most Popular Vertical



This self-supporting, multi-band, omni-directional antenna is completely factory pretuned to maintain an SWR of 2:1 or less across the entirety of each band. Exclusive Hy-Gain "Slim Line" Traps used in the Model 14 AVS effectively isolate sections of the antenna so that true ¼ wave resonance exists on all bands—makes possible a low angle DX radiation pattern. May be either roof or ground mounted. Quality construction throughout.

ADDITIONALLY...Model 14 AVS may be adapted for 80 M operation by installing Hy-Gain Model LC-80 Loading Coil.

Model 14 AVS.....\$29.95 Ham Net
Model LC-80 Loading Coil.....\$ 7.95 Ham Net
Model 14 RMK (Roof Mounting Kit) ..\$11.95 Ham Net

For more complete information, see your favorite Hy-Gain Distributor, or write...

HY-GAIN ANTENNA PRODUCTS 8403 N.E. Highway 6
Lincoln, Nebraska



A NEW... AND BETTER...

COAXIAL ANTENNA

for 144-148 mc band

New... Band-spanner 1/2-wavelength coaxial antenna offers many significant features...

- Low radiation angle... excellent performance over 2 meter band...
- Broadband characteristics...
- VSWR less than 1.5, 144-148 mc...
- Streamlined—no radials or other lateral projections...
- 52 ohm coax feed... connects to standard internal fitting...
- Weather resistant—mechanically sound
- Stackable for extra gain by adding 1/4-wave sleeve/s. (optional) Further improved performance by using inverted decoupling sleeve. (Picture shows stacked antenna with decoupling sleeve as installed at W6WB)

MECHANICAL EXCELLENCE!

HEAVY DUTY COAXIAL, SPACING AND SUPPORTING COLLARS PRECISION MACHINED FROM ALUMINUM BAR STOCK, THREADED INTERNALLY TO FIT STANDARD 1" ALUMINUM PIPE USED FOR MAST. (NOT SUPPLIED)

1/4-WAVE SLEEVES ARE 2" O.D. HEAVY DUTY ALUMINUM TUBING ANODIZED FOR WEATHER RESISTANCE.



Webster band-spanner.

MODEL NO. A-59

317 Roebling Road, South San Francisco, Calif.

Please send me booklet, "Simple steps to mobile antenna peak performance." (Please enclose 10c in coin or stamps to defray postage.)

Name _____

Address No. Street _____

City _____ Zone _____ State _____

TPK 206, KOONK 198, KOVPH 131, KOVBT 101, WOUD 89, WOKIK 75, WOZLN 44, WOOMM 42, KOPFC 36, KORWL 19, WOBUL 16, KOFZT 16, WOBAB 13, KOVNB 13, WOBVL 12, WOEP1 10, WOEJ 8, KOIHY 6, KOVSH 6, WOKCG 4, WOGBJ 3, WOovy 2.

NEBRASKA—SCM, Charles E. McNeel, W0EXP—K0TSU, SEC. returned home from the West Coast and Fair at Seattle. Your SCM has returned from a three-week vacation in New York and thanks K0WFG for taking over the SCM report for last month and the daily schedules from N.Y. to No. Platte. K0DVG, NC Morning Phone Net, reports QNI 666, QTC 96. W0EGQ reports the Novice Slow Speed Net had 21 sessions, QNI 120, QTC 17. K0JXN, NC for the Storm Net, has changed the time to 1830 CST and reports 30 sessions, QNI 432, QTC 2. W0NIK, NC of the Western Nebraska Net, reports QNI 768, QTC 509, of which 461 are WX reports, 100 per cent check-in W0AHB, K0-BM0, W00BYK, W0DVB, W0GGP, W0RIH, W0-WUV, W0HXH, NC of the Nebr. Emergency Phone Net, reports QNI 549, QTC 29. W0PQB is back on the air from Omaha. The No. Platte Hamfest Dinner, sponsored by K0WFG was held Oct. 27 in No. Platte with 46 in attendance. Good food and prizes were enjoyed by all. Traffic: W0GGP 463, K0KJP 76, W0LOD 71, W00K0 63, K0RRL 60, K0DVG 48, W0EGQ, W0NIK 46, K0SBP 42, W0ZJF 39, W0RTH 27, W0-WUV 27, W0A0ES 25, W0OCU 24, W0BTK 23, W0-AHB 21, K0FBD 17, K0UWK 17, K0MSS 15, W0VEA 11, W0N0AD 10, W0N0BB 10, W0LJO 10, W0CIW 9, W0BOQ 8, W0VZJ 8, K0YZP 7, K0JAL 5, W0-FJU 5, W0FY 5, W0FYR 5, K0ZEO 5, W0HOP 4, W0KFY 4, K0VTD 4, W0HQE 3, W0N0BE 2, W0-BKW 2, K0RTZ 2, W0NYU 1.

NEW ENGLAND DIVISION


CONNECTICUT—SCM, Henry B. Sprague, jr., W1-CHR—SEC: W1EOR, RM: W1KYQ, FAM: W1YBH, V.H.F. PAM: W1FHP, Sec Dec. QST for traffic skels. The late CN sessions has been cancelled since IRN's sessions are at 1815 and 1930 local time. K1JAD put up a half-wave wire for 160. K1SDX wants to contact any 1215 Mc. hams in southwestern Conn. and has an APX-6 going on this frequency. K1PKQ enjoyed the CD Party. K1QVX passed the 45 w.p.m. high-speed code test from W1NJM. W1LIG passed away quietly in his sleep. His enthusiasm and interest in the activities of his fellow hams will be missed. W1s OJR, PHP and K1NCC participated in the Sept. FMT. W1BDI scored 5000-plus points in the CD Party. K1PLR says that he and K1IKE have cooked up the WAN award (Worked All Neighbors). This award goes to anyone who has made "contacts" (!) with all his neighbors and yet is on good terms with them. W1OJR nailed ZDQAM (W4BPD). Vic's DXCC total is now 375/266. W1IKB, another DXer, now has 225/216. W1WX spends more time on 1.6 and 3.5 Mc. with the sunspot cycle declining. The pressure of business has slowed up K1IRI. W1FHP is active again on the nets. K1UQQ received his General Class ticket and is interested in c.w. traffic work. W1CHR got the bugs out of his antenna tuner and is back on the air. The Meriden ARC, W1NRG, reorganized and elected W1FYG, pres.; K1QAH, vice-pres.; W1BTZ, treas.; W1WEE, secy.; W1TZH, sgt. at arms. K1TGX went up to Mass. with a twoer. The Onk Hill School ARC elected K1EIR, pres.; K1STM, vice-pres.; K1-EIC, secy.; K1UWO, treas. W1RAN writes of a pleasant visit with W1TYQ viewing slides of HZ1AB and vicinity while Vic was in the States. W1HGE says the East Hampton and Marlborough AREC gang participated in the SET with a simulated hurricane disaster. K1YR is working at the local i.m. station. A new station is K1UQQ. Trumbull. K1QVX is a new OPS. Traffic: (Oct.) W1AW 329, K1KYQ 262, K1PQS 259, W1EWF 201, W1RZG 156, W1YBH 114, K1PPS 80, W1KUO 71, K1QVX 57, W1GVJ 56, K1LFW 55, W1BDI 53, W1FHP 51, K1DGG 46, W1L0H 44, K1MBA 37, W1CTI 35, K1SRF 34, W1QY 32, K1PUG 30, K1EIR 25, K1AQE 21, W1CUH 21, K1GGG 20, K1JAD 20, W1OBR 20, W1-FXS 16, W1CHR 12, K1OEH 10, K1UQQ 10, K1QJZ 9. (Sept.) K1LFW 20.

EASTERN MASSACHUSETTS—SCM, Frank L. Baker jr., W1ALP—SEC: W1AOG. New appointments: W1FON Boston, K1IMP Milton, K1TSD Pepperell as ECs; W1HIV as OES. We are very sorry to have to report the death of W1MUD. W1EAE presented the ARRL charter to the North Shore Radio Assn. W1MB had an attack and is home for awhile. Appointments endorsed: W1FZJ, W1BB, K1IMP as OOs; W1s BB Winthrop, ISU Holbrook, QXX Arlington, MME Hull, JSM Waltham, MD Hingham, DPO Chatham, LDF Watertown, ZW Westwood, YZ Randolph, K1s STS Sudbury, OLN Tewksbury as ECs; W1MIE as OHS; W1s EAF, WU, K1OIQ as OHSs; W1s EJJ, JSM, K1MVN, K1-KCG as OESs; W1EAE as RM for 80 e.w.; K1MEM and W1MIE as OPSs; W1AOG as SEC. Reports were re-

(Continued on page 124)



measure
the
performance...



Stack up the features!

VOX & Push-To-Talk Circuitry.

Output Power—Two-tone SSB and CW—50 watts at 10 meters to 65 watts at 80 meters for conservatively rated input of 90 watts DC, 130 watts P.E.P. AM is 25% of SSB/CW values.

3 element Pi network variable output circuit (40 to 80 ohms).

5 position switch for internal or external VFO plus three crystal control frequencies suitable for Novice, MARS, C.A.P., etc.

Built-in antenna changeover, VOX and break-in keying.

Amateur Bands Covered—80, 40, 20, 15 and 10 meters. 160 meter band position provided for use with optional kit.

Complete passband coupler design used throughout low-level stages provides minimum 1 MC bandwidth at the following frequency ranges: 3.2 to 4.2 MC; 6.9 to 7.9 MC; 13.8 to 14.8 MC; 20.8 to 21.8 MC; 27.0 to 31.0 MC.

HAMMARLUND'S HX-50

...and we are sure that you will agree that despite the new price tag we have had to put on the FABULOUS HX-50, it still gives you more dollar-for-dollar value than any other transmitter in the market today! The '50 is crammed full of outstanding features to deliver the performance you have always wanted—but have never been able to get in this price range.

ONLY
\$449.50
AMATEUR NET

Now Available! 160 Meter Band Kit for only \$11.00. Or, if you prefer, this plus feature can be wired right into the unit on special order for an additional charge. NOTE: The Hammarlund HX-50 is the only commercially manufactured SSB Amateur transmitter that presently provides 160 meter band capability.

Don't wait. See the FABULOUS '50 at your authorized Hammarlund Distributor—or send for complete technical data on the transmitter that is still "THE BEST BUY IN ITS CLASS."



Established 1910




HAMMARLUND Manufacturing Company

A Giannini Scientific Company

53 West 23rd Street, N. Y. 10, N. Y.

AMATEUR RADIO EQUIPMENT • COMMERCIAL COMMUNICATIONS EQUIPMENT • THE OUTERCOM 2-WAY RADIO
VARIABLE AIR CAPACITORS • SUPERVISORY REMOTE CONTROL SYSTEMS

**BE AMONG
THE FIRST TO
OWN ONE!**



COLLINS
NEW
62S-1

VHF CONVERTER
for 6 and 2 meters

The 62S-1 will more than double your frequency coverage. The 62S-1 may be used to cover 49.6 to 54.2 mc plus 143.6 to 148.2 mc. Provides transmit and receive functions in 14.0-14.2 mc. range with the 32S, 75S and KWM series. No cable changing when moving from HF to VHF.

10% down **\$89.50** (\$895.00)

Order Today for Scheduled Delivery
from Hamateur Headquarters

THE Lew Bonn co.

Distributors of Nationally Known Amateur Equipment

Dept. QS-1-63 67 South 12th St., Minneapolis 3, Minn.

Call, write or use coupon

Attn: Joe Hotch

Federal 9-6351

Place my order for scheduled delivery.

Enclosed find \$ _____

Send complete specifications on Collins 62S-1.

Name _____ Call letters _____

Address _____

City _____ Zone _____ State _____


ceived by WIAOG from the following ECs: W1s STX, AAU, MRO, K1s ICJ, MBU, OLN, W1s BGW, PLJ, TZ, K1s IPA, CCL, WXC, took part in the Sept. FMT. WIBGW got the WPX award. The Welleley ARS had a "Telestar" movie. The T-9 met at W1BF's QTH. KN1s VGG, W1I and YAE are new in Westwood. K1VHS is General Class. KN1s YNR, YSG and YXT are new in Marlboro. K1ONW is in our 80 c.w. net. W1PEX made BPL. KN1VNB is active on 2 and has a beam for 15 meters. W1BKI has a new HB-6M d.s.b. rig. W1DIY worked a K1L6 on 80-meter c.w. K1CMS and group are back from a trip to Alaska and Mexico. The Neausket ARC's new officers are K1RBD, pres.; K1TCP vice-pres.; K1LAD, secy.; K1YBT, treas. K1RCC has worked 43 states on 6. K1LAD has 27 states on 80. K1LRK is back at Tabor Academy. K1RBD has 42 states toward WAS. The *III-MU* bulletin of the Framingham Club has been started up again with W1-DNE as editor. The club's new officers are K1CQO, pres.; K1M1CL, vice-pres.; W1ZEN, treas.; K1KCG, rec. secy.; W1FY, corr. secy.; W1ZWJ, net. mgr. A Novice class course has been started. K1IRC is a new OES on 6. K1DYA is on 2 but is having TVI on 6. FM2MN had 23 sessions, 255 stations, 148 traffic. W1QFK moved again. Ex-K1GVH, in California, sends his 73 to the 2-meter gang. W1SIV and his NYL went to the Bahamas. The Yankee Radio Club now has the call W1MF, formerly held by Al Stacey, now a Silent Key. W1GHD is trustee. K1TCO, of P-Town, is on several bands. K1OTD now is living in Malden. W1RHN is going to N.U. nights. W1EPA is home again and will operate under club call K1EPA. W1EUI is getting married. K1-WTK is building a rig for 6. W1A2OKK, ex-IDWO, visited W1DPE, who is on 75-meter s.s.b. W1BK sends out quite a 160-meter *DX-Bulletin*. W5CCZ is at Point Shirley. K1NYQZ is new in Winthrop. W1LES has a net certificate for our 2-meter net. K1YSC, ex-K1VJO, is going to B.U. KP4BEA has worked 200 DXCC in 11 months in KP4-Land. W1GOU worked ZDAM. K1PNB advises that the Townsend ARS meets the 1st Mon. of each month at the Spaulding Memorial School. W1-TTD, Minuteman ARC pres., says the club meets each month at the plant. Trans-Sonics, Inc. and conducts code and theory classes. FM75MN held 31 sessions, 291 traffic, 465 stations. The 6-Meter Cross Band Net held 20 sessions, 187 traffic, 481 stations. W1AWA and K1TSD made the HPL. Traffic: (Oct.) W1PEX 693, W1AWA 557, K1TSD 513, W1ZSS 148, W1QFK 139, W1EAG 120, W1LES 100, K1ONW 85, K1DGI 50, W1BKI 38, W1DIY 27, K1PNB 25, W1VVS 25, K1GKA 22, K1OCD 11, K1-LCQ 10, K1CCL 9, K1OJQ 9, K1NVXB 8, K1GTG 4, K1CMS 2, (Sept.) W1EAG 94, K1ONW 17, K1PNB 10, (Aug.) K1PNB 18, (July) K1PNB 4, (June) K1CMS 3.

WESTERN MASSACHUSETTS—SCM, Percy O. Noble, W1BVR—SEC; W1RYH/K1APR, RM; K1IJV, PAM; K1RYT, K1PES, K1RYT, K1TLY and K1TTT are reporting into the East, Mass. Phone Net until such time as activity warrants a West, Mass. net. The following stations reported in the West, Mass. C.W. Net (3560 kc, 7 p.m. daily). W1DWV, K1IJV, W1BVR, K1-LBB, K1SSH, W1ZPB, W1AAG, W1BKG, K1PES, W1-YK, W1TOB, W1MND, W1LLN, K1LRS, W1QFJ and W1KQK (listed in order of percentage attendance). K1LRB is now a student at Western New England College in Springfield. K1LNC, EC for Gardner, reports 8 mobiles in operation during the SET. K1SSH has a new Heath Sixer and a TRS-50. From *Random Scatter* we learn that the West, Mass. Phone Net is on 3840 kc, nightly at 7:30. Please get in and give it a push! W1EFN worked two Australians, VK3IG and VK3-AKR, on 160 meters. Yes, this year, by cracky! W1DDW has a new Valiant II and an HQ-140. Ex-K1IZV is now K6JSB. If the *Nipmuc Smokesignal* adds many more pages it will almost be in competition with *QST*! It is a very interesting bulletin published by the Nipmuc Emergency Radio Corps, P.O. Box 342, Upton, Mass. With deep regret we report the passing of K1SPD and old-timer W1AVK. Lou had been in extremely poor health for over two years. Our sincere sympathy to the families of both. Traffic: K1IJV 189, W1BVR 84, K1LBB 59, K1LNC 53, K1SSH 48, K1PES 39, W1ZPB 36, W1DWV 27, K1TTT 5, K1TLY 2.

NEW HAMPSHIRE—SCM, Albert E. Haworth, W1-YHI—PAM; K1NXV, RM; K1BCS, GSPN meets Mon. through Fri. at 2400Z and Sun. at 1430Z on 3842 kc. CNEN meets Mon. through Sat. at 1130Z on 3842 kc. NEN (c.w.) meets Mon. through Sat. at 2330Z on 3685 kc. Endorsements: A number of appointees have received notices of expiration. Forward your certificates for endorsement and send monthly reports. With this first report I thank all those who made my election possible. I look forward to a fine association and desire all clubs and members to communicate regularly. New items and participation in League activities are urged. It would be appreciated if all radio clubs in New Hampshire would forward information as to officers, etc. The Nashua Mike and Key Club will hold its 21th annual banquet and installation of officers Jan. 19, 1963. (Continued on page 126)

C·P COMMUNICATION ANTENNA SYSTEMS

—mean CERTIFIED PERFORMANCE!



Electrical Specifications:

Nominal input impedance	50 ohms
Forward gain	10 db
Front-to-back ratio	20 db
Maximum power input	250 watts
Internal feedline	RG-8A/U
Flexible terminal extension	.18" of RG-8A/U
Termination	Type N male with Neoprene housing
VSWR	1.5:1
Bandwidth	±3%
Lightning protection	Direct ground

Mechanical Specifications:

Reflector (size per side)	2' x 2'
Reflector material	High strength aluminum alloy
Radiating element material	High strength aluminum alloy
Radiating element diameter	.34"
Rated wind velocity	100 MPH
Lateral thrust at rated wind	16 lbs.
Torsional moment on mounting pipe	16 ft. lbs.
Weight	8 lbs.

Stainless steel hardware supplied to mount antenna on 2" IPS pipe.


Base Station Corner Reflector Advanced Design Antenna

(10X-Unidirectional Gain)

**Cat. No. 161-509,
Frequency Range
450-470 MC**

Cat. No. 161-509 Corner Reflector Antenna is designed for use in the 450-470 Mc band. All reflector screen components are manufactured of high strength aluminum alloys, all mounting components are fabricated of hot-galvanized steel and all radiating components are fabricated of aluminum. The above combine maximum strength, optimum electrical performance and minimum weight for the first time in an antenna of this type.

This lightweight aluminum antenna is ideal for use in multiple corner arrays.



Horizontal field strength pattern of Corner Reflector 10X-Gain Antenna Cat. No. 161-509. A dipole pattern is shown for reference.




COMMUNICATION ANTENNA SYSTEMS FOR AMERICAN BUSINESS

Communication Products Company
DIVISION OF

PHELPS DODGE ELECTRONIC PRODUCTS CORPORATION

MARLBORO, NEW JERSEY — Telephone HOpkins 2-1880 (Area Code 201)
LOS ANGELES 65, CALIF. — Telephone CHApman 5-1143 (Area Code 213)



NEW

A NEW OMNI-DIRECTIONAL 50 mc. and 144 mc. GAIN ANTENNA SYSTEM ON A TEN FOOT MAST

AMATEUR • CIVIL DEFENSE EMERGENCIES

6 METERS—50 mc.

Stacked Turnstiles up to
2 db Gain.*
Horizontally Polarized in a
360° Pattern.

2 METERS—144 mc.

Stacked "Big Wheel" up to
3.5 db Gain.*
Horizontally Polarized in a
360° Pattern.

* Reference Dipole

Single Units Available Turnstiles

6 Meter—49 mc. to 50 mc.
Model ATS-50; \$15.95 net
10 Meter—27 mc. to 31 mc.
Model ATS-28; \$18.95 net
Stacking Kits for Above:

6 METER
ATS-50SK; \$3.00 net

10 METER
ATS-28SK; \$3.00 net

2 Meter BIG WHEELS
Single
ABW-144; \$12.95 net

Two Stacked

ABW-2-144; \$29.65 net

Four Stacked

ABW-4-144; \$62.75 net




Illustration above shows the Cush Craft 6 & 2 Meter Base Station Package. This installation is ideal for Amateur, Civil Defense or any Emergency Frequency Net Control Stations.

HALOS . . . for MOBILE UNITS

Companion Antennas for Base Station Installations

2 METER—144 to 148 mc.
*Single Halo with Mast

Model AM-2-M; \$8.70 net


*Stacked Halo with Mast

Model AM-22; \$14.95 net

6 METER—48 to 56 mc.

*Single Halo with Mast

Model AM-6-M; \$12.50 net



TWO AND SIX METER DUAL HALO WITH MAST.

Model #AM-26; \$17.45 net

SEE YOUR DISTRIBUTOR FOR MONEY SAVING
"COMPLETE SYSTEM PACKAGE". INCLUDES
DUAL STACKED TURNSTILES & BIG WHEELS
PLUS DUAL HALO. ALL ANTENNAS ARE CUT
TO YOUR FREQUENCY.

OFFER ENDS FEB. 28, 1963

Cush 621 Hayward Street
Craft
Manchester, N. H.

All are welcome to attend. New Hampshire's first Amateur Radio Week was proclaimed by Governor Powell for Nov. 3 through 10. Many clubs held open houses to celebrate same and the WRONE's annual meeting was held at Concord as the opening celebration. Congratulations to K1PCZ, K1JFQ, K1SLS, K1OGU and K1NZK for a fine program and for including the OMs for the first time. Traffic: W1TA 91, K1DQM 16, W1HQ 8.

RHODE ISLAND—SCM, John E. Johnson, K1AAV—SEC: W1YNE, RM: W1SMU, PAM: W1TXL, H1SPN report: 32 sessions, 698 QNT, 136 traffic. Appointments: W1YNE as ORS, OPS and GO. Members of the AREC, R.I. Mobiles and the V.H.F. Society supplied communications for the R.I. State Police in search of a downed plane. The aircraft was found the next morning and survivors were taken to the hospital. This was the first emergency in which the newly created AREC group participated and the SEC was pleased with the results. W1MMX and W1TXL have been made Asst. ECs for the Newport Area. The NCRC of Newport held a Memorial Auction for the late W1ETM and the proceeds were given to his mother. The W1DDD Club of Woonsocket held its annual banquet, which was a huge success. W1YNE has received a MARS appointment and is now in operation on 4020 and 4025 kc. K1TPK has completed a new home-brew rig with 125 watts input. K1KDI has increased his power on 6 meters to 50 watts and hopes to be running 100 watts soon. K1NEF has received his Code Proficiency certificate for 25 w.p.m. Traffic: W1TXL 711, K1LYQ 158, K1NEF 128, W1YNE 109, K1TPK 43, K1PZY 38, K1DZX 34.

VERMONT—SCM, Miss Harriet Proctor, W1EIB—SEC: K1DQB, PAM: W1HRG, RM: W1KRV, K1SUO, of Chittenden is a captain on the USC and GSS Pathfinder. Lamoille County stations joined in an SET exercise based on comparative local coverage. W1KJG is building 2-meter arrays. K1YID assisted in setting up a meeting for amateurs in Southern Vermont. The CVARC used 2 meters to assist in reporting Barre election returns with a unit in each of six wards. W1WOD has been enjoying his rig during his convalescence. K1DQB has been preparing a location for a new QTH close to his present one. W1EOY is mobile on 10 meters. K1VNE operates a DX-60. K1KYX is a DX operator. W1ZYZ has received endorsement as ORS and W1EXZ as OES. New officers of the Middlebury Mike & Key Club are W1EIB, pres.; K1RCU, vice-pres.; K1BDA, secy.; K1BXV, treas.; K1DQB, act. mgr.; W1TFB, trustee. Traffic: K1YID 16, W1KJG 12, W1EIB 8.

NORTHWESTERN DIVISION

IDAHO—SCM, Mrs. Helen M. Maillet, W7GGV—The FARM Net meets at 0200Z on 3935 kc. M-F. The GEM State Net meets at 0300Z on 3580 kc. daily. Third Emergency Net (Magic Valley Area) meets at 1600Z on 3910 kc. Sun. FARM Net's new manager is W7FBL, NCS is W7MJZ. Gem State Net's new manager is W7EMT. *Hambone* News publication has terminated for lack of support. We thank Editor K7ILLR for his efforts. In spite of notifying ECs individually of the SET, only a few reports were received. The Eagle Rock Club assisted the Bonneville Sheriff with "Goblin Patrol" with K7s N1UP, KBY, QIE, CHRIS, and W7s DMP, DHD, and W7GRU arranging operation. The new president of the Driggs High School Club is K7UBU. W1KXJ has an RTTY receiver and is building a transmitter. FARM Net traffic: 86. Gem State Net traffic: 60. K7GTR/6 has USA-CA No. 126. Traffic: W7FBL 77, K7KBY 65, K7KXJ 53, W7LQU 22, W7GGV 19, K7ILLR 15, K7OAB 13.

MONTANA—SCM, Walter R. Marten, W7KUH—SEC: W7UPR, PAM: W7YHS, RM: K7AEZ. Montana nets meet as follows: M-F, M-W-F, 2910 kc. 1800M; MSN, T-T-S, 3550 kc. 1850M; TSN, Mon. through Fri., 7230 kc. 1200M; Flathead Valley 6 Meter Net, T-F, 50.135 kc.; Harlowton Emergency Net, 1st and 3rd Sun., 3885 kc.; Missoula Area Emergency Net, each Sun. 3390 kc. 0900M. Missoula and Kalispell Areas AREC held simulated emergency tests on 6- and 75 meters. W7EWR has a new antenna pole in the back yard and is working on one for the front yard. K7MFG installed 250 feet of coax to the antenna on top of the hill. W7PRH/M working at Yellowstone dam, is heard on mobile. KNTZB/7 moved to Great Falls from Billings and is attending blind school. K7KLE moved back to Storr, Wyo., from Miles City. W7FGZ and K7PKV have new s.s. mobile rigs in Great Falls. K7JWC, K7PKW and K7MEG are on big game hunting trips. W7ODK made his first QSO on 6 meters. W7AYH is operating on 160 meters with a 50-watt rig. W7AHR has moved back to Rainbow Dam. W7HTB and K7JXL are on 20 meters with kw. rigs. K7DGO is active on 2 meters. K7PKV has a triband beam on a 60-ft. tower. K7OPEM passed through Great Falls. W7KUH left for a two-week trip to Washington, D. C., and a visit to ARRL at West
(Continued on page 128)



George Lucas, W1ZYS, "Pops" Karentz, W1YLB, and Ray Churchill, W1VBI, enjoy an infrequent eyeball QSO at "Pops" Millis, Mass., QTH.

FIELD ENGINEERING WITH A FUTURE

Assignment: Advanced Radar, Worldwide

It is unusual for the three people pictured above to get together in the same ham shack — more often all three are on far-ranging domestic or foreign assignments supervising Advanced Capability Radar installations for our armed forces.

George Lucas, W1ZYS, is currently Raytheon's resident field engineer at Boeing, Wichita, Kansas. He has advised and instructed on new ACR alignment techniques at many major Air Force bases in the U. S.

Ray Churchill, W1VBI, specializes in high speed bombing radar aboard B-52's. He may be at Loring AFB, Maine one day, Edwards AFB, California the next.

Pops is the Field Project Supervisor of Air Force Programs for Raytheon's Electronic Services Operation. Pops served in a wide range of field engineering assignments prior to his promotion to Project Supervisor and is currently responsible for field programs requiring the services of a large group of field engineers. George Lucas and Ray

Churchill are members of Pops' highly capable and fast moving field team.

It is possible you too can qualify for a Raytheon field engineering future.


Requirements include an E.E. or its equivalent in practical experience in guided missiles, fire control, radar, sonar or communications equipment.

Among Raytheon benefits: attractive starting salary with regular merit reviews; life and hospitalization insurance; retirement plan; educational and relocation assistance.

Sound interesting? For complete details, write Mr. R. E. Guittarr, Electronic Services Operation, Raytheon Company, Equipment Division, Northwest Industrial Park, Burlington, Mass. An equal opportunity employer.



Only Cleveland Institute offers...
**A First Class
 FCC License**
 ...or Your Money Back!



Your key to future success in electronics is a First-Class FCC License. It will permit you to operate and maintain transmitting equipment used in aviation, broadcasting, marine, microwave, mobile communications, or Citizens-Band. Cleveland Institute home study is the ideal way to get your FCC License. Here's why:

Our training programs will quickly prepare you for a First-Class Commercial Radio Telephone License with a Radar Endorsement. Should you fail to pass the FCC examination after completing your course, you will get a full refund of all tuition payments. You get an FCC License . . . or your money back!

You owe it to yourself, your family, your future to get the complete details on our "proven effective" Cleveland Institute home study. Just send the coupon below TODAY. There's no obligation.

MAIL COUPON TODAY FOR FREE CATALOG

Cleveland Institute of Electronics

1776 E. 17th St., Dept. QT-13
 Cleveland 14, Ohio

Please send FREE Career Information prepared to help me get ahead in Electronics, without further obligation.

CHECK AREA OF MOST INTEREST -

- | | |
|---|--|
| <input type="checkbox"/> Electronics Technology | <input type="checkbox"/> First-Class FCC License |
| <input type="checkbox"/> Industrial Electronics | <input type="checkbox"/> Electronic Communications |
| <input type="checkbox"/> Broadcast Engineering | <input type="checkbox"/> _____ other _____ |

Your present occupation _____


Name _____ Age _____
 (please print)

Address _____

City _____ Zone _____ State _____

Accredited Member National Home Study Council

**How to Succeed
 in Electronics**



Hartford. Traffic: K7GHK 53, K7DCI 23, K7MEG 14, K7DCI 9, W7CCH 4, K7INJ 2.

OREGON—SCM, Everett H. France, W7AJNJ—SEC: W7WKP. RM: W7MTW. Certificate endorsements: W7ZB and K7CNZ as ORS, K7CJB as OBS, W7ADX and W7TMF as EC, K7DYK as OES, W7UQI as OES and OPS. Net reports: OSN, 3585 kc, 0230 GMT Tue.-Sat., sessions 21, total attendance 190, traffic 73. BRAT awards to W7AJN, W7BNS, W7ZFH, K7DDY and K7IWD. OAREC, 3585 kc, 0330 GMT Wed.-Thurs., sessions 8, total attendance 32, traffic 7. AREC V.H.F.: 50.550 Mc, 0400 GMT Fri., sessions 4, total attendance 82. W7RVN, Multnomah County EC, sent in an excellent report of activities of the AREC and other hams participating in the emergency during the big wind storm. K7DYK says all his antennas came through the storm intact and he is adding a tri-band beam. K7IWD claims BPL could have been made but he had power failure during the storm. K7ADI reports that she operated her station from Sat. morning to Tue. as the only operator and handled 49 messages during the storm emergency. Traffic: K7IWD 210, W7ZFH 115, K7KBK 104, W7DEM 93, W7RVN 63, K7CNZ 53, W7AJN 14, W7BVH 13, W7MAO 13, W7BNS 11.


WASHINGTON—SCM, Robert B. Thurston, W7PGY—Washington section nets are as follows: CBN, 3960 kc, at 0230Z; WARTS at 1800 PST on 3970 kc.; WSN at 1900 PST on 3535 kc.; ESN at 1700 PST on 3920 kc.; NSN at 2100 PST on 3700 kc. K7GCK is attending Foothill College near San Jose, Calif. and works some on 6 meters. At the Spokane Radio Amateurs Annual Banquet held Oct. 27 at the Longhorn the following were elected: K7BVM, pres.; K7EUA, vice-pres.; K7MFS, secy.; K7PJJ, treas.; W7NCJ, W7CEV, W7UOJ, K7AGI and K7QVB board of trustees. The new EC for the Spokane County AREC is W7CEV. A new amateur radio club has been formed in Pacific County called the Willapa Amateur Radio Society (WARS). The new EC for the county is W7BJW. K7ASX is experimenting in the 3500-Mc. band. W7PGY turned in a top NCS performance on RN7 during October. W7AIB is a new NCS on RN7. A report from NSN shows 27 sessions, 282 QNIs and 36 QTCs with 52 members in the net. Lots of antennas went down in the big windstorm on the west side of the Cascades, with winds in excess of 100 miles in parts of the state. W7BA has completed eleven (11) years of traffic-handling without a break in the BPL column. W7GVV now is using a Ranger 2 and RME-6900. New amateurs in the Walla Walla Area are KN7UNU, K6PTN, W76UMG, W7NSU is working on teletype gear. The Northwest YL Net meets on 3830 kc. at 0900 PST Fri. All YLs and XYLs are invited to attend. K7PBA is building a new automatic bug. W7GEO is reported moving to the Seattle Area. W7RWG joined the ranks of Silent Keys. K7AZG and K7EVE are attending college at W.S.C. W7EBU has a new SX-101A. Amateurs in the Clark County AREC under the direction of W7SAP operated thirty hours on emergency power and handled the communications for the area on five channels and three bands. The new EC of Grays Harbor, K7KJB, expresses his thanks for the cooperation received from Grays Harbor amateurs during the emergency. The Mt. Baker Radio Club of Whatcom County received high praise for outstanding and noteworthy acts following the typhoon. K7PVE and K7PVG have a new Swan rig. W7PYO is on RTTY and K7HSA and K7DED are planning RTTY soon. K7KSF mobiled to Idaho. W7WJR, K7PVO and K7PWM are doing a good job with Richland code classes. So many outstanding deeds were accomplished by amateurs during the recent storm that space does not permit listing. The SCM and SEC congratulate all who participated. We say "well done." Traffic: W7BA 909, K7JHA 633, W7DZX 612, W7GIP 265, W7APS 199, W7OEB 166, W7PGY 152, W7AMC 94, W7AIB 43, W7GYF 23, K7HEF 23, W7BTB 11, W7EMX 10, W7KZ 8, K7JRE 5, W7JEY 1, K7PIY 1.

PACIFIC DIVISION

NEVADA—SCM, Leonard M. Norman, W7PBV—SEC: W7JU. Many thanks for the congratulation on my being elected as your new SCM. Your support and good wishes are appreciated. There are several ARRL appointments available. Are you willing to take one? K7RKH is the new EC for Las Vegas. K7ICW is active on 6 and 2 meters. W7PRM, with the cooperation of the Boulder City and Las Vegas 2-meter gang, is testing with back to back vugi antennas on radar hill for positive 2-meter communications. K7TDQ and K7RKH each have a new 50-ft. antenna tower. K7JPC worked an Aeromobile over Utah while he was mobile in Las Vegas with a Twoer. The Las Vegas ARC members operated the Special Events station, W7AL, for the American Legion Convention. K7KNB made BPL for the third time. W7HJ was ill and couldn't make the SET. The first he has missed conducting in five years. W7PBV is operating s.s.b. on 75. K7RWN has a new HT-41. K7MER is /6 at

(Continued on page 130)

Here's Clegg's top performance line for VHF in '63...SSB...AM...and CW!



\$695.00

ZEUS VHF TRANSMITTER FOR 6 AND 2 METERS

A highly efficient, AM, high power VHF transmitter for full coverage of the amateur 6 and 2 meter bands and associated Mars frequencies. Maximum TVI suppression.


Automatic modulation control with up to 18 db of speech clipping provides magnificent audio with "talk power" greater than many kilowatt rigs.

This beautiful unit with its ultra-stable VFO is the ultimate in VHF equipment for amateur and Mars operation.

INTERCEPTOR VHF RECEIVER FOR 6 AND 2


Designed for the serious operator on these bands, the INTERCEPTOR, with cabinet and panel exactly matching the famous ZEUS transmitter, offers performance features unmatched by presently available equipment for these frequencies.

For example, here is a receiver with virtually no cross modulation. Nu-vistor RF stages give an extremely low noise figure and sensitivity better than .25 microvolts. Stability is ideal for exacting requirements of SSB and CW.



\$473.00


99'er TRANSCEIVER FOR 6 METERS



\$159.95

This famous little transmitter-receiver is ideal for both fixed station and mobile operation. Small in size, low in cost, and tops in performance, the 99'er offers operating features unequalled in far more costly equipments. The double conversion superhet receiver provides extreme selectivity, sensitivity and freedom from images and cross modulation. The transmitter section employs an ultra-stable crystal oscillator which may also be controlled by external VFO. An efficient, fully modulated 8 watt final works into a flexible Pi network tank circuit. A large S meter also serves for transmitter tune-up procedure.

VENUS 6 METER TRANSCEIVER




Approx. \$475.00 for AC operation

Here's what you can expect: A superbly engineered crystal lattice filter, SSB transmitter of greater than 85 watts PEP input; amazing frequency stability, VFO controlled by the receiver's tuneable oscillator; full power input on CW and a substantial signal on AM phone. There is also output provision to drive a KW linear final.

In the receiver section a double conversion, low noise super-het of extreme sensitivity and selectivity, with crystal lattice filter and product detector provides flawless reception of sideband, AM phone or CW. A 115V AC power supply of adequate capacity is a separately mounted unit which can be installed at any convenient distance from the transmitter.

THOR VI TRANSCEIVER FOR 6 METERS



\$349.95 for AC operation

Talk about performance . . . listen to this . . . 60 solid watts on both AM and CW; high level modulation with full speech clipping to give you famous CLEGG "Talk Power"; true transceiver operation with tuneable oscillator in the receiver serving as the VFO in the transmitter; provision for keying the transmitter.


A low noise double conversion super-heterodyne receiver complete with BFO and ANL provides maximum selectivity and sensitivity with stability equal to the exacting requirements of SSB and CW; separate power supply/modulator for 115V AC operation. A fully transistorized power supply/modulator for 12V DC available.

Write for complete information

Clegg LABORATORIES 502 RT. 53, MT. TABOR, N. J.
DIVISION OF TRANSISTOR DEVICES, INC., OF CEDAR GROVE, N. J. OAKWOOD 7-6800

Here is Crank-Up Tower convenience
at the flick of a finger!

NEW E-Z WAY "MOTO-WINCH"



- Positive action pull-down and crank-up.
- Continuous spiral tracking groove winch drum.
- Fully weather protected motor.
- Push button control.
- Double worm gear drive.
- Designed to fit tower.
- Protective guard over winch drum.

Easily adapted to models:
RBS-40-50-60, RBX-40-50-60
and 6046.

Am. Net. **\$279⁵⁰**

WHEN SUPPLIED WITH TOWER.

When ordered as kit: \$309.50 Am. Net.
Other "Moto-Winches" for larger
towers. Write for complete details.

E-Z WAY TOWERS, Inc.

P.O. BOX 5767

TAMPA 5, FLORIDA

Cal-Poly. W7LJ and K7TKS have new 2-meter mobile antennas. Traffic: K7KBN 1070, K7RLX 60, W7MRN 41, W7PBV 12, K7RKH 5.


SANTA CLARA VALLEY—SCM, Jean A. Gmelin, W6ZRLJ—Asst. SCM; Edward T. Turner, W6NVO. SEC: WA6EIC. RM: K7KCB. PAM: WA6EIC. From the entire section, may I express our thanks for a job well done to K6DYX for four years of outstanding service as our SCM. Major activity in the section for October was the SET, then one week later an actual emergency—flooding from a major storm. WA6EIC reports RACES groups active were San Jose, Santa Clara, Palo Alto, Santa Clara County and Sunnyvale. New ECs are K6-BDK, K6ODP and K6TCC. BPL was made by W6RSY, W6CER, WA6EIC, K6GZ and W6YPM. New officers of the SCARS are K6JJU, pres.; K6OEU, vice-pres.; WA6-DXW, secy.; WA6GIM, treas. Over 350 attended the Greater Bay Area Hamfest in San Mateo to hear talks by W6LDD, K6TWF, W6AQR and W6LIC. A new OES is WA6VBY. K6DYX is now on RTTY. W6ASH made Class I OO in the Sept. FMT, and those keeping Class I are W6CBX, W6ISQ, K6MZN, W6UJA, with WA6CAM in his first test. K6YKG has an inverted "V" and no TVI. W6AUC reported the Sketo Net now 1.s.b. only. WA6TNY reports SCVSN traffic total as 57 in 17 sessions. K6MTX reports that he and W6NRM helped set up the RTTY station at the Greater Bay Area Hamfest. W6MAG holds a weekly sked with New Hampshire. K6-TWF is now on TV on 432 Mc. and demonstrated at several club meetings. Menlo Park RACES was on stand-by during the Cuban crisis, according to a report by W6DEF, and WA6LRD reports that San Jose CD still is on stand-by three times per day. Traffic: W6RSY 782, W6YPM 298, W6CER 250, WA6EIC 238, K6GZ 228, W6UW 110, W6VBY 80, W6DEF 71, WA6AIT 62, K6DYX 58, W6YHM 51, W6ASH 46, K6YK 42, W6OH 38, K6-BRF 35, W6AUC 33, K6GID 21, W6RPF 17, W6ZRLJ 14, K6VQK 13, WA6UAM 3, K6MTX 2.

EAST BAY—SCM, B. W. Southwell, W6OJW—WA6-MIE made BPL. Congrats, WA6MXI is QRL rebuilding. WA6MAR is the dad of WA6MJP. WA6MJP a new OBS, is hot on the trail of his DXCC. The gang in San Pablo and Walnut Creek took part in the KO-Polio Drive. FB. WA6VAT hooked Idaho for his WAS. W7QOH 6 has been taking advantage of 28-Mc. openings. Pacific Division RTTY Bulletins are on 3610 kc. via W6RNM. W6ZF finished his shack console and is installing the rig. K6GK's two-year hitch to Malaya for the Peace Corps was cancelled. W6NBX still is plugging on NCN. WA6VAT has an FL-8 filter and says it's FB. The president of the Optimist Club sent thanks to the East Bay gang who handled traffic for the club recently. Walnut Creek AREC and RACES were activated during the flood of Oct. 13 and did an FB job. The SACEN 6-meter gang also helped out in the flood and liaisoned with ORC station W6OT. The ORC reports two more WACC applications are being processed. LARK members helped with the UNICEF Carnival. A6GSR is on RTTY. AD5GHC, AA6URG and A6GSR are check-ins on the AD6GHC/A Net. Tom Lott, of Oscar Assn., was guest speaker at the HARC Club October meeting. K6YBS is building a power supply for his Mowor Twiss. K6CFV has a brand new Swan rig. W6ZXU lost his skyrigger during the storm. W6ICR also lost most of his skyrigger during the storm. WA6QEJ is on s.s.b. W6NLZ is on 144-Mc. s.s.b. W6-ZXK is attending a special missile school in El Paso. Traffic: WA6MIE 129, K6GK 105, W7QOH/6 20, W6NBX 14, W6ZF 3.

SAN FRANCISCO—SCM, Wilbur Rachman, W6-BIP—Congratulations to K6IPM, Ahn, and WA6LYA, Jan, on their October wedding. Uncle Sam activated Alan into the Air Force the week following the big day. New officers of the San Francisco Radio Club took over at a recent meeting. W6JXK has many plans for speaking the regular members of the club to act as guest speakers at future meetings and tell of their personal experiences at "hamming" and of their other hobbies. He thinks the personal touch with regulars speaking might draw a bigger crowd. The HAMS took an active part in the Simulated Emergency Test Oct. 6-7th. The boys monitored emergency channels, 7250 kc. in the early hours of the 6th, 3875 kc. in the late afternoon and onward, and checked into the 75-meter net also. WA6WSN, Asst. EC, was active on 8 and 2 meters. The Tamalpais Amateur Radio Club's guest speaker was Bruce "Doc" Merrill, who spoke on his adventures while aboard the SS *Montezuma*. The Far West Radio Club and Humboldt Radio Club held a joint meeting. W6HC, Harry Engwicht, W6-BIP Rachman and W6KZF Bill Ray report a fine plane trip. They were met at the airport, given a royal welcome at the meeting and report a fine tour by the club members, met some swell fellows in both clubs and hope to make a return visit in the not-to-distant future. W6-KZF, our SEC, says: "Holiday greetings from your SEC. Few reports from the October storms have come in. How about you ECs keeping your SEC informed so he'll know what frequencies to monitor in future disasters?" The BAYLARC had a very enjoyable party on

(Continued on page 132)

Not a cliff-hanger in a carload...



Detergent ads always remind us of our own efforts to produce tubes that are "whiter than white and clean clear through." We exercise this care because the things uncontrolled impurities can do to an otherwise fine tube are just plain murder.

Take cathodes, for instance. The structure is nickel with a few additives. In fabricating the nickel, impurities are introduced from such oddball places as the heating crucible, the forging hammer and the hot-rolling equipment. The contaminants cause cathode-to-heater and grid-to-cathode leakage, excessive grid emission and a lack of uniformity in established characteristics. All of which is no fun in a final, a high-frequency oscillator or a TR tube.

What we've needed is ten-cent nickel, not five-cent nickel---but how to come by it? Sylvania took on the problem some time ago, and recently came up with a solution that has all the technical beauty of a crystal lattice filter.

The answer is powder metallurgy. This is the comparatively new art of taking pure metal powder---in this case nickel---and cold-rolling it at such extreme pressures that the particles virtually fuse together. Through this process, we obtain a dense nickel strip with a mechanical strength some 25% greater than ordinary nickel strip---and free of unwanted impurities!

What does all this do for you? It offers you tubes that have virtually no end-point failures due to insulation breakdown... tubes that continue to operate over longer periods with no development of leakage paths, and no change in accepted values of grid emission. All nice things to have working for you in the middle of a contest.

We call this the "LIFE-BOOST* Cathode," and we're putting it into more and more Sylvania types as fast as we can. Notable examples are the Sylvania 6146A and 6BZ6. If you'd like a list of the power and receiving types available now, just drop a line to the Electronic Tubes Division, Sylvania Electric Products Inc., 1100 Main Street, Buffalo 9, New York.

*Trademark


73

Bob Lynch
K2RMN

SYLVANIA
SUBSIDIARY OF
GENERAL TELEPHONE & ELECTRONICS



the VHF TWINS



MODEL 6-150 SIX METER TRANSMITTING CONVERTER

Converts the 20 meter output of your SSB, AM or CW exciter to 6 meters. Power input to 8117 final; 175 watts PEP on SSB, 165 watts CW, 90 watts linear AM. Resistive pi-pad permits operation with any 10 to 100 watt output VFO or crystal controlled exciter. Meter reads; PA grid, PA plate, Relative output. 50-70 ohm input and output. Quiet forced air cooling. Modernistic, recessed panel cabinet 9" x 15" x 10½".

COMPLETE WITH BUILT-IN POWER

SUPPLY, TUBES AND CRYSTAL\$299.95*



MODEL 2-150 TWO METER TRANSMITTING CONVERTER

The MODEL 2-150 converts the 20 meter output of your SSB, AM or CW exciter to 2 meters. Resistive pi-pad permits operation with any 10 to 100 watt output exciter, either VFO or crystal controlled. Power input to 7854 final; 175 watts PEP on SSB, 165 watts CW, 90 watts linear AM. Meter reads PA grid, PA plate, Relative output. 50-70 ohm input and output. Quiet forced air cooling. Modernistic, recessed panel grey cabinet, 9" x 15" x 10½".

COMPLETE WITH BUILT-IN POWER

SUPPLY, TUBES AND CRYSTAL\$329.95*

*Slightly higher West of Rockies

WRITE FOR INFORMATION

P & H

ELECTRONICS INC.

424 Columbia, Lafayette, Ind.

Oct. 27. K6RCR drove down from Santa Rosa. W6CTH was lucky winner of the "C.W. Spotting Contest." Thanks to W6FUD and W6GGA for their ARRL FAIT reports. OES WA6NDZ now has a Heathkit Seneca on the air on 6 meters. He is having problems neutralizing the Seneca on 2 meters but still is working on it. W6-URA transmits code practice on 51.15 and 146.64 Mc. at 2101 local time every Wed. and Sat. He starts at 4 w.p.m. and increases to 17 w.p.m. and would appreciate QSL cards in acknowledgment of transmissions. W6UHIN is starting an MICV net on 6 meters at 51.150 Mc. on Sun. at 7:30 P.M. W6GGC and W6JWF attended the AF MARS Dinner at Fresno. Traffic: K6FCT 455, WA6MIDL 41, W6BIP 2, WA6NDZ 1.

SACRAMENTO VALLEY—SCM, George R. Hudson, W6BTY—Asst. SCM/SEC: Antone F. Buzlas, K6IKV. Current appointments are as follows: ECs—WA6OXK, W6LSW, WA6JTO, OBSs—W6WLI, W6AF, K6HHD, K6EIL, WA6CJU, OESs—W6GGW, W6PIV, OPSs—W6MIW, K6EIL, WA6OXK, WA6PVT, W6WGO, OOs—W6WLI, WA6QWW, K6ER, K6HEZ, W6ZJW, K6EIL, WA6NAU, W6TFH, W6GDO, OASs: W6CEI, K6YZU. *Radio Amateur Mobile Society*: Looks like WA6JTO is one of the busiest hams in town, what with being prexy of RAMS, editor of RAMS News, and new EC for Sacramento County. *Golden Empire ARC*: This live-wire club up Chico way held a steak-bake recently with over 40 members attending and had WA6OHP and W6FML as guests. W6TSR has returned from a fine mobile trip to Canada and W6CKV and his XYL, W6YK U, have come back from mobiling to Grand Canyon Park. *McClellan MARS*: Operation "high heels" was activated recently with 36 members turning out to man the MARS station 'round the clock! Recent programs at MARS featured AF6EI and AF6AAQ as speakers. *Northhills ARC*: Ex-prexy WA6LWP has returned from a training session at Beale AFB and K6EJX has moved to Sacramento. We hear that K6TWE is trying to break into the auto mechanics trade! WA6TZP was a recent speaker at Northhills. *Sacramento ARC*: Prexy W6WGO has just returned from a trip to KH6-Land. W6GBWB is a new Justice member of the club. The editor of *Mike and Key*, W6MIW, has just been appointed an OPS. The Annual Club Christmas Party at Burich's Grill in Sacramento was a bang-up affair with 45 in attendance. *Sierra Foothills ARC*: K6BIJ highlighted a recent program according to a note from club secretary, K6ZWZ. Traffic: W6UUN 28, W6WGO 25, K6HEZ 22.


SAN JOAQUIN VALLEY—SCM, Ralph Saroyan, W6JPU—The annual Marfest was held in Fresno at the Town and Country Lodge Oct. 27. Among those present were K6PPI, W6BJJ, W6FKL, W6ARC, K6OGX, W6QOS, W6TZJ, W6DUD, K6PBN and WA6DRH. WA6YPP has a DX-100 transmitter. WA6DRH has an HRO-50 receiver. WA6URV is handling traffic for the boys overseas. WA6ZVY modified his Heathker. K6OER is handling phone traffic. The Tulare County Radio Club held an auction and picnic at Mooney Grove Park Oct. 8. K6OLN is attending the University of Redlands. WA6BTK is in the Army. K6CPQ lost his 120-ft. tower in the October windstorm. WA6CWL is building a linear amplifier for his DX-100. W6CJUA has a Swan 175. K6RPL went on a vacation to Oregon and Washington. WA6FFJ is on 75-meter phone with some hum in his speech. The San Joaquin Valley Net for the month of October had 921 check-ins, traffic 59, contacts 72, QST 5, bulletins 12. The Turlock and Modesto Amateur Radio Club gave a demonstration of radio communications for e.d. officials Oct. 18. Those participating were W6ERE, W6YIN, K6SNA, K6DYM, K6RPL, K6IXA, K6ODA, WA6OWE, and WA6GJA. They hope to set up a weekly 2-meter net for e.d. purposes. The Modesto Amateur Radio Club held its first meeting Oct. 10. WA6GJA presided as president. Traffic: (Oct.) W6ADB 104, W6EFB 30, W6ARE 14, K6AXV 2. (Sept.) W6ARE 28.

ROANOKE DIVISION

NORTH CAROLINA—SCM, N. J. Boruch, W4CH—SEC: W4MFK, RM: K4CPX, V.H.F. PAM: W4ACY. Your SCM is very pleased to announce the appointment of W4MFK as SEC, and invites all to lend Jim your full support in his new and vital role. W4FUI also accepted EC appointment for the Asheville Area. SET reports were received from W4AJT, W4COJ, W44FMJ and W4MFK. The husband-wife team of W4EJP-W4EJQ are proud possessors of A-1 Operator certificates. Congrats, Gerry and Deane. From W4BUZ comes the story of two runaway girls and how, through ham radio, contacts of W4BUZ and W5CAC aided in their apprehension. K4MHS reports poor conditions on 144 Mc. but holds local contacts with K4YYJ on 432 Mc. WA4JCS is having difficulty receiving 50-Mc. signals up Oxford way. W4HJZ is attending night school, and W4OAB has a new HB DSC rig on 6 meters using a pair of 2E26s with good results. Thirteen listings were made by OO W4FUI, while WA4FMJ snagged 42! A Carolina Radio Monitor (Continued on page 134)

AMECO**LEADER in COMPACT, QUALITY HAM GEAR****COMPACT 6 THRU 80 XMTR.**

Will handle 90 watts phone and CW on 6 thru 80 meters. Final 6146 operates straight-through on all bands. Size is only 5" x 7" x 7" —ideal for mobile or fixed use. Can take crystal or VFO.



Model TX-86

Model TX-86K—Kit 89.95
 Model TX-86W—Wired 119.95
 Model PS-3 power supply, wired 44.95
 Model W612A mobile supply, wired 54.95

NUVISTOR PREAMPLIFIER
for 27, 28, 50, 144 or 220 MC.

Lower noise figure
Over 20 db gain.



Model PV Wired & tested \$13.95


Model PV—Uses 6CW4 Nuvistor. Improves gain and noise figure of present converter or receiver. Specify frequency.

Model PH—Uses 6CB6 tube—for any frequency or ham band, 2 to 27 MC. Wired & tested \$13.95

NEW SWR BRIDGE & INDICATOR**STANDING WAVE BRIDGE**
MODEL SWB

Model SWB accurately reads SWR from 1.8 to 225 Mc. and handles up to 1000 watts. It uses the superior type of inductive coupling and can be left in the line without insertion loss. Size 1 1/2" x 2 1/4" x 4 1/2".

Model SWB—wired and tested.....\$9.95

**BRIDGE INDICATOR UNIT**
MODEL BIU

Model BIU, when used with the AMECO SWB or other make of bridge will read SWR, % power and % voltage (three scales). It contains a 100 microamp D'Arsonval meter. A feature found only in this indicator is a switching circuit for reading either one of two bridges. Model BIU can be calibrated to read power up to 1 Kw.


Model BIU—wired and tested.....\$15.95

NEW AMECO CONVERTER SWITCH BOX...

Makes it possible to switch up to three converters or the low frequency antenna to the receiver. A single switch automatically switches rf and power. May be used with AMECO converters and power supply or any other makes. Model CSB—kit form only.....\$9.95

NUVISTOR CONVERTERS

For 50, 144 & 220 MC
High Gain, Low Noise



Model CN

\$49.95 wired \$34.95 kit

Two Nuvistor RF stages, a Nuvistor mixer and a 6J6 osc. give lowest noise figures and high gain. Ameco converters do NOT become obsolete as their IF output is easily changed to match any receiver. All CN models (CN-50 for 6 meters, CN-144 for 2 meters and CN-220 for 1 1/4 meters) are available in ANY IF output. (Specify IF output in order.) Specs. Noise figure 2.5 db at 50 MC; 3.0 db at 144 MC; 4.0 db at 220 MC. Gain 45 db average, image and spurious rejection—better than—70 db. IF rejection—better than 100 db. Power required—100 to 150 V at 30 ma, 6.3 V at .84 A. See PS-1 Power supply.



CB-6

Tube-type low noise, high gain converters. IF easily changed. Specify IF.

CB-6K—6 meter kit, 6ES8-rf Amp., 6U8-mix./osc.only \$19.95

CB-6W—6 meter wired & tested\$27.50


CB-2K—2 meter kit, 6ES8 1st rf amp., 6U8—2nd rf amp./mix. 6J6 osc.only \$23.95

CB-2W—2 meters wired and tested.\$33.95

Model PS-1—Matching Power Supply—plugs directly into CB-6, CB-2 and all CN units. PS-1K—Kitonly \$10.50
 PS-1W—Wired\$11.50

**EASY TO UNDERSTAND AMECO BOOKS**

Amateur Radio Theory Course\$3.95
 Amateur License Guide50
 Radio Operators' Lic. Guide, EL 1-275
 Radio Operators' Lic. Guide, EL 3... 1.75
 Radio Operators' Lic. Guide, EL 4... 1.25
 Amateur Log Book50
 Radio Electronics Made Simple 1.95

**CODE PRACTICE MATERIAL**

Ameco has the most complete line of code records, code practice oscillators and keys. Code courses range from start to 18 W.P.M. and are on 33, 45, or 78 r.p.m. records. Model CPS oscillator has a 4" speaker and can be converted to a CW monitor.

Code courses on recordsfrom \$ 4.95
 Model CPS-Code oscillator, Kit 13.75
 Model CPS-Code oscillator, Wired 14.95
 Telegraph Keysfrom 1.00

Write for complete details on code courses and other ham gear.

Ameco equipment is available at all leading ham distributors.


AMECO EQUIPMENT CORP.

Affiliated with American Electronics Co. and Ameco Publishing Corp.

Dept. Q-1

**178 HERRICKS RD.
MINEOLA, L.I., N.Y.**

Are you fond of . . .



tinkering?

If you're the kind of guy that can't keep his soldering iron out of any radio gear—including a thousand-buck receiver—then QST is for you. Fresh ideas for major components, gadgets and test equipment, for VHF, SSB, a.m. and c.w., for antennas, couplers, keyers, monitors, and modulators—all show up regularly in QST.

But even if you've never built a thing, you'll want QST, for it also has the latest word in regulatory matters, contests, station activities, DX, emergency work, and of course, advertisements about the hottest commercial gear on the market from the most reliable sources.

If you're not now getting QST delivered to your door, sign up for your League membership and QST subscription today. Together, they cost just \$5 in the U. S., \$5.25 in Canada, and \$6 elsewhere.

**THE AMERICAN
RADIO RELAY LEAGUE
WEST HARTFORD 7, CONNECTICUT**

League is now in existence, and for more information contact WA4EYA. Sincere thanks go to the Rock Hill, S.C., Radio Club for making the large group from North Carolina so very welcome at its gala hamfest. Traffic: K4CPX 151, W4EJP 127, WA4FJM 110, W4PCN 78, WA1-ANH 66, W4EJQ 48, W4BDU 41, K4YCL 27, W4CJO 27, K4FPA 22, W4BAW 20, WA4DNK 15, K4QFV 13, WA4-EYA 5.


SOUTH CAROLINA—SCM, Lee F. Worthington, K4HDX—SEC: W4BCZ S.S.B. PAM: K4JQJ. A.M. PAM: K4KCO. RM: W4PED. Nets: C.W. 1900 and 2200 EST 3795 kc. S.S.B. 1900 EST 3915 kc.; A.M. 1900 EST 3930 kc. AREC S.S.B. 1900 EST 3985 kc. Wed. The ARRL Section meeting at Rock Hill on Oct. 13 was very successful with a large attendance, including the SCMs from North Carolina and Virginia and the Roanoke Division Director. Accomplishments were many, including formation of an S.S.B. PAM post, new SCN manager K4LND and formation of a state-wide newspaper under the guidance of State Radio Council. State-wide SET participation and traffic was larger than the past two reporting years combined. W4CE reports 35 counties have RACES plans approved and 838 operators enrolled. The phone nets are handling and reporting more formal traffic, which is a sign of real accomplishment by the net members and their leaders. Net traffic: c.w. 91, s.s.b. 91, a.m. 24. Traffic: K4OCU 77, K4VWL 74, W4BCZ 72, K4LND 59, W4PED 50, K4WOI 47, K4GVE 30, W4NTO 28, WA4CSO 15, W4BHR 11, K4KCO 9.

VIRGINIA—SCM, Robert L. Follmar, W4QDY—Asst. SCM: H. J. Hopkins, W4SHJ. SEC: W4VMA. RMs: W4LK, K4ITV, W4IA, W4SHJ, W4QDY. PAM: W4UPX. Interest is being showed in the new Navy MARS program. K4PYX has applied. W4PFC keeps a very busy schedule with about 14 outlets. W4RHA hopes to make BPL often. K4PYV operator at W4NTR, reports on operating gap of 2 weeks. K4YDL is working traffic and DX side by side as it should be. W4PTR added 10 more feet to the tower. W4DLA blew his power supply again. The IARC is holding a fall training program for amateur aspirants with 75 in attendance. New appointments: K4YDL, W4WRG, W4ADUW, W4DVT and K4-MWP. K4SGQ says he's lazy. The Va. Century Club will hold its annual meeting and banquet in Norfolk during January and it is expected that Division Director Anderson will attend. K4QIX got his HT-37 back on the air after repairs. The Va. QSO Party was a big success. A windstorm took down W4ADUW's antenna. W4TE says the SET is getting better each year. W4OOJ reports a new 2-meter net going in Winchester. KH6EVG, the SCM of Hawaii, is resigning that post because of an extended absence while attending V.P.I. K4AET is holding skeds with his son at Ft. Monmouth, N.J. National Red Cross traffic for the SET was handled through W4-PAY as net control with AREC members as operators, according to EC W4OP. W4ZM was gaddin about Europe during October and had eyeball QSOs with a number of hams while there. K4TZF put a push-to-talk switch on his mike and is working traffic and DX. W4WRG is working on a new t.r. switch. W4BGP has invented "vees" for all bands 40 feet up in the center. W4KFC reports K4OKZ now is in electronics training with the Navy at T.I. K4PIK has a linear on now. W4WBC finished his Marauder and K4YZT remodeled his station. Traffic: (Oct.) W4PFC/4 826, W4DLA 323, W4NTR 270, K4PYX 267, W4RHA 236, W4DVT 228, W4WDZ 187, W4-FOR 156, W4LK 151, K4FSS 136, W4QDY 115, WA4JFY 110, K4ITV 93, W4SHJ 90, K4YDL 80, W4IA 49, W4PTR 48, K4MXP 45, K4PQL 37, W4OOL 35, W4WRG 28, W4-BGP 23, K4WAP 22, W4TJ 20, W4LRN 20, K4JYL 19, W4TE 18, K4AL 16, K4JKK 12, K4YZT 12, K4PIK 10, K4TZF 10, W4ZM 8, W4BZE 7, K4DCN 7, K4JQO 7, K4AET 6, K4LTK 6, K4ORQ 6, W4OWV 6, W4WBC 6, WA4DUW 5, K4KPK/4 4, K4SGQ 4, K4BAV 3, W4KFC 3, W4MYA 3, K4QIX 1. (Sept.) W4MYA 19, (July) K4-MXP 45.

WEST VIRGINIA—SCM, Donald B. Morris, W8JM—SEC: W8SSA. RM: K8HID. PAM: K8CFT. WVN Phone Net meets at 2330 on 3890; c.w. Net at 0000 on 3570 kc. Officers of the Tri-State ARC of Huntington are K8KDL, pres.; W8BDD, vice-pres.; K8OEN, sec.; and K8IYU, treas. W4BLR is now W8DUW and her OM is W8DUW. WVN (c.w.): 17 sessions, 67 stations, 33 messages. WVN (phone): 17 sessions, 492 stations, 48 messages. K8BIT reports that W8CLX, W8VMP and K8BIT worked 5 continents in the October RRY Contest. New officers of the MARA at Fairmont are K8UQV, pres.; W8PZT, vice-pres.; W8CKO, sec.; W8CUMI, treas.; W8LXG, act. mgr. W8HZA reports greatly increased activity in c.d. and RACES work, with regular drills in progress. The Blennerhassett ARC elected Dorothy Leon, K8ZDP, as its delegate to the State Radio Council. K8HID, chairman of the Centennial Committee, reports W. Va. Centennial Contest, top West Va. station receiving plaque and out-of-state winner, week at State Park and appearance at the West Va. State Convention to be held at Jackson Mill on July 6 and 7, 1963. Traffic: K8HID 50, W8DUV 45, K8ZWM 22, K8UQY 18, K8CFT 17, W8HZA 13, K8ELH 12, W8JM 5.

(Continued on page 136)

MONEY SAVING! SPACE SAVING! QSO SAVING!



Just \$279.00
Amateur Net

Features the sensational Eimac 3-400Z high-mu Triode. No Grid or Screen Bias Needed. Low Distortion!

THE DESK TOP
Loudenboomer
MARK II RF LINEAR AMPLIFIER
by RADIO INDUSTRIES, Inc.

There's something about the MARK II Linear Amplifier that reminds you of the good old days!

Perhaps it is the husky, conservatively rated components—that loaf along without strain. It may be the straightforward layout that makes all components easy to reach. Or, it could be that Total Look of sturdy reliability. Or—the low, low price!

Rest assured, though... with all its old fashioned appeal, the MARK II is as modern and advanced

as tomorrow! The smart two-tone gray enamel cabinet measures just $14\frac{1}{8}'' \times 12\frac{7}{8}'' \times 7\frac{1}{8}''$... fits nicely on your operating desk. And the crisp performance of your MARK II will give you consistent QSO successes on even the most crowded bands.

Visit your Dealer soon and examine the great new LOUDENBOOMER MARK II LINEAR AMPLIFIER.

HERE ARE A FEW OF THE MANY MODERN FEATURES:

1. Zero-bias Eimac 3-400Z requires no screen and grid power supplies. 400 watts of plate dissipation.
2. Full legal input power on CW and SSB, 600 watts AM—80 through 10 meters.
3. 45 watts of drive for full input.
4. Grounded grid circuit for improved linearity. No neutralization.
5. Fully metered for grid current, plate current, plate voltage and relative power output.
6. 50 ohms input through wide band Ferramic transformer.
7. Adjustable Pi tank output; nominally designed for 50 ohms unbalanced load.
8. Requires just one power supply—2500 to 3000 VDC at 350 MA.*
9. Circuitry supplied for controlling power supply from MARK II panel.
10. 50 C. F. M. blower and self-contained filament transformer requires 115 VAC, 60 cycles. Both front-panel fused.


*NOW AVAILABLE: Matching Power Supply for the MARK II Linear Amplifier. Supplies 3000 VDC at 350 MA Continuous. Transformer Primary for both 115 VAC and 230 VAC. Size, $12'' \times 14'' \times 8\frac{1}{2}''$. Weight 75 lbs. AMATEUR NET, \$159.59.

Write for illustrated Data Sheets.

1319 CENTRAL AVENUE
KANSAS CITY, KANSAS




RADIO INDUSTRIES INC
a subsidiary of **hallicrafters**



TRIAD Transformers for Amateur Applications

Triad offers hundreds of transformers covering almost every amateur application. There are dozens for every type of circuit. Power, audio, filament, driver, interstage, transistor, transceiver, modulation. Specifications and prices are contained in Triad's new Industrial Transformer Catalog. See your dealer or write Triad Distributor Division, 305 No. Briant St., Huntington, Indiana.



T TRIAD DISTRIBUTOR DIVISION
A DIVISION OF LITTON INDUSTRIES 

ROCKY MOUNTAIN DIVISION

COLORADO—SCM, Donald S. Middleton, W0NIT—SEC: W0SIN, PAMs/W0CXW, W0J1R and W0GK, RA1: W0FEO, OBS: K0DCW, W0FEO again has taken over as manager of CW, K0D1K found it impossible to carry on. Net control stations will include W0BES, W0FEO, K0FDL, W0CWD and W0TV1. Congratulations to W0SIN on a very successful AREC S.S.B. Net. Chic reports a QNT of 681 and a QEC of 222 during a period of one month this fall. The Colorado University station, W0YQ, has been reactivated under the leadership of Dave Sheats. Boulder amateurs, including K0JSV, K0END, K0MRY and W0CGQ, plan operation in the January V.H.F. Sweepstakes with a v.h.f. rig built around the new GE GL7894 companion tube. W0TUT and W0DQN are attempting v.h.f. communications over a 21-mile mountainous path. The Pikes Peak *Beet* states that the Colorado Springs 2-Meter AREC Net on 146.25 Mc. is going strong. W0WZY is now operating 420 Mc. with a tripler tied on to a 2-meter rig. Traffic: K0DCW 99, K0ZSQ 54, W0ENA 33, W0CGQ 30.

UTAH—SCM, Thomas H. Miller, W7QWH—Asst. SCM; John H. Sampson, W7OCX. SEC: K7BLR. Anyone interested in a model 15 teleprinter should contact Russell R. Bateman, W7NFT, 1138 W. Girard Ave., Salt Lake City. Russ will act as agent for Utah amateurs. The supply of machines may be limited. W7OCX, W7QWH, K7MPQ, K7QGW and W7TJ earned BRAT Awards on BUN. W7POU did quite well in the recent Frequency Measuring Test. W7WMO has moved to Prier from Idaho and is expected to resume his traffic activities here in Utah. The UARC (Salt Lake) has taken on the project of helping to get a 2-meter repeater in operation. Utah State Library, Division for the Blind, could use some volunteers for recording QST and other technical publications. Contact W7QWH for further information. Traffic: K7NWP 478, W7OCX 11, K7K1X 14, W7QWH 1.

NEW MEXICO QSO PARTY

January 26-27, 1963


All amateurs are invited to participate in the Fourth New Mexico QSO Party, sponsored by the CHC Chapter #1, of Albuquerque. New Mexico hams are urged to work as many out-of-state stations as possible so that those interested can earn credit toward WAS, the Worked New Mexico Counties Award, the Amigos de Albuquerque Award and the USA-CA Award.

Rules: (1) **Time:** 36-hour period from 1500 GMT Saturday, January 26 to 0300 GMT Monday, Jan. 28. (2) No time limit and power restrictions. All bands can be used and contact credit with the same station on different bands will be given. (3) **Scoring: New Mexico stations:** 1 point per contact and multiply total by the number of states, U.S. possessions, Canadian provinces, and foreign countries worked. **Outside stations:** 3 points per New Mexico station worked and multiply total by the number of New Mexico counties worked. (4) A certificate will be awarded to the highest scoring station in each state, country, Canadian province, and U.S. possession, plus a certificate to the highest scoring station in the U.S.A. outside of New Mexico. There will be awarded to the 1st, 2nd, 3rd, and 4th highest scoring station in New Mexico a gold trimmed certificate. Special certificate for multiplier groups. (5) **Frequencies:** 3600, 3835, 7030, 7250, 14,080, 14,250, 21,050, 21,300, 28,100, 28,600, 29,000 kc., and 50.28 Mc. (6) **Exchange:** New Mexico stations send number of QSO, RS(T), and county. Others send QSO number, RS(T), and state, possession, province, or country. (7) Logs postmarked no later than Feb. 28, should be sent to CHC Chapter #1, of Albuquerque, John C. Kanode, K5UYF, 408½ Cornell Dr., SE, Albuquerque, New Mexico.

NEW MEXICO—SCM, Carl W. Franz, W5ZLN—SEC: K5QUIN, V.H.F. PAM: W5FPR, 10-Meter PAM: W5WZK. We are sorry to hear that FPB has been confined to his bed by illness and wish him a speedy recovery. K5UYF was presented with the Arne Trossman Award by Mr. Lanier, president of the ABQ Chamber of Commerce, at the monthly breakfast meeting of the Chamber. The Caravan Club provided communications
(Continued on page 138)

SSB COMMUNICATIONS

The *NEW COMPACT Series*



SSB TRANSCEIVER

SUGGESTED LIST PRICE
Upper Sideband

1 Channel	\$695
2 Channel	\$795
3 Channel	\$870
4 Channel	\$925

COMPLETE with coils, ovens, channel crystals and mike. Fully aligned and ready to operate.

The new COMPACT Series of single sideband transceivers are priced for use in applications formerly reserved for AM radio-telephone equipment. The COMPACT can be equipped for 1, 2, 3 or 4 channel operation, upper or lower sideband only—or selectable sideband. Channels can be set anywhere between 1.6 and 16 Mc. Power output is 100 watts, p.e.p. Compatible AM is standard, as is the front panel meter.

The COMPACT weighs only 34 pounds and measures 15½ x 13 x 8¼ inches, including power supply. Automatic level control (ALC) and receiver AGC are standard. A Collins mechanical filter is used for sideband selection. Remember, under poor signal conditions, the COMPACT has approximately the same communications range as a 700 Watt AM transmitter. Can be used to drive the RF-101 Linear Amplifier.


SB-6F *Series* BASE STATION SSB SYSTEMS

COMMERCIAL/SEMI-MILITARY QUALITY

Since its introduction in 1961 the Model SB-6F has been the quality leader in SSB Communications. Equipped for six channel operation, the unit provides full communications capability for all commercial, government and semi-military applications. The 125 Watt p.e.p. SB-6F is being used by 12 U. S. Government Agencies. Our customers use the SB-6F in over 50 countries of the world. The photo shows the SB-6F mounted on the RF-101 Linear 1KW Amplifier. This complete 1KW station measures only 35 inches high.

SB-6F
TRANSCEIVER

RF-101
LINEAR
AMPLIFIER




WRITE FOR DETAILS ON THESE AND OTHER PRODUCTS IN THE
WORLD'S MOST COMPLETE LINE OF FIXED CHANNEL SSB EQUIPMENT

Overseas Distributor Inquiries Invited



RF COMMUNICATIONS INC.

13 CANAL STREET • ROCHESTER 8, NEW YORK • FAIRview 8-0930



Send for NEW
FREE CATALOG #962
with oscillator
circuits

Citizen Band Class "D" Crystals

CITIZEN BAND CLASS "D" CRYSTALS

3rd overtone — .005% tolerance — to meet all FCC requirements. Hermetically sealed HC6/U holders. 1/2" pin spacing. .050 pins. (Add 15c per crystal for .093 pins).

\$2.95
EACH

All 23 channels in stock: 26.065, 26.075, 26.085, 27.005, 27.015, 27.025, 27.035, 27.045, 27.055, 27.075, 27.085, 27.105, 27.115, 27.125, 27.135, 27.155, 27.165, 27.175, 27.185, 27.205, 27.215, 27.225, 27.235.

Matched crystal sets for ALL CB units (Specify equipment make and model numbers) \$5.90 per set

CRYSTALS IN HC6/U HOLDERS

SEALED OVERTONE .486 pin spacing — .050 diameter — .005% tolerance
15 to 30 MC \$3.85 ea.
30 to 45 MC \$4.10 ea.
45 to 60 MC \$4.50 ea.

FUNDAMENTAL FREQ. SEALED From 1400 KC to 2000 KC .005% tolerance \$5.00 ea.
From 2000 KC to 10,000 KC, any frequency, .005% tolerance \$3.50 ea.

RADIO CONTROL Specify frequency. .05 pins spaced 1/2" (Add 15c for .093 pins) \$2.95 ea.



QUARTZ CRYSTALS FOR EVERY SERVICE

All crystals made from Grade "A" imported quartz—ground and etched to exact frequencies. Unconditionally guaranteed! Supplied in:

FT-243 holders Pin spacing 1/2" Pin diameter .093	MC-7 holders Pin spacing 3/4" Pin diameter .125
CRIA/AR holders Pin spacing 1/2" Pin diameter .125	FT-171 holders Pin spacing 3/4" Banana pins

MADE TO ORDER CRYSTALS . . . Specify holder wanted
1001 KC to 1600 KC: .005% tolerance \$4.50 ea.
1601 KC to 2500 KC: .005% tolerance \$2.75 ea.
2501 KC to 9000 KC: .005% tolerance \$2.50 ea.
9001 KC to 11,000 KC: .005% tolerance \$3.00 ea.

Amateur, Novice, Technician Band Crystals

.01% Tolerance . . . \$1.50 ea. — 80 meters (3701-3749 KC)
40 meters (7152-7198 KC), 15 meters (7034-7082 KC), 6 meters (8335-8650 KC) within 1 KC
FT-241 Lattice Crystals in all frequencies from 370 KC to 540 KC (oll except 455 KC and 500 KC) 50c ea.
Pin spacing 1/2" Pin diameter .093
Matched pairs — 15 cycles \$2.50 per pair
200 KC Crystals, \$2.00 ea.; 455 KC Crystals, \$1.25 ea.; 500 KC Crystals, \$1.25 ea.; 100 KC Frequency Standard Crystals in HC6/U holders \$4.50 ea.; Socket for FT-243 Crystal 15c ea.; Dual Socket for FT-243 Crystals, 15c ea.; Sockets for MC-7 and FT-171 Crystals 25c ea.; Ceramic Socket for HC6/U Crystals 20c ea.

ENGINEERING SAMPLES and small quantities for prototypes now made at either Chicago or Fort Myers plants with 24 hour service. IN CHICAGO, PHONE Gladstone 3-3555

IF YOUR PARTS DEALER DOESN'T STOCK Texas Crystals, order direct and send us his name.

TERMS: All items subject to prior sale and change of price without notice. All crystal orders must be accompanied by check, money order or cash with payment in full.

RUSH YOUR ORDER NOW TO

TEXAS CRYSTALS

Div. of Whitchall Electronics Corp. Dept. Q-13
1000 Crystal Drive, Fort Myers, Florida Phone WE 6-2100

FOR SHIPMENT VIA FIRST CLASS MAIL AT NO EXTRA COST ATTACH THIS ADVT. TO YOUR ORDER!

for the sports car races at Fort Sumner. A new ARC is being organized in the Albuquerque Area. W3ZHN is teaching several visually-handicapped persons at ABQ Training Center. These boys are real sharp and working hard for their licenses, a club is being formed at the center for their use. Anyone having working equipment that they would like to donate, please get in touch with ZLN. From all reports it appears that the boys had a very fine time at the Ruidosa Hamfest. There is some talk of making it an annual affair. We all hope so. I would like to take this opportunity to send you all Season's Greetings. Traffic: (Oct.) K5TUB 68, K5ZWI 42, W5GB 11, K5HT 11, K5ONE 8, W5WZK 6, K5FMF 5. (Sept.) K5FMF 6.

WYOMING—SCM. L. D. Branson, W7AMU—SEC: W7HH. The Pony Express Net meets Sun. at 0800 MST on 3920 kc.; the YO Net is a c.w. net on Mon., Wed. and Fri. at 1830 MST on 3610 kc.; Wyoming C.D. Net is on Wed. at 1900 MST on 3337 kc.; TWIN Net meets daily at 2000 MST on 7060 kc.; Wyoming Emergency Net at 1230 MST every day on 3920 kc. New officers of the Sheridan Amateur Club are K7GDW, pres.; K7LZM, vice-pres.; K7LZL, secy. The Sheridan Club is 100 per cent ARRL and code classes were started Nov. 1. W7LVU has been appointed Natrona County EC. W7LKV has resigned. K7HAW has been reappointed Official Observer III and IV. W7BXS is working on an ARRL Membership Drive. W7LVU has been appointed (A) Class II. W7KTVK is an Associate ARRL member. The Pony Express Net handled rural election returns. W7HH is doing fine SEC work. W3BNR/7 moved to Sundance, Wyo. W7DXY is back at Spug Harbor Ranch for the winter. Traffic: W7HH 196, W7AMU 65, W7AEC 38, W7DXY 32, K7TBA 24, W7GZG 18, W7LKV 16, W7NMW 16, W7HLA 15, W7BHH 14, K7A1AT 14, W7LVU 10, W7TZK 10, W3BNR/7 8, K7HAW 5, W7YWW 2, K7IAY 1.

SOUTHEASTERN DIVISION

ALABAMA—Acting SCM. Walter W. Coleman, sr., W4CXU—SEC: W4FQQ. RM: W4USM, PAMs: K4BTO, K4KJD, K4ZTT, S.S.B.: K4KJD. New appointment: W4USM, as RM and AENB Net Manager. W4AVM has a new HA-1 keyer. W4AGNG has a new HE454A 6-meter rig. W4DS is using a 1A-33 on top of a 65-ft. tower and operates all bands 80 through 2 meters. K4SFH had a QSO with HC1FS Oct. 6. The Mobile Amateur Radio Club furnished communications for the County Board of Health in the polio distribution campaign. W4FUT was top station in the message originating contest on AENO. 6-meter net. Traffic: (Oct.) W4FQQ 179, K4WHW 91, K4DJR 88, W4AVM 54, K4AOZ 51, K4WOP 46, K4NU 43, W4PEX 41, K4ZTT 39, W4ABDW 33, K4BSK 31, K4PFM 26, K4FZQ 20, K4KJD 20, W4TSM 20, K4BRZ 19, K4WVD 16, W4HCW 15, W4CPF 14, W4FWP 14, W4WGI 13, W4OXU 12, K4PHH 11, K4KDE 10, W4MI 10, K4WSH 10, W4AGNG 9, K4GXS 7, K4HJM 6, K4PBY 6, W4TQ 6, W4DS 5, K4JDA 5, K4UMD 5, K4WSK 5, W4CIU 4, W4DGH 4, W4AEEC 2, K4TDJ 2, K4ZYO 2, K4RIL 1, W4RLG 1. (Sept.) K4WEHW 46, K4FQG 35, W4VWG 18, W4CIU 4, W4AVM 2.

EASTERN FLORIDA—SCM. Albert L. Hamel, K4SJK—SEC: W4IYT. RM: K4KDN. RM RTTY: W4EHU. PAMs: 40 W4SDR; 75 K4LCF; V.H.F. W4RMC; S.S.B. W4OGX. K4LCF is back with FPTN. Welcome back, Herb. We need your know-how and enthusiasm. W4TRS seems to have licked his gremlins and is back in the running again. W4BNE, our EC for Hillsboro, is doing a bang-up job in conjunction with HARS. Throw some of that energy this way. Ray, K4DAX, our busy FMTN manager, finally made it v.h.f.-wise. Congrats, Herb. How about 220 next? W4IJJ, down here for good from Pennsylvania, has shifted his excellent traffic work to this section. Congrats on the ORS. Mac, W4EXM is now in Teheran looking for his EP2 call and will be on s.s.b. with KWM-2 gear. Wonder why most of our v.h.f.s are afraid of that OFS appointment. It doesn't cost anything and the only extra effort needed is to put down once a month the line work you are doing all the time. How about it? Traffic: (Oct.) W4ABMC 391, W4TUB 369, K4SJK 294, K4BY 234, W4KIS 195, K4YSN 195, W4IJJ 179, W4MIN 148, W4AKB 115, K4RNG 109, K4KDN 93, K4AHU 80, K4COO 77, W4CWD 76, W4ADC1 74, K4NVD 74, K4YLX 72, W4EHW 64, K4LB 58, W4CJC 49, W4ABAW 47, K4JWM 45, W4SGBM 42, W4ADK 41, W4IYT 40, W4NKKW 37, K4DAX 36, W4ADMV 36, W4ABGW 34, W4NESS 32, W4KCG 30, W4AFGE 29, K4AKQ 28, W4VCX 27, W4IET 26, W4BBZ 25, W4BKC 25, K4ENW 25, W4AAME 24, K4DBT 24, K4MZR 22, W4EAT 20, W4SRK 18, K4PQP 16, W4DFZ 14, K4MTP 13, W4NDL 13, K4QQE 13, W4BNE 12, W4HLQ 12, W4KHG 11, W4LMT 10, K4LVE 10, W4TRS 10, W4ERM 9, K4USQ 8, K4ZIF 7, K4WTF 6, K4LCP 6, K4NXV 6, K4VGD 6, W4CMK 5, W4A4ZZ 4, W4QVJ 4, K6SXN/4 4, W4AYD 3, W4AKZ 3, W4YTC 1. (Sept.) K4GIB 7, K4RHL 71, K4YSN 70, K4DBT 58, K4YBL 50, K4UKF 8, W4DTS 1.

(Continued on page 140)

now get
SSB with optimum performance
over the entire HF spectrum



Continuous tuning with extreme accuracy— that's what you get with Collins' 51S-1 HF receiver.

Most advanced in a famous series of general coverage receivers, this SSB/CW/AM unit delivers: visual dial setting *within* 1 kc throughout the range • *high frequency stability*, 70 cycles per week, ideal for pre-assigned frequencies • *sharpest selectivity*, from Collins Mechanical Filters • *highest sensitivity* for difficult monitoring assignments.

Features like these, packaged into a compact unit specifically designed for commercial application, make this receiver ideal for both general communication and lab uses. Contact Collins today for complete information. COLLINS RADIO COMPANY • Cedar Rapids • Dallas • Los Angeles • New York • International Division, Dallas



BARRY ELECTRONICS CORP. JANUARY SPECIALS!

CLEGG—IN STOCK: 99'er \$159.50; Zeus Xmtr \$695.00; Interceptor Recvr \$473.00.

BELDEN 6 FT. LINE CORD with molded plug. UL approved. 35¢.

4 1/2" DELUXE SQUARE METER. Mirror scale. RS = 1 Ma. Ideal for VTVM or VOM. \$4.95.

Power Resistor Sale:

Watts	Ohms	Price
200	60K	\$1.50
100	60K	1.50
100	100K	.75
100	75K	1.90
100	50K	.70
200	31K	1.20

EIMAC 4X150A/4010 AIR SYSTEM SOCKET: With built-in By-Pass Capacitors. R/E. A regular \$12.00 value for only \$6.95.

4X150A POWER TETRODE TUBES: New JAN late 1959-1960 product. Made by RCA. Unused. \$12.50.

COMPACT 125 WATT MODULATION XFMR: Pri: 10,000 Ohms plate to plate. Sec: 4550 Ohms. Has screen winding. 3300 Ohms. 3/4" H x 3/4" W x 3/4" D. Wt: 3 lbs. Designed for P.P. 4-6.5's Modulators in airborne Xmtr. \$4.95.

SILICON RECTIFIER: 750 Ma/600 PIV. . . . W5DX says: "By using ten of these in a leg of a full-wave hook-up, I replaced two 866's, did away with a fixed choke, filament xmtr, and two sockets. Gained 600 Volts and ran stone cold. . . . \$36 each (ten Mounted on Mounting Board, soldered and wired, ready for hook-up. . . . \$4.50).

RG-8 U FOAM COAX CABLE: Fresh, new factory stock. \$12.00 per 100 feet, \$90.00 for 1,000 feet continuous reel, \$50.00 for 500 feet continuous.

PLATE TRANSFORMER: Pri: 117 or 125 VAC. 50-60 CPS. Sec: 2780 VCT @ 150 Ma. CCS. \$6.95.

STANCOR MODULATION TRANSFORMER: Pri: 3500 Ohms. Sec: 2000 Ohms. Originally designed for modulating parallel 807's with push pull parallel 6L6's. \$5.95.

VIBRATOR TRANSFORMER: Supplies 500 VDC @ 170 Ma. CCS. Simultaneously supplies up to 300 VDC @ 70 Ma. Dual primary operates from either 6 or 12 VDC when hooked up as per schematic furnished. \$3.75.

20,000 OHM, 10 WATTS SPRAGUE KOOLOHM RESISTOR @ .20¢ each.

SHURE 10-4 CERAMIC MICROPHONE: High-quality Crystal microphone. With push-to-talk switch. 5 foot coil cord, hang up bracket, and Amphenol connector. Special \$8.95. (List price over \$30.00).

EPSON LP RECORD "THE LIFE STORY OF TESLA": Transmitted at 15 WPM (30 WPM @ 78 RPM). Transmitted in International Morse Code. \$2.49.

AUTRONIC TRANSISTORIZED ELECTRONIC KEYS: \$69.50. **AUTRONIC KEY:** \$16.95.

HAMMARLUND 24 HOUR CLOCK: Clock Kit #26380-2. \$9.95.

AMECO TX-86 MOBILE OR FIXED XMTR. Only 5" x 5" x 7". 6 thru 80 Meters \$119.95.

PS-3 AC POWER SUPPLY (factory wired). \$4.95.

MOBILE POWER SUPPLY. Minn. Honeywell #W612A. \$49.95.

TUBE HEADQUARTERS OF THE WORLD. . . .

Check with us on your tube needs!
We are open Saturday from 10 AM to 2 PM (free parking Sat.) Hours Monday to Friday from 9 AM to 6 PM.

COME AND VISIT US

BARRY ELECTRONICS DEPT. Q-1
512 BROADWAY, NEW YORK 12, N. Y.
WALKER 5-7000 AREA CODE: 212

Enclosed is money order or check and my order. Prices FOB, N.Y.C. Shipments over 20 lbs. will be shipped collect for shipping charges. Less than 20 lbs. include sufficient postage. Any average will be refunded. Fragile tubes shipped railway express.

Send copy of New 1963 "Green Sheet" Catalog.
 Send information on
 I have available for trade-in the following

Name Title
Company
Address
City State


WESTERN FLORIDA—SCM: Frank M. Butler, jr., W4RKH—SEC; W4MLE, PAM; W4WEB, RML; W4BVE, Panama City has been designated Area C.D. Hq. for Western Fla. K4GVV and WA4F1J called a meeting of all ECs and ROs to plan an Area RACES Net. The primary frequency will be 29.320 kc., with drills every Thurs. at 8 p.m. CST. Alternate frequencies are 50.4 and 146.57 Mc. A vertical antenna will be used on 10 meters and all counties are asked to install a ground plane at their C.D. Hq. Tallahassee: Leon County RACES will use a frequency at the low end of 10 to link public shelters, using modified CB rigs. DeLunak Springs: K4WVE is the new Walton County EC. WA4I2S soon will be on s.s.h. with a Marauder. Panama City: WA4F1J was installed as new proxy of the PCARC at a recent banquet. W4MLE and W4RKH were out-of-town visitors. W4KKB and W4KKC are new hams in town. W8BB14 and K4PMO are back from Navy duty in the Mediterranean. W4FIU has joined the 2-meter gang. W4F1F received YLCC and WRONE certificates #1. Walton: W4BVE is a new RM, relieving K4UBR, who was transferred. Alilton: K4HOX has been appointed EC for Santa Rosa County, Pensacola: The NAS Club has started new code classes. Club meetings are held every Tue. at 7 p.m. W4ANP has moved and is busy wiring up the new ham shack. Traffic: K4VY 129. W4F1J 17. W4GAA 14. K4VND 14. K4DIK 2.

GEORGIA—SCM: James A. Giglio, W4LG—SEC; W4YE, PAM; W4KR, RM; W4DDY. New officers of the Georgia S.S.B. Association are W4RZL, pres.; K4AUM, vice-pres.; K4SUD, secy.-treas.; W4TJS, K4KEC, board members. Welcome back to W4IME, from temporary duty overseas with the USAF. The new "WARN" frequencies are 3550 and 7100 kc. The Augusta Radio Club is holding classes with 40 prospective hams in attendance. There are more than 40 Augusta stations now operating on 2 meters. K4BAI and K4QPI have a transceiver working FB at Mercer. Watch out for W4OMC, the Southern Technical Institute ham club station. K4BWQ reports excellent DX on 15 meters. Congratulations, Suzanne, on the 25-w.p.m. code Proficiency Award. K4MCL has a TDQ operating on 2 meters. K4ZSK has been elected a lifetime honorary member of the Atlanta Radio Club. H4DN's new operating frequency is 7115 kc. K4WVY boasts a WAS certificate and a 30-w.p.m. code Proficiency Award. A meeting of League Officials will be held the first Sun. of each month on 3995 kc. immediately following the Ga. Cigarette Mobile Net. K4BPJ puts on a unique act that is really out of this world. W4UO is the newly elected president of the "Old Timers Wireless Club." W4KL was selected to fill all other offices. Members of this exclusive group refer to one another as "Old Goats." New appointments: K4DKY as OBS and W4OHA as OO, Traffic: K4MCL 170. W4DDY 156. K4WVY 144. W4P1M 124. W4HYW 54. W4LME 54. K4PRM 35. W4YE 24. K4YRL 15. K4NGI 14. K4ZYI 14. W4BZ 2. K4TEA 2. K4BAI 1. K4BWQ 1.

WEST INDIES—SCM: William Werner, KP4DJ—C.D. Radio Officer: KP4MC, QSL Bureau Mgr.; KP4VT, P.O. Box 1061, San Juan, San Juan Area EC. KP4BCA has appointed KP4AYP as Asst. EC. The AREC Net drills the 2nd and 4th Thurs. at 2330 GMT on 28.740 kc. The El Morro ARC picnic was held at Luquillo Beach Oct. 21. The Puerto Rico Amateur Radio Club elected KP4PD, pres.; K4ASH, vice-pres.; KP4ABN, secy.; KP4AQK, treas.; K4PCH, KP4GP, KP4AKS, KP4AVB, KP4AYA, directors. KP4AYA won 2 Mosley trap verticals. KP4ASK moved to Bayamon and his NYL is now W4BKKU. KP4RD is using an HT-37 and a Thunderbolt amplified. KP4BAU, at Ramsey AFB, added a Gonset GPP-E and a Knight T-150 transmitter for stand-by. KP4CGB and KP4BHR have applied for membership in the new Navy MARS. Besides being NCS of the Amateur Emergency Weather Net at 1045 GMT daily on 3820/7245 kc., KP4CGB also checks into the 20-Meter International ER Net for West Indies, K4PNC, P42C and P43AF, noted as NCS for AEWX when KP4CGB was ORL. VP2KJ and VP2KPA are on the Island of Anguilla operating as VP2-KPA using a 1X-60 and an SX-96 QSL cards should go to VP2KJ at Nevis Island with SASE. KP4CTC has curtailed activities because of a heart ailment. KP4SV installed a Swan 20-meter transceiver in the car. KP4AVB added a Warrior ahead of the Marauder he built. KP4RK bought a TO Keyer. KP4CH has been on 10 meters. KP4HZ is a new a lieutenant in the USCG auxiliary. KP4AZ added a Pacomuter to his s.s.h. equipment. AWB bought a used B&W 5100-B and is looking for a 518B-B adaptor. KP4BJD writes that WP4BHY and Tech. KP4AYI are now General Class. Season's Greetings. Traffic: KP4CGB 412. KP4WT 102. KP4BAU 30. KP4BJD 13. KP4BCA 3.

CANAL ZONE—SCM: Thomas B. DeMeis, KZ5TD—At a recent CZARA meeting plans were made to increase membership. Army MARS started its new 40-meter net but plans to begin code instructions have not been progressing because most members are working shifts. KZ5-SH returned from Puerto Rico and the Air Force MARS

(Continued on page 142)

**SB
33****ONE OF THE BIGGEST VALUES EVER!**

Entirely New! Outstanding! Dynamic!

SB-33 transceiver ... dynamic product of solid-state electronics and advanced electro-mechanical design! Exceptionally small—less than one-half cubic foot including built-in AC supply and weighing only 15 pounds! Powerful ... 135 watts P.E.P. input. Four-bands, 80-40-20-15 meters. Upper or lower sideband selectable by panel switch and without carrier or dial shift! Collins mechanical filter. Very low frequency drift. Check the specs ... compare prices. This has to be one of the biggest values ever! Available at your SBE distributor during February 1963. Write today for complete specifications.

SIZE: 5½"H, 11¼"W, 10¼"D. Weight 15# (approx.)

FREQUENCY RANGE: Band 1: 3.8-4.0 mc.

Band 2: 7.15-7.35 mc. Band 3: 14.2-14.4 mc.

Band 4: 21.25-21.45 mc.

TRANSMITTER

POWER INPUT: 135 watts P.E.P. max. (Speech waveform.)

DISTORTION PRODUCTS: Down at least 25 db.

CARRIER SUPPRESSION: —50 db.

SIDE BAND SELECTION: Upper or lower sideband selectable by panel switch.

UNWANTED SIDE BAND: —40 db.

OUTPUT IMPEDANCE: 40-100 ohms unbalanced.

RECEIVER

SENSITIVITY: Better than 1 uV for 10 db signal/noise ratio.

SELECTIVITY: 2.1 kc @ 6 db. 5.3 kc @ 60 db.

SPURIOUS RESPONSE: Images and I-F. response down at least 40 db.

STABILITY: Less than 100 cps drift in any 30 minute period in any normal ambient temp. condition.

AUDIO OUTPUT: 2.0 watts @ 10% distortion.

TUNING RATE: 30 kc per revolution.

POWER SUPPLY: 117VAC POWER SUPPLY IS BUILT IN.

POWER CONSUMPTION: AC operation. Receive 35 watts.


Transmit: 165 watts (single tone).

DC operation through vibrator or transistorized inverter.

TUBE AND SEMI-CONDUCTOR COMPLEMENT:

2—PL-500 beam power tetrodes, PA. 1—12DQ7 driver, 19—transistors, 13—diodes, 1—zener diode.

OPTIONS: Several options are separately available including VOX and Calibrator unit with provisions for mounting on rear of transceiver. Internal power supply provides operating power; Rear connections are brought out for linear amplifier

**389⁵⁰**

LOCKING-TYPE MOBILE
MOUNTING BASE 12.50
SPECIAL INVERTER, 12V
DC-115V AC ... 59.50

SBE

Sideband Engineers, Inc.
Rancho Sante Fe, California.

PREPAID OR FREIGHT ALLOWED*

SAVE BUY FROM WRL

WRL SPIRE SPAULDING TOWERS

WRITE
FOR
ANTENNA
PACKAGE
INFO

NO
MONEY
DOWN

SELF-SUPPORTING 3 SIZES 32', 40', 48'

All self-supporting with large tribander or other beams. May be extended to 120 ft. with proper guying.

3 MOUNTING BASES

(a) Rigid concrete mount. (b) Concrete mount with hinge base. (c) Earth anchor with hinge base (no concrete).

- ★ Fully galvanized
- ★ Aircraft riveted
- ★ Streamlined appearance
- ★ Includes rotor mount for Ham-M, AR22, etc.

\$4995
32 FOOT
RIGID
CONCRETE
MOUNT

*East of Miss. River all shipments are via truck, collect, with \$5.00 frt. allowance. West of Miss. River your choice: via rail frt. fully prepaid or via truck, collect, with \$5.00 frt. allowed.

"By Demand - Most Popular Tower in the USA"

WRL World Radio Laboratories, Inc.

3415 W BROADWAY

COUNCIL BLUFFS, IOWA

PHONE 378 1531

FREE GIANT NEW 1963 CATALOG

PRICE PAGE 228... PHONE BARRINGTON 1-153

1963
SERIAL CATALOG
NO. 1



**RADIO-TV
ELECTRONICS**

BURSTEIN-APPLEBEE CO. 1013-14 MOORE ST., KANSAS

SAVE
UP TO 50%
ON B-A
SELECTED
KITS

TOP
VALUES
IN
POWER
& HAND
TOOLS

HI-FI
& STEREO
COMPONENTS
AND
SYSTEMS

TUBES
PARTS ETC.
AT VERY
LOWEST
PRICES

30
PAGES OF
BARGAINS
NOT IN ANY
OTHER
CATALOG

BURSTEIN-APPLEBEE CO.

Dept. QST, 1012 McGee St., Kansas City 6, Mo.

Rush me FREE 1963 B-A Catalog.

Name

Address

City..... State.....

SEND
FOR IT
TODAY

FREE

Net is back in full swing again. KZ5s HX, KR and TD attended ceremonies at the Liga Panameña Radio Atencionados inaugurating new club officers. HPIRD is pres.; KZ5LO, 1st vice-pres.; KZ5RF, 2nd vice-pres.; KZ5RO, secy.; KZ5LB, treas.; KZ5JE, KZ5MH, Pete Bagdonovich and Moises Henriques relief officers; HPI-AC, Sgt. at Arms and QSL Mgr. The I.P.R.A. also announced that beginning next year the Government will issue new radio call license plates. New radio regulations went into effect in the Republic of Panama and several countries were added to the 3rd-party traffic system. KZ5MIQ is back on the air with his DX-100. KZ5OB is quietly awaiting a new transformer for the rig. KZ5JW is off the air because of transmitter troubles. Traffic: KZ5SS 146, KZ5JW 53, KZ5KR 15, KZ5TD 12, KZ5SM 3.

SOUTHWESTERN DIVISION

LOS ANGELES—SCM, Albert F. HILL, Jr., W6JQB—Asst. SCM; Lyle G. Farnel, W6KGC, SEC; K6YCN, RM; W6BIG, PAMs; W6ORS, K6PZM. The following stations earned BPL for October traffic: K6EPT, W6WPF and W6GYH. Courtrats, fellows! K6OZJ replaced the 11-meter band with 6 meters in his Ranger, K6CDW repainted the house! W6SRE still is travelling, down Florida way this time. K6DAIV has new mike and tape equipment. W6VAW reported an excellent SET, as did W6LVQ, W6HUUO and many other ECs in the section. W6QAE had a nice vacation in Hermosillo, Mexico. W6AOWM is the new activities chairman of the Marina Amateur Radio Club. W6ORS received his CP-25 sticker! W6VUZ is building a new shack. W6ORJ reports the Tri-County Amateur Radio Club meets the 2nd Tue. of each month at the Naval Reserve Armory in Pomona. K6UYK and a great number of others in the section were active in the S.S. W6VOZ is now a "big star" in the local Little Theatre Production! K6MIX is recuperating in the hospital after surgery. A speedy recovery, Rod! K6TOS needs only Africa for WAC. K6GXO has a new Elmac Mobile. W6WNR changed his 829Bs to 629Bs. W6NEP reports that effective Jan. 1, 1963, the K6MYK 2-meter repeater will change frequencies to input 147.240 and 146.980 Mc. and output 145.220 Mc. Two young brothers with ham tickets are W6WBA, 10 years old, and W6TWA, 13 years old! Support your local section nets! On phone, the Southern California Six Net (SoCal 6) meeting at 0300 GMT daily on 30.4 Mc.; on c.w. the Southern California Net (SCN) meeting at 0300 GMT on 3600 kc. daily. Traffic: (Oct.) K6EPT 593, W6WPF 504, K6MDD 412, W6GYH 405, W6QAE 124, W6AWTK 106, K6YYN 93, K6OZJ 58, W6BIG 43, W6VAW 34, K6HOV 33, W6CKR 30, W6KAW 25, W6USY 16, K6UMV 11, W6AOWM 9, W6FTUO 7, K6SIX 5, W6DWP 4, W6VUZ 2. (Sept.) W6TWS 82, K6SIX 35, K6UMV 32, W6NKR 8, W6AAH 6, W6SRE 2.

SAN DIEGO—SCM, Don Stansifer, W6LRU—Director W6MLZ and your SCM attended the Annual Dinner of the Anaheim Club in November. W6VVA Orange Co. EC, reports Asst. ECs as follows: W6DEY, W6DGM, W6EAT, K6IUR, W6QAT, W6WRJ and W6WVY. They are getting very excellent publicity in local papers for their work. W6PDE reports that he is trying to organize a ham club at Hilltop High School. The November meeting of the San Diego DX Club was held at the home of W6SRO. W6EYX is now the EC in Escondido. W6ABUX was home for Christmas vacation. W6EJD had a new VW "bug." Your SCM had a nice meeting with the Newport Club in October with 56 members attending. The ARRL allows me 10 trips a year to attend club meetings. If interested in a visit, please let me know by mail or phone. K6BHM traded his s.s.b. gear for an Apache, and now operates all bands. The San Diego Chapter of the QCWA was formed recently at a meeting at the Midway Chuckwagon. More than 75 attended. All local clubs and their officers are reminded again of the San Diego Council of Amateur Radio Organizations. This group is putting on the Southwestern Division Convention next October. Full participation from all organized clubs in the area is needed. How about a New Year's resolution to see that your club is represented at each council meeting this year? Your cooperation is needed in this matter. If more information about the council is needed, contact your SCM, W6EWT or W6RCD. Let us all get behind the council and forthcoming convention and spread the work load some. Traffic: (Oct.) K6BPI 3630, W6IAB 2422, W6YDK 1628, W6EOT 322, W6GROF 203, K6MIE 65, W6PDE 10. (Sept.) W6YDK 1251, W6ACDD 92, W6UOU 33.


SANTA BARBARA—SCM, William C. Shelton, K6AAK—This section seems to lack a volunteer for the position of SEC. Several have been interviewed but none so far have had any interest in the position. With the international situation the way it is it would appear that some interest would be generated. W6BNT has a new Ranger but is inactive because of poor grades in school. Better hustle, Steve. K6PEC faithfully reports the OAEN activities. W6YCF reports for the Tri County

(Continued on page 144)



The ideal Christmas gift for any ham

(or for his xyl!)



Season's Greetings


from the people
who make the

DRAKE 2-B RECEIVER

R. L. DRAKE COMPANY
Miamisburg, Ohio

- | | |
|--------|-----------------|
| W8CYE | "Bob" Drake |
| W8NGU | "Piff" Smith |
| K8IMN | "Bill" Drayer |
| W8VST | "Vic" Blackwell |
| K8YDO | "Milt" Sullivan |
| W8NUQ | "Jim" Waits |
| K8HYD | "Jim" Kittel |
| K8JYP | "Ernie" Gulden |
| K8HGI | "Carl" Wolfe |
| W8BCKE | "Bob" Brandt |
| W8ENH | "Clem" Wolford |

EDDYSTONE



GEARED SLOW MOTION DRIVE For Amateur Radio & Communications RECEIVERS & TRANSMITTERS

A high grade assembly, flywheel loaded, manufactured to fine tolerances, provides a smooth positive drive with a reduction ratio of 110:1. The vernier with its 100 divisions rotates 5 times for one pointer traverse, giving 500 divisions with positive reset readings. A cam adjustment on the vernier assures correct zero setting. A spring loaded jockey arm maintains tension of the pointer drive. Overall dimensions 9 1/4" x 5 3/4".

Manufactured by
Straffon & Co., Ltd. (Eddystone) PRICE \$16.50 NET
Birmingham, England Postpaid


Distributed by

BRITISH RADIO ELECTRONICS, LTD.

1742 Wisconsin Ave., N.W.
WASHINGTON 7, D. C.

EVERLITE: World's THRIFTIEST Light Plants

(Item 69-10T)



NEW TRANSISTOR ALTERNATOR REPLACES GENERATOR

Now a *Service Free* light plant built with a transistorized alternator. Offers 80% greater efficiency — more power for less fuel. Greater service life — no brushes to arc and burn. No more commutator to wear, no collector ring trouble. Best of all, this brushless design results in complete absence of hash and interference. And best of all it costs no more to "go modern with Everlite." Thrifty 1000 watt, 115v. AC plant powered by a rugged easy

1000 Watt starting 4 cycle engine — leader priced. Model \$179.50
869-10T. Wt. 65 lbs. as illustrated. Job factory

*Trade-Mark Registered

All sizes available — can finance. Write for catalog.
Special models for public utilities — Approved for Civil Defense. Write.

MASTER MECHANIC MFG. CO., Dept. 1-13 Burlington, Wis.

Southern Customers Order from Dept. 1-13 Box 65, Sarasota, Florida

Are You

TRADING?

Let me make you a trade-in offer on your used amateur equipment. All name-brand merchandise—late serial numbers assured. Quick delivery.

WRITE TODAY!

Bill W9ZSO

COMMUNICATIONS EQUIPMENT CO.

518 State St., LaCrosse, Wis.

Phone 4-7373



Net on 3820 kc., which meets at noon and also relayed the CBS sked for W6OJX, Paso Robles, 3600 kc. at 0240 GMT. Thanks. Mel. WA6TCX is very active with OO work. W6RZO is busy with a new transceiver and his troops. Hope to start visits to all clubs after the holidays as considerable interest has been shown in ARRL affiliation. Traffic: K6AAK 12, W6PEC 8, W6OUL 8, W6-YCF 8.

WEST GULF DIVISION


NORTHERN TEXAS—SCM, L. L. Harbin, W5BNG —The Abilene Hamfest was a great success with 250 in attendance and 131 preregistered. I met with a group of the Abilene Club members Saturday night and enjoyed a fine steak dinner at Lo Wakes Steak House. AREC and RACES problems were discussed at this time and I think some good plans were formulated. K5TRY, State RACES Communications Officer, was present and held a meeting on Civil Defense communication. I am thankful that I have a mobile set up in my car because I got lost as usual. I look forward to these West Texas meetings because there is never a dull moment. I will have a report of the Brownfield Annual Swapfest next month for you who could not attend. Many amateurs from this section attended the Oklahoma State ARRL Convention at Lake Texhoma Oct. 27-28 and I must say the V.H.F. Club of Oklahoma did a fine job. There were 216 preregistered with a total of 250 in attendance. K5QKF is now an Indian Chief, W5THI and W5YUO, working together, won the water transmitter hunt. This was something new and proved to be interesting as well as entertaining. K5BTZ presented a technical discussion on RTTY to the KC Club of Ft. Worth recently. K5ZFI became the proud papa of a baby girl Oct. 10. W5MSG reports WESCON is very interesting. K5GZC is in the hospital in Waco because of an auto accident. K5UIC reports there are 6 AREC members in Cooke County. Congratulations to K5EEO, a newlywed. Traffic: W5-BKH 164, W5BNG 36, W5GY 9, K5PNX 3.

OKLAHOMA—SCM, Adrian V. Rea, W5DRZ—First, a very special thanks from all of us to the Okla. City V.H.F. Club for a very fine convention at Lake Texoma. It was the largest attendance of any of our state conventions. All enjoyed it. Because of his health and other matters K5KTW has had to resign as SEC. Bill has done a very fine job. All of us in this section express our thanks to Bill for his work. W5PMI is the new manager for OPEN, which meets at 1400 GMT Sun. on the new frequency of 3850 kc. Thanks to the ECs for a very fine showing in the SET. New officers of the Electron Benders Club are K5EYT, pres.; K5WVA, vice-pres. and librarian; K5ZCJ, secy.; W5GZD, treas.; K5OOV, trustee. At a recent meeting the club's new station was dedicated to the memory of the former holder of W5OK (the club's new call), pioneer in amateur radio around Tulsa. W5ATB was the speaker at this occasion. K5LII has a new transistorized homebrew mobile rig. K5ACR has a new s.s.b. exciter. K5SWL has returned from the hospital. W5FFW and W5ERY are doing fine jobs as OOs. The Oklahoma Chapter of the Quarter Century Club has been organized under the leadership of W5MMH and W5KWV. W5ZWT will be on Ascension Island for short time. Traffic: K5RZB 154, W5JXN 112, K5OCX 105, W5DRZ 82, W5QMJ 73, K5AUX 62, W5-JMQ 59, W5MFX 50, K5YTH 24, K5RWL 23, K5ZEP 23, K5CBG 13, W5CCK 13, K5VNI 12, K5OOV 11, K5JOA 9, W5UYQ 8, W5MQI 6, W5PRL 5.

SOUTHERN TEXAS—SCM, Roy K. Eggston, W5-QEM—SEC: W5AIR. Congratulations to the Sun Valley Amateur Radio Club on the completion of their new club house. ON4KZ and his XYL, also YN4CWH, have been visiting in the El Paso Area. The Brazoria County Amateur Radio Club has been reactivated and the new officers are K5OON, pres.; W5CPO, vice-pres.; and K5-QQI, Secy.-treas. The club has set up a 2-meter net on 147.6 Mc. K5CRO acted as NCS for the Jefferson County Polio Immunization drive. New officers of the Orange Amateur Radio Club are K5AAM, pres.; W5QEY, vice-pres.; W5THD, secy.-treas.; WA5AUZ, K5AAM, K5-BJB, W5ICL, K5RTR, K5RZB and K5SUR, board of directors. The club station, W5ND, has a new 40-ft tower and triband antenna, with others located on top of the Orange Memorial Hospital. The Texas A&M College Amateur Radio Club has a new invader. This club has approximately 30 members, all operating the club station, W5AC. Houston amateurs are setting up two complete rigs at the Harris County Chapter of the Red Cross for emergency work. One rig is on 6 meters and the other works 80 through 10. W5AIR is co-chairman of the emergency communication committee, with K5-RDP and W5DSF as assistants. The Corpus Christi Amateur Radio Club has a 2-meter and 80- through 10-meter rig set up at the Nueces Chapter of the Red Cross. Traffic: W5AC 282, K4HDU 117, W5AIR 108, W5-ANV 67, K5ABV 16, K5VHI 9, K5ZSC 1.

(Continued on page 146)

AEROCOM PRESENTS VHF AM TRANSMITTERS and RECEIVERS





AEROCOM communications equipment is designed with both performance and reliability in mind, and is produced by experienced personnel using high-quality materials. The following features are found in all three transmitters: Single crystal controlled frequency (plus an additional frequency $\frac{1}{2}\%$ away from main frequency); stability $\pm .003\%$ or $\pm .001\%$ over temperature range of 0°C to $+55^{\circ}\text{C}$, any humidity up to 95%; audio system incorporates high level plate modulation, with compression; forced ventilation with air filter is employed. Welded steel cabinets.

◀ **Model 10V1-A**—1000 Watts output—Successfully being used in Troposcot service for communications with aircraft beyond the optical horizon. Frequency range 118-153 mc. Can be completely remote controlled by using AEROCOM's remote control equipment. All tuning from front panel by means of dials. Power requirements 210-250 V 50/60 cycles, single phase.

Model VH-200—200 Watts output in range 118-132 mc. Excellent for both point-to-point and ground-to-air communications. Press-to-talk and audio input may be remoted using single pair of telephone lines. Power requirements 105-120V 50/60 cycles. Also available for use above 132 mc; output drops gradually to 150 watts at 165 mc.

Model VH-50—50 Watts output. Frequency range 118-153 mc. Outstanding low power transmitter for ground-to-air service. With remote control provisions; main power control with front panel switch. Convection cooling for press-to-talk service—otherwise forced air cooling. Power requirements 115/230 V 50/60 cycles.

◀ **Model 85 VHF Receiver.** A high performance, low noise, single channel crystal controlled, single conversion VHF receiver. Stability normally $\pm .001\%$ (with oven crystal $\pm .0005\%$) over temperature range 0°C to $+55^{\circ}\text{C}$. Sensitivity $\frac{1}{2}$ microvolt or better for 1 watt output with 6 db signal to noise ratio. Standard selectivity bandwidth 30 kc; other widths available. Spurious response down 90 db. Frequency range 118-154 mc. Power requirements either 115 V or 230 V 50/60 cycles. Made for standard rack panel mounting.



As in all AEROCOM products, the quality and workmanship of this VHF equipment is of the highest. All components are conservatively rated. Replacements parts are always available for all AEROCOM equipment.

Complete technical data
available on request.
Write Dept. 800



FCC Type Accepted
for Aviation Service

3090 S. W. 37th Avenue — Miami 33, Florida

CANADIAN DIVISION

THE LEAGUE EMBLEM



With both gold border and lettering, and with black enamel background, is available in either pin (with safety clasp) or screw-back button type. In addition, there are special colors, available in the pin style emblem only, for Communications Dept. appointees.

- ▶ Red enameled background for the SCM.
- ▶ Green enameled background for the RM, PAM or EC.
- ▶ Blue enameled background for the ORS or OPS.

THE EMBLEM CUT: A mounted printing electrotpe, 5/8" high, for use by members on amateur printed matter, letterheads, cards, etc.

Pin, Button or Cut: \$1.00 Each, Postpaid

AMERICAN RADIO RELAY LEAGUE

West Hartford 7, Connecticut

MARITIME—SCM, D. E. Weeks, WEIWB—Asst. SCMs: A. E. W. Street, VEIEK, and H. C. Hillvard, VOICZ. New appointments include VEIOZ as EC (Saint John). Deepest sympathy is extended to the families of VEIAB and VEIDQ, who have joined the ranks of Silent Keys. Harry (AB) was a veteran broadcaster of the early twenties while Art (DQ) was Maritime Section SCM for about 25 years. Congratulations to VEIJT and his XYL on the arrival of a baby girl. VEIAFP has been awarded the CMC certificate. VEIWF recently underwent surgery with VEIAEY performing the operation. Newly elected club officers: (Halifax) VEIMM, pres.; VEIAFQ and VEIYN, vice-pres.; VEIAHR, treas.; VEIAFN, secy. (Loyalist City) VEIAAH, pres.; VEIXN, vice-pres.; VEIAJS, secy.; VEIQV, treas. Winner of the Gouse Bay QSO Party was W5HCZ. VO2 with 335 points. Runners-up were VO2NA, W8UPV/VO2 and VO2DP. Winner of the VO2NA Trophy was W8UPV/VO2. New calls include VOIAP, VOIAR and VOICK. VOIEC has a new T432 Tribander. VOIBD has a new beam. VO2NA reports that the following new members of the GBARC will provide credits for the WAG Award: W5HCZ, K7TTH, K5DYR, W8UPV, K5HOJ, K0SZE, VOIFG, all operating portable VO2. Traffic: VEIOM 7.


NINTH ANNUAL VEI CONTEST

Jan. 19-20 and 26-27, 1963

All VE1 amateurs are invited to participate in a contest sponsored by the New Brunswick Amateur Radio Association. The contest is divided into two sections, phone and c.w. The highest scoring contestant in each section will be awarded permanent possession of an engraved cup, the NBARA Trophy.

RULES: 1) The c.w. contest will begin at 2400 GMT Saturday, Jan. 19 and end at 2400 GMT Sunday, Jan. 20. 2) The phone contest will begin at 2400 GMT Saturday, Jan. 26 and end at 2400 GMT Sunday, Jan. 27. 3) Any and all amateur bands may be used but only c.w. to c.w., or phone to phone contacts will count. Any contestant may participate and be eligible for awards in both sections. 4) The same station may be counted but once for credit (in each section) regardless of band used. Mobile, portable, and home stations covered by the same station license constitute the same station. 5) The general call is "CQ VE1." 6) Exchange signal reports, county, province, and operator's name. Local QTH is not required. 7) Logs should show band, type emission, signal reports, county, province, time, and date. Logs not showing this information IN FULL will be disqualified. 8) Score one point for information received and one for information sent and confirmed. Multiply total points by the number of individual counties worked in the three provinces to determine final score. For contest purposes Sable Island will be classed as part of Halifax County. 9) Decisions of the contest committee will be final. Logs must be postmarked not later than Feb. 8 and should be in committee hands not later than Feb. 15. Forward all entries to: Contest Committee, P. O. Box 366, St. Stephen, N.B., Canada.

this "S" Meter



Model 540

Indicates your signal strength instantly
ONLY \$1388 NET

- A SECO PLUS—the first transistorized "S" Meter on the market . . . introduces no loading on AVC circuit!
- Ideal for CB, AM and FM tuners, ham, TV, and antenna orientation
- Illuminated "zero" to "30 db over 9" meter—also controls for zero set and sensitivity
- Completely self powered—operates on standard 9 v battery
- Can be built right into your set or attached anywhere with suction cup base
- Styled to make a handsome matching set with the Seco Signal Filter noise limiter and controllable squelch

See your electronics distributor or use the coupon below to order your Seco Model 540 "S" METER.



SECO ELECTRONICS, INC.

1225 S. Clover Drive, Minneapolis 20, Minn.

Please send (Qty) _____ "S" Meters postpaid

check money order for \$_____ (\$13.88 each) enclosed.

PRINT NAME _____

ADDRESS _____

CITY _____ STATE _____


ONTARIO—SCM, Richard W. Roberts, VE3NG—The Metro-Toronto Two Meter Net is well under way under the control of PAM VE3DUU and controller VE3EJC. VE3AIB has retired as EC for v.h.f. in the Toronto area after fourteen years of service. The new EC for 2 meters is VE3DRF. Officials and appointees of the ARRL were in great numbers at the Toronto, Ontario Division ARRL Convention. Among those present were John Huntoon, General Manager ARRL; Alex Reid, Vice-President ARRL; Noel Eaton, Canadian Division Manager; Colin Dumbrie, Canadian Division Vice-Director; Art Allen, Asst. Legal Council for Canada your Ontario SCM. PAM VE3CFR; SEC VE3ANL; QSL Mgr. VE3QE and most of the Ontario ECs. We are sorry to have to list VE3BAX, of Sarnia, as a Silent Key. Congratulations to VE3FIQ and VE3BQC, who recently got their tickets via the St. Thomas ARC. The recent SET showed a marked increase in AREC work. Fifty new members were initiated into the Royal Order of the Wouff Hong at the Ontario Convention. WE3DSM is in the hospital with heart trouble. VE3BQL/SU is back from Egypt and will be in VE1-Land for a while. The Ontario S.S.B. Dinner in Ontario was a huge success. Send self-addressed and stamped envelopes to
(Continued on page 148)

**"CALL ME
for
Personal Service"**



Bob Henry
WØARA
Butler, Mo.
ORchard 9-3127

**"CALL ME
for
Personal Service"**



Ted Henry
W6UOU
Los Angeles
GRanite 7-6701

ON

OPEN NOW
THE 3rd
HENRY RADIO STORE
931 N. Euclid Ave.,
Anaheim, Calif.

**WORLD'S
BEST TERMS**


Because we
finance our
own terms . . .

- Only 6% a year finance cost
- 20 months or longer to pay
- Only 10% down (or your trade-in as down payment)
- No finance charges if paid within 90 days
- Reduced charges if paid off ahead of time
- You get more flexibility of financing in the future (such as re-financing) because we handle our own financing

**A-1 Reconditioned
Apparatus**

Nearly all makes and models. Big savings!
Ten day trial—90 day warranty. 90 day full
trade back on new apparatus. Write for
bulletin.

Collins



62S-1 VHF Adapter	\$ 895.00
75S-3 Receiver	680.00
30L-1 Linear Amplifier	520.00
KWM-2 Transceiver	1150.00
32S-3 Transmitter	750.00
516F-2 AC Power Supply	115.00
MP1 12V DC Power Supply	198.00
75S-1 Receiver	520.00
30S-1 Linear Amplifier	1556.00

Write, phone or visit either store today!

Inquiries and orders from military men and others outside USA wanted

Butler 1, Missouri
ORchard 9-3127



Henry Radio Stores

11240 West Olympic Blvd.




Los Angeles 64 Ph. GRanite 7-6701

BIG

TRADE-INS

"World's Largest Distributors of Short Wave Receivers"

IDEA BOOK



7 HIS LATEST VOLUME in the Hints and Kinks series is packed with practical ideas. You'll find it a mighty valuable book around your shack and workshop. Like all other ARRL publications, Hints and Kinks contains complete, clearly written information illustrated with plenty of photos and drawings. It deserves a place in every ham shack!

\$1.00
U.S. A. Proper
\$1.25 Elsewhere

THE AMERICAN RADIO RELAY LEAGUE

WEST HARTFORD 7, CONN.

VE3QUE, our QSL Manager, for your QSL cards. Hamilton or London may be the site and hosts of the 1963 Ontario Division Convention. Any club or group can apply to hold the convention in its city or town. Write your SCM for information. Lee, the XYL of VE3EBE presented him with a second receiver (daughter). VE3-BLJ is now RTTY. Traffic: (Oct.) VE3CFR 229, VE3-CYR 152, VE3NG 133, VE31PO 126, VE3EHL 82, VE3-DRF 76, VE3GI 73, VE3GP 60, VE3BSY 54, VE3RN 47, VE3UOW 35, VE3ELQ 31, VE3AM 27, VE3BAQ 27, VE3-EAU 27, VE3ETM 22, VE3EZC 16, VE3DU 15, VE3HZT 12, VE3DUU 12, VE3SG 10, VE3AKQ 8, VE3BUR 7, VE3OT 7, VE3VD 5, VE3DH 2. (Sept.) VE3BUR 31, VE3FES 29, VE3SG 6.

QUEBEC—SCM, C. W. Skarstedt, VE2DR—Asst. SCM: Jean P. Achim, VE2ATL. During the SET exercises held in the Montreal Area VE2OC controlled Hq. station VE2CDM while the field organization was looked after by VE2BDV. The South Shore Group, led by VE2AEW, also held a successful exercise. In the Laurentide Park, hams controlled by VE2CDB and VE2-CDC searched for a missing motorist. The operation was successful although the man was found dead. VE2ARA and VE2LU entered the ARRL FMT and both did well, with VE2LU's error only one part per million. VE2QG and VE2FC were confined to the hospital. VE2VG announced the arrival of an 8-lb jr. operator. The Annual Scout Jamboree was well sponsored by section stations with VE2s ABV, DBP, BLR, XX, YA, BV, YX, GJ and SL showing the young scouts how we operate. VE2-BE, BK, CL, VR and HI enjoyed the Toronto ARRL Convention. The MARC sponsors code and theory classes, 1015 Beaver Hall Hill, Montreal at 8 p.m. Mon. VE2s BDP, SH, BHV, RIR, BDV and NN instruct, while VE2HDV and VE2NN are organizers. VE2AJD teaches code at Trois-Rivieres. Sorry to report the passing of VE2AJR at Hull. VE2ATL reports: VE2LO retired after 46 years of service. VE2ACD is moving to California. VE2SO met his YL at the RAQI convention. VE2RJ visited Telstar installations at Andover, Me. VE2AJV succeeds a VE2AWR comme titulaire de VE2JC. Ex-VE2APC et VE2ATL present un cours de photographique 35 mm. Nous regrettons de vous annoncer la mort d'un amateur tres connu, VE2AO. Traffic: VE2DR 59, VE2CP 33, VE2AUU 28, VE2AUH 24, VE2AGQ 20, VE2BFT 19, VE2EC 18, VE2BDV 14, VE2BG 14, VE2-SD 13, VE2ALE 8, VE2ANK 3, VE2RHK 1.

ALBERTA—SCM, Harry Harrold, VE6TG—SEC: VE6FS, PAM; VE6PV, RM; VE6AEN, ECS; VE6FK, VE6SS, VE6ARS, OPS; VE6CA, VE6PV, VE6TMI, OBS; VE6HM, VE6NX, VE6PL, OBS; VE6HM, ORS; VE6BR, OBS; VE6DB, VE6FO. Thanks to all who helped in the success of the test on Oct. 6 and 7, the Scout Jamboree and the patrols for the police on Halloween. The NARC elected D. M. Taylor, pres.; D. M. Mahoney, secy.; Mrs. E. Berkman, treas. The NARC will sponsor the 1964 Alberta "HAM" fest. VE6FK, Calgary, did a very good job as control for the province-wide test. VE6FS (SEC) was very pleased with Oct. operations and says thanks to all concerned. The PTN (c.s.) Net hopes that more of you c.w. fellows will check in this winter. APN still is encountering black outs. All of the Vulcan club members are League members. The CARC, Calgary, elected officers recently. Most clubs will run classes this winter, with Vulcan coming up with ten in the next three months. Traffic: VE6HM 166, VE6FK 67, VE6FS 65, VE6BR 37, VE6AEN 30, VE6AFJ 14, VE6ABS 9, VE6PV 9, VE6GN 6, VE6SS 5, VE6CA 4, VE6UH 4, VE6SU 2, VE6BL 1.

BRITISH COLUMBIA—SCM, H. E. Savage, VE7FB—Plans are being made for Old Timers Night for Feb. 1963. VE7QC is back at Merritt, also VE7AMT/7. It looks like Merritt will be back on the map. VE7BBB now has her Advanced Class ticket. Congratulations, gal. The Boy Scout Jamboree for VE7s appears to have been a terrific success judging by the large total of Boy Scouts attending. Nanaimo's newest call VE7BLE. VE7BJV has 25 watts on 160 meters. BCEN nominations for ORS have been awarded to VE7AGE, VE7EZ and VE7BJV. The net still is looking for more members from many places in B.C. Worry not about your code speed. They will send at your speed. The B.C. Opman is being revised for net operations. The Vancouver Amateur Radio Club lost top two sections and a tower trailer last FD. Any help would be appreciated in recovering this equipment. Your SEC, VE7OM, has appointed three new Emergency Coordinators, VE7BHH, VE7AKE and VE7MX. Have you filed a Form 7 yet? Have you read the Canadian Director's News Letter for October? Ask your club secretary for it, or contact us. News to this office has hit an all-time low. So if you want to use this space let's have your letter. Traffic: VE7BDJ 228, VE7AGF 113, VE7BJF 82, VE7KZ 48, VE7AC 14, VE7DH 4, VE7AOY 2.

MANITOBA—SCM, M. S. Watson, VE4JY—New licenses issued by the D.O.T. are VE4CS, VE4IK, VE4-OW, and VE4RQ; also VE4ED and VE4PB at Churchill. The ARLM has procured a supply of "Ham Ties" for

(Continued on page 150)

THE HAMS AT HARVEY SAY:



STEP UP TO hallicrafters

MODEL SR-150 TRANSCEIVER


Amateur Band • Fixed/Mobile

Here's top transceiver performance with full amateur band coverage — 80 through 10 meters • Receiver AF gain and RF gain controls • SSB operation — VOX or PTT; CW operation — manual or break-in • R.I.T. (Receiver Incremental Tuning) — ± 2 kc adjustment of receiver frequency independent of transmitter • Exclusive new AALC (amplified automatic level control) • 1650 kc crystal filter.

Model SR-150 **\$650.**

ALSO: AC or DC Power Supplies


P-150 AC Styled to match SR-150 Transceiver. Five silicon diode rectifiers. PM speaker **\$99.50**



P-150 DC Five silicon diode rectifiers, four transistors **\$109.50**

Complete Mobile Mount:

MR-150 Adaptable to transmission hump or floor. Easily mounted **\$39.95**



MODEL SX-117 RECEIVER

A new versatile highly stable Hallicrafters communications receiver! It's a triple conversion heterodyne type with crystal-controlled high-frequency oscillator on all ranges • Crystal-controlled 1st and 3rd conversion oscillators • Selectable side bands • Constant tuning rate • Can operate on most frequencies from 3 MC to 30 MC with proper crystals; with accessory unit HA-10 (shown on receiver) can be extended downward from 3 MC to 85 KC • Selectivity variable in 3 steps from 500 to 5,000 cycles • V.F.O. can be used as crystal locked oscillator.

Model SX-117 **\$379.95**

Accessory HA-10 **\$24.95**

FOR FURTHER
INFORMATION
WRITE TO:

HARVEY RADIO CO., INC.

103 West 43rd Street, New York 36, N. Y. 1 Block from Times Square / Judson 2-1500

Visit our new subsidiary, FEDERAL ELECTRONICS, INC., Vestal, N.Y. for all your industrial needs.

© C. P. No. 20 Permit No. Double Packet 25-60

W2UMB	ZS6ET
W8NDA	W3RWF
CT1NT	W1AY
SM5WV	W50YU
LU3EJ	ZL3EA
KZ5EL	OPTE
ZS30	W1MHP
KP4DU	W7NJ
OA4DI	W4LDT
11YJ	WGABM

QSL PACKET

FRAMES 20 CARDS



3 PACKETS \$1.00
10 PACKETS \$3.00

Prepaid and Guaranteed
 —ORDER NOW—

TEPAB CO.
 BOX 198 GALLATIN 1, TENN.

TELETYPEWRITER EQUIPMENT • COLLINS

51J-3 RECEIVERS .50-30.5 MC. R-390A .50-32 Mc. SP-600 Receivers. 540 Kc.-51 Mc. Teletype: #11, 15, 19, 26, 28; Kleinschmidt; Mod. K Teletwriter; Receiving Converter, etc. Write to TOM, WIAFN, ALLTRONICS-HOWARD CO., Box 19, Boston 1, Mass. Richmond 2-0018.



QTC?

Whether you are a dyed-in-the-wool traffic man or just an occasional traf-ficker, your sense of good public relations tells you that ARRL Radiogram forms are a must in your station. Attractively printed on a new high grade paper, message blanks add that final touch to this important public service.

OFFICIAL RADIOGRAM FORM

Pad (70 blanks) 35¢
 Message Delivery Cards each 2¢ plain, 5¢ stamped

THE AMERICAN RADIO
 RELAY LEAGUE, INC.

WEST HARTFORD 7
 CONNECTICUT



E
Z
-
I
N
C
L
E
A
R
P
L
A
S
T
I
C

sale. The Elliot family, VE4IF, VE4GE and VE4PE are in the process of moving to the wide open spaces at Birds Hill. VE4AN has been appointed PAM, succeeding VE4RR. Glad to hear veteran VE5GO back on the Manitoba Net from Walena. VE4SR reports a fine holiday on the west coast. On the way he made 126 contacts on 80-meter mobile. VE4BJ reports 5 continents worked on RTTY teletype. VE4GA is the new treasurer of the ARRL. It is with deep regret that we record the death of VE4WJ, for many years a devoted amateur. A new radio club has been formed in Winnipeg piloted by VE4-OL, pres.; VE4BK, vice-pres.; and VE4QL, secy., under the name of "BISON." Traffic: (Oct.) VE4FF 9, VE4FX 8, VE4KN 8, VE4QD 8, VE4LQ 3, VE4AN 2, VE4JA 2, VE4JW 2, VE4SE 2, VE4HW 1, VE4UC 1, (Sept.) VE4JA 5, VE4KN 5, VE4QD 4, VE4HF 3, VE4-UC 3, VE4AN 2, VE4GB 2, VE4NI 2, VE4SE 1.

SASKATCHEWAN—SCM, Jack Robinson, VE5BL— During the week end of Oct. 20 and 21 a number of stations throughout the province took part in the 5th Boy Scout Jamboree on the air. The Regina Club had two stations operating at Boy Scout Headquarters on 75 and 20 meters, using the special call VE5JAM. Other stations in the province had boys from various troops in their locality visit their stations and exchange greetings and information with other troops. Ex-VE3DWM is now VE5QE, located at McConl. VE5HP visited W1AW during the summer holidays. VE5IG is busy taking flying lessons. Traffic: VE5HP 79, VE5LM 27, VE5NX 8, VE5-OR 7, VE5HQ 6, VE5RE 6, VE5JU 5, VE5MS 2, VE5- HX 1, VE5IG 1.

S4 + 30 Db.

(Continued from page 29)

"Well, that's fine, Jock. Now as you know, Ramses II (1301-1234 B.C.) built six temples along the Nile. The most famous, of course, is the Colossus at Abu Simbel — we still plus 30, Jock? Break."

"You're up to 36 db. over S3 now, Jack —"

"Ah + 36 now. Very good, Jock. Now, as I was saying, there are four statues of Ramses II at the entrance to the Temple, each 67 feet high, and show the Pharaoh seated . . ." **QST**

YL News and Views

(Continued from page 80)

Red Wagon Widows?

K2OEW, Thelma, WA2UAB, Mabel, and WA2WHE, Gretta, wonder if there are other YLs who are "Red Wagon Widows" — YLs whose OMs are firemen — who would be interested in forming a Red Wagon Widows net on 75 meters. All interested please contact one of the above YLs.

COMING EVENTS

YL-OM Contest — The fourteenth annual, conducted by the YLRL. Phone section March 2-3; C.W. section March 16-17. Complete rules next month.

Novice Roundup

(Continued from page 41)

Rules


- 1) **Eligibility:** The contest is open to all radio amateurs in the ARRL sections listed on page 6 of this QST.
- 2) **Time:** All contacts must be made during the contest time indicated elsewhere in this announcement. Time may be divided as desired but must not exceed 40 hours total.
- 3) **QSOs:** Contacts must include certain information sent in the form as shown in the example. QSOs must take place on the 80-, 40-, 15-, or 2-meter bands. Crossband contacts are not permitted. C.w. to phone, c.w. to c.w., phone to phone, phone to c.w. contacts are permitted. Novices work any amateur stations eligible; non-Novices work only Nov-

(Continued on page 152)

NEW *Hy-gain*

DUOBANDER

for the popular 20-40 meter bands



New compact lightweight unit features Linear Decoupling Stub and Beta Match

The 20-meter and 40-meter bands are becoming more and more popular with amateurs because of more room for expansion and low sun spot activity. That's why the Hy-Gain engineering staff has designed this important new antenna. The Hy-Gain Duo-bander has three full-sized elements on 20 meters and two reduced-size elements on 40 meters. It's compact, lightweight, highly practical—and priced right.

Through the exclusive Hy-Gain development, the linear decoupling stub, the ordinarily outsize 40-meter element is reduced to about $\frac{2}{3}$ of the normal size. This makes the Hy-Gain antenna practical, usable where others won't work out, but keeps performance standards high.

The exclusive Hy-Gain advancement of the linear decoupling stub makes two-band operation possible. You do away with inductance and capacity traps, yet the DuoBander elements sections can be decoupled very efficiently. The linear loading principle, another Hy-Gain exclusive, does far better than a loading coil in reducing antenna size.

A proven Hy-Gain development—THE BETA MATCH makes possible maximum gain and low standing wave ratio into a single 52 ohm coaxial feed line. For perfect pattern symmetry, a broad band balun is an integral part of the matching system.

price \$169.50



**ELECTRONIC
WHOLESALEERS
INC.**

9390 N.W. 27th AVE., MIAMI 47, FLA. Phone OXford 6-1620


2345 SHERMAN AVE., N.W., WASHINGTON 1, D.C. Phone HUDson 3-5200

1301 HIBISCUS BLVD., MELBOURNE, FLA. Phone PARKway 3-1441

938 BURKE ST., WINSTON-SALEM, N. C. Phone PARK 5-8711

2310 BOB WALLACE AVE., S.W., HUNTSVILLE, ALA. Phone 534-2461

THREE IMPORTANT REASONS WHY YOU NEED THE NEW 1962 WINTER CALLBOOK



• If your present CALLBOOK is only a year old, over 20% of the listings have been changed or added!

• Over 13,000 new amateurs added since the Summer, 1962 issue—another major license increase!

• Completely revised essential data—latest international prefixes, Q signals, postal info., airline distances, time chart, etc.

Foreign Listings
(All outside U.S.)

\$3.00

U.S. Listings
(All K and W calls)

\$5.00

Now on sale at your amateur equipment dealer; if not conveniently located you may order by mail (please add 25¢ for mailing) from:

RADIO AMATEUR CALLBOOK, INC.
Dept. A, 4844 Fullerton Ave., Chicago 39, Ill.

PS. Write for illustrated brochure on exclusive WORLD ATLAS . . . DX GUIDE . . . SPECIAL FULL COLOR MAPS.

NOW A . . . FIBERGLAS QUAD

. . . by CUBEX

MK III w/Fiberglas Arms. only \$99.50
MK III w/Bamboo Arms. only \$67.50

All models use the famous CUBEX "Ruggedized" support structure also the

CUBEX QUAD FOUNDATION KIT

For "Do-It-Urself" Quad Builders \$27.50
Ask for free brochure "FG"

CUBEX CO. 3322 Tonia Avenue
ALTADENA, CALIFORNIA


LEARN CODE!

SPEED UP Your RECEIVING with G-C

Automatic Sender

Type S

\$32.00 Postpaid in U. S. A.



Housed in Aluminum Case. Black instrument Finished. Small—Compact—Quiet induction type motor. 110 Volts—60 Cycles A.C.

Adjustable speed control, maintains constant speed at any Setting. Complete with ten rolls of double perforated tape. A wide variety of other practice tapes available at 50¢ per roll.

GARDINER & COMPANY

STRATFORD

NEW JERSEY

ices. Valid points can be scored by contacting stations not working in the contest, upon acceptance of your number and section and receipt of a number and section.

4) *Scoring:* Each exchange counts one point. Only one point may be earned by contacting any one station, regardless of the frequency band. The total number of ARRL sections (see page 6 of this QST) worked during the contest is the "section multiplier." Yukon-N.W.T. (VE8) also counts as a multiplier. A fixed scoring credit may be earned by entrants who hold ARRL Code Proficiency certificates. If an entrant does not hold a CP award he can apply for credit by attaching to his Roundup report a copy of qualifying run from W6OWP, January 4 or February 7, or from W1AW, January 16 or February 21. CP credit equals the w.p.m. speed indicated on the latest certificate or sticker held by the entrant. The final score equals the "total points" plus "Code Proficiency credit" multiplied by the "section multiplier."

5) *Reporting:* Contest work must be reported as shown in the sample form. Reporting forms and a map of the United States will be sent gratis upon request. Indicate starting and ending times for each period on the air. All Roundup reports become the property of ARRL and must be post-marked not later than March 1.

6) *Awards:* A certificate award will be given to the highest-scoring Novice in each ARRL section.

7) *Disqualifications:* Failure to comply with the contest rules or FCC regulations are grounds for disqualification. ARRL Contest Committee decisions are final. **QST**

Easy Match

(Continued from page 48)

75-ohm low-pass filter reasonably well. It should be noted that the L network gives a considerable amount of harmonic attenuation when properly adjusted, and when combined with the inherent harmonic suppression of the pi-network final, generally makes the use of a low-pass filter unnecessary unless you are located in a TV fringe area. In any event, it is important that the transmitter itself be adequately shielded and filtered.

Fig. 2 is a block diagram showing where the various components of the system should be installed. The low-pass filter and the s.w.r. meter can be eliminated, as mentioned, and of course, the use of a send-receive antenna relay is optional. If used, it should be located as indicated in the diagram.

A "bargain" cabinet,² about 15 inches wide by 7½ inches high by 9 inches deep, was used for the model pictured. Included were the panel and a cadmium-plated chassis. The chassis is not used. The ceramic meter switch came from the junk box, as did the capacitor scale and knob, the SO-239 coaxial connector, a ceramic feedthrough for the single-wire feeder or antenna, and an 8-32 machine bolt for the ground connection. The meter, capacitor, and coil came from a surplus store at a total cost of about \$5.00. Even with new material, the cost can be moderate, considering the results that can be obtained with the very simplest forms of all-band antennas. **QST**

² Obtainable from World Radio Laboratories, Council Bluffs, Iowa.

AMATEUR CRYSTAL GRINDING & ETCHING KIT

12 Crystals in miscellaneous holders • 6 Assorted crystal blanks • 1 Package Ammonium Bifluoride flakes • 1 Packet Grinding compound • 2 Plastic containers • 2 Crystal blank holders.

INSTRUCTIONS

\$3.95 Postpaid U.S.A.

QUAKER ELECTRONICS Box 56T MT. TOP, PENNA.

**POWERED
BY
TUNG-SOL**



**ALL THREE
MODES BY
WRL**

Compact and Powerful 6DQ6B Tubes

WORLD RADIO LABORATORIES, INC.
3415 West Broadway Council Bluffs, Iowa

TUNG-SOL provided the answer with the new 6DQ6B by approving its use in transmitting service at 20 watts plate dissipation intermittent amateur service. Power capability of 175 watts CW for a pair of tubes on all amateur bands up to 30 MC.

Now it's the Meteor SB 175 for the novice or advanced operator; 175 watts CW, 100 watts AM, 140 watts (PEP) on USB. Tung-Sol 6DQ6B are compact and powerful. Optional mobile bracket available.



Because of the sturdy 6DQ6B Tung-Sol Tubes and other equally rugged components, WRL offers a full year warranty on the Meteor.

Beautifully styled for "Shack Appeal." 5" high by 11 3/8" wide and 8" deep. Under 10 lbs. (less power supply). Gold iridite treated panel and chassis. Extra heavy for durability.

All amateur bands 80-10 meters with continuous coverage 3.5-9 MC and 13-30 MC. Provisions for crystal or VFO control; Pi-net-

work, one knob bandswitching; 100% modulation; efficient class "C" final operates through all bands. Wide coverage for MARS and CAP.

The 6DQ6B is a Beam-Power Pentode primarily designed for use as the horizontal-deflection amplifier in television receivers. Its high zero-bias plate current at low-plate and screen voltages makes the tube well suited for use in receivers that operate at low plate-supply voltages.

 **TUNG-SOL**

Tung-Sol Electric Inc., Newark 4, N. J.

Novice 40-Watter

(Continued from page 35)

the power supply should be connected to the + side of the meter and the lead from the plate of the tube to the - side.

Tune-up procedure with the meter is similar to the indicator system. Tune C_3 for a "dip" in plate current or minimum plate current. The dip point is resonance. The amplifier can be loaded to a plate reading of 120 to 140 ma.

Still using a dummy load, put a 40-meter crystal in the rig and tune up on 40, using the same tuning procedure as outlined for 80. You'll have to switch S_2 to the 40-meter position, of course. Once you have the rig tuned up on 40 with the dummy load, adjust C_1 for maximum brilliance of the dummy load. This adjustment needs to be set only once and then you can forget about it.

A common trouble that Novices who operate on 80 meters are likely to encounter is the radiation of a second harmonic which falls outside the high end of 40 meters. With this transmitter, or for that matter, almost any transmitter, commercial or home-built, precautions should be taken to prevent this unwanted harmonic radiation. There are several different ways that the trouble can be eliminated, two of the popular methods is with either an antenna coupler or a filter. It is suggested that the newcomer read a recent article¹ that treats the problem and takes the necessary steps to prevent such harmonic radiation.

QST

¹ McCoy, "How to Avoid Radiation of Spurious Signals," QST, April 1962.

The W4JWV S.S.B. Exciter

(Continued from page 28)

now the same as has been explained for 80 meters, with one exception. Because of the choice of the crystals used to mix to higher frequencies, the v.f.o. will tune in a reverse direction on the higher-frequency bands, and the sideband will be opposite to that on 80 meters; that is, the l.s.b. position for 80 meters becomes the u.s.b. position on all other bands.

For operation on a.m. phone, the exciter is tuned up as for s.s.b. Then carrier is reintroduced by unbalancing the balanced modulator until the plate-current meter reads 100. With modulation, you will be transmitting what is in effect an s.s.b. signal with carrier present. The result is a crisp, punchy a.m. signal typical of the better types of high-level modulation and of a band width comparable to s.s.b. The reason the band width remains narrow is that the a.m. signal is subject to the filtering action of the μ -Mc. crystal filter. The push-to-talk feature may be used on a.m. in the same fashion as for s.s.b.


As a final step, the dial is calibrated using a frequency meter or the station receiver, and the

(Continued on page 156)

Want High Efficiency and Small Size?

6 10 15 20 METERS

MINIATURIZED-4 BANDS



Model B-24

Mini-Product's time-proved B-24 4-band antenna combines maximum efficiency and miniaturization to provide hams with an excellent antenna where space must be considered.

Like all Mini-Products antennas, the B-24 employs "Multiple Hat" loading for maximum efficiency. TV rotor adequate; Feed line, 50 ohm coax; SWR 1.3:1.

Amateur Net

\$59.95

Mini-Products, Inc.

1100 WEST 21ST STREET, PHILADELPHIA, PENNSYLVANIA

ELIMINATE GUYING PROBLEMS

With Diamond Braided Polyethylene Rope
A Synthetic That Is

1. Weatherproof—will not rust, rot, mildew.
2. A good dielectric—eliminates insulators.
3. Very easy to manage; slices quicker than you can tie a good knot in regular rope.
4. Splices permit instantaneous adjustment of guy length—eliminate turnbuckles.
5. Less stretch than any other kind of rope. Stretch of $\frac{3}{8}$ " diameter rope imperceptible; recommended for towers 40 ft. or higher.

$\frac{1}{4}$ " 1200 lb. 4c/ft

$\frac{3}{8}$ " 2000 lb. 8c/ft

$\frac{1}{2}$ " 3500 lb. 15c/ft

Postpaid in 50 states

Other sizes available.

Wide variety of colors.

Discount on over 500 feet.

Write for Details.

Check or Money-order to

PHILIP I. PAUL, W1YAR

BYRON AIRPARK

RR 3

Xenia, Ohio

SSB-AM-CW


Newcomers and Old Timers—Write for Best Buys In

- TRANSMITTERS
- AMPLIFIERS
- RECEIVERS
- BEAM ROTATORS
- TOWERS
- KEYERS
- BEAMS
- HI-FI

— MAJOR BRANDS —

Overseas and Domestic—Save Money by Mail
State Items you are interested in. For personal attention
write to W9ADN—or Phone 815-838-1580—at

ORGANS & ELECTRONICS Box 117
Lockport, Illinois



FORT ORANGE

Radio Distributing Co., Inc.

904 BROADWAY ALBANY 7 N. Y. U. S. A.
AMATEUR HEADQUARTERS

Cable Address "Uncledave"

CALL ALBANY HE 6-8411

NITES GR 7-5891

SO, ALL YOU GOT FOR CHRISTMAS WERE SOME TIES AND SOME MONEY? UNCLEDAVE—AND TINY, TOO—WANT YOU TO SIT RIGHT DOWN AND WRITE A LETTER. TELL THEM WHAT YOU NEED AND IF YOU HAVE ANYTHING TO TRADE-IN, LIST IT ALSO. THEN, BEFORE YOU KNOW IT YOU WILL RECEIVE THE BEST EVER DEAL THAT YOUR CHRISTMAS MONEY CAN GIVE, AND THE YEAR OF 1963 WILL BRING YOU MANY MORE BARGAINS AND TRADES FROM W2APF.

NATIONAL RECEIVERS

NC300.....	\$250.00
NC98.....	98.00
NC188.....	100.00
NC98.....	79.50

TECHNICAL MATERIEL CORP. RECEIVERS

GPR90 w/spk. Excelnt. Cond....	\$295.00
--------------------------------	----------

HALLICRAFTERS XMTRS. AND RECEIVERS

S38DP.....	44.95
S38D.....	44.95
SX99.....	89.50
HA4.....	39.95
SR34AC.....	195.00
HT32A SSB Xmtr.....	495.00
HT31 Linear.....	195.00
HT33 Linear.....	395.00
SX100 Rec.....	219.00
S108 Receiver.....	104.50
SX110 Receiver.....	129.50
SX111 Receiver.....	229.50

GONSET XMTRS—REC.—CONV.

GSB100 SSB Xmtr.....	325.00
Commil—2 Mtrs.....	175.00
2 Mtr Linear.....	95.00
VFO preamp.....	34.95
G66 with P.S.....	175.00

COLLINS XMTRS. AND RECEIVERS

KWS-1.....	\$995.00
KWM-1 with AC PS & console....	725.00
32V2.....	250.00
75S1.....	425.00
75S2.....	625.00

JOHNSON XMTRS. AND ACC.

Mobile Xmtr.....	\$ 69.50
Viking 1-w/VFO 122 Xmtr.....	175.00
Vallant Xmtr.....	350.00
Viking 1—Xmtr.....	125.00
Pacemaker SSB Xmtr.....	175.00
Navigator.....	115.00
Challenger.....	115.00
VFO 122.....	34.95

"WRL"—GLOBE XMTRS.

DSB100 DSB Xmtr.....	\$ 74.50
VOX-10 Voice OP Relay.....	\$ 19.50
QT-10 Anti-Trip Unit.....	5.95
PA-1 Power Reducer.....	7.95

VANTRON

300A Linear Amp.....	\$ 75.00
----------------------	----------

BARKER AND WILLIAMSON XMTRS., ETC.

S100 AM Trans.....	\$250.00
S15B.....	150.00

HEATH XMTRS. AND ACC.

DX 20.....	\$ 44.95
------------	----------

TUBES—NEW—GUARANTEED

All individually boxed except where noted in bulk.

	Reg.	Each	Dozen
6H6.....	\$3.50	\$1.05	\$11.50
6SJ7.....	3.75	1.15	12.65
6J7.....	4.55	1.25	13.75
45 (Bulk pack).....	2.05	.65	7.15
2A6 (Bulk pack).....	3.65	1.10	12.10
6A8G.....	5.80	1.75	19.25
6AE6G.....	2.05	.65	7.15
6SRGT (Bulk pack).....	2.75	.85	9.35
6C4 (Bulk pack).....	1.50	.45	4.95
616 (Bulk pack).....	2.35	.75	8.25

1962 Calendar and Schedule Pad Free with purchase of 5 Receiving Type Tubes

BEAMS—NEW AND USED (A5 INDICATED)

Mosley V-27GP (CB) new.....	\$29.95
-----------------------------	---------

We have more beams and verticals at very special prices—write us about your needs and we will quote.

Mosley VPA1520 (New).....	\$109.50
Mosley VPA1020 (New).....	99.50
Mosley V144GP (2 mtr.) used.....	17.50
Mosley VPA20-2 (New).....	39.50

Mosley TA33 (New).....	84.95
Mosley V3 (New).....	19.95
Mosley V3 Jr. (New).....	15.95
Mosley TA32 (New).....	59.95
Mosley TA32 Jr.....	42.95
Mosley A320.....	66.95
Mosley S153.....	42.30
Cushcraft AGP15.....	11.95
Cushcraft AGP10.....	10.95
Cushcraft ATGP3.....	24.95
Cushcraft A28A.....	21.95

EXTRA SPECIALS

New Items—Overstock and Discontinued

COLLINS RECEIVER FILTER	
35U1 (New).....	\$ 10.00
COPPERWELD WIRE (Nos. 12-14-16).....	per 100 ft. 2.85
GLASLINE—Standard.....	per 100 ft. 3.08
.....	per 600 ft. 17.84
Heavy Duty.....	per 100 ft. 5.89
.....	per 600 ft. 34.75

HAMMARLUND RECEIVERS

HQ160.....	\$295.00
HQ110.....	195.00
HQ100.....	145.00

DEMONSTRATORS AND DISPLAY MODELS, ONE OF A TYPE, NO TRADES ACCEPTED ON THESE SPECIALS, IF YOU DON'T SEE WHAT YOU WANT HERE—WRITE—WE PROBABLY HAVE IT.

Collins 30L-1.....	\$450.00
Drake 2B.....	250.00
Hallic SX115.....	510.00
Hallic SX140(w).....	105.00
Hallic HT40 (w).....	90.00
Hallic SX111.....	250.00
Hallic HT32B.....	650.00
Johnson Invader 2000.....	1110.00
Johnson Ranger II (w).....	320.00
RME	
DB23 Preselector.....	42.00
Gonset	
88-108 mc FM Tuner(12V)....	49.95

Write Uncledave
W2APF
with your needs
and problems.

TRADE-INS ACCEPTED AND FOREIGN
TRADE SOLICITED • BANK FINANCING

All prices subject to change without notice

TIME PAYMENTS

18 Months to pay. Life
Insurance at no extra cost

UNCLE DAVE'S
RADIO SHACK

A SUBSIDIARY OF
FORT ORANGE RADIO
DISTRIBUTING CO.

NOW AVAILABLE! Both TG-2 and TG-2R



**WITH
CHOICE
OF
SPRINGS**

S1 and S2

SB1 and SB2

GAM SPRINGS WON'T LOSE YOUR WHIP!

Special ferrule fitting on GAM springs gives you positive grip. Stainless steel constructed, this rust-proof spring adapts itself to all existing GAM mobile VHF antennas and is rigid enough to resist wind but flexible enough to bend for low clearances. SB1 and SB2 differ from S1 and S2 only in that the ball joint allows mounting on angular surfaces.

LIST PRICES

S1 (3/8" hole),	S2 (1/2" hole)\$ 7.50
SB1 (3/8" hole),	SB2 (1/2" hole)\$10.00

See your distributor or write GAM direct. Prices available for different combinations of Springs and Antennas.

SEE YOUR DISTRIBUTOR OR WRITE GAM DIRECT

138 Lincoln St., Manchester, N. H.

MOTOROLA T44A-6
6-12V-450MC
\$49.50

FM SALES COMPANY
1100 Tremont Street
Roxbury 20, Massachusetts

FM MOBILE EQUIPMENT

MOTOROLA
FMTRU-41V

6V-150MC \$39.50
12V-150MC \$44.50
Strip Transmitter \$10.00

EASY TO LEARN CODE

It is easy and pleasant to learn or increase speed the modern way — with an **Instructograph Code Teacher**. Excellent for the beginner or advanced student. A quick, practical and dependable method. Available tapes from beginner's alphabet to typical messages on all subjects. Speed range 5 to 40 WPM. Always ready, no QRM, beats having someone send to you.



ENDORSED BY THOUSANDS!

The **Instructograph Code Teacher** literally takes the place of an operator-instructor and enables anyone to learn and master code without further assistance. Thousands of successful operators have "acquired the code" with the **Instructograph System**. Write today for full particulars and convenient rental plans

INSTRUCTOGRAPH COMPANY

4709 SHERIDAN ROAD, CHICAGO 40, ILLINOIS
4700 S. Crenshaw Blvd., Los Angeles 43, Calif.

various panel controls are suitably marked with decals. You now should have a rig of which you can be justifiably proud, you've saved some money, and you're a full-fledged member of the s.s.b. fraternity.

Drop me a postcard and let me know how it came out! QST

Happenings of the Month

(Continued from page 67)

The Town Radio Club Akron, Ohio
The Vulcan County Amateur Radio Club Vulcan, Alberta

There being no further business, the meeting adjourned, at 12:55 A.M. November 20.

JOHN HUNTOON
Secretary

Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington 28, D. C.

In the Matter of

Amendment of Parts 2 and 12 of the Commission's Rules and Regulations to Remove the Power Restrictions in the Band 420-450 Mc/s in the Amateur Radio Service

DOCKET NO. 14610
RM-304

REPORT AND ORDER

By the Commission:

1. The Commission adopted a Notice of Proposed Rule Making in the above-entitled matter on April 25, 1962, which was duly published in the Federal Register on May 3, 1962 (27FR4253), looking toward the amendment of Parts 2 and 12 in order to remove the power restrictions in the 420-450 Mc/s band in the Amateur Radio Service, except in certain specified restricted geographical areas. Interested parties were invited to file comments on or before June 15, 1962, and reply comments on or before June 25, 1962.

2. Comments were received from several parties. All comments supported the Commission's proposed amendments; however, two suggestions were submitted which were given further consideration by the Commission and the interested Government agencies. Several comments proposed that the maximum authorized power in the Amateur Radio Service be permitted in the band 432.0-432.25 Mc/s in the restricted geographical areas, thereby eliminating the need for any prior coordination with the Commission and the local Military Area Frequency Coordinator. The Government agencies concerned did not concur in this proposal.

3. Other comments proposed that the northern boundary of the restricted area in California be modified to read latitude 37° 10' North to permit the area immediately south of San Francisco to be excluded from the restricted portion of the State of California. This modification to the proposed amendments was agreed upon by the appropriate Government agencies. No reply comments were received.

4. The Commission finds that adoption of the rule amendments, as proposed and modified, would contribute to a wider and more flexible use of radio in the Amateur Radio Service.

5. The Commission, in negotiation with the appropriate Government agencies, has reached an agreement whereby the Amateur Radio Service will be authorized to use the maximum input power permitted in this service in the band 420-450 Mc/s except in certain designated geographical areas which are defined in the attached Appendix.


6. In view of the foregoing, **IT IS ORDERED**, pursuant to the authority contained in Sections 4 (i) and 303 (e), (f) and (r) of the Communications Act of 1934, as amended, that effective January 2, 1963, Parts 2 and 12 of the Commission's Rules are amended as set forth in the attached Appendix; and the proceedings in this Docket ARE HEREBY **TERMINATED**

FEDERAL COMMUNICATIONS COMMISSION
BEN F. WAPLE
Acting Secretary

(Continued on page 158)

new from Hallicrafters

*Modernize Your Station Now!
Liberal Trade-ins at Every...*



RADIO SHACK

SX-117

SR-150 AMATEUR BAND TRANSCEIVER

Hallicrafters' new SR-150 is a rugged, lightweight amateur band transceiver designed for maximum flexibility and convenience of operation in fixed or mobile situations. Power requirements: 12.6V at 5A; 250V at 220ma; 500V at 250 ma (transit only); 75V at 10ma. Frequency coverage: eight-band capacity, full coverage provided for 80, 40, 20 and 15 meters; 10M crystals furnished for operation on 28.5 to 29.0 Mc. Transmitter section: 2 12DQ6B output tubes. Fixed, 50Ω Pi network. Power input 150W P.E.P. SSB; 125W. Carrier and unwanted SB suppression 50db; distortion prod., 30 db. Audio: 400-2800 c.p.s. at 3db. Sensitivity better than 1 μv for 20 db. signal-to-noise ratio. 6½x15x13".

- 20P1105E, SR-150, Ship. wt. 17 lbs. \$650.00
- 20P1106E, P-150AC, AC Supply with Speaker for SR-150.. 99.50
- 20P1107E, P-150DC, DC Power Supply for SR-150..... 109.50
- 20P1108E, MR-150, Complete Mobile Mount for SR-150.... 39.95

SX-117 TRIPLE CONVERSION RECEIVER

The SX-117 is a triple conversion heterodyne 12 tube receiver. Its advanced communications technology and proven, dependable design have been carefully blended to give you maximum performance under all potential environmental conditions. It utilizes a transmitter type VFO which can be used as a crystal locked oscillator. 1st and 3rd conversion oscillators are crystal controlled. The sensitivity of this outstanding instrument is better than 1 mv. The tuning mechanism is back-lash free and operates at a constant rate. Front panel switch for selection of sidebands. The selectivity of the receiver is variable in three steps from 500 to 5000 cycles. The excellent engineering uses a product detector for SSB and CW and an envelope detector for AM. The SX-117 covers 7.0-7.5, 14.0-14.5, 21.0-21.5, 28.5-29 mc. Dimensions: 15x7½x13".

- 20P790E, SX-117, Ship. wt. 21 lbs. \$379.50



JUST OUT! RADIO SHACK'S BIG '63 CATALOG

Brand new electronics shopping guide chock-a-block full with over 8,000 items . . . 3,000 illustrations . . . 284 pages! Modernize your station — ask for our top trade-in quotation on your present equipment. Take up to 24 months to pay on our Revolving Charge Plan! Send TODAY for FREE catalog!

VISIT ANY OF OUR 9 STORES

BOSTON, MASS.
167 Washington St.
REgent 4-1000

BOSTON, MASS.
730 Commonwealth Ave.
REgent 4-1000

SAUGUS, MASS.
N. E. Shopping Center
CENter 3-5350

BRAINTREE, MASS.
South Shore Plaza
VICtor 3-9200

WEST HARTFORD, CONN.
39 South Main St.
ADams 6-5441

NEW HAVEN, CONN.
92 York St.
COR. George St.
SPruce 7-7941

STAMFORD, CONN.
29 High Ridge Rd.
DAvis 5-4371

PROVIDENCE-CRANSTON, R.I.
1301 Reservoir Ave.
Opp. Garden City.
WILLiams 2-6600

SYRACUSE, N.Y.
2057 Erie Blvd. East
446-4990

RADIO SHACK CORP.

730 Commonwealth Ave., Boston 17, Mass.

- No. 20P1105E
- No. 20P1106E
- No. 20P1107E
- No. 20P1108E
- No. 20P790E
- Send FREE 1963 Catalog

Name _____
Address _____
City _____ Zone _____ State _____

- Check
- Money Order
- C.O.D.

1D



STYLE 10
SERIES

how WONDEROD beat "highway waggles"

You've seen it on the car ahead . . . maybe you even own a whip that lashes out like a run-away guillotine as your car reaches road speed. "Highway waggles" produces multiple vibrations, increases road noise — spoils reception.

A WONDEROD whip — Style 10 series — licks this problem with its Shakespeare construction. Inch for inch, fiberglass absorbs more energy — the factor that sets metal whips swaying.

—Besides, there's fewer inches in a WONDEROD than in metal antennas of comparable resonant length.

COLUMBIA PRODUCTS COMPANY
SHAKESPEARE CO. SUBSIDIARY, COLUMBIA, S. C.



Adopted: November 21, 1962
Released: November 23, 1962

2. Section 12.111 (b) (14) is amended to read as follows:
 - §12.111 Frequencies and types of emission for use of amateur stations.
 - (b)
 - (14) Within the following areas, the DC plate power input to the final stage of the transmitter shall not exceed 50 watts, unless expressly authorized by the Commission after mutual agreement, on a case-by-case basis, between the Federal Communications Commission Engineer in Charge at the applicable District Office and the Military Area Frequency Coordinator at the applicable military base:
 - (i) Those portions of Texas and New Mexico bounded on the south by latitude 31° 53' North, on the east by longitude 105° 40' West, on the north by latitude 33° 24' North, and on the west by longitude 106° 40' West;
 - (ii) The entire State of Florida, including the Key West area and the areas enclosed within a 200 mile radius of Patrick Air Force Base, Florida (latitude 28° 21' North, longitude 80° 43' West), and within a 200 mile radius of Eglin Air Force Base, Florida (latitude 30° 30' North, longitude 88° 30' West);
 - (iii) The entire State of Arizona;
 - (iv) Those portions of California and Nevada south of latitude 37° 10' North, and the areas enclosed within a 200 mile radius of the U. S. Naval Missile Center, Point Mugu, California (latitude 34° 09' North, longitude 119° 11' West).

3. Section 12.131 is amended to read as follows:
 - §12.131 Maximum authorized power.

Except for power restrictions as set forth in §12.111, each amateur transmitter may be operated with a power input not exceeding 1 kilowatt to the plate circuit of the final amplifier stage of an amplifier-oscillator transmitter or to the plate circuit of an oscillator transmitter. An amateur transmitter operating with a power input exceeding 900 watts to the plate circuit shall provide means for accurately measuring the plate power input to the vacuum tube or tubes supplying power to the antenna.

★ ★ TRANSTENNA 101 ★ ★



A REVOLUTIONARY NEW T-R SWITCH AND PRESELECTOR

(Includes Power Supply)

Provides for c.w. sidetone and for biasing off the final stage. Add \$7.00 for built-in sidetone.

Everything supplied—no soldering

- Can not cause TVI or SIGNAL SUCK OUT. Pat. No. 3,041,608
- Perfectly mutes any receiver MODEL 101
- Band switched tuned R.F. stage. \$69.45
- 20 to 30 db gain 80 through 10 mtrs. (Ppd. USA)
- Will handle maximum legal input. Any feedline or SWR

We Also Offer MODEL 102 (integral unit) \$64.45 (Ppd. USA)

Request free booklet

FICHTER ELECTRONICS

Order Direct

33 Mvrtle Ave. Cedar Grove, N. J.

Faster CW—Better readability

10-day money back guarantee. Budget payments



\$16.95



\$69.50

AUTRONIC

KEYER is fully

transistorized, automatically eliminates erratic sending. Built-in speaker for practice or monitoring. Separate weight, speed controls. Phone jack. Any position, fixed or mobile. 7x5x2". Finest buy for reliability, performance. **AUTRONIC KEYER** will not walk. Fully adjustable. No contact bounce. Usable with any keyer.

Send
card
or QSL
for info

ELECTROPHYSICS CORP. SINCE 1929
2500 West Coast Highway, Newport Beach, Calif.

The Templeton Case

(Continued from page 70)

It is a matter of record that Smith did turn on his field-strength meter at 8:57 P.M. At 9 o'clock the meter reading dropped from 6700 microvolts to zero and remained there for five minutes, after which time the signal again came on.

It is also known that Jerome Lindsay Barnes, ex-chief engineer of WKOO-TV, checked into the Grand Bahama Hotel, Nassau, B.W.I., on August 10, 1958. Barnes, BSEE, University of Chicago (1939), former main-stay of the local v.h.f. ham club, spent two months at the Grand Bahama Hotel and then dropped out of sight. No trace of him has since been found. The hotel maid who cleaned his suite after his disappearance came across the cover of what appeared to be a folder of some type. It was bright red and had black, bold lettering which read:

TOP SECRET

A Study of Gaussian Abstractions Leading to a Non-Detectable v.h.f. Radiation System. By J. L. Barnes, MIT Radiation Labs. June, 1948.

**Single Copy — Do Not Remove
From Files**

Beneath the title was a short, hand-written notation in faded blue ink, "Impractical — Godfrey Smith, Assistant Secretary of War for Advanced Projects."

QST

AMECO CB-6 CONVERTERS
Tube-type low-noise, high-gain converters. IF easily changed. Specify IF.

CB-6K — 6 meter kit, 6ES8-rt Amp., 6U8-mix./osc. **\$19.95**

CB-6W — 6 meter wired and tested. **\$27.50**

CB-2K — 2 meter kit, 6ES8 1st rt amp., 6U8-2nd rt amp./mix., 6J6 osc. **\$23.95**

CB-2W — 2 meters wired and tested. **\$33.95**

Model PS-1— Matching Power Supply — plugs directly into CB-6, CB-2 and all CW units.
PS-1K — Kit — **\$10.50**
PS-1W — Wired — **\$11.50**




CLEGG 99'er 6 METER TRANSCEIVER

Double conversion superhet gives you extreme selectivity and freedom from images and cross modulation. Transmitter section has an ultra-stable crystal oscillator which also may be controlled by external VFO. Efficient, fully modulated 8 watt final works into flexible Pi network tank circuit. Large S meter serves for transmitter tune-up procedure.

Amateur net price \$159.95.

ZEUS and INTERCEPTOR also in stock.




SUPEREX HAM HEADPHONES

Full comfort even after many enjoyable hours of continuous use. Superb comfort even for eyeglass wearers. Crisp, distortionless reproduction and high sensitivity allows you to single out that weak signal and hard to reach station. 600 ohms impedance, completely adjustable head harness. **\$24.95**


GAVIN, 2 METER, TUNABLE BAND PASS FILTER

Model BP-144 is a narrow band pass filter designed to attenuate spurious emissions generated in 2 meter xmtrs. Four tunable stages for optimum match and suppression.

Pass Band: 2 mc. Center Freq: 144-148 mc. Rejection: 35 db, 5 mc from center. Insert Loss: less than 1 db. Power Rating: 190 w. plate input. Impedance: 52 ohms. Size: 4"x2 1/4"x2 1/4". Connectors: UHF coax.



BP-144 \$11.85




Shown approx. actual size.

PRECISION PLANETARY-VERNIER for exceptionally fine tuning

Superb craftsmanship by Jackson Bros. of England! Ball bearing drive, 1/4" dia. Shaft 1 1/8" long, 6:1 ratio. Vy FB for fine tuning. Easily adaptable to any shaft. Comparable value \$5.95. **Amateur net \$1.50 ea. 10 for \$13.50**

PRECISION BALL DRIVE DIAL

Another superb product of Jackson Bros. of England. 4" dia. dial with 6:1 ball drive ratio. Fits standard 1/4" shaft. For that velvet touch... **Amateur net \$3.95**



VERSATILE MINIATURE TRANSFORMER

Same as used in W2EWL SSB Rig—March, 1956 QST. Three sets of CT windings for a combination of impedances: 600 ohms, 5200 ohms, 22000 ohms. (By using center-taps the impedances are quartered). The ideal transformer for a SSB transmitter. Other uses: inter-stage, transistor, high impedance choke, line to grid or plate, etc. Size only 2" h. x 3/4" w. x 3/4" d. New and fully shielded.



Amateur net \$1.39.
3 for \$3.49.
10 for \$10.75

MAIL ORDERS PROMPTLY PROCESSED. SAME-DAY SHIPMENT FROM STOCK.

TO SAVE C.O.D. CHARGES, PLEASE INCLUDE SUFFICIENT POSTAGE WITH YOUR ORDER. ANY EXTRA MONEY WILL BE RETURNED.

ALL PRICES F.O.B. N.Y.C. Arrow's Export Dept. Ships To All Parts Of The World! Prices Subject To Change Without Notice.

BULLSEYE BUYS AT ARROW

hand-picked for hams by hams...

SEND FOR FREE CATALOG

Trade-ins welcomed.

ARROW ELECTRONICS, INC.

65 Cortlandt St., N.Y. 7, N.Y. • 525 Jericho Tpke., Mineola, N.Y. • 225 Main St., Norwalk, Conn.
212 — Elgby 9-4730 516 — Pioneer 6-8686 203 — Victor 7-5889



MODEL 850A
\$38.00



PI NETWORK COILS

MODEL 851
\$16.50



MODEL 852
\$39.50

Now—Pi-Network inductors specially tailored for your needs. Here are highly-efficient, super compact tank coils incorporating the unique feature of integral band switching.

Model 850A and Model 852, now complement the famous B&W Model 851. All are designed for single or parallel tube operation on 80, 40, 20, 15, 11 or 10 meters, with top efficiency in Class "C" or linear operation. Windings give ample current carrying capacity with optimum "Q" over the entire operating range.

See these superior B&W inductors at your dealers now, or write B&W direct for detailed information.

BARKER & WILLIAMSON, Inc.

Radio Communication Equipment Since 1932

BRISTOL, PENNSYLVANIA • STILLWELL 8-5581

Added Versatility for the HBR-16


(Continued from page 40)

The receiver's sensitivity in large part is dependent upon how much time the builder is willing to spend on adjusting the L_1 , L_2 , and L_3 coils in the receiver's front end, the first two for proper tracking and optimum primary-secondary coupling, and the latter for optimum oscillator injection and feedback, directly related to the primary-secondary coupling. The sensitivity figures given represent the minimums for the various bands.

Image rejection of the receiver is exceptionally good, in part due to the double-conversion circuit. The high Q of the front-end coils is a contributing factor, however. The 72-db. figure represents the minimum observed on any of the various ham bands.

Conclusions

The HBR-16 as described by Ted Crosby is relatively easy to construct. Obviously, the circuitry used is complex only to the extent necessary to achieve the excellent performance for which the receiver is noted. The modifications I have made represent personal preference for features that I feel add considerably to the performance of the receiver, particularly on s.s.b. I am passing them along in the hope that other HBR-16 builders may find one or all of them useful, provided only that all such builders feel themselves reasonably qualified to tackle the job.


Confidentially, it's a swell feeling to be able to say, "The receiver here is home-brewed." 

Southeastern Division Convention

(Continued from page 28)

the QCWA and the Historical Association of Southern Florida.

Registration for the two-day convention is \$1.00, and the banquet price will be \$4.75. There will be special hotel rates for convention visitors, at both the Alcazar and the Biscayne Terrace Hotels; \$8.00 for a single and \$10.00 for a double. Free parking is available for guests. Requests for tickets for the dinner and for hotel reservations should be sent to the Dade Radio Club, P.O. Box 104, Miami 1, Florida.



45 AMPERE ALTERNATOR
SEMI-CONDUCTOR REGULATOR
UNIVERSAL MOUNTING KIT
FRESH STOCK GUARANTEED
F.O.B. BOSTON \$59.95

ELECTROCOM CORPORATION

115 WARD STREET • BOSTON 20, MASS.


SKYLANE QUADS

"famous the world over!"

\$59.95 Three Bands **\$99.95**

Bamboo

Fiberglass



- HIGH F/B RATIO
- VERY LOW SWR
- HIGH GAIN
- LOW Q — BROADLY TUNED
- EASY TO MATCH
- LOW WIND RESISTANCE
- RUGGED CONSTRUCTION

FOR FREE LITERATURE
WRITE DEPT. A

Skylane PRODUCTS 406 BON AIR DR.
TEMPLE TERRACE FLA.

COMING A.R.R.L. CONVENTIONS

- January 19-20 — Southeastern Division, Miami, Florida.
- March 15-17 — Michigan State, Saginaw, Michigan
- April 26-28 — New England Division, Swampscott, Mass.
- June 21-23 — West Gulf Division, McAllen, Texas
- July 5-7 — Rocky Mountain Division, Albuquerque, N. Mex.
- October 4-6 — ARRL National, Cleveland, Ohio
- October 11-13 — Southwestern Division, San Diego, Calif.

LIKE-NEW HAM EQUIPMENT

AT MONEY-SAVING PRICES!

- Trade Your Present Gear On A Like-new Receiver or Transmitter
- Two-Week Trial
- 90-Day Guarantee



If you insist on like-new equipment — in appearance and performance — at substantial savings, write, phone or visit Trigger Electronics. Receivers, transmitters, and other ham gear are completely realigned and calibrated by service technicians trained in rigid quality control methods. Tubes, capacitors, and other components that can contribute to unsatisfactory performance are replaced — insuring optimum, trouble-free performance. Inventory consists of one of the most complete stocks in America of brand-name Trigger reconditioned amateur equipment. Listed below are but a few of the hundreds of items currently available:

7551.....	\$379.50	GS8100.....	319.50
KWM-2 PM2....	119.50	G50.....	219.50
HQ100.....	119.75	G66.....	89.50
HQ110C.....	169.50	HEATH CHEYENNE	69.75
HQ105TR.....	177.95	HEATH MP-1 SUPP.	27.75
HQ170C.....	267.50	HEATH HX20....	179.50
HQ180C.....	319.50	HEATH HR20....	124.75
SX115.....	479.50	WRL 40 WATT	
HT30.....	149.50	MOD.....	22.75
S94.....	29.75	EICO 720.....	72.50
S40B.....	64.95	CHALLENGER..	79.75
S53A.....	42.50	JOHNSON	
S107.....	69.75	MATCHBOX... ..	44.75
HT40.....	77.50	ELMAC AF-68..	144.50
NC60.....	29.95	LPA-1 & SUPPLY..	347.50
NC101X.....	69.75	GELOSO	
HRO-4 & SUPP..	89.95	RECEIVER.....	144.50
NC98.....	87.75	GELOSO	
NC190.....	149.50	TRANSMITTER..	142.75
NC270.....	189.50	LA400 LINEAR... ..	74.95
		LA400C LINEAR..	144.50

(above prices F.O.B.)

(A small deposit will hold the unit of your choice on Lay-Away)

Weekdays 1-9 P.M.
Saturday 9-6 P.M.

Or By Appointment After Hours
Phones PR 1-8616

Chicago TU 9-6429

Business phones with
QTH Extensions

another important
TRIGGER service:
**WE BUY USED
HAM GEAR FOR
CASH!!**
**PROMPT SERVICE
PROMPT CASH!**

TRIGGER Attn: W91VJ

7361 North Avenue Amount Enclosed _____
River Forest, Illinois
(suburban Chicago)

RUSH THE FOLLOWING: _____


NAME _____

ADDRESS _____

CITY _____ ZONE _____ STATE _____

*ORDER BLANK TO: (1) trade ur present gear, (2)
order above units, (3) sell ur gear for cash
(ABC1234)


• •



TRIGGER

Electronics

7361 NORTH AVENUE, RIVER FOREST, ILLINOIS



QST PROTECTOR!



Are your 1962 *QST*'s scattered sloppily around your shack? If so, get a *QST* Binder and file them away neatly for future reference. While you're at it, start the New Year right by obtaining another Binder in which to preserve those interesting 1963 issues coming up soon.

- Holds 12 issues of *QST*
- Opens to any page and lies flat
- Protects and preserves your copies
- *QST*s always available for reference

QST BINDERS (POSTPAID)
Each—\$3.00

*Available only in the United States
and Possessions*

**AMERICAN RADIO RELAY
LEAGUE**

West Hartford 7, Conn.

Strays

Outstanding New England Amateur Radio Operator

The Federation of Eastern Massachusetts Amateur Radio Associations will present an award to an outstanding New England amateur radio operator. Only hams in the first amateur call district are eligible and should meet any one of the following qualifications.

- a. Performed a meritorious public service to his community through the medium of amateur radio;
- b. Made a major contribution to the science of amateur radio;
- c. Helped greatly to stimulate interest in amateur radio to others;
- d. Aided other radio amateurs to acquire a greater knowledge and skill in operating or building amateur radio equipment.

This honor will be presented at the New England American Radio Relay League Convention April 27 & 28, 1963 at the New Ocean House, Swampscott, Mass., and will be made in the memory of the late John R. Mansfield, W1CMN of Boston, whose spirit and comradeship despite great physical handicaps inspired the award. The award will be known as the John Mansfield Memorial Award and the recipient will receive a cash gift of \$150 plus a plaque commemorating the event.

Nominations are urgently requested from the amateur fraternity and they should be complete and accurate. Information on your choice of candidate should be sent at once to the Federation of Eastern Mass. Amateur Radio Associations, c/o Mr. Eli Nannis, W1HKG, 37 Lowell St. Malden, Mass. The closing date for nominations will be March 15, 1963.

—•••—

Another f.m. station carrying an amateur radio program is WHFS, 102.3 Mc., serving the Washington D.C., area. The 15-minute program, which has been on each week for over a year, is presented Sunday evenings at 5:45 P.M., with Carl Brown, W3LUL, running the show. It is transmitted in stereo (f.m. multiplex).

—•••—

W9IVJ vows he told his fiancée that she would remain a YL until she earned her Novice License. Now Dorothy is "studying like mad," according to Trigger, because the scheduled big date is January 12th. For the license exam? No, for the wedding.



THE NIKEY

The key especially designed for use with all types of electronic keyers. Through the use of independent dot-and-dash levers the final block in automatic sending is removed, making your fist sound "TRULY AUTOMATIC." \$16.95 Check or M.O.

THE PRODUCTIVE TOOL & MFG. CO., INC.
9 Market Street Stamford, Conn.



At the HARRISON TRADE-IN CENTER CHRISTMAS COMES IN JANUARY

No matter what equipment or model you want, it's a safe bet you'll find it here . . . and for less than you would expect to pay for such good condition gear.

Here, in the world's greatest trading center you always get more real value for your money. Here, at Harrison's, you can save with complete safety because every piece is plainly green-tagged, fully covered by our 90 day Warranty of free service in our Lab.

What's more, if you are not delighted with your purchase, you can:

- A** Get full credit toward any new equipment for 90 days.
- B** Get full credit toward other used equipment within 30 days.
- C** Ship it back for full cash refund within 15 days.

You can spread payments up to 18 MONTHS, on our EASIEST TERMS.

Because we have such brisk turnover, we can give you TOP ALLOWANCE for your present gear!

TXN 73

Bil Harrison
W 2 A V A

VISIT THE NEW HARRISON
HEATHKIT CENTERS
IN BOTH GREAT STORES
8:30 to 6:15—Saturdays, too
EASY PARKING

We put an awful lot of great new gear under the Christmas Trees of happy Hams this year. As a result, the shelves of our Trade-in Center are overflowing with some of the nicest looking, like-new gear we've ever seen—and we want to give you the best deal you've ever seen!

Sensational savings—highest trade allowances—and of course, the Harrison Unconditional Satisfaction Guarantee!

Here are just a few examples. Come on in and look over all the other WHITE TAG "Special Buys" on display in the internationally famous Harrison Trade-in Center. (Or write for list.)

MAKE	MODEL	QUANTITY	PRICE
Hallicrafters	SX-71	4	\$ 99.00
Hammarlund	HQ-129X	5	109.00
Hammarlund	HQ-140X	4	159.00
Johnson	Valiant	4	259.00
Collins	KWS-1	5	995.00
Hallicrafters	S-40B	5	49.00
National	NC-98	8	79.00
National	NC-109	5	109.00
National	NC-183D	7	179.00
National	NC-270	6	169.00
Hallicrafters	S-85	7	79.00
National	HRO-60	6	289.00

Just compare prices—positive proof that Harrison always saves you real money! But you must act quickly or others may beat you to the special WHITE TAG super-bargains. While the limited quantity of each item lasts, a \$10.00 deposit will hold your choice for the easy credit terms you want, and the allowance on your present gear that will make you happy. (Or, we can ship immediately balance COD.)

In all ways it always pays you to visit "Ham Headquarters, USA" every time you want any brand new or like-new equipment. Here you can see more, hear more, learn more, receive more friendly assistance, and get more for your money.

DON'T MISS THE BOAT! SEND DEPOSIT TODAY

"Ham Headquarters, USA" . . . Since 1925
HARRISON
225 GREENWICH STREET
NEW YORK 7, N. Y.
• PHONE: BARCLAY 7-7777
[LONG ISLAND—144-24 HILLSIDE, JAMAICA]

for **BIG** SAVINGS on A-1 Reconditioned Equipment... call Henry


Our time payments save you money because we finance ourselves. Write, phone or visit either Henry store to get better equipment at less cost on better terms.

Henry Radio Stores

Butler 1, Missouri Ph. ORchard 9-3127
11240 West Olympic Blvd.
Los Angeles 64 Ph. GRanite 7-6701
931 No. Euclid Ave., Anaheim, Calif.

EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY

EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY



"YOUR KEY TO Better CW"...

The Popular EL-KEY now available in 3 base finishes: black or gray (\$15.50 ppd USA) and DeLuxe Satin chrome (\$17.00 ppd USA).

CHECK THESE FEATURES:

- Weight 3 1/4 lbs. ✓ Completely adjustable stops, contacts, spring tensions
- ✓ Machined yoke, arms, posts ✓ Chrome plated
- ✓ Dual Plastic paddles ✓ Non-skid feet ✓ Righthand or lefthand sending ✓ Fully guaranteed!

See Your Distributor or Write

POUCEL ELECTRONICS

Box 181
Bob, W2AYJ

Babylon, L. I., N. Y.
Sid, K2FC

EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY EL-KEY

Kreco GROUND PLANE ANTENNAS

All Aluminum
LIGHT • STRONG • EFFICIENT

2 METERS	MODEL GP-2A	15.00 net
5 METERS	MODEL GP-6A	36.00 net
10 METERS	MODEL GP-10A	42.00 net

These models are ordered to exact frequency

25 to 30 MC	MODEL GP-30A	60.00 net
30 to 50 MC	MODEL GP-30A	42.00 net
50 to 100 MC	MODEL GP-50A	36.00 net
100 to 470 MC	MODEL GP-150A	15.00 net
3/4" ALUMINUM PIPE	PER FT.	1.00 net

ALL BRASS MODELS AVAILABLE

ASK YOUR DISTRIBUTOR OR WRITE

HERB KRECKMAN CO. • CRESCO, PA.

Silent Keys

It is with deep regret that we record the passing of these amateurs:


- W1AVK, Louis A. Richmond, Springfield, Mass.
- W1CPV, Albert Savage, Pawtucket, R. I.
- K1JWK, George D. Wilbur, Sharon, Conn.
- W1LIG, Julian E. Greenbaum, Bridgeport, Conn.
- W1MUE, James T. Miller, jr., Edgewood, R. I.
- W1OPR, John F. Coolen, Pawtucket, R. I.
- W1PLR, Daniel V. Bowen, North Attleboro, Mass.
- K1SPD, Paul Pierce, Pittsfield, Mass.
- W2ATV, William S. Winslow, Somers Point, N. J.
- K2HWM, Isabelle R. Lannin, Hampton Bays, N. Y.
- ex-W2KA, Charles H. Hennis, Irvington, N. J.
- WA2QGB, Vincent A. Prattella, Yonkers, N. Y.
- W2VT, David E. Muir, Herkimer, N. Y.
- W3ACH, Harold L. Mercer, Scotland, Pa.
- W3AIB, Bernard J. Mack, Baltimore, Md.
- W3HCT, Harry W. Shepherd, Macungie, Pa.
- W3KCB, Lillie M. Leigh, Betterton, Md.
- W3LVJ, Edward Cursky, jr., Kockville, Md.
- W3MPO, Robert A. Blackburn, Ingomar, Pa.
- W3UJP, Charles F. Smith, jr., Pittsburgh, Pa.
- W3UKF, John A. Rose, Philadelphia, Pa.
- K4CSH, Albert F. Hall, Louisville, Ky.
- W4GG, Robert L. Byrum, Greensboro, N. C.
- K4GMA, Joshua R. Boyd, sr., Oak Ridge, Tenn.
- W4JEF, Tracy I. Hite, Aiken, S. C.
- K4TPZ, Thomas H. Nesbitt, Black Mountain, N. C.
- W5ASV, Frank Adam, Garland, Tex.
- W5MNR, John H. Harvey, Jackson, Miss.
- W5WFR, Emile F. Meyer, jr., Bethesda, Md.
- K6DKZ, Norman W. Abramovics, Martinez, Calif.
- WA6ECN, Bob Glover, Los Angeles, Calif.
- WA6GRT, Bill A. Merrell, Norwalk, Calif.
- K6IV, Clarence D. Carter, Van Nuys, Calif.
- W6IZ, Edmund H. Hansen, Balboa Island, Calif.
- K6PYC, Robert E. Brown, West Covina, Calif.
- WV6TWL, David L. Oudin, Covina, Calif.
- K7LVO, Walter Casteel, Clayton, Wash.
- W7VQ, Wellard E. Stevenson, Portland, Oreg.
- W7YFU, Clifford R. Anderson, Anaconda, Mont.
- W8BEW, William E. Shurance, Mansfield, Ohio
- W8BI, George E. Bourne, Dayton, Ohio
- K8BIL, Clarence E. Glick, Tiffin, Ohio
- W8EYE, Robert L. Davis, Salem, Ohio
- W8GXS, Leon F. Rhodes, Kalamazoo, Mich.
- W8HBB, Raymond W. Lee, Detroit, Mich.
- W8HZJ, Edward L. Miller, Bellaire, Ohio
- W8UZ, George E. Anthony, Columbus, Ohio
- K8ZGL, John P. Castiglioni, Detroit, Mich.
- W9AKP, Philip R. Kennedy, Indianapolis, Ind.
- W9BHD, Joseph S. Huffman, Chicago, Ill.
- K9CUM, James L. Ryden, Chicago, Ill.
- W9DOS, Sigmund J. Wysocki, Milwaukee, Wis.
- W9GWF, Melvin E. Overholt, Casey, Ill.
- W9TLP, Joshua D. Sanford, Reedsburg, Wis.
- K9TUK, Frank J. Berghammer, St. Petersburg, Fla.
- K9UCX, Victor W. Henning, Janesville, Wis.
- W0FGR, Thomas W. Flack, St. Louis, Mo.
- W0HXX, Royce Burkholder, Englewood, Colo.
- K0PQO, Vertis J. Grimshaw, Omaha, Neb.
- K0REW, John A. Liken, Creston, Iowa
- VE1AB, Harry Holden, Glace Bay, N. S., Canada
- VE1DQ, A. M. Crowell, Halifax, N. S., Canada
- VE4WJ, W. J. Jefferys, Winnipeg, Man., Canada
- VE7IM, Arthur E. Lowe, Victoria, B. C., Canada
- ex-VE7JH, Charles Keay, Victoria, B. C., Canada
- VPIEE, C. Edgerton Eves, Stann Creek, British Honduras

Strays

The North Allegheny High School ARC would like to hear from other high school radio clubs interested in forming a high school 40-meter phone net. Contact K3OLU.

"HOW-TO-BUILD" DATA

- the **NEW** (16TH EDITION)
Radio Handbook



- New amplifier designs
- New transmitter designs
- New receivers and transceivers

Gives extensive, simplified theory. Provides the latest design and construction data on a wide range of advanced radio amateur equipment, attractively styled. Broadest "How-To-Build" coverage in the field. Completely revised and up to date. Clearly indexed. 805 pages, all text, with hard covers.

\$9.50* at your distributor

Book #16R



CONVERT SURPLUS RADIO GEAR INTO AMATEUR & C. B. EQUIPMENT

A wealth of conversion data in 3 volumes shows you how.

Data includes instructions, photos, and diagrams . . . covers the most commonly available surplus items. Each conversion shown yields a practical piece of equipment—proved by testing.

Items covered are listed below:

SURPLUS RADIO CONVERSION MANUALS — 3 Volumes — \$3.00* ea.

VOLUME I — ARC-5; BC-221, 224, 312, 342, 348, 412, 453/455, 457/459, 624/625, 645, 696, 946B, 1068A/1161A; PE-103A; SCR-211, 268/271, 274N, 522, 542, TBY; Electronic Surplus Index; Cross Index of A/N V.T. and Commercial Tubes. Book #31S

VOLUME II — AIC; AM-26; APS-13; ARB (Schematic only); ARC-5; ART-13; ATC; AVT-112A; BC-191, 357, 375, 454-455, 457/459, 946B, 1206; GO-9; LM; R-26-27/ARC-5; R-28/ARC-5; SCR-274N; TA-12B/12C; TBW; T-23/ARC-5; Selenium-Rectifier Power Units; Simplified Coil-Winding Data; Surplus Beam Rotating Mechanisms. Book #32C

VOLUME III — APN-1; ARC-5; ART-13; BC-191, 312, 342, 348, 375, 442, 453, 455, 456 to 459, 603, 624, 696, 1066, 1253; CBY-52000 series; COL-43065; CRC-7; DM-34D; DY-8 or DY-2A/ARR-2; FT-241A; LM; MBF; MD-7/ARC-5; RM-52, 53; R-9/APN-4; R-28/ARC-5; RT-19/ARC-4; RT-159; SCR-274N series; SCR-508, 522, 528, 538; T-15 to T-23/ARC-5; URC-4; WE-701-A. Schematics only; APA-10; APT-2; APT-5; ARR-2; ASB-5; BC-659, 1335A; CPR-46ACJ. Book #33M

THE SURPLUS HANDBOOK (Receivers and Transceivers) — \$3.00* ea.

VOLUME I — Schematic Diagrams and large photographs only — APN-1; APS-13; ARB; ARC-4; ARC-5 (L.F.); ARC-5 (V.H.F.); ARN-5; ARR-2; ASB-7; BC-222, 312, 314, 342, 344, 348, 603, 611, 624, 652, 654, 659, 669, 683, 728, 745, 764, 779, 794, 923, 1000, 1004, 1066, 1206, 1306, 1335; BC-AR-231; CRC-7; DAK-3; GF-11; Mark II; MN-26; RAK-5; RAL-5; RAX-1; SCR-522; Super Pro; TBY; TCS; Resistor and Capacitor Color Codes; Cross Index of A/N V.T. and Commercial Tubes. Book #51H



RADIOTELEPHONE LICENSE MANUAL

\$5.75*

Book #03L

Helps you prepare for all U.S.A. commercial radiotelephone operator's license exams. Provides complete study-guide questions and answers in a single volume. Helps you understand every subject needed to obtain an operator's license.

Every Electronic Tube in the World Listed — 3 Volumes

WORLD'S RADIO TUBES

(Brans' Radio Tubes Vade Mecum). World's most complete and authoritative book of v.t. characteristics Book #47B **\$8.00***

WORLD'S EQUIVALENT TUBES

(Brans' Equivalent Tubes Vade Mecum). Over 43,900 comparisons and replacements (#46W) **\$6.00***

WORLD'S TELEVISION TUBES

(Brans' Television Tubes Vade Mecum). Characteristics of all TV picture and cathode ray tubes . . . also special purpose electronic tubes (#45P) **\$6.00***

*Order from your favorite electronic parts distributor.

If he cannot supply, send us his name and your remittance, and we will supply; foreign, add 10%.


EDITORS and ENGINEERS, Ltd.



Summerland 7, California

Dealers: Electronic distributors, order from us. Bookstores, libraries, newsdealers order from Baker & Taylor, Hillside, N. J. Export (exc. Canada), order from H. M. Snyder Co., 440 Park Ave. So., N.Y. 16.

2 ANTENNAS IN 1



G & 2 Meter
Model No. A-62
Amateur Net A-62 \$33.00
Stacking Kit AS-62 \$2.19

Patents allowed
and pending

**The Only Single Feed Line
6 and 2 METER
COMBINATION YAGI ANTENNA**
another first from **FINCO®**

ON 2 METERS

- 18 Elements
- 1 — Folded Dipole Plus
Special Phasing Stub
- 1 — 3 Element Colinear Reflector
- 4 — 3 Element Colinear Directors

ON 6 METERS

- Full 4 Elements
- 1 — Folded Dipole
- 1 — Reflector
- 2 — Directors

See your FINCO Distributor
or write for Catalog 20-226

THE FINNEY COMPANY

Dept. 21 Bedford, Ohio

CALL-LETTER SIGNS




ORDER your call in neat 2-inch die cut letters with finished base. Just right for the shack. You assemble — Letters: 49¢; silver showcard stock. Base: stained select quality wood.

Price \$1.00 postpaid

NEW PRODUCTS • Box 461 Dept. A • Grand Haven, Mich.

**TV CAMERA
BUILT AT LOW COST**



DETAILS 50¢ • WRITE FOR CAT. #1273
DENSON ELECTRONICS CORP.


P. O. Box 85 Rockville, Conn.

A.R.R.L. QSL BUREAU

The function of the ARRL QSL Bureau system is to facilitate delivery to amateurs in the United States, its possessions, and Canada of those QSL cards which arrive from amateur stations in other parts of the world. All you have to do is send your QSL manager (see list below) a stamped self-addressed envelope about 4 1/4 by 9 1/2 inches in size with your name and address in the usual place on the front of the envelope and your call printed in capital letters in the upper left-hand corner.

- W1, K1 — G. L. DeGrenier, W1GKK, 109 Gallup St., North Adams, Mass.
 - W2, K2 — North Jersey DX Ass'n, P.O. Box 303, Bradley Beach, N. J.
 - W3, K3 — Jesse Bieberman, W3KT, P.O. Box 400, Bala-Cynwyd, Pa.
 - W4, K4 — Thomas M. Moss, W4HYW, Box 20644, Municipal Airport Branch, Atlanta 20, Ga.
 - W5, K5 — Brad A. Beard, W5ADZ, P.O. Box 25172, Houston 5, Texas.
 - W6, K6 — San Diego DX Club, Box 6029, San Diego 6, Calif.
 - W7, K7 — Salem Amateur Radio Club, P.O. Box 61, Salem, Oregon.
 - W8, K8 — Walter E. Musgrave, W8NGW, 1245 E. 187th St., Cleveland 10, Ohio.
 - W9, K9 — Ray P. Birren, W9MSG, Box 510, Elmhurst, Illinois.
 - W0, K0 — Alva A. Smith, W0DMA, 238 East Main St., Caledonia, Minn.
 - VE1 — L. J. Fader, VE1FQ, P.O. Box 663, Halifax, N. S.
 - VE2 — George C. Goode, VE2YA, 188 Lakeview Avenue Pointe Claire, Montreal 33, Quebec.
 - VE3 — R. H. Buckley, VE3UW 20 Almont Road, Downsview, Ontario
 - VE4 — D. E. McVittie, VE4OX, 647 Academy Road, Winnipeg 9, Manitoba.
 - VE5 — Fred Ward, VE5OP, 899 Connaught Ave. Moose Jaw, Sask.
 - VE6 — W. R. Savage, VE6EO, 833 10th St., N., Lethbridge, Alta.
 - VE7 — H. R. Hough, VE7IIR, 1291 Simon Road, Victoria, B. C.
 - VE8 — George T. Kondo, VE8RX, Dept. of Transport, P.O. Box 339, Fort Smith, N.W.T.
 - VO1 — Ernest Ash, VO1AA, P.O. Box 6, St. John's, Newf. Bay, Labrador.
 - VO2 — Douglas B. Riteey, Dept. of Transport, Goose Bay, Labrador.
 - KP4 — Joseph Gonzalez, KP4YT, Box 1061, San Juan, P.R.
 - KH6 — John H. Oka, KH6DQ, P.O. Box 101, Aiea, Oahu, Hawaii.
 - KL7 — Alaska QSL Bureau, Box 6226, Airport Annex, Anchorage, Alaska.
 - KZ5 — Ralph E. Harvey, KZ5RV, Box 407, Balboa, C. Z.
- (Cards for SWLs may be handled via Leroy Waite, 39 Hanum St., Ballston Spa, N. Y.)

**IS YOURS ON FILE
WITH YOUR QSL MGR?**




LAFAYETTE RADIO

SMASHING VALUES! TOP DESIGN!

MADE IN U.S.A.

STARFLITE™



90 WATT
PHONE
and
CW

KT-390

TRANSMITTER KIT


COMPARE QUALITY!
COMPARE PRICE!

79.50

NO MONEY
DOWN

- 90 Watts Phone or CW on 80 Thru 10 Meters ● Built-in 3-Section Low-Pass Filter ● Clear, Chirpless Grid Block Keying

Dollar for dollar you can't beat this new Lafayette Starflite transmitter. Easy to build and operate, it glitters with quality and performance all-over. Features in addition to those listed above: 5 crystal positions and provisions for external, VFO, illuminated edgewise panel meter and pin-net work output for proper antenna match. Buy one now — we know you'll be satisfied with it.



IMPORTED

THE LAFAYETTE HE-30

Professional Quality Communications Receiver


99.95

NO MONEY
DOWN

- TUNES 550 KCS TO 30 MCS IN FOUR BANDS ● BUILT-IN Q-MULTIPLIER FOR CROWDED PHONE OPERATION ● CALIBRATED ELECTRICAL BANDSPREAD ON AMATEUR BANDS 80 THRU 10 METERS ● STABLE OSCILLATOR AND BFO FOR CLEAR CW AND SSB RECEPTION ● BUILT-IN EDGEWISE S-METER

Sensitivity is 1.0 microvolt for 10 db, Signal to Noise ratio, Selectivity is ± 0.8 KCS at -6 db with Q-MULTIPLIER. TUBES: 6BA6—RF Amp, 6BE6 Mixer, 6BE6 OSC., 6AV6 Q-Multiplier—BFO, 2-6BA6 IF Amp., 6AV6 Det-AF Amp. ANL, 6AQ5-Audio output, 5Y3 Rectifier.

NEW LAFAYETTE HE-50A DELUXE 10-METER TRANSCEIVER



MADE IN
U.S.A.

114.95

NO MONEY DOWN

- Highly Sensitive Superhetrodyne Receiver Section for 28-29.7 Mc
- Effective Series Gate Noise Limiter
- 3-Stage, 12-Watt Transmitter with 2E26 Final
- Illuminated Panel Meter for Plate Current and "S" Readings
- Pi-Network Transmitter Output
- Built-in 117 VAC and 12 VDC Power Supplies
- Push-To-Talk Ceramic Microphone

Provides maximum convenience and flexibility in either mobile or fixed operation.

LAFAYETTE HE-45A 6-METER TRANSCEIVER


Similar to above except for 6 meter operation114.95

TOP VALUE COMMUNICATION RECEIVER

KT-200
in Kit Form
64.50

HE-10
79.95


WIRED AND TESTED IMPORTED



- SUPERHET CIRCUIT UTILIZING 8 TUBES AND RECTIFIER TUBE ● BUILT-IN "S" METER WITH ADJUSTMENT CONTROL ● FULL COVERAGE 80-10 METERS ● COVERS 455KC TO 31 MC ● VARIABLE BFO AND RF GAIN CONTROLS ● SWITCHABLE AVC AND AUTOMATIC NOISE LIMITER

The Communications Receiver that meets every amateur need—available in easy-to-assemble kit form. Signal to noise ratio is 10 db at 3.5 MC with 1.25 microvolt signal. Selectivity is -60 db at 10 kc, image reflection is -40 db at 3 MC. Tubes: 3-6BD6, 2-6BE6, 2-6AV6, 1-6AR5, 1-5Y3.

LAFAYETTE RADIO ELECTRONICS



FREE!

CUT

OUT

PASTE ON CARD

SYOSSET	JAMAICA	NEW YORK	BRONX	NEWARK
PARAMUS	PLAINFIELD	SCARSDALE	NATICK	BOSTON

LAFAYETTE RADIO DEPT. VA-3
P.O. BOX 10, Syosset, N.Y.

Send me the FREE
388 Page 1963 Catalog 630

Name


Address

City Zone State

NEW from



hallicrafters



Exceptionally versatile and compact triple-conversion, superheterodyne communication-type receiver. V.F.O. can be used as crystal locked oscillator; **Selectivity:** Variable in 3 steps, 0.5—2.5—5.0 kc. Crystal-controlled 1st and 3rd oscillators. Selectable sidebands, constant tuning rate. **Sensitivity:** less than 1 μ v. on AM, less than $\frac{1}{2}$ μ v. on SSB/CW. T-notch for up to 50 db. attenuation to unwanted heterodyne in I. F. pass band. I. F. type noise limiter. Audio inverse feedback. Crystals provided for 3.5—4.0, 7.0—7.5, 14.0—14.5, 21.0—21.5, 28.5—29 Mc. Four add'l. crystal pos. for 500 kc. segments between 85 kc. and 30 Mc. 100 kc. crystal calibrator included. Size: 15" x 7 $\frac{1}{2}$ " x 13". Net wt. 18 lb. Amateur net price: \$379.95.

SX-117 TRIPLE-CONVERSION
COMMUNICATION
RECEIVER

HA-10 Low freq. tuner adapts SX-117 for 85 kc.—3 mc.
\$24.95.

AVAILABLE NOW FROM . . .

Burghardt
RADIO SUPPLY, Inc.

Phone 605-TU-6-5749 Box 37 Watertown, South Dakota

NOISE
BOTHERING YOU?



KOLIN introduces the NL-1 and NL-2 Solid State Noise Limiters designed to effectively cut out impulse noise when receiving A.M. Signals that were never audible will suddenly be heard in the clear.

- For radio amateurs, citizens band, marine, home, mobile, etc.
- Will effectively suppress noise from: ignition systems, electric motors, power lines, lightning crashes, fluorescent lights, etc.
- Extremely effective circuit uses low leakage silicon computer diode instead of tube.
- For all receivers that employ a diode detector.
- Complete self-adjusting feature insures optimum performance regardless of carrier strength of received stations.
- Requires no power. Works regardless of supply voltage 6, 12, 115, 220, etc.
- Miniature circuit enables quick and easy mounting inside your home or mobile receiver, only 3 minor connections to your receiver.
- Complete with switch and all mounting hardware.
- NL-1 for all tube or hybrid receivers. NL-2 for all transistor receivers.
- Improve your reception for the low price of only

Send Direct to

\$7.95	\$9.95
NL-1	NL-2

Kolin ENGINEERING COMPANY
Box 357 Bronxville, N. Y.

Manufacturers of Semiconductor
and Communications Products

AMATEUR RADIO HANDBOOKS!

- **ELECTRONIC CONSTRUCTION HANDBOOK** by Bob Lewis, W8MQU. Kit builders! Home constructors! This all-new Handbook covers design, layout, construction and assembly of electronic equipment. Short cuts, hints, and suggestions! Layout! Panel marking! Testing! All you must know to build your own gear! \$2.95
- **VHF HANDBOOK** by Orr, W6SAI and Johnson, W6QKI. First complete Handbook covering the VHF spectrum! Many VHF construction projects! Design and construction of VHF transmitters, receivers and antennas! Make your VHF station work! \$2.95
- **BEAM ANTENNA HANDBOOK**, by William Orr, W6SAI. All about construction, installation and adjustment of rotary beams. New, simplified designs. Complete drawings, photos, SWR curves. Make your beam work better. \$2.90
- **ALL ABOUT CUBICAL QUAD ANTENNAS** by W6SAI. Construction and tuning data. Multi-band Quads. Charts, drawings and photos for your Quad. Full, complete data on home-made Quad antennas. The new X-Q Quad., \$2.85
- **NOVICE & TECHNICIAN HANDBOOK** by W6SAI and W6TNS. All about amateur radio in nontechnical language! How to learn the code. How to assemble your ham station. Transmitters! Receivers! DX! How to Get QSL cards, \$2.85
- **BETTER SHORTWAVE RECEPTION**, by Wm. Orr, W6SAI. Your introduction to shortwave radio. How to hear DX. How to buy a receiver. Amateur radio. How to align your receiver. Antennas! QSLs. Getting your ham license, \$2.85
- **HANDBOOKS for CITIZENS RADIO**. All about C-B radio. #1 YOUR CITIZENS RADIO LICENSE. #2 HOW TO OPERATE YOUR CITIZENS STATION. #3 ANTENNAS FOR CITIZENS RADIO. Each \$1, three for \$2.75

Add 15¢ per order for postage and handling.

RADIO PUBLICATIONS, INC., WILTON, CONN., U.S.A.


Detroit, Michigan: "Does an excellent job of swinging a 20-40 combination and stacked Finco 6-2 beam."

San Diego, California: "I am well pleased with the rotor to date, holds and turns stacked 40M and up beams in 50 mph winds with no difficulty."

Los Angeles, California: "I have personally installed 3 other HAM-M Rotors in the past 3 years (all of them OK) so I feel that I'm buying the best."

Houston, Texas: "Wonderful! Was using the AR-22 (the CDE TV automatic) and it did a fine job for 4 years, but put up a larger beam and needed more power."

Anchorage, Alaska: "Due to below-zero weather, it took quite a while



to get up but the last couple of weeks it has proved perfect. Wish I had one years ago."

Alamo, California: "Works very well and purchased on recommendation of my friend who has been using one for 4 years and likes it quite well."

Swarthmore, Pa.: "Am very pleased with the results. More than meets my expectations."

Pluckemin, New Jersey: "The HAM-M rotates and two TR-15's tilt the 6-foot parabola for 432 and 1296 mc."

Chicago, Illinois: "It really does the job."

New York, N. Y.: "This is a perfect rotor. Can't see where you can improve it."

(a sampling of mash notes received by our HAM-M)

At \$119.50 amateur net, the HAM-M is the greatest rotor value around! For technical information, contact Bill Ashby K2TKN. Your local CDE Radiart Distributor has the HAM-M in stock.



CORNELL-DUBILIER ELECTRONICS, DIV. OF FEDERAL PACIFIC ELECTRIC CO., 118 E. JONES ST., FUQUAY SPRINGS, N. C.

CDE makes a complete line of the world's finest rotors: Ham, heavy-duty automatic, heavy-duty manual, standard-duty automatic, standard-duty manual...and the industry's only wireless remote control rotor system!

3 KW PEP
"BALUN" ↓ \$16.95

NEW!
MODEL 1V50H1
ONLY \$13.95

A COMPLETE MONO-BAND KIT INCLUDES
5C10B0 "BALUN", WIRE, INSULATORS
AND COMPLETE INSTRUCTIONS
TO PROPERLY INSTALL
ON 80 or 40 or 20 or 15
or 11 or 10 Meter
HIGH PERFORMANCE INVERTED "V"
ANTENNA

1 KW
PEP
"BALUN"
\$12.95

ALSO AVAILABLE -
3 KW PEP MODEL
1V50H1 \$17.95

MFG. UNDER TELEPLEX PAT. NO. 2,576,929
TELEPLEX LABORATORIES ASBURY PARK, N. J.

WRITE FOR FREE "BALUN'S INVERTED V"
BOOKLET, P. 177, DESCRIBING 107 POPULAR ANTENNAS.




YOU CAN EARN EXTRA INCOME

This free booklet tells you how!


Just like hundreds of other hams . . . you can use your radio knowledge to earn thousands of dollars! Commercial mobile-radio communications are booming! These stations need competent, continuous service, and pay good money!

THIS FREE BOOKLET TELLS HOW YOU CAN START YOUR OWN BUSINESS IN THIS LUCRATIVE FIELD! SEND FOR IT TODAY!



LAMPKIN 105-B FREQUENCY METER, RANGE 0.1 TO 175 MC AND UP. PRICE \$260.00 NET.

THE
PREFERRED
MOBILE-
MAINTENANCE
METERS



LAMPKIN 205-A FM MODULATION METER, RANGE 25 TO 500 MC. PRICE \$270.00 NET.

MAIL COUPON TODAY!

LAMPKIN LABORATORIES, INC.
MFG. DIVISION, BRADENTON, FLORIDA
AT NO OBLIGATION TO ME, PLEASE SEND ME "HOW TO MAKE MONEY IN MOBILE-RADIO MAINTENANCE"—and data on Lampkin Meters.

NAME _____
ADDRESS _____
CITY _____ STATE _____

LAMPKIN LABORATORIES, INC. Bradenton Florida




Jack, KH6AND


GET TOP SSB PERFORMANCE WITH COLLINS S/LINE




Tom, KH6BM



75S-3 Receiver -- \$680



32S-3 Transmitter -- \$750



30L-1 1kw Linear Amplifier -- \$530


516F-2 AC Power Supply -- \$115

PERSONALIZED SERVICE IN THE 50th STATE
High trades / Fast service / 2-year payment
10% down / 29 years' experience
Complete repair service

HONOLULU ELECTRONICS

819 Keeaumoko St., Honolulu 14, Hawaii
Phone 995466 or 999591


N. Y. MIDTOWN HEADQUARTERS for world famous *hallicrafters*



HALLI-KIT HT-40 TRANSMITTER

Have Fun & SAVE
Thrilling coverage of all amateur bands 80 thru 6 meters. 75-watts input.

KIT only \$89.95 — Wired & tested . . . \$109.95



HALLI-KIT SX-140 RECEIVER (Complete coverage)

Highly sensitive to all amateur bands 80 thru 6 meters. Change-over control.

KIT only \$104.95 — Wired & tested . . . \$124.95


ALL HALLICRAFTERS in stock for immediate delivery. Complete audio demo dept.

EVERYONE eventually goes to



1 Door East of Lexington Ave.

124 East 44th Street, N.Y.C. • MU 2-3869



DUMMY LOAD

52 ohm, non-reactive film oxide R.F. unit. All band, all power to 1 KW. SWR 1.2 to 1.

Kit \$7.95 postpaid. Wired, add \$2

HAM KITS
308 Edgar Ave., Box 175, Cranford, N.J.

The NEW TYMETER®


"Time at a Glance"

24 HOUR CLOCK

#100-24H¼

\$15 Plus Applicable Taxes

Walnut or ebony plastic case. H4", W7¼", D4". 3 lbs. 110V 60 cy. A.C. Guaranteed 1 year.



At Your Dealer, or WRITE TO

TYMETER ELECTRONICS
PENNWOOD NUMECHRON CO.
7249 FRANKSTOWN AVE., PITTSBURGH 8, PA.



ri-Ex

BUY THE FINEST TOWER MADE — BUY TRI-EX!
THERE IS A TRI-EX TOWER TO FIT
YOUR ANTENNA REQUIREMENTS



ri-Ex



NOW! NEW LOWER PRICES ON ALL GUYED TOWERS!
EXAMPLE: TRI-EX H AND HS SERIES GUYED TOWERS WITHSTAND
HEAVY WIND LOADS WITH REALLY BIG ANTENNAS TOPSIDE!

- IRON PHOSPHATE RUST PROOF UNDERCOATING PLUS EPOXY RESIN PRIMER AND BAKED ENAMEL FINISH COAT (GALVANIZED AT SLIGHTLY HIGHER COST)
- ACCOMMODATES ALL PROP PITCH AND OTHER ROTOR MOTORS INSIDE TOP SECTION
- HEAVY DUTY CRANK-UP EQUIPMENT

MODEL NO.	HEIGHT (ft.)	WEIGHT (lbs.)	NEW LOW PRICE
H-237	37	150	\$140.00
H-354	54	250	190.00
H-471	71	365	270.00
HS-237	37	200	175.00
HS-354	54	305	240.00
HS-471	71	440	343.00
HS-588	88	620	475.00
HS-6105	105	870	745.00

GUY CABLE, PLATES, CLAMPS, ANCHORS, ETC. AVAILABLE IN KIT FORM AT LOW ADDITIONAL COST.



SEND FOR THE NEW
TRI-EX ANTENNA TOWER
SELECTOR CHART


TRI-EX TOWER CORPORATION / 127 EAST INYO STREET / TULARE / CALIFORNIA / MU 6-3411

NEW TYPE MOBILE GENERATOR FILTER

No Tuning adjustment necessary. Fixed tuned to eliminate mechanical changes of tuning due to generator vibrations.

Will safely handle 35 Amps Continuously.

Operation remains unchanged indefinitely due to complete epoxy encapsulation.



High "O" design gives maximum noise rejection.

Rapid and convenient mounting on the generator terminal of engine without the aid of special tools.

Available for 6 meters, 10 meters, citizens band and marine frequencies. Other types made to order.

AMATEUR NET . . \$3.49

See your local distributor or write us directly for the supplier in your area.

GOLD LINE CONNECTOR INC., P.O. Box 983, Pearl St. Ext., Norwalk, Conn.


New! "COMPREAMP"

Transistorized Audio Preamplifier

This new audio preamplifier increases "talk power" up to 10 times . . . provides up to 10 db compression when inserted in microphone lead of a radio transmitter.

This device will prevent overloading of the transmitter on the peak energy spikes normally present in speech waveforms.

Send check or money order to



Price, delivered, with battery, \$13.95

The METRODYNAMICS Corporation
8 WESTOVER AVENUE • CALDWELL, NEW JERSEY


FOR NEWCOMERS?

YES, the ARRL License Manual is for aspiring radio amateurs and is indispensable to them. It is indispensable also to all active amateurs, whether old timers or recently licensed Novices. The "I.M." contains study material for the amateur-to-be. It also contains the complete text of FCC amateur regulations, which ought to be in the shack of every amateur for reference. The 49th edition is complete, up to date and revised to include latest regulatory information.

Order YOUR copy today

PRICE **50¢** POSTPAID

THE AMERICAN RADIO RELAY LEAGUE, INC.
WEST HARTFORD 7, CONN.




ALL the dope between two covers . . . complete and easy to understand.

- NOVICE • CONDITIONAL
- TECHNICIAN • GENERAL
- EXTRA-CLASS



TWO WEEK TRIAL OFFER
MONEY BACK GUARANTEE
SHIPPED POSTPAID

FACTORY WIRED



WRL
METEOR
SB-175
TRANSMITTER

\$99.95 Less P.S.

ALL MODES
MOBILE - FIXED

175W-CW - 100W-AM - 140W (PEP) DSB
A simple "flick of the switch" for 75 watt novice power. Don't let high cost rigs kill your hobby -- try WRL's high powered, low cost, 175 watt transmitter for 2 weeks. You must be 100% satisfied, or return postpaid for full refund. Terms: No money down -- \$5.00 per month.



I can give you personal service on helping you select better gear per dollar for your operating pleasure. Over 30 years' experience. Big trades, easy terms. Used bargains.
VAN SICKLE RADIO SUPPLY CO.
Gene Van Sickle, W9KJF, Owner
4131 N. Keystone Ave.
On the northeast side of
Indianapolis 5, Indiana

THE EXPERT'S CHOICE!


VIBROPLEX



Yes, Vibroplex is the EXPERT'S choice. Precision cut, highly polished parts, SEMI-AUTOMATIC and adjustable to any speed desired. Cuts sending effort in half. Standard models with Polished Chromium top parts and gray base; Deluxe models have Chromium Base, red finger and thumb pieces. Comes in five models, priced from \$17.95 to the "Presentation" model at \$33.95.

VIBRO-KEYER

Is the perfect part to use with ELECTRONIC TRANSMITTING UNITS. Base is 3 1/2" by 4 1/2" and its weight 2 1/2 lbs. Uses Vibroplex's finely finished parts and has red switch knob and finger and thumb pieces. Standard is priced at \$17.95. Deluxe model includes Chromium Plated Base at \$22.45.



Order today at your dealers or direct

THE VIBROPLEX CO., INC.
833 Broadway New York 3, N. Y.

FREE Folder

WRL WORLD RADIO LABORATORIES, Inc.
3415 W. BROADWAY • COUNCIL BLUFFS, IOWA

LOOKING FOR SERVICE?

AMATRONICS, INC.

HAM SERVICE HEADQUARTERS



RAY MORRIS
W2QYS

LET'S FACE IT . . . We all expect top performance from our gear. When the rig and receiver are perking along just right we can enjoy our hobby to the utmost. The DX comes a little easier and all is right with the world.

BUT . . . Unfortunately there are times when the equipment will develop a few bugs. Most of us do not have the test instruments or the time to do the de-bugging, ourselves. This is where Amatronics fits into the picture.

AMATRONICS . . . Has the facilities, know-how and personnel to handle your servicing problems. We are all Hams. . . . We know the business. . . . We speak the language.



LOU ARMAGNO
WA2JBG

Authorized Warranty Station

- Hallicrafters • Globe • RME
- National Radio • Hammarlund
- Civil Defense service and maintenance
- Complete receiver alignment service
- Complete transmitter servicing facilities
- Modifications and "up-dating"




JIM O'BRIEN
K2UDP

Pick-Up and Delivery Service

- Available in the Metropolitan New York, Long Island, New Jersey area at no charge
- This service also available to the "in-warranty" customer at a very nominal fee
- When shipping equipment to us please use Railway Express, motor freight, or air freight (pre-paid)
- Please pack carefully. If in doubt about shipping contact us.

AMATRONICS INC. 91-46 Lefferts Blvd. Richmond Hill 18, New York Telephone (212) HI-1-7890

LOADED MULTI-BAND DOUBLET ANTENNAS



1. Loading coils reduce length, designed for multi-band operation
 2. Adjustable ends to set resonance on lower band
 3. Center insulator with female coax connector for PL-259 plug
 4. Fittings to tie on rope to support antenna
- RG-58/U or RG-8/U coax required for feeder


- LRL-66 FOR 80-40-20-15-10, 66' long, 2 KW PEP 80-40-15 \$30.00**
 (1 KW P.E.P. 20-10 Where Decoupling Stubs Used)
- LRL-70 FOR 80-40, 70' long, 2 KW PEP 80-40 30.00**
- LRL-125 FOR 160-80, 125' long, 2 KW PEP 160-80 30.00**

WRITE FOR DESCRIPTIVE SHEETS. SHIPMENTS POSTPAID IN CONTINENTAL USA.

LATTIN RADIO LABORATORIES ■ Box 44, Owensboro, Ky.

**southwest's
most
complete
ham stock**


All Popular Makes Of Equipment And Accessories
TIME PAYMENTS • TRADE-INS
 We handle our own financing.



hallicrafters
Model HT-37 SSB Transmitter

Call or Write
RONNIE W5ATB
BERT W5FU

Radio, Inc.
 1000 S. Main Luther 7-9124
 TULSA 19, OKLA.



KH6AR
Wahiawa, Oahu, Hawaii
reports:

**"most natural
sounding
SSB mike yet"**

We'll let Ken Bryan's (KH6AR) letter to us speak for itself:

"I've been using my Shure 440SL on regular skeys with people who know my voice from eyeball QSO. That includes my daughter who doesn't ordinarily like the tone of sideband. Everybody tells me that it's the most natural sounding SSB mike yet . . . especially my daughter.

"The pick-up is great. The tendency of local splatter and unwanted sideband is *considerably* reduced over three other mikes I compared it with. Humidity doesn't affect it at all. All in all, I feel it's the best SSB mike I've ever had, including one that cost me over \$50.00!"

ONLY \$2850 net

(complete with stand, grip-to-talk switch, 7 ft. highest quality 2 conductor shielded cable.)

A87K Modification Kit. Instant switching from VOX (with muted microphone position) to push-to-talk. \$3.25 net.

SHURE 440SL

CONTROLLED MAGNETIC SSB, AM, FM MICROPHONE

Literature: Shure Brothers, Inc., 222 Hartrey Ave., Evanston, Illinois

CQ de W2KUW

We will pay for every good
304TL \$10.00

Sent to us before June 30, 1963

Other large transmitting tubes & equipment also
needed. ARC-GRC-PRC-MN-TS-UR. 51J-V-X-Y-388-390


TED DAMES CO. • 308 Hickory St., Arlington, N.J.

CANADIANS! We have large stocks of nationally
advertised Ham parts. Write for Free Bulletin.

THE CRAWFORD RADIO

P. O. BOX 617

VE3YR 119-121 JOHN ST., N. VE3JU
"Geo" HAMILTON, ONT. "Bill"



**"— with a
MATERIAL DIFFERENCE!"**

"BEAMED-POWER" ANTENNAS and ANTENNA SYSTEMS

**The Choice of the Discriminating
Communication Engineer... the
Man who Never Settles for Any-
thing Less than THE-VERY-BEST!**

You too — can enjoy World renowned Telrex
performance and value!

Send for PL77 condensed data and pricing catalog,
describes 107 popular amateur antennas
from \$6.95 to \$999.00. Expanded data sheets —
Your favorite band, also available.

ANTENNAS

SINCE
1921

Communication and TV Antennas
telrex LABORATORIES

ASBURY PARK 40, NEW JERSEY, U.S.A.

To QST Readers:

For the third year we're happy to report that the amateur radio business is still being run by amateurs.

There is room here to list only a few of them, but wide-awake operators will recognize W1AFN, W1HRX, W1PRI, K1RNO, K2AKK, W2DCO, W2GHK, W2JXB, W2LOY, W2OSH, K2RAIN, W2UVY, K3OAX, W3YXG, W3WBA, K4NMT, W6GEM, W6QK1, W6UF, K8BLL, W8GYE, W8DUS, W9AC, W9GDS, W9SFW, W9ESM, W0EDX, W0GDI, W0HCY, W0JRY as some of the hams responsible for the steady flow of new receivers, transmitters and components. Code courses are offered by W2OSH, W2RID, W3TDF, W6TTB.

Mobile antennas come from W1LKQ, W2VHP, W6RAL, W6TKH, K8UOV, among others: W1AWZ, W2BDS, K1KXR, W1YM, W5AJZ, W6GRW, W6ZKA, W0FQY, W0LTE are furnishing us with beams and W2BDS, K2TKN, K3JFF, W6UTB, W0AIW, W0EDX, W0FQY, W0GFQ, W0LTE, W0JI make towers, rotators for them.

We can buy from hams all over the country. Complete stocks are carried by W1BFT, K1UGI, W2APF, W2AVA, W2DIO, W2FEU, W2IEK, W2LNI, W4ECL, W1ICE, W5ATB, W6TT, W6UOU, W7EHQ, W9ADN, W9ARA, W9BHD, W9DIA, W9IHZ, W9IVJ, W9KJF, W9ZSO, W0GFQ, W0PGL, K0UFE, to name a few.

Some of these calls appeared in QST advertisements during the past year — and many other calls were there, too. We counted 288 in 1962. How many can you find?

Mail us your list showing each call and the name of the company whose ad it was in. If you find 150 we'll send you an ARRL Log Book. Please arrange your list by call areas and alphabetically within each call area.

73.


ADVERTISING DEPARTMENT OF ARRL
L. A. "Pete" Morrow, W1VG

DO NOT include Ham-Ads and DO NOT include calls listed in Allied Radio's December ad under "and from all the gang," and DO NOT include Hy-Gain's "5th through 30th" list in January, page 111.

CW OPS! HEAR WHAT

YOU SEND:

—AUTOMATIC—



CW MONITOR

\$16.50 PPD
USA

TM-1 squelches receiver output and injects adjustable side-tone into phones for perfect monitoring of keying. Use TM-1 for code-practice and AM reception. Completely transistorized. Handles up to 300 V. at key terminals. A must for the shack; perfect for field day. Not a kit. Battery and complete instructions included. Order TM-1 for cathode-keyed rigs; TM-1G for blocked-grid keying.

TRANS-PRO LABS

263 Bouchard Ave., Dracut, Mass.

Franky the Frog



says: The bells of the NEW YEAR are ringing for you at THE AMATEUR HEADQUARTERS of Southern New England.

Let the SIX-HAPPY-HANDY-HAMS help you to a DXer's delight by showing their complete stock of name brand equipment which includes COLLINS, CLEGG, DRAKE, GONSET, HALLICRAFTERS, HAMMARLUND, HY-GAIN, E. F. JOHNSON, NATIONAL RADIO

W. H. EDWARDS CO., INC.

116 Hartford Ave., Providence 9 R. L. • Tel. GA 1-6158-6159-6614

NOW

EXCLUSIVE 66 FOOT **MOR-GAIN** 75 AND 40 METER DIPOLE
NO TRAPS — NO COILS — NO STUBS — NO CAPACITORS

Fully Air Tested — Hundreds Already In Use



40% Copper Clad wire—Under 2 lbs. Air Weight—Rated for full legal power—AM/CW or SB—Coaxial or Balanced 50-75 ohm feed—VSWR under 1.5 to 1 at most heights—Rust resistant hardware—Drop-proof insulators. Completely assembled, ready to put up. Model 75/40 Amateur Net \$28.00. Terrific Performance—No coils or traps to break down or change under weather conditions—Fully Guaranteed.

Other MOR-GAIN Antennas—Model 40/20—34 feet—Net \$22.00. Model 75/40/15 Net \$35.00. Verticals 5 to 34 feet—Net \$9.00 to \$22.00. 40/20 Rotable Dipole \$69.50—Plus many more.

ORDER DIRECT OR WRITE FOR FULL INFORMATION

MOR-GAIN

P.O. Box 6006

Alexandria, Virginia — OR THRU YOUR FAVORITE DISTRIBUTOR

HAM-ADS

(1) Advertising shall pertain to products and services which are related to amateur radio.

(2) No display of any character will be accepted, nor can any special typographical arrangement, such as all or part capital letters be used which would tend to make one advertisement stand out from the others. No Box Reply Service can be maintained in these columns nor may commercial type copy be signed solely with amateur call letters. Ham-ads signed only with a box number without identifying signature cannot be accepted.

(3) The Ham-Ad rate is 35¢ per word, except as noted in paragraph (6) below.

(4) Remittance in full must accompany copy, since Ham-Ads are not carried on our books. No cash or contract discount or agency commission will be allowed.

(5) Closing date for Ham Ads is the 20th of the second month preceding publication date.

(6) A special rate of 10¢ per word will apply to advertising which, in our judgment, is obviously non-commercial in nature. Thus, advertising of bona fide surplus equipment owned, used and for sale by an individual or apparatus offered for exchange or advertising inquiring for special equipment, takes the 10¢ rate. Address and signature are charged for. An attempt to deal in apparatus in quantity for profit, even if by an individual, is commercial and all advertising so classified takes the 35¢ rate. Provisions of paragraphs (1), (2) and (5), apply to all advertising in this column regardless of which rate may apply.

(7) Because error is more easily avoided, it is requested copy, signature and address be printed plainly on one side of paper only. Typewritten copy preferred but handwritten signature must accompany all authorized insertions.

(8) No advertiser may use more than 100 words in any one issue nor more than one ad in one issue.

Having made no investigation of the advertisers in the classified columns except those obviously commercial in character, the publishers of QST are unable to vouch for their integrity or for the grade or character of the products or services advertised.

WANTED: Early wireless gear, books, magazines, catalogs before 1922. Send description and prices. W6GH, 1010 Monte Dr., Santa Barbara, Calif.

MOTOROLA used FM communications equipment bought and sold. W5BCO, Ralph Hicks, Box 6097, Tulsa, Okla.

WE buy all types of tubes for cash, especially Eimac, subject to our test, Maritime International Co., 199 Front St., Hempstead, N.Y.

RECEIVERS: Repaired and aligned by competent engineers using factory standard instruments. Factory service at reasonable prices on Collins, Hallicrafters, Hammarlund, Gonset, National, Harvey-Wells. Our 26th year, 90 day guarantee. Douglas Instrument Laboratory, 176 Norfolk Ave., Boston 19, Mass.

TOROIDS: Uncased 88 Mhz. like new. Dollar each. Five/\$4.00 P.P. DaPaul, 309 So. Ashton, Millbrae, Calif.

SOUTHERN California: Transmitters and receivers repaired, aligned. Bandwidth, frequency, harmonics measured. Used ham gear bought, sold, traded. Robinson Electronics, 922 W. Chapman, Orange, Calif. Tel. KEllogg 8-0500.

WANTED: Two or more 304TL tubes. Callanan, W9AU, P.O. Box 155, Barrington, Ill.

CASH for your gear! We buy, trade and sell. We stock Hammarlund, Hallicrafters, National, Johnson, RME, Hy-Gain, Mosley and many other lines of ham gear. Ask for used equipment list. H & H Electronic Supply Inc., 506-510 Kishwaukee St., Rockford, Ill.

WANTED: Military or Industrial laboratory test equipment. Electronicraft, Box 399, Mt. Kisco, N.Y.

WANT 1925 and earlier ham and broadcast gear for personal collection. W4AA, Wayne Nelson, Concord, N.C.

MICHIGAN Hams! Amateur supplies, standard brands. Store hours 0830 to 1730 Monday through Saturday. Roy J. Purchase, W8RP, Purchase Radio Supply, 327 E. Hoover St., Ann Arbor, Michigan, Tel. NOrmandy 8-8262.

CHICAGOLAND Amateurs! Factory authorized service for Hallicrafters, Hammarlund, Johnson, Gonset. Service all amateur equipment to factory standards. Heights Electronics, Inc., 1145 Halstead St., Chicago Heights, Ill. Tel. SKyline 5-4056.

HAM TV Equipment bought, sold, traded. Al Denison, W1BYX, Rockville, Conn.

KWSI, \$900. W2ADD

EIMAC built 4CX1000A final (11/57 QST), the ultimate compact linear, \$395; Eimac built brute power supply for above, to 6000v at 1 amp., other voltages, gud industrial or ham (parts over \$1500), best offer. Compact pwr. supply in 24" cabinet, to 4000v at 1 amp. solid state, parts over \$500, professional design, best offer. W1BYNY, J. E. Ashton, 12 Top O'Hill Rd., Darien, Conn. 203-DAVIS 5-2125.

SELL: VFO-Matic, for transceive operation with 75A receivers and 9 mc. exciters, \$90. F.o.b. Lamb, 1219 Yardley Rd., Morrisville, Penna.

FOR Sale: SX-101A, \$325.00 HT37, \$350.00. Both for \$660. KSMWU, Qtrs 1831B, Blytheville AFB Arkansas.

"FOR The operator that has everything." Samples 10¢. Call Signs, Box 933, Aurora, Ill.

QSO Record Forms on 4 x 6 file cards. New, different, \$1.00 for 100. WB2BEV, George Roberts, 763 Eastern Parkway, Brooklyn 13, N.Y.

QSLs? WPE? Get greater returns! Largest variety samples 25¢ (refund). Religious QSL samples, 20¢. Sakkers, W8DEB, Box 218, Holland, Michigan.

QSLs & SWLS, 25¢. Spicer, 4615 Rosedale, Austin 5, Tex. QSL, SWL, cards that are different. Quality card stock. Samples 10¢. Home Print, 2416 Elmo, Hamilton, Ohio.

1 1/2" Call QSLs (2 sides printed) 100 \$2.75. Samples free. Garpey, 2624 Kroemer, Ft. Wayne, Ind.

C. FRITZ QSLs guarantee greater returns! Samples, 25¢ deductible. Box 1684, Scottsdale, Arizona (formerly Joliet, Ill.).

QSLs. Twenty exclusive designs in 3 colors. Rush \$3.85 for 100 or \$6.90 for 200 and get surprise of your life. 5 days' service. Satisfaction guaranteed. Constantine Press, Bladensburg, Md.

QSL Specialists. Distinctive Samples 15¢. DRJ Studios, 2114 N. Laverne Ave., Chicago 39, Ill.

QSLs "Brownie." W3CJ1, 3110 Lehigh, Allentown, Penna. Catalog with samples, 25¢.

QSLs-SWLS. Samples 10¢. Malgo Press, Box 375 M.O., Toldeo, I. Ohio.

QSL-SWL-WPE. Finest. Since 1946. Largest assortment. Priced right. Send 10¢ for samples to: Glenn Print, 1103 Pine Heights Ave., Baltimore 29, Md.

DELUXE QSLs. Petty, W2HAZ, Box 27, Trenton, N. J. Samples 10¢.

QSL Cards. Call-letter D-calls. Samples 10¢, or send 25¢ for extra large selection and free "Danger, High Voltage!" card. Dick, W8VXK, Rte. 4, Gladwin, Michigan.

QSLs-SWLS. 100 2-color glossy, \$3.00; OSO file cards, \$1.00 per 100. Samples, 10¢. Rusprint, Box 7507, Kansas City 16, Mo.

QSLs: samples 25¢ (refundable). Schuch, W6CMN, Wildcat Press, 6707 Beck Ave., North Hollywood, Calif.

QSLs, SWLS, WPE. Samples 5¢. Nicholas & Son Printery, P.O. Box 11184, Phoenix 17, Ariz.

QSLs, SWLS, XYL-OMs (sample assortment approximately 9/4¢) covering designing, planning, printing, arranging, mailing: eye-catching, comic, sedate, fabulous, DX-attracting, prototypal, snazzy, unparagoned cards (Wow!). Rogers, K0AAB, 961 Arcade St., St. Paul 6, Minn.

CREATIVE QSL Cards. Free, new catalog and samples. Personal attention given. Wilkens Creative Printing, P.O. Box 1064-I, Atascadero, Calif.

SUPERIOR QSLs, samples 10¢. Ham Specialties, Box 823 Bellaire, Texas

DON'T buy QSLs until you see my free samples. Holcus, W5OWC, 7701 Tisdale, Austin, Texas.

QUALITY QSLs. New designs monthly, Samples 10¢. Giant 25, Savory 172 Roosevelt, Weymouth, Mass.

PICTURE QSLs. Cards of your shack, home, etc.. Made from your photographs. 1000, \$14.50, Raun's 4154 Fifth St., Philadelphia 4th, Penna.

QSLs, 300 for \$4.35, Samples 10¢. W9SKR, "George" Vesely, Rte. #1, 100 Wilson Road, Inleside, Ill.

QSLs-SWLS. Samples free. W4BKT Press, 123 No. Main, McKenzie, Tenn.

QSLs, Samples free. Phillips, W7HRG, 1708 Bridge St., The Dalles, Oregon

QSLs, Samples dime. Rubber stamps; name, call and address \$1.35. Harry Sims, 3227 Missouri Ave., St. Louis 18, Mo.

QSLs, Free Samples. W7IIZ Press, Box 183, Springfield, Oregon.

RUBBER Stamp, Call, address, name, Case, ink-pad: \$1.00. K4ISA, Perry, Box 8080, Allandale, Fla.

ATTRACTIVE QSLs: Large variety of styles, cartoons, colors. Personal ham stationery. Samples 25¢ (deductible). Paul Levin, K2MTT, 1400 Carroll St., Brooklyn 13, N.Y.

QSLs, 3-color glossy, 100, \$4.50. Rutgers Varityping Service, 7 Fairfield Rd., Somerset, N.J.

QSLs, Kromeote 2 & 3 colors attractive, distinctive, different. Free ball point pen with order. Samples 10¢. Agents for Call-Card calls. K2VOB Press, 62 Midland Blvd., Maplewood, N.J.

RUBBER Stamps, \$1.00. Call and Address, Clint's Radio, W2UDQ, 32 Cumberland Ave., Verona, N. J.

QSLs, Write for samples. Blanton's, Box 7064, Akron 6, Ohio.

HUNDRED QSLs, 80¢. Samples, dime. Meininger, Jesup, Iowa.

POCKET Rubber Stamps. Your call plus name and address. \$1.00. Ralph, K0JUMY, Box 238, New Ulm, Minn.

RUBBER Stamps for hams, sample impressions. W9UNY, 542 No. 93rd, Milwaukee, Wis.

TOP Quality rubber stamps, your call, name, QTH, choice of handle or moulding mountings, 3 lines, \$1.95; 4 lines, \$2.35. Send remittance with order to W0REU, Dobson, 1312 Delaware St., Leavenworth, Kansas.

QSLs, Stamp and call brings samples. Eddie Scott, W3CSX, Fairplay, Md.

QSLs, \$2.50 per 100. Free samples and catalog. Garth, Jutland, N.J.

RUBBER Stamp, 3-lines, \$1.00. Travis, Box 612, Austin 63, Texas.

QSLs. Large selection styles including photos. Lowest prices. Fast service. Samples dime. Ray, K7HLR, 679 Borah, Twin Falls, Idaho.

QSLs, Regular or special. Frier Specialties, 21 Harvard, Schenectady 4, N.Y. Samples 25¢.

200 CARDS for \$3 in any one color. Your sample 25¢. Arthur Greenberg, 10 Burbank, Yonkers 2, N.Y.

HEY! Sample QSLs-SWLS, etc. Dime. Bill W. Johnson, 1009 Yeaton Ave., Yeaton, Penna.

QSLs, Dime. Filcrafters, Box 34, Martins Ferry, Ohio.

OSLS-SWLS. The kind you'll want! Highest quality, low prices. Special discounts. Samples made refundable. Joe Harms, WA4-JE (WZIME), 905 Fernald, Edgewater, Fla.

OSLS. \$2.00 per 100 postpaid U.S. only. Glossy red and green. Free sample. Hobby Print Shop, Umatilla, Fla.

HUNDRED OSLS. 80¢. Samples, dime. Meininger, Jesup, Iowa. SUPPRIOR OSLS, Samples 10¢. Ham Specialties, Box 73, Hobbs, New Mexico (formerly of Bellaire, Texas).

BEAUTIFUL OSLS. Outstanding call letters. Samples 10¢. Gates Print Shop, 317-11th Ave., Juniata, Altoona, Penna.

RUBBER Stamps, name, call and case. Ink pad, \$1.00. Perry, K4ISA, Box 8080, Allandale, Fla.

WANTED: A copy of RCA Ham Tips for May 1961. Gutman, 7526 Mountbatten Rd., Montreal 29, Quec. P., Canada.

ATTENTION: Amateur radio equipment repaired, work guaranteed. L & S Electronic Technicians, Sid Levinson, WA2OQG, 393 South 3rd, Brklyn, N.Y. Tel. EV 4-7564.

KWS-1 and 75A-4. Both in mint condx. Also station control; Collins spkr in Collins spkr table type cabinet along with clock; standing wave meter and Ham-M rotor control and direction meter and operating lever. This is for the man who wants the best in the best condition. Photo on request. W8BPB, 5210 Three Mile Drive, Detroit 24, Michigan. Tel. TUxedo 4-3800 days.

FOR Sale: 6146, 6883, 3 for \$5.00; RCA Monoscopes, 1698 \$2.50; lab type SWR Bridge, \$6.00; all new and guaranteed recorders, polar, \$300; Rect. co-ord. \$75. Brush Instr. \$60. Free list. A & B Engineering, 1040 E. 45th, Brooklyn, N.Y.

SELL. Swap or buy ancient radio sets and parts, magazines. Lavery, 118 N. Wycombe, Landsdowne, Penna.

MUHL Antenna traps now available; 80 thru 15M bands can be used on 88 foot lot with recommended configuration. Amateur net, \$18.00 pair. Send for literature. Muhl Engineering Co., Box 105, Greenville, Ohio.

GOING High power. Need tubes: 304TL, 833A, 810, 450TH, 750TL, etc. L. Huttner, 1890 East 5th St., Brooklyn 23, N.Y.

WILL Sell Apache for \$200. Have Marauder now. K8VHD, Henton Harbor, Mich.

STORM Warning Stations. Building our 12 weather station instruments. Plans \$2.00. Saco Press, Box 2513, South Bend, Ind.

WANTED: O-73/URT oscillator. Prefer one manufactured by Meridian, Inc., Stamford, Conn. State price and condition. W9TGI, 801 Glendale Rd., Glenview, Ill.

CUP-CORE Inductances, excellent for sharp or band-pass 50 to 100 Kc. I.F. or B.F.O. Very high O. Unused, case, adjustable; solder terminals. Type 1, 2.9 Mh., Type 17, 5.7 mh. Dollar each postpaid. U.S. Circuit, suggestions included. H. Woods, 346 Clover Lane, Northfield, Ill.

WE Pay cash for used 2-way radio equipment. State model, price, quantity and condition. Communications Service, 3209 Canton, Dallas, Texas. Tel. RI 7-1852.

TUBES Wanted. All types, highest prices paid. Write or phone Lou Jones, Inc., 131 Lawrence St., Brooklyn 1, N.Y. Tel. LI 5-2615.

FROM Anyone driving to Mexico will buy good mobile rig. "Revmax", Anarado 2807, Mexico City, D.F. 1.

WANTED: For personal collection; QSTs January through August 1916; ARRL Handbooks: Editions 1 and 5. WICUT, Box 1, West Hartford 7, Conn.

CHANGE X-tal frequency, including plated type. Safe method, ammonium bi-fluoride, containers, holders, instructions, complete, \$1.00. Deluxe model, \$2.00. Ham-Kits, Box 175, Cranford, N.J.

WANTED: Old wireless gear, tubes, magazines and catalogs before 1925. Amateur or ship equipment only. Please give complete information including prices. My purpose is to buy this equipment, put it in first class shape and make it available either as a museum or demonstration basis to all amateurs who didn't live and operate during this era. W5VA, T. Frank Smith, P.O. Box 840, Corpus Christi, Texas.

ATTENTION Mobilelars! Heavy-duty Lecco-Neville 6 volt 100 amp. system, \$50; 12 volt 50 amp system, \$50; 12 volt 60 amp system, \$60; 12 volt 100 amp. system, \$100. Built-in silicon rectifier alternators 12 volt 60 amps, \$100; 12 volt 100 amps, \$125.00. Guaranteed, no ex-police car units. Herbert A. Zimmerman, Jr., K2PAT, 1907 Coney Island Ave., Brooklyn 30, N.Y. Tel. DEwey 6-7388.

604TL tubes wanted. Also other xmttg and special purpose tubes. We will buy military or commercial transmitters and receivers with designations ARC, GRC, URR, 51 and MN. Air Ground Electronics Co., 64 Grand Pl., Kearny, N.J.

PROCEEDINGS of the I.R.E. 1914 through 1949, 1923, 1928, 1931, 1932 complete. Will sell any copy or copies. Excellent price on entire lot. Mrs. Miriam Knapp, W1ZIM, 191 Beechwood Rd., West Hartford 7, Conn. Tel. 521-2055.

WANTED: All types of aircraft or ground radios. 17L, 618F or S 388, 390, GRC, PRC, 51J, RVX. Especially any item made by Collins Radio, ham or commercial. Also large type tubes and test equipment in general. For fast cash action contact Ted Dames, W2KUYW, 308 Hickory, Arlington, N.J.

HAM Discount House. Write us for lowest prices on ham equipment, factory sealed cartons. Specify equipment wanted! H. D. H. Sales Co., 327 Greenwich Ave., Stamford, Conn.

CASH promptly paid for your ham gear. Trigger, 7361 North, River Forest, Ill. PR-8616.

TOROIDS; 88 mhy, with mounting hardware. Uncased; like new. Information sheet included. \$1 ea. 5/\$4.00 postpaid. KCM, Box 88, Milwaukee 13, Wis.

TELEVISION Camera Kit easy to build step-by-step instructions, suitable for Ham TV, Educational, Industrial, Medical uses. Craftsman Instrument Labs, Inc. 60-30 34th Ave., Woodside, L.I., N.Y.

FOR SALE. Complete instructions, including 28-p. booklet, L 26"x36" schematic for converting the ART-13 transmitter to AM and SSB. \$2.50. Satisfaction guaranteed. Sam Appleton, K5MK1, 501 No. Maxwell St., Tulsa, Texas.

NEW And used ham gear. Top trades. Norm, K9HRI at Dahm Electronic Supply, 14 Jayne St., Algonquin, Ill. Mail orders welcome.

SELL: Clean rack mount Hallcrafters HT-20 freq. 1.7-30 Mc 490 watt AM, power input, \$175.00; Gonset G50 with built-in Ameco Nuvistor preamp., \$225.00; Telrex 5-el. beam, \$20; CD power converter 12VDC-120VAC, 175 watt, \$45; all cash & carry. WA2FVD. Call office: BA 7-7870 and leave msg. F. Eykman, 149 Broadway, Rm. 1902, New York 6, N.Y.

160 through 2 combo Heath DX-100 and Viking 6N2 (factory wired), \$250. Cash or certified check. Will deliver 100 mile radius of Pittsburgh. Roy Miller, Linn Drive, Belle Vernon, Penna.

QSTs wanted, earliest copies only. Have later, extras available. Sell Waters 75S-O 3 mult., new and unopened, \$22; also C-E model A Slicer, \$35. W2DYU, 36 New Lawn Ave., Kearny, N.J.

QUALITY Rubber stamps. Low prices. Pix Pocket 3 lines, \$1.00. Sam Koury, K8TCJ, 3867 Fernleigh, Troy, Michigan.

FOR Sale: Pacemaker, \$250; HQ-110, \$175; NC-300, \$240. All little used and in excellent condx. Will ship if necessary. Dan Vermont, 83 Blackheath Road, Lido Beach, L.I., N.Y. Phone: 516-GE-2-0707.

FOR Sale: Collins 51J3 with 1.5 Kc and 3Kc mech. filters, \$675; 75S1, HT375.00, 200V, \$675; HT33A modified to "B", \$550; transistor Parameter Tester with Hewlett-Packard 400B VTM, \$375; Simpson Signal and Sweep generator, \$479. \$350; B&K model 160 transistor leakage and Beta Tester, \$55; all the above in a like-new condition. W2FJR, S. Gogel, 1096 Laux Pl., N. Bellmore, L.I., N.Y. Tel. SU 5-6876.

COMPLETE Station for sale: Anache, \$230; Mohawk, \$250; Mosley TA-33, \$65; TR-4 rotor, \$15; Vibroplex Lightning deluxe bug, \$20; Heath SWR bridge, \$10; all the above plus Heath spkr, Advance coax relay, JT-30 mike and 100 ft. brand new RG8/U, \$550. Mobile equipment: Palco B-65A, Harvey-Wells R-9A, AC and DC power supp. and cables, 1 ribbon antenna, coax relay, all in excellent condx. \$300. K1JSH/2, 36-41 169th St., Flushing 36, L.I., N.Y. Phone FL-8-3575.

SELL: Exclnt SX-71 with R-46B spkr, 100-kc. calibrator, need money for collage, \$125. Robert Ball, W7GBF, 104 Parsons Ave., Endicott, N.Y.

JOHNSON Pacemaker, in mint condx, used only 10 hours, excnt SSB rig, \$250.00. Need collage money. Wallace J. Ginschick, Goshen College, Goshen, Ind.

COLLINS 75A-3, in mint condition, Serial number 52. Fully modified. Calibrator, Homebrew product detector, 3.1 Kc filter, \$300.00, W9F5V, 3233 Hill Ln., Wilmette, Ill. Tel. AL-1-9462.

FOR Sale: New BC-603 receiver with manual, \$10; new BC-135 transceiver \$10; Eico 950-K R.C. bridge, \$12.50. Eico 147-K signal tracer, \$15. John Barwell, Somerville, Tenn.

SELL: SX-140, \$75; Tecraft 2 motor transmitter and pwr. supply, \$80; Calibrator, Homebrew product detector, 3.1 Kc filter, 136 Pemberton Ave., Plainfield, N.J.

SELL 100-V like new condx. \$550; will deliver within 150 miles for gas. Over 150 miles will ship express collect. E. W. Barton, W9IOG, C.M.R. 119 East Peoria, Ill.

FOR Sale: KWM-2 with AC power supply. In mint condx. Less than a year old. Can't use in my Mt. OTH. 5825, R. W. Carter, 5111 8th Rd., S., Apt. 201, Arlington 4, Va.

LATE Model G-76 transceiver, xtal calibrator (Sry. Dec. ad printed G-75 in error), Sorenson transistor AC P/S, dynamic mike, spkr, 100 ft. RG-59/U, \$345.00. Transistor mobile P/S 12VDC in 500VDC output, 250 Ma., \$25. Williams, 64 Prospect Ave., Hackensack, N.J.

MUST Sell: Globe Scout xmt: Dow-Key relay; Johnson low-pass; xtal mike; coax connectors, \$75 takes all. Phibe 212 WE-3-8338. Write L. Lester, 2241 Creston Ave., Bronx 53, N.Y.

SP60JX, \$450; BC779B, \$100; National MBL 150, \$15; 4CX-300s, \$15; 4CX250s, \$15; 4X150, \$15; 4-250s, \$15; 4I-125, \$7.50; 4-1000A til. xfmtr, \$15; plate transformers, 3600-9-3600, \$30. Tim Petersen, K8MTY, 2333 James Ave., North, Minneapolis, Minn.

MUST Sell: RME 4350A receiver with 100 kc. calibrator; matching 4301 Sideband selector and pre-amp; matching spkr. Certified new condx. professionally aligned. Works better than new. Will ship anywhere. \$190 or you make an offer. Stan Love, K7BHI, 5120 S.W. Richardson Dr., Portland 1, Oregon.

QSTs Dime each, or buck per year, 1943 through 1943, 1955 through 1960. Six years are in under. Radio News, COAIEE, 1950s, dime. IRE, 1951 to 1962, 3/¢. Cleaning out surplus gear. November ad. List, W2ZZC, 33 Wexford, Dewitt 14, N.Y.

TRADE New Bolex 8mm turret movie camera, 3 lenses, zoom lens, filters, fitted leather case for Hallcrafters HT33B linear amp. Sell SC8522A-C shock base, \$30; Heath "Twox", \$40; Homebrew 6M to 14 Mc IF, \$12; new Ameco C8-6W, \$22.50. Abramson, 522 S. Dearborn St., Chicago.

HAM Gear repaired. Kits assembled. Cummings Electronics, W9QPO, Cummings, Box 124, Hot Sulphur Springs, Colorado.

GONSET G-76 Serial 18301 new Jan. 62, \$280; 1-1777 tube tester with MX-949A/U adapter, \$15; Club Saver portable partly wired, all parts, \$10; Morrow SBR-2 converter, \$30; De Vry VTM, \$14; Paco 630 AF-RF generator, \$20; ARC-2 B-network, \$16; \$35; MB-150 tuner, \$10; Rescony tuneable 1/1F converter, \$10; transistor tape recorder, \$12; surplus modulator with tubes including pair 807's, \$12; Heath grid dipper, \$8. Will ship. James W. Stuckey, WSZJO, 10865 White Oak, Baton Rouge, La.

SELL: Hallcrafters SX-99, \$110; Heath DX-40, \$55; Heath VF-1, power supply, \$20. All in good condx. K2ZLT, 37-19 23 St., Bayside 61, N.Y. Tel. BA 4-0159.

FOR Sale: Collins 75A-4 like new condition with 0.5-0.8-1.5-2-3.1 Kc. mechanical filters, recently factory overhauled, serial number 4202 (erroneously printed as serial number 442 in QST for December). This is still the best receiver made, \$595. Complete. Prefer local pick-up but will ship. Frazier, 12 Golden Isle Drive, Mount Dora, Fla.

SELLING Out. Hickok VTVM, scope, oscillator, tube checker, Sams, Riders, 100's new tubes, Royal standard mill, Spary 905 tracer, Webster wire recorder, new Thordson amplifier, FM no cabinet, B&H 16 mm camera, new Packard Bull radio phono, 10-0 DG amp, Triplett, 0-100 new microamp, Seco VT tester, TV's, others Appreciate stamp. Want or will swap for inexpensive KWM-1, also 553A, JK.P4, VW camper, W6NOB, Clarence, 1753 1/2 N. Western ave., Hollywood, HO 2-3024. (Sta. 1 to Sta. pls.)

HAM Shack 10 ft. x 20 ft. equipped with two SCR-522's, S-102, S-106, three wire recorders, signal tracer, signal generator, tube tester, grid dipper, VOM, and many spare parts complete with junk box. QTH changed therefore house included on same lot 105' x 145'. W7NLR, 111B Henry Circle, Ft. Huachuca, Ariz.

SELL: New Drake 2B, w/cal., like new, DX-100, both \$400. WA6MWA, 2214 Lester St., Bakersfield, Calif.

COLLINS KW-1 Serial No. 150, factory converted for SSB, also FSK RTTY optional. Set new spare tubes, instruction books, exclnt cond., \$1995.00. Lester Benson, K4HWF, Box 2832, Pompano Beach, Fla.

SELL: Apache and SB-10, \$250. W8QBR, 2036 25th St., Detroit, Mich.

2 KW power supply with 872s, 3000 @ 750 mils, 395; Johnson Matchbox 275 watt with SWR meter like new, \$55. E. Snafer, 3479 Kersdale Rd., Cleveland 24, Ohio.

WANTED: ARC-2 transceiver. Sell or trade; BC610 plate transformer 2000 or 2500 VDC 700 Ma. William Westlund, W0DNW, 2801 Wright Ave., North Platte, Nebr.

HT-30, \$175; Clegg 99'er, \$85; HC-10, \$75. All in perf. cond. Taylor, K2ITP, 201 Leeds, Haverford College, Haverford, Penna.

VIKING II, VFO, mike, \$150. Pick up deal only, sry. W9VYZ, 1401 Willow, Western Springs, Ill.

HT32A like brand new. Sell for best reasonable offer. Willard, Box 73, Mead, Nebr.

COMPLETE Station: 75A-4, 3 Kc., Vernier knob, #1460, \$460; 3RV-3, \$300. L. E. Springer, Oakridge Rd., Auburn, N.Y.

SELL: Ranger II, in mint cond.; \$250; Hammarlund HO-110C, gnd cond., \$140. Bob Slater, K9ZGT, 1515 Scott Ave., Winnetka, Ill.

KWM-2, serial #433, 516F-2, AC supply, 312B3 spkr. SM-1 mike, in mint cond., factory manuals and original cartons, \$995. K7NFb, Pat Lynch, 6326 Joshua Tree Lane, Scottsdale, Ariz.

TRADE Factory wired Valiant for mobile rig complete. State make, model and price. Cash deal possible without trade. K2BUF, 418 Second Ave., Albany, N.Y.

VIKING Navigator transmitter, factory built, excellent; Globe 300 watt grounded grid amplifier, factory built, excellent; Johnson electronic TR switch, excellent. Quality equipment, used very little. Total factory price: \$351.75. First check over \$175 gets all shipped collect, insured. B. Kane, 85 S. Main, Pittsford, N.Y.

KWM2 AC and DC pwr. supplies. Late number, \$950; Johnson 125 watt Challenger, \$75; Johnson KW Matchbox, \$65; Gonsert 101 linear, \$240.00; BC-779 rcvr, \$65; Heath SB-10, \$75; ARC-5 rcvr, \$3; ARC-5 xmtrs, \$5; 60 ft. crank-up tower, new, \$75. Ridings, 2903 Yearling, Lakewood, Calif.

FOR Sale: Johnson GN2 Thunderbolt, like new condx, in carton, \$260; 20A and BC458 VFO, perf., \$135; Gonsert III 6M, \$135; 51J3, needs alignment and dial cord, PTO OK, \$490. K1PY1, Tobe Deutschmann Jr., 2020 Washington St., Canton, Mass.

SELL Like new: Heathkit mobile twins, never installed, Comanche, \$88; Cheyenne 78; Hammarlund Super Pro 400X, \$100; Globe Chief 90 w/motor, \$40; DX100, \$115; Super 6 conv, \$25; Morrow Converter 5BR, \$25. Instructions, 100THs, 75Ts, 808s, F.o.b. L. A. trade? W6NFW, 24023 Bessemer, Woodland Hills, Calif.

75A4 serial No. 2687, 800 and 3100 CPS filters. First check for \$450.00 picks it up. WA2OQE, 1307 Beverbrook Dr., Haddonfield, N.J. Phone HA 8-1815.

SELL 500 new radio-TV tubes. Best offer or trade Collins rcvr, or camp trailer. Also prop-pitch motor, \$15. BC-1031-B Panadapter, \$75. W8WBG, 313-427-5127.

304-TL, Six. Never used, \$12 offer any number. KH6BXU, 3770 Lurline Drive, Honolulu 16, Hawaii.

CLEVELAND Area, will trade HT-32 for Leslie speaker tor Hammond, K8DYW, CH 7-6364.

WANTED: Collins 51-J-4, General Radio 1106-A, 1107-A and 1103-A equipment. Write Robert Seibert, 3423 Humboldt Ave., North, Minneapolis 12, Minn.

SELL Or Trade: Heathkit Cheyenne and Comanche with both mobile and fixed station power supplies. Once year old, best offer over \$200 or w/motor, \$40; DX100, \$115; Super 6 rcvr, \$25; Morrow Converter 5BR, \$25. Instructions, 100THs, 75Ts, 808s, F.o.b. L. A. trade? W6NFW, 24023 Bessemer, Woodland Hills, Calif.

TRADE: Sony model 101 tape recorder in new condition for 10A SSB exciter. Ken Akin, K3DNO, 7413 Oak Lane, Chevy Chase 15, Md.

SELL Or Trade: Hammarlund HQ180C, noise silencer and spkr., \$359.50; Collins transmitter 32V2, 2300 series, \$299.50; both are in exclnt condx. Or will trade receiver and transmitter towards Collins S/Line. Dealers invited. All letters will be answered. Send complete information, condx, price, etc. in your first letter. Ed Lubowicki, 18 Lee St., Apt. 6A, Nixon, N.J.

CUSTOM Building ham gear, VHF specialists. Converters, power supplies, etc. Free quotes. Frontier Electronics, Orr, Minnesota. W0HPS, Everett Hoard, W0PYC, Frankie Hoard, FOR Sale: Knight C-11 transceiver, \$40. Kerry Bramham, K4EDN, Rte. #1, Canton, Ga.

CLEANING Out: Lots of parts and equipment. Send stamp for list. WA2EHD, 260 W. Hudson Ave., Englewood, N.J.

WANTED: Collins 51-3, 4, R-388, R-390A, R-391, 75A-4, SP-600, teletype, Kleinschmidt, facsimile and test equipment. Cash, or trade for new amateur equipment. Write: Tom, W1-AFN, Alltronics-Howard Co., Box 19, Boston 1, Mass. Tel. Richmond 2-0048.

HAM BUERGERS. Used equipment, money-back guarantee: B&W \$150, \$174.95; Central Electronics 10B and VFO, \$149.95; Gonsert 6 meter exciter, 3rd 2 meter Gooey Box with VFO, \$149.95, Comm. II 2-meter, \$139.95; G2B, \$144.95; Hallicaterers FPM200 \$137.5; SR34, \$264.95; S20R, \$39.95; S40, \$79.95; S107, \$74.95; Heath DX40, \$54.95, DX-20, \$34.95; DX35, \$49.95; Johnson Pacemaker, \$339.95; KW Matchbox with SWR bridge, \$119.95; 6 and 2 Xmtr, \$119.95; RME DB2A, \$31.95; National NC300, \$24.95; NC98, \$179.95; NC1B3D, \$239.95; NC303, \$369.95; Phasmaster II with VFO, \$264.95. Trades. Write for free list. Ham Burgers, Wyncote, Pa. CA 4-1740.

BUILD: Any construction article appearing in Handbooks, CO, QST or 73. High quality parts and workmanship. Satisfaction guaranteed. Write for a bid: Servotronic Instruments, Inc., Cloose, W5JFJ, and Stamps, K5OOR, Box 12441, Houston 17, Texas.

HQ-170-C in mint condx, 1 year old, little use: \$250; Viking I factory wired TVI suppressed, with Johnson VFO, \$120; Elmac PMRA rcv (6w), \$65.00; Johnson Matchbox, \$35. Will ship prepaid. Edwin Wheeler, K4ADD, 2260 N W No. River Drive, Miami, Florida, 69-1-2341.

COLLINS 75A4, B, C, filters, matching speaker, \$475; B&W 5100B and 515B-B, \$300; B&W L1000A, \$275; Package deal \$950 cash, carry. Ask DX stations about quality of sig from this rig. Al Reiss, W2BN, 320 East 52nd St., New York 22, N. Y. Tel. PL 15-5544.

WANTED: Telrex five element 20 meter beam; 60-85 ft. tower; 1 inch rotator; 75S-3, 32S-3, 312B-4 30S-1; 604 microphones, 516F-2. For sale, cash or trade toward \$2000. KWS-1, W9-95, D-104, 302C wattmeter. Will sell only complete package, \$1625. Miller, 88 Stonewall, Fairfield, Conn.

FOR Sale: National HRO-50T (3 coils), \$150; NC-188, \$99.95; NC-300, \$180; NC-400, \$500; Heath Apache, \$200; Johnson Viking I, \$75; Viking II, \$125; Pacemaker, \$275; Valiant, \$275; B&W 5100, \$225; 51-SB, \$125; 5100 with 51SB, \$325; Elmac A-4, \$50; AF-67, \$100; PM-7, \$100. Grice Electronics, Inc., 300 E. Wright St., Pensacola, Fla.

6 Meter SSB-AM-CW linear amp, 175 watts PEP or 125 watts AM, CW, brand new, (needs only 3 watts drive) \$52. Box 32, Dudley, Mass.

SELL-Swap: New Roberts four-track deck, Two Nortronic amplifiers, all like new, \$160. (originally \$325). Foy Guin, Russellville, Ala.

FOR Sale: Heath Apache, Seneca, SB-10, OM-3 scope. Two meter converter and F/W Valiant, K9OAN.

MERCURY Wetted 276F relays. Octal base. Fast, dependable keying, switching, \$2.75. Meters 1 MA/DC, 3 1/2" round, precision quality, \$2.75. Postpaid U.S.A. W7RIA, Box 293, Rawlins, Wyoming.

HT-32B, like new condx for \$500. Drake 2B and 2HQ for \$250. Frank Smith, K2RSP, 31-80 36 St., Long Island City 6, N.Y.

FOR Sale: 1-TCS-12 complete with 12VDC supply, manual, remote control and cables, \$120.00; 2-URC-4 transceivers w/pwr. cords, \$40 or 1-BC-745 postocik w/pwr., \$20; 1, new, \$30; \$15; HRO rcvr w/coils, power, manual as is, \$25; 1 CW2EVL SSB exciter 80-200 w/power, 9 Mc, xtal and phase shift, \$20; 1 homebrew SSB exciter 80-400 200 watt with built in VFO, VxO, low volt power, pair 6146, \$120. Rod Hogg, K0EQH, 715 N. Sheridan, Minneapolis, Kansas.

VIKING Kilowatt Ped. Lots of extras, \$750. K4AOZ.

RECONDITIONED Components for sale, Stereo, Mono. Write for listing. Your trade-ins accepted toward new components. Martt Electronics, 690 Central Ave., Cedarhurst, N.Y.

WANTED: Assembled Heath Tower. WN2DSL, 2842 West 25th St., Brooklyn, N.Y.

WANTED: Calibration book for LM frequency meter No. 392. Have book No. 167, W6011.

MUST SELL: DX-40, \$30; Heath VFO, \$12; S-38C, \$36. Heavy brass key, \$5. JT-30 mike, \$10 and tubes of all sorts. VT4C, \$15, etc. 250 watt gun. James B. Lawson, WA4JTT, 606 Normandy St., Cary, N.C.

GLOBE King 500B, in exclnt condx, \$375.00. Will ship. W9WDD, RR No. 1, Box 525, East Alton, Ill. Tel. CLinton 4-0234.

FOR Sale: SX-99, best offer and I will ship PP. W2ROU/5, 607 B. Foch, Bryan, Texas.

SELL: Kldico SSB 100F, \$375; L-1001A with matching B&W power supply, extra transformer, \$270; VFO-Matic for transceive operation with Mc. exciter, \$90. All perfect F.o.b. Lamb, 1219 Yardley Road, Morrisville, Penna.

COMPLETE Station: 300 watts. Globe Champion 300A, HQ-110, Hornet 3B, Gibbard beam antenna, 800 w, first \$350 cash takes all. No shipping, sry! K4KEK, 105 Elliot Circle, Oak Ridge, Tenn.

MAKE Offer Two RCA 5820 image orthicons and one 1850A iconoscope. WA2UNN.

SELL: 75A3 with speaker, serial 1504, in top condx. \$325.00. K9CUT, 335 South 22nd St., La Crosse, Wis.

HEATH Marauder, SSB-xmitter, professionally assembled, Hammarlund HQ-180C, like new condx Johnson Matchbox w/ SWR meter. W2BAA, 22-12-128 St., College Point 56, N.Y.

ANTENNA Coupler, identical to 1959 ARRL Handbook design, page 353, but for KW capacity and with built-in SWR bridge and meter, \$43.50. Don Maxwell, W8FOS, 1525(E) Bridge Road, Charleston 4, West Virginia.

COMPLETE Antenna system F-2. Way 3 section heavy-duty, Galvanized tower, Ham-M rotor, around post, Hy-Gain 402-B and TH-4 beams. Remote relays and all cables. Installed only 4 months, \$500 cash and carry! Michael Myster, WA2UNE, 295 Grand Ave., Lindenhurst, N.Y. TU 8-8598.

SELL: Perfect GSB-100 \$325; SX-111, \$185; P&H linear, 800 w. PEP with 837s, \$125; Taubin, W2GCV, 144-44, 41st Ave., Flushing, I. I., N.Y.

SELL: HO-170C with Dampchaser, in top condx, \$255; local area deal, Frank Stolpen, W2HZO, 2132 E. 13th St., Brooklyn 29, N.Y. Tel. DE 9-8175.

SELL: DX-35, \$45.00. WA2OPX, 50 James St., Westwood, N.J.

KNIGHT R100 receiver, covers \$50 Kc-30 Mc. bandwidth dial for 80-40-20-15-10 M. Contains Q-multiplier for extremely sharp selectivity. With 100 kc. Atal calibrator, S-meter, outside speaker. In exlnt condx. \$100. Power supply, mounted 8 3/4 x 19 1/2 panel, 300v. at 200 ma., 6.3v. at 4 a. Includes extra transformer, 6.3 v. at 2.7 a., 90-115v. at 60 ma., 0.3 v. at 13 a., 1500 v. insulation. Has 3' panel voltmeter, \$35. Tuning condenser, dual 180 mmd., .220 spacing, \$7.50; four 8 mfd. 600 volt oil condensers, meta.; case, \$4.00 each. 3-speed Webster recod changer, has diamond 33 monaural stylus, matching base. \$25. Cannot ship. sry! W2H1D, 86 Brook. Red Bank, N.J.

A-1 Reconditioned equipment. On approval. Trades. Terms. Hallicrafters S-107, \$69.00; S-85, \$79; SX-99, \$99; SX-100, \$79; SX-111, \$149; SX-101A, \$229; Hammonds HQ-100, \$119; HQ-110, \$169; HQ-170, \$259; Valiant, \$779; NC-300, \$199; Collins 75S-1, \$379; 32S-1, \$499; National, Gonset, Elmac, Heath, Johnson, RME, many others. Write us for lists. Henry Radio Co., Butler, Mo.

FOR Sale: Johnson Viking kilowatt with righthand desk. Price includes 2 spare 810s, 2 kw. 50 Ω transmatch, Johnson KW low-pass, 110VAC Dow-Kay coaxial ant. relay and 40 watt audio driver. All in perf. optx. condx. Ready to go. \$750. Win Brown, K0EVB, 7737 Fair Ave., Sun Valley, Calif.

75A-4 with 2 and 5 Kc filters. Best offer received by January 15, 1962. Over \$33. Merry Christmas! W4ZRH, C. R. Commander, P.O. Box 905, Charleston, S.C.

800B Globe King, 60 hours optx. time. Best offer above \$290. W4MBB, RD 4, Box 259, Altoona, Penna.

SELL: Heath AP68 xmttr and Mohawk rcvr, both like new condx. Will ship. \$425.00. Roy Kraft, W0AEJ, 114 Catalina, N.S. Lemoore, California.

SELL: Hallicrafters S-38E1 isolation transformer; S-meter; Heath HD-110 multiplier, \$80 complete. David Keebler, West Lake Rd., Skaneateles, N.Y.

SELL: 80-10 meter vertical with 500 ft. of RG 58/U coaxial cable, \$35; factory boxed. Hallicrafters S-120 Ham/SWL rcvr, \$50; brand new. Crystal microphone with 25 ft. of cable, \$5. W42VRK, Michael Bender, 61 Millrock Road, New Paltz, N.Y.

WANTED: Elmac AF-68 or Gonset G77. State price. Local purchase only. Bob Aberle, 1 Rudolph Dr., Carle Place, N. Y.

KWS-1, Gud opteg. condx. Will sell to best offer over \$700. D. Anderson, Box 437, Hiawatha, Iowa.

GONSET G-500, new this year. \$215.00. K8YWS, Dave G. Steffens, 656 Cascade Rd., Cincinnati 40, Ohio.

SELL: Viking Challenger w/PTT; model 122 VFO; NC155, TA33 Jr., AR22, both w/cable. Contact K1RFE.

KWM-1 with AC power supply, both are in exlnt condx. \$425.00 cash and carry. S. Ross, W91SY, BE 7-1082, 1844 N. Rutherford, Chicago 35, Ill.

HAVE: 1 Kw 3000v, 110/220V power supply kit, reasonable; homebrew 4-250A 3.5-30 Mc. Linear, UTC S-74 pwr. xtrmr. Want gud BC-221 or equivalent. W2PZ1, 48 So. Lake St., Hamburg, N.Y.

75A-4 Collins receiver Ser. No. 2343, in exlnt condx. Will ship in factory carton F.o.b. New Orleans, \$425.00. Check or m.o. required. R. E. Neumann, W5KHX, 75 Thrasher St., New Orleans 24, La.

APACHE, wired professional engineer, \$200. Boecher, Woodcree Dr., Huntington, N.Y.

TRANSMITTER, 800W., 80-20, S-100 Mark II, \$325 (plus extras). K1NHJ, 390 Roosevelt Dr., Seymour, Conn.

ALUMINUM For every ham need. Write to Dick's, 62 Cherry Ave., Tiffin, Ohio. List of tubing, angle, channel, castings, pipe and perforated sheet, and complete beam kits.

SELL: Courier amplifier, \$150; HQ-150 rcvr, \$150. Prefer pickup del. K8KKW.

WANTED: Omk DX-45 operating manual, Alvin W. Latta, K8DHH, 1809 Clark Ave., S.W. Canton 6, Ohio.

MOSLEY CM-1 receiver, used less than 10 hours, in new condx. \$85. FKH VFO-meter, in gud condx. Make offer. Hy-Gain 3-el. 10M beam, K4TCK, 689 Beth Lane, Lexington, Ky.

TROPICAL Three bedroom home in Florida; two baths, double garage, central air conditioning, sewers, three minutes to beaches, with forty-foot tower and cubical quad. Price \$17,900. Phone St. Petersburg, 391-1009, W4SDC.

DRAKE I-A w/xtal calibrator. In exlnt condx. \$150.00. Richard Uhl, 4906 Northcrest Dr., Ft. Wayne, Ind.

KWM-2, PM-2 portable supply, CC-2 carrying case. Hardly used. Mint condition. \$1000. W9HOM/O, 8334 Graybirch Drive, St. Louis 34, Missouri.

WANTED: HRO-60 coils AC and AD. Must be operative and include dial scale. K7MLU, Myron Perry, 1975 W. 6000 S., Roy, Utah, TA 5-4896.

FOR Sale: Gonset G-77, power supply, cables, exlnt condx. \$145; Elmac AF-67 in gud condx. \$75; Elmac PMR-6, 6 and 12 volt pwr. supply, gud, \$60. F.o.b. Augusta, Kansas. W01PM, 1911 Ohio.

FOR Sale: Globe Scout deluxe and model V-10 Globe VFO deluxe, less than 6 mos. old. Perfect condx and no scratches; \$150. Richard Hennis, K5YBB, 3912 Cedar St., North Little Rock, Arkansas.

COLLINS 30L1 linear amplifier Drake Q multiplier with spkr, both brand new, and Paco 5' scope, exlnt condx, no scratches, all three for \$475.00. Collins 32S1 with AC pwr. supply and built-in spkr, 75S1 with factory noise blander, both 2 years old, but perfect condx, no scratches. The pair, \$945.00. Whole works for \$1395. Dr. Nelson Murray, W4MBM, Phone Ev 9-2979, Jacksonville, Fla.

MILLEN Grid dipper with probe, 46704 and 46702 coils. \$50; D1-104 mike with telescoping stand, \$12.50; B&W 425 low-pass; \$10; Heath WA-P2 preamp, \$10; Wingard FM booster-coupler, new, \$10; freq. standard, inquire, \$25. Eldico ant. tuner w/coils 160, 80, 20 \$15. Eldico line filters, \$6. New surplus 813, \$8; T-R switch, \$8. General C-L-C-B stereo headset, \$20. Pair unused 40 Ω surplus telescoping poles, \$15; p.o.b. All other items prepaid. Oliver Nash, R #6, Midland, Michigan.

FOR Sale: HQ-140XA, Q-Mult., spkr. Model 14 typing perfct needs some work on it. Model 14 TD CV-57/URA6 FS converter. PE-103 ready to mount. All the above with manuals and/or schematic \$3. Goch, K21VB, 1062 Virginia Ave., Bronx, N.Y. Tel. UN 3-2215.

DX-100B, HQ-110C, 12V Super Six conv. All in exlnt condx. Best offer, K9QOU, 407 W. 26th, Kearney, Nebr.

202 COUNTRIES worked with my HQ-129X. Now for sale with swt. cal., \$115.00. BC-221 with original calibration book, \$65. Meissner, VFO, \$15. Larry Paec, K2IXF, 2740 Cropsy Ave., Brooklyn, N.Y.

KWM2, and AC pwr. supply, like new condx, no trades! N. Title, W6AYJ, 342 N. Orlando Ave., L.A. 48, Cal. WE 6-5449.

KNIGHT 50 watt transmitter, key, mike, Johnson modulator, \$46.00; Knight DXcr transistor radio, \$10; new 4D32 for Collins \$8.00 each; BC348 original AC supply, \$6.00; Knight R-100 receiver, \$74; DX-40 real gud, \$49.95. Parts 1900 supply \$25 Ma., \$20. Gifford 698th Radar Sqdn Thomasville, Ala.

TO Settle Estate: Gonset G76 transceiver model 3338, serial 1209; Gonset power supply G76AC model 3349, Serial 1015; multi Elmac AF68 transceiver serial 10171; multi-Elmac pwr. supply No. 678; numerous accessory items. Best offer. Write Harvey J. Lambert, Atty, Box 131, Ada, Oklahoma.

75A-3 with reduction knob and calibrator, DX-100, SB-10 with separate pwr supply all cables. All units were in consolo. Builder holds Amateur Extra and First Class commercial licenses. Best offer over \$500. K2ODT, Dick Lodwig, 1060 Carukin St., Franklin Square, L.I. N.Y. Tel. FI 2-0567.

DETROIT Distributor offers big savings for cash deals on new amateur equipment. Write for prices from Collins down. Volume purchasing permits sale at old prices while inventory lasts on Hallicrafters HT77, \$450; HT33B, \$795; SX10A, \$369; SX-101, \$299; Collins 75S1, \$620; Clegg 92r, \$139.00; Zeus, \$395; Gonset GSB201, \$399.50. Twenty demonstrators with new warranty available. Radio Supply and Engineering Co., RSE Ham Shack, W8VSK, 90 Selden, Detroit 1, Mich.

SWAP latest HQ170C plus cash for Marauder and/or Mohawk unassembled. K9QGS.

SELL: Hallicrafters S-38C, in exlnt condx, \$35.00. John Cook, 3105 Mt. Vernon, Bakersfield, Calif.

SELL: Lamplin 205A modulation indicator with quad scale. Like new condx, \$250. Russ Stewart, Yellow Springs, Ohio.

SHIPPING Prepaid: Globe King 400A, \$137.00, NC183-D, \$160; Globe 755 VFO, \$32.00, Johnson 122 VFO, \$21.00; Harvey-Wells TBSSOD, 115V/PC and VFO, \$38. W9JVF, 1849 E. 49th St., Indianapolis 5, Ind.

SELL: TV camera, weighs 5 lbs., 110 Vac transmits actual RF channels 2-7 connect to antenna on any TV \$295; Eldico SSB 1000, 80-10 linear amplifier \$350.00, Collins 310C-2, \$45.00. Transformer, 500V VCA, \$5.00. Will consider trade for SSB exciter or VFO. Preter pickup only. Bert Simon, W2UUN, Oak Ridge, N.J. Call after 7 PM Tel. OXbox 7-4246.

DELUXE Rubber stamp, call in king-size type, name, address, \$2.00. Compact stamp, \$1.00. Frey, Box 296, Schwenksville, Penna.

WANTED: Commercial or surplus Airborne, Ground, Transmitters, Receivers, Testsets, 618S, 18S, 17L, 51R, ARN14, GRC, PRC, ARC27, ARC33, ARC34, others. Ritco, Box 156, Annandale, Va.

75S-3 for sale. Purchased from Collins June 1962. In perf. condx. \$530 in original carton, with instruction book, cash & carry. Frank A. Hayes, Red Hill Rd., Middletown, N.J.

SELL: Gonset G-76 with model 3350 transistor supply with mounting brackets, and AC supply, factory re-aligned recently, \$140. W4KUM, Brian Ziak, 1075 E. 8th St., Chico, Calif.

HEATH Sencra, \$145.00. W5ELF, Rte. 3, Box 125-A, Hot Springs, Ark.

SELL: HQ-145C, \$195; Apache, \$200. W42ZVJ, 2115 East 27th St., Brooklyn, N.Y.

FOR Sale: Gonset Triband converter, in vy gud condx; Dumont 3' oscilograph scope, like new condx; Gonset 606B mobile receiver, with w/vol pwr. pack, in like new condx; Riders Service manuals, TV Vol. I; Radio, abridged, Vol. 1-5, 3, 7, 9, 11, 13. All in like-new condx. Wanted: gud communications receiver. All the above items will go to best offer, cash or otherwise. Bartinoski, Box 66, Essex Junction, Vt.

COLLINS 75S1 receiver; Superior check-writer (swap?); Drake 1000 low-pass filter; transistor desk clock. Any reasonable offer. Locasocio, 8420 51 Ave., Elmhurst, L.I., N.Y.

ADVENTURER, like-new condx: \$45. W49CEQ, 833 So. Shore Drive, Madison, Wis.

I have a good "clean" Gonset G-63 receiver, complete with manual for sale for \$150. It is in a "like-new" mechanical and electric condition and has a search on it! Full specs of receiver in March 1960 OST I will answer all inquiries. James H. Demler, W0DSU, 318 Garfield Ave., Hastings, Nebraska.

VIKING Challenger, \$85; VFO, \$29; S-85, \$89; Heath Q-Multi, \$8. RME Pre-Selector, \$20; all in gud condx. K0IPI, 4919 Walker, Lincoln, Nebr.

COLLINS 75S-1 for sale, with 500CPS filter and BFO xtal. Like new condx, \$390.00. Ray, W42PJV, 112 Surrey Dr., Wayne, N.J.

HAPPY New Year and the best of everything for 1963 from W0CVU, My 50th Year on the air.

TRADE BC-348R AC receiver and Eddystone 840 AC-DC Receiver for a pair of walkie-talkies, or an electric train set of equal value. Tel. 3-8983. Erik Karlsson, 112 St. Mark's Ave., Brooklyn 17, N.Y.

DSB-100, exlnt. manual, \$69. K8JRC, 15808 Oceana, Allen Park, Michigan.

RANGER, in exlnt condx, \$160.00. W2TZI, 467 Apple Orchard Lane, Webster, N.Y. Tel. OS 1-5872.

ATTENTION! Swap equipment, components with other hams! Many interesting offers in "Equipment Exchange"! Sample copy free. Write: Brand Sycamore, Ill.

NC-300, xtal calibrator, 6N2 converter \$230. Roy Norby, K2COG, 2514 Crompond Road, Yorktown Heights, N.Y.

Designed for



Application



90651

**The No. 90651
GRID DIP METER**

The No. 90651 MILLEN GRID DIP METER is compact and completely self contained. The AC power supply is of the "transformer" type. The drum dial has seven calibrated uniform length scales from 1.5 MC to 300 MC plus an arbitrary scale for use with the 4 additional inductors available to extend the range to 220 kc. Internal terminal strip permits battery operation for antenna measurement.

**JAMES MILLEN
MFG. CO., INC.**

MAIN OFFICE AND FACTORY
**MALDEN
MASSACHUSETTS**



Index of Advertisers

Aldronack Radio Supply	118
Aer-C-Com	145
Allied Radio Corp.	184
Alltronics-Howard Co.	150
Amatronics	173
Ameco Equipment Corp.	133
American Radio Relay League	
C&P	134
Binders	162
Call Contest	176
Emblem	146
Hints & Kinks	148
License Manual	172
Log books	174
Radiograms	150
Arrow Electronics, Inc.	159
Ashe Radio Co., Walter	116
Barker & Williamson, Inc.	160
Harry Electronics Corp.	140
Bonn Co., Lew.	124
British Radio Electronics, Ltd. (Edystone)	144
Burghard Radio Supply	120, 168
Hursteln-Applebee Co.	152
Byron Airport	144
C-B Radio Co.	174
Clegg Labs.	129
Cleveland Institute of Electronics	128
Collins Radio Co.	2, 139
Columbia Products Co.	158
Communication Products Co.	125
Communications Equipment Co.	144
Cornell-Dubiler Electric Corp.	169
Crawford Radio, The	175
Cubex Co.	152
Cush Craft	175
Dames Co., Theodore E.	126
Denson Electronics Corp., The	166
Drake Co., R. L.	143
Editors & Engineers Ltd.	165
Edwards Co., W. H.	176
E.I.C.O. Electronic Instrument Co., Inc.	119
Eltel-McCullough, Inc.	4
Electronic Wireless, Inc.	151
Electro-Voice, Inc.	106, 107
Electrocom Corp.	160
Electrophysics Corp.	158
Eraser Co., The	174
E-Z Way Towers	130
Fichter Electronics	158
Finney Co., The	166
FM Sales Co.	156
Ft. Orange Radio Distributors Co., Inc.	155
G. A. M. Electronics	150
Gardner & Co.	182
Gold Line Connector	171
Gotham	104, 105
Grand Central Radio, Inc.	170
Hallcrafters Co., The	1, 99, 111
Ham kits	170
Hammamund Mfg. Co., Inc.	123
Harrison Radio	163
Harvey Radio Co., Inc.	149
Heath Co., The	102, 103
Henry Radio Stores	147, 164
Honolulu Electronics	170
Hornet Antenna Products Co.	114, 175
Hy-Gain Antenna Products Co.	121
Institute of Electrical & Electronics Engineers	183
Instructograph Co., Inc.	156
International Crystal Mfg. Co., Inc.	117
Johnson Co., E.	100, 181
Kohn Engineering Co.	188
Kreckman Co., Herb	164
Lafayette Radio	167
Lampkin Labs, Inc.	169
Lattin Radio Laboratories	173
Master Mechanical Mfg. Co.	171
Metrodynamics Corp.	144
Millen Mfg. Co., Janies	182
Mini-Products, Inc.	154
Mor-Gain	176
Mosley Electronics, Inc.	108, 109
National Radio Co., Inc.	Cov. 113
New Products	166
New-Tronics Div.	113
Organs & Electronics	154
P & H Electronics, Inc.	132
Pennwood Numechron Co.	170
Petersen Radio Co., Inc.	179
Pourel Electronics Co.	164
Premax Products Co., Inc.	174
Productive Tool & Mfg. Co., Inc. The	162
Quaker Electronics	152
Radio Amateur Callbook	152
Radio, Inc.	173
Radio Industries, Inc.	145
Radio Publications, Inc.	168
Radio Shack Corp.	157
Raytheon Company	127
RCA Electron Tube Div.	Cov. 117
RF Communications Associates, Inc.	147
Seco Electronics, Inc.	146
Shure Brothers, Inc.	175
Sideband Engineers, Inc.	141
Skylane Products	160
Sylvania Electronic Products, Inc.	176
Techulcal Materiel Corp.	131
Telrex, Inc.	169, 175
Tepab Company	150
Texas Crystals	138
Trans-Pro Labs	176
Trial Transformer Div.	136
Tri-Ex Tower Corp.	171
Trigger	161
United Transformer Corp.	Cov. 117
Van Sickle Radio Supply Co.	172
Vibroplex Co., Inc. The	172
Weber Mfg. Co.	125
World Radio Labs	142, 153, 172

IEEE

SEE

THE NEW
ELECTRONIC
WIZARDRY

at

I-TRIPLE-E's

International Convention
and Exhibition in New York

MARCH 25, 26, 27, 28

The COLISEUM at Columbus Circle
& The WALDORF ASTORIA HOTEL

admission: MEMBERS \$1.00; NON-MEMBERS \$3.00
MINIMUM AGE: 18

SHOW

(formerly the IRE Show)

IEEE

HEAR

DISTINGUISHED
SPEAKERS &
PANELISTS

at

I-TRIPLE-E's

International Convention
and Exhibition in New York

MARCH 25, 26, 27, 28

The COLISEUM at Columbus Circle
& The WALDORF ASTORIA HOTEL

admission: MEMBERS \$1.00; NON-MEMBERS \$3.00
MINIMUM AGE: 18

SHOW

(formerly the IRE Show)

IEEE

MEET

THE BEST BRAINS,
THE BEST PRODUCTS
IN THE INDUSTRY

at

I-TRIPLE-E's

International Convention
and Exhibition in New York

MARCH 25, 26, 27, 28

The COLISEUM at Columbus Circle
& The WALDORF ASTORIA HOTEL

admission: MEMBERS \$1.00; NON-MEMBERS \$3.00
MINIMUM AGE: 18

SHOW

(formerly the IRE Show)

IEEE

SPEAK

TO OUTSTANDING
ELECTRONICS ENGINEERS,
SCIENTISTS, PHYSICISTS

at

I-TRIPLE-E's

International Convention
and Exhibition in New York

MARCH 25, 26, 27, 28

The COLISEUM at Columbus Circle
& The WALDORF ASTORIA HOTEL

admission: MEMBERS \$1.00; NON-MEMBERS \$3.00
MINIMUM AGE: 18

SHOW

(formerly the IRE Show)

Big **ALLIED** Winter Sale OF RECONDITIONED EQUIPMENT!

All units are expertly reconditioned and covered by the same 90-day warranty as new gear. Some items are one-of-a-kind and subject to prior sale. If you don't see what you want, just ask—chances are we have it. Remember, you can own used equipment on our Credit Fund Plan for no money down and up to 24 months to pay. Please address orders and inquiries to Ron DeMarco W9NNR, Technical Service Dept.

Barker & Williamson	
5100 Transmitter.....	\$199.00
Clegg	
99'er Six-Meter Transceiver..	109.00
Collins	
KWS-1 Transmitter.....	950.00
KWS-1 (RF Unit Only).....	675.00
75S-1 Receiver.....	425.00
32S-1 Transmitter.....	495.00
32V-2 Transmitter.....	225.00
Drake	
1-A Receiver.....	189.00
2-B Receiver.....	239.00
Eico	
720 Transmitter.....	79.00
730 Modulator.....	49.00
Globe	
Chief Deluxe Transmitter....	59.00
Champ 350 Transmitter.....	279.00
Champ 300 Transmitter.....	219.00
Champ 300A Transmitter.....	259.00
King 500C Transmitter.....	395.00
Gonset	
Six-Meter Linear Amplifier...	79.00
GR-212 Receiver.....	89.00
3275 Six-Meter Converter.....	39.00
Hallicrafters	
SX-140 Receiver.....	99.00
S-53A Receiver.....	49.00
SX-99 Receiver.....	114.00
S-120 Receiver.....	54.95
SX-28 Receiver.....	79.00
SX-62 Receiver.....	159.00
SX-62A Receiver.....	199.00
HT-32 SSB Exciter.....	399.00
HT-33 Linear Amplifier.....	299.00
S-95 Receiver.....	49.00
S-107 Receiver.....	74.50
SX-110 Receiver.....	129.00
SX-140 Receiver.....	99.00
Hammarlund	
HC-10 Converter.....	89.00
HQ-100 Receiver.....	139.00
HQ-129X Receiver.....	129.00
HQ-150 Receiver.....	199.00
Harvey-Wells	
T-90 Transmitter.....	89.00
Heath	
DX-20 Transmitter.....	25.00
DX-100 Transmitter.....	145.00

MT-1 Cheyenne Mobile	
Transmitter.....	89.00
Seneca Six and Two-Meter	
Transmitter.....	169.00
Johnson Viking	
"6N2" Transmitter.....	89.00
Ranger I Transmitter.....	189.00
Challenger Transmitter.....	89.00
Valiant I Transmitter.....	299.00
Knight	
R-55 Receiver.....	49.00
R-100 Receiver.....	79.00
C-11 Citizens Band	
Transceiver.....	19.00
C-27 Citizens Band	
Transceiver.....	49.95
T-60 Transmitter.....	49.00

T-50 Transmitter.....	29.00
"Span Master" Receiver.....	12.50
Lincoln	
L-2000A Citizens Band	
Transceiver.....	39.00
Multi-Elmac	
AF-67 Transmitter.....	99.00
PMR-6 Receiver.....	59.00
PMR-7 Receiver.....	99.00
PMR-8 Receiver.....	142.50
National	
NC-180 Receiver.....	179.00
NC-66 Receiver.....	32.50
HRO-60 Receiver.....	369.00
RME	
HF-10/20 Converter (For 10,	
15 and 20 meters).....	39.00

"HOT BUY" SPECIALS & CLOSEOUTS BRAND-NEW IN FACTORY CARTONS

Lincoln 6-Meter Transceiver. Special sale—we're overstocked! Includes mike, 50.2-mc xtal, AC supply. Brand new! 11 lbs.
90SU678DR. Reg. \$57.50. **\$7.55 Off!**... **NOW ONLY \$49.95**

Gonset GSB-201 Linear. Huge \$140 savings! Works 80-10 with 1500-w. PEP input to 4-811A's. 92 lbs. 13 left.
90SZ016DR. Reg. \$419.95. **Save \$140! NOW ONLY \$269.95**

Collins 75S-1 SSB Receiver. Famous precision-made receiver with 12 xtals. New—factory carton. 21 lbs. **White 7 last!**
90SU109DR. Reg. \$520.00. **Save \$71! NOW ONLY \$449.00**

VHF Mobile Whip. New 59" fiberglass whip has spring, ball, body mt., 15' coax, plug. Easily cuts to 6 meters. 1 lb.
90SX024DR. Worth 3 times this!... **A STEAL AT \$4.95**

Gonset G-28 10 Meter Communicator. Save \$140 on this excellent 50-w. transmitter/receiver. **White only 10 last!**
83SU587. Reg. \$299.50..... **NOW ONLY \$159.50**

Select Your New Gear from our complete 1963 464-page value-packed catalog. If you haven't a copy, write for it today.



For reconditioned or new equipment, write to Ron DeMarco, W9NNR, or stop in and meet John Chass, K9LOK; Joe Gizzi, W9HLA; Tasker Day, W9QBB; Lou Green, K9WLB. In Milwaukee: Lowell Warshawsky, W9NGV; Burt Fischel, W9VOB.

ALLIED RADIO
100 N. Western Ave. Chicago 80, Ill.



Still Think SSB is Hard to Tune?
TRY THE AMAZING NATIONAL NC-155



SSB handles as easily as AM on the NC-155. National designed it that way. For example, the dial drive ratio is 60:1, almost twice as slow as on an ordinary receiver. An exceptional product detector and clean SSB AGC eliminate distortion difficulties. The Ferrite-Filter with three-step variable IF selectivity easily separate crowded SSB signals. Rock-solid mechanical (try the drop-test) and electrical stability eliminate constant "touching up". The NC-155 gives you this ease of performance on all bands from 80 to 6 meters... with double conversion and 1uv sensitivity. Compare the tuning ease of the NC-155 with receivers costing hundreds of dollars more — see if you don't agree that it more than holds its own with the best of them. \$199.95

WRITE FOR FREE COPY OF NEW NATIONAL EQUIPMENT GUIDE


- Complete technical details and features of all National gear
- Tells all about National's exclusive One Year Guarantee
- Helps you choose the right equipment for your needs



A Wholly Owned Subsidiary of National Company, Inc.

Export: Ad Auriema Inc., 85 Broad St., N. Y. C.
 Canada: Tri-Tel Assoc. Ltd., 81 Sheppard Ave. W., Willowdale, Ontario


NATIONAL RADIO COMPANY, INC.
 37 Washington Street Melrose, Massachusetts Q-1



NC-105 — Designed specifically for the beginning amateur. Offers such needed features as general coverage Q-Multiplier, product detector, S-meter and transformer power supply. Also available in handsome walnut cabinet for use in den or living room as a second receiver. \$119.95



NC-140 — New double-conversion general coverage receiver with National's exclusive Dial Selector for calibrated foreign broadcast and amateur band spread. Q-multiplier, RF stage, and S-Meter. More important features than any receiver in its price class. \$189.95



NC-190 — First general coverage receiver to offer calibrated foreign broadcast as well as amateur band spread! Exclusive Dial Selector, double conversion, product detector, and SSB/CW AGC. 60:1 dial drive provides amazing tuning ease on all signals. \$219.95



*Choice of Amateurs
Everywhere*

**RCA BEAM POWER
FOR ALL POWERS**



Whether you're on SSB, AM, or CW—QRP or QRO—there's an RCA Beam Power Tube for every amateur transmitter power level, and for frequencies to 450 Mc and beyond.

Want to build practical compactness into your rig? Choose RCA Beam Power Tubes. They do the job with fewer stages, less expensive components, fewer controls. You can always count on RCA Beam Power Tubes to deliver the power with relatively low plate voltages. Thousands of transmitters in use prove out these facts.

For more useable "transmitter watts," go with RCA Beam Power Tubes. For fast service on these types see your RCA Industrial Tube Distributor. For technical data on any of these types write: Commercial Engineering, Section A-37-M, RCA Electron Tube Division, Harrison, N. J.



**The Most Trusted Name
in Electronics**

Popular RCA "Beam" Power Tubes for Transmitter Applications (Listed according to power-input ratings)							
RCA Type	Class of Service	Max. Plate Input Watts*	Max. DC Plate Volts*	Max. Freq. for full Input (Mc)	Max. Useful Freq. (Mc)	Heater (H) or Filament (F) Volts	
8077/7054	CW	9.9	300	40	—	12 to 15 (H)	
5763	CW AM	17 15	350 } 300 }	50	—	6.0 (H)	
6417	Same as RCA 5763, except for heater voltage						12.6 (H)
7905	CW AM	18 15	300 } 250 }	175	—	6.3 (F) quick-heating	
7551	CW AM	24 17.5	300 } 250 }	175	—	12 to 15 (H)	
7558	Same as RCA-7551, except for heater voltage						6.3 (H)
2E26	CW SSB AM	40 37.5 27	600 } 500 } 500 }	125	175	6.3 (H)	
2E24	Same as RCA-2E26, but has quick heating filament						6.3 (F)
6893	Same as RCA-2E26, except for heater voltage						12.6 (H)
832-A*	CW AM	50** 36**	750 } 600 }	200	250	6.3*(H) 12.6*(H)	
807	CW SSB AM	75 90 60	750 } 750 } 600 }	60	125	6.3 (H)	
6524*	CW SSB AM	85** 85** 55**	600 } 600 } 500 }	100	470	6.3 (H)	
6850*	Same as RCA-6524, except for heater voltage						12.6 (H)
4604	CW	90	750	60	175	6.3 (F) quick-heating	
6146	CW SSB AM	90 85 67.5	750 } 750 } 600 }	60	175	6.3 (H)	
6883	Same as RCA-6146, except for heater voltage						12.6 (H)
8032	Same as RCA 6146, except for heater voltage						13.5 (H) RCA "Dark Heater"
829-B*	CW SSB AM	120** 120** 90**	750 } 750 } 600 }	200	250	6.3*(H) 12.6*(H)	
7203/ 4CX250B	CW SSB AM	500 500 300	2000 } 2000 } 1500 }	500	—	6.0 (H)	
7094	CW SSB AM	500 450 335	1500 } 2000 } 1200 }	60	175	6.3 (H)	
813	CW SSB AM	500 450 400	2250 } 2500 } 2000 }	30	120	10 (F)	
8072	CW SSB	660 660	2200 } 2200 }	500	—	12 to 15 (H)	
8121	Same as 8072, except for transverse FA cooling						
8122	Same as 8072, except for axial FA cooling						

*Twin-Type **Total for both units †For parallel-heater connection *For series-heater connection #Max. Ratings for amateur use