

HOBBIES WEEKLY

IN THIS ISSUE

	Page
'OO' Gauge Station	193
Fretted Mirror Frame	195
Party Games	196
Sleight of Hand	197
Arithmetical Card Trick	198
A Palette Table	199
Making Curios from Twigs	199
Illustrate Your Novels	200
Straighten Your Prints	201
'Volumes' of Cottons	202
An Easily-made Pad Saw	202
Stamp Collector's Corner	204
A Fantastic Prediction	204
Pattern for a Fretted Mirror Frame	207



DECEMBER 19th 1956


VOL. 123

NUMBER 3190

★ *Grand FREE Design for*

'OO' GAUGE STATION

Complete with
Canopy and
Platforms



A 'MUST' FOR MODEL RAILWAY ENTHUSIASTS

ALL owners of 'OO' gauge model railways will welcome this design for making a railway station complete with canopy and platforms, which can be used as either a main line terminus or through station. This flexibility, of course, gives added interest to the design in that many alternatives can be used as desired.

All components for making this station are contained in Hobbies kit, and

a big attraction is the canopy which is covered with transparent material. The units which go to make the complete ensemble are of sturdy construction, and will stand up to a lot of wear and tear, and the whole design is on very pleasing and modern lines.

If a table-top layout is used, involving dismantling after use, the units should be left separate to facilitate storage and also to allow variation to the set-up. For

permanent layouts, however, it is deemed advisable to select the set-up to be used and join the units together permanently by gluing. The illustration shows the units in position as a main line terminus, which is also shown in Fig. 1, where the units are all lettered separately.

Fig. 2 is a suggested layout for a through station, extra platforms being added if desired. The keen owner will, however, use his own discretion as to the disposition of the various units which give possibilities of an immense variety of layouts. The various parts of the set-up can thus be moved around and positioned at will.

These buildings have been designed




All correspondence should be addressed to The Editor, Hobbies Weekly, Dereham, Norfolk

For Modellers, Fretworkers
and Home Craftsmen

World Radio History

4 1/2^D

PAGE 193




for the smaller layouts, and in each arrangement platforms can, of course, be extended. Regarding the track, it would be advisable to check on the height of the platforms in relation to the rolling stock available, and make adjustments if necessary. For example, the height of the platforms given will suit some proprietary tracks, but not those using scale tracks. For those we recommend laying ballast between the platforms to bring the track up to the required scale height in relation to the platforms.

The modeller will appreciate that this is a question of adjustment according to the type of track in use.

Owing to limited space, only the intricate parts are shown full size on the design sheet. However, all the necessary measurements of the other parts are given in the cutting lists (A) and (B) on the design sheet, and no difficulty should be experienced in marking and cutting these out in the different thicknesses of wood.



For those using a Hobbies kit, a word is necessary concerning the economical use of the wood. Make sure that all the parts needed are accounted for on the appropriate thicknesses of wood before commencing cutting. To ensure this, trace the full-size parts from the design sheet and transfer them to the wood by means of carbon paper. Note particularly the direction of the grain of the thin plywood, indicated by arrows on pieces 4, 5, 17 and 18. This is to facilitate the bending of these pieces. Then work on the other pieces to measurements detailed on the cutting lists, using a set-square and ruler. In some cases, by placing straight edges together one cut will suffice for two edges.

In order to identify each part when assembling, pencil the number on to the pieces as they are marked out on the wood. The parts can now be cut out, using a fine fretsaw blade and taking care to keep to the traced outlines.



The parts are numbered as near as possible in their order of assembly, and each unit of the building will be dealt with separately.

Beginning with the main building (A), Fig. 3 shows a broken-away view with the window material omitted. Note that pieces 4 and 5, which are of thin plywood, are joined by gluing on a narrow strip of the waste wood at the back. The method of construction is to glue together the top and bottom (1), back (2), one side (3), and front (4 and 5). The other side (3) is added *after* the transparent window material has been glued behind the curved front. Marking the bars on the window is done before gluing. The windows are not added individually. Cut two pieces of window material — one for the upper and one



for the lower windows, and glue together pieces 4 and 5 as a whole. To finish this section, add a narrow strip of thin ply or card (14) round the top of two sides and the front as shown.

Make up the two entrances and steps as shown in Fig. 4. The entrances are shown as (B) on Fig. 1, and the steps leading to them as (C). Make up the steps as shown on the design sheet and the entrances as detailed in Fig. 4.

Fig. 5 gives the make-up of the two units (D). Note that there is no base on these pieces, so that the window material can be added last.

The shops (E) are shown in Fig. 6. Here one side (16) should be added

Make it with a Kit

All the various thicknesses of wood, round rod, posters, transparent material, etc. necessary for making an excellent job of the 'OO' Gauge Station are contained in Kit No. 3190, obtainable from branches, stockists, etc., or post free from Hobbies Ltd., Dereham, Norfolk, price 17/6.




Fig. 8

Fig. 9




Fig. 10

Fig. 11

Fig. 12

after the windows have been glued in position. Next the clock tower and flag-staff can be made up as detailed in Fig. 7.

Now we come to the canopy (G), the make-up for which is seen in Fig. 8. Two pieces (25) form the end arches and inside these are glued pieces 26 with another piece (26) in the centre. The transparent roof material must be cut to size, fitting between pieces 25 and resting on pieces 26. Markings to represent intermediate girders are added at this stage. After gluing the canopy in position, a tiny wedge of waste wood in

each corner will ensure the roofing material keeping in place.

Four lengths of platform each consisting of two ends (28), one piece (32) and one piece (31) are now made up. Two of these lengths are glued inside the canopy as shown in Fig. 9. A short removable section of platform (F, Fig. 1) for use with a terminal station, is made up from pieces 29 and 30, and two pieces 28.

Two extension platforms are made by gluing pieces 33 at the back of the two remaining platform lengths already made up (Fig. 10). The positioning of

these is shown as (H) on Fig. 1. The sheltering is made from pieces 34 and 35 and short lengths of round rod (Fig. 11).

The ramps (Fig. 12) go at the ends of the extension platforms, and are lettered (I) on Fig. 1.

Modellers will choose their own colours of paint for the various units and add other details. 'OO' gauge posters are supplied in Hobbies kits to give authenticity to the assembly. The partition wall shown on the illustration, behind which vans, etc., are parked, is not detailed on the design sheet, but can be made from waste wood.

Readers in Northumberland and the North-East will be pleased to know that a HOBBIES BRANCH has been opened at

42 DEAN ST., NEWCASTLE

All Hobbies tools, kits, designs, materials, etc., available. Also large stocks of other well-known kit ranges for the modeller and handyman.

A BRANCH OF HOBBIES LTD., DEREHAM

Fretted Mirror Frame

THIS cut-out mirror frame consists of a back cut from $\frac{1}{4}$ in. wood and a thin wood overlay. The back has an opening to fit a mirror $2\frac{1}{2}$ ins. by $3\frac{1}{2}$ ins., which is prevented from coming forward by the overlay. The dotted line on the pattern of the back shows the size of the opening.

The overlay is in the shape of a sailing junk and should be cut from wood about $\frac{1}{8}$ in. thick and contrasting with the back. Simply glue the overlay in position, put the mirror in place and paste a piece of brown paper over the back to hold the mirror securely.

If the mirror is to stand, a strut of waste wood should be glued to the back. For hanging purposes a bracket eye may be used. Finish off by giving two or three coats of clear lacquer. (M.p.)



PATTERNS ON PAGE 207

PARTY GAMES

DID you have trouble with last year's party? Perhaps things did not go with that festive swing, and after musical chairs nobody could think of another game to play, except Auntie Maude. She would insist on explaining how to play 'Mrs. Mackenzie's dead'. Then, while everyone was trying to politely decline this offer, 'cousin Fred monopolised the piano to pound out something which vaguely represented a tune — and the games just fizzled out in a sulky silence.

Planning needed

Don't let this happen again this year. The secret is to plan everything, and collect the materials that you need, before the big day arrives. Paper, pencils, string, should be to hand on a tray in a corner of the room. Draw up a programme that will suit the temperament of all your guests — intellectual, hilarious, quiet and ridiculous games. They must all be on your list. Place them in order of energetic games followed by quiet games, so that everyone can take a rest. If a game is obviously not going well, drop it immediately, and play the next on the list. If there is to be a meal, follow it with several quiet games, but in the excitement, don't forget to appear occasionally with a tray of drinks.

The first game must be carefully chosen, for it will set the atmosphere for the evening. It should be a game where the guests are forced to move about freely to get to know each other. It will establish that there is to be no 'fire hogging' by anyone.

A concession can be made for grandma — she will probably prefer to watch.

The first game must be elastic in time to cover the arrival of all the guests. A good opening is to pin numbered advertisements on the back of each new arrival, give them paper, pencil, and refreshments, then turn them loose in the room to guess the name of the product they wear — only 'yes' or 'no' answers are permitted. When they guess correctly, score one point and replace the advert with another. In this way each new guest will be surrounded by a bunch of enthusiastic players wearing 'ads' — any shyness will soon disappear. When everyone has arrived, check the score and start in earnest.

ANIMAL FARM — This will make them lose any inhibitions. Divide the party into two teams. Name one 'donkeys', the

other 'cockerels', and appoint a leader of each. You will have previously hidden twenty small squares of red crepe paper about the room. The task is for everyone to search out the paper, but only the leader of each team may pick it up. To attract his attention, the appropriate team noise must be made. First team to find ten wins.

MUSICAL HATS — This is hilarious. All the gentlemen come forward and sit cross-legged in a circle. All sit side to the centre and facing the back of the man in front. Issue all except one with an old hat. When the music starts, they must lean forward, still sitting, take the hat from the head in front, and place it on their own head. This continues until the music stops. The man without a hat then retires. Remove one hat from the circle, and continue as in musical chairs. Everyone will end up in hysterics, but take warning — gentlemen only, please — the ladies will not enjoy having their hair spoilt.

BOOK AND ORANGE RELAY — Two teams to race up and down the room, each member holding an orange between the knees and balancing a book on the head. Guaranteed to make the most impressive figure look ridiculous.

QUIZ — This you *must* have. Make sure that everyone has a piece of cardboard to support their paper, so avoiding the usual scramble for books. Make the quiz of the 'Is it A, B, or C?' type, then even the slow ones can write something. Include 'sounds' and 'touch' questions. For the latter, conceal small objects in large paper bags, so that the answer can only be found by feeling in the bag. A cold potato is always a good one for a laugh.

AIR RACE — This breathless game needs two teams, two pieces of string stretched the length of the room 4ins. from the ground, and two paper funnels (the kind you use in chemistry as a filter). Secure the edges with pins. The funnels are threaded on to the string, one member of each team must race down the room by blowing the funnel along, and running it back down the string by hand for the next player. Score either individual pairs, or relay.

TALK OF THE TOWN — This is another quiet sitting game needing two teams and the advance preparation of slips of paper bearing irrelevant phrases such as 'The Rome Express has crashed', etc. These are placed in a hat and one player from each team draws a paper. They must then converse for two minutes, each seeking to hide their phrase in the conversation, without any member of the opposing team spotting it.

EAGLE EYES — Here is another quiet game. One person leaves the room while someone moves an ornament or piece of furniture which must be spotted on returning to the room. The player may ask one question of each person, but only a 'yes' or 'no' answer can be given.

You must have many favourite games of your own. Compile a list for the party of more than you need, including old favourites. One word of warning. Avoid the trap that a friend of mine experienced. After leaving a party she said 'It was so well planned, that you were told when to breathe.'

Organise your party so well that it appears spontaneous. Clear the room, let your hair down and get started.

(J.R.B.)

*The Editor and his staff
take this opportunity
of wishing all Readers
A Merry Christmas.*

SLEIGHT OF HAND

CONJURING tricks always go down well at a party and here are some grand ideas for the present season. Only the minimum of preparation is necessary.

The Travelling Halfpenny

Ask for a halfpenny and get the loaner to mark it so that it will be recognised again. Let it be passed round for inspection. Taking the coin, you place it in a pill-box from whence it disappears at the word of command; reappearing in the centre of a ball of wool taken from your pocket.

There is nothing abnormal about the pill-box except that it has been lined inside with coloured plain paper and its

Fig. 1, is required. It is easily made. Round the end of this, wool is wound into a ball, the tube leading to the middle as (b).

When you put the marked coin into your pocket you slipped it into the tube (which should be pointing upward), pulled out the tin and gave the ball a slight squeeze to close up the wool.

To 'discover' the coin, hand the ball to a member of the audience with a glass tumbler. In this the ball is placed and another person is given the end of the wool and asked to wind it off on to something, say, a piece of card.

The ball in the glass — visible to all — gets smaller and smaller, till just as it is running out, the marked halfpenny

conjurer's style, the cover is removed the money, now under the disc having apparently vanished. The illusion of the glass just standing on the under paper is very complete.

After amazement at the disappearance has subsided, replace the magic cover, command the coin to 'return', lift the covered tumbler and there it is!

This trick is best performed on a low table such as a coffee table below the general eye level.

Magnetising Tongs

Tell the audience that in finely attuned natures human magnetism can attract inanimate objects, and then show a pair of the rather older fireside





FIG 1.

FIG 2



TONGS TRICK

FIG 3

FIG 4

size must be just big enough to take a halfpenny. A circle of the same paper which lines the box is also glued to one side of a halfpenny. This coin is laid on the table behind some item of equipment and out of sight of the audience.

The marked coin is passed up, and, under a show of sending round the pill-box for inspection is slipped into a pocket and the prepared coin picked up — not a difficult task with everyone's attention directed elsewhere.

When the box comes back, the prepared coin is placed in it paper side down. Let people see it and put on the lid. Shake the box so that the coin can be heard rattling, and then command it to 'Be gone'. Invert the box and open it, when the coin lying paper side up in the lid will not be noticed. In fact the halfpenny will seem to have vanished, especially if the halfpenny fits the lid without any appreciable margin.

The second part of the trick. For the reappearance in the centre of a ball of wool, a flat tube some 2½ ins. long as (a)

appears at its centre. Pass the coin round so that all can be sure that it is, indeed, the original halfpenny.

A Vanishing Mystery

A coin is asked for and set down on the table, an inverted tumbler standing near. The tumbler is covered with a paper shape called the 'Magic Cover' as (d) Fig. 2, and placed over the coin. The cover is lifted off, and the coin has disappeared.

The secret here is that the coin is placed on a sheet of white paper laid out on the table, and a disc (e) of the same paper is glued over the mouth of the tumbler. This disc is quite invisible when the glass stands inverted on the sheet already there.

After setting the coin down the tumbler is covered with the magic cover (coloured paper is better for this than more white) and thus obscured. The covered tumbler is placed over the coin which has been handed in. A word of command to 'go' is uttered in suitable

tongs. Holding these as in Fig. 3, you bring the tip of a forefinger slowly down to the upper leg. Raising the hand, this leg now apparently follows the finger upwards. You say that the power is waning and the leg falls back.

The demonstration is worked by taking advantage of the fact that one leg of a pair of tongs and the handle are a single continuous piece, and so can be raised by pressure from the holding hand. It is just a question of bringing the leg up slowly and making it follow the finger.

Ask one of the onlookers to have a try. The tongs are given to him the other way round, with the leg that cannot be moved uppermost. Much amusement will be caused by his unavailing efforts to produce the necessary magnetism to move the tongs.

The Ring and Rope

This is a ridiculously simple trick, but effective. A large curtain ring is handed round for inspection and while this is

Make it in an evening

A PALETTE TABLE

THIS most useful little table, the design of which is based on the shape of an artist's palette, is very easy to make, and can be assembled from scratch by the average handyman in a couple of hours. It will fit in well with furniture of the contemporary style, or will make a novel addition to the sitting room or bedroom.

The top is made from a $\frac{3}{4}$ in. piece of walnut veneered plywood. The pattern in Fig. 1 is in proportion and may be enlarged to the correct size by squaring up. Cut the shape out very carefully with a fretsaw or bowsaw and smooth




Fig. 1




Fig. 3

the edges with file and glasspaper. The actual measurement of the little dish in the 'thumb-hole' of the palette is not given, as it may have to be adapted to the size of a small ashtray with a rim. A great many varieties of these ashtrays are on sale at chain stores. Of course, if a lathe is available, it will be a simple matter to turn an ashtray of the correct size and in this case a tray of $3\frac{1}{2}$ ins. outside diameter, having a $\frac{1}{4}$ in. rim is suggested, the thumb-hole being then 3ins.

Described
by
W.J.B.

in diameter. Whatever the size of the ashtray, be careful to keep the centre of the hole in the position shown on the diagram.

When the top is finished, the legs and leg-support are cut out. These are all from $\frac{3}{4}$ in. or 1in. deal, and if a template




Fig. 2

is made, they can be cut from a relatively small piece of board, always remembering when fitting templates to the wood that the direction of grain in the legs must run the length of the leg as shown in Fig. 2. The triangular leg support must be glued and screwed accurately to the underside of the table top,

noting that the three dotted lines for centring the legs correspond to their position in Fig. 1.

Drill three holes, $\frac{3}{4}$ in. wide and $\frac{1}{2}$ in. deep on the leg-support $1\frac{1}{2}$ ins. in from the edge along the dotted line. Insert a $\frac{3}{4}$ in. dowel rod into the top of each leg at right angles $1\frac{1}{2}$ ins. from the outer edge. Leave $\frac{1}{2}$ in. of the dowel rod outstanding and drill a hole in the projecting part at the rear of the leg to take a screw, countersinking for neatness. Assemble the legs as shown in Fig. 3. If the dowel fits well and the screws are a size with a large 'bite' the legs will stay in position quite firmly and will then be detachable for easy storage if necessary.

Colour harmony

When the legs have been finished with glasspaper and attached to their support, the construction is complete, and it only remains to polish or varnish the table as required. A good cellulose varnish will be found to be very resistant to marks from hot coffee cups and cigarette burns. For added smartness the edge of the table can be picked out in a colour to harmonise with the scheme of the room in which it is to be used, the same colour being given to the rim of the ashtray. A set of three of these palettes with varied coloured edges would be the ideal thing for parties and would, doubtless, be much appreciated as presents. (W.J.B.)

A strange hobby

Making Curios from Twigs

THE landlord of the famous Old Bell Inn, East Molesey, Surrey, England, Mr. Alan Stainer, has devised a most original yet satisfying hobby. Around the Surrey countryside he goes, carefully examining bushes and trees at close quarters. Now and then he stops, and with his penknife carefully cuts out a twig or spray that has grown naturally into an odd shape. The stranger the twig pattern, the more Mr. Stainer likes it, since he then goes home to his

workshop and proceeds to amplify the oddity that nature has produced willy-nilly. A tiny pruning here, a spot of varnish or coloured paint there, beads are wired or glued on to represent eyes, and all manner of weird figures, human and animal, are the result. Many of Mr. Stainer's twiggy curios are amazingly lifelike, especially the animal and bird ones; among his own favourites are a faithfully reproduced 'Donald Duck' and a 'Pluto'. (D.G.)

An idea with photographs

ILLUSTRATE YOUR NOVELS

REAL places appear in many works of fiction, and although in most cases they are given imaginary names, they can usually be identified. Here, then, is an idea for the camera user who wants his photography to have a definite purpose. Why not use your camera to illustrate some of your favourite novels, collecting pictures of scenes and buildings figuring in them?

By Arthur Gaunt

There is almost boundless scope, for many novelists from Charles Dickens onward have put imaginary characters in places which actually exist. Some writers have 'adopted' specific regions as the setting for several novels, so that we have the Lorna Doone Country, the Thomas Hardy Country, and the Halliwell Sutcliffe area.

Actual halls and manor houses come into the Bronte novels, whilst many villages in the Yorkshire Dales masquerade under fictitious names in the stories by W. Riley. Photographing such places can be absorbing, suggesting many subjects for the camera, and at the same time adding interest to the particular book or books.


Your Own Area

The best books for the purpose, of course, are those connected with your own locality. The Yorkshire photographer, for instance, will find ample opportunities in W. Riley's novels, and the Sussex enthusiast has plenty of scope in the works of Sheila Kaye-Smith.

Skipton, in Airedale, for instance, appears as 'Keepston' in more than one of W. Riley's books, and there is hardly a town or village in the Yorkshire Dales which he has not described in one or another of his novels. Sheila Kaye-Smith has similarly introduced many Sussex places (such as Winchelsea, Rye, and Battle) into her stories.

If you are planning to take up this unusual but fascinating branch of photography, the best plan is to draw up a list of literary places which you can easily photograph, adding to it as more information comes your way. You will be surprised to find how the list grows if you look out for references in the newspapers and magazines. Local guide books and biographies of novelists may also draw attention to subjects worth taking in this connection.

Practically any camera will do, since most of the subjects will be outdoor



A Dickensian landmark, the Old Curiosity Shop, London, associated with Little Nell. Dickens' novels are easy to illustrate, for most of the scenes have been identified.



The Castle, Skipton, Airedale. The town is named 'Keepston' in some of W. Riley's Yorkshire novels

ones. Towns, villages, houses, and churches are the things you will mostly need to photograph, and these do not require a costly camera or skilled photographic technique.

Ways of Using the Prints

The prints can be used in a number of ways. The simplest idea is to attach to each picture a few notes describing the connection between the subject and the

particular book, and to keep these photographs in the back of the book.

A somewhat more advanced idea is to insert the most important pictures in the part of the novel where they apply. Only a moderate number of illustrations can be inserted in this way, since too many would make the book bulge unduly, yet if single-weight and not double-weight paper is used, at least eight or ten prints can be put into a novel of average thickness without making it too bulky.

The Best Effect

The photographs can be attached by running a thin line of mounting paste along the extreme edge at the back, so that they are mounted only along the inner margin of the page. This method enables the picture to be lifted in order that the text-matter on the page beneath can be read. For the best effect the prints should be of uniform size.

Where the number of photographs exceeds the total which can be conveniently included in this way, a simple way out of the difficulty is to print more

than one picture on each sheet of paper. For printing purposes suitable masks can be made, enabling two or perhaps three pictures to be printed on a single sheet, provided care is taken to select negatives of similar contrast for printing together.

A more elaborate idea which may appeal to some photographers is to take the book apart and re-bind it, at the

● Continued on page 201

STRAIGHTEN YOUR PRINTS

A YOUNG friend asked whether I knew a reliable way of straightening his home processed photographs. He had left them under a weight, but this had only, temporarily, flattened them.

Single weight papers are used for the small glossy snapshot, and the commercial print finisher uses a heated,




Fig. 1




Fig. 2

revolving drum for glazing. The home print maker, without this elaborate and expensive equipment, cannot expect to achieve the same result so easily. But he can use the same principle on a smaller scale and produce good results.

Obtain a large sheet of clean blotting paper, laying this on a double page from a newspaper (Fig. 1). You also require a rolling pin, or a tube of similar diameter. Place your prints face downwards on the blotting paper, with the rolling pin on the newspaper and roll the whole round the pin, finally slipping a couple of rubber bands round to keep the paper in position. If the prints are kept overnight in such a fashion, they will have lost any curl and assumed that professional look with a slight backward curl, whether glazed or otherwise.

Enlargements and post cards are usually made on the heavier type of paper, known as double weight, which may or may not respond to the prescribed treatment without some additional assistance. The backs of the dry prints are moistened slightly with a swab of cotton wool which has been soaked in equal parts of alcohol and water. This

will reduce the tendency to curling, and they may be wrapped in the blotting paper and rolled as mentioned.

There are two other ways of eliminating the curl without resorting to dampening the backs of the prints, and you are recommended to practise these on some old prints before trying out on your best ones.

Lay the print face downwards on a soft cushion, holding one corner firmly with the left hand. Take a ruler in the right hand, held edgewise, stroking it diagonally across the print towards the free corner. Turn the print round until each corner has received the same treatment and continuing until the print has been straightened. Note that a clean ruler must be used, or ink and pencil on the edge will cause dirty streaks on the back of the print.

The other method, shown in Fig. 2, is a little more drastic, but effective. Moreover, you have to acquire the knack or

you may create a crease in the picture. And there is no suitable remedy for these creases. It is essential that you practise on some old paper before straightening the best print.

Here, the print is placed *face upwards* near the edge of a table. The procedure is to grip one corner of the print by the thumb and first finger of the right hand, placing the palm of the left hand on the face of the print. This is now gently pulled by the right hand, and pushed by the left, over the table edge in a downward direction. This gives an outward curl to the print to one corner which will be seen after the first operation. Follow the same routine until all corners have been treated and the print is flattened. Prints are *not* pulled over at the full 90° angle formed by the table edge. This would be too extreme, and likely to damage the print. It is better to 'flow' the print over the table edge at an approximate angle of 45°. (S.H.L.)

● Continued from page 200

Illustrating Novels

same time inserting art leaves at intervals as mounting pages for the collection of photographs. The inner edge of each art sheet should be folded to give a double thickness along the spine of the book, so that bulging is obviated when the pictures are added. Additional leaves, of notepaper may also be inserted for the addition of notes.


This hobby of illustrating novels may be extended to include photographs of places associated with the story in other ways, such as the spot where the book was written, the author's boyhood home and so on. For instance, a novel by Dickens might be given a photograph of the house in Doughty Street, London, where he lived for a number of years.

A famous Dickensian inn, the Leather Bottle, Cobham, Kent, which figures prominently in 'The Pickwick Papers'



A neat idea

'VOLUMES' OF COTTONS



THIS little container for cottons and silks is sure to appeal to the busy needleworker. Designed in the form of a book it can take its place with other volumes on the bookshelf, and if carefully made, could easily look like a proper book.

Several volumes covered in different colours would make a very attractive and acceptable wedding or other gift, especially if fitted out with a variety of cottons and silks. Another volume could be fitted to hold needles, while another might house the various accessories needed for the craft. There is, in fact, no end to the uses to which the volumes could be put, applying them to other crafts besides needlework.

Expand the idea

The measurements given are for an average size container to fit on an ordinary bookshelf, but larger volumes can easily be made to hold large size reels, or miniature ones for a few small reels. Half a dozen or so small volumes fitted into a 'bookcase' would make an ideal present and would be much appreciated.

Make the back or spine of the volume first, then the remainder can be built up around it without any difficulty. Walnut or mahogany are woods most suitable for this part if you are going to leave it in its natural state. If, however, you intend to cover the back with cloth or leather, then you can use any type of wood.

Cut the back 7ins. long, 1½ins. wide and ¼in. thick, and plane one side to represent the curve on the titled back of the 'book'. Opposite to this and on the other side cut a rabbet ¼in. wide and ¼in. deep for the 'book covers' or back and lid of the case.


Plywood ¼in. thick (or 3 mm.) is most suitable for the covers, although you may use stout cardboard, especially if it

is to be covered with book paper or cloth. Cut these 7ins. long and 5ins. wide and slightly round off three sides with fine glasspaper, leaving the edge which fits on to the back quite square.

The bottom cover is now glued on to the rabbet of the back, and when dry, the three sides of the case are made and glued in position. Top and bottom pieces are 4½ins. long, 1½ins. wide and ¼in. thick, and the side piece fitting in between these is 6½ins. long and the same width and thickness.

excellent hinge for the lid, but if the back is to be covered with cloth or leather, this will also serve as the hinge. It should be wide enough to overlap on the lid about ¼in., and with the same amount on the other side.

French polish or varnish is the best finish for a hardwood back, while a paper or cloth cover will require nothing further. The name of the contents can be written on the back neatly with indian ink or paint according to the material used. Gold paint is a good medium, and



Two shelves of the same material but 4 7/16 ins. long can also be glued in at the same time. If the case is to be used for some other purpose, the shelves will be rearranged accordingly or omitted.

A piece of stout tape makes an

if well done, is very realistic. A title such as 'Silken Strands' or 'A Cotton Yarn' is a good idea, and if you have more than one case for each material, then you can add 'Volume 1', 'Volume 2' and so on. (A.F.T.)


An Easily-made Pad Saw

THE tool described here was made to meet a minor emergency, and proved to be so effective that, possibly, it may be of interest to other readers.


The drawing is self-explanatory, and the handle itself may be made from any suitable material, duralumin being used for the original. The shape is such that it fits comfortably into the palm of the hand.

Probably the only difficulty that may be encountered in making the saw is finding a steel hinge with a wide enough gap between the screw holes and the hinge pin to take a standard ¼in. wide hack saw blade.

Another aspect of the design is that the hinge or blade holder can be mounted on either side of the handle to suit the job being tackled, or to suit the individual who is left-handed. (J.S.)



**Yours
for
only
8/6d.**



Safeguard your copies of 'HOBBIES WEEKLY'

The amazing 'EASIBINDER' (Pat.) makes it simple

With the new *EASIBINDER*, specially prepared for Hobbies, you can bind each copy of *Hobbies Weekly* as you get it, turning your favourite magazine into a permanent, easily-consulted library of immense value, and avoiding the delay and despair occasioned when copies are accidentally mislaid or destroyed. Carefully finished in black leather-cloth and gold-blocked on the spine, each binder is strong, serviceable and neat. It will hold two complete volumes (52 copies) and costs only 8/6. Each copy of the magazine is quickly inserted by means of a flexible steel wire, and can easily be removed if necessary. Easy-to-follow instructions with each *EASIBINDER*. Get one today and take care of your copies of *Hobbies Weekly*.

NOTE! For those who prefer to bind each volume (26 copies) in the orthodox way, the familiar red binding cases are still available, price 4/6 each, and indexes are published for each completed volume and cost 1/- each. To avoid confusion, however, these items should be ordered separately. **USE THE COUPON ONLY TO ORDER EASIBINDERS.**

October 3rd (No. 3179) was the start of a new volume

☆ One 'EASIBINDER'
holds two volumes
(52 copies)

☆ Easy to use

Post today



To: **HOBBIES LTD., Dept. 993, Dereham, Norfolk.**

PLEASE SUPPLY EASIBINDERS
at 8/6 each. P.O. for is enclosed.

NAME

ADDRESS

WATCH AND CLOCK REPAIR OUTFIT



The complete Outfit for cleaning and repairing. Comprises: Illustrated explanatory booklet, eye-glass, tweezers, screwdrivers, oil, dusting powder, oilers, also illustrated catalogue, tools and materials.

Plus P. & P. 1/- extra. C.O.D. if required.

12/9

The above with additional luminous compounds, jewellers' rouge, dial brush, jewels.

21/-

Plus P. & P. 1/- extra. C.O.D. if required.

ASSEMBLE YOUR OWN JEWELLERY

Selection of unset earrings, pendants, rings, brooches and stones, etc. at fraction of cost.

Send S.A.E. now for big illustrated free catalogue. Money back guarantee.

THE BOLSTER INSTRUMENT CO. (Dept. HB51)
GOVETT AVENUE, SHEPPERTON, MDDX.

HEAR ALL CONTINENTS With H.A.C. Short-Wave Receivers

Suppliers for over 18 years of Radio S-W Receivers of quality.

One-Valve Kit, Price 25/- **Two-Valve Kit, Price 50/-**
Improved designs with Denco coils. All kits complete with all components, accessories and full instructions. Before ordering, call and inspect a demonstration receiver, or send stamped addressed envelope for descriptive catalogue.

H.A.C. Short-Wave Products (Dept. 22), 11 Old Bond Street, London, W.1

BE TALLER

in 12 days or money back New gland and spinal discovery increases height 2 to 5 inches. 'I have gained 4½ inches in height. My weight increased from 9-stone 4-lb. to 10-stone 3½-lb.'—P.D. 'Increased 3 inches'.—H.G. Guaranteed harmless. Full course 10/- (or \$1.50). Air Mail 16/3. Details 2d. Sent under plain cover. **J. H. MORLEY, 28 (H/163) Dean Rd., London, N.W. 2.** Practical Courses, all subjects. List free.

NEW!

THE PRACTICAL WAY of learning RADIO TELEVISION · ELECTRONICS

- Beginners Radio Course
- Advanced Radio
- Short Wave Technique
- Lesson Manuals



Experimental work includes construction of Basic Oscillators, Amplifiers, Deflectors, Power Units, 1, 2 and Multivalve TRF and Superhet receivers.

COMPLETE EXPERIMENTAL COURSES IN RADIO ENGINEERING and SERVICING

An entirely new series of courses designed to teach Radio, Television and Electronics more quickly and thoroughly than any other method. Specially prepared sets of radio parts are supplied and with these we teach you, in your own home, the working of fundamental electronic circuits and bring you easily to the point when you can construct and service radio receivers, etc. Whether you are a student for an examination; starting a new hobby; intent upon a career in industry; or running your own business — these Practical Courses are ideal and may be yours at very moderate cost. With these outfits, which you receive upon enrolment and which remain your property, you are instructed how to build basic Electronic Circuits (Amplifiers, Oscillators, Power Units, etc.) leading to designing, testing and servicing of complete Radio and Television Receivers.

COURSES FROM 15/- PER MONTH

POST THIS COUPON TODAY

To E.M.I. Institutes,
Dept. 31, Grove Park Road, London, W.4.
Please send me your FREE book on Practical Courses

NAME

ADDRESS

19 Dec.....IC74

EMI INSTITUTES

associated with
"His Master's Voice,"
Marconiophone,
Columbia, etc.



STORY OF CHRISTMAS

By R. Cantwell

NO thematic stamp collection is complete without the inclusion of 'The Christmas Story' which is well represented in the stamp album. And a knowledge of these stamps will help non-collectors to provide their collector-friends with suitable gifts.

We owe one of our most beautiful Christmas songs to a mouse which gnawed through the bellows of the church organ in a little Austrian church just before Christmas. These could not be repaired in time, so the pastor sat down and wrote a poem which he called 'The Song From Heaven'. He asked a friend, Franz Gruber, to set it to music. Led by the composer, who played the melody on his guitar, the congregation sang on Christmas Eve, what has since become known as 'Silent Night; Holy Night'.

Pastor J. Mohr and F. Gruber are depicted on an Austrian anniversary stamp of 1948. — 60 groschen lake, cat. 1/6.

In Holland, St. Nicholas (the original 'Santa Claus') is a far more rollicking saint than his British brother. He loves a hearty joke. On the fifth of December, Saint Nicholas' Eve, a parcel is often left on many a Dutch doorstep in honour of the jovial saint. The parcel never bears the usual greeting such as 'Happy Saint Nicholas! — With love from Uncle Jan'. The donor always remains anonymous and the message, ingenious and pleasantly surprising. The more baffling the mystery, the greater is the success of the gift-making. The present, therefore, is more often accompanied by doggerel verse, a sly quip or broad jest. They know it will please St. Nicholas.

The jolly saint appears on a French stamp of 1951 — 15 franc blue, 8d. used.

Murdered by brother

'Good King Wenceslas', who was a former Duke of Bohemia, founded many churches in Czechoslovakia. In September, 935, while on his way to church he was murdered by his jealous brother.

St. Wenceslas, patron saint of Czechoslovakia appears on horseback on Czechoslovakian commens' of 1929. His statue in Prague is also depicted, and he appears with Charles IV on stamps of 1948 — 12 values, 7/3 used.

The shepherds and angels we all sing about in the carol 'While Shepherds Watched', the Nativity and the wise

men — all are illustrated on Hungarian stamps of 1943 — set of 3, 6d. mint.

Greeting stamps of Cuba 1952 showing a Christmas Tree, are listed at 8d. mint.

Here are some other useful stamps to illustrate the theme:

Luxembourg 1955, 6 values featuring Christmas Day, St. Nicholas' Day and Twelfth Night — 5/- mint. Canada 1898, 2 cent black, red and blue — Xmas 1898 and map — 2/- used. Austria 1937, 2 values — Nosegay Christmas Greetings — 6d. used. France 1944, 10 cent green — Gallic


Cock — 1d. used. Bulgaria 1938, 50 stotinki blue — Fowls — 2d. used. French West Africa 1947, 1 franc claret — Donkeys — 2d. mint.

Algeria 1950, 3 values depicting Dates, Oranges and Grapes — 1/6 used. Italy 1923, 20 cent orange and green — Christ and His disciples — 1/6 mint. St. Pierre and Miquelon 1938, 2 cent green — Winter scene — 1d. mint.

These are only a few of the hundreds of stamps connected with Christmas. So why not album your Christmas Story now, before prices rise. It may become valuable. HAPPY CHRISTMAS!

A Fantastic Prediction

CARD tricks with a spooky or psychic atmosphere about them are always greatly appreciated by adult audiences. In this trick it appears that the performer predicts the exact name of the card at which the pack will presently be cut.



The pack is handed to someone for a thorough shuffle. The performer on receiving it back, places it face down upon the table and invites a lady (ladies always figure in these psychic experiments!) to cut the pack into two portions at any point desired. She is not to do so, however, until the performer has written the name of the card at which the pack will be cut.

This name is written on a small sheet of paper which is then folded into four. The lady cuts the pack, placing the cut portion alongside. After a moment or two of patter in which the performer

stresses the point that the pack has been fairly shuffled and genuinely cut, the folded paper is placed on top of the portion cut off by the lady. The balance of the pack is next placed over the paper, so that it is sandwiched between both portions.

'My prediction of the cut card is now safely in the pack', the performer says, 'and it marks the position of the cut. Will someone now please lift up the top portion from above the paper and show the exposed card to everyone?' The card is duly noted, then the lady takes the folded paper and reads it aloud, afterwards passing it round for inspection. The card named on the paper is the very card that has just been shown.

This trick when properly performed never fails to cause deep wonder and genuine amazement. Yet it is absurdly simple. When the performer takes the shuffled pack he simply glances at the card on the bottom as he places the pack on to the table. He writes the name of this card on the paper, for example: 'The pack will be cut at the nine of hearts'. Now when the pack is cut, the folded paper is placed on the cut-off portion, the other cards being added. This move brings the wanted card just above the folded paper. Of course, the whole thing is a swindle, but people are so unobservant that they fail to notice anything wrong.

Tricks of this kind depend entirely on showmanship. The performer must try and create the right atmosphere by introducing a few words of scientific jargon into his patter. (R.W.W.)



A FASCINATING HOBBY made Simple & Successful by means of this BOOK

Lampshade making can give endless fun, beautify your home and delight your friends. There are 83 practical and easy-to-follow illustrations and ideas to show how to do it.

Published by C. Arthur Pearson Ltd., Tower House Southampton Street, Strand, London, or obtainable from

SAMUEL JONES & CO. LTD.

8/6



SAMUEL JONES & CO. LTD.
Obtainable from all Booksellers or by requisition

Musical Novelties in Kits



No.3152 KIT 6/11

THE SWISS CHALET CIGARETTE BOX

Lift the roof to offer a cigarette — and it plays a tune of your choice. Kit No. 3152 includes wood, wire, hinges and full instructions to make the chalet and costs only 6/11.

MOVEMENTS 18/10

Fit them with these Musical Movements, 18/10.


Choose from this list:—

- A. Auld Lang Syne. B. Limelight.
- C. Swedish Rhapsody. D. Silent Night.
- E. Brahms' Lullaby. F. Harry Lime Theme.
- G. Blue Danube. H. Parade of the Wooden Soldiers.
- J. Bells of St. Mary's. K. Moulin Rouge.
- L. Vienna, City of my Dreams. M. Jingle Bells.
- N. Home Sweet Home. O. Some Enchanted Evening.
- P. Greensleeves. Q. O My Papa.

by



From branches, stockists or direct



No. 3179 KIT 5/-

CHILDREN'S HOUR T.V. ROUNDABOUT
Delightfully authentic reproduction of the B.B.C. Roundabout which thrills millions of children each evening. Goes round to the music. Kit 3179 contains all wood and full instructions for making and the Roundabout costs only 5/-.

To Hobbies Ltd., Dept. 993, Dereham, Norfolk.
Please send name of nearest stockist and items marked thus X (all post free).

- Kit 3152, Swiss Chalet 6/11
- Kit 3179, T.V. Roundabout 5/-
- Musical Movement 18/10 (A. B. C., etc.)

Name

Address

LOOK



WHAT YOU CAN MAKE

Make your own Micromodel Museum

Micromodel Set PG. VII. includes M.R. 4-4-0 Compound, G.W.R. "Great Bear", and G.W.R. "Duke" Class. Three little museum pieces for you to make.

● Send stamped addressed envelope for Illustrated List of 100 Models, Ships, Aero, Loco, Architectural, etc. Free.

MICROMODELS LTD
3 (H) Raquet Court, Fleet Street
London, E.C.4



100 DIFFERENT stamps free! Request 4d. upwards discount approvals. — Bush, 53 Newlyn Way, Parkstone, Dorset.

REEVES PARCELS of plywood are here again. Do it yourself with our well known handy sized panels (various thicknesses) mostly Gabyon and Birch. Quality as good as ever. Parcels in 20/- and 15/- sizes. Send cash for prompt delivery to — Reeves, 33 Front Street, Monkseaton, Whitley Bay.

MODELS. You can make lasting stone-hard models with Sankey's Pyrama Plastic Cement. Supplied in tins by Ironmongers, Hardwaremen and Builders' Merchants. Ask for instruction leaflet.

SWISS MUSICAL MOVEMENTS. Before you buy send 2d. stamp for our illustrated brochure — Metwood Accessories (Dept. HW), Church St., Wolverton, Bucks. (Trade enquiries invited.)

Dress in a 'near to life' Davy Crockett Hat, Jacket, and Leg Dress, all with fringes, and adjustable belt. **WATERPROOFED.** Hat is real Fur Fabric. Send 2/6 for post, etc. If satis. 5 monthly payts. 4/6. Cash 19/11 complete. Ages 4 to 9 & 10 to 13. **STATE AGE. DAVY CROCKETT TENTS 21/-**, post, etc. 1/6. **LISTS, TERMS.**

BOYS! Be a real DAVY CROCKETT

COMPLETE 4-PIECE OUTFIT *NO DEPOSIT! includes FREE HAT



CASH PRICE 10/6


sent 2/6 For CASH 21/- POST 2/6



THE Tom-Tom WIGWAM TENT

SUPERB "TOM-TOM" COTTON PROOFED FABRIC. NOT NYLON. 4' 3" x 4' 3", height 5' 6". With collapsible poles, dismantle swiftly & transport elsewhere. No centre pole. Erected anywhere. A real waterproofed Tent. Holds 4/5 children. SEND 2/6 DEP., then 4 monthly payts. 5/9. Cash 21/- Post 2/6. Waterproof Groundsheet 10/6 if req. Lists, Terms. Open Sat. 1 p.m. Wed. **Headquarter & General Supplies Ltd. (HOBW/39), 196-200 Coldharbour Lane Loughboro Junction, London, S.E.5**

The amazing 'ABRAFILE' ROUND FILES



They bend to any shape you need!

New soft-core, parallel Round Files. Can be used as normal files or bent cold to almost any shape. Made on the 'Abrafile' Tension File patent of non-clogging teeth. Ideal for model making, craftwork, decarburising engine parts, cleaning concave surfaces, and awkward corners in pipe bends, castings, etc. Fitted into varnished wooden handles and made in diameters 3/8", 1/2", 5/8", 1 1/8", 1 1/4", 1 1/2", 1 3/4", 1 7/8", 1 5/8" each. Also the 'Mousetail'—ideal for small work. Price 41d. each. From all leading hobby shops and ironmongers, or send 2d. stamp for illustrated leaflet to:

ABRASIVE TOOLS LTD.
162 GRAYS INN ROAD, LONDON, W.C.1

GENUINE Swiss Musical Movements. The best and largest selection of tunes in the country, lowest prices 16/3 each. Genuine Thorens Movements, 22/9 each. All guaranteed. P & P. 9d. extra on all orders. — Richardson & Forder, HW, 5 Chapel Place, White Hart Lane, London, N.17.

WHEELS (Hardwood and Rubber Tyred Metal). Cot, Pram and Doll's House Fittings and Papers. Beads, Transfers, Prints and other accessories. Stamp for new lists. (Trade supplied.) New address — JOYDEN CO., 91 Peplins Way, Brookmans Park, Herts.

MAGIC catalogue. T. and Donkey Puzzle 1/-. DeHempsey, 363 Sandycombe, Kew, Surrey.

STAMPS FREE — Empire Packet including Pictorials and Victorians with approvals. — Robert J. Peck, 7A Kemp Road, Bournemouth.

AMERICAN PUBLICATIONS. Deltacraft Hard Bound Library — 'Getting the Most out of Your Lathe', 'Your Drill Press', 'Practical Finishing Methods' 10/- each inc. postage, Year's subscription 'Homecraftsman' 16/6; 'Homecraft' 18/-. Send for complete catalogue. — Willen Ltd. (Dept. 57), 9 Drapers' Gardens, London, E.C.2.

VERY SPECIAL FREE GIFT — 25 Australian Commemoratives to approval applicants enclosing postage. — 'Yulwontmor Stamps', Dept. H5, 29 Layton Avenue, Mansfield.

OO-GAUGE Road Transport scale model kits. Range of over 30 different models Stamp for illustrated catalogue. — Ash Products, Leiston, Suffolk.

1700 MARVELLOUS TRICKS, half — quarter price, five different Bargain catalogues. Send 2/- (returnable). — Orlestones, Riverside Road, Shoreham-by-Sea.

TATTOO materials; postal tuition. Tattoo mark remover. S.A.E. — 61 Stanley Ave., Dagenham.

MUSICAL BOX MOVEMENTS

Only 14/9 post free. Swiss made. Everything for making a complete box, movement included, 21/9.

S.A.E. for tunes, etc.

The Swisscross Co., Dept. B,
116 Winifred Road, Coulsdon, Surrey

BRASS, COPPER, DURAL, ALUMINIUM, BRONZE

ROD, BAR, SHEET, TUBE, STRIP, WIRE
3,000 STANDARD STOCK SIZES

No Quantity too small. List on Application

H. ROLLET & Co. Ltd
6 CHESHAM PLACE, LONDON, S.W.1
Also at
Liverpool, Manchester, Leeds, Birmingham

12/6! CRYSTAL RADIO

Make the 'WINNER' crystal set—only a screwdriver and pliers required, only 6 screws to fit, no soldering. Kit of parts with building instructions only 12/6 post free. Building instructions alone, 1/-.

Send P.O. 1/- or 12/6 to:—

BLANCHARD'S RADIO


(Dept. H2), 13 GAINFORD GARDENS, MANCHESTER, 10

KITS for OLD TIME SHIPS

Hobbies range of Ship Models includes Elizabeth Jonas, Cutty Sark, Victory, Mayflower, etc. Complete kits of wood, sail material, guns, pulleys, cord, etc., with full-size patterns of parts and planed wood ready to cut out, shape and construct. A fascinating pastime.

Ask for free illustrated list at Hobbies Branches or from Hobbies Limited, Dept. 99, Dereham, Norfolk.

A FRETTED MIRROR FRAME



**YOU CANNOT
GO WRONG
WITH A . . .**



**FRETWORK
OUTFIT OR
MACHINE**

AS A REALLY PRACTICAL, LASTING GIFT

The most popular fretwork machines and outfits in the world. Made in Hobbies' own factory in Norfolk, and all fully guaranteed. A Fretsaw can be used for almost any kind of cutting in wood, composition board, plastic, sheet metal, leather, card, etc. Any outfit or machine will ensure a lasting and useful hobby.



'CROWN' OUTFIT

With useful small hand frame, spare saws, cutting table, drill, instruction book, glasspaper block and design. A very popular outfit.

22/6

'A.1' OUTFIT

The set most beginners demand. Contains a Hobbies lever hand-frame, with special saw tensioning device, wide range of tools, designs and instruction handbook. In deep box, 15in. square.

37/6




THESE ARE TESTED TOOLS

GUARANTEED

TO GIVE

EXCELLENT SERVICE



**THE 'CHALLENGE'
OUTFIT**

Real value for the beginner. It contains all the tools necessary to make a start.


13/6



'NATIONAL' OUTFIT

Containing a special comfortable grip hand-frame, spare saws, cutting table, drill, glasspaper and holder, designs and instruction book. A really sound outfit.

30/-



THE 'A.1' MACHINE

A sturdy machine with cast-metal legs. Easy to treadle, smooth running and rigid. Provides a factory at home for the handyman.


9 gns.

THE 'GEM' MACHINE

An easy running and reliable machine, for all kinds of work. With pressed metal legs it is lighter than the A.1, but of robust construction.

£5/17/6

**ALL HOBBIES TOOLS FROM BRANCHES, STOCKISTS OR DIRECT
HOBBIES LTD, DEREHAM, NORFOLK**



PIECE 1. CUT TWO 1/8 in.

CUTTING LIST A

(For parts not shown full size)


Cut from 1/16 in. wood

- Part No. 2. Cut one 4 1/2 ins. by 4 ins.
- Part No. 3. Cut two 4 1/2 ins. by 3 3/8 ins.
- Part No. 9. Cut two 2 3/8 ins. by 1 1/2 ins.
- Part No. 13. Cut two 4 ins. by 2 3/8 ins.
- Part No. 16. Cut four 2 7/8 ins. by 2 3/8 ins.
- Part No. 19. Cut one 2 ins. by 1 1/2 ins.
- Part No. 21. Cut two 2 1/2 ins. by 1 1/2 ins.
- Part No. 27. Cut two 11 3/4 ins. by 3 ins.
- Part No. 30. Cut one 4 ins. by 3/4 in.
- Part No. 32. Cut four 11 3/4 ins. by 3/4 in.
- Part No. 33. Cut two 11 3/4 ins. by 1 3/4 ins.
- Part No. 34. Cut two 11 3/4 ins. by 1 5/16 ins.

SIZE
33 ins. LO
16 ins. W

SCALE
4 mm. : 1

Strips No. 14 (see instructions)—cut 3 1/16 in. wide from thin plywood.
No. 40 canopy supports—cut eight, 1 3/8 ins. long from 1/8 in. dia. round rod.



4


JOIN BY MEANS OF STRIP

5


GLUED ON BEHIND

CENTRE LINE

PIECES 4 AND 5. CUT ONE OF EACH FROM THIN PLYWOOD. HALF ONLY SHOWN. JOIN TOGETHER AS SHOWN ABOVE.




PIECES 20. CUT TWO 1/8 in.




ENDS 7. CUT FOUR 1/8 in.


STEPS 24



SIDES 8. CUT FOUR 1/16 in.



PIECE 18. CUT ONE FROM THIN PLYWOOD.




PIECES 38. CUT TWO 1/8 in.


SECTION




FLAGSTAFF 23. CUT ONE FROM 1/8 in. DIAMETER ROUND ROD.



PIECES 37. CUT



PIECE 22. CUT ONE 1/8 in.




CANOPY ENDS 25. CUT TWO 1/16 in.

CUTTING LIST B

Cut from 1/8 in. wood

- Part No. 6. Cut two 1 3/8 ins. by 2 3/8 ins.
- Part No. 12. Cut four 2 1/4 ins. by 2 3/8 ins.
- Part No. 28. Cut twelve 1 7/8 ins. by 3/4 in.
- Part No. 29. Cut one 4 ins. by 1 1/2 ins.
- Part No. 31. Cut four 11 1/2 ins. by 1 1/2 ins.
- Part No. 35. Cut two 11 1/2 ins. by 1/2 in.
- Part No. 39. Cut two 1 7/8 ins. by 1 1/2 ins.

CANOPY STRUTS 26. CUT THREE 1/8 in.



SECTION



STEPS 24. TAKE OFF

TWO 1 8 in.

CUTTING LIST A

(For parts not shown full size)

Cut from 1/16 in. wood

- Part No. 2. Cut one 4 1/2 ins. by 4 ins.
- Part No. 3. Cut two 4 1/2 ins. by 3 1/4 ins.
- Part No. 9. Cut two 2 3/8 ins. by 1 1/2 ins.
- Part No. 13. Cut two 4 ins. by 2 3/8 ins.
- Part No. 16. Cut four 2 7/8 ins. by 2 3/8 ins.
- Part No. 19. Cut one 2 ins. by 1 1/4 ins.
- Part No. 21. Cut two 2 1/2 ins. by 1 1/4 ins.
- Part No. 27. Cut two 1 1/2 ins. by 3 ins.
- Part No. 30. Cut one 4 ins. by 3/4 in.
- Part No. 32. Cut four 1 1/2 ins. by 3/4 in.
- Part No. 33. Cut two 1 1/2 ins. by 1 3/4 ins.
- Part No. 34. Cut two 1 1/4 ins. by 1 9/16 ins.

Strips No. 14 (see instructions)—cut 3/16 in. wide from thin plywood.
 No. 40 canopy supports—cut eight, 1 3/8 ins. long from 1/8 in. dia. round rod.

SIZE
 33 ins. LONG
 16 ins. WIDE

SCALE
 4 mm. : 1 ft.









DESIGN

No.
3190

OO GAUGE RAILWAY STATION, CANOPY AND PLATFORMS

MAIN LINE TERMINUS OR THROUGH STATION



A KIT OF MATERIALS FOR MAKING THIS DESIGN IS SUPPLIED BY HOBBIES LIMITED, DEREHAM, NORFOLK. PRICE ON APPLICATION.

The Sparkling Enamel

PAINT IN TUBES

Ready for use

Handy and economical Starlon is just right for these small painting jobs

Starlon

PLASTIC ENAMEL PAINT

Obtainable at Harrold's Slings

STARLINE, SOUTHEND-ON-SEA, ESSEX

PER TUBE





in 14 wells colours and Clear Varnish



5. CUT ONE THIN PLYWOOD. AS SHOWN ABOVE.

FLAGSTAFF 23. CUT ONE FROM 1/8 in. DIAMETER

PIECES 37. CUT TWO 1/16 in.




CUTTING LIST B


Cut from 1/8 in. wood

- Part No. 6. Cut two 1 1/8 ins. by 2 1/8 ins.
- Part No. 12. Cut four 2 1/4 ins. by 2 3/4 ins.
- Part No. 28. Cut twelve 1 1/8 ins. by 3/4 in.
- Part No. 29. Cut one 4 ins. by 1 1/2 ins.
- Part No. 31. Cut four 1 1/2 ins. by 1 1/2 ins.
- Part No. 35. Cut two 1 1/2 ins. by 1/2 in.
- Part No. 39. Cut two 1 1/8 ins. by 1 1/2 ins.



FLAGSTAFF 23. CUT ONE FROM 1/8 in. DIAMETER ROUND ROD.





SECTION




STEPS 24. TAKE OFF FROM THESE DIAGRAMS. USE 1/8 in. WOOD.





A KIT OF MATERIALS FOR MAKING THIS DESIGN IS SUPPLIED BY HOBBIES LIMITED, DEREHAM, NORFOLK. PRICE ON APPLICATION.



The Sparkling Enamel

PAINT IN TUBES

Ready for use

Hardy and economical Starlon is just right for these small painting jobs

Starlon

PLASTIC ENAMEL PAINT





Obtainable at Plastics and Model Shops and elsewhere

STARLINE, SOUTHEND-ON-SEA, ESSEX

1- PER TUBE

in 4 colours - Ivory and Clear Varnish

QUICK DRYING PLASTIC ENAMEL PAINT



PRINTED IN ENGLAND.