MAY 1987 £1.40

MUSIC technology


HOLLYWOOD BEYOND Mark Rogers Speaks Out

Rolan

STEVE LIPSON
Trevor Horn's Right HandKORG SQ8
The Baby MIDI SequencerSTEREO SAMPLINGFAIRLIGHT'S FATHER

How to Do It Right Kim Ryrie Interviewed

ROLAND D50 The Supersynth Reviewed



Uncompromising Playability

Micky Moody is a Rock 'n' Roller. Telling him to play guitar without finger picking, bending, hammer ons, snap offs or playing harmonics is like telling him to play the violin.

But he plays the new Roland Guitar Synthesizer System.

Why? Well, first of all, he doesn't have to compromise any of the above techniques and what's more, he can use his usual guitar. The special GK-1 pick-up attaches with just two screws and the guitar strap button.

The GM-70 guitar to MIDI interface is completely polyphonic and translates pitch and dynamics into MIDI information with maximum stability and minimum delay.

Different strings can independently play up to four MIDI synthesizers. Patch change messages, string transposition and string select are memorised by 128 patches that can be selected by the FC-100 foot controller.

Doesn't sound like Rock 'n' Roll?

Listen to Micky Moody!



FC-100 Foot Controller

GM-70 Guitar to MIDI Interface

Please send me a **FREE** Colour Brochure on Guitar Synthesizing

Address.

Roland

Roland (UK) Ltd 983 Great West Road Brentford Middlesex Telephone: 01-568 4578





EDITORIAL

EDITOR Dan Goldstein

PRODUCTION EDITOR Trish McGrath

> **REVIEWS EDITOR** Simon Trask

MUSIC EDITOR Tim Goodyer

CONSULTING EDITOR David Ellis

ART STUDIO

ART EDITOR Stuart Catterson

DEPUTY ART EDITOR Eddie Allen

ART ASSISTANTS Sam Masters, Lynn Cooper, John Waterson, Elaine Tye

PHOTOGRAPHY Matthew Vosburgh, Tim Goodyer, Trevor Gilchrist, Samuel Barksdale

ADVERTISING

ADVERTISEMENT MANAGER Graham Butterworth

AD PRODUCTION MANAGER Shaun Barrett

AD PRODUCTION ASSISTANTS Claire Wiles Emma Ambrose

IN AMERICA

EDITOR **Rick Davies**

ADVERTISEMENT MANAGER Ce Ce Hernandez

ADMINISTRATION

ACCOUNTS MANAGER Lester Johannes

MAIL ORDER Cheryl May, Sarah Ludman

> PUBLISHING DIRECTOR Dennis Hill

PUBLISHER Terry Day

THE PEOPLE'S MUSIC

about to devote yet more space to the current sorry state of British popular music. Chances are, you've already read more about this than you can stand (both in these pages and elsewhere), but there's one point I'd like to discuss briefly which hasn't, as far as I'm aware, been raised until now.

There are a number of interviews in this month's issue of Music Technology, and they range widely in the people who are featured in them and the topics they discuss. The most controversial piece, though, is almost certainly our conversation with Steve Lipson, the man who's sat behind the faders - in one capacity or another - for every recording session Frankie Goes To Hollywood have ever started.

The stalwarts among you may remember Lipson incurring the wrath of E&MM consultant David Ellis when FGTH were in their heyday, when he went on record as saying that MIDI recording systems would never catch on because the specification wasn't good enough. Lipson is now using precisely such a system, but that's neither here nor there.

Meanwhile, Frankie's fortunes have waned, but Lipson remains as controversial as ever. Among many of the points (some of them well worth hearing) that he makes to Paul Tingen in this month's interview, is the suggestion that modern pop is in the state it's in because it's become democratised. According to Steve Lipson, pop has become meaningless because there are too many people sitting at home and playing with little Casio samplers.

At first glance, this is an appealing explanation. Several art forms have suffered in the past from becoming overpopularised, and theoretically, there's no reason why modern music shouldn't go the same way.

But close up, Lipson's argument holds about as much water as a broken teastrainer. Pop music has always been an area of mass appeal and mass involvement that's why it's "pop", after all. This may be the first time hi-tech musical instru-

I HAVE AN APOLOGY to make. I'm ments have been available to a mass market, but guitars, violins, flutes and goodness knows what else have been popular" instruments for generations with no adverse effect on the musical climate of the time. If anything, the massproduction of guitars (acoustic and electric) was an outstanding influence on the creation of new forms of pop music during the '60s - the very era Lipson refers to in his argument.

> At Music Technology, we're committed to the idea that the more accessible musicmaking is, the more varied and interesting music will be. Thus far, that theory has turned out to be true for many areas, if not for some others.

> British pop is in the decline it's in because the proportion of young people in our population is decreasing, and because what young people there are lack a focal point for the "rebellion" that has traditionally fostered musical innovation.

> The one glimmer of hope lies in new technology and the enthusiasm of young people for picking it up and making something new out of it. And don't let anyone - big-name producers included tell you otherwise.

> **ON A MORE POSITIVE note, the astute** among you will have noticed a change in the staff list that traditionally lies to the left of this leader column. Yes, Music Technology has a new advertising manager in the (slightly forbidding) shape of Graham Butterworth.

> Some of you may recognise Graham's name, since he began his space-selling career on Electronics & Music Maker about five years ago, and has been performing the same task for our sister magazine, Home & Studio Recording, for the last three-and-a-half years.

> Needless to say, we're delighted to have Graham's vast experience and relentless "never say die" approach to magazine promotion onboard. Even if, inauspiciously, the new man has begun his term as MT ad guy by being struck down with a "mystery illness" which has left him bedridden for three weeks. Everybody say "ah". ■ Dg

MUSIC TECHNOLOGY is published by Music Technology Ltd, part of the Music Maker Publications Group, Alexander House, 1 Milton Road, Cambridge CB4 1UY. **5** (0223) 313722 (all departments). PAN: Music maker. MUSIC TECHNOLOGY (US) is published by Music Maker Publications Inc, 7361 Topanga Canyon Blod, Canoga Park, CA 91303, USA. 8 (818) 704-8777. PAN: Musictech.

Typesetting by Goodfellow & Egan, Cambridge. Colour reprographics by CLE, St Ives. Printing by Thomas Reed, Sunderland. Distributed by Magnum Distribution, London, & 01-2533135. All material is subject to worldwide copyright protection, and reproduction or imitation in whole or in part is

expressly forbidden without written consent from the publishers. All reasonable care is taken to ensure accuracy in the preparation of the magazine, but Music Technology Ltd cannot be held legally responsible for its contents. The publishers cannot assume responsibility for the return of unsolicited manuscripts, photographs, or artwork. © Copyright 1987 Music Technology (Publications) Limited Cover photography Tim Goodyer

MUSIC TECHNOLOGY MAY 1987

PERCUSSION AT THE TOUCH OF A BUTTON

Feature for feature there's nothing like it for the price on the market. You get 24 studioquality sampled percussion sounds. You get 8 individual velocity sensitive drum trigger buttons. A memory capacity up to 100 patterns, 100 songs and 10 chains. And naturally, the R 100 has complete MIDI implementation including song pointer, real time tuning across all 24 sounds, key assignment and velocity control.

There's more of course, including sync to tape and external foot pedal control of high-hat length. But we suggest you see it at your Kawai dealer now. It sounds terrific. Don't get snared by anything else.

THE NEW KAWA I R 100 DRUM MACHINE

MORE GOOD NEWS! The new Kawai K5 real time added synthesis Digital Synthesiser incorporating visual display graphics. will be in your dealers soon – A major breakthrough in keyboard music technology and another first from KAWAI – The Master Builder.

. 19:34 F

Name

Address_

Kawai U.K. Limited Windebank House, 2 Durley Road Bournemouth BH2 5JJ. Tel. 0202 296629

YOU CAN EXPECT MORE FROM

THE MASTER BUILDER

Comment

If music-making becomes more and more popular, will the quality of popular music automatically slide downwards? Is the Casio VL-tone responsible for Starship?

Newsdesk

More hot news from the hi-tech side of the music industry; software, hardware, underwear...it's all here.

Communiqué

MT readers give their views a thorough airing, and nobody is safe – least of all MT itself.

Interface

Another selection of readers' technical queries, answered by MT's resident team of agony aunts.

Free Ads



Buying or selling hi-tech gear? This is the fastestmoving, most influential classified section in the music business.

A P P R A I S A I

Hybrid Arts EZ-Track

Multi-talented sequencing software is all very well, but if you're unsure about recording with computers, you need a starter program ta test the water with. Ian Waugh tries out just such a package.


Philip Rees 5X5

It's new, it's one of the cheapest MIDI switching boxes available, and it's designed and built in this country. Simon Trask assesses the argument for buying British.

Rice Drum Software

Nothing to do with paddy-fields or Uncle Ben, but lan Waugh reviewing two versions of a new drum program for the under-used BBC computer. Is it cost-effective?

Steinberg Cosmo



Casio SK2100 Keyboard

You want a synthesiser, a drum machine, a sequencer and a sampler, but you've got less than £500 to spend? Home-keyboard buyers are currently being offered just such a package, as Dan Goldstein discovers.

VOLUME I, NUMBER 7





Korg SQ8 Sequencer

MT new boy Bob "I'm Confused" O'Donnell checks out the cutest eight-track sequencer available. Have too many corners been cut to reduce the cost?

Roland D50 Synthesiser

Is this the synth to topple the DX7 from its throne? Will Linear/Arithmetic Synthesis become the programmer's new catchphrase? Will Simon Trask die of a broken heart? Find out in our exclusive review.

Kawai R100 Drum Machine

Few companies make synthesiser debuts as good as the Kawai K3. Now the same company has introduced its first digital beatbox; Simon Trask finds out if they've maintained the standard.

OutTakes



We assess records from England (Erasure), the US (Prince) and Soweta (various); tapes from MT readers; and the World DJ Mixing Championships in London.

Larry Fast

Tim Goodyer talks to the man who's programmed Peter Gabriel's synths, recorded a host of electronic albums under the name Synergy, and started up his own record label for instrumental music.



Steve Lipson

... Is already hugely successful as an engineer, producer, musician and programmer for the likes of Grace Jones and Frankie Goes To Hollywood. Paul Tingen finds fame has made him disillusioned and cynical.

TECHNOLOGY

The New Macintosh

Jim Burgess sends us an exclusive preview of Apple's powerful pair of new computers - and assesses their implications for tomorrow's MIDI-using musicians.

Patchwork

Another batch of MT readers' own synth sounds. Featured this month: the Korg DW8000, Roland Jupiter 6, Yamaha DX7 and Casio CZ101.

Sampling in Stereo

Your sampler may only have a mono input, but that shouldn't stop you taking two-channel samples for a fatter, more realistic sound. Howard Massey shows you how.

We Can't Go On...

...Beating Like This. Chris Meyer and Matt Isaacson with the second part in our series on better drum programming. This month: how to make your percussion sounds stand out from the crowd.

TechTalk: Kim Ryrie


In an exclusive interview, the co-founder of the Fairlight company and father of the CMI talks about the machine's development, and outlines his plans for the future. Simon Trask pops the questions.





HN

MAY 1987



MUSIC

Present Yourself

Having trouble projecting the right image on-stage? Paul Tingen reports on a unique way of improving your performing confidence, and your outlook on music in general.

Hollywood Beyond

'What's the Colour of Money?' was one of last year's most inventive hit singles, but since then, little has been heard from Mark Rogers. Tim Goodyer talks to him as the first HB album is released.

Man Jumping

They were once a six-piece band playing "systems jazz". Now they are seven, and the music has become even more difficult to classify. Tim Goodyer tries to solve the puzzle.

MUSIC TECHNOLOGY MAY 1987

11.11

ONLY AT SYCO COULD YOU HAVE AN HOUR LONG DEMO AND STILL WALK OUT WITH NOTHING.

We believe there's nothing worse than buying something you don't want. That's why at Syco you can spend as much time as you want deciding on your next MIDI instrument.

We won't pressurize you. We're experienced enough to let you get on at your own pace and make your own decision.

Ask as many questions as you want. Find out about our setting up arrangements, our after sales advice and our in-house service department. Even free software updates. You'll find everything to your liking, (including the tea and biscuits). But one thing you won't find at Syco, is us selling you a MIDI instrument. You do that yourself. Call us today to arrange a free demo.

uco

Syco, Conduit Pl London W2 Tel 01-724 2451 Tlx 22278 Fax 01-262 6081

AKAI CASIO E-MU FAIRLIGHT FORTE HYBRIDARTS OBERHEIM KORG KURZWEIL ROLAND SEQUENTIAL SARDINES SIMMONS STEINBERG STEPP SYCOLOGIC YAMAHA

NEWSDESK

ATARIST RECORDING -EXCLUSIVE

► Scheduled for release on May 18 is a new sequencing program for the Atari ST called Iconix. Written over a 12month period by new English software house System Exclusive, Iconix combines an easy-to-understand graphical display with powerful and flexible recording, editing and song-building functions. The program has been written to take full advantage of the ST's GEM graphics environment, which means that the screen can be configured to suit the user.

Iconix uses a form of recording based on groups. Each group can contain up to 16 channels of MIDI information, and can be as short as one bar or as long as the computers' memory will allow. Once you've recorded several groups you can combine them in any order to produce a finished piece. Up to eight separate group chains can be played simultaneously, allowing compositions of up to 128 tracks to be created.

System Exclusive claim that Iconix is so flexible, it doesn't force the user to adopt any particular approach to recording – you can alter the recorder to suit the piece you want to record. We shall see.

Iconix will initially be available through mail order only from Tigress Designs, who are marketing the program for System Exclusive.

More from Chris Palmer, Tigress Designs, 25 Burmeister Road, London SW170JL. **S**t

AN UPDATE FOR THE SYSTEM

► Back in MT December '86, we ran a news item on the Personal Composer 32-track sequencing package for the IBM PC/XT/AT and strict compatibles, imported from America by Brightonbased company System Support.

The company now inform us that, pending availability of Personal Composer 2.0, the list price of the current version -1.35 – is being reduced from £370 to £270.

The good news is that all purchasers MUSIC TECHNOLOGY MAY 1987

of the current version qualify for a free upgrade to version 2.0, which will be mailed to them immediately upon UK release. The list price of version 2.0 will be \pm 370, so if you're smart, you'll buy now and save \pm 115.

More from System Support Associates, Melbourne House, Melbourne Street, Brighton, Sussex BN2 3LH. ☎ (0273) 603245. ■ St

USING HIS MASTER'S VOICE

▶ Syndromic Music, exclusive UK distributors for Hybrid Arts Atari ST MIDI software, have announced the launch of their own ST software label in conjunction with Soundbits Software.

The first product to be released is the Voice Master editor/librarian/ randomiser package for Yamaha's DX21/27/100 synths. The Voice Master provides a display of all parameters, and allows you to listen in on a sound as you edit it. Graphic display of envelopes is provided, and sounds may be transferred singly or in complete banks between synth and computer.

The Librarian provides disk storage and cataloguing of all sounds, while the Randomiser gives you new sounds at the squeak (sorry, click) of the mouse. You can also print out all information for the voice you're currently working on, as well as lists of your entire library of sounds.

Soundbits Software have several other goodies under development, including Voice Masters for the Yamaha TX81Z and Roland Alpha Juno 1 and 2.

The DX Voice Master retails for £49.95, and is available from both Syndromic Music and a network of selected dealers throughout the UK. More from Syndromic Music, 24/26 Avenue Mews, Muswell Hill, London N10 3NP. 🕾 01-444 9126. St

RETURN OF VOYETRA

▶ Remember the Voyetra 8, a huge rack-mounting analogue polyphonic synth used by the likes of New Order a few years back? Well, the company behind that machine, Octave-Plateau, have since been developing a range of MIDI software for the IBM PC and compatible computers; producer Steve Lipson (interviewed elsewhere this issue) is among the users of their 64track sequencing program, for example.

Now Octave-Plateau have become Voyetra Technologies, and their range of PC software is to be distributed in the UK by Audio FX. The range will include a new low-cost professional sequencer program, and an improved version of the already available Se-

quencer Plus 2.0.

In addition to this, Audio FX will be handling distribution of software for the Atari, Macintosh and IBM PC computers from Steinberg, Blank, Opcode and Intelligent Music, and will also be handling the Grey Matter Response E! expansion board for the DX7.

More from Audio FX, AFX House, 5/7 Buck Street, London NW1 8NJ. ☎01-482 1440. ■ Tg.

ENSONIQ EXPANDED

Latest little item from Red Planet (the Canadian company whose DX7 RAM packs are among the slickest on the market) is the ESR24 sequencer memory expansion for Ensoniq's ESQ1 synth. The ESR24, which slots into the ESQ1's data port, takes the onboard sequencer memory from 2400 up to a very healthy 10,000 notes. Price is £59.95, including VAT and p&p.

More from Sound Sales, Orchard Cottage, Church Hill, Ravensden, Beds MK44 2RL. ☎ (0234) 771189. ■ St

SEMINARS WITH A PULSE

► The Yamaha Music Pulse store in London – only just opened, remember – has begun a series of informal open evenings for musicians.

So far only one of these events has been held (covering the new DX7II and DMP7 digital mixing processor), but according to Yamaha it proved very popular – which is why they're going to "do it again". The second open evening will deal with home recording techniques in a budget MIDI-based studio. Although there was no firm date for the event at the time of going to press, it should be taking place within a week or so of this magazine reaching you.

Meanwhile, watch this space for details of Yamaha's European R&D Centre, shortly to open in premises adjacent to the Pulse store. Details as and when we have them.

More from Yamaha Music Pulse, 58-60 Conduit Street, London W1. ☎01-734 5184. ■ Tg


Word of a hardware update for the Emulator II, Emulator II+ and Emulator II+HD comes from E-mu Systems.

Endearingly christened the "Attack Modification", the update improves the attack of the Emulator's transient generator, reducing the initial lag by up to 4mS. As the Emulator has long been known for its slow keyboard scanning rate, the news should be welcomed by owners trying to give their samples a bit more "bite".

ATTACK IS BEST FORM OF

DEFENCE

Still on the E-mu front, anyone looking for a rack-mounting sampler should take a look at the rack version of the Emax, which should be in the shops by the time you read this news bulletin. It's called, intriguingly enough, the Emax Rack, and shares the same spec as its keyboard-equipped brother, including such features as E-mu's MIDI Overflow Mode and multi-timbral operation. \blacksquare Tg



SEMINAR OF THE SUMMER 1987 INTERNATIONAL music seminar MONTPELLIER, FRANCE JULY 12-25

LEARN WITH THE BEST

RICHIE BEIRACH GARY BURTON GROUP CHICK COREA AL DIMEOLA JOE DIORIO BILLY HART DAVE LIEBMAN PAT MARTINO RON McCLURE OREGON

ALL STYLES • ALL INSTRUMENTS • ALL LEVELS LIVE PLAYING WORKSHOPS • MUSIC TECHNOLOGY OPEN & PRIVATE COUNSELLING • CONCERTS

SPECIAL GUESTS

LIMITED ENROLLMENT

MUSIC MAKER FACTBLATT

azz





CONTACT/INFORMATION INTERNATIONAL MUSIC SEMINARS B.P. 70 34002 MONTPELLIER CEDEX FRANCE TEL: (33) 67. 79. 88. 05



The Endurable ESQ-1 is still our major seller. We've sold 40 of them and everyone is totally blown out by the many applications it can be used for . . . live, recording, experimenting or the most useful - being the controller of a MIDI system for the performing duos of today (or from soloists). Being able to store 10 songs at once and control other sound sources and drum machines too and playing it LIVE on top! At Dougies we have developed a means of extending those functions.

Coupled to an AMSTRAD via our interface (£60) the disc drive can store all your songs (in banks of 10 at a time), load them to an ESQ-1 in 10 seconds (dump facility software @ £75).

2. Coupled to an ENSONIQ MIRAGE. This way you have the huge sampling library at your disposal AND a disc drive as 1. Mind you it will cost you more! Furthermore using an AKAI ME30P MIDI patch modes can be programmed. e.g. Patch 1 allows MIDI not to load from MIRAGE to ESQ-1. Patch 2 allows ESQ to play MIRAĞE via MIDI. Patch 3 defeats ESQ playing MIRAGE (allowing live play on Mirage). Simple eh? Not it's not . . . But we can help you! Phone Trevor or David for advice so you can get more gigs!

SWEDEN - NORWAY -FINLAND - DENMARK -SWITZERLAND AND ANY OTHER COUNTRIES . . .

We now have an efficient export department fully geared for efficient service (via Air or Sea). Phone or write for quotes. N.B. Export customers please deduct 15% off all prices

Just to show that Dougies music is not your diddy store, here's some snaps of the place. Gosh look at all the keyboards IN STOCK! P.S. E-max is normally there but was out to lunch sampling a pint of lager.



I'll let everyone else promote the usual dynamic HOT, stupendous, electrifying, buy-it-quick-before-itgets-replaced-by-a-mark IV stuff . . . it's enough to state that if it is WORTH having, it's usually in stock anyway . . . – A Few Snips . .

Well worth a mention Simmons SPM 8:2 on demo and it's British . . .

nips Oberheim DPX-1 Oberheim DBX s/h. Oberheim Matrix 6 (new) synth. Oberheim Matrix 6 R (new) module Rhodes Mkl s/h Memorymoog (immaculate) Yamaha RX21L one only. Yamaha RX21L one only. Yamaha RX11 one left Sequential Prophet 2000 as new. Korg SAD-1 s/h Korg DUP-1 ex-dem. PPG Wave 2.2 s/h (with case) only.

DCK	
499 199	Quick there may be time!
699	ROLAND
199	
100	MASTERCLASS
135	featuring Jay Stapeley on the GM
399	guitar synth at Chimney House
150	Hotel, Sandbach, Cheshire,
	Tuesday May 5th 8pm
299	All sensible welcome
450	free admission
200	PS D50 on show too?

In St ..£ £1

33

5 £1 £

£1

COMMUNIQUÉ

Write to: Communiqué, Music Technology, Alexander House, 1 Milton Road, Cambridge CB4 1UY. Free year's subscription if yours is the letter of the month.

Dear MT

The Beat Goes On

As a keyboard player turned drum programmer, I was extremely interested to read your feature We Can't Go On Beating Like This last month. In it, Chris Meyer and Matt Isaacson succeeded in blowing the lid off some of the more subtle aspects of intelligent drum machine programming – but did you have to let the world in on some of my best-kept secrets? Oh well.

My point is this. When I first encountered a drum machine, it didn't sound a fat lot like a drummer sat behind a kit, nor did its facilities encourage you to make it sound much like one – regardless, all us technology enthusiasts went around telling each other how much it did. In those long-gone days, you considered yourself a smart programmer if you left out the hi-hat strike (that should have happened on the snare beat when working in 16ths) because you'd sussed that a drummer only had two hands.

It was only as the drum machine became more sophisticated that we realised just how primitive it actually was. What happened? Programming a drum machine became rhythm programming as opposed to drum programming, because we understood that we were creating a beat, rather than replacing a drummer.

, The light dawned: there are a lot of things a drummer does better than the drum machine is ever likely to. But equally, there are things the drum machine has always done that a drummer can't (and probably will never want to).

So let's remember that it cuts both ways: humanising the drum machine is a useful trick, but the drum machine is a useful tool in its own right.

Nick Fish London NW3 10

Dear MT

All Mod Cons

As the spec sheets for synthesisers become more and more impressive, I find myself amazed that almost all manufacturers have neglected one area of development above all others. The area I'm referring to is modulation. I know this is not a new gripe, but I have a specific reason for voicing my dissatisfaction.

Unpopular though it may be in certain quarters, I'm a long-time fan of imitative synthesis – you know, ripping off everything from pan pipes to drainpipes and car horns to alpine horns. Many of the problems I face are peculiar to the sound I'm trying to copy, but in the area of conventional instruments there is one problem that crops up time after time – a human player's natural vibrato/tremolo.

Conventional modulation options usually include sine (or triangle) waveforms, which give an acceptable impression of vibrato, and sufficient control over vibrato speed to make it convincing. Yet it rarely sounds convincing in practice. Why?

I'll tell you why. Because, no matter how hard you try to make your guitar finger vibrato or flute tremolo as regular as the equivalent on a synth patch, you'll never manage it. People just aren't that perfect. So why can't Roland, Yamaha, Korg, Casio, et al provide some sort of "randomise" function on modulation speed (and maybe depth)?

Natural vibrato tends to be around 200-300Hz. Why not have a user-determinable degree of random variation on top of that basic setting, so you could express it as a percentage? Then a 2% random variation on a 250Hz vibrato would mean it varied between 245 and 255Hz.

It can't be that difficult in this age of digital technology, and in my book, it would certainly add to the realism of a high proportion of imitative synth patches. Peter Stevens

Crewe

Dear MT

Studio Access letter of the month

l was interested to read your recent news item (MT March '87) on the proposed South Bank National Studio for Electronic Music.

I suspect I'm not alone in feeling both excited and anxious about the prospect of such a centre. Excited because we need a focal point in this country for the development of electronic music in all its manifestations, but anxious because I wonder if the National Studio will fulfill that function. Will it be a Steim or an IRCAM? It seems to me that the latter institution, for all its "diversification" into the relatively accessible end of technology, remains as restricted and elitist as it has always been, and probably was always intended to be.

Perhaps I'm being too hard on the IRCAMs of this world. No doubt they do much pioneering work which will eventually filter through to us plebs (just as Chowning's discovery of FM synthesis eventually gave us the DX100).

Then again, when do we ever get to hear about what goes on in the depths of IRCAM, Stanford and the like? Now there's something for MT to tackle. But maybe Mr Boulez wouldn't exactly welcome you with open arms.


Meanwhile, I'll keep my fingers crossed for the National Studio. As you've no doubt gathered, I'm a firm believer in the open-door approach. Unfortunately, some people just don't like the draught.

Stan Reynolds Norfolk

Dear MT


Eastern Promise Since we were the only British exhibitor at the Istanbul Music Expo, I am most offended that MUSIC TECHNOLOGY MAY 1987 HERE'S ONLY ONE WAY TO TAKE THE LEAD IN MUSIC. PURCHASE THE PULSE MIDI STUDIO NO. 1 AND WE'LL GIVE YOU ALL THE LEADS YOU NEED ~ FREE!

WE'LL ALSO GIVE YOU A BOOKLET EXPLAINING HOW TO SET IT UP, HOW TO RECORD UP TO NINE INDE-PENDENT MUSICAL PARTS ON THE QX2I SEQUENCER AND HOW TO PLAY THEM BACK THROUGH THE DX27 SYN-



THESIZER AND TX8IZ EXPANDER (EACH PART WITH DIFFERENT FM VOICES). WHAT'S MORE, WITH THE SYNCHRONIZED DRUMS AND PERCUSSION OF THE RX17 DIGITAL RHYTHM PROGRAMMER, MIXED DOWN THROUGH THE KM602 WITH ADDED STEREO CHORUS, YOUR RECORDINGS GET THE TRUE PROFESSIONAL TOUCH. SEE IT IN ACTION FOR YOURSELF. IT'S ON DISPLAY, IT'S IN STOCK AND IT'S ALL

AVAILABLE ON INTEREST FREE CREDIT FROM PULSE.





58-60 CONDUIT ST, LONDON WI. 01 734 5184. OPEN MON-SAT, LATE NIGHT THURS TILL 8PM.

YAMAHA MUSIC

$VERYSOUND TECHNOLOGY \rightarrow \rightarrow$

Sound Technology provide an outstanding range of technically innovative products for the music and recording industries Each unit has been designed for uncompromising professionals who demand outstanding performance and recognise excellence when they hear it Look for our symbol in major retail outlets and sample some sound technology now

FROMA VERY SOUNL



Sound Technology plc, 6 Letchworth Business Centre, Avenue One, Letchworth, Herts SG6 2HR. Telephone: 0462 480000. Fax: 0462 480800. Telex: 826967.

FLAT BANK B C D CHAN CHAN HOLD STORE	
HEADPHONE HIDVCASS CROUP	
PATCH CHANNEL PARAMETERS	
LEVEL ANN FX1 SEND FX2 SEND BASS MID MID FREQ TREB LFO SPD LFO AMIT LFO MODE X-FADE	
	0
ALL LEDS OFF = CHANNEL VOLUMES	A State
	B-B-B-



SPM 8:2 A Commentional Mixer.

The SPM 8:2 from Simmons is anything but a conventional audio mixer. There are, however, some similarities: Eight channels, each with bass, treble and parametric mid-range equalization, two effects sends, pan and level controls. Two effects returns. A headphone/monitor output and left and right master outputs.

Here the similarities end because SPM 8:2 is a computer controlled device making duplication of channel controls unnecessary.

64 different mixes of eight channels, each comprising level, pan, eq and effects data can be stored in SPM 8:2s memory and individual mixes selected at will via MIDI, footswitch or the front panel. Cross-fade times between mixes are programmable for individual channels allowing fade outs and ins of different instruments simultaneously. Each channel also has a four function effects bank offering such features as variable rate auto-pan and phasing.

With a specification and price tag the envy of most "mixing desk" manufacturers SPM 8:2 has only one disadvantage How do you fill a page with its picture?



Simmons Electronics Limited, Alban Park, Hatfield Road, St. Albans, Herts AL4 OJH. Tel: (0727) 36191 (5 lines)

you did not have time to stop by our stand, see our products, and include a mention of us in your review of this event (MT April '87).

We are the last remaining British manufacturers of the Afghanistan Nose Flute, and we struggle to continue to hold the world market share against strong competition from manufacturers in Kirghiz and Outer Mongolia. So our participation was surely worth a mention in your pages.

The Middle East remains an important market for these traditional instruments, and this is the reason we sent 23 of our salesmen to man the JHS booth. We also launched at this show a new tight-fitting model called the Bosphorus Passage.

The BOTB funded a special joint venture for our participation, and though we were the only British exhibitor, the British Ambassador took time to visit our booth accompanied by the Commercial Consul and a visiting dignitary from the Anglo-Turkish Chamber of Commerce. Where were you?



I realise you are a hi-tech magazine, and this may be the reason for your disinterest in our activities. We would inform you, however, that our amplified Nose Flute built-in Nostril Bogie transducer pickup renders – when correctly fitted to the nasal passage – the instrument suitable for interfacing with the most sophisticated digital synthesisers. Iohn H Skewes

Managing Director John Hornby Skewes & Co Leeds

Dear MT

Perfect Way

So it took the mighty Sting to teach Hugh Padgham that inaccuracies and mistakes are an essential part of putting the heart into music, did it? Well, at least someone did. How blind (deaf?) we must all have been to produce so much note- and time-perfect music in the short time since the emergence of drum machines and sequencers.

Of course l've got my own electronic playground just like all of you, and l'd be lying if I said I hadn't fallen for it, too. I've been sat here like everyone else, with the display showing I I4bpm on the beatbox and the autocorrect on the sequencer working overtime.

But now the blinkers are off and I know I've gone one better than Mr Padgham already. I

don't get people to play my mistakes, l program them. Tony Dicken Bromley





INTERFAC


Your questions answered by MUSIC TECHNOLOGY's resident team of experts. If you have a query about any aspect of music technology, or some information that might be useful to other readers, write to Interface at the editorial address.



On the back of my Ensonia ESQI, there's a socket marked Pedal/CV. Is this a control voltage input à la

ye olde modular synths, or just a simple "pot pedal"? MP Lancaster

Citizen's Theatre Glasgow



behind another, say. If you look at pages 31-39 of your owner's manual, you'll find a full discussion of the ESOI's modulation possibilities. No doubt things would be clearer if you had a pedal

to try out these possibilities with. Kal Dolgin of Ensonia UK informs us that the requisite pedal is now available. It's called the CVPI, and you can get it from your Ensoniq dealer for £27.60, including VAT. St



I have recently become the proud owner of a Spectrum 48K computer which I bought secondhand. I know the machine is a bit "old hat" by today's

Macintosh and Atari ST standards, but I'm quite happy with it and would like to know what MIDI sequencing software is available for it.

V Bryan Leicester



Basically, there are two sequencing packages that should fit the bill. First off

there's the XRI Micon System Controller (reviewed in E&MM June '85). As well as note-on/offs, this will store patch change, pitch-bend and mod wheel information. It also boasts a particularly well thoughtout step-time sequencer, helpful graphic displays and dynamic memory allocation.

Alternatively, there's the 10 Systems Sequencer

(reviewed E&MM July '86). This too handles patch change and modulation information, but will also store aftertouch and implements MIDI song pointers, which you may find useful.

Both systems are well provided for in the external sync area, so they'll fit into most keyboard/drummachine/sequencer arrangements. Take your pick. Tg


I have a problem that's baffled me for some time now. I own a Korg Poly 800 (Mkl) and an OSCar (software version 7). Both are MIDI-equipped and both have onboard sequencers. In theory I should be able to write a different sequence into each keyboard's sequencer and then get the two playing back in sync. However, after much experimentation and reading of manuals (not to mention tearing out of hair), I just can't seem to get things to happen.

Are the two instruments incompatible, or am I making some fundamental error? MJSmith

Highworth Wilts

Bad news, I'm afraid. The version 7 software for the OSCar isn't able to recognise MIDI clock information, so you won't be able to sync it to the Poly 800 directly via MIDI. And the bad news doesn't stop there, because OSC are no longer active so there's no easy way to get the software updated.

On a more optimistic note, the OSCar is well provided for in terms of its sync facilities for incoming trigger pulses - I've synced one to a Yamaha RX15 by dividing the RX clock by four or nine (for different quantisation) on the OSCar. By using a sync box like the Korg KMS30, you could convert the Poly 800's MIDI clock to another clock rate, and divide that down to provide the quantisation you need. Remember the OSCar's sequencer memory is limited, so using lower quantisation - where you can get away with it - will help you with economy.



about whether or not it will allow me to control one synth from two other instruments at the same time. Do I need another device, and if so, why? Eric Washington Stoke-on-Trent



What you require is a merge function. It's feasible for a manufacturer to include such a function in a MIDI patchbay, but


the task involved is actually quite different from simple rerouting of signals - which is what a MIDI patchbay does. To our knowledge, there is no MIDI patchbay available in the UK which includes a merging option.

However, although a dedicated MIDI patchbay won't allow you to send more than one MIDI input to the same output, what you can do is route each input on a patchbay to different outputs, giving you, say, up to four signals running in parallel. Alternatively, you could select first one synth and then another to control a third instrument.


What both these examples have in common is that they make no alteration to the MIDI datastream. On the other hand, "merging" MIDI signals obviously requires that two datastreams become one (rather like getting married, really). We're talking digital data here, of course, and if even one bit (binary digit) of data becomes misplaced in the merge process, there's likely to be all manner of havoc at the receiving end.

MIDI data is sent along the five-pin DIN cable in "packets" of 10 bits (a byte framed by one start and one stop bit). So the most basic requirement of a MIDI merge device is that it should retain this packet format when it combines two MIDI signals. This requires intelligent handling, but that's just the start. If you know your MIDI spec, you'll be aware that different commands have different numbers of bytes associated with them. Instruments will expect to receive MIDI information in the officially specified format, ie. a status byte followed - where applicable - by one or two data bytes. It is the status byte which specifies what the command is, and therefore what the following data byte(s) - if any - refer to:


So perhaps you can see that there's a lot of softwarebased work to be done when it comes to merging MIDI data. On the evidence of what's available in the way of MIDI patchbays, it seems that most manufacturers prefer to dedicate this task to a separate unit. In the UK, your choice of MIDI merge units is limited to the Yamaha YMM2, a dedicated unit at around £112, and the MCS2 from the same company, which combines MIDI merging with a range of performance controller assignment options for around £245. St



Put more sh shang-a-lang-



SEQUENCER—Record, arrange and playback in the studio or on the road. Go from keyboard to immediate quality standard music notation printout (transcribed with Deluxe Music Construction Set or Professional Composer).



EDITORS/LIBRARIANS—The juiciest combination of Patch Editor and Patch Librarian on the market. Deal with envelopes as envelopes instead of numbers. Every parameter of sound is displayed right on your Mac screen. Available for Yamaha DX/TX and the Casio CZ series synths. Oberheim Matrix-6 and Yamaha FB-01 and others soon to be playing at a studio near you.



STUDIO PLUS TWO—Includes Modem and Printer "Thru" switches so you can keep your normal MIDI setup connected and still print or use your modem. A third switch lets you connect all 6 MIDI OUTs together. LEDs on the front panel display MIDI activity! It has 2 MIDI INs and 6 MIDI OUTs, and is available with cables for the Mac Plus or the Mac 512.



PROFESSIONAL PLUS—The industry standard, full specification MIDI interface. Recommended by Mark of the Unicorn, Digidesign, Electronic Arts and Byte for the Mac 512 or Mac Plus. It has 1 MIDI IN and 3 MIDI OUTS.

ang in your -a-ding-dong.

Librarian

PATCH LIBRARIANS—Don't buy RAM cartridges, you save money. Name your patches and store them in custom banks and libraries. Yamaha, Casio, Oberheim, Roland, Korg, Ensoniq, Sequential, Fender and more.

1.		
•	Studio Plus	Constanting of the second seco

STUDIO PLUS—Your Mac can have 2 MIDI INs and 6 MIDI OUTS. Sync and record simultaneously or record from 2 MIDI keyboards. Move data using both ports through 6 MIDI OUTS. Ready for the Mac 512 or Mac Plus and Studio Plus sits directly underneath your Mac. o ahead, plug into Opcode Systems' software and listen to what Crusader keyboard wiz Joe Sample and engineer/ programmer Bryan Bell of SynthBank have going for them.

They're getting more power in a Mac and backing their beat with sounds from our fully integrated software that just plain outplays the competition.

Of course, they're playing with Opcode software. Software that gives your fingertips 26 different sequences at the touch of a button vs. the archaic avenue of thought that thinks one song at a time is heady stuff.

Software that delivers your tempo changes, presto, pronto. Software that keeps your individual track looping on track.

And because we see system integration as key, you can go from sequencing to editing to notation to patch loading quickly, easily. No hassles, headaches or hangups.


Our software is designed in a modular direction to follow every little nuance, every twist and turn your music takes. You get what you want, when you want it. And, rest assured, when we've pushed a product even further with upgrades, you'll be the first to hear about it.

So, when you're ready to roar out of the chute, take a good look at what the other guys are pushing, then come straight to the authors who are rewriting the book on music programs.

For more information on our software and interfaces and how we see the importance of true system integration, please call or write.

We'll be more than happy to show you why the competition is still playing musical chairs.


TRADEMARKS: MIDIMAC, STUDIO PLUS; Opcode Systems MACINTOSH, LASERWRITER; Apple Computer, Inc. DELUXE MUSIC CONSTRUCTION SET; Electronic Arts PROFESSIONAL COMPOSER; Mark of the Unicorn, Inc.



Distributed by: Rod Argents Keyboards, 20 Denmark Street, London WC2H 8NA Tel: 01-379 6690; Take Note, Unit 7, Carol Street Workshops, Camden, London NW1 Tel: 01-485 2988

I.N B.R.I.E.F

Hybrid Arts EZ-Track Sequencer



IN A LITTLE less that a year, over 30 MIDI software packages have appeared for the Atari ST series of home computers. Most are aimed at the professional and have a professional price tag to boot. Not so Hybrid Arts' EZ-Track which, at under \pm 60, is the cheapest dedicated ST MIDI sequencer on the market (not counting programs which use the ST's sound chip and just happen to have MIDI facilities).

Like much MIDI software these days, EZ-Track aims to simulate the workings of a tape recorder. All operations take place on one main screen, which has a track display on the left and a control display on the right. The track display lists all 20 tracks, and as you record on them, a line of information builds up from left to right. There's the track number, track name, track on/off arrow, an end of track marker, an activity indicator, a change marker, the MIDI channel number, a protect marker and a figure showing the memory used as a percentage.

Here's an explanation of the ones which may not be selfexplanatory. The end of track marker appears when a track has reached its end (easy, see). The activity indicator flashes whenever information appears on that track, and there are 10 symbols which show how many notes are playing at the time. This is really just a convenient way of seeing which tracks are active. The change marker, a small red 'c', shows if you've altered a track since the song was last saved to disk, and the protect marker shows if a track has been protected so you can't record over it. Protect is selected from the Track menu.

The right half of the screen displays the controls. Here are the record/play, stop and pause buttons, and here you can alter the tempo and transpose the song. You can also switch in the ST's MIDI Thru facility, which sends info appearing at the In socket through to the Out socket.

File handling is very comprehensive. You can save a song as a new file or update an existing one. Thoughtfully, this doesn't remove the old file just in case you made a mistake. There are format disk and delete file options, too.

The editing facilities are probably EZ-Track's weakest area, though there are enough to enable you to produce good solid recordings. The good news is that an enhancement disk with better editing facilities (including looping and punch-in) is on the way.

As things stand you can copy a track, mix tracks and timecorrect a track. When you mix tracks, the original channel assignments are maintained, although you can assign the track to another channel if you wish. The correction value in time-correction can vary from a half-note (minim) to a 32nd-note triplet, and the correction is accomplished by copying to another track. All these operations leave the original tracks intact.

Although a punch-in option is yet to come, you can simulate a punch-in by recording on an empty track and mixing the two together. Simple.

The MIDI menu has two options: Mode and Out Enables. The latter turns the transmission of MIDI clock data on and off, while the former is used to select the output mode. Individual channels can be given MIDI assignments, but the program doesn't display the last selected option, which is rather a nuisance. It also lets you switch Local control on and off, a useful facility in certain circumstances, but rather esoteric – I'd have thought – in this package.

The manual cops out of explaining the MIDI commands by referring you to your instrument's manual – okay, you guys, who's gonna explain this one? It's a shame, because this is one area where users need all the help they can get. Otherwise, the documentation is very helpful.

Real-time recording is a doddle. The program is always in record mode, so whenever you play anything, it records it. Before it stores it, however, you must click the Keep icon. If you're about to overwrite an existing track, the program asks for confirmation and you can save it to another track.

You can increment the tape counter (but not decrement it) by beats, 16th-notes and clocks. At each stage you can play a note or chord, which gives you limited step-time facilities. I found this too awkward to be practical and would suggest you record the hard bits in real-time – very slowly.

EZ-Track is a nice introduction to MIDI, and it'll be even better with the enhancement disk. If you want to test the MIDI water without spending an arm and a leg, then it can certainly be recommended. And if you like splashing around and decide you would like to upgrade to one of Hybrid Arts' bigger programs, you'll qualify for a discount, which is nice.


However, EZ-Track isn't just an introductory package; it's quite capable of being used to produce good results and good music – as the demo pieces prove – and it's incredibly easy to use. \blacksquare Ian Waugh

Price £59.95

More from Syndromic Music, 24-26 Avenue Mews, London N10 3NP. 201-444 9126 MUSIC TECHNOLOGY MAY 1987



YAMAHA **Milestones** in Technology!!



DX7 IID £1699 Our Price £1499 Significant changes in FM system giving a remarkably clear sound. Major improvements in frequency response and dynar range. 64 Internal sounds, 32 performance memories includ split + dual capability. Advanced MIDI spec, voice data of DX's fully compatible. New RAM pack gives greater storag control.

DX7 IIFD £1899 Our price £1699 As DX7 IID but with the addition of a 3.5" disk drive.

RX17 - DIGITAL RHYTHM

PROGRAMMER £325 Our price £299 Low cost quality drum machine. 26 sounds, 100 pattern/10 song memory with programmable tempo, volume changes and tempo changes. Programmable dynamic control via MIDI.

RX5 DIGITAL RHYTHM PROGRAMMER £999 Our price £899

The state of the art drum machine 24 internal sounds, 12 RAM voices 100 patterns, 20 songs. Complete drum kits can be memorised. MIDI direct outputs.

MDFI - MIDIDATA

FILER £329 Our Price £299 Very quick storage medium for synthesizers, sequencers, drum machines etc. 2.8". Quick disk quicker than a cassette for saving and loading data. Perfect for use with: DX71ID/DX7/100/21/ 27 - TX7/TF1/TX81Z - RX5/RX17/RX11/ RX21/RX21L - QX5/21/7 - FB01 and some CX5 software.

TX81Z £449 Our price £399 19" rack mount FM expander. Can be 8 separate instruments, or 8 note polyphonic. Fully programmable from front panel. Compatible with DX21/100/27.32 RAM, 128 ROM and 24 performance memories. A more sophisticated and programable FB01!



				Δ.
and the second second			Cart and a start	
	1918 1.1.1			
Sec. 2m				
	A state to a state of the state			
States and	Start and the	and the state of t		

£275 .£89 £249 £175 .£40 .£99 .£50 £159 £299 £249

£275

MFC1 MIDI FOOT CONTROLLER £225 Our price £199

.£39 £39

New foot controller capable of transmitting program changes, effect changes and MIDI control data i.e. volume, modulation, portamento, sustain etc.


ODIN	A KITS	
UTIUN	U VIIS	
A OTTAK	OOTOO	

NEW OCTOBANS
S/H ROGERS USA JAZZ KIT
NEW SONOR HI-TECH£4500
SONOR PERFORMER 7 PIECE \$1150
SIGNATURE 6 PIECE RED £2795
SONOR SONORLITE JAZZ 4 PC, WHITE
£1950
NEW YAMAHA 5000 SERIES, COMPLETE
NEW YAMAHA 9000 SERIES £1500
NEW YAMAHA 4000 SERIES COMPLETE
NEW YAMAHA 4000 SERIES COMPLETE 2500. S/H PEARL 7 PIECE SILVER
£500
E500. S/H PEARL 7 PIECE SILVER
E500. S/H PEARL 7 PIECE SILVER S/H 4 PIECE INC CYMBALS & CASES
E500. S/H PEARL 7 PIECE SILVER S/H 4 PIECE INC CYMBALS & CASES S/H 6 PIECE INC CYMBALS
E500. SM PEARL 7 PIECE SILVER SM 4 PIECE INC CYMBALS & CASES SM 6 PIECE INC CYMBALS PEARL WLX 5 PIECE NEW
ESOO. S/H PEARL 7 PIECE SILVER S/H 4 PIECE INC CYMBALS & CASES. S/H 6 PIECE INC CYMBALS PEARL WLX 5 PIECE NEW REMO 5 PIECE KITS NEW.

10 BADDOW ROAD, CHELMSFORD, ESSE 0245 352490/353878

NEW REMO LIBERATOR

85 ST MARY'S STREET, SOUTHAMPTON, HAMPSHIRE, 0703 226798/227683



TITI

125 ALBERT ROAD, PORTSMOUTH, HAMPSHIRE 0705 820595

44/46 PRESTON ROAD, BRIGHTON, SUSSEX. 0273 675983/675984

AND JATO STATE				
YAMAHA CS40M				
MOOG PRODIGY				
JUNO 6				
ROLAND SHO9				
MOOG SOURCE				
E&MM SPECTRUM				
KORG MICROPRESET				
CASIO CZ101				
MOOG TAURUS PEDALS				
SEQUENTIAL PROPHET				
BOARDS				
V ROLAND HP100 PIANO				
V ROLAND HP100 PIANO				
DEMO HP3000				
AND HP100 EX-DEMO E830				
AND JX3P S/H				
DO DODION CAL				

£185

.£55 .£45

.£50 .£40 £150

.£55 .£65 .£75 .£70 .£75 £125 .£40 .£30 .£30

MIDI SYNTH MODULES	
NEW ROLAND MKS 20 PIANO	
MODULE	
EX-DEMO ROLAND	
MKS30	
S/H MOOG TAURUS PEDALS	
SAMPLERS	
EX-DEMO ROLAND S10	
EX-DEMO ROLAND S50	
S/H PROPHET 2002	
S/H MIRAGE RACK SAMPLER	
DRUM MACHINES	
DRUM MACHINES S/H BOSS 110	
ORUM MACHINES S/H BOSS 110 S/H KORG KPR77	
DRUM MACHINES S/H BOSS 110 S/H KORG KPR77 S/H ROLAND TR909.	
DRUM MACHINES S/H BOSS 110 S/H KORG KPR77 S/H ROLAND TR909. YAMAHA RX11	
DRUM MACHINES S/H BOSS 110 S/H KORG KPR77 S/H ROLAND TR909, YANAHA RX11 EX-DEMO KORG DDM220	
DRUM MACHINES S/H BOSS 110 S/H KORG KPR77 S/H ROLAND TR909. YAMAHA RX11 EX-DEMO KORG DOM220 S/H ROLAND TB606.	
DRUM MACHINES S/H BOSS 110 S/H KORG KPR77 S/H ROLAND TB909. YAMAHA RX11 EX-DEMO KORG DDM220 S/H ROLAND TB606. S/H ROLAND TB603	
DRUM MACHINES S/H BOSS 110 S/H KOREK KPR77 S/H ROLAND TR909. YAMAHA RX11 EX-DEMO KORG DDM/220 S/H ROLAND TB606. S/H ROLAND TB603. EX-DEMO BOSS HC2.	
DRUM MACHINES S/H BOSS 110 S/H KORG KPR77 S/H ROLAND TB909. YAMAHA RX11 EX-DEMO KORG DDM220 S/H ROLAND TB606. S/H ROLAND TB603	

EX-DEMO DIGISOUND	
EX-DEMO YAMAHA MR10.	
EX-DEMO MPC 'THE CLAP'	
ELECTRONIC KITS	
NEW UP K2X COMPLETE £850	
EX-DEMO KORG DRUM & STANDS	
S/H SIMMONS SDS9 1199	
GUITARS AND BASSES	
ARIA TS-300 S/H	
WESTONE THUNDER 1A OAK L/H	
YAMAHA BB1V	
YAMAHA SG1200S £499	
TOKAI LES PAUL	
FERNANDES TELECASTER	
IBANEZ RS1300NT	
IBANEZ RDADSTAR II £425	
FENDER CONTEMPORARY STRAT £449	
WASHBURN FORCE 3 £245	
KRAMER HALF FRETLESS £495	
NAMER HALF PREILESS 1493	
YAMAHA BX1 HEADLESS £669	
ARIA LEB BASS £255	

E49 E49 E40

2599 2399 2899



Proland Invents the **Future**!!

PRIOO DIGITAL SEQUENCER £530 Our price £490 Budget version of the famous MC500. 2.8" guick disk storage. 17,000 notes per disk, 2 track MIDI.

> **D50 DIGITAL LINEAR SYNTH** £1445 Our price £1350

Rolands Smash Hit New Synth. Rolands new L.A. Technology gives a new outstanding synthesizer which combines new sampling and digital sound techniques. Must Be Heard. 61 key velocity, 16 note poly, pressure sensitive, 64 memory, built in digital eg: reverb, chorus, split, optional PG-1000 programmer.

FANTASTIC NEW RACK EFFECTS

GP8 GUITAR PROCESSOR £745 Our price £690 At last a multi function device exclusively for the guitarist in one box! Featuring eight programmable effects, dynamic filter, compressor, turbo overdrive, distortion, phaser eg: digital delay, digital chorus, all storable in 128 patches.

MKS-50 £560 Our price £499 Digital polyphonic synth module, new rack version of the best selling Juno 2.

DEP-3 £515 Our price £475 New budget version of the famous DEP5 digital reverb, delay eg: 16 bit, great value!

VP70 VOICE PROCESSOR £1075 Our price £999 Fantastic new pitch shifter and MIDI convertor, 4 voices from a mono input, 128 memory, many other uses.



Fantastic New Boss Pedai for the **Bass Guitarist** CEB Chorus £66 **BF2B Flanger £79 GE7B Graphic £72** LMZ Limiter £69 Boss introduce a complete range of pedals for the bass quitarist.

100 £900 Our price £899 sampling module new rack version o	of the famous S10 sampler.
14.455	

Rat



IONE RIVERA SEMI ACOUSTIO SE BUS LES PAUL L/H O II DE500 + CASE DNE 5200. A SB700 L/H

E225 C E235 C E325 C

MKD-Digital

	YAMAMA BE-JUU BASS
300 C	SQUIER PRECISION BASS
C85 C	YAMAHA SE-700HE
140 C	YAMAHA ST-550
149 C	FENDER CONTEMPORARY STRAT
.£250	WESTONE SPECTRUM LX
.£199	IBANEZ RS-525
£275	WESTONE DX BASS IBANEZ RS-530
C120	

OUSTIC GUITARS NYLO 2S NYLON/ELECTRIC

ROLAND JC77 £595	£3
NEW DEAN MARKLEY	
EPHONE FOR BEST	UK P
S/H KAY 50W BASS COMBO	
SAH JHS 30W BASS COMBO	
FENDER STUDIO LEAD \$385	
YAMAHA G100 2 x 12 SII S/H 669	
ROLAND CUBE 100 BASS	
EX-HIRE \$508	0.20
HH 100W PA TOP S/H.	
CARLSBRO PRO CABS	
1 X 15 + 2 HORNS S/H	
CARLSBRO REBEL 8	
CARLSBRO 90 BASS	
CARLSBRO 4 X 10 BASS COMBO	
CARLSBRO SIDEWINDER COMBO	
ROLAND JC-55	
CARLSBRO COBRA 90 BASS TOP	£
CARLSBRO COBRA 90 KEYBOARD TOP	3
CARLSBRO COBRA 90 P.A.	3
CARLSBRO M150 POWER AMP	

EASWARSK

	CARLSBRO 150 BASS TOP
С	SAH CARLSBRO STINGRAY BASS TOP.
× .	
-	FRASER WYATT 100W MONITOR
ε	MAINE S/H 2 X 12 COMBO
19	CARLSBRO 150 MARUN P.A
19	CARLSBRO ST.2120
S	TAURUS CAB
š	CARLSBRO ST-4080
۳.	
0	TAURUS CAB
В	CARLSBRO ST-8151
S	TAURUS CAB
	H/H L-100 COMBO
S	H/H B-100 COMBO
C	OHM GC-75 BASS COMBO
c	SESSION SG-20 COMBO
č	SESSION SG-30 COMEO
	SESSION SG-75 COMEO 1 x 12
Č.	
C	SESSION SG-75 2 X 12
С	SESSION SB-100 BASS COMBO
C	BADGER DOWNBEAT
000000	S/H BADGER BASS BOOGIE
č	ROLAND SPIRIT DAC 15
•	NODELD STINIT DAC 13

2225 EACH C

205 EACH C E385 EACH C £255 £245 £275 £120

10 BADDOW ROAD, CHELMSFORD, ESSE) 0245 352490/353878

85 ST MARY'S STREET, SOUTHAMPTON, HAMPSHIRE 0703 226798/227683

C 15X £499 8 C315 PSB C209 PSB C249 SB C399 EX SYNCHRONISER E12991! C £599# C B STRACK .£299 C £199 C

125 ALBERT ROAD, PORTSMOUTH, HAMPSHIRE 0705 820595

44/46 PRESTON ROAD, BRIGHTON, SUSSEX. 0273 675983/675984



MPD-4 MIDI PAD £145 Our price £134 At last a single pad to MIDI controller. Trigger any sound source or using sets. FANTASTIC NEW BOSS PRODUCTS **BOSS RVIO DIGITAL REVERB**

£225 Our price £199 Fantastic New Boss Digital Reverb at new low price. Nine reverb modes, 10 second delay, micro rack size.





ALL THIS GEAR IS ACTUALLY IN STOCK AND AT THE VERY BEST PRICES IN TOWN! KEYBOARDS AMPLIFIERS

The new Yamaha DX7 New Yamaha TX81Z Yamaha DX21 Yamaha DX27 Yamaha DX100 Roland JX10 Roland Alpha Juno 1 Roland Alpho Juno 2 Roland S10 Sompler Roland S50 Sompler Roland RD300 Piano Roland MKS20 Module Roland MKS50 Module Roland MKS80 Module Roland MK\$100 Module Roland MKS7 Module Akai S900 Sompler Akai X7000 Sampler Akai AX73 Synth Akai \$700 Module Ensoniq Miroge Ensoniq Module Ensoniq ESQ1 **Ensoniq** Piano **EFFECTS ETC** Yamaha SPX90 Yamaha REV7 New Yamaha RX5 New Yamaha RX17 Yamaha RX15 Yamaha RX211 Yamaha QX5 **Roland** DEP5 Roland Dig. Delays Roland DDR30 Drums Roland TR707/727 Roland TR505 Roland CR1000 Boss DR220a/220e Roland MC500 Akai ME25 Akai ME30P Akai Effectors Fostex X15, 4 Track Fostex 160 & 260 Yamaha MT1X 4 Track

SPECIAL PURCHASE Aria GR535 true stereo

rackmount gated reverb RRP £339 ONLY £149

Dean Markley 60w combo Dean Markley 80w combo Dean Markley 130w combo Dean Markley 150 B.Top Dean Markley 1510 B.Cab Dean Markley Kong 20 Marshall 100w V.Top Marshall 4×12 Cab. Marshall 100w Mos-Fet Marshall 4×10 Cab Marshall 50w V.combo Marshall 30w combo Marshall 60w B.combo Marshall Practice amps Peavey Basic 40 combo Peavey TKO 65 combo Peavey TNT 130 combo Peavey Backstage plus Peavey Studio PRO40 Peavey Bandit 65 Peavey Encore 65 Peavey Classic combo Peavey Mk.4 Bass top Peavey 1820 Bass cab Peavey KB100 combo Peavey KB300 combo Peavey 100w PA system Peavey 300w PA system Session Rockette 20/30 Session 75w1×12 Session 75w 4×10 Session 1×15 B.combo Session 4×10 B.combo Session Stereo combo Carlsbro Cobra 90 PA Carlsbro 150/300 PA Carlsbro PA Cabs, various Carlsbro 45w L/B combo Carlsbro Cobra 90 k'bd. New Carlsbro Colt 45K Carlsbro Rebel 8 & 12 Carlsbro Cobra 90BG Carlsbro B150 combo Carlsbro B150 top Roland Super cubes Roland JC55 & 77 Roland JC120 head Roland DAC15 combos


EVERY SINGLE PEDAL AND MICRO-RACK UNIT IN STOCK





I.N B.R.I.E.F

Philip Rees 5X5 MIDI Switch



ONE AREA WHICH requires some thought when your collection of MIDI machines starts to grow is just how you're going to connect them all up. The simplest way, of course, is to chain them together. But aside from the fact that not all instruments have the requisite MIDI Thru socket, chaining is generally frowned upon due to the risk of data corruption when more than two or three instruments are linked up in this way.

The next step is a MIDI Thru box. This can be passive (merely passing the data out of several Thru sockets) or active (allowing you to switch individual Thru sockets in and out). But this is a relatively simple setup which won't necessarily provide all the flexibility you require.

Cue the MIDI patchbay, which allows you to connect several MIDI inputs to any of several MIDI outputs. Latest in a long line of MIDI patchbays which has included offerings from Quark, Sycologic, Akai, 360 Systems and Yamaha is the 5X5 MIDI Switch from British company Philip Rees. At under £100, the 5X5 also happens to be one of the cheapest MIDI patchbays, the only comparably priced unit being Akai's four-in, eight-out ME30P.

As its name suggests, the 5X5 allows five MIDI inputs to be connected to any of five MIDI outputs. The only proviso is that no more than one input can be routed to an output – this would involve two MIDI signals being merged together, which would require a level of sophistication greater than that necessitated by the mere rerouting of signals.

It's also possible to chain together up to three 5X5s, or a combination of 5X5s and X5X Switch Expanders, to give five-in/ten-out or five-in/fifteen-out setups.

Unlike the other manufacturers noted above (with the exception of Quark), the 5X5 is a hardware-only device, ie. there is no microprocessor control. There are no optoisolators in the MIDI circuitry, allowing the unit to achieve a fast throughput. The MIDI inputs are floating relative to each other, and isolation is provided by a custom-designed transformer.

By necessity, though, the above approach means that the 5X5 is devoid of programmability, and thus of the memories to be found on other units such as the ME30P and 360 Systems' MIDI Patcher, which allow you to store your routings and call them up either from the front panel or over MIDI. On the other hand, the individual input selector knobs for each of the five outputs make changes to routings an easy process. These, together with the spaces provided on the front panel for labelling your five MIDI inputs and outputs, mean that you can see at a glance what is assigned to what.

Rees have also provided each input selector with a "zero" setting which switches off the output to the relevant MIDI device. This can be a handy way of temporarily "removing" a particular instrument from a sound texture, but as with all changes to routings on the 5X5, you need to take care to avoid the possibility of the MIDI drone.

This is because, as a hardware device, the 5X5 takes no action to remedy what is essentially a software problem. It's worth bearing in mind that if you're using instruments which send and receive MIDI active sensing then there's no problem, because the receiving instrument(s) will take care of business as soon as the MIDI data flow is interrupted. On the other hand, it can be preferable to avoid the use of active sensing – notably if you're using a sequencer, where such "additional" data can use up valuable memory.

One area where a MIDI patchbay really scores is that of storing patch data via System Exclusive codes to a central machine such as a computer running patch librarian and/or editing software – something which is becoming increasingly common. In this context, all your instruments need to be able to both send and receive over MIDI – so having an equal number of inputs and outputs makes a lot of sense. The 5X5 allows you to connect four instruments in this fashion (the fifth input/output being for the computer or dedicated MIDI storage device).

The 5X5 performs its allotted task well, if without the finesse of software-controlled MIDI patchbays. Its clear front-panel layout and ease of operation are a definite bonus, as are its expandability and its reasonable price.


Still, you should think carefully about whether you'd miss programmability and the possibility of MIDI control, whether the lack of evasive action over MIDI drones will be a problem, and whether other, more expensive units (notably the Quark MIDIInk 999) will provide you with more flexibility in the long run. ■ Simon Trask

Price 5X5 MIDI Switch £85.95, X5X Expander £69.95; both including VAT and p&p

More from Philip Rees (Modern Music Technology), Unit A, Park End Works, Croughton, Brackley, Northants NN13 5LX. S (0869) 810830, or (0865) 250709

I'N B'R'I'E'F Rice Drum Software

P.D. BOH 2, Morecambe LAL LAPP



LET'S FACE FACTS. The BBC Micro is an excellent computer, but suffers from a dearth of musical add-ons. Whereas umpteen MIDI interfaces, samplers and goodness knows what are available for the Commodore 64, the poor Beeb is rather badly done by.

Rice Computer Electronics have thoughtfully stepped in with a drum unit for the good old Beeb, compatible with the Model B and the Master. It's similar to C64 drum software in that it uses a D/A converter to play back sounds whose digital make-up resides inside the computer. The manual says the voices are "computer-generated digital drum sounds" and digital and analogue methods were used in their creation. The result of all this scientific endeavour is the production of sounds with very low background noise – good for recording.

The Rice drum machine was released several months ago and the software has recently been updated. The current disk includes both versions, and as version 1 can do a couple of things version 2 can't, we'll start with that.

First off, the program is a cinch to use. If you've ever dabbled with a programmable drum machine, programming the Rice Drums will be like falling off a cabasa. It works thus: you program a number of rhythm patterns then chain them together to form a complete drum track.

The pattern screen presents you with a grid listing the drums down the left and the pattern steps along the top. There are eight drum sounds: bass, snare, two toms, metronome (clave), cowbell and open and closed hi-hats. What do they sound like? Well, they're pretty good. In fact, they're a pretty marvellous 45 quid's worth. You can switch the bass drum sound between a standard thump and a modern click, use normal or electronic toms, and switch between normal and bright hi-hats.

Drums are inserted with the function keys and can be entered in real and step time. During step-time entry, the rhythm keeps playing so you can hear your pattern build up.

Now for some figures. Up to 64 patterns can be programmed, each containing up to 16 steps. A maximum of 80 patterns can be linked together to form a track, and the program will store up to 12 tracks. Tempo can be varied from 1 to 80.

There are *lots* of nice editing facilities. You can flip from pattern to pattern forwards and backwards. You can also move to another pattern number but retain the same setting, so it's easy to build up a set of slightly different patterns and relocate existing ones.

Other aids include being able to clear the entire pattern, erase a single line of drums, and fill the hi-hat. Keys I-8 produce various reference grids along the top of the screen to help you see where the beats are.

There is a cute echo facility which adds a reverb effect to the drums to beef 'em up a bit. It works, too.

Patterns and tracks can be saved to disk, although they are all saved with the name Data suffixed by a number from I to 8, which is not very informative. It also restricts the number of files you can save to a disk to eight, which is wasteful.

Finally, as an optional extra, you can have a trigger output fitted which will control the likes of a Roland SH101 synth.

The updated software has several new features. The tempo can be varied from 1 to 255 and a pattern can contain up to 32 steps, but the trade-off is a reduction in the total number of patterns to 32. Yes, the memory limitations of the Beeb are showing – though perhaps some clever coding could solve the problem. The echo has gone (big "ah!") along with the bright hi-hats. And for some reason, when you enter step-time mode the pattern stops playing, so you have to flick to real-time to hear the pattern. A nuisance.

On the plus side, there is an auto bass-drum insertion every four, six or eight steps, and a quick way of setting the trigger pulses and tempo, too.

Although the program is easy to use, a few more instructions wouldn't have gone amiss. The key repeat has been disabled, too, which I generally found annoying. I hate jabbing at things, especially keys.

Did I like it? Well, although the software could be tidied up just a little and a few more drum sounds to choose from would be nice, let's put it like this: if I wanted a drum machine and had less than $\pounds 100$ to play with, I'd buy this – and get change, too.

Rice are currently adding a sequencer and bass-guitar synthesiser to the system, and the drum library is being expanded to include audio recordings as well as computergenerated ones. That lot will set you back around £85.

Nice one, Rice. I Ian Waugh

Price Rice Drums cassette – £45; disk – £47.50; trigger interface – £12.50.

More from *Rice Computer Electronics, PO Box* 2, *Morecambe, Lancs, LA44PP.*

The amazing Nomad SMC 1.0 MIDI/SMPTE reader generator. Anyone with a computer - this is the unit for you.A third of the price of similar units



A SMALL SELECTION FROM OUR STOCK CURRENTLY AVAILABLE: E1399 E215 + VAT E225 + VAT E850 + VAT E: 25 + VAT E: 25 + VAT E: 25 + VAT E: 373 E373 E373 E373

LAGOVERD LAGOVERD LAGOVERD LAGOVERD Akai X700 sampler Akai X700 sampler Boom stands. 32 way patchbays only Loaded stage boxes (8 canon, 4 jack). Midiverb II. TAC Scorpions/alloc IAC Scorpions all comgunations Jokas SM-3 synchroniser Janney Dc200 Janney Dc200 Janney Dc200 Janney Dc200 Janney Dc200 Janney Dc200 Janney Ja

US ACCESSIT, APHEX, ART, ALESIS, AKAI, BEYER, CASIO, CUTEC, DIGITECH, DYNAMX, ENSONIO, FOSTEX, MTR, RSD, ROLAND, REVOX, SEOUENTIAL, SYMETIN, TANNOY, TASCAM, VESTAFIRE, YAMAHA...AND MUCH, MUCH, MORE RING NOW FOR DETAILS ('All prices exclude VAT)

VESTA MR10/MR30 IN STOCK

SPECIAL OFFERS Fostex Model 80, RAM 10, plugs, cables, patchbay Fostex model 80, MTR 12/8/2, plugs, cables, patchbay . £1750 + VAT £1650 + VAT

SPECIAL OFFER COMPUTER PACKAGE

BARGAIN BOX ccessit Noise gate and Compressors



If you live some distance from Bedford, there are now two Thatched Cottage Demonstration Studios. Based around fully professional 16 track set ups, they are designed to let you hear equipment in a working environment. From a Midiverb to a SPX90, or an E16 to a noise gate, you'll get good, unbiased advice and as they only demo gear, there'll be no hard sell

£720 £501 £259 £542 £423

£15 £25

£25 each Inc VAT

(you have to ring Bedford for that!). Whether you are buying your first four track set-up or embarking on a Pro-16 track venture, Phil and Paul know what it's like from experience. Give them a ring and talk to guys who have proved it isn't a dream - you can make a living from recording!



When it comes to new equipment you may have noticed that we don't say 'phone for best deal, POA, or ring for lowest price ever'. When you telephone us you will simply be quoted a good price. To be honest if you spend the afternoon on the telephone the chances are you will find

someone somewhere who will undercut us by a pound or two. The difference at THATCHED COTTAGE is if your E16 breaks down on a Sunday moming or your drum machine blows up on a Bank Holiday Monday you CAN ring us, we'll be here and we WILL do something about it 18 hours a day 365 days a year. Have you ever needed help and advice outside shop hours? If you are serious about your music you will know that it is quality of service that makes the difference and at THATCHED COTTAGE it's only a phone call away!

DON'T FORGET..

For those of you who live some distance from Bedford, there are now two Thatched Cottage Demonstation Studios

MIDLANDS (Learnington Spa - Paul) Fostex synchroniser on full time

New 24 track studio now fully operational – only $13 \text{ per hour } \pm \text{Why not bring}$ along your multitrack and use the studio as a mixdown suite? (We offer more outboard gear than any other UK studio).

SECONDHAND AND **EX-DEMO BARGAINS**

LOOK CAREFULLY! YOU MIGHT FIND SOMETHING YOU'VE BEEN AFTER

LOOK CAREFULLY! YOU MIGHT FIND SOMETHING YOU'VE BEEN AFTER

SOMETHING TOO VE BEEN AT	i Bar I I			
3M 24 track with auto locate				
Sony PCM 501 digital mastering, new	£495			
Fostex E16, mint, full guarantee inc remote				
Alesis XTC digital reverb (16K band width) - new				
Yamaha SPX90				
Seck 12-8-2 mixer				
Fostex A80 8 track (mint) with remote				
Slapback Scintillator new version				
Tascam 38 mint	£1499			
Bel BD80 s/h (8 secs with MIDI to CV.	£399			
Q-Play programmable remote for B16/E16	£99			
Vesta Fire MIDI to CV converter, play your sampler				
AHB Keymix, 16 track computer system, fits any desk				
Tascam 58 with full remote and stand - mint				
Roland TR505 separate outputs				
Casio CZ1000 new				
Vesta Dig 411 dig delay 15KH, 1 sec				
Cutec Graphic (2×10)				
Canary 16>8 desk				
Yamaha P150 power amp				
TAC Matchless 26>24>8>2				
Symetrix 544 expander/gate, ex-demo				
Amazing Symetrix 511 single ended noise reduction				
Yamaha Compressor/Limiter				
Seck 18:8:2	£975			
Casio RZ-1 sampling drum machine	£275			
Fostex X15				
Drawmer gates s/h	£250			
John Carpanini's sense of humour credit terms available.				
RSD Studiomaster series II 16/16/2 as new				
Eventide 949 harmonizer £750				
Bell 3BDE3200 32/second, 99 window sampler, racking scratches only,				
silly price				
Roland SH101£85				
Nasa Satellite carrying rockets (fire damage				
stock)	ppointment			
New 24 track studio now fully operational - only £13 per hour * Why not bri	ng along your			

multitrack studio now runy operational – only Lis per hour * why not bring along your multitrack and use the studio as a mixdown suite? (We offer more outboard gear than any other UK studio).

For those of you who are seriously considering starting a commercial studio I've come up with 3 packages, each containing everything you will need for your first paying session, from the multitrack machine right through to DI boxes and cables. The price of the 8 track system is £4450 + VAT, the 16 track is £8450 + VAT and the 24 track is £15,500 + VAT. At Thatched Cottage I proved it could be done. In the last 3 months I have helped 11 new studios to open and start making money - my experience could help you. Give me a ring and have a chat - what have you got to lose?

Thatched

Cottage Audio

Telephone Dave on Bedford (0234) 771259/771166 Thatched Cottage Audio, Cross End, Thurleigh, Beds.

present YOURSELF

The key to playing a successful concert is holding your audience, but few musicians have any idea how to behave on stage at all. We report on a unique way of increasing on-stage confidence. Text by Paul Tingen.



N ARTIST IS either dangerous or dead" is quite a bold statement to make, but it's one which lies at the heart of the work of the Actor's Institute in London.

"

Now, you may justifiably cry: "What's a feature on acting doing in this magazine? I'm a musician/programmer/engineer/ producer/shopkeeper (delete where applicable), not an actor". Fact is, however, that the Actor's Institute runs a weekend course called The Mastery which has led many people to take a remarkable jump in their creative and performing skills. Because, as far as the Actor's Institute is concerned, every form of professional communication stands or falls with one's mastery of those skills.

"Yes, The Mastery is definitely suited to musicians", says Lynne Lesley, who's director of the Institute, and who also leads Masteries. "It hands people a lot of techniques to improve their performance. We try to make people take risks and stimulate them when they're face to face with an audience. That's very important for musicians, because they have, even more than actors, the possibility to react to what's going on in the audience, to let themselves be led by that energy.

"The point is to learn – not to recreate what happened yesterday, but to be creative in the moment. That means taking risks and it puts the artist in an exciting and dangerous position, hence our 'dangerous or dead' slogan. But really, the same applies for everyone who's dealing with people."

The Mastery, which includes individual presentations, prepared pieces, emotional exercises, improvisation and group work, was conceived by the American actor/ director Dan Fauci ten years ago in Los Angeles. The explosive workshop, originally created to improve the performance skills of actors, soon proved successful with all kinds of people – secretaries, managers, teachers as well as artists – and led Dan Fauci into founding the first Actor's Institute in New York.

Now, almost a decade later, there are Actor's Institutes in London, New York, Boston, Montreal, Toronto, Austin, Chicago, Los Angeles, Vancouver and Paris. The London Institute is now also running courses in the Netherlands and Germany, too.

Today, the official "purpose of Mastery" is given in the program books as: "for you to discover your own creative power and your ability to be moving and inspiring". Pretentious wording, perhaps, but the aims are worthy enough.

All Mastery leaders are intensively trained by Fauci, and Lynne Lesley is one of them. When asked what the Mastery's MUSIC TECHNOLOGY MAY 1987 secret of success is, she answers: "I think one of the reasons is that we have no 'method'. We bring people on stage and work with them, there and then, from where they are, and encourage them to take the risks they are willing and ready to take. That's why the workshop can be attended by both amateurs and professionals. We don't judge, and say: 'this is good or bad'. All we care about is that people discover a bit more who they are and what they're capable of.

"In that sense it's a clever workshop. On Friday we ask people what they want, on Saturday they get what they want, and on Sunday they get even more, things which they didn't expect. So they always come out winning."

As a leader, Lesley has also had a lot of experience in working with musicians. Is there anything she finds striking about their attitude to performing?

"Yes. One of the things is that musicians are usually very much focused on their technique. Sometimes it's almost as if they're hiding behind it, or behind their instrument. I know technique is important in music, but from the moment you go on stage you should be able to forget about it. The technical problems should remain in the rehearsal room. In The Mastery we're dealing with the next step, which is performing."

Which is all very well, but hardly an objective assessment of The Mastery's appeal. Sandra Turnbull, who's been managing the Eurythmics with her husband Kenny Smith for the past four years, took the course a year ago, and says it made her look at her whole life in a more creative way. It changed her attitude to managing, and gave her an abundance of energy.

To that, she adds: "I'm working with some up-and-coming bands now like State Of Play, and recommend The Mastery to them absolutely. It gives a performer a mini-version of what happens on stage, with the possibility to experiment, take risks and get a second chance. The feedback from the audience is invaluable there.

"While you're doing it, it feels monumental, like a bang on your nose, but afterwards it's very subtle and gives you a



chance to step to the side and look at what you're doing."


Phoning around to other people who've done The Mastery creates a rather unreal picture. Not a bad word, just lyrical enthusiasm.

Take Linda Lou Allen, a professional singer and comedienne for more than ten years: "It was very stimulating, it taught me to look at my work from a different angle..." Or Nigel Watson, songwriter and drummer with Three Mustafas Three: "Mastery helped me to break several bad habits which kept me from doing my work. It put me right in the middle of a flood of creativity."

Let's leave the final word, then, to Lynne Lesley. "I remember what it felt like when I was a litle girl and managed to cycle for the first time without those little wheels at the side. That was very exciting, and I think a lot of people who've done Mastery feel like that afterwards."

The Mastery is run once every 3-4 weeks by the Actor's Institute, 137 Goswell Road, London ECIV7ET. 201-251 8178. Cost is £115.





MACINTOSH

Apple have introduced two powerful new computers to the Mac family. How do their specifications compare with those of the existing machines, and what will they mean to musicians? *Text by Jim Burgess*.

THE SCENE: a smoky auditorium. Men in suits. The Apple logo everywhere. Dry ice fills the stage. Then, rising slowly and tantalisingly out of the fog: an IBM PC? No, it's the new Macintosh II. It just looks a little like a PC.

With much pomp and pageantry, Apple have finally let the cat out of the bag. The end result of all the rumours we'd been hearing since last year is indeed worth the wait: two powerful new Macintosh computers have been introduced, the Macintosh SE and the Macintosh II.

The SE is essentially a souped-up Mac Plus. It has the same basic appearance but offers some significant speed and performance improvements, along with expandability and a large complement of powerful new features.

The Macintosh II, on the other hand, leaves Mac tradition behind. It boasts stunning colour, six expandable slots for add-on cards, blinding speed, and enough computing horsepower to leave its ancestors in the dust.

Of course, both computers are compatible with existing Mac software. In addition, Apple's new Interfile system is designed to offer either computer compatibility with MS-DOS (read IBM) software applications, a move that should help



Apple's efforts to establish the Mac with Big Business. Further to this end, both computers offer a choice of keyboards, including one that looks suspiciously like a PC keyboard, complete with function keys.

And both the SE and the Mac II feature ADB (the Apple Desktop Bus), the lowspeed serial communications bus Apple introduced on the IIGS which permits up to 16 input devices to be connected at once.

he Macintosh SE

THINK OF THE SE as an expandable, highperformance Mac Plus. Although it looks like a Plus from the outside, the SE has a totally new internal design. For example, a single new gate chip array replaces nineteen Mac Plus chips. Like the Mac Plus, the SE comes with IMByte of RAM, and can be expanded up to 4MByte on the logic board. It comes with twice as much onboard ROM (256K) as the Mac Plus, presumably to accommodate AppleShare (Apple's new file server) and a few new surprises. Users may choose between two 800K floppy drives or a single 800K drive plus an internal 20MByte SCSI hard disk. The IWM (Integrated Woz Machine) floppy disk controller operates twice as fast as that of the Mac Plus, making it suitable for future applications such as accommodating 1.6MByte floppy drives when they become available.

Since the SE uses the same Motorola 68000 CPU (Central Processing Unit) as the Mac Plus, you might be wondering how Apple managed to make it perform 15-20% faster. Part of the answer lies in a change in the ratio of video accesses by the CPU, which effectively makes it available for computing about twice as often as its predecessor. Hard-disk users will be pleased to note a doubling of the SCSI transfer rate, partly thanks to a newer, faster version of the SCSI driver on the SE's ROMs.

MUSIC TECHNOLOGY MAY 1987

Most important of all, SE actually stands for System Expansion. The SE-Bus is a 96pin connector that provides direct access to the 68000 (and the rest of the logic board). Custom third-party expansion cards can be installed easily and, if necessary, can be connected to outside peripherals via the Accessory Access Port on the back panel. Speaking of the back panel, it looks pretty much the same as the back of a Mac Plus: you'll find the same Modem and Printer ports, a disk drive port and a SCSI connector. Two ADB connectors (they look like the Modem/Printer ports) replace the mouse port and keyboard jack.

Because of the major internal design changes mentioned previously, Apple cannot provide an upgrade policy for existing Mac 128, 512 or Plus owners. Since just about all of the boards are different, I suppose Apple think it makes more sense to sell your Mac and buy an SE if you're so inclined.

The Macintosh II

NOW IT'S TIME to get serious: this is one very powerful computer. And with luck, its arrival will mean that MIDI users get a constant series of treats from third-party hardware and software manufacturers over the next few years.

From far away, it really does look like an IBM PC. Not for long, mind you; as soon as you get close enough to see the screen, you know you're looking at something new – brilliant colour with amazing resolution. Prospective Mac II owners have a choice of either a 12" monochrome or a 13" RGB monitor. Those of you who have been squinting at those puny 9" screens for years can take heart.

The standard Mac II video card offers 640×480 pixel resolution and supports either monitor. It offers a palette of over 16 million colours, of which it can simultaneously display 16. An optional eight-bit Video Expansion Kit permits the video card to generate up to 256 colours or shades of grey at once.

Unlike that of the IBM PC, the Mac II's software never needs to know which video card is installed. That means you'll never have to buy a special video card to use a certain program. In the US, high-performance, third-party video cards are already on the way. SuperMac Technology have shown a prototype eight-bit video card with 1024×768 pixel resolution, enough to provide a huge high-resolution display. And AST Research have announced an eight-bit per pixel video digitiser for grabbing real images in colour. Computer animation may never be the same.

Perhaps the best news of all lies in the six expansion slots that conform to the NuBus specification, a bus protocol originally developed at the Massachusetts Institute of Technology and already in use by Western Digital and Texas Instruments. NuBus offers card developers unparalleled flexibility in direct, 32-bit interfacing with the Mac II's CPU and logic board.

Some specs to drool over. The Mac II is based on Motorola's new 68020 32-bit processor, which operates at 16MHz. It also comes standard with Motorola's MUSIC TECHNOLOGY MAY 1987 II I Name MLI Mail Fred Robertson ne ne last Locged On. Thursday, September 18, 1986 9:54 AM Create Memo Critate Package 11: New Mail(0) Opened Mail (22) 1 Out Unsent Mail (3) Sent Mail (15) Send/Receive Address Book File (40)



68881 floating-point arithmetic chip, a coprocessor that can perform math operations up to 200 times faster than the 68020 can on its own. This enables the Mac II to process data at a rate of over 2 million instructions per second. The Mac II's SCSI port transfers data at a rate of over IMByte per second.

The computer is available with a number of different drive configurations. All Mac IIs come with at least one internal 800K floppy drive. The second drive can be either another 800K floppy, or your choice of 20, 40 or 80MB**yt**e internal SCSI hard drives. As with the Mac SE, a revised IWM floppy controller chip capable of supporting the soon-to-come I.6MByte floppy drives comes standard. ► "Apple cannot provide an SE upgrade for existing Mac 128, 512 or Plus owners. Just about all the boards are different, so it makes more sense to sell your Mac and buy an SE if you're so inclined.

The Mac II comes with IMByte of RAM on the logic board, expandable to 2MByte. But towards the end of the year, you'll be able to buy the Mac II with 4MByte of RAM onboard, and expand to 8MByte if necessary.

If that's not enough for your memory requirements, don't worry – external NuBus memory cards can be added at will.

And the back panel of the Mac II features the very same type of Modem and Printer ports as those on the Plus and SE, assuring compatibility with most existing peripheral devices.

Appletalk (Apple's own networking communications system) comes standard,

Mac II users will have the option to use someone else's operating system. In addition to IBM MS-DOS compatible products, Apple will provide a version of the UNIX operating system known as A/UX."

> but the Mac II will also be able to take advantage of more powerful networking protocols such as Ethernet (boasting a 10 MByte/second transfer rate).

> On the subject of communication, Apple plan to break with tradition by giving Mac II users the option to use someone else's operating system. In addition to the aforementioned IBM MS-DOS compatible products available for both the SE and the Mac II, Apple will provide a version of the UNIX operating system known as A/UX.

> What about the sound? At last Apple have seen fit to improve the Mac's sound capabilities, much to the benefit of musicians. The Mac II features four-voice stereo sound generation featuring a new custom sound chip. The ASC (Apple Sound Chip – what else?) offers two IK sound buffers, permitting the computer to

play wavetables or samples. Sony chips handle audio functions like filtering and amplification. Best of all, the Mac II can generate sound without tying up its CPU in the process.

The Potential

WHAT ALL THESE specification details mean is this. The expandable, high-speed Mac II opens the door to more advanced computer music applications than have ever been available. The upward software compatibility offers an existing library of the most powerful music software currently available. And many new musicrelated products are already under development.

The first thing we'll probably see is a cheap Mac II MIDI interface on a NuBus card. And a SMPTE/MIDI/MTC card should also be under development soon.

But that's only the beginning. It shouldn't be long before a number of companies introduce high-quality 16-bit A/D and D/A converters that will turn the Mac II into a self-contained digital audio workstation.

Synthesisers may look very strange when they first start showing up in the form of PC cards, but we'll get used to it soon enough. Why not? There are enough plastic ivories around already, and the idea of a software-controlled card containing high-quality components like DACs, VCFs and VCAs should catch on fairly quickly, even if previous attempts on more primitive systems won relatively few friends. A couple of closing thoughts. I can't help but think that somebody's going to take advantage of the UNIX operating system for musical applications. UNIX's multitasking capabilities must be able to play a role in the recording studio of the future, especially if that studio contains a number of Mac IIs assigned to different real-time control functions.

The availability of colour and much more powerful graphics will undoubtably have positive implications for music software. Besides making programs look nicer and perhaps more convenient to operate, colour offers a whole range of useful new ways to display certain types of data more effectively. Fourier displays, multiple envelope shapes, sequencer note eventediting grids and other types of crowded graphic displays will reap the benefits of colour to make them more informative.

And I hope to see programs that use the Mac II's great graphics and high speed to bring the creative elements of music and graphic art closer together. Animation driven by music; music created by animation.

In the UK, the Mac SE and (especially) the Mac II will not come cheap. The former will set you back at least $\pounds 2500$ (for a dual-floppy machine), while the latter will leave you little change from $\pounds 5500$ if you want a 40MByte hard disk unit.

Hardly Amstrad money, but then these are hardly Amstrad machines. And when you set those prices against £60,000-odd for a Series III Fairlight, you begin to see why I'm so enthusiastic about these computers. Their initial impact may be small, but it will be very significant.



MUSIC TECHNOLOGY MAY 1987

Working with midi and timecodes?



The Steinberg Research SMP-24 provides all the answers. Here's how to control your system utilising the three working modes of the SMP-24...

When used interactively with the Pro-24 program:

SMPTE start offset and cue points together with tempo data can be saved as a Pro-24 song file. Tempo and time signature changes from the Pro-24 mastertrack govern midi sync. and clock out rates of the SMP-24. Each Pro-24 track is assignable to any of 64 separate midi channels via the SMP-24s' four midi outputs. The SMP-24 also has two mergeable midi inputs – overdubs can be made whilst syncing to tape for example. For on-stage use, the SMP-24 accepts Pro-24 song files into its' on-board sequencer negating the need to use your computer at all.

When used as a stand-alone SMPTE synchroniser:

63 sync. programs are available each of which stores start offsets and cue points. Four timecode standards can be selected including E.B.U. The SMP-24 will also read and write MTC (the midi timecode standard). One bit resolution means accuracy down to a sub. frame. Locking time is less than 3 seconds and there is no problem using varispeed codes. An external clock may be used as a tempo reference; this could be: an audio trigger, tempo-tap from front panel or footswitch, any trigger from 1-254 PPQN, or a midi clock. Naturally, the SMP-24 converts timecode to Midi sync. and other clocks up to 254 clicks per. beat. All data can be saved to tape.

When used as a midi processor and controller:

64 midi configuration programs each of which can route either midi input to up to four midi outputs and assign midi channels for all inputs and outputs. Each output may be transposed by pitch and/or velocity and a high and low split point can be set. In addition, there are 64 master midi programs which combine up to four of the configuration programs outlined above, and can hold 20 patch change programs. Furthermore, all programs have fully comprehensive filtering of midi data.

And just to make life easy . . .

The SMP-24 can respond to external midi patch changes to access master midi programs, this makes system re-configuration an instant event simply by changing a program on a synth! The SMP-24 can be programmed so that any front panel function can be toggled by footswitch, the polarity of which can be reversed. There is a built-in metronome. Midi transmission rate can be doubled. Display mode can be switched from letters to numbers to suit your preference.

All in all, the SMP-24 has been designed to make life easy. And at £799. (ex. VAT) it's easy on the pocket too!

Steinberg Research The Spendlove Centre, Charlbury, Oxford OX7 3PQ Telephone: (0608) 811325 Telex: 837883 SPEND G FAX: (0608) 811323 Co

Computer: (0608) 810005

Hybrid Arts offer a range of Atari ST MIDI software to suit all entry level; professional and studio MIDI/SMPTE applications.

Hybrid Arts, Inc and Syndromic Music are pleased to announce the release of the following products with many more to come, offering as a standard policy Tried – Tested – Bug Free software, full upgrade facility, technical hot-line, plus a regular USER FAXSHEET.

Professional, Upgradeable, Compatible and Affordable. Integrated software and hardware systems from Hybrid Arts, Inc.

MIDI UTILITIES ST – £ 49.95 MIDI UTILITIES ST is a multi-purpose program containing two full editors – MACRO & CONFIGURATION – and allows users to program GENPATCH ST files. Real Time MIDI Processing. View MIDI data streaming over the MIDI Bus. MACRO editor for single commands and test commands. MACRO 2 test commands. MACRO & CONFIGURATION files can be saved to disk. Program up to 36 keys for sending MIDI data with single keystroke.

CZ-ANDROID ST - £89.95

The perfect sound editing tool, patch librarian and sound creator for all Casio CZ Synthesizers. CZ-ANDROID contains four separate but interactive modules: Numeric Editor **Graphic Editor** Patch Librarian The Android Function Files fully compatible with GENPATCH ST. Hear the sound as you edit!

DX-ANDROID - £219.95

DX-Android is a fully interactive Editing/ Librarian and Artificially Intelligent Programmer for Yamaha DX7/TX series of synthesizers. DX-ANDROID ST comprises of the following modules: Numeric Editor Graphic Editor Patch Librarian Automated Patch Loader The Android Function Files fully compatible with GENPATCH ST Hear the sound as you edit!

GENPATCH ST - £139.95

GenPatch ST is a Generic Patch Librarian for all MIDI equipment that offers System Exclusive data. GenPatch Accessory is an integrated part of the MIDITRACK ST series. Transfer and Load files to/from MIDI/Disk/Hard Disk/Computer. Store single patches, bulk dumps, samples, sequences etc. . . Make hard copies of any files including MIDI data. MIDI data transfers seen in real time. Pre-tested and preset for over 50 MIDI devices! Files fully compatible with DX/CZ-ANDROID/ MIDITRACK ST Series/MIDI UTILITIES

EZ-TRACK ST - £59.95

Entry level 20 Track Real & Step Time MIDI Recorder. Mix/Copy/Quantize/Solo/ Mute Tracks. Instant Transposition with MIDI Exempt Channel, MIDI THRU Feature/Real Time Metronome. Accesses all MIDI Channels plus Start/Stop Clock via MIDI. Over 27,000 notes on 520ST/FM & 63,000 notes on 1040STF. Files fully compatible with EZ-SCORE/MIDITRACK ST Series.

SMPTETRACK PRO ST - £539.95 -SYNCTRACK ST. - £349.95

Don't be put off by the price, these packages **INCLUDE** the software and SMPTE Read/ Write Generator or Tape Sync Hardware, This has to be one of the most powerful and cost effective MIDI recorders now on the market. 60 Tracks, up to 63,000 notes on 1040ST/17,000 on 5205ST/FM. MIDI Remote Controller & Channelizer. Over 100 programmable quantize levels. Intelligent Punch In/Out, move Note On or whole event. Instant Locate (15,000 notes/second). Mixing & Unmixing of tracks. Sophisticated yet simple Looping/Chaining. Programmable Tempo Track. Track Offset (ahead and behind). Locks to all SMPTE/ MIDI and non-MIDI synchronising GENPATCH ST System Auto-Injector. And there's more

SMPTEMATE ST - £479 95

A general purpose interface unit that transforms your Atari ST into a SMPTE Read/Write Generator. SMPTEMATE reads/writes all standard SMPTE and some non-standard types of SMPTE including NTSC, PAL, DROP, NON-DROP, two types of JAM SYNC. Bit Accurate. Reshapes SMPTE. Reads & Writes Oberheim/Roland FSK plus Roland Sync. Reads & Writes 96, 48 and 24 ppq Reads & Writes Click. Plugs into RS-232 port for efficient data transfer. Hardware gets its power from Joystick port II. Doubles as a mouse pad. Programmable Auxiliary Out/IN, SMPTE IN/OUT. Totally compatible with SYNC/ SMPTETRACK/ADAP1

IEVENT

Hybrid Arts ST software is available from a selected and knowlegable dealer network throughout the UK. Should you have any problems obtaining information, demonstrations and the products themselves please call 01-444 9126.

Hybrid Arts, Inc.

PROFESSIONAL, UPGRADABLE COMPATIBLE AND

INTEGRATED SOFTWARE AND

HARDWARE SYSTEMS.

Please send me details on the Hybrid Arts range of ST Software/Hardware. I own an Atari ST Computer - YES/NO. I am particularly interested in _____

NAME	
ADDRE	SS

POSTCODE_


MTHY



SYNDROMIC MUSIC, 24/26 Avenue Mews, London N10 3NP, Telephone 01-444-9126.

Hybrid Arts, Inc.

B E H I N D bollywood B E Y O N D



...Is Mark Rogers, musician, singer, songwriter and artist. Why has he not had a hit single since 'What's the Colour of Money?', and why did it take six producers to help make his debut album, 'If'? Interview by Tim Goodyer. MUSIC TECHNOLOGY MAY 1987 UESTION: WHEN IS a band not a band? Answer: When it's a flexible collective of musicians assembled to perform one man's songs. Not a new idea, admittedly; in fact, it's one that occurs to most musicians at some time or another. The advantages are obvious: nobody ever tells you your latest song stinks, or asks you to play things you know you'll never get your fingers round this side of Trevor Horn's next production. There are drawbacks, too, but let's remain positive for the time being.

The collective in this case is Hollywood Beyond, who you may remember for a powerful little ditty entitled 'What's the Colour of Money?' that climbed high in the singles charts last year. If you missed that, it's unlikely you'd have noticed its successor, 'No More Tears', which failed to build on the success of 'What's the Colour of Money?' despite the fact it was basically a better song. So much for the fickle British pop market. Undeterred by this failure, both band and record company seem confident of success with single number three, 'Save Me', and a stirring LP of thoughtful pop called If, waiting in the wings for May release.

Hollywood Beyond are the creation of singer/songwriter/keyboardsman Mark Rogers, who did the rounds in his native Birmingham before making the move to London and signing to WEA. He's in a perfect position to decide if a band built around one man's music is the perfect vehicle for self-expression, or merely a severe attack of egotism.

"I'm not a dictator", he says, "but I've done time in bands and it's not for me. If you believe in what you do, people call you arrogant. But if you don't, then nobody else is going to either. I think the reason bands form is because they have secrets to keep. I've got my secrets but I'd like to share them with lots of other people.

"I welcome constructive criticism but I've been in too many bands that couldn't make their minds up about things, or where people have said 'OK, I'll play it' without believing in it, which is even worse. If you ain't got a vibe for something, you shouldn't be playing it."

But don't get the idea that Rogers is either arrogant or egotistical. He sits relaxed in a record company office, happy to talk about himself and his music. I ask a question, he pauses to consider his answer. Suddenly I know I'm talking to a man who is the product of the continual frustrations

35



of playing in pop bands, but with ideas and ambitions he still needs to realise. Cue Hollywood Beyond.

"It's actually three people", he reveals, "There's myself, Jamie B Rose and Cliff Whyte. Cliff's an engineer who does our live work, Jamie does a lot of lyric writing with me and also helps visualising things. We're all from Birmingham and we put Hollywood Beyond together as an umbrella under which we can fulfil our ideas."

If I wasn't convinced by Rogers' own insistence that he's no one-hit wonder, a quick rundown of the producers called in between London, New York and LA to polish up the sound on *If* made his air of optimism contagious: Mike Thorne (Soft Cell, Communards), Stephen Hague (Pet Shop Boys), Bernard Edwards (Chic, Power Station), Phil Thornalley (Robbie Nevil), and Marcus Miller and Tommy LiPuma (Miles Davis). Hot stuff.

"I've worked with a lot of cream producers", Rogers concedes, "but I don't want to shout about it because people will start asking who the hell I am to get all these big name producers. Well, my management and record company have been right behind me, God bless 'em, and I needed to learn how different people get to the same point – the finished song. I wanted these people to help me bring out what I wanted from my songs. For example, 'Vision of Love' is a very uptempo R&B track, so who's the baddest rhythm section going? Bernard Edwards, right? So it's got to go to him.

"Another reason I wanted to keep changing producers was to avoid settling into their routines. I don't want anyone else putting their stamp on my music – I'll put my own stamp on it."

On another, more technical level, Rogers also has his reasons for mixing and matching producers from both sides of the Atlantic.

"One thing I like about the American approach to recording is that everything is laid-down with effects on it. That way, your picture starts taking form as soon as you press the button and go. Some producers record things flat and say it'll be alright in the mix, but that's bullshit. As soon as you put anything to tape it's got to be effective so that, by the time you've put your last part down, you know how well your song is working and where its inadequacies are.

"When you put your basic tracks down, it should be like a painter putting the first wash on a picture; then you can look at it and say 'I'd like to colour here and here'. At the moment I don't really know what I learned, it's all swimming around in my head, but I'm waiting for the right time for it to come out."

Who's Who' of modern producers, it's taken as read that high technology has played its part in the procedings. Rogers is adamant that, like the musicians and producers who have helped him, equipment is also there merely to fulfil his requirements. "One of the tracks I did in America on the Synclavier. It was the first time I'd ever used one and I was seeing all these disk drives empty and thinking 'shouldn't I be filling these?'. I was having this fight with myself: I'm in control, this machine is here to do a part of this job. OK, it's a Synclavier, but that's not the point. What I'm trying to do is to create a song and this is something that is supposed to make my job a little bit easier."

And though Rogers admits that New England Digital's finest helped him get the basis of a song together, it seems that in the midst of the latest state-of-the-art technology, it was human beings who provided the vital musical spark.

"There are certain things that make up music and they don't include a product that's had all the feeling produced out of it. Music is something that's emotive and only happens now and again. It's a performance, and the more performance from different people there is on a track, the more it comes alive to me. Check out all the great songs of the '60s and '70s – there are all these out-of-tune guitars going on, but it still sounds brilliant. What they created was music because it was played with feeling.

"A lot of music now has no guts, no soul. What people call soul isn't what I call soul. It's not a category in a record shop, it's someone who sings or plays from the heart regardless of the music. It's like delivering a vocal: it's how I feel about it on the day, it's not the definitive vocal performance. Live I'd deliver it in a different way, that's the only way to do it. I never piece vocals – I'll do maybe four takes and then pick the best from those. If you try to get one phrase right at a time you come out sounding cold.

"The most important thing is casting a record – you have to know what feel you want and what musicians have that feel. For example, I used Bruce Smith from PiL on 'What's the Colour of Money?', and the moment I heard his snare go down I knew he was right for it.

"I'm into technology because it makes life easier, but only as long as it's sympathetic to my needs – I don't want the machines taking over. I'm getting to the point now where I'm cutting down on my equipment, because I want to get back to the basics of writing a song. A good song should translate with just a vocal and a guitar – if you've done that you know you've got a good song.

"I have a UMI system at home which is great for working on my own. With a band you can say 'OK, eight bars of this then we'll switch to this', but with the UMI I can chop my arrangements around and listen to them instead of having to imagine them. That's a very useful thing for arrangements, but it's no good plugging it in to write on and expecting it to do something itself. The most important factor in creativity is the exchange of ideas.

"What I really like about UMI is the sound library – it means I can have a large selection of sounds available without MUSIC TECHNOLOGY MAY 1987 having to have a huge amount of equipment. I drag things in, I steal their sounds, I put them on disk and that makes life a lot easier from a writing point of view. Different sounds evoke different emotions, so the bigger your library, the greater your choice of emotions."

HE SOFTWARE FORMS the basis of Rogers' home writing and arranging suite, which also contains an Ensoniq ESQ1, Roland RD1000 electronic piano, Yamaha FB01 FM expander, a Yamaha four-track recorder and a drum machine whose identity remains a closely guarded secret.

"I won't say what it is because I hate it. It's not an SP12, because I've worked with that and I'd like to get one soon, and it's not a TR707 because I like that, too. I'm not very good with drum machines, so the display on the TR707 is great. When I'm writing, I don't pay too much attention to the start and end of the bars - I like to play with the tap facility and try to get into the feel of the rhythm I want. The trouble is that if the pattern doesn't fall into a proper bar in the machine, it can be difficult to isolate the bit I want. With the 707 I can read it from the display and reprogram it. I'm not a drummer and I don't pretend to understand a lot of rhythmic things from a drummer's point of view so, to me, that little screen is one of the most valuable parts of the machine.

"I find the ESQ1 invaluable for writing because it allows me to voice so many different sequences. Then I can string them together in songs, edit them and mess with them. When I went to Jamaica and New York I dreamed up this 'travelling unit' with the ESQ1, a drum machine and the four-track machine all in one case. It was a great idea until I picked the bloody thing up..."

As a classically trained pianist, Rogers is in no doubt about the RD1000.

"It's the only keyboard I've found that comes close to a grand piano", he asserts. "Synthesiser keyboards just don't have that kind of weight. I use it for my writing and as a MIDI controller for the FB01. I like the FB01 but I've gone off that digital sound at the moment. I want to get back to big fat analogue sounds. I feel synths should sound like synths, not like other instruments, so I'm toying with buying a Moog – there's nothing like that sound and that knob-twiddling search for sounds."

But the sounds come as a secondary consideration to the songs. A sneak preview of *If* reveals a collection of refreshing pop songs where a classical cello may find itself alongside a koto and a collection of vocal samples, but only where the song demands it, not where it makes the kind of production sense that boosts record sales. The key lies in Rogers' approach to writing. As often as not, inspiration strikes when he's away from what he refers to as his 'tools'.

"The ideas tend to come when I go walking or something. I like making rhythms with my feet and things like that. MUSIC TECHNOLOGY MAY 1987 That's how I tend to write, not necessarily when I'm near a piano. I'll be walking down the street and I'll start whistling something and that's an *idea*. Everybody must have them, if only they'd put them down. I tell people this and they say 'but I can't play anything'. You don't have to be able to play anything. There's this big taboo about musicianship; if you appreciate music, then I think you're musical.

"Right now I'm trying to brush up on my technique because my piano playing is disgusting. I'm losing a lot of electronic gadgets in order to go back and learn my basic playing technique. But that's not because I need it for my writing, it's because I need it for myself – it gives me pleasure.

"When you have an idea, all you need is the ability to get that idea over. I believe everybody who loves music must be able to create music. All you need is something like this thing I'm talking into now to hum your melody line into. There are enough people out there that can play it for you – it's the ideas that are the important thing. People tend to forget that.

"I need another Walkman or a dictaphone myself at the moment. I need something I can just scribble ideas onto because I've been in situations where I've got an idea in my head and I daren't talk to anybody until I've got to a piano and got the idea down. I'm not a hit merchant, I can't sit down and say 'today I'm going to write a hit'. How do you do that? You've got to get a vibe from somewhere, but then, I can't sit around waiting for one to reach me. I need to capture the ideas when they come."

> NCE THE INSPIRATION stage has been and gone, Rogers develops his songs in different ways.

"I write mid-tempo and slow songs on piano. If I want something a little bit rocky then I'll go to a guitar. My first instrument is the piano but I tend to disappear up my own arse with it sometimes, so I limit myself with a guitar or bass. If I have an idea in my mind of what I want to say then the music comes very easily. Songs like 'After Midnight', 'Crimes of Passion' and 'What's the Colour of Money?' took me literally only five minutes to put together."

Once written and arranged, songs are demoed onto four-track cassette. The limitations of the four-track format give Rogers a balance of freedom and discipline that currently pleases him, though the route to this enviable position hasn't been easy.

"When I wrote some of the tracks on this album I didn't have a multitrack machine – I used to have to bounce across between two stereo machines. But I got my ideas down and that's all that's important. When you get your hands on some money you think yeah, let's go for it. But if you're not careful, you get so much into the equipment that you start to forget about your songs. My job is to find the ideas to put into the songs."

In this instance, "going for it" has left >

"A lot of music now has no soul... Soul isn't a category in a record shop, it's someone singing or playing from the heart."



Mark Rogers with a Fostex eight-track machine he's never used.

"That's caused me nothing but bloody trouble since I bought it – I don't mind telling you that because I've already told Fostex. I've had it for two years and it still hasn't worked properly. They assure me now that it's working, but it's going because I don't need an eight-track anymore. With the UMI and the ESQ1 I only need four tracks: a drum track, a sync track, a track for bass or guitar and a track for my vocal, and that's all I need to construct a song."

Songs written and recorded, the next move is to take them out on the road, where Rogers' flexible band enables him to pick the right people for the occasion. But this doesn't preclude the appearance of a few regular Beyonders like guitarist Matt Backer.

"Matt's a young American guitarist who's like jack of all trades, master of all. He's lived in a lot of places and taken his guitar with him wherever he's gone, so he's picked up a lot of styles and influences. What I particularly like about him is that he's open to ideas, he's not too muso.

"I only have three regular people that I've used to date – the rest are a variety of people who were available at the time I needed them. Another thing I don't want is bread-heads. I don't want someone who will come in and do a job but keep looking at his watch. If you look towards creating something, then the money will follow. I never work with anyone unless I love them, and they have to feel the same way about me. I want something a little extra on top of my money's worth."

And what does Rogers want for his money?

"A lot of people want to sound like somebody else; I respect a lot of people but I sure as hell don't want to sound like them. Someone from Chrysalis once came to see me play and said 'I like the music but at the moment we're looking for another Blondie'. I said 'Well that I ain't!'

"I want to do anything that's danceable and interesting, anything as long as it's not bland. Yes, I want hits, but I want them to be good enough songs to be singles, rather than songs that should be in the charts because they've been released as singles. I can't sit down and write a single. Having written a song I can say that's possibly a single, but I can't write overt pop music. It's a formula that would be very easy to follow, but I'd like to find my own formula. Music itself is endless, so there must be things we haven't dealt with in pop yet. At the moment I think we desperately need a new movement. England is a very small, if prestigious, market perhaps it's time for people to start thinking global...

"Unfortunately, you need to have successful singles so that people know you're out there and will buy your album. We were discussing all the bands during the '70s that never used to sell many singles but had huge album sales. I can't think of how people got to know about them. I think it was because there was a much bigger gig circuit then."

EPLETED THOUGH THE current live circuit may be, Hollywood Beyond intend taking full advantage of it, with an imminent tour and an aggressive use of visuals that will accompany it.

"We're not trying to blind everyone visually to what's actually going on musically", elaborates Rogers. "Everything must be complementary. We're paying a lot of attention to set design, lighting and so on. It's a show. I can't expect everyone to like what we do, but I want people to enjoy watching us.

"I think gigs generally now are very tired. I know there's a limited number of things you can do live, but you have to move on, there have to be new ideas to keep up with the way other things are going. I believe the longevity of a band is in its live appeal. If you can't cut it live, I'm not interested. People like U2 and Prince have the ability to translate their recorded work into live performance, and that's part of what makes them good. I've done things in the studio that I won't be able to do live, but the essence of what I put down I can still translate into a live performance."

Hollywood Beyond, then. A pop band that care about their art, or a pop band with artistic pretentions?

"There's this thing about art and money... The music business is bullshit, it's a contradiction. How can you have music and business? They're opposite things. One's art and one's money, but somehow the two of them have to gel somewhere. You can't be totally art-self because if it's art it belongs to everybody. I never liked the Tate Gallery because I couldn't go and touch the bloody paintings."

Oddly enough, I found Mark Rogers' 'After Midnight' quite touched me. MUSIC TECHNOLOGY MAY 1987

"If a pattern doesn't fall into a bar in the machine it can be difficult to isolate what I want. But I can read it from the TR707 display and reprogram it."

Rock City PRICE IS ONLY A PHONE CALL AWAY

PHONE OUR HOTLINES - NEWCASTLE 091-232 4175 - SUNDERLAND 0783-655168

DO YOU WANT HP? No matter where you live, we can offer you no deposit hire purchase, PLUS first payment, 3 months after delivery, PLUS up to 3 years to pay, PLUS part exchange. (Written details on request).

SPECIALSTS IN MAIL ORDER

•ATARI-ATARI-ATARI FUL RANGE OF ATARI HARDWARE, SOFTWARE AND ACCESSORIES NOW AVAILABLE AT LOW LOW PRICES AVAILABLE HOW! THE NEW ATARI F20ST/FM COMPUTER. Half megabyte internal RAM. taalf medude to the computer optional netwide ATARI 100 ST Computer (optional monitors) ATARI 500 ST Computer (optional monitors) SPECIAL PRICE STEINBERG SOFTWARE Full range of this superlative software on demot

ASTONISHING NEW PROPHETS PROPHET VS. Revolutionary new vector synthesizer, 61 note louch sensitive, programmable, spiki, layering, 8 voices (4 oscillators), many many other functions. III amany other functions. III am

eit indisk drive..... PROPNET STUDIO 440. 12 bit digital sampler, 40.000 note sequencer, real time sample mmitoring, drum epic

A most sophisticated sampling keyboar around the fabulous Emulator 2. Please details on this amazing machine.

STUDIOMASTER STUDIOMASTER SERIES II, super sophisticated mixers which includes MIDI controlled automated muting of input channels, aux returns, plus many other unque leatures. STUDIOMASTER SERIES III AND IV mixers also available at very low prices NEW STELLA MINERS, include 12 - 8 - 2. This theatens to be the best value 8 track studio mixer yet, for growth. STUDIOMASTER STALEE MIXERS 6.- 2. 12 - 2, 165- 24--2 a speciality. Al Studiomaster power amps available firs stock. We are one of the largest Studiom deaters in the N. Pease pointe for any advice. Also full range of mixers by AHB (EMC) 16/24 track computer assisted mixedown systems, System 8, etcl. MTR, BOSS, RSD, DYNAMIX, RAM, SKCK, SCIMUTRACS etc. ALL AT THE LOWEST EVER PRICES!

After delivery, PLUS up to 3 y Construction of the second second

THE POWER AND THE Lory of Roland Pianos

GLONT OF ROLAND PIANOS BECKT OF ROLAND PIANOS Recombine to produce the best rate of a lectronic planas available today. Five models to choose from: HP-5800, AB Ubday, Five models to choose from the interest free or coli....PANE FOR 0FTAILS RD1000 Dig elec Plano BB (toly weighted wooden kays, superb grant plano sounds and fees like the real ting, 15 note polyphonic MIDI SAS sound generation. SAS sound generation. Includes sland, PD PRICE RD1000. Digital delectronic plano. This instrument is outsta. Miang, it must be the best electronic plano to arrise yit MKS20. Plano module. Realistic tat plano sounds in-modular form. (Back mough version of R1000)....FOA STD S-PER SAMELING EVENDARD. ALLOWING 4 SAM*LES OF 1.1 SECONDS FACH, TO BE SPITA. CROSS TV & REVBOARD. THIS INSTRUMENT IS A MUST....EPOA SD S-DEVDEC, 15 SECONDS SAMPLING THE AT SWALL ON 3D SECONDS SAMPLING THE AT SWALL

EXPANSION OF PROVIDENT OF PROVIDENT. PROVIDENT OF PROVIDENT OF PROVIDENT OF PROVIDENT OF PROVIDENT OF PROVIDENT OF PROVIDENT. PROVIDENT OF PROVIDENT OF PROVIDENT

ROCK CITY, 10 MOSLEY STREET, **NEWCASTLE UPON TYNE NET 1DE 3 091-232 4175**

ROCK CITY, 5 STOCKTON ROAD, SUNDERLAND, TYNE & WEAR SR1 3NR **3 0783 655168/78058**

SATISFACTION GUARANTEE IF YOU MAIL ORDER FROM ROCK CITY, AND ARE NOT COMPLETELY SATISFIED WITH YOUR PRODUCT, WE WILL XCHANGE IT FOR ANY OTHER PRODUC OF A SIMILAR VALUE AS LONG AS YOU RETURN IT TO US WITHIN 14 DAYS. YOU CAN'T GO WRONG!

here 5P0 PF70 & PP80 Electronic Planes. Superti weighted keytoard, excellent sounds plus advanced MIDI specification. Can also be used as a notitier keytoard PKTHA SPECIAL DEALS spesig MIDI DIGITAL MULTI EFFECTS PROCESSOR. A MOLE HACK EFFECTS SYSTEM IN ORE 19' UNITI IPECIFICATION TOO BIG TO LIST EXTRA SPECIAL PRIC

ELECTRONIC DRUMS ns SIMMONS SIMMONS SI ns SPM 8>2 MIDI controlle ng spec, phone for details... ns SDS9 ns SDS1000

SPECIALISE IN THE WHOLE SIMMONS RANGE AKAI SPECIAL PACKAGE DEALS NEW! 5700. Rack mounting 12 bit sampler, 6 voices/4 internal sound banks, edit, built in disk voices/4 internal sound banks, edit, built in disk

Roland TOTALLY NEW TECHNOLOGY

 Features
 EPOA

 NEW ROLAND GP8 Rack mounting MIDI guitar programmer, gives mind
 PHONE US NOW

 NEW ROLAND RRV10 Digital reverb. Each program totally controllable.
 PHONE US NOW

 NEW ROLAND RRV10 Digital reverb. Each program totally controllable.
 Erilliant performance at an amazing price of
 £199

 NEW ROLAND MP104 MIDI pad. Controls any instrument through MIDI system
 RING US
 RING US

 NEW ROLAND PM11 Bass pad. unique floating head
 £POA

 NEW ROLAND PD21 Snare/tom. Unique floating head
 £POA

 NEW Roland PD31 Snare. Unique floating head
 £POA

VESTA FIRE VESTA FIRE MI30! Smaller brother of the MR10 presens association ding value in an easy to use package. This will be the biggest selling four track event. AROUND ETTR

Veri AROUND E199 VESTA FIRE MHTO The best value portastudio argund, allowing up to four tracks to be recorded and one dubbed so that demos pecome a joy to make. Full EQ for multing signals adds even more flexibility SPECIAL VESTAFIRE PACKAGEI MHTO package includes power upply, headphones, microphone 6339

Alesis Midifex	
Alesis Microverb	
Roland DEP5	
Carlsbro D900 delay	
Yamaita SPX90	
Korg S003300 triple delay	
Korg S0D1200 dual delay	
Korg DRV100 digital reverb	
NEW Roland RRV10 digital reverts, unique!	
HIGH & PAAALA PALADE DE DUD MARCOUE CTOCYCIT	

CASIO SK100 Sampling Keyboard SK200 Sampling Keyboard SK21 Sampling Keyboard SK21 Sampling Keyboard SK21 Sampling Keyboard C25000 CP00 C23000 CP00

PPOA ECTISSIONICS ESQI NEW MURIT I IMBRAL POLYSYNTH WITH A HOST OF FEATURES INCLUONIG A VERY SOPHISTICATED BOILD ID MID SEQUENCER E1115 SOPI ELECTROWIC GRAND PIANO THIS IS THE REAL DING - SUPPER WEAKTER KEYBOARD MICTURE SAMPLING ALEPTOARD ACTION MIRAGE SAMPLING ALEPTOARD, EUROPES FIRST AMPLING ALEPTOARD MICTOO FIRE DISKS EPOA MIRAGE EXPANDER, AACK MOUNTED VERSION OF BOVE INC SOON WORTH OF PIALE DISKS EPOA NEW ENSDING MODELS AVAILABLE SOON --

NEW STORE OPENING SOON IN MIDDLESBROUGH VISA

MANY READERS ARE now supplementing their patch charts with a short demo cassette of the sounds in question, and this is *really good news* for our over-worked (and generally hungover) editorial team. Don't worry too much about classic performances and impeccable recording quality; just present your sounds simply and concisely – and convince us you're the best of the bunch. If you can't lay your hands on a cassette player, don't let that put you off submitting some patches – an interesting description is a good substitute.

patchW.O.R.K

And if you're still waiting to see your particular synth featured in these pages, then why not be the first to submit some sounds?

Don't forget that if your patch gets published, you'll receive a **free year's subscription** to MUSIC TECHNOLOGY with our compliments. So send us your favourite sounds on a photocopy of an owner's manual chart (coupled with a blank one for artwork purpose) accompanied, if possible, by a short demo-tape. Include a decent-length description of your sound and its musical purpose in life, and write your full name and address on each chart. And remember, edited presets are all very well, but an original masterpiece is *always* preferable. OK?

The address to send sounds to: Patchwork, MUSIC TECHNOLOGY, Alexander House, I Milton Road, Cambridge, CB4 IUY.

KORG DW8000

Rivendell

Paul Nagle, Preston, Lancs

1



11	8	21	8	31	30	41	7	51	4	61	0	71	5	81	1
12	10	22	11	32	2	42	31	52	31	62	19	72	6	82 ⁻	2
13	31	23	21	33	3	43	0	53	0	63	17	73	11	83	9
14	3	24	1	34	1	44	0	54	0	64	4	74	0	841	-16
15	1	25	3	35	28	45	7	55	20	65	0	75	31	85	2
16	4	26	0			46	31	56	26	66	2	76	15	860	-1
17	9					47	6	57	7	67	0	77	0	87	
		· · · ·		L							Key	Ass:	ign:	POLY	1

An extract from Paul's latest album, Wilderlands, due out later in the year, has made its way into the MT offices. One of the tracks, 'Rivendell', features a classy lead string sound which Paul describes as "a good sound for melodic playing. It's nice as a layered MIDI sound, say alongside a piano, and the touchsensitivity only cuts through with heavy fingering." One free prescription on its way...

	AMA Z Turnbu	Axe		tland		17	7	Т	RI	40	35	7	0	Off	4	
						ALGO- BITHM	FEED	W	AVE	SPEED	DELAY	PMD	AMD	SYNC	PITCH	AMPLI- TUDE
		-		-		01100	BACK	-	1		L	FO	-	-	MOD. SE	NSITIVIT
1	2	3	4	5	6	7	8	9		10	11	12	13	14	15	16
	POLY/	PITCH	BEND	P	ORTAMENT	го ·		-								
	MONO	RANGE	STEP	MODE	GLISS- ANDO	TIME										
	POLY	2	0	FOLLOW	OFF	0										
				1)									
R	17	00	0	99 70 60 6		F2	, L -	- 0	21	3	4-6	0				-
	17	00	0	99 70 60 6 80 21 5 5	99 99 97 0	•	- <u>L</u> -I		21	3	4-6	0				
R R R	1		-2		99 99 97 0 99 65 81 0	F2		- 0		3	+					
R	1	00	-2	802155	99 99 97 0 99 65 81 0 99 90 0 0	F2 A-1	-L -l	0	0	1	80	0	22	00000	C?	Axe
R	1	00	+5	80 21 5 5 75 14 28 60	99 99 97 0 99 65 81 0 99 90 0 0 99 90 96 0	F2 A-1 A3	-L -l -L -l	- 0 - 0	0	6	80 87	0	29 98 92 33	50 22 20 20	C2	Axe
R R R R	1	00	-2 +2 0 -1	80 21 5 5 75 14 28 60 99 87 0 0	99 99 97 0 99 65 81 0 99 90 0 0 99 90 0 0 99 90 96 0 99 96 94 0	F2 A-1 A3 F2	-L -l -L -l -L -l	- 0 - 0 - 0	0 60 11	1 6 3	80 87 89	0 0 0	29 98 92 53	2222	C2	Axe
R R R R MODE/	F 1 1 1 FREQ.	00 00 00 00 FREQ.	-2 +2 0 -1	80 21 5 5 75 14 28 60 99 87 0 0 99 95 0 0 99 48 47 70 1 2 3 4	93 99 97 0 99 65 81 0 99 90 0 0 99 90 96 0 99 96 94 0 99 95 98 0 1 2 3 4	F2 A-1 A3 F2 A-1 A-1 BREAK		- 0 - 0 - 0 - 0 - 0 - 0	0 60 11 0 0 R	I 5 3 1 K.BOARD	80 87 89 85 99 00TPUT	O O O 2 VELOC-	1234	1234	KEY	
R R R R	F I I I FREQ. COARSE	00 00 00 00 00	-2 +2 0 -1 +2	80 21 5 5 75 14 28 60 99 87 0 0 99 95 0 0 99 48 47 70 1 2 3 4 RATE	93 99 97 0 99 65 81 0 99 90 0 0 99 90 96 0 99 96 94 0 99 95 98 0	F2 A-1 A3 F2 A-1 A-1	-L -L -L -L -L -L -L -L -L -L L R CURVE	- 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	0 60 11 0 0 8 8	1 6 3 3	80 87 89 85 99	O O O 2 VELOC- ITY SENS.		1 2 3 4 LEVEL	-	
R R R MODE/ SYNC	F I I I FREQ. COARSE		-2 +2 0 -1 +2	80 21 5 5 75 14 28 60 99 87 0 0 99 95 0 0 99 48 47 70 1 2 3 4 RATE	99 99 97 0 99 65 81 0 99 90 0 0 99 90 96 0 99 96 94 0 99 95 98 0 99 95 98 0 1 2 3 4 LEVEL	F2 A-1 A3 F2 A-1 A-1 BREAK POINT	-L -L -L -L -L -L -L -L -L -L L R CURVE	- 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	0 60 11 0 0 8 8	I B 3 I K.BOARD RATE	80 87 89 85 99 OUTPUT LEVEL	O O O 2 VELOC- ITY SENS.	1 2 3 4 RATE	1 2 3 4 LEVEL	KEY TRANS-	VOICE
R R R R MODE/	F 1 F 1 I FREQ. COARSE OSCIL		-2 +2 0 -1 +2 DETUNE	80;21 5 5 75 14 28 60 97,87 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 0 0 99,95;0 3 4 RATE E	99 99 97 0 99 55 81 0 99 90 0 0 99 90 96 0 99 96 94 0 99 95 98 0 1 2 3 4 LEVEL G 22	F2 A-1 A3 F2 A-1 A-1 BREAK POINT KEYBOA	-L -L -L -L -L -L -L -L -L -L L R CURVE	- 0 - 0 - 0 - 0 - 0 - 0 - 0 - L - DE L SCAI	0 60 11 0 0 8 8	I 5 3 1 K.BOARD RATE SCALING 26	80 87 89 85 99 OUTPUT LEVEL OPER	O O O 2 VELOC- ITY SENS. ATOR	1 2 3 4 RATE PITC	1 2 3 4 LEVEL HEG 30	KEY TRANS- POSE	VOICE

Robert's 'Axe' demo did such a good job at impersonating a screaming guitar, no-one at MT guessed it was generated by a DX7. 'Axe' could be just what you need for playing raving guitar-like solos on your remote keyboard stage front, and proficient use of pitch-bend will attract even greater admiration (and probably a few phone numbers, too). Don't be shy with this one...

ROLAND JUPITER 6 Ford's Fender

Ford Elliott, Folkestone, Kent



There's a definite accent on axes this month, and 'Ford's Fender' typifies the sound made famous by sixties heroes the Shadows. Being one half of a duo comprising keyboards/bass, Ford finds it useful for impersonating a non-existent guitarist. And if rock 'n' roll's your cup of tea, you'll get the beat going with this one.

CASIO CZ101 Night porter SD Fletcher, Notts 'Nightporter' was programmed (surprise, surprise) in an attempt to recreate the mood of the Satieinfluenced Japan song of the same name. If the sound comes across rather too sweetly for your taste, reduce the Fine Detune to around 09 for a more piano-like sound. Some slow modulation delayed to the tail-end of the sound adds a different dimension, too.

	TONE NAME		CARTRIDGE NO.	TONE NO.
PARAMETER	IGHTPORTER			
MODULATION	DETUNE		VIBRATO	OCTAVE
LINE SELECT RING NOISE +1- 0		WAVE DEL		
1+2' OFF OFF + (+/-)	0 00 12	(1-4) (0-		B) (+/-) (0-1)
		(;) (v		
1	2			
DCO 1	D	CO 2		
WAVE FORM		WAVE FORM		
FIRST SECOND		ST SECOND		
1 0		2 0		
(1-8) (0-8) E N V (PITCH)	,, 	- 8) (0 - 8)	N V (PITCH)	
STEP 1 2 3 4 5 6	7 8 ST	EP 1 2	3 4 5 6	7 8
RATE 50	(0 - 99) RJ	TE 50		(0-
LEVEL 00	(0 - 99) LE	/EL 00		(0-
SUS/END END	SUS	ENDEND		
DCW 1		CW 2		
KEY FOLLOW		FOLLOW]		
9 (0-9)		9 (0-9)		
E N V (WAVE) STEP 1 2 3 4 5 6	7 8 51	EP 1 2	N V (WAVE) 3 4 5 6	7 8
RATE 60 12	(0 ~ 99) FU	TE 77 12		(0-1
LEVEL 60 00	(0 - 99) LE	/EL 50 00		(0-1
SUS/END END		END END		
DCA 1		CA 2		
KEY FOLLOW	KEY	FOLLOW		
0 (0-9)		5 (0-9)		
ENV (AMP)			N V (AMP)	
STEP 1 2 3 4 5 6		EP 1 2	3 4 5 6	7 8
RATE 95 30	(0-99) R/	TE 95 30		
LEVEL 99 00		VEL 99 00		(0 -
SUS/END END	SUS	END END		

LFO I Rate Delay Wave	4 0
VCO MOD LFO Env I VCOI & 2	0 0 Off
PWM PW PWM LFO	5 11⁄2
CROSS MOD Manual Env I	10 10 0
VCO I Range Wave	EZ 8
VCO 2 Range Wave	32'
- r sync	On
VCF Mode Frequency Resonance Envelope Env LFO Keyboard	BPF 2½ 0 -2 4 0 4
VCA Env 2 Level LFO	10 0
ENV I Attack Decay Sustain Release Keyboard Follow	 4 5½ 0 2
ENV 2 Attack Decay Sustain Release Keyboard Follow	0 4 5 6½ 4½
Glide	Off
Arpeggio ASSIGN Unison Detune Mode	Off 21/2 Unison
Key Mode	Whole

SAMPLING in STEREO

Your sampling keyboard may not have the stereo inputs, but using some simple techniques, you can make your own stereo samples – and reap some rich rewards. Text by Howard Massey.

THAT SAMPLING INSTRUMENTS are growing increasingly popular these days is indisputable. Whether this upswing is a result of, or a cause of, their rapidly dropping prices is open to conjecture, but the fact remains that more and more

"Recording two simultaneous audio signals instead of one makes for an audio experience far closer to 'reality' – after all, those of us not named Van Gogh have two ears, not one."

musicians are getting into using these devices in order to augment their arsenal of sounds.

Problems

THE AMOUNT OF available memory in these instruments is largely a function of their price, though as raw computer memory gets cheaper, we shall undoubtedly start to see more and more powerful samplers available for less and less cost.

"We need to synchronise the two sides so that the total stereo image begins at the same time, even if one channel starts a bit later than the other. Let's use good old-fashioned physical reality – tape."

> Hugely expensive samplers like the Fairlight Series III and Synclavier not only offer higher-fidelity samples, but allow you to sample literally minutes (if not hours) of signal. Because their hefty price-tag implies mammoth amounts of onboard memory, you can not only sample monophonically in these instruments, but you can actually feed a stereo signal in and sample in stereo – though this quite naturally halves the total amount of sampling time available to you.

Smaller, more affordable samplers like the Emulator II, Emax, Prophet 2000, Akai S900, Korg DSS I, and Ensoniq Mirage have much less available onboard memory (generally well less than a minute of sampling at any kind of decent fidelity), and so don't offer such an option.

But recording engineers everywhere know the value of working in stereo. Recording two simultaneous audio signals instead of one makes for an audio experience that is far closer to "reality" – after all, those of us not named Van Gogh have *two* ears, not one. Synthesisers with stereo outputs generally produce sounds of a richer quality, largely because of the inherent phase cancellations and reinforcements caused by stereo spatiality.

Furthermore, virtually all final recordings these days are stereophonic. Samplers are today increasingly becoming an extension of the audio tape recorder, as they allow manipulation processes like looping, splicing, and editing to be performed easily and without the need for barbaric devices like razor blades. (Shave and a haircut, please, and while you're at it, can you edit in a new chorus...?) One of the most common uses for sampling in a recording situation is to feed a word or phrase directly from the multitrack recorder into the sampler and to then "break, break, brbrbr breakbreakbreak" to your heart's content, in real time to the final mix. More often than not, however, vocals (particularly backing vocals) as well as instrumental tracks have been submixed into a stereo image. If you then take that stereo image and sample it monophonically, it's obviously going to take a fair bit of tweaking to then lay it back into the stereo mix with any kind of continuity.

Solutions


SO WHAT DO you do? Hire in a Fairlight? Fine, if you've got the dough. But if you already own one of those less expensive samplers, you can pocket your money, because what I'm going to do here is tell you how to obtain stereo samples and play them from your existing machine. This technique was perfected on an Emulator II, which is the sampler I find myself using most often, but there's no reason why it won't work on many of the other aforementioned samplers just as well. The only real conditions are that: 1) your sampler must offer you the ability to assign two voices to a single key; 2) it must provide separate outputs for each voice (this leaves out the Mirage, I know – sorry about that); and 3) it must give you the ability to truncate the beginning of the sample.

It will also be useful, though not mandatory, to have an adjustable audio threshold setting in order to actually start the sampling process.

First of all, of course, you'll need a stereo source signal. This could be a record, tape, or CD, or it could be a stereo output from a single stereo synth, or it could be a stereo submix from either a tape or a MIDI system. Let's presume, for this example, that our source signal will be the stereo output from a submix of several backing vocal tracks taken from a multitrack master.

One problem that needs to be dealt with is that the signal in the left channel may not begin at precisely the same time as that in the right channel - after all, in a stereo submix you can place any part of your total sound anywhere in an imaginary 180-degree plane. Let's suppose, for example, that the backing vocals are singing the phrase "stick it in your ear" and that the male backing singers are singing right at the start while the female vocalists just come in for the "in your ear" part. You might want, for example, the male vocals in the right channel and the female vocals in the left. Or you might put all the vocals on one side and a short digitally delayed version on the other. You see what I'm getting at, I hope - the point is, both channels won't necessarily start at the same time.

So we'll need to somehow synchronise the two sides so that the total stereo image begins at the same time, even if one channel starts a bit later than the other. Does this mean we need to resort to an arsenal of expensive sync boxes? No way. Let's get more basic than that, and use



good old-fashioned physical reality instead. Meaning – tape. Or cassette. Or (best of all) a VCR tape medium for digital recording. (like the Sony PCM systems). If we dub our stereo source signal onto one of these media and precede it slightly with some kind of recognisable percussive signal, then clearly, the distance between the start of that percussive signal and the start of our stereo source material (the stuff we really want to sample) will remain constant, so long as the tape or VCR speed remains constant.

Therefore, do the following. Record some kind of sharp, percussive sound onto your tape, cassette, or VCR (if you're using the PCM system), making sure that it is recorded on both tracks at the same VU level. A second or so later, record the actual stereo sound you want to sample. Try to keep the gap between the two as short as possible, for reasons that will be obvious in just a moment.

The real purpose of this percussive "leader" is simply to trigger our sampler into starting the sampling process assuming you're working with an instrument that provides you with an audio threshold control. If your particular sampler doesn't have that feature, however, there's a way around that problem, though one which isn't quite as precise. Instead of recording a single percussive sound, record four of them in rhythm to act as a kind of count-in. What you'll then need to do is manually start your sampler sampling on the fourth beat. If you've got any kind of decent sense of rhythm, this should work pretty well.

Obviously, since none of the samplers we're discussing here has a stereo input, we'll have to sample each channel separately. If your instrument has an adjustable threshold control, be careful to keep it at exactly the same level for both samples. If you're not, try to start the sampler precisely on the fourth beat both times. If you feel underqualified to do this accurately, call up your sister's boyfriend who happens to be a drummer and have him hit the button for you. The trick, in either instance, is to get the start of the sample the same for both channels. This will ensure synchronisation of the final signal.

The next step, after you've sampled both the left and right channels (and saved them to disk - you don't want anyone tripping over the power cable after all this hard work) is to edit out the percussive trigger. Listen to both samples individually, and determine by ear which one seems to start earlier - this is the one to edit first. If they both seem to start at the same time relative to the percussive trigger, then you can work with either one first. While monitoring just the one sample you've decided to edit first, use your instrument's truncate feature to remove everything from the percussive trigger, right up to the start of the sound itself. Before you make the truncation permanent, write down the value of the new start point (in bytes or seconds, whichever way your instrument displays it). Now go to the other sample, and without even listening to it, simply truncate its start at exactly the same point.

Since we took great pains to ensure that both samples started at precisely the same instant (through either the threshold control or your sister's boyfriend's phenomenal sense of rhythm), we can truncate them both at the same starting point, with confidence that they will remain synchronised.

All you need do now is assign both samples to the same key or series of keys (up to a two-octave range on the Emulator II, possibly more on other instruments), and then utilise the individual outputs offered by your instrument. Feed the sends into your mixing desk, and pan them hard left and hard right accordingly. On the Emulator II, you can achieve as much as four-voice polyphony of your stereo sample by assigning the left sample to

Having taken great pains to ensure that both samples started at precisely the same instant, we can truncate them at the same starting point with confidence that they will remain synchronised."

channels 1-4, and the right sample to channels 5-8 – then simply pan channels 1-4 of your mixing desk to hard left and channels 5-8 to hard right.

Results

THE SUBTLE BUT important phase differences in a stereo image should immediately yield huge benefits when you listen back to your stereo sample – you'll undoubtedly find that your sound is immediately "bigger" and far less directional, which will in turn make it much easier to mix in with your final stereo signal. We've gone a long way since the days of mono, after all.

There's no reason why your sampling instrument should be providing only monophonic sound sources if it has the capabilities outlined above, most of which are pretty standard these days, anyway.

Try it. You'll like it. 🔳



Seven-piece ensemble Man Jumping have left the "systems" tag behind on a new album for EG What problems does their line-up pose, and how successful can they be now that their music can't be pigeon-holed? Interview by Tim Goodyer.

beating the

Before MAN JUMPING made² their first album, they beat a path to virtually every record company in London. Almost unanimously, the reaction they met with was: "This is the best thing we've heard all year". The material was then sent to each company'smarketing department, and came back with the message: "We think it's great too, but who do we sell it to?"

And there, in a nutshell, you have the dilemma facing *any* modern musicians who have enough courage to strike out in a musical direction of their own. If your music can't be categorised, you can't beat the system.

Man Jumping are a seven-strong collecfive whose chosen musical direction continues to be a cause of concern to the music industry establishment – and to journalists given the task of reviewing their music. Me? I'd call it jazz – with complications.

There's no doubt that Man Jumping's influences are many and varied; jazz, classical and systems musics meet latin funk, calypso and rock rhythms in an invigorating fusion of rhythms and melodies that is unlikely ever to make *Top* of the Pops, but which moves the feet and amazes the ear regardless. You can check it out yourself on the above-mentioned album, titled *Jumpcut* and eventually released on Cocteau Records – *if* you can still find a copy in the shops. If you can't, try the second album, *World Service*, freshly released on MJ's new label, EG.

"EG have a healthy policy of marketing fairly whacky acts, but what goes on in the heads of A&R men is a mystery hdon't think anything goes through their heads, it all goes through lunch."

The speaker is Glyn Perrin, one of Man Jumping's *four* keyboard players, along with Schaun Tozer, Charlie Seaward and Orlando Gough. Perrin's the one currently wearing a wry grin.

The remaining Men Jumping are saxophonist extraordinaire Andy Blake, bass player (and part-time keyboard player) John Lunn, and drummer Simon Limbrick. Almost all of them graduated through the ranks of Lost Jockey (an ensemble that specialised in a large, fluid membership and a fusion of rock and systems music), with Limbrick joining the line-up late, missing out on Jumpcut.

"It's certainly not systems music any more", asserts Perrin, "let's get that straight. And jazz is one of those words that just seems to be convenient for a lot of people, at the moment. I don't think there's very much we do that's in the true jazz tradition, but there are a lot of people here that listen to jazz."

While MJ are obviously moving away from the systems style, ther 's still suf ficient structure in the music to prevent it straying too far. Blake's sax, while powerful and emotive, never quite attains full solo status; the textural nes are just too strong to break.

RGUMENTS ABOUT STYLE aside another major force in Man Jumping's music is high technology. That's not to say the music has become an excuse for four keyboard players to indulge themselves in technical fantasies: all MJ's members are musically trained to a frightening degree (if you get my drift).

"Unless you're prepared to keep bringing in other players, technology is the only real way of incorporating tonal variation into a small band", says Perrin We've been a live band since the DX",

We've been a live band since the DX², adds Blake. "It gave us our own horn section without having to drag another nine or ten people around with us. Almost from the start, Schaun and Glyn have been able to program sounds that blend in with the sorts of sound I produce."

"Then there's another dimension in tones that you can't produce with conventional instruments anyway", interjects Perrin. "Nobody in this band treats gear as little black boxes. I've read so many interviews where people have said: 'I'd love to be able to program the DX but I haven't got the time to sort it out'. If you tot up the time it take to get to the first interesting stage of DX programming, it's about 15 hours hard work. Thereafter you can fit it in a you go and you *don't* need a vast amount of technical ability; you just have to have a degree of concentration."

In an age of DX preset madness, World Service presents the listener with a refreshing selection of DX sounds which, while MUSIC TECHNOLOGY MAY 1987 still FM-clear, are obviously not the result of a quick five minutes spent messing with one of the presets.

"I suppose that's where our trained background comes in", muses Perrin. "It gives us the ability to analyse what a sound does and how it does it. When I was learning to play the piano I had a couple of years of great perplexity when my teachers were trying to explain the thousands of different shades of tonal gradation you can produce on a piano. I was peering inside the plano, watching a hammer hit a string, and saying: 'I just don't understand - either I'm kidding myself, you're kidding yourself, orit's actually true . And the fact that it is true if you listen to any good pianist from any style of music, there are enormously different sounds to be had out of the one instrument.

"So you learn what happens within a sound, especially at the front of the sound - that's the most important because that' where all the information is - and whe you come to programming, that's one of the first things you have to deal with. You have to listen to what a 'real' instrument does if you want to jmitate a 'real' instrument, and then apply that analysis to the synth."

It's not only FM synthesis that's played a part in the synthesised textures of Man Jumping's music, World Service calls on the services of wavetable synthesis in the form of a PPG, analogue synthesis from an Oberheim OBXa and a Roland JX8P, and the sampling power of three Akai S900s.

"There are a couple of interesting Iranian vocal sounds that we, er, lifted, confesses Tozer," and we've been making a lot of our own vocal samples too. But using the Akai isn't fust a case of lifting things and thinking they're nice. It's trying not to get th sound of acoustic instruments because the original instruments will always do it better.

"Simon's got one S900 fitted with trigger inputs so he can fire it from an Octapad. That's provided us with a lot of interesting ideas: on one of the tracks we've, got eight different snare sounds which are gated to eight different vocal sounds. The aim is to get away from the idea that the snare sound you first hear in a piece is a fixed element. It's often very bombastic and yo tend to filter it out after a while and ignore a We experimented a bit with it and inded up with some in redible effects."

HILE THE BAND themselves may consider seven a perfectly workable number of musiclans to accommodate within a group, it's still beyond the levels of tolerance for most! especially when it comes to earching out a balance between everybody's musical interests. On the other hand, it does provide a larger than average pool of ideas...

"I think having everybody creatively involved in the project, rather than having a heirarchy with generals dishing out orders to the ranks, is a far more exciting way to work", says Perrin. "Musically the results tend to be far more MUSIC TECHNOLOGY MAY 1987 radical: if there's anything in a track that starts to smell of compromise it gets kicked out, so what actually goes down is something everybody's happy with. The result tends to be something no one person or subgroup within the band could have come up with:


"Everyone in this band has a really committed interest to everyone else's ideas, even if they don't agree with them all the time. Everyone spends at least as much time thinking about what everybody else has produced as what they're trying to do themselves. You sit there and you worry at night. what is this part supposed to be doing in the arrangement, because I don't think it's working? So you get on the phone to the guy that's written it and spend the next two hours talking about where the piece is going. And I wouldn't sacrifice that process for the world. Sometimes there are some real crises and other times things will come together that no-one could have foresten, You think: Wow, where did that come from?'. And the answer is it came from all seven of you working together. The complete band is bigger than the seven individuals that make it up."

The trouble with a line-up as big as this one, though, is that it's impossible to talk about *anything* without the subject becoming complicated. Take MIDI, for example. This band uses a lot of synthesisers, so the topic is bound to come up in conversation sooner or later. I talk MIDI, they talk classical arrangements...

"There seems to be a law of diminishing returns where, if you MIDI too much together, you lose the focus on the

"On one of the tracks we've got eight different snare sounds... o get away from the idea that the snare you first bear in a piece is fixed."

Ph tography Tim Goodyer





"There's a great mystery surrounding written music due to our education system: it's made it out to be some esoteric art when it isn't."

purpose of a sound", Perrin opines: "I can understand that very well from conventional classical orchestration: once you've got a flute to carry a particular part, you don t double it up with two other flutes because they start to cancel each other out."

"Hmmm. Strange how rules centuries old still hold good in the face of modern technology. But what of the mysteries of the stave? How do The Dots fit into the scheme of things in 1987? Perrin takes up the challenge.

"There's a great mystery surrounding written music which I think is partly due to our education system: it's made it out to be some hyper-specialised, esoteric art when actually it isn't. In the last 20 or 30 years it's become more of a lost art.

"All my older teachers could read and 'hear' things off the stave, and that was because they didn't have access to gramophone recordings when they were young, and only to live concerts if they lived in London and could afford to go to them. Their solution was to go to the public library and borrow a score. I have a composer friend who is a great reader and can imagine huge arrangements for those very reasons. But now I'd say the vast majority of music is made by ear."

So how valuable is the lost art'to seven modern, technology-obsessed musicians?

"Well, there are some pieces that we'd written and performed live that we didn't have a record of – apart from the dots – before we got into the studio. Obviously when you're playing inside a band you have a very particular perspective of what's going on. Sometimes it's only when you sit down in the studio that you realise how certain parts are supposed to go together, or why something isn't working. So the dots are quite useful – they let you see in theory how something works.

"The trouble is, a lot of the time the dots go down without a specific idea of what they represent in sound. If you change the sound of one of the parts, that can significantly alter the perspective of the piece. When you're recording, that might mean that something else has to change or even go altogether.

"The four keyboard players in the band all play quite differently; they all have different strengths and abilities. Some of us have been brought up more on pianos like me, while Charlie has always been a synth player. There are certain ways he gets around synths that it's going to take me a good while to learn."

"When we record and arrange for live work, who takes each part is determined by each players strength", elaborates Tozer. "But at the same time everybody is stretching themselves. It's not the case that there's one player who will always play the rhythm parts."

"There are times when having too much technique actively prevents you from seeing things clearly", Perrin continues." "When there are seven people out there generating a lot of energy, it can be very difficult to see the simpler side of things. There's always the temptation to develop an idea more and more.

"At the end of the process, you find yourselves having to go back and strip things down to something that's far more manageable - that's where you have to rein in your technique. Everybody here knows they can play more notes per second but that's not the point, and it doesn't mean there aren't challenges. For example, without a guitarist in the band we have certain problems. There are things that rhythm guitar players do that contribute sound in a very specific way, and we have to get round that in other ways. On any keyboard that's very difficults There are various different solutions, but to get to the way a rhythm guitarist would actually articulate is something that interests me a lot."

ENOUNCING THEIR SYSTEMS background may be in keeping with Man Jumping's musical policy, but it's unlikely to help make the music more easy to pigeon-hole – and therefore sell. Which brings us back to where we were at the beginning. How much success can Perrin & Co, with their rambling line-up and unclassifiable repertoire, reasonably expect to enjoy?

"We've actually got to sell quite a lot of records to keep this band alive", Perrin confirms. "Supporting seven musicians equates to considerable commercial success, but everybody has the aim that we could generate enough work through albums, filmscores, gigging, and whatever to bring in enough money so that we don't have to do half the other things we have to do at the moment to stay solvent."

"Films are definitely an interesting area", agrees Tozer. "In the last two or three years the work we've done with dance companies has proved quite popular. We did some stuff for the London Contemporary Dance Theatre last summer and we're starting on another piece for the Second Stride company in April. It's a whole area that's developing for us. We're rather like a team where making albums, gigging, film work and dance are all important aspects."

Perrin: "There's obviously a lot more happening down on the ground than ever gets on to Radio 1 – hip hop, for example, seems to be a far more dynamic scene than pop music, certainly in its use of technology and the lack of respect for the conventional use of technology.'You just carve it up and see what it does.

"But then there's this view that everything that flows out of Radio 1 is complete papt and I don't think that anything's ever that bad. I think the listeners become a particular kind of expert about the music simply because of the amount of exposure they've had to it. They may not be able to sit down and articulate about it, but they're experts in the same way people that go to football matches are experts. If you just construct music to a formula ultimately you're going to be crushed under your own cynicism."

"It's very dangerous to underestimate your audience in just how tough they are", Tozer concludes. "The average punter is a pretty tough cookie."




How many DX7's have you got? One often sounds too thin and harsh even with outboard effects to fatten it up. The DX7 is a sixteen note polyphonic synthesizer, you only have 10 fingers! Ever wondered what happens to all those extra voices. The DX-MAX gives three new polyphonic modes allowing 16 note* 1 voice, 8^2 and 4^* 4 voice assign. You can create chords or subtle chorus by detuning the stacked voices, chromatic and fine detune +/- two octaves. As well as 256 sound memories, 256 function memories, full MIDI spec update, upper and lower key limit, volume parameter, and all can be loaded on to standard RAM Cartridges.

SOUNDS GOOD? SOUNDS LIKE FOUR DX7's

Exclusively distributed by Argents Keyboards - Tel: 01-379 6690 - Dealer Enquiries Welcome - From MRA Members



STEINBERG COSMO CZ Voice Editor for Commodore 64/128



Of all the ranges of voice-editing computer software currently available, Steinberg's is one of the biggest. We put their Casio CZ package to the test. Review by Ian Waugh. DIGITAL SYNTHS SHOULD carry a Government Health Warning. I mean, you know where you are with an analogue synth: the VCO's connected to the VCF, the VCF's connected to the VCA, the VCA's connected to the amp. And you can plug your LFO into just about any VC you want. All jolly good, clean, straightforward stuff.

Not so the digital synth. All those numbers and not a graph in sight. That's probably why many owners never get around to programming their instrument. That's also probably why a number of voice editors have appeared on the market: the software companies saw a gap and proceeded to plug it, Steinberg among them. In fact, Steinberg have voice editors for Yamaha's FM synths, Ensoniq's Mirage, Korg's DW8000 and Roland's Alpha Juno synths. But today it's the turn of their editor for Casio's CZ synths, cutely named Cosmo.

If you look at the manual – which all good software reviewers should do at least once during a review – the first thing which strikes you is the Germanic English and some incompartible spellings. The second thing which strikes you is just how few instructions there actually are. Whoopee! The program is a doddle to use and the textual incongruities don't seriously hamper the process, though I tend to think that when you're paying this sort of money for something, you're entitled to some comprehensive documentation.

Format

BUT ENOUGH WHINGEING – what of the program? The main screen shows the two sets of Casio DCOs, DCWs and DCAs both graphically and numerically. Down the centre of the screen are the wholly numeric parameters such as key follow, vibrato, ring modulation, noise and detune settings, and so on. You move around the screen with the cursor

keys, and a text window at the bottom of the screen spells out exactly which parameter has been selected. All very neat and tidy.

The two sets of waveforms for the DCOs are displayed graphically, and you can flip through them with the function keys. FI selects the first waveform and F3 selects the second, but to switch off the second one you must press F2 (which is FI plus Shift); I'd have thought F4 (F3 plus Shift) a more logical choice.

You alter the parameters with the + and - keys, a method similar to using the Casio's value buttons so seasoned programmers should feel at home. The graphs are re-drawn as you alter the parameters which helps enormously, but you can't latch onto a section of graph and pull it about.

The sustain point is shown by vertical lines cutting through the graph at the appropriate places, which is a great help when trying to visualise what the sound is actually doing. I do have a gripe about the way the end points are handled, though. If a node has a positive level value and you decide to stick an end point there, the level naturally enough reverts to 0. On the synth, if you then shift the end point you get your original value back, but in Cosmo it is lost forever. There is a compare function, however, which flips from the current sound to the original one, which is very handy.

As soon as you boot the program, it grabs the contents of the synth's internal presets and stores them in its own internal edit bank. In order to keep these presets safe, you must transfer them to one of the program's other eight banks and preferably save them to disk. The program can only access the synth's internal presets, so cartridge voices have to pass through the internal bank.

All editing, loading and saving operations take place within the internal edit bank. When you load a bank from disk it automatically replaces the synth's internal voices – MUSIC TECHNOLOGY MAY 1987 which is why you must be sure the originals are safe.

As you edit a voice, the changes are immediately transferred to the synth so you can hear what it sounds like. You can give the voices names, too, which is essential when you come to organise your creations.

One of Cosmo's best features is the way it lets you handle banks of voices. It uses a separate screen for this, and lists the internal edit bank down the left and one of the eight other banks down the right. A total of 128 voices are provided on disk to start you off, and some aren't at all badmaybe I'll pinch a few. A voice is highlighted on each side of the screen, and you can scroll through the sounds and change banks with the function keys. The aim is to line up a voice from one of the eight banks with one from the internal edit bank. Having done that, you press Return and the two sounds swap. It's simplicity itself to pull together the voices you require to make your own sound banks, and it's particularly useful being able to work with eight banks at once. You can get a printout of any screen, too.

Verdict

IT SEEMS A CZ editor is certainly a good thing. Programs like this are rife in the States, where almost anybody who happens to run a software company seems to have produced one. In the good old UK, however, there are not so many around – but the most well-known ones will be Joreth's (at £45) and Dr T's, from Take Note (at £65). The burning question, therefore, has to be: how do they all compare?

Joreth's CZ Editor (which works with the Steinberg interface) got the once-over in our March '86 issue and generally got the thumbs up. It has lots of extra editing features such as copy and exchange envelopes, time scaling,

CFICK

envelope reset to initial values and access to cartridge memories. It also handles the end point in the same way as the synths. Dr T's program has not yet come under our eagle eye, but it also has rescaling features, envelope copying, and so on. And both programs have a sequencer

▶ "The sustain point is shown by vertical lines cutting through the graph at appropriate places – a help when trying to visualise what the sound is doing."

option which will play a tune while you muck about with the sounds.

Compared with these programs, Steinberg's Cosmo seems a little short on frills, not to mention a little heavy on the wallet – but this may have more to do with the value of the pound against the Deutschmark, rather than the intrinsic value Steinberg place upon their wares.

Cosmo does score heavily in the ease-of-use department: you get 128 voices and I really like the way it handles banks of sounds. In fact, I was really very happy with the program and it is only in comparisons that it suffers.

If you are a committed Steinberg afficionado and voice

Cosmo scores heavily in the ease-of-use department: you get 128 voices and I really like the way it handles banks of sounds."

organisation is top of your list of priorities, then stick with the company you know. If you would like a few more editing facilities and perhaps have an eye on your bank account, it may be worthwhile checking out the others.

Price Cosmo £80; MMI Interface £55; both including VAT

More from Steinberg Research, The Spendlove Centre, Charlbury, Oxford, OX7 3PQ. 🕿 (0608) 811 325

NEW ROLAND D50 SYNTH, PG1000 PROGRAMMER, PM16 MIDI PAD SYSTEM AND GP8 PROGRAMMABLE EFFECTS RACK ALL DUE MAY 87

NULIDIA	ALL DUE MAY 87	
MUSIC C	Yamaha DX711 – new model Yamaha DX7 11 FD new model with floppy disc	£1499
A TIOSIC VO	Yamaha RAM 4 – 64 voice memories	£49
COMPANY 7	Yamaha RX5 super duper drum machine	£899
,	Yamaha TX81Z advanced FM expander Yamaha MFC1 MIDI foot controller (Take your socks off first)	£449
	Yamaha MFC1 MIDI foot controller (Take your socks off first)	£199
20 KINICC DOAD	Yamaha MDE1 disc to MIDI for anything	£299
20 KINGS ROAD,	Yamaha MDF1 disc to MIDI for anything Yamaha RX17 drum machine (RX21 and RX21L in one unit)	£299
FLEET LIANADCHUDE	SPECIAL! Yamaha PF80 pianos (brand new boxed full warranty)	£699
FLEET, HAMPSHIRE	PF80 semi flight cases	£7,5
	PF80 full flight cases PROCESSOR/RACK UNITS	£90
GU13 9AD ENGLAND	Simmons SPM 8:2 MIDI mixer	6500
	Roland Dep 5 digital effects unit	Stock
	Yamaha SPX90	n Stock
	Ibanez SDR1000 stereo digital reverb	£589
TEL: FLEET (0252)	Korg DRV1000 digital reverb	. £299
	MTR DNG one dual gate	£249
621210/621554	Vesta-Fire SL200 dual compressor limiter	£240
021210/021331	Vesta-Fire dig 411 delay	£210
	Vesta-Fire dig 420 sampler delay	£295
	Yamaha GC2020 B compressor limiter Yamaha GQ1031 – 31 band EQ	£289
MAIL ORDER SPECIALISTS	Yamaha $O(1031 - 31 \text{ band stereo } FO$	£425
	Yamaha Q2031 – 31 band stereo EQ Aces E15S 15 band stereo graphic	£163
	Aces PB16 patchbay Cutec GE2010 10 band stereo graphic	£42
ALL PRICES INCLUDE VAT	Cutec GE2010 10 band stereo graphic	£108
ACCESS, BARCLAYCARD, AMEX, DINERS, CHEQUES OR CASH	ROLAND GM70 + GK1 GUITAR SYNTH £950 – EXCELLE BOSS MICRORACK – ALL UNITS IN STOCK INCLUDIN NEW RRV10 DIGITAL REVERB. SPECIAL PURCHASE CPM (60W STEREO 8 CHANNEL POWERED MIXER) £375	G
HIRE PURCHASE	Complete Roland stock	NOW! NOW! DEMO
PART EXCHANGE	RAMSA MAIN DEALER MAIN DEALER	



CASIO SK2100 Portable Sampling Keyboard



Take the ingredients of today's MIDI music system, put them in one instrument, and you've got today's portable keyboard. Does its appeal stretch beyond the home? Review by Dan Goldstein.

MUSIC TECHNOLOGY MAY 1987

IF YOU WERE asked to name the main ingredients for a small, modern MIDI-based music composition system, what would your reply consist of? A synthesiser (maybe two, maybe more). A sampler. A multitrack sequencer, whether of the dedicated or computer-based kind. And a drum machine, with the option of a few pads to play it from. Link that little package of goodies to some recording equipment, and you've got yourself *the* archetypal small electronic studio of the late 1980s.

But there is an alternative. One that puts all the nonrecording ingredients mentioned above into a small box, is easier to get to learn and use than any of them, and is also cheaper than any of them are likely to be.

Ladies and gentlemen, I give you the Casio SK2100 – flagship of the company's "SK" range of instruments (keyboards that are aimed at the home market, but which feature sampling as a major selling point), and by any standard a very tidy piece of technological packaging indeed.

It's a sampler, obviously. Actually, it's an eight-bit polyphonic sampler with a sampling rate fixed at 10.113kHz, and various editing functions – but we're not at the detailed spec stage of this review yet. It's also a synthesiser, with a 49-key splittable keyboard, 12 preset sounds for the upper section, 10 for the lower, and a one-finger chord option to make playing easier for the novice. And it's a drum machine, with seven percussion sounds, 20 preset patterns (all with their own fill-ins), and provision for programming your own patterns in real time. And it's a sequencer, with capacity to store two separate "channels" of information: the first can hold 2000 notes, while the second can hold 1000, plus a total of 159 chord changes.

There's even an amplifier, twin speakers (the SK2100 does everything in stereo), and a microphone for sampling – so that, in Casio's own words, your keyboard is "built to boogie, whenever and wherever you are".

Format

IT'S A PRE-REQUISITE for an instrument like this that the options it offers, no matter how sophisticated, must be quickly and easily accessible. Amateur musicians, dabbling at a keyboard in their living-rooms because there is nothing special on television (yet), are likely to be even less patient and dilligent than their pro and semi-pro counterparts, so things must happen fast on the SK2100 if the people most likely to gain from using it are not to lose interest.

Thankfully, things happen very fast indeed. Selecting a -

preset synth sound involves pressing only a single button. Sampling involves pressing two.

Actually, there are quite a number of buttons on the SK2100's front panel, which on the one hand makes the first encounter perplexing, but on the other hand means that very few switches are called upon to perform more than one function. For weary programmers disillusioned with the multi-function, multi-layered parameter access systems used by many "pro" hi-tech instruments, this panel is a sight for sore eyes.

From the left, we begin with the power switch, which continues the Casio tradition of incorporating an automatic cut-off circuit to save on battery wear when the keyboard is not being used; leave the SK2100 alone for a little over five minutes, and it switches itself off – though your rhythm patterns, your sequences, and (crucially) your samples remain intact during the procedure.

Next come four slider controls for adjusting the relative levels of the SK's bass, chord, rhythm, and sample sections, plus a fifth for varying the overall output level. If you want to

"Things happen very fast indeed. Selecting a synth sound involves pressing only a single button; sampling involves pressing two."

> hear how your auto-chords and arpeggios are coming along without the interference of the Casio's drum sounds, all you do is steer the relevant slider down to zero.

> A small but critical assortment of switches follows – small because the switches are neatly and economically arranged, critical because their position dictates which "mode" the SK2100 is in. For it's here that you select whether you want to start up the drum box, adjust its tempo, or bring in one of its fill-ins; and whether you want to split the keyboard, and then play it manually or call upon Casio's auto-chord system for assistance.

> Next come four "pads" (really little more than big, nondynamically sensitive plastic switches) which you use to trigger samples manually in time with the rhythm pattern – or at whichever moment seems appropriate. You can also use them as a means of inserting and deleting drum voices to/from your own rhythm patterns in real time, if you don't fancy playing those voices from the lower section of the SK2100's keyboard.

> The biggest and most complex array of switches comes next, well away towards the top right of the instrument. Essentially, these buttons are what you use to select whether you're playing synthesised or sampled voices from the Casio's keyboard, which rhythm pattern the drum



machine is playing, and whether you wish to start making use of a number of auxiliary operations like sampling.

Finally, we come to an input level control for sampling (this actually raises or lowers the threshold of the Casio's auto-trigger system to match the level of the signal you're sampling, and is allied to a five-LED ladder for level indication), and a sweet little microphone that springs out of the instrument's case on a looped cord – though I ought to point out that this is one of the worst microphones I've ever used for anything.

As I've intimated, there's a speaker at either end of the SK2100's keyboard, though a pair of output jacks on the rear panel allow you to use external amplification – the results of this are certainly worthwhile. Other rear-panel connections are few and far between: just a headphone socket, a connection for a volume footpedal (optional), the plug for the mains adaptor (9V DC, and also optional), and two jack inputs for microphone and line signals to go to the sampler. Then there's a master tune control (50 cents either way) and that's that.

Sounds

THE DOCUMENTATION MAKES no mention of the manner in which the SK2100 generates its synthesised sounds. But after listening to them all thoroughly, I'd be willing to bet that digital technology plays a large part in their creation; there's brilliant, sparkling clarity, great precision, and...the inevitable quantisation noise.

Like most digital systems (for in truth, this is something that can be said for even the most sophisticated sampling systems available), this one excels at reproducing acoustic timbres that have a percussive attack and a comparatively short decay time, but falters when it comes to longer, sustained sounds because it is simply not "clever" enough to recapture the sort of sonic movement that goes on when, say, a string section is in full, sustaining flow.

Thus the best of the SK2100's sounds are the likes of the vibraphone (richly resonant and, well, vibrant) and the celesta (a truly glittering occasion), while the piano is also usable if a little on the dull side. The solo violin is also nice, if not especially violin-like – the basic envelope characteristics are there, but some of the timbral details are not. With the brass and organ sounds, things start to stray dangerously into Toytown territory, and the less said about the unimaginative "Synth Sound" and "Synth Ensemble" programs, the better.

The SK2100's drum voices are PCM-sampled, but are nothing like as bright as those of some other, similar machines – including some of Casio's own. The bass drum is little more than a soft, dull thud, the snare an insistent crackle, the cymbals and hi-hats weak splashes, and the handclaps a tinny, half-hearted crunch.

Unpromising though they may be in isolation, however, these voices contrive to sound like a pretty credible little ensemble when played together as part of the SK2100's preset rhythm patterns. These patterns are modern (less waltz, more rock), interesting and well thought-out, and it's while playing along with them that you realise this is what modern rock and dancefloor rhythms are all about. Steady, metronomic pulses, filthy sounds, and neat fills that alter the direction of the pattern subtly without shoving the allimportant groove off the rails.

The other main ingredient of today's rhythm is, of course, the spice we know as samples. Those naggingly infectious, ultra low-quality vocal snippets, orchestra hits and reversed drum sounds that distinguish today's dancefloor workout from those of the late '70s or early '80s.

Well, the Casio can do those, too. In fact, it comes with four such samples onboard, safely protected from corruption MUSIC TECHNOLOGY MAY 1987 in ROM so you'll never be free of them. There's a piano with a truly excellent "plink" to it, a vibraphone that's a pleasing if gritty contrast with the Casio's synthesised version, a slightly muffled conga, and a French horn with an identity crisis - though I'm not sure what it actually thinks it is at all.

Sampling

IF YOU WANT to sample your own sounds, you can choose whether you want to use all four of the RAM locations, which'll give four samples each 0.81 seconds in length, or whether you want to merge the locations together to form two bigger ones, each 1.62 seconds long.

Whichever you decide on, however, the sampling rate remains the same at 10.113kHz. This is a pity, since I'd have thought an option to double the sample rate to give two higher-quality, 0.81-second samples would have been handy to have. There surely comes a time - even for domestic keyboard dabblers - when sound quality matters more than sound variety, but perhaps Casio's engineers reckoned an additional "rate" parameter would confuse people more than it would help them.

As with any other sampling system, the best way of minimising noise problems with the SK is to sample at as high a level as you can without encountering distortion (so that the playback system doesn't have to impose its noise characteristics on the sample in order for you to hear it), and to use a line input wherever possible (so that microphone noise doesn't have a chance to intrude, either). I used all three input possibilities (built-in mic, external mic, and line-level) during the test period, and can confirm that the least noisy results -- though not necessarily the highestquality ones - can be obtained using the last option.

Once you've taken your sample, you can play it back polyphonically (maximum three voices) from the SK2100's keyboard, use it as an instrument in a rhythm pattern (preset or user-programmed), and do a number of other things with it. However, since it's not possible to play more than one sample back from the keyboard at any one time, you can't use your four memory locations to record the same instrument at four different pitches. In other words, you can't "multi-sample" with the SK2100. So, depending on the signal you've sampled, the pitch range over which it can be played while remaining realistic can be rather narrow.

Of those "other things" mentioned above, the most interesting fall into the category of sample manipulation, rather than sample performance. You can loop your sample, reverse it, mutate it so that it follows a choice of five different envelope shapes, and transpose it by as much as eight semitones down or seven semitones up.

The reversal and envelope procedures can be particularly rewarding, and they're a cinch to use. There's no tricky LCD of values or monitor-full of waveforms to deal with here - just five drawings of different envelope shapes matched to five of the keys in the lower half of the Casio's keyboard; get into the right mode, press one of the keys, and your sample suddenly has a new envelope imposed upon it.

Looping on the SK2100 is done automatically by internal software, and though this means that it can be accomplished just as quickly as any of the other editing options, it also means that the finished product rarely complies with any legal use of the term "glitch-free".

Sadly, Casio haven't made any provision for users to dump their samples as digital data for retrieval at a later date even to humble cassette tape. They're retained in memory during power-down, but as soon as you put another sample into a certain location, the sound that MUSIC TECHNOLOGY MAY 1987



previously occupied it is erased. Home-keyboard users may not want sound of the highest quality, graphic editing packages, or velocity-sensitive keyboards, but they sure as hell would like to build up a library of their favourite family samples. Wouldn't you?

erdict

YOU MAY HAVE wondered, from the outset, why this magazine was even looking at a keyboard like the SK2100 in the first place. I hope I've made our reasons fairly clear during the course of the review, simply by outlining what the instrument is capable of doing.

First, it represents a sensible choice for the amateur musician who's keen to get into sampling, sequencing, drum programming and so on, but can't hope to afford to do so unless all those things are available within a single package.

Second, it is exactly the sort of instrument that domestic "non-musicians" – people who at the present time do not have any particular ambitions to play modern music, but who may acquire them someday - to let their creativity loose a little bit more than instruments in the £100 league will allow them. Casio have sold over a million of the baby SKI sampling keyboard, and they know that the SK2100 players of today are the FZ1 programmers of tomorrow.

Third, it makes a fine addition to the arsenal of instruments possessed by pro and semi-pro musicians. It can be a practice keyboard for those last-minute, hotel room

"There's no tricky LCD of values or monitor-full of waveforms-just five drawings of different envelope shapes matched to keys."

panics; it can be a handy tool for songwriters to map out simple arrangements of new material; and it can be a cheap and relatively painless way for, say, accomplished piano players to find out for themselves whether sampling really can be a musically useful technique.

Ultimately, the Casio SK2100 is a toy. But it's also of great educational value, and it has a number of other aspects to its character that give it a broader appeal than most home keyboards could have aspired to a couple of years back. And I, for one, am glad that it's around.

Price £425 including VAT

More from Casio, Unit 6, 1000 North Circular Road, London NW27JD. 201-4509131

the PRICE FAME

Steve Lipson is the man whose engineering skills threw Trevor Horn into production superstardom, and whose Synclavier programming launched Frankie Goes To Hollywood. But success has disillusioned him to a frightening degree. Interview by Paul Tingen



S HE ENTERS the room, Steve Lipson looks strikingly unfashionable. With his long hair, beard and tatty old clothes, he comes closer to the old hippie stereotype than anything else. Not exactly the kind of person one would expect to be closely associated with the well-packaged, acutely-marketed world of ZTT. We are in Sarm West in West London, one of two studios partowned by Trevor Horn. The predominant colour is a stylish blue, and there are '30s Coca-Cola adverts on the walls, giving the cafeteria a slight American feel. Yet the breakfast menu pushes you abruptly back to British reality: "sausages, bacon, eggs and toast", all for £2.50.

Lipson pours us some tea, then guides us

with frightening speed through the three studios before settling in the "programming room" where we are surrounded by two digital Sony 24-track recorders, a Trident mixing desk, an IBM personal computer, an Akai S900 sampler and, right in front of us, dominating the room, a Synclavier.

Lipson – tall, loutish, sitting awkwardly in his chair with his legs under his backside – lights a cigarette. We talk about the studio, his only prior experience with a journalist ("I was immediately misquoted – that's how the story that Frankie couldn't play came into the world"), and his production work with Frankie Goes To Hollywood, Propaganda and, most recently, the Tommy Chase Jazz Quartet.

Suddenly he makes a wild gesture and says: "The sort of conversation that we're having is really a bit funny, because I don't know what the fuck I do. When I'm starting work on an album or a song, I have no idea what's going to happen. I haven't got a vision of how it's going to be. I've got no vision at all. I find it suspect when people claim they've got a vision in this business, unless they've scored it all out, like an arranger. Working in the studio is like walking with a blindfold on, and anyone who tells you differently is blowing themselves up a bit.

"We're in a pop world here and we're trying to move forward, but inevitably, the only good things that happen are by accident, by a freak of circumstance. I mean, do you really think that people sit down in the studio and go 'morning, morning' and next they've got a great sound? That's not at all what happens. What happens is that people are desperate and say: 'Fuck, what are we going to do? This track sounds terrible.' And nobody's got a clue. Then somebody thinks: 'Oh, well, what happens if I press this button?', and then utters in amazement: 'My God, that's fantastic!' That's how it goes.

"The way I work in the studio is by complete hit and miss, and I don't know anyone who doesn't work like that. It's the art: you keep going until you think it's happening."

Lipson shifts his position in his chair, then continues. "I know Trevor Horn works like that. Grace Jones' Slave to the Rbythm happened like that. Really, the whole album is a collection of experiments in which we were trying to create a good single. The way that worked was that we would have something which was OK, but just not good enough to be a single. Trevor would have a bit of doubt, and I'd say: 'Oh, yeah, great, I'll start again', because it was no skin off my nose. So Trevor gave me a week, and I recreated the song on the Synclavier - I did nearly the whole album on the Synclavier, by the way. After a week Trevor would come back and say: 'Oh, yeah, that sounds good'. So we'd go back into the studio, look at it, and then suddenly he'd say: 'No, no, no, not really. How about if ...?' And I'd work again on it for another week.

"To this day we're still like that with each other. If I'm thinking during a mix: 'Hmm, it's not quite there', then he picks up on that immediately, and off we are again into the land of nowhere."

Yet the discoveries Horn and Lipson have made in this "Land of Nowhere" are among the most spectacular-sounding and influential in the world of late-'80s pop. Their collaboration dates from the beginning of the decade, when Lipson got a call from Horn, asking him to do a bit of engineering work.

Lipson wasn't exactly pleased with Horn's request. "I'd been engineering for a while in London and France, and was rather fed up with it. Engineering on its own is a nothingness – you're not doing anything. It's a terrible activity because it's so boring. You're just sitting there pushing up the faders while everyone makes fools of themselves, and nobody's having a musical idea.

"By the time Trevor phoned me I was fading out of it. I was finding myself projects to produce. They were just tin-pot productions for which I hardly got any money, but I preferred it to engineering. So I went to Trevor feeling like I didn't want to do it, that I was only going to work there my way.

"And of course, that was exactly what he wanted. He wanted somebody who would just do his own thing, giving him the opportunity to come in now and then and give some comments. So I thought: 'This is good fun, because I can do whatever I want with this guy', and stayed. On top of that Trevor also liked my guitar-playing a lot, so all of a sudden, from being hired as an engineer, I was doing everything that I wanted to do: playing and producing. Trevor would have the grand overview on the production side, telling me to start a song again or something, and I'd do everything. I learned a lot from that because I didn't have the responsibility: he took the rap and I made the record."

TEVE LIPSON STARTED his musical career playing guitar in a band in the beginning of the '70s. "It was a great band, we had a great concept and a lot of interest from record companies, but we didn't think that anything they offered us was good enough. Basically, we blew it."

Next the former hippie met someone who wrote jingles, and who needed a studio of his own. He employed Lipson to build a studio, and once that was done, asked him to engineer it.

"I said: 'Me?' because I'd never set out to become an engineer. But I did it. I got a bit over-enthusiastic and put 30 microphones in front of everything, to figure out what they would do at a certain angle and distance and so on. That served me well. But even then, if you're working in the studio the fun is in telling the keyboard player to move up an inversion rather than in pushing a fader.

"Also, by default, I learned why my guitar never sounded good. It wasn't because of the engineer or the equipment, as I always thought, it was because I was a naff player. The sound of an instrument comes from the way it's played, not from the equipment."

It was a way of looking at the recording process which led Lipson to produce several artists, amongst them Lindisfarne and Sniff 'n' The Tears. He had a hit in the USA with the latter with the song Driver's Seat, and did an album with them, *Fickle Heart*. Disagreement with the studio over the distribution of that album's royalties

"If you're working in the studio, the fun is in telling the keyboard player to move up an inversion rather than in pushing a fader." "Initially I was very dubious about doing the new Frankie album. I mean, who wouldn't be, after that series of number ones?"

"It's vital in production to be willing to throw away something that's taken you a solid week of work. If you can't do that, you're nowhere."

led him into a career as a freelance engineer which, as we saw above, he soon began to loathe.

Yet the call from Trevor Horn kept him in the engineering business, albeit in a different way. Lipson became assistant producer, guitarist and engineer on Frankie Goes To Hollywood's Welcome to the Pleasuredome and Grace Jones' Slave to the Rhythm, and went on to produce Propaganda's debut album A Secret Wish, a yet unreleased album by The Tommy Chase Jazz Quartet and, of course, Frankie's latest album, Liverpool.

To start with that most recent and most impressive-sounding venture, how come Lipson, not Horn, ended up as producer?

"There are loads and loads of reasons that I could give you, but primarily, I suppose, if Trevor had done the album, there wouldn't have been much room for the lads. That's what it comes down to. You know, when Trevor is involved in something, he's not easily satisfied. He likes to work with either the best musicians or no musicians at all. The lads aren't either. They're musicians, but not the best. So Trevor would have gotten frustrated. He wouldn't have spent two weeks trying to get the drum track for 'Rage Hard' as I did. Even during the recording of Pleasuredome there were moments when he walked out of the studio in frustration.

"On the other hand, the record company had suddenly thrown Frankie in the deep end and said: 'Right boys, you have to behave like a normal band now and make a record'. The album really had to sound like a group album. We all felt, me inclusive, that the group had to prove themselves.

"Initially I was very dubious about doing the album. I mean, who wouldn't be, after that series of number ones? There was no way that, during the course of events, they would have written the same calibre of songs. I wasn't interested at all. Then I heard the demo of 'Rage Hard', and that convinced me to do it."

In the end, the album took nearly six months to complete, and was largely recorded – for tax reasons – at Wisseloord Studios in Holland. The main thing the band kept telling Lipson was that the album had to sound "heavy". The demos contained only the bare outlines of songs – melody, some chords and a rhythm – with which Lipson and the band started work in the studio.

"They're not workaholics, you know. Only one of them is, the drummer – he goes bonkers. Still, it was important that it went the way the band wanted it to go. I wouldn't have done them justice otherwise. And at the end of the day, we got a No. 4 hit here, and we've done very well in Europe, which is good, because it could have been a total failure."

As for the process of recording *Liverpool*, Lipson admits to having used an unusual and laborious method. You could also call it a bit outrageous. Working with two 24track digital Sony tape recorders, he could make as many 24-track copies of any song as he wanted and play around with them, always keeping the original...

"Let's say that the drummer goes out and does eight takes of drums. With those two machines I can piece together a really good drum track, all A1 quality. For example, I can use the first verse from the second take and combine it with the second chorus from the fifth take. I did the same with the vocals. Rather than sampling a whole chorus and flying it in, which makes records sound like clockwork, I can make copies with the 24-track and compose a good vocal."

Working in this way, Lipson ended up with over fifty 24-track versions of 'Rage Hard'. To keep track of all the multitrack versions of various songs and what was on them, the producer wrote his own database program on the IBM computer.

"I run the whole session from this computer. I mean, digital is the business nowadays. Perhaps not so much the sound quality, I can't be bothered too much about that, but the convenience of being able to make these copies is staggering. You can be very bold with your erasures. That's what made me realise that I needed this program, because you can go on and on."

Apart from listing all the different multitrack versions of a song, Lipson's database program lists and stores all the different sequences he's used for various songs, all his Synclavier and S900 samples, and all the two-track masters of songs in his collection, whether PCM digital, $\frac{1}{2}$ " analogue or $\frac{1}{4}$ " analogue.

"It's also a calculator", Lipson adds. "It automatically works out the bar numbers for me if I give it the time signature and the tempo, and it makes SMPTE calculations. It calculates the offset between two tape machines when I'm linking them up. So synchronising is really easy."

Apart from his database program, Lipson uses an Octave Plateau 64-track MIDI sequencing program, a Wordstar word processing program ("for writing and editing lyrics"), a DX editing program called DX Design, and Patchmaster, which stores *all* his MIDI synthesiser patches.

The provide the terms of the terms of technological opportunities, Lipson is well aware of the danger of not seeing the wood for the trees, and of holding onto work which should really be discarded, but which took too much blood, sweat and tears to make.

"It's a vital thing in production to be willing to throw away something that's taken you a solid week of work. If you can't do that, you're nowhere. So I have people coming into the studio to listen to what we've done. A good producer should listen to what everyone has to say. I get angry with artists when they get angry with people coming in and making com-

ments. It's a love and hate thing, really. I really hate it, but I love it because it's input, and the people might be right.

"Jill Sinclair (MD of ZTT and Sarm) is very good at it. She comes in now and then and makes those incredibly sweeping remarks, like: 'Great, but I lose it somewhere, because there's something going on which I don't like'. So I say 'What?' and I think about it, and nine times out of ten she's hit the nail on the head.

"It's back to the trial and error process. That's why it always amazes me that some producers never wanted to hear what I had to say while I was still working as an engineer. I could never understand that. I remember one time when I was engineering for Gerry Rafferty at Monserrat. They were doing a track, and the guitar player was playing something. I went up to him and said: 'Hey, if you did this bit in that bit it would sound amazing', and he agreed. Suddenly Rafferty asked him: 'What was that?', and the guitar player explained. Then Rafferty looked round to me and said: 'Look, you stick to engineering, right?' I was perplexed. I couldn't understand it."

We've touched briefly on some of Lipson's association with the new music technology, but there's one area which hasn't yet come under scrutiny. Apart from being one of the country's foremost engineers and producers, and apart from being a guitarist, a composer and, apparently, a computer programmer, Lipson is also acclaimed as one of the world's leading exponents in the use of the Synclavier. It's the Synclavier which enables Lipson to recreate any part played by a musician – either because the musician lacks proficiency on his instrument, or for conceptual reasons, as on Slave to the Rhythm. And it's the Synclavier which lies at the root of his studio and arranging work, and which has enabled him to develop his own style of production.

It was maliciously suggested to us (by reliable sources) that Lipson created *Liverpool* almost entirely on the Synclavier, vocals included. Only the guitar parts weren't played on the Synclavier, these being played by Lipson himself... The producer shrugs his shoulders when quizzed about this, and doesn't want to talk about it. Yet later, in a different context, he says that all the bass and drum parts on *Liverpool* were played by the band. Then again, he explains his attraction to working with bands with limited playing capabilities.

"When you work with a group that can play, your work is cut out for you, you've got nothing to do. It's all very straightforward, you know what the record is gonna sound like from the start, and you're hardly likely to make a record that no one's ever heard before".

Clearly, then, Lipson has an ambition to express his own musical ideas through (or with) the band he's working with.

But leaving aside the issue of what Lipson does and does not play on Frankie's records, Grace Jones' *Slave to the Rhythm* certainly *was* largely "performed" by Lipson on the Synclavier. Despite that, it's a remarkably human-sounding record, showcasing Lipson's ability to endow a machine with human characteristics. Every track sounds as though it has a different drummer at work. How does he do it?

"I've figured out how to program personality into the Synclavier. I can adjust one track to another within one millisecond, and I can change the starting time of one track as opposed to another. Doing that shows me everything, it shows me how feels are created. You know, if you lay a snare drum a bit back, if you make it a bit lazy, it becomes someone, and if you make it a bit pushy, it becomes someone else. That's what makes the sound, really. The sound of something has to do with the way it's played - whether it's a program or a player - and of course the part. It's the part and the attitude of the player that makes the sound."

Lipson first got confronted with the Synclavier during sessions for the Propaganda single 'Dr Mabuse', when Dave Whittaker rolled one in and Trevor Horn bought it because he was impressed with its sampling quality. The machine then spent an eternity sitting unused in a corner of the studio, simply because nobody knew how to use it. Until, that is, Lipson figured out how to write a bass drum sequence into it. He used it for the first time on Frankie's 'Two Tribes', as part of a programming and recording

"If you lay a snare drum a bit back, if you make it a bit lazy, it becomes someone, and if you make it a bit pushy, it becomes someone else."



endeavour which took an epic three months to complete.

Lipson recalls: "At the time of 'Two Tribes' the Synclavier was in its infancy. To get a sequence working in it then, you had to write the sequence by hand - you physically wrote it in on the computer, compiling it into computer language, and then you played it on the thing while it would spit out whatever it could spit out. Then you had to run it again and write in the notes which it hadn't managed. For a bass drum you had to run it four times, which gave you four tracks, so after getting the level right you finally had a bass drum track. Those three months were mainly spent on programming. In the end, we had a track which sounded remarkably like Frankie's original demo."

"Pop music is in a cul-

de-sac at the moment. I

see a new group coming

along, and all I see is a

meaningless to me."

new haircut. It's

OWADAYS THINGS ARE, of course, very different, with Lipson having the full Synclavier system at his disposal at Sarm West. "I prefer it to the Fairlight, because the sound quality is way better. Even Fairlight III is no comparison, though neither is the price, of course."

Lipson and Horn now each have their own programming suite across the road from Sarm West, which they use for writing sequences, editing, and other musical activities. Lipson's has his IBM computer there, together with the Akai S900, an Oberheim Matrix 12, Roland TR707 and TR727 drum machines, a Yamaha FB01 module, an Akai 12-track tape recorder, and a complete hi-fi system.

What does he think of the impact new music technology has had on music?

"Well, Michelangelo used technology, didn't he? For the statue of David he had to use a lot of technology to get that bit of rock where he wanted it. A lot of people in the art world use technology. Really, it's the mix of science and arts which is important."

Suddenly his tone of voice changes. "But recently, pop music has gone a bit...science only. I think technology has had a terrible influence on music. The songs have gone. That's why there's a '60s revival. I mean, what's in the charts now? '60s and black dance music. That says it all really, doesn't it? Nobody's interested anymore in today's music. Ten years ago you'd buy a record and it would mean something to you, you would live to that record. But things are different now. You can now buy a Casio drumbox sampler for £99. That means music is everywhere, you can do it at home, and at the same time it's nothing. I can see all those people sitting at home with their little drumboxes, going takka, takka, takka. And they say: 'Oh, wow, great, let's release it', or 'I like that bass sound'. But what's a bass sound got to do with music, with a good song? That's why pop music is in a cul-de-sac at the moment. I see a new group coming along, and all I see is a new haircut. It's meaningless to me."

But hasn't Steve Lipson played a part in bringing this state of affairs into being? Doesn't he have any ambitions to make some more meaningful music? The producer looks genuinely surprised.

"Me? Change the world? No, thank you very much. Basically I'm earning a living, that's what it comes down to. I mean, I know what I want to do. I would like to write some film music, but further. And I'm working, I get immersed in what I'm doing, making the same rubbish as everyone else – though one likes to think with a little bit more class. In the end of it all, technology is meaningless, and all that really matters is the tune.

"Apart from that, in the grander scheme of things, pop music is totally unimportant. And that's what I love about it: the sort of nothingness of it. The silly haircuts on stage. I like the music and I like its irrelevance. We're in a business that isn't like designing a 700-seater aircraft, or being a politician. I mean, it's nothing really, is it? It's just morons in these rooms, doodling and making bits of music."

For a man whose work has helped give listening pleasure to millions, Steve Lipson is not a very optimistic man – or a cheering one.



DPX-1 HAS THE LARGEST LIBRARY OF SAMPLES

AND ALWAYS WILL!

Why limit yourself to one sampler's sound library? The new **Oberheim DPX-1 Digital Sample Player** puts all the sounds of the three most widely used sampling keyboards at your fingertips. As each of their libraries grow, so can yours.

Oberheim's new advanced digital electronics allow you to play samples for E-mu's Emulator II*, Sequential's Prophet 2000* and Ensoniq's Mirage* in full eight voice polyphony. And like all Oberheim products, the DPX-1 has a complete MIDI interface including the ability to transfer samples to and from other samplers via the new MIDI Universal Dump Standard.

If you need sampled sound in your MIDI rig. the DPX-1 offers immediate access to more sounds than any one sampler with plenty of room and power for upgrades.

Still can't decide which of these samplers to buy?

Oberheim DPX-1.



Sound Technology, plc., 6 Letchworth Business Centre, Avenue One, Letchworth, Herts. SG6 2HR. Fax: 0462 683999. Telex: 826967. Telephone: 0462 675675. 'Emulator is a registered trademark of E-mu Systems. Inc. *Prophet 2000 Is a trademark of Sequential. *Mirage is a trademark of Ensonia Corporation.

beneim

we can't go on BEATING LIKE THIS



Samplers have been used for replacing drum sounds in recording studios for some time now. In the second part of our series on creative drum programming, we look at how to make your sampler behave more like the percussion instruments it simulates. Text by Matt Isaacson and Chris Meyer.

WE SPENT QUITE some time in the last issue slamming your typical drum machine as a percussion playback device. Add to this the primitive pattern programming on most drum machines, compared to the current generation of MIDI sequencers, and the fact that more and more musicians are using their "main" sequencer to sequence their drum and percussion parts, and it becomes obvious that we should perhaps look elsewhere for the supplier of our beat.

Let's see – where should we look? Well, what were the problems we outlined with drum machines? Hmmm... Lack of dynamics (volume, pitch, and timbre), no dynamic allocation of voices if we wanted it, length and variety of sounds... Hey! Aren't these things that have come to be expected by keyboard players?

You bet. And if we're truly using another sequencer to play back drum and percussion parts, a sample playback module turns out to be about the best thing there is for our sounds. Playback modules are velocity-sensitive, have a wider variety of sound-modification options (envelopes, filters, and the like) than your typical drum machine, have a wide and easily expandable library of sounds (which can be modified at will), and have a variety of playback modes and voice allocation techniques for layering, velocity fading, velocity switching, and so forth.

If you already have a drum machine, and feel like keeping it around (or it already

contains your best work), bless the MIDI jacks that are (we hope) on the back of it – with their help, you can slave sample playback modules off it to double up on or replace its sounds, and eventually transfer your patterns to a sequencer if you so desire.

So, if we want to use a sampler for playing back our drum and percussion sounds, what kind of sampler do we look for? Well, bad news first – the least expensive MIDI'd sampler you're going to find costs what an upmarket drum machine would. Now the good news – the least expensive sampler you can find will sound better and be more expressive than all but the most expensive drum machine. And unless you plan to be playing keyboards as

well, or will be using the keyboard to enter your rhythms (a cost-cutting measure for those who are keyboardists and not percussionists at heart), you can do more than just get by with a rack-mounting sampler, which tend to cost slightly less than their keyboard-equipped counterparts. The money you save will be better spent on percussion-style controllers, whether you're a drummer or not.

The criteria to use in choosing a sampler for percussion work break down into four categories: sound (quantity and quality), price (an obvious one), features, and hassle. "Hassle" encompasses how hard it is to use the machine, how big the sound library and support is for the sampler, and the mystical problem of sampler delays. "Features" are what you need to put into practice the various programming techniques that we'll be discussing for the bulk of this instalment - pick out the ones you think you'll be using, then pick out a sampler that has those features on it. Balance them out against "price" when it comes time to purchase. And while you're at it, go ahead and look at some of the brand-new drum machines - they too have caught on to the problems we discussed last month, and are adding features (including sampling) to give us a better beat.

But for now, on to those promised tricks (including how to avoid certain pitfalls). We're going to divide these into two areas – those that affect the way a single sound is heard, and how different sounds or restrikes of the same sound can interact.

Velocity and Envelopes

VELOCITY REFERS TO how fast something (such as a drum stick, or your hand) moves, which tends to correspond with how hard you strike. One of the amazing little quirks of nature is that the harder you hit something – a drum, your kid brother, whatever – the louder it sounds. It also tends to change in tone and pitch (your brother's voice may get higher and more strained, for example). Our desire is to translate, or as it were, properly interpret, this quirk so as to have more realisticsounding drum and percussion voices at our disposal.

Let's start with that "harder equals louder" effect. Velocity modulation of the amplifier (also known as the "VCA" level, and virtually the only dynamic control available on drum machines) is standard on all but toy samplers. The sampler version also happens to be more useful. Sampler velocity resolution is greater, with up to 128 discrete levels resolved – most drum boxes offer 16 or fewer levels, and some have only a cumbersome two-level normal/ accent option.

Some samplers also allow subtle (or blatant) modulation control by note, dynamics. This is important, because it is often preferable to apply different amounts of velocity modulation to different sound parameters. More on this later.

Real percussion instruments tend to vary in timbre, as well as in volume, when they are struck with different velocities, so MUSIC TECHNOLOGY MAY 1987 it's useful to have dynamic control over a sampler's timbre, too. Time, then, to look at several common methods of achieving this.

If your sampler offers dynamic filtering (most do), velocity modulation of the filter cutoff frequency is a good starting point. When the sampler is programmed so that a higher note velocity opens up the filter, louder sounds also sound brighter, with more edge to the attack and more meat revealed in the rest of the sound. This is usually presented as velocity modulation of the filter envelope amount, since the filter cutoff sets the lowest or average filter frequency from which the filter envelope shoots up. Samplers without envelopeable filters, such as the Akai \$900 and Roland \$50, tend to use velocity to modulate the cutoff directly.

Let us not belittle the filter cutoff frequency – in addition to providing a simple control over timbre, it's helpful in masking shortcomings of the sample playback mechanism. In particular, where it is possible to have VCF cutoff track the sound's pitch, you have a method for covering up the clock noise which becomes audible in most samplers when the pitch of a sound is transposed down far enough.

Another shortcoming of samplers, quantisation noise (that rising hiss as the sound dies away), can be hidden with the normal filter envelope by starting out high for the attack and fading down towards the end of the sound to mask the hiss. This is especially helpful with toms – it allows them to retain a fat roundness with all of the grit of the attack, so long as the controls are set right.

A warning. It often becomes a platespinning act to prevent velocity from uncovering all of the nasties you were trying to hide by lowering the filter cutoff and envelope amount. Samplers that route velocity to the filter envelope amount instead of to the filter cutoff are much easier to control in this respect. But be wary of samplers that do not have controllable filters on their output stages: while some will tell you (truthfully) that the absence of such filters cuts down on the noise in the output, we often need them for improving the lot of our problem samples.

In the same way that the filter envelope can be used to mask noise at the end of a sample, a sampler's VCA envelope can be used to tidy up samples which cut off before the original sound was able to die out completely – a useful technique if you find yourself running short of sampling memory. We're only offering it as a cure to an undesirable situation – remember that one of our main complaints about drum machines was the shortness of their sounds. In general, you will find that the longer the sample you can afford to take, the more realistic it will sound.

Of course, envelopes do have purposes in life other than fixing faults – they *can* be used creatively. Sounds that are lacking in a proper percussive envelope (such as something that was over-compressed, or a sound that was never intended for percussion in the first place, like a steam blast) can now have such an envelope imposed upon them. A sound that was not gated can now become gated – either trim its length, or have an envelope cut it off.

Almost all envelope tricks deal with the decay or release portion of a sound's envelope. Samplers that allow routing of velocity to decay or release times (humorously the opposite of what keyboard players tend to want – they like to have velocity affect the sound's attack stage) are great at simulating another unusual artefact of struck objects – namely that hitting something harder tends to make it ring out (or cry out, in the case of our kid brother) longer.

This feature (as found on samplers like the Prophet 2000 and Studio 440) is particularly useful for processing long open hi-hat samples by allowing them to vary between an abrupt cutoff (simulating a closed hi-hat) to extending out to their full length, faking many of the nuances of live hi-hat playing. If the sampler you're eyeing does not have this feature, many of the effects can be simulated if it has a "second release" or "hold" function (allowing a footswitch to select between a normal release time and a second or "infinite" time). Failing that, you can always control the sustain stage of the envelope by playing the samples from a keyboard; many drum pad-to-MIDI converters do not allow dynamic variance of the gate time.

More Tricks

TIME TO MOVE on to tricks (and features) that are a bit more esoteric, but certainly useful. Some samplers (like the Prophet 2000, Studio 440, and forthcoming Simmons SDX) provide a feature known as velocity start-point modulation, in which velocity is used to set the point at which playback starts in the sample itself. This can be extremely effective in breaking out of the "same sound, different volume" syndrome, and works best with sounds such as snare drums, which have a rapidly-decaying attack transient.

Sample, or load from disk, a drum that has been hit extremely hard. Next, set the sound up so that lower velocities cause playback to begin further into the sound. When this happens, some of the attack transient is skipped - we come in on the sound at a point where it has already settled down somewhat in both timbre and volume, and this sounds remarkably like a softer hit on the drum (velocity-to-VCA or -VCF may, at this point, seem superfluous). However, some restraint is in order with respect to the amount of this modulation, otherwise you may miss the sound entirely on the softer hits by coming in at the end.


Unfortunately, jumping into a sample at random points like this can create pops and clicks in the attack. These are most noticeable on soft hits, where the attack transient of the sample is not played and is therefore not available to mask them. Notching the VCA attack time up slightly (ie. making it slower) from the usual instantaneous setting used for drum sounds will cover these noises up nicely, but will destroy the hard edge of the attack on hard hits. Unless, that is, the same sampler allows routing of velocity to attack rate – you can then set it so that higher velocities



MIDI CAN BE FUN

The Philip Rees 5X5 MIDI Switch is a simple, cost-effective MIDI patch-bay. It has five INPUT SELECT rotary switches, one for each output. Each switch can independently select any one of the five inputs or the off position.

The unit is compact, the case is 1U high and half rack width, and an expansion socket is provided.



parts and labour guarantee. We give good service because we aim to succeed.

The 5X5 is great value for only £85.95 inclusive

See your dealer or order a 5X5 direct from the manufacturer. Fill in the coupon below and send it off with a cheque. Allow 21 days for delivery. Money back if not satisfied – just return the unit undamaged in its original packing within seven days for a full refund.

Philip Rees

MODERN MUSIC TECHNOLOGI

Unit A, Park End Works, Croughton, BRACKLEY, Northants NN13 5LX & (0869) 810830

Name	
Address	
I wish to order	5X5 MIDI Switches and enclose my cheque
	(£85.95 per unit incl. VAT and carriage)
Please send me more inf	
Send to: Philip Rees (Mode	rn Music Technology) – M5
Unit A, Park End Works, Cro	oughton, BRACKLEY, Northants NN13 5LX



cause the VCA to open more quickly.

This method provides an interesting effect of "distance" modulation, precisely because the softer hits have a less distinct, more diffuse attack – qualities which our ears associate with sounds arriving from a distance away.

Another feature is that of pitch-bend envelopes. Ever notice how a tom tends to drop in pitch from the initial strike? This is because the drum head is stretched from the impact of the blow, raising its pitch. As things calm down, the head relaxes, and the pitch settles back to "normal". The harder you hit the head, the more it is initially distorted, creating a higher initial pitch and a deeper bend. While this effect tends to be over-mimicked by electronic drums, it's useful - or just plain interesting - to impose it on other sounds. And as you've no doubt guessed, the ability to route velocity to the bend depth will more closely mimic the real thing.

This is as good a place as any to mention three other tricks that are possible on virtually all samplers. The first is transposition – very few drum machines allow you to tune their sounds, whereas *all* samplers allow this. A sampler's pitch range also tends to be as wide as, or wider than, a typical drum machine's. Now you can fine-tune a conga or snare to match what you really had in mind; play chromatically along with the rest of the music; create a set of octabans or a 12-tom kit from a single sample; or just go for weird effects.

Another trick is the ability to reverse a sound – perhaps the perfect reverse reverb, assuming you're not already sick of that sound. Mating reverse playback with gated release time allows precise timing of where that sound ends.

The third trick is looping. To be honest, looping does not work well with the vast majority of percussion sounds - there's just too much difference between how our sounds start and how they finish up (toms included). However, long crossfade loops are useful for those sounds which do have a steady-state period - such as ride cymbals, gongs, and open hi-hats - in which case memory can be saved, and unnaturally long samples can be taken by crossfade-looping; a sampling keyboard generates its longer sounds in this manner. Remember to take a longer sample than you plan to keep, so you have some extra sound to fold back in for the crossfade - you can throw that extra bit away when you're done. And some sort of filter envelope is usually necessary - few things can be as eerie as cymbals that refuse to die...

Multiple Voice Playback

HAVING COVERED THE setting-up of individual sounds in isolation, it's time now to deal with more than one sound going at once. One of the advantages that samplers have over the average drum machine stems from the flexible manner in which they allow samples to be played back. Often referred to as "voice handlers", these modes of operation are an area of control which simply does not exist on MUSIC TECHNOLOGY MAY 1987 most drum machines, but must be understood in order to make them work for you – and to understand and recognise subtle feature differences between different machines.

We'll now cover a sampling (sorry) of issues and answers related to output control, along with tips on how to exploit some of the different voice handler options and keyboard/playback modes.

Typically, you have eight voice channels at your disposal. This is already more than most drum machines have, with the added option of polyphonic assignment. In plain English, this means that a given sound can be triggered many times, and each instance of triggering will be given a different voice channel to play back on, instead of all of them stepping on each other in an attempt to get out on the same channel. Use this with any sound which is prone to being retriggered before dying away (that is, most of them), and amazingly enough, cymbals fade smoothly into one another, tom fills ring in fullness, and snare drum rolls sound like snare drum rolls, by gum.

Wonderful. But there's a catch. Actually, there are a few catches. In some cases, a mass pile-up of voices on one sound is not what you want. Ever noticed how, on your drum box, the closed hi-hat faithfully cuts off the open hi-hat if it's ringing? This is because both sounds play through the same voice channel. In sampler parlance, this is known as fixed assignment (monophonic playback and so on), and the hi-hat example is one reason why it has been carried over to samplers. A more basic reason applies to machines in which each voice channel appears at a separate output. In order to make effective use of individual audio outputs (for example, to process sounds individually), it is necessary to confine each sound to one of the outputs (and probably also necessary to keep other sounds out of that output).

Wait, We're not done, Not all samplers provide individual voice outputs, and not all of them provide a monophonic assignment mode. For treating one or two sounds differently from the rest, it's nice to be able to use just one or two of the voice channels in monophonic mode and leave the others in dynamic assignment mode. Some machines (like the Emax) will let you do just that; others (like the Akai \$900) restrict you to setting the mode for groups of four voices at once; while still others (like the Prophet 2000 and Akai X7000/S700) require all voices to be in the same mode at any one time, limiting their usefulness as total drum sound playback units. The more flexibility your sampler has in using monophonic and polyphonic playback modes simultaneously, the better off you'll be.

There's a hidden gremlin in polyphonic assignment. Hitting one pad very fast, or two pads with the same sound on them, can mean that two identical sounds get started so close together that they actually flange. This can be avoided by having two pads play the same sound at slightly different tunings – say, a semitone apart. This sounds more realistic, particularly with snares, than hitting exactly the same sound – on two-handed rolls, the drummer's one hand is always stronger than the other, or hits the head a little further away from centre, causing the two-hand strokes to sound different.

So much for assignment modes and making sure we don't get burned. Time to start mentioning the potential of some "keyboard" modes samplers provide that make our life more interesting. As we said earlier, note which of these you think you'd like to try, and look for them on the sampler you're considering purchasing.

Perhaps the most common first – a keyboard mode called "velocity switch". What this means is that hits below a certain level play back one sound, while hits above that level play back a different one. Obvious uses include switching between normal- and hard-hit snares, palmed and slapped congas, and so forth. What may not be so obvious is using this feature to switch between two similar but subtly different sounds – such as two different kicks, or two different strokes on a rhythm guitar.

Remember, we're trying to imitate humans, and humans can rarely do the same thing in exactly the same way twice in a row. Tricks like this go a long way towards muting the cry, "I'm a machine".

Next come various ways of layering sounds. A straight layer of two or more samples allows you to build huge, unlikely mixes of sounds – a trick studio engineers use all the time (such as layering four kicks to get one monster bass drum). Many samplers allow velocity to crossfade between two or more sounds – a very soft hit gets one, a medium hit gets both, and a very hard hit gets the second.

And although not quite as versatile, positional crossfading (a low note plays one sample, with higher notes playing a mix including more and more of the second and less of the first) is also good for getting smooth mixes between two sounds over pitch, such as from a high octaban down to a low floor tom.

Other tricks, such as pressure or modwheel crossfading between two sounds, are great for keyboard players, but are of little practical value to us - often, all we get is a pitch and how hard it was hit. If you are buying a sampler strictly for percussion, don't let features like these lure you into buying more than you'll need. On the other hand, if you are planning on becoming a drum sound demigod, look for samplers that allow the above layering or switching modes with more than two samples. The Akai X7000, Roland S50, and Casio FZ1 are examples of such samplers. Layering two samples is quite enough for most of us, but taking the time to program more is well worth the more realistic and varied results.

Finishing Off

THAT'S OUR STUDY of the playback stage. In the next few instalments, we hope to be looking at initiating those sounds. And in the spirit of the golf course greenkeeper's motto – that you've got to think like gopher to kill gopher – we'll be taking the notion that you've got to swing at things like a drummer or percussionist to sound like one.

Until we "beat" again...

video T·A·K·E·S

The Art of Mixing

There's no doubt that the DJ plays a major role in today's music world. So, ever mindful that Music Technology should investigate as many avenues of contemporary interest as possible, I trolled along to this year's edition of the annual International DJ Convention.

This turned out to be a two-day event that was both a celebration of and a showcase for the world's Dis, sponsored by Technics (who make the industrystandard SL1200 MkII turntable) and organised by the Disco Mix Club (the UK-based DJ organisation which has 22 branches worldwide and 5000 DJ members).

While the DJ Day industry binge was held appropriately enough at the glitzy Hippodrome club in London's West End, the following day saw a packed Royal Albert Hall transformed into the biggest disco in town (complete with 40 Kilowatt sound system and massive lightshow) as it played host to the World Disco Mixing Championship Finals - an opportunity to witness record mixing as an artform.

Sixteen competitors representing such countries as Finland, France, Germany, Britain, America, Switzerland and Singapore took part, performing in front of an 11-strong judging panel as well as the sizeable audience. Each competitor had exactly seven minutes to show what they could do, and massive video screens on each side of the stage ensured that everyone could clearly see what was going on.

Maybe you thought your record deck was just forplaying records, but with two decks and a mixer you have a powerful new instrument and a new way of creating music. The art of mixing today embraces a wide range of techniques: not only mixing one record into another sequentially (itself no mean feat when done properly), but syncing one record on top of another, cutting rapidly between two records, and of course scratching (the latest variant of which is known as transformer scratching, originated by US hip hop DJ Jazzy Jeff). Just as importantly, successful mixing also requires a profound understanding of how music in general "fits together"

Showmanship has its part to play, too, but as the contestant from Singapore discovered to his cost, using shoes, feet and elbows to cue up records is of little value if you only play three records in seven minutes.

In contrast, last year's runner-up Chad Jackson (from the UK) managed to combine showmanship



hotography Matthew Vosburgh

with a virtuoso technical and musical ability that clinched the world title for him.

Which musicians and producers do the world's DIs think the most of? Well, the DJ awards (polled from DMC's 5000 members) yielded Loose Ends as the best UK funk/disco group, Mel and Kim's 'Showing Out' as the best UK dance record, and Stock, Aitken and Waterman as the best UK producers. No prizes for guessing the top female

vocalist and the best producers worldwide: lanet Jackson and Jam & Lewis respectively. And it's a measure of how important DIs are that all of these wonderfully famous people were present to receive their awards - the American contingent flying in especially for the event.

As for this wonderfully unfamous person, I discovered just how exciting - and innovative - the DI's art can be. St

vinyl T·A·K·E·S

to Erasure, Clarke has untiringly explored and exploited the four-minute, 4/4 format.

Circus is Erasure's second album, following the underrated Wonderland released last year. It sees Clarke's formula of strong rhythms, simple basslines and interactive chord sequences overlaid with the kind of catchy vocal melodies that have served him well for years. Andy Bell's vocals mesh well with Clarke's technology, and are finally dispelling the illusion that he is Alison Moyet under a pseudonym - if only by the lyrical content of the songs.

More than anything else, Circus is an analogue album - and better for it. The synth textures are unmistakably those of filtered oscillators doing their best to drift out of tune the moment your back is turned. What you assume to be vocoded voices turn out to be clever manipulation of a filter cutoff. And there is always more to the apparently simplistic rhythms than you realise, even after repeated listening.

For my money Circus doesn't quite measure up to Wonderland, but makes more chart sense as 'It Doesn't Have to Be' is currently proving.

Erasure Circus

Mute LP

While many musicians use pop music as a stepping stone to establish themselves (and make a few quid) before moving on to better respected areas of music, Vince Clarke remains an unashamed pop devotee. From Depeche Mode to Yazoo, then through various short-lived collaborations



Mind you, if Clarke's track record is anything to go by, the sound of success only indicates that it's time for a change. On that basis, I wonder how much longer Erasure have left to run... \blacksquare Tg



Paisley Park Double LP

Four sides of vinyl, 16 songs, around 95 minutes of music, and almost every note written, played, produced and sung by Prince.

The title-track is the best single of '87 so far, no

demoT·A·K·E·S

AN UNUSUAL PIECE of computer-generated music opens this month's selection of readers' demos. It comes from **Andy Bridle** who has also written this composition program for his Acorn BBC+ and Hybrid Technology Music 5000 synthesiser. The program has utilised the AMPLE Nucleus and BCE languages to generate controlled random note generation and timbre variations from the Music 5000 and a Roland Juno 6.

More specifically, the "random" generation of 'Life in Zanzibar' is based on an eight-bar loop that is modified on each pass. As the piece consists of a number of separate parts, the options available to each "Player" are influenced by the other Players to ensure a degree of musical consistency.

Not content with all that, the program has been run twice with both results laid down on a Tascam 244 Portastudio (with the addition of some recorded voices and treatment from a DDL) effectively producing two simultaneous, but unrelated, performances.

In most styles of music, there is a danger for the theory to become far more interesting than the results. But, try as I might to be sceptical about 'Life in Zanzibar', it remains a convincing ambient piece with melodic and atonal passages drifting through it. At one point there's even a charming rhythmic passage – presumably, this too is a chance occurrence. On hearing alone it would be easy to presume that the whole piece had been scored – all the conventional aspects of musical interplay are accounted for, and the sympathy for the piece that human players would have injected is apparently present. As music, 'Life in Zanzibar' would be most effective in an art gallery or exhibition of sculpture, and that's intended as anything but a criticism.

Only one question remains unanswered: was the piece manually terminated, or did it commit suicide after deciding it had fulfilled its musical purpose in life?

In stark contrast to Bridle's intellectual exercises, Martin Straw's lone instrumental, 'Slow Growth to Triumph', sounds as if it could do with more sunlight and some regular doses of Baby Bio. question. That stop-dead, gated-dry drum machine, manic guitar and from-the-heart vocal couldn't have presented a more appealing oasis in today's singles-chart desert.

The cut introduces the album, so you find yourself expecting (no, demanding) more of the same. You don't get it. Instead, you get a motley collection of dancefloor workouts, disco-pap singalongs, and soulful ballads that are about as inspiring as waiting for a bus on a rainy day in Milton Keynes.

There are moments of promise, like the George Clinton-inspired raucousness of 'Housequake' and the beguiling tranquility of 'If I Was Your Girlfriend' which approaches 'Sign "O" The Times' in the sparse-but-beautiful stakes.

And there are shorter (but more frequent) moments of genius on almost every track: a neat beatbox fill-in, a sizzling sample, an elegant synth arrangement, a brilliantly written lyric.

But the quality control just isn't there, and 95 minutes of music is an awful lot to sift through when all you're looking for is a bit of inspiration. \blacksquare Dg

Various Artists Sounds of Soweto

EMILP

You don't have to look too far in music these days to find yourself confronted with The Beat. Popular music is becoming progressively more and more involved with it – elaborately produced drum

Two ARP Quadras and a Korg Trident are responsible for the rich string and synth textures that could, and should, have represented traditional analogue synthesis at its most impressive. Instead, they are devalued by slowly-opening filters that sound painfully trite in these days of attacking FM voices and sampled drums. Rolling analogue bass patches also belong to the synth sounds of yesteryear, leaving only a handful of pretty bells to add atmosphere and retain their self-respect.

Straw owns up to being a follower of Vangelis, but I can't help feeling he's trying to avoid having an accusing finger pointed in his direction than anything else. Perhaps the one area in which he should heed his master's voice is that of sequencing; I know part of the beauty of manually played music lies in its inaccuracies, but the bass parts here are a little too loose for comfort.

Moving on, **Name** have produced a demo of three numbers that begin as jazz/rock and (d)evolve into more ambient atmospheric abstractions.

From the moment you're faced with a name like Name, you know you've got problems. The biggest one here is inconsistency — maybe the imagination that obviously wasn't lavished on the christening of the band has found itself involved in devising the fiendish riff that opens 'Hey! You!'. And fiendish it is: Simon Burham's guitar spars with deliberately disjointed DDM110 drum patterns while Jonathan Foulkes' CZ101 and SH2 alternate between antagonistic chord work and ethereal wind chines à la Japan's 'Ghosts'. But there the magic stops, because 'Hey! You!' lacks any real direction or structure. The concluding vocal sample may be a neat touch, but it's not really worth the wait.

'White Out', meanwhile, is a slow, abstracted number that makes effective use of a reversed slide guitar. The result is something akin to a (successful) collaboration between Brian Eno and Ry Cooder which neatly leads into 'Piece Three'. Here, long vocal samples from a Boss DSD2 Sampler/Delay pedal form a base over which bass guitar and assorted sound treatments build gently. Again, the sounds and intricately programmed beatboxes are on records of almost every conceivable genre, and then there's hip hop with its total rhythmic obsession to the exclusion of almost all else. What started out as a reference for dance steps has become an intimidating obligation to get to your feet. And with so much attention currently being placed on rhythm, people are looking further afield for ideas and inspiration...

To places like South Africa, where we have "township music", a sound indigenous to the native black community that has now become a cry for help. Sounds of Soweto is an album of songs (some of which have already been banned in their homeland for their political content) from some of South Africa's biggest-selling acts. The four sides of music here feature artists like Condry Ziqubu, Johnny Clegg & Savuka and Brenda Fassie and the Big Dudes, none of whom are household names here, but all of whom have enjoyed success in South Africa.

What better place than to listen in on the rhythm of a nation and draw on it for inspiration? Theoretically none, but you'll find Sounds of Soweto laden with drum machines, sequencers and DX7s. No doubt this represents exciting ground for the musicians concerned, but it's cost them their original identity. The spirit of South African music is there, but it's expressed with the tools of white western pop.

An enjoyable album, then, but more a fine example of the way South African music has been infiltrated by new technology than a fascinating source of unlikely musical material. $\blacksquare T_g$

influence of Eno is inescapable while the guitar work brings Michael Brook to mind.

The one consistent factor throughout the three pieces is the exhaustively creative use the ensemble have made of what is undeniably a limited range of equipment – a lesson we can all learn.

On the subject of equipment, **Marble Arch** inform me they're intending to replace their DX7 and Oberheim OB8 with two Korg DSS1s. They claim it's in the interest of creating "a more natural sound" and also to break away from DX predictability. Now, I don't know how it'll work out for them, but I do know I'd think twice about investing that much cash in two machines that are going to do essentially the same job, rather than two instruments with complementary facilities (which is what they possess now). And where the DX7 is concerned, they could do worse than to take time out to learn to program it.

Purchasing decisions aside, it's the DX and the OB8 that hold court on this demo, and a fairly good job they make of it.

Apart from the synths, Marble Arch are a pretty "acoustic" band – guitar solos, real drums, and a singer who sounds like OMD's Andy McCluskey in his better mcments. Not that that's a bad thing either, or that they're poor musicians, but the songs...

This is a demo of how not to write a pop song. Sorry boys, but that's the way it is. It's all here: tired-out chord sequences, listless melodies, mismatched verses and choruses, you name it. Pop writing options are few, so you need to make every note count. If what you're doing has all been done before, you'll never convince your audience they're hearing something new. I normally think twice about saying this, but would a manager help? $\blacksquare Tg$

Send your demos to: DemoTakes, Music Technology, Alexander House, I Milton Road, Cambridge CB4 IUY, enclosing – if possible – a recent photograph, some lineup/biographical info, and some technical details about your recording.









This dinky little box of tricks brings stand-alone eight-track sequencing to a new price level. Have Korg cut too many corners to get it there? Review by Bob O'Donnell. DESPITE THE POPULARITY of many sequencing software programs, dedicated hardware sequencers seem to be making a comeback. Roland's MC500 is proving to be incredibly popular, and with the recent introduction of the company's less expensive MC100 and Yamaha's QX5, the future of hardware sequencers is looking quite positive.

First-time sequencer buyers, in particular, seem to be attracted to the easy portability and overall affordability of stand-alone units. Even though many hardware units lack the editing capabilities of software programs, many firsttime users prefer the simple operation of hardware sequencers. Korg have apparently taken notice of this phenomenon, and with the introduction of their inexpensive SQ8 eight-track sequencer, they're addressing this growing market in earnest.

Basics

THE GENERAL SPECIFICATIONS for the SQ8 include the ability to record up to 6500 notes with velocity on eight individual tracks, each of which can be set to its own MIDI channel; the ability also to record pitch-bend, modulation, program change and aftertouch data (which can also be filtered out); and the possibility of being operated in either real-time or step-time recording modes. Pretty basic, perhaps. But I did forget to mention one small point: it does all this in a package that measures a little over $7" \times 3" \times 1"$, and weighs less than two pounds.

Korg have added to the simplicity and convenience of operating the SQ8 by thoughtfully incorporating a stand into it. As a result, it can either be laid flat on top of a keyboard or other nearby surface, or propped up for easier viewing. Unfortunately, Korg haven't applied this convenience principle to powering the unit. Despite the fact that it requires a mere nine volts to operate, the SQ8 does not offer the option of battery power. Korg *do* include an external power supply with the SQ8, but having to use an adaptor definitely decreases the unit's potential portability.

The SQ8's connections to the outside world are very

simple: a MIDI In port, a MIDI Out port and a mini headphone jack for monitoring the unit's metronome output. In one of Korg's many cost-cutting measures, however, the SQ8 does *not* come with headphones. It doesn't have an internal speaker either, so if you want to listen to the metronome's click as you record, you'll have to supply your own Walkman-type headphones. Thankfully, the volume level of the click is adjustable, but that small benefit doesn't excuse Korg from omitting what should have been a standard accessory. To be fair, the unit does have a blinking visual display of the tempo, but how many people will really depend on that?

In addition to its compact size, one of the first things you notice about the SQ8 is its well-organised, uncluttered front panel. A row of multi-function keys runs along the bottom and right-hand side of the unit, and an informative, pre-printed LCD (much like those fitted to Roland's drum machines) fills the upper left-hand portion. All relevant information about tempo, time signature, measure number, MIDI channel(s), track status, current function and remaining memory can be displayed at once, making it very easy to determine exactly where you are in the sequencing process.

Operation

THE SQ8 OFFERS six basic functions, each of which has an effect upon the sequencer's overall configuration or the status of individual tracks. To access any of these functions, you simply push the centrally-located Function key until the arrow points to the function you wish to use.

Thanks to its battery backed-up memory, the SQ8 displays all the information stored from the last time it was used as soon as you switch it on. The function cursor defaults to the Tempo/Beat location and allows you to reconfigure the basic recording and playback parameters quite easily. The tempo is variable from 40-192bpm, and the time signature (which Korg refer to as Beat) can be chosen from one of five possibilities: 2/4, 3/4, 4/4, 5/4 and 6/4.

Now, for 90% of the music you may want to record, these time signatures will probably suffice; but if you want to record that 7/8 groove that's been floating around your head, you're going to need another sequencer. Another limitation (pointed out in the very basic owner's manual) is that once you've started to record or play back at a particular tempo, you can't change it; the tempo remains fixed until you stop. Admittedly these are not major faults, but unfortunately, they are typical of the corner-cutting measures that are found throughout the \$Q8's operation.

A much larger problem stems from the SQ8's inability to sync to the outside world. While it does output MIDI clock, start, stop and continue commands, it does not respond to any of those messages. Consequently, it must serve as the master clock for any MIDI system it is being used in, and in this context, its rigid tempo controls take on a greater significance, too.

The next section accessed by the Function key is MIDI Channel mode. This allows you to specify any of the 16 MIDI channels for each individual track. To do this, you simply hit the key assigned to the track you want to change the MIDI channel for, and then use the up/down buttons to choose the appropriate channel. The SQ8 only operates in the Omni Off/Poly Mode (Mode 3), so transmission and reception of MIDI data can only occur on the properly selected channels.

The Play Track function comes next for some reason, but I'll follow the example set by the manual and skip over that to discuss the Record Track function first. Once you've entered the record mode, all you have to do to begin recording a sequence on the SQ8 is select the track you wish to record on (you can only record on one at a time) and push Start. The bar indicator counts down two measures of whatever time signature you've chosen to record in, and the SQ8 then begins recording automatically. The letters "REC" initially appear blinking in the display next to the track you are recording on, but as soon as the unit begins to receive data, the display stops blinking. (This subtle little feature prevents you from missing that "incredible take" as a result of dodgy MIDI connections.)

To stop recording, you simply press the Start/Stop button and the record display begins blinking once more. You can then begin recording again from the point where you had stopped, but be forewarned that the SQ8 only works in complete measures. This means that if you stopped in the middle of a measure, the recording starts at the beginning of the *next* measure.

An odd feature which deserves mention is the SQ8's ability to record in fast-forward. I'm not really sure what purpose this serves, except perhaps to reduce the drudgery of recording whole notes, but it's there if you want it.

When you've finished recording a track, some of the more serious limitations of the SQ8 start to become apparent. To hear what you've just recorded, the owner's manual tells you to press the Reset key, which automatically converts the recorded information into "play" information (signified by a star next to the track number in the display). What it doesn't tell you, however, is that once you do that you've made it impossible to alter that track with the few editing features that the sequencer offers. Believe it or not, once you've converted recorded information into playable information, the only way you can change it is by erasing and re-recording the entire track. In other words, to hear if there are any mistakes, you have to put the information into a form that you can't alter anyway. Now, if this isn't a serious Catch-22 situation I don't know what is.

If you are absolutely sure that you made a mistake, however, the SQ8 has a nice feature which does allow for some basic editing. Once you've stopped recording, you can press the Rewind button and the sequencer outputs the MIDI information in reverse (!), so that you can listen for the point at which the mistake was made. Once you've found it, MUSIC TECHNOLOGY MAY 1987 you can punch in (recording can only start at the beginning of a measure, remember) and re-record the track to the end. Punch-outs, unfortunately, are not possible. If you made more than one mistake, make sure that you rewind to the point where the first one occurred, otherwise you'll have to record over your first punch-in.

One other small point that you need to be aware of (and which, again, the owner's manual doesn't address) is that the SQ8 erases as it rewinds in record mode, so if you


▶ "While it outputs MIDI clock, start, stop and continue commands, the SQ8 doesn't respond to any of those messages, so must serve as the master clock for any MIDI system it's used in."

rewind too far you'll have to re-record starting from the point you rewound to. Hitting the Fast Forward button won't do any good because it only starts to record in fast forward. Needless to say, this is a frustrating and serious drawback.

Returning now to the Play Track function, the SQ8 allows you to listen to or mute whichever tracks you want, as long as the selections are made before playback is started. This flexible setup allows you to record and store two or more individual songs in the unit, even though it has no special provision for this application. Making use of my trusty CZ101, I was able to record one multi-timbral sequence on tracks I-4 and then, while muting the playback on those tracks, record an entirely different sequence on tracks 5-8. A glamorous application of technology it is not, but given the SQ8's healthy 6500-note memory, it does represent a viable way of squeezing out as much performance from the machine as possible.

Another nice feature available in Play mode is the Measure Memory function. What this allows you to do is locate a specific measure at which the SQ8 will automatically stop. With a bit of intelligent planning, you could also use this feature to record two independent eight-track sequences, one on each side of the marker. (To do so you'd have to record track I of song I, then track I of song 2, then track 2 of song I, then track 2 of song 2, and so on.) Fast forward and rewind are also available in Play mode, but thankfully, they operate in normal tape transport fashion, without destroying any information.

Erase Track is the fifth function which can be accessed by the Function key, and it operates just as you would expect it



to. You can either erase tracks individually or do all eight collectively. The SQ8 also features a data protect switch, which allows you to prevent accidental erasure of important sequenced material.

The final function is the ominously titled Step Write/ Other. Like the rest of the machine's functions, the SQ8's step-time mode is somewhat limited and can be a bit frustrating to work with. The smallest increment that you

"To hear if there are any mistakes, you have to put the information into a form you can't alter anyway; if this isn't a serious Catch-22 situation, I don't know what is."

> can use is a 16th-note, and every note that you input has to be divisible into 16ths, so triplets are not possible in step time.

> The actual inputting process requires you to hold down the note that you want to enter, and then press the Up button as many times as there would be 16ths during that note's length. A half-note, for example, requires eight button pushes, while an eighth-note requires only two. If you don't hold the note down while you're pressing the Up button, the SQ8 interprets these button pushes as rests.

> I'm happy to report that you can enter the step write mode from the real-time recording mode, but unfortunately, you can't do things the other way round. Once you leave the step write mode, you can only go to the unalterable play mode.

> The Step Write/Other function also allows you to turn four general system parameters on and off. Key Transposition allows you to change the key of the sequenced data based upon a MIDI note input, but only if the machine is reset, stopped or repeating; Repeat On can be used for the entire sequencer's memory, or, in conjunction with the Memory Measure feature, for a small segment of a complete

sequence; Echo Back allows the incoming MIDI data to be sent out of the SQ8's MIDI Out port, like a MIDI Thru feature; and Aftertouch Off tells the sequencer to ignore incoming (and memory-hungry) aftertouch data. For some unexplained reason, the status of these functions cannot be stored in memory, so they have to be reset each time the power is turned on.

Verdict

AS A BASIC vanilla flavour, real-time recording sequencer the SQ8 does a perfectly respectable job. It offers very simple operation, a decent-sized note memory and, with eight individual recording tracks, more flexibility in recording than most of the competitors in its price range. It seems one of the main reasons behind the introduction of the SQ8 was to offer a machine which quickly and easily displayed the multi-timbral capabilities of Korg's impressive new DS8 synthesiser, and that it should do well enough.


So, if you're the type of musician who doesn't like to mess around with editing and you're in the market for a portable, inexpensive first sequencer, I suggest you take a look at the SQ8.

If, on the other hand, you're looking for a sequencer with a healthy selection of editing features and a bit of flexibility, I suggest you look elsewhere. The SQ8 simply overlooks too many insignificant (and significant – like the lack of an external storage medium) details to justify its addition to most sophisticated MIDI systems. In fact, the limitations it places upon the user can turn what should be an enjoyable experience into a tedious and frustrating one.

Price £199 including VAT More from Korg, 32 Gordon House Road, London NWS 1NE. 🕾 01-267 5151

PROTECT YOUR INVESTMENT WITH A CUSTOM CASEABILITY FLIGHT CASE

Using 9mm birch plywood which has a rosewood coloured exterior, our cases are both hard wearing and attractive looking. Finished with aluminium trim, heavy duty corners and location strip between the lid and base to provide a dust proof fit, these cases can be manufactured to hold any article (within



reason) that may need protection. A wide range of fittings are available to suit your specification, including locking catches for extra security and heavy duty castors for ease of mobility. Internally, foam may be added to give that extra protection. SO WHATEVER YOUR NEEDS – WE HAVE A CASE FOR YOU!



For further details contact: Derek Tallent A.C.T. Unit 5 Trenchlock 3 Telford Shropshire Tel: 0952 54066 MUSIC IS BIG BUSINESS

But the business of selling and marketing of music products and systems can be a very confusing one if you aren't involved. How do you get a start? If you're already in the business, deciding on the next step in your career creates its own problems. The business certainly can be a jungle.

The way to get off the ground and into the trees is to talk to MusicStaff. We're the first staff agency to focus on the problems of the professional music sales and marketing industry. Our clients want the best, and quickly. Staff down-time mean sales going to someone else, so MusicStaff aim to place the right applicant in the right job. Fast.

If you're serious about music merchandizing as a career, or feel that your skills are under-used in your present job, write in the first instance to Jennifer Mitchell at MusicStaff, P.O. Box 116, Bromley Kent BR1 3WP, telling us what you've got to offer, or phone us on 01-464 6113.





fairlight's father



In the first half of an exclusive two-part interview, Fairlight co-founder Kim Ryrie outlines the background behind the CMI's invention, and gives a sneak preview of what his company may be doing in the future. Interview by Simon Trask.

OU MAY HAVE heard the story of the two Australians sitting by Sydney harbour, eating their lunch and arguing about what to call their new company. The harbour hydrofoil sped past while the two were in midargument, and they both noticed the name. Problem solved.

The two Australians were Kim Ryrie

and Peter Vogel, and the hydrofoil was called "Fairlight". A star was born, but the origins of the Computer Musical Instrument have more to do with one man's enthusiasm for music and electronics than with water transport.

"In 1970 I started a magazine called *Electronics Today International*. We tried to come up with four DIY construction projects each month – a new garage door opener, things like that.

"After the Moog and Switched On Bach came out, I decided to run a do-it-yourself synthesiser construction project in the magazine. The result was an analogue synthesiser called the ETI4600. It was a bit of a monstrous beast, but it was fun."

However, that fun soon turned to dissatisfaction with what could be achieved using analogue techniques. Ryrie called in Peter Vogel, an old schoolfriend who also happened to be a wizard electronics designer. It was the start of a partnership which is still going strong, with Ryrie now managing director and Vogel head of R&D at Fairlight.

"I said: 'How about we start a company and build a new synthesiser? We could use these new microprocessor things...' My original plan was for a digitally-controlled analogue synthesiser – something like the Prophet 5 turned out to be. But around 1975 we met up with a computer consultant called Tony Furse, who was Motorola's consultant in Australia on the 6800 range of microprocessors, and who'd previously worked on the design of integrated circuits for Fairchild in the States.

"Tony had been working for some years on an all-digital waveform manipulation system. This would generate by means of additive synthesis a whole series of complex waveform cycles and in effect 'animate' them. So we picked up on this and worked on it for several years."

The prototype system consisted of some 20 circuit boards and 4K of static RAM (a large amount in those days), could handle eight voices, and was about twice the size and price of the current CMI – not a very viable device, commercially. But around 1977, the team turned their attention to the new 16K dynamic RAM chips that were starting to become available, and that, according to Ryrie, was the turning point.

"We got hold of some chips and designed one channel onto one card – memory access time wasn't fast enough to allow us to put all eight channels on a single card.

"Having designed this new system we then thought: 'Gosh! We've got so much memory – 16K for each channel – maybe

MUSIC TECHNOLOGY MAY 1987

we could actually sample a real sound and play it back'. So it wasn't until we'd designed the hardware that the thought came to us to do that. It wasn't hard to implement — you could buy eight-bit ADCs which weren't outrageously expensive because they were used in many other applications. Sampling didn't require anything particularly profound, technologically. We were just using two 6800s talking out of phase to the same waveform memory a single 6800 simply didn't have the power to do what had to be done in real time.

"The first sampled sound ever came from a dog which belonged to one of our programmers. You could tell it to speak and it would bark. We sampled that onto the first prototype board, which had wires trailing all over the place. That sample ended up in the original Series I sound library."

Years of R&D doesn't come cheap, of course. Fairlight initially financed their operations by producing an Electronic Paintbox which converted a monochrome signal into six colours, and which sold well to local TV stations. Subsequently, the company produced the hardware for a business computer marketed by Remington Office Machines.

"We didn't get rich doing that, but it certainly made us enough money to keep going. That lasted for about two years, which was long enough for us to start being able to sell the CMI I."

Ironically, it was Japan's entry into the business computer market which prompted Fairlight to phase themselves out of that area, feeling it would no longer be profitable for them.

The Series I CMI made its debut in 1979, with sampling as the star of the show and the original additive synthesis system relegated to a supporting role on Page 4. The Series II followed a few years later with essentially the same architecture, but offering improved fidelity, and replacing the 6800s with dual 6809 processors.

ODAY, THE FAIRLIGHT has achieved such fame that even nonmusicians are aware of what it does. But what did musicians and producers make of the CMI when it was first launched?

"We had the CMI at an AES show in New York in 1979, and the reaction was universally 'Oh my God, that's amazing – what would you use it for?", which was a bit depressing. The software was rather basic, but we were able to play sounds on the keyboard, and some people immediately thought it was wonderful – but as a whole it took a while to get moving. In terms of sales the response was enough to keep us in business, but we weren't about to turn into a multinational overnight."

But if the response from many people MUSIC TECHNOLOGY MAY 1987 was initially one of non-comprehension, the underlying ramifications of the system's arrival were bound to set in before too long. Here, after all, was a technique which couldn't create any sound of its own, but which could imitate the sound of any other instrument. Was the initial idea behind the CMI that it should be a "transparent" instrument?

"I don't think we did necessarily feel that a flute should sound like a flute. At the back of everyone's mind, of course, that's the ideal situation, but it was more a matter of going for what you could – what could we do? Many productions were done with flutes not sounding like flutes, but it seemed right for the piece of music. So we really didn't get involved in those discussions; it wasn't really our department.

"Obviously one of the big questions was: Aren't we going to put all these acoustic players out of business? But that was never the intention; rather, the intention was just to be able to play any sound – and traditional instruments just happen to be a subset of that.

"We made the machine because we wanted things to sound complex, not necessarily like a classical instrument. I personally love classical instruments, and I love real orchestras. We're starting now to be able to do that on the Series III, and even then it's only quite reasonable. That personally gets me terribly excited, because I love the power of a real orchestra and I'd never heard that reproduced on an electronic instrument. So in a way I'm thrilled that we can do it, but we weren't disappointed when we couldn't."

While the CMI's sampling ability stole the limelight, there was another aspect of the Computer Musical Instrument which

"The first sampled sound came from a dog that belonged to one of the programmers... We sampled it onto the first prototype board, and it ended up in the original sound library."

had a profound impact on the musicians who actually used it: the famed Page R. How did the rhythm page come about?

"While working on the sampling, we were also working on a keyboard sequencer which we called Page 9. It was an overdubbing keyboard sequencer that recorded key velocity, but which didn't really have good editing facilities at all.

"I think it was at the 1980 AES show that Roger Linn came along with his drum machine. We let him share our booth, and we gave demonstrations on the half-hour, alternating demos with Roger. I honestly thought that Roger was going to slash his wrists by the end of the show. Everyone was coming in and playing with his drum machine, and saying: 'That's amazing. What would you use it for?'. He was so

动物相		RHYTH	M SEQUE	NCER			4:04:36
	.RS terns	Sync:	964 INT	Trigger: 2000 Hz P THIS.	OFF Is A	Start: Time DEMO	00:00:00:00 00:00:00:00 SEQUENCE
Pattern: 32 drumsa 1 drumsa 1	A C	Bar:] 	<u>,</u> ;	HIS	<u>IS A</u> H	COMME	NT
drumsa 1 key3_hats 2 key3_hats 2 fa_slobass 3	C D	· · · · ·	}	→ →		•	
¹² _slpbass 0 rockpiano 4 roc piano 4 rockpiano 4							
rockpiano 4 Pockpiano 4 phil2.vc 5 phil2.vc 5 tenfrancs. 6	M M N D P						
<u>instrucents</u> Loci cano PLA STO	EL INSERT	DELETE PAUSE	ZERO CONT	FILL	2	nty Mo Pat	NO SOLO MERI SONG

depressed ... "I was quite impressed by the organ-

"We had the CMI at an AES show in New York in 1979, and the reaction was universally: 'Oh my God, that's amazing-what would you use it for?', which was a bit depressing."

> isation of his drum sequencer, with patterns and so on. I thought that approach

could work on the Fairlight with all our sampled sounds. So I drew up a very simple display page with blobs for the notes, and we thought we could call it the Rhythm Sequencer. Our programmer, Michael Carlos, wrote Page R from that basic specification, and although we intended it to be rhythmically oriented, we found that people were using it increasingly for more general music composition.

"So we added more and more features that we felt composers would want, and



consequence of missing out on this year's Another E-max innovation is its channel most astounding new product.



01 229 2041

Page R developed into a very interactive sequencer because of the way the memory is structured. It has a block of memory with X number of bytes in it all the time, whether they're used for notes or not. So it's incredibly inefficient as a memory storage system, but it's terribly interactive because of that structure. That's why it's only 16 monophonic channels - eight on the Series II - and of necessity is quantised to some degree.

"The new CAPS sequencer for the Series III is the more traditional form of sequencer, in that it records note-ons and note-offs and so forth. The idea is that you can use Page R to get the structure of your song together, and once you've done that you can transfer across to CAPS and move on to the rest of the song."

As you may already know, CAPS is an 80-track sequencer which integrates MIDI into the Fairlight scheme of things. The software is only just being made available on the Series III, but Fairlight are already planning dramatic new developments.

'We've just purchased the exclusive rights to something called 'Clynes' microstructure', which we're intending to make available in the second stage of CAPS.

"Dr Clynes is the head of the electronic music department at the New South Wales Conservatorium. He spent about five or six years researching what he calls the 'pulse' of composers. His claim is that all of the classical composers, for example, have an inherent 'pulse' - the way that they play things. For instance, the third microbeat in some part of music will always be played slightly ahead of time by a few milliseconds, and perhaps at a slightly lower amplitude, and perhaps the note will attack and decay in a slightly different way. He spent an awful lot of time analysing all this on his department's computers, and he's come up with all these pulses for all the classical composers.

"We'd been sitting on the sidelines watching all this develop, because we were a little bit sceptical. But the results are absolutely startling. You could play in a piece of Bach and it might not sound particularly authentic. But you would then run his software through the composition - in this case the Bach algorithm - and the music would actually come back sounding like Bach.

"In fact the way that it's played seems to make it sound more like Bach than the notes themselves, because you could then run the Beethoven algorithm on the same piece of music and it would come back sounding more like Beethoven than Bach, even though it was Bach who had composed the notes.

"So it's a fascinating concept, and one of the reasons why it's quite involved is because it does involve the way in which notes attack and decay. We apply what are MUSIC TECHNOLOGY MAY 1987

called Beta functions onto the attack and decay slopes, and of course you can't get that information through MID1 – there's no way for it to handle that. So all this has to happen within the CMI system, between CAPS and the internal voice-generating section of the machine. However, we can send out key velocity and differences in playing time over MID1 – that does give you some of the effect, but the whole effect requires control over the envelopes. Where notes are played will define how they're shaped.

"Now, Clynes' work relates to classical music, and one of our big concerns was whether or not this would be of interest to popular musicians. So then he started doing experiments in that area, and it really does seem to make a difference. You can also come up with your own algorithms – put in any old thing and it comes up sounding interesting.

"We don't know where it's heading, but we feel confident that it's heading somewhere. There's still a fair amount of research to be done in putting Clynes' system on the Series III, but there may be a release before the end of the year."

S WE ALL know, technology doesn't always keep pace with human imagination. Did the Fairlight team want to achieve more with the early CMI than the technology of the time allowed them to do?

"Oh, I think so. But we tended not to think of that at the time, but just go for whatever we could do with the available technology rather than get depressed about it. I don't think you get anything done if you concern yourself with what you can't do.

"If you're producing a piece of music and you're always concerned about what the hardware won't allow you to do, then that's the end of your composition, because suddenly your whole mind is working in limitation mode rather than getting-something-out-the-door mode.

"So it really wasn't much of an issue. When something new came along we'd start playing with it and seeing what we could do with it. That's why we kept the Series III in a very modular arrangement. The first version of Series III had all of the analogue outputs and inputs on a couple of large circuit boards, but in the end we felt that wasn't a very good idea because if someone were to bring out a new startling and amazing anti-aliasing filter, or a much better A-to-D, or a better de-glitching arrangement, we'd have to redesign the whole thing and sell that.

"What we've done is come up with a very modular arrangement of circuit boards, with each channel's A-to-D on a separate board. We do have an ongoing hardware development program which MUSIC TECHNOLOGY MAY 1987 will make new versions of some of the CMI modules depending on how the technology is moving. It's one of the advantages of a modular system versus the approach of everything on one card in one box."

Another reason for the CMI's success has been its emphasis on user-friendliness. As Kim Ryrie explains, there's a good reason why that has always been a priority.

"Well, I hate computers. I've never been able to sit down at a computer and program it. I have an Apple II at home which I use only when I absolutely have to.

"I know the way musicians feel about computers. The hard thing is to get programmers, who love typewriter keyboards, enthusiastic about the idea that some people like knobs and buttons and seeing things on screens and not having to type much – being able to poke at things with pens rather than having to type at 300 words a minute.

"So user-friendliness was part of a very early philosophy, and Peter was always in agreement about that. And because we had quite a number of musicians working on the project, they also felt strongly about that aspect of it. It became a bit of a thing to see who could make the most user-friendly display page.

"That wasn't too difficult with Series I and II, but with Series III it became a big problem. Whereas you could teach anyone how to use the Series II in 10 minutes, the III was a whole different ball-game. Instead of having sounds that were always 16K in length, you suddenly had 14Mbytes of RAM, variable sample lengths, 64 subvoices per voice, as many voices as you liked in an instrument...

"It's been a real challenge getting the Series III software as user-friendly as the Series II was, because there's so much more involved. Just to give you an example, control parameters such as vibrato rate and attack and decay rates can be set for subvoices as well as voices – local and global parameters – and that's quite hard to orchestrate and make accessible to the user."

HILE THE JAPANESE music industry concentrates on producing ever more sophisticated instruments at the budget end of the market, Fairlight has remained resolutely at the top end. But although we're unlikely to see a £2000 instrument from the company just yet, times are changing.

"We work towards a system that will allow what we consider to be state-of-theart production. If we could do it for $\pounds 2000$, we would do it.

"In fact, we've had a lot of interest from people who can't afford a Fairlight who have asked us if we could do a smaller, cheaper one. But the amount of R&D that goes into the Fairlight is so enormous that we feel we really just want to concentrate on one design at a time. That's not to say that we aren't working on the next generation, which may allow a more powerful system to be produced a little more cheaply, but our mind is always on what can be produced, rather than how much it costs – though we do try to get the cost as low as we can.

▶ "We added features we felt composers would want, and Page R developed into an interactive sequencer because of the way it's structured. It's inefficient as a memory storage system, but it's very interactive."

"What we are doing is bringing out a new configuration of the Series III which will use 20Mbyte floppy disks rather than hard disk. It'll use the Series III's hardware and software – so, for instance, it'll have CAPS – but a typical configuration will probably be eight voices with 4Mbyte of RAM. The advantage of that may be that some people would be able to afford to



make it part of their production system, and then add to it as money allows - it'll be upgradable to the complete Series III system.

"We're working on the next generation, which may allow a more powerful system to be produced more cheaply, but our mind is always on what can be produced rather than how much it costs."

"The eight-voice/four-meg configuration allows you to play virtually any Series III sound that is now around; most multisampled sounds on the III take about 4Mbyte. So what it means is that people who can't go for the full system will at least be able to get those sounds that they can't get using the cheaper sampling instruments. That's something that we're hoping to bring out quite soon...'

ROLAND D50 Linear Arithmetic Synthesiser

Few instruments cause as much stir in the MT office as this: a synth that sounds brilliant, looks relatively easy to program, and doesn't cost a fortune. Superlatives are not enough. Review by Simon Trask.



Photography Tim Goodyer

"THE ROLAND D50 is very different from any other synthesiser, past or present, and as such heralds the dawn of a new era in synthesis."

Yes, it's 1987 and the synthesiser is alive and well (as, so it seems, is the enthusiastic manual writer). The D50 is Roland's first all-digital polyphonic synth (and their first 16note polyphonic synth), and the company have come up with a new name – and a new synthesis system – to delight us all with: Linear Arithmetic Synthesis, which is implemented on a new custom-designed chip known not surprisingly as the LA Chip.

In fact, so new is the D50 that we've decided to spread our review of it over two issues. We could say that this will give you more time to get to grips with the D50, but in fact, it's your Reviews Editor who needs more time, owing to the fact that MT's review model arrived on the doorstep just as the magazine was going to press. We couldn't pass up the opportunity to tell you about the D50 as soon as possible – but not at the expense of thoroughness. So this first part will concentrate on providing an overview of the 'instrument, while part 2 will look in more depth at just what the D50 can and can't do.

Before we start considering the delights of Linear Arithmetic Synthesis, consider the scene on a Wednesday afternoon in MT's offices. One of only five D50s in the country has just arrived courtesy of Securicor, and the staff are stirred into something resembling activity. In a matter of seconds, the D50 is up on the stand and plugged into a passing keyboard amp. Fingers are laid to rest on keys, and suddenly the office is filled with vibrant sounds which instantly mark the D50 out as something a bit special.

Now, the MT staff are as capable of child-like excitement

and fascination as the next idiot musician, and the D50 is certainly doing its best to bring out the best in us. Could Roland's enthusiastic manual writer be right after all?

Well, put simply, the D50 retains all the richness of tone that you typically associate with Roland's upmarket analogue synths, and couples it with a "bite" and "sparkle" that is more generally associated with digital soundgenerating systems. And the whole is definitely greater than the sum of its parts.

Background

BUT WHAT *IS* this Linear Arithmetic Synthesis, and do you need a PhD in Mathematics to understand it? Well, if you were designing the D50 you probably would, but fortunately, all you have to do is play it and program it.

The programming system which Roland have devised isn't the easiest to understand initially, but if you stay cool, most of it clicks into place without too much brain-ache. And in true Roland fashion, there's an add-on programmer which allows you to adjust all the D50's sound parameters using analogue sliders. The PG1000 (for so it is called) is the most sophisticated programmer that Roland have yet come up with, which seems reasonable enough for what is really the most sophisticated instrument they've yet come up with.

Essentially, the D50 achieves its results by providing PCM samples of the attack stage from a wide range of acoustic instruments, which can be combined with sounds created in the instrument's synth section. The idea behind this is that MUSIC TECHNOLOGY MAY 1987 you get the realism and bite that comes from the attack of a real sound (always an important element in the definition of a sound) combined with the sonic flexibility of a synthesiser section.

The D50 bas 100 PCM samples onboard. Forty-seven of these are one-shot and 29 are looped. The remaining 24 are combined and looped versions of the other samples, for some more unusual effects. Roland's attack samples include all manner of percussion instruments together with piano, harpsichord, organ, electric and acoustic guitar, electric and upright bass, flute, clarinet, trumpet, trombone, violin and cello (often with several versions of each instrument type).

These PCM samples provide one type of sound source (the other being the synth section) for what is known as a Partial. Don't get these confused with harmonic partials; a D50 partial is really a complete sound in its own right.

Two partials together with various parameters that are collectively known as a Common block (because they apply to both partials -- it's easy, really) make up what is known as a Tone, which constitutes a single voice on the D50. As each partial can be either a PCM sound or a synth sound, you can of course decide to combine two of the former or two of the latter. You can get some very effective sounds very quickly by combining different PCM samples (a violin scrape combined with a flute chiff gives a very convincing impression of the shower scene music from *Psycho*). Further flexibility is provided by the D50's ability to balance the volume of your chosen two partials.

Structure

ROLAND HAVE PROVIDED seven Structures which determine whether each partial is a PCM sound source or a synthesiser sound source (this setting is one of the Common parameters). These structures are printed in graphic form on the D50's front panel – providing an invaluable amount of feedback when you're trying to figure out what the hell's going on. Essentially you can have sample + sample, sample + synth and synth + synth. But you can also choose structures which bring in ring modulation (digitally implemented, of course).

The synthesiser section allows you to choose between sawtooth and square waveforms (the latter with adjustable pulse width). The synthesiser sound generator has three sections: WG (Waveform Generator), TVF (Time Variant Filter) and TVA (Time Variant Amplifier), while the PCM sound generator misses out the filter section. There are also three LFOs and a five-stage pitch envelope which can be applied to various parameters of each generator.

The "Time Variant" label is cleverspeak for envelope – filter and amplitude respectively. As with the pitch envelope, these are five-stage affairs, with level and time settings. The filter envelope allows you to select the filter cutoff point for a synthesiser sound dynamically – not that common a feature. And remember that these envelopes (which are adjustable in real-time) are digitally defined – which makes the D50's filtering a great improvement on the digital filtering found on, say, Roland's S10 sampler.

Carrying on up the hierarchy, two tones can be combined into a single Patch, of which there are 64 onboard the D50 (organised in Bank/Number format). A further 64 patches can be stored on one of Roland's new wafer-thin memory cards (like credit cards, but cheaper in the long run), giving instant access to 128 patches at any one time. The D50 comes with a ROM card which duplicates the factory set of internal patches (so you can overwrite the latter without fear of losing them), but you'll also be able to get RAM cards, and it seems likely Roland will be supporting the D50 with a sound library.

The way the two tones (specified as Upper and Lower) are placed on the keyboard is taken care of by the keyboard MUSIC TECHNOLOGY MAY 1987 mode – essentially whole, split and dual. While whole mode obviously gives you 16-note polyphony and dual gives you eight-note, split can be either 8+8, 8+1 or 1+8. You can also set the instrument to whole solo and dual solo, while separate and separate solo modes take you into the weird and wonderful world of MIDI.

Dual mode actually allows you to layer up to four sounds $(2 \times 2 \text{ partials})$, while you can adjust the volume balance of the two tones in a patch – which means, in effect, that you can balance all four partials. Volume balancing is accomplished using an onboard joystick (which can also be used for coarse adjustment of all parameter values – inc/dec buttons take care of fine adjustments). This shouldn't be confused with the Prophet VS' joystick-based mixing of timbres.

Processing

INTEGRAL TO THE D50 are onboard programmable digital reverb, chorus and EQ. As Roland are keen to point out, all processing on the D50 takes place in the digital domain. The reverb is patch-programmable, while chorus and EQ may be programmed for each partial within a patch. The D50 has four output modes (again represented graphically on the synth's front panel) which determine whether the programmed reverb effect is applied to a mix of upper and lower tones, upper and lower tones individually, the upper tone only or the lower tone only. Output mode is programmable for each patch, as are the balance of "dry" and reverb signal, and the choice of reverb type - and that's about the extent of the control you have over reverb on the D50. There are 32 reverb types, providing rooms, halls, chapels, boxes, single delays and cross delays, gates, caves, gated reverb, reverse gate, slapback and twisted space(!).

Another patch-specific feature implemented in software on the D50 is Chase Play. This replays notes that you have just played to give a DDL-type effect according to level and time settings. If you're familiar with the Roland JX10 synth (reviewed E&MM June '86), you'll no doubt be familiar with Chase Play. It's a very effective feature, and a dedicated front-panel button allows it to be switched in and out with ease.

Coming Soon ...

IF YOUR LOCAL music shop salesman starts talking about the LA sound, you'll know now that he's not referring to the latest American West Coast craze. But the D50 does have *a* sound – and ultimately it will sit next to other synths with other sounds. We racked it up with the DX7II, and a wonderful combination they made, too. As we said at the start, the D50 excels at lending sparkle (thanks to the PCM samples) to warm synth sounds that have plenty of movement.

From the factory programs, those with the greatest impact are "breathy" sounds, strings sounds, and specialeffects voices with complex envelope settings. But the existing piano and brass sounds are not the D50's forte, and there's nothing to compare with the best acoustic guitar sound on the DX7II, for example.


But the D50 is an exceptionally impressive and intriguing machine which looks capable, perhaps more than any instrument since the original DX7, of bringing a new quality to sound synthesis. Next month, we'll go in the deep end.

Prices D50 £1445; PG1000 £320, both RRPs including VAT


More from Roland UK, Great West Trading Estate, 983 Great West Road, Brentford, Middlesex TW8 9DN. 201-568 4578













Larry Fast is known both as an electronic composer in his own right and as the provider of Peter Gabriel's synth textures. He's in love with the synthesiser and the orchestra, but sampling is another matter. Interview by Tim Goodyer.

NLESS YOU'VE BEEN an ardent follower of electronic music over the last decade or so, the six-album history of an act called Synergy is unlikely to have made much of an impression on your listening diet.

If, on the other hand, you follow the fortunes of lesser-known "serious" electronic composers, you'll already know that the man behind Synergy is Larry Fast, an American composing and recording artist who has spent the last 12 years trying to create a credible fusion of classical and popular music, and performing the results on all manner of electronic instruments.

Alternatively, you may recognise Fast's name from numerous LP production honours, not the least of which include all but the most recent Peter Gabriel album. (He recorded material for So, it has remained "canned" for another day.) He's enjoyed credit for synth playing and programming, as well as contributing to Gabriel's music both on vinyl and on stage.

Fast's latest undertaking is co-producing the forthcoming Dream Academy album, with Hugh Padgham at London's Lillie Yard studios. And so it is in Lillie Yard's lavishly equipped programming suite that I sit with Fast to talk about the life and times of a young American composer.

Things do not begin well. There is a

misunderstanding with his American office, and he is almost an hour late for the interview. He is eager to make amends for my wait with coffee and enthusiastic answers to my questions.

But where to begin? A little background? The relentless advance of technology? His ten-year association with Peter Gabriel? We settle for Synergy album number seven, *Metropolitan Suite*, just on release in the States after a six-year break due to commitments to Gabriel.

"The music grew over a long period of time", Fast recalls. "It's a product of my fascination with historical periods as they relate to music and architecture. In both, technology has a big influence over how people live and the form their lives takes, so I thought that made a very nice area from which to pull musical ideas.

"I've used musical styles from the early part of the 20th Century and incorporated them into a very *late* 20th Century playing style. That's not unlike the way postmodern architecture uses earlier styles of building and earlier styles of embellishment, but with new materials: it uses composite plastics and high-efficiency glasses in just the same way that I've used electronics and digital recording technology to express earlier harmonic structures."

An ambitious undertaking, but then Fast is an ambitious composer. Synergy's début album bore the intimidating title MUSIC TECHNOLOGY MAY 1987 Electronic Realizations for Rock Orchestra... Well, it was 1975, but Fast bravely stands by the title as a declaration of his intentions.

"I wanted to blend what I knew of composition and the classics with the more driving approach of rock. I also knew I wanted to use what were then very new sounds."

HOSE EARLY DAYS saw Fast working with a mixture of Moog and home-grown synthesiser modules. Since then equipment has come and gone, but the orchestral influence is as strong as ever. Now, on *Metropolitan Suite*, there are undeniable shades of George Gershwin.

"Gershwin started out as a pop writer in the early years of the century, and managed to evolve to the stage where his pieces are now considered to be almost part of the classical repertoire. I would like to try to follow that pattern", Fast concedes with a smile.

When the time was right to record Metropolitan Suite, Sony offered Larry Fast free use of their PCM 3324 24-track digital recorder and PCM F1 two-track mastering machine. In fact, Fast's studio turns out to be a good destination for such technological experimenting, since the Sony affair represents just another line on a list that already includes development work on the Polymoog and work with Bell Laboratories' multi-million dollar mainframe computer. How did this technical adventure start?

"As well as my teenage obsession with classical and rock music, I was fascinated by electronics. At the point where my electronic tinkering and my musical obsession converged, I thought there was a way to make art out of technology. I was still at college at the time and I managed to use the music I was doing as a senior composition project in 20th Century composition. And that material became the basis of the first Synergy album a couple of years later.

"From that point I more or less followed the popular history of synthesisers: the modulars gave way to the MiniMoog, that evolved into the first polyphonic synthesiser, which then gave way to polyphonic synthesisers like the Prophet 5, then came samplers...

"It was around 1976 that I got to do some consulting work with Bell Laboratories on the earliest laboratory-based digital synthesisers. These required mainframe computers to run and they were wonderful; they showed me then what was going to be happening to synthesisers in the future. We were able to run software emulations of FM synthesis based on the papers that were being published at Stanford around that time. The early versions of those were like the Yamaha FM series of synthesisers is now, but with a lot of additive synthesis which hasn't really caught on yet. We even had a very sophisticated sampling system which was the first opportunity I'd had to grab a sound, throw it into the computer and play around with it. It was also my first exposure to the C programming language which has since become a standard – in fact C was developed at Bell Labs.

"The system was a combination of the in-house mainframe running a large series of wire-wrapped boards which were performing specific functions required by the digital synthesiser, and a series of linking programs in C. That way, the hardware could be reconfigured to work in different ways within the mainframe. You could turn the system from an additive, 256oscillator, variable-partial synthesiser to,

"Post-modern architecture uses composite plastics and highefficiency glasses in the same way that I've used electronics and digital recording technology to express earlier harmonic structures."

say, an 18-operator FM synthesiser by rewriting the linking programs. Fortunately I didn't have to worry too much about that because I had the help of a brilliant young engineer called Greg Sims.

"Looking back, the thing that surprised me more than anything else was the cost. The mainframe was in the \$2-3m range, but by 1983 the DX7 had appeared costing only \$2000 – I remember thinking that someday synthesisers with these facilities would be available a lot more cheaply; I just never envisaged it moving that quickly. Now, with the MkII DX7 available, we're going to start seeing DXs for under \$1000. I'm sure that advances in digital recording and other related digital technologies will move even more quickly. And there will be other surprises all along the way – pleasant ones."

IVEN FAST'S CONSIDERABLE experience with synthesiser technology and his evident enthusiasm for the subject, it would be easy to think that technology could do no wrong by him. Not so...

"I've always had mixed feelings about sampling", he reveals. "I don't categorically reject it – it can be a very useful tool – but I have reservations about the wholesale lifting of sounds. There's even a market in trading sampled sounds now: how can that give a composer an individual identity? I'd rather retain the control over sounds that pure synthesis gives you so you can tailor them to fit your music; that's very hard to do with straight sampling."

A quick listen to *Metropolitan Suite* confirms the absence of any obvious samples, but Fast's reservations go beyond the odd stolen cello or snare drum.

"Grabbing a whole four-bar section off somebody else's record or co-opting somebody else's drum sound is as bad. I think it devalues what they've done and what you're doing, it takes some of your individual creativity away. It has good points as well as bad points, but I think sampling is fraught with dangers for the uncreative mind."

Fast's smile returns with the mention of resynthesis, a process that involves the



sampling and subsequent recreation of the sampled sound.

"A sample is taken in by the sampling part of the instrument and *analysed*, rather than just spat out again as a sound that gets more Mickey Mouse-sounding as it gets higher and Gregorian as it gets lower. A sophisticated computer then sets the dials on the synthesiser part of the instrument so that it's as close to the original patch as possible. Once it's in there you can work on any element as if it were the original sound.

"It's only a starting point, but the hardest part of duplicating a sound is if

"I don't categorically reject sampling, but I have reservations about the wholesale lifting of sounds. There's a market in trading sampled sounds: how can that give a composer an individual identity?"

> you're dealing with 256 or 512 oscillators working as harmonic partials. Then you're talking weeks of manual work to create something you may not want quite like that anyway, so it's a good jumping-off point. That's where I see the future of sampling.

> "When I deal with sampling myself I tend to use it as a waystation to resynthesis. If I want a string section I won't lift it wholesale, what I'll do is try to isolate the bow-scrape from the front of a sample and synthesise the remainder. I could do it all on a synthesiser but it'd take me a long time, so I look at a snippet of a sample as being the way to getting a complex waveform, and then use that in conjunction with other synthesised elements to create my sound.

> "I don't deny there's a laziness factor involved, but sometimes it's more important to be working on a composition than spending three days on a little bow-scrape at the start of a sound."

Fast's involvement with technology has taken him through several generations of synthesisers. Some, like the Bell computer, he never actually owned, but many others involved the investment of his hard-won cash. And if you've ever wondered what happens to the gear that keyboard "wizards" put on the backs of their LP sleeves...

"I do have a lot of obsolete equipment, little Micromoogs and string synthesisers and so on. A lot of them aren't up to much any more: they're not very flexible, they don't integrate into the MIDI system, or they're very noisy – so they end up in storage because they're not really worth anything any more.

"But I'm lucky in that it's my business, so my accountant can write off the tax depreciation on them. Other things, like some parts of old modular systems, still sound good and I still use them now. They can't have much of a resale value any more, but that doesn't really enter into the equation because they're still a good way of getting an idea onto tape.

"If an older instrument has proved its musical value, then it can become a fabulous secondhand bargain. On the other hand, if it's, say, a two-generation old sampler and sampling isn't even what the composer's goal is, then its musical and monetary value might as well be zero.

"The point is that the flashiest new blinking-light equipment isn't important unless it justifies itself as a musical tool. I've always subscribed to the view that the composer should view instruments as tools to achieve his ideas. I've always been completely opposed to instruments *driving* compositions.

"The trouble is there's always been an element of the sports car collector in electronic music, just like there is with guitars. If there's a fabulous blues player whose '57 Strat with a maple neck makes a difference to him then more power to him, or even to a pure collector who doesn't pretend to have a musical interest in the things he's collecting - I can respect that. It's thinking that the equipment makes the music that's a fallacy – musicians make the music. Good music is hard to kill, it may sound 15% better on the latest equipment, but the music is what ultimately counts - as you can tell from the charts at the moment.'

ND WITH THE top of the pop charts dominated by re-released "classics" and cover versions of old songs, it would be easy to agree. But couldn't it simply be acute nostalgia that's got everyone wearing Levi's and playing Ben E King's 'Stand By Me'?

"I think 'Stand by Me' and 'When a Man Loves a Woman' are now so old that the majority of the record-buying public are too young to remember them from the first time around.

"I'm more inclined to look at the American model which is: whatever the media push at any given time, whether it's commercials or movie scores or whatever, that is what's foremost in the public eye. Of course, good records are good records so they tend to be a bit timeless, but something has to push them back into circulation. 'Stand by Me' was a hit in the States a while back because of the Levi's ad – just like here, but not to quite the same extent.

"The power that film and TV have in mass-marketing is so much stronger than what's traditionally been available to the radio and record promotion markets, that anything getting into that film and TV pipeline tends to overwhelm the conventional marketing that exists for records released through the usual channels. When MTV arrived in the States it provided a single national forum for music videos, and it immediately became the prime dictator of what was going to become a hit and what wasn't going to become a hit. It completely overwhelmed 20 years of album-oriented rock FM radio overnight. It's tapered off a little bit now because competition has come in from other cable video sources, and I suppose a little bit of boredom has set in anyway. But I'm a firm believer in the power of the visual image as a marketing tool.

"There's a whole tradition of film and TV marketing, and the marketing penetration of the music video is closer to the way other consumer items are brought into the living room and sold. It worked for toasters, candy, food, cigarettes, and now it's working for music. Radio might have seemed pretty heavy-handed over the last 25-30 years of rock 'n' roll, but it's still mild in comparison to anything with a visual push, and especially now that Hollywood has linked filmscores to any kind of pop record that can be piggybacked onto them. It's almost got to the

"The marketing penetration of the music video is closer to the way other consumer items are brought into the living room and sold. It worked for toasters, candy, food, cigarettes, and now it's working for music."

stage where there *has* to be something that can be pulled from a film as a music video, whether it's appropriate to the film or not. And that's led to some ridiculous juxtapositions of music and images in films that never really needed it."

Very true. Our conversation draws to a close when the call comes for Fast to return to pre-production duties with the Dream Academy.

"We've got the greatest drum sound going down there at the moment", he enthuses, "but it'll be a while before the serious electronic treatments begin".

And with a last smile, Larry Fast is gone. He seems to have enjoyed our conversation, but I think he'll enjoy the remainder of the day in the studio a lot more.



BRIXTON EXCHANGE MART (INCORPORATING BRIXTON SOUNDS) SENSATIONAL NEW CASIO FZ1 SAMPLER

RATE	BANDWIDTH	. TIME	WITH RAM	
36kHz 18kHz		14.5 sec	29 sec	
18kHz	9kHz	29 sec	58 sec	
9kHz	4kHz	58.2 sec	116.5 sec	
26.8:2 pro mixing console 2012 12:2 pro mixing const pec + info on above on re- rczon 4 track Portastudio (99 digitec delay REP \$15 70 3000 Pro digitec delay 15 Mark Itt Rockbox 15 Bassbox ontline Rackmount delay ontline Rackmount delay	ral analogue synth (EM4 Phone for price RRP £475 Our price	Ex-demo Hohner headless I Ex-demo Hohner headless I CASIO CZ1000 SX1 sampling keyboard New SK100 sampling keybo Ret SX200 sampling keybo Rz1 sampling drum machin	reverb	
ELKA E ilfant new ply timbral synt th dynamic assignment of gital chorus (v. warm), 144	K44 (EM4 EXPAI h with velocity and after touch's polyphony in multi-split mode, 1 very flexible oscillators, plus v. 1	-way multi-split on keyboard, 6 or 8 oscillators per volce, ea high MIDI spect Demo, availab D EQUIPMENT	plus MIDI mode 4, 18 voices ich with individual envelope	
and PG 200 programme	£1255			
pland Saturn keyboard		Teac MO9 4 channel mixer .	£11	
	£195			
mmond organ with leslie.	£325	Chilton Mark III 12/4 studio	nixer£49	
og Prodigy synth		MTR 6/4/2 mixer	£15	
rg Poly 800 (flight case)	£295	Korg KPR 7 drum machine.		
quential Pro 1.synth	£149	Korg DUM10 drum machine		
isiotone CT430		Roland TR606 drumatik	£8	
siotone 1000T	£139 £175 ss. recorder	Roland GR300 202 guitar sy	nth £3 synth £5	

£249

395 & 396 COLDHARBOUR LANE, BRIXTON, LONDON SW9 Telephone: 01-733 6821 or 01-733 5791 We are open 9.30–6.30, 6 days a week. Please call in or phone MAIL ORDER FACILITIES AVAILABLE

Roland GM300 zuz guner symm Roland GR33B bass guitar symt Fender Squier Precision bass Aria Pro 2 semi acoustic (with case). Real time spectrum analyser

We also purchase or part-exchange

Hi-Fi, Video, Cameras, Recording

Equipment, Disco, PA & any

musical instrument

DDano

Sound Creation

29 Kingscote Road, London W4 5LI Tel: 01-994 6138 (24 hrs) 0836 202412 Hardware and Software for the Macintosh

Opcode

Studio Plus interface £200.00 2 Midi in/6 Midi out for Mac Plus OH/TH Ed/Lib £175.00 Editor/Librarian DX7/TX7/TX816 Sequencer 2.5 £200.00 Real/Step time MIDL sequencer

Intelligent Music

"M" £95.00 Intelligent composing tool £90.00 **Jam Factory** Interactive improvising

Also digidesign, Southworth, Elec Arts etc. Demonstration area available Write or call for details

Prices include VAT

Mail Order Only

KEYBOARDS · SYNTHESISERS · HI-TECH · RECORDING · GUITARS · ACCESSORIES ҮАМАНА GUITARS **PROland**

6DOX

£599 £175

NOW IN STOCK NEW DX7 II synth NEW RX5 r/unit

Yamaha MT44D, 4 track cass, recorder Yamaha MT44, 4 track cass, recorder + MM30 studio

We will take your unwanted

goods in part-exchange for new

or secondhand equipment, or

will purchase for cash

Tascam 244 Portastudio.

NEW TX81Z expander YAMAHA

DX100 synth DX27 synth DX27S synth DX21 synth FB01 expander PF70 piano PF80 piano CP70M piano All modules in stock including: MEP4, MJC8, MCS2, YMC10, MUSIC COMPUTERS AND SOFTWARE. ALL AMPS & MIXERS. EVERY PORTABLE **KEYBOARD IN STOCK**

HDSUU					
RD1000 ex demo£1990					
TR707 ex demo£375					
S50 sampler£POA					
S10 sampler £POA					
luno 1 ounth CDOA					
Juno 2 synth£POA					
JX10P synth£POA					
MKB200 mother					
keyboard£POA					
MKS100 rack sampler £POA					
MKS20 rack piano £POA					
MKS7 super quartet£795					
MC500 sequencer£POA					
CR1000 r/unit (demo) £295					
TR505 r/unit£POA					
DR220A/E r/unit£POA					
Dep5 demo unit£595					
Boss DRP 1/2/3£99					
All Boss products in stock					
Including Boss micro rack.					
CALL FOR THE BEST DEAL					

MAIN KEY CENTRE

All products in stock DW8000 - DSS1 - DDD1 Poly 800 II - DRV1000 SDD1000 THE BEST DEAL

Technics PIANOS PX1 - PX5 - PX7 - PX9 PR40-PA60 All in stock. Try Us!

CASIO All new models.

Also CZ1000-CZ1 AZ1 - SZ1 Recording Packages Tell us what you need CARLSBRO

The whole range available

Fender Tokai Gibson Westone Marlin Ovation Takamine Plus many more -New & Used

AMPLIFICATION CARLSBRO EV main South East Agent VOX whole range including AC30 Fender – All models Ramsa – plus many more. New & used


INSTANT CREDIT INSTANT DELÍVERY (UK) BEST PART EXCHANGES **REPAIR WORKSHOP** MAIL ORDER VISA ACCESS IF IT'S MUSICAL TALK TO US

INTEREST FREE CREDIT AVAIALBLE Selected items or best cash price **36 LOWFIELD ST. DARTFORD, KENT** TEL: 0322 29520/74423 43 Orsett Road, Grays, Essex Tel: 0375 382182/372620 117 South Street, Romford, Essex. VISA Tel: 0708 25848/60008

MUSIC TECHNOLOGY MAY 1987

KAWAI R100 Programmable Digital Drum Machine

From one of the largest musical instrument makers of all comes the R100, a well-specified machine in a competitive market. Is it individual enough to succeed? Review by Simon Trask.




KAWAI'S FIRST DRUM machine, yes? Well, yes and no. The R100 is certainly the Japanese company's first "serious", professionally-oriented, dedicated beat-box. But it isn't the first time Kawai have dabbled in electronic rhythm – they've been building preset drum machines into their home organs and "multikeyboards" for years.

Luckily, the R100 bears no traces of this ancestry. As they did with their K3 synth (and, it seems, with the new K5), Kawai have managed to come up with an instrument that rarely suggests it is their first effort in its field.

While the R100 isn't a sampling instrument, Kawai have managed to include on it just about everything else you might want on a drum machine nowadays. This includes 24 sounds onboard, eight velocity-sensitive pads, eight individual outputs, programmable tuning and panning for each sound, and a thorough MIDI implementation. have all been sampled in 12-bit PCM format at a sample rate of 32kHz. For your money you get three bass and three snare drums; hi, mid and lo toms (separate samples, unlike on some drum machines where they are the same sample tuned to different pitches); open and closed hi-hats; one china, two ride and two crash cymbals; and cowbell, claps, agogo, shaker, tambourine, conga, timbale and claves. A sensible collection, and the good news is that you can add further sets of sounds – but more on that later.

The Instant Appeal award goes to bass drum and snare drum 2. These have both been given the gated cavern treatment – in other words, they're massive. Bass and snare I make a good representation of "standard" acoustic kit sounds; snare 3 is in fact a rimshot, while bass drum 3 is the one weak sound in this particular area of the kit. The remaining sounds are bright and clear, though you won't find the longer sounds decaying for their full duration – a fact which suggests sampling memory has been kept at a premium. Most of the R100's sounds have been recorded dry, presumably so that you can take full advantage of the machine's individual outputs during recording – this tends to lend them an upfront, immediate character.



83

When the voices of a drum machine are tunable, as these are, it becomes difficult (and to a certain extent, meaningless) to talk about a single set of sounds – percussive sounds often take on a completely new character when retuned. In fact, tuning can be used to good advantage on the R100, so if you're keen to experiment with the sounds that make up your rhythm parts, you'll get on fine with this machine. It's possible to get some metallic, contemporary sounds in this way – and once you start

Most of the sounds have been recorded dry so you can take advantage of individual outputs during recording – this lends them an upfront, immediate character."

making use of the variety of sounds you can get from a tunable machine you'll wonder how you got by without them.

The R100's 24 sounds are organised in three groups of eight (clearly labelled in rows on the machine's front panel), with one group at a time being accessible from the eight pads. A button to the left of the pads allows you to cycle through the three groups at any time while you're in pattern mode, with small red LEDs indicating the currentlyselected group. What this means in effect is that all 24 sounds are equally accessible (rom the pads during pattern recording and playback.

rogramming

KAWAI HAVE GIVEN their di¹um machine 100 patterns, 100 songs and 10 chains. Each pattern can be anything from 1-99 bars long, while a song can link together up to 999 patterns, and a chain can link together up to 999 songs. Large numbers indeed, but at least you shouldn't feel constrained.

This three-tiered organisation of pattern/song/chain deserves some further mention. Kawai's labelling suggests one obvious way of using it, but equally, you could use the song level as a means of grouping patterns into song sections, with a chain then becoming a song.

Useful features for organising your rhythm parts in memory are pattern, song and chain copy and pattern exchange. Pattern copy allows you to copy up to two patterns into a single new pattern. On the face of it a simple feature, but in practice tremendously useful, as it allows you to start off with relatively short rhythmic phrases (four bars, say) for some instruments and then add much longer phrases (perhaps eight or 16 bars) on other instruments. If you find yourself running short of patterns, you can always combine two or more patterns that you know you want to use together (though you can't do the opposite and split patterns up).

But it's worth bearing in mind that the R100's memory isn't unlimited (3700 notes, apparently), and depending on the length of your patterns and how busy they are, you're more likely to run out of memory before you run out of patterns.

Pattern recording can of course be in real or step time. Kawai have provided just about all you're likely to need in

Memory isn't unlimited, and depending on the length of your patterns and how busy they are, you're more likely to run out of memory before you run out of patterns."

the way of time signatures: each pattern can be from 1-99/4, 1-99/8 or 1-99/16. Quantisation for real-time recording can be set between 1/4 and 1/192nd note, including triplet values like 1/24. The R100 has an inbuilt metronome, with level adjustable from a dedicated front-panel knob, which is transmitted over the stereo and headphone outputs; this can be set from 1/4 to 1/32nd note resolution.

Each of the 24 instruments has four parameters which are accessed on the front panel from the Multi button. These are: level, sensitivity, tune and pan. The latter two can be defined for each note in a pattern, in both real and step time recording. All four can be set on a scale of plus or minus eight.

The R100's two-line LED display is put to good use, providing bar-meter displays for each of the current eight voices; values are adjusted up and down with the eight Command Select keys positioned above the instrument pads. Involved though all this may appear on the printed page, Kawai's system is actually incredibly interactive – so much so that you can almost alter values in real-time.

Erasing notes follows the time-honoured practice of pressing an Erase button together with the appropriate instrument pad at the appropriate time while you're in realtime record. Other options allow you to erase whole instrument parts from a pattern, and to erase entire patterns. You can also go the whole hog if you want to start with a clean slate, by erasing the entire memory (a procedure which, rather fortunately, necessitates pressing quite a few buttons).

Step-time recording allows you to select a single instrument at a time, with the eight instrument pads then being used for inputting note and rest durations for that instrument (1/4-1/16th values, straight and triplets). The pads remain touch-sensitive, so step-time notes are recorded complete with dynamics.

There's also a flam feature: hold down the appropriate button while striking one of the pads, and you end up with two notes in the time of one, with the second note slightly louder. If you take some care in getting the dynamics right, this can be a very effective feature.

Kawai have provided a bar punch-in/out feature at the pattern level for real-time editing. This comes in handy when you want to edit patterns longer than four bars. You predefine both the punch-in and punch-out points and a play start point (so you can have a lead-in to the section you want to edit). Unfortunately, the R100 doesn't cycle around a punch-in/out section; when it reaches the punchout point, it returns to the very beginning of the pattern. To get round this you have to press the stop/continue pad, which takes the R100 back to the punch-in point.

The R100 includes two further pattern editing features: reframe and swing. The former allows you to change the quantisation on an existing pattern or on an individual instrument in a pattern, while the latter allows you to introduce a "shuffle" feeling by introducing delays on the even notes in a pattern (again, this can be applied to all instruments or individual instruments).

Master tempo is variable from 40-250bpm in single-bpm steps. The value is reset to 120bpm each time the drum machine is switched on – something that can soon become annoying.

Song and chain creation and editing on the R100 allow you to insert and delete steps and to introduce both tempo and level changes between patterns (in songs) and between songs (in chains).

Undoubtedly useful, but there's something awry with the tempo changes. For a start, all changes are specified as +/- values relative to the master tempo. Then there are more difficulties owing to the fact that the current song tempo becomes the new master tempo – surely an error. Basically, this makes life difficult where it needn't be.

More encouraging are the repeat and jump commands, which give you greater control over your song and chain sequences. You can use up to 10 repeats and jumps in each song or chain, and each one can repeat once, 99 times, or anything in between.

While repeat allows you to repeat any section of a song or chain, jump allows you to jump backwards or forwards to MUSIC TECHNOLOGY MAY 1987 any position in a song or chain (in both cases to pattern or song resolution respectively). The purpose of these commands is to allow you to introduce the sort of repeat, dal segno and coda structures that are found in music without having to program them out in a linear fashion. It's a nice idea, even if too much jumping about can tie you up in knots, if you see what I mean.

Ever keen to provide the user with programming flexibility, Kawai have come up with a rather interesting feature which they've labelled overdub. This allows you to record a single instrument part (which can be any one of the 24 instruments) in real-time over a song or chain, complete with dynamics. All eight pads play the same instrument, but usefully, the tune and pan values assigned to each pad are recorded as part of the overdub.

The intention behind this feature is obviously to free you from the constraints of pattern-based recording, allowing you to record the sort of spontaneous extended percussion workout that the pattern-based approach of drum machines tends to preclude, while still building up the underlying rhythm using that very approach.

You'll need to make sure that you've finalised the relevant song or chain, as any changes in order will erase the overdub part. And, as the manual honestly points out, overdubbing uses twice as much memory as ordinary recording. It's worth bearing in mind, also, that the R100's pattern copy facility, coupled with a maximum 99-bar pattern length, can allow you to achieve a similar sort of thing with more instruments and less memory.

nterfacing

AS MENTIONED EARLIER, the R100 has eight individual audio outputs as well as stereo outputs. Each instrument can be assigned to either stereo or individual out, or to both. Assignment of instruments to individual outputs is preset: the first sounds in each group of eight are sent through output I, the second sounds through output 2, and so on. This means that each voice channel shares three instruments, only one of which can be played at a time. A new instrument replaces or cuts short any instrument in that group which is already sounding – a feature which can sometimes be put to good use.

While Kawai have obviously attempted to group mutually exclusive instruments together (three bass drums on voice channel I, three snares on voice channel 2, for instance) it's clearly impossible to do this for all 24 instruments – which can sometimes prove irritating.

Keeping to the R100's rear panel, there's a start/stop jack which allows you to control both recording and playback from a footswitch, while the enigmatically-named HH jack allows you to switch rapidly between open and closed hihat while playing the instruments of either group 1 or group 2 – something you can't achieve from the R100's front panel alone. Also to be found on the rear panel are a metronome out jack and a trigger out jack, the latter allowing you to trigger an external source in the rhythm of any of the 24 instruments.

Kawai have put plenty of thought into the R100's MIDI implementation, most notably on the input side of things. For example, you can take full advantage of the machine's tuning facilities because in addition to being able to assign any one of the 24 instruments to any note within the MIDI range, you can also assign a tune and a pan value to each note. This is particularly useful when you want to play several tunings of an instrument within a single pattern – it certainly beats cycling round a pattern and dropping in retuned notes each time.

Further good news is that you can record patterns into the R100 from a MIDI source (which could be a set of MUSIC TECHNOLOGY MAY 1987 MIDI'd pads or a MIDI keyboard – preferably velocitysensitive), taking advantage of all the above-mentioned features.

While all MIDI input is limited to a single MIDI channel, for MIDI output each instrument can be individually assigned to any one MIDI channel (1-16). However, each instrument can only be assigned to a single key number, so there's no way of indicating tune and pan values. In addition to key information, the R100 can also send and receive velocity and program-number data and receive volume data.

In addition to its usual bulk data transfer function, the R100's System Exclusive section allows you to remotely edit instrument level, sensitivity, tune and pan, and to change MIDI In key number assignments. An American software house called CompuMates are offering an R100 editing package for the Atari ST which takes advantage of

"You can assign a tune and a pan value to each note, which is useful when you want to play several tunings of an instrument within a single pattern."

these options, and which boasts some exciting-looking colour graphics. But there's no UK distributor yet.

MIDI synchronisation (the machine has MIDI In, Out and Thru) provides for the usual start/stop/continue commands, while MIDI song pointer information can be received but not sent. The R100 also features DIN sync, clock sync and tape sync in/out. Clock in can be set to a 24, 48 or 96 timebase, but its usefulness is limited by the fact that clock and tape in share the same socket.

Kawai have also given the R100 a timing adjust feature, which allows you to adjust the drum machine's timing relative to an external device (MIDI, DIN, tape or clock), in 24th-note steps on a scale of +/-9.

Verdict

THE ONLY MAJOR disappointment on the R100 concerns the expandability of its sound library. Not that Kawai aren't making further sounds available (they are), but you have to open up the R100 and slot in a new 24-instrument ROM to get them. While this shouldn't be too tricky (ROMs are inserted into a ZIF socket), the chief disappointment lies with the fact that you either have one set of sounds or another. This compares unfavourably with Korg's DDD1 or Yamaha's RX5, which seem to have sonic expandability as one of their priorities.

Still, variety is the spice of life, and a list of sounds for Kawai's first addition to their ROM library (which unfortunately wasn't available in time for this review) reveals that the R100 will be able to branch out into the realms of "non-percussion" sounds such as bass guitars and orchestral and brass hits, alongside the more familiar array of electronic and acoustic kit sounds. It's just a pity you won't be able to use them in conjunction with the sounds already in the machine.

Without question, though, the R100 is one of the most sophisticated drum machines currently available. It's cheaper than the RX5, yet incorporates several of the features of that "state-of-the-art" machine, plus a few more.

Well-designed and flexible, the R100 is also accessible enough to be genuinely *interactive* with the people using it. And it has a sonic character all its own.

Prices £595; RAM cartridge **£45;** ROM chips £50 approx; all including VAT

More from Kawai UK, Windebank House, 2 Durley Road, Bournemouth BH2 5JJ. & (0202) 296629

SELL IT FOR NOTHING with a free classified ad in Music Technology

Keyboards

AKAI AX80, big brother AX73, touch-sens, graphic editing, £450 ono, or swap Canon T90 or similar camera. (224 04) 3089.

BIT ONE, £360. 2 01-800 2779, or 01-809 4526.

BIT 99 splits, doubles, loads of extra sounds, exceptionally good cond, £425. 25 051-342 6198.

CASIO CT6000 5-oct, vel sens, aftertouch, pitch-bend, MIDI, 20 rhythms, 20 voices, ideal mother kbd, £345. \$ (0903) 32174.

CASIO CZ1000, SZI sequencer new: swap for MemoryMoog, Korg Trident Mk2, JX3P + programmer, WHY. Terry & 01-388 2206, after 6pm.

CASIO CZI01, £150. Korg EX800 £100. Many other Items, ring for details. Dave Thitchin (0462) 895791.

CASIO CZ101 + RAM pack, £150. Roland PG200 programmer (for JX3P), £85. Mike & Cardiff (0222) 488400, before Ipm weekdays. CASIO CZ3000, £365. CZ101, psu, cartridge,

£200. Both mint. YK10, large kbd for CX5M, £50. ☎ 01-977 9531.

CASIO CZ3000 as new, p/x Yamaha DX7 (old type) with cash your way. John & (0737) 72045, eves.

CASIO CZ3000 exc cond, unglgged, boxed, with manuals, £325 ono. Simon & Buckingham (0280) 81 3758.

CASIO CZ3000, £300 or swap MC4B + MTR100 + OP8M. Teac 144 Portastudio, vgc, £270 ono. ☎ (0257) 452303.

CASIO CZ5000 połysynth/sequencer, immac cond, £460, or swap, p/x touch-sens MIDI synth, ie. DW8000. Dean 窓 (0234) 750416 (Bedfordshire).

CASIO CZ5000 exc cond, home use only, boxed with manuals, £500 oro. Mike 201-560 7085.

CASIO MT100, psu, 20 sounds, 12 rhythms, 5-band graphic eq, £60 ono. 密 (0952) 48229 (Shropshire).

CRUMAR TRILOGY polysynth with string, organ sections, big analogue sound, case, pedals, £215 ono. & Cannock (054 35) 78742. DIGISOUND 80 modular synth, 23 modules plus Roland 100M 4-voice kbd, £349 ono. Free delivery! Chris & (0204) 35796.

FENDER RHODES 88-note, with amp, £340 ono. Albert © 01-688 6235, eves (Croydon). FENDER RHODES Stage 73, Mkl, wooden

keys, nice player, exc cond, £350 ono. 3 061-941 3490. FENDER RHODES EK10 electric piano,

good cond, case, legs, sustain, classic Rhodes sound, £300. Dave 🕾 01-650 4223.

KORG CX3 single keyboard, incredible Hammond drawbar sounds, exc cond, home use only, £295. 🕿 (0226) 287733 (S Yorks).

KORG DELTA polysynth, immac, boxed, £185. Wanted: Juno 60; also Roland SH5 manual photocopy. ☎ (0726) 65661, work.

KORG DW6000, £360. Casio CZ101, £150. OSCar (MIDI) + f/case, £330. MSQ100, £200. Home use only. ☎ 01-385 0189 (Fulham). KORG DW8000 mint, boxed, £725. Roland

cube 60K amp, £150. T Southampton (0703) 738980.

KORG DW8000 mint, swap or p/x JX8P, CZI, expanders MKS50, MKS70, MKS80, TX216, Matrix 6R etc. 201-267 5861, eves. KORG MONO/POLY 4VCOs, vgc, f/case,

225. Vox 2-manual organ, legs, Sharma rotary cab, £195. Will split. Geof ☎ (0903) 763759. KORG MONO/POLY and MS20, £150 each.

Swap either for MR16 drums or OSCar. Richard 201-937 3004. KORG MONO/POLY, £200 to a good

home. (0705) 753176.

KORG MS20 monosynth with MS02 modulation pedal, £180 ono. Adam & Southampton 227814, eves/weekends.

86

KORG POLYSIX polysynth, home use, boxed, exc cond, £290 ono. Boxed Korg DDM110 drum m/c, £90. Rikki 🖾 01-731 7812

KORG POLY 61, £29S, non-MIDI, home use only, still in box, exc cond. (2026) 287733. KORG POLY 61 stand, home use only, £335. DDMI10 psu, £90. (2002) Wakefield (0924) 379657. anvtime.

KORG POLY 61 synth, £360 ono. TWigan 56293, anytime.

KORG POLY 800 white on black keys, £240 or p/x digital drums. Paul 🕾 01-889 5975.

KORG POLY 800, £270. SCI Pro One, £160. Alligator 120W kbd/bass guitar combo, £150. Allvec, onos. (201-892.7938.

KORG POLY 800 Mkll boxed, £345. Twotier kbd stand, £38. To Carterton (nr Oxford) (0993) 841586.

KORG VOCODER VC10 hardly used, £250 ono. TWigan (0942) 211493.

MOOG PRODIGY good cond, £100. Korg DDM110 digital drums, psu, vgc, £110 (offers). Mike & Cambridge (0223) 312482.

MOOG PRODIGY exc cond, still boxed, great lead synth! £125 ono. 窓 (0977) 82408 (West Yorkshire).

MOOG SOURCE monosynth, unboxed, £170 ono. Casio SKI sampling kbd, unboxed, £80 ono. Glen @ 01-595 6245.

MOOG SOURCE programmable megamonosynth, sequencer, arpeggio etc, cost over £900, bargain at £200. To Portsmouth (0705) 753176.

MOOG SOURCE monosynth, manual, case, £325 ono. Roland SH09, manual, case, £130 ono. Stephen (0904) 25365.

OSCAR monosynth, 4mths old, hardly used, boxed, manuals, etc, offers? David & Worthing (0903) 33036, after 4pm.

ROLAND ALPHA JUNO I polysynth. £525 ono. Roland SH09 £90 ono. SH101 vgc, psu, £150 ono. Glen & 01-595 6245.

ROLAND ALPHA JUNO 2 good cond, quick sale wanted, £550 or p/x DX7. 3 (045 74) 64649.

ROLAND EP09 piano/harpsichord, super sound, home use only, built-in speaker, with manual, boxed, £145. 28 (0602) 395338.

ROLAND HP70 piano, 76-note touch sens, 4 voices, stereo chorus, sustain pedal, muslc stand, £295. To Dorking 889913.

ROLAND JUNO 106 perfect cond, handbook, voice library, £400. To 01-864 2129.

ROLAND JUNO 106 MIDI, £425. OSCar MIDI £295. Roland MSQ100 sequencer £175. Roland TR505 £225. All immac. 🕿 (0342) 23094.

ROLAND JUNO 106 plus speakers (HS60), £400, immac, boxed. Casio M70 £50. Eddy & Guildford 225110, eves.

ROLAND JUNO 106 home use only, perfect cond, must sell, £320. Canvey Island (0268) 683164, eves.

ROLAND JUPITER 6 mint cond, home use only, boxed, operational & service manuals, fantastic analogue sounds, £800 ono. Andy 2 (0706) 876116.

ROLAND JUPITER 8 vgc, £899 or p/x sampler. Marc & Plymouth (0752) 550401.

ROLAND JX3P mint, home use only, any swaps considered, boxed, £450. P/x ESQI, TX81Z, DW8000, Matrix 6R. 23 (0395) 263179.

ROLAND MP600 touch-sens piano, weighted kbd, 64-note, £250. James 🕾 Bristol (0272) 732925.

ROLAND RS09 organ/strings, super voices, home use only, with manual, boxed, £155. 20 (0602) 395338.

ROLAND SH101 mains h/case, £135. Torque 100W 4-ch amp head £70. Schaller volume pedal £10. Phaser £15. ∞ (0203) 310808. ROLAND SH101 with f/case, manuals, £90 ono. ∞ Cwmbran (063 33) 65758 (S Wales). ROLAND SH2 great monosynth, inc f/case, £125. Ian Boddy & (0207) 544439. ROLAND VK09 organ w/case, £200. Roland

MC202 MicroComposer, boxed, £80. 20 01-223 1857. SCI PRO ONE perfect cond, still boxed,

never gigged, need cash urgently, getting married 纪5. Piers 當 (0202) 423769. SCI PRO ONE + MC202 MicroComposer,

only £140 for both. Firstman Sequencer synth, £25. Mark 🕾 (0663) 43388.

SCIPRO ONE monosynth, immac, home use, manual, £140 oro. May consider swaps. Dave & Middlesbro (0642) 311727.

SCI PRO ONE ungigged, unboxed but exc cond, + manual and X-stand, £120 ono. Phil & Sheffield (0909) 563564.

SCI PROPHET T8 with f/case, MIDI, weighted keys, vgc, swap for kbds, etc, or £1500. (25 01-778 9984 or 01-272 7951.

SIEL MONOSYNTH exc cond, hardly used, need cash for new gear so quick sale essential, £70 ono. Tim T Wakefield (0924) 862710.

SIEL ORCHESTRA (ARP Quartet) polyphonic ensemble, good cond, useful, £90, offers? Autoharp £20. Sony RT100 tape, boxed, £45. \$(0785) 211462.

SIEL PXjr electronic piano, touch sens, 6-oct, 5 sounds, good cond, £145 ono. Mev & 061-431 0916 (Stockport).

SWAP DX21 and case for Roland HS60. Stewart T (0295) 50561, after 6pm.

SWAP SHI01 plus Powertran Vocoder for Casio CZ101. S P Lyon, 10 Edna Road, Leigh, Lancs WN7 5ES.

SWAP YAMAHA FB01 plus Cheetah MIDI kbd for Sequential Multitraks or WHY. Can deliver. Tim & Medway 717919.

TECHNICS SX-K200 full-size kbd, PCM rhythms, exc cond, two memory packs, £175. Martin & 01-948 3811 (keep trying).

TECHNICS K450 keyboard, 5-oct, full MIDI implementation, latest model, as new, £425. 3 (07842) 57254, eves.

TEISCO SX400 heavy duty f/case on wheels, £25, buyer collects. To Southampton (0703) 77 1833, after 6.30pm.

YAMAHA CLAVINOVA CVP3, amazing plano, plus 16 other voices, weighted keys, MIDI, stand, cost £1300, immac, only £750. 3 01-337 5950

YAMAHA CS60, £195 ono. Yamaha CS70M, £375 ono. Paul Todd or Ian Watson S Scarboro' (0723) 370540/2.

YAMAHA CS70M polysynth, 32 memories, layering, sequencer, exc cond, genuine reason for sale, £400 ono. Phil T (0225) 852108, eves. YAMAHA DX100 boxed, 2mths old, mint cond. P/x for DX27 and cash, or £300. Mark T (0754) 5084

YAMAHA DX21 FM digital programmable, algorithm synth, vgc, £500. The Camberley 33802, eves.

YAMAHA DX21 perfect, £490. Casio CZ101, £190. Steinberg Pro16, CBM64, d/drive, £350. CBM clr monitor, printer, £90 each. @ 01-876 0599.

YAMAHA DX21 mint cond, with over 100 sounds, complete with manual, £495. Home use only. To Portsmouth (0705) 375163.

YAMAHA DX21 as new cond, boxed with leads, manuals, £475. Swap for Juno 106 with cash. The Cheltenham (0242) 87204.

YAMAHA DX21, £450 ono. Roland TR707, £325 ono. Roland Cube 40 combo, £100. All home use. T Leeds (0532) 646 856, after 6.30pm.

YAMAHA DX21 virtually unused, manuals/ instructions, boxed, £550. Also Arp Axxe analogue synth, only £85. T Guildford (0483) 234224.

YAMAHA DX27 + f/case, Lab series L3 60W amp, home use only, £425 ono. T Worcester (0905) 354065.

YAMAHA DX7 f/case, volume and sustain pedals, RAMI cartridges, £850. Bill Martin 33 01-850 6765. YAMAHA DX7 and QX7 plus Roland MC202. All as new, £900. S (0252) 724414. YAMAHA DX7, £800 ono, or swap, p/x for sampler or quality analogue synth, ESQ1 etc. S 01-291 1001.

YAMAHA DX9 mint cond, £375 or swap for Korg DW6000 or similar synth. Matthew & Buckley 542924.

YAMAHA DX9 actually more versatile than DX21/27! Exc cond, over 1000 pre-programmed voices! £450 ono. John 201-699 4979.

YAMAHA DX9 FM synth, home use only, mint cond, manual, data tape, £295. S Liverpool 051-526 2178.

YAMAHA FB01 multi-timbral expander, as new, boxed, manual + guarantee, £240. Paul © 01-751 0280, after 6pm.

YAMAHA FB01 (two), as new, £235 each. Richard 🕾 Basildon 403514, work; or Romford 28426, home.

YAMAHA MK100, £140, f/case, synth section, programmable drums & bass, tune memory, perfect cond. The Princes Risborough (084 44) 3855.

YAMAHA PSR70 stand, expression pedal, adaptor, custom everything, sequencer, many sounds, exc cond, boxed, manuals, £500. TW Sussex (0243) 552297.

YAMAHA PSR70 boxed, superb cond, MIDI, PCM drums, sequencer, FM voices, stereo, tape save/load, £550. To (0404) 44585.

YAMAHA PSS560 + psu, £140. Casio SK1 + sampling cassette + book, £50. Both original packaging and manuals. To (0442) 49825, eves.

Sampling

AKAI S612 sampler MD280 d/drive, SixTrak programmable synth, 100 sounds, bargaln, £700, Ian & Glenbolg 87-2153.

AKAI S612 + disk drive, mint, £395. Yamaha DX100, mint, £250. ☎ 091-266 3433.

AKAI X7000 sampling keyboard, 2wks old, boxed as new, £850. Andrew 3 (0325) 461460.

APPLE II PLUS two drives, monitor, Greengate DS:3, MIDI, looping, digital delay, many samples, £650, ☎01-237 0837.

BOSS MICRORACK sampler/delay (RSD10), 3mths old, psu, £120 ono, or swap for Casio SZ1. Andy & (0705) 665179. ELECTRO HARMONIX Super Replay, 12-

bit, 4-second, CV control plus drum trigger,

superb machine, £195. 28 (025 76) 2609

ELECTRO HARMONIX digital sampler,

plus trigger unit and Roland SH101 (used as

controller), all immac, only £280. ☎ 01-581

ENSONIQ MIRAGE 8mths old, little used,

mint cond, MASOS etc, 10 disks, like new,

PROPHET 2002 brand new, complete with

ten blank disks, £1395 ono. 28 (0703) 787122,

SCI PROPHET 2000 immac, home use only,

boxed, manual, +30 disk library, £1300. 2

S612 SAMPLES: have chorus ensemble and

rhythm section, swap for other library sets.

YAMAHA VSSI00 still under guarantee,

£100. Spectrum Plus software, £50. Both £140.

MTR Patchbay, £25. 🕿 (0442) 217715.

Jay & Chertsey (093 28) 67431, days.

Sequencers

CASIO SZI 4-tr sequencer, boxed, manual,

psu, vgc, £145. Neil & Durham (0385) 700142.

CASIO SZI sequencer, 3mths old, as new,

MUSIC TECHNOLOGY MAY 1987

£925. 2 (0306) 885968 (Surrey).

Liverpool 051-526 2178.

(Lancs),

0257

days

after 6pm.

£150. 2 (0303) 41880.

CASIO SZ 1 MIDI sequencer, psu, MIDI leads, exc cond, only £99 for quick sale. 2. (055 385) 497

CASIO SZI + two RAM packs, £150. Roland MC202 £85. Mike 🕿 Cardiff (0222) 488400, before I pm weekdays.

KORG SQD1 MIDI sequencer, disks, fantastic editing & overdubbing facilities, £345 ono. 3 (0222) 611463.

POWERTRAN 1024 memory for CV/Gate synth, home use only, manual, boxed, £75. 25 (0602) 395338.

ROLAND JSQ60 sequencer, boxed with manual, £85 to include carriage. Alan 🕿 (0229) 24480, after 6pm.

ROLAND MC202, £75. Jen SX1000 monosynth, £50. Boss KM400, 4:1 mixer £30. Aces spring reverb £50. 32 (040 24) 44792.

ROLAND MC202 boxed, manuals, £75. Hagstrom Swede guitar, hardcase, £125. 28 Walsali 643255.

ROLAND MC202 vgc, bargain £79. Bass speaker 1×18", £30. Carlsbro flanger £15. 2 Andover (0264) 790371.

ROLAND MC202 and SH09 with manuals, exc sequencing combination, £190 ono. T Bridgwater (0278) 423495, eves.

ROLAND MC202, £80. Adam & Southampton 227814, eves/weekends.

ROLAND TB303 Bassilne, Powertran Vocoder, £185 ono. Will split. Brian 🕾 (0703) 442886.

SWAP CASIO SZI boxed, guarantee, for Roland TR505. Gary, 2 Gellatly Road, New Cross Gate, London SE14.

YAMAHA QX21 boxed, 1mth old, home use, £220 ono. 3 (0267) 230800 (\$ Wales), eves.

YAMAHA QX21 MIDI sequencer, boxed. TR505, boxed. Carlsbro Cobra 90W kbd combo, superb cond. £225 each. John & 01-858 1214.

YAMAHA QX21 5mths old, under guarantee, home use only, £200. S Didcot (0235) 814544.

Drums

BOSS DRIIO as new, boxed, £50. Mike & Swindon (0793) 763548, eves.

BOSS DR220/A perfect cond, still boxed and cased, fantastic sounds, quick sale, hence £130 ono. Julian 🕿 (0773) 765061.

CASIO RZI sampling drum m/c, large library of samples (inc DDDI, RX15 etc.), £330 ono. lan 20 061-432 5705.

CASIO RZI sampling drum m/c, vgc, £350 ono. Boss DR110, £80 ono. CSQ600 sequencer £80 ono. Glen & 01-595 6245.

KORG DDM220, £60. Cheetah SpecDrum £15. The Kit £15. E&MM Syndrom module + 7 EPROMS + ZIF socket, £40 ovno. ☎ 01-299 0867.

KORG DDM220 good cond, boxed, £80. Adrian 23 (0303) 39284.

KORG KPR77 softcase, psu, £100 ono. Jas, 30 Maple Road, Bristol 7.

ROLAND CR78: if no phone strike this time try ringing Jon T So'ton 559353. (PS. it's £80.) ROLAND TR505 brand new, £235, boxed. T 01-684 9571, eves.

ROLAND TR505, 2mths old, £200, ungigged, mint cond. I Rochdale (0706) 47474, X314, or 41305, after 5pm.

ROLAND TR606 Drumatix, psu, exc cond, only £75. Hernals flute, good cond, £75. To 01-668 6977, after 6pm.

ROLAND TR606 Drumatix, exc cond, soft carrycase. Prelude digital sound module +

MUSIC TECHNOLOGY

arrivals will be printed in the next available issue,

MUSIC TECHNOLOGY MAY 1987

Fill in the form to a maximum of 18 words (one in each box), and send it to: MUSIC TECHNOLOGY Free Ads, Music Maker Publications, Alexander House, 1 Milton Road, Cambridge CB4 1UY. Please print clearly in BLOCK CAPITALS. The ad must reach us on or before Friday, 8 May for inclusion in the June '87 issue of MUSIC TECHNOLOGY – late

Please include this ad in thesection.

snare chip sound sample. £130 complete. To (0908) 674932.

ROLAND TR909, £240. Korg DDM220 £60. Roland SH101 £100. Electro Harmonix 4-sec sampler, £120. All vgc. Stef to 01-581 0257. SCI DRUMTRAKS, £425. Roland MSQ700,

£350. Both vgc. Dave 201-743 3055. SCI DRUMTRAKS, £450. Roland MSQ700

£350. Both studio use only, near offers considered. Dave ☎ 01-743 3055. SCI DRUMTRAKS immac, boxed, manuals,

£400. 2 (068 46) 2181.

SIMMONS SDS8 electronic drumkit and carrying trunk, vgc, £375 ono. Shaun & (0272) 779049, eves.

YAMAHA RXII, £400. Mike 🕿 Cardiff (0222) 488400, before Ipm weekdays.

YAMAHA RX15 immac with box and manuals, £275 ono. Darreh 20 01-885 4111, days.

YAMAHA RXI5 perfect, £240, p/x considered. Remote for Tascam 38 wanted: £30 paid. 28 (0952) 883756.

YAMAHA RX21, £175. Korg KPR77 £110. Mattel Synsonics £45. All in exc cond. Mike & 01-642 6397.

YAMAHA RX21 as new, £150. Aria analogue delay pedal, stereo, £60 ono. & (0203) 56060. YAMAHA RX21 as new, boxed, £100. & 061-998 3494.

Computing

AMSTRAD 464, green screen, modulator for TV, inc RAM Music Machine, 120 games, etc, £198. Simon 72 01-300 0644.

APPLE II EUROPLUS for Greengate, £320. Accessit reverb £55. 20 01-935 6611 X2334, or 01-328 0244.

ATARI 520ST plus Steinberg Pro24 superior sequencing and MIDI control, £575. Bill 18 01-634 3316.

ATARI ST OWNER must contact Steinberg Pro24 or Hybrid Arts 60-track user. 63 Shumack Street, Weetangera, Australia 2614. ATARI ST PLUS music software. Mike Jervis, 19 Portree Drive, Rise Park, Nottingham

NG5 5DT. BBC EMR software. Chris from Bristol please

phone Robin asap. Lost your number! 🕿 Lincoln (0522) 752458.

COMMODORE 64 c/w data cassette, joystick games, etc, £110. Albert 201-688 6235 (Croydon), eves.

COMMODORE 64 FM expander, disk software complete with 144 new voice, £65 ono. Penketh 8775, after 6pm.

COMMODORE 64 with data cassette and extra's, £110. SCI C64 MIDI interface, £80. Duncan 23 01-989 8528.

COMMODORE 64 with data cassette, joystick, at least £500 worth of games, accept £150. & Rochdale (0706) 41305, after 5pm.

COMMODORE 64 and JMS MIDI interface with C-LAB 16-track sequencer plus DX7 voice editor software, £110. 窓 (063 33) 65758 (S Wales).

COMMODORE SX64 computer, monitor, d/drive, Steinberg 16-track sequencer, MIDI interface, DX, Mirage editors, etc. To (0273) 556034.

CX5M large keyboard, £55. SFG01 £45. Make your own CX5? (plus carriage) 🕿 (0437) 66991, after 6pm.

DX7 EDITOR/LIBRARY disk (Opus discovery), £30. Multiface one £29. SpecDrum £20. 128K Spectrum/Discovery, offers? & Woking 67384. EMR MIDI interface for Amstrad CPC464 plus Performer £80. Yamaha PSS360 £100. N Lambern (0291) 425542, 9-5.30, weekdays. SPECTRUM computer with RAM sampling

Music Machine, Cheetah drum m/c, + kits. Offers or swap for anything? lan 0 061-432 5705.

STEINBERG PRO-16, plus tape sync, as new, £150. Rick & Potters Bar (0707) 55274. SWAP SPECTRUM, joysticks, £320, good software, digital drum m/c, + extra kits for CZ101, Yamaha RX21. Paul & Telford 595161. SYSTEM 10 MIDI sync interface/software for Spectrum 48K, £145 Spectrum, data record, £60. & Liverpool 051-526 2178.

UNITRON (Apple II lookalike), drive, monitor, MIDI, software, £300. Spectrum + drive, Micon, software, £200. EMS Synthia, £250. 23 (0239) 71 1032.

XRI MICON Spectrum MIDI interface with 4/8 track sequencer packages, £50. 28 Bath 21723:

XRI MIDI interface/sequencer program for Spectrum, £50. DX7 library £10. Yamaha MIDI/tape sync £50. \$(0272) 49243.

YAMAHA CX5M; large keyboard, voicing, DX7, composing, DMS1, bit, filing, programs, good cond, £300, no offers. Steve & Waltham Cross 20886.

YAMAHA CX5M, large keyboard, YRM101 sequencer, perfect cond, unwanted gift, £200 for quick sale. (2) (0277) 822377.

YAMAHA CX5M, large keyboard, DMS sequencer, FM voicing, data recorder, many games & magazines, £250 ono. Andrew & (0634) 243170.

YAMAHA CX5M MkII 128K, music computer, d/drive, YRM301 sequencer, games, MSX books, guaranteed, splittable, total £550. (0827) 899064.

Recording

AKAI 400DS open-reel, SOS, exc cond, hardly used, £75. Chorus/flanger £30 ono. Steve & (0782) 262286.

AKG Accessit, Boss, Electro-harmonix; Fostex, MPC, Roland, and lots more s/h equipment in Ireland. John 20 094-81 353.

BOSS RSD10 DDL/sampler, new, boxed, guaranteed, unwanted gift, bargain, £99: 38 (0895) 635171 (Ruislip).

DYNAMIX 12:2 mixer, two effect send/ returns, full EQ, psu, vgc, £200. Dean & Bournemouth (0202) 517538.

EVANS 810SE Super Echo, multiple reverb and echo, as new, home use only, £180. To (0420) 88302, anytime.

FERROGRAPH Series Seven stereo master recorder; professional m/c, little used, £145. Robert 201-761 5187.

FOSTEX X15 4-track tape, recorder, power supply, boxed, mint, £190. Boss flanger HF2, unused, £50. 78 051-342 3632.

FOSTEX X15 as new, hardly used, boxed with power supply and manuals, £190. The Manchester 061-485 2243.

FOSTEX X I5, MN15 mini-mixer, compressor, psu, case, remote, all perfect, little used, £190. Dave & 01-346 8138.

JBL L86 monitors, lovely sound, 200火 rms; Walnut finished, as new, still boxed, £250 ono. 容 (0202) 747191.

PROMARK MX3 8:4:2 mixer and MTR 32way patchbay, £275. 23 Hemel Hempstead (0442) 217715.

RESPONCE BM104 16-ch mixer, 3-band EQ; foldback etc, £225 or swap for Yamaha comp. & S Devon (0803) 554716.

FREE CLASSIFIED ORDER FORM

ROLAND Handclap, £20. Yamaha MM30 mixer plus patchbay, £150. Akai 4000DS tape deck, £75. ☎ (0782) 262286.

ROLAND RE501 chorus/echo, £250. Stereo 10-band EQ. £50. Arion chorus pedal, £35. Ibanez Musician (fretless) bass, £200. Mark & (0924) 474798.

SECK 18:8:2, 16-track mixer, home use only, perfect order, £925. Paul 🕿 (068 45) 61 397.

SCULLY 1" 8-track plus connecting cables, believed working order but requires servicing, £400. Mike 🕾 Reading (0734) 664044.

SHURE SM 58 Audio Technica ATM40, £160 ono thé pair, will not split. 201-272 7236.

SONY TCD5-PRO, broadcast quality cassette recorder; 2yrs old, current model, £250 ono with AKG mic. 28 Bristol (0272) 427638.

STUDIOMASTER STUDIO 4 6:4 professional portastudio, parametric, EQ, balanced, XLRs, etc. Flexible, rugged, superb S/N and transport, 2500. 201-671 9501.

TANTEK Comp-Lim, kit built, unused but untested, £30. Aria Pro II bass, £120. Fane speaker,£50. Vyv 23 01-888 1976.

TASCAM 244 Portastudio, exc cond, hardly used, Kent £495. 28 (0304) 368111.

TASCAM 38 mint, hardly used, plus Bel noise reduction, £1500. Pete 201-675 1816. TORQUE REVERB unit, as new, £60. Altai

analogue delay EC500, as new, £75. 2 (0877) 30528.

VESTAFIRE MRI0 4-tr recorder, good cond, psu, £250. Dave & (0386) 860574. VESTAFIRE MR30, £200. 2×2-tier stands,

450. 15W amp, £40 ovno. Gen © 01-595 6245. YAMAHA MM10 mixer with patchbay, exc cond, cost £280, accept £150 or swap for MIDI sequencer. © (0782) 262286.

YAMAHA MTIX mint, £350 or swap for Casio CZ3000. Mark Young, Stables Cottage, Preston, Chathill, Northumberland. & Chathill 253.

YAMAHA SPX90 as new, £450. Yamaha PF15 piano, £475. Both home use only. & Harpenden (Herts) 5549.

Personnel

DRUMMER seeks work, into electronic drums. Lessons also given. 25 Stafford 48069. EXPERIENCED music graduate seeks paid work writing and performing keyboards, sax, vocals. Cambridge/London area. Mark 29 (0279) 506701.

LEAD GUITARIST wanted for commercial band (recording soon). Ambition/dedication essential. Original material, London based. & 01-388 9265, eves.

LONE SONGWRITER seeks partner in Portsmouth area, influenced by all popular music. Interested? Ian & Waterlooville 252140.

GOSPEL MUSICIAN seeks pen friends: interests multikeyboard synths. Job Moses, 154/21 Lotus Colony, Madras 600/02, India. PROSPECTIVE STUDIO engineer needs a


break. School of Audio, and Gateway Education. Trevor 201-348 4782.

SESSION KEYBOARD player available for studio work, experienced, many styles, competitive rates, Northwest area, own transport. Stuart 28 051-728 9579.

STUDENT SEEKS summer studio experience before entering sound engineering course, preferably London. Gareth Gault, 28 Hillview Road, Enniskillen, Co Fermanagh, N. Ireland.

SYNTHESIST, 20, into Erasure, Pet Shop Boys, and Depeche Mode, looking for similar people to form group. Paul & Dean (0594) 43319.

87





Rates for 1987: Lineage 35p per word (min 12 words); Box No. 80p extra. Display: £15.00 per single cm. column. All prices are subject to VAT at 15%. All lineage advertisements must be pre-paid. Closing date: 6 weeks

preceding cover date. Advertisements are accepted subject to the

terms and conditions printed on the advertisement rate card (available

Guildhall School of Music & Drama, Barbican, London Sunday 2–Friday 7 August 1987 Top tutors incl: John Taylor, Phil Lee, Tim Stone, Isaac Guillory, Ted McKenna etc. Many activities incl: recording, concerts, demos, arranging, improvide time of the state of the improvisation etc. Accommodation available Admin. Cheryl King 0483 300327 PO Box 75, Guildford GU2 5LN **HIP-HOP! FUNK! ROCK!**

JAZZ ROCK & STUDIO

MUSIC SUMMER SCHOOL

Bored with your drum machine? You need our very heavy drum cassette 16, 3 minute sampled drum tracks arranged in verse and chorus swirtling or doing the washing up. The Heavy Sounds of an Akai S900 sampler in your bedroom on chorom C60 cassette for onny £5.99 (inc P8P) WHY PAY LESS Cheques/Postal Orders to: Sound on Vision (Dept MT), 113 Bonchurch Road, Brighton, Sussex BN2 3PJ Tel: 0273 687059

BLANK CASSETTES wound to your required length: Chrome available. WNE, Warwick Chambers, 14 Corporation Street, Birmingham B2 4RN. Tel: 021-643 7113.

SOUND RECORDING & PRODUCTION TRAINING

One Year Full-time DIPLOMA Course In Modern 24-track Studio and 32/48-track Digital Studio covering digital concepts: DASH & Pro Audio formats. multi-track analogue-digital sound recording & production. automation concepts: MDI and time code; computeneed analogue sound mixing consoles, digital sound recording synoncastation. MDI and time, analogue-digital sound synthesis and sound sampling; working with various bands; & Individual afficts; local radio peration; in your divide por music video production; the business practice within the music industry.

3-month Intensive & 6-month Part-time CERTIFICATE Courses

AD INDEX

ABC Music	
ACT	
Argents Keyboards (DX MAX)	47
Arthur Lord Keyboards	
Brixton Exchange Mart	
Bonners	
C. P. Cases	
Chappell (Milton Keynes)	
Chromatix	
Dougies Music	
Future Music (Chelmsford)	
Future Music (Chelsea)	
Percy Priors Music	
John Hornby Skewes & Co Ltd	
Kingfisher Music	
The Keyboard Shop	
Kawai	
Livewire	
The Music Shop	
Music Staff	
Music Village	
Opcode	
Peps Music	
Philip Rees (Modern Music Technology)	
Pulse-Yamaha	
Project Electronics	
Rock City	
Roland (UK) Ltd	
Rose Morris	
Soho Soundhouse	
Sonyx	
Sound Technology	
Steinberg Research	
Simmons	
Syndromic Music	
Sound Sales	
Sound Creation	
Syco	
Thatched Cottage Audio	

MUSIC TECHNOLOGY MAY 1987

Are You A Slave To Your Machines?



Free Yourself With The Human CLOCK



If you've ever tried playing live with a sequencer or a drum machine, you know what it's like to be a slave to your machines. The rigid tempo just doesn't feel right. Or if you've ever tried adding sequenced material to a prerecorded track then you know what it's like to be the prisoner of your computer.

Free yourself with the HUMAN CLOCK[™].

The HUMAN CLOCK takes rhythmic pulse output

from your drummer, bass player, rhythm guitarist or keyboardist and through an exclusive Kahler[®] process called REAL TIME PREDICTION[™], calculates live-tempo and converts it to a midi-clock output that moves and changes with your tempo! Instantly and naturally.

The HUMAN CLOCK lets you make music the way YOU want to, not the way your machines force you to.

Experience the freedom at your Kahler[®] dealer. The HUMAN CLOCK.^{**}

> AN AMERICAN INVENTION BY

Exclusive Trade Distributors for UK and Eire

JOHN HORNBY SKEWES & CO LTD., Salem House, Garforth, Leeds LS25 1PX

PAT. APPL'D FOR

Why combine a sampler and a synthesiser?



I need to get to my sounds quickly and also create new patches when I'm on tour. The DSS-1 gives me that flexibility. It's a very responsive instrument.

Steve Winwood Multi-Instrumentalist, Vocalist, Composer

Korg combines the realism of sampling with the flexible control of synthesis to create a new kind of keyboard with unlimited possibilities for musical experimentation: the DSS-1 Digital Sampling Synthesizer. The DSS-1 recreates sounds with digital precision. But it also shapes the complexity and variety of sampled sources into new dimensions of sound.

Exceptional Range The DSS-I's extraordinary potential for creating new sounds begins with three sound generation methods. Digital oscillators sample any sound with 12 bit resolution. Two sophisticated waveform creation methods — Harmonic Synthesis and Waveform DrawA DOLAD DIRECTORY A SOLAD DIRECTORY R OCC COSC MULTI SOLAD I OSCI I OSCI I OSCI I OSCI I OSCI LEVEL VOSC MODE & POL

VOF RESO & KBOTRACK

3 PROGRAM DIRECTORY 4 GET PROGRAM 5 GET ALL PROGRAMS 6 SAVE ALL PROGRAMS

DELETE MULTI SOUN

36 VCA TOTAL LEVEL 37 VCA EG KBDTRACK 38 VCA EG 41 AJTO BEND INT 42 VOF EG CUTOFF 43 VOF EG CUTOFF 43 VOF EG CUTOFF 44 VCA EG LEVEL 44 VCA EG LEVEL 45 VCA EG LEVEL 51 OSC MG MOD INT 52 VCF CUTOFF/MG MOD 32 VCA CUTOFF/MG MOD 33 VCA TOTAL LEVEL VSTOCK PTCH BC.

VCF SWEEP ON CO

DDL MG DDL MG DDL MG FREQU DDL MG FREQU DDL MG FREQU DDL 1 CONTROL 82 FFECT LEVEL 84 MOD INT DDL 2 CONTROL 91 INPUT SIGNA 92 TIME 93 FEEDBACK

FFECT LEVEL NOD INT CONTROL INPUT SIGNAL SELECT TIME FEEDBACK EFFECT LEVEL MOD INT MOD INVERT SW

ing — let you control the oscillators directly. Use each technique independently, or combine them in richly textured multisamples and wavetables. You edit samples and waveforms with powerful functions like Truncate, Mix, Link and Reverse, plus auto, back and forth or crossfade looping modes. Then apply a full set of synthesis parameters, including two-pole or fourpole filters and Korg's six-stage envelopes.

Exact Control Choose from four sampling rates between 16 and 48 KHz, with up to 16 seconds of sampling time. Configure the keyboard with 16 splits assignable over the full 127 note MIDI range. Layer or detune the two oscillators on each of eight voices. Then process your sounds with a complete synthesizer architecture and two programmable DDLs.

The DSS-1's power is easy to use, so you can work with sound and music, not programming manuals. The backlit 40 character LCD display takes you through the total sound generation process with options and instructions at every step. Software that talks your language and a logical front panel menu help you go beyond synthesis, beyond sampling — without dictating your direction.

Expression The DSS-1's five octave keyboard is velocity- and pressure-sensitive,

for precise touch control of Autobend, VCF, VCA, envelope rates and other parameters. Velocity Switch lets you play completely different sounds as you change your attack.

Unlike other samplers, the DSS-1 lets you access 128 sounds without changing a disk. Each disk stores four Systems of 32 sounds. Within each System, your programs combine up to 16 sample groups and/or waveforms with complete sets of synthesis parameters and keyboard setups. In effect, the DSS-1 becomes a new instrument every time you call up a System. The library of easily available 3¹/₂" disks is already substantial and growing fast. Four disks – each with 128 sounds – are supplied with the DSS-1 to start your comprehensive Korg sampling library.

By combining the best of digital sampling with familiar and flexible control of synthesis, the DSS-1 allows the modern synthesist to experiment with new sounds never before available.

Start exploring the fusion of sampling and synthesis now, at your authorized Korg Sampling Products dealer.



SAMPLING IS ONLY THE BEGINNING

For further details on all Korg products contact Korg UK, 32 Gordon House Road, London NWT 1NE

